AD-33 Bookplate
(1-63)

NATIONAL

AGRICULTURAL

LIBRARY


UNITED STATES DEPARTMENT OF AGRICULTURE
NATIONAL AGRICULTURAL LIBRARY
U.S. DEPARTMENT OF AGRICULTURE

INDEX LONDINENSIS

INDEX LONDINENSIS

TO ILLUSTRATIONS OF

FLOWERING PLANTS, FERNS AND FERN ALLIES

BEING

AN EMENDED AND ENLARGED EDITION

CONTINUED UP TO THE END OF THE YEAR 1920

OF

PRITZEL'S ALPHABETICAL REGISTER OF REPRESENTATIONS OF FLOWERING PLANTS AND FERNS

COMPILED FROM

BOTANICAL AND HORTICULTURAL PUBLICATIONS

OF THE XVIIIth AND XIXth CENTURIES

PREPARED UNDER THE AUSPICES OF THE

ROYAL HORTICULTURAL SOCIETY OF LONDON

AT THE ROYAL BOTANIC GARDENS, KEW

BY

O. STAPF

VOLUME II

OXFORD

AT THE CLARENDON PRESS

1930

ICONUM BOTANICARUM

INDEX LONDINENSIS

SIVE

G. A. PRITZELII

ICONUM BOTANICARUM

INDEX LOCUPLETISSIMUS

EMENDATUS AUCTUS ET AD ANNUM MCMXX PRODUCTUS

AUSPICIIS SUMTIBUSQUE

REGIAE SOCIETATIS HORTICULTURAE LONDINENSIS

IN TUTELA AC PRAESIDIO

REGII HORTI BOTANICI KEWENSIS

CONFECTUS CURANTE

O. STAPF

TOMUS II

OXONII

E PRELO CLARENDONIANO

MCMXXX

U. S. DEPT. OF AGRICULTURE
NATIONAL AGRICULTURAL LIBRARY
MAY 27 1977
CATALOGING - PREP.

UBBA
LIB

LONDINI ET NOVI EBORACI

APUD HUMFREDUM MILFORD, A.M.

OXONII : EXCUDEBAT IOHANNES JOHNSON, A.M.,
ARCHITYPOGRAPHUS ACADEMICUS

214915

ICONUM BOTANICARUM
INDEX LONDINENSIS

VOLUME II

CAMPANULA Linn.—Vide *Favratia, Sicyocodon*

abietina Griseb. & Schenk
Reichenbach, Ic. Fl. Germ. xix. t. 1614 (1860).
Journ. Hort. Ser. III. xviii. 93 (1889).—*Hab.*
Jardin, v. 115 (1891); viii. 193 (1894).—*Hab.*
*Römer, Pfl. d. Burzenländer Siebenbürgen, t. 28 (1898).
Journ. Roy. Hort. Soc. London, xxvii. 106, 118 (1902–3).—*Hab.*
*Ungar, Alpenfl. Südkarpath. t. 22, fig. 1 (1913).

acutangula Leresche & Lev.
Leresche & Levier, Deux Excurs. Bot. t. 7 (1880).
Gard. Chron. Ser. III. l. 220 (1911); lx. 120 (1916).
Journ. Roy. Hort. Soc. London, xli. Proc. p. cxxix (1916).

Adamii M. Bieb.
*M. v. Bieberstein, Cent. Pl. Rar. i. t. 16 (1810).
A. De Candolle, Monogr. Campan. t. 11 (1830).

adpressa Willd.
Thunberg in Mém. Acad. Sc. Pétersb. iv. t. 7 (1813).

adsurgens Leresche & Lev.
Leresche & Levier, Deux Excurs. Bot. t. 8 (1880).

aggregata Willd.
Nocca & Balb. Fl. Ticin. i. t. 5 (1816).
*Lodd. Bot. Cab. vi. t. 505 (1821).

—— **corniculata** Reichb.
Reichenbach, Pl. Crit. vi. t. 556 (1828).

—— **farinosa** Rochel
Reichenbach, Pl. Crit. vi. t. 555 (1828).

—— **viridis** Reichb.
Reichenbach, Pl. Crit. vi. t. 557 (1828).

alata Desf.
Desfontaines, Fl. Atlant. i. t. 50 (1798).

algida Fisch.
A. De Candolle, Monogr. Campan. t. 11 (1830).

alliariifolia Willd.
*Salisbury, Parad. Londin. i. t. 26 (1805).
Reichenbach, Pl. Crit. iii. t. 202 (1825); vi. t. 592 (1828).
W. Robinson, Engl. Fl. Gard. t. 54 (1883).
Pflanzenfam. iv. v. 46 (1889).—*Fr.*
L. H. Bailey, Cycl. Amer. Hort. 228 (1900).
Garden, lxxxiii. 101 (1919).—*Hab.*

Allionii Vill.
Villars, Hist. Pl. Dauph. ii. t. 10 (1787).
*Jaume St.-Hilaire, Fl. & Pom. Franç. i. t. 44 (1828).
Reichenbach, Ic. Fl. Germ. xix. t. 1591 (1860).
*Cusin, Herb. Fl. Franç. xv (Campanulacées), t. 27 (1874).
*Bot. Mag. cvii. t. 6588 (1881).
*Garden, xxi. 366 (1882).
Gard. Chron. xxvi. 13 (1886); Ser. III. lii. 52 (1912); lviii. 209 (1915).
Pflanzenfam. iv. v. 42 (1889).—*Fl.*
Acloque, Fl. France, 437 (1894).—*Fl.*
*Correvon, Fl. Col. Suisse, t. 92 (1894).

CAMPANULA

Allionii
Journ. Roy. Hort. Soc. London, xxvii. 107, 108 (1902–3).
Coste, Fl. France, ii. 497 (1903).
*Flahault, Nouv. Fl. Alpes & Pyrén. i. t. 85 (1906).
*Senn, Alpen-Flora, ii. t. 85 (1906).

alpestris All.
Allioni, Fl. Pedem. iii. t. 6, fig. 3 (1785).
Fiori & Paol. Ic. Fl. Ital. 404 (1903).
Farrer, English Rock-Gard. i. 152 (1919).—*Hab.*

Alphonsii Wall.
Wight, Ic. Pl. Ind. Or. iv. t. 1177 (1848).
*Wight, Illustr. Ind. Bot. ii. t. 136 (1850).—*Fr.*
*Wight, Spicil. Neilgherr. ii. t. 125 (1851).
Fyson, Fl. Nilgiri & Pulney Hill-tops, iii. 406 (1920).

alpina Jacq.
*Jacquin, Fl. Austr. ii. t. 118 (1774).
*Bot. Mag. xxiv. t. 957 (1806).
*Sturm, Deutschl. Fl. xiii. LI [t. 803] (1828).
*Géel, Sert. Bot. Cl. 5 (1828).
*Reichenbach, Fl. Exot. iii. t. 155 (1835).
*J. W. Loudon, Ladies' Fl.-Gard. Ornam. Perenn. ii. t. 63 (1844).
Reichenbach, Ic. Fl. Germ. xix. t. 1594 (1860).
*Weber, Alp.-Pfl. Ed. 3, iii. t. 264 (1872).
*Wooster, Alp. Pl. Ser. II. t. 19 (1874).—*Hab.*
*Seboth & A. W. Bennett, Alpine Pl. iv. t. 68 (1880).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xxii. t. 2244 (1885).
Journ. Hort. Ser. III. xxix. 5 (1894).—*Hab.*
*A. W. Bennett, Fl. Alps, i. t. 52 (1897).
*Hartinger, Atlas Alpenfl. v. t. 420 (1897).
*G. Beck, Alpenblum. Semmering, t. 16, fig. 6 (1898).—*Fl.*
Garden, lix. 451 (1901).
Journ. Roy. Hort. Soc. London, xxvii. 109 (1902–3).
Fiori & Paol. Ic. Fl. Ital. 404 (1903).
*H. S. Thompson, Alp. Pl. Europe, t. 42 (1911).
Gard. Chron. Ser. III. liv. 142 (1913).
Hegi, Ill. Fl. Mittel-Eur. vi. 1. 335 (1915).

altaica A. DC.
De Candolle, Monogr. Campan. t. 10 (1830).

americana Linn.
Britton & Brown, Ill. Fl. N. States & Canada, iii. 255 (1898); Ed. 2, iii. 297 (1913).
Proc. Indiana Acad. Sc. 1904, p. 214 (1905).—*Fl.*
Pammel in Rep. Iowa State Hort. Soc. 1905, xl. 263 (1906).

anchusiflora Sibth.
*Sibthorp & Sm. Fl. Graeca, iii. t. 212 (1819).

angustiflora Eastw.
Proc. California Acad. Ser. III. i. III. t. 11 (1898).—*Fl.*

aparinoides Pursh
Britton & Brown, Ill. Fl. N. States & Canada, iii. 254 (1898); Ed. 2, iii. 296 (1913).
*House, Wild Fl. New York (Mem. No. 15 N.Y. State Mus.), ii. t. 219 (1918).

argyrotricha Wall.
Collett, Fl. Siml. 292 (1902).

CAMPANULA

arvatica Lag.
*Bot. Mag. cxxxviii. t. 8431 (1912).
Gard. Chron. Ser. III. lviii. 242 (1915).

atlantica Coss. & Dur.
Bonnet & Baratte, Ill. Phan. Tunisie (Expl. Sc. Tun.), t. 11 (1895).—*Veg.*

—— **glabra** Bonnet
Bonnet & Baratte, Ill. Phan. Tunisie (Expl. Sc. Tun.), t. 11 (1895).

Aucheri DC.
Möllers Deutsche Gärtn.-Zeit. xxxv. 149 (1920).

aurea Linn. f.
*Ventenat, Jard. Malm. t. 116 (1803).
*Jacquin, Hort. Schoenbr. iv. t. 472 (1804).
*Allg. Teutsch. Gart. Mag. iii. t. 24, fig. 2 (1806).
*Joh. Kerner, Hort. Sempervir. t. 219 (1806).
*Duhamel, Arbres & Arbustes, Ed. 2, iii. t. 41 (1806).
*Réveil, Règne Vég. iv. t. 18 (1870).—*Fl.*

—— **latifolia** Ker-Gawl.
*Bot. Reg. i. t. 57 (1815).

azurea Banks
*Bot. Mag. xvi. t. 551 (1802).

×**Balchiniana** Hort.
Gard. Chron. Ser. III. xxii. 17 (1897).
Journ. Roy. Hort. Soc. London, xxi. 272 (1897–98).

Balfourii Wagner & Vierh.
Vierhapper in Denkschr. Akad. Wiss. Wien, lxxi. t. 16, p. 475 (1907).—*Fl.*

barbata Linn.
Jacquin, Obs. Bot. t. 37 (1767).
*Krocker, Fl. Siles. i. t. 38 (1787).
*Bot. Mag. xxxi. t. 1258 (1810).
*Lodd. Bot. Cab. viii. t. 788 (1823).
*Jaume St.-Hilaire, Fl. & Pom. Franç. i. t. 47 (1828).
*J. W. Loudon, Ladies' Fl.-Gard. Ornam. Perenn. ii. t. 63 (1844).
Duchesne, Pl. Util. t. 71 (1846).
*Zollikofer, Tent. Fl. Alp. Helvet. t. 4 [1850].
Nees, Gen. Pl., Gamop. iii. t. 32 (1854).—*Fl.*
Reichenbach, Ic. Fl. Germ. xix. t. 1594 (1860).
*Weber, Alp.-Pfl. Ed. 3, iii. t. 265 (1872).
*Cusin, Herb. Fl. Franç. xv (Campanulacées), t. 25 (1874).
*Fl. Dan. Suppl. t. 129 (1874).
*Seboth & A. W. Bennett, Alpine Pl. i. t. 61 (1879).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xxii. t. 2245 (1885).
*L. & C. Schroeter, Taschenfl. Alp.-Wand. t. 7 (1889).—*Hab.*
*Heathcote, Fl. Engadine, t. 141 (1891).
Acloque, Fl. France, 437 (1894).—*Fl.*
*Correvon, Fl. Col. Suisse, t. 92 (1894).
*Hartinger, Atlas Alpenfl. v. t. 419 (1897).
*G. Beck, Alpenblum. Semmering, t. 16, fig. 5 (1898).—*Fl.*
Flora, lxxxix. t. 3, fig. 29 (1901).—*Fr.*
Coste, Fl. France, ii. 496 (1903).
Fiori & Paol. Ic. Fl. Ital. 404 (1903).

LIB

CAMPANULA

barbata
*Jul. Hoffmann, Alpine Fl. t. 25 (1903).
*L. & C. Schroeter, Col. Vade-Mecum Alp. Fl. Ed. 16 & 17, t. 11 (1904).
*Flahault, Nouv. Fl. Alpes & Pyrén. i. t. 83 (1906).
*Senn, Alpen-Flora, ii. t. 83 (1906).
*Correvon & Rob. Alp. Fl. t. 65 [1908?].
*Hulme, Familiar Swiss Fl. t. 75 (1908).—*Fl.*
Arber, Pl. Life Alp. Switz. t. 18 (1910).
Gard. Chron. Ser. III. xlviii. 388 (1910).—*Hab.*
*Hastings, Summer Fl. High Alps, t. 26 (1910).—*Hab.*
*H. S. Thompson, Alp. Pl. Europe, t. 42 (1911).
*H. S. Thompson, Sub-Alp. Pl. t. 24 (1912).
*Hegi & Dunz. Alp. Fl. t. 27 (1913).
Hegi, Ill. Fl. Mittel-Eur. vi. i. 336 (1915).
*Penzig, Fl. Alpi Illustr. Ed. 2, t. 25 (1915).

—— **cyanea** D. Don
*Sweet, Brit. Fl. Gard. vii. t. 409 (1837).
*Hort. Belge Journ. Jard. & Amat. v. t. 98 (1838).
*Sweet, Ornam. Fl. Gard. i. t. 18 (1854).

—— **strictopedunculata** Reichb. f.
Reichenbach, Ic. Fl. Germ. xix. t. 1594 (1860).

Barrelieri Presl
Presl, Symbolae Bot. t. 19 (1830–32).
*Marnock, Floricult. Mag. i. t. 12 (1836).
*Wooster, Alp. Pl. Ser. II. t. 27 (1874).—*Hab.*
Garden, xxxviii. 87 (1890).—*Hab.*

Baumgartenii G. Beck
*Cusin, Herb. Fl. Franç. xv (Campanulacées), t. 44 (1874).

Beauverdiana Fom.
Monit. Jard. Tiflis, Livr. 1, p. 14 (1905).
*Bot. Mag. cxxxvi. t. 8299 (1910).

Bellardii All.
Allioni, Fl. Pedem. iii. t. 85, fig. 5 (1785).
Fiori & Paol. Ic. Fl. Ital. 407 (1903).
Farrer, English Rock-Gard. i. 152 (1919).—*Hab.*

bellidifolia Adam.
*Jaume St.-Hilaire, Fl. & Pom. Franç. i. t. 2 (1828).

Bertolae Colla
Gola in Mem. Accad. Sc. Torino, Ser. II. lx. 248 (1910).

—— **Re** Gola
Gola in Mem. Accad. Sc. Torino, Ser. II. lx. 248 (1910).

betonicifolia Sibth.
*Sibthorp & Sm. Fl. Graeca, iii. t. 210 (1819).

bicaulis Lapeyr.
*Lapeyrouse, Fig. Pl. Pyren. i. t. 7 (1795).

Biebersteiniana Roem. & Schult.
A. De Candolle, Monogr. Campan. t. 10 (1830).

biflora Ruiz & Pav.
Ruiz & Pavon, Fl. Peruv. & Chil. ii. t. 200 (1799).

Billardieri A. DC.
A. De Candolle, Monogr. Campan. t. 13 (1830).

Bocconii Vill.
*Jaume St.-Hilaire, Flora & Pom. Franç. i. t. 43 (1828).

Bolosii Vayr.
Vayreda, An. Soc. Esp. Hist. Nat. viii. t. 9 (1879).
*Willkomm, Ill. Fl. Hispan. Balear. i. t. 44, fig. A (1881–85).

bononiensis Linn.
Reichenbach, Pl. Crit. ii. t. 111 (1824).
*Zenker, Fl. Thüringen, xii. t. 1335 (1836–55).
*Sturm, Deutschl. Fl. xvii. LXXII [t. 1138] (1838).
*Lorek, Fl. Pruss. Ed. 3, t. 54, fig. 305 (1848).
Reichenbach, Ic. Fl. Germ. xix. t. 1598 (1860).
*Cusin, Herb. Fl. Franç. xv (Campanulacées), t. 37 (1874).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xxii. t. 2224 (1885).
Lubbock, Seedlings, ii. 167 (1892).—*Veg.*
Coste, Fl. France, ii. 500 (1903).
Fiori & Paol. Ic. Fl. Ital. 407 (1903).
Sturm, Fl. Deutschl. Ed. 2, xii. t. 59 (1904).
Flahault, Nouv. Fl. Alpes & Pyrén. i. 88 (1906).
Senn, Alpen-Flora, ii. 88 (1906).

CAMPANULA

bononiensis
Suireishchikov, Ill. Fl. Mosc. Gov. iii. 221 (1910).
*H. S. Thompson, Fl. Pl. Riviera, t. 20 (1914).
Hegi, Ill. Fl. Mittel-Eur. vi. i. 341 (1915).

brassicifolia Somm. & Lev.
Act. Hort. Petrop. xvi. t. 30 (1900).

Burghalti pallida Prichard
Journ. Roy. Hort. Soc. London, xxvii. 104 (1902–3).—*Hab.*

caespitosa Scop.
Scopoli, Fl. Carn. Ed. 2, i. t. 4 (1772).
*Schrank, Fl. Monac. iv. t. 350 (1818).
Reichardt in Verh. Zool.-Bot. Ver. Wien, vii. t. 9, fig. 12 (1857).—*Veg.*
Reichenbach, Ic. Fl. Germ. xix. t. 1604 (1860).
*Réveil, Règne Vég. iii. t. 17 (1870).
*Cusin, Herb. Fl. Franç. xv (Campanulacées), t. 47 (1874).
W. Robinson, Engl. Fl. Gard. t. 54 (1883).—*Hab.*
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xxii. t. 2218 (1885).
*Garden, xliii. 24 (1893) in ic.; *C. pusilla caespitosa* in textu.—*Hab.*
Jardin, viii. 196 (1894).—*Hab.*
*G. Beck, Alpenblum. Semmering, t. 16, fig. 1 (1898).—*Fl.*
Fiori & Paol. Ic. Fl. Ital. 407 (1903).
Bull. Soc. Bot. Ital. 1915, p. 65.—*Fl.*
Hegi, Ill. Fl. Mittel-Eur. vi. i. 348 (1915).

—— **alba** Hort.
Gard. Chron. Ser. III. lx. 257 (1916).—*Hab.*

—— **Minii** Pamp.
Bull. Soc. Bot. Ital. 1915, p. 65.—*Fl.*

calaminthifolia Lam.
Desfontaines, Choix Pl. Tourn. t. 27 (1808).
Ann. Mus. Hist. Nat. Paris, xi. 136 (1808).

calcarata Somm. & Lev.
Act. Hort. Petrop. xvi. t. 32 (1900).

calycanthema Hort.
Rev. Hort. 1885, p. 303.
Horticulture (Boston), xv. 217 (1912).—*Fl.*

Campana erfortensis Topf
*Gartenfl. ii. t. 67 (1853).

capensis Linn.
*Bot. Mag. xx. t. 782 (1804).
Thunberg in Mém. Acad. Sc. Pétersb. iv. t. 6 (1813).

caperonioides Klotzsch
Klotzsch & Garcke, Bot. Ergebn. Reise Pr. Waldemar, t. 78 (1862).

capillacea Linn.
Thunberg in Mém. Acad. Sc. Pétersb. iv. t. 5 (1813).

capillaris Lodd.
*Lodd. Bot. Cab. xv. t. 1406 (1828).

capitata Sims
*Bot. Mag. xxi. t. 811 (1805).
Reichenbach, Pl. Crit. vi. t. 575 (1828).
Reichenbach, Ic. Fl. Germ. xix. t. 1617 (1860).
Adamović, Pflanzenw. Dalmat. t. 52 (1911).

carnica Schiede
Reichenbach, Ic. Fl. Germ. xix. t. 1602 (1860).
*Weber, Alp.-Pfl. Ed. 3, iii. t. 257 (1872).
*Seboth & A. W. Bennett, Alpine Pl. iv. t. 77 (1880).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xxii. t. 2221 (1885).
*H. S. Thompson, Alp. Pl. Europe, t. 41 (1911).

carpatica Jacq.
*Jacquin, Hort. Vind. i. t. 57 (1770).
*Bot. Mag. iv. t. 117 (1790).
*Roemer, Fl. Eur. iii [t. 7] (1798).
Trattinick, Fl. Oesterr. Kaiserth. ii. t. 161 (1820).
A. De Candolle, Monogr. Campan. t. 2 (1830).—*Fr.*
*J. W. Loudon, Ladies' Fl.-Gard. Ornam. Perenn. ii. t. 64 (1844).
*Spach, Hist. Nat. Vég. Phan. Atl. t. 78 (1846).
Reichenbach f., Ic. Fl. Germ. xix. t. 1612 (1860).
Decaisne & Naud. Amat. Jard. ii. 342 [1862–66].

CAMPANULA

carpatica
Decaisne, Naud. & Hemsl. Trees, Shrubs & Herb. Pl. 271 (1873).
Verlot, Pl. Alp. Ed. 2, p. 236 (1873).—*Hab.*
Rev. Hort. Belge, i. 197 (1875); xxiv. 34 (1898).
W. Robinson, Engl. Fl. Gard. t. 54 (1883).—*Hab.*
Nicholson, Illustr. Dict. Gard. i. 253 [1884–88].
Jardin, ii. 284 (1888); viii. 213 (1894).—*Hab.*
Pflanzenfam. iv. v. 46 (1889).—*Fr.*
*A. W. Bennett, Fl. Alps, i. t. 56 (1897).
*Römer, Pfl. d. Burzenländer Siebenbürgen, t. 27 (1898).
Rev. Hort. 1899, p. 189; 1908, p. 160.
L. H. Bailey, Cycl. Amer. Hort. 231 (1900); Stand. Cycl. Hort. 648 (1914).
*Hoffmann-Wagner, Magyar. virág. növén. (Flow. Pl. Hungary), t. 66, fig. 5 (1903).
Garden, lxviii. 124 (1905).
Gard. Chron. Ser. III. xxxviii. 145 (1905); xlvi. 412 (1909); lxvi. 238, 239 (1919); lxviii. 121 (1920).
Horticulture (Boston), iii. 215 (1906).—*Hab.*
Wettstein, Handb. Syst. Bot. Ed. 2, p. 769 (1911).—*Fl.*
*Ungar, Alpenfl. Südkarpath. t. 22, fig. 2 (1913).
Hayek, Pflanzend. Oesterr.-Ung. i. 365 (1915).—*Hab.*
Farrer, English Rock-Gard. i. 160 (1919).—*Hab.*

—— **alba** Pope
*Verlot, Pl. Alp. Ed. 2, t. 10 (1873).
*Wooster, Alp. Pl. Ed. 2, t. 21 (1874).
Nicholson, Illustr. Dict. Gard. i. 252 [1884–88].

—— **compacta** Hort.
Silva Tarouca, Freiland-Stauden, 54 (1910).—*Hab.*

—— **pelviformis** Hort.
Gartenfl. xxix. 199 (1880).
Nicholson, Illustr. Dict. Gard. i. 254 [1884–88].—*Hab.*
Pflanzenfam. iv. v. 49 (1889).—*Hab.*
Gard. Chron. Ser. III. xliv. 64 (1908).—*Hab.*

—— **turbinata** Hort.
Nicholson, Illustr. Dict. Gard. i. 252, 254 [1884–88].
Jardin, viii. 213 (1894).—*Hab.*

cashmeriana Royle
*Royle, Illustr. Bot. Himal. t. 62 (1839).

caudata Vis.
Visiani, Fl. Dalmat. ii. t. 33 (1847).

Cavaleriei Léveillé
Léveillé, Cat. Ill. Pl. Seu Tchouen, t. 7 (1918).

Cavolinii glabra Ten.
Tenore, Fl. Nap., Atlas, v. t. 213 (1811–38).

—— **hirsuta** Ten.
*Tenore, Fl. Nap., Atlas, v. t. 213 (1811–38).

Celsii A. DC.
Gard. Chron. Ser. III. lix. 218-20 (1916).

celtidifolia Boiss.
W. Robinson, Engl. Fl. Gard. t. 54 (1883).
Jardin, viii. 196 (1894).—*Hab.*
Rev. Hort. 1910, p. 93.

cenisia Linn.
Allioni, Fl. Pedem. iii. t. 6, fig. 2 (1785).
Reichenbach, Pl. Crit. i. t. 85 (1823).
*Jaume St.-Hilaire, Fl. & Pom. Franç. i. t. 43 (1828).
*Froelich, Alpenpfl. Schweiz, i. t. 5 (1853).
Reichenbach, Ic. Fl. Germ. xix. t. 1609 (1860).
Cesati, Passer. & Gibelli, Comp. Fl. Ital. t. 68 (1867–86).—*Fl.*
*Weber, Alp.-Pfl. Ed. 3, iii. t. 261 (1872).
*Cusin, Herb. Fl. Franç. xv (Campanulacées), t. 54 (1874).
*Seboth & A. W. Bennett, Alpine Pl. iv. t. 56 (1880).
Willkomm, Führ. Reich Pflanzen, 462 (1882).—*Fl.*
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xxii. t. 2239 (1885).
*L. & C. Schroeter, Taschenfl. Alp.-Wand. t. 7 (1889).—*Hab.*
*Correvon, Fl. Col. Suisse, t. 94 (1894).
*Hartinger, Atlas Alpenfl. v. t. 426 (1897).
Flora, lxxxix. t. 3, fig. 31 (1901).—*Fr.*
Journ. Roy. Hort. Soc. London, xxvii. 110 (1902–3).

CAMPANULA

cenisia
Coste, Fl. France, ii. 497 (1903).
Fiori & Paol. Ic. Fl. Ital. 405 (1903).
*L. & C. Schroeter, Col. Vade-Mecum Alp. Fl. Ed. 16 & 17, t. 11 (1904).—*Hab.*
*Flahault, Nouv. Fl. Alpes & Pyrén. i. t. 87 (1906).
*Senn, Alpen-Flora, ii. t. 87 (1906).
Arber, Pl. Life Alp. Switz. t. 17 (1910).—*Hab.*
*H. S. Thompson, Alp. Pl. Europe, t. 41 (1911).
Gard. Chron. Ser. III. lii. 43 (1912).—*Hab.*
Francé, Leben Pflanze, vi. 222 (1913).
Hegi, Ill. Fl. Mittel-Eur. vi. 1. 363, 364 (1915).
Farrer, English Rock-Gard. i. 160 (1919).—*Hab.*
Bull. Soc. Bot. Genève, Ser. II. xi. 67 (1919).—*Fl.*

cernua Willd.
Thunberg in Mém. Acad. Sc. Pétersb. iv. t. 7 (1813).

Cervicaria Linn.
J. G. Gmelin, Fl. Sibir. iii. t. 31 (1768); fide Ledebour, Comm. 92.
Buchoz, Hist. Règne Vég. xii. Dec. 10, t. 5 (1776).
*Fl. Dan. v. t. 787 (1781).
*Schrank, Fl. Monac. iii. t. 290 (1816).
*Lodd. Bot. Cab. v. t. 452 (1820).
Reichenbach, Pl. Crit. vi. t. 572 (1828).
*Zenker, Fl. Thüringen, viii. t. 867 (1836–55).
*Lorek, Fl. Pruss. Ed. 3, t. 54, fig. 302 (1848).
Reichenbach, Ic. Fl. Germ. xix. t. 1596 (1860).
*Cusin, Herb. Fl. Franç. xv (Campanulacées), t. 30 (1874).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xxii. t. 2242 (1885).
Coste, Fl. France, ii. 498 (1903).
Fiori & Paol. Ic. Fl. Ital. 404 (1903).
Suireishchikov, Ill. Fl. Mosc. Gov. iii. 227 (1910).
Hegi, Ill. Fl. Mittel-Eur. vi. 1. 339 (1915).—*Fl.*
Lindman, Svensk Fanerogamfl. 515 (1918).—*Fl.*

—— **multiflora** Waldst. & Kit.
Reichenbach, Pl. Crit. vi. t. 573 (1828).

Chabertii Car.
*Cusin, Herb. Fl. Franç. xv (Campanulacées), t. 51 (1874).

cichoracea Sibth.
*Sibthorp & Sm. Fl. Graeca, iii. t. 209 (1819).

cinerea Willd.
Thunberg in Mém. Acad. Sc. Pétersb. iv. t. 6 (1813).

circaeoides F. Schmidt
Schmidt in Mém. Acad. Sc. Pétersb. Ser. VII. xii. No. 2, t. 3 (1868).
Somoku Dzusetsu, Ed. 2, iii. t. 34 (1874).

cochleariifolia Lam.
Beih. Bot. Centralbl. xxvii. 151 (1910).
*Hegi, Ill. Fl. Mittel-Eur. vi. 1. t. 256, p. 351 (1915).

—— **pusilla** Hänke
Beauverd in Bull. Soc. Bot. Genève, Ser. II. iv. 437 (1912).

collina M. Bieb.
*Bot. Mag. xxiv. t. 927 (1806).
*M. v. Bieberstein, Cent. Pl. Rar. i. t. 42 (1810).
Reichenbach, Pl. Crit. x. t. 957 (1832).
*J. W. Loudon, Ladies' Fl.-Gard. Ornam. Perenn. ii. t. 62 (1844).
W. Robinson, Engl. Fl. Gard. t. 55 (1883).

colorata Wall.
*Fl. des Serres, Ser. I. vi. t. 614 (1850–51).
*Bot. Mag. lxxvii. t. 4555 (1851).
*Lem. Jard. Fl. i. t. 89 (1851).
Collett, Fl. Siml. 291 (1902).
Fyson, Fl. Nilgiri & Pulney Hill-tops, ii. 176 (1915).

corbariensis Rouy
Rouy, Illustr. Pl. Eur. Rar. fasc. 20, t. 494 (1905).

cordata Vis.
Visiani, Stirp. Dalmat. t. 2 (1826).

coronata Ker-Gawl.
*Bot. Reg. ii. t. 149 (1816).
*W. Thompson, Engl. Fl. Gard. i. 129 (1852).
Journ. Hort. li. 52 (1874); Ser. III. xii. 51 (1886).
Baillon, Hist. Pl. viii. 319 (1886).—*Fl.*

CAMPANULA

corymbosa Desf.
Ann. Mus. Hist. Nat. Paris, xi. 139 (1808).
Desfontaines, Choix Pl. Tourn. t. 30 (1808).

crassifolia Nees
*Nees, Pl. Hort. Med. Bonn. Ic. Sel. t. 4 (1824).

crassipes Heuff.
Hayek, Pflanzend. Oesterr.-Ung. i. 446 (1915).

crenata Link
Reichenbach, Pl. Crit. vi. t. 509 (1828).

crispa Linn.
J. C. Loudon, Arbor. & Frutic. Brit. i. 243 (1838).

cristallocalyx Adamov.
Adamović in Denkschr. Akad. Wiss. Wien, lxxiv. t. 5, fig. 1–5 (1904).

damascena Labill.
Labillardière, Ic. Pl. Syriae, v. t. 5 (1812).

dasyantha M. Bieb.
Reichenbach, Pl. Crit. i. t. 85 (1823).
A. De Candolle, Monogr. Campan. t. 10 (1830).

decumbens A. DC.
A. De Candolle, Monogr. Campan. t. 12 (1830).

decurrens Thore
*Jaume St.-Hilaire, Fl. & Pom. Franç. i. t. 42 (1828).

dehiscens Roxb.
Wallich in Asiatick Researches, xii. 576, t. 6 (1816).

dichotoma Linn.
*Jacquin, Collect. v. t. 12 (1796).
*Sibthorp & Sm. Fl. Graeca, iii. t. 211 (1819).
Reichenbach, Pl. Crit. v. t. 441 (1827).
*Sweet, Brit. Fl. Gard. iii. t. 280 (1828).
*J. W. Loudon, Ladies' Fl.-Gard. Ornam. Annuals, t. 30 (1844).
Reichenbach, Ic. Fl. Germ. xix. t. 1592 (1860).
Neubert's Deutsch. Gart. Mag. 1884, p. 362.
Wien. Ill. Gart.-Zeit. x. 87 (1885).—*Hab.*
Bull. Soc. Tosc. Ortic. xi. 6 (1886).—*Hab.*
Gartenfl. xxxvi. 249 (1887).—*Hab.*
Fiori & Paol. Ic. Fl. Ital. 404 (1903).
Vierhapper in Denkschr. Akad. Wiss. Wien, lxxi. 475 (1907).—*Fl.*

diffusa Vahl
*Tenore, Fl. Nap., Atlas, v. t. 213 (1811–38).

divaricata Michx.
Britton & Brown, Ill. Fl. N. States & Canada, iii. 255 (1898); Ed. 2, iii. 297 (1913).

divergens Willd.
*Sweet, Brit. Fl. Gard. vi. t. 256 (1834).
*J. W. Loudon, Ladies' Fl.-Gard. Ornam. Annuals, t. 30 (1844).
Bull. Arboricult. Belg. 1895, p. 27.

drabifolia Sibth.
*Sibthorp & Sm. Fl. Graeca, iii. t. 215 (1819).

Elatines Linn.
Allioni, Fl. Pedem. iii. t. 7, fig. 2 (1785).
Reichenbach, Ic. Fl. Germ. xix. t. 1608 (1860).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xxii. t. 2230 (1885).
Garden, lx. 64 (1901).
Journ. Roy. Hort. Soc. London, xxvii. 111 (1902–3).
Fiori & Paol. Ic. Fl. Ital. 406 (1903).

—— **garganica** Ten.
Fiori & Paol. Ic. Fl. Ital. 407 (1903).

elatinoides Moretti
Reichenbach, Ic. Fl. Germ. xix. t. 1607 (1860).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xxii. t. 2232 (1885).
Fiori & Paol. Ic. Fl. Ital. 407 (1903).

elatior Link
*Hoffmannsegg & Link, Fl. Portug. ii. t. 80 (1820).

elliptica Waldst. & Kit.
Reichenbach, Pl. Crit. vi. t. 559 (1828).

ephesia Boiss.
*Bot. Mag. cxliii. t. 8715 (1917).
Gard. Chron. Ser. III. lxi. 190 (1917).

erinoides Cav.
*Boissier, Voy. Bot. Espagne, i. t. 120 (1839–45) in ic.; *C. Loeflingii* in textu.

CAMPANULA

Erinus Linn.
*Sibthorp & Sm. Fl. Graeca, iii. t. 214 (1819).
A. De Candolle, Monogr. Campan. t. 2 (1830).
Reichenbach, Ic. Fl. Germ. xix. t. 1607 (1860).
*Cusin, Herb. Fl. Franç. xv (Campanulacées), t. 38 (1874).
*Bicknell, Fl. Pl. Riviera, t. 36 (1885).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xxii. t. 2229 (1885).
Pflanzenfam. iv. v. 49 (1889).
Coste, Fl. France, ii. 496 (1903).
Fiori & Paol. Ic. Fl. Ital. 403 (1903).

eriocarpa Marsh.
*Jaume St.-Hilaire, Fl. & Pom. Franç. i. t. 21 (1828).

excisa Schleich.
*Lodd. Bot. Cab. vi. t. 561 (1821).
Reichenbach, Pl. Crit. i. t. 78 (1823).
*Gaudin, Fl. Helv. ii. t. 2 (1828).
Reichenbach, Ic. Fl. Germ. xix. t. 1605 (1860).
*Weber, Alp.-Pfl. Ed. 3, iii. t. 255 (1872).
Willkomm, Führ. Reich Pflanzen, 461 (1882).—*Fl.*
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xxii. t. 2217 (1885).
Gard. Chron. Ser. III. xiv. 307 (1893).—*Hab.*
*Bot. Mag. cxx. t. 7358 (1894).
Garden, lx. 64 (1901); lxxx. 197 (1916).—*Hab.*
Journ. Roy. Hort. Soc. London, xxvii. 112 (1902–3).
Fiori & Paol. Ic. Fl. Ital. 407 (1903).
Schroeter, Pflanzenleb. Alp. 523 (1908).—*Hab.*
Hegi, Ill. Fl. Mittel-Eur. vi. 1. 348 (1915).
Farrer, English Rock-Gard. i. 168 (1919).—*Hab.*
Bull. Soc. Bot. Gèneve, Ser. II. xi. 67 (1919).—*Fl.*

exigua Rattan
Proc. Californian Acad. Ser. III. i. III. t. 11 (1898).—*Fl.*

expansa Rud.
Rudolph in Mém. Acad. Sc. Pétersb. iv. t. 2 (1813).

expansa Friv.
Frivaldszky in Magyar Tud. Társ. Evk. (Ann. Hung. Acad. Sc.), iv. t. 7, p. 201 (1840) in ic.; *C. sparsa* in textu.

fasciculata Willd.
Thunberg in Mém. Acad. Sc. Pétersb. iv. t. 6 (1813).

fastigiata S. G. Gmel.
S. G. Gmelin, Reise, i. t. 33 [1770].

fastigiata Dufour
A. De Candolle, Monogr. Campan. t. 12 (1830).

×**Fergusonii** Hort.
Garden, lxvi. 276 (1904).—*Hab.*

ficarioides Timb.-Lag.
*Timbal-Lagrave in Mém. Acad. Sc. Toulouse, Ser. VII. v. t. 2 (1873).

filicaulis Durieu
*Cosson & Durieu, Expl. Scient. Algér. 1840–42, Bot. Atl. t. 62 (1850).

filiformis Ruiz & Pav.
Ruiz & Pavon, Fl. Peruv. & Chil. ii. t. 200 (1799).

flagellaris H. B. K.
H. B. K. Nov. Gen. iii. t. 265 (1818).

flagellaris Halácsy
Halácsy in Denkschr. Akad. Wiss. Wien, lxi. t. 3, fig. 1 (1894).

flexuosa Waldst. & Kit.
*Waldstein & Kit. Pl. Rar. Hung. ii. t. 136 (1805).

foliosa Ten.
*Tenore, Fl. Nap., Atlas, i. t. 18 (1811–38).
Reichenbach, Pl. Crit. vi. t. 560 (1828).
Fiori & Paol. Ic. Fl. Ital. 405 (1903).

Formanekiana Degen & Dörfl.
Degen & Dörfler in Denkschr. Akad. Wiss. Wien, lxiv. t. 3, fig. 7 (1897).

fragilis Cirillo
Cirillo, Pl. Rar. Neap. i. t. 11 (1788).
*Tenore, Fl. Nap., Atlas, iii. t. 119 (1811–38).

CAMPANULA

fragilis
*J. W. Loudon, Ladies' Fl.-Gard. Ornam. Perenn. ii. t. 64 (1844).
Ann. Hort. iii. 552 (1847).
Reichenbach, Ic. Fl. Germ. xix. t. 1611 (1860).
Rev. Hort. 1878, p. 169; 1898, p. 483.
*Bot. Mag. cvi. t. 6504 (1880).
W. Robinson, Engl. Fl. Gard. t. 55 (1883).
Journ. Hort. Ser. III. ix. 279 (1885).
Gartenfl. xxxv. 340 (1886).—*Hab.*
Gartenwelt, ii. 382 (1898).
*Cerio & Bellini, Fl. Capri, tab. (1900).
Semaine Hort. iv. 89 (1900).—*Hab.*
Fiori & Paol. Ic. Fl. Ital. 406 (1903).
Gard. Chron. Ser. III. xliii. 378 (1908).—*Hab.*
Tribune Hort. iv. 431 (1909).
Farrer, English Rock-Gard. i. 168 (1919).—*Hab.*

—— **hirsuta** Lindl.
*Bot. Reg. xx. t. 1738 (1835).
*Paxt. Mag. xi. 25 (1844).

fulgens Wall.
Wight, Ic. Pl. Ind. Or. iv. t. 1179 (1848).
*Wight, Spicil. Neilgherr. ii. t. 127 (1851).
Fyson, Fl. Nilgiri & Pulney Hill-tops, ii. 177 (1915).

—— **capitula** Wight
*Wight, Illustr. Ind. Bot. ii. t. 136 (1850).

garganica Ten.
*Tenore, Fl. Nap., Atlas, v. t. 224 (1811–38).
Tenore in Atti Accad. Sc. Napoli, iii. t. 5 (1832).
*Sweet, Brit. Fl. Gard. vi. t. 252 (1834).
*Bot. Reg. xxi. t. 1768 (1835).
*Florist's Mag. i. 93 (1836).
*J. W. Loudon, Ladies' Fl.-Gard. Ornam. Perenn. ii. t. 64 (1844).
Visiani, Fl. Dalmat. ii. t. 14 (1847).
Reichenbach, Ic. Fl. Germ. xix. t. 1608 (1860).
Cesati, Passer. & Gibelli, Comp. Fl. Ital. t. 68 (1867–86).—*Fl.*
*Verlot, Pl. Alp. Ed. 2, t. 3 (1873).—*Hab.*
*Wooster, Alp. Pl. Ed. 2, t. 26 (1874).—*Hab.*
W. Robinson, Engl. Fl. Gard. t. 55 (1883).—*Hab.*
Garten-Zeit. Berlin, iii. 78 (1884).
Wien. Ill. Gart.-Zeit. ix. 264 (1884).
Gartenfl. xxxiv. 20 (1885).—*Hab.*
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xxii. t. 2231 (1885).
Gartenwelt, iv. 255 (1900).
Malby, Story Rock Garden, 57 (1912).—*Hab.*
Gard. Chron. Ser. III. lx. 119 (1916).—*Hab.*
Farrer, English Rock-Gard. i. 176 (1919).—*Hab.*

—— **hirsuta** Hort.
Silva Tarouca, Freiland-Stauden, 55 (1910).—*Hab.*

glauca Thunb.
Trav. Mat. Med. Paris (Bull. Sc. Pharm. xiii), iv. IV. t. 5 (1906); v. II. 184 (1907).—*Veg.*

glomerata Linn.
*Kniphof, Herb. Viv. i. t. 201 (1758).
Hill, Herb. Brit. ii. t. 120 (1770).
Allioni, Fl. Pedem. iii. t. 39, fig. 1 (1784).
Hoppe, Ect. Pl. Ratisb. t. 261 (1788).
*Sowerby & Sm. Engl. Bot. ii. t. 90 (1793).
*Fl. Dan. viii. t. 1328 (1808).
*Curtis, Fl. Londin. Ed. 2, v. t. 146 (1828).
*Jaume St.-Hilaire, Fl. & Pom. Franç. i. t. 24 (1828).
Reichenbach, Pl. Crit. vi. t. 553, 554 (1828).
*Mag. Bot. & Gard. ii. t. 48 (1834).
*Zenker, Fl. Thüringen, v. t. 510 (1836–55).
[M. E.] Jackson, Pict. Fl. fig. 333 (1840).
*Deakin, Florigr. Brit. i. fig. 374 (1841).
*Dietrich, Fl. Boruss. x. t. 656 (1842).
*Lorek, Fl. Pruss. Ed. 3, t. 53, fig. 301 (1848).
Johnson & Sowerby, Brit. Wild Fl. fig. 771 (1858–60).
Reichenbach, Ic. Fl. Germ. xix. t. 1596 (1860).
Decaisne & Naud. Amat. Jard. ii. 343 [1862–66].
Bentham, Handb. Brit. Fl. fig. 609 (1865).
*Syme, Engl. Bot. vi. t. 866 (1866).
Decaisne, Naud. & Hemsl. Trees, Shrubs & Herb. Pl. 270 (1873).

CAMPANULA

glomerata
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, iii. t. 130 [1873].
*Cusin, Herb. Fl. Franç. xv (Campanulacées), t. 29 (1874).
*Hogg&Johnson, Wild Fl. Gr. Brit. ix. t. 693(1876).
De Silvestri, Piante Prat. 228 (1879).
*C. Hoffmann, Pflanzenatlas, t. 17, fig. 95 (1881).
Wagner, Ill. Deutsche Fl. Ed. 2, p. 482 (1882).
W. Robinson, Engl. Fl. Gard. t. 55 (1883).—*Hab.*
Nicholson, Illustr. Dict. Gard. i. 254 [1884–88].
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xxii. t. 2243 (1885).
*Hulme, Familiar Wild Fl. (5 vol. Ed.), v. frontisp. [1892?]; (Pop. Ed.), iii. 117 [1897].
Britton & Brown, Ill. Fl. N. States & Canada, iii. 254 (1898); Ed. 2, iii. 296 (1913).
Wettstein in Denkschr. Akad. Wiss., Wien, lxx. t. 6, fig. 1 (1901).
Coste, Fl. France, ii. 498 (1903).
Fiori & Paol. Ic. Fl. Ital. 405 (1903).
*Hulme, Familiar Swiss Fl. t. 76 (1908).
Fitzgerald in Nature Book, iv. 625, t. 1 (1909).
Heukels, Fl. Nederl. iii. 290 (1909).
*Milner, Life Oberammergau, t. 35 (1910).
Suireishchikov, Ill. Fl. Mosc. Gov. iii. 227 (1910).
Fedtschenko & Fler. Fl. Eur. Russia, 936 (1910).
*Perrin & Boulger, Brit. Flower. Pl. iv. t. 277, 280 [D], fig. 1–5 (1914).
*Hegi, Ill. Fl. Mittel-Eur. vi. 1. t. 257 (1915).
*Bonnier, Name This Flower, t. 35 (1917).
Lindman, Svensk Fanerogamfl. 515 (1918).—*Fl.*
Fitch & Smith, Ill. Brit. Fl. Ed. rev. 4, Iss. 2, fig. 617 (1919).

—— **acaulis** Cayeux & Le Clerc
Möllers Deutsche Gärtn.-Zeit. xxi. 13, 14 (1906).
Rev. Hort. Belge, xxxiv. 329 (1908).—*Hab.*
Jardin, xxii. 122 (1908).
Tribune Hort. iv. 99 (1909).—*Hab.*

—— **dahurica** Fisch.
*Bot. Reg. viii. t. 620 (1822).
Wien. Ill. Gart.-Zeit. xiii. 283 (1888).—*Hab.*
Horticulture (Boston), ix. 525 (1909).—*Hab.*
Silva Tarouca, Freiland-Stauden, 52 (1910).—*Hab.*

—— **genuina** Herd.
*Useful Pl. Jap. iii. t. 863 (1895).

—— **speciosa** A. DC.
Reichenbach, Ic. Fl. Germ. xix. t. 1596 (1860).
Jardin, viii. 214 (1894).—*Hab.*
Rev. Hort. 1897, p. 238; 1910, p. 93.

—— **superba** Hort.
Möllers Deutsche Gärtn.-Zeit. xxvii. 8 (1912).—*Hab.*

gracilis Forst.
*Bot. Mag. xviii. t. 691 (1803).
*J. E. Smith, Exot. Bot. i. t. 45 [1804–5].

gracilis Jord.
*Cusin, Herb. Fl. Franç. xv (Campanulacées), t. 49 (1874).

graminifolia Linn.
*Sibthorp & Sm. Fl. Graeca, iii. t. 206 (1819).

graminifolia Waldst. & Kit.
*Waldstein & Kit. Pl. Rar. Hung. ii. t. 154 (1805).

grandiflora Jacq.
*Jacquin, Hort. Vind. iii. t. 2 (1776).
*Bot. Mag. vii. t. 252 (1794).
*Mordant de Launay, Herb. Amat. ii. t. 112 (1817).
*Nees & Sinning, Sammlung schönblüh. Gew. t. 5 (1831).
*Lodd. Bot. Cab. xx. t. 1972 (1833).
*Journ. Jard. 1840, p. 246.
*Strong, American Fl. iii. 71 (1849).
Decaisne & Naud. Amat. Jard. ii. 341 [1862–66].
Decaisne, Naud. & Hemsl. Trees, Shrubs & Herb. Pl. 271 (1873).
Jardin, ii. 137 (1888); viii. 190 (1894).
Rev. Hort. 1899, p. 188.
Journ. Hort. Ser. III. xl. 163 (1900).

—— **Mariesii** Hort.
Journ. Hort. Ser. III. xxvii. 103 (1893); Ser. III. xxxv. 29 (1897).—*Hab.*

CAMPANULA

grandiflora pumila Hort.
Journ. Hort. Ser. III. xviii. 131 (1889); xxx. 123 (1895).

grandis Fisch. & Mey.
*Horticulteur Univ. iii. 137 (1842).
*Paxt. Mag. x. 31, 32 (1843).
Gard. Chron. 1845, p. 224.—*Hab.*
*Gartenfl. vii. t. 230 (1858).
Sertum Petrop. t. 26 (1869).
W. Robinson, Engl. Fl. Gard. t. 55 (1883).—*Hab.*
Rev. Hort. 1910, p. 93.

Grossekii Heuff.
Reichenbach, Ic. Fl. Germ. xix. t. 1592 (1860).
Bull. Soc. Tosc. Ortic. xi. 363 (1886).—*Hab.*
Gartenfl. xxxv. 477 (1886); xxxvi. 393 (1887).—*Hab.*

Hawkinsiana Hausskn. & Heldr.
Rouy, Illustr. Pl. Eur. Rar. fasc. 20, t. 495 (1905).

hederacea Linn.
*Fl. Dan. ii. t. 330 (1767).
Hill, Herb. Brit. ii. t. 120 (1770).
*Sowerby & Sm. Engl. Bot. ii. t. 73 (1793).
*Roemer, Fl. Eur. i [t. 5] (1797).
*Curtis, Fl. Londin. Ed. 2, iv. t. 93 (1819–21).
Trattinick, Fl. Oesterr. Kaiserth. ii. t. 185 (1820).
[M. E.] Jackson, Pict. Fl. fig. 335 (1840).
*Deakin, Florigr. Brit. i. fig. 375 (1841).
*Wilkinson, Weeds & Wild Fl. 114 (1858).
Johnson & Sowerby, Brit. Wild Fl. fig. 772 (1858–60).
Bentham, Handb. Brit. Fl. fig. 616 (1865).
*Hogg & Johnson, Wild Fl. Gr. Brit. iii. t. 182 (1866).
Migout, Fl. Dépt. Allier, t. 12 (1866).
*Syme, Engl. Bot. vi. t. 875 (1866).
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, iii. t. 130 [1873].
*Hulme, Familiar Wild Fl. (Pop. Ed.), vi. 141 [1897?].
Fitch & Smith, Ill. Brit. Fl. Ed. rev. 4, Iss. 2, fig. 624 (1919).

Herminii Link & Hoffmgg.
*Hoffmannsegg & Link, Fl. Portug. ii. t. 79 (1820).
*Boissier, Voy. Bot. Espagne, i. t. 120 (1839–45).
Pflanzenfam. iv. v. 42 (1889).—*Fl.*

heterophylla Linn.
*Sibthorp & Sm. Fl. Graeca, iii. t. 208 (1819).
Jaubert & Spach, Illustr. Pl. Or. iv. t. 391 (1850–53).
Rouy, Illustr. Pl. Eur. Rar. fasc. 16, t. 392 (1901).

himalayensis Klotzsch
Klotzsch & Garcke, Bot. Ergebn. Reise Pr. Waldemar, t. 78 (1862).

hirsuta Pantoč.
Visiani in Mem. Istit. Veneto, xxi. t. 14 (1879).

hispanica Willk.
*Willkomm, Ill. Fl. Hispan. Balear. i. t. 78 (1881–85).

Hoffmeisteri Klotzsch
Klotzsch & Garcke, Bot. Ergebn. Reise Pr. Waldemar, t. 77 (1862).

Hohenackeri Fisch. Mem. & Avé-Lall.
Garden, lxxx. 604 (1916).—*Hab.*

hortensis Meerb.
*Meerburg, Pl. Sel. Ic. Pict. t. 10 (1798).

Hostii Baumg.
*Verlot, Pl. Alp. Ed. 2, t. 25 (1873).—*Hab.*
*Wooster, Alp. Pl. Ed. 2, t. 37 (1874).—*Hab.*
W. Robinson, Engl. Fl. Gard. t. 55 (1883).
Garden, lxxvi. 449 (1912).—*Hab.*
Farrer, English Rock-Gard. i. 176 (1919).—*Hab.*

hybrida Linn.
Hill, Herb. Brit. ii. t. 120 (1770).
*Sowerby & Sm. Engl. Bot. vi. t. 375 (1797).
[M. E.] Jackson, Pict. Fl. fig. 334 (1840).
Johnson & Sowerby, Brit. Wild Fl. fig. 773 (1858–60).
Bentham, Handb. Brit. Fl. fig. 617 (1865).
*Syme, Engl. Bot. vi. t. 874 (1866).
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, iii. t. 130 [1873].
*Hogg & Johnson, Wild Fl. Gr. Brit. ix. t. 697 (1876).
Wagner, Ill. Deutsche Fl. Ed. 2, p. 488 (1882).

CAMPANULA

hybrida
Fitch & Smith, Ill. Brit. Fl. Ed. rev. 4, Iss. 2, fig. 625 (1919).

incanescens Boiss.
Bull. Acad. Pétersb. Ser. V. ix. 434 tab. (1898).

infundibuliformis Sims
*Bot. Mag. liii. t. 2632 (1826).

infundibulum Vest
Reichenbach, Pl. Crit. i. t. 77 (1823).

isophylla Moretti
Reichenbach, Pl. Crit. iii. t. 202 (1825).
Reichenbach, Ic. Fl. Germ. xix. t. 1611 (1860).
*Bot. Mag. xciv. t. 5745 (1868).
*Moggridge, Fl. Mentone, t. 80 (1871).
Journ. Hort. lxii. 233 (1879).
*Bicknell, Fl. Pl. Riviera, t. 36 (1885).
*Garden, xxxi. 8, xxxii. 485 (1887); xlix. 483 (1896).
Fiori & Paol. Ic. Fl. Ital. 406 (1903).

—— **alba** Hort.
Rev. Hort. 1910, p. 484.—*Hab.*
Gard. Chron. Ser. III. liv. 150 (1913).—*Hab.*

—— **Mayi** Hort.
American Garden, xxii. 214 (1901).

Jacobaea C. Sm.
Hook. Ic. Pl. viii. t. 762 (1848).
Hooker, Niger Fl. t. 12 (1849).
*Bot. Mag. cix. t. 6703 (1883).

Jaubertiana Timb.-Lagr.
*Bull. Soc. Bot. France, xv. t. 3 (1868).
*Cusin, Herb. Fl. Franç. xv (Campanulacées), t. 49 bis (1874).

×**kewensis** Hort.
Gard. Chron. Ser. III. lxiii. 205 (1918).—*Hab.*

Kolenatiana C. A. Mey.
Gard. Chron. Ser. III. lxiv. 67, 68 (1918).
Möllers Deutsche Gärtn.-Zeit. xxxv. 161 (1920).—*Hab.*

laciniata Andr.
*Andrews, Bot. Rep. vi. t. 385 (1804).

laciniata Linn.
Jaubert & Spach, Illustr. Pl. Or. v. t. 421 (1853–57).
Garden, xvii. 345 (1880).
Wien. Ill. Gart.-Zeit. vi. 303 (1881).
Nicholson, Illustr. Dict. Gard. i. 255 [1884–88].—*Fl.*
Rouy, Illustr. Pl. Eur. Rar. fasc. 3, t. 65 (1895).
Gard. Chron. Ser. III. xl. 165 (1906).

lactiflora M. Bieb.
*M. v. Bieberstein, Cent. Pl. Rar. i. t. 10 (1810).
*Bot. Reg. iii. t. 241 (1817).
*Bot. Mag. xlv. t. 1973 (1818).
A. De Candolle, Monogr. Campan. t. 7 (1830).
*J. W. Loudon, Ladies' Fl.-Gard. Ornam. Perenn. ii. t. 62 (1844).
Nicholson, Illustr. Dict. Gard. i. 252 [1884–88].
Garden, lxi. 29 (1902); lxxv. 89 (1911).—*Hab.*
Ann. Nat. Hofm. Wien, xxiii. t. 2, fig. 1 (1909).—*Hab.*
Gard. Chron. Ser. III. l. 438 (1911).—*Hab.*
Chodat in Bull. Soc. Bot. Genève, Ser. II. vii. 202 (1914).
Farrer, English Rock-Gard. i. 180 (1919).—*Hab.*

lamiifolia M. Bieb.
Reichenbach, Pl. Crit. vi. t. 551 (1828).
Rev. Hort. 1899, p. 188.
Raunkiær, Oversigt Forh. Danske Vidensk. Selsk. 391 (1905).

lamioides Witasek
Ann. Nat. Hofm. Wien, xxiii. t. 9, fig. 3 (1909).

lanata Friv.
Frivaldszky in Magyar Tud. Társ. Evk. (Ann. Hung. Acad. Sc.), iii. t. 1, p. 164 (1837).
Rouy, Illustr. Pl. Eur. Rar. fasc. 1, t. 16 (1895).
Garden, lx. 112 (1901); lxxiv. 563 (1910); lxxx. 581 (1916).—*Hab.*
Journ. Roy. Hort. Soc. London, xxvii. 113 (1902–3).

lanceolata Lapeyr.
*Jaume St.-Hilaire, Fl. & Pom. Franç. i. t. 39 (1828).
Reichenbach, Ic. Fl. Germ. xix. t. 1598 (1860).

CAMPANULA

lanceolata
*Cusin, Herb. Fl. Franç. xv (Campanulacées), t. 41 (1874).
Coste, Fl. France, ii. 501 (1903).
Flahault, Nouv. Fl. Alpes & Pyrén. ii. 80 (1908).

Langsdorffiana A. Gray
W. Robinson, Engl. Fl. Gard. t. 56 (1883).—*Hab.*
Nicholson, Illustr. Dict. Gard. i. 255 [1884–88].—*Hab.*

Larreinii Bertol.
Colla in Mem. Accad. Sc. Torino, xxxviii. 142, t. 35 (1835).

lasiocarpa Cham.
K. Ito, Nipon Skoku-butsu Dsu-setsu (Ic. Pl. Jap.), t. 14 (1874).
*Miyoshi & Makino, Pocket-Atlas, Alp. Pl. Jap. i. t. 20, fig. 113 (1906).

latifolia Linn.
Hill, Herb. Brit. ii. t. 119 (1770).
*Fl. Dan. i. t. 85 (1763); v. t. 782 (1781).
*Joh. Kerner, Abbild. Oek. Pfl. (Fig. Pl. Écon.), iii. t. 296 (1789).
*Sowerby & Sm. Engl. Bot. v. t. 302 (1796).
*Svensk Bot. iv. t. 272 (1805).
*Vietz, Ic. Pl. Med.-oec.-techn. v. t. 373 (1817).
*Heger, Danske Oec. Pl. i. t. 89 (1828).
*Jaume St.-Hilaire, Fl. & Pom. Franç. i. t. 23 (1828).
*Sturm, Deutschl. Fl. xvii. LXXII [t. 1139] (1838).
[M. E.] Jackson, Pict. Fl. fig. 330 (1840).
*Deakin, Florigr. Brit. i. fig. 371 (1841).
*Lorek, Fl. Pruss. Ed. 3, t. 53, fig. 300 (1848).
Johnson & Sowerby, Brit. Wild Fl. fig. 768 (1858–60).
Reichenbach, Ic. Fl. Germ. xix. t. 1599 (1860).
Bentham, Handb. Brit. Fl. fig. 611 (1865).
*Syme, Engl. Bot. vi. t. 868 (1866).
*Hogg & Johnson, Wild Fl. Gr. Brit. vi. t. 457 (1871).
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, iii. t. 130 [1873].
*Cusin, Herb. Fl. Franç. xv (Campanulacées), t. 33 (1874).
*Seboth & A. W. Bennett, Alpine Pl. iv. t. 57 (1880).
Schilling, Grundr. Naturg. ii. Pflanzenr. Ausgb. A, p. 97 (1882); Ausgb. B, p. 187 (1884).
Wagner, Ill. Deutsche Fl. Ed. 2, p. 484 (1882).
W. Robinson, Engl. Fl. Gard. t. 56 (1883).—*Hab.*
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xxii. t. 2227 (1885).
Jardin, viii. 215 (1894).—*Hab.*
Rev. Hort. 1899, p. 189.
Warming in Overs. Danske Vidensk. Selsk. Forhandl. No. 1, p. 27 (1901).—*Veg.*
Lindman, Bild. Nord. Fl. t. 54 (1901–5).
C. T. Green, Fl. Liverpool Distr. fig. 385 (1902).
Coste, Fl. France, ii. 499 (1903).
Fiori & Paol. Ic. Fl. Ital. 408 (1903).
Sturm, Fl. Deutschl. Ed. 2, xii. t. 61 (1904).
*Masclef, Pl. Eur. t. 71 (1905).
*Flahault, Nouv. Fl. Alpes & Pyrén. i. 84 (1906).
*Kirby, Brit. Fl. Pl. t. 52 (1906).
Senn, Alpen-Flora, ii. 83 (1906).
Heukels, Fl. Nederl. iii. 288 (1909).
Suireishchikov, Ill. Fl. Mosc. Gov. iii. 224 (1910).
Garden, lxxvii. 550 (1913).—*Hab.*
Hegi, Ill. Fl. Mittel-Eur. vi. I. 341, 344 (1915).
Bot. Tidsskr. xxxv. 332 (1918).—*Veg.*
Lindman, Svensk Fanerogamfl. 515 (1918).—*Fl.*
Farrer, English Rock-Gard. i. 180 (1919).—*Hab.*
Fitch & Smith, Ill. Brit. Fl. Ed. rev. 4, Iss. 2, fig. 619 (1919).

—— **eriocarpa** A. DC.
Reichenbach, Ic. Fl. Germ. xix. t. 1599 (1860).

—— **macrantha** Fisch.
*Bot. Mag. lii. t. 2553 (1825).
Rev. Hort. 1897, p. 239; 1910, p. 93.
Vilmorin, Hort. Vilm. (Bull. Soc. Bot. France, 1904, li. App.), 192 (1906).—*Hab.*
Journ. Hort. Ser. III. lx. 263 (1910).

latiloba A. DC.
*A Kert (The Garden), xiii. 449 (1907).

CAMPANULA

Lehmanniana Bunge
Ann. Sc. Nat. Paris, Ser. VI. xviii. t. 15, A (1884).

liliifolia Linn.
*Jacquin, Hort. Schoenbr. iii. t. 335 (1798).
*Waldstein & Kit. Pl. Rar. Hung. iii. t. 247 (1812).
*Bot. Reg. iii. t. 236 (1817).
*Mordant de Launay, Herb. Amat. viii. t. 571 (1827).
*Drapiez, Herb. Amat. Fl. vii. t. 480 (1834).
Wagner, Ill. Deutsche Fl. Ed. 2, p. 488 (1882).
Sturm, Fl. Deutschl. Ed. 2, xii. 280 (1904).

linearis Linn. f.
Thunberg in Mém. Acad. Sc. Pétersb. iv. t. 5 (1813).

lingulata Waldst. & Kit.
*Waldstein & Kit. Pl. Rar. Hung. i. t. 64 (1802).
Reichenbach, Pl. Crit. vi. t. 574 (1828).
Reichenbach, Ic. Fl. Germ. xix. t. 1595 (1860).
Fiori & Paol. Ic. Fl. Ital. 404 (1903).

linifolia Lam.
*Lodd. Bot. Cab. xiii. t. 1267 (1827).
*Timbal-Lagrave in Mém. Acad. Sc. Toulouse, Ser. VII. v. t. 1 (1873).
*Cusin, Herb. Fl. Franç. xv (Campanulacées), t. 42, 43 (1874).
*Wooster, Alp. Pl. Ser. II. t. 5 (1874).
*A. W. Bennett, Fl. Alps, i. t. 54 (1897).
Coste, Fl. France, ii. 501 (1903).
Flahault, Nouv. Fl. Alpes & Pyrén. i. 85 (1906).
Senn, Alpen-Flora, ii. 85 (1906).

—— **maior** Timb.-Lag.
*Timbal-Lagrave in Mém. Acad. Sc. Toulouse, Ser. VII. v. t. 1 (1873).

linifolia Scop.
Reichenbach, Ic. Fl. Germ. xix. t. 1602 (1860).
Hegi, Ill. Fl. Mittel-Eur. vi. I. 359 (1915).

littoralis Labill.
Labillardière, Nov. Holl. Pl. t. 70 (1804).

Loefflingii Brot.
Brotero, Phytogr. t. 18 (1816).
*Hoffmannsegg & Link, Fl. Portug. ii. t. 82 (1820).
*Boissier, Voy. Bot. Espagne, i. t. 120 (1839–45) in textu; *C. erinoides* in ic.
*Bot. Reg. xxix. t. 19 (1843).

longifolia Lapeyr.
*Lapeyrouse, Fig. Pl. Pyrén. i. t. 6 (1795).
*Wooster, Alp. Pl. Ser. II. t. 54 (1874).—*Hab.*
*A. W. Bennett, Fl. Alps, i. t. 53 (1897).

longistyla Fomine
Gard. Chron. Ser. III. xlii. 194 (1907).—*Fl.*
Journ. Roy. Hort. Soc. London, xxxiii. Proc. p. clxxxii, fig. 100 (1908).—*Fl.*
Rev. Hort. Belge, xxxv. 42 (1909).

—— **parviflora** Bois
*Rev. Hort. 1911, p. 548, 549.

Loreyi Pollini
Pollini, Fl. Veronensis, i. t. 2 (1822).
*Bot. Mag. lii. t. 2581 (1825).
*Sweet, Brit. Fl. Gard. vii. t. 332 (1836).
*Lem. Jard. Fl. iv. t. 418 (1854).
*Sweet, Ornamental Fl. Gard. iii. t. 149 (1854).
Reichenbach, Ic. Fl. Germ. xix. t. 1615 (1860).
Gartenfl. xxix. 267 (1880).
W. Robinson, Engl. Fl. Gard. t. 56 (1883).
Garden, xxxi. 9 (1887).
Rev. Hort. 1903, p. 94.
Vilmorin, Hort. Vilm. (Bull. Soc. Bot. France, 1904, li. App.), 193 (1906).

—— **alba** Hort.
*J. W. Loudon, Ladies' Fl.-Gard. Ornam. Annuals, t. 30 (1844).

lunariifolia Willd.
Reichenbach, Pl. Crit. vi. t. 552 (1828).

macrantha Fisch.
*J. W. Loudon, Ladies' Fl.-Gard. Ornam. Perenn. ii. t. 62 (1844).
*Strong, American Fl. iv. 62 (1850).
W. Robinson, Engl. Fl. Gard. t. 56 (1883).
Gartenschönheit, i. 63 (1920).—*Hab.*

—— **polyantha** Hook.
*Bot. Mag. lxi. t. 3347 (1834).

CAMPANULA
macrophylla Sims
*Bot. Mag. xxiii. t. 912 (1806) = *C. alliariifolia* Willd. (vide corrig. et addend.).
*J. W. Loudon, Ladies' Fl.-Gard. Ornam. Perenn. ii. t. 63 (1844).
macrorrhiza J. Gay
Reichenbach, Ic. Fl. Germ. xix. t. 1604 (1860).
*Moggridge, Fl. Mentone, t. 29 (1871).
*Cusin, Herb. Fl. Franç. xv (Campanulacées), t. 45 bis (1874).
Coste, Fl. France, ii. 501 (1903).
Farrer, English Rock-Gard. i. 184 (1919).—*Hab.*
—— **rotundata** Chab.
Bull. Soc. Bot. France, lv. t. 12 (1908).
macrostyla Boiss. & Heldr.
Garden, xii. 209 (1877); xv. 356 (1879).
Rev. Hort. 1877, p. 307; 1900, p. 135.
*Bot. Mag. civ. t. 6394 (1878).
*Gartenfl. xxviii. 119 (1879); xlii. t. 1395 (1893).
Journ. Hort. Ser. III. iii. 129 (1882); xliii. 99 (1901).
W. Robinson, Engl. Fl. Gard. t. 56 (1883).—*Fl.*
Nicholson, Illustr. Dict. Gard. i. 255 [1884–88].—*Hab.*
Jardin, i. 163 (1887); viii. 197 (1894).
Vilmorin, Hort. Vilm. (Bull. Soc. Bot. France, 1904, li. App.), 194 (1906).
marginata Thunb.
Thunberg, Ic. Pl. Jap. iii [t. 4] (1801).
marsupiiflora Fisch.
*Journ. Jard. 1832, p. 181.
×**Mayi** Hort.
Gard. Chron. Ser. III. xxvi. 127 (1899); xxxix. 410 (1906).—*Fl.*
Medium Linn.
*Kniphof, Herb. Viv. i. t. 200 (1758).
Jaume St.-Hilaire, Pl. France, i [t. 72] (1808).
A. De Candolle, Monogr. Campan. t. 2 (1830).—*Fl.*
Meigen, Deutschl. Fl. i. t. 47 (1836).—*Fl.*
*J. W. Loudon, Ladies' Fl.-Gard. Ornam. Perenn. ii. t. 63 (1844).
Lindley, Veg. Kingd. 689, 690 (1846).—*Fl.*
Reichenbach, Ic. Fl. Germ. xix. t. 1591, 1592 (1860).
Decaisne & Naud. Amat. Jard. ii. 340 [1862–66].
*!Journ. of Bot. iii. t. 28, fig. 9–11 (1865).—*Fl.*
Cesati, Passer. & Gibelli, Comp. Fl. Ital. t. 68 (1867–86).—*Fl.*
Le Maout & Decaisne, Traité Gén. Bot. 151 (1868).
Decaisne, Naud. & Hemsl. Trees, Shrubs & Herb. Pl. 269 (1873).
Gartenfl. xxii. 116 (1873).—*Hab.*
*Cusin, Herb. Fl. Franç. xv (Campanulacées), t. 24 (1874).
Lubbock, Brit. Fl. Relat. Insects, 122 (1875).—*Fl.*
Baillon, Dict. Bot. i. 593 (1878).
*Hulme & Hibberd, Familiar Gard. Fl. i. 29 [1879–87].
Rev. Hort. Belge, vii. 167 (1881).
Wien. Ill. Gart.-Zeit. vi. 479 (1881).
Schilling, Grundr. Naturg. ii. Pflanzenr. Ausgb. A, p. 63 (1882); Ausgb. B, p. 73 (1884).
Willkomm, Führ. Reich Pflanzen, 459 (1882).—*Fr.*
W. Robinson, Engl. Fl. Gard. t. 56, 57 (1883).—*Hab.*
Nicholson, Illustr. Dict. Gard. i. 256 [1884–88].
Rev. Hort. 1885, p. 303.
Baillon, Hist. Pl. viii. 317 (1886).
Gerardin, Herb. t. 10 (1888).
Roth, Man. S. Afr. Garden. Ed. 2, p. 35 (1892).
*Leclerc du Sablon, Nos Fleurs, 123, t. 16 [1892].
!Gard. Chron. Ser. III. xvi. 317 (1894).
Jardin, viii. 215 (1894).
Bois, Atlas Pl. Jard. t. 164 (1896).
*Step, Fav. Fl. Gard. & Greenh. iii. t. 159 (1897).
L. H. Bailey, Cycl. Amer. Hort. 227 (1900); Stand. Cycl. Hort. 644 (1914).
*Penzig, Fl. Litt. Mediterr. t. 68 (1902).
Coste, Fl. France, ii. 496 (1903).
Fiori & Paol. Ic. Fl. Ital. 404 (1903).
Avebury, Notes Life Hist. Brit. Fl. Pl. 256 (1905).—*Fl.*
!New Phytologist, iv. 64 (1905).—*Fl.*

CAMPANULA
Medium
Pringsh. Jahrb. Bot. xli. t. 5, fig. 1 (1905).—*Fl.*
Horticulture (Boston), v. 453; vi. 661 (1907); xv. 217 (1912); xxxii. 282 (1920).
Lazaro, Comp. Fl. Españ. ii. 620 (1907).
Beille, Bot. Pharm. ii. 1175 (1909).—*Fl.*
Oesterr. Gart.-Zeit. vi. 131–33 (1911).—*Fl.*
Hegi, Ill. Fl. Mittel-Eur. vi. 1. 331 (1915).
Ernst, Bastardier. Apogam. Pflanzenr. 538 (1918).—*Fl.*
—— **calycanthema** T. Moore
Florist, 1872, p. 269.
*Floral Mag. N. Ser. 1873, t. 57.
Jardin, viii. 215 (1894).
Rev. Hort. 1897, p. 238; 1910, p. 93.
Gard. Chron. Ser. III. xxiv. 65 (1898); xxxiv. 267 (1903).—*Hab.*
Nicholson, '1900' Suppl. Dict. Gard. 189 (1900).
Pringsh. Jahrb. Bot. xli. t. 5, fig. 2–5 (1905).—*Fl.*
Oesterr. Gart.-Zeit. vi. 133, 134 (1911).—*Fl.*
Ernst, Bastardier. Apogam. Pflanzenr. 538 (1918).—*Fl.*
—— **polypetala** A. DC.
A. De Candolle, Monogr. Campan. t. 2 (1830).—*Fl.*
michauxioides Boiss.
Gartenfl. l. 637 (1901).—*Fl.*
Gard. Chron. Ser. III. xxxviii. 130 (1905).
mirabilis Alboff
Alboff, Prodr. Fl. Colch. (Act. Hort. Tiflis, i), t. 1 (1895).
Bull. Herb. Boiss. iii. t. 4 (1895).
Gard. Chron. Ser. III. xxiv. 33 (1898); xxvi. 274, 275 (1899); xlii. 144, 145 (1907).
Gartenfl. xlvii. 192 (1898).
Journ. Roy. Hort. Soc. London, xxii. Proc. p. lxxxviii (1898–99); xxvii. 105 (1902–3).
*Bot. Mag. cxxvi. t. 7714 (1900).
Rev. Hort. Belge, xxviii. 9, 10 (1902).—*Hab.*
Moesiaca Velen.
Journ. Roy. Hort. Soc. London, xxxix. 5, fig. 4 (1913).—*Hab.*
Tribune Hort. ix. 435 (1914).—*Hab.*
mollis Linn.
*Bot. Mag. xii. t. 404 (1798).
*Roemer, Fl. Eur. vii [t. 1] (1801).
*Mag. Bot. & Gard. iv. t. 55 (1836).
Battandier & Trabut, Atlas Fl. Alger. t. 6 (1886).—*Fl.*
monanthos Pantoč.
Visiani in Mem. Istit. Veneto, xxi. t. 14 (1879).
Morettiana Reichb.
Reichenbach, Pl. Crit. iv. t. 320 (1826).
Reichenbach, Ic. Fl. Germ. xix. t. 1609 (1860).
Cesati, Passer. & Gibelli, Comp. Fl. Ital. t. 68 (1867–86).—*Fl.*
*Weber, Alp.-Pfl. Ed. 3, iii. t. 259 (1872).
*Seboth & A. W. Bennett, Alpine Pl. ii. t. 63 (1880).
*Neubert's Deutsch. Gart. Mag. xxxvi. t. 1 (1883).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xxii. t. 2234 (1885).
*Hartinger, Atlas Alpenfl. v. t. 422 (1897).
Garden, lx. 112 (1901).—*Hab.*
Journ. Roy. Hort. Soc. London, xxvii. 114 (1902–3).
Fiori & Paol. Ic. Fl. Ital. 406 (1903).
*H. S. Thompson, Alp. Pl. Europe, t. 41 (1911).
Hegi, Ill. Fl. Mittel-Eur. vi. 1. 346 (1915).
Garden, lxxxiv. 267 (1920).—*Hab.*
multiflora Waldst. & Kit.
*Waldstein & Kit. Pl. Rar. Hung. iii. t. 263 (1812).
Reichenbach, Ic. Fl. Germ. xix. t. 1595 (1860).
muralis Portenschl.
*Verlot, Pl. Alp. Ed. 2, t. 2 (1873).—*Hab.*
*Wooster, Alp. Pl. Ed. 2, t. 43 (1874).—*Hab.*
W. Robinson, Engl. Fl. Gard. t. 57 (1883).—*Hab.*
Garden, lx. 111 (1901).—*Hab.*
Journ. Roy. Hort. Soc. London, xxvii. 115, 116, 121 (1902–3).—*Hab.*
Möllers Deutsche Gärtn.-Zeit. xxii. 134 (1907).
Journ. Hort. Ser. III. lxviii. 197 (1914).—*Hab.*

CAMPANULA
muralis maior Hort.
Journ. Roy. Hort. Soc. London, xxvii. 117 (1902–3).—*Hab.*
Mykaliana W. Barbey & Major
W. Barbey, Lydie, Lycie, Carie, Étud. Bot. t. 5 (1890).
myosotidifolia Boiss.
Tchichatcheff, Asie Mineure, Atlas, t. 35 (1860).
nitida Soland.
Journ. Hort. Ser. III. xxvii. 239 (1893); xxxiii. 283 (1896).
nobilis Lindl.
*Bot. Reg. xxxii. t. 65 (1846).
*Ann. Gand, iii. t. 128 (1847).
*Fl. des Serres, Ser. I. iii. t. 247 (1847).
*Neubert's Deutsch. Gart. Mag. i. t. 7 (1848).
*Sweet, Ornamental Fl. Gard. ii. t. 89 (1854).
*Réveil, Règne Vég. xiv. t. 14 (1870).
W. Robinson, Engl. Fl. Gard. t. 57 (1883).—*Hab.*
Rev. Hort. 1899, p. 188.
×—— **alba** Hort.
*Fl. des Serres, Ser. I. vi. t. 563 (1850–51).
numidica Durieu
*Cosson & Durieu, Expl. Scient. Algér. 1840–42, Bot. Atlas, t. 62 (1850).
nutabunda Guss.
Gussone, Pl. Rar. t. 18 (1826).
obliqua Jacq.
*Jacquin, Hort. Schoenbr. iii. t. 336 (1798).
Reichenbach, Hort. Bot. t. 178 (1828).
obliquifolia Ten.
*Tenore, Fl. Nap., Atlas, i. t. 17 (1811–38).
Reichenbach, Pl. Crit. vi. t. 510 (1828).
Olivieri A. DC.
A. De Candolle, Monogr. Campan. t. 9 (1830).
olympica Boiss.
Rev. Hort. Ser. IV. vii. 491 (1858).
orbelica Panc.
Engler & Drude, Veget. Erde, xi. t. 42, 43 (1909).—*Hab.*
Orphanidea Boiss.
Engler & Drude, Veget. Erde, xi. t. 45 (1909).—*Hab.*
paniculata Linn. f.
Thunberg in Mém. Acad. Sc. Pétersb. iv. t. 7 (1813).
Parryi A. Gray
*F. E. & E. S. Clements, Rocky Mt. Fl. t. 36 (1914).
parviflora Lam.
Ann. Mus. Hist. Nat. Paris, xi. 138 (1808).
Desfontaines, Choix Pl. Tourn. t. 29 (1808).
patula Linn.
*Fl. Dan. iii. t. 373 (1768).
Hill, Herb. Brit. ii. t. 118 (1770).
Dillenius, Hort. Eltham. Add. Denom. Linn. t. 58 (1774).
*Sowerby & Sm. Engl. Bot. i. t. 42 (1790).
C. K. Sprengel, Entd. Geheimn. Natur. t. 11, fig. 9 (1793).—*Fr.*
*Liboschitz & Trinius, Fl. Pétersb. & Mosc. 72 (1811).
*Schrank, Fl. Monac. iv. t. 370 (1818).
*Curtis, Fl. Londin. Ed. 2, iv. t. 51 (1819–21).
*Jaume St.-Hilaire, Fl. & Pom. Franç. i. t. 41 (1828).
*Zenker, Fl. Thüringen, ii. t. 202 (1836–55).
[M. E.] Jackson, Pict. Fl. fig. 327 (1840).
*Deakin, Florigr. Brit. i. fig. 368 (1841).
*Dietrich, Fl. Boruss. xii. t. 828 (1844).
*J. W. Loudon, Brit. Wild Fl. Ed. 2, t. 41 [1846].
*Lorek, Fl. Pruss. Ed. 3, t. 53, fig. 298 (1848).
Nees, Gen. Pl., Gamop. iii. t. 32 (1854).—*Fr.*
Johnson & Sowerby, Brit. Wild Fl. fig. 765 (1858–60).
Reichenbach, Ic. Fl. Germ. xix. t. 1614 (1860).
Bentham, Handb. Brit. Fl. fig. 614 (1865).
*Hogg & Johnson, Wild Fl. Gr. Brit. iii. t. 169 (1866).
*Syme, Engl. Bot. vi. t. 873 (1866).
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, iii. t. 130 [1873].
*Cusin, Herb. Fl. Franç. xv (Campanulacées), t. 52 (1874).
Nobbe, Handb. Samenkunde, 349 (1876).—*Fr.*

CAMPANULA
patula
Karsten, Deutsche Fl. Pharm.-medic. Bot. 1174 (1880–83).—*Fl.*
Wagner, Ill. Deutsche Fl. Ed. 2, p. 486 (1882).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xxii. t. 2236 (1885).
*Thomé, Fl. Deutschl. iv. t. 547 (1889).
Kerner, Pflanzenleben, ii. 120 (1891).
G. Beck, Fl. Nied.-Oesterr. ii. II. 1097 (1893).—*Fl.*
Garcke, Ill. Fl. Deutschl. 391 (1895).
Karsten, Fl. Deutschl. ii. 755 (1895).—*Fl.*
Kerner & Oliv. Nat. Hist. Pl. ii. 121 (1895).—*Fl.*
Gradmann, Pflanzenl. Schwäb. Alb, Ed. 2, ii. 329 (1900).
Coste, Fl. France, ii. 499 (1903).
Fiori & Paol. Ic. Fl. Ital. 405 (1903).
Lazaro, Comp. Fl. Españ. ii. 623 (1907).
*Flahault, Nouv. Fl. Alpes & Pyrén. ii. t. 80 (1908).
Heukels, Fl. Nederl. iii. 289 (1909).
Suireishchikov, Ill. Fl. Mosc. Gov. iii. 225 (1910).
Fedtschenko & Fler. Fl. Eur. Russia, 939 (1910).
!Velenovsky, Vergl. Morphol. Pfl. iii. 910 (1910).—*Fl.*
Wettstein, Handb. Syst. Bot. Ed. 2, p. 465, 769 (1911).—*Fr.*
Arkiv Bot. Stockholm, x. No. 10, p. 9, 17, 19, t. 1 (1911).
Neger, Biol. Pflanz. 692 (1913).—*Fr.*
*Hegi, Ill. Fl. Mittel-Eur. vi. 1. t. 256 (1915).
Garden, lxxx. 311 (1916).—*Fl.*
Lindman, Svensk Fanerogamfl. 515 (1918).—*Fl.*
Mayevsky, Fl. Central Russia, 382 (1918).
Fitch & Smith, Ill. Brit. Fl. Ed. rev. 4, Iss. 2, fig. 622 (1919).
—— **pauciflora** Roch.
Rochel, Pl. Banat. Rar. t. 6 (1828).
pauciflora Desf.
Ann. Mus. Hist. Nat. Paris, xi. 57 (1808).
Desfontaines, Choix Pl. Tourn. t. 26 (1808).
pelviformis Lam.
Ann. Mus. Hist. Nat. Paris, xi. 141 (1808).
Desfontaines, Choix Pl. Tourn. t. 31 (1808).
Rev. Hort. 1882, p. 509.
Pentagonia Linn.
Ann. Mus. Hist. Nat. Paris, xi. 143 (1808).
Desfontaines, Choix Pl. Tourn. t. 33 (1808).
*Bot. Reg. i. t. 56 (1815).
*J. W. Loudon, Ladies' Fl.-Gard. Ornam. Annuals, t. 30 (1844).
Jardin, viii. 219 (1894).—*Hab.*
peregrina Linn.
*Jacquin, Hort. Schoenbr. iii. t. 337 (1798).
*Bot. Mag. xxxi. t. 1257 (1810).
*Hoffmannsegg & Link, Fl. Portug. ii. t. 83 (1820).
*Morris, Fl. Conspic. t. 47 [1825–30].
*Journ. Jard. 1836, p. 208.
*J. W. Loudon, Ladies' Fl.-Gard. Ornam. Perenn. ii. t. 64 (1844).
*Belg. Hort. vii. t. 1 (1857).
Garden, lxiv. 63 (1903).
perfoliata Linn.
*Kniphof, Herb. Viv. i. t. 199 (1758).
persicifolia Linn.
*Kniphof, Herb. Viv. i. t. 203 (1758).
Hoppe, Ect. Pl. Ratisb. t. 287 (1788).
*Fl. Dan. vii. t. 1087 (1794).
*Schrank, Fl. Monac. i. t. 91 (1811).
*Kops, Fl. Batava, iii. t. 203 (1814).
*Sibthorp & Sm. Fl. Graeca, iii. t. 203 (1819).
*Jaume St.-Hilaire, Fl. & Pom. Franç. i. t. 22 (1828).
*!Engelmann, De Antholysi Prod. t. 3 (1832).—*Fl.*
*Sowerby & Sm. Engl. Bot. Suppl. ii. t. 2773 (1834).
*Zenker, Fl. Thüringen, ii. t. 220 (1836–55).
[M. E.] Jackson, Pict. Fl. fig. 329 (1840).
*Deakin, Florigr. Brit. i. fig. 370 (1841).
*Dietrich, Fl. Boruss. xii. t. 827 (1844).
*Lorek, Fl. Pruss. Ed. 3, t. 52, fig. 295 (1348).
Bull. Acad. Sc. Bruxelles, xix. III. 97 (1852).—*Fl.*
Johnson & Sowerby, Brit. Wild Fl. fig. 767 (1858–60).
Reichenbach, Ic. Fl. Germ. xix. t. 1613 (1860).
Weber in Verh. Naturhist. Ver. Preuss. Rheinl. xvii. t. 6 (1860).—*Fl.*

CAMPANULA
persicifolia
*Syme, Engl. Bot. vi. t. 871 (1866).
Cesati, Passer. & Gibelli, Comp. Fl. Ital. t. 68 (1867–86).—*Fr.*
*Réveil, Règne Vég. iv. t. 5, 23 (1870).—*Fl.*
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, iii. t. 130 [1873].
*Cusin, Herb. Fl. Franç. xv (Campanulacées), t. 53 (1874).
Bot. Tidsskr. Ser. III. ii. 85 (1877–79).—*Veg.*
De Silvestri, Piante Prat. 229 (1879).
Gard. Chron. xiii. 693 (1880); xxvi. 529 (1886); Ser. III. xxvii. 409 (1900); xliii. 385 (1908).
Wien. Ill. Gart.-Zeit. vii. 452 (1882).
W. Robinson, Engl. Fl. Gard. t. 57 (1883).—*Hab.*
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xxii. t. 2238 (1885).
*Baillon, Ic. Fl. Franç. iii. t. 240 [1885–94].
*Sterne, Herbst- & Winterblumen, t. 39, fig. a (1886).—*Hab.*
Kerner, Pflanzenleben, ii. 356 (1891).—*Fl.*
Journ. Hort. Ser. III. xxvii. 3 (1893).—*Fl.*
*Bois, Dict. Hort. 241 (1893–99).
Jardin, viii. 219 (1894); xviii. 92 (1904).
Kerner & Oliv. Nat. Hist. Pl. ii. 360 (1895).—*Fl.*
*Bois, Atlas Pl. Jard. t. 166 (1896).
*Step, Fav. Fl. Gard. & Greenh. iii. t. 161 (1897).
!Deutsche Bot. Monatsschr. xvii. 64, t. 1 (1899).—*Fl.*
Rev. Hort. 1899, p. 188; 1906, p. 218.
L. H. Bailey, Cycl. Amer. Hort. 229 (1900); Stand. Cycl. Hort. 645 (1914).
Nicholson, '1900' Suppl. Dict. Gard. 189 (1900).
Coste, Fl. France, ii. 499 (1903).
Fiori & Paol. Ic. Fl. Ital. 405 (1903).
Adamović in Denkschr. Akad. Wiss. Wien, lxxiv. t. 5, fig. 6–8 (1904).
Sturm, Deutschl. Fl. Ed. 2, xii. 254 (1904).
Flahault, Nouv. Fl. Alpes & Pyrén. i. 86 (1906).
Blytt, Haandb. Norg. Fl. Ed. Dahl, 672 (1906).
Senn, Alpen-Flora, ii. 86 (1906).
Heukels, Fl. Nederl. iii. 284, 290 (1909).
Silva Tarouca, Freiland-Stauden, 53 (1910).—*Hab.*
Suireishchikov, Ill. Fl. Mosc. Gov. iii. 226 (1910).
!Arkiv Bot. Stockholm, x. No. 10, p. 15, 20, t. 1 (1911).—*Fl.*
*Pokorny-Schoenichen, Pflanzenkunde, t. 28, fig. 1 (1912).
*H. S. Thompson, Sub-Alp. Pl. t. 23 (1912).
*Gatin, Fl. des Bois, t. 65 (1913).
*Hegi, Ill. Fl. Mittel-Eur. vi. 1. t. 256, p. 360 (1915).
Garden, lxxx. 345 (1916).—*Fl.*
—— **alba** Hort.
*A Kert (The Garden), xiii. 449 (1907).
Tribune Hort. ii. 776 (1907).
Canada Dep. Agric. Exper. Farms, Bull. No. 5, Ser. II. p. 32 (1908).
—— —— **coronata** Hort.
*Möllers Deutsche Gärtn.-Zeit. xxvii. 8 (1912).—*Hab.*
—— **Backhousei** Hort.
*Gartenfl. xliv. 148 (1895).—*Fl.*
—— **calycina** Reichb.
*Reichenbach, Pl. Crit. i. t. 77 (1823).
—— **coronata** C. Morr.
*Belg. Hort. i. t. 17 (1851).
*Fl. des Serres, Ser. I. vii. t. 699 (1851–52).
*A Kert (The Garden), xiii. 449 (1907).
—— **grandiflora** Hort.
Semaine Hort. 1897, p. 131.—*Fl.*
*A Kert (The Garden), xiii. 449 (1907).
Rev. Hort. 1910, p. 94.
Horticulture (Boston), xiv. 925 (1911); xxxii. 198 (1920).—*Hab.*
—— **marginata** Hort.
Rev. Hort. Belge, xxxii. 252 (1906).—*Fl.*
—— **maxima** Curt.
*Bot. Mag. xii. t. 397 (1798).
*Mag. Bot. & Gard. iii. t. 5 (1835).

CAMPANULA
persicifolia maxima
*J. W. Loudon, Ladies' Fl.-Gard. Ornam. Perenn. ii. t. 64 (1844).
—— **Moerheimei** Hort.
*Gard. Chron. Ser. III. xxvii. 414 (1900).
Semaine Hort. iv. 569 (1900).—*Hab.*
Journ. Roy. Hort. Soc. London, xxv. Proc. p. xcii (1900–1).
American Garden, xxiii. 497 (1902).
Horticulture (Boston), ix. 335 (1909).—*Hab.*
petiolata A. DC.
Amer. Bot. xxiii. 79 (1917).—*Hab.*
petraea Linn.
*Jaume St.-Hilaire, Fl. & Pom. Franç. i. t. 38 (1828).
Reichenbach, Pl. Crit. vi. t. 571 (1828).
Reichenbach, Ic. Fl. Germ. xix. t. 1595 (1860).
*Cusin, Herb. Fl. Franç. xv (Campanulacées), t. 28 (1874).
Coste, Fl. France, ii. 497 (1903).
Fiori & Paol. Ic. Fl. Ital. 404 (1903).
Gard. Chron. Ser. III. xlii. 197 (1907); lii. 132 (1912).
petrophila exappendiculata Somm. & Lev.
Déchy, Kaukasus, iii. t. 22, fig. A, 1–3 (1907).
phrygia Jaub. & Spach
Jaubert & Spach, Illustr. Pl. Or. iii. t. 233 (1847–50).
phyctidocalyx Boiss. & Noé
Monit. Jard. Bot. Tiflis, Livr. 1, p. 14 (1905).
Pichleri Vis.
*Visiani in Mem. Istit. Veneto, xvi. t. 6 (1871).
Visiani, Fl. Dalmat. Suppl. t. 6 (1872).
pilosa Less.
*Ledebour, Ic. Pl. Ross. iii. t. 209 (1831).
—— **dasyantha** Herd.
*Miyoshi & Makino, Pocket-Atlas, Alp. Pl. Jap. i. t. 13, fig. 76 (1906).
Portenschlagiana Roem. & Schult.
A. De Candolle, Monogr. Campan. t. 13 (1830).
*Bot. Reg. xxiii. t. 1995 (1837).
*J. W. Loudon, Ladies' Fl.-Gard. Ornam. Perenn. ii. t. 64 (1844).
Reichenbach, Ic. Fl. Germ. xix. t. 1611 (1860).
*Behrens, Blattformen, t. 69, fig. f (1900).—*Veg.*
Möllers Deutsche Gärtn.-Zeit. xxii. 134 (1907); xxxii. 130 (1917).
Garden, lxxii. 469 (1908); lxxvii. 525 (1913).—*Hab.*
Farrer, English Rock-Gard. i. 184 (1919).—*Hab.*
—— **maior** Hort.
Gard. Chron. Ser. III. xlviii. 58 (1910).—*Hab.*
precatoria Timb.-Lag.
*Timbal-Lagrave in Mém. Acad. Sc. Toulouse, Ser. VII. v. t. 2 (1873).
prenanthoides Durand
Parsons, Wild Fl. California, 323 (1897).
H. M. & C. C. Hall, Yosemite Fl. 238 (1912).
primulifolia Brot.
Brotero, Phytogr. t. 19, 20 (1816).
*Bot. Mag. lxxxi. t. 4879 (1855).
Bull. Soc. Tosc. Ortic. xiv. 243 (1889).—*Hab.*
Gartenfl. xxxix. 225 (1890).—*Hab.*
Bull. Arboricult. Belg. 1891, p. 138; 1896, p. 25.
Wien. Ill. Gart.-Zeit. xvii. 122 (1892).—*Hab.*
Ill. Hort. xlii. 207 (1895).—*Hab.*
Prismatocarpus L'Hér.
L'Héritier, Sertum Angl. t. 3 (1788) in ic.; *Prismatocarpus mitidus* in textu.
*Bot. Mag. liv. t. 2733 (1827).
ptarmicifolia Lam.
Ann. Mus. Hist. Nat. Paris, xi. 56 (1808).
Desfontaines, Choix Pl. Tourn. t. 25 (1808).
pubescens Schmidt
Reichenbach, Pl. Crit. i. t. 78 (1823).
pulla Linn.
Jacquin, Obs. Bot. t. 18 (1764).
*Jacquin, Fl. Austr. iii. t. 285 (1775).
*Sturm, Deutschl. Fl. ix. xxxiv [t. 532] (1812).
*Lodd. Bot. Cab. vi. t. 554 (1821).
*Bot. Mag. li. t. 2492 (1824).
*Roscoe, Fl. Illustr. Seasons, t. 21 [1829–31].
*Sweet, Brit. Fl. Gard. iv. t. 80 (1831).

CAMPANULA
pulla
*J. W. Loudon, Ladies' Fl.-Gard. Ornam. Perenn. ii. t. 62 (1844).
*Sweet, Ornamental Fl. Gard. iii. t. 148 (1854).
*Gartenfl. ix. t. 292 (1860).
Reichenbach, Ic. Fl. Germ. xix. t. 1606 (1860).
*Trans. Russ. Hort. Soc. 1860, t. 18.
*Verlot, Pl. Alp. Ed. 2, p. 282, t. 33 (1873).
*Wooster, Alp. Pl. Ed. 2, t. 8 (1874).
*Seboth & A. W. Bennett, Alpine Pl. i. t. 62 (1879).
Journ. Hort. Ser. III. iii. 103 (1882).
W. Robinson, Engl. Fl. Gard. t. 57 (1883).—*Hab.*
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xxii. t. 2216 (1885).
*Garden, xl. 444 (1891).—*Hab.*
*A. W. Bennett, Fl. Alps, i. t. 55 (1897).
*Hartinger, Atlas Alpenfl. v. t. 421 (1897).
G. Beck, Alpenblum. Semmering, t. 16, fig. 3 (1898).—*Fl.*
Journ. Roy. Hort. Soc. London, xxvii. 118 (1902–3).—*Hab.*
*Jul. Hoffmann, Alpine Fl. t. 25 (1903).
*H. S. Thompson, Alp. Pl. Europe, t. 41 (1911).
L. H. Bailey, Stand. Cycl. Hort. 648 (1914).
Hegi, Ill. Fl. Mittel-Eur. vi. 1. 346 (1915).
*Penzig, Fl. Alpi Illustr. Ed. 2, t. 25 (1915).
Bull. Soc. Bot. Genève, Ser. II. xi. 67 (1919).—*Fl.*
×**pulloides** Hort.
*Garden, lxvi. 203 (1904).—*Hab.*
pumila Sims
*Bot. Mag. xv. t. 512 (1801).
*Florist's Mag. i. 93 (1836).
pumilio Portenschl.
Portenschlag-Ledermayer, Enum. Pl. Dalmat. t. 2 (1824).
punctata Lam.
*Bot. Mag. xli. t. 1723 (1815).
*Schrank, Pl. Rar. Hort. Monac. ii. t. 87 (1819).
*J. W. Loudon, Ladies' Fl.-Gard. Ornam. Perenn. ii. t. 63 (1844).
Somoku Dzusetsu, Ed. 2, iii. t. 12 (1874).
W. Robinson, Engl. Fl. Gard. t. 57 (1883).
Nicholson, Illustr. Dict. Gard. i. 256 [1884–88].
Bull. Soc. Tosc. Ortic. xv. 26 (1890).—*Hab.*
Gartenfl. xxxix. 591 (1890).—*Hab.*
Bull. Arboricult. Belg. 1891, p. 137.
Wien. Ill. Gart.-Zeit. xvii. 123 (1892).—*Hab.*
*Useful Pl. Jap. iii. t. 859 (1895).
Gard. Chron. Ser. III. xxxviii. 169 (1905); xlii. 96 (1907).
Somoku Dzusetsu, Ed. Makino (Iconogr. Pl. Nippon), iii. t. 12 (1907).
Garden, lxxiii. 423 (1909).—*Hab.*
pusilla Haenke
*Zollikofer, Tent. Fl. Alp. Helvet. t. 3 [1850].
Ettingshausen in Sitzb. Akad. Wiss. Wien, xx. 482 (1856).—*Veg.*
Reichenbach, Ic. Fl. Germ. xix. t. 1606 (1860).
*Cusin, Herb. Fl. Franç. xv (Campanulacées), t. 48 (1874).
*Seboth & A. W. Bennett, Alpine Pl. i. t. 63 (1879).
H. Müller, Alpenblumen, 401 (1881).—*Fl.*
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xxii. t. 2219 (1885).
Kerner, Pflanzenleben, i. 380 (1887); Ed. 3, i. 139 (1913).
Jardin, ii. 285 (1888).—*Hab.*
Pflanzenfam. iv. v. 45 (1889).—*Fl.*
*L. & C. Schroeter, Taschenfl. Alp.-Wand. t. 7 (1889).—*Hab.*
*Heathcote, Fl. Engadine, t. 143 (1891).
Flora, lxxix. 275 (1894).—*Veg.*
Kerner & Oliv. Nat. Hist. Pl. i. 410 (1894).—*Veg.*
*Hartinger, Atlas Alpenfl. v. t. 423 (1897).
G. Beck, Alpenblum. Semmering, t. 16, fig. 2 (1898).—*Fl.*
Knuth, Handb. Blütenbiol. ii. 11. 5 (1899).—*Fl.*
Garden, lx. 161 (1901).
Journ. Roy. Hort. Soc. London, xxvii. 120, 121 (1902–3).

CAMPANULA
pusilla
Coste, Fl. France, ii. 502 (1903).
*Jul. Hoffmann, Alpine Fl. t. 25 (1903).
*L. & C. Schroeter, Col. Vade-Mecum Alp. Fl. Ed. 16 & 17, t. 11 (1904).—*Hab.*
Sturm, Deutschl. Fl. Ed. 2, xii. 263 (1904).
Flahault, Nouv. Fl. Alpes & Pyrén. i. 87 (1906).
Senn, Alpen-Flora, ii. 87 (1906).
*Correvon & Rob. Alp. Fl. t. 64 [1908?].
*Flahault, Nouv. Fl. Alpes & Pyrén. ii. t. 81 (1908).
*Hulme, Familiar Swiss Fl. t. 36 (1908).
Rev. Hort. 1908, p. 223.—*Hab.*
Graebner, Pflanzenw. Deutschl. 55 (1909).
*Hastings, Summer Fl. High Alps, t. 27 (1910).—*Hab.*
*Milner, Life Oberammergau, t. 31 (1910).
*H. S. Thompson, Alp. Pl. Europe, t. 42 (1911).
*H. S. Thompson, Sub-Alp. Pl. t. 24 (1912).
*Hegi & Dunz. Alp. Fl. t. 27 (1913).
*Penzig, Fl. Alpi Illustr. Ed. 2, t. 25 (1915).
—— **alba** Hort.
*Gard. Chron. Ser. III. xlviii. 96 (1910).—*Hab.*
Silva Tarouca, Freiland-Stauden, 55 (1910).—*Hab.*
—— **caespitosa** Hort.
*Garden, xliii. 24 (1893) in textu; *C. caespitosa* in ic.—*Hab.*
—— **Hoppeana** Rupr.
Reichenbach, Ic. Fl. Germ. xix. t. 1606 (1860).
—— **inciso-serrata** Chen.
Bull. Herb. Boiss. Ser. II. v. t. 5 (1905).
—— **paniculata** Naeg.
Reichenbach, Ic. Fl. Germ. xix. t. 1606 (1860).
—— **pubescens** Koch
Reichenbach, Ic. Fl. Germ. xix. t. 1606 (1860).
pygmaea D. Dietr.
*Jaume St.-Hilaire, Fl. & Pom. Franç. i. t. 43 (1828).
pyramidalis Linn.
*Kniphof, Herb. Viv. i. t. 202 (1758).
Reichenbach, Ic. Fl. Germ. xix. t. 1612 (1860).
Decaisne & Naud. Amat. Jard. ii. 632 [1862–66].
*Réveil, Règne Vég. iv. t. 45 (1870).—*Fl.*
Decaisne, Naud. & Hemsl. Trees, Shrubs & Herb. Pl. 268 (1873).
*Cusin, Herb. Fl. Franç. xv (Campanulacées), t. 55 (1874).
Marchesetti in Boll. Soc. Adr. Sc. Nat. Trieste, iii. 514 (1878).
Favart, Flowers & Pl. t. 23 (1880).
W. Robinson, Engl. Fl. Gard. t. 58 (1883).
Nicholson, Illustr. Dict. Gard. i. 256, 257 [1884–88].
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xxii. t. 2233 (1885).
Jardin, viii. 191 (1894); xxv. 260, 261 (1911).
Garden, xlvii. 86 (1895).—*Hab.*
*Bois, Atlas Pl. Jard. t. 165 (1896).
*Step, Fav. Fl. Gard. & Greenh. iii. t. 160 (1897).
Rev. Hort. 1897, p. 238.
L. H. Bailey, Cycl. Amer. Hort. 229 (1900); Stand. Cycl. Hort. 646 (1914).
*Behrens, Blattformen, t. 44, fig. d (1900).—*Veg.*
Gard. Chron. Ser. III. xxxii. 378 (1902).—*Hab.*
Journ. Roy. Hort. Soc. London, xxvii. 99 (1902–3).—*Hab.*
Fiori & Paol. Ic. Fl. Ital. 406 (1903).
Journ. Hort. Ser. III. li. 257 (1905).—*Hab.*
Bot. Kongr. Wien, i. Exk. t. 13 (1905).—*Hab.*
Adamović, Pflanzenw. Dalmat. t. 54 (1911).
Bull. Soc. Tosc. Ortic. xxxviii. 270 (1913).—*Hab.*
Hegi, Ill. Fl. Mittel-Eur. vi. 1. 341 (1915).
—— **alba** Hort.
Pflanzenfam. iv. v. 46 (1889).—*Fr.*
—— **compacta** Hort.
Semaine Hort. 1898, p. 97.
Jardin, xv. 249 (1901).
×**pyraversi** Cayeux
Jardin, xxv. 300 (1911).
*Rev. Hort. 1912, p. 91; 1920, p. 124.
racemosa S. G. Gmel.
S. G. Gmelin, Reise Russl. i. t. 34 [1770].
Raddeana Trautv.
Gard. Chron. Ser. III. xliv. 139 (1908); lx. 125 (1916).

CAMPANULA
Raddeana
Journ. Roy. Hort. Soc. London, xxxiv. Proc. p. cxxxiii. fig. 49 (1909).
Farrer, English Rock-Gard. i. 192 (1919).—*Hab.*
radicosa Bory & Chaub.
Bory & Chaub. Nouv. Fl. Pélop. t. 7 (1838).
Raineri Perpenti
Reichenbach, Pl. Crit. iii. t. 211 (1825).
Reichenbach, Ic. Fl. Germ. xix. t. 1610 (1860).
*Fl. des Serres, Ser. II. viii. t. 1908 (1869–70).
*Neubert's Deutsch. Gart. Mag. xxiv. 193 (1871).
*Weber, Alp.-Pfl. Ed. 3, iii. t. 260 (1872).
*Seboth & A. W. Bennett, Alpine Pl. iv. t. 46 (1880).
W. Robinson, Engl. Fl. Gard. t. 58 (1883).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xxii. t. 2235 (1885).
*Correvon, Fl. Col. Suisse, t. 94 (1894).
Garden, lx. 163 (1901); lxxxi. 357 (1917).
Journ. Roy. Hort. Soc. London, xxvii. 122 (1902–3).
Fiori & Paol. Ic. Fl. Ital. 406 (1903).
*Hulme, Familiar Swiss Fl. t. 36 (1908).
*H. S. Thompson, Alp. Pl. Europe, t. 42 (1911).
Hegi, Ill. Fl. Mittel-Eur. vi. 1. 346 (1915).
Farrer, English Rock-Gard. i. 192 (1919).—*Hab.*
ramosissima Sibth.
*Sibthorp & Sm. Fl. Graeca, iii. t. 204 (1819).
Fiori & Paol. Ic. Fl. Ital. 405 (1903).
—— **longisepala** Rossi & Chiov.
Mem. Pontif. Accad. Nuovi Lincei, vi. t. 3 (1890).
ramulosa Wall.
Wight, Ic. Pl. Ind. Or. iv. t. 1178 (1848).
*Wight, Spicil. Neilgherr. ii. t. 126 (1851).
rapunculoides Linn.
Hoppe, Ect. Pl. Ratisb. t. 490 (1789).
*Plenck, Ic. Pl. Med. ii. t. 152 (1789).
*Sowerby & Sm. Engl. Bot. xx. t. 1369 (1805).
*McDonald, Dict. Pract. Gard. i. t. 14 (1807).
*Fl. Dan. viii. t. 1327 (1808).
*Jaume St.-Hilaire, Pl. France, i [t. 74] (1808).
*Svensk Bot. vi. t. 369 (1809).
*Schrank, Fl. Monac. i. t. 95 (1811).
*S. Edwards, New Bot. Gard. i. t. 14 (1812).
*Vietz, Ic. Pl. Med.-oec.-techn. v. t. 372 b (1817).
*Heger, Danske Oec. Pl. i. t. 90 (1828).
Reichenbach, Pl. Crit. vi. t. 507 (1828).
A. De Candolle, Monogr. Campan. t. 1 (1830).—*Fl.*
!*Engelmann, De Antholysi Prod. t. 3 (1832).—*Fl.*
*Zenker, Fl. Thüringen, iv. t. 422 (1836–55).
[M. E.] Jackson, Pict. Fl. fig. 331 (1840).
*Deakin, Florigr. Brit. i. fig. 372 (1841).
*Dietrich, Fl. Boruss. x. t. 658 (1842).
*Lorek, Fl. Pruss. Ed. 3, t. 53, fig. 297 (1848).
*Cassone, Fl. Med.-Farm. iii. t. 247 (1848).
Schnizlein, Iconogr. ii. t. 125 (1851).
Johnson & Sowerby, Brit. Wild Fl. fig. 769 (1858–60).
Reichenbach, Ic. Fl. Germ. xix. t. 1600 (1860).
Bentham, Handb. Brit. Fl. fig. 612 (1865).
*Syme, Engl. Bot. vi. t. 869 (1866).
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, iii. t. 130 [1873].
*Cusin, Herb. Fl. Franç. xv (Campanulacées), t. 36 (1874).
*Hogg & Johnson, Wild Fl. Gr. Brit. ix. t. 693 (1876).
Wagner, Ill. Deutsche Fl. Ed. 2, p. 484 (1882).
Garden, xxv. 207 (1884).—*Fl.*
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xxii. t. 2225 (1885).
*Heathcote, Fl. Engadine, t. 142 (1891).
Kerner, Pflanzenleben, ii. 443 (1891).—*Fr.*
*Hulme, Familiar Wild Fl. (5 vol. Ed.), iii. 21 [1892?]; (Pop. Ed.), iv. 45 [1897?].
*Wild Fl. Canada, t. 46 (1894).
Kerner & Oliv. Nat. Hist. Pl. ii. 448 (1895).—*Fr.*
Miller & Whiting, Wild Fl. N.E. States, 368 (1895).
Britton & Brown, Ill. Fl. N. States & Canada, iii. 254 (1898); Ed. 2, iii. 295 (1913).

CAMPANULA
rapunculoides
Warming in Overs. Danske Vidensk. Selsk. Forhandl. No. 1, p. 27 (1901).—*Veg.*
Lindman, Bild. Nord. Fl. t. 55 (1901–5).
C. T. Green, Fl. Liverpool Distr. fig. 386 (1902).
Coste, Fl. France, ii. 500 (1903).
Fiori & Paol. Ic. Fl. Ital. 408 (1903).
*Sturm, Fl. Deutschl. Ed. 2, xii. t. 60 (1904).
*Hulme, Familiar Swiss Fl. t. 77 (1908).—*Fl.*
Heukels, Fl. Nederl. iii. 280, 286 (1909).
Fedtschenko & Fler. Fl. Eur. Russia, 937 (1910).
Suireishchikov, Ill. Fl. Mosc. Gov. iii. 222 (1910).
Bot. Közl. (Bot. Communic.), x. 119 (1911).
Wettstein, Handb. Syst. Bot. Ed. 2, p. 769 (1911).—*Fr.*
*Flahault, Nouv. Fl. Alpes & Pyrén. iii. t. 89 (1912).
*Klein, Unsere Unkräuter, t. 59 (1913).
Neger, Biol. Pflanz. 692 (1913).—*Fr.*
L. H. Bailey, Stand. Cycl. Hort. 647 (1914).
*Gadeceau, Fl. Moiss. t. 59 (1914).
A. Georgia, Manual Weeds, t. 286 (1914).
Bull. Appl. Bot. viii. t. 137 (1915).—*Fr.*
*Hegi, Ill. Fl. Mittel-Eur. vi. 1. t. 257 (1915).
Lindman, Svensk. Fanerogamfl. 515 (1918).—*Fl.*
Bot. Tidsskr. xxxv. 332 (1918).—*Veg.*
*House, Wild Fl. New York (Mem. No. 15 N.Y. State Mus.), ii. t. 215 (1918).
Fitch & Smith, Ill. Brit. Fl. Ed. rev. 4, Iss. 2, fig. 620 (1919).
Rapunculus Linn.
*Kniphof, Herb. Viv. i. t. 204 (1758).
Hill, Herb. Brit. ii. t. 118 (1770).
*Regnault, Bot. ii. 72 (1774).
*Fl. Dan. v. t. 855 (1782); viii. t. 1326 (1808).
Gaertner, Fruct. i. t. 31 (1788).—*Fr.*
*Joh. Kerner, Abbild. Oek. Pfl. (Fig. Pl. Écon.), iii. t. 297 (1789).
*Plenck, Ic. Pl. Med. ii. t. 151 (1789).
*Sowerby & Sm. Engl. Bot. iv. t. 283 (1795).
Lamarck, Ill. i. t. 123, fig. 2 (1797).—*Fl.*
*Mirbel, Hist. Nat. Pl. xiv. t. 91 [1802–6].
Boissieu, Fl. Eur. i. t. 135 (1805).—*Fr.*
*Schkuhr, Bot. Handb. Ed. 2, t. 39 (1808).
*Vigneux, Fl. Pitt. Envir. Paris, t. 13 (1812).
*Vietz, Ic. Pl. Med.-oec.-techn. v. t. 372 (1817).
*Curtis, Fl. Londin. Ed. 2, iv. t. 80 (1819–21).
*Svensk Bot. ix. t. 629 (1823–25).
*Jaume St.-Hilaire, Fl. & Pom. Franç. i. t. 40 (1828).
A. De Candolle, Monogr. Campan. t. 2 (1830).—*Fr.*
*Zenker, Fl. Thüringen, viii. t. 951 (1836–55).
[M. E.] Jackson, Pict. Fl. fig. 328 (1840).
*Deakin, Florigr. Brit. i. fig. 369 (1841).
*Dietrich, Fl. Boruss. xii. t. 829 (1844).
*Lorek, Fl. Pruss. Ed. 3, t. 52, fig. 296 (1848).
Payer, Organog. Comp. Fl. t. 149 (1857).—*Fl.*
Johnson & Sowerby, Brit. Wild Fl. fig. 766 (1858–60).
Reichenbach, Ic. Fl. Germ. xix. t. 1613 (1860).
*Johnson & Sowerby, Useful Pl. Gr. Brit. t. 12, fig. 143 (1861[–62]).
Decaisne & Naud. Amat. Jard. iv. 341 [1862–66].—*Veg.*
*Argenta, Album Fl. Med.-Farm. ii. t. 191 (1863).
Bentham, Handb. Brit. Fl. fig. 613 (1865).
*Syme, Engl. Bot. vi. t. 872 (1866).
Le Maout & Decaisne, Traité Gén. Bot. 151 (1868).
*Réveil, Règne Vég. xii. t. 1 (1870).—*Veg.*
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, iii. t. 130 [1873].
*Cusin, Herb. Fl. Franç. xv (Campanulacées), t. 50 (1874).
*Hogg & Johnson, Wild Fl. Gr. Brit. ix. t. 697 (1876).
Baillon, Dict. Bot. i. 593 (1878).
Wagner, Ill. Deutsche Fl. Ed. 2, p. 486 (1882).
*Lesacher & Mareschal, Nouv. Bot. Méd. iv [t. 38] (1883).
W. Robinson, Engl. Fl. Gard. t. 53 (1883).
Vilmorin-Andrieux, Pl. Potag. 538 (1883).
Nicholson, Illustr. Dict. Gard. i. 257, 271 [1884–88].

CAMPANULA
Rapunculus
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xxii. t. 2237 (1885).
*Baillon, Ic. Fl. Franç. ii. t. 151 [1885–94].
Baillon, Hist. Pl. viii. 318, 319 (1886).
Dujard.-Beaumetz & Égasse, Pl. Méd. 582 (1889).
Pflanzenfam. iv. v. 46 (1889).—*Fr.*
Paolucci, Fl. Marchig. t. 22 (1890).—*Fl.*
Acloque, Fl. France, 439 (1894).
Brehm, Merv. Nat. Monde des Pl. ii. 205 (1894–96).—*Fl.*
Flora, xci. 171 (1902).—*Veg.*
Coste, Fl. France, ii. 499 (1903).
Fiori & Paol. Ic. Fl. Ital. 405 (1903).
Losch, Kräuterb. 155 (1903).
Sturm, Fl. Deutschl. Ed. 2, xii. 254 (1904).
Merino, Fl. Galicia, ii. 299 (1906).
Heukels, Fl. Nederl. iii. 289 (1909).
*Klein, Unsere Unkräuter, t. 59 (1913).
L. H. Bailey, Stand. Cycl. Hort. 643 (1914).—*Veg.*
*Gadeceau, Fl. Moiss. t. 59 (1914).
Hegi, Ill. Fl. Mittel-Eur. vi. 1. 362, 364 (1915).
*Bonnier, Name This Flower, t. 35 (1917).
Garden, lxxxii. 129 (1918).
Lindman, Svensk Fanerogamfl. 515 (1918).—*Fl.*
Fitch & Smith, Ill. Brit. Fl. Ed. rev. 4, Iss. 2, fig. 621 (1919).
*Horwood, Brit. Wild Fl. v. t. 63, p. 168 (1919).
—— **multiflora** Baill.
*Baillon, Ic. Fl. Franç. iii. t. 233 [1885–94].
—— **subspicata** Ebel
Ebel, Montenegro, t. 2 (1844).
retrorsa Labill.
Labillardière, Ic. Pl. Syriae, v. t. 3 (1812).
rhomboidalis Linn.
*Lodd. Bot. Cab. vii. t. 603 (1822); sphalm. *C. rhomboidea.*
*Jaume St.-Hilaire, Fl. & Pom. Franç. i. t. 39 (1828).
*Sturm, Deutschl. Fl. xvii. lxxii [t. 1137] (1838).
*Lorek, Fl. Pruss. Ed. 3, t. 54, fig. 304 (1848).
Reichenbach, Ic. Fl. Germ. xix. t. 1598 (1860).
*Weber, Alp.-Pfl. Ed. 3, iii. t. 258 (1872).
*Cusin, Herb. Fl. Franç. xv (Campanulacées), t. 39 (1874).
*Seboth & A. W. Bennett, Alpine Pl. iv. t. 10 (1880).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xxii. t. 2223 (1885).
Jardin, viii. 196 (1894).—*Hab.*
Bibl. Bot. ix. No. 48, t. 2, fig. 6 (1899).—*Fl.*
Rev. Hort. 1899, p. 189.
Coste, Fl. France, ii. 500 (1903).
Fiori & Paol. Ic. Fl. Ital. 407 (1903).
*L. & C. Schroeter, Col. Vade-Mecum Alp. Fl. Ed. 16 & 17, t. 11 (1904).
Sturm, Fl. Deutschl. Ed. 2, xii. 58 (1904).
Vilmorin, Hort. Vilm. (Bull. Soc. Bot. France, 1904, li. App.), t. 19 (1906).—*Hab.*
Journ. Hort. Ser. III. l. 541 (1905).
*Flahault, Nouv. Fl. Alpes & Pyrén. i. t. 88 (1906).
*Senn, Alpen-Flora, ii. t. 88 (1906).
*Correvon & Rob. Alp. Fl. t. 65 [1908?].
*Hulme, Familiar Swiss Fl. t. 79 (1908).
*H. S. Thompson, Alp. Pl. Europe, t. 40 (1911).
*H. S. Thompson, Sub-Alp. Pl. t. 24 (1912).
*Hegi, Ill. Fl. Mittel-Eur. vi. 1. t. 257 (1915).
—— **calycina** Chab.
Bull. Soc. Bot. France, lv. t. 13 (1908).
—— **hispida** Car. & St. Lager
Cusin, Herb. Fl. Franç. xv (Campanulacées), t. 40 (1874).
—— **integra** Chiov. & Rossi
Mem. Pontif. Accad. Nuovi Lincei, vi. t. 1 (1890).
—— **tuberosa** Chab.
Bull. Soc. Bot. France, lv. t. 12 (1908).
Rohdii Loisel.
Loiseleur, Fl. Gall. Ed. 2, t. 24 (1828).
Rosanii Ten.
*Tenore, Fl. Nap., Atlas, iii. t. 120 (1811–38).
rotundifolia Linn.
Hill, Herb. Brit. ii. t. 118 (1770).

CAMPANULA
rotundifolia
Walcott, Fl. Brit. Indig. [t. 25] (1778).
Allioni, Fl. Pedem. iii. t. 47, fig. 2 (1785).
Hoppe, Ect. Pl. Ratisb. t. 426 (1789).
C. K. Sprengel, Entd. Geheimn. Natur. t. 8, fig. 3–15, 25; t. 11, fig. 8 (1793).—*Fl.*
*Fl. Dan. vii. t. 1086 (1794).
*Dreves, Bot. Bilderbuch, ii. t. 42 (1795).
*Curtis, Fl. Londin. ii. fasc. iv. t. 21 (1798); Ed. 2, ii. fasc. iv. t. 21 (1821).
*Sowerby & Sm. Engl. Bot. xiii. t. 866 (1801).
*Dreves & Hayne, Choix de Pl. t. 42 (1802).
*Svensk Bot. v. t. 297 (1807).
*A. & F. Plée, Herbor. Paris, [t. 49] (1811).
*Schrank, Fl. Monac. i. t. 87 (1811).
*Kops, Fl. Batava, iv. t. 281 (1822).
*Redouté, Choix Fl. [t. 17] (1827).
*Heger, Danske Oec. Pl. i. t. 88 (1828).
A. De Candolle, Monogr. Campan. t. 1 (1830).—*Fl.*
*Baxter, Brit. Bot. Ed. 2, i. t. 61 (1834).
Meigen, Deutschl. Fl. i. t. 47 (1836).—*Fl.*
*Zenker, Fl. Thüringen, i. t. 57 (1836–55).
[M. E.] Jackson, Pict. Fl. fig. 326 (1840).
*Deakin, Florigr. Brit. i. fig. 367 (1841).
*Dietrich, Fl. Boruss. x. t. 660 (1842).
Hooker, London Journ. Bot. i. t. 20 (1842).—*Fl.*
*Plée, Types chq. Famille Pl. France, t. 106 (1844–64).
*Lorek, Fl. Pruss. Ed. 3, t. 52, fig. 294 (1848).
Mem. Mat. Fis. Soc. Ital. Sc. xxiv. 1. t. 5 (1848).
*Petermann, Deutschl. Fl. t. 56, fig. 440, a–o (1849).—*Fl.*
*Schnizlein, Iconogr. ii. t. 125 (1851).—*Fl.*
Nees, Gen. Pl., Gamop. iii. t. 32 (1854).
Irvine, Illustr. Handb. Brit. Pl. 495 (1858).—*Fl.*
Johnson & Sowerby, Brit. Wild Fl. fig. 764 (1858–60).
Reichenbach, Ic. Fl. Germ. xix. t. 1603 (1860).
*T. Moore, Field Bot. Comp. t. 15 (1862).
Provancher, Fl. Canad. i. 356, fig. 140 (1862).
*Hogg & Johnson, Wild Fl. Gr. Brit. i. t. 77 (1863).
Bentham, Handb. Brit. Fl. fig. 615 (1865).
*Schubert, Naturg., Pflanzenreich, Ed. 2, t. 11, fig. 2 [1865].
*Syme, Engl. Bot. vi. t. 870 (1866).
Cesati, Passer. & Gibelli, Comp. Fl. Ital. t. 68 (1867–86).—*Fr.*
*Hulme, Plant Form, t. 12 (1868).
Dunster, Coll. Handyb. Bot. t. 4 (1871).
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, iii. t. 130 [1873].
*Cusin, Herb. Fl. Franç. xv (Campanulacées), t. 45 (1874).
Nobbe, Handb. Samenkunde, 349 (1876).—*Fr.*
Bot. Tidsskr. Ser. III. ii. 85 (1877–79).—*Hab.*
*Meehan, Fl. & Ferns U.S. ii. t. 3 (1879).
Wagner, Ill. Deutsche Fl. Ed. 2, p. 485 (1882).
Bot. Zeitschr. xxxiii. 282 (1883).—*Fl.*
W. Robinson, Engl. Fl. Gard. t. 58 (1883).—*Hab.*
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xxii. t. 2222 (1885).
*Baillon, Ic. Fl. Franç. i. t. 52 [1885–94].
*Goodale & I. Sprague, Wild Fl. Amer. Ed. 2, frontisp. (1886).
Potonié, Ill. Fl. Nord- u. Mittel-Deutschl. Ed. 4, fig. 541 (1889).
*Thomé, Fl. Deutschl. iv. t. 546 (1889).
*Hulme, Familiar Wild Fl. (5 vol. Ed.), i. 77 [1892?]; (Pop. Ed.), i. 77 [1897?].
Bot. Jaarb. Gent, v. 440 (1893).—*Fl.*
*Masclef, Atlas Pl. France, t. 202 (1893).
Acloque, Fl. France, 437 (1894).
*Siélain, Atlas Poche Pl. Champs, Prair. & Bois, t. 78 [1894].
*Wild Fl. Canada, t. 31 (1894).
*Ann. Sc. Nat. Paris, Ser. VII. xx. t. 15, 16 (1895).
*FitzGibbon & Traill, Canadian Wild Fl. Ed. 4, t. 6, p. 53 (1895).
Miller & Whiting, Wild Fl. N.E. States, 366 (1895).

CAMPANULA
rotundifolia
*Step, Wayside & Woodl. Bloss. t. 78 (1895); New Ed. ii. t. 18 (1905).
Flora, lxxxii. 4–6 (1896); lxxxvii. 96, 97 (1900); xcv. 233 (1905).
Britton & Brown, Ill. Fl. N. States & Canada, iii. 253 (1898); Ed. 2, iii. 295 (1913).
*Garden, liii. 42 (1898).
!Goebel, Organogr. Pfl. 208 (1898); Ed. Angl. i. 243 (1900); Ed. 2, i. 408 (1913).—*Veg.*
Mathews, Wayside Fl. Ser. IV. 5 (1898).
L. H. Bailey, Cycl. Amer. Hort. 232 (1900); Stand. Cycl. Hort. 649 (1914).
Blanchan, Nat. Gard. 64 (1900).
*Behrens, Blattformen, t. 43, fig. b (1900).—*Veg.*
Gradmann, Pflanzenl. Schwäb. Alb, Ed. 2, ii. 328 (1900).
Reichenau, Mainzer Flora, fig. 33 (1900).
Lindman, Bild. Nord. Fl. t. 53 (1901–5).
C. T. Green, Fl. Liverpool Distr. fig. 387 (1902).
Plant World, v. t. 26 (1902).
Coste, Fl. France, ii. 501 (1903).
Fiori & Paol. Ic. Fl. Ital. 407 (1903).
Niles, Bog-trotting Orch. 196 (1904).
*Sturm, Fl. Deutschl. Ed. 2, xii. t. 57 (1904).
!Arkiv Bot. Stockholm, iv. No. 17, t. 1 (1905).
Blytt, Haandb. Norg. Fl. Ed. Dahl, 671 (1906).
Diels, Jugendf. & Blütenr. 87 (1906).
Henshaw, Mount. Wild Fl. Amer. t. 65 (1906).
Lazaro, Comp. Fl. Españ. ii. 621 (1907).
Flahault, Nouv. Fl. Alpes & Pyrén. ii. 81 (1908).
Fitzgerald in Nature Book, iv. 624 (1909).
Heukels, Fl. Nederl. iii. 286 (1909).
Arber, Pl. Life Alp. Switz. t. 17 (1910).—*Hab.*
*Milner, Life Oberammergau, t. 23 (1910).
Fedtschenko & Fler. Fl. Eur. Russia, 938 (1910).
Suireishchikov, Ill. Fl. Mosc. Gov. iii. 221 (1910).
Abstammungslehre, 305 (1911).
Arkiv Bot. Stockholm, x. No. 10, t. 1 (1911).—*Fl.*
*Correvon, Fl. Champs & Bois, t. 69 (1911).
*C. A. Creevey, Harper's Guide Wild Flowers, 352, tab. (1912).
*Pokorny-Schoenichen, Pflanzenkunde, t. 28, fig. 2 (1912).
Neger, Biol. Pflanz. 107 (1913).—*Veg.*
Velenovsky, Vergl. Morphol. Pfl. iv. Suppl. 85 (1913).—*Veg.*
*F. E. & E. S. Clements, Rocky Mt. Fl. t. 36 (1914).
*Perrin & Boulger, Brit. Flower. Pl. iv. t. 278, 280 [E], fig. 1–7 (1914).
M. Armstrong, Field Book West. Wild Fl. 521 (1915).
*Hegi, Ill. Fl. Mittel-Eur. vi. 1. t. 256 (1915).
Bull. Soc. Bot. Ital. 1916, p. 28.
*Bonnier, Name This Flower, t. 35 (1917).
Lindman, Svensk Fanerogamfl. 11 (1918).—*Fl.*
Mayevsky, Fl. Central Russia, 381 (1918).
*House, Wild Fl. New York (Mem. No. 15 N.Y. State Mus.), ii. t. 218 (1918).
*Horwood, Brit. Wild Fl. v. t. 56, p. 93 (1919).
Fitch & Smith, Ill. Brit. Fl. Ed. rev. 4, Iss. 2, fig. 623 (1919).
Clements in Publ. Carnegie Inst. Washington, No. 290, t. 11, 56 (1920).
—— **alba** Hort.
Floral World, iv. 170 (1861).
Gard. Chron. 1861, p. 698.—*Hab.*
—— **arctica** Lange
*Fl. Dan. xvi. t. 2711 (1867).
—— **caespitosa** Vill.
Boissieu, Fl. Eur. i. t. 135 (1805).
—— **gracilis** Avé-Lallem.
Avé-Lallemant, Pl. Ital. Bor. & Germ. Austr. Rar. t. 1, fig. 13 (1829).
—— **Hostii** Hort.
Nicholson, Illustr. Dict. Gard. i. 252 [1884–88].
—— **ranunculiflora** Hort.
*Gartenfl. xiv. t. 473 (1865).
—— **Scheuchzeri** Vill.
Fiori & Paol. Ic. Fl. Ital. 407 (1903).

CAMPANULA
rotundifolia soldanelliflora Hort.
*Gartenfl. xiv. t. 473 (1865).
Nicholson, Illustr. Dict. Gard. i. 257 [1884–88].—*Fl.*
L. H. Bailey, Cycl. Amer. Hort. 232 (1900); Stand. Cycl. Hort. 649 (1914).
Journ. Roy. Hort. Soc. London, xxvii. 102 (1902–3).—*Hab.*
—— **uniflora** Lange
*Fl. Dan. ii. t. 189 (1765); Lange, Nomencl. Fl. Dan. 7 (1887).
rubra Hort.
*Journ. & Fl. Jard. 120 (1832).
rupestris Sibth.
*Sibthorp & Sm. Fl. Graeca, iii. t. 213 (1819).
ruthenica M. Bieb.
*Bot. Mag. liii. t. 2653 (1826).
sabatia De Not.
*Bicknell, Fl. Pl. Riviera, t. 36 (1885).
sarmatica Ker-Gawl.
*Bot. Reg. iii. t. 237 (1817).
*Bot. Mag. xlv. t. 2019 (1818).
*Lodd. Bot. Cab. vi. t. 581 (1821).
*J. W. Loudon, Ladies' Fl.-Gard. Ornamental Perenn. ii. t. 63 (1844).
W. Robinson, Engl. Fl. Gard. t. 58 (1883).
Nicholson, Illustr. Dict. Gard. i. 257 [1884–88].
*Act. Hort. Berg. v. No. 3, t. 7 (1914).
Farrer, English Rock-Gard. i. 196 (1919).—*Hab.*
saxatilis Linn.
Jaubert & Spach, Illustr. Pl. Or. iv. t. 392 (1850–53).
Rouy, Illustr. Pl. Eur. Rar. fasc. 2, t. 40 (1895).
Saxifraga M. Bieb.
A. De Candolle, Monogr. Campan. t. 10 (1830).
Gartenwelt, xvi. 187 (1912).
Möllers Deutsche Gärtn.-Zeit. xxxv. 221 (1920).—*Hab.*
saxifragoides Doumergue
Doumergue in Assoc. Franç. Avanc. Sc. 1898, Nantes, Pt. 2, p. 456 (1899).
Scheuchzeri Vill.
Villars, Hist. Pl. Dauph. ii. t. 10 (1787).
*Lodd. Bot. Cab. v. t. 485 (1820).
*Weber, Alp.-Pfl. Ed. 3, iii. t. 256 (1872).
*Cusin, Herb. Fl. Franç. xv (Campanulacées), t. 46 (1874).
*Fl. des Serres, Ser. II. xi. t. 2205 (1875).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xxii. t. 2220 (1885).
*L. & C. Schroeter, Taschenfl. Alp.-Wand. t. 7 (1889).—*Hab.*
*Heathcote, Fl. Engadine, t. 143 (1891).
*Hartinger, Atlas Alpenfl. v. t. 424 (1897).
Schinz & Keller, Fl. Schweiz, 504 (1900).—*Fl.*
Coste, Fl. France, ii. 502 (1903).
*L. & C. Schroeter, Col. Vade-Mecum Alp. Fl. Ed. 16 & 17, t. 11 (1904).
Bot. Kongr. Wien. iv. Exk. t. 49 (1905).—*Hab.*
*Flahault, Nouv. Fl. Alpes & Pyrén. i. 87 (1906); ii. t. 82 (1908).
Senn, Alpen-Flora, ii. 87 (1906).
Schroeter, Pflanzenleb. Alp. 397 (1908).
Arber, Pl. Life Alp. Switz. 86 (1910).—*Fl.*
*Milner, Life Oberammergau, t. 25 (1910).
Beauverd in Bull. Soc. Bot. Genève, Ser. II. iv. 437 (1912).
*Hegi & Dunz. Alp. Fl. t. 27 (1913).
Hegi, Ill. Fl. Mittel-Eur. vi. 1. 359 (1915).
—— **alba** Hort.
Journ. Roy. Hort. Soc. London, xxvii. 101 (1902–3).—*Hab.*
—— **glabra** Koch
Reichenbach, Ic. Fl. Germ. xix. t. 1602 (1860).
—— **hirta** Koch
Reichenbach, Ic. Fl. Germ. xix. t. 1602 (1860).
Scouleri Hook.
Hooker, Fl. Bor.-Amer. t. 125 (1840).
M. Armstrong, Field Book West. Wild Fl. 521 (1915).
secundiflora Vis. & Panč.
Visiani & Pančić, Mem. Istit. Veneto, x. t. 24 (1861).
Visiani & Pančić, Pl. Serb. (Mem. Reg. Instit. x), i. t. 6 (1862).

CAMPANULA
×**semproniana** Beauverd
Beauverd in Bull. Soc. Bot. Genève, Ser. II. iv. 437 (1912).
serotina Wettst.
Wettstein, Denkschr. Akad. Wiss. Wien, lxx. t. 6, fig. 2, 3 (1901).
serpyllifolia Vis.
Visiani, Fl. Dalmat. ii. t. 15 (1847).
serpylliformis Battand.
Battandier & Trabut, Atlas Fl. Algér. t. 6 (1886).
sessiliflora Willd.
Thunberg in Mém. Acad. Sc. Pétersb. iv. t. 5 (1813).
Sewerzowii Regel
Bull. Soc. Nat. Mosc. xl. No. 3, t. 6 (1867).
sibirica Linn.
J. G. Gmelin, Fl. Sibir. iii. t. 29 (1768); fide Ledebour, Comm. 93.
*Jacquin, Fl. Austr. ii. t. 200 (1774).
*Bot. Mag. xviii. t. 659 (1803).
*Jaume St.-Hilaire, Fl. & Pom. Franç. i. t. 46 (1828).
*Lorek, Fl. Pruss. Ed. 3, t. 54, fig. 303 (1848).
Petermann, Deutschl. Fl. t. 56, fig. 440 (1849).—*Fl.*
Reichenbach, Ic. Fl. Germ. xix. t. 1593 (1860).
*Rev. Hort. 1861, p. 431.
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xxii. t. 2246 (1885).
Fiori & Paol. Ic. Fl. Ital. 404 (1903).
Suireishchikov, Ill. Fl. Mosc. Gov. iii. 229 (1910).
Hegi, Ill. Fl. Mittel-Eur. vi. 1. 335 (1915).
—— **divergens** Reichb. f.
Reichenbach, Ic. Fl. Germ. xix. t. 1593 (1860).
Gard. Chron. Ser. III. xvi. 597 (1894).
—— **eximia** Hort.
Jardin, viii. 220 (1894).—*Hab.*
—— **Hohenackeri** Fisch. & Mey.
Sertum Petrop. t. 25 (1869).
silenifolia Fisch.
J. G. Gmelin, Fl. Sibir. iii. t. 32 (1768); fide Ledebour, Comm. 93.
silvatica Wall.
*Paxt. Mag. xii. 245 (1846).
Smithii T. Moore
*Florist, 1875, p. 209.
soldanelliflora Hort.
*Fl. des Serres, Ser. II. viii. t. 1880 (1869–70).
W. Robinson, Engl. Fl. Gard. t. 58 (1883).
sparsa Friv.
Frivaldszky in Magyar Tud. Társ. Evk. (Ann. Hung. Acad. Sc.), iv. t. 7, p. 201 (1840) in textu; *C. expansa* in ic.
spathulata Waldst. & Kit.
*Waldstein & Kit. Pl. Rar. Hung. iii. t. 258 (1812).
spathulata Sibth.
*Sibthorp & Sm. Fl. Graeca, iii. t. 203 (1819).
speciosa Pourr.
*Jaume St.-Hilaire, Fl. & Pom. Franç. i. t. 48 (1828).
*Cusin, Herb. Fl. Franç. xv (Campanulacées), t. 26 (1874).
Vayreda in An. Soc. Españ. Hist. Nat. viii. t. 9 (1879).
*Willkomm, Ill. Fl. Hispan. Balear. i. t. 44, fig. B (1881–85).
Coste, Fl. France, ii. 497 (1903).
Senn, Alpen-Flora, ii. 84 (1906).
Flahault, Nouv. Fl. Alpes & Pyrén. i. 83 (1906); ii. 82 (1908).
Gard. Chron. Ser. III. lii. 159 (1912); lxi. 166 (1917).—*Hab.*
Farrer, English Rock-Gard. i. 196 (1919).—*Hab.*
speciosa Hornem.
*Bot. Mag. liii. t. 2649 (1826).
Reichenbach, Pl. Crit. vi. t. 558 (1828).
*Journ. Jard. 1835, p. 343.
*J. W. Loudon, Ladies' Fl.-Gard. Ornam. Perenn. ii. t. 62 (1844).
specularioides Coss.
Wien. Ill. Gart.-Zeit. xix. 123 (1894).—*Hab.*
speculum Linn.
Hoppe, Ect. Pl. Ratisb. t. 162 (1788).
*Bot. Mag. iii. t. 102 (1789).
*Batsch, Anal. Fl. i. t. 13, fig. 24 a–24 h (1790).—*Fl.*

CAMPANULA
speculum
*Jaume St.-Hilaire, Pl. France, i [t. 73] (1808).
*Schrank, Fl. Monac. i. t. 26 (1811).
*Kops, Fl. Batava, iii. t. 207 (1814).
*Sibthorp & Sm. Fl. Graeca, iii. t. 216 (1819).
*J.W.Loudon, Ladies' Fl.-Gard. Ornam. Annuals, t. 30 (1844).
W. Robinson, Engl. Fl. Gard. t. 53 (1883).—*Hab.*
Baillon, Hist. Pl. viii. 320 (1886).—*Fl.*
Jardin, viii. 220 (1894).—*Hab.*
Rev. Hort. 1897, p. 254.
Semaine Hort. 1899, p. 168.—*Hab.*
—— **procumbens** Hort.
Rev. Hort. 1897, p. 254.—*Hab.*
—— **Veneris** Kniph.
*Kniphof, Herb. Viv. i. t. 198 (1758).
spicata Linn.
Allioni, Fl. Pedem. iii. t. 46, fig. 2; t. 47, fig. 1 (1785).
*Jaume St.-Hilaire, Fl. & Pom. Franç, i. t. 45 (1828).
*Sturm, Deutschl. Fl. xvii. LXXII [t. 1140] (1838).
Reichenbach, Ic. Fl. Germ. xix. t. 1597 (1860).
*Weber, Alp.-Pfl. Ed. 3, iii. t. 263 (1872).
*Cusin, Herb. Fl. Franç. xv (Campanulacées), t. 31 (1874).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xxii. t. 2241 (1885).
Journ. Hort. Ser. III. xxix. 203 (1894); xlvii. 267 (1903).
Coste, Fl. France, ii. 498 (1903).
Fiori & Paol. Ic. Fl. Ital. 405 (1903).
*Flahault, Nouv. Fl. Alpes & Pyrén. i. t. 86 (1906).
*Senn, Alpen-Flora, ii. t. 86 (1906).
Gard. Chron. Ser. III. liii. 207 (1913).—*Hab.*
Hegi, Ill. Fl. Mittel-Eur. vi. 1. 339 (1915).
×**Stansfieldii** Hort.
Gard. Chron. Ser. III. lxi. 39 (1917).—*Hab.*
Farrer, English Rock-Gard. i. 200 (1919).—*Hab.*
Staubii Uechtr.
Math. és Term Tud. közl. (Math. & Nat. Sc. Communic.), xiv. 364 (1877).
stellaris Boiss.
Post, Fl. Syria, Palestine & Sinai, 504 [1896].—*Fl.*
stenosiphon Boiss.
Reichenbach, Ic. Fl. Germ. xix. t. 1605 (1860).
Stevenii M. Bieb.
Reichenbach, Ic. Fl. Germ. xix. t. 1614 (1860).
Engler & Drude, Veget. Erde, xi. t. 43 (1909).—*Hab.*
—— **nana** Hort.
Garden, lxxvii. 279 (1913).—*Hab.*
Gard. Chron. Ser. III. liii. 342 (1913).—*Hab.*
Journ. Roy. Hort. Soc. London, xxxix. Proc. p. cxxxiii, fig. 145 (1914).—*Hab.*
stricta Linn.
Ann. Mus. Hist. Nat. Paris, xi. 137 (1808).
Desfontaines, Choix Pl. Tourn. t. 28 (1808).
Labillardière, Ic. Pl. Syriae, v. t. 4 (1812).
strigosa Soland.
*Bot. Mag. lxxxiv. t. 5068 (1858).
*Belg. Hort. ix. 1 [t. 1] (1859).
subulata Willd.
Thunberg in Mém. Acad. Sc. Pétersb. iv. t. 6 (1813).
svanetica Rupr.
Act. Hort. Petrop. xvi. t. 31 (1900).
tenella Thunb.
Thunberg in Mém. Acad. Sc. Pétersb. iv. t. 7 (1813).
tenuiflora Ten.
*Tenore, Fl. Nap., Atlas, v. t. 210 (1811–38).
tenuifolia Waldst. & Kit.
*Waldstein & Kit. Pl. Rar. Hung. ii. t. 155 (1805).
Thaliana Wallr.
Reichenbach, Pl. Crit. ii. t. 112 (1824).
*Dietrich, Fl. Boruss. x. t. 659 (1842).
thyrsoides Linn.
Jacquin, Obs. Bot. t. 21 (1764).
*Jacquin, Fl. Austr. v. t. 411 (1778).
*Bot. Mag. xxxii. t. 1290 (1810).
*Sturm, Deutschl. Fl. xi. XLI [t. 643] (1821).

CAMPANULA
thyrsoides
*Jaume St.-Hilaire, Fl. & Pom. Franç. i. t. 37 (1828).
*Lodd. Bot. Cab. xvii. t. 1644 (1830).
Reichenbach, Ic. Fl. Germ. xix. t. 1597 (1860).
*Weber, Alp.-Pfl. Ed. 3, iii. t. 262 (1872).
*Cusin, Herb. Fl. Franç. xv (Campanulacées), t. 32 (1874).
*Seboth & A. W. Bennett, Alpine Pl. ii. t. 64 (1880).
Gard. Chron. xxii. 105 (1884); Ser. III. liii. 206 (1913).—*Hab.*
Garten-Zeit. Berlin, iii. 475 (1884).
Nicholson, Illustr. Dict. Gard. i. 258 [1884–88].
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xxii. t. 2240 (1885).
*L. & C. Schroeter, Taschenfl. Alp.-Wand. t. 7 (1889).
*Heathcote, Fl. Engadine, t. 140 (1891).
*Correvon, Fl. Col. Suisse, t. 93 (1894).
*Hartinger, Atlas Alpenfl. v. t. 425 (1897).
*G. Beck, Alpenblum. Semmering, t. 16, fig. 4 (1898).—*Fl.*
Flora, lxxxix. t. 3, fig. 30 (1901).—*Fr.*
Garden, lx. 218 (1901); lxxvii. 536 (1913); lxxxii. 236 (1918).—*Fl.*
Journ. Roy. Hort. Soc. London, xxvii. 103 (1902–3).
Coste, Fl. France, ii. 498 (1903).
Fiori & Paol. Ic. Fl. Ital. 405 (1903).
*Jul. Hoffmann, Alpine Fl. t. 25 (1903).
*L. & C. Schroeter, Col. Vade-Mecum Alp. Fl. Ed. 16 & 17, t. 11 (1904).—*Hab.*
*Flahault, Nouv. Fl. Alpes & Pyrén. i. t. 84 (1906).
*Senn, Alpen-Flora, ii. t. 84 (1906).
*Hulme, Familiar Swiss Fl. t. 78 (1908).
*Correvon & Rob. Alp. Fl. t. 66 [1908?].
Arber, Pl. Life Alp. Switz. t. 19 (1910).
*H. S. Thompson, Alp. Pl. Europe, t. 42 (1911).
Hegi, Ill. Fl. Mittel-Eur. vi. 1. 338, 339 (1915).
*Penzig, Fl. Alpi Illustr. Ed. 2, t. 25 (1915).
Farrer, English Rock-Gard. i. 208 (1919).—*Hab.*
tomentosa Vent.
Ventenat, Jard. Cels, t. 18 [1800].
tomentosa Lam.
Jaubert & Spach, Illustr. Pl. Or. v. t. 422 (1853–57).
Garden, lxxx. 100 (1916).—*Hab.*
Tommasiniana Reut.
*Bot. Mag. cvii. t. 6590 (1881).
Garden, lxiii. 142 (1903).—*Hab.*
Fiori & Paol. Ic. Fl. Ital. 406 (1903).
Journ. Roy. Hort. Soc. London, xli. 120 (1915).—*Hab.*
trachelioides M. Bieb.
Reichenbach, Pl. Crit. vi. t. 508 (1828).
Trachelium Linn.
Hill, Herb. Brit. ii. t. 119 (1770).
Hoppe, Ect. Pl. Ratisb. t. 334 (1789).
*Sowerby & Sm. Engl. Bot. i. t. 12 (1790).
*Joh. Kerner, Abbild. Oek. Pfl. (Fig. Pl. Écon.), iv. t. 314 (1791).
*Fl. Dan. vi. t. 1026 (1792).
*Roemer, Fl. Eur. v [t. 2] (1800).
Thornton, Brit. Fl. ii. 69 (1812).
*Schrank, Fl. Monac. iii. t. 237 (1816).
Dict. Sc. Nat., Planch. Bot. Dicot. t. 79 (1816–29).
*Vietz, Ic. Pl. Med.-oec.-techn. v. t. 374 (1817).
*Curtis, Fl. Londin. Ed. 2, iv. t. 109 (1819–21).
*Redouté, Choix Fl. [t. 18] (1827).
*Zenker, Fl. Thüringen, vii. t. 755 (1836–55).
[M. E.] Jackson, Pict. Fl. fig. 332 (1840).
*Deakin, Florigr. Brit. i. fig. 373 (1841).
*Dietrich, Fl. Boruss. x. t. 657 (1842).
*Lorek, Fl. Pruss. Ed. 3, t. 53, fig. 299 (1848).
Johnson & Sowerby, Brit. Wild Fl. fig. 770 (1858–60).
Reichenbach, Ic. Fl. Germ. xix. t. 1600 (1860).
Bentham, Handb. Brit. Fl. fig. 610 (1865).
*Syme, Engl. Bot. vi. t. 867 (1866).
*Hogg & Johnson, Wild Fl. Gr. Brit. v. t. 377 (1869).
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, iii. t. 130 [1873].

CAMPANULA
Trachelium
*Cusin, Herb. Fl. Franç. xv (Campanulacées), t. 34 (1874).
Somoku Dzusetsu, Ed. 2, iii. t. 9 (1874).
Wagner, Ill. Deutsche Fl. Ed. 2, p. 483 (1882).
W. Robinson, Engl. Fl. Gard. t. 53 (1883).—*Hab.*
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xxii. t. 2226 (1885).
*Baillon, Ic. Fl. Franç. i. t. 86 [1885–94].
*Sterne, Herbst- & Winterbl. t. 22, fig. a (1886).—*Hab.*
Paolucci, Fl. Marchig. t. 21 (1890).—*Fl.*
Kerner, Pflanzenleben, ii. 84 (1891).—*Fl.*
*Hulme, Familiar Wild Fl. (5 vol. Ed.), iii. 129 [1892?]; (Pop. Ed.), iv. 117 [1897?].
Acloque, Fl. France, 437 (1894).—*Fl.*
Jardin, viii. 214 (1894).—*Hab.*
Kerner & Oliv. Nat. Hist. Pl. ii. 86 (1895).—*Fl.*
Rev. Hort. 1897, p. 239; 1899, p. 189; 1910, p. 94.
L. H. Bailey, Cycl. Amer. Hort. 230 (1900); Stand. Cycl. Hort. 646 (1914).
Warming in Overs. Danske Vidensk. Selsk. Forh. No. 1, p. 27 (1901).—*Veg.*
C. T. Green, Fl. Liverpool Distr. fig. 384 (1902).
Coste, Fl. France, ii. 500 (1903).
Fiori & Paol. Ic. Fl. Ital. 408 (1903).
*Sturm, Fl. Deutschl. Ed. 2, xii. t. 60 (1904).
Raunkiær, Overs. Forh. Danske Vidensk. Selsk. 380 (1905).—*Veg.*
Pringsh. Jahrb. Bot. xlii. 167 (1905).—*Fl.*
*Step, Wayside & Woodl. Bloss. New Ed. ii. t. 40 (1905).
Blytt, Haandb. Norg. Fl. Ed. Dahl, 671 (1906).
Heukels, Fl. Nederl. iii. 287 (1909).
Fitzgerald in Nature Book, iv. 625, t. 2 (1909).
*Milner, Life Oberammergau, t. 40 (1910).
Fedtschenko & Fler. Fl. Eur. Russia, 937 (1910).
Suireishchikov, Ill. Fl. Mosc. Gov. iii. 223 (1910).
Wettstein, Handb. Syst. Bot. Ed. 2, p. 769 (1911).—*Fl.*
*Correvon, Fl. Champs & Bois, t. 70 (1911).
*Gatin, Fl. des Bois, t. 72 (1913).
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, iii. 295 (1913).
Act. Hort. Berg. v. No. 3, p. 103 (1914).
Horwood, Pl. Life Brit. Isles, i. 146 (1914).—*Hab.*
*Hegi, Ill. Fl. Mittel-Eur. vi. 1. t. 256 (1915).
*Bonnier, Name This Flower, t. 35 (1917).
Lindman, Svensk Fanerogamfl. 515 (1918).—*Fl.*
Bot. Tidsskr. xxxv. 332, 333 (1918).
Fitch & Smith, Ill. Brit. Fl. Ed. rev. 4, Iss. 2, fig. 618 (1919).
—— **dasycarpa** Gren. & Godr.
*Cusin, Herb. Fl. Franç. xv (Campanulacées), t. 35 (1874).
—— **urticifolia** Hornem.
*Fl. Dan. xiii. t. 2167 (1836).
transsilvanica Schur
Hayek, Pflanzend. Oesterr.-Ung. i. 443 (1915).
trichocalycina Ten.
*Tenore, Fl. Nap., Atlas, i. t. 16 (1811–38).
tridentata Linn.
Schreber, Ic. & Descr. Pl. t. 2 (1766).
—— **Saxifraga** Trautv.
*Gartenfl. xxiv. t. 820 (1875).
tubulosa Lam.
Ann. Mus. Hist. Nat. Paris, xi. 142 (1808).
Desfontaines, Choix Pl. Tourn. t. 32 (1808).
Pflanzenfam. iv. v. 49 (1889).
turbinata Schott
*Floral Mag. vii. t. 398 (1868).
*Verlot, Pl. Alp. Ed. 2, t. 8 (1873).
*Wooster, Alp. Pl. Ed. 2, t. 3 (1874).
*Gartenfl. xxiv. t. 831 (1875).
Ill. Gartenzeit. Stuttgart, xxiii. 28 (1879).
*Hulme & Hibberd, Familiar Gard. Fl. 21 [1879–87].
Journ. Hort. Ser. III. iii. 102 (1882).
W. Robinson, Engl. Fl. Gard. t. 59 (1883).—*Hab.*
*Garden, xxx. 196 (1886); lxxxiv. 451 (1920).
Rev. Hort. 1897, p. 239; 1908, p. 161.

CAMPANULA
turbinata
Jardin, xxvii. 309 (1913).—*Hab.*
Farrer, English Rock-Gard. i. 200 (1919).—*Hab.*
—— **lilacina** Haage & Schmidt
Wien. Ill. Gart.-Zeit. iv. 14 (1879).
—— **pelviformis** Carr.
Rev. Hort. 1880, p. 117.
ucranica Bess.
*J. W. Loudon, Ladies' Fl.-Gard. Ornam. Perenn. ii. t. 62 (1844).
uliginosa Rydb.
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, iii. 296 (1913).
unidentata Willd.
Thunberg in Mém. Acad. Sc. Pétersb. iv. t. 5 (1813).
uniflora Linn.
Linn. Fl. Lapp. [Ed. 1, 1737] et Ed. 2, t. 9, fig. 5, 6 (1792).
*Fl. Dan. ix. t. 1512 (1816).
*Svensk Bot. viii. t. 526 (1819).
Warming in Overs. Danske Vidensk. Selsk. Forh. No. 2, p. 152 (1886).—*Fl.*
Britton & Brown, Ill. Fl. N. States & Canada, iii. 253 (1898); Ed. 2, iii. 294 (1913).
Lindman, Bild. Nord. Fl. t. 56 (1901–5).
Fedtschenko & Fler. Fl. Eur. Russia, 938 (1910).
Lundager in Meddel. Groenl. xliii. 410 (1911); et in Arbejd. Bot. Have Kjöbenhavn, No. 70, p. 410(1912).—*Fl.*
*F. E. & E. S. Clements, Rocky Mt. Fl. t. 36 (1914).
uniflora Hill
Hill, Herb. Brit. ii. t. 118 (1770).
uniflora Vill.
Villars, Hist. Pl. Dauph. ii. t. 10 (1787).
*Jaume St.-Hilaire, Fl. & Pom. Franç. i. t. 43 (1828).
urticifolia Willd.
*Jaume St.-Hilaire, Fl. & Pom. Franç. i. t. 1 (1828).
W. Robinson, Engl. Fl. Gard. t. 59 (1883).
valdensis All.
Allioni, Fl. Pedem. iii. t. 6, fig. 1 (1785).
van Houttei Carr.
Silva Tarouca, Freiland-Stauden, 53 (1910).—*Hab.*
velata Pomel
Battandier & Trabut, Atlas Fl. Algér. t. 6 (1886).—*Fl.*
velutina Desf.
Desfontaines, Fl. Atlant. i. t. 51 (1798).
velutina Velen.
Neubert's Deutsch. Gart. Mag. 1892, p. 281, t. 7.
Engler & Drude, Veget. Erde, xi. t. 2 (1909).—*Hab.*
Gard. Chron. Ser. III. lvi. 214 (1914).—*Hab.*
verbenifolia Sieber
*Journ. Jard. 1838, p. 375.
verruculosa Link
*Hoffmannsegg & Link, Fl. Portug. ii. t. 81 (1820).
versicolor Andr.
*Andrews, Bot. Rep. vi. t. 396 (1804).
*Joh. Kerner, Hort. Sempervir. t. 236 (1806).
*Sibthorp & Sm. Fl. Graeca, iii. t. 207 (1819).
Fiori & Paol. Ic. Fl. Ital. 406 (1903).
Garden, lxxx. 613 (1916).—*Fl.*
verticillata Pall.
Pallas, Reise Russ. iii. II. t. G (1776); et in Voyages, iv. t. 34 (1793).
vesula All.
Allioni, Fl. Pedem. iii. t. 7, fig. 1 (1785).
Vidalii Wats.
Hook. Ic. Pl. vii. t. 684 (1844).
Lem. Jard. Fl. i. Misc. 115 (1851).
Moore & Ayres, Mag. Bot. iii. 76 (1851).
Fl. des Serres, Ser. I. vii. 66, 729 (1851–52).
*Floricult. Cab. xx. 73 (1852).
*Gard. Comp. & Floral Guide, 1852, p. 33.
*Lem. Jard. Fl. iii. t. 274 (1852).
Paxt. Fl. Gard. iii. 131 (1852–53).
*Bot. Mag. lxxix. t. 4748 (1853).
Journ. Hort. xxviii. 615 (1862); Ser. III. iii. 153 (1882).
Gard. Chron. Ser. III. ii. 285 (1887); xviii. 95 (1895); xxxiv. 330, 331 (1903).

CAMPANULA
Vidalii
Garden, liv. 299 (1898); lxiii. 297 (1903); lxxiv. 402 (1910); lxxxiv. 30 (1920).—*Hab.*
Deutsche Tiefsee-Exped. 1898–99, ii. 1. 273 (1907).
vinciflora Vent.
*Ventenat, Jard. Malm. t. 12 (1803).
virgata Labill.
Labillardière, Ic. Pl. Syriae, ii. t. 6 (1791).
Waldsteiniana Roem. & Schult.
Reichenbach, Pl. Crit. i. t. 85 (1823).
W. Robinson, Engl. Fl. Gard. t. 59 (1883).—*Hab.*
Nicholson, Illustr. Dict. Gard. i. 258 [1884–88].—*Hab.*
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xxii. t. 2228 (1885).
Möllers Deutsche Gärtn.-Zeit. xxxii. 122 (1917).—*Hab.*
—— **Freyeri** Reichb. f.
Reichenbach, Ic. Fl. Germ. xix. t. 1601 (1860).
—— **Visianii** Reichb. f.
Reichenbach, Ic. Fl. Germ. xix. t. 1601 (1860).
Wanneri Rochel
Rochel, Pl. Banat. Rar. t. 5 (1828).
Reichenbach, Ic. Fl. Germ. xix. t. 1615 (1860).
Gartenfl. xxxvi. 445 (1887).
×**Wilsonii** Hort.
Silva Tarouca, Freiland-Stauden, 56 (1910).—*Hab.*
Zoysii Wulf.
*Jacquin, Ic. Pl. Rar. ii. t. 334 (1786–93).
*Roemer, Fl. Eur. v [t. 1] (1800).
*Sturm, Deutschl. Fl. vi. XXII [t. 341] (1806).
*Reiner, Reisen Alpen, ii. t. 8 (1812).
Trattinick, Fl. Oesterr. Kaiserth. ii. t. 178 (1820).
Reichenbach, Ic. Fl. Germ. xix. t. 1610 (1860).
*Weber, Alp.-Pfl. Ed. 3, iii. t. 254 (1872).
*Seboth & A. W. Bennett, Alpine Pl. iii. t. 11 (1880).
Willkomm, Führ. Reich Pflanzen, 461 (1882).—*Fl.*
W. Robinson, Engl. Fl. Gard. t. 59 (1883).—*Hab.*
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xxii. t. 2215 (1885).
Gard. Chron. Ser. III. xx. 183 (1896); xxxviii. 228 (1905); lix. 336 (1916).
*Hartinger, Atlas Alpenfl. v. t. 427 (1897).
Garden, lx. 218 (1901); lxxvi. 475 (1912).—*Hab.*
Journ. Roy. Hort. Soc. London, xxvii. 122 (1902–3).
Fiori & Paol. Ic. Fl. Ital. 406 (1903).
*Jul. Hoffmann, Alpine Fl. t. 25 (1903).
*H. S. Thompson, Alp. Pl. Europe, t. 41 (1911).
Hegi, Ill. Fl. Mittel-Eur. vi. 1. 364 (1915).
*Penzig, Fl. Alpi Illustr. Ed. 2, t. 25 (1915).
*Bot. Mag. cxlii. t. 8666 (1916).
Bull. Soc. Bot. Genève, Ser. II. xi. 67 (1919).—*Fl.*
Farrer, English Rock-Gard. i. 204 (1919).—*Hab.*

CAMPANUMOEA Blume—Vide *Cyclocodon*
axillaris Oliv.
Hook. Ic. Pl. xviii. t. 1775 (1888).
inflata Hook. f.
Oesterr. Bot. Zeitschr. lviii. 385 (1908).—*Veg.*
japonica Sieb.
*Horticulteur Franç. t. 1 (1863).
javanica Bl.
*Fl. des Serres, Ser. II. ii. t. 1264 (1857).
Pflanzenfam. iv. v. 42 (1889).—*Fl.*
—— **japonica** Maxim.
Makino, Ill. Fl. Jap. i. t. 3 (1888); Ed. 2, t. 3 (1891).
lanceolata Sieb. & Zucc.
Siebold & Zucc. Fl. Jap. t. 91 (1835).
*Fl. des Serres, Ser. I. ix. t. 927 (1853–54).

CAMPBELLIA Wight: *Christisonia*
aurantiaca Wight
Wight, Ic. Pl. Ind. Or. iv. t. 1424 (1849).
*Wight, Illustr. Ind. Bot. ii. t. 158 bis (1850).—*Fl.*

CAMPBELLIA
cytinoides Wight
Wight, Ic. Pl. Ind. Or. iv. t. 1425 (1849).

CAMPDERIA Benth.: *Coccoloba*
floribunda Benth.
Bentham, Bot. Voy. Sulphur, t. 52 (1844).
gracilis Meissn.
Mart. Fl. Bras. v. 1. t. 6 (1855).

CAMPELIA L. C. Rich.
bibracteata Wied-Neuwied
Nov. Act. Acad. Nat. Cur. xi. t. 1 (1823).—*Fl.*
mexicana Mart.
Gartenfl. xxiv. t. 833 (1875).
Zanonia H. B. K.
Kerner, Pflanzenleben, i. 207 (1887); Ed. 3, i. 163 (1913).—*Veg.*
Pflanzenfam. ii. IV. 67 (1888); 1. 142 (1889).—*Fl.*
Kerner & Oliv. Nat. Hist. Pl. i. 224 (1894).—*Veg.*
Flora, xciii. 507 (1904).—*Hab.*

CAMPESTIGMA Pierre ex Costantin
purpurea Pierre
Lecomte, Fl. Gén. Indo-Chine, iv. t. 2 (1912).

CAMPHORA Linn.: *Cinnamomum*
Baillonii Lukm.
Lukmanoff, Nomencl. Ic. Cannell. & Camphr. t. 16, fig. 34 (1889).—*Veg.*
Blumei Lukm.
Lukmanoff, Nomencl. Ic. Cannell. & Camphr. t. 15, fig. 7 (1889).—*Veg.*
Brongniartii Lukm.
Lukmanoff, Nomencl. Ic. Cannell. & Camphr. t. 15, fig. 18 (1889).—*Veg.*
camelliifolia Lukm.
Lukmanoff, Nomencl. Ic. Cannell. & Camphr. t. 15, fig. 13 (1889).—*Veg.*
Camphora Karst.
Karsten, Deutsche Fl. Pharm.-medic. Bot. 503 (1880–83).—*Fl.*
Karsten, Fl. Deutschl. i. 32, 34 (1895).
citriodora Lukm.
Lukmanoff, Nomencl. Ic. Cannell. & Camphr. t. 16, fig. 33 (1889).—*Veg.*
Decaisnei Lukm.
Lukmanoff, Nomencl. Ic. Cannell. & Camphr. t. 16, fig. 23 (1889).—*Veg.*
De Candollei Lukm.
Lukmanoff, Nomencl. Ic. Cannell. & Camphr. t. 16, fig. 21 (1889).—*Fl.*
glandulifera Nees
Lukmanoff, Nomencl. Ic. Cannell. & Camphr. t. 15, fig. 15 (1889).—*Veg.*
Griffithii Lukm.
Lukmanoff, Nomencl. Ic. Cannell. & Camphr. t. 15, fig. 11 (1889).—*Veg.*
Hahnemannii Lukm.
Lukmanoff, Nomencl. Ic. Cannell. & Camphr. t. 15, fig. 3 (1889).—*Veg.*
himalayica Lukm.
Lukmanoff, Nomencl. Ic. Cannell. & Camphr. t. 16, fig. 22 (1889).—*Veg.*
Hippocratei Lukm.
Lukmanoff, Nomencl. Ic. Cannell. & Camphr. t. 15, fig. 2 (1889).—*Veg.*
Hookeri Lukm.
*Lukmanoff, Nomencl. Ic. Cannell. & Camphr. t. 15, fig. 16 (1889).—*Veg.*
Humboldtii Lukm.
Lukmanoff, Nomencl. Ic. Cannell. & Camphr. t. 16, fig. 25 (1889).—*Veg.*
japonica Rafin.
Garsault, Descr. Pl. & Anim. i. t. 84 (1767).
Jussieui Lukm.
Lukmanoff, Nomencl. Ic. Cannell. & Camphr. t. 16, fig. 19 (1889).—*Veg.*
lanceolata Lukm.
Lukmanoff, Nomencl. Ic. Cannell. & Camphr. t. 15, fig. 12 (1889).—*Veg.*
mauritiana Lukm.
Lukmanoff, Nomencl. Ic. Cannell. & Camphr. t. 15, fig. 8 (1889).—*Veg.*

CAMPHORA
microphylla Lukm.
Lukmanoff, Nomencl. Ic. Cannell. & Camphr. t. 15, fig. 6 (1889).—*Veg.*
multinerva Lukm.
Lukmanoff, Nomencl. Ic. Cannell. & Camphr. t. 16, fig. 28 (1889).—*Veg.*
Neesii Lukm.
Lukmanoff, Nomencl. Ic. Cannell. & Camphr. t. 15, fig. 4 (1889).—*Veg.*
officinalis Steud.
Brehm, Merv. Nat. Monde des Pl. ii. 409, 411 (1894–96).
Kronfeld, Atlas Pflanzengeogr. 113 (1899).
Gubb, Fl. Algeria, t. 26 (1909).—*Veg.*
officinarum Nees ex Wall.
*Hayne, Getreue Darst. Arzn. Gewächse, xii. t. 27 (1833).
*Carson, Ill. Med. Bot. ii. t. 74 (1847).
Wight, Ic. Pl. Ind. Or. v. t. 1818 (1852).
Ettingshausen in Denkschr. Akad. Wiss. Wien, xv. t. 30, fig. 5–7 (1858).—*Veg.*
*Berg & Schmidt, Darst. u. Beschr. Offiz. Gewächse, ii. t. 10, e (1859).
Berg, Charakt. t. 26, fig. 211 (1861).—*Fl.*
*Artus, Atlas Pharm. Deutschl. Aufg. Offic. Gew. t. 219 [1862–74].
*Argenta, Album Fl. Med.-Farm. iii. t. 263 (1864).
*Archer, Popular Econ. Bot. et Profitable Pl. t. 16, fig. 85 (1865).
*Zippel, Ausländ. Handels-& Nährpfl. t. 24 (1885).
Lukmanoff, Nomencl. Ic. Cannell. & Camphr. t. 15, fig. 1 (1889).—*Veg.*
Kerner, Pflanzenleben, ii. 703 (1891).
*Kohl, Off. Pfl. Pharm. Germ. t. 38 (1895).
Karsten, Fl. Deutschl. ii. 34 (1895).
Kerner & Oliv. Nat. Hist. Pl. ii. 753 (1895).
*Josef v. Oesterreich & Marg. v. Thurn und Taxis, Atlas Heilpfl. t. 34 (1903).
Adelaide Bot. Gard. Off. Souv. 43 (1907).—*Hab.*
Oldhamii Lukm.
Lukmanoff, Nomencl. Ic. Cannell. & Camphr. t. 16, fig. 20 (1889).—*Veg.*
parthenoxylon Nees
Lukmanoff, Nomencl. Ic. Cannell. & Camphr. t. 16, fig. 32 (1889).—*Veg.*
pharbitifolia Lukm.
Lukmanoff, Nomencl. Ic. Cannell. & Camphr. t. 15, fig. 5 (1889).—*Veg.*
procera Lukm.
Lukmanoff, Nomencl. Ic. Cannell. & Camphr. t. 15, fig. 17 (1889).—*Veg.*
pseudosassafras Bl.
Lukmanoff, Nomencl. Ic. Cannell. & Camphr. t. 16, fig. 30 (1889).—*Veg.*
Rougieri Lukm.
Lukmanoff, Nomencl. Ic. Cannell. & Camphr. t. 15, fig. 14 (1889).—*Veg.*
Sieboldii Lukm.
Lukmanoff, Nomencl. Ic. Cannell. & Camphr. t. 15, fig. 10 (1889).—*Veg.*
syringifolia Lukm.
Lukmanoff, Nomencl. Ic. Cannell. & Camphr. t. 16, fig. 26 (1889).—*Veg.*
Thomsonii Lukm.
Lukmanoff, Nomencl. Ic. Cannell. & Camphr. t. 16, fig. 31 (1889).—*Veg.*
Thouarsii Lukm.
Lukmanoff, Nomencl. Ic. Cannell. & Camphr. t. 16, fig. 35 (1889).—*Veg.*
Thunbergii Lukm.
Lukmanoff, Nomencl. Ic. Cannell. & Camphr. t. 15, fig. 9 (1889).—*Veg.*
Thwaitesii Lukm.
Lukmanoff, Nomencl. Ic. Cannell. & Camphr. t. 16, fig. 24 (1889).—*Veg.*
Wrightii Lukm.
Lukmanoff, Nomencl. Ic. Cannell. & Camphr. t. 16, fig. 27 (1889).—*Veg.*
Zollingeri Lukm.
Lukmanoff, Nomencl. Ic. Cannell. & Camphr. t. 16, fig. 29 (1889).—*Veg.*

CAMPHOROMOEA Nees: *Ocotea*
laxa Nees
Mart. Fl. Bras. v. II. t. 88, 89 (1866).

CAMPHOROMOEA
subtriplinervia Nees
Mart. Fl. Bras. v. II. t. 87 (1866).

CAMPHOROSMA Linn.
annua Pall.
*Pallas, Illustr. t. 58 (1803).
monspeliaca Linn.
Garsault, Descr. Pl. & Anim. ii. t. 192 (1767); fide Thellung.
*Regnault, Bot. iii. 6 (1774).
*Plenck, Ic. Pl. Med. i. t. 68 (1788).
Lamarck, Ill. i. t. 86 (1791).
*Roques, Pl. Usuell. Indig. & Exot. i. t. 30 (1807).
Gaertner f., Fruct. iii. t. 213 (1807).—*Fr.*
*Schkuhr, Bot. Handb. Ed. 2, t. 26 (1808).
*Oskamp, Afb. Artseny-Gewass. vii. t. 88 (1813).
*Chaumeton, Fl. Méd. ii. t. 91 (1815).
*Vietz, Ic. Pl. Med.-oec.-techn. v. t. 375 (1817).
*Jaume St.-Hilaire, Traité Arbr. & Arbust. i. t. 41 (1825).
Nees, Gen. Pl., Monochlam. i. t. 60 (1835).
*Petermann, Deutschl. Fl. t. 76, fig. 598 (1849).
*Cassone, Fl. Med.-Farm. v. t. 450 (1850).
Cesati, Passer. & Gibelli, Comp. Fl. Ital. t. 41 (1867–86).—*Fl.*
*Cusin, Herb. Fl. Franç. xix (Salsolacées), t. 44 (1876).
Fiori & Paol. Ic. Fl. Ital. 119 (1899).
Coste, Fl. France, iii. 187 (1906).
Reichenbach, Ic. Fl. Germ. xxiv. t. 274 (1908).
ovata Waldst. & Kit.
*Waldstein & Kit. Pl. Rar. Hung. i. t. 63 (1802).
Nees, Gen. Pl., Monochlam. i. t. 60 (1835).
G. Beck, Fl. Nied.-Oesterr. i. 327 (1890).—*Fl.*
Woenig, Pusztenflora, 85 (1899).
*Hoffmann-Wagner, Magyar. virág. növén. (Flow. Pl. Hungary), t. 67, fig. 4 (1903).
Reichenbach, Ic. Fl. Germ. xxiv. t. 275 (1908).
Hayek, Pflanzend. Oesterr.-Ung. i. 495 (1916).
perennis Pall.
*Pallas, Illustr. t. 57 (1803).
Pteranthus Linn.
*Sibthorp & Sm. Fl. Graeca, ii. t. 153 (1813).
ruthenica M. Bieb.
Pflanzenfam. iii. I. A. 69 (1893).
Act. Hort. Petrop. xxviii. t. 3, fig. 3 (1908).—*Hab.*

CAMPHUSIA De Vriese: *Scaevola*
glabra De Vriese
De Vriese in Nat. Verh. Holl. Maatsch. Wet. Haarlem, Ser. II. x. t. 2 (1854).—*Fl.*

CAMPIUM Presl: *Leptochilus*
costatum Presl
Presl, Tent. Pteridogr. t. 10 (1836).
punctulatum Presl
Presl, Tent. Pteridogr. t. 10 (1836).
subcrenatum Presl
*Hooker, Gen. Fil. t. 80 (1842).
virens Presl
Fée, Mém. Foug. i. t. 2, fig. 11 (1844).—*Veg.*

CAMPNOSPERMA Thw.—Vide *Drepanospermum*
auriculatum Hook. f.
A. & C. De Candolle, Monogr. Phan. iv. t. 11, fig. 22–25 (1883).—*Fl.*
Pflanzenfam. iii. v. 156 (1892).—*Fl.*
ceylanicum Thw.
Hooker's Journ. Bot. & Kew Misc. vi. t. 1 (1854).
Beddome, Fl. Sylv. t. 168 (1871).
A. & C. De Candolle, Monogr. Phan. iv. t. 11, fig. 26, 27 (1883).—*Fr.*
Micranteia March.
Grandidier, Hist. Madag. [Plantes] Atlas, t. 234 (1892).

CAMPOMANESIA Ruiz & Pav.
aurea Berg
Mart. Fl. Bras. xiv. I. t. 6 (1857–59).—*Veg.*
Lindman, Veget. Rio Grande do Sul, 83 (1900).—*Veg.*
Beaurepaireana Kiærsk.
Kiærskou, Enum. Myrtac. Bras. t. 13 (1893).
bracteolata Kiærsk.
Kiærskou, Enum. Myrtac. Bras. t. 1 (1893).—*Veg.*

CAMPOMANESIA
caerulea parvifolia Berg
Mart. Fl. Bras. xiv. I. t. 6 (1857–59).—*Veg.*
cagaisteira Kiærsk.
Kiærskou, Enum. Myrtac. Bras. t. 1 (1893).—*Veg.*
cornifolia H. B. K.
H. B. K. Nov. Gen. vi. t. 547 (1823).
crassifolia Benth.
Bentham, Bot. Voy. Sulphur, t. 37 (1844).
cyanea Berg
Pflanzenfam. iii. VII. 73 (1893).—*Fl.*
Lindman, Veget. Rio Grande do Sul, 85 (1900).—*Veg.*
—— **cordata** Berg
Mart. Fl. Bras. xiv. I. t. 50 (1857–59).
—— **ovata** Berg
Mart. Fl. Bras. xiv. I. t. 6, 50 (1857–59).—*Veg.*
discolor oppositifolia Berg
Mart. Fl. Bras. xiv. I. t. 6 (1857–59).—*Veg.*
diversifolia Barb. Rodr.
Barbosa Rodrigues, Myrt. Parag. t. 23 (1903).
Glazioviana Kiærsk.
Kiærskou, Enum. Myrtac. Bras. t. 13 (1893).
Hassleri Barb. Rodr.
Barbosa Rodrigues, Myrt. Parag. t. 24 (1903).
lineatifolia Ruiz & Pav.
Ruiz & Pavon, Fl. Peruv. & Chil. Prodr. t. 13 (1794); Ic. Ined. iv. t. 422 (1802).—*Fl.*
Mart. Fl. Bras. xiv. I. t. 6 (1857–59).—*Veg.*
Ettingshausen, Blatt-Skel. Dikot. 208 (1861).—*Veg.*
prosthecesepala Kiærsk.
Kiærskou, Enum. Myrtac. Bras. t. 1 (1893).—*Veg.*
psidioides Niedenzu
Pflanzenfam. iii. VII. 73 (1893).—*Fl.*
Rabeniana Kiærsk.
Kiærskou, Enum. Myrtac. Bras. t. 2 (1893).—*Veg.*
repanda Berg
Mart. Fl. Bras. xiv. I. t. 6 (1857–59).—*Veg.*
resinosa Barb. Rodr.
Barbosa Rodrigues, Myrt. Parag. t. 26 (1903).
reticulata Berg
Mart. Fl. Bras. xiv. I. t. 6 (1857–59).—*Veg.*
rivularis Niedenzu
Pflanzenfam. iii. VII. 73 (1893).—*Fl.*
rugosa Berg
Mart. Fl. Bras. xiv. I. t. 6 (1857–59).—*Veg.*
stictopetala Kiærsk.
Kiærskou, Enum. Myrtac. Bras. t. 1 (1893).—*Veg.*
trichosepala Barb. Rodr.
Barbosa Rodrigues, Myrt. Parag. t. 25 (1903).
Warmingiana Kiærsk.
Kiærskou, Enum. Myrtac. Bras. t. 2 (1893).—*Veg.*
xanthocarpa Berg
Mart. Fl. Bras. xiv. I. t. 49 (1857–59).

CAMPSIANDRA Benth.
comosa Benth.
Baillon, Hist. Pl. ii. 96 (1870).—*Fl.*
Velenovsky, Vergl. Morphol. Pfl. iii. 927 (1910).—*Fl.*
laurifolia Benth.
Mart. Fl. Bras. xv. II. t. 15 (1870).
Pflanzenfam. iii. III. 179 (1892).—*Fl.*
rosea Poepp. & Endl.
Poeppig & Endl. Nov. Gen. & Sp. Pl. iii. t. 268 (1845).
Ralph, Ic. Carpolog. t. 14 (1849).—*Fr.*

CAMPSIDIUM Seem.
chilense Reiss. & Seem.
*Bonplandia, x. t. 11 (1862).
Gard. Chron. 1870, p. 1182.
*Bot. Mag. c. t. 6111 (1874).
*Fl. des Serres, Ser. II. x. t. 2142 (1874).
Pflanzenfam. iv. III. B. 231 (1894).—*Fl.*
filicifolium A. van Geert
Journ. Hort. li. 366 (1874).
Garden, vi. 593 (1874).—*Hab.*
Florist, 1874, p. 280.
Gartenfl. xxiv. 87 (1875).—*Hab.*
Gard. Month. & Hort., Meehan, xix. 110 (1877).

CAMPSIDIUM
valdivianum Skottsb.
Espinosa in Bol. Mus. Nac. Chile, Santiago, x. 39 (1917).

CAMPSIS Lour.—Vide *Bignonia* (6)
chinensis Voss.
Schneider, Dendrol. Winterst. 197 (1903).—*Veg.*
Schneider, Ill. Handb. Laubh. ii. 620 (1911).—*Veg.*
L. H. Bailey, Stand. Cycl. Hort. 652 (1914).—*Hab.*
Curtisii Seem.
Journ. of Bot. v. 372 (1867).—*Fr.*
grandiflora K. Schum.
Schneider, Ill. Handb. Laubh. ii. 622 (1911).—*Fl.*
radicans Seem.
Journ. of Bot. v. 372 (1867).—*Fr.*
Baillon, Hist. Pl. x. 9, 10 (1891).—*Fl.*
Pflanzenfam. iv. III. B. 231 (1894).—*Fr.*
Schneider, Dendrol. Winterst. 197 (1903).—*Veg.*
Beille, Bot. Pharm. ii. 1045, 1046 (1909).
Schneider, Ill. Handb. Laubh. ii. 620, 622 (1911).
L. H. Bailey, Stand. Cycl. Hort. 651 (1914).
Hegi, Ill. Fl. Mittel-Eur. vi. 1. 176 (1915).

CAMPTERIA Presl: *Pteris*
anamallayensis Bedd.
Beddome, Ferns S. Ind. t. 45 (1863).
biaurita Hook.
*Hooker, Gen. Fil. t. 65 (1842).
Moore & Ayres, Mag. Bot. ii. 197 (1851).
T. Moore, Index Fil. Gen. & Spec. t. 31 [1857–62].
Beddome, Ferns S. Ind. t. 44 (1863).
J. Smith, Hist. Fil. t. 21 (1875).
Kleiniana Presl
Presl, Tent. Pteridogr. t. 5 (1836).
Beddome, Handb. Ferns Brit. Ind. 117 (1883).
Rottleriana Presl
Presl, Tent. Pteridogr. t. 5 (1836).
Wallichiana T. Moore
Beddome, Ferns Brit. Ind. 25, 217 (1865–70).

CAMPTOCARPUS Decne.
crassifolius Decne.
Ann. Bot. v. t. 22, fig. 98 (1891).—*Fl.*
Ann. Sc. Nat. Paris, Ser. IX. vi. t. 5, fig. 2 (1908).
mauritianus madagascariensis Cost. & Gall.
Ann. Sc. Nat. Paris, Ser. IX. vi. t. 5, fig. 1 (1908).

CAMPTOLOMA Benth.
villosa Balf. f.
Balfour f., Bot. Socotra (Trans. Roy. Soc. Edinb. xxxi), t. 60 (1888).

CAMPTOPUS Hook. f.: *Cephaëlis*
Mannii Hook. f.
*Bot. Mag. xcv. t. 5755 (1869).

CAMPTOSEMA Hook. & Arn.—Vide *Bionia*
bellatulum Hoehne
Hoehne in Comm. Linh. Telegraph. Matto Grosso ão Amaz. Annexo No. 5, Bot. viii. t. 155 (1919).
erythrinoides Benth.
Mart. Fl. Bras. xv. 1. t. 41 (1859).
grandiflorum Benth.
Mart. Fl. Bras. xv. 1. t. 42 (1859).
nobile Lindm.
Bih. Svenska Vet. Akad. Handl. xxiv. III. No. 7, p. 13 (1898); xxvii. III. No. 14, p. 26 (1902).—*Fl.*
pinnatum Benth.
Wawra, Bot. Ergebn. Reise Bras. t. 33 (1866).
*Bot. Mag. cxxiv. t. 7582 (1898).
rubicundum Hook. & Arn.
*Bot. Mag. lxxvii. t. 4608 (1851).
*Fl. des Serres, Ser. I. vii. t. 700 (1851–52).
*Lem. Jard. Fl. iii. t. 229 (1852).
Cottage Gard. ix. 1 (1853).

CAMPTOSORUS Link
rhizophyllus Link
Presl, Tent. Pteridogr. t. 14 (1836).
*Hooker, Gen. Fil. t. 57 (1842).
A. Gray, Man. Bot. N.U.S. Ed. 2, t. 11 (1856).
Mettenius, Fil. Hort. Bot. Lips. t. 5, fig. 6 (1856).
T. Moore, Index Fil. Gen. & Spec. t 41 [1857–62].

CAMPTOSORUS
rhizophyllus
Floral World, ii. 280 (1859).
*Hooker, Fil. Exot. t. 85 (1859).
Ettingshausen in Denkschr. Akad. Wiss. Wien, xxiii. t. 9 (1864).
Ettingshausen, Farnkr. t. 69, 71 (1865).
Journ. Roy. Hort. Soc. London, N. Ser. i. 197, tab. 2 (1866).
*J. Robinson, Ferns, t. 14 (1878).
J. Williamson, Ferns Kentucky, t. 25 (1878).
*Meehan, Native Fl. & Ferns U.S. Ser. II. i. t. 16 (1879).
*Eaton, Ferns N. Amer. t. 8 (1879).
Britten, Eur. Ferns, 65 [1880–82].
W. Robinson, Engl. Fl. Gard. t. 59 (1883).
Britton & Brown, Ill. Fl. N. States & Canada, i. 21 (1896); Ed. 2, i. 26 (1913).
Weaver in Proc. Iowa Acad. Sc. iii. t. 7, fig. 34 (1896).
L. H. Bailey, Cycl. Amer. Hort. 233 (1900); Stand. Cycl. Hort. 652 (1914).
Underwood, Nat. Ferns, Ed. 6 Rev. 27 (1900).—*Veg.*
Clute, Our Ferns in their Haunts, 266, 267 (1901).
Bull. Torr. Bot. Club, xxix. 488–95 (1902).
Eastman, New Engl. Ferns, 3 (1904).
Niles, Bog-trotting Orch. 198 (1904).—*Hab.*
Knight & Step, Living Plant, t. 14 (1905).
Tidestrom, Elys. Mar. Ferns & Fern Allies, Ed. 2, t. 2 (1907).
Christ, Geogr. Farne, 71 (1910).
Gager, Fundam. Bot. 162 (1916).
sibiricus Rupr.
*Useful Pl. Jap. iii. t. 987 (1895).
Fern Bull. vi. 75 (1898).—*Hab.*

CAMPTOSTEMON Mast.
philippinense Becc.
W. H. Brown & A. F. Fischer in Bull. Philip. Ils. Dep. Agric. Bur. Forestry, No. 17, t. 13; No. 22, t. 13 (1920).
Schultzii Mast.
Hook. Ic. Pl. xii. t. 1119 (1872).
Pflanzenfam. iii. VI. 67 (1890).—*Fl.*

CAMPTOTHECA Decne.
acuminata Decne.
Nouv. Arch. Mus. Hist. Nat. Paris, Ser. II. viii. t. 9 (1885).
Bull. Soc. Bot. France, 1908, lv. 650 (1909).—*Fr.*
Pflanzenreich, Nyssac. 16 (1910).
Wilson, Veg. West. China (Publ. Arn. Arb. No. 2), 143 (1911).—*Hab.*
Wilson, Arn. Arb. Exped. China, 1910–11, t. 0245, 0252 (1912).—*Hab.*
yunnanensis Dode
Bull. Soc. Bot. France, 1908, lv. 650 (1909).—*Fr.*

CAMPULEIA Thou.: *Striga*
coccinea Hook.
*Hooker, Exot. Fl. iii. t. 203 (1827).
*Joh. Kerner, Hort. Sempervir. t. 831 (1830).

CAMPULOCLINIUM DC.: *Eupatorium*
palustre DC.
Delessert, Ic. Pl. iv. t. 16 (1839).
surinamense Miq.
Miquel, Stirp. Surinam. (Nat. Verh. Holl. Maatsch. Wet. Haarlem, Ser. II. vii), t. 53 (1850).

CAMPULOSUS Desv.: *Ctenium*
aciculatus Trin.
Trinius, Sp. Gram. iii. t. 301 (1836).
aromaticus Scribn.
Britton & Brown, Ill. Fl. N. States & Canada, i. 177 (1896); Ed. 2, i. 225 (1913).
U.S. Dep. Agric. Div. Agrost. Bull. No. 7, p. 196 (1897); No. 14, p. 27 (1898); No. 20, p. 101 (1900).
U.S. Dep. Agric. Bull. No. 772, p. 186 (1920).
brachystachys Nees
Trinius, Sp. Gram. iii. t. 302 (1836).
chapadensis Trin.
Trinius, Sp. Gram. iii. t. 303 (1836).

CAMPULOSUS
chapadensis
U.S. Dep. Agric. Div. Agrost. Bull. No. 7, p. 197 (1897).
cirrosus Nees
Trinius, Sp. Gram. iii. t. 304 (1836).
gracilis Bertol.
Bertoloni in Mem. Accad. Sc. Istit. Bologna, ii. t. 43 (1850).
*Bertoloni, Misc. Bot. xi. t. 3 (1851).
monostachyos P. Beauv.
P. Beauvais, Agrost. t. 13, fig. 1 (1812).—*Fl.*
planifolius Presl
Rep. Missouri Bot. Gard. x. t. 42 (1899).

CAMPYLANDRA Bak.
aurantiaca Baker
Journ. Linn. Soc., Bot. xiv. t. 20 (1875).
Wattii C. B. Clarke
Journ. Linn. Soc., Bot. xxv. t. 32 (1889).

CAMPYLANTHERA Hook.: *Pronaya*
Fraseri Hook.
Hook. Ic. Pl. i. t. 82 (1837).

CAMPYLANTHUS Roth
Benthamii Webb
Hook. Ic. Pl. viii. t. 776 (1848).
Hooker, Niger Fl. t. 16 (1849).
junceus Edgew.
Engl. Jahrb. xxxv. 743 (1905).—*Fr.*
ramosissimus Wight
Wight, Ic. Pl. Ind. Or. iv. t. 1416 (1849).
salsoloides Roth
Webb & Berth. Hist. Nat. Iles Canar. iii. Phytogr. III. t. 176 (1836–50).
Engler & Drude, Veget. Erde, ix. 1. 2, p. 838 (1910).
spinosus Balf. f.
Balfour f., Bot. Socotra (Trans. Roy. Soc. Edinb. xxxi), t. 61 (1888).
Engler & Drude, Veget. Erde, ix. 1. 1. 205 (1910).

CAMPYLIA Lindl.: *Pelargonium*
blattaria Sweet
*Sweet, Geran. i. t. 88 (1821).
cana Colv.
*Sweet, Geran. ii. t. 114 (1822).
×**elegans** Colv.
*Sweet, Geran. iii. t. 222 (1824).
holosericea Sweet
*Sweet, Geran. i. t. 75 (1821).
×**laciniata** Sweet
*Sweet, Geran. Suppl. t. 1 (1828).
×**variegata** Sweet
*Sweet, Geran. iii. t. 266 (1825).
verbasciflora Sweet
*Sweet, Geran. ii. t. 157 (1823).

CAMPYLOBOTRYS Lem.: *Hoffmannia*
discolor C. Lem.
*Fl. des Serres, Ser. I. v. t. 427 (1849).
*Bot. Mag. lxxvi. t. 4530 (1850).
Paxt. Fl. Gard. i. 94 (1850–51).
*Lem. Jard. Fl. i. t. 42 (1851).
Ghiesbreghtii C. Lem.
*Ill. Hort. viii. t. 279 (1861); xxx. t. 498 (1883).—*Veg.*

CAMPYLOCENTRON Benth.
amazonicum Cogn.
Mart. Fl. Bras. iii. VI. t. 106 (1904–6).
aromaticum Barb. Rodr.
Barbosa Rodrigues, Contrib. Jard. Bot. Rio de Janeiro, t. 23 (1907).—*Fl.*
Barrettiae Fawc. & Rendle
Fawcett & Rendle, Fl. Jamaica, i. t. 31 (1910).
brachycarpum Cogn.
Svenska Vet. Akad. Handl. xlvi. No. 10, t. 13 (1911).—*Fl.*
Burchellii Cogn.
Mart. Fl. Bras. iii. VI. t. 64 (1904–6).
Schlechter, Orchideen, 590 (19[14–]15).—*Hab.*
callostachyum Cogn.
Mart. Fl. Bras. iii. VI. t. 73 (1904–6).
chlororrhizum Porsch
Wettstein in Denkschr. Akad. Wiss. Wien, lxxix. t. 17 (1908).
Wettstein, Handb. Syst. Bot. Ed. 2, p. 836 (1911).

CAMPYLOCENTRON
fasciola Cogn.
Mart. Fl. Bras. iii. VI. t. 106 (1904–6).
Diels in Natur, iv. 8 [1907].
Grisebachii Cogn.
Mart. Fl. Bras. iii. VI. t. 104 (1904–6).
micranthum Rolfe
Mart. Fl. Bras. iii. VI. t. 103 (1904–6).
minus Fawc. & Rendle
Fawcett & Rendle, Fl. Jamaica, i. t. 31 (1910).
parahybunense Rolfe
Mart. Fl. Bras. iii. VI. t. 105 (1904–6).
porrectum Rolfe
Ames, Orchidac. i. t. 4 (1905).
Sellowii Rolfe
Mart. Fl. Bras. iii. VI. t. 104 (1904–6).
Sullivanii Fawc. & Rendle
Fawcett & Rendle, Fl. Jamaica, i. t. 31 (1910).
Ulaei Cogn.
Mart. Fl. Bras. iii. VI. t. 104 (1904–6).

CAMPYLOGRAMMA A. v. Rosenb.
lancifolia A. v. Rosenb.
A. v. Rosenburgh in Bull. Jard. Bot. Buitenzorg, Ser. II. xxiii. t. 1 (1916).

CAMPYLOGYNE Welw.: *Combretum*
exannulata Hemsl.
Hook. Ic. Pl. xxvi. t. 2550 (1897).

CAMPYLONEURUM Presl: *Polypodium*
acrocarpon Fée
Fée, Crypt. Vasc. Brésil, i. t. 35 (1869).
angustifolium Fée
J. K. Small, Ferns Trop. Florida, 25 (1918).
costatum Presl
Presl, Tent. Pteridogr. t. 7 (1836).
cubense Fée
Fée in Mém. Soc. Mus. Hist. Nat. Strasbourg, iv. II & III. t. 3 (1853); et Mém. Foug. vi. t. 3 (1854–57).
decurrens Presl
T. Moore, Index Fil. Gen. & Spec. t. 60 [1857–62].
Bull. Soc. Bot. Belg. t. 5, fig. 3 (1866).
fallax Fée
Fée, Crypt. Vasc. Brésil, i. t. 35 (1869).
Jamesonii Fée
Feé in Mém. Soc. Mus. Hist. Nat. Strasbourg, iv. II & III. t. 2 (1853); et Mém. Foug. vi. t. 2 (1854–57).
juglandifolium Fée
Fée, Crypt. Vasc. Brésil, i. t. 45 (1869).
lanciforme Presl
Presl, Tent. Pteridogr. t. 7 (1836).
latum Moore
J. K. Small, Ferns Trop. Florida, 27 (1918).
leuconeuron Fée
Fée, Crypt. Vasc. Brésil, i. t. 35 (1869).
minus Fée
Fée, Mém. Foug. vii. t. 24 (1854–57); et in Mém. Soc. Sc. Nat. Strasbourg, v. I. t. 24 (1858).
Phyllitidis Presl
Presl, Tent. Pteridogr. t. 7 (1836).
Publ. Field Columbian Mus., Bot. Ser. iii. I. 11 (1903).
J. K. Small, Ferns Trop. Florida, 26 (1918).—*Veg.*
polyanthum Presl
Presl, Tent. Pteridogr. t. 7 (1836).
repens Presl
*Hooker, Gen. Fil. t. 71 (1842).
T. Moore, Index Fil. Gen. & Spec. t. 60 [1857–62].
J. Smith, Ferns Brit. & Foreign, 101 (1866); Ed. 2, p. 101 (1879).
Sieberianum Presl
Presl, Tent. Pteridogr. t. 7 (1836).
undulatum Fée
Fée, Mém. Foug. i. t. 2, fig. 9 (1844).

CAMPYLOPUS Spach: *Hypericum*
cerastoides Spach
Jaubert & Spach, Illustr. Pl. Or. i. t. 15 (1842–43).

CAMPYLOSIPHON Benth.
purpurascens Benth.
Hook. Ic. Pl. xiv. t. 1384 (1882).
Pflanzenfam. ii. VI. 49 (1889).
Bull. Herb. Boiss. vii. t. 4 (1899).—*Fl.*

CAMPYLOSTACHYS Kunth
cernua Kunth
Deutsche Tiefsee-Exped. 1898–99, ii. III. 120 (1908).

CAMPYLOSTEMON Welw.
Duchesnei De Wild. & Dur.
De Wildeman & Durand, Ill. Fl. Congo (Ann. Mus. Congo), i. t. 71 (1900).

CAMPYLOTROPIS Bunge: *Lespedeza*
cytisoides Benth.
Miquel, Fl. Ned. Ind. i. t. 4 (1855).

CAMPYNEMA Labill.
lineare Labill.
Labillardière, Nov. Holl. Pl. t. 121 (1804).
Lamarck, Ill. vi. t. 940 (1819).
Rodway, Tasman. Fl. [t. 38] (1903).

CANALA Pohl: *Spigelia*
heliotropioides Pohl
Géel, Sert. Bot. Cl. 5 (1828).
Pohl, Pl. Bras. ii. t. 142 (1831).

CANALIA F. W. Schmidt: *Gnidia*
daphnoides F. W. Schmidt
F. W. Schmidt, Neue & Selt. Pfl. tab. (1793).

CANANGA Hook. f. & Thoms.—Vide *Canangium, Fitzgeraldia*
latifolia Finet & Gagnep.
Lecomte, Fl. Gén. Indo-Chine, i. 70 (1907).—*Fl.*
odorata Hook. f. & Thoms.
Garden, xv. 239 (1879).
Journ. Pharm. & Chim. Ser. V. iii. 434 (1881).
Pharm. Journ. Ser. III. xi. 935 (1881).
Vidal, Sin. Fam. & Gen. Pl. Leñ. Filip. (Introd. Fl. For. Filip.), Atlas, t. 4, fig. B (1883).
Semler, Trop. Agrik. ii. 461 (1887); Ed. 2, ii. 575 (1900).
L. H. Bailey, Cycl. Amer. Hort. 1302 (1901).
*De Janville, Pl. Utiles Pays Chauds, t. 48 (1902).
Agric. Prat. Pays Chauds, x. II. 120–25, 368 (1910).
Field Mus. Nat. Hist. Rep. 1911, iv. t. 25 (1912).
Pflanzer, ix. Beih. No. 1, t. 3 (1913).
Pohliana Wettst.
Wettstein, Handb. Syst. Bot. Ed. 2, p. 549 (1911).—*Fr.*

CANANGA Aubl.: *Guatteria*
Ouregou Aubl.
Aublet, Hist. Pl. Guiane Franç. iv. t. 244 (1775).
Schomburgkiana Baill.
Baillon, Hist. Pl. i. 204 (1867–69).—*Fr.*
Pflanzenfam. ii. I. 158 (1889).—*Fr.*

CANANGIUM Baill.: *Cananga*
odoratum Baill.
Rumphius, Herb. Amboin. ii. t. 65 (1743); fide Merrill, Interpret. Rumph. Herb. Amboin.
Ann. Bot. Gard. Calcutta, iv. t. 67 (1893).
Philippine Journ. Sc., Chem. & Geol. vi. 352, t. 2 (1911).
L. H. Bailey, Stand. Cycl. Hort. 652 (1914).
Van Gorkom, Oost-Ind. Cult. Ed. 2, iii. 456 (1919).
A. P. West & W. H. Brown in Bull. Philip. Isl. Dep. Agric. Bur. Forestry, No. 20, p. 189, 191 (1920).
Scortechinii King
Ann. Bot. Gard. Calcutta, iv. t. 68 (1893).

CANARIELLUM Engl.
oleiferum Engl.
Pflanzenfam. iii. IV. 242 (1896).—*Fl.*

CANARINA Linn.
abyssinica Engl.
Engler & Drude, Veget. Erde, ix. I. 1. 145 (1910).
Campanula Linn.
Lamarck, Ill. ii. t. 259 (1797).
*Bot. Mag. xiii. t. 444 (1799).
Gaertner f., Fruct. iii. t. 211 (1807).—*Fl.*
*Lodd. Bot. Cab. iv. t. 376 (1819).
*Mordant de Launay, Herb. Amat. iii. t. 143 (1819).
A. De Candolle, Monogr. Campan. t. 4 (1830).—*Fl.*
*Mag. Bot. & Gard. iv. t. 60 (1836).
Webb & Berth. Hist. Nat. Iles Canar. iii. II frontisp. (1836–40).

CANARINA
Campanula
*Journ. Jard. 1844, p. 158.
*Fl. des Serres, Ser. II. i. t. 1094 (1856).
Gartenfl. xxxiv. 179 (1885).
Pflanzenfam. iv. v. 54 (1889).
Deutsche Tiefsee-Exped. 1898–99, ii. I. 332 (1907).
Engler & Drude, Veget. Erde, ix. I. 2, p. 833 (1910).
Gard. Chron. Ser. III. xlix. 249 (1911).
Rev. Hort. 1912, p. 361.
campanulata Linn.
Linn. Hort. Cliff. t. 8 (1737); fide Linn.
*Drapiez, Herb. Amat. Fl. v. t. 310 (1831).
Baillon, Hist. Pl. viii. 323 (1886).—*Fl.*
Journ. Hort. Ser. III. lii. 320 (1906); lxvi. 76 (1913).
Garden, lxxviii. 71 (1914).
Eminii Aschers.
Engler, Pflanzenw. Ost.-Afr. Teil C, t. 36 (1895).

CANARIUM Linn.—Vide *Colophonia, Sonzaya*
acutifolium Merr.
Rumphius, Herb. Amboin. ii. t. 52 (1743); fide Merrill, Interpret. Rumph. Herb. Amboin.
aemulans Lauterb.
Engl. Jahrb. lvi. 329 (1920).
album Roeusch
Bull. Soc. Bot. France, 1908, lv. t. 19, fig. 1 (1909).—*Veg.*
Lecomte, Fl. Gén. Indo-Chine, i. 715 (1911).—*Fl.*
Wilson, Veg. West. China (Publ. Arn. Arb. No. 2), 144 (1911).—*Hab.*
australasicum F. Muell.
Pflanzenfam. iii. IV. 239 (1896).—*Fl.*
balsamiferum Willd.
Rumphius, Herb. Amboin. ii. t. 50 (1743); fide Merrill, Interpret. Rumph. Herb. Amboin.
bengalense Roxb.
Journ. Asiat. Soc. Bengal, lxii. II. t. 10 (1893).
Basu, Ind. Med. Pl. t. 215 (1918).
Boivinii Engl.
Grandidier, Hist. Madag. [Plantes] Atlas, t. 228 (1892).
brunneum Bedd.
Beddome, Fl. Sylv. t. 127 (1871).
A. & C. De Candolle, Monogr. Phan. iv. t. 3, fig. 6–14 (1883).—*Fl.*
*Trimen, Handb. Fl. Ceylon, Atlas, i. t. 23 (1893).
ceylanicum Bl.
A. & C. De Candolle, Monogr. Phan. iv. t. 3, fig. 1, 2 (1883).—*Fr.*
Journ. Linn. Soc., Bot. xxviii. t. 46 (1891).—*Veg.*
Colophania Baker
Ind. Forester, xxxi. t. 13 (1905).—*Hab.*
commune Linn.
Rumphius, Herb. Amboin. ii. t. 47 (1743); fide Merrill, Interpret. Rumph. Herb. Amboin.
Lamarck, Ill. v. t. 812, fig. 1 (1797–1819).—*Fr.*
Koenig & Sims, Ann. Bot. i. t. 7 (1804).—*Fl.*
*Joh. Kerner, Gen. Pl. Ill. ix. t. 175 (1824).
*Bentley & Trim. Med. Pl. i. t. 61 (1880).
A. & C. De Candolle, Monogr. Phan. iv. t. 2, fig. 35–39 (1883).—*Fl.*
*Köhler, Med. Pfl. i [t. 33] (1887).
Pflanzenfam. iii. IV. 239 (1896).—*Fl.*
Trop. Agric. xxv. No. 3, p. 490 (1905).—*Fr.*
Tschirch, Handb. Pharmakog. i. 50 (1908).—*Hab.*
Agric. Prat. Pays Chauds, ix. II. 46 (1909).—*Hab.*
Beille, Bot. Pharm. ii. 623 (1909).—*Fl.*
Dep. Landb. Suriname, Verslag 1908, t. 1 (1909).—*Hab.*
Koorders & Val. Atlas Baumart. Java, t. 149 (1913).
Basu, Ind. Med. Pl. t. 213 (1918).
decumanum Gaertn.
Rumphius, Herb. Amboin. ii. t. 55 (1743); fide Merrill, Interpret. Rumph. Herb. Amboin.
Gaertner, Fruct. ii. t. 102 (1791).—*Fr.*
Lamarck, Ill. v. t. 812, fig. 2 (1797–1819).—*Fr.*
Ic. Bogor. i. t. 8 (1897).
Pflanzenfam. iii. IV. 239 (1898).—*Fr.*
Karsten & Schenck, Veg.-Bild. x. t. 22 (1912).—*Hab.*
Koorders & Val. Atlas Baumart. Java, t. 150 (1913).

CANARIUM
edule Hook. f.
Bull. Soc. Bot. Belg. xxxiv. 1. 155 (1895).—*Hab.*
hirsutum Willd.
Rumphius, Herb. Amboin. ii. t. 51 (1743); fide Merrill, Interpret. Rumph. Herb. Amboin.
hirtellum A. W. Benn.
Hook. Ic. Pl. xvi. t. 1575 (1887).
Ledermannii Lauterb.
Engl. Jahrb. lvi. 329 (1920).
legitimum Bl.
Rumphius, Herb. Amboin. ii. t. 53 (1743); fide Merrill, Interpret. Rumph. Herb. Amboin.
luzonicum Miq.
Bull. Soc. Bot. France, 1908, lv. t. 19, fig. 2 (1909).—*Veg.*
A. P. West & W. H. Brown in Bull. Philip. Isl. Dep. Agric. Bur. Forestry, No. 20, p. 39 (1920).
madagascariense Engl.
Grandidier, Hist. Madag. [Plantes] Atlas, t. 227 (1892).
maluense Lauterb.
Engl. Jahrb. lvi. 323 (1920).
Mehenbethene Gaertn.
Gaertner, Fruct. ii. t. 102 (1791).—*Fr.*
Pflanzenfam. iii. iv. 239 (1896).—*Fl.*
moluccanum Bl.
Ic. Bogor. i. t. 9 (1897).
multiflorum Engl.
Grandidier, Hist. Madag. [Plantes] Atlas, t. 229, 230 (1892).
nigrum Roxb.
Agric. Prat. Pays Chauds, ix. 1. 365 (1909).—*Hab.*
occidentale A. Chev.
Rev. Gén. Bot. xxi. 454 (1910).—*Veg.*
oleiferum Baill.
A. & C. De Candolle, Monogr. Phan. iv. t. 3, fig. 23 (1883).—*Fr.*
oleosum Engl.
Rumphius, Herb. Amboin. ii. t. 54? (1743); fide Merrill, Interpret. Rumph. Herb. Amboin.
Pflanzenfam. iii. iv. 239 (1896).—*Fl.*
Rev. Gén. Bot. xxi. t. 12, p. 454 (1910).—*Veg.*
ovatum Engl.
Philippine Agric. Rev. viii. 108, t. 8 (1915).—*Fr.*
A. P. West & W. H. Brown in Bull. Philip. Isl. Dep. Agric. Bur. Forestry, No. 20, p. 113 (1920).
Pimela Koenig
Koenig & Sims, Ann. Bot. i. t. 7 (1804).—*Fr.*
Pimela Blanco
*Blanco, Fl. Filip. t. 343 (1878–80).
polyphyllum K. Schum.
Tropenpfl. xvii. 148 (1913).—*Fr.*
resiniferum Brace
Journ. Asiat. Soc. Bengal, lxii. ii. t. 13 (1893).
rigidum Zipp.
A. & C. De Candolle, Monogr. Phan. iv. t. 1, fig. 3–5 (1883).—*Fl.*
Pflanzenfam. iii. iv. 239 (1896).—*Fl.*
rotundifolium Guillaum.
Bull. Soc. Bot. France, 1908, lv. t. 19, fig. 3 (1909).—*Veg.*
saphu Engl.
Engl. Jahrb. xv. t. 3 (1892).
Bull. Soc. Bot. Belg. li. iii. t. 3 (1913).—*Hab.*
Schweinfurthii Engl.
Engler & Drude, Veget. Erde, ix. iii. 1. 781 (1915).
secundum A. W. Benn.
Schiller in Sitzb. Akad. Wiss. Wien, cxii. 1. t. 2, fig. 54 (1903).—*Veg.*
Shortlandicum Rech.
Rechinger in Denkschr. Akad. Wiss. Wien, lxxxix. t. 2, fig. 4 a, b (1914).—*Veg.*
sikkimense King
Journ. Asiat. Soc. Bengal, lxii. ii. t. 12 (1893).
silvestre Gaertn.
Rumphius, Herb. Amboin. ii. t. 49 (1743); fide Merrill, Interpret. Rumph. Herb. Amboin.
Gaertner, Fruct. ii. t. 102 (1791).—*Fr.*
Schiller in Sitzb. Akad. Wiss. Wien, cxii. 1. t. 2, fig. 52 (1903).—*Veg.*

CANARIUM
strictum Roxb.
Beddome, Fl. Sylv. t. 128 (1871); t. 18 (1872).—*Fl.*
Lubbock, Seedlings, i. 333 (1892).—*Veg.*
Journ. Asiat. Soc. Bengal, lxii. t. 11 (1893).
Talbot, For. Fl. Bombay, i. 221 (1909).
Basu, Ind. Med. Pl. t. 214 (1918).
Thorelianum Guillaum.
Bull. Soc. Bot. France, 1908, lv. t. 19, fig. 4 (1909).—*Veg.*
triandrum Engl.
A. & C. De Candolle, Monogr. Phan. iv. t. 3, fig. 19–22 (1883).—*Fl.*
villosum Vid.
Vidal, Sin. Fam. & Gen. Pl. Leñ. Filip. (Introd. Fl. For. Filip.), Atlas, t. 28, fig. A (1883).
A. P. West & W. H. Brown in Bull. Philip. Isl. Dep. Agric. Bur. Forestry, No. 20, p. 49 (1920).
Vrieseanum Engl.
A. & C. De Candolle, Monogr. Phan. iv. t. 3, fig. 15–18 (1883).—*Fl.*
Pflanzenfam. iii. iv. 239 (1896).—*Fl.*
Williamsii C. B. Hob.
W. H. Brown in Bull. Philip. Isl. Dep. Agric. Bur. Forestry, No. 21, p. 79 (1920).
zephyrinum Bl.
Rumphius, Herb. Amboin. ii. 48 (1743); fide Merrill, Interpret. Rumph. Herb. Amboin.
zeylanicum = *ceylanicum*

CANAVALIA DC.—Vide *Clementea*, *Malocchia*
altissima Macf.
Fawcett & Rendle, Fl. Jamaica, iv. ii. 61 (1920).
bonariensis Lindl.
*Bot. Reg. xiv. t. 1199 (1828).
Géel, Sert. Bot. Cl. 17 (1832).
*Mag. Bot. & Gard. ii. t. 50 (1834).
*Reichenbach, Fl. Exot. v. t. 311 (1836).
*Floricult. Cab. iv. 72 (1836).
*Journ. Jard. 1836, p. 92.
*Horticulteur Univ. iv. 129, 160 (1843) in ic.; *C. Gaudichaudiana* in textu.
Bih. Svenska Vet. Akad. Handl. xxvii. iii. No. 14, p. 53 (1902).—*Fl.*
campylocarpa Piper
Rock, Legum. Pl. Hawaii, t. 87 (1920).
cuspidigera Hoehne
Hoehne in Comm. Linh. Telegraph. Matto Grosso ão Amaz. Annexo No. 5, Bot. viii. t. 156 (1919).
ensiformis DC.
Rheede, Hort. Mal. viii. t. 44 (1688); fide Fl. Brit. Ind. ii. 196.
Kaempfer, Ic. Sel. Pl. Jap. t. 39, ex Matsumura, Ind. Pl. Jap. (1791).
*Bot. Mag. lxix. t. 4027 (1843).
Ralph, Ic. Carpolog. t. 35 (1849).—*Fr.*
*Sinclair, Indig. Fl. Hawaiian Isl. t. 6 (1885).
A. H. Church, Food-Grains India, 145 (1886).
Ann. Bot. v. t. 21, fig. 70, 71 (1891).—*Fl.*
Duthie & Fuller, Field & Gard. Crops, t. 71 (1893).
Engler, Pflanzenw. Ost-Afr. Teil C, t. 24 (1895).—*Fr.*
L. H. Bailey, Cycl. Amer. Hort. 139, 237 (1900); Stand. Cycl. Hort. 462, 653 (1914).—*Fr.*
Rev. Hort. 1901, p. 88.—*Fr.*
Talbot, For. Fl. Bombay, i. 404 (1909).
Rev. Gén. Bot. xxi. 250 (1910).—*Fr.*
Hawaii Agric. Exp. St. Bull. No. 23, t. 3, 7, 8 (1911).
Pflanzer, vii. t. 8, fig. 3 (1911).—*Fr.*
Somoku Dzusetsu, Ed. Makino (Iconogr. Pl. Nippon), xiii. t. 19 (1912).
Kinman in Rep. Porto Rico Agric. St. 1911, t. 1, fig. 1 (1912).—*Hab.*
U.S. Dep. Agric. Bur. Pl. Indust. Circ. 110, t. 3 (1913).—*Fr.*
Agric. Gaz. N. S. Wales, xxvi. 392 (1915).
De Sornay, Green Manures in Tropics, 75, 78 (1916).
Lecomte, Fl. Gén. Indo-Chine, ii. 263 (1916).—*Fr.*
Queensland Agric. Journ. N. Ser. vi. t. 36 (1916).—*Fr.*
Rhodesia Agric. Journ. xiii. v. 632 (1916).—*Hab.*
Kinman in Bull. Porto Rico Agric. St. No. 19, t. 1 (1916); Ed. Hisp. (Plant Protec. Terreno, t. 1 (1917).—*Hab.*

CANAVALIA
galeata pubescens A. Gray
Rock, Legum. Pl. Hawaii, t. 86 (1920).
Gaudichaudiana Endl.
*Horticulteur Univ. iv. 129, 160 (1843) in textu; *C. bonariensis* in ic.
gladiata DC.
Rumphius, Herb. Amboin. v. t. 135, fig. 1 (1747); fide Merrill, Interpret. Rumph. Herb. Amboin.
Wight, Ic. Pl. Ind. Or. iii. t. 753 (1843–45).
*Blanco, Fl. Filip. t. 449 (1878–80).
Ann. Jard. Bot. Buitenzorg, xxi. t. 21, fig. 12, 13, 19 (1907).
U.S. Dep. Agric. Bur. Pl. Indust. Circ. No. 110, t. 3 (1913).—*Fr.*
Queensland Agric. Journ. N. Ser. vi. t. 36 (1916).—*Fr.*
Pl. Protec. Terreno, t. 1 (1917).—*Hab.*
grandiflora Benth.
Arkiv Bot. Stockholm, iv. No. 7, p. 8 (1905).—*Fl.*
incurva DC.
*Somoku Dzusetsu, Ed. 2, xiii. t. 19 (1874).
*Useful Pl. Jap. i. t. 44 (1895).
lineata DC.
Somoku Dzusetsu, Ed. 2, xiii. t. 20 (1874).
Somoku Dzusetsu, Ed. Makino (Iconogr. Pl. Nippon), xiii. t. 20 (1912).
Torreya, xv. 28 (1915).—*Hab.*
Bot. Gaz. lxi. 406 (1916).—*Hab.*
Amer. Mus. Journ. xviii. 720 (1918).—*Hab.*
Britton, Fl. Bermuda, 185 (1918).
Rock, Legum. Pl. Hawaii, t. 84 (1920).
Lunaretii Carr.
Rev. Hort. 1881, p. 237.
maritima Thou.
Banks & Soland. Bot. Cook's Voy. i. t. 74 (1900).
microcarpa Merr.
Rumphius, Herb. Amboin. v. t. 141, fig. 1 (1747); fide Merrill, Interpret. Rumph. Herb. Amboin.
obcordata Voigt
Ralph, Ic. Carpolog. t. 35 (1849).—*Fr.*
obtusifolia DC.
Rheede, Hort. Mal. viii. t. 43 (1688); fide Hasskarl, Hort. Mal. Rheed. Clavis, 66.
Cleghorn in Madras Journ. 1856, xvii. t. 4 (1857).
Mart. Fl. Bras. xv. 1. t. 48 (1859).
Pflanzenfam. iii. iii. 376 (1894).—*Fl.*
Wettstein, Veg. Südbras. t. 14 (1904).—*Hab.*
Lecomte, Fl. Gén. Indo-Chine, ii. 263 (1916).—*Fr.*
picta Mart.
Bih. Svenska Vet. Akad. Handl. xxvii. iii. No. 14, p. 55 (1902).—*Fl.*
Hoehne in Comm. Linh. Telegraph. Matto Grosso ão Amaz. Annexo No. 5, Bot. viii. t. 157 (1919).
polystachya Schweinf.
Schweinfurth, Reliq. Kotsch. t. 20, 21 (1868).
sericea A. Gray
Rock, Legum. Pl. Hawaii, t. 85 (1920).
turgida Grah.
Ralph, Ic. Carpolog. t. 35 (1849).—*Fr.*
Lecomte, Fl. Gén. Indo-Chine, ii. 263 (1916).—*Fr.*
versicolor Barb. Rodr.
Barbosa Rodrigues, Pl. Nov. Jard. Bot. Rio de Janeiro, iv. t. 2 (1894).
virosa Wight & Arn.
Rheede, Hort. Mal. viii. t. 45 (1688); fide Hasskarl, Hort. Mal. Rheed. Clavis, 66.
Ralph, Ic. Carpolog. t. 35 (1849).—*Fr.*
Blanco, Fl. Filip. t. 319 (1878–80).

CANBYA Parry
candida Parry
Proc. Amer. Acad. xii. t. 1 (1877).
Garden, xi. 215 (1877).
Nicholson, Illustr. Dict. Gard. i. 259 [1884–88].—*Fl.*

CANDIDEA Ten.: *Vernonia*
senegalensis Ten.
Tenore in Atti Accad. Sc. Napoli, iv. 99–106 c, t. 1, 2 (1839).

CANDOLLEA Labill. (1805): *Stylidium*
adnata abbreviata De Wild.
De Wildeman, Ic. Sel. Hort. Then. ii. t. 43 (1900).

CANDOLLEA
alsinoides F. Muell.
Banks & Soland. Bot. Cook's Voy. ii. t. 169 (1901).
bulbifera F. Muell.
Pflanzenfam. iv. v. 80 (1889).
crossocephala F. Muell.
F. Mueller, Icon. Candolleaceous Pl. [t. 1] (1892).
debilis F. Muell.
F. Mueller, Icon. Candolleaceous Pl. [t. 2] (1892).
disperma F. Muell.
F. Mueller, Icon. Candolleaceous Pl. [t. 3] (1892).
eglandulosa F. Muell.
F. Mueller, Icon. Candolleaceous Pl. [t. 4] (1892).
eriorrhiza F. Muell.
F. Mueller, Icon. Candolleaceous Pl. [t. 5] (1892).
fasciculata F. Muell.
F. Mueller, Icon. Candolleaceous Pl. [t. 6] (1892).
glauca Labill.
Ann. Mus. Hist. Nat. Paris, vi. 454 (1805).
graminifolia F. Muell.
Pflanzenfam. iv. v. 80 (1889).
juncea F. Muell.
F. Mueller, Icon. Candolleaceous Pl. [t. 7] (1892).
laricifolia F. Muell.
Austral. Assoc. Sc. Rep. vii. t. 30, fig. 17–20 (1898).—*Fl.*
limbata F. Muell.
F. Mueller, Icon. Candolleaceous Pl. [t. 8] (1892).
pedunculata F. Muell.
Banks & Soland. Bot. Cook's Voy. ii. t. 170 (1901).
pilosa Labill.
Ann. Mus. Hist. Nat. Paris, vi. 453 (1805).
reduplicata F. Muell.
F. Mueller, Icon. Candolleaceous Pl. [t. 9] (1892).
rotundifolia F. Muell.
Banks & Soland. Bot. Cook's Voy. ii. t. 170 (1901).
serrulata Labill.
Ann. Mus. Hist. Nat. Paris, vi. 454 (1805).
F. Mueller, Icon. Candolleaceous Pl. [t. 10] (1892).
Proc. Linn. Soc. N. S. Wales, Ser. II. ix. 1. t. 2 (1894).—*Fl.*
Banks & Soland. Bot. Cook's Voy. ii. t. 168 (1901).
sobolifera F. Muell.
F. Mueller, Key Syst. Victorian Pl. ii. fig. 92 (1885).
uliginosa F. Muell.
Banks & Soland. Bot. Cook's Voy. ii. t. 170 (1901).

CANDOLLEA Labill. (1806): *Hibbertia*
cuneiformis Labill.
Labillardière, Nov. Holl. Pl. t. 176 (1806).
*Bot. Mag. liv. t. 2711 (1827).
Payer, Organog. Comp. Fl. t. 51 (1857).—*Fl.*
Agardh, Theor. Syst. Pl. t. 16 (1858).—*Fl.*
Schnizlein, Iconogr. iii. t. 177 (1866).—*Fl.*
Baillon, Hist. Pl. i. 89, 90 (1867–69).
Le Maout & Decaisne, Traité Gén. Bot. 385 (1868).—*Fl.*
Baillon, Dict. Bot. i. 174, 209 (1877).—*Fl.*
Journ. Hort. Ser. III. ii. 87 (1881).
Nicholson, Illustr. Dict. Gard. i. 260 [1884–88].—*Fl.*
Rev. Hort. 1914, p. 259.—*Hab.*
Cunninghamii Hort.
*Maund, Botanist, ii. t. 85 (1838).
*Journ. Jard. 1844, p. 367.
tetrandra Lindl.
*Bot. Reg. xxix. t. 50 (1843).
Lindley, Veg. Kingd. 423 (1846).

CANELLA Sw.—Vide *Winterana*
alba Murr.
Browne, Hist. Jamaica, Ed. 2, t. 27 (1789).

CANELLA
alba
*Plenck, Ic. Pl. Med. iv. t. 363 (1791).
Trans. Linn. Soc. London, i. t. 8 (1791).
*Woodville, Med. Bot. ii. t. 117 (1792); Ed. 3, iv. t. 237 (1832).
*Vietz, Ic. Pl. Med.-oec.-techn. i. t. 38 (1800).
*Mirbel, Hist. Nat. Pl. xviii. t. 138 (1806).
*Titford, Sketches Hort. Bot. Amer. t. 10 (1812).
*Oskamp, Afb. Artseny-Gewass. vii. t. 71 (1813).
*Hayne, Getreue Darst. Arzn. Gewächse, ix. t. 5 (1825).
*Nees, Pl. Offic. ii. t. 418 (1828).
*Fl. Med. [Spratt], ii. 91 (1830).
*Géel, Sert. Bot. Cl. 11 (1832).
*Mag. Bot. & Gard. iii. t. 33 (1835).
*Stephenson & Churchill, Med. Bot. New Ed. ii. t. 66 (1835).
*Schlechtendal & Guimpel, Abb. Pharm. Boruss. Gew. iii. t. 231 (1837).
*Burnett, Pl. Util. ii. 41, b (1845).
*Carson, Ill. Med. Bot. i. t. 16 (1847).
Lindley, Med. & Oecon. Bot. 105 (1849).
Miers, Contrib. Bot. i. t. 23 (1851–61).
*Good, Family Flora, i. t. 6 (1854).
Berg, Charakt. t. 79, fig. 569 (1861).
*Artus, Atlas Pharm. Deutschl. Aufg. Offic. Gew. t. 38 [1862–74].
Baillon, Hist. Pl. i. 165 (1867–69).
*Bentley & Trim. Med. Pl. i. t. 26 (1876).
Baillon, Dict. Bot. i. 173 (1877); 608, 609 (1878).—*Fl.*
Baillon, Traité Bot. Méd. Phan. i. 506, 507 (1883).
Dujard.-Beaumetz & Égasse, Pl. Méd. 145 (1889).
Sargent, Silva N. Amer. i. t. 20 (1891).
axillaris Nees & Mart.
Nov. Act. Acad. Nat. Cur. xii. 1. t. 3 (1824).
obtusifolia Miers
Miers, Contrib. Bot. i. t. 23 (1851–61).
Winterana Gaertn.
Gaertner, Fruct. i. t. 77 (1788).—*Fr.*
Sargent, Man. Trees N. Amer. 681 (1905).
Britton, N. Amer. Trees, 698 (1908).

CANEPHORA Juss.
axillaris Lam.
Lamarck, Ill. i. t. 151, fig. 1 (1797).
Baillon, Hist. Pl. vii. 314 (1880).—*Fl.*
Pflanzenfam. iv. IV. 81 (1891).—*Fl.*
Grandidier, Hist. Madag. [Plantes] Atlas, t. 444 (1897).
capitata Willd.
Lamarck, Ill. i. t. 151, fig. 2 (1797).
Humblotii Baill.
Grandidier, Hist. Madag. [Plantes] Atlas, t. 444 (1897).
madagascariensis J. F. Gmel.
Beih. Bot. Centralbl. xxviii. 1. 454 (1912).

CANICIDIA Vell.: *Connarus*
rostrata Vell.
Vellozo, Fl. Flum. iv. t. 139 (1827).

CANISTRUM E. Morr.
aurantiacum E. Morr.
*Belg. Hort. xxiii. 257 (1873).
Rev. Hort. 1877, p. 247.—*Hab.*
Garden, xiii. 63 (1878).—*Hab.*
Nicholson, Illustr. Dict. Gard. i. 260 [1884–88].
cyathiforme Mez
Mart. Fl. Bras. iii. III. t. 57 (1891).
eburneum E. Morr.
*Belg. Hort. xxix. 168, t. 13, 14 (1879).
leopardinum Hort.
Nathansohn, Allgem. Bot. 255 (1912).
roseum Morr.
*Belg. Hort. xxxiii. 195 (1883).
Svenska Vet. Akad. Handl. xxiv. No. 8, t. 8, fig. 9–14 (1891).—*Fl.*
viride E. Morr.
*Belg. Hort. xxiv. 376 (1874).

CANKRIENIA De Vriese: *Primula*
chrysantha De Vriese
Jaarb. Tuinbouw, 38 (1850).
Fl. des Serres, Ser. I. vii. 58 (1851–52).—*Fl.*

CANNA Linn.—Vide *Distemon* Bouché, *Eurystylus*
achiras D. Don
*Bot. Reg. xvi. t. 1358 (1830).
anahuacensis Kränzl.
Pflanzenreich, Cannac. 66 (1912).—*Fl.*
angustifolia Linn.
Buchoz, Hist. Règne Vég. ix. Dec. 5, t. 10 (1775).
*Mordant de Launay, Herb. Amat. iii. t. 189 (1819).
Vellozo, Fl. Flum. i. t. 2 (1827).
*Drapiez, Herb. Amat. Fl. ii. t. 89 (1829).
Somoku Dzusetsu, Ed. 2, i. t. 2 (1874).
×**Annaei** Hort.
Rev. Hort. 1861, p. 469, 470.
W. Robinson, Engl. Fl. Gard. t. 60 (1883).—*Hab.*
—— **floribunda** Hort.
*Horticulture Franç. t. 22 (1862).
aurantiaca Rosc.
*Roscoe, Monandr. Pl. Scitam. t. 21 (1828).
aureo-vittata Lodd.
Lodd. Bot. Cab. v. t. 449 (1820) in ic.; *Canna limbata*, vide Ind.
×**Austria** Hort.
Wien. Ill. Gart.-Zeit. xx. 406 (1895).—*Hab.*
American Garden, xvii. 710, 711 (1896).
bidentata Bertol.
*Bertoloni, Misc. Bot. xx. t. 1 (1859).
Bertoloni in Mem. Accad. Sc. Istit. Bologna, x. 1. t. 5 a (1860).
carnea Rosc.
*Roscoe, Monandr. Pl. Scitam. t. 15 (1828).
×**Clementis** Arcang.
*Bull. Soc. Tosc. Ortic. xii. 112, t. 6 (1887).
coccinea Ait.
Comm. Soc. Phys. Med. Mosq. i. 1. t. 4, fig. K (1808).—*Fl.*
*Lodd. Bot. Cab. viii. t. 739 (1823).
*Roscoe, Monandr. Pl. Scitam. t. 11 (1828).
Linnaea, vi. t. 5, fig. 1, 2 (1831).—*Fl.*
Mart. Fl. Bras. iii. III. t. 15 (1890).
compacta Rosc.
*Roscoe, Monandr. Pl. Scitam. t. 22 (1828).
crocea Lag.
Reichenbach, Hort. Bot. t. 148 (1828).
Linnaea, vi. t. 5, fig. 3 (1831).—*Fl.*
denudata Rosc.
*Roscoe, Monandr. Pl. Scitam. t. 23, 24 (1828).
Mart. Fl. Bras. iii. III. t. 17 (1890).
discolor Lindl.
*Bot. Reg. xv. t. 1231 (1829).
edulis Ker-Gawl.
*Bot. Mag. li. t. 2498 (1824).
*Bot. Reg. ix. t. 775 (1824).
*Roscoe, Monandr. Pl. Scitam. t. 5 (1828).
Lindley, Med. & Oecon. Bot. 49 (1849).
*Bentley & Trim. Med. Pl. t. 266 (1876).
H. F. Macmillan, Handb. Trop. Garden. & Plant. 205 (1910).
*Queensland Agric. Journ. xxviii. t. 22 (1912).
Ehmannii Hort.
American Flor. i. 216 (1886).
excelsa Lodd.
*Lodd. Bot. Cab. viii. t. 743 (1823).
*Journ. Jard. 1836, p. 217.
Fintelmannii Bouché
*Berlin. Allg. Gartenzeit. 1858, t. 10.
Pflanzenreich, Cannac. 31 (1912).
flaccida Salisb.
*Salisbury, Ic. Stirp. Rar. t. 2 (1791).
*Redouté, Liliac. ii. t. 107 (1805).
*Wendland, Coll. Pl. ii. t. 68 (1810).
Dict. Sc. Nat., Planch. Bot. Monocot. t. 69 (1816–29).
*Lodd. Bot. Cab. vi. t. 562 (1821).
*Trattinick, Ausw. Gartenpfl. i. t. 79, 79 a (1821).
Savi, Fl. Ital. ii. t. 58 (1822).
*Roscoe, Monandr. Pl. Scitam. t. 6 (1828).
Schnizlein, Iconogr. i. t. 69 (1849).—*Fl.*
Rev. Hort. 1861, p. 318, 319; 1896, p. 84, 85.
Mart. Fl. Bras. iii. III. t. 17 (1890).—*Fl.*
Meehan's Monthly, ii. 37 (1892).—*Hab.*
Bellair, Hybrid. en Hort. 256 (1909).—*Fl.*
Pammel, Man. Poison. Pl. 391 (1911).
Pflanzenreich, Cannac. 51 (1912).
×—— **Alemannia** Hort.
*Jardin, xii. 8 (1898).

CANNA
×**flaccida Austria** Hort.
*Jardin, xii. 8 (1898).
×—— **Italia** Hort.
*Jardin, xii. 8 (1898).
floribunda Hort.
Reichenbach, Hort. Bot. t. 130 (1828) in textu; *C. indica* var. *floribunda* in ic.
formosa Bouché
*Berlin. Allg. Gartenzeit. 1858, t. 11.
gigantea Desf.
*Redouté, Liliac. vi. t. 331 (1812).
*Bot. Reg. iii. t. 206 (1817).
*Joh. Kerner, Hort. Sempervir. t. 637 (1822).
*Bot. Mag. xlix. t. 2316 (1822).
*Hooker, Exot. Fl. i. t. 47, 48 (1823).
*Géel, Sert. Bot. Cl. 1 (1828).
glauca Linn.
Dillenius, Hort. Eltham. Add. Denom. Linn. t. 59 (1774).
Barton, Elem. Bot. t. 8, fig. 1 (1804).—*Fl.*
*J. E. Smith, Exot. Bot. ii. t. 102 [1805–7].
*Wendland, Coll. Pl. ii. t. 67 (1810).
*Redouté, Liliac. vi. t. 354 (1812).
Hegetschweiler, Comment. Bot. t. 2 (1813).—*Fl.*
*Trattinick, Thes. Bot. t. 25 (1819).
*Trattinick, Ausw. Gartenpfl. i. t. 80 (1821).
*Roscoe, Monandr. Pl. Scitam. t. 7 (1828).
Mart. Fl. Bras. iii. III. t. 16 (1890).
Pflanzenreich, Cannac. 57 (1912).—*Fl.*
—— **rubro-lutea** Hook.
*Bot. Mag. lxii. t. 3437 (1835).
—— **rufa** Sims
*Bot. Mag. xlix. t. 2302 (1822).
×**Goeschkei** Hort.
Neubert's Deutsch. Gart. Mag. 1869, p. 129.—*Veg.*
×**grandiflora picta** Hort.
*Rev. Hort. 1885, p. 396.
heliconiifolia Hort.
Pflanzenreich, Cannac. 69 (1912).—*Fl.*
humilis Bouché
Schnizlein, Iconogr. i. t. 69 (1849).—*Fr.*
×—— **iridiflora** Hort.
Wien. Ill. Gart.-Zeit. iv. 446 (1879).—*Fl.*
indica Linn.
Rheede, Hort. Mal. xi. t. 43 (1692); fide Fl. Brit. Ind. vi. 260.
Rumphius, Herb. Amboin. v. t. 71, fig. 2 (1747); fide Merrill, Interpret. Rumph. Herb. Amboin.
*Kniphof, Herb. Viv. i. t. 205 (1758).
Kwa-wi [transl. Savatier], Herb. ii. t. 25 (1759).
*J. Miller, Illustr. Syst. Sex. Linn. t. 1 (1770).
*Buchoz, Herb. Col. Amér. [t. 4] (1783).
Gaertner, Fruct. i. t. 12 (1788).—*Fr.*
Martyn, Pl. Expl. Linn. Syst. Veg. t. 7 (1788).—*Fl.*
*Batsch, Anal. Fl. i. t. 18, fig. 32 a–32 r (1790).—*Fl.*
Lamarck, Ill. i. t. 1 (1791).—*Fl.*
*Bot. Mag. xiii. t. 454 (1799).
*Thornton, Bot. Pl. New Illustr. Sex. Syst. Linn. t. 29 (1799).
Barton, Elem. Bot. t. 8, fig. 2 (1804).—*Fl.*
*Moriarty, Viridarium, Col. Plates Greenh. Pl. t. 46 (1806).
*Redouté, Liliac. iv. t. 201 (1808).
Ann. Mus. Hist. Nat. Paris, xvi. 433, t. 16 (1810).—*Fr.*
*Titford, Sketches Hort. Bot. Amer. t. 4 (1812).
Hegetschweiler, Comment. Bot. t. 1 (1813).—*Fl.*
*Trattinick, Ausg. Taf. Arch. iii. 254 a, 254 b (1814).
*Chaumeton, Fl. Méd. i. t. 52 (1815).
*Vietz, Ic. Pl. Med.-oec.-techn. Suppl. t. 17 (1822).
*Bot. Reg. ix. t. 776 (1824).
Vellozo, Fl. Flum. i. t. 1 (1827).
*Descourtilz, Fl. Pitt. & Méd. Antilles, iv. t. 240 (1827).
*Roscoe, Monandr. Pl. Scitam. t. 1 (1828).
Ann. Sc. Nat. Paris, xvii. t. 7 (1829); Ser. II. xvii. t. 10, fig. 1–7 (1842).—*Fl.*
Lestiboudois in Mém. Soc. Sc. Agric. & Arts Lille, Ser. I. 1827–28, t. 5 (1829); 1829–30, t. 3 (1831); 1840, t. 8 (1841).—*Fl.*
Treviranus, Symb. Phytol. t. 1, fig. 1 (1831).—*Fr.*

CANNA
indica
Schnizlein, Iconogr. i. t. 69 (1849).—*Fl.*
Linnaea, xxii. t. 3, fig. 38–45 (1849).—*Fl.*
*Cassone, Fl. Med.-Farm. vi. t. 536 (1852).
Payer, Organog. Comp. Fl. t. 145 (1857).—*Fl.*
Berg, Charakt. t. 14, fig. 144 (1861).
Decaisne & Naud. Amat. Jard. ii. 600 [1862–66].
Journ. of Bot. i. t. 11, fig. 5 (1863).—*Fl.*
Le Maout & Decaisne, Traité Gén. Bot. 555 (1868).—*Fr.*
Bot. Zeit. xxxi. t. 2, fig. 1–28 (1873).—*Fl.*
Decaisne, Naud. & Hemsl. Trees, Shrubs & Herb. Pl. 468 (1873).
*Somoku Dzusetsu, Ed. 2, i. t. 1 (1874).
*Blanco, Fl. Filip. t. 4 (1878–80).
Berge, Pflanzenphysiogn. 253 (1880).—*Hab.*
Karsten, Deutsche Fl. Pharm.-medic. Bot. 472 (1880–83).
*C. Hoffmann, Pflanzenatlas Linn. Syst. t. 2, fig. 3 (1881).
W. Robinson, Engl. Fl. Gard. t. 60 (1883).—*Hab.*
Nicholson, Illustr. Dict. Gard. i. 261 [1884–88].
Bull. Soc. Tosc. Ortic. ix. 301 (1884); xvii. 101 (1892); xviii. 102 (1893).—*Hab.*
Bull. Soc. Acclim. xxxix. II. 139 (1892).—*Hab.*
Karsten, Fl. Deutschl. i. 489 (1895).
*Useful Pl. Jap. iii. t. 927 (1895).
Fiori & Paol. Ic. Fl. Ital. 92 (1898).
Knuth, Handb. Blütenbiol. iii. 1. 186 (1904).—*Fl.*
Flora, xcv. 366 (1905).—*Veg.*
Notizbl. Bot. Gart. Berlin, App. xvi. 45 (1905).—*Fl.*
Lazaro, Comp. Fl. Españ. i. 785 (1906).—*Fl.*
*Kloppenburg-Versteegh, Pl. Atlas, t. 18 [1907].
Velenovsky, Vergl. Morphol. Pfl. iii. 1091 (1910).—*Fr.*
Pflanzenreich, Cannac. 45 (1912).
Goebel, Organogr. Pfl. Ed. 2, i. 14 (1913).
Costerus, Ann. Jard. Bot. Buitenzorg, Ser. II. xv. t. 13, fig. 1 (1918).
Basu, Ind. Med. Pl. t. 952 (1918).
Britton, Fl. Bermuda, 86 (1918).
Bose, Man. Ind. Bot. 290 (1920).—*Fl.*
—— **atro-nigricans** Hort.
*Hibberd, Beautiful-leaved Pl. 127, t. 48 (1870).
—— **floribunda** Reichb.
Reichenbach, Hort. Bot. t. 130 (1828) in ic.; *C. floribunda* in textu.
×—— **hybrida** Hort.
!Ann. Jard. Bot. Buitenzorg, xxviii. t. 23, fig. 6 (1914).—*Fl.*
—— **maculata** Hook.
*Hooker, Exot. Fl. i. t. 53 (1823).
—— **orientalis** Hook. f.
Somoku Dzusetsu, Ed. Makino (Iconogr. Pl. Nippon), i. t. 1 (1907).
iridiflora Ruiz & Pav.
*Bot. Mag. xlv. t. 1968 (1818).
*Bot. Reg. viii. t. 609 (1822).
*Lodd. Bot. Cab. x. t. 905 (1824).
*Roscoe, Monandr. Pl. Scitam. t. 14 (1828).
*Géel, Sert. Bot. Cl. 1 (1828).
*Hort. Belge Journ. Jard. & Amat. i. t. 4 (1833).
*Reichenbach, Fl. Exot. iii. t. 182 (1835).
*Belg. Hort. vii. t. 31 (1857).
*Fl. des Serres, Ser. II. iii. t. 1360 (1858).
*Rev. Hort. 1861, p. 111; 1875, p. 291, 297.
Horaninow, Monogr. Scitam. t. 2 (1862); *Acharida iridiflora* in textu.
*Garden, x. 406 (1876).
Kertészeti Lapok (Hungar. Journ. Hort.), i. 47 (1886).—*Hab.*
*Neubert's Deutsch. Gart. Mag. Ill. Mon. 1887, t. 3, p. 33; 1893, p. 355.—*Hab.*
Wien. Ill. Gart.-Zeitschr. xvii. 109 (1892).
Jardin, ix. 63 (1895).—*Fl.*
—— **Ehemannii** Hort.
*Garden, xxi. 42 (1882).
Italia Hort.
Brehm, Merv. Nat. Monde des Pl. ii. 533 (1894–96).—*Hab.*
Gard. Chron. Ser. III. xviii. 704, 705 (1895).

CANNA
Italia
Rev. Hort. 1895, p. 516, 517; 1896, p. 84.
American Garden, xvii. 708, 709 (1896).
Gard. & Forest, ix. 135 (1896).
Ill. Hort. xliii. 17 (1896).
Jacquinii Bouché
Pflanzenreich, Cannac. 29 (1912).
lagunensis Lindl.
*Bot. Reg. xvi. t. 1311 (1830).
Lambertii Lindl.
*Bot. Reg. vi. t. 470 (1820).
*Géel, Sert. Bot. Cl. 1 (1828).
*Roscoe, Monandr. Pl. Scitam. t. 2 (1828).
Pflanzenreich, Cannac. 69 (1912).
lanuginosa Mill.
*Roscoe, Monandr. Pl. Scitam. t. 16 (1828).
Pflanzenreich, Cannac. 36 (1912).
latifolia Mill.
*Lodd. Bot. Cab. vii. t. 634 (1822).
*Roscoe, Monandr. Pl. Scitam. t. 4 (1828).
Pflanzenreich, Cannac. 36 (1912).
leucocarpa Bouché
Pflanzenreich, Cannac. 57 (1912).—*Fl.*
liliiflora Warcz.
*Fl. des Serres, Ser. I. x. t. 1055, 1056 (1854–55).
*Rev. Hort. 1884, p. 132.
Pflanzenreich, Cannac. 71 (1912).
limbata Rosc.
*Lodd. Bot. Cab. v. t. 449 (1820), vide Indicem; *C. auro-vittata* in ic.
*Bot. Reg. ix. t. 771 (1824).
*Roscoe, Monandr. Pl. Scitam. t. 9 (1828).
*Knowles & Westc. Floral Cab. ii. t. 58 (1838).
*Rev. Hort. Ser. III. iii. 121 (1849).
Pflanzenreich, Cannac. 63 (1912).
longifolia Bouché
Pflanzenreich, Cannac. 57 (1912).
lutea Mill.
*Bot. Mag. xlvi. t. 2085 (1819).
*Lodd. Bot. Cab. vii. t. 646 (1822).
*Bot. Reg. ix. t. 773 (1824).
*Roscoe, Monandr. Pl. Scitam. t. 18 (1829).
*Spach, Hist. Nat. Vég. Phan. Atlas, t. 80 (1846).
maculata Link
Schnizlein, Iconogr. i. t. 69 (1849).—*Fl.*
Horaninow, Monogr. Scitam. t. 3 (1862).—*Fl.*
meridensis Kränzl.
Pflanzenreich, Cannac. 29, 31 (1912).—*Fl.*
occidentalis Rosc.
*Bot. Reg. ix. t. 772 (1824).
orientalis Rosc.
*Roscoe, Monandr. Pl. Scitam. t. 12 (1828).
Koernicke in Mém. Soc. Nat. Mosc. xvii. t. 12 (1859).—*Fl.*
Horaninow, Monogr. Scitam. t. 3 (1862).—*Fl.*
—— **flava** Rosc.
*Roscoe, Monandr. Pl. Scitam. t. 13 (1828).
pallida Rosc.
*Roscoe, Monandr. Pl. Scitam. t. 19, 20 (1828).
*Lodd. Bot. Cab. xx. t. 1950 (1833).
paniculata Ruiz & Pav.
Ruiz & Pavon, Fl. Peruv. & Chil. i. t. 1 (1798).
*Trattinick, Ausw. Gartenpfl. i. t. 81 (1821).
*Joh. Kerner, Hort. Sempervir. t. 840 (1830).
patens Rosc.
*Bot. Reg. vii. t. 576 (1821).
*Hooker, Exot. Fl. iii. t. 228 (1827).
*Roscoe, Monandr. Pl. Scitam. t. 3 (1828).
*Géel, Sert. Bot. Cl. 1 (1828).
*Lodd. Bot. Cab. xvii. t. 1693 (1830).
Somoku Dzusetsu, Ed. Makino (Iconogr. Pl. Nippon), i. t. 2 (1907).
pedunculata Sims
*Bot. Mag. xlix. t. 2323 (1822).
*Lodd. Bot. Cab. vii. t. 622 (1822).
*Roscoe, Monandr. Pl. Scitam. t. 8 (1828).
Pflanzenreich, Cannac. 53 (1912).
×**pictata** Hort.
*Rev. Hort. Belge, xviii. 241 (1892).
×**picturata fastuosa** Hort.
*Horticulteur Franç. t. 22 (1862).
polyclada Wawra
*Wawra, Bot. Ergebn. Reise Bras. t. 22 (1866).
Pflanzenreich, Cannac. 42 (1912).

CANNA
×**Raphaëlis** Arcang.
*Bull. Soc. Tosc. Ortic. xii. 112, t. 6 (1887).
Reevesii Lindl.
*Bot. Reg. xxiii. t. 2004 (1837).
Pflanzenreich, Cannac. 53 (1912).
rotundifolia André
*Rev. Hort. 1862, p. 371.
rubra Willd.
Sprengel, Anleit. Kenntn. Gewächse, Ed. 2, i. t. 9, fig. 52 (1817).—*Veg.*
Sanctae-Rosae Kränzl.
Pflanzenreich, Cannac. 29 (1912).—*Fl.*
Sellowii Hort.
*Schnizlein, Iconogr. i. t. 59 (1849).
Horaninow, Monogr. Scitam. t. 3 (1862).—*Fl.*
Bot. Zeit. xxxi. t. 2, fig. 29–39 (1873).—*Fl.*
Pflanzenfam. ii. vi. 31 (1889).—*Fl.*
silvestris Rosc.
*Roscoe, Monandr. Pl. Scitam. t. 10 (1828).
speciosa Hegetschw.
Hegetschweiler, Comment. Bot. t. 1 (1813).—*Fl.*
speciosa Rosc.
*Bot. Mag. xlix. t. 2317 (1822).
Reichenbach, Hort. Bot. t. 140 (1828).
*Roscoe, Monandr. Pl. Scitam. t. 17 (1828).
*Bot. Reg. xv. t. 1276 (1829).
*Orbigny, Dict. Hist. Nat. Atlas, iii. t. 279 [1839–49].
Koernicke in Mém. Soc. Nat. Mosc. xvii. t. 12 (1859).—*Fl.*
*Schubert, Naturg., Pflanzenreich, Ed. 2, t. 1, fig. 5 [1865].
Le Maout & Decaisne, Traité Gén. Bot. 554 (1868).—*Fl.*
Nicholson, Illustr. Dict. Gard. i. 262 [1884–88].
Pflanzenreich, Cannac. 45 (1912).—*Fl.*
×**Thomasae** Arcang.
*Bull. Soc. Tosc. Ortic. xii. 112, t. 6 (1887).
thyrsiflora Hegetschw.
Hegetschweiler, Comment. Bot. t. 1, fig. 7 (1813).—*Fl.*
×**Van-Houttei** Lierv.
*Horticulteur Franç. t. 22 (1862).
variegata Bouché
Rev. Hort. Belge, xxv. 16 (1899).—*Hab.*
Semaine Hort. 1899, p. 39.
violacea Bouché
Pflanzenreich, Cannac. 58 (1912).—*Fl.*
Warczewiczii A. Dietr.
*Belg. Hort. ii. t. 48 (1852).
*Bot. Mag. lxxxi. t. 4854 (1855).
Rev. Hort. Belge, ii. 140 (1876).

CANNABIS Linn.
generalis E. H. L. Krause
*Sturm, Fl. Deutschl. iv. t. 37 (1905).
gigantea Hort.
Zinger in Zap. Kievsk. Obshch. Est.-Ispuit. xvi. t. 1 (1899).—*Fl.*
indica Lam.
Journ. Asiat. Soc. Bengal, 1839, viii. ii. 732 (1840).
Pharm. Journ. Ser. IV. vii. 548 (1898).
Hare, Caspari & Rusby, Nat. Stand. Dispens. 358 (1905).—*Fl.*
Reinhardt, Kulturgesch. Nutzpfl. (Erde und Kultur), iv. i. 648 (1911).
sativa Linn.
Rheede, Hort. Mal. x. t. 60, 61 (1690); fide Fl. Brit. Ind. v. 487.
Rumphius, Herb. Amboin. v. t. 77, fig. 1, 2 (1747); fide Merrill, Interpret. Rumph. Herb. Amboin.
*Regnault, Bot. i. 149 (1774).
*Bergius, Mat. Med. ii. 797, t. 531, 532 (1778).
Gaertner, Fruct. i. t. 75 (1788).—*Fr.*
Martyn, Pl. Expl. Linn. Syst. Veg. t. 32 (1788).
*Zorn, Ic. Pl. Med. vi. t. 531, 532 (1790).
*Joh. Kerner, Abbild. Oek. Pfl. (Fig. Pl. Écon.), iv. t. 315 (1791).
*Martyn, Fl. Rustica, iv. t. 140 (1794).
Lamarck, Ill. v. t. 814 (1797–1819).
*Oskamp, Afb. Artseny-Gewass. vi. t. 557, 558 (1800).
*Schkuhr, Bot. Handb. Ed. 2, t. 325 (1808).
Wissett, Hemp, t. 1–3 (1808).

CANNABIS
sativa
*Plenck, Ic. Pl. Med. viii. t. 706 (1812).
*Vigneux, Fl. Pitt. Envir. Paris, t. 60 (1812).
*Chaumeton, Fl. Méd. ii. t. 110 (1815).
*Vietz, Ic. Pl. Med.-oec.-techn. v. t. 376 a, b (1817).
*Roques, Phytogr. Médic. ii. t. 175 (1821).
*Hayne, Getreue Darst. Arzn. Gewächse, viii. t. 35 (1822).
*Mann, Deutschl. Wildwachs. Arzney-Pfl. [t. 40] (1823–28).
*Nees, Pl. Offic. i. t. 102 (1828).
*Wagner, Pharm.-Med. Bot. ii. t. 133, 134 (1829).
*Schlechtendal & Guimpel, Abb. Pharm. Boruss. Gew. ii. t. 175 (1833).
Nees, Gen. Pl., Monochlam. i. t. 30 (1835).
Nouv. Mém. Acad. Sc. Bruxelles, ix. t. 1 (1835).—*Fr.*
Meigen, Deutschl. Fl. ii. t. 50 (1837).—*Fl.*
Wiegmann, Archiv Naturg. v. i. t. 7 (1839).—*Fl.*
*Dietrich, Fl. Boruss. x. t. 720 (1842).
*Spach, Hist. Nat. Vég. Phan. Atlas, t. 133 (1846).
*Lorek, Fl. Pruss. Ed. 3, t. 230, fig. 1215 (1848).
Lindley, Med. & Oecon. Bot. 77 (1849).
*Petermann, Deutschl. Fl. t. 79, fig. 624 (1849).
*Reichenbach, Ic. Fl. Germ. xii. t. 655 (1850).
*Cassone, Fl. Med.-Farm. vi. t. 504 (1852).
*E. Hamilton, Fl. Homoeopath. i. t. 15 (1852).
Ann. Nat. Hist. London, Ser. II. xi. t. 15, fig. 24 (1853)—*Fr.*; Ser. III. i. t. 6, fig. 8 (1858).—*Fl.*
*Calwer, Landwirthsch. Pflanzenk. iii. t. 6, fig. 2 (1854).
*Schnizlein, Iconogr. ii. t. 95 (1855).—*Fl.*
Payer, Organog. Comp. Fl. t. 61 (1857).—*Fl.*
Berg, Charakt. t. 22, fig. 187 (1861).
*Berg, Darst. u. Beschr. Offiz. Gewächse, iii. t. 19, b (1861).
*Artus, Atlas Pharm. Deutschl. Aufg. Offic. Gew. t. 232 [1862–74].
Gasparrini in Atti Accad. Sc. Fis. e Mat. Napoli, i. t. 1–3 (1863).
*Archer, Pop. Econ. Bot. et Profitable Pl. t. 7, fig. 34 (1865).
*Schubert, Naturg., Pflanzenreich, Ed. 2, t. 49, fig. 8 [1865].
Cesati, Passer. & Gibelli, Comp. Fl. Ital. t. 33 (1867–86).—*Fl.*
Le Maout & Decaisne, Traité Gén. Bot. 508 (1868).
*Syme, Engl. Bot. viii. t. 1283 (1868).
*Réveil, Règne Vég. iv. t. 44 (1870).—*Fl.*
*Somoku Dzusetsu, Ed. 2, xx. t. 49 (1874).
Garden, vii. 215 (1875).—*Hab.*
Floral World, 1875, p. 172.—*Veg.*
*Cusin, Herb. Fl. Franç. xx (Cannabinées), t. 1 (1876).
Nobbe, Handb. Samenkunde, 90 (1876).—*Fr.*
Baillon, Hist. Pl. vi. 160 (1877).—*Fl.*
*Bentley & Trim. Med. Pl. iv. t. 231 (1877).
Baillon, Dict. Bot. i. 759, 760 (1879); ii. 427 (1884).
Karsten, Deutsche Fl. Pharm.-medic. Bot. 500 (1880–83).
*C. Hoffmann, Pflanzenatlas, t. 75, fig. 471 (1881).
Duthie & Fuller, Field & Gard. Crops, t. 19, 20 (1882).
Wagner, Ill. Deutsche Fl. Ed. 2, p. 668 (1882).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, ix. t. 906 (1882).
W. Robinson, Engl. Fl. Gard. t. 60 (1883).
Johnson, Man. Med. Bot. N. Amer. 246 (1884).
Baillon, Traité Bot. Méd. Phan. ii. 999 (1884).
Nicholson, Illustr. Dict. Gard. i. 263 [1884–88].
*Baillon, Ic. Fl. Franç. ii. t. 119 [1885–94].
*Thomé, Fl. Deutschl. ii. t. 182 (1886).
*Millspaugh, American Med. Pl. t. 154 (1887).
*Köhler, Med. Pfl. i. t. 34 (1887).
Potonié, Ill. Fl. Nord- u. Mittel-Deutschl. Ed. 4, fig. 197 (1889).
Dujard.-Beaumetz & Égasse, Pl. Méd. 167, 168 (1889).
G. Beck, Fl. Nied.-Oesterr. i. 309 (1890).—*Fl.*
*Leclerc du Sablon, Nos Fleurs, 87, t. 11 [1892].

CANNABIS
sativa
Agric. Gaz. N. S. Wales, iv. 906 (1893).
*Schimpfky, Uns. Heilpfl. i. t. 19 [1893–94].
*Masclef, Atlas Pl. France, t. 293 (1893).
Atti Ist. Bot. Pavia, Ser. II. iii. t. 5, 6, 19 (1894); iv. t. 4, 10, 11 (1897).
Acloque, Fl. France, 569 (1894).
*Siélain, Atlas Poche Pl. Champs, Prair. & Bois, t. 96 [1894].
Brehm, Merv. Nat. Monde des Pl. ii. 457 (1894–96).
Garcke, Ill. Fl. Deutschl. 538 (1895).
Hitchcock & Norton in Bull. Kansas Agric. St. No. 50, t. 8, fig. 130 (1895); No. 57, t. 17, fig. 184 (1896)—*Veg.*; No. 66, t. 15, fig. 184 (1897).—*Fr.*
Karsten, Fl. Deutschl. ii. 29 (1895).
*Kohl, Off. Pfl. Pharm. Germ. t. 31 (1895).
*Useful Pl. Jap. ii. t. 323 (1895).
Britton & Brown, Ill. Fl. N. States & Canada, i. 530 (1896); Ed. 2, i. 634 (1913).
Yearb. Dep. Agric. Washington, 1895, p. 199 (1896).—*Fr.*
U.S. Dep. Agric. Fiber Invest. Rep. 9, p. 107, t. 5 (1897).
Fiori & Paol. Ic. Fl. Ital. 106 (1898).
Flora, lxxxv. t. 6, fig. 1–7 (1898); xci. 171 (1902).
Queensland Agric. Journ. ii. t. 4–5 (1898).
Rev. Gén. Bot. x. 325 (1898).—*Fl.*
Zinger in Zap. Kievsk. Obshch. Est.-Ispuit. xvi. t. 1 (1899).—*Fl.*
*Behrens, Blattformen, t. 49, fig. a (1900).—*Veg.*
Pharm. Journ. Ser. IV. x. 275 (1900); xxiii. 72 (1906).
*Warlich, Russk. Lekarst. Rast. (Russ. Med. Pl.), iv. t. 110 (1900).
Warming, Handb. Syst. Bot. Ed. Möbius, 263 (1902).
De Vries, Mutationsth. ii. 323 (1903).—*Veg.*
*Losch, Kräuterb. t. 15 (1903).
Beih. Bot. Centralbl. xvi. t. 15, fig. 3 (1904).—*Fl.*
Coste, Fl. France, iii. 249 (1906).
Merino, Fl. Galicia, ii. 588 (1906).
Lazaro, Comp. Fl. Españ. ii. 20 (1907).
Suireishchikov, Ill. Fl. Mosc. Gov. ii. 56 (1907).
Heukels, Fl. Nederl. ii. 54 (1908).
Beille, Bot. Pharm. ii. 213 (1909).
*Hegi, Ill. Fl. Mittel-Eur. iii. t. 88, p. 134, 135 (1909).
*Esser, Giftpfl. Deutschl. t. 21 (1910).
Nouv. Arch. Mus. Hist. Nat. Paris, Ser. V. ii. 159 (1910).—*Fl.*
U.S. Dep. Agric. Bur. Pl. Indust. Circ. No. 57, p. 1 (1910).—*Hab.*
Fedtschenko & Fler. Fl. Eur. Russia, 318 (1910).
Duggar, South. Field Crops, 421, 422 (1911).
Hartwich, Menschl. Genussmittel, 222 (1911).
Pammel, Man. Poison. Pl. 410 (1911).
Tschirch, Handb. Pharmakog. ii. 556 (1911).—*Fr.*
Somoku Dzusetsu, Ed. Makino (Iconogr. Pl. Nippon), xx. t. 49 (1912).
Pammel in Bull. Iowa Geol. Surv. No. 4, p. 71, 425 (1913).
Warburg, Pflanzenwelt, i. 492, 493 (1913).
Bull. Angew. Bot. vii. t. 110, App. 11, p. 79 (1914).
A. Georgia, Manual Weeds, t. 47 (1914).
!Tournois in Assoc. Franç. Avanc. Sc. 1913, Tunis, Pt. 2, p. 333 (1914).
Journ. Heredity, vii. 326 (1916).—*Hab.*
*Bonnier, Name This Flower, t. 48 (1917).
Bull. Écon. Indo-Chine, N. Ser. cxxvii. 612 (1917); cxxxviii. 821 (1919).
Lindman, Svensk Fanerogamfl. 34 (1918).
Basu, Ind. Med. Pl. t. 888 (1918).
Correa, Fibr. Text. & Cellul. 168, 172, 175 (1919).
Krafft & Fruwirth, Pflanzenbau, 148 (1920).
—— **gigantea** Hort.
!Tournois, Assoc. Franç. Avanc. Sc. 1913, Tunis, Pt. 2, p. 334 (1914).

CANNOMOIS P. Beauv.—Vide *Cucullifera, Cuculligera, Mesanthus*
cephalotes P. Beauv.
Ann. Sc. Nat. Paris, xiii. t. 3 (1828).

CANNOMOIS
scirpoides Mast.
*Marloth, Fl. S. Africa, iv. 61, t. 16 (1915).
simplex Kunth
A. & C. De Candolle, Monogr. Phan. i. t. 3, 5, fig. 15 (1878).—*Fl.*

CANOTIA Torr.
holacantha Torr.
Rep. U.S. Geogr. Surv. vi. Bot. t. 1 (1878).
Sargent, Silva N. Amer. i. t. 37 (1891).
Pflanzenfam. Nachtr. 1. z. iii. 224 (1897).
Sargent, Man. Trees N. Amer. 624 (1905).
Britton, N. Amer. Trees, 635 (1908).
Sudworth, Forest Trees Pac. Slope, 381 (1908).

CANSCORA Lam.—Vide *Pladera*
alata Wall.
*Wight, Illustr. Ind. Bot. ii. t. 157 bis (1850).—*Fl.*
carinata P. Dop
P. Dop in Bull. Soc. Hist. Nat. Toulouse, xlv. 51 (1912).
Lecomte, Fl. Gén. Indo-Chine, iv. 186 (1914).
decussata Schult.
Basu, Ind. Med. Pl. t. 638 (1918).
diffusa R. Br.
Pflanzenfam. iv. II. 75 (1895).—*Fl.*
Banks & Soland. Bot. Cook's Voy. ii. t. 209 (1901).
F. M. Bailey, Compr. Cat. Queensl. Pl. 342 (1909–13).
R. E. Fries, Schwed. Rhod.-Kong.-Exped. 1911–12, Bot. i. II. 262 (1916).—*Fl.*
Bose, Man. Ind. Bot. 244 (1920).
gracilis P. Dop
P. Dop in Bull. Soc. Hist. Nat. Toulouse, xlv. 52 (1912).
grandiflora Wight
Wight, Ic. Pl. Ind. Or. iv. t. 1326 (1848).
!Clos in Mém. Acad. Sc. Toulouse, Ser. IX. ii. 265 (1890).
Kirkii N. E. Br.
R. E. Fries, Schwed. Rhod.-Kong.-Exped. 1911–12, Bot. i. II. 262 (1916).—*Fl.*
Lawii Wight
Wight, Ic. Pl. Ind. Or. iv. t. 1327 (1848).
Parishii Hook. f.
*Bot. Mag. xc. t. 5429 (1864).
perfoliata Lam.
Rheede, Hort. Mal. x. t. 52 (1690); fide Fl. Brit. Ind. iv. 104.
Wight, Ic. Pl. Ind. Or. iv. t. 1327 (1848).
tenella Wight
Wight, Ic. Pl. Ind. Or. iv. t. 1327 (1848).
Wallichii C. B. Clarke
Pflanzenfam. iv. II. 75 (1895).

CANSJERA Juss.
grossularioides Blanco
Blanco, Fl. Filip. t. 99 (1878–80) in textu; *Antidesma Alexiteria* in ic.
Helferiana Valet.
Valeton, Olac. t. 3 (1886).—*Fl.*
leptostachya Benth.
Valeton, Olac. t. 3 (1886).—*Fl.*
malabarica Lam.
Lamarck, Ill. ii. t. 289 (1797).
Rheedei J. F. Gmel.
Rheede, Hort. Mal. vii. t. 2, 4 (1688); fide Fl. Brit. Ind. i. 582.
Wight, Ic. Pl. Ind. Or. v. t. 1861 (1852).
Beddome, Fl. Sylv. Anal. Gen. t. 26 (1873).—*Fl.*
*Blanco, Fl. Filip. t. 25 (1878–80).
Valeton, Olac. t. 3 (1886).—*Fl.*
Brandis, Indian Trees, 149 (1906).
Barber in Proc. Cambridge Phil. Soc. xiv. t. 3, fig. 12 (1908).—*Veg.*
Talbot, For. Fl. Bombay, i. 262 (1909).
Lecomte, Fl. Gén. Indo-Chine, i. 809 (1911).—*Fl.*
Rothert in Bull. Internat. Acad. Sc. Cracovie, t. 65 (1913).—*Veg.*
scandens Roxb.
*Roxburgh, Pl. Coromandel, ii. t. 103 (1798).
Trattinick, Arch. i. t. 41 (1812).
*Trattinick, Ausg. Taf. Arch. i. 13 (1813).

CANSJERA
timorensis Decne.
A. du Petit-Thouars, Voy. Venus, Bot. t. 8 (1846).
zizyphifolia Griff.
Griffith, Ic. Pl. Asiat. t. 537 (1854).—*Fl.*

CANTHAROSPERMUM Wight & Arn.
pauciflorum Wight & Arn.
*Jacquin, Ecl. Pl. ii. t. 152 (1844) in textu; *Dolichos scarabaeoides* in ic.

CANTHIOPSIS Seem.: *Randia*
odorata Seem.
*Seemann, Fl. Vit. t. 46 (1865–73).

CANTHIUM Lam.: *Plectronia*
acutiflorum Hiern
Baillon, Hist. Pl. vii. 302 (1880).—*Fl.*
angustifolium Roxb.
Rheede, Hort. Mal. vii. t. 17 (1688); fide Fl. Brit. Ind. iii. 135.
attenuatum R. Br.
F. M. Bailey, Compr. Cat. Queensl. Pl. 251 (1909–13).
Bakerianum Drake
Grandidier, Hist. Madag. [Plantes] Atlas, t. 437 (1897).
coprosmoides F. Muell.
Banks & Soland. Bot. Cook's Voy. ii. t. 144 (1901).
didymum Gaertn. f.
Gaertner f., Fruct. iii. t. 196 (1805).—*Fr.*
Beddome, Fl. Sylv. t. 221 (1872).
Basu, Ind. Med. Pl. t. 501 (1918).
dubium Lindl.
*Bot. Reg. xii. t. 1026 (1826).
edule Baill.
Baillon, Hist. Pl. vii. 301 (1880).—*Fl.*
Grandidier, Hist. Madag. [Plantes] Atlas, t. 437, a (1899).
glabrum Bl.
Malpighia, xvii. t. 17 (1903).—*Veg.*
horridum Bl.
Blanco, Fl. Filip. t. 57 (1878–80).
Vidal, Sin. Fam. & Gen. Pl. Leñ. Filip. (Introd. Fl. For. Filip.), Atlas, t. 57, fig. 1 (1883).—*Fr.*
laeve Teysm. & Binn.
Ann. Jard. Bot. Buitenzorg, iv. t. 4, fig. 16–22 (1884).—*Fl.*
lanciflorum Hiern
Hook. Ic. Pl. xxiii. t. 2252 (1893).
Leschenaultii Wight & Arn.
Wight, Ic. Pl. Ind. Or. iii. t. 826 (1843–45).
maius Drake
Grandidier, Hist. Madag. [Plantes] Atlas, t. 437, b (1897).
neilgherrense Wight
Wight, Ic. Pl. Ind. Or. iii. t. 1064 bis (1846).
Beddome, Fl. Sylv. t. 221 (1872).—*Fr.*
Fyson, Fl. Nilgiri & Pulney Hill-tops, iii. 364 (1920).
oleifolium Hook.
Agric. Gaz. N. S. Wales, xix. 1067 (1908).—*Hab.*
parviflorum Lam.
Rheede, Hort. Mal. v. t. 36 (1685); fide Fl. Brit. Ind. iii. 136.
*Roxburgh, Pl. Coromandel, i. t. 51 (1795).
Gaertner f., Fruct. iii. t. 196 (1805).—*Fr.*
Talbot, For. Fl. Bombay, ii. 109 (1911).
Basu, Ind. Med. Pl. t. 502 (1918).
pedunculare Cav.
Cavanilles, Ic. v. t. 436 (1799).
Vidal, Sin. Fam. & Gen. Pl. Leñ. Filip. (Introd. Fl. For. Filip.), Atlas, t. 57, fig. H (1883).—*Fl.*
pergracile Bourd.
Journ. Bomb. Nat. Hist. Soc. xii. 350, t. 5 (1899).
Pervilleanum Baill.
Grandidier, Hist. Madag. [Plantes] Atlas, t. 437, C (1899).
pirifolium Klotzsch
Ettingshausen, Blatt-Skel. Dikot. t. 24 (1861).—*Veg.*
quadrifidum Labill.
Labillardière, Nov. Holl. Pl. t. 94 (1804).
Rheedei DC.
Rheede, Hort. Mal. v. t. 37 (1685); fide Fl. Brit. Ind. iii. 134.

CANTHIUM
umbellatum Wight
Wight, Ic. Pl. Ind. Or. iii. t. 1034 (1843–45).
*Wight, Spicil. Neilgherr. i. t. 97 [1846].

CANTUA Juss.—Vide *Periphragmos*
bicolor Lem.
*Ann. Gand, iv. t. 184 (1848).
*Fl. des Serres, Ser. I. iv. t. 343 (1848).
*Journ. Hort. Prat. Belg. vii. 33 (1849).
*Paxt. Mag. xv. 219 (1849).
*Bot. Mag. lxxix. t. 4729 (1853).
*Lem. Jard. Fl. iv. t. 429 (1854).
buxifolia Lam.
Lamarck, Ill. i. t. 106, fig. 2 (1797).
Ann. Mus. Hist. Nat. Paris, iii. 119 (1804).
*Rev. Hort. Ser. III. ii. 301 (1848).
*Bot. Mag. lxxvii. t. 4582 (1851).
*Lem. Jard. Fl. ii. t. 115 (1851).
*Moore & Ayres, Mag. Bot. iii. 152, 241 (1851).
*Paxt. Fl. Gard. ii. t. 49 (1851–52).
*Sweet, Ornamental Fl. Gard. i. t. 66 (1854).
Journ. Hort. xxviii. 657 (1862); Ser. III. liv. 165 (1907).
Nicholson, Illustr. Dict. Gard. i. 263 [1884–88].
Journ. Hort. Ser. III. x. 5 (1885).
Pflanzenfam. iv. III. A. 45 (1891).
*Bois, Dict. Hort. 245 (1893–99).
Bellair & St.-Léger, Pl. Serre, 441 (1900).
Knuth, Handb. Blütenbiol. iii. II. 58 (1905).
Gard. Chron. Ser. III. xxxvii. 173 (1905); lxii. 18 (1917).
Gartenwelt, x. 345 (1906).
Pflanzenreich, Polemoniac. 21 (1907).—*Fr.*
coronopifolia Willd.
*Andrews, Bot. Rep. vi. t. 415 (1805).
dependens Pers.
*Joh. Kerner, Hort. Sempervir. t. 348 (1813).
Ann. Hort. iv. 277 (1849).
Cottage Gard. vi. 380 (1851).
*Floricult. Cab. xix. 121 (1851).
*Fl. des Serres, Ser. I. vii. t. 650 (1851–52).
*Neubert's Deutsch. Gart. Mag. v. 144 (1852); xxxix. t. 8 (1886).
*W. Thompson, Engl. Fl. Gard. i. 49 (1852).
*Horticulteur Franç. 1855, t. 5.
Rev. Hort. Ser. IV. vii. 294 (1858).
Gard. Chron. xiii. 785 (1880).
*Garden, xxviii. 270 (1885).
Journ. Hort. Ser. III. xvi. 407 (1888).
*Rev. Hort. Belge, xxvii. 181 (1901).
Veitch, Hort. Veitchii, 238 (1906).
Lobbii Henricq
*Horticulteur Franç. 1851, t. 18.
ovata Cav.
Cavanilles, Ic. iv. t. 363 (1797).
picta Hort.
*Réveil, Règne Vég. xiv. t. 1 (1870).
pirifolia Juss.
Lamarck, Ill. i. t. 106, fig. 1 (1797).
Ann. Mus. Hist. Nat. Paris, iii. 113 (1804).
*Ann. Gand, iv. t. 214 (1848).
*Bot. Mag. lxxiv. t. 4386 (1848).
*Fl. des Serres, Ser. I. iv. t. 383 (1848).
Pflanzenreich, Polemoniac. 21 (1907).—*Fr.*
quercifolia Juss.
Pflanzenreich, Polemoniac. 21 (1907).
tomentosa Cav.
Cavanilles, Ic. iv. t. 364 (1797).

CANTUFFA J. F. Gmel.: *Pterolobium*
exosa J. F. Gmel.
Fiori, Boschi e Piante Legn. Eritrea, 175 (1909–12).
Agric. Colon., Ital. v. 187 (1911).

CAPANEA Decne.: *Campanea*
grandiflora Decne.
*Fl. des Serres, Ser. I. v. t. 499, 500 (1849).
Moore & Ayres, Mag. Bot. ii. 35 (1850).
Humboldtii Hanst.
Linnaea, xxvi. t. 1, fig. 29 (1853–55).—*Fl.*
Örstedii Örsted
Örsted in Dansk. Vid. Selsk. Skrift. Ser. V. v. t. 1, 2 (1861).

CAPANEMIA Barb. Rodr.: *Quekettia*
perpusilla Schlechter
Orchis, viii. 134 (1914).—*Fl.*

CAPASSA Klotzsch: *Derris*
violacea Klotzsch
Peters, Reise Mossamb. Bot. t. 5 (1861).

CAPELLENIA Teysm. & Binn.: *Endospermum*
moluccana Teysm. & Binn.
*Nat. Tijdschr. Nederl. Ind. xxix. 240 (1866).

CAPELLIA: *Dillenia*
biflora A. Gray
A. Gray, U.S. Expl. Exp. Bot. Atlas, i. t. 1 (1857).

CAPERONIA St.-Hil.—Vide *Androphoranthus, Cavanilla, Croton* (8)
angustissima Klotzsch
Pflanzenreich, Euphorb.-Acal.-Chroz. 37 (1912). —*Hab.*
buettneriacea Müll.-Arg.
*Mart. Fl. Bras. xi. II. t. 47 (1874).
Pflanzenfam. iii. v. 44 (1890).—*Fl.*
Pflanzenreich, Euphorb.-Acal.-Chroz. 4 (1912). —*Fl.*
castaneifolia St.-Hil.
Wawra, Bot. Ergebn. Reise Bras. t. 43 (1866).
Pflanzenreich, Euphorb.-Acal.-Chroz. 32 (1912).
Fawcett & Rendle, Fl. Jam. iv. II. 289 (1920).
cordata mollis Pax & K. Hoffm.
Pflanzenreich, Euphorb.-Acal.-Chroz. 42 (1912).
glabrata Pax & K. Hoffm.
Pflanzenreich,-Euphorb.-Acal.-Chroz. 42 (1912). —*Hab.*
heteropetala genuina Müll.-Arg.
Pflanzenreich, Euphorb.-Acal.-Chroz. 46 (1912).
palustris St.-Hil.
Plumier, Pl. Amer. Ed. Burm. t. 239, fig. 1 (1760); fide Urban, Fedde Repert. Beih. v. 93.
Pflanzenfam. iii. v. 44 (1890).
Pflanzenreich,Euphorb.-Acal.-Chroz.4,32(1912).
Contrib. U.S. Nat. Herb. xvi. t. 103 (1913).
Möllers Deutsche Gärtn.-Zeit. xxxi. 119 (1916).
stenophylla Müll.-Arg.
Pflanzenreich, Euphorb.-Acal.-Chroz. 37 (1912). —*Hab.*
subrotunda Chiov.
Chiovenda, Result. Sc. Miss. Stefan.-Paoli Somal. Ital. t. 18 (1916).

CAPILLIPEDIUM Stapf—Vide *Andropogon*

CAPIRONA Spruce—Vide *Monadelphanthus*
decorticans Spruce
Mart. Fl. Bras. vi. VI. t. 107 (1889).
Pflanzenfam. iv. IV. 52 (1891).

CAPITANOPSIS Sp. Moore
Cloiselii Sp. Moore
Journ. of Bot. liv. t. 544 (1916).

CAPITANYA Schweinf.
otostegioides Gürke
Engl. Jahrb. xxi. t. 1 (1895).
Pflanzenfam. iv. III. A. 355 (1897).—*Fl.*

CAPITULARIA J. V. Suring.
involucrata J. V. Suring.
Nova Guinea, viii. t. 118 (1912).

CAPNITES Dumort.: *Corydalis*
Bayerniana Rupr.
Mém. Acad. Sc. Pétersb. Ser. VII. xv. No. 2, t. 4 (1869).
brevidens Jord.
*Jordan, Ic. Fl. Eur. iii. t. 375 (1903).
brevis Jord.
*Jordan, Ic. Fl. Eur. iii. t. 371 (1903).
corsica Jord.
*Jordan, Ic. Fl. Eur. iii. t. 377 (1903).
crenulata Jord.
*Jordan, Ic. Fl. Eur. iii. t. 376 (1903).
erythrocarpa Jord.
*Jordan, Ic. Fl. Eur. iii. t. 374 (1903).
integriloba Jord.
*Jordan, Ic. Fl. Eur. iii. t. 377 (1903).
macrostachys Jord.
*Jordan, Ic. Fl. Eur. iii. t. 373 (1903).
pallidiflora Rupr.
Mém. Acad. Sc. Pétersb. Ser. VII. xv. No. 2, t. 4 (1869).
peduncularis Jord.
*Jordan, Ic. Fl. Eur. iii. t. 372 (1903).

CAPNITES
pumila Jord.
*Jordan, Ic. Fl. Eur. iii. t. 377 (1903).
tenuiloba Jord.
*Jordan, Ic. Fl. Eur. iii. t. 370 (1903).

CAPNOIDES Adans.: *Corydalis*
aureum O. Kuntze
Britton & Brown, Ill. Fl. N. States & Canada, ii. 106 (1897); Ed. 2, ii. 145 (1913).
*F. E. & E. S. Clements, Rocky Mt. Fl. t. 5 (1914).
M. Armstrong, Field Book West. Wild Fl. 173 (1915).
campestre Britton
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, ii. 145 (1913).
crystallinum O. Kuntze
Britton & Brown, Ill. Fl. N. States & Canada, ii. 107 (1897); Ed. 2, ii. 146 (1913).
curvisiliqum O. Kuntze
Britton & Brown, Ill. Fl. N. States & Canada, ii. 107 (1897).
flavulum O. Kuntze
Britton & Brown, Ill. Fl. N. States & Canada, ii. 106 (1897); Ed. 2, ii. 144 (1913).
lutea Gaertn.
Gaertner, Fruct. ii. t. 115 (1791).—*Fr.*
micranthum Britton
Britton & Brown, Ill. Fl. N. States & Canada, ii. 106 (1897); Ed. 2, ii. 144 (1913).
montanum Britton
Britton & Brown, Ill. Fl. N. States & Canada, ii. 107 (1897); Ed. 2, ii. 145 (1913).
Scouleri Thornber
M. Armstrong, Field Book West. Wild Fl. 173 (1915).
sempervirens Borckh.
*Wild Fl. Canada, t. 233 (1894).
Britton & Brown, Ill. Fl. N. States & Canada, ii. 105 (1897); Ed. 2, ii. 144 (1913).
*House, Wild Fl. New York (Mem. No. 15 N.Y. State Mus.), i. t. 80 (1918).

CAPNOPHYLLUM Gaertn.—Vide *Krubera, Sclerosciadium*
africanum Gaertn.
Gaertner, Fruct. ii. t. 85 (1791).—*Fr.*

CAPNORCHIS Borckh.: *Dicentra*
canadensis O. Kuntze
Irmisch in Abh. Nat. Ges. Halle, vi. t. 9, fig. 30–39 (1862).—*Veg.*
chrysantha Planch.
*Fl. des Serres, Ser. I. viii. t. 820 (1852–53) in textu; *Dielytra chrysantha* in ic.
Cucullaria Planch.
Irmisch in Abh. Nat. Ges. Halle, vi. t. 8, fig. 1–25; t. 9, fig. 1–29 (1862).
spectabilis Borck.
Irmisch in Abh. Nat. Ges. Halle, vi. t. 7 (1862). —*Veg.*

CAPPARIS Linn.—Vide *Beautempsia, Busbeckea, Destrugesia, Petersia* Klotzsch, *Sodada*
acuminata Lindl.
[Pritzel, Ic. Index], Ic. Pl. China nasc. Bibl. Braam. t. [29] (1821).
*Bot. Reg. xvi. t. 1320 (1830).
*J. W. Loudon, Ladies' Fl.-Gard. Ornam. Greenh. Pl. t. 10 (1848).
aegyptia Lam.
Delile, Fl. Égypte, t. 31 (1812).
Dict. Sc. Nat., Planch. Bot. Dicot. t. 184 (1816–29).
*Spach, Hist. Nat. Vég. Phan. Atlas, t. 53 (1846). —*Fl.*
Paxt. Mag. xv. 255 (1849).
Schnizlein, Iconogr. iii. t. 182 (1866–70).
Zippel, Ausl. Handels- & Nährpfl. t. 23 (1885). —*Fr.*
Brehm, Merv. Nat. Monde des Pl. i. 165 (1894–96).
albitrunca Burch.
Sim, For. Fl. Cape Col. t. 10 (1907).
Sim, For. Fl. Portug. E. Africa, t. 3 (1909).
—— **parvifolia** Sim
Sim, For. Fl. Portug. E. Africa, t. 3 (1909).—*Veg.*
ambigua Kurz
Ann. Bot. Gard. Calcutta, v. t. 138 (1896).

CAPPARIS
amplissima Lam.
Plumier, Pl. Amer. Ed. Burm. t. 73, fig. 2 (1756); fide Urban, Fedde Repert. Beih. v. 52.
andamanica King
Ann. Bot. Gard. Calcutta, v. t. 137 (1896).
angustifolia H. B. K.
H. B. K. Nov. Gen. v. t. 438 (1821).
aphylla Roth
Brandis, Illustr. For. Fl. N.W. & Centr. Ind. t. 3 (1874).
Talbot, For. Fl. Bombay, i. 57 (1909).
Basu, Ind. Med. Pl. t. 75 (1918).
arborescens Mill.
*Descourtilz, Fl. Pitt. & Méd. Antilles, i. t. 29 (1821).
areolata F. M. Bailey
F. M. Bailey, Compr. Cat. Queensl. Pl. 38 (1909–13).
Queensland Agric. Journ. xxvi. t. 13 (1911).
avicenniifolia H. B. K.
Mart. Fl. Bras. xiii. I. t. 65 (1865).—*Fl.*
brasiliana DC.
Mart. Fl. Bras. xiii. I. t. 62 (1865).
brevisiliqua Moc. & Sessé
A. De Candolle, Calq. Dess. Fl. Mex. Moc. & Sessé, t. 27 (1874).
brevispina Wight & Arn.
Hook. Ic. Pl. ii. t. 126 (1837).
Breynia Jacq.
Jacquin, Sel. Stirp. Amer. Hist. t. 103 (1763).
*Jacquin, Sel. Stirp. Amer. Hist. Picta, t. 152 [1780].
Mart. Fl. Bras. xiii. I. t. 64 (1865).—*Fl.*
burmanica Coll. & Hemsl.
Journ. Linn. Soc., Bot. xxviii. t. 2 (1890).
callosa Bl.
Miquel, Ill. Fl. Arch. Ind. t. 16 (1871).
*Blanco, Fl. Filip. t. 180 (1878–80).
Cathcartii Hemsl.
Ann. Bot. Gard. Calcutta, ix. t. 10 (1901).
ceylanica Linn.
Talbot, For. Fl. Bombay, i. 54 (1909).
Basu, Ind. Med. Pl. t. 74 (1918).
citrifolia Lam.
Sim, For. Fl. Cape Col. t. 10 (1907).
corymbifera E. Mey.
Wood, Natal Pl. iv. IV. t. 379 (1906).
crotonoides H. B. K.
H. B. K. Nov. Gen. v. t. 437 (1821).
cucurbitina King
Ann. Bot. Gard. Calcutta, v. t. 136 (1896).
cynophallophora Linn.
Jacquin, Sel. Stirp. Amer. Hist. t. 98 (1763).
Buchoz, Hist. Règne Vég. xi. Dec. 4, t. 2 (1776).
Buchoz, Pl. Nouv. Découv. t. 9 (1779).
*Jacquin, Sel. Stirp. Amer. Hist. Picta, t. 145 [1780].
*Buchoz, Grand Jard. Univ. t. 16 (1785).
Browne, Hist. Jamaica, Ed. 2, t. 27 (1789).
*Joh. Kerner, Hort. Sempervir. t. 689 (1824).
*Descourtilz, Fl. Pitt. & Méd. Antilles, v. t. 355 (1827).
Vellozo, Fl. Flum. v. t. 110 (1827).
Reichenbach, Hort. Bot. t. 233 (1827–30).
Ettingshausen, Blatt-Skel. Dikot. 113 (1861).—*Veg.*
Vidensk. Meddel. Kjöbenhavn, 37 (1879–80).—*Veg.*
Contrib. U.S. Nat. Herb. viii. t. 23 (1903).
Fawcett & Rendle, Fl. Jamaica, iii. I. 231 (1914).
—— **laetevirens** Regel
Gartenfl. xi. t. 351 (1862).
Trans. Russ. Hort. Soc. t. 77 (1862).
—— **latifolia** Eichl.
Mart. Fl. Bras. xiii. I. t. 63 (1865).
decidua Edgw.
Pflanzenfam. iii. II. 230 (1891).
Fiori, Boschi e Piante Legn. Eritrea, 146 (1909–12).
Engler & Drude, Veget. Erde, ix. I. 1, p. 33 (1910).
Agric. Colon., Ital. v. 57 (1911).
Journ. Bombay Nat. Hist. Soc. xxvi. 230, t. 9 (1918).—*Hab.*
declinata Vell.
Vellozo, Fl. Flum. v. t. 111 (1827).
divaricata Lam.
Wight, Ic. Pl. Ind. Or. iii. t. 889 (1843–45).
Talbot, For. Fl. Bombay, i. 56 (1909).
diversifolia Wight & Arn.
Hook. Ic. Pl. ii. t. 181 (1837).

CAPPARIS
emarginata A. Rich.
Ramon de la Sagra, Fl. Cubana, iv. Atlas, Pl. Vasc. t. 9 (1853); et Ic. Fl. Cub. Pl. Vasc. t. 9 (1863).
erythrocarpos Isert
Isert in Schrift. Gesellsch. Naturf. Freunde, Berlin, ix. t. 9 (1789).
Engler & Drude, Veget. Erde, ix. III. 1. 238 (1915).
Eustachiana Jacq.
*Jacquin, Sel. Stirp. Amer. Hist. Picta, t. 146 [1780].
ferruginea Linn.
Browne, Hist. Jamaica, Ed. 2, t. 28 (1789).
*Descourtilz, Fl. Pitt. & Méd. Antilles, v. t. 373 (1827).
Mart. Fl. Bras. xiii. 1. t. 65 (1865).—*Fl.*
flexuosa Linn.
Plumier, Pl. Amer. Ed. Burm. t. 73, fig. 1 (1756); fide Urban, Fedde Repert. Beih. v. 51.
flexuosa Vell.
Vellozo, Fl. Flum. v. t. 108 (1827).
*Lem. Jard. Fl. iii. t. 323 (1853).
*Bot. Mag. cxviii. t. 7248 (1892).
floribunda Wight
*Wight, Illustr. Ind. Bot. i. t. 14 (1840).
Forsteniana Miq.
Miquel, Ill. Fl. Arch. Ind. t. 18 (1871).
frondosa Jacq.
Jacquin, Sel. Stirp. Am. Hist. t. 104 (1763).
*Jacquin, Sel. Stirp. Am. Hist. Picta, t. 153 [1780].
Caruel in Ann. Mus. Fis. Stor. Nat. Firenze, 1865, N. Ser. i. 196, t. 2 (1866).—*Fl.*
galeata Fresen.
Schweinfurth, Heart Africa, i. 23 (1873).
Engler & Drude, Veget. Erde, ix. III. 1, p. 234 (1915).
Gallatlyi King
Ann. Bot. Gard. Calcutta, v. t. 133 (1896).
grandis Linn. f.
Wight, Ic. Pl. Ind. Or. i. t. 21 (1838).
Talbot, For. Fl. Bombay, i. 60 (1909).
Guenezii Sond.
Sim, For. Fl. Cape Col. t. 10 (1907).
hainanensis Oliv.
Hook. Ic. Pl. xvi. t. 1588 (1887).
Hasseltiana Miq.
Miquel, Ill. Fl. Arch. Ind. t. 13 (1871).
hastata Jacq.
Jacquin, Sel. Stirp. Amer. Hist. t. 174 (1763).—*Veg.*
*Jacquin, Sel. Stirp. Amer. Hist. Picta, t. 147 [1780].
Henryi Matsum.
Journ. Coll. Sc. Tokyo, xxii. t. 3 (1906).
herbacea Willd.
Reichenbach, Pl. Crit. iii. t. 281 (1825).
Heydeana J. D. Sm.
Bot. Gaz. xx. t. 1 (1895).
Heyneana Wall.
Rheede, Hort. Mal. vi. t. 57 (1686); fide Fl. Brit. Ind. i. 174.
Talbot, For. Fl. Bombay, i. 55 (1909).
Basu, Ind. Med. Pl. t. 73 (1918).
horrida Linn.
Wight, Ic. Pl. Ind. Or. i. t. 173 (1839).
Brandis, Indian Trees, 35 (1906).
Talbot, For. Fl. Bombay, i. 63 (1909).
Basu, Ind. Med. Pl. t. 77 (1918).
incanescens DC.
Hook. Ic. Pl. ii. t. 123 (1837).
Jacobinae Moric.
Mart. Fl. Bras. xiii. 1. t. 64 (1865).
jamaicensis Jacq.
Jacquin, Sel. Stirp. Amer. Hist. t. 101 (1763).
*Jacquin, Sel. Stirp. Amer. Hist. Picta, t. 150 [1780].
Mart. Fl. Bras. xiii. 1. t. 64 (1865).—*Fl.*
Sargent, Silva N. Amer. i. t. 19 (1891).
*Lounsberry, Guide to the Trees, Ed. 2, t. 50 (1900).
Sargent, Man. Trees N. Amer. 338 (1905).
Britton, N. Amer. Trees, 406 (1908).
Korthalsiana Miq.
Miquel, Ill. Fl. Arch. Ind. t. 17 (1871).
larutensis King
Ann. Bot. Gard. Calcutta, v. t. 134 (1896).
laurifolia Mill.
Ettingshausen, Blatt-Skel. Dikot. 118 (1861).—*Veg.*

CAPPARIS
leucophylla DC.
Delessert, Ic. Pl. iii. t. 10 (1837).
linearis Jacq.
Jacquin, Sel. Stirp. Amer. Hist. t. 102 (1763).
*Jacquin, Sel. Stirp. Amer. Hist. Picta, t. 151 [1780].
longispina Hook. f. & Thoms.
Beddome, Ic. Pl. Ind. Or. t. 281 (1874).
Talbot, For. Fl. Bombay, i. 61 (1909).
lucida Banks
Banks & Soland. Bot. Cook's Voy. i. t. 6 (1900).
mariana Jacq.
*Jacquin, Hort. Schoenbr. i. t. 109 (1797).
*Blanco, Fl. Filip. t. 179 (1878–80).
micracantha DC.
*Blanco, Fl. Filip. t. 178 (1878–80).
Mildbraedii Gilg
Mildbraed, Deutsch. Zentral-Afr.-Exped. 1907–8, ii. t. 18 (1911).
Mitchellii Lindl.
F. Mueller, Introd. Bot. Teach. Schools Victoria, 102 (1877).
F. Mueller, Key Syst. Victorian Pl. ii fig. 7 a, b (1885).
Proc. Linn. Soc. N. S. Wales, xxvi. II. t. 20 (1901).—*Hab.*
Agric. Gaz. N. S. Wales, xix. 113 (1908).—*Hab.*
Moonii Wight
Talbot, For. Fl. Bombay, i. 59 (1909).
Murrayana Grah.
Wight, Ic. Pl. Ind. Or. ii. t. 379 (1840–43).
nectarea Vell.
Vellozo, Fl. Flum. v. t. 107 (1827).
Mart. Fl. Bras. xiii. 1. t. 65 (1865).
nemorosa Jacq.
*Jacquin, Sel. Stirp. Amer. Hist. Picta, t. 156 [1780].
nummularia DC.
F. M. Bailey, Compr. Cat. Queensl. Pl. 39 (1909–13).
obovata Royle
Jacquemont, Ind. t. 21 (1844).
octandra Jacq.
Jacquin, Sel. Stirp. Amer. Hist. t. 100 (1763).
*Jacquin, Sel. Stirp. Amer. Hist. Picta, t. 149 [1780].
odoratissima Jacq.
*Jacquin, Hort. Schoenbr. i. t. 110 (1797).
oleoides Burch.
Engler & Drude, Veget. Erde, ix. 1. 1. 460 (1910).—*Hab.*
Marloth, Fl. S. Africa, i. 235, 236 (1913).—*Fr.*
ornans F. Muell.
F. M. Bailey, Compr. Cat. Queensl. Pl. 37 (1909–13).
Queensland Agric. Journ. xxvi. t. 12 (1911).
ovata Desf.
Berchtold & J. S. Presl, Rostlin. ii. t. 40 (1825).
ovata M. Bieb.
*M. v. Bieberstein, Cent. Pl. Rar. ii. II. t. 68 (1843).
paradoxa Jacq.
*Jacquin, Hort. Schoenbr. i. t. 111 (1797).
parviflora Hook. f. & Thoms.
Beddome, Ic. Pl. Ind. Or. t. 276 (1874).
parviflora Boiss.
Karsten & Schenck, Veg.-Bild. x. t. 32 (1912).—*Hab.*
peduncularis C. & J. Presl
Berchtold & J. S. Presl, Rostlin. ii. t. 41 (1825).
pedunculosa Wall.
Hook. Ic. Pl. ii. t. 128 (1837).
Beddome, Ic. Pl. Ind. Or. t. 277 (1874).
Holtermann, Einfl. Klimas, t. 7, fig. 37 (1907).
persicifolia A. Rich.
Cuoco, Fauna & Flora Eritrea, 39 (1897).—*Fl.*
petiolaris H. B. K.
Mart. Fl. Bras. xiii. 1. t. 62 (1865).—*Fl.*
pirifolia Lam.
Delessert, Ic. Pl. iii. t. 11 (1837).
Wight, Ic. Pl. Ind. Or. iii. t. 1047 (1846).
polymorpha Rich.
*Guillemin, Perrottet & Richard, Fl. Seneg. Tent. t. 5 (1830–33).
pubiflora DC.
Delessert, Ic. Pl. iii. t. 12 (1837).
Miquel, Ill. Fl. Arch. Ind. t. 15 (1871).
pulcherrima Jacq.
Jacquin, Sel. Stirp. Amer. Hist. t. 106 (1763).
*Jacquin, Sel. Stirp. Amer. Hist. Picta, t. 155 [1780].

CAPPARIS
pulcherrima
*Joh. Kerner, Hort. Sempervir. i. t. 12 (1797).
radula Gagnep.
Lecomte, Fl. Gén. Indo-Chine, i. t. 16 (1908).
Rothii Oliv.
Engler & Drude, Veget. Erde, ix. III. 1, p. 236 (1915).
Roxburghii DC.
Wight, Ic. Pl. Ind. Or. iii. t. 1048 (1846).
rupestris Sibth.
*Sibthorp & Sm. Fl. Graeca, v. t. 487 (1825).
*Reichenbach, Ic. Fl. Germ. iii. t. 19 (1838–39).
*Burnett, Pl. Util. i. 18, b (1842).
Caruel in Ann. Mus. Fis. Stor. Nat. Firenze, 1865; N. Ser. i. 196, t. 2 (1866).—*Fl.*
Paolucci, Fl. Marchig. t. 40 (1890).
Wettstein, Handb. Syst. Bot. Ed. 2, p. 574 (1911).—*Fr.*
salaccensis Bl.
Miquel, Ill. Fl. Arch. Ind. t. 12 (1871).
—— **celebica** Miq.
Miquel, Ill. Fl. Arch. Ind. t. 12 (1871).
sandwichiana DC.
Gaudichaud, Voy. Bonite, Bot. Atlas, t. 55 (1844–66).
*Sinclair, Indig. Fl. Hawaiian Isl. t. 42 (1885).
Lubbock, Seedlings, i. 182 (1892).—*Fr.*
Bryan, Nat. Hist. Hawaii, t. 51, fig. 10 (1915).
scabrida H. B. K.
Engler & Drude, Veget. Erde, xii. 152 (1911).
scandens Vell.
Vellozo, Fl. Flum. v. t. 109 (1827).
Scortechinii King
Ann. Bot. Gard. Calcutta, v. t. 135 (1896).
sepiaria Linn.
Jacquemont, Ind. t. 22 (1844).
*Blanco, Fl. Filip. t. 209 (1878–80).
Vidal, Sin. Fam. & Gen. Pl. Leñ. Filip. (Introd. Fl. For. Filip.), Atlas, t. 6, fig. A (1883).
Talbot, For. Fl. Bombay, i. 62 (1909).
Presid. Coll. Bot. Bull. Madras, No. 3, t. 3 (1914).
Basu, Ind. Med. Pl. t. 76 (1918).
Bose, Man. Ind. Bot. 78 (1920).—*Fl.*
sicula Duham.
Karsten & Schenck, Veg.-Bild. xii. t. 39 (1916).—*Hab.*
siliquosa Linn.
Buchoz, Hist. Règne Vég. ix. Dec. 10, t. 5 (1775).
Sinclairii Benth.
Bentham, Bot. Voy. Sulphur, t. 27 (1844).
Lindley, Veg. Kingd. 357 (1846).—*Fr.*
Sodada R. Br.
Post, Fl. Syria, Palestine & Sinai, 109 [1896].—*Fl.*
Trotter, Fl. Econ. della Libia, 162 (1915).
spinosa Linn.
*Kniphof, Herb. Viv. i. t. 206 (1758).
Buchoz, Hist. Règne Vég. ii. Dec. 10, t. 2 (1773).
*Regnault, Bot. ii. 18 (1774).
*Bergius, Mat. Med. ii. 449, t. 348 (1778).
*Zorn, Ic. Pl. Med. iv. t. 348 (1782).
*J. E. Smith, Spicil. Bot. t. 20 (1791–92).
*Plenck, Ic. Pl. Med. v. t. 420 (1792).
*Woodville, Med. Bot. Suppl. t. 228 (1794); Ed. 3, ii. t. 141 (1832).
*Bot. Mag. ix. t. 291 (1795).
Lamarck, Ill. iii. t. 446 (1797).
*Oskamp, Afb. Artseny-Gewass. v. t. 429 (1800).
*Duhamel, Arbres & Arbustes, Ed. 2, i. t. 34 (1801–19).
Boissieu, Fl. Eur. ii. t. 358 (1805).
*Mirbel, Hist. Nat. Pl. xviii. t. 131 (1806).
*Moriarty, Viridarium, Col. Plates Greenh. Pl. t. 16 (1806).
*Roques, Pl. Usuell. Indig. & Exot. i. t. 32 (1807).
*Schkuhr, Bot. Handb. Ed. 2, t. 139 (1808).
*Jaume St.-Hilaire, Pl. France, i [t. 75] (1808).
*Chaumeton, Fl. Méd. ii. t. 95 (1815).
*Vietz, Ic. Pl. Med.-oec.-techn. v. t. 377 (1817).
[Kew MS.] Ic. Pl. China nasc. Bibl. Braam. t. [29] (1821).
Berchtold & J. S. Presl, Rostlin. ii. t. 40 (1825).
*Jaume St.-Hilaire, Traité Arbres & Arbust. i. t. 42 (1825).
*Sibthorp & Sm. Fl. Graeca, v. t. 486 (1825).
*Zenker & Schenk, Merkant. Waarenk. i. t. 24 (1831).

CAPPARIS
spinosa
J. C. Loudon, Arbor. & Frutic. Brit. i. 314 (1838).
*Reichenbach, Ic. Fl. Germ. iii. t. 19 (1838–39).
*Burnett, Pl. Util. i. 18, b (1842).
Duchesne, Pl. Util. t. 81 (1846).
*Spach, Hist. Nat. Vég. Phan. Atlas, t. 53 (1846).
*Cassone, Fl. Med.-Farm. i. t. 61 (1847).
*Strong, American Fl. ii. 165 (1848).
Lindley, Med. & Oecon. Bot. 142 (1849).
*Petermann, Deutschl. Fl. t. 11, fig. 84 (1849).—*Fl.*
Moore & Ayres, Mag. Bot. i. 37 (1850).
*Good, Family Flora, ii. t. 94 (1854).
Payer, Organog. Comp. Fl. t. 41 (1857).—*Fl.*
Seringe, Leçons Bot. t. 1, Capparisac. [1857?].
Berg, Charakt. t. 83, fig. 590 (1861).
*Artus, Atlas Pharm. Deutschl. Aufg. Offic. Gew. t. 20 [1862–74].
Journ. Hort. xxxi. 196 (1864); lviii. 54 (1877); lxiii. 416 (1880).
Pokorny, Oesterr. Holzpfl. 451, t. 41 (1864).—*Veg.*
*Schubert, Naturg., Pflanzenreich, Ed. 2, t. 27, fig. 8 [1865].
Schnizlein, Iconogr. iii. t. 182 (1866–70).—*Fr.*
Le Maout & Decaisne, Traité Gén. Bot. 422 (1868).
*Cusin & Ansberque, Herb. Fl. Franç. iii. t. 427 (1869).
*Réveil, Règne Vég. xii. t. 24 (1870); xvi. t. 9 (1870).
F. Hamilton, Bot. Bible, t. 2, 3 (1871).—*Hab.*
Rep. Commissioner Agric. Washington, 1870, p. 200, t. 6 (1871).
Baillon, Hist. Pl. iii. 150–52 (1872).
*Zeller, Wild Fl. Holy Land, Ed. 2, t. 35 (1876).
Garden, xii. 181 (1877); xix. 22 (1881).
Baillon, Dict. Bot. i. 618 (1878).
Karsten, Deutsche Fl. Pharm.-medic. Bot. 674 (1880–83).
*C. Hoffmann, Pflanzenatlas, t. 44, fig. 270 (1881).
Schilling, Grundr. Naturg. ii. Pflanzenr. Ausgb. A, p. 147 (1882); Ausgb. B, p. 236 (1884).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xiv. t. 1321 (1883).
Vilmorin-Andrieux, Pl. Potag. 55 (1883).—*Hab.*
Baillon, Traité Bot. Méd. Phan. ii. 742, 743 (1884).
Nicholson, Illustr. Dict. Gard. i. 264 [1884–88].
*Baillon, Ic. Fl. Franç. v. t. 406 [1885–94].
*Zippel, Ausl. Handels- & Nährpfl. t. 23 (1885).
Gard. Chron. xxvi. 557 (1886); Ser. III. xxx. 319 (1901).
*Thomé, Fl. Deutschl. ii. t. 265 (1886).
Dujard.-Beaumetz & Égasse, Pl. Méd. 149 (1889).—*Fl.*
Rev. Hort. 1889, p. 16, 17.
Pflanzenfam. iii. II. 226 (1891).
*Leclerc du Sablon, Nos Fleurs, 36, t. 5 [1892].
Agric. Gaz. N. S. Wales, iv. 528 (1893).
Acloque, Fl. France, 118 (1894).
Brehm, Merv. Nat. Monde des Pl. i. 165 (1894–96).—*Fl.*
Sauvaigo, Cult. Littor. Méditerr. 180 (1894).
Karsten, Fl. Deutschl. ii. 224 (1895).
Post, Fl. Syria, Palestine & Sinai, 109 [1896].
Fiori & Paol. Ic. Fl. Ital. 150 (1899).
*Zippel, Ausländ. Kulturpfl. Atlas, Ed. 4, Abt. 2, t. 10, fig. 5–9 (1899).
Coste, Fl. France, i. 142 (1901).
*Penzig, Fl. Litt. Méditerr. t. 12 (1902).
Warming, Handb. Syst. Bot. Ed. Möbius, 304 (1902).
M. A. C. Fraser, Nat. Hist. W. Australia, 184 (1903).
Schneider, Dendrol. Winterst. 83 (1903).—*Veg.*
Bull. Arboricult. Belg. 1905, p. 115.
Schneider, Ill. Handb. Laubh. i. 354, 355 (1905).
*Strasburger, Rambles Riviera, 65 (1906).
Lazaro, Comp. Fl. Españ. ii. 136 (1907).
Temple, Fl. & Trees Palestine, t. 22 (1907).
Beille, Bot. Pharm. ii. 395 (1909).
Talbot, For. Fl. Bombay, i. 53 (1909).
Apgar, Orn. Shrubs U.S. 294, fig. 517 (1910).
Engler & Drude, Veget. Erde, ix. I. 1, p. 20 (1910).

CAPPARIS
spinosa
*Bonnier, Fl. Compl. France, Suisse & Belge, i. t. 60 [1911].
Wettstein, Handb. Syst. Bot. Ed. 2, p. 574 (1911).
Strasburger, Text-Book Botany, Ed. Angl. 4, p. 592 (1912).
Silva Tarouca, Freiland-Laubgehölze, 168 (1913).—*Hab.*
Cannon in Carnegie Inst. Washington, Publ. No. 178, t. 9 (1913).—*Hab.*
Hegi, Ill. Fl. Mittel-Eur. iv. 1. 490 (1913).
Warburg, Pflanzenwelt, i. 398 (1913).—*Fl.*
L. H. Bailey, Stand. Cycl. Hort. 658 (1914).
Crowfoot, Desert Fl. t. 7 [1914?].
Cadevall & Sallent, Fl. Catalunya, i. 193 (1915).
Rev. Gén. Bot. xxviii. 181 (1916).—*Fr.*
Basu, Ind. Med. Pl. t. 73 (1918).
stylosa DC.
Beddome, Fl. Sylv. Anal. Gen. t. 2 (1870).—*Fl.*
subacuta Miq.
Miquel, Ill. Fl. Arch. Ind. t. 19 (1871).
tenera Dalz.
Talbot, For. Fl. Bombay, i. 64 (1909).
tenuisiliqua Jacq.
Jacquin, Sel. Stirp. Amer. Hist. t. 105 (1763).
*Jacquin, Sel. Stirp. Amer. Hist. Picta, t. 154 [1780].
Thonningii K. Schum.
Engler & Drude, Veget. Erde, ix. III. i. 237 (1915).
tomentosa Lam.
Agric. Colon., Ital. v. 57 (1911).
Marloth, Fl. S. Africa, i. 235 (1913).—*Fl.*
Engler & Drude, Veget. Erde, ix. III. 1, p. 235 (1915).
tonkinensis Gagnep.
Lecomte, Fl. Gén. Indo-Chine, i. t. 16 (1908).
Tweediana Eichl.
Arkiv Bot. Stockholm, i. t. 17, fig. 2 (1903).—*Fl.*
tylophylla Spreng.
*Miquel, Choix Pl. Jard. Buitenzorg, t. 2 (1863).
uberiflora F. Muell.
F. M. Bailey, Compr. Cat. Queensl. Pl. 39 (1909–13).
umbonata Lindl.
Proc. Roy. Soc. Victoria, N. Ser. xxiv. II. t. 52 (1912).—*Fr.*
urens Barb. Rodr.
Barbosa Rodrigues, Vellosia, iii. I. t. 2 (1891).
verrucosa Jacq.
Jacquin, Sel. Stirp. Amer. Hist. t. 99 (1763).
*Jacquin, Sel. Stirp. Amer. Hist. Picta, t. 148 [1780].
Mart. Fl. Bras. xiii. I. t. 63 (1865).—*Fl.*
viridiflora H. B. K.
Payer, Organog. Comp. Fl. t. 41 (1857).—*Fl.*
Warneckei Gilg & Benedict
Engler & Drude, Veget. Erde, ix. III. 1, p. 238 (1915).
yco Mart. & Eichl.
Mart. Fl. Bras. xiii. I. t. 60 (1865).
Zeyheri Turcz.
Wood, Natal Pl. iii. 1. t. 214 (1900).
Sim, For. Fl. Cape Col. t. 10 (1907).
zeylanica = *ceylanica*
Zippeliana Miq.
Engl. Jahrb. liii. 113 (1914).
—— **arcuata** Miq.
Miquel, Ill. Fl. Arch. Ind. t. 14 (1871).
—— **novo-britannica** Lauterb.
Engl. Jahrb. liii. 113 (1914).—*Veg.*
—— **novo-hibernica** Lauterb.
Engl. Jahrb. liii. 113 (1914).—*Veg.*
—— **oblongifolia** Miq.
Miquel, Ill. Fl. Arch. Ind. t. 14 (1871).
zizyphoides Gilg
Mildbraed, Deutsch. Zentral-Afr.-Exped. 1907–8, ii. t. 18 (1911).

CAPRARIA Linn.—Vide *Xuarezia*
biflora Linn.
Jacquin, Sel. Stirp. Amer. Hist. t. 115 (1763).
*Jacquin, Sel. Stirp. Amer. Hist. Picta, t. 174 [1780].
Gaertner, Fruct. i. t. 53 (1788).—*Fr.*
Lamarck, Ill. iii. t. 534, fig. 2 (1797).
*Descourtilz, Fl. Pitt. & Méd. Antilles, iv. t. 300 (1827).
Bot. Tidsskr. xxii. 79 (1898).—*Veg.*

CAPRARIA
biflora
Rev. Gén. Bot. xii. 443 (1900).—*Veg.*
Britton, Fl. Bermuda, 348 (1918).
dissecta Del.
Delile, Fl. Égypte, t. 32 (1812).
lanceolata Linn. f.
*Link & Otto, Ic. Pl. Select. t. 4 (1820–28).
lucida Ait.
*Jacquin, Fragm. t. 48 (1809).
multifida Michx.
Michaux, Fl. Bor.-Amer. ii. t. 35 (1803).
undulata Linn. f.
L'Héritier, Sertum Angl. t. 25 (1788).
Lamarck, Ill. iii. t. 534, fig. 1 (1797).
*Bot. Mag. xxxviii. t. 1556 (1813).
uniflora N. L. Burm.
N. L. Burman, Fl. Ind. t. 14 (1768).

CAPRIFICUS Gasp.: *Ficus*
gigantea Gasp.
Gasparrini in Rendic. Accad. Sc. Napoli, iv. t. 1 (1845).
leucocarpa Gasp.
Gasparrini in Rendic. Accad. Sc. Napoli, iv. t. 2, 3 (1845).

CAPRIFOLIUM Adans.: *Lonicera*
alpigenum Gaertn.
Gaertner, Fruct. i. t. 27 (1788).—*Fr.*
flavum Ell.
*Audubon, Birds Amer. iv. t. 218 (1842).
hispidulum Lindl.
*Bot. Reg. xxi. t. 1761 (1835).
italicum Medic.
Berchtold & J. S. Presl, Rostlin. ii. t. 11 (1825).
longiflorum Sab.
*Bot. Reg. xv. t. 1232 (1829).
occidentale Lindl.
*Bot. Reg. xvii. t. 1457 (1831).
perfoliatum Roehl.
*J. W. Loudon, Brit. Wild Fl. Ed. 2, t. 40 [1846].
Periclymenum Delarb.
Berchtold & J. S. Presl, Rostlin. ii. t. 11 (1825).
*J. W. Loudon, Brit. Wild Fl. Ed. 2, t. 40 [1846].
pilosum H. B. K.
H. B. K. Nov. Gen. iii. t. 298 (1818).
*Joh. Kerner, Hort. Sempervir. t. 598 (1820).
pubescens Goldie
Hooker, Exot. Fl. i. t. 27 (1823).
*Spach, Hist. Nat. Vég. Phan. Atlas, t. 52 (1846).
sempervirens Moench
*Audubon, Birds Amer. ii. t. 84 (1841).
Xylosteum Gaertn.
Gaertner, Fruct. i. t. 27 (1788).—*Fr.*

CAPRIOLA Adans.: *Cynodon*
Dactylon O. Kuntze
Baillon, Hist. Pl. xii. 159 (1894).
Britton & Brown, Ill. Fl. N. States & Canada, i. 175 (1896); Ed. 2, i. 222 (1913).
U.S. Dep. Agric. Div. Agrost. Bull. No. 7, p. 189 (1897).
L. H. Bailey, Cycl. Amer. Hort. 241 (1900).
Hitchcock, Text-Book Grasses, 215 (1914).
U.S. Dep. Agric. Bull. No. 461, p. 25 (1917); Bull. No. 772, p. 178 (1920).
Britton, Fl. Bermuda, 36 (1918).

CAPROXYLON Tuss.: *Tetragastris*
Hedwigii Tuss.
*Tussac, Fl. Antilles, iv. t. 30 (1827).

CAPSELLA Medic.—Vide *Bursa*
bursa-pastoris Medic.
!Moulins & Gachet in Act. Soc. Linn. Bordeaux, v. 65 (1832).
*Sturm, Deutschl. Fl. xv. LXVI [t. 1049] (1834).
*Zenker, Fl. Thüringen, i. t. 61 (1836–55).
*Baxter, Brit. Bot. Ed. 2, iii. t. 191 (1837).
Reichenbach, Ic. Fl. Germ. ii. t. 11 (1837–38).
*Dietrich, Fl. Boruss. ix. t. 600 (1841).
*C. E. Sowerby, Ill. Cat. Brit. Pl. fig. 110 (1841).
Meigen, Deutschl. Fl. iii. t. 112 (1842).—*Fl.*
Cosson & Germ. Fl. Paris, Atlas, t. 10 (1845).—*Fr.*
*Deakin, Florigr. Brit. ii. fig. 1018 (1845).

CAPSELLA
bursa-pastoris
*Petermann, Deutschl. Fl. t. 10, fig. 71, a–n (1849).—*Fl.*
Nees, Gen. Pl. fasc. xxvii. t. 8 (1853).
Johnson & Sowerby, Brit. Wild Fl. fig. 70 (1858–60).
Steiger, Fl. Kantons Luzern, Rigi & Pilatus, 356 (1860).—*Fr.*
Berg, Charakt. t. 84, fig. 601 (1861).
Gasparrini in Atti Accad. Sc. Fis. & Mat. Napoli, i. t. 4 (1863).
*Hogg & Johnson, Wild Fl. Gr. Brit. i. t. 38 (1863).
*Syme, Engl. Bot. i. t. 152 (1863).
Bentham, Handb. Brit. Fl. fig. 100 (1865).
Migout, Fl. Dépt. Allier, t. 2 (1866).—*Veg.*
Schnizlein, Iconogr. iii. t. 181 b (1866–70).—*Fr.*
Le Maout & Decaisne, Traité Gén. Bot. 418 (1868).—*Fl.*
*Cusin & Ansberque, Herb. Fl. Franç. ii. t. 402 (1868).
Dunster, Coll. Handyb. Bot. t. 3 (1871).
Baillon, Hist. Pl. iii. 209 (1872).
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, i. t. 19 [1873].
*Somoku Dzusetsu, Ed. 2, xii. t. 1 (1874).
*Lesacher & Mareschal, Nouv. Bot. Méd. i [t. 42] (1876).
*Trans. Linn. Soc. London, Ser. II. Bot. i. t. 44 (1879).—*Fl.*
Favart, Flowers & Pl. t. 16 (1880).
Act. Soc. Linn. Bordeaux, xxxv. t. 13, fig. 26 (1881).—*Fr.*
*C. Hoffmann, Pflanzenatlas, t. 52, fig. 323 (1881).
Clavaud, Fl. Gironde, t. 5, fig. 26 (1882).—*Fr.*
Willkomm, Führ. Reich Pflanzen, 161 (1882).—*Fr.*
Wagner, Ill. Deutsche Fl. Ed. 2, p. 75 (1882).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xv. t. 1485 (1883).
Johnson, Manual Med. Bot. N. Amer. 97 (1884).
Svenska Vet. Akad. Handl. xxi. No. 4, t. 3 (1884).—*Fl.*
*Thomé, Fl. Deutschl. ii. t. 290 (1886).
*Millspaugh, American Med. Pl. t. 25 (1887).
Rep. Commissioner Agric. Washington, 1886, p. 92, t. 21 (1887).
Rattan, Pop. California Fl. Ed. rev. 8, p. 7 (1888).—*Fr.*
Potonié, Ill. Fl. Nord- u. Mittel-Deutschl. Ed. 4, fig. 295 (1889).
Paolucci, Fl. Marchig. t. 41 (1890).
Halsted in Rep. New Jersey Agric. St. No. 1, t. 2 (1890).
Agric. Gaz. N. S. Wales, ii. 29 (1891).
Dyer in Rep. Agric. St. California, 253 (1891).—*Fr.*
Journ. Roy. Agric. Soc. Engl. Ser. III. iii. 833 (1892).
Lubbock, Seedlings, i. 167 (1892).—*Veg.*
*Masclef, Atlas Pl. France, t. 37 (1893).
*Schimpfky, Uns. Heilpfl. ii. t. 15 [1893–94].
Acloque, Fl. France, 113 (1894).
Brehm, Merv. Nat. Monde des Pl. i. 158 (1894–96).
*Siélain, Atlas Poche Pl. Champs, Prair. & Bois, t. 10 [1894].
Garcke, Ill. Fl. Deutschl. 65 (1895).
Hitchcock & Norton in Bull. Kansas Agric. St. No. 50, t. 1, fig. 3 (1895); No. 57, t. 2, fig. 13 (1896); No. 66, t. 2, fig. 13 (1897).
Karsten, Fl. Deutschl. ii. t. 217 (1895).
*Step, Wayside & Woodl. Bloss. t. 10 (1895); New Ed. i. t. 25 (1905).
New Zeal. Dep. Agric. Rep. No. 4, p. 123 (1896).
Post, Fl. Syria, Palestine & Sinai, 88 [1896].—*Fr.*
*Hulme, Familiar Wild Fl. (Pop. Ed.), vi. 129 [1897?].
Pammel in Bull. Iowa Agric. St. No. 34, p. 679, 685 (1897); No. 70, p. 420 (1903).
Fiori & Paol. Ic. Fl. Ital. 171 (1899).
Oesterr. Bot. Zeitschr. xlix. t. 4, fig. VII (1899); lviii. t. 6 (1908).
*Behrens, Blattformen, t. 39, fig. 1 (1900).—*Veg.*
Coste, Fl. France, i. 135 (1901).
Lindman, Bild. Nord. Fl. t. 205 (1901–5).
C. T. Green, Fl. Liverpool Distr. fig. 55 (1902).
*Losch, Kräuterb. t. 26 (1903).

CAPSELLA
bursa-pastoris
*Josef v. Oesterreich & Marg. v. Thurn und Taxis, Atlas Heilpfl. t. 35 (1903).
Merino, Fl. Galicia, i. 116 (1905).—*Fr.*
F. M. Bailey, Weeds & Poison. Pl. Queensland, 10 (1906).
Blytt, Haandb. Norg. Fl. Ed. Dahl, 389 (1906).
Bull. Jard. Bot. Pétersb. vi. 53 (1906).
*Clark & Fletcher, Farm Weeds Canada, t. 8, 53, fig. 5 (1906); Ed. 2, t. 29, 73, fig. 31 (1909).
Lazaro, Comp. Fl. Españ. ii. 138, 150 (1907).
Suireishchikov, Ill. Fl. Mosc. Gov. ii. 207 (1907).
Hayek, Fl. Steierm. 454 (1908).—*Fr.*
Heukels, Fl. Nederl. ii. 306 (1908).
Lecomte, Fl. Gén. Indo-Chine, i. 167 (1908).—*Fr.*
Beille, Bot. Pharm. ii. 384 (1909).—*Fr.*
Black, Nat. Fl. S. Australia, 28 (1909).
Fedtschenko & Fler. Fl. Eur. Russia, 472 (1910).
Blaringhem in Bull. Sc. France & Belg. xliv. 287, 291 (1910).
*Dinand, Taschenbuch Heilpfl. t. 17, fig. 2 (1910).
Long, Common Weeds Farm & Garden, 64, t. 1 (1910).
Miyoshi, Pl. World Jap. 138 (1910).—*Hab.*
Amer. Nat. xlv. 647 (1911).—*Veg.*
Beal, Michigan Weeds (Bull. Mich. Agric. Exp. St. No. 267), 348 (1911); et in Ann. Rep. xxv. 337 (1912).
*Bonnier, Fl. Compl. France, Suisse & Belge, i. t. 56 [1911].
Journ. Board Agric. xviii. 468 (1911).
Journ. Roy. Hort. Soc. London, xxxvii. 37, 38, fig. 7, 8 (1911).
Ontario Dep. Agric. Bull. No. 188, p. 19, 67 (1911).
Pammel, Man. Poison. Pl. 492 (1911).
Wettstein, Handb. Syst. Bot. Ed. 2, p. 580 (1911).—*Fr.*
Somoku Dzusetsu, Ed. Makino (Iconogr. Pl. Nippon), xii. t. 1 (1912).
H. M. & C. C. Hall, Yosemite Fl. 106 (1912).
Bull. Angew. Bot. v. t. 70 (1912); vii. t. 105 (1914).
Agric. Gaz. N. S. Wales, xxiv. 888 (1913).
Hegi, Ill. Fl. Mittel-Eur. iv. 1. t. 125, 135, p. 362, 367 (1913).
Iowa Geol. Surv. Bull. No. 4, p. 152, 153, 443, 662 (1913).
*Klein, Unsere Unkräuter, t. 16 (1913).
Canada Dep. Agric. (Seed Branch) Bull. No. S-8, p. 42 (1914).
Coe in Bull. S. Dakota Agric. St. No. 150, p. 423 (1914).
Fawcett & Rendle, Fl. Jamaica, iii. 1. 241 (1914).
*Gadeceau, Fl. Moiss. t. 16 (1914).
A. Georgia, Manual Weeds, t. 124 (1914).
Horwood, Plant Life Brit. Isles, i. 56 (1914).—*Hab.*
Fyson, Fl. Nilgiri & Pulney Hill-tops, ii. 16 (1915).
Journ. New Zeal. Dep. Agric. xi. 54 (1915).—*Hab.*
Palmer in Proc. Iowa Acad. Sc. xxiii. t. 11 (1916).—*Fr.*
*Bonnier, Name This Flower, t. 6 (1917).
!Arkiv Bot. Stockholm, xv. No. 12, p. 2 (1918).—*Fl.*
Basu, Ind. Med. Pl. t. 66 (1918).
Lindman, Svensk Fanerogamfl. 275 (1918).—*Fr.*
Mayevsky, Fl. Central Russia, 63 (1918).
*Horwood, Brit. Wild Fl. iv. t. 45, p. 172 (1919).
Fitch & Smith, Ill. Brit. Fl. Ed. rev. 4, Iss. 2, fig. 102 (1919).
—— **alpina** Cusin & Ansb.
Cusin & Ansberque, Herb. Fl. Franç. ii. t. 403 (1868).
—— **angustiloba** E. Almq.
Act. Hort. Berg. iv. No. 6, p. 68, 69 (1907).—*Veg.*
—— **autumnalis** E. Almq.
Act. Hort. Berg. iv. No. 6, p. 32, 33 (1907).
—— **Bergiana** E. Almq.
Act. Hort. Berg. iv. No. 6, p. 48 (1907).
—— **cameliniformis** Murr.
Oesterr. Bot. Zeitschr. xlix. t. 4, fig. II (1899).—*Fl.*

CAPSELLA
bursa-pastoris collina E. Almq.
Act. Hort. Berg. iv. No. 6, p. 55 (1907).—*Veg.*
—— **concava** E. Almq.
Act. Hort. Berg. iv. No. 6, p. 13 (1907).
—— **cuneifolia** E. Almq.
Act. Hort. Berg. iv. No. 6, p. 11, 12 (1907).
—— **densa** E. Almq.
Act. Hort. Berg. iv. No. 6, p. 62 (1907).
—— **dentata** E. Almq.
Act. Hort. Berg. iv. No. 6, p. 46 (1907).
—— **difformis** E. Almq.
Act. Hort. Berg. iv. No. 6, t. 35, 36 (1907).—*Veg.*
—— **drabiformis** Murr.
Oesterr. Bot. Zeitschr. xlix. t. 4, fig. 1 (1899).—*Fl.*
—— **ellipsoidea** E. Almq.
Act. Hort. Berg. iv. No. 6, p. 67 (1907).
—— **fucorum** E. Almq.
Act. Hort. Berg. iv. No. 6, p. 72 (1907).—*Veg.*
—— —— **ventosa** E. Almq.
Act. Hort. Berg. iv. No. 6, p. 73 (1907).
—— **gallica** E. Almq.
Act. Hort. Berg. iv. No. 6, p. 75 (1907).
Blaringhem in Bull. Sc. France & Belg. xliv. 294, 305 (1910).—*Fr.*
—— **glauca** E. Almq.
Act. Hort. Berg. iv. No. 6, p. 66 (1907).—*Veg.*
—— **gotlandica** E. Almq.
Act. Hort. Berg. iv. No. 6, p. 40 (1907).
—— **grandiflora** E. Almq.
Act. Hort. Berg. iv. No. 6, p. 19–21 (1907).
—— **grossa** E. Almq.
Act. Hort. Berg. iv. No. 6, p. 30, 31 (1907).
—— **hauniensis** E. Almq.
Act. Hort. Berg. iv. No. 6, p. 44, 45 (1907).
—— **hiemalis** E. Almq.
Act. Hort. Berg. iv. No. 6, p. 26 (1907).
—— **integrifolia** Reichb.
Reichenbach, Ic. Fl. Germ. ii. t. 11 (1837–38).
—— **lacerata** E. Almq.
Act. Hort. Berg. iv. No. 6, p. 47 (1907).—*Veg.*
—— **lata** E. Almq.
Act. Hort. Berg. iv. No. 6, p. 22 (1907).—*Veg.*
—— **latula** E. Almq.
Act. Hort. Berg. iv. No. 6, p. 23 (1907).
—— **laxa** E. Almq.
Act. Hort. Berg. iv. No. 6, p. 49 (1907).
—— **Leontodon** E. Almq.
Act. Hort. Berg. iv. No. 6, p. 41 (1907).
—— **linearis** E. Almq.
Act. Hort. Berg. iv. No. 6, p. 70 (1907).—*Veg.*
—— **lingulata** E. Almq.
Act. Hort. Berg. iv. No. 6, p. 53 (1907).
—— **obtusa** E. Almq.
Act. Hort. Berg. iv. No. 6, p. 38 (1907).—*Veg.*
—— **litoralis** E. Almq.
Act. Hort. Berg. iv. No. 6, p. 77 (1907).
—— —— **Coronopus** E. Almq.
Act. Hort. Berg. iv. No. 6, p. 77 (1907).
—— **pedemontana** E. Almq.
Act. Hort. Berg. iv. No. 6, p. 23 (1907).—*Veg.*
—— **polyedra** E. Almq.
Act. Hort. Berg. iv. No. 6, p. 64 (1907).
—— **praelonga** E. Almq.
Act. Hort. Berg. iv. No. 6, p. 42 (1907).—*Veg.*
—— **praematura** E. Almq.
Act. Hort. Berg. iv. No. 6, p. 28 (1907).
—— **pygmaea** Holmboe
Bot. Notiser, 1899, p. 263.
—— **querceti** E. Almq.
Act. Hort. Berg. iv. No. 6, p. 50 (1907).—*Veg.*
—— **ramseiensis** E. Almq.
Act. Hort. Berg. iv. No. 6, p. 52 (1907).
—— **Reuteri** E. Almq.
Act. Hort. Berg. iv. No. 6, p. 18 (1907).
—— **rhenana** E. Almq.
Act. Hort. Berg. iv. No. 6, p. 71 (1907).—*Veg.*
—— **rhombea** E. Almq.
Act. Hort. Berg. iv. No. 6, p. 59 (1907).—*Veg.*
—— —— **apetala** E. Almq.
Act. Hort. Berg. iv. No. 6, p. 60 (1907).
—— **rhombella** E. Almq.
Act. Hort. Berg. iv. No. 6, p. 65 (1907).
—— **rotundata** E. Almq.
Act. Hort. Berg. iv. No. 6, p. 61 (1907).

CAPSELLA

bursa-pastoris rubella Cusin & Ansb.
Cusin & Ansberque, Herb. Fl. Franç. ii. t. 403 (1868).
Act. Hort. Berg. iv. No. 6, p. 14–16 (1907).
—— **scanica** E. Almq.
Act. Hort. Berg. iv. No. 6, p. 24 (1907).
—— —— **serrata** E. Almq.
Act. Hort. Berg. iv. No. 6, p. 25 (1907).
—— **segetum** E. Almq.
Act. Hort. Berg. iv. No. 6, p. 37 (1907).
—— **subalpina** E. Almq.
Act. Hort. Berg. iv. No. 6, p. 57 (1907).
—— **subdecumbens** E. Almq.
Act. Hort. Berg. iv. No. 6, p. 58 (1907).
—— **subfucorum** E. Almq.
Act. Hort. Berg. iv. No. 6, p. 80 (1907).
—— **tenuissima** E. Almq.
Act. Hort. Berg. iv. No. 6, p. 79 (1907).
—— **Wittrockii** E. Almq.
Act. Hort. Berg. iv. No. 6, p. 55, 56 (1907).
divaricata Walp.
Rattan, Popular Californ. Fl. Ed. Rev. 8, p. 7 (1888).—*Fr.*
draboides Korsh.
Bull. Acad. Pétersb. Ser. V. ix. 424, t. 2 (1898).
elliptica C. A. Mey.
*Sturm, Deutschl. Fl. xv. LXVI [t. 1050] (1834).
—— **integrifolia** Koch
*Sturm, Deutschl. Fl. xv. LXVI [t. 1051] (1834).
Gelmii J. Murr.
Oesterr. Bot. Zeitschr. xlix. t. 4, fig. IV (1899).
gracilis Gren. & Godr.
Oesterr. Bot. Zeitschr. xlix. t. 4, fig. III (1899).—*Fl.*
*Bonnier, Fl. Compl. France, Suisse & Belge, i. t. 56 [1911].—*Fl.*
Heegeri Solms
Bot. Zeitung, lviii. t. 7, fig. 2–8 (1900).
Laubert in Verh. Bot. Ver. Brandenb. xlvii. 200 (1906).
Act. Hort. Berg. iv. No. 6, p. 17 (1907).
Blaringhem in Bull. Sc. France & Belg. xliv. 282 (1910).—*Fr.*
Wettstein, Handb. Syst. Bot. Ed. 2, p. 580 (1911).—*Fr.*
pastoralis Dulac
Dulac, Fl. Dépt. Hautes-Pyrén. 184 (1867).—*Fr*
pauciflora Koch
*Sturm, Deutschl. Fl. xv. LXVI [t. 1052] (1834).
Reichenbach, Ic. Fl. Germ. ii. t. 11 (1837–38).
Willkomm, Führ. Reich Pflanzen, 841 (1882).—*Fr.*
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xv. t. 1487 (1883).
procumbens Fries
*Zenker, Fl. Thüringen, xi. t. 1204 (1836–55).
Reichenbach, Ic. Fl. Germ. ii. t. 11 (1837–38).
Petermann, Deutschl. Fl. t. 10, fig. 71, o–p (1849).—*Fr.*
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xv. t. 1486 (1883).
—— **integrifolia** DC.
*Sturm, Deutschl. Fl. xv. LXVI [t. 1051] (1834); vide xvii. LXXVII. Übers. 8 (1839).
pseudo-rubella Murr.
Oesterr. Bot. Zeitschr. xlix. t. 4, fig. V (1899).—*Fl.*
rubella Reut.
Migout, Fl. Dépt. Allier, t. 1 (1866).—*Veg.*
Act. Soc. Linn. Bordeaux, xxxv. t. 13, fig. 27 (1881).—*Fr.*
Clavaud, Fl. Gironde, t. 5, fig. 27 (1882).—*Fr.*
Oesterr. Bot. Zeitschr. xlix. t. 4, fig. VI (1899).—*Fl.*
*Bonnier, Fl. Compl. France, Suisse & Belge, i. t. 56 [1911].
Hegi, Ill. Fl. Mittel-Eur. iv. 1. 367 (1913).
Viguieri Blaringhem
Blaringhem in Bull. Sc. France & Belg. xliv. 287, 288, 291, 293, 294, 305, t. 6 (1910).

CAPSICUM Linn.

acuminatum grossum Sendt.
Rep. Missouri Bot. Gard. ix. t. 15–25 (1898).

CAPSICUM

angulosum Mill.
*Fingerhuth, Monogr. Gen. Capsici, t. 8 (1832).
—— **macrocarpum** DC.
Harz, Samenkunde, ii. 1014 (1885).—*Fr.*
—— **ovale** Fingerh.
*Fingerhuth, Monogr. Gen. Capsici, t. 8 (1832).
Harz, Samenkunde, ii. 1014 (1885).—*Fr.*
annuum Linn.
Rheede, Hort. Mal. ix. t. 35 (1689); fide Hasskarl, Hort. Mal. Rheed. Clavis, 72.
*Kniphof, Herb. Viv. i. t. 207 (1758).
Dillenius, Hort. Eltham. Add. Denom. Linn. t. 60 (1774).
*Regnault, Bot. i. 69 (1774).
*Bergius, Mat. Med. i. 142, t. 300 (1778).
*Zorn, Ic. Pl. Med. iii. t. 300 (1781).
*Plenck, Ic. Pl. Med. ii. t. 107 (1789).
Gaertner, Fruct. ii. t. 132 (1791).—*Fr.*
*Oskamp, Afb. Artseny-Gewass. iv. t. 383 (1800).
Boissieu, Fl. Eur. i. t. 148 (1805).
*Roques, Pl. Usuell. Indig. & Exot. ii. t. 11 (1808).
*Schkuhr, Bot. Handb. Ed. 2, t. 47 (1808).
*Vietz, Ic. Pl. Med.-oec.-techn. v. t. 378 (1817).
Berchtold & J. S. Presl, Rostlin. i. t. [56] (1823).
*Joh. Kerner, Gen. Pl. Ill. ix. t. 176 (1824).
*Hayne, Getreue Darst. Arzn. Gewächse, x. t. 24 (1827).
*Descourtilz, Fl. Pitt. & Méd. Antilles, vi. t. 422 (1828).
*Nees, Pl. Offic. i. t. 190 (1828).
*Fl. Med. [Spratt], i. 91 (1829).
*Schlechtendal & Guimpel, Abb. Pharm. Bor. Gewächse, i. t. 16 (1830).
*Fingerhuth, Monogr. Gen. Capsici, t. 2 (1832).
*Woodville, Med. Bot. iii. t. 144 (1793); Ed. 3, ii. t. 80 (1832).
*Stephenson & Churchill, Med. Bot. New Ed. i. t. 44 (1834).
*Mag. Bot. & Gard. iii. t. 31 (1835).
Meigen, Deutschl. Fl. i. t. 46 (1836).—*Fl.*
*Burnett, Pl. Util. i. t. 14, b (1842).
Nees, Gen. Pl., Gamop. i. t. 57 (1845).
*E. Hamilton, Fl. Homoeopath. i. t. 16 (1852).
*Good, Family Flora, i. t. 32 (1854).
Berg, Charakt. t. 39, fig. 305 (1861) in ic.; *C. longum* in textu.
Reichenbach, Ic. Fl. Germ. xx. t. 1634 (1861).
Decaisne & Naud. Amat. Jard. iv. 232 [1862–66].—*Fr.*
*Artus, Atlas Pharm. Deutschl. Aufg. Offic. Gew. t. 185 [1862–74].
Cesati, Passer. & Gibelli, Comp. Fl. Ital. t. 55 (1867–86).—*Fl.*
*Réveil, Règne Vég. xii. t. 24 (1870).—*Fr.*
Somoku Dzusetsu, Ed. 2, iii. t. 38 (1874).
*Bentley & Trim. Med. Pl. iii. t. 189 (1877).
!Nuov. Giorn. Bot. Ital. x. t. 1 (1878).—*Fl.*
Wien. Ill. Gart.-Zeit. v. 320 (1880).—*Fr.*
*C. Hoffmann, Pflanzenatlas, t. 15, fig. 86 (1881).
Christy, New Commerc. Pl. & Drugs, No. 4, p. 15, 16 (1881).—*Fr.*
Baillon, Traité Bot. Méd. Phan. ii. 1198 (1884).
Harz, Samenkunde, ii. 1010, 1017 (1885).—*Fr.*
*Köhler, Med. Pfl. i [t. 35] (1887).
Baillon, Hist. Pl. ix. 286 (1888).
Gard. Chron. Ser. III. viii. 334, 335 (1890).
Pflanzenfam. iv. III. B. 22 (1891).—*Fl.*
Karsten, Fl. Deutschl. ii. 539 (1895).
Rep. Missouri Bot. Gard. ix. t. 9 (1898).
Sadebeck, Kulturg. Deutsch. Kolon. Erzeugn. 204 (1899).
*Warlich, Russk. Lekarst. Rast. (Russ. Med. Pl.), iii. t. 80 (1899).
Greshoff, Nutt. Ind. Pl. t. 47 (1900).
*De Janville, Pl. Utiles Pays Chauds, t. 20 (1902).
Fiori & Paol. Ic. Fl. Ital. 340 (1902).
Beille, Bot. Pharm. ii. 1010 (1909).
Gubb, Fl. Algeria, t. 49 (1909).
Pammel, Man. Poison. Pl. 725 (1911).—*Fr.*
L. H. Bailey, Stand. Cycl. Hort. 659 (1914).—*Fr.*
Bot. Mag. Tokyo, xxix. 217 (1915).—*Hab.*
Lecomte, Fl. Gén. Indo-Chine, iv. 332 (1915).
M. T. Cook, Applied Econ. Bot. 221 (1919).

CAPSICUM

annuum abbreviatum Fingerh.
*Fingerhuth, Monogr. Gen. Capsici, t. 2 (1832).
Harz, Samenkunde, ii. 1010 (1885).—*Fr.*
Rep. Missouri Bot. Gard. ix. t. 25–28 (1898).
—— **acuminatum** Fingerh.
*Fingerhuth, Monogr. Gen. Capsici, t. 2 (1832).—*Fr.*
Harz, Samenkunde, ii. 1010 (1885).—*Fr.*
Rep. Missouri Bot. Gard. ix. t. 10, 11, 12 (1898).
Somoku Dzusetsu, Ed. Makino (Iconogr. Pl. Nippon), iii. t. 37 (1907).
—— **cerasiforme** Irish
Rep. Missouri Bot. Gard. ix. t. 27, 28 (1898).
L. H. Bailey, Cycl. Amer. Hort. 242 (1900).
Fiori & Paol. Ic. Fl. Ital. 340 (1902).
—— **conoides** Irish
Garden, lxvi. 381 (1904).
—— **cordiforme** Mill.
Fiori & Paol. Ic. Fl. Ital. 340 (1902).
—— **fasciculatum** Irish
Somoku Dzusetsu, Ed. Makino (Iconogr. Pl. Nippon), iii. t. 38 (1907).
L. H. Bailey, Stand. Cycl. Hort. 659 (1914).
—— **grossum** Sendt.
Rep. Missouri Bot. Gard. ix. t. 15–25 (1898).
L. H. Bailey, Cycl. Amer. Hort. 242 (1900).
Fiori & Paol. Ic. Fl. Ital. 340 (1902).
—— **Hanisiana** Morr.
*Ann. Gand, ii. t. 99, fig. 2 (1846).
—— **japonicum** Hort.
Sempervirens, xvii. 44 (1888).
—— **longum** Sendt.
!Bull. Soc. Bot. France, xxix. t. 5, fig. 1–7 (1882).—*Fr.*
Rep. Missouri Bot. Gard. ix. t. 11–15 (1898).
Fiori & Paol. Ic. Fl. Ital. 340 (1902).
Somoku Dzusetsu, Ed. Makino (Iconogr. Pl. Nippon), iii. t. 40 (1907).
—— —— **nigrum** Makino
Somoku Dzusetsu, Ed. Makino (Iconogr. Pl. Nippon), iii. t. 39 (1907).
—— **oblongum** Fingerh.
Harz, Samenkunde, ii. 1010 (1885).—*Fr.*
—— **oliviforme** Fingerh.
*Fingerhuth, Monogr. Gen. Capsici, t. 2 (1832).—*Fr.*
Harz, Samenkunde, ii. 1010 (1885).—*Fr.*
—— **ovoideum** Fingerh.
*Fingerhuth, Monogr. Gen. Capsici, t. 2 (1832).
Harz, Samenkunde, ii. 1010 (1885).—*Fr.*
—— **proboscideum** Hort.
Gartenfl. xli. 583 (1892).
Bull. Arboricult. Belg. 1893, p. 273.
—— **pyramidale** Mill.
Fiori & Paol. Ic. Fl. Ital. 340 (1902).
—— **rugosulum** Fingerh.
*Fingerhuth, Monogr. Gen. Capsici, t. 2 (1832).
Harz, Samenkunde, ii. 1010 (1885).—*Fr.*
—— **subangulosum** Fingerh.
*Fingerhuth, Monogr. Gen. Capsici, t. 2 (1832).—*Fr.*
Harz, Samenkunde, ii. 1010 (1885).—*Fr.*
anomalum Franch. & Sav.
*Useful Pl. Jap. ii. t. 495 (1895).
Somoku Dzusetsu, Ed. Makino (Iconogr. Pl. Nippon), iii. t. 47 (1907).
axi Vell.
Vellozo, Fl. Flum. ii. t. 6 (1827).
baccatum Linn.
*Plenck, Ic. Pl. Med. ii. t. 108 (1789).
Gil & Xuarez, Osserv. t. 3 (1792).
*Descourtilz, Fl. Pitt. & Méd. Antilles, vi. t. 423 (1828).
*Fingerhuth, Monogr. Gen. Capsici, t. 4 (1832).
*Strong, American Fl. i. 101 (1848).
Harz, Samenkunde, ii. 1010 (1885).—*Fr.*
Journ. Roy. Hort. Soc. London, xxxv. 308, fig. 128 (1910).—*Fr.*
Agric. Colon., Ital. ix. 565 (1915).
Britton, Fl. Bermuda, 338 (1918).
baccatum Vell.
Vellozo, Fl. Flum. ii. t. 3 (1827).
bicolor Jacq.
*Jacquin, Fragm. t. 99 (1809).
*Bot. Mag. xliii. t. 1835 (1816).

CAPSICUM
bicolor
*Fingerhuth, Monogr. Gen. Capsici, t. 3 (1832).
Harz, Samenkunde, ii. 1010 (1885).—*Fr.*
cerasiforme Mill.
*Fingerhuth, Monogr. Gen. Capsici, t. 5 (1832).
Wien. Ill. Gart.-Zeit. v. 321 (1880).
Vilmorin-Andr. Pl. Potag. 411 (1883).
Harz, Samenkunde, ii. 1010 (1885).—*Fr.*
*Useful Pl. Jap. i. t. 169 (1895).
ceratocarpum Fingerh.
*Fingerhuth, Monogr. Gen. Capsici, t. 6 (1832).
Harz, Samenkunde, ii. 1014 (1885).—*Fr.*
cereolum Bertol.
*Bertoloni in Novi Comm. Acad. Sc. Bonon. iii. t. 24 (1839).
Paxt. Fl. Gard. ii. 131 (1851–52).
chinense Jacq.
*Jacquin, Hort. Vind. iii. t. 67 (1776).
comarim Vell.
Vellozo, Fl. Flum. ii. t. 2 (1827).
conicum Vell.
Vellozo, Fl. Flum. ii. t. 9 (1827).
conicum G. F. W. Mey.
Harz, Samenkunde, ii. 1014 (1885).—*Fr.*
conoides Mill.
*Fingerhuth, Monogr. Gen. Capsici, t. 3 (1832).
Harz, Samenkunde, ii. 1010 (1885).—*Fr.*
—— **chordale** Fingerh.
*Fingerhuth, Monogr. Gen. Capsici, t. 3 (1832).
Harz, Samenkunde, ii. 1010 (1885).—*Fr.*
—— **sulcatum** Fingerh.
*Fingerhuth, Monogr. Gen. Capsici, t. 3 (1832).
Harz, Samenkunde, ii. 1010 (1885).—*Fr.*
cordiforme Mill.
*Fingerhuth, Monogr. Gen. Capsici, t. 9 (1832).
Reichenbach, Ic. Fl. Germ. xx. t. 1634 (1861).
Harz, Samenkunde, ii. 1014 (1885).—*Fr.*
—— **globosum** Fingerh.
*Fingerhuth, Monogr. Gen. Capsici, t. 10 (1832).
Harz, Samenkunde, ii. 1014 (1885).—*Fr.*
—— **maius** Fingerh.
*Fingerhuth, Monogr. Gen. Capsici, t. 9 (1832).
Harz, Samenkunde, ii. 1014 (1885).—*Fr.*
—— **minus** Fingerh.
*Fingerhuth, Monogr. Gen. Capsici, t. 10 (1832).
Harz, Samenkunde, ii. 1014 (1885).—*Fr.*
—— **oliviforme** Fingerh.
*Fingerhuth, Monogr. Gen. Capsici, t. 10 (1832).
Harz, Samenkunde, ii. 1014 (1885).—*Fr.*
—— **subangulosum** Fingerh.
*Fingerhuth, Monogr. Gen. Capsici, t. 9 (1832).
Harz, Samenkunde, ii. 1014 (1885).—*Fr.*
cydoniiforme Hort.
Wien. Ill. Gart.-Zeit. v. 320 (1880).—*Fr.*
fastigiatum Bl.
Wight, Ic. Pl. Ind. Or. iv. t. 1617 (1850).
*Wight, Illustr. Ind. Bot. ii. t. 166 bis (1850).—*Fl.*
*Bentley & Trim. Med. Pl. t. 188 (1878).
Hare, Caspari & Rusby, Nat. Stand. Dispens. 365 (1905).—*Fr.*
F. M. Bailey, Weeds & Poison. Pl. Queensland, 126 (1906).
Journ. Roy. Hort. Soc. London, xxxv. 368, fig. 128 (1910).—*Fr.*
frutescens Linn.
Rheede, Hort. Mal. ii. t. 56 (1679); fide Fl. Brit. Ind. iv. 239.
Rumphius, Herb. Amboin. v. t. 88, fig. 1–4 (1747); fide Merrill, Interpret. Rumph. Herb. Amboin.
Gil & Xuarez, Osserv. t. 2 (1792).
Lamarck, Ill. i. t. 116, fig. 2 (1797).
Berchtold & J. S. Presl, Rostlin. i. t. [51] (1823).
*Fingerhuth, Monogr. Gen. Capsici, t. 4 (1832).
Harz, Samenkunde, ii. 1010 (1885).—*Fr.*
Duthie & Fuller, Field & Gard. Crops, t. 74 (1893).
Rep. Missouri Bot. Gard. ix. t. 9 (1898).
L. H. Bailey, Cycl. Amer. Hort. 242 (1900); Stand. Cycl. Hort. 659 (1914).
Journ. Roy. Hort. Soc. London, xxxv. 368, fig. 128 (1910).—*Fr.*
Agric. Colon., Ital. ix. 565 (1915).
Basu, Ind. Med. Pl. t. 679 (1918).

CAPSICUM
grossum Linn.
C. K. Sprengel, Entd. Geheimn. Natur, t. 9, fig. 17, 19–21 (1793).—*Fl.*
Decaisne & Naud. Amat. Jard. iv. 233 [1862–66].
Brehm, Merv. Nat. Monde des Pl. ii. 305 (1894–96). —*Fr.*
Journ. Roy. Hort. Soc. London, xxxv. 368, fig. 128 (1910).—*Fr.*
—— **angulosum** Fingerh.
*Fingerhuth, Monogr. Gen. Capsici, t. 6 (1832). —*Fr.*
Harz, Samenkunde. ii. 1010 (1885).—*Fr.*
—— **cordatum** Fingerh.
*Fingerhuth, Monogr. Gen. Capsici, t. 6 (1832).
Harz, Samenkunde, ii. 1010 (1885).—*Fr.*
—— **ovatum** Fingerh.
*Fingerhuth, Monogr. Gen. Capsici, t. 5 (1832).
Harz, Samenkunde, ii. 1010 (1885).—*Fr.*
—— **pomiforme** Fingerh.
*Fingerhuth, Monogr. Gen. Capsici, t. 5 (1832).
Harz, Samenkunde, ii. 1010 (1885).—*Fr.*
inaequale Vell.
Vellozo, Fl. Flum. ii. t. 5 (1827).
longum DC.
*Fingerhuth, Monogr. Gen. Capsici, t. 6 (1832).
Berg, Charakt. t. 39, fig. 305 (1861) in textu; *C. annuum* in ic.
*Berg & Schmidt, Darst. u. Beschr. Offiz. Gewächse, iii. t. 20, a (1861).
*Somoku Dzusetsu, Ed. 2, iii. t. 37 (1874).
Harz, Samenkunde, ii. 1014 (1885).—*Fr.*
*Zippel, Ausl. Handels- & Nährpfl. t. 17 (1885).
Brehm, Merv. Nat. Monde des Pl. ii. 305 (1894–96). —*Fr.*
Karsten, Fl. Deutschl. ii. 539 (1895).—*Fr.*
*Kohl, Off. Pfl. Pharm. Germ. t. 130 (1895).
*Useful Pl. Jap. i. t. 167, 168 (1895).
Journ. Roy. Hort. Soc. London, xxxv. 368, fig. 128 (1910).—*Fr.*
—— **incrassatum** Fingerh.
*Fingerhuth, Monogr. Gen. Capsici, t. 7 (1832).
Harz, Samenkunde, ii. 1014 (1885).—*Fr.*
—— **luteum** DC.
*Fingerhuth, Monogr. Gen. Capsici, t. 7 (1832).
Harz, Samenkunde, ii. 1014 (1885).—*Fr.*
—— **pendulum** Harz
Harz, Samenkunde, ii. 1014 (1885); *C. pendulum* in textu.—*Fr.*
—— **rectum** DC.
*Fingerhuth, Monogr. Gen. Capsici, t. 7 (1832).
Harz, Samenkunde, ii. 1014 (1885).—*Fr.*
luteum Lam.
*Fingerhuth, Monogr. Gen. Capsici, t. 8 (1832).
microcarpum DC.
*Fingerhuth, Monogr. Gen. Capsici, t. 4 (1832).
Harz, Samenkunde, ii. 1010 (1885).—*Fr.*
minimum Blanco
*Blanco, Fl. Filip. t. 47 (1878–80).
minimum Mill.
Vidal, Sin. Fam. & Gen. Pl. Leñ. Filip. (Introd. Fl. For. Filip.), Atlas, t. 72, fig. B (1883).—*Fl.*
Duthie & Fuller, Field & Gard. Crops, t. 72 (1893).
Greshoff, Nutt. Ind. Pl. t. 47 (1900).
Pharm. Journ. Ser. IV. x. 276 (1900).
Basu, Ind. Med. Pl. t. 680 (1918).
odoriferum Vell.
Vellozo, Fl. Flum. ii. t. 8 (1827).
ovatum DC.
*Fingerhuth, Monogr. Gen. Capsici, t. 9 (1832).
Harz, Samenkunde, ii. 1014 (1885).—*Fr.*
pendulum Willd.
*Fingerhuth, Monogr. Gen. Capsici, t. 7 (1832).
pyramidale Mill.
*Fingerhuth, Monogr. Gen. Capsici, t. 3 (1832).
Harz, Samenkunde, ii. 1010 (1885).—*Fr.*
silvestre Vell.
Vellozo, Fl. Flum. ii. t. 1 (1827).
sinense Linn.
*Fingerhuth, Monogr. Gen. Capsici, t. 8 (1832).
Harz, Samenkunde, ii. 1014 (1885).—*Fr.*
sphaericum Willd.
*Fingerhuth, Monogr. Gen. Capsici, t. 9 (1832).
Harz, Samenkunde, ii. 1014 (1885).—*Fr.*

CAPSICUM
strictum Fingerh.
*Fingerhuth, Monogr. Gen. Capsici, t. 5 (1832).
Harz, Samenkunde, ii. 1010 (1885).—*Fr.*
tetragonum Mill.
*Fingerhuth, Monogr. Gen. Capsici, t. 10 (1832).
*Blanco, Fl. Filip. t. 142 (1878–80).
Harz, Samenkunde, ii. 1014 (1885).—*Fr.*
tomatiforme Fingerh.
Wien. Ill. Gart.-Zeit. v. 321 (1880).—*Fr.*
torulosum Vell.
Vellozo, Fl. Flum. ii. t. 4 (1827).
turbinatum Desc.
Descourtilz, Fl. Pitt. & Méd. Antilles, vi. t. 423 (1828) ex ind.
umbilicatum Vell.
Vellozo, Fl. Flum. ii. t. 7 (1827).
ustulatum Paxt.
*Paxt. Mag. v. 197 (1838).
villosum muticum Sendt.
Wawra, Bot. Ergebn. Reise Bras. t. 67 (1866).

CAPURA Blanco: *Otophora*
alata Teysm. & Binn.
Schimper, Pflanzen-Geogr. 166 (1898).—*Veg.*
nigrescens Vid.
Vidal, Sin. Fam. & Gen. Pl. Leñ. Filip. (Introd. Fl. For. Filip.), Atlas, t. 34, fig. E (1883).

CARAGANA Lam.
acanthophylla Kom.
Act. Hort. Petrop. xxix. t. 14 (1909).
altagana Poir.
J. C. Loudon, Arbor. & Frutic. Brit. ii. 630 (1838).
ambigua Stocks
Schneider, Ill. Handb. Laubh. ii. 98, 100 (1907).
Act. Hort. Petrop. xxix. t. 19 (1909).
arborescens Lam.
Lamarck, Ill. iii. t. 607, fig. 2 (1797).
Berchtold & J. S. Presl, Rostlin. iii. t. 33 (1830–35).
J. C. Loudon, Arbor. & Frutic. Brit. v. t. 22 A (1838).
Canada Exp. Farms, Rep. 1893, p. 304 (1894). —*Hab.*
*Behrens, Blattformen, t. 13, fig. c (1900).—*Veg.*
Hansen in Bull. S. Dakota Agric. St. No. 72, t. 9, 14 (1901).
Parkhurst, Trees, Shrubs, Vines N.E. United States, 395, t. 3, fig. 11 (1903).—*Veg.*
Schneider, Ill. Handb. Laubh. ii. 94, 96 (1907).
Suireishchikov, Ill. Fl. Mosc. Gov. ii. 302 (1907).
Apgar, Orn. Shrubs U.S. 120, fig. 143 (1910).
Deutsche Bot. Monatsschr. xxii. 162 (1911).—*Veg.*
Clements, Rosend. & Butters, Minnesota Trees & Shrubs, 180 (1912).
Journ. Linn. Soc., Bot. xli. t. 1, fig. 5 (1912).—*Veg.*
Molisch, Pflanzenphys. Theor. Gärtn. Ed. 3, p. 136 (1920).—*Hab.*
—— **cuneifolia** C. K. Schneider
Schneider, Ill. Handb. Laubh. ii. 96 (1907).—*Veg.*
—— **sophorifolia** Dipp.
Schneider, Ill. Handb. Laubh. ii. 96 (1907).—*Veg.*
arenaria Donn & Sims
J. C. Loudon, Arbor. & Frutic. Brit. ii. 631 (1838).
argentea Lam.
Lamarck, Ill. iii. t. 607, fig. 3 (1797).
*Journ. Jard. 1841, p. 310.
aurantiaca Koehne
Schneider, Ill. Handb. Laubh. ii. 103 (1907).—*Fl.*
Bean, Trees & Shrubs, i. 289 (1914).
bicolor Kom.
Act. Hort. Petrop. xxix. t. 9 (1909).
Boisii C. K. Schneider
Schneider, Ill. Handb. Laubh. ii. 96 (1907).—*Veg.*
Act. Hort. Petrop. xxix. t. 15 (1909).
brevicalyx Pampan.
Nuov. Giorn. Bot. Ital. N. Ser. xvii. 392 (1910).
brevifolia Kom.
Act. Hort. Petrop. xxix. t. 17 (1909).
brevispina Benth.
Schneider, Ill. Handb. Laubh. ii. 98, 100 (1907).
Silva Tarouca, Freiland-Laubgehölze, 168 (1913). —*Hab.*

CARAGANA
Bungei Ledeb.
*Ledebour, Ic. Pl. Ross. v. t. 464 (1834).
Schneider, Ill. Handb. Laubh. ii. 94, 96 (1907).
Camilli-Schneideri Kom.
Act. Hort. Petrop. xxix. t. 6 (1909).
Caragana Karst.
Schneider, Dendrol. Winterst. 131 (1903).—*Veg.*
chamlagu Lam.
J. C. Loudon, Arbor. & Frutic. Brit. ii. 633 (1838).
!Bull. Soc. Bot. Belg. v. 120 (1866).—*Veg.*
Schneider, Ill. Handb. Laubh. ii. 96, 101 (1907).
Act. Hort. Petrop. xxix. t. 5 (1909).
Apgar, Orn. Shrubs U.S. 121, fig. 146 (1910).
Silva Tarouca, Freiland-Laubgehölze, 170 (1913). —*Hab.*
conferta Benth.
Act. Hort. Petrop. xxix. t. 18 (1909).
decorticans Hemsl.
Hook. Ic. Pl. xviii. t. 1725 (1887).
Schneider, Ill. Handb. Laubh. ii. 94, 100 (1907).
Act. Hort. Petrop. xxix. t. 14 (1909).
densa Kom.
Act. Hort. Petrop. xxix. t. 7 (1909).
digitata Lam.
Clements, Rosend. & Butters, Minnesota Trees & Shrubs, 180 (1912).
erinacea Kom.
Act. Hort. Petrop. xxix. t. 9 (1909).
ferox Lam.
Lamarck, Ill. iii. t. 607, fig. 1 (1797).
Franchetiana Kom.
Act. Hort. Petrop. xxix. t. 13 (1909).
frutescens DC.
*Sweet, Brit. Fl. Gard. iii. t. 227 (1827).
J. C. Loudon, Arbor. & Frutic. Brit. ii. 631 (1838).
Gartenfl. x. t. 348 (1861).
Trans. Russ. Hort. Soc. 1861, t. 74.
L. H. Bailey, Cycl. Amer. Hort. 243 (1900).
Apgar, Orn. Shrubs U.S. 121, fig. 145 (1910).
frutex C. Kochne
Lauche, Deutsche Dendrol. Ed. 2, p. 686 (1883).
Schneider, Ill. Handb. Laubh. ii. 96 (1907).—*Veg.*
Suireishchikov, Ill. Fl. Mosc. Gov. ii. 302 (1907).
L. H. Bailey, Stand. Cycl. Hort. 660 (1914).
—— **grandiflora** Koehne
Schneider, Ill. Handb. Laubh. ii. 103 (1907).
—— **latifolia** C. K. Schneider
Schneider, Ill. Handb. Laubh. ii. 96, 103 (1907).
fruticosa Bess.
*Behrens, Blattformen, t. 13, fig. b (1900).—*Veg.*
Gerardiana Benth.
*Royle, Illustr. Bot. Himal. t. 34 (1839).
Schneider, Ill. Handb. Laubh. ii. 100, 101 (1907).
Act. Hort. Petrop. xxix. t. 13 (1909).
Silva Tarouca, Freiland-Laubgehölze, 169 (1913). —*Hab.*
grandiflora DC.
*Journ. Jard. 1845, p. 204.
Schneider, Ill. Handb. Laubh. ii. 103 (1907).
Apgar, Orn. Shrubs U.S. 121, fig. 148 (1910).
jubata Poir.
*Gartenfl. x. t. 331 (1861).
*Trans. Russ. Hort. Soc. 1861, t. 57.
*Fl. des Serres, Ser. II. ix. t. 2013 (1873).
Schneider, Ill. Handb. Laubh. ii. 98, 100 (1907).
Silva Tarouca, Freiland-Laubgehölze, 169 (1913). —*Hab.*
Korshinskii Kom.
Act. Hort. Petrop. xxix. t. 16 (1909).
Kozlowii Kom.
Act. Hort. Petrop. xxix. t. 11 (1909).
laeta Kom.
Act. Hort. Petrop. xxix. t. 6 (1909).
Leveillei Kom.
Act. Hort. Petrop. xxix. t. 5 (1909).
Litwinowii Kom.
Act. Hort. Petrop. xxix. t. 16 (1909).
mandshurica Kom.
Act. Hort. Petrop. xxix. t. 16 (1909).
Maximowiczii Kom.
Act. Hort. Petrop. xxix. t. 11 (1909).
microphylla Lam.
*Behrens, Blattformen, t. 13, fig. a (1900).—*Veg.*

CARAGANA
microphylla
Vilmorin & Bois, Frutic. Vilmor. 57 (1904).—*Hab.*
Schneider, Ill. Handb. Laubh. ii. 94, 96 (1907).
Apgar, Orn. Shrubs U.S. 120, fig. 144 (1910).
L. H. Bailey, Stand. Cycl. Hort. 660 (1914).
—— **intermedia** Regel
Gartenfl. x. t. 336 (1861).
Trans. Russ. Hort. Soc. 1861, t. 62.
—— **megalantha** C. K. Schneider
Schneider, Ill. Handb. Laubh. ii. 96 (1907).—*Veg.*
pekinensis Kom.
Act. Hort. Petrop. xxix. t. 15 (1909).
polourensis Franch.
Act. Hort. Petrop. xxix. t. 8 (1909).
Potaninii Kom.
Act. Hort. Petrop. xxix. t. 16 (1909).
Prainii C. K. Schneider
Schneider, Ill. Handb. Laubh. ii. 94 (1907).—*Fl.*
pygmaea DC.
*Bot. Reg. xii. t. 1021 (1826).
J. C. Loudon, Arbor. & Frutic. Brit. ii. 632 (1838).
Schneider, Ill. Handb. Laubh. ii. 103 (1907).
Suireishchikov, Ill. Fl. Mosc. Gov. ii. 303 (1907).
Apgar, Orn. Shrubs U.S. 121, fig. 147 (1910).
Silva Tarouca, Freiland-Laubgehölze, 113 (1913). —*Hab.*
U.S. Dep. Agric. Bur. Pl. Indust. Invent. Seeds & Pl. Import. No. 45, t. 7 (1918).—*Hab.*
—— **arenaria** Dipp.
*A Kert (The Garden), xi. 576 (1905).
Roborowskii Kom.
Act. Hort. Petrop. xxix. t. 8 (1909).
rosea Turcz.
Act. Hort. Petrop. xxix. t. 5 (1909).
sericea Pamp.
Act. Hort. Petrop. xxix. t. 15 (1909).
spinosa DC.
J. C. Loudon, Arbor. & Frutic. Brit. ii. 632 (1838).
Berge, Pflanzenphysiogn. 175 (1880).
Schneider, Dendrol. Winterst. 131 (1903).—*Veg.*
Schneider, Ill. Handb. Laubh. ii. 96, 101 (1907).
spinosissima Benth.
Jacquemont, Voy. Inde, t. 43 (1844).
Ralph, Ic. Carpolog. t. 38 (1849).—*Fr.*
stipitata Kom.
Act. Hort. Petrop. xxix. t. 15 (1909).
sukiensis C. K. Schneider
Schneider, Ill. Handb. Laubh. ii. 98, 100 (1907).
tangutica Maxim.
Act. Hort. Petrop. xxix. t. 12 (1909).
tibetica Kom.
Act. Hort. Petrop. xxix. t. 10 (1909).
tragacanthoides Poir.
Schneider, Ill. Handb. Laubh. ii. 100, 101 (1907).
triflora Lindl.
Paxt. Fl. Gard. ii. 148 (1851–52).
Lem. Jard. Fl. ii. Misc. 114 (1852).
turkestanica Kom.
Act. Hort. Petrop. xxix. t. 14 (1909).
ulicina Stocks
Schneider, Ill. Handb. Laubh. ii. 98, 100 (1907).
Act. Hort. Petrop. xxix. t. 20 (1909).
Zahlbruckneri C. K. Schneider
Schneider, Ill. Handb. Laubh. ii. 94, 96 (1907).

CARAGUATA Lindl.: *Guzmania*
acorifolia André
André, Bromel. t. 16 (1889).
Andreana E. Morr.
*Rev. Hort. 1884, p. 247; 1886, p. 276.
*Bot. Mag. cxiv. t. 7014 (1888).
Bellair & St.-Léger, Pl. Serre, 443 (1900).—*Hab.*
angustifolia Baker
*Bot. Mag. cxvi. t. 7137 (1890).
Beleana André
Rev. Hort. 1891, p. 114.
bracteosa André
André, Bromel. t. 14 (1889).
candelabrum André
André, Bromel. t. 19 (1889).
cardinalis André
*Rev. Hort. 1883, p. 12.
*Ill. Gartenzeit. Stuttgart, xxix. t. 7 (1885).

CARAGUATA
cardinalis
Journ. Hort. Ser. III. xxvi. 237 (1893).—*Hab.*
conifera André
André, Bromel. t. 15 (1889).
*Bot. Mag. cxx. t. 7359 (1894).
*Rev. Hort. 1896, p. 208.
Fuerstenbergiana Kirch. & Wittm.
*Garten-Zeit. Berlin, ii. 299 (1883).
gloriosa André
André, Bromel. t. 17 (1889).
hygrometrica André
André, Bromel. t. 18 (1889).
lepidota André
André, Bromel. t. 19 (1889).
lingulata Lindl.
*Rev. Hort. Ser. II. v. 161 (1846).
*Ann. Gand, iii. t. 109 (1847).
Bull. Acad. Sc. Bruxelles, xiv. II. 112 (1847).
—— **cardinalis** André
*Ill. Hort. xxvii. t. 374 (1880).
Morreniana André
*Rev. Hort. 1887, p. 12.
multiflora André
André, Bromel. t. 18 (1889).
musaica André
*Ill. Hort. xxiv. t. 268 (1877).
*Bot. Mag. cix. t. 6675 (1883).
osyana E. Morr.
*Belg. Hort. xxxv. 254 (1885).
Peacockii rubra Hort.
Hesdörffer, Handb. Zimmergärtn. Ed. 2, p. 256 (1900).
pulchella André
André, Bromel. t. 16 (1889).
sanguinea André
Gard. Chron. xx. 717 (1883).
Garden, xxiv. 505 (1883).—*Hab.*
*Rev. Hort. 1883, p. 468, 469.
*Bot. Mag. cx. t. 6765 (1884).
Rev. Hort. Belge, x. 20 (1884).—*Hab.*
Pflanzenfam. ii. IV. 38 (1888).
André, Bromel. t. 17 (1889).
Bull. Soc. Acclim. xxxix. 1. 225 (1892).—*Hab.*
Bellair & St.-Léger, Pl. Serre, 444 (1900).—*Hab.*
—— **erecta** André
André, Bromel. t. 17 (1889).
sphaeroidea André
André, Bromel. t. 19 (1889).
splendens Hort.
Otto & Dietr. Allg. Gartenzeit. xxiv. Ill. Beil. 3 (1856).
*Fl. des Serres, Ser. II. i. t. 1091 (1856).
Van Volxemii André
*Ill. Hort. xxv. t. 326 (1878).
violacea André
André, Bromel. t. 18 (1889).
Zahnii Hook. f.
*Bot. Mag. xcix. t. 6059 (1873).
*Belg. Hort. xxiii. 342 (1873).

CARAIPA Aubl.
angustifolia Aubl.
Aublet, Hist. Pl. Guiane Franç. iv. t. 224 (1775).
densifolia Mart.
Martius, Nov. Gen. & Sp. Pl. Bras. i. t. 65 (1824). —*Fr.*
fasciculata Cambess.
Mart. Fl. Bras. xii. 1. t. 66 (1886).
glabrata Mart.
*Martius, Nov. Gen. & Sp. Pl. Bras. i. t. 65 (1824).
grandifolia Mart.
Mart. Fl. Bras. xii. 1. t. 65 (1886).
latifolia Aubl.
Aublet, Hist. Pl. Guiane Franç. iv. t. 224 (1775).
longifolia Aubl.
Aublet, Hist. Pl. Guiane Franç. iv. t. 223 (1775).
palustris Barb. Rodr.
*Barbosa Rodrigues, Ternstroemiac. 7, fig. A (1887) in textu; *C. rupestris* in ic.
Barbosa Rodrigues, Vellosia, iii. 1. t. 5 (1891) in textu; *C. rupestris* in ic.
paniculata Mart.
*Martius, Nov. Gen. & Sp. Pl. Bras. i. t. 64 (1824).
parvifolia Aubl.
Aublet, Hist. Pl. Guiane Franç. iv. t. 223 (1775).

CARAIPA
Richardiana Cambess.
Mém. Mus. Hist. Nat. Paris, xvi. 472, t. 18 (1828).
rupestris Barb. Rodr.
Barbosa Rodrigues, Ternstroemiac. 7, fig. A (1887) in ic.; sphalm. *C. palustris* in textu.
Barbosa Rodrigues, Vellosia, iii. 1. t. 5 (1891) in ic.; *C. palustris* in textu.
silvatica Barb. Rodr.
Barbosa Rodrigues, Ternstroemiac. 7, fig. B (1887).
Barbosa Rodrigues, Vellosia, iii. 1. t. 5 (1891).
spuria Barb. Rodr.
Barbosa Rodrigues, Ternstroemiac. 7, fig. C (1887).
Barbosa Rodrigues, Vellosia, iii. 1. t. 5 (1891).
tereticaulis Tul.
Mart. Fl. Bras. xii. 1. t. 61 (1886).

CARALLIA Roxb.—Vide *Barraldeia*
borneensis Oliv.
Hook. Ic. Pl. xxv. t. 2459 (1896).
calycina Benth.
*Trimen, Handb. Fl. Ceylon, Atlas, ii. t. 36 (1894).
ceylanica Arn.
*Wight, Illustr. Ind. Bot. i. t. 90 (1840).
corymbosa Wight
Rheede, Hort. Mal. v. t. 13 (1685); fide Hasskarl, Hort. Mal. Rheed. Clavis, 40.
fascicularis Guillaum.
Lecomte, Fl. Gén. Indo-Chine, ii. 723 (1920). —*Fl.*
integerrima DC.
Beddome, Fl. Sylv. t. 193 (1872).
Vidal, Sin. Fam. & Gen. Pl. Leñ. Filip. (Introd. Fl. For. Filip.), Atlas, t. 47, fig. E (1838).—*Fl.*
Pflanzenfam. iii. VII. 53 (1893).—*Fl.*
Banks & Soland. Bot. Cook's Voy. i. t. 99 (1900).
Talbot, For. Fl. Bombay, ii. 10 (1911).
Koorders & Val. Atlas, Baumart. Java, t. 109 (1913).
lanceifolia Roxb.
Wight, Ic. Pl. Ind. Or. ii. t. 604 (1840–43).
lucida Roxb.
*Roxburgh, Pl. Coromandel, iii. t. 211 (1819).
Wight, Ic. Pl. Ind. Or. ii. t. 605 (1840–43).
Ettingshausen, Blatt-Skel. Dikot. t. 80 (1861). —*Veg.*
Pflanzenfam. iii. VII. 53 (1893).—*Fr.*
Brandis, Indian Trees, 305 (1906).
Lecomte, Fl. Gén. Indo-Chine, ii. 723 (1920). —*Fl.*

CARALLUMA R. Br.—Vide *Apteranthes, Boucerosia, Desmidorchis, Quaqua*
aaronis N. E. Br.
Berger, Stapel. u. Klein. 116 (1910).
adscendens R. Br.
Berger, Stapel. u. Klein. 53 (1910).
affinis De Wild.
De Wildeman, Ic. Sel. Hort. Then. v. t. 167 (1904).
aperta N. E. Br.
Hook. Ic. Pl. xx. t. 1905 (1890).—*Fl.*
Berger, Stapel. u. Klein. 127 (1910).
arabica N. E. Br.
Berger, Stapel. u. Klein. 116 (1910).—*Fl.*
arida N. E. Br.
Berger, Stapel. u. Klein. 123 (1910).
armata N. E. Br.
Hook. Ic. Pl. xx. t. 1902 (1890).
attenuata Wight
Wight, Ic. Pl. Ind. Or. iv. t. 1268 (1848).
*Wight, Illustr. Ind. Bot. ii. t. 155 bis (1850).—*Fl.*
Berger, Stapel. u. Klein. 53 (1910).
campanulata N. E. Br.
Gard. Chron. Ser. III. xii. 369 (1892).
*Bot. Mag. cxix. t. 7274 (1893).
Berger, Stapel. u. Klein. 69 (1910).
carnosa Stent
Kew Bull. 1916, p. 42, t. 1.
cicatricosa N. E. Br.
Berger, Stapel. u. Klein. 111 (1910).
codonoides K. Schum.
Engler & Drude, Veget. Erde, ix. 1. 1, p. 250 (1910).—*Hab.*
commutata Berger
Berger, Stapel. u. Klein. 107 (1910).
crenulata Wall.
*Wallich, Pl. Asiat. Rar. i. t. 7 (1830).

CARALLUMA
crenulata
*Lodd. Bot. Cab. xviii. t. 1774 (1831).
Gard. Chron. Ser. III. xxxv. 19 (1904).
dependens N. E. Br.
Hook. Ic. Pl. xx. t. 1903 (1890).
Berger, Stapel. u. Klein. 120 (1910).—*Fl.*
diffusa R. Br.
Berger, Stapel. u. Klein. 69 (1910).—*Fl.*
europaea N. E. Br.
Berger, Stapel. u. Klein. 94 (1910).
Trotter, Fl. Econ. della Libia, t. 124 (1915).—*Hab.*
—— **affinis** Berger
Berger, Stapel. u. Klein. 94 (1910).—*Fl.*
—— **marmaricensis** Berger
Berger, Stapel. u. Klein. 96 (1910).
—— **maroccana** Berger
Berger, Stapel. u. Klein. 94 (1910).
—— **Simonis** Berger
Berger, Stapel. u. Klein. 94 (1910).—*Fl.*
fimbriata Wall.
*Wallich, Pl. Asiat. Rar. i. t. 8 (1830).
*Lodd. Bot. Cab. xix. t. 1863 (1832).
Hort. Reg. ii. 36 (1833).
Paxt. Mag. i. 216 (1841).
Holtermann, Einfl. Klimas, t. 4, fig. 26, b (1907).
Berger, Stapel. u. Klein. 53 (1910).
incarnata N. E. Br.
N. L. Burman, Rar. Afr. Pl. t. 7, fig. 1 (1738); fide Fl. Cap.
Berger, Stapel. u. Klein. 118 (1910).
indica N. E. Br.
Berger, Stapel. u. Klein. 84 (1910).
lasiantha N. E. Br.
Berger, Stapel. u. Klein. 84 (1910).—*Fl.*
Leendertziae N. E. Br.
Ann. Transvaal Mus. ii. 1. 47 (1909).
linearis N. E. Br.
Hook. Ic. Pl. xx. t. 1903 (1890).
Berger, Stapel. u. Klein. 120 (1910).—*Fl.*
longidens N. E. Br.
Berger, Stapel. u. Klein. 116 (1910).—*Fl.*
Lugardii N. E. Br.
Berger, Stapel. u. Klein. 114 (1910).
Dinter, Neue Pfl. Deutsch-Südw. Afr. fig. 47 (1914).
Luntii N. E. Br.
Berger, Stapel. u. Klein. 116 (1910).
lutea N. E. Br.
Hook. Ic. Pl. xx. t. 1901 (1890).
Pflanzenfam. iv. II. 276 (1895).
mammillaris N. E. Br.
N. L. Burman, Rar. Afr. Pl. t. 11 (1738); fide Fl. Cap.
Berger, Stapel. u. Klein. 78 (1910).—*Fl.*
maroccana Berger
Gartenwelt, xv. 116 (1911).
Munbyana N. E. Br.
Gard. Chron. Ser. III. xxxv. 84 (1904).
Nebrownii Dinter & Berger
*Bot. Mag. cxxxv. t. 8267 (1909).
Berger, Stapel. u. Klein. 87 (1910).
Monatsschr. Kakt. xx. 7 (1910).
parviflora N. E. Br.
Berger, Stapel. u. Klein. 120 (1910).
pauciflora N. E. Br.
Berger, Stapel. u. Klein. 84 (1910).—*Fl.*
penicillata N. E. Br.
Berger, Stapel. u. Klein. 76 (1910).
priogonium K. Schum.
Engler & Drude, Veget. Erde, ix. 1. 1, p. 250 (1910).—*Hab.*
pruinosa N. E. Br.
Berger, Stapel. u. Klein. 120 (1910).
pseudo-Nebrownii Dinter
Dinter, Neue Pfl. Deutsch-Südw. Afr. fig. 48, 49 (1914).
quadrangula N. E. Br.
Berger, Stapel. u. Klein. 109 (1910).
ramosa N. E. Br.
Hook. Ic. Pl. xx. t. 1904 (1890).
Deutsche Tiefsee-Exped. 1898–99, ii. III. t. 14 (1908).—*Hab.*
Rangeana Dinter & Berger
Dinter, Neue Pfl. Deutsch-Südw. Afr. fig. 50 (1914).

CARALLUMA
retrospiciens N. E. Br.
*Ehrenberg, Symb. Phys., Bot. t. 7 (1900) in textu; *Desmidorchis retrospiciens* in ic.
Engler & Drude, Veget. Erde, ix. 1. 1, p. 139 (1910).—*Hab.*
—— **hirtiflora** Berger
Berger, Stapel. u. Klein. 72, 73, 74 (1910).
Rosengrenii Vierh.
Vierhapper in Denkschr. Akad. Wiss. Wien, lxxi. 411 (1907).
Schweinfurthii Berger
Berger, Stapel. u. Klein. 104 (1910).—*Fl.*
scutellata Deflers
Bull. Soc. Bot. France, xliii. t. 4 (1896).
Simonis Berger
Garden, lxxviii. 278 (1914).—*Fr.*
speciosa N. E. Br.
Monatsschr. Kakt. viii. 180 (1898).
Berger, Stapel. u. Klein. 78 (1910).—*Fl.*
Sprengeri N. E. Br.
Berger, Stapel. u. Klein. 104 (1910).
subulata Decne.
Ann. Sc. Nat. Paris, Ser. II. ix. t. 9 (1838).—*Fl.*
umbellata Haw.
Berger, Stapel. u. Klein. 69 (1910).—*Fl.*

CARANDA Gaertn.
pedunculata Gaertn.
Gaertner, Fruct. ii. t. 83 (1791).—*Fr.*

CARAPA Aubl.—Vide *Zurloa*
guianensis Aubl.
Aublet, Hist. Pl. Guiane Franç. iv. t. 387 (1775).
Lamarck, Ill. ii. t. 301 (1797).
*Descourtilz, Fl. Pitt. & Méd. Antilles, vi. t. 446 (1828).
Mém. Mus. Hist. Nat. Paris, xix. 304, t. 20 (1830). —*Fl.*
Mart. Fl. Bras. xi. 1. t. 64 (1878).
A. & C. De Candolle, Monogr. Phan. i. t. 9, fig. 2 (1878).—*Fl.*
Pflanzenfam. iii. IV. 277 (1896).—*Fr.*
Ann. Inst. Col. Marseille, v. II. 143 (1898).—*Fr.*
Rev. Cult. Colon. v. 163 (1899).—*Fr.*
Nery, Land Amazons, Ed. 2, p. 99 (1901).—*Hab.*
Quarterly Journ. Liverpool Univ. Instit. Comm. Research Tropics, iii. No. 6, p. 24 (1908).—*Fr.*
Trav. Mat. Méd. Paris, x. IV. 57, 111 (1917).—*Fr.*
mekongensis Pellegrin
Lecomte, Fl. Gén. Indo-Chine, i. 778 (1911).—*Fl.*
microcarpa A. Chev.
Trav. Mat. Méd. Paris, x. IV. 57 (1917).—*Fr.*
moluccensis Lam.
Beddome, Fl. Sylv. t. 136 (1871).
Vidal, Sin. Fam. & Gen. Pl. Leñ. Filip. (Introd. Fl. For. Filip.), Atlas, t. 29, fig. F (1883).—*Fr.*
Bibl. Bot. v. No. 22, t. 8, fig. 119–23; t. 11, fig. 142 (1891).
Grandidier, Hist. Madag. [Plantes] Atlas, t. 259 (1893).
Banks & Soland. Bot. Cook's Voy. i. t. 38 (1900).
Naturwiss. Zeitschr. Land- & Forst. vii. 424 (1909).—*Hab.*
Sim, For. Fl. Portug. E. Africa, t. 16, 84 (1909).
Teysmannia, xxii. 129 (1911).—*Fr.*
Trav. Mat. Méd. Paris, x. IV. 57, 111 (1917).—*Fr.*
Basu, Ind. Med. Pl. t. 227 (1918).
obovata Bl.
Schimper, Bot. Mitt. Tropen, Heft iii. t. 7 (1891). —*Fr.*
Grandidier, Hist. Madag. [Plantes] Atl. t. 260 (1893).
Schimper, Pflanzen-Geogr. 430 (1898).
Brandis, Indian Trees, 141 (1906).
Talbot, For. Fl. Bombay, i. 244 (1909).
Heckel, Pl. Nouv. Calédonie (Ann. Mus. Col. Marseille, Ser. II), x. t. 11, 12 (1912).
Francé, Leben Pflanze, vi. 456 (1913).—*Hab.*
procera DC.
Pflanzenfam. iii. IV. 277 (1896).—*Fl.*
*De Janville, Pl. Utiles Pays Chauds, t. 46 (1902).
De Wildeman, Not. Pl. Utiles Congo, i. 61 (1903).—*Fr.*
Quarterly Journ. Liverpool Univ. Instit. Comm. Research Tropics, iii. No. 6, p. 24 (1908).—*Fr.*
Beille, Bot. Pharm. ii. 631 (1909).—*Fl.*

CARAPA
procera
Engler & Drude, Veget. Erde, ix. 1. 2, p. 645, 646 (1910); ix. III. 1. 809, 810 (1915).
Notizbl. Bot. Gart. Berlin, App. xxii. 100–101 (1910).
senegalensis Cazalbon
Rev. Cult. Colon. iii. 57 (1898).
sericea Poepp. & Endl.
Poeppig & Endl. Nov. Gen. & Sp. Pl. iii. 245 (1845).
surinamensis Miq.
Miquel, Stirp. Surinam. (Nat. Verh. Holl. Maatsch. Wet. Haarlem, Ser. II. vii), t. 19 (1850).
touloucouna Guill. & Perr.
Ann. Inst. Col. Marseille, v. II. 157 (1898).—*Fr.*
Rev. Cult. Colon. v. 195 (1899).—*Fr.*
Trav. Mat. Méd. Paris, x. IV. 57, 111 (1917).—*Fr.*

CARAPICHEA Aubl.: *Cephaëlis*
guianensis Aubl.
Aublet, Hist. Pl. Guiane Franç. iii. t. 64 (1775).

CARARA Medic.: *Coronopus*
Coronopus Medic.
Medicus, Pflanz.-Gatt. t. 1, fig. 4 (1792).—*Fl.*
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, ii. 167 (1913).
didyma Britton
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, ii. 167 (1913).
Britton, Fl. Bermuda, 147 (1918).

CARBENIA Benth.: *Cnicus*
benedicta Adans.
L. H. Bailey, Cycl. Amer. Hort. 243 (1900).

CARDAMINE Linn.—Vide *Pteroneurum*
africana Linn.
Koorders, Exkursionsfl. ii. 289 (1912).
Fyson, Fl. Nilgiri & Pulney Hill-tops, ii. 13 (1915).
agyokumontana Hayata
Hayata, Ic. Pl. Formosan. iii. 19 (1913).
alpina Willd.
*Sturm, Deutschl. Fl. vii. XXVIII [t. 444] (1809).
Reichenbach, Ic. Fl. Germ. ii. t. 25 (1837–38).
*Cusin & Ansberque, Herb. Fl. Franç. ii. t. 302 (1868).
*Seboth & A. W. Bennett, Alpine Pl. iv. t. 11 (1880).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xiv. t. 1360 (1883).
*Heathcote, Fl. Engadine, t. 21 (1891).
*Hartinger, Atlas Alpenfl. ii. t. 151 (1897).
Coste, Fl. France, i. 105 (1901).
Flora, lxxxix. t. 2, fig. 11 (1901).—*Fr.*
*Jul. Hoffmann, Alpine Fl. t. 5 (1903).
L. & C. Schroeter, Col. Vade-Mecum Alp. Fl. Ed. 16 & 17, t. 25 (1904).
Flahault, Nouv. Fl. Alpes & Pyrén. ii. 14 (1908).
C. Schroeter, Pflanzenleb. Alp. 498 (1908).
*Bonnier, Fl. Compl. France, Suisse & Belge, i. t. 43 [1911].
Marret, Ic. Fl. Alp. Pl. Fasc. 4, t. 57 [1911].
*H. S. Thompson, Alp. Pl. Europe, t. 6 (1911).—*Hab.*
Hegi, Ill. Fl. Mittel-Eur. iv. 1. 343 (1913).
Cadevall & Sallent, Fl. Catalunya, i. 136 (1915).
*Penzig, Fl. Alpi Illustr. Ed. 2, t. 5 (1915).
alternifolia Jungner
Jungner in Flora, lxxix. 275, fig. 17 (1894).—*Veg.*
amara Linn.
Hill, Herb. Brit. ii. t. 182 (1770).
*Curtis, Fl. Londin. i. fasc. III. t. 39 (1777); Ed. 2, ii. fasc. III. t. 39 (1821).
Allioni, Fl. Pedem. iii. t. 56, fig. 1 (1785).
Villars, Hist. Pl. Dauph. iii. t. 39 (1789).
*Sowerby & Sm. Engl. Bot. xiv. t. 1000 (1802).
*Schkuhr, Bot. Handb. Ed. 2, t. 187 (1808).—*Fl.*
Thornton, Brit. Fl. iii. 91 (1812).
*Hayne, Getreue Darst. Arzn. Gewächse, v. t. 31 (1817).
*Schrank, Fl. Monac. iv. t. 361 (1818).
*Sturm, Deutschl. Fl. xii. XLV [t. 714] (1826).

CARDAMINE
amara
*Zenker, Fl. Thüringen, ii. t. 205 (1836–55).
Reichenbach, Ic. Fl. Germ. ii. t. 27 (1837–38).
[M. E.] Jackson, Pict. Fl. fig. 983 (1840).
*C. E. Sowerby, Ill. Cat. Brit. Pl. fig. 80 (1841).
*Dietrich, Fl. Boruss. x. t. 677 (1842).
*Deakin, Florigr. Brit. ii. fig. 1068 (1845).
*J. W. Loudon, Brit. Wild Fl. Ed. 2, t. 9 [1846].
*Lorek, Fl. Pruss. Ed. 3, t. 157, fig. 841 (1848).
Cottage Gard. xii. 51 (1854).
Johnson & Sowerby, Brit. Wild Fl. fig. 94 (1858–60).
Berg, Charakt. t. 83, fig. 596 (1861).
*Syme, Engl. Bot. i. t. 108 (1863).
Bentham, Handb. Brit. Fl. fig. 62 (1865).
*Schubert, Naturg., Pflanzenreich, Ed. 2, t. 34, fig. 3 [1865].
*Cusin & Ansberque, Herb. Fl. Franç. ii. t. 296 (1868).
*Hogg & Johnson, Wild Fl. Gr. Brit. vi. t. 414 (1871).
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, i. t. 21 [1873].
Bot. Tidsskr. Ser. III. ii. 83 (1877–79).—*Veg.*
Wagner, Ill. Deutsche Fl. Ed. 2, p. 51 (1882).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xiv. t. 1367 (1883).
Schilling, Grundr. Naturg. ii. Pflanzenr. Ausgb. B, p. 71 (1884).
*Heathcote, Fl. Engadine, t. 22 (1891).
Fiori & Paol. Ic. Fl. Ital. 158 (1899).
Coste, Fl. France, i. 104 (1901).
C. T. Green, Fl. Liverpool Distr. fig. 35 (1902).
Suireishchikov, Ill. Fl. Mosc. Gov. ii. 184 (1907).
*Flahault, Nouv. Fl. Alpes & Pyrén. ii. t. 13 (1908).
Heukels, Fl. Nederl. ii. 262 (1908).
*Bonnier, Fl. Compl. France, Suisse & Belge, i. t. 44 [1911].
Beauverd in Bull. Soc. Bot. Genève, Ser. II. iii. 302 (1911).
*Hegi, Ill. Fl. Mittel-Eur. iv. 1. t. 133, p. 349 (1913).
Cadevall & Sallent, Fl. Catalunya, i. 135 (1915).
Lindman, Svensk Fanerogamfl. 285 (1918).
Fitch & Smith, Ill. Brit. Fl. Ed. rev. 4, Iss. 2, fig. 64 (1919).
—— **Cymbalaria** Beauverd
Beauverd in Bull. Soc. Bot. Genève, Ser. II. iii. 302 (1911).
—— **fluitans** Taliew (?)
Taliew in Trav. Soc. Nat. Univ. Kharkow, xxxviii. t. 2 (1904).
—— **umbrosa** Wimm. & Grab.
*Cusin & Ansberque, Herb. Fl. Franç. ii. t. 297 (1868).
anemonoides O. E. Schulz
Engl. Jahrb. xxxii. t. 9, fig. 2 (1903).
—— **suavis** O. E. Schulz
Engl. Jahrb. xxxii. t. 9, fig. 3 (1903).
angulata Hook.
Hooker, Bot. Misc. i. t. 69 (1830).
—— **kamtschatica** Regel
Bull. Soc. Nat. Mosc. xxxiv. No. 3, t. 5 (1861).
Regel & Herder, Reisen Süd. Ost-Sibir. i. t. 5 (1861).
antiscorbutica Banks & Soland.
De Wildeman in Voy. Belgica, Bot. 1897–99, t. 23, fig. 8–17 (1905).
arenicola Britton
Britton & Brown, Ill. Fl. N. States & Canada, ii. 129 (1897); Ed. 2, ii. 185 (1913).
arisanensis Hayata
Hayata, Ic. Pl. Formosan. iii. 20 (1913).
asarifolia Linn.
*Bot. Mag. xlii. t. 1735 (1815).
Reichenbach, Ic. Fl. Germ. ii. t. 25 (1837–38).
*Cusin & Ansberque, Herb. Fl. Franç. ii. t. 290 (1868).
*Seboth & A. W. Bennett, Alpine Pl. iii. t. 78 (1880).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xiv. t. 1359 (1883).
*Hartinger, Atlas Alpenfl. ii. t. 153 (1897).
Fiori & Paol. Ic. Fl. Ital. 157 (1899).
Coste, Fl. France, i. 103 (1901).
Engl. Jahrb. xxxii. t. 7, fig. 6–9 (1903).—*Fl.*

CARDAMINE
asarifolia
Flahault, Nouv. Fl. Alpes & Pyrén. ii. 13 (1908).
*Bonnier, Fl. Compl. France, Suisse & Belge, i. t. 44 [1911].
*H. S. Thompson, Alp. Pl. Europe, t. 7 (1911).
Hegi, Ill. Fl. Mittel-Eur. iv. 1. 339 (1913).
aurea Hort.
Neubert's Deutsch. Gart. Mag. 1881, p. 178.
barbaraeoides Hal.
Halácsy in Denkschr. Akad. Wiss. Wien, lxi. t. 1, fig. 3 (1894).
bellidifolia Linn.
Linnaeus, Fl. Lapp. [Ed. 1, 1737]; Ed. 2, t. 9, fig. 2 (1792).
*Fl. Dan. i. t. 20 (1761).
Hill, Herb. Brit. ii. t. 181 (1770).
*Jacquin, Misc. i. t. 17 (1778).
Allioni, Fl. Pedem. iii. t. 18, fig. 3 (1785).
*Sowerby & Sm. Engl. Bot. xxxiii. t. 2355 (1812).
[M. E.] Jackson, Pict. Fl. fig. 979 (1840).
*C. E. Sowerby, Ill. Cat. Brit. Pl. fig. 76 (1841).
*Svensk Bot. xi. t. 772 (1843).
*Deakin, Florigr. Brit. ii. fig. 1066 (1845).
Johnson & Sowerby, Brit. Wild Fl. fig. 98 (1858–60).
Britton & Brown, Ill. Fl. N. States & Canada, ii. 130 (1897); Ed. 2, ii. 186 (1913).
Fiori & Paol. Ic. Fl. Ital. 157 (1899).
Lindman, Bild. Nord. Fl. t. 193 (1901–5).
Blytt, Haandb. Norg. Fl. Ed. Dahl, 370 (1906).
Marret, Ic. Fl. Alp. Pl. Fasc. 4, t. 58 [1911].
Lindman, Svensk Fanerogamfl. 285 (1918).
bipinnata O. E. Schulz
Engl. Jahrb. xxxii. t. 8, fig. 11, 12 (1903).—*Veg.*
borbonica Pers.
Wight, Ic. Pl. Ind. Or. iii. t. 941 (1843–45).
*Wight, Spicil. Neilgherr. i. t. 9 [1846].
Breweri S. Wats.
F. E. & E. S. Clements, Rocky Mt. Fl. t. 6 (1914).—*Fr.*
bulbifera Crantz
*Syme, Engl. Bot. i. t. 107 (1863).
Ernst, Bastardier. Apogam. Pflanzenr. 495 (1918).
Fitch & Smith, Ill. Brit. Fl. Ed. rev. 4, Iss. 2, fig. 68 (1919).
bulbosa Britton, Stern & Pogg.
Britton & Brown, Ill. Fl. N. States & Canada, ii. 131 (1897); Ed. 2, ii. 186 (1913).
A. Georgia, Manual Weeds, t. 140 (1914).
*House, Wild Fl. New York (Mem. No. 15 N.Y. State Mus.), i. t. 90 (1918).
caldeirarum Guthn.
Rep. Missouri Bot. Gard. viii. t. 14, 15 (1897).
—— **amplifolia** Trel.
Rep. Missouri Bot. Gard. viii. t. 16 (1897).
californica sinuata O. E. Schulz
Engl. Jahrb. xxxii. t. 8, fig. 8 (1903).—*Veg.*
carnosa Waldst. & Kit.
*Waldstein & Kit. Pl. Rar. Hung. ii. t. 129 (1805).
Reichenbach, Ic. Fl. Germ. ii. t. 29 (1837–38).
Engl. Jahrb. xxxii. t. 7, fig. 38, 39 (1903).
Marret, Ic. Fl. Alp. Pl. Fasc. 4, t. 60 [1911].
—— **croatica** Schott, Nyman & Kotschy
Marret, Ic. Fl. Alp. Pl. Fasc. 4, t. 60 [1911].
chelidonia Linn.
*Waldstein & Kit. Pl. Rar. Hung. ii. t. 140 (1805).
Reichenbach, Ic. Fl. Germ. ii. t. 27 (1837–38).
Fiori & Paol. Ic. Fl. Ital. 159 (1899).
Coste, Fl. France, i. 104 (1901).
Engl. Jahrb. xxxii. t. 7, fig. 11, 12 (1903).
chenopodiifolia Pers.
St.-Hilaire, Fl. Bras. Mérid. ii. t. 106 (1829).
Pflanzenfam. iii. II. 184 (1891).
Öfv. Vet. Akad. Forhandl. Stockholm, lvii. 941 (1900).
Engl. Jahrb. xxxii. t. 7, fig. 1–5, 22–30, 50 (1903).—*Fl.*
Velenovsky, Vergl. Morphol. Pfl. iii. 1074 (1910).
Hegi, Ill. Fl. Mittel-Eur. iv. 1. 69 (1913).
Physis, ii. 249 (1916).
chilensis DC.
Engl. Jahrb. xxxii. t. 9, fig. 4 (1903).
Clematitis Shuttlw.
Britton & Brown, Ill. Fl. N. States & Canada, ii. 130 (1897); Ed. 2, ii. 185 (1913).

CARDAMINE
corymbosa Hook. f.
Hook. Ic. Pl. vii. t. 686 (1844).
dasyloba Miq.
Somoku Dzusetsu, Ed. 2, xii. t. 20 (1874).
decurrens Zoll. & Moritz.
Miquel, Ill. Fl. Arch. Ind. t. 10 (1871).
dentata Schult.
Reichenbach, Ic. Fl. Germ. ii. t. 28 (1837–38).
Magyar Bot. Lap. i. 231 (1902).
*Bonnier, Fl. Compl. France, Suisse & Belge, i. t. 44 [1911].
Bot. Notiser, 1914, p. 271, 276, 278.
Lindman, Bild. Nord. Fl. Ed. 2/3, t. 192 a, b (1917–20).
Lindman, Svensk Fanerogamfl. 286 (1918).—*Veg.*
—— **lapponica** Lindm.
Bot. Notiser, 1914, p. 285.
depressa Hook. f.
*Hooker f., Fl. Antarct. i. t. 3 (1844).
—— **acaulis** Hook. f.
*Hooker f., Fl. Antarct. i. t. 4 (1844).
diversifolia Sternb. & Hoppe
*Denkschr. Bot. Ges. Regensburg, i. Abt. i. t. 2 (1815).
Douglassii Britton
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, ii. 186 (1913).
Amer. Midl. Nat. iii. t. 4–8 (1914).—*Veg.*
eustylis F. Muell.
F. M. Bailey, Compr. Cat. Queensl. Pl. 35 (1909–13).
faroënsis Hornem.
*Fl. Dan. viii. t. 1392 (1810).
Fialae Fritsch
Engl. Jahrb. xxxii. t. 7, fig. 31–36, 44 (1903).—*Fl.*
flaccida Cham. & Schlechtd.
Engl. Jahrb. xxxii. t. 10, fig. 2 (1903).
flexuosa With.
Britton & Brown, Ill. Fl. N. States & Canada, ii. 129 (1897).
Koorders, Exkursionsfl. Java, ii. 290 (1912).
Somoku Dzusetsu, Ed. Makino (Iconogr. Pl. Nippon), xii. t. 5 (1912).
*Hegi, Ill. Fl. Mittel-Eur. iv. 1. t. 133 (1913).
Lindman, Svensk Fanerogamfl. 272, 285 (1918).
—— **Regeliana** Franch. & Sav.
Somoku Dzusetsu, Ed. Makino (Iconogr. Pl. Nippon), xii. t. 10 (1912).
—— **umbrosa** Gren. & Godr.
Hegi, Ill. Fl. Mittel-Eur. iv. 1. 343 (1913).
fluminensis Eichl.
*Vidensk. Meddel. Kjöbenhavn, t. 3 (1870).
geifolia Koidz.
Matsumura, Ic. Pl. Koisikav. ii. t. 97 (1914).
geraniifolia DC.
Hooker f., Fl. Antarct. ii. t. 88 (1845).
glandulosa Schmalh.
Hayek, Pflanzend. Oesterr.-Ung. i. 336 (1914).
glauca Spreng.
Delessert, Ic. Pl. ii. t. 31 (1823).
Fiori & Paol. Ic. Fl. Ital. 158 (1899).
Engl. Jahrb. xxxii. t. 7, fig. 47–49; t. 8, fig. 6, 7 (1903).—*Fl.*
Wettstein, Handb. Syst. Bot. Ed. 2, p. 579 (1911).—*Fl.*
graeca Linn.
Gaertner, Fruct. ii. t. 143 (1791).—*Fr.*
Lamarck, Ill. iii. t. 562, fig. 2 (1797).
*Sibthorp & Sm. Fl. Graeca, vii. t. 631 (1830).
Pflanzenfam. iii. 11. 183 (1891).—*Fr.*
Fiori & Paol. Ic. Fl. Ital. 158 (1899).
Coste, Fl. France, i. 104 (1901).
Engl. Jahrb. xxxii. t. 7, fig. 20, 21; t. 8, fig. 1, 2 (1903).
Hayek, Pflanzend. Oesterr.-Ung. i. 446 (1915).
granulosa All.
Reichenbach, Ic. Fl. Germ. ii. t. 28 (1837–38).
hastulata Sm.
*Sowerby & Sm. Engl. Bot. vii. t. 469 (1798).
*Fl. Dan. ix. t. 1462 (1813).
Hayneana Welw.
Reichenbach, Ic. Fl. Germ. ii. t. 28 (1837–38).
*Bonnier, Fl. Compl. France, Suisse & Belge, i. t. 44 [1911].
hederacea DC.
Delessert, Ic. Pl. ii. t. 30 (1823).

CARDAMINE
heterophylla Hook.
Hook. Ic. Pl. i. t. 58 (1837).
Hilariana Walp.
Mart. Fl. Bras. xiii. 1. t. 67 (1865).
hirsuta Linn.
*Fl. Dan. i. t. 148 (1764).
Hill, Herb. Brit. ii. t. 183 (1770).
Scopoli, Fl. Carn. Ed. 2, ii. t. 38 (1772).
Walcott, Fl. Brit. Indig. [t. 106] (1778).
*Curtis, Fl. Londin. ii. fasc. iv. t. 48 (1798); Ed. 2, ii. fasc. iv. t. 48 (1821).
*Sowerby & Sm. Engl. Bot. vii. t. 492 (1798).
*Kops, Fl. Batava, ii. t. 126 (1807).
*Schkuhr, Bot. Handb. Ed. 2, t. 187 (1808).
*Sturm, Deutschl. Fl. xii. XLV [t. 718] (1826).
*Zenker, Fl. Thüringen, x. t. 1170 (1836–55).
Reichenbach, Ic. Fl. Germ. ii. t. 26 (1837–38).
[M. E.] Jackson, Pict. Fl. fig. 981 (1840).
*C. E. Sowerby, Ill. Cat. Brit. Pl. fig. 78 (1841).
*Deakin, Florigr. Brit. ii. fig. 1069 (1845).
*Lorek, Fl. Pruss. Ed. 3, t. 158, fig. 844 (1848).
Catlow, Popular Field Bot. t. 3 (1848).
Cottage Gard. xi. 473 (1854).
Johnson & Sowerby, Brit. Wild Fl. fig. 97 (1858–60); Suppl. fig. 1609 (1863).
*Syme, Engl. Bot. i. t. 110 (1863).
Bentham, Handb. Brit. Fl. fig. 65 (1865).
*Cusin & Ansberque, Herb. Fl. Franç. ii. t. 299 (1868).
*Hogg & Johnson, Wild Fl. Gr. Brit. vii. t. 487 (1872).
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, i. t. 21 [1873].
Wagner, Ill. Deutsche Fl. Ed. 2, p. 52 (1882).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xiv. t. 1365 (1883).
*E. H. & S. Featon, Art Album, i. t. 6 (1889).
Paolucci, Fl. Marchig. t. 40 (1890).—*Fr.*
Britton & Brown, Ill. Fl. N. States & Canada, ii. 128 (1897); Ed. 2, ii. 184 (1913).
Fiori & Paol. Ic. Fl. Ital. 158 (1899).
Coste, Fl. France, i. 106 (1901).
C. T. Green, Fl. Liverpool Distr. fig. 37 (1902).
Malpighia, xvi. t. 7 (1902).—*Fl.*
F. M. Bailey, Weeds & Poison. Pl. Queensland, 10 (1906).
Heukels, Fl. Nederl. ii. 263 (1908).
*Bonnier, Fl. Compl. France, Suisse & Belge, i. t. 43 [1911].
*Hegi, Ill. Fl. Mittel-Eur. iv. 1. t. 125, 133 (1913).
Fawcett & Rendle, Fl. Jamaica, iii. 1. 239 (1914).
Cadevall & Sallent, Fl. Catalunya, i. 137 (1915).
Fyson, Fl. Nilgiri & Pulney Hill-tops, ii. 14 (1915).
Lindman, Svensk Fanerogamfl. 286 (1918).—*Veg.*
Fitch & Smith, Ill. Brit. Fl. Ed. rev. 4, Iss. 2, fig. 67 (1919).
—— **multicaulis** Aschers
Blytt, Haandb. Norg. Fl. Ed. Dahl, 370 (1906).
impatiens Linn.
Hill, Herb. Brit. ii. t. 182 (1770).
*Fl. Dan. v. t. 735 (1778); viii. t. 1339 (1808).
*Sowerby & Sm. Engl. Bot. ii. t. 80 (1793).
*Schkuhr, Bot. Handb. Ed. 2, t. 187 (1808).—*Fl.*
*Sturm, Deutschl. Fl. xii. XLV [t. 715] (1826).
*Zenker, Fl. Thüringen, ix. t. 1055 (1836–55).
Reichenbach, Ic. Fl. Germ. ii. t. 26 (1837–38).
[M. E.] Jackson, Pict. Fl. fig. 980 (1840).
*C. E. Sowerby, Ill. Cat. Brit. Pl. fig. 77 (1841).
*Deakin, Florigr. Brit. ii. fig. 1070 (1845).
Petermann, Deutschl. Fl. t. 6, fig. 39, r (1849).—*Fl.*
Cottage Gard. xi. 453 (1854).
Johnson & Sowerby, Brit. Wild Fl. fig. 96 (1858–60).
*Syme, Engl. Bot. i. t. 112 (1863).
Bentham, Handb. Brit. Fl. fig. 64 (1865).
*Cusin & Ansberque, Herb. Fl. Franç. ii. t. 298 (1868).
*Hogg & Johnson, Wild Fl. Gr. Brit. vii. t. 487 (1872).
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, i. t. 21 [1873].

CARDAMINE
impatiens
Wagner, Ill. Deutsche Fl. Ed. 2, p. 51 (1882).
Willkomm, Führ. Reich Pflanzen, 815 (1882).—*Veg.*
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xiv. t. 1363 (1883).
Kerner, Pflanzenleben, ii. 773 (1891).—*Fr.*
Acloque, Fl. France, 94 (1894).
Kerner & Oliv. Nat. Hist. Pl. ii. 835 (1895).—*Fr.*
Fiori & Paol. Ic. Fl. Ital. 158 (1899).
Coste, Fl. France, i. 106 (1901).
Suireishchikov, Ill. Fl. Mosc. Gov. ii. 184 (1907).
*Bonnier, Fl. Compl. France, Suisse & Belge, i. t. 43 [1911].
Somoku Dzusetsu, Ed. Makino (Iconogr. Pl. Nippon), xii. t. 7 (1912).
Hegi, Ill. Fl. Mittel-Eur. iv. 1. t. 125, p. 339 (1913).
Cadevall & Sallent, Fl. Catalunya, i. 137 (1915).
Lindman, Svensk Fanerogamfl. 272, 285 (1918).
Fitch & Smith, Ill. Brit. Fl. Ed. rev. 4, Iss. 2, fig. 66 (1919).
—— **minor** Rouy & Fouc.
*Bonnier, Fl. Compl. France, Suisse & Belge, i. t. 44 [1911].
indica N. L. Burm.
Bélanger, Voyage Ind. Or., Bot. Phan. t. 15 (1831–46).
intermedia Hornem.
*Fl. Dan. x. t. 1762 (1823).
intermedia Hook.
Hook. Ic. Pl. iii. t. 258 (1840).
Jamesonii Hook.
Engl. Jahrb. xxxii. t. 7, fig. 52 (1903).—*Fr.*
javanica Miq.
Miquel, Ill. Fl. Arch. Ind. t. 10 (1871).
Johnstonii Oliv.
Engl. Jahrb. xxxii. t. 8, fig. 4 (1903).—*Veg.*
—— **superba** O. E. Schulz
Engl. Jahrb. xxxii. t. 7, fig. 37 (1903).
laciniata Wood
Engl. Jahrb. xxxii. t. 7, fig. 17–19 (1903).—*Fr.*
latifolia Vahl
Rev. Hort. Ser. IV. ix. 462, 463 (1860).
Decaisne & Naud. Amat. Jard. ii. 783 [1862–66].
*Cusin & Ansberque, Herb. Fl. Franç. ii. t. 293 (1868).
Decaisne, Naud. & Hemsl. Handb. Trees, Shrubs & Herb. Pl. 46 (1873).—*Hab.*
*Bot. Mag. cxxiv. t. 7628 (1898).
Coste, Fl. France, i. 105 (1901).
*Bonnier, Fl. Compl. France, Suisse & Belge, i. t. 43 [1911].
*Flahault, Nouv. Fl. Alpes & Pyrén. iii. t. 17 (1912).
Cadevall & Sallent, Fl. Catalunya, i. 135 (1915).
Leibergii Holzinger
Contrib. U.S. Nat. Herb. iii. 212, t. 3 (1895).
lenensis Andrsz.
*Ledebour, Ic. Pl. Ross. iii. t. 268 (1831).
Lunaria Linn.
*Kniphof, Herb. Viv. i. t. 209 (1758).
Gouan, Fl. Monsp. 324 (1765).
Buchoz, Hist. Règne Vég. x. Dec. 3, t. 1 (1775).
lyrata Bunge
*Somoku Dzusetsu, Ed. 2, xii. t. 6 (1874).
Somoku Dzusetsu, Ed. Makino (Iconogr. Pl. Nippon), xii. t. 6 (1912).
macrophylla Willd.
J. G. Gmelin, Fl. Sibir. iii. t. 62 (1768); fide Ledebour, Comm. 108.
*Ledebour, Ic. Pl. Ross. ii. t. 146 (1830).
Somoku Dzusetsu, Ed. 2, xii. t. 21 (1874).
maritima Portenschl.
Delessert, Ic. Pl. ii. t. 32 (1823).
Portenschlag-Ledermayer, Enum. Pl. Dalmat. t. 11 (1824).
Reichenbach, Ic. Fl. Germ. ii. t. 29 (1837–38).
Petermann, Deutschl. Fl. t. 6, fig. 39, n–q (1849).—*Fr.*
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xiv. t. 1368 (1883).
Fiori & Paol. Ic. Fl. Ital. 158 (1899).
Engl. Jahrb. xxxii. t. 8, fig. 5 (1903).—*Veg.*

CARDAMINE
Matthiolii Moretti
Moretti in Giorn. Ist. Lomb. Milano, ii. 213 (1850).
nipponica Franch. & Sav.
*Miyoshi & Makino, Pocket-Atl. Alp. Pl. Jap. i. t. 17, fig. 97 (1906).
nivalis Pall.
Pallas, Reise Russ. ii. II. t. u (1773); et in Voyages, iii. t. 17 (1793).
Opizii Presl
Reichenbach, Ic. Fl. Germ. ii. t. 27 (1837–38).
Pančićii Hayek
Hayek in Denkschr. Akad. Wiss. Wien, xciv. t. 2, fig. 2 (1918).
papuana O. E. Schulz
Engl. Jahrb. lv. 269 (1918).—*Fl.*
paradoxa Hance
Hook. Ic. Pl. xiii. t. 1285 (1879); xix. t. 1818 (1889).
parviflora Linn.
J. G. Gmelin, Fl. Sibir. iii. t. 64 (1768); fide Ledebour, Comm. 108.
Hill, Herb. Brit. ii. t. 183 (1770).
*Svensk Bot. viii. t. 568 (1819).
Svenska Vet. Akad. Handl. 1822, t. 4.
*Sturm, Deutschl. Fl. xii. XLV [t. 716] (1826).
Reichenbach, Ic. Fl. Germ. ii. t. 26 (1837–38).
*Cusin & Ansberque, Herb. Fl. Franç. ii. t. 301 (1868).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xiv. t. 1362 (1883).
Britton & Brown, Ill. Fl. N. States & Canada, ii. 129 (1897); Ed. 2, ii. 185 (1913).
Fiori & Paol. Ic. Fl. Ital. 158 (1899).
Coste, Fl. France, i. 106 (1901).
*Bonnier, Fl. Compl. France, Suisse & Belge, i. t. 43 [1911].
Glück, Biol. u. Morph. Wasser- u. Sumpfgew. iii. 326, 327 (1911).—*Veg.*
Neger, Biol. Pflanz. 253 (1913).
Hegi, Ill. Fl. Mittel-Eur. iv. I. 344 (1913).
Lindman, Svensk Fanerogamfl. 286 (1918).—*Veg.*
paucisecta Benth.
Rattan, Popular Californ. Fl. Ed. rev. 8, p. 6, 7 (1888).
pedata Regel & Tiling
Engl. Jahrb. xxxii. t. 9, fig. 5 (1903).—*Veg.*
pennsylvanica Muhl.
Britton & Brown, Ill. Fl. N. States & Canada, ii. 128 (1897); Ed. 2, ii. 184 (1913).
pentaphylla R. Br.
Ernst, Bastardier. Apogam. Pflanzenr. 494 (1918).
petiolaris DC.
Delessert, Ic. Pl. ii. t. 30 (1823).
petraea Linn.
*Fl. Dan. iii. t. 386 (1768).
Hill, Herb. Brit. ii. t. 181 (1770).
Dillenius, Hort. Eltham. Add. Denom. Linn. t. 61 (1774).
Lightfoot, Fl. Scot. i. t. 15 (1777).
*Svensk Bot. x. t. 676 (1826–29).
picta Hook.
Hooker, London Journ. Bot. vi. t. 12 (1847).
pinnata R. Br.
Engl. Jahrb. xxxii. t. 7, fig. 13, 14 (1903).—*Fr.*
Plumieri Vill.
Villars, Hist. Pl. Dauph. iii. t. 38 (1789).
*Cusin & Ansberque, Herb. Fl. Franç. ii. t. 292 (1868).
Fiori & Paol. Ic. Fl. Ital. 157 (1899).
Coste, Fl. France, i. 104 (1901).
Engl. Jahrb. xxxii. t. 8, fig. 9 (1903).—*Veg.*
polyphylla O. E. Schulz
Ernst, Bastardier. Apogam. Pflanzenr. 494 (1918).
pratensis Linn.
*Kniphof, Herb. Viv. i. t. 208 (1758).
Hill, Herb. Brit. ii. t. 182 (1770).
*Regnault, Bot. i. 140 (1774).
*Curtis, Fl. Londin. i. fasc. III. t. 40 (1777); Ed. 2, ii. fasc. III. t. 40 (1821).
Walcott, Fl. Brit. Indig. [t. 105] (1778).
*Zorn, Ic. Pl. Med. i. t. 51 (1779).
Hoppe, Ect. Pl. Ratisb. t. 479 (1789).

CARDAMINE
pratensis
*Woodville, Med. Bot. i. t. 30 (1790); Ed. 3, iii. t. 143 (1832).
*Fl. Dan. vi. t. 1039 (1792).
*Martyn, Fl. Rustica, iii. t. 95 (1792).
*Dreves, Bot. Bilderbuch, i. t. 15 (1794).
*Plenck, Ic. Pl. Med. vi. t. 517 (1794).
*Oskamp, Afb. Artseny-Gewass. i. t. 51 (1796).
Lamarck, Ill. iii. t. 562, fig. 1 (1797).
Roemer, Archiv Bot. ii. I. t. 2 (1799).
*Kops, Fl. Batava, i. t. 27 (1800).
*Sowerby & Sm. Engl. Bot. xi. t. 776 (1800).
*Sturm, Deutschl. Fl. ii. VIII [t. 124] (1800).
*Dreves & Hayne, Choix de Pl. t. 15 (1802).
Barton, Elem. Bot. t. 3, fig. 5 (1804).—*Veg.*
*Svensk Bot. v. t. 350 (1807).
*Schkuhr, Bot. Handb. Ed. 2, t. 187 (1808).—*Fl.*
*A. & F. Plée, Herbor. Paris, [t. 81] (1811).
*Hill, Family Herbal, t. 14 (1812); fide Ed.
*Chaumeton, Fl. Méd. ii. t. 97 (1815).
*Schrank, Fl. Monac. iii. t. 219 (1816).
*Vietz, Ic. Pl. Med.-oec.-techn. v. t. 379 (1817).
*Hayne, Getreue Darst. Arzn. Gewächse, v. t. 30 (1817).
*Waller, New Brit. Domest. Herb. t. 10 (1822).
*Heger, Herb. Pharm. [t. 72] (1822–25).
*Fl. Med. [Spratt], ii. 109 (1830).
*Baxter, Brit. Bot. Ed. 2, ii. t. 141 (1835).
*Zenker, Fl. Thüringen, iii. t. 286 (1836–55).
Reichenbach, Ic. Fl. Germ. ii. t. 28 (1837–38).
[M. E.] Jackson, Pict. Fl. fig. 982 (1840).
*C. E. Sowerby, Ill. Cat. Brit. Pl. fig. 79 (1841).
*Dietrich, Fl. Boruss. x. t. 678 (1842).
Meigen, Deutschl. Fl. iii. t. 113 (1842).—*Fl.*
*Deakin, Florigr. Brit. ii. fig. 1067 (1845).
!Godron in Mém. Soc. Sc. Nancy, 1845, fig. i–ix (1846).
*J. W. Loudon, Brit. Wild Fl. Ed. 2, t. 9 [1846].
*Cassone, Fl. Med.-Farm. i. t. 52 (1847).
*Lorek, Fl. Pruss. Ed. 3, t. 157, fig. 842 (1848).
*Petermann, Deutschl. Fl. t. 6, fig. 39, a–l (1849).
*Burnett, Pl. Util. iv. 126, b (1850).
*Calwer, Landwirthsch. Pflanzenk. i. t. 31, fig. 2 (1852).
Cottage Gard. xii. 15 (1854).
Johnson & Sowerby, Brit. Wild Fl. fig. 95 (1858–60).
*Johnson & Sowerby, Useful Pl. Gr. Brit. t. 2, fig. 18 (1861[–62]).
*T. Moore, Field Bot. Comp. t. 1 (1862).
*Syme, Engl. Bot. i. t. 109 (1863).
*Hogg & Johnson, Wild Fl. Gr. Brit. ii. t. 108 (1864).
*Schubert, Naturg., Pflanzenreich, Ed. 2, t. 34, fig. 2 [1865].
Bentham, Handb. Brit. Fl. fig. 63 (1865).
*Cusin & Ansberque, Herb. Fl. Franç. ii. t. 294 (1868).
*Réveil, Règne Vég. iv. t. 5, 40; viii. t. 29 (1870).
Dunster, Coll. Handyb. Bot. t. 2 (1871).
Baillon, Hist. Pl. iii. 184 (1872).—*Fl.*
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, i. t. 21 [1873].
Baillon, Dict. Bot. i. 625 (1878); ii. 267 (1881).—*Fl.*
De Silvestri, Piante Prat. 328 (1879).
Hansen in Abh. Senckenb. Nat. Ges. xii. 198, t. 1 (1880).—*Veg.*
*C. Hoffmann, Pflanzenatlas, t. 55, fig. 341 (1881).
Wagner, Ill. Deutsche Fl. Ed. 2, p. 51 (1882).
*Gartenfl. xxxi. t. 1099 (1882).
W. Robinson, Engl. Fl. Gard. t. 60 (1883).—*Hab.*
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xiv. t. 1366 (1883).
Nicholson, Illustr. Dict. Gard. i. 265 [1884–88].—*Hab.*
*Baillon, Ic. Fl. Franç. iii. t. 217 [1885–94].
*Thomé, Fl. Deutschl. ii. t. 270 (1886).
Dujard.-Beaumetz & Égasse, Pl. Méd. 220 (1889).
Potonié, Ill. Fl. Nord- u. Mittel-Deutschl. Ed. 4, fig. 275 (1889).
*Heathcote, Fl. Engadine, t. 22 (1891).

CARDAMINE
pratensis
Kerner, Pflanzenleben, ii. 39, 291 (1891).
*Hulme, Familiar Wild Fl. (5 vol. Ed.), i. 133 [1892?]; (Pop. Ed.), ii. 41 [1897?].
*Masclef, Atlas Pl. France, t. 35 (1893).
Acloque, Fl. France, 94 (1894).
Bot. Jaarb. Gent, vi. 192 (1894).—*Fl.*
*Siélain, Atlas Poche Pl. Champs, Prair. & Bois, t. 10 [1894].
Brehm, Merv. Nat. Monde des Pl. i. 140 (1894–96).
Garcke, Ill. Fl. Deutschl. 40 (1895).
Karsten, Fl. Deutschl. ii. 204 (1895).
Kerner & Oliv. Nat. Hist. Pl. ii. 41, 292 (1895).
*Step, Wayside & Woodl. Bloss. t. 10 (1895); New Ed. i. t. 9 (1905).
Britton & Brown, Ill. Fl. N. States & Canada, ii. 128 (1897); Ed. 2, ii. 184 (1913).
Gagnepain in Bull. Soc. Hist. Nat. Autun, xi. II. 34 (1898).—*Fl.*
Fiori & Paol. Ic. Fl. Ital. 158 (1899).
Coste, Fl. France, i. 105 (1901).
Lindman, Bild. Nord. Fl. t. 192 (1901–5); Ed. 2/3, t. 192 a (1917–20).
Bibl. Bot. xi. No. 58, t. 1, fig. 18–21 (1902).—*Fl.*
C. T. Green, Fl. Liverpool Distr. fig. 36 (1902).
Engl. Jahrb. xxxii. t. 8, fig. 3 (1903).
Flora, xciii. 123 (1904).
Merino, Fl. Galicia, i. 142 (1905).
Blytt, Haandb. Norg. Fl. Ed. Dahl, 369 (1906).
Lazaro, Comp. Fl. Españ. ii. 137, 181 (1907).
Suireishchikov, Ill. Fl. Mosc. Gov. ii. 184 (1907).
Heukels, Fl. Nederl. ii. 261 (1908).
*Hulme, Familiar Swiss Fl. t. 24 (1908).
Beille, Bot. Pharm. ii. 389 (1909).
Fitzgerald in Nature Book, ii. 282, t. 3 (1909).
Graebner, Pflanzenw. Deutschl. 253 (1909).
Fedtschenko & Fler. Fl. Eur. Russia, 469 (1910).
Rev. Hort. Belge, xxxvi. 364 (1910).
*Bonnier, Fl. Compl. France, Suisse & Belge, i. t. 44 [1911].
*Correvon, Fl. Champs & Bois, t. 14 (1911).
Glück, Biol. u. Morph. Wasser- u. Sumpfgew. iii. 139 (1911).—*Veg.*
*Pokorny-Schoenichen, Pflanzenkunde, t. 6, fig. 1 (1912).
Feucht, Württemb. Pflanzenw. t. 115 (1912).—*Hab.*
!Bull. Soc. Bot. France, lx. 307 (1913).—*Fl.*
*Hegi, Ill. Fl. Mittel-Eur. iv. I. t. 133, p. 346 (1913).
L. H. Bailey, Stand. Cycl. Hort. 661 (1914).
Bot. Notiser, 1914, p. 271, 276, 277.
Horwood, Pl. Life Brit. Isles, i. 56 (1914).
*Perrin & Boulger, Brit. Flower. Pl. ii. t. 98, 100 [H], fig. 1–9 (1914).
Cadevall & Sallent, Fl. Catalunya, i. 135 (1915).
*C. A. Hall, Plant-Life, t. 24 (1915).
*Bonnier, Name This Flower, t. 6 (1917).
Lindman, Svensk Fanerogamfl. 286 (1918).
Basu, Ind. Med. Pl. t. 61 (1918).
*Horwood, Brit. Wild Fl. ii. t. 1, p. 13 (1919).
Fitch & Smith, Ill. Brit. Fl. Ed. rev. 4, Iss. 2, fig. 65 (1919).
A. Arber, Water Pl. 217 (1920).—*Veg.*
—— **appendiculata** Peterm.
Petermann, Deutschl. Fl. t. 6, fig. 39, m (1849).—*Fl.*
—— **dentata** Neilr.
*Sturm, Deutschl. Fl. xii. XLV [t. 720] (1826).
—— **Hayneana** Schur
Hegi, Ill. Fl. Mittel-Eur. iv. I. 344 (1913).
—— **micrantha** Schur
*Cusin & Ansberque, Herb. Fl. Franç. ii. t. 295 (1868).
—— **rivularis** O. E. Schulz
Bot. Notiser, 1914, p. 285.
—— **uniflora** Sternb. & Hoppe
*Denkschr. Bot. Ges. Regensburg, i. Abt. I. t. 2 (1815).
purpurea Britton
Britton & Brown, Ill. Fl. N. States & Canada, ii. 130 (1897).

CARDAMINE
pygmaea Dusén
Schwed. Exped. Magell. iii. No. 5, t. 8, fig. 2, 3 (1900).
W. B. Scott, Rep. Princeton Univ. Exped. Patag. 1896–99, viii. 1. Bot. 438 (1905).
quinquefolia Schmalh.
Engl. Jahrb. xxxii. t. 7, fig. 15, 16 (1903).—*Fr.*
radicata Hook. f.
Hook. Ic. Pl. ix. t. 882 (1852).
resedifolia Linn.
*Jacquin, Fl. Austr. v. Append. t. 21 (1778).
Allioni, Fl. Pedem. iii. t. 57, fig. 2 (1785).
*Sturm, Deutschl. Fl. vii. xxviii [t. 445] (1809).
Trattinick, Fl. Oesterr. Kaiserth. ii. t. 145 (1820).
*Hooker, Exot. Fl. i. t. 54 (1823).
Reichenbach, Ic. Fl. Germ. ii. t. 26 (1837–38).
*Cusin & Ansberque, Herb. Fl. Franç. ii. t. 303 (1868).
*Seboth & A. W. Bennett, Alpine Pl. iv. t. 12 (1880).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xiv. t. 1361 (1883).
*Heathcote, Fl. Engadine, t. 21 (1891).
*Correvon, Fl. Col. Suisse, t. 18 (1894).
*Hartinger, Atlas Alpenfl. ii. t. 152 (1897).
Fiori & Paol. Ic. Fl. Ital. 158 (1899).
Coste, Fl. France, i. 105 (1901).
Flora, lxxxix. t. 2, fig. 12 (1901).—*Fr.*
*Flahault, Nouv. Fl. Alpes & Pyrén. ii. t. 14 (1908).
*Bonnier, Fl. Compl. France, Suisse & Belge, i. t. 43 [1911].
Marret, Ic. Fl. Alp. Pl. Fasc. 4, t. 59 [1911].
*H. S. Thompson, Alp. Pl. Europe, t. 7 (1911).
*Hegi & Dunz. Alp. Fl. t. 12 (1913).
*Hegi, Ill. Fl. Mittel-Eur. iv. 1. t. 133, p. 343 (1913).
Cadevall & Sallent, Fl. Catalunya, i. 136 (1915).
rhomboidea DC.
Hooker, Bot. Misc. iii. t. 108 (1833).
Gray & Sprague, Gen. Fl. Amer. i. t. 55 (1848).
rivularis Schur
Engler & Drude, Veget. Erde, xi. t. 44 (1909).—*Hab.*
rotundifolia Michx.
Hooker, Bot. Misc. iii. t. 109 (1833).
Britton & Brown, Ill. Fl. N. States & Canada, ii. 131 (1897); Ed. 2, ii. 187 (1913).
sachalinensis Miyabe & Miyake
Miyabe & Miyake, Fl. Saghalin, t. 3 (1915).
Sandbergii Holzinger
Contrib. U.S. Nat. Herb. iii. t. 3 (1895); sphalm. *C. Leibergii.*
scutata Thunb.
Thunberg, Ic. Pl. Jap. iii [t. 9] (1801).
silvatica Link
*Sturm, Deutschl. Fl. xii. xlv [t. 717] (1826).
*Zenker, Fl. Thüringen, x. t. 1179 (1836–55).
Reichenbach, Ic. Fl. Germ. ii. t. 26 (1837–38).
*Kops, Fl. Batava, viii. t. 629 (1844).
*Lorek, Fl. Pruss. Ed. 3, t. 157, fig. 843 (1848).
*Syme, Engl. Bot. i. t. 111 (1863).
*Cusin & Ansberque, Herb. Fl. Franç. ii. t. 300 (1868).
Somoku Dzusetsu, Ed. 2, xii. t. 7 (1874).
Schilling, Grundr. Naturg. ii. Pflanzenr. Ausgb. A, p. 165 (1882).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xiv. t. 1364 (1883).
Coste, Fl. France, i. 106 (1901).
Fiori & Paol. Ic. Fl. Ital. 481 (1904).
Merino, Fl. Galicia, i. 144 (1905).
Heukels, Fl. Nederl. ii. 263 (1908).
*Bonnier, Fl. Compl. France, Suisse & Belge, i. t. 43 [1911].
Cadevall & Sallent, Fl. Catalunya, i. 137 (1915).
—— **Regeliana** Miq.
Somoku Dzusetsu, Ed. 2, xii. t. 10 (1874).
—— **umbrosa** Gren. & Godr.
*Cusin & Ansberque, Herb. Fl. Franç. ii. t. 300 (1868).
stellata Hook. f.
*Hooker f., Fl. Antarct. i. t. 4 (1844).
stolonifera Scop.
Scopoli, Fl. Carn. Ed. 2, ii. t. 39 (1772).

CARDAMINE
tenuifolia Turcz.
Engl. Jahrb. xxxii. t. 9, fig. 1 (1903).
tenuirostris Hook. & Arn.
Engl. Jahrb. xxxii. t. 7, fig. 42, 43 (1903).—*Fl.*
thalictroides All.
Allioni, Fl. Pedem. iii. t. 57, fig. 1 (1785).
Reichenbach, Ic. Fl. Germ. ii. t. 25 (1837–38).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xiv. t. 1369 (1883).
*Bonnier, Fl. Compl. France, Suisse & Belge, i. t. 44 [1911].
trichocarpa Hochst.
Engl. Jahrb. xxxii. t. 7, fig. 40, 41 (1903).—*Fl.*
trifolia Linn.
*Jacquin, Fl. Austr. i. t. 27 (1773).
*Bot. Mag. xiii. t. 452 (1799).
*Sturm, Deutschl. Fl. vii. xxviii [t. 446] (1809).
Trattinick, Fl. Oesterr. Kaiserth. ii. t. 167 (1820).
Reichenbach, Ic. Fl. Germ. ii. t. 25 (1837–38).
*Cusin & Ansberque, Herb. Fl. Franç. ii. t. 291 (1868).
*Verlot, Pl. Alp. Ed. 2, t. 16 (1873).—*Hab.*
*Wooster, Alp. Pl. Ed. 2, t. 10 (1874).—*Hab.*
Willkomm, Führ. Reich Pflanzen, 813 (1882).—*Veg.*
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xiv. t. 1370 (1883).
Tripet in Rameau de Sapin, xxiii. 23 (1889).
*A. W. Bennett, Fl. Alps, i. t. 6 (1897).
*Hartinger, Atlas Alpenfl. ii. t. 154 (1897).
Fiori & Paol. Ic. Fl. Ital. 157 (1899).
Coste, Fl. France, i. 103 (1901).
Bibl. Bot. xi. No. 58, t. 1, fig. 22–27; t. 2, fig. 28–33 (1902).—*Fl.*
Engl. Jahrb. xxxii. t. 7, fig. 45, 46 (1903).—*Fl.*
*Hulme, Familiar Swiss Fl. t. 23 (1908).
*Bonnier, Fl. Compl. France, Suisse & Belge, i. t. 44 [1911].
*Hegi, Ill. Fl. Mittel-Eur. iv. 1. t. 133, p. 337 (1913).
Hayek, Pflanzend. Oesterr.-Ung. i. 172 (1914).
tuberosa DC.
Delessert, Ic. Pl. ii. t. 29 (1823).
Engl. Jahrb. xxxii. t. 10, fig. 1 (1903).
umbellata Greene
J. M. Macoun, Pl. Pribilof Isl. (Fur Seals & Fur-Seal Isl. N. Pacific, iii), t. 90 (1899).
unijuga Rydb.
Bull. Torr. Bot. Club, xxiv. t. 304 (1897).

CARDAMINOPSIS Boiss.: *Arabis*
arenosa Hayek
Hegi, Ill. Fl. Mittel-Eur. iv. 1. t. 136, p. 421 (1913).
Halleri Hayek
Hegi, Ill. Fl. Mittel-Eur. iv. 1, 420 (1913).
—— **ovirensis** Hegi
Hegi, Ill. Fl. Mittel-Eur. iv. 1. 424 (1913).
hispida Hayek
Hegi, Ill. Fl. Mittel-Eur. iv. 1. t. 136, p. 420 (1913).
neglecta Hayek
Marret, Ic. Fl. Alp. Pl. Fasc. 4, t. 56 [1911].
Hegi, Ill. Fl. Mittel-Eur. iv. 1. 424 (1913).

CARDAMON DC.: *Lepidium*
sativum Fourr.
G. Beck, Fl. Nied.-Oesterr. ii. 1. 443, 499 (1892).—*Veg.*

CARDANTHERA Buch.-Ham.: *Synnema*
uliginosa Buch.-Ham.
Basu, Ind. Med. Pl. t. 713 (1918).

CARDARIA Desv.: *Lepidium*
Draba Desv.
Reichenbach, Ic. Fl. Germ. ii. t. 9 (1837–38).
Acloque, Fl. France, 116 (1894).
Cadevall & Sallent, Fl. Catalunya, i. 190 (1915).

CARDIACANTHUS Nees
Neesianus Schauer
Pflanzenfam. iv. III. B. 336 (1895).—*Fl.*

CARDIANDRA Sieb. & Zucc.
alternifolia Sieb. & Zucc.
Siebold & Zucc. Fl. Jap. t. 65, 66 (1835).
Gartenfl. xiv. t. 486 (1865).
Somoku Dzusetsu, Ed. 2, x. t. 25 (1874).
Pflanzenfam. iii. II. A. 73 (1890).—*Fl.*

CARDIANDRA
alternifolia
*Useful Pl. Jap. iii. t. 822 (1895).
Schneider, Ill. Handb. Laubh. i. 383, 385 (1905).
Somoku Dzusetsu, Ed. Makino (Iconogr. Pl. Nippon), x. t. 25 (1910).

CARDIOCHLAENA Fée: *Aspidium*
macrophylla Fée
Fée, Mém. Foug. v. t. 24 (1850–52).
pilosa Fée
Fée, Mém. Foug. x. t. 40 (1865) in textu p. 45: *C. villosa* in ic.
villosa Fée
Fée, Mém. Foug. x. t. 40 (1865) in ic.: *C. pilosa* in textu p. 45; et in Mém. Soc. Sc. Nat. Strasbourg, vi. 1. t. 40 (1866).

CARDIOCHLAMYS Oliv.
madagascariensis Oliv.
Hook. Ic. Pl. xv. t. 1403 (1883).
Thorelii Gagnep.
Lecomte, Fl. Gén. Indo-Chine, iv. 296 (1915).

CARDIOGYNE Bur.
africana Bur.
Grandidier, Hist. Madag. [Plantes] Atl. t. 294 (1895).
Hook. Ic. Pl. xxv. t. 2473 (1896).

CARDIOLOPHUS Griff.: *Bacopa*
decussata Griff.
Griffith, Ic. Pl. Asiat. t. 417 (1854).—*Fl.*

CARDIONEMA DC.: *Pentacaena*
multicaule DC.
De Candolle, Paronych. t. 1 (1829).
A. De Candolle, Calq. Dess. Fl. Mex. Moc. & Sessé, t. 381 (1874).

CARDIOPETALUM Schlechtd.—Vide *Stormia*
calophyllum Schlechtd.
Arkiv Bot. Stockholm, iii. No. 15, p. 15 (1904).

CARDIOPHORA Benth.: *Soulamea*
Hindsii Benth.
Bentham, Bot. Voy. Sulphur, t. 56 bis (1844) errore; *Soulamea amara*, vide p. 181.

CARDIOPTERIX Wall.
hamulosa Griff.
Griffith, Ic. Pl. Asiat. t. 598, fig. 1–3 (1854).—*Fl.*
javanica Bl.
*Blume, Rumphia, iv. t. 177 (1848).
lobata Wall.
*R. Brown & J. Bennett, Pl. Jav. Rar. t. 49 (1852).
*Schnizlein, Iconogr. iii. t. 172 (1856–65).
Nuov. Giorn. Bot. Ital. ix. t. 8 (1877).
—— **moluccana** Mast.
F. M. Bailey, Compr. Cat. Queensl. Pl. 99 (1909–13).
moluccana Bl.
Rumphius, Herb. Amboin. v. t. 180 (1747); fide Merrill, Interpret. Rumph. Herb. Amboin.
Blume, Rumphia, iv. t. 177 (1848).
platycarpa Gagnep.
Lecomte, Fl. Gén. Indo-Chine, i. 846, 848 (1911).—*Fr.*

CARDIOSPERMUM Linn.
anomalum Juss.
St.-Hilaire, Fl. Bras. Merid. i. t. 73 (1827).
canescens Wall.
*Wallich, Pl. Asiat. Rar. i. t. 14 (1830).
Wight, Ic. Pl. Ind. Or. i. t. 74 (1838).
coluteoides Kunth
Mém. Mus. Hist. Nat. Paris, xviii. 49 (1829).—*Fr.*
Corindum Linn.
Vellozo, Fl. Flum. iv. t. 23 (1827).
elegans H. B. K.
H. B. K. Nov. Gen. v. t. 439 (1821).
giganteum Barb. Rodr.
Barbosa Rodrigues, Pl. Nov. Jard. Bot. Rio de Janeiro, iii. t. 2 (1893).
grandiflorum hirsutum Radlk.
De Wildeman, Ic. Sel. Hort. Then. ii. t. 61 (1901).
Halicacabum Linn.
Rheede, Hort. Mal. viii. t. 28 (1688); fide Fl. Brit. Ind. i. 670.

CARDIOSPERMUM
Halicacabum
Rumphius, Herb. Amboin. vi. t. 24, fig. 2 (1750); fide Merrill, Interpret. Rumph. Herb. Amboin.
*Kniphof, Herb. Viv. i. t. 210 (1758).
Gaertner, Fruct. i. t. 79 (1788).—*Fr.*
Lamarck, Ill. ii. t. 317 (1797).
*Bot. Mag. xxvi. t. 1049 (1807).
*Trattinick, Ausw. Gartenpfl. ii. t. 174 (1821).
Vellozo, Fl. Flum. iv. t. 24 (1827).
*Descourtilz, Fl. Pitt. & Méd. Antilles, iv. t. 241 (1827).
Mém. Mus. Hist. Nat. Paris, xviii. 49 (1829).—*Fl.*
Wight, Ic. Pl. Ind. Or. ii. t. 508 (1840–43).
Gray & Sprague, Gen. Fl. Amer. ii. t. 181 (1849).
Payer, Organog. Comp. Fl. t. 32 (1857).—*Fl.*
*Schnizlein, Iconogr. iv. t. 230 (1866).—*Fl.*
Journ. Linn. Soc., Bot. ix. 87 (1867).
Baillon, Hist. Pl. v. 362 (1874).—*Fr.*
Baillon, Dict. Bot. i. 627 (1878).—*Fr.*
Gartenfl. xxix. 267 (1880).
Lubbock, Seedlings, i. 358, 359 (1892).
Pflanzenfam. iii. v. 308 (1895).—*Fl.*
Britton & Brown, Ill. Fl. N. States & Canada, ii. 403 (1897); Ed. 2, ii. 501 (1913).
Austral. Assoc. Sc. Rep. vii. t. 30, fig. 16 (1898).—*Fl.*
Garden, lvi. 382 (1899).—*Hab.*
L. H. Bailey, Cycl. Amer. Hort. 244 (1900); Stand. Cycl. Hort. 661 (1914).
Beille, Bot. Pharm. ii. 646 (1909).
Gubb, Fl. Algeria, t. 54 (1909).
Pammel, Weeds Farm & Gard. 199 (1911).
Basu, Ind. Med. Pl. t. 259 (1918).
Bose, Man. Ind. Bot. 58 (1920).
hirsutum Willd.
Bull. Soc. Tosc. Ortic. xix. 114 (1894).
inflatum Salisb.
Vellozo, Fl. Flum. iv. t. 22 (1827).
integerrimum Radlk.
Pflanzenfam. iii. v. 308 (1895).—*Fl.*
Mart. Fl. Bras. xiii. III. t. 95 (1897).
microcarpum H. B. K.
Britton, Fl. Bermuda, 226 (1918).
pilosum Vell.
Vellozo, Fl. Flum. iv. t. 26 (1827).
procumbens Radlk.
Mart. Fl. Bras. xiii. III. t. 96 (1897).
strictum Radlk.
Mart. Fl. Bras. xiii. III. t. 97 (1897).
tortuosum Benth.
Bentham, Bot. Voy. Sulphur, t. 6 (1844).
triphyllum Vell.
Vellozo, Fl. Flum. iv. t. 25 (1827).

CARDOPATIUM Juss.—Vide *Carthamus* (1)
amethystinum Spach
*Cosson & Durieu, Expl. Scient. Algér. 1840–42, Bot. Atlas, t. 56 (1850).
corymbosum Pers.
*Gartenfl. xx. t. 692 (1871).
Kerner, Pflanzenleben, i. 570 (1887).—*Veg.*
Kerner & Oliv. Nat. Hist. Pl. i. 611 (1894).—*Veg.*
Fiori & Paol. Ic. Fl. Ital. 438 (1904).
Neger, Biol. Pflanz. 309 (1913).—*Veg.*
Karsten & Schenck, Veg.-Bild. xii. t. 39 (1916).—*Hab.*
orientale Spach
Jaubert & Spach, Illustr. Pl. Or. v. t. 426 (1853–57).
Vrionis Heldr.
Rouy, Illustr. Pl. Eur. Rar. fasc. 7, t. 160 (1896).

CARDUNCELLUS Adans.—Vide *Carthamus* (2)
atlanticus Coss. & Dur.
Bonnet & Barratte, Ill. Phan. Tunisie (Expl. Sc. Tun.), t. 9 (1895).
atractyloides Coss. & Dur.
Bull. Soc. Bot. France, 1902, xlix. t. 2 (1903).
Battandieri Barratte & Chevall.
Bull. Soc. Bot. France, 1902, xlix. t. 2 (1903).
dianius Webb
Rouy, Illustr. Pl. Eur. Rar. fasc. 1, t. 13 (1895).
Duvauxii Battand.
Battandier & Trabut, Atlas Fl. Algér. t. 31 (1913).
gracilis Lojac.-Poj.
Lojacono-Pojero, Fl. Sic. ii. 1. t. 20 (1902).

CARDUNCELLUS
hispanicus Boiss.
*Boissier, Voy. Bot. Espagne, i. t. 108 (1839–45).
lanatus Moris
Reichenbach, Ic. Fl. Germ. xv. t. 746 (1852).
mitissimus DC.
*Cusin, Herb. Fl. Franç. xiii (Composées), t. 306 (1874).
Coste, Fl. France, ii. 383 (1903).
Cadevall & Sallent, Fl. Catalunya, iii. 361 (1917).
monspeliensium All.
Reichenbach, Ic. Fl. Germ. xv. t. 747 (1852).
*Cusin, Herb. Fl. Franç. xiii (Composées), t. 307 (1874).
Acloque, Fl. France, 393 (1894).
Coste, Fl. France, ii. 383 (1903).
Fiori & Paol. Ic. Fl. Ital. 448 (1904).
Cadevall & Sallent, Fl. Catalunya, iii. 360 (1917).
pinnatus DC.
Fiori & Paol. Ic. Fl. Ital. 448 (1904).
Trotter, Fl. Econ. della Libia, 289 (1915).
Pomelianus Battand.
Battandier & Trabut, Atlas Fl. Algér. t. 3 (1886).
Reboundianus Battand.
Battandier & Trabut, Atlas Fl. Algér. t. 30 (1913).

CARDUUS Linn.—Vide *Alfredia*
acanthoides Linn.
Hill, Veget. Syst. iv. t. 9 (1762).
*Jacquin, Fl. Austr. iii. t. 249 (1775).
Hoppe, Ect. Pl. Ratisb. t. 768 (1793).
*Sowerby & Sm. Engl. Bot. xiv. t. 973 (1802).
*Schkuhr, Bot. Handb. Ed. 2, t. 228 (1808).
*Fl. Dan. viii. t. 1341 (1808); xvi. t. 2841 (1871).
*Curtis, Fl. Londin. Ed. 2, iii. fasc. VI. t. 54 (1826).
Reichenbach, Pl. Crit. x. t. 988 (1832).
*Zenker, Fl. Thüringen, iii. t. 352 (1836–55).
[M. E.] Jackson, Pict. Fl. fig. 1176 (1840).
*Dietrich, Fl. Boruss. xii. t. 802 (1844).
*Deakin, Florigr. Brit. iii. fig. 1236 (1847).
*Lorek, Fl. Pruss. Ed. 3, t. 188, fig. 1002 (1848).
Reichenbach, Ic. Fl. Germ. xv. 94, t. 873 (1853).—*Fl.*
Johnson & Sowerby, Brit. Wild Fl. fig. 679 (1858–60).
Bentham, Handb. Brit. Fl. fig. 552 (1865).
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, iii. t. 115 [1873].
*Cusin, Herb. Fl. Franç. xiii (Composées), t. 295 (1874).
Wagner, Ill. Deutsche Fl. Ed. 2, p. 436 (1882).
Willkomm, Führ. Reich Pflanzen, 390 (1882).—*Fl.*
*Sterne, Herbst- & Winterbl. t. 13, fig. b (1886).—*Hab.*
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xxx. t. 3128 (1888).
Pflanzenfam. iv. v. 319 (1892).—*Fr.*
*Hulme, Familiar Wild Fl. (5 vol. Ed.), iii. 93 [1892?]; (Pop. Ed.), v. 129 [1897?].
Garcke, Ill. Fl. Deutschl. 336 (1895).
Oesterr. Bot. Zeitschr. li. t. 7, fig. D (1901).—*Fl.*
Fiori & Paol. Ic. Fl. Ital. 458 (1904).
Blytt, Haandb. Norg. Fl. Ed. Dahl, 709 (1906).
*Sturm, Fl. Deutschl. Ed. 2, xiv. t. 9 (1906).
Fedtschenko & Fler. Fl. Eur. Russia, 1007 (1910).
Heukels, Fl. Nederl. 424 (1910).
Suireishchikov, Ill. Fl. Mosc. Gov. iii. 293 (1910).
Bull. Angew. Bot. v. t. 70 (1912).—*Veg.*
*Klein, Unsere Unkräuter, t. 88 (1913).
*Gadeceau, Fl. Moiss. t. 88 (1914).
Lindman, Svensk Fanerogamfl. 547 (1918).
Fitch & Smith, Ill. Brit. Fl. Ed. rev. 4, Iss. 2, fig. 560 (1919).
—— **collaris** Reichb.
Reichenbach, Pl. Crit. x. t. 990 (1832).
Mutel, Fl. Française, t. 33 (1834).—*Fl.*
Reichenbach, Ic. Fl. Germ. xv. 94, t. 873 (1853).
—— **polyacanthos** Reichb. f.
Reichenbach, Ic. Fl. Germ. xv. 94, t. 874 (1853).
—— **squarrosus** Reichb.
Reichenbach, Pl. Crit. x. t. 989 (1832).
Mutel, Fl. Française, t. 33 (1834).—*Fl.*
Reichenbach, Ic. Fl. Germ. xv. 94, t. 873 (1853).
—— **vulgaris** Mutel
Mutel, El. Française, t. 33 (1834).—*Fl.*

CARDUUS
acanthoides vulgaris
Reichenbach, Ic. Fl. Germ. xv. 94, t. 873 (1853).
Acarna Linn.
Hill, Veget. Syst. iv. t. 10 (1762).
×**acauli-arvensis** Syme
*Syme, Engl. Bot. v. t. 697 (1866) in ic.; *C. arvensi-acaulis* in textu.
×**acauli-pratensis** Syme
*Syme, Engl. Bot. v. t. 696 (1866).
acaulis Linn.
*Jacquin, Ic. Pl. Rar. iii. t. 579 (1786–93).
Hoppe, Ect. Pl. Ratisb. t. 765 (1793).
*Fl. Dan. vii. t. 1114 (1794).
*Sowerby & Sm. Engl. Bot. iii. t. 161 (1794).
*Holdich, Weeds Agric. Ed. 3, frontisp. (1825).
Bentham, Handb. Brit. Fl. fig. 561 (1865).
*Syme, Engl. Bot. v. t. 692, 692 bis (1866).
*Hogg & Johnson, Wild Fl. Gr. Brit. x. t. 722 (1878).
Wagner, Ill. Deutsche Fl. Ed. 2, p. 441 (1882).
*Dujard.-Beaumetz & Égasse, Pl. Méd. t. 34 (1889).
Journ. Agric. Soc. England, lxii. 250 (1901).
Sturm, Fl. Deutschl. Ed. 2, xiv. 58 (1906).
Fitzgerald in Nature Book, iv. 623, t. 2 (1909).
Fitch & Smith, Ill. Brit. Fl. Ed. rev. 4, Iss. 2, fig. 569 (1919).
acicularis Bertol.
Reichenbach, Ic. Fl. Germ. xv. t. 865, 874 (1853).
*Cusin, Herb. Fl. Franç. xiii (Composées), t. 287 (1874).
Coste, Fl. France, ii. 379 (1903).
Fiori & Paol. Ic. Fl. Ital. 451 (1904).
acuminatus Gaudin
Reichenbach, Ic. Fl. Germ. xv. t. 872 (1853).
afer Jacq.
*Jacquin, Hort. Schoenbr. ii. t. 145 (1797).
affinis Guss.
Gussone, Pl. Rar. t. 57 (1826).
Fiori & Paol. Ic. Fl. Ital. 449 (1904).
alatus D. Don
*Sweet, Brit. Fl. Gard. ii. t. 103 (1825).
alpestris Waldst. & Kit.
*Waldstein & Kit. Pl. Rar. Hung. iii. t. 267 (1812).
altissimus Linn.
Hill, Veget. Syst. iv. t. 21 (1762).
Dillenius, Hort. Eltham. Add. Denom. Linn. t. 69 (1774).
Wien. Ill. Gart.-Zeit. viii. 295 (1883).
Britton & Brown, Ill. Fl. N. States & Canada, iii. 485 (1898).
anglicus Lam.
*Sturm, Fl. Deutschl. Ed. 2, xiv. t. 6 (1906).
angusticeps H. Lindb.
Lindberg in Öfvers. Finska Vet.-Soc. Forhandl. 1905–6, xlviii. No. 13, t. 3 (1906).
antarcticus Vill.
Villars, Hist. Pl. Dauph. iii. t. 19 (1789).
arabicus Linn.
*Jacquin, Ic. Pl. Rar. i. t. 166 (1781–86).
*Plantarum Indig. & Exot. Ic. i [t. 12] (1788).
arctioides Willd.
Reichenbach, Ic. Fl. Germ. xv. t. 879 (1853).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xxx. t. 3132 (1888).
Coste, Fl. France, ii. 382 (1903).
arenarius Desf.
Desfontaines, Fl. Atlant. ii. t. 222 (1798).
argentatus Linn.
*Jacquin, Hort. Vind. i. t. 192 (1772).
argyroa Biv.
Reichenbach, Pl. Crit. v. t. 449 (1827).
Schnizlein, Iconogr. ii. t. 120 a (1843–70).
Fiori & Paol. Ic. Fl. Ital. 451 (1904).
arizonicus M. Armstrong
*M. Armstrong, Field Book West. Wild Fl. 524 (1915).
×**arvensi-acaulis** Syme
*Syme, Engl. Bot. v. t. 697 (1866) in textu; *C. acauli-arvensis* in ic.
arvensis Robs.
Hill, Veget. Syst. iv. t. 14 (1762).
*Curtis, Fl. Londin. ii. fasc. VI. t. 57 (1798).
Sowerby & Sm. Engl. Bot. xiv. t. 975 (1802).

CARDUUS
arvensis
*Liboschitz & Trinius, Fl. Pétersb. & Mosc. 17 (1811).
*Holdich, Weeds Agric. Ed. 3, frontisp. (1825).
*Kops, Fl. Batava, v. t. 343 (1828).
Bentham, Handb. Brit. Fl. fig. 556 (1865).
*Syme, Engl. Bot. v. t. 693 (1866).
*Hogg & Johnson, Wild Fl. Gr. Brit. ix. t. 669 (1876).
Wagner, Ill. Deutsche Fl. Ed. 2, p. 442 (1882).
Nelson in Bull. Wyoming Agric. St. No. 31, t. 6, 7 (1896).
Selby in Bull. Ohio Agric. St. No. 83, p. 360 (1897); No. 142, t. 4 (1903); No. 175, t. 5, p. 372 (1906).
Henderson in Bull. Idaho Agric. St. No. 14, t. 6, 7 (1898).—*Hab.*
Britton & Brown, Ill. Fl. N. States & Canada, iii. 489 (1898).
U.S. Dep. Agric. Div. Bot. Circ. No. 27, p. 1, 2 (1900).
Waldron in Bull. N. Dakota Agric. St. No. 56, p. 232, 234 (1903).—*Hab.*
U.S. Dep. Agric. Bur. Pl. Indust. Bull. No. 84, p. 33 (1905).—*Fr.*
*Sturm, Fl. Deutschl. Ed. 2, xiv. t. 8 (1906).
Journ. New Zeal. Dep. Agric. xii. 183 (1916).
Fitch & Smith, Ill. Brit. Fl. Ed. rev. 4, Iss. 2, fig. 564 (1919).
—— **setosus** Syme
*Syme, Engl. Bot. v. t. 694 (1866).
atriplicifolius Trev.
Reichenbach, Hort. Bot. t. 18 (1824).
aurosicus Vill.
Villars, Hist. Pl. Dauph. iii. t. 20 (1789).
Reichenbach, Ic. Fl. Germ. xv. t. 868 (1853).
*Cusin, Herb. Fl. Franç. xiii (Composées), t. 301 (1874).
Coste, Fl. France, ii. 380 (1903).
baeocephalus Webb & Berth.
Webb & Berth. Hist. Nat. Iles Canar. iii. Phytogr. II. t. 112 (1836–50).
baeticus Boiss. & Reut.
Rouy, Illustr. Pl. Eur. Rar. fasc. 13, t. 317 (1900).
benedictus Auct.
*Vietz, Ic. Pl. Med.-oec.-techn. i. t. 41 (1800).
*Cassone, Fl. Med.-Farm. iv. t. 307 (1850).
Nov. Act. Acad. Nat. Cur. xxxv. Art. IV. t. 5 (1869).—*Fl.*
*Josef v. Oesterreich & Marg. v. Thurn und Taxis, Atlas Heilpfl. t. 39 (1903).
*Komarow, Sbor, Suschka i Razvod. Lekarst. Rast. Ross. (Coll. Dry. & Cult. Med. Pl. Russia), Ed. 3, t. 13 (1917).
bicolor Vis.
Visiani, Fl. Dalmat. ii. t. 49 (1847).
Reichenbach, Ic. Fl. Germ. xv. t. 868 (1853).
blepharolepis Chiov.
Chiovenda & Cortesi, Il Ruwenzori, Angiosp. t. 14 [1909].
Boujartii Piller
Piller & Mitterpacher, Iter Poseg. Slav. t. 13 (1783).
Broteri Welw.
Rouy, Illustr. Pl. Eur. Rar. fasc. 18, t. 437 (1903).
californicus M. Armstrong
M. Armstrong, Field Book West. Wild Fl. 525 (1915).
candicans Waldst. & Kit.
*Waldstein & Kit. Pl. Rar. Hung. i. t. 83 (1802).
Fiori & Paol. Ic. Fl. Ital. 449 (1904).
—— **collinus** Waldst. & Kit.
Fiori & Paol. Ic. Fl. Ital. 450 (1904).
candidissimus M. Armstrong
M. Armstrong, Field Book West. Wild Fl. 525 (1915).
Candollei Moretti
*Penzig, Fl. Litt. Méditerr. t. 57 (1902).
canus Linn.
*Jacquin, Fl. Austr. i. t. 42, 43 (1773).
Carduelis Gren.
Fiori & Paol. Ic. Fl. Ital. 449 (1904).
Cardunculus Baill.
*Baillon, Ic. Fl. Franç. ii. t. 149 [1885–94].
carlinifolius Lam.
Reichenbach, Ic. Fl. Germ. xv. t. 872 (1853).

CARDUUS
carlinifolius
*Cusin, Herb. Fl. Franç. xiii (Composées), t. 302 (1874).
Coste, Fl. France, ii. 381 (1903).
Cadevall & Sallent, Fl. Catalunya, iii. 354 (1917).
carlinoides Gouan
Gouan, Illustr. Bot. t. 23 (1773).
Reichenbach, Ic. Fl. Germ. xv. t. 875 (1853).
*Cusin, Herb. Fl. Franç. xiii (Composées), t. 305 (1874).
Coste, Fl. France, ii. 380 (1903).
*Flahault, Nouv. Fl. Alpes & Pyrén. iii. t. 98 (1912).
Cadevall & Sallent, Fl. Catalunya, iii. 353 (1917).
Casabonae Linn.
Hill, Veget. Syst. iv. t. 14 (1762).
*Schmidel, Ic. Pl. Ed. 2, iii. t. 51, 52 (1797).
cephalanthus Viv.
Moris, Fl. Sard. t. 90 (1840–43).
*Cusin, Herb. Fl. Franç. xiii (Composées), t. 289 (1874).
Coste, Fl. France, ii. 379 (1903).
Fiori & Paol. Ic. Fl. Ital. 450 (1904).
chius Jacq.
*Jacquin, Hort. Vind. iii. t. 5 (1776).
chrysacanthus Ten.
*Tenore, Fl. Nap., Atlas, iv. t. 188 (1811–38).
Reichenbach, Ic. Fl. Germ. xv. t. 878 (1853).
Fiori & Paol. Ic. Fl. Ital. 449 (1904).
Karsten & Schenck, Veg.-Bild. x. t. 44 (1913).—*Hab.*
cichoraceus Cir.
Cirillo, Pl. Rar. Neap. ii. t. 7 (1792).
*Tenore, Fl. Nap., Atlas, iv. t. 191 (1811–38).
ciliatus Murr.
Murray in Comm. Soc. Sc. Göttingen, vi. 37, t. 5 (1785).
cirsiformis Vuk.
Vukotinovic, Rad. Jugoslav. Akad. Zagreb. xxxix [t. 1] (1877).
clavulatus Link
Webb & Berth. Hist. Nat. Iles Canar. iii. Phytogr. II. t. 113 (1836–50).
collinus Waldst. & Kit.
*Waldstein & Kit. Pl. Rar. Hung. iii. t. 232 (1812).
Reichenbach, Ic. Fl. Germ. xv. t. 867 (1853).
—— **candicans** Reichb. f.
Reichenbach, Ic. Fl. Germ. xv. t. 867, fig. III. (1853).
corymbosus Ten.
*Tenore, Fl. Nap., Atlas, iv. t. 188 (1811–38).
Fiori & Paol. Ic. Fl. Ital. 451 (1904).
Coulteri M. Armstrong
M. Armstrong, Field Book West. Wild Fl. 523 (1915).
×**crispo-nutans** Jord.
*Cusin, Herb. Fl. Franç. xiii (Composées), t. 294 (1874).
crispus Linn.
Kwa-wi [transl. Savatier], Herb. i. t. 1 (1759).
Hill, Veget. Syst. iv. t. 9 (1762).
*Fl. Dan. iv. t. 621 (1775).
Hoppe, Ect. Pl. Ratisb. t. 388 (1789).
*Schkuhr, Bot. Handb. Ed. 2, t. 228 (1808).—*Fr.*
*Kops, Fl. Batava, iii. t. 230 (1814).
*Schrank, Fl. Monac. iii. t. 281 (1816).
*Zenker, Fl. Thüringen, vii. t. 741 (1836–55).
*!Linnaea, xi. t. 6 (1837).!
*Dietrich, Fl. Boruss. x. t. 715 (1842).
Meigen, Deutschl. Fl. iii. t. 127 (1842).—*Fl.*
*Lorek, Fl. Pruss. Ed. 3, t. 188, fig. 1003 (1848).
*Petermann, Deutschl. Fl. t. 49, fig. 385 (1849).
Reichenbach, Ic. Fl. Germ. xv. t. 880 (1853).
*Schubert, Naturg., Pflanzenreich, Ed. 2, t. 41, fig. 6 [1865].
*Syme, Engl. Bot. v. t. 684 (1866).
*Cusin, Herb. Fl. Franç. xiii (Composées), t. 292 (1874).
*Hogg & Johnson, Wild Fl. Gr. Brit. viii. t. 633 (1874).
Svenska Vet. Akad. Handl. xxi. No. 4, t. 4 (1884).—*Fl.*
*Baillon, Ic. Fl. Franç. i. 61 [1885–94].
Baillon, Hist. Pl. viii. 1, 2 (1886).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xxx. t. 3129 (1888).

CARDUUS
crispus
Britton & Brown, Ill. Fl. N. States & Canada, iii. 490 (1898); Ed. 2, iii. 555 (1913).
Coste, Fl. France, ii. 381 (1903).
Fiori & Paol. Ic. Fl. Ital. 450 (1904).
Journ. Board Agric. xii. 714 (1906).
*Sturm, Fl. Deutschl. Ed. 2, xiv. t. 10 (1906).
Lazaro, Comp. Fl. Españ. ii. 665 (1907).
Fedtschenko & Fler. Fl. Eur. Russia, 1007 (1910).
Heukels, Fl. Nederl. iii. 425 (1910).
Suireishchikov, Ill. Fl. Mosc. Gov. iii. 294 (1910).
Somoku Dzusetsu, Ed. Makino (Iconogr. Pl. Nippon), xv. t. 39 (1912).
Bull. Angew. Bot. vii. t. 116 (1914).—*Fr.*
Cadevall & Sallent, Fl. Catalunya, iii. 354 (1917).
Mayevsky, Fl. Central Russia, 333 (1918).
Lindman, Svensk Fanerogamfl. 547 (1918).—*Fl.*
Board Agric. Fish. Leafl. No. 166, p. 6 (1918).—*Fl.*
—— **acanthoides** Linn.
C. T. Green, Fl. Liverpool Distr. fig. 347 (1902).
—— **congesta** Franch. & Sav.
Somoku Dzusetsu, Ed. 2, xv. t. 39 (1874).
—— **polyanthemos** Godr.
Cusin, Herb. Fl. Franç. xiii (Composées), t. 293 (1874).
cyanoides Linn.
Hill, Veget. Syst. iv. t. 20 (1762).
Sprengel, Fl. Halensis, t. 11 (1806).
*Schkuhr, Bot. Handb. Ed. 2, t. 228 (1808).—*Fr.*
defloratus Linn.
Hill, Veget. Syst. iv. t. 13 (1762).
*Jacquin, Fl. Austr. i. t. 89 (1773).
Hoppe, Ect. Pl. Ratisb. t. 796 (1793).
Haller, Ic. Pl. Helvet. t. 4 (1795).
*Schrank, Fl. Monac. iv. t. 358 (1818).
*Zenker, Fl. Thüringen, iv. t. 383 (1836–55).
Reichenbach, Ic. Fl. Germ. xv. t. 869 (1853).
*Cusin, Herb. Fl. Franç. xiii (Composées), t. 303 (1874).
H. Müller, Alpenblumen, 419 (1881).—*Fl.*
Willkomm, Führ. Reich Pflanzen, 391 (1882).
!Nuov. Giorn. Bot. Ital. xx. t. 13, fig. 22 (1888).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xxx. t. 3133 (1888).
Rev. Gén. Bot. ii. t. 22 (1890).
*Hartinger, Atlas Alpenfl. v. t. 475 (1897).
Knuth, Handb. Blütenbiol. ii. 1. 650 (1898).—*Fl.*
G. Beck, Alpenblum. Semmering, t. 17, fig. 4 (1898).—*Fl.*
*Gradmann, Pflanzenl. Schwäb. Alb, Ed. 2, ii. t. 26 (1900).
Coste, Fl. France, ii. 381 (1903).
*L. & C. Schroeter, Col. Vade-Mecum Alp. Fl. Ed. 16 & 17, t. 13 (1904).
*Sturm, Fl. Deutschl. Ed. 2, xiv. t. 12 (1906).
*Hulme, Familiar Swiss Fl. t. 3 (1908).—*Fl.*
*Milner, Life Oberammergau, t. 44 (1910).
Cadevall & Sallent, Fl. Catalunya, iii. 355 (1917).
—— **alpestris** DC.
Reichenbach, Ic. Fl. Germ. xv. t. 870 (1853).
—— **Argemone** Reichb. f.
Reichenbach, Ic. Fl. Germ. xv. t. 871 (1853).
—— **carlinifolius** Lam.
Fiori & Paol. Ic. Fl. Ital. 449 (1904).
—— **glaucus** Reichb. f.
Reichenbach, Ic. Fl. Germ. xv. t. 869 (1853).
—— **leptophyllus** Koch
Reichenbach, Ic. Fl. Germ. xv. t. 870 (1853).
—— **medius** Gouan
Fiori & Paol. Ic. Fl. Ital. 449 (1904).
—— **rhaeticus** DC.
Reichenbach, Ic. Fl. Germ. xv. t. 870 (1853).
—— **summanus** Poll.
Fiori & Paol. Ic. Fl. Ital. 449 (1904).
—— **transalpinus** Reichb. f.
Reichenbach, Ic. Fl. Germ. xv. t. 871 (1853).
diacanthus Labill.
Labillardière, Ic. Pl. Syriae, ii. t. 3 (1791).
discolor Nutt.
*Wild Fl. Canada, t. 123 (1894).
Britton & Brown, Ill. Fl. N. States & Canada, iii. 485 (1898).
dissectus Linn.
Hill, Veget. Syst. iv. t. 20 (1762).

CARDUUS
eriophorus Linn.
Hill, Veget. Syst. iv. t. 15 (1762).
*Jacquin, Fl. Austr. ii. t. 171 (1774).
*Sowerby & Sm. Engl. Bot. vi. t. 386 (1797).
Bentham, Handb. Brit. Fl. fig. 557 (1865).
*Syme, Engl. Bot. v. t. 687 (1866).
*Hogg & Johnson, Wild Fl. Gr. Brit. x. t. 723 (1878).
Wagner, Ill. Deutsche Fl. Ed. 2, p. 438 (1882).
*Sturm, Fl. Deutschl. Ed. 2, xiv. t. 2 (1906).
Journ. New Zeal. Dep. Agric. xii. 186 (1916).
Fitch & Smith, Ill. Brit. Fl. Ed. rev. 4, Iss. 2, fig. 565 (1919).
Erisithales Jacq.
Jacquin, Obs. Bot. t. 17 (1764).
*Jacquin, Fl. Austr. iv. t. 310 (1776).
fasciculiflorus Viv.
Viviani, Fl. Cors. App. Alt. t. 1 (1830).
*Cusin, Herb. Fl. Franç. xiii (Composées), t. 290 (1874).
Coste, Fl. France, ii. 380 (1903).
Fiori & Paol. Ic. Fl. Ital. 450 (1904).
flavescens Linn.
Hill, Veget. Syst. iv. t. 15, 22 (1762).
Cavanilles, Ic. i. t. 46 (1791).
getulus Pomel
Gubb, Fl. Sahar. t. 28 (1913).
giganteus Desf.
Desfontaines, Fl. Atlant. ii. t. 221 (1798).
glaucus Cav.
Cavanilles, Ic. iii. t. 226 (1794).
glaucus Baumg.
Willkomm, Führ. Reich Pflanzen, 391 (1882).
glycacanthus Sibth.
*Sibthorp & Sm. Fl. Graeca, ix. t. 826 (1837).
gnaphaloides Cir.
Cirillo, Pl. Rar. Neap. i. t. 9 (1788).
hamulosus Ehrh.
*Waldstein & Kit. Pl. Rar. Hung. iii. t. 233 (1812).
Reichenbach, Ic. Fl. Germ. xv. t. 875 (1853).
*Cusin, Herb. Fl. Franç. xiii (Composées), t. 299 (1874).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xxx. t. 3131 (1888).
Heukels, Fl. Nederl. iii. 424 (1910).
Cadevall & Sallent, Fl. Catalunya, iii. 358 (1917).
—— **spiniger** Le Grand
Coste, Fl. France, ii. 382 (1903).
helenoides Linn.
Hill, Veget. Syst. iv. t. 22 (1762).
Haller, Ic. Pl. Helvet. t. 7 (1795).
heterophyllus Linn.
Hill, Veget. Syst. iv. t. 21 (1762).
*Fl. Dan. i. t. 109 (1763).
*Sowerby & Sm. Engl. Bot. x. t. 675 (1800).
Thornton, Brit. Fl. iii. 19 (1812).
Bentham, Handb. Brit. Fl. fig. 558 (1865).
*Syme, Engl. Bot. v. t. 691 (1866).
Hogg & Johnson, Wild Fl. Gr. Brit. ix. t. 713 (1876).
Wagner, Ill. Deutsche Fl. Ed. 2, p. 440 (1882).
*Sturm, Fl. Deutschl. Ed. 2, xiv. t. 4 (1906).
Journ. Roy. Hort. Soc. London, xlii. 280 (1917). —*Hab.*
Fitch & Smith, Ill. Brit. Fl. Ed. rev. 4, Iss. 2, fig. 566 (1919).
Hillii Porter
Britton & Brown, Ill. Fl. N. States & Canada, iii. 488 (1898).
Hippolyti Bory & Chaub.
Bory & Chaub. Expéd. Morée, Bot. iii. t. 29 (1832).
Bory & Chaub. Nouv. Fl. Pélop. t. 31 (1838).
intricatus Reichb.
Reichenbach, Ic. Fl. Germ. xv. t. 866 (1853).
Kerneri Haage & Schmidt
Gard. Chron. Ser. III. xl. 51 (1906).
Jardin, xxi. 60 (1907).
lanceatus Hill
Hill, Veget. Syst. iv. t. 11 (1762).
lanceolatus Linn.
*Sowerby & Sm. Engl. Bot. ii. t. 107 (1793).
C. K. Sprengel, Entd. Geheimn. Natur, t. 20, fig. 12, 16–19, 32 (1793).—*Fl.*
*Martyn, Fl. Rustica, iv. t. 131 (1794).

CARDUUS
lanceolatus
*Fl. Dan. vii. t. 1173 (1797).
*Kops, Fl. Batava, iv. t. 273 (1822).
*Heger, Danske Oec. Pl. iii. t. 253 (1835).
Bentham, Handb. Brit. Fl. fig. 554 (1865).
*Syme, Engl. Bot. v. t. 686 (1866).
Wagner, Ill. Deutsche Fl. Ed. 2, p. 438 (1882).
Agric. Gaz. N. S. Wales, vi. 223 (1895).
Halsted in Rep. New Jersey Agric. St. No. 5, p. 318 (1895).
Nelson in Bull. Wyoming Agric. St. No. 31, t. 8, 9 (1896).
Selby in Bull. Ohio Agric. St. No. 83, p. 362 (1897); No. 175, t. 5, p. 373 (1906).
Britton & Brown, Ill. Fl. N. States & Canada, iii. 485 (1898).
*Blanchan, Nat. Gard. 78 (1900).
U.S. Dep. Agric. Div. Bot. Circ. No. 27, p. 4 (1900).
*Sturm, Fl. Deutschl. Ed. 2, xiv. t. 1 (1906).
Journ. New Zeal. Dep. Agric. i. 343 (1910); viii. 637 (1914); x. 548, 549 (1915); xii. 177 (1916).
Perrin & Boulger, Brit. Flower. Pl. iv. t. 300 [F], fig. 6–8 (1914).
Fitch & Smith, Ill. Brit. Fl. Ed. rev. 4, Iss. 2, fig. 562 (1919).
leptocladus Dur.
*Cosson & Durieu, Expl. Scient. Algér. 1840–42, Bot. Atlas, t. 50 (1850).
leucanthus Cav.
Cavanilles, Ic. ii. t. 165 (1793).
leucographus Linn.
Hill, Veget. Syst. iv. t. 10 (1762).
*Jacquin, Hort. Vind. iii. t. 23 (1776).
Allioni, Fl. Pedem. iii. t. 73 (1785).
Gaertner, Fruct. ii. t. 162 (1791).—*Fr.*
Lamarck, Ill. iv. t. 663, fig. 2 (1797).—*Fl.*
*Jaume St.-Hilaire, Fl. & Pom. Franç. v. t. 411 (1832).
Fiori & Paol. Ic. Fl. Ital. 451 (1904).
litigiosus Nocca & Balb.
Nocca & Balb. Fl. Tic. ii. t. 12 (1821).
Fiori & Paol. Ic. Fl. Ital. 450 (1904).
lycopifolius Vill.
Villars, Hist. Pl. Dauph. iii. t. 19 (1789).
macrocephalus Desf.
*Cosson & Durieu, Expl. Scient. Algér. 1840–42, Bot. Atlas, t. 50 (1850).
Mariae Crantz
*Hill, Family Herbal, t. 48 (1812).
Marianus Linn.
*Kniphof, Herb. Viv. i. t. 211 (1758).
Hill, Veget. Syst. iv. t. 16 (1762).
*Regnault, Bot. ii. 120 (1774).
Buchoz, Hist. Règne Vég. xii. Dec. 6, t. 6 (1776).
*Curtis, Fl. Londin. i. fasc. III. t. 154 (1777); Ed. 2, ii. fasc. III. t. 54 (1821).
*Zorn, Ic. Pl. Med. ii. t. 130 (1780).
*Oskamp, Afb. Artseny-Gewass. ii. t. 150 (1796).
*Sowerby & Sm. Engl. Bot. xiv. t. 976 (1802).
*Plenck, Ic. Pl. Med. vii. t. 601 (1803).
*Schkuhr, Bot. Handb. Ed. 2, t. 228 (1808).—*Fr.*
*Jaume St.-Hilaire, Pl. France, i [t. 84] (1808).
Thornton, Brit. Fl. iii. 19 (1812).
*Vigneux, Fl. Pitt. Envir. Paris, t. 52 (1812).
*Chaumeton, Fl. Méd. ii. t. 111 (1815).
Dict. Sc. Nat., Planch. Bot. Dicot. t. 1 (1816–29). —*Hab.*
*Vietz, Ic. Pl. Med.-oec.-techn. v. t. 381 (1817).
*Hayne, Getreue Darst. Arzn. Gewächse, vii. t. 31 (1821).
*Waller, New Brit. Domest. Herb. t. 30 (1822).
*Nees, Pl. Offic. ii. t. 221 (1828).
[M. É.] Jackson, Pict. Fl. fig. 1178 (1840).
*Deakin, Florigr. Brit. iii. fig. 1238 (1847).
*Cassone, Fl. Med.-Farm. iv. t. 306 (1850).
Bentham, Handb. Brit. Fl. fig. 550 (1865).
*Hogg & Johnson, Wild Fl. Gr. Brit. iv. t. 261 (1868).
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, iii. t. 115 [1873].
Baillon, Dict. Bot. ii. 455 (1884).—*Fr.*
Baillon, Traité Bot. Méd. Phan. ii. 1144 (1884). —*Fr.*
Baillon, Hist. Pl. viii. 6 (1886).—*Fr.*

CARDUUS
Marianus
*Hulme, Familiar Wild Fl. (5 vol. Ed.), iv. 41 (1892); (Pop. Ed.), v. 141 [1897?].
Journ. New Zeal. Dep. Agric. xii. 185 (1916).
Fitch & Smith, Ill. Brit. Fl. Ed. rev. 4, Iss. 2, fig. 558 (1919).
marmoratus Boiss. & Heldr.
Rouy, Illustr. Pl. Eur. Rar. fasc. 9, t. 207 (1898).
Fiori & Paol. Ic. Fl. Ital. 451 (1904).
medius Gouan
Gouan, Illustr. Bot. t. 24 (1773).
Reichenbach, Ic. Fl. Germ. xv. t. 871 (1853).
*Cusin, Herb. Fl. Franç. xiii (Composées), t. 304 (1874).
*Flahault, Nouv. Fl. Alpes & Pyrén. iii. t. 96 (1912).
Cadevall & Sallent, Fl. Catalunya, iii. 356 (1917).
membranaceus Lojac.-Poj.
Lojacono-Pojero, Fl. Sic. ii. 1. t. 14 (1902).
meonanthus Hoffmans. & Link
Rouy, Illustr. Pl. Eur. Rar. fasc. 13, t. 316 (1900).
mexicanus Moric.
Publ. Field Columbian Mus., Bot. Ser. iii. 11. 148 (1904).—*Fl.*
microcephalus Ten.
*Tenore, Fl. Nap., Atlas, v. t. 246 (1811–38).
mollis Linn.
Hill, Veget. Syst. iv. t. 13 (1762).
*Jacquin, Fl. Austr. i. t. 18 (1773).
Sprengel, Fl. Halensis, t. 11 (1806).
monspessulanus Linn.
Hill, Veget. Syst. iv. t. 20 (1762).
*Réveil, Règne Vég. iv. t. 4 (1870).—*Fl.*
multiflorus Gaudin
Reichenbach, Ic. Fl. Germ. xv. t. 880 (1853).
muticus Pers.
*Wild Fl. Canada, t. 176 (1894).
Britton & Brown, Ill. Fl. N. States & Canada, iii. 489 (1898).
myriacanthus Salzm.
*Cosson & Durieu, Expl. Scient. Algér. 1840–42, Bot. Atlas, t. 50 (1850).
Rouy, Illustr. Pl. Eur. Rar. fasc. 13, t. 315 (1900).
nebraskensis Britton
Britton & Brown, Ill. Fl. N. States & Canada, iii. 487 (1898).
neglectus Ten.
*Tenore, Fl. Nap., Atlas, iv. t. 187 (1811–38).
nigrescens Vill.
Villars, Hist. Pl. Dauph. iii. t. 20 (1789).
*Jordan, Obs. iii (Ann. Soc. Linn. Lyon, 1845–46), t. 8 (1847).—*Fl.*
Reichenbach, Ic. Fl. Germ. xv. t. 876 (1853).
*Cusin, Herb. Fl. Franç. xiii (Composées), t. 297 (1874).
Coste, Fl. France, ii. 382 (1903).
Cadevall & Sallent, Fl. Catalunya, iii. 357 (1917).
—— **nicaeensis** Reichb. f.
Reichenbach, Ic. Fl. Germ. xv. t. 876 (1853).
nitidus Waldst. & Kit.
*Waldstein & Kit. Pl. Rar. Hung. i. t. 52 (1802).
nivalis Less.
Linnaea, v. t. 2, fig. 1 (1830).—*Fl.*
Lessing, Syn. Compos. tab. fig. 1 (1832).—*Fl.*
numidicus Dur.
*Cosson & Durieu, Expl. Scient. Algér. 1840–42, Bot. Atlas, t. 49 (1850).
nutans Linn.
Hill, Veget. Syst. iv. t. 11 (1762).
*Fl. Dan. iv. t. 675 (1777).
Martyn, Pl. Expl. Linn. Syst. Veg. t. 25 (1788). —*Fl.*
*Joh. Kerner, Abbild. Oek. Pfl. (Fig. Pl. Écon.), vi. t. 540 (1793).
C. K. Sprengel, Entd. Geheimn. Natur, t. 21, fig. 24, 26, 27 (1793).—*Fl.*
*Sowerby & Sm. Engl. Bot. xvi. t. 1112 (1803).
*Kops, Fl. Batava, ii. t. 159 (1807).
*Schkuhr, Bot. Handb. Ed. 2, t. 228 (1808).—*Fr.*
*Schrank, Fl. Monac. iii. t. 253 (1816).
*Vietz, Ic. Pl. Med.-oec.-techn. v. t. 380 (1817).
*Jaume St.-Hilaire, Fl. & Pom. Franç. v. t. 410 (1832).
*Zenker, Fl. Thüringen, viii. t. 862 (1836–55).
*Baxter, Brit. Bot. Ed. 2, iii. t. 177 (1837).

CARDUUS
nutans
*Dietrich, Fl. Boruss. viii. t. 546 (1840).
[M. E.] Jackson, Pict. Fl. fig. 1175 (1840).
Cosson & Germ. Fl. Paris, Atlas, t. 25 (1845).—*Fl.*
*J. W. Loudon, Brit. Wild Fl. Ed. 2, t. 42 [1846].
*Deakin, Florigr. Brit. iii. fig. 1235 (1847).
*Lorek, Fl. Pruss. Ed. 3, t. 188, fig. 1004 (1848).
Reichenbach, Ic. Fl. Germ. xv. t. 877 (1853).
Johnson & Sowerby, Brit. Wild Fl. fig. 678 (1858–60).
*T. Moore, Field Bot. Comp. t. 15 (1862).
Bentham, Handb. Brit. Fl. fig. 551 (1865).
*Syme, Engl. Bot. v. t. 683 (1866).
Cesati, Passer. & Gibelli, Comp. Fl. Ital. t. 75 (1867–86).—*Fl.*
*Réveil, Règne Vég. iv. t. 44 (1870).—*Fl.*
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, iii. t. 115 [1873].
*Cusin, Herb. Fl. Franç. xiii (Composées), t. 296 (1874).
*Hogg & Johnson, Wild Fl. Gr. Brit. viii. t. 633 (1874).
De Silvestri, Piante Prat. 249 (1879).
Favart, Flowers & Pl. t. 8 (1880).
*C. Hoffmann, Pflanzenatlas, t. 63, fig. 395 (1881).
Wagner, Ill. Deutsche Fl. Ed. 2, p. 435 (1882).
*Baillon, Ic. Fl. Franç. iii. t. 292 [1885–94].
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xxx. t. 3134 (1888).
*Thomé, Fl. Deutschl. iv. t. 599 (1889).
Paolucci, Fl. Marchig. t. 25 (1890).
*Hulme, Familiar Wild Fl. (5 vol. Ed.), ii. 25 [1892?]; (Pop. Ed.), iv. 145 [1897?].
Schwarz, Forstl. Bot. 368 (1892).
*Masclef, Atlas Pl. France, t. 162 (1893).
Acloque, Fl. France, 393 (1894).
Bull. Soc. Bot. Belg. xxxiii. 174 (1894).—*Veg.*
*Siélain, Atlas Poche Pl. Champs, Prair. & Bois, Ser. II. t. 86 (1896).
Britton & Brown, Ill. Fl. N. States & Canada, iii. 489 (1898); Ed. 2, iii. 554 (1913).
Gradmann, Pflanzenl. Schwäb. Alb, Ed. 2, ii. 351 (1900).
C. T. Green, Fl. Liverpool Distr. fig. 346 (1902).
Coste, Fl. France, ii. 382 (1903).
Fiori & Paol. Ic. Fl. Ital. 448 (1904).
*Step, Wayside & Woodl. Bloss. New Ed. ii. t. 9 (1905).
*Sturm, Fl. Deutschl. Ed. 2, xiv. t. 13 (1906).
Lazaro, Comp. Fl. Españ. ii. 666 (1907).
Rec. Instit. Bot. Errera, iii. 271 (1908); vii bis Annexe, fig. 343 (1910).
*Wagner, Magyar. gyomnöv. (Weeds of Hungary), t. 6 (1908).
Graebner, Pflanzenw. Deutschl. 86 (1909).
Fedtschenko & Fler. Fl. Eur. Russia, 1006 (1910).
Heukels, Fl. Nederl. iii. 423 (1910).
*Milner, Life Oberammergau, t. 49 (1910).
Suireishchikov, Ill. Fl. Mosc. Gov. iii. 295 (1910).
*Creevey, Harper's Guide Wild Flowers, 366 (1912).
*Klein, Unsere Unkräuter, t. 87 (1913).
*Gadeceau, Fl. Moiss. t. 87 (1914).
Bull. Angew. Bot. vii. t. 116, 121 (1914).
*Perrin & Boulger, Brit. Flower. Pl. iv. t. 296 (1914).
Journ. New Zeal. Dep. Agric. xii. 179 (1916).
*Bonnier, Name This Flower, t. 29 (1917).
Cadevall & Sallent, Fl. Catalunya, iii. 356 (1917).
Lindman, Svensk Fanerogamfl. 547 (1918).
Mayevsky, Fl. Central Russia, 332 (1918).
Basu, Ind. Med. Pl. t. 549 (1918).
*Horwood, Brit. Wild Fl. iv. t. 46, p. 195 (1919).
Fitch & Smith, Ill. Brit. Fl. Ed. rev. 4, Iss. 2, fig. 559 (1919).
—— **nigrescens** Vill.
Fiori & Paol. Ic. Fl. Ital. 449 (1904).
—— **ortholepis** Bornm.
Beih. Bot. Centralbl. xxxvi. II. t. 1 (1918).
×**nutanti-crispus** Sond.
*Syme, Engl. Bot. v. t. 685 (1866).
ochrocentrus Greene
Britton & Brown, Ill. Fl. N. States & Canada, iii. 487 (1898).

CARDUUS
odoratus Porter
Britton & Brown, Ill. Fl. N. States & Canada, iii. 488 (1898).
*Blanchan, Nat. Gard. 78 (1900).
oleraceus Vill.
*Baillon, Ic. Fl. Franç. ii. 118 [1885–94].
*Sturm, Fl. Deutschl. Ed. 2, xiv. t. 7 (1906).
onopyxos Hill
Hill, Veget. Syst. iv. t. 10 (1762).
palustris Linn.
*Kniphof, Herb. Viv. i. t. 212 (1758).
Hill, Veget. Syst. iv. t. 9 (1762).
Hoppe, Ect. Pl. Ratisb. t. 257 (1788).
*Curtis, Fl. Londin. ii. fasc. VI. t. 56 (1798).
*Sowerby & Sm. Engl. Bot. xiv. t. 974 (1802).
*Kops, Fl. Batava, ii. t. 118 (1807).
*Heger, Danske Oec. Pl. iii. t. 254 (1835).
Bentham, Handb. Brit. Fl. fig. 555 (1865).
*Syme, Engl. Bot. v. t. 688 (1866).
*Hogg & Johnson, Wild Fl. Gr. Brit. t. 669 (1876).
Wagner, Ill. Deutsche Fl. Ed. 2, p. 439 (1882).
*Sturm, Fl. Deutschl. Ed. 2, xiv. t. 3 (1906).
Fitch & Smith, Ill. Brit. Fl. Ed. rev. 4, Iss. 2, fig. 563 (1919).
Personata Jacq.
*Jacquin, Fl. Austr. iv. t. 348 (1776).
Allioni, Fl. Pedem. iii. t. 35 (1785).
Gaertner, Fruct. ii. t. 162 (1791).—*Fr.*
*Jaume St.-Hilaire, Fl. & Pom. Franç. v. t. 409 (1832).
Reichenbach, Ic. Fl. Germ. xv. t. 879 (1853).
*Cusin, Herb. Fl. Franç. xiii (Composées), t. 291 (1874).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xxx. t. 3130 (1888).
Coste, Fl. France, ii. 380 (1903).
Fiori & Paol. Ic. Fl. Ital. 449 (1904).
*L. & C. Schroeter, Col. Vade-Mecum Alp. Fl. Ed. 16 & 17, t. 13 (1904).
*Sturm, Fl. Deutschl. Ed. 2, xiv. t. 11 (1906).
pinnatifidus Cav.
Cavanilles, Ic. i. t. 83 (1791).
Lamarck, Ill. iv. t. 663, fig. 3 (1797).
Pitcheri Porter
Britton & Brown, Ill. Fl. N. States & Canada, iii. 486 (1898).
plattensis Rydb.
Contrib. U.S. Nat. Herb. iii. t. 2 (1895).
Britton & Brown, Ill. Fl. N. States & Canada, iii. 487 (1898).
platylepis Sauter
Reichenbach, Ic. Fl. Germ. xv. t. 878 (1853).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xxx. t. 3135 (1888).
platypus Lange
*Lange, Pl. Hispan. t. 19 (1864–66).
podacanthus DC.
Reichenbach, Pl. Crit. v. t. 426 (1827).
Mutel, Fl. Française, t. 32 (1834).
polyacanthos Curt.
*Curtis, Fl. Londin. ii. fasc. VI. t. 54 (1798).
×**polyacanthos** Schleich.
Suireishchikov, Ill. Fl. Mosc. Gov. iii. 295 (1910).
polyanthemos Hegel & Heer
Reichenbach, Ic. Fl. Germ. xv. t. 877 (1853).
polymorphus Lapeyr.
Lapeyrouse in Hist. & Mém. Acad. Sc. Toulouse, i. t. 19, 20 (1782).
×**pratensi-palustris** Syme
*Syme, Engl. Bot. v. t. 695 (1866).
pratensis Huds.
*Sowerby & Sm. Engl. Bot. iii. t. 177 (1794).
Bentham, Handb. Brit. Fl. fig. 560 (1865).
*Syme, Engl. Bot. v. t. 690 (1866).
*Hogg & Johnson, Wild Fl. Gr. Brit. iv. t. 289 (1868).
Fitch & Smith, Ill. Brit. Fl. Ed. rev. 4, Iss. 2, fig. 568 (1919).
pteracanthus Dur.
*Cosson & Durieu, Expl. Scient. Algér. 1840–42, Bot. Atlas, t. 50 (1850).
—— **erythrolepis** Dur.
*Cosson & Durieu, Expl. Scient. Algér. 1840–42, Bot. Atlas, t. 50 (1850).

CARDUUS
pumilus Vill.
Villars, Hist. Pl. Dauph. iii. t. 20 (1789).
pycnocephalus Linn.
*Jacquin, Hort. Vind. i. t. 44 (1770).
*Schkuhr, Bot. Handb. Ed. 2, t. 228 (1808).—*Fr.*
Reichenbach, Ic. Fl. Germ. xv. t. 864, 874 (1853).
Bentham, Handb. Brit. Fl. fig. 553 (1865).
Cesati, Passer. & Gibelli, Comp. Fl. Ital. t. 75 (1867–86).—*Fl.*
*Cusin, Herb. Fl. Franç. xiii (Composées), t. 286 (1874).
*Hogg & Johnson, Wild Fl. Gr. Brit. x. t. 723 (1878).
Wagner, Ill. Deutsche Fl. Ed. 2, p. 437 (1882).
Paolucci, Fl. Marchig. t. 24 (1890).
C. T. Green, Fl. Liverpool Distr. fig. 345 (1902).
Coste, Fl. France, ii. 379 (1903).
Fiori & Paol. Ic. Fl. Ital. 450 (1904).
F. M. Bailey, Weeds & Poison. Pl. Queensland, 93 (1906).
Ulbrich in Verh. Bot. Ver. Brandenb. xlix. 220 (1908).—*Fr.*
Journ. New Zeal. Dep. Agric. i. 342 (1910); x. 549 (1915); xii. 181 (1916).
Adamović, Pflanzenw. Dalmat. t. 45 (1911).—*Hab.*
Wrigley, Stud. Trees & Fl. 65 [1911] in textu; *C. tenuiflorus* in ic.
Morton in Mitt. Nat. Ver. Univ. Wien, x. t. 1, fig. 17 (1912).—*Fr.*
Cadevall & Sallent, Fl. Catalunya, iii. 353 (1917).
Fitch & Smith, Ill. Brit. Fl. Ed. rev. 4, Iss. 2, fig. 561 (1919).
—— **sardous** Moris
Fiori & Paol. Ic. Fl. Ital. 450 (1904).
—— **tenuiflorus** Curt.
Fiori & Paol. Ic. Fl. Ital. 450 (1904).
pygmaeus Jacq.
Jacquin, Enum. Vind. t. 8 (1762).
pyrenaicus Jacq.
Jacquin, Obs. Bot. t. 95 (1771).
pyrochros Less.
Linnaea, v. t. 2, fig. 2 (1830).—*Fl.*
radiatus Waldst. & Kit.
*Waldstein & Kit. Pl. Rar. Hung. i. t. 11 (1802).
Rechingeri Hayek
Oesterr. Bot. Zeitschr. li. t. 7, fig. E (1901).
rivularis Jacq.
*Jacquin, Fl. Austr. i. t. 91 (1773).
*Sturm, Fl. Deutschl. Ed. 2, xiv. t. 5 (1906).
Rosenii Vill.
Villars, Hist. Pl. Dauph. iii. t. 21 (1789).
rugulosus Guss.
Lojacono-Pojero, Fl. Sic. ii. 1. t. 14 (1902).
sanctae-balmae Loisel.
Reichenbach, Ic. Fl. Germ. xv. t. 866 (1853).
*Cusin, Herb. Fl. Franç. xiii (Composées), t. 300 (1874).
Coste, Fl. France, ii. 381 (1903).
sardous DC.
Moris, Fl. Sard. t. 89 (1840–43).
scolymus Baill.
Baillon, Hist. Pl. viii. 7 (1886).—*Fl.*
seminudus M. Bieb.
*M. v. Bieberstein, Cent. Pl. Rar. ii. III. t. 75 (1843).
serratuloides Linn.
Hill, Veget. Syst. iv. t. 22 (1762).
serratuloides Jacq.
*Jacquin, Fl. Austr. ii. t. 127 (1774).
simplicifolius Sang.
Atti Accad. Pontif. Nuovi Lincei, xviii. 248, t. 2 (1865).
Spachianus Dur.
*Cosson & Durieu, Expl. Scient. Algér. 1840–42, Bot. Atlas, t. 51 (1850).
spinigerus Jord.
*Jordan, Obs. iii (Ann. Soc. Linn. Lyon, 1845–46), t. 8 (1846).
spinosissimus Walt.
Britton & Brown, Ill. Fl. N. States & Canada, iii. 488 (1898).

CARDUUS
sumanus Poll.
Pollini, Fl. Veronensis, ii. t. 6 (1822).
syncephalus Reichb. f.
Reichenbach, Ic. Fl. Germ. xv. t. 864, 874 (1853).
tataricus Linn.
Hill, Veget. Syst. iv. t. 15 (1762).
*Jacquin, Fl. Austr. i. t. 90 (1773).
tenuiflorus Curt.
*Sowerby & Sm. Engl. Bot. vi. t. 412 (1797).
*Curtis, Fl. Londin. ii. fasc. VI. t. 55 (1798); Ed. 2, iii. fasc. VI. t. 55 (1826).
Reichenbach, Pl. Crit. viii. t. 723 (1830).
*Fl. Dan. xii. t. 2058 (1832).
Mutel, Fl. Française, t. 32 (1834).
[M. E.] Jackson, Pict. Fl. fig. 1177 (1840).
*Deakin, Florigr. Brit. iii. fig. 1237 (1847).
Reichenbach, Ic. Fl. Germ. xv. t. 865, 874 (1853).
Johnson & Sowerby, Brit. Wild Fl. fig. 680 (1858–60).
*Syme, Engl. Bot. v. t. 682 (1866).
Dulac, Fl. Dépt. Hautes-Pyrén. 478 (1867).—*Fl.*
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, iii. t. 130 [1873].
*Cusin, Herb. Fl. Franç. xiii (Composées), t. 285 (1874).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xxx. t. 3127 (1888).
Acloque, Fl. France, 393 (1894).
Coste, Fl. France, ii. 379 (1903).
Merino, Fl. Galicia, ii. 435 (1906).
Black, Nat. Fl. S. Australia, 94 (1909).
Heukels, Fl. Nederl. iii. 423 (1910).
Wrigley, Stud. Trees & Fl. 65 [1911] in ic.; *C. pycnocephalus* in textu.
Cadevall & Sallent, Fl. Catalunya, iii. 352 (1917).
Lindman, Svensk Fanerogamfl. 548 (1918).
Traunsteineri Rouy
Rouy, Illustr. Pl. Eur. Rar. fasc. 19, t. 461 (1904).
tuberosus Linn.
Hill, Veget. Syst. iv. t. 14 (1762).
Bentham, Handb. Brit. Fl. fig. 559 (1865).
*Syme, Engl. Bot. v. t. 689 (1866).
*Hogg & Johnson, Wild Fl. Gr. Brit. ix. t. 713 (1876).
Wagner, Ill. Deutsche Fl. Ed. 2, p. 441 (1882).
*Behrens, Blattformen, t. 31, fig. a, b (1900).—*Veg.*
*Sturm, Fl. Deutschl. Ed. 2, xiv. t. 6 (1906).
Fitch & Smith, Ill. Brit. Fl. Ed. rev. 4, Iss. 2, fig. 567 (1919).
uncinatus M. Bieb.
Rouy, Illustr. Pl. Eur. Rar. fasc. 5, t. 118 (1896).
undulatus Nutt.
Britton & Brown, Ill. Fl. N. States & Canada, iii. 486 (1898).
*F. E. & E. S. Clements, Rocky Mt. Fl. t. 37 (1914).
virginianus Linn.
Hill, Veget. Syst. iv. t. 21 (1762).
Jacquin, Obs. Bot. t. 99 (1771).
Britton & Brown, Ill. Fl. N. States & Canada, iii. 486 (1898).
viridis A. Kern.
Oesterr. Bot. Zeitschr. li. t. 7, fig. F (1901).—*Fl.*
vivariensis Jord.
*Jordan, Obs. iii (Ann. Soc. Linn. Lyon, 1845–46), t. 8 (1846).
Reichenbach, Ic. Fl. Germ. xv. t. 876 (1853).
*Cusin, Herb. Fl. Franç. xiii (Composées), t. 298 (1874).
Coste, Fl. France, ii. 383 (1903).
wolgensis M. Bieb.
*M. v. Bieberstein, Cent. Pl. Rar. i. t. 44 (1810).

CARDWELLIA F. Muell.
sublimis F. Muell.
Hook. Ic. Pl. xiii. t. 1275 (1878).

CARELIA Less.
cistifolia Less.
Pflanzenfam. iv. v. 134 (1890)—*Fl.*
Arechavaleta in An. Mus. Nac. Montevideo, v. Ser. II. i. t. 2 (1904).

CAREX Linn.—Vide *Vignea*
abacta L. H. Bailey
Britton & Brown, Ill. Fl. N. States & Canada i. 292 (1896); Ed. 2, i. 431 (1913).
abbreviata Boott
Britton & Brown, Ill. Fl. N. States & Canada, i. 324 (1896); Ed. 2, i. 415 (1913).
aboriginum Jones
Jones in Bull. Univ. Montana, No. 61, p. 70 (1910).
abscondita Mackenzie
Stone, Pl. Southern New Jersey (Ann. Rep. New Jersey State Mus. 1910), t. 24 (1911).
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, i. 400 (1913).
acaulis D'Urv.
Duperrey, Voy. Coquille, Bot. Atlas, Phan. t. 28 (1826).
acicularis Boott
Hooker f., Fl. Nov.-Zel. i. t. 63 (1853).
Boott, Carex, iv. t. 508 (1867).
Willkomm, Führ. Reich Pflanzen, 257 (1882).—*Fr.*
acuminata Willd.
*Schkuhr, Bot. Handb. Ed. 2, t. 286 Cccc, No. 184 (1808).
acuminata Reichb.
*Reichenbach, Ic. Fl. Germ. viii. t. 267 (1846).
acuta Curt.
*Curtis, Fl. Londin. ii. fasc. IV. t. 61 (1798); Ed. 2, ii. fasc. IV. t. 61 (1821).
acuta Gooden.
Leers, Fl. Herborn. t. 16, fig. 1 (1789).
*Sowerby & Sm. Engl. Bot. ix. t. 580 (1799).
*Host, Gram. i. t. 95 (1801).
*Schkuhr, Bot. Handb. Ed. 2, t. 286 Ee, No. 92 a; 286 Ff, No. 92 b (1808).
*Svensk Bot. vi. t. 408 (1809).
Thornton, Brit. Fl. i. 82 (1812).
*Sturm, Deutschl. Fl. xiii. LVII [t. 901] (1831).
*Zenker, Fl. Thüringen, vi. t. 637 (1836–55).
*Fl. Dan. xiii. t. 2247 (1839).
[M. E.] Jackson, Pict. Fl. fig. 1367 (1840).
Leighton, Fl. Shropshire, 454 [t. 14] (1841).—*Fr.*
Schnizlein, Iconogr. i. t. 43 (1845).
*Reichenbach, Ic. Fl. Germ. viii. t. 231 (1846).
*Deakin, Florigr. Brit. iii. fig. 1413 (1847).
*Lorek, Fl. Pruss. Ed. 3, t. 214, fig. 1138 (1848).
Andersson, Cyperac. Scand. t. 5, fig. 56 (1849).
Johnson & Sowerby, Brit. Wild Fl. fig. 1430 (1858–60).
!Bull. Acad. Sc. Bruxelles, Ser. II. xiii. 376 (1862); xv. 559 (1863).
Bentham, Handb. Brit. Fl. fig. 1112 (1865).
Boott, Carex, iv. t. 548–50, 554 (1867).
*Syme, Engl. Bot. x. t. 1639 (1870).
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, vi. t. 245 [1873].
Cusin, Herb. Fl. Franç. xxiii (Cypéracées), t. 95 (1874).
De Silvestri, Piante Prat. 30 (1879).
*Hogg & Johnson, Wild Fl. Gr. Brit. xi. t. 895 (1880).
Karsten, Deutsche Fl. Pharm.-medic. Bot. 341 (1880–83).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, vi. t. 490 (1881).
Wagner, Ill. Deutsche Fl. Ed. 2, p. 793 (1882).
*Baillon, Ic. Fl. Franç. iv. t. 369 [1885–94].
*Thomé, Fl. Deutschl. i. t. 95 (1886).
Nederl. Kruidk. Arch. Ser. II. v. 1. t. 1 (1887).—*Fr.*
Acloque, Fl. France, 664 (1894).—*Fl.*
Battandier & Trabut, Fl. Algér., Monocot. t. 3, fig. 12 (1895).—*Fl.*
Karsten, Fl. Deutschl. i. 344 (1895).
Amer. Journ. Sc. Ser. IV. ii. t. 2, fig. 7 (1896).—*Fl.*
Reichenau, Mainzer Flora, fig. 108 (1900).
*Sturm, Fl. Deutschl. Ed. 2, ii. t. 37 (1900).
C. T. Green, Fl. Liverpool Distr. fig. 688 (1902).
Avebury, Notes Life Hist. Brit. Fl. Pl. 430 (1905).—*Fl.*
Husnot, Cypérac. t. 8 (1905).
*Mascle, Pl. Eur. t. 15 (1905).
Coste, Fl. France, iii. 505 (1906).

CAREX
acuta
*Kirby, Brit. Fl. Pl. t. 115 (1906).
Lazaro, Comp. Fl. Españ. i. 637 (1906).
Heukels, Fl. Nederl. i. 392 (1910).
Rec. Instit. Bot. Errera, vii bis Annexe, fig. 44 (1910).—*Hab.*
Feucht, Württemb. Pflanzenw. t. 83 (1912).—*Hab.*
Bull. Angew. Bot. vii. t. 99 (1914).
Fitch & Smith, Ill. Brit. Fl. Ed. rev. 4, Iss. 2, fig. 1130 (1919).
—— **chlorostachya** Reichb.
*Reichenbach, Ic. Fl. Germ. viii. t. 232 (1846).
—— **panormitana** Arcang.
Boott, Carex, iv. t. 553 (1867).
—— **personata** Fries
Boott, Carex, iv. t. 552 (1867).
Cusin, Herb. Fl. Franç. xxiii (Cypéracées), t. 97 (1874).
—— **prolixa** L. H. Bailey
Boott, Carex, iv. t. 555 (1867).
Cusin, Herb. Fl. Franç. xxiii (Cypéracées), t. 96 (1874).
—— **staminifera** Boott
Boott, Carex, iv. t. 551 (1867).
—— **tricostata** Fries
Boott, Carex, iv. t. 556 (1867).
—— **zygostachya** Reichb.
*Reichenbach, Ic. Fl. Germ. viii. t. 232 (1846).
acutata Boott
C. Gay, Hist. Chile, Atlas, t. 73, fig. 16 (1854).—*Fr.*
Boott, Carex, iv. t. 446, 447 (1867).
Pflanzenreich, Cyperac.-Caricoid. 701 (1909).
acutiformis Ehrh.
Karsten, Deutsche Fl. Pharm.-medic. Bot. 344 (1880–83).—*Fr.*
Nederl. Kruidk. Arch. Ser. II. v. 1. t. 2 (1887).—*Fr.*
Potonié, Ill. Fl. Nord- u. Mittel-Deutschl. Ed. 4, fig. 101 (1889).
Karsten, Fl. Deutschl. i. 347 (1895).
Britton & Brown, Ill. Fl. N. States & Canada, i. 303 (1896); Ed. 2, i. 420 (1913).
*Sturm, Fl. Deutschl. Ed. 2, ii. t. 62 (1900).
Coste, Fl. France, iii. 506 (1906).
Suireishchikov, Ill. Fl. Mosc. Gov. i. 213 (1906).
Heukels, Fl. Nederl. i. 408 (1910).
Journ. Russe Bot. 1911, p. 187.—*Fl.*
Fedtschenko, Veg. Turkest. 199 (1915).
Lindman, Svensk Fanerogamfl. 132, 133 (1918).
—— **petrophila** Holm
Amer. Journ. Sc. Ser. IV. xvi. 32 (1903).
adusta Boott
Boott, Carex, iii. t. 379–82 (1862).
Britton & Brown, Ill. Fl. N. States & Canada, i. 357 (1896); Ed. 2, i. 386 (1913).
Proc. Amer. Acad. xxxvii. No. 17, t. 3 (1902).
—— **minor** Boott
Boott, Carex, iii. t. 383 (1862).
aematorhyncha Desv.
C. Gay, Hist. Chile, Atlas, t. 73, fig. 22 (1854).
Boott, Carex, i. t. 183 (1858).
aemulans Drej. & Liebm.
*Fl. Dan. xvi. t. 2847 (1871).
aenea Fernald
Proc. Amer. Acad. xxxvii. No. 17, t. 3 (1902).
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, i. 387 (1913).
aequa C. B. Clarke
Amer. Journ. Sc. Ser. IV. xlviii. 25, fig. 6–8 (1919).
aequabilis Boott
Boott, Carex, i. t. 178 (1858).
aequialta Kük.
Pflanzenreich, Cyperac.-Caricoid. 355 (1909).
aestivaliformis Mackenzie
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, i. 409 (1913).
aestivalis Curt.
*Kunze, Suppl. Schkuhr. Riedgräs. (Caric.), i. t. 28 (1840–50).
Boott, Carex, i. t. 144 (1858).
Britton & Brown, Ill. Fl. N. States & Canada, i. 317 (1896); Ed. 2, i. 409 (1913).

CAREX
aethiopica Schkuhr
*Schkuhr, Bot. Handb. Ed. 2, t. 286 Z, No. 83 (1808).
Boott, Carex, iii. t. 341–44 (1862).
aethostachya Schkuhr
*Schkuhr, Bot. Handb. Ed. 2, t. 286 Llll, No. 196 (1808).
agastachys Ehrh.
*Sturm, Deutschl. Fl. xiii. LV [t. 879] (1830).
*Zenker, Fl. Thüringen, vi. t. 684 (1836–55).
aggregata Mackenzie
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, i. 368 (1913).
alata Torr.
Boott, Carex, iii. t. 378 (1862).
Britton & Brown, Ill. Fl. N. States & Canada, i. 359 (1896); Ed. 2, i. 384 (1913).
Proc. Amer. Acad. xxxvii. No. 17, t. 2 (1902).
Stone, Pl. Southern New Jersey (Ann. Rep. New Jersey State Mus. 1910), t. 26 (1911).
—— **ferruginea** Fernald
Proc. Amer. Acad. xxxvii. No. 17, t. 2 (1902).
alba Scop.
*Host, Gram. i. t. 59 (1801).
*Schkuhr, Bot. Handb. Ed. 2, t. 286 O, No. 55 (1808).
*Sturm, Deutschl. Fl. xiii. LIII [t. 836] (1829).
*Reichenbach, Ic. Fl. Germ. viii. t. 239 (1846).
Cusin, Herb. Fl. Franç. xxiii (Cypéracées), t. 103 (1874).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, vi. t. 512 (1881).
Fiori & Paol. Ic. Fl. Ital. 56 (1896).
*Sturm, Fl. Deutschl. Ed. 2, ii. t. 43 (1900).
Husnot, Cypérac. t. 10 (1905).
Coste, Fl. France, iii. 512 (1906).
Pflanzenreich, Cyperac.-Caricoid. 501 (1909).
Journ. Russe Bot. 1911, p. 140.—*Fl.*
—— **setifolia** Dewey
*Amer. Journ. Sc. xi. t. 1 (1826).
albicans Willd.
Bot. Gaz. xx. 8 (1896).
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, i. 392 (1913).
albo-lutescens Schwein.
Britton & Brown, Ill. Fl. N. States & Canada, i. 359 (1896); Ed. 2, i. 385 (1913).
Proc. Amer. Acad. xxxvii. No. 17, t. 1 (1902).
Pflanzenreich, Cyperac.-Caricoid. 204 (1909).
Stone, Pl. Southern New Jersey (Ann. Rep. New Jersey State Mus. 1910), t. 26 (1911).
Britton, Fl. Bermuda, 55 (1918).
albursina Sheldon
Britton & Brown, Ill. Fl. N. States & Canada, i. 329 (1896); Ed. 2, i. 401 (1913).
alligata Boott
Boott, Carex, iv. t. 417 (1867).
alliiformis C. B. Clarke
Pflanzenreich, Cyperac.-Caricoid. 619 (1909).
×**allolepis** Reichb.
*Reichenbach, Ic. Fl. Germ. viii. t. 233 (1846).
alopecoidea Tuckerm.
Boott, Carex, i. t. 68 (1858).
Britton & Brown, Ill. Fl. N. States & Canada, 344 (1896); Ed. 2, i. 368 (1913).
alopecuroides D. Don
Boott, Carex, ii. t. 258 (1860).
alpicola Wahlenb.
Blytt, Haandb. Norg. Fl. Ed. Dahl, 142 (1906).—*Fl.*
alpina Sw.
*Fl. Dan. iii. t. 403 (1768); vide Lange, Nomencl. Fl. Dan. 13 (1887).
Andersson, Cyperac. Scand. t. 6, fig. 66 (1849).
Boott, Carex, iii. t. 356, 357 (1862).
Bentham, Handb. Brit. Fl. fig. 1113 (1865).
*Syme, Engl. Bot. x. t. 1636 (1870); vide errata.
*Hogg & Johnson, Wild Fl. Gr. Brit. xi. t. 887 (1880).
Bih. Svenska Vet. Akad. Handl. xxi. III. No. 1, p. 40 (1895).
Britton & Brown, Ill. Fl. N. States & Canada, i. 306 (1896).
Ostenfeld, Fl. Arctica, i. 63 (1902).
Husnot, Cypérac. t. 6 (1905).

CAREX
alpina
Coste, Fl. France, iii. 503 (1906).
Pflanzenreich, Cyperac.-Caricoid. 385 (1909).
Journ. Russe Bot. 1911, p. 100.
F. E. & E. S. Clements, Rocky Mt. Fl. t. 45 (1914).
Fitch & Smith, Ill. Brit. Fl. Ed. rev. 4, Iss. 2, fig. 1131 (1919).
—— **erostrata** Boott
Boott, Carex, i. t. 194 (1858).
—— **infuscata** Boott
Boott, Carex, iii. t. 358, 359 (1862).
—— **parviflora** Boott
Boott, Carex, iii. t. 360 (1862).
alta Boott
Boott, Carex, i. t. 153 (1858).
alterniflora Franch.
Nouv. Arch. Mus. Hist. Nat. Paris, Ser. III. x. t. 6 (1898).
alticaulis Britton
Britton & Brown, Ill. Fl. N. States & Canada, i. 326 (1896).
alticola Popl.
Poplavskaia in Trud. Bot. Mus. (Trav. Mus. Bot. Acad. Sc. Pétersb.), xii. t. 16 (1914).
alveata Boott
Boott, Carex, i. t. 56 (1858).
ambigua Link
*Schkuhr, Bot. Handb. Ed. 2, t. 286 Bbb, No. 117 (1808).
Bull. Soc. Bot. France, xvii. t. 4, fig. 9–11 (1870).—*Fl.*
Duval-Jouve in Mém. Acad. Sc. Lett. Montpellier, Sect. Sc. vii. 1870, t. 21 (1871).—*Fr.*
Cusin, Herb. Fl. Franç. xxiii (Cypéracées), t. 87 (1874).
Husnot, Cypérac. t. 9 (1905).
Pflanzenreich, Cyperac.-Caricoid. 460 (1909).
ambusta Boott
Boott, Carex, i. t. 172 (1858).
Britton & Brown, Ill. Fl. N. States & Canada, i. 297 (1896).
amgunensis F. Schmidt
Mém. Acad. Sc. Pétersb. Ser. VII. xii. No. 2, t. 1 (1868).
Journ. Russe Bot. 1911, p. 120.—*Fl.*
amicta Boott
Boott, Carex, iv. t. 421 (1867).
amoena Boott
Boott, Carex, iii. t. 321 (1862).
amphibola Steud.
Britton & Brown, Ill. Fl. N. States & Canada, i. 321 (1896); Ed. 2, i. 406 (1913).
Cratty in Bull. Labor. Nat. Hist. Iowa, iv. No. 4, t. 3 (1898).
amphigena Mackenzie
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, i. 373 (1913).
amplifolia Boott
Hooker, Fl. Bor.-Amer. t. 226 (1840).
Boott, Carex, i. t. 48 (1858).
ampullacea Gooden.
*Sowerby & Sm. Engl. Bot. xi. t. 780 (1800).
*Host, Gram. i. t. 99 (1801).
*Schkuhr, Bot. Handb. Ed. 2, t. 286 Tt, No. 107 (1808).
*Sturm, Deutschl. Fl. xiii. LVII [t. 912] (1831).
*Zenker, Fl. Thüringen, vi. t. 669 (1836–55).
*Fl. Dan. xiii. t. 2248 (1839).
[M. E.] Jackson, Pict. Fl. fig. 1372 (1840).
Leighton, Fl. Shropshire, 465 [t. 17] (1841).—*Fr.*
*Reichenbach, Ic. Fl. Germ. viii. t. 277 (1846).
*Deakin, Florigr. Brit. iii. fig. 1443 (1847).
*Lorek, Fl. Pruss. Ed. 3, t. 217, fig. 1155 (1848).
Andersson, Cyperac. Scand. t. 8, fig. 106 (1849).
Johnson & Sowerby, Brit. Wild Fl. fig. 1466 (1858–60).
Bentham, Handb. Brit. Fl. fig. 1137 (1865).
Boott, Carex, iv. t. 501 (1867).
*Syme, Engl. Bot. x. t. 1680 (1870).
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, vi. t. 248 [1873].
Cusin, Herb. Fl. Franç. xxiii (Cypéracées), t. 150 (1874).
*Hogg & Johnson, Wild Fl. Gr. Brit. xi. t. 874 (1880).

CAREX
ampullacea
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, vi. t. 545 (1881).
Wagner, Ill. Deutsche Fl. Ed. 2, p. 804 (1882).
Acloque, Fl. France, 659 (1894).—*Fr.*
Husnot, Cypérac. t. 15 (1905–6).
Bull. Angew. Bot. vii. t. 101 (1914).
Fitch & Smith, Ill. Brit. Fl. Ed. rev. 4, Iss. 2, fig. 1155 (1919).
—— **rotundata** Wahlenb.
Andersson, Cyperac. Scand. t. 8, fig. 105 (1849).
anceps Muhl.
*Schkuhr, Bot. Handb. Ed. 2, t. 286 Fff, No. 128 (1808).
*Amer. Journ. Sc. xi. t. 7 (1826).
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, i. 402 (1913).
Andersonii Boott
D'Urville, Voy. Pole Sud & Océanie, Atlas, Monocot. Phanérog. t. 7 [1852].
anguillata Drej.
*Fl. Dan. xvi. t. 2846 (1871).
angustata Boott
Boott, Carex, iv. t. 586–88 (1867).
angustifolia Sm.
[M. E.] Jackson, Pict. Fl. fig. 1375 (1840).
Linnaea, xxxi. t. 5 (1861–62).
anisostachys Liebm.
Pflanzenreich, Cyperac.-Caricoid. 579 (1909).
annectens Bicknell
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, i. 369 (1913).
anthoxanthea Presl
Boott, Carex, iv. t. 456 (1867).
antucensis Kunze
*Kunze, Suppl. Schkuhr. Riedgräs. (Caric.), i. t. 13 (1840–50).
C. Gay, Hist. Chile, Atlas, t. 73, fig. 12 (1854).—*Fr.*
aperta Boott
Hooker, Fl. Bor.-Amer. t. 219 (1840).
Boott, Carex, iv. t. 426 (1867).
Pflanzenreich, Cyperac.-Caricoid. 320 (1909).
aphylla Kunth
Boott, Carex, iv. t. 479 (1867).
×**Appelliana** Zahn
Junge in Jahrb. Hamburg. Wiss. Anstalt. 1907, xxv. Beih. 3, p. 213 (1908).
appendiculata Kük.
Journ. Russe Bot. 1911, p. 90.—*Fl.*
appressa R. Br.
*Kunze, Suppl. Schkuhr. Riedgräs. (Caric.), i. t. 11 (1840–50).
Boott, Carex, i. t. 119, 120 (1858).
Pflanzenreich, Cyperac.-Caricoid. 178 (1909).
—— **sectoides** Kük.
Journ. Roy. Hort. Soc. London, xxxvii. 64, fig. 45 (1911).—*Hab.*
approximata All.
*Schkuhr, Bot. Handb. Ed. 2, t. 286 Iii, No. 137 (1808).
aquatilis Wahlenb.
*Amer. Journ. Sc. x. t. 2 (1826).
*Sowerby & Sm. Engl. Bot. Suppl. ii. t. 2758 (1834).
Leighton, Fl. Shropshire, 454 [t. 14] (1841).—*Fr.*
*Reichenbach, Ic. Fl. Germ. viii. t. 234 (1846).
*Deakin, Florigr. Brit. iii. fig. 1412 (1847).
Andersson, Cyperac. Scand. t. 5, fig. 54 (1849).
*Fl. Dan. Suppl. t. 33 (1853).
Johnson & Sowerby, Brit. Wild Fl. fig. 1429 (1858–60).
Boott, Carex, iv. t. 542, 543 (1867).
*Syme, Engl. Bot. x. t. 1641 (1870).
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, vi. t. 245 [1873].
*Hogg & Johnson, Wild Fl. Gr. Brit. xi. t. 690 (1880).
Britton & Brown, Ill. Fl. N. States & Canada, i. 309 (1896); Ed. 2, i. 422 (1913).
Ostenfeld, Fl. Arctica, i. 71 (1902).
West in Proc. Roy. Soc. Edinb. xxv. No. 11, t. 43 (1905); xxx. No. 2, t. 52 (1910).—*Hab.*
Blytt, Haandb. Norg. Fl. Ed. Dahl, 150 (1906).

CAREX
aquatilis
Pflanzenreich, Cyperac.-Caricoid. 310 (1909).
Journ. Russe Bot. 1911, p. 83.
F. E. & E. S. Clements, Rocky Mt. Fl. t. 45 (1914).
Lindman, Svensk Fanerogamfl. 125 (1918).—*Fr.*
Abh. Nat. Ver. Bremen, xxiv. 200 (1919).—*Fr.*
—— **epigejos** Laest.
Andersson, Cyperac. Scand. t. 4, fig. 45 (1849).
—— **minor** Boott
Boott, Carex, iv. t. 545 (1867).
—— **stans** Boott
Boott, Carex, iv. t. 544 (1867).
Ostenfeld, Fl. Arctica, i. 71 (1902).
Lindman, Svensk Fanerogamfl. 125 (1918).—*Fr.*
——**Watsonii** Syme
*Syme, Engl. Bot. x. t. 1642 (1870).
Archeri Boott
*Hooker f., Fl. Tasman. ii. t. 150 (1860).
Boott, Carex, iv. t. 508 (1867).
arcta Boott
Boott, Carex, iv. t. 497 (1867).
Britton & Brown, Ill. Fl. N. States & Canada, i. 352 (1896); Ed. 2, i. 375 (1913).
Proc. Amer. Acad. xxxvii. No. 17, t. 5 (1902).
Pflanzenreich, Cyperac.-Caricoid. 229 (1909).
arctata Boott
Boott, Carex, i. t. 135 (1858).
Britton & Brown, Ill. Fl. N. States & Canada, i. 320 (1896); Ed. 2, i. 410 (1913).
arctica Dewey
Amer. Journ. Sc. xxvii. t. v (1835).
arctica Deinb.
Andersson, Cyperac. Scand. t. 3, fig. 13 (1849).
arcuata Wahlenb.
Koenig & Sims, Ann. Bot. ii. t. 8, fig. 48 (1805).—*Fr.*
arenaria Linn.
Meier, Diss. Carice Arenaria, tab. (1772).
*Joh. Kerner, Abbild. Oek. Pfl. (Fig. Pl. Écon.), iii. t. 298 (1789).
Leers, Fl. Herborn. t. 14, fig. 2 (1789).
*Sturm, Deutschl. Fl. i. II [t. 29] (1797); xvi. LXIX [t. 1091] (1835).
*Host, Gram. i. t. 49 (1801).
*Sowerby & Sm. Engl. Bot. xiii. t. 928 (1801).
Withering, Syst. Arrang. Brit. Pl. Ed. 4, ii. t. 20 (1801); Ed. 5, ii. t. 20 (1812); Ed. 6, ii. t. 20 (1818); Ed. 7, ii. t. 20 (1830).
Hueser, Diss. Carice Arenaria, tab. (1802).
*Plenck, Ic. Pl. Med. vii. t. 658 (1803).
*Svensk Bot. iii. t. 156 (1804).
*Schkuhr, Bot. Handb. Ed. 2, t. 286 B, No. 6; 286 Dd, No. 6 (1808).
*Vigneux, Fl. Pitt. Envir. Paris, t. 57 (1812).
*Hayne, Getreue Darst. Arzn. Gewächse, v. t. 7 (1817).
*Vietz, Ic. Pl. Med.-oec.-techn. v. t. 382 (1817).
*Heger, Herb. Pharm. [t. 41] (1822–25).
*Fl. Dan. x. t. 1766 (1823).
*Mann, Deutschl. Wildwachs. Arzney-Pfl. [t. 38] (1823–28).
*Nees, Pl. Offic. i. t. 26 (1828).
*Schlechtendal & Guimpel, Abb. Pharm. Boruss. Gew. i. t. 5 (1830).
*Zenker, Fl. Thüringen, vi. t. 635 (1836–55).
[M. E.] Jackson, Pict. Fl. fig. 1329 (1840).
Leighton, Fl. Shropshire, 450 [t. 13] (1841).—*Fr.*
*Kops, Fl. Batava, ix. t. 688 (1846).
*Reichenbach, Ic. Fl. Germ. viii. t. 209 (1846).
*Deakin, Florigr. Brit. iii. fig. 1394 (1847).
*Lorek, Fl. Pruss. Ed. 3, t. 211, fig. 1123 (1848).
Andersson, Cyperac. Scand. t. 3, fig. 16 (1849).
Lindley, Med. & Oecon. Bot. 32 (1849).
Johnson & Sowerby, Brit. Wild Fl. fig. 1410 (1858–60).
Wilkinson, Weeds & Wild Fl. 366 (1858).
Berg, Charakt. t. 7, fig. 87; t. 92, fig. 642, N (1861).
Hofmeister in Abh. Sächs. Ges. Wiss. Leipzig, vii. t. 12, fig. 15, 17 (1861).—*Fr.*
*Artus, Atlas Pharm. Deutschl. Aufg. Offic. Gew. t. 284 [1862–74].
Bentham, Handb. Brit. Fl. fig. 1107 (1865).
*Schubert, Naturg., Pflanzenreich, Ed. 2, t. 46, fig. 5 [1865].

CAREX
arenaria
*Réveil, Règne Vég. iii. t. 26 (1870).
*Syme, Engl. Bot. x. t. 1618 (1870).
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, vi. t. 244 [1873].
Album Natuur, 225 (1874).
Cusin, Herb. Fl. Franç. xxiii (Cypéracées), t. 70 (1874).
Nobbe, Handb. Samenkunde, 348 (1876).—*Fr.*
*Hogg & Johnson, Wild Fl. Gr. Brit. xi. t. 839 (1880).
Karsten, Deutsche Fl. Pharm.-medic. Bot. 340 (1880–83).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, v. t. 458 (1881).
Schilling, Grundr. Naturg. ii. Pflanzenr. Ausgb. A, p. 197 (1882).
Celakovsky in Sitzb. Böhm. Ges. Wiss. 1881, p. 249 tab. (1882).—*Veg.*
Wagner, Ill. Deutsche Fl. Ed. 2, p. 787 (1882).
*M'Alpine, Bot. Atlas, i. t. 4 (1883).
Nederl. Kruidk. Arch. Ser. II. iv. IV. t. 11 (1886).—*Fr.*
*Thomé, Fl. Deutschl. i. t. 91 (1886).
Hager, Handb. Pharm. Prax. Ed. Nov. i. 749 (1887).
Potonié, Ill. Fl. Nord- u. Mittel-Deutschl. Ed. 4, fig. 99 a (1889).
Vidensk. Meddel. Kjöbenhavn, 1891, p. 180 (1892).
Schwarz, Forstl. Bot. 68 (1892).
*Masclef, Atlas Pl. France, t. 364 (1893).
Acloque, Fl. France, 659, 660 (1894).—*Fl.*
Brehm, Merv. Nat. Monde des Pl. ii. 673 (1894–96).
Karsten, Fl. Deutschl. i. 343 (1895).
Raunkiær, Danske Blomsterpl. Naturhist. i. 466 (1895–99).—*Veg.*
Britton & Brown, Ill. Fl. N. States & Canada, i. 342 (1896); Ed. 2, i. 363 (1913).
Fiori & Paol. Ic. Fl. Ital. 54 (1896).
*Siélain, Atlas Poche Pl. Champs, Prair. & Bois, Ser. II. t. 81 (1896).
Bot. Tidsskr. xxi. 80 (1897).
*Köhler, Med. Pfl. iii [t. 218] (1898).
Sturm, Fl. Deutschl. Ed. 2, ii. t. 35 (1900).
Lindman, Bild. Nord. Fl. t. 432 (1901–5).
Flora, xci. t. 16, fig. 5 (1902).—*Veg.*
C. T. Green, Fl. Liverpool Distr. fig. 681 (1902).
Husnot, Cypérac. t. 4 (1905).
Blytt, Haandb. Norg. Fl. Ed. Dahl, 134 (1906).
Coste, Fl. France, iii. 496 (1906).
Lazaro, Comp. Fl. Españ. i. 634 (1906).
Warming, Dansk Plantevaekst, ii. 159 (1907).
Rec. Institt. Bot. Errera, vii Annexe, 121, fig. 30, 35, 56, 71, 178, 179 (1908); vii bis Annexe, fig. 86 (1910).—*Hab.*
Pflanzenreich, Cyperac.-Caricoid. 130 (1909).
Heukels, Fl. Nederl. i. 381 (1910).
Pammel, Man. Poison. Pl. 369 (1911).
Journ. Ecol. i. t. 15, fig. 3, 4 (1913).—*Hab.*
Clements in Carnegie Inst. Washington, Publ. No. 242, t. 15 (1916).—*Hab.*
Lindman, Svensk Fanerogamfl. 122 (1918).—*Fl.*
Fitch & Smith, Ill. Brit. Fl. Ed. rev. 4, Iss. 2, fig. 1125 (1919).
*Horwood, Brit. Wild Fl. ii. t. 16, p. 211 (1919).
—— **disticha** Huds.
Fiori & Paol. Ic. Fl. Ital. 54 (1896).
arenicola F. Schmidt
Mém. Acad. Sc. Pétersb. Ser. VII. xii. No. 2, t. 6 (1868).
Journ. Russe Bot. 1911, p. 45.—*Fl.*
argunensis Turcz.
Boott, Carex, iv. t. 516 (1867).
Journ. Russe Bot. 1911, p. 35.—*Fl.*
argyroglochin Hornem.
*Fl. Dan. x. t. 1710 (1821).
*Sturm, Deutschl. Fl. xiii. LV [t. 869] (1830).
*Reichenbach, Ic. Fl. Germ. viii. t. 211 (1846).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, vi. t. 477 (1881).
arida Schwein. & Torr.
Ann. Lyc. New York, i. t. 24 (1824).
Boott, Carex, i. t. 54 (1858).
arisanensis Hayata
Hayata, Ic. Pl. Formosan. vi. t. 18 (1916).

CAREX
aristata Dewey
*Amer. Journ. Sc. ix. t. 1 (1825); xxvii. t. v (1835).
aristata R. Br.
Boott, Carex, i. t. 59 (1858).
Britton & Brown, Ill. Fl. N. States & Canada, i. 302 (1896).
Suireishchikov, Ill. Fl. Mosc. Gov. i. 216 (1906).
Pflanzenreich, Cyperac.-Caricoid. 752 (1909).
Journ. Russe Bot. 1911, p. 196.—*Fl.*
—— **orthostachys** C. A. Mey.
Pflanzenreich, Cyperac.-Caricoid. 752 (1909).—*Fr.*
Journ. Russe Bot. 1911, p. 196.—*Fl.*
—— **Raddei** Kük.
Pflanzenreich, Cyperac.-Caricoid. 752 (1909).—*Fr.*
Journ. Russe Bot. 1911, p. 196.—*Fl.*
—— **trichocarpa** Muhl.
Pflanzenreich, Cyperac.-Caricoid. 752 (1909).—*Fr.*
arizonensis Kük.
Pflanzenreich, Cyperac.-Caricoid. 701 (1909).
Arnellii Christ
Pflanzenreich, Cyperac.-Caricoid. 608 (1909).
Journ. Russe Bot. 1911, p. 160.—*Fl.*
Arnottiana Nees
Drejer, Symb. Caric. t. 5 (1844).
×**Arthuriana** Beckm. & Figert
Husnot, Cypérac. t. 5 (1905).
Asa-Grayi L. H. Bailey
Britton & Brown, Ill. Fl. N. States & Canada, i. 293 (1896); Ed. 2, i. 439 (1913).
aspera Willd.
Willdenow, Fl. Berol. Prodr. t. 1 (1787).
Willdenow in Mém. Acad. Berlin, 1794, t. 3, fig. 1.
assiniboinensis Boott
Britton & Brown, Ill. Fl. N. States & Canada, i. 319 (1896); Ed. 2, i. 411 (1913).
asturica Boiss.
*Willkomm, Ill. Fl. Hispan. Balear. i. t. 40, fig. B (1881–85).
Rouy, Illustr. Pl. Eur. Rar. fasc. 11, t. 274 (1899).
aterrima Hoppe
*Sturm, Deutschl. Fl. xii. XLVII [t. 748] (1827).
*Reichenbach, Ic. Fl. Germ. viii. t. 236 (1846).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, vi. t. 496 (1881).
Coste, Fl. France, iii. 502 (1906).
atherodes Spreng.
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, i. 428 (1913).
athrostachya Olney
Nelson in Bull. Wyoming Agric. St. No. 76, p. 68 (1908).
Pflanzenreich, Cyperac.-Caricoid. 194 (1909).
atlantica L. H. Bailey
Britton & Brown, Ill. Fl. N. States & Canada, i. 350 (1896); Ed. 2, i. 378 (1913).
Stone, Pl. Southern New Jersey (Ann. Rep. New Jersey State Mus. 1910), t. 26 (1911).
atrata Linn.
*Fl. Dan. i. t. 158 (1764).
*Host, Gram. i. t. 88 (1801).
*Schkuhr, Bot. Handb. Ed. 2, t. 286 X, No. 77 (1808).
*Sowerby & Sm. Engl. Bot. xxix. t. 2044 (1809).
*Sturm, Deutschl. Fl. xii. XLVII [t. 747] (1827).
[M. E.] Jackson, Pict. Fl. fig. 1351 (1840).
Leighton, Fl. Shropshire, 454 [t. 14] (1841).—*Fr.*
*Svensk Bot. xi. t. 754 (1843).
*Reichenbach, Ic. Fl. Germ. viii. t. 237 (1846).
*Deakin, Florigr. Brit. iii. fig. 1409 (1847).
Andersson, Cyperac. Scand. t. 6, fig. 67 (1849).
Johnson & Sowerby, Brit. Wild Fl. fig. 1445 (1858–60).
Bentham, Handb. Brit. Fl. fig. 1115 (1865).
*Syme, Engl. Bot. x. t. 1635 (1870).
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, vi. t. 245 [1873].
Cusin, Herb. Fl. Franç. xxiii (Cypéracées), t. 111 (1874).
*Hogg & Johnson, Wild Fl. Gr. Brit. xi. t. 924 (1880).
*Seboth & A. W. Bennett, Alpine Pl. ii. t. 96 (1880).

CAREX
atrata
Karsten, Deutsche Fl. Pharm.-medic. Bot. 351 (1880–83).—*Fr.*
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, vi. t. 497 (1881).
Schilling, Grundr. Naturg. ii. Pflanzenr. Ausgb. A, p. 196 (1882); Ausgb. B, p. 130 (1884).
Wagner, Ill. Deutsche Fl. Ed. 2, p. 795 (1882).
Potonié, Ill. Fl. Nord- u. Mittel-Deutschl. Ed. 4, fig. 100 (1889).
Acloque, Fl. France, 659 (1894).—*Fr.*
Bih. Svenska Vet. Akad. Handl. xxi. III. No. 1, p. 40 (1895).
Karsten, Fl. Deutschl. i. 354 (1895).
Fiori & Paol. Ic. Fl. Ital. 56 (1896).
*Hartinger, Atlas Alpenfl. i. t. 47 (1897).
*Sturm, Fl. Deutschl. Ed. 2, ii. t. 40 (1900).
Lindman, Bild. Nord. Fl. t. 435 b (1901–5).
Ostenfeld, Fl. Arctica, i. 65 (1902).
Amer. Journ. Sc. Ser. IV. xvi. 29 (1903).
Husnot, Cypérac. t. 6 (1905).
Blytt, Haandb. Norg. Fl. Ed. Dahl, 146 (1906).—*Fl.*
Coste, Fl. France, iii. 502 (1906).
C. B. Clarke, Illustr. Cyperac. t. 144 (1909).—*Fl.*
Pflanzenreich, Cyperac.-Caricoid. 397 (1909).
*H. S. Thompson, Alp. Pl. Europe, t. 63 (1911).
Journ. Russe Bot. 1911, p. 107.—*Fl.*
*Hegi & Dunz. Alp. Fl. t. 3 (1913).
F. E. & E. S. Clements, Rocky Mt. Fl. t. 45 (1914).
Fedtschenko, Veg. Turkest. 184 (1915).
Lindman, Svensk Fanerogamfl. 127 (1918).
Fitch & Smith, Ill. Brit. Fl. Ed. rev. 4, Iss. 2, fig. 1133 (1919).
—— **aterrima** Hartm.
*Sturm, Fl. Deutschl. Ed. 2, ii. t. 40 (1900).
—— **glacialis** Boott
Boott, Carex, iii. t. 365 (1862).
—— **nigra** Gaud.
Boott, Carex, iii. t. 363 (1862).
—— **ovata** Boott
Boott, Carex, iii. t. 362 (1862).
—— **pullata** Boott
Boott, Carex, iii. t. 364 (1862).
atratiformis Britton
Britton & Brown, Ill. Fl. N. States & Canada, i. 306 (1896); Ed. 2, i. 418 (1913).
atrofusca Schkuhr
*Schkuhr, Bot. Handb. Ed. 2, t. 286 Y, No. 82 (1808).
*Reichenbach, Ic. Fl. Germ. viii. t. 250 (1846).
Journ. Russe Bot. 1911, p. 150.—*Fl.*
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, i. 412 (1913).
Lindman, Svensk Fanerogamfl. 129 (1918).—*Fr.*
atropicta Steud.
Boott, Carex, iii. t. 366 (1862).
Rio y Achaval, Geogr. Prov. Cordoba, Atlas, tab. [9] (1905).
Pflanzenreich, Cyperac.-Caricoid. 390 (1909).
Augustinowiczii Meinsh.
Journ. Russe Bot. 1911, p. 102.—*Fl.*
aurea Nutt.
Ann. Lyc. New York, i. t. 25 (1824).
*Kunze, Suppl. Schkuhr. Riedgräs. (Caric.), i. t. 46 (1840–50).
Boott, Carex, i. t. 76 (1858).
Britton & Brown, Ill. Fl. N. States & Canada, i. 331 (1896); Ed. 2, i. 397 (1913).
F. E. & E. S. Clements, Rocky Mt. Fl. t. 45 (1914).
austriaca Schkuhr
*Schkuhr, Bot. Handb. Ed. 2, t. 286 Qqq, No. 157 (1808).
austrina Mackenzie
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, i. 366 (1913).
austro-caroliniana L. H. Bailey
Bull. Torr. Bot. Club, xxi. 208 (1894).
austromontana Parish
Amer. Plants, iii. t. 29 (1910).
axillaris Gooden.
Trans. Linn. Soc. London, ii. t. 19 (1794).
Roemer, Archiv Bot. ii. II. t. 1 (1801).
Sowerby & Sm. Engl. Bot. xiv. t. 993 (1802).

CAREX
axillaris
*Schkuhr, Bot. Handb. Ed. 2, t. 286 R, No. 62 (1808).
*Sturm, Deutschl. Fl. xiii. LV [t. 870] (1830).
[M. E.] Jackson, Pict. Fl. fig. 1327 (1840).
Leighton, Fl. Shropshire, 452 [t. 13] (1841).—*Fr.*
*Reichenbach, Ic. Fl. Germ. viii. t. 219 (1846).
*Deakin, Florigr. Brit. iii. fig. 1404 (1847).
Johnson & Sowerby, Brit. Wild Fl. fig. 1424 (1858–60).
Bentham, Handb. Brit. Fl. fig. 1103 (1865).
*Syme, Engl. Bot. x. t. 1628 (1870).
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, vi. t. 244 [1873].
*Hogg & Johnson, Wild Fl. Gr. Brit. xi. t. 871 (1880).
Husnot, Cypérac. t. 6 (1905).
Fitch & Smith, Ill. Brit. Fl. Ed. rev. 4, Iss. 2, fig. 1121 (1919).
azorica J. Gay
Boott, Carex, ii. t. 284 (1860).
Rep. Missouri Bot. Gard. viii. t. 48 (1897).
baccans Nees
Boott, Carex, ii. t. 234–39 (1860).
Garden, v. 279 (1874).
Nicholson, Illustr. Dict. Gard. i. 267 [1884–88].
*Bot. Mag. cxix. t. 7288 (1893).
Pflanzenreich, Cyperac.-Caricoid. 256 (1909).
Lecomte, Fl. Gén. Indo-Chine, vii. 184 (1912).—*Fl.*
Hayata, Ic. Pl. Formosan. vi. 122 (1916).—*Fl.*
Backiana Dewey
Amer. Journ. Sc. xxix. t. y (1836).
Backii Boott
Hooker, Fl. Bor.-Amer. t. 209 (1840).
*Amer. Journ. Sc. xlix. t. 1 (1845).
Boott, Carex, i. t. 104 (1858).
Pflanzenreich, Cyperac.-Caricoid. 644 (1909).
Baileyi Britton
Britton & Brown, Ill. Fl. N. States & Canada, i. 299 (1896); Ed. 2, i. 436 (1913).
baldensis Vill.
Villars, Hist. Pl. Dauph. ii. t. 6 (1787).
*Schkuhr, Bot. Handb. Ed. 2, t. 286 Y, No. 81 (1808).
*Host, Gram. iv. t. 79 (1809).
*Sturm, Deutschl. Fl. xii. XLVII [t. 744] (1827).
*Reichenbach, Ic. Fl. Germ. viii. t. 224 (1846).
*Seboth & A. W. Bennett, Alpine Pl. ii. t. 95 (1880).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, v. t. 450 (1881).
Fiori & Paol. Ic. Fl. Ital. 53 (1896).
*Sturm, Fl. Deutschl. Ed. 2, ii. t. 25 (1900).
Husnot, Cypérac. t. 2 (1905).
Pflanzenreich, Cyperac.-Caricoid. 185 (1909).
*Hegi & Dunz. Alp. Fl. t. 3 (1913).
Schroeter in Jahrb. Schweiz. Alpenclub, lii. 175 (1917).
Baldwiniana Dewey
Amer. Journ. Sc. xxvi. t. T (1834).
Baltzellii Chapm.
Boott, Carex, i. t. 43 (1858).
Banksii Boott
Hooker f., Fl. Antarct. ii. t. 142 (1846).
Boott, Carex, i. t. 195 (1858).
W. B. Scott, Rep. Princeton Univ. Exped. Patag. 1896–99, viii. I. Bot. 278 (1904).
De Wildeman, Voyage Belgica, Bot. 1897–99, t. 13 (1905).
Pflanzenreich, Cyperac.-Caricoid. 552 (1909).—*Fr.*
Barbarae Dewey
Amer. Journ. Sc. Ser. IV. xxvi. 485 (1908).—*Fl.*
Amer. Plants, iii. t. 18 (1910).
barbata Boott
Boott, Carex, i. t. 187 (1858).
Barrattii Schwein. & Torr.
Amer. Journ. Sc. xii. t. 3 (1827).
Boott, Carex, i. t. 189 (1858).
Stone, Pl. Southern New Jersey (Ann. Rep. New Jersey State Mus. 1910), t. 23 (1911).
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, i. 417 (1913).

CAREX
basilaris Jord.
Jordan, Obs. iii (Ann. Soc. Linn. Lyon, 1845–46), t. 12 (1846).
Boott, Carex, iv. t. 418 (1867).
Cusin, Herb. Fl. Franç. xxiii (Cypéracées), t. 123 (1874).
baviensis Franch.
Nouv. Arch. Mus. Hist. Nat. Paris, Ser. III. x. t. 8 (1898).
Bebbii Olney
Proc. Amer. Acad. xxxvii. No. 17, t. 3 (1902).
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, i. 382 (1913).
×**Beckmanniana** Figert
Junge in Jahrb. Hamburg. Wiss. Anstalt. 1907, xxv. Beih. 3, p. 223 (1908).
Beecheyana Boott
C. Gay, Hist. Chile, Atlas, t. 73, fig. 21 (1854).—*Fr.*
Boott, Carex, i. t. 182 (1858).
Bellardii All.
Allioni, Fl. Pedem. iii. t. 92, fig. 2 (1785)
*Schkuhr, Bot. Handb. Ed. 2, t. 286 D, No. 16 (1808).
*Host, Gram. iv. t. 77 (1809).
*Fl. Dan. ix. t. 1529 (1816).
bengalensis Roxb.
Boott, Carex, ii. t. 240–43 (1860).
Berggrenii Petrie
Pflanzenreich, Cyperac.-Caricoid. 684 (1909).
bermudiana Hemsl.
Journ. of Bot. xxi. t. 239 (1883).
Britton, Fl. Bermuda, 55 (1918).
bernardina Parish
Amer. Plants, iii. t. 28 (1910).
Berteroana Desv.
C. Gay, Hist. Chile, Atlas, t. 73, fig. 1 (1854).
Bertolonii Schkuhr
*Schkuhr, Bot. Handb. Ed. 2, t. 286 Rrrr, No. 208 (1808).
Bichenoviana Boott
Black, Nat. Fl. S. Australia, 155 (1909).
Bicknellii Britton
Britton & Brown, Ill. Fl. N. States & Canada, i. 360 (1896); Ed. 2, i. 383 (1913).
Proc. Amer. Acad. xxxvii. No. 17, t. 2 (1902).
bicolor All.
*Schkuhr, Bot. Handb. Ed. 2, t. 286 Aaaa, No. 181 (1808).
*Svensk Bot. x. t. 701 (1826–29).
*Sturm, Deutschl. Fl. xii. XLVII [t. 743] (1827).
*Fl. Dan. xii. t. 2122 (1834).
*Reichenbach, Ic. Fl. Germ. viii. t. 225 (1846).
Andersson, Cyperac. Scand. t. 4, fig. 43 (1849).
Boott, Carex, iv. t. 427 (1867).
Cusin, Herb. Fl. Franç. xxiii (Cypéracées), t. 91 (1874).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, vi. t. 492 (1881).
Acloque, Fl. France, 662 (1894).—*Fl.*
Britton & Brown, Ill. Fl. N. States & Canada, i. 331 (1896).
Fiori & Paol. Ic. Fl. Ital. 55 (1896).
Ostenfeld, Fl. Arctica, i. 80 (1902).
Husnot, Cypérac. t. 6 (1905).
Blytt, Haandb. Norg. Fl. Ed. Dahl, 144 (1906).
Coste, Fl. France, iii. 503 (1906).
Schroeter, Pflanzenleb. Alp. 335 (1906).
Pflanzenreich, Cyperac.-Caricoid. 298 (1909).
Journ. Russe Bot. 1911, p. 80.—*Fl.*
Lindman, Svensk Fanerogamfl. 126 (1918).
Bigelowii Torr.
Britton & Brown, Ill. Fl. N. States & Canada, i. 310 (1896).
bilateralis Hayata
Hayata, Ic. Pl. Formosan. vi. 128 (1916).—*Fl.*
biligularis DC.
Cosson & Germ. Fl. Paris, Atlas, t. 35 (1845).
Nederl. Kruidk. Arch. Ser. II. v. I. t. 2 (1887).—*Fr.*
bina Schkuhr
*Schkuhr, Bot. Handb. Ed. 2, t. 286 G, No. 33 (1808).
binervis Sm.
*Sowerby & Sm. Engl. Bot. xviii. t. 1235 (1804).

CAREX
binervis
Koenig & Sims, Ann. Bot. ii. t. 8, fig. 47 (1805). —*Fr.*
*Schkuhr, Bot. Handb. Ed. 2, t. 286 Rrr, No. 160 (1808).
*Sturm, Deutschl. Fl. xiii. LV [t. 873] (1830).
[M. E.] Jackson, Pict. Fl. fig. 1359 (1840).
Leighton, Fl. Shropshire, 460 [t. 16] (1841).—*Fr.*
*Reichenbach, Ic. Fl. Germ. viii. t. 255 (1846).
*Deakin, Florigr. Brit. iii. fig. 1424 (1847).
Andersson, Cyperac. Scand. t. 8, fig. 98 (1849).
Johnson & Sowerby, Brit. Wild Fl. fig. 1454 (1858–60).
Boott, Carex, iv. t. 538, 539 (1867).
*Syme, Engl. Bot. x. t. 1667 (1870).
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, vi. t. 246 [1873].
Cusin, Herb. Fl. Franç. xxiii (Cypéracées), t. 145 (1874).
*Fl. Dan. xvii. t. 2980 (1880).
*Hogg & Johnson, Wild Fl. Gr. Brit. xi. t. 904 (1880).
Karsten, Deutsche Fl. Pharm.-medic. Bot. 345 (1880–83).—*Fr.*
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, vi. t. 541 (1881).
Willkomm, Führ. Reich Pflanzen, 250 (1882).—*Fr.*
Karsten, Fl. Deutschl. i. 348 (1895).
Journ. of Bot. xxxvi. t. 382 (1898).
*Sturm, Fl. Deutschl. Ed. 2, ii. t. 55 (1900).
Husnot, Cypérac. t. 12 (1905).
Blytt, Haandb. Norg. Fl. Ed. Dahl, 157 (1906).
Coste, Fl. France, iii. 517 (1906).
*Horwood, Brit. Wild Fl. v. t. 59, p. 123 (1919).
—— **Sadleri** Linton
Journ. of Bot. xxxvi. t. 382 (1898).
bipartita All.
Allioni, Fl. Pedem. iii. t. 89, fig. 5 (1785).
bispicata Hook. & Arn.
Hooker & Arn. Bot. Beechey Voy. t. 28 (1841).
biwensis Franch.
Nouv. Arch. Mus. Hist. Nat. Paris, Ser. III. viii. t. 2 (1896).
blanda Dewey
*Amer. Journ. Sc. xi. t. 3 (1826).
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, i. 402 (1913).
blepharocarpa Franch.
Pflanzenreich, Cyperac.-Caricoid. 467 (1909).
Journ. Russe Bot. 1911, p. 130.—*Fl.*
blepharophora A. Gray
Amer. Journ. Sc. xxx. t. 1 (1836).
×**Boenninghauseniana** Weihe
*Sturm, Deutschl. Fl. xiii. LV [t. 871] (1830).
*Fl. Dan. xiii. t. 2300 (1840).
*Kunze, Suppl. Schkuhr. Riedgräs. (Caric.), i. t. 22 (1840–50).
*Sowerby & Sm. Engl. Bot. Suppl. iv. t. 2910 (1843–49).
*Reichenbach, Ic. Fl. Germ. viii. t. 219 (1846).
Andersson, Cyperac. Scand. t. 4, fig. 41 (1849).
Johnson & Sowerby, Brit. Wild Fl. Suppl. fig. 1692 (1863).
*Syme, Engl. Bot. x. t. 1629 (1870).
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, vi. t. 244 [1873].
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, vi. t. 473-II (1881).
Husnot, Cypérac. t. 6 (1905).
Junge in Jahrb. Hamburg. Wiss. Anstalt. 1907, xxv. Beih. 3, p. 174 (1908).
Heukels, Fl. Nederl. i. 390 (1910).
bohemica Schreb.
*Schreber, Beschr. Gräser, ii. t. 28 (1810).
bonariensis Desf.
Boott, Carex, ii. t. 209 (1860).
Pflanzenreich, Cyperac.-Caricoid. 151 (1909).
Bongardii Boott
Boott, Carex, iv. t. 531 (1867).
*Useful Pl. Jap. ii. t. 342 (1895).
Bonplandii Kunth
Boott, Carex, iii. t. 367 (1862).
Boottiana Benth.
Boott, Carex, i. t. 44 (1858).

CAREX
borbonica Lam.
Boott, Carex, iii. t. 338–40 (1862).
Boryana Schkuhr
*Schkuhr, Bot. Handb. Ed. 2, t. 286 Gggg, No. 191 (1810).
Boott, Carex, iii. t. 345–47 (1862).
—— **minor** Boott
Boott, Carex, iii. t. 348, 349 (1862).
bostrychostigma Maxim.
Journ. Russe Bot. 1911, p. 159.—*Fl.*
brachyandra Franch.
Nouv. Arch. Mus. Hist. Nat. Paris, Ser. III. viii. t. 9 (1896).
brachypoda Holm
Amer. Journ. Sc. Ser. IV. xx. 307 (1905).—*Fl.*
brachystachys Schrank & Moll.
*Schkuhr, Bot. Handb. Ed. 2, t. 286 P, No. 58 (1808).
*Sturm, Deutschl. Fl. xiii. LIII [t. 845] (1829).
*Reichenbach, Ic. Fl. Germ. viii. t. 241 (1846).
Fiori & Paol. Ic. Fl. Ital. 58 (1896).
Sturm, Fl. Deutschl. Ed. 2, ii. t. 48 (1900).
bracteosa Kunze
*Kunze, Suppl. Schkuhr. Riedgräs. (Caric.). i. t. 2 (1840–50).
C. Gay, Hist. Chile, Atlas, t. 73, fig. 8 (1854). —*Fr.*
brasiliensis St.-Hil.
Boott, Carex, ii. t. 260 (1860).
Pflanzenreich, Cyperac.-Caricoid. 732 (1909).
Brenneri Christ
Ostenfeld, Fl. Arctica, i. 85 (1902).
brevicollis DC.
*Kunze, Suppl. Schkuhr. Riedgräs. (Caric.), i. t. 4 (1840–50).
*Reichenbach, Ic. Fl. Germ. viii. t. 244 (1846).
Ann. Soc. Bot. Lyon, ii. 68 (1874).
Cusin, Herb. Fl. Franç. xxiii (Cypéracées), t. 125 (1874).
Husnot, Cypérac. t. 13 (1905–6).
Coste, Fl. France, iii. 511 (1906).
breviculmis R. Br.
Hooker f., Fl. Nov.-Zel. i. t. 63 (1853).
Hayata, Ic. Pl. Formosan. vi. 125 (1916).—*Fl.*
—— **Royleana** Nees
Journ. Russe Bot. 1911, p. 131.—*Fl.*
brevifolia Host
*Host, Gram. iv. 89 (1809).
brevirostris Cederstr.
*Fl. Dan. Suppl. t. 102 (1865).
Breweri Boott
Boott, Carex, iv. t. 455 (1867).
Pflanzenreich, Cyperac.-Caricoid. 95 (1909).
brizoides Linn.
Hoppe, Ect. Pl. Ratisb. t. 585 (1790).
*Host, Gram. i. t. 47 (1801).
*Schkuhr, Bot. Handb. Ed. 2, t. 286 C, No. 12; 286 U, No. 12 (1808).
*Sturm, Deutschl. Fl. xii. L [t. 790] (1827).
*Fl. Dan. xiii. t. 2180 (1836).
*Zenker, Fl. Thüringen, vi. t. 610 (1836–55).
*Reichenbach, Ic. Fl. Germ. viii. t. 207 (1846).
*Lorek, Fl. Pruss. Ed. 3, t. 212, fig. 1129 (1848).
Andersson, Cyperac. Scand. t. 3, fig. 24 (1849).
Ettingshausen in Sitzb. Akad. Wiss. Wien, xx. II. t. 2 (1856).—*Veg.*
Cusin, Herb. Fl. Franç. xxiii (Cypéracées), t. 73 (1874).
De Silvestri, Piante Prat. 28 (1879).
Karsten, Deutsche Fl. Pharm.-medic. Bot. 338 (1880–83).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, vi. t. 472 (1881).
Nederl. Kruidk. Arch. Ser. II. v. I. t. 2 (1887). —*Fr.*
Acloque, Fl. France, 659, 660 (1894).—*Fl.*
Karsten, Fl. Deutschl. i. 341 (1895).
Fiori & Paol. Ic. Fl. Ital. 54 (1896).
Tripet in Rameau de Sapin, xxxix. 34 (1900).
*Sturm, Fl. Deutschl. Ed. 2, ii. t. 27 (1900).
Husnot, Cypérac. t. 4 (1905).
Coste, Fl. France, iii. 497 (1906).
Pflanzenreich, Cyperac.-Caricoid. 130 (1909).
Heukels, Fl. Nederl. i. 383 (1910).

CAREX
brizoides
Feucht, Württemb. Pflanzenw. t. 40 (1912).—*Hab.*
*Gatin, Fl. des Bois, t. 92 (1913).
—— **campestris** Wimm.
*Lorek, Fl. Pruss. Ed. 3, t. 213, fig. 1130 (1848).
—— **praecox** Schreb.
Fiori & Paol. Ic. Fl. Ital. 54 (1896).
Brizopyrum Kunze
*Kunze, Suppl. Schkuhr. Riedgräs. (Caric.), i. t. 43 (1840–50).
bromoides Schkuhr
*Schkuhr, Bot. Handb. Ed. 2, t. 286 Xxx, No. 176 (1808).
Boott, Carex, ii. t. 227 (1860).
Britton & Brown, Ill. Fl. N. States & Canada, i. 354 (1896); Ed. 2, i. 376 (1913).
Proc. Amer. Acad. xxxvii. No. 17, t. 5 (1902).
Brongniartii Kunth
C. Gay, Hist. Chile, Atlas, t. 73, fig. 10 (1854). —*Fr.*
Boott, Carex, iii. t. 401–3 (1862).
Brownii Tuckerm.
Boott, Carex, iv. t. 532 (1867).
Pflanzenreich, Cyperac.-Caricoid. 613 (1909).
brunnea Thunb.
Koenig & Sims, Ann. Bot. ii. t. 8, fig. 59 (1805). —*Fr.*
*Schkuhr, Bot. Handb. Ed. 2, t. 286 Xx, No. 111 (1808).
Pflanzenreich, Cyperac.-Caricoid. 600 (1909).
Hayata, Ic. Pl. Formosan. vi. 128 (1916).—*Fl.*
brunnescens Poir.
Britton & Brown, Ill. Fl. N. States & Canada, i. 351 (1896); Ed. 2, i. 375 (1913).
Ostenfeld, Fl. Arctica, i. 55 (1902).
Proc. Amer. Acad. xxxvii. No. 17, t. 5 (1902).
Coste, Fl. France, iii. 499 (1906).
Pflanzenreich, Cyperac.-Caricoid. 213 (1909).
Journ. Russe Bot. 1911, p. 68.—*Fl.*
Fedtschenko, Veg. Turkest. 179 (1915).
Lindman, Svensk Fanerogamfl. 124 (1918).—*Fr.*
Buckleyi Dewey
*Amer. Journ. Sc. xlviii. t. 2 (1845).
Buekii Wimm.
Karsten, Deutsche Fl. Pharm.-medic. Bot. 341 (1880–83).
Willkomm, Führ. Reich Pflanzen, 244 (1882).—*Fr.*
Karsten, Fl. Deutschl. i. 344 (1895).
Husnot, Cypérac. t. 7 (1905).
Pflanzenreich, Cyperac.-Caricoid. 336 (1909).
bullata Schkuhr
*Schkuhr, Bot. Handb. Ed. 2, t. 286 Uuu, No. 166 (1808).
Boott, Carex, i. t. 41 (1858).
A. Gray, Man. Bot. N.U.S. Ed. 5, t. 6 (1867).
Britton & Brown, Ill. Fl. N. States & Canada, i. 298 (1896); Ed. 2, i. 435 (1913).
Stone, Pl. Southern New Jersey (Ann. Rep. New Jersey State Mus. 1910), t. 22 (1911).
Bushii Mackenzie
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, i. 414 (1913).
Buxbaumii Wahlenb.
*Fl. Dan. viii. t. 1406 (1810).
*Sturm, Deutschl. Fl. xiv. LXI [t. 969] (1833).
*Zenker, Fl. Thüringen, xi. t. 1207 (1836–55).
*Colby, Ord. Surv. Co. Londonderry, i. t. 5 (1837).
*Sowerby & Sm. Engl. Bot. Suppl. iv. t. 2885 (1843–49).
*Reichenbach, Ic. Fl. Germ. viii. t. 235 (1846).
*Deakin, Florigr. Brit. iii. fig. 1408 (1847).
Andersson, Cyperac. Scand. t. 6, fig. 65 (1849).
Johnson & Sowerby, Brit. Wild Fl. Suppl. fig. 1693 (1863).
Bentham, Handb. Brit. Fl. fig. 1114 (1865).
Boott, Carex, iv. t. 438, 439 (1867).
*Syme, Engl. Bot. x. t. 1637 (1870).
Cusin, Herb. Fl. Franç. xxiii (Cypéracées), t. 114 (1874).
*Hogg & Johnson, Wild Fl. Gr. Brit. xi. t. 887 (1880).
Karsten, Deutsche Fl. Pharm.-medic. Bot. 351 (1880–83).—*Fr.*

CAREX
Buxbaumii
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, vi. t. 493 (1881).
Acloque, Fl. France, 659, 664 (1894).—*Fl.*
Karsten, Fl. Deutschl. i. 354 (1895).
Fiori & Paol. Ic. Fl. Ital. 55 (1896).
*Sturm, Fl. Deutschl. Ed. 2, ii. t. 38 (1900).
Husnot, Cypérac. t. 6 (1905).
Junge in Jahrb. Hamburg. Wiss. Anstalt. 1907, xxv. Beih. 3, p. 192 (1908).—*Veg.*
Heukels, Fl. Nederl. i. 394 (1910).
Stone, Pl. Southern New Jersey (Ann. Rep. New Jersey State Mus. 1910), t. 25 (1911).
Journ. Russe Bot. 1911, p. 105.—*Fl.*
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, i. 419 (1913).
Fedtschenko, Veg. Turkest. 184 (1915).
Fitch & Smith, Ill. Brit. Fl. Ed. rev. 4, Iss. 2, fig. 1132 (1919).
caduca Boott
Boott, Carex, iv. t. 508 (1867).
caespititia Nees
Boott, Carex, iv. t. 428 (1867).
caespitosa Linn.
Willdenow, Fl. Berol. Prodr. t. 2 (1787).
Hoppe, Ect. Pl. Ratisb. t. 513 (1790).
*Joh. Kerner, Abbild. Oek. Pfl. (Fig. Pl. Écon.), v. t. 495 (1792).
*Host, Gram. i. t. 91 (1801).
Roemer, Archiv Bot. ii. II. t. 3 (1801).
*Svensk Bot. iv. t. 222 (1805).
*Sowerby & Sm. Engl. Bot. xxi. t. 1507 (1805).
*Fl. Dan. viii. t. 1281 (1806); xv. t. 2547 (1852).
*Schkuhr, Bot. Handb. Ed. 2, t. 286 Aa, No. 85 a, b; 286 Bb, No. 85 c–e; 286 Dd, No. 90 (1808).
Dict. Sc. Nat., Planch. Bot. Monocot. t. 15 (1816–29).
*Vietz, Ic. Pl. Med.-oec.-techn. v. t. 383 (1817).
*Sturm, Deutschl. Fl. xii. L [t. 797] (1827).
*Kops, Fl. Batava, vi. t. 470 (1832).
Meigen, Deutschl. Fl. i. t. 13 (1836) in ic.; *C. hirta* in textu, p. 83.—*Fl.*
Meigen, Deutschl. Fl. i. t. 83 (1836) in textu; *C. muricata* in ic. t. 12.—*Fl.*
*Zenker, Fl. Thüringen, vi. t. 632 (1836–55).
[M. E.] Jackson, Pict. Fl. fig. 1365 (1840).
Leighton, Fl. Shropshire, 454 [t. 14] (1841).—*Fr.*
*Reichenbach, Ic. Fl. Germ. viii. t. 229 (1846).
*Deakin, Florigr. Brit. iii. fig. 1410 (1847).
*Lorek, Fl. Pruss. Ed. 3, t. 214, fig. 1137 (1848).
Andersson, Cyperac. Scand. t. 6, fig. 59 (1849).
Johnson & Sowerby, Brit. Wild Fl. fig. 1426 (1858–60).
Boott, Carex, i. t. 62 (1858).
Bentham, Handb. Brit. Fl. fig. 1111 (1865).
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, vi. t. 245 [1873].
Karsten, Deutsche Fl. Pharm.-medic. Bot. 341 (1880–83).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, vi. t. 488 (1881).
Wagner, Ill. Deutsche Fl. Ed. 2, p. 793 (1882).
Karsten, Fl. Deutschl. i. 344 (1895).
Raunkiær, Danske Blomsterpl. Naturhist. i. 460 (1895–99).—*Veg.*
Lindman, Bild. Nord. Fl. t. 441 b (1901–5).
Ostenfeld, Fl. Arctica, i. 69 (1902).
Husnot, Cypérac. t. 7 (1905).
Suireishchikov, Ill. Fl. Mosc. Gov. i. 199 (1906).
Junge in Jahrb. Hamburg. Wiss. Anstalt. 1907, xxv. Beih. 3, p. 181 (1908).
Pflanzenreich, Cyperac.-Caricoid. 327 (1909).
Heukels, Fl. Nederl. i. 392 (1910).
Journ. Russe Bot. 1911, p. 89.
Fedtschenko, Veg. Turkest. 182 (1915).
Lindman, Svensk Fanerogamfl. 27, 125 (1918).
Fitch & Smith, Ill. Brit. Fl. Ed. rev. 4, Iss. 2, fig. 1129 (1919).
—— **elliptica** Drej.
*Fl. Dan. xvi. t. 2845 (1871).
—— **ramosa** Dewey
Amer. Journ. Sc. xii. t. 3 (1827).
—— **stricta** Fiori & Paol.
Fiori & Paol. Ic. Fl. Ital. 55 (1896).

CAREX
caespitosa Gooden.
Trans. Linn. Soc. London, ii. t. 21 (1794).
Cajanderi Kük.
Journ. Russe Bot. 1911, p. 68.—*Fl.*
campestris Host
*Host, Gram. iv. t. 88 (1809).
camporum Mackenzie
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, i. 362 (1913).
Camposii Boiss. & Reuter
Boott, Carex, iv. t. 547 (1867).
campylocarpa Holm
Amer. Journ. Sc. Ser. IV. xx. 307 (1905).—*Fl.*
canescens Linn.
*Fl. Dan. ii. t. 285 (1766).
Leers, Fl. Herborn. t. 14, fig. 3 (1789).
Hoppe, Ect. Pl. Ratisb. t. 747 (1793).
*Host, Gram. i. t. 57 (1801).
*Sturm, Deutschl. Fl. xii. L [t. 792] (1827).
*Zenker, Fl. Thüringen, vi. t. 613 (1836–55).
Leighton, Fl. Shropshire, 454 [t. 14] (1841).—*Fr.*
*Reichenbach, Ic. Fl. Germ. viii. t. 206 (1846).
*Lorek, Fl. Pruss. Ed. 3, t. 214, fig. 1135 (1848).
Andersson, Cyperac. Scand. t. 4, fig. 39 (1849).
Bentham, Handb. Brit. Fl. fig. 1101 (1865).
Boott, Carex, iv. t. 496 (1867).
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, vi. t. 245 [1873].
Cusin, Herb. Fl. Franç. xxiii (Cypéracées), t. 85 (1874).
*Hogg & Johnson, Wild Fl. Gr. Brit. xi. t. 847 (1880).
Karsten, Deutsche Fl. Pharm.-medic. Bot. 337 (1880–83).—*Fr.*
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, vi. t. 481 (1881).
Wagner, Ill. Deutsche Fl. Ed. 2, p. 792 (1882).
Nederl. Kruidk. Arch. Ser. II. iv. IV. t. 12 (1886).—*Fr.*
*Heathcote, Fl. Engadine, t. 222 (1891).
Acloque, Fl. France, 659 (1894).—*Fr.*
Karsten, Fl. Deutschl. i. 339 (1895).
Britton & Brown, Ill. Fl. N. States & Canada, i. 351 (1896); Ed. 2, i. 375 (1913).
Fiori & Paol. Ic. Fl. Ital. 55 (1896).
*Sturm, Fl. Deutschl. Ed. 2, ii. t. 34 (1900).
Lindman, Bild. Nord. Fl. t. 434 a (1901–5).
Ostenfeld, Fl. Arctica, i. 55 (1902).
Proc. Amer. Acad. xxxvii. No. 17, t. 5 (1902).
Husnot, Cypérac. t. 5 (1905).
Blytt, Haandb. Norg. Fl. Ed. Dahl, 141 (1906).—*Fl.*
Coste, Fl. France, iii. 499 (1906).
Suireishchikov, Ill. Fl. Mosc. Gov. i. 195 (1906); iv. 28 (1914).
Junge in Jahrb. Hamburg. Wiss. Anstalt. 1907, xxv. Beih. 3, p. 170 (1908).
Pflanzenreich, Cyperac.-Caricoid. 213 (1909).
Heukels, Fl. Nederl. i. 389 (1910).
Journ. Russe Bot. 1911, p. 65.—*Fl.*
Fedtschenko, Veg. Turkest. 178 (1915).
Lindman, Svensk Fanerogamfl. 124 (1918).—*Fr.*
Fitch & Smith, Ill. Brit. Fl. Ed. rev. 4, Iss. 2, fig. 1119 (1919).
—— **disjuncta** Fernald
Proc. Amer. Acad. xxxvii. No. 17, t. 5 (1902).
Stone, Pl. Southern New Jersey (Ann. Rep. New Jersey State Mus. 1910), t. 21 (1911).
—— **strictifolia** Suireisch.
Suireishchikov, Ill. Fl. Mosc. Gov. i. 196 (1906).
—— **subloliacea** Laest.
Proc. Amer. Acad. xxxvii. No. 17, t. 5 (1902).
capensis Thunb.
Koenig & Sims, Ann. Bot. ii. t. 8, fig. 61, 69 (1805).—*Fr.*
*Schkuhr, Bot. Handb. Ed. 2, t. 286 Bbbb, No. 183 (1808).
capillacea Boott
Boott, Carex, i. t. 110 (1858).
capillaris Linn.
*Fl. Dan. i. t. 168 (1764); xiv. t. 2374 (1843).
Scopoli, Fl. Carn. Ed. 2, ii. t. 59 (1772).
Leers, Fl. Herborn. t. 15, fig. 2 (1789).
*Host, Gram. i. t. 62 (1801).

CAREX
capillaris
*Schkuhr, Bot. Handb. Ed. 2, t. 286 O, No. 56 (1808).
*Sowerby & Sm. Engl. Bot. xxix. t. 2069 (1809).
*Sturm, Deutschl. Fl. xiii. LIII [t. 846] (1829).
[M. E.] Jackson, Pict. Fl. fig. 1346 (1840).
Leighton, Fl. Shropshire, 460 [t. 17] (1841).—*Fr.*
*Reichenbach, Ic. Fl. Germ. viii. t. 241 (1846).
*Deakin, Florigr. Brit. iii. fig. 1432 (1847).
Andersson, Cyperac. Scand. t. 7, fig. 77 (1849).
Johnson & Sowerby, Brit. Wild Fl. fig. 1440 (1858–60).
Bentham, Handb. Brit. Fl. fig. 1130 (1865).
*Hogg & Johnson, Wild Fl. Gr. Brit. iv. t. 272 (1868).
*Syme, Engl. Bot. x. t. 1662 (1870).
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, vi. t. 247 [1873].
Cusin, Herb. Fl. Franç. xxiii (Cypéracées), t. 104 (1874).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, vi. t. 522 (1881).
Wagner, Ill. Deutsche Fl. Ed. 2, p. 800 (1882).
Britton & Brown, Ill. Fl. N. States & Canada, i. 320 (1896); Ed. 2, i. 411 (1913).
Fiori & Paol. Ic. Fl. Ital. 57 (1896).
*Hartinger, Atlas Alpenfl. i. t. 50 (1897).
Sturm, Fl. Deutschl. Ed. 2, ii. t. 48 (1900).
Ostenfeld, Fl. Arctica, i. 91 (1902).
Husnot, Cypérac. t. 10 (1905).
Coste, Fl. France, iii. 512 (1906).
Blytt, Haandb. Norg. Fl. Ed. Dahl, 161 (1906).—*Fl.*
Schroeter, Pflanzenleb. Alp. 334 (1906).
Journ. Russe Bot. 1911, p. 157.—*Fl.*
*Hegi & Dunz. Alp. Fl. t. 3 (1913).
F. E. & E. S. Clements, Rocky Mt. Fl. t. 45 (1914).
Suireishchikov, Ill. Fl. Mosc. Gov. iv. 34 (1914).
Fedtschenko, Veg. Turkest. 193 (1915).
Lindman, Svensk Fanerogamfl. 129 (1918).—*Fr.*
Fitch & Smith, Ill. Brit. Fl. Ed. rev. 4, Iss. 2, fig. 1148 (1919).
capilliformis Franch.
Nouv. Arch. Mus. Hist. Nat. Paris, Ser. III. x. t. 6 (1898).
capillipes Drej.
*Fl. Dan. xvi. t. 2844 (1871).
Amer. Journ. Sc. Ser. IV. l. 167, fig. 7–10 (1920).
capitata Linn.
*Fl. Dan. iii. t. 372 (1768); xii. t. 2060 (1832).
*Schkuhr, Bot. Handb. Ed. 2, t. 286 Y, No. 80 (1808).
*Sturm, Deutschl. Fl. xii. L [t. 786] (1827).
*Reichenbach, Ic. Fl. Germ. viii. t. 195 (1846).
Andersson, Cyperac. Scand. t. 3, fig. 6 (1849).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, v. t. 445 (1881).
*Thomé, Fl. Deutschl. i. t. 88 (1886).
Britton & Brown, Ill. Fl. N. States & Canada, i. 339 (1896); Ed. 2, i. 361 (1913).
Fiori & Paol. Ic. Fl. Ital. 53 (1896).
*Sturm, Fl. Deutschl. Ed. 2, ii. t. 23 (1900).
Ostenfeld, Fl. Arctica, i. 49 (1902).
Pflanzenreich, Cyperac.-Caricoid. 71 (1909).
Journ. Russe Bot. 1911, p. 30.—*Fl.*
Lindman, Svensk Fanerogamfl. 119 (1918).—*Fl.*
capricornis Meinsh.
Pflanzenreich, Cyperac.-Caricoid. 698 (1909).
Journ. Russe Bot. 1911, p. 177.
—— **capitata** Maxim.
T. Makino, Glumac. Japon. i. No. VII. t. 27 (1902).
cardiolepis Nees
Boott, Carex, i. t. 17 (1858).
Careyana Torr.
Amer. Journ. Sc. xxx. t. 2 (1836).
*Kunze, Suppl. Schkuhr. Riedgräs. (Caric.), i. t. 27 (1840–50).
*Torrey, Fl. State New York, ii. t. 145 (1843).
Boott, Carex, i. t. 95 (1858).
Britton & Brown, Ill. Fl. N. States & Canada, i. 328 (1896); Ed. 2, i. 400 (1913).
carltoniana Dewey
Amer. Journ. Sc. xxvii. t. U (1835).

CAREX
caroliniana Buckl.
*Amer. Journ. Sc. xlviii. t. 2 (1845).
caroliniana Schwein.
Britton & Brown, Ill. Fl. N. States & Canada, i. 317 (1896); Ed. 2, i. 414 (1913).
caryophyllea Latour.
Suireishchikov, Ill. Fl. Mosc. Gov. i. 204 (1906).
Journ. Russe Bot. 1911, p. 127.
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, i. 391 (1913).
Fedtschenko, Veg. Turkest. 188 (1915).
Lindman, Svensk Fanerogamfl. 128 (1918).—*Fl.*
*Horwood, Brit. Wild Fl. v. t. 58, p. 122 (1919).
castanea Wahlenb.
Koenig & Sims, Ann. Bot. ii. t. 8, fig. 47 (1805).—*Fr.*
Britton & Brown, Ill. Fl. N. States & Canada, i. 319 (1896); Ed. 2, i. 411 (1913).
cataractae R. Br.
*Hooker f., Fl. Tasman. ii. t. 151 (1860).
caulorrhiza Léveillé & Vaniot
Léveillé, Cat. Pl. Yun-Nan, 70 (1915–16).
celsa Boott
Boott, Carex, iii. t. 330 (1862).
cephaloidea Dewey
Boott, Carex, iii. t. 395 (1862).
Britton & Brown, Ill. Fl. N. States & Canada, i. 348 (1896); Ed. 2, i. 367 (1913).
cephalophora Muhl.
*Schkuhr, Bot. Handb. Ed. 2, t. 286 Hhh, No. 133 (1808).
Boott, Carex, iii. t. 396, 397 (1862).
Britton & Brown, Ill. Fl. N. States & Canada, i. 349 (1896); Ed. 2, i. 366 (1913).
U.S. Dep. Agric. Bur. Pl. Indust. Bull. No. 84, p. 38 (1905).—*Fr.*
Stone, Pl. Southern New Jersey (Ann. Rep. New Jersey State Mus. 1910), t. 21 (1911).
—— **angustifolia** Boott
Boott, Carex, iii. t. 398 (1862).
cephalotes F. Muell.
Boott, Carex, iv. t. 477 (1867).
cernua Boott
Boott, Carex, iv. t. 578 (1867).
Pflanzenreich, Cyperac.-Caricoid. 351 (1909).
Chabertii F. Schultz
Flora, liv. t. 1 (1871).
chaetophylla Steud.
Husnot, Cypérac. t. 3 (1905).
Coste, Fl. France, iii. 495 (1906).
chalciolepis Holm
Amer. Journ. Sc. Ser. IV. xvi. 29 (1903).
cherokeensis Schwein. & Torr.
Ann. Lyc. New York, i. t. 25 (1824).
*Amer. Journ. Sc. xi. t. 4 (1826).
Drejer, Symb. Caric. t. 12 (1844).
Boott, Carex, i. t. 79 (1858).
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, i. 412 (1913).
chilensis Brongn.
C. Gay, Hist. Chile, Atlas, t. 73, fig. 19 (1854).—*Fr.*
chimaphila Holm
Amer. Journ. Sc. Ser. IV. xvi. 32 (1903).
chinensis Retz
Boott, Carex, i. t. 36 (1858).
Hayata, Ic. Pl. Formosan. vi. 129 (1916).—*Fl.*
Chiovendae Pampan.
Nuov. Giorn. Bot. Ital. N. Ser. xxii. 257 (1915).
chlorantha R. Br.
*Hooker f., Fl. Tasman. ii. t. 150 (1860).
Boott, Carex, iv. t. 580 (1867).
chordorrhiza Ehrh.
*Schkuhr, Bot. Handb. Ed. 2, t. 286 G, No. 31; 286 Ii, No. 31 (1808).
*Fl. Dan. viii. t. 1408 (1810).
*Sturm, Deutschl. Fl. xiii. LV [t. 865] (1830).
*Reichenbach, Ic. Fl. Germ. viii. t. 200 (1846).
*Lorek, Fl. Pruss. Ed. 3, t. 211, fig. 1121 (1848).
Andersson, Cyperac. Scand. t. 3, fig. 14 (1849).
Cusin, Herb. Fl. Franç. xxiii (Cypéracées), t. 64 (1874).
Karsten, Deutsche Fl. Pharm.-medic. Bot. 336 (1880–83).—*Fr.*

CAREX
chordorrhiza
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, v. t. 454 (1881).
Acloque, Fl. France, 659, 660 (1894).—*Fl.*
Karsten, Fl. Deutschl. i. 338 (1895).
Britton & Brown, Ill. Fl. N. States & Canada, i. 341 (1896); Ed. 2, i. 362 (1913).
Journ. of Bot. xxxvi. t. 383 (1898).
*Sturm, Fl. Deutschl. Ed. 2, ii. t. 26 (1900).
Ostenfeld, Fl. Arctica, i. 51 (1902).
Husnot, Cypérac. t. 3 (1905).
Coste, Fl. France, iii. 495 (1906).
Suireishchikov, Ill. Fl. Mosc. Gov. i. 187 (1906).
Pflanzenreich, Cyperac.-Caricoid. 116 (1909).—*Hab.*
Journ. Russe Bot. 1911, p. 48.
Lindman, Svensk Fanerogamfl. 120 (1918).—*Fl.*
chrysolepis Franch. & Sav.
Pflanzenreich, Cyperac.-Caricoid. 565 (1909).
chrysoleuca Holm
Amer. Journ. Sc. Ser. IV. xvii. 303 (1904).
ciliata Willd.
Willdenow in Mém. Acad. Berlin, 1794, t. 3, fig. 2.
*Schkuhr, Bot. Handb. Ed. 2, t. 286 I, No. 42 (1808).
*Host, Gram. iv. t. 83 (1809).
circinata C. A. Mey.
Meyer in Mém. Acad. Sc. Pétersb. Sav. Étrang. i. t. 6 (1830).
Boott, Carex, iv. t. 429 (1867).
Pflanzenreich, Cyperac.-Caricoid. 105 (1909).
cirrhosa Berggr.
Berggren, Några nya ofullst. kaenda arter Ny-Zeel. Fanerog. (Minneskr. Fisiogr. Sällsk. Lund. viii. 1), t. 7 (1877).
Pflanzenreich, Cyperac.-Caricoid. 684 (1909).
cladostachya Wahlenb.
Amer. Journ. Sc. Ser. IV. ii. t. 2, fig. 8, 9 (1896).—*Fl.*
—— **polystachya** Lindm.
Bih. Svenska Vet. Akad. Handl. xxvi. III. No. 9, t. 6 (1900).
clandestina Gooden.
*Schkuhr, Bot. Handb. Ed. 2, t. 286 K, No. 43 (1808).
*Sowerby & Sm. Engl. Bot. xxx. t. 2124 (1810).
[M. E.] Jackson, Pict. Fl. fig. 1338 (1840).
Leighton, Fl. Shropshire, 465 [t. 17] (1841).—*Fr.*
*Deakin, Florigr. Brit. iii. fig. 1439 (1847).
*Froelich, Alpenpfl. Schweiz, vii & viii. t. 1 (1856).
Johnson & Sowerby, Brit. Wild Fl. fig. 1434 (1858–60).
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, vi. t. 248 [1873].
clavata Thunb.
*Kunze, Suppl. Schkuhr. Riedgräs. (Caric.), i. t. 17 (1840–50).
Marloth, Fl. S. Africa, iv. 41 (1915).
claviformis Hoppe
*Sturm, Deutschl. Fl. xiv. LXI [t. 976] (1833).
*Reichenbach, Ic. Fl. Germ. viii. t. 270 (1846).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, vi. t. 518 (1881).
Coste, Fl. France, iii. 506 (1906).
Colensoi Boott
Hooker f., Fl. Nov.-Zel. i. t. 63 (1853).
collecta Dewey
*Amer. Journ. Sc. xi. t. 7 (1826).
collina Willd.
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, vi. t. 248 [1873].
Collinsii Nutt.
Britton & Brown, Ill. Fl. N. States & Canada, i. 292 (1896); Ed. 2, i. 430 (1913).
Stone, Pl. Southern New Jersey (Ann. Rep. New Jersey State Mus. 1910), t. 22 (1911).
colorata Mackenzie
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, i. 398 (1913).
columbiana Dewey
Amer. Journ. Sc. xxx. t. 2 (1836).
comans Berggr.
Berggren, Några nya ofullst. kaenda arter Ny-Zeel. Fanerog. (Minneskr. Fisiogr. Sällsk. Lund. viii. 1), t. 7 (1877).

CAREX
communis L. H. Bailey
Pammel in Bull. Iowa Agric. St. No. 70, p. 485 (1903).—*Fr.*
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, i. 391 (1913).
comosa Boott
Boott, Carex, i. t. 38 (1858).
Britton & Brown, Ill. Fl. N. States & Canada, i. 301 (1896); Ed. 2, i. 438 (1913).
Stone, Pl. Southern New Jersey (Ann. Rep. New Jersey State Mus. 1910), t. 23 (1911).
compacta R. Br.
Amer. Journ. Sc. xxvii. t. U (1835).
Boott, Carex, iv. t. 502 (1867).
Bot. Gaz. x. 318, fig. 19, 20 (1885).
complanata Torr.
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, i. 414 (1913).
composita Boott
Boott, Carex, i. t. 8 (1858).
concinna R. Br.
Boott, Carex, i. t. 107 (1858).
Britton & Brown, Ill. Fl. N. States & Canada, i. 332 (1896); Ed. 2, i. 395 (1913).
concolor R. Br.
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, i. 421 (1913).
condensata Nees
Boott, Carex, ii. t. 247–49 (1860).
Lecomte, Fl. Gén. Indo-Chine, vii. 191 (1912).—*Fl.*
conferta Hochst.
Boott, Carex, ii. t. 208 (1860).
conglobata Kit.
*Kunze, Suppl. Schkuhr. Riedgräs. (Caric.), i. t. 3 (1840–50).
*Reichenbach, Ic. Fl. Germ. viii. t. 264 (1846).
conica Boott
Pflanzenreich, Cyperac.-Caricoid. 476 (1909).
conjuncta Boott
Boott, Carex, iii. t. 392 (1862).
Britton & Brown, Ill. Fl. N. States & Canada, i. 342 (1896); Ed. 2, i. 369 (1913).
conoidea Schkuhr
*Schkuhr, Bot. Handb. Ed. 2, t. 286 Vvv, No. 168 (1808).
Boott, Carex, i. t. 82 (1858).
Britton & Brown, Ill. Fl. N. States & Canada, i. 325 (1896); Ed. 2, i. 405 (1913).
Rhodora, iii. t. 32 (1901).
contigua Hoppe
*Sturm, Deutschl. Fl. xiv. LXI [t. 962] (1833).
Flora, liv. t. 2 (1871).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, v. t. 464 (1881).
Suireishchikov, Ill. Fl. Mosc. Gov. i. 190 (1906).
Pflanzenreich, Cyperac.-Caricoid. 155 (1909).
Journ. Russe Bot. 1911, p. 55.
Lindman, Svensk Fanerogamfl. 121 (1918).—*Fr.*
Cooleyi Dewey
*Amer. Journ. Sc. xlviii. t. 2 (1845).
Costei Rouy
Rouy, Illustr. Pl. Eur. Rar. fasc. 6, t. 149 (1896).
costellata Britton
Britton & Brown, Ill. Fl. N. States & Canada i. 316 (1896).
courtallensis Nees
Boott, Carex, i. t. 138 (1858).
crassa Ehrh.
*Host, Gram. i. t. 93 (1801).
Agardh, Theor. Syst. Pl. t. 1 (1858).—*Fl.*
Crawei Dewey
Boott, Carex, i. t. 81 (1858).
Britton & Brown, Ill. Fl. N. States & Canada, i. 323 (1896); Ed. 2, i. 404 (1913).
Cratty in Bull. Labor. Nat. Hist. Iowa, iv. No. 4, t. 4 (1898).
Crawfordii Fernald
Proc. Amer. Acad. xxxvii. No. 17, t. 1 (1902).
Pflanzenreich, Cyperac.-Caricoid. 200 (1909).
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, i. 380 (1913).
—— **vigens** Fernald
Proc. Amer. Acad. xxxvii. No. 17, t. 1 (1902).

CAREX
crinalis Boott
Boott, Carex, iv. t. 503 (1867).
crinigera Boott
Boott, Carex, ii. t. 306–8 (1860).
—— **minor** Boott
Boott, Carex, ii. t. 309 (1860).
crinita Lam.
*Schkuhr, Bot. Handb. Ed. 2, t. 286 Eee, No. 125; 286 Ttt, No. 164 (1808).
*Torrey, Fl. State New York, ii. t. 143 (1843).
Boott, Carex, i. t. 49 (1858).
Amer. Journ. Sc. Ser. IV. ii. t. 2, fig. 1, 4 (1896). —*Fl.*
Britton & Brown, Ill. Fl. N. States & Canada, i. 314 (1896); Ed. 2, i. 425 (1913).
Going, Field, Forest & Wayside Fl. 189 (1899).
C. B. Clarke, Illustr. Cyperac. t. 144 (1909).—*Fl.*
Stone, Pl. Southern New Jersey (Ann. Rep. New Jersey State Mus. 1910), t. 21 (1911).
Lovell, Fl. & Bee, 33 (1919).
cristata Schwein.
Ann. Lyc. New York, i. t. 24 (1824).
*Amer. Journ. Sc. xi. t. 3 (1826).
*Kunze, Suppl. Schkuhr. Riedgräs. (Caric.), i. t. 44 (1840–50).
Boott, Carex, iii. t. 372, 373 (1862).
Proc. Amer. Acad. xxxvii. No. 17, t. 1 (1902).
Pflanzenreich, Cyperac.-Caricoid. 200 (1909).
cristatella Britton
Britton & Brown, Ill. Fl. N. States & Canada, i. 357 (1896); Ed. 2, i. 381 (1913).
cruciata Nees
Boott, Carex, iii. t. 319, 320 (1862).
cruciata Wahlenb.
Lecomte, Fl. Gén. Indo-Chine, vii. 191 (1912). —*Fl.*
cruenta Nees
Boott, Carex, ii. t. 201, 202, fig. 1 (1860).
Pflanzenreich, Cyperac.-Caricoid. 552 (1909).
—— **maior** Boott
Boott, Carex, ii. t. 202, fig. 2, t. 203 (1860).
crus-corvi Shuttlew.
*Kunze, Suppl. Schkuhr. Riedgräs. (Caric.), i. t. 32 (1840–50).
Boott, Carex, i. t. 65 (1858).
Britton & Brown, Ill. Fl. N. States & Canada, i. 343 (1896); Ed. 2, i. 371 (1913).
Pflanzenreich, Cyperac.-Caricoid. 169 (1909).
—— **orthoclados** Kunze
*Kunze, Suppl. Schkuhr. Riedgräs. (Caric.), i. t. 42 (1840–50).
cryptantha Holm
Amer. Journ. Sc. Ser. IV. x. 268 (1900).
cryptocarpa C. A. Mey.
Meyer in Mém. Acad. Sc. Pétersb. Sav. Étrang. i. t. 14 (1830).
Amer. Journ. Sc. xxix. t. w (1836).
Andersson, Cyperac. Scand. t. 6, fig. 61 (1849).
Boott, Carex, i. t. 171 (1858).
Britton & Brown, Ill. Fl. N. States & Canada, i. 314 (1896); Ed. 2, i. 424 (1913).
Amer. Journ. Sc. Ser. IV. l. 167, fig. 4–6 (1920). —*Fl.*
cryptochlaena Holm
Amer. Journ. Sc. Ser. IV. xx. 307 (1905).
cryptostachys Brongn.
Duperrey, Voy. Coquille, Bot. Atlas, Phan. t. 25 (1826).
Boott, Carex, ii. t. 310 (1860).
Lecomte, Fl. Gén. Indo-Chine, vii. 191 (1912). —*Fl.*
Cumingiana Steud.
Boott, Carex, iii. t. 324, 325 (1862).
Cunninghamii Boott
Boott, Carex, iv. t. 579 (1867).
curaica Kunth
Journ. Russe Bot. 1911, p. 47.—*Fl.*
Fedtschenko, Veg. Turkest. 175 (1915).
curta Gooden.
Willdenow in Mém. Acad. Berlin, 1794, t. 2, fig. 3.
*Host, Gram. i. t. 48 (1801).
*Sowerby & Sm. Engl. Bot. xx. t. 1386 (1805).
*Schkuhr, Bot. Handb. Ed. 2, t. 286 C, No. 13 (1808).
[M. E.] Jackson, Pict. Fl. fig. 1323 (1840).

CAREX
curta
Leighton, Fl. Shropshire, 450 [t. 12] (1841).—*Fr.*
*Deakin, Florigr. Brit. iii. fig. 1405 (1847).
Johnson & Sowerby, Brit. Wild Fl. fig. 1420 (1858–60).
*Syme, Engl. Bot. x. t. 1631 (1870).
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, vi. t. 243 [1873].
—— **alpicola** Wahlenb.
*Syme, Engl. Bot. x. t. 1632 (1870).
curvata Boott
Boott, Carex, i. t. 5 (1858).
curvicollis Franch. & Sav.
Nouv. Arch. Mus. Hist. Nat. Paris, Ser. III. x. t. 8 (1898).
Pflanzenreich, Cyperac.-Caricoid. 540 (1909).
curvirostis Kunze
*Kunze, Suppl. Schkuhr. Riedgräs. (Caric.), i. t. 20 (1840–50).
curvula All.
Allioni, Fl. Pedem. iii. t. 92, fig. 3 (1785).
*Host, Gram. iii. t. 78 (1805).
*Schkuhr, Bot. Handb. Ed. 2, t. 286 D, No. 17; Hh, No. 17 (1808).
*Sturm, Deutschl. Fl. xii. XLVII [t. 745] (1827).
Cesati, Stirp. Ital. fasc. 3 (1840).
*Reichenbach, Ic. Fl. Germ. viii. t. 201 (1846).
Cusin, Herb. Fl. Franç. xxiii (Cypéracées), t. 89 (1874).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, v. t. 452 (1881).
Acloque, Fl. France, 662 (1894).—*Fl.*
Fiori & Paol. Ic. Fl. Ital. 54 (1896).
Husnot, Cypérac. t. 2 (1905).
Coste, Fl. France, iii. 495 (1906).
Schroeter, Pflanzenleb. Alp. 326 (1906).
Pflanzenreich, Cyperac.-Caricoid. 185 (1909).
*Hegi & Dunz. Alp. Fl. t. 3 (1913).
*Penzig, Fl. Alpi Illustr. Ed. 2, t. 40 (1915).
—— **elongata** Husnot
Husnot, Cypérac. t. 16 (1905–6).
—— **mirabilis** Schleich.
Cesati, Stirp. Ital. fasc. 3 (1840).
—— **pygmaea** Holler
Schroeter, Pflanzenleb. Alp. 326 (1906).
—— **rodnensis longearistata** Steiger
Schroeter, Pflanzenleb. Alp. 327 (1906).
cuspidata Host
*Host, Gram. i. t. 97 (1801).
cuspidata Wahlenb.
Koenig & Sims, Ann. Bot. ii. t. 8, fig. 44 (1805). —*Fr.*
Britton & Brown, Ill. Fl. N. States & Canada, i. 311 (1896).
cyperoides Linn.
*Host, Gram. i. t. 43 (1801).
*Schkuhr, Bot. Handb. Ed. 2, t. 286 A, No. 5 (1808).
*Fl. Dan. ix. t. 1465 (1813).
Krocker, Fl. Siles. iii. t. 5 (1814).
*Sturm, Deutschl. Fl. xiii. LV [t. 868] (1830).
*Zenker, Fl. Thüringen, x. t. 1196 (1836–55).
*Reichenbach, Ic. Fl. Germ. viii. t. 224 (1846).
Andersson, Cyperac. Scand. t. 4, fig. 42 (1849).
Cusin, Herb. Fl. Franç. xxiii (Cypéracées), t. 90 (1874).
Karsten, Deutsche Fl. Pharm.-medic. Bot. 336 (1880–83).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, v. t. 449 (1881).
Willkomm, Führ. Reich Pflanzen, 242 (1882).—*Fl.*
*Thomé, Fl. Deutschl. i. t. 89 (1886).
Acloque, Fl. France, 659, 662 (1894).
Karsten, Fl. Deutschl. i. 338 (1895).
Fiori & Paol. Ic. Fl. Ital. 53 (1896).
*Sturm, Fl. Deutschl. Ed. 2, ii. t. 25 (1900).
Husnot, Cypérac. t. 2 (1905).
Coste, Fl. France, iii. 494 (1906).
Pflanzenreich, Cyperac.-Caricoid. 188 (1909).
Journ. Russe Bot. 1911, p. 60.—*Fl.*
Hayek, Pflanzend. Oesterr.-Ung. i. 140 (1914).
Fedtschenko, Veg. Turkest. 178 (1915).
dacica Heuff.
Linnaea, xxxi. t. 4 (1861–62).

CAREX
dahurica Kük.
Journ. Russe Bot. 1911, p. 38.—*Fl.*
Daltonii Boott
Boott, Carex, i. t. 16 (1858).
Darwinii Boott
Hooker f., Fl. Antarct. ii. t. 144 (1846).
Boott, Carex, iv. t. 504, 505 (1867).
W. B. Scott, Rep. Princeton Univ. Exped. Patag. 1896–99, viii. 1. Bot. 280 (1904).
dasycarpa Muhl.
S. Elliott, S.-Carol. & Georgia, ii. t. 12 (1824).
*Amer. Journ. Sc. xi. t. 6 (1826).
Boott, Carex, i. t. 58 (1858).
Davalliana Sm.
*Sowerby & Sm. Engl. Bot. xxx. t. 2123 (1810).
*Sturm, Deutschl. Fl. xii. L [t. 785] (1827).
*Zenker, Fl. Thüringen, vi. t. 633 (1836–55).
[M. E.] Jackson, Pict. Fl. fig. 1319 (1840).
Leighton, Fl. Shropshire, 450 [t. 12] (1841).—*Fr.*
*Reichenbach, Ic. Fl. Germ. viii. t. 194 (1846).
*Deakin, Florigr. Brit. iii. fig. 1387 (1847).
Johnson & Sowerby, Brit. Wild Fl. fig. 1407 (1858–60).
Boott, Carex, iv. t. 462 (1867).
*Syme, Engl. Bot. x. t. 1611 (1870).
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, vi. t. 243 [1873].
Cusin, Herb. Fl. Franç. xxiii (Cypéracées), t. 57 (1874).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, v. t. 443 (1881).
Nederl. Kruidk. Arch. Ser. II. iv. IV. t. 11 (1886). —*Fr.*
Acloque, Fl. France, 659 (1894).—*Fr.*
Fiori & Paol. Ic. Fl. Ital. 52 (1896).
Gradmann, Pflanzenl. Schwäb. Alb, Ed. 2, i. 193 (1900).
*Sturm, Fl. Deutschl. Ed. 2, ii. t. 22 (1900).
Husnot, Cypérac. t. 1 (1905).
*Masclef, Pl. Eur. t. 14 (1905).
Coste, Fl. France, iii. 492 (1906).
*Kirby, Brit. Fl. Pl. t. 113 (1906).
Pflanzenreich, Cyperac.-Caricoid. 76 (1909).
Heukels, Fl. Nederl. i. 379 (1910).
Davisii Dewey
*Amer. Journ. Sc. xi. t. 1 (1826).
Davisii Schwein. & Torr.
Boott, Carex, i. t. 143 (1858).
Britton & Brown, Ill. Fl. N. States & Canada, i. 318 (1896); Ed. 2, i. 408 (1913).
debilis Michx.
Boott, Carex, ii. t. 272–74 (1860).
Pflanzenreich, Cyperac.-Caricoid. 596 (1909).
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, i. 410 (1913).
decidua Boott
Boott, Carex, i. t. 170 (1858).
Bot. Gaz. x. 203, fig. 1–5 (1885).
Rio y Achaval, Geogr. Prov. Cordoba, Atlas, tab. [9] (1905).
decipiens J. Gay
Cusin, Herb. Fl. Franç. xxiii (Cypéracées), t. 59 (1874).
declinata Boott
Boott, Carex, iv. t. 580 (1867).
Pflanzenreich, Cyperac.-Caricoid. 169 (1909).
decomposita Muhl.
*Torrey, Fl. State New York, ii. t. 142 (1843).
Boott, Carex, i. t. 55 (1858).
Britton & Brown, Ill. Fl. N. States & Canada, i. 343 (1896); Ed. 2, i. 371 (1913).
Pflanzenreich, Cyperac.-Caricoid. 176 (1909).—*Fr.*
decora Boott
Boott, Carex, i. t. 15 (1858).
decurtata Cheesem.
Cheeseman, Ill. New Zeal Fl. t. 216 (1914).
deflexa Hornem.
*Reichenbach, Ic. Fl. Germ. viii. t. 260 (1846).
Britton & Brown, Ill. Fl. N. States & Canada, i. 334 (1896); Ed. 2, i. 393 (1913).
Pflanzenreich, Cyperac.-Caricoid. 448 (1909).
Deinbolliana J. Gay
*Fl. Dan. Suppl. t. 101 (1865).

CAREX
Delavayi Franch.
Nouv. Arch. Mus. Hist. Nat. Paris, Ser. III. viii. t. 2 (1896).
Pflanzenreich, Cyperac.-Caricoid. 483 (1909).
delicatula Lojac.-Poj.
Lojacono-Pojero, Fl. Sic. iii. t. 18 (1909).
demissa Hornem.
*Fl. Dan. viii. t. 1342 (1808).
depauperata Gooden.
*Sowerby & Sm. Engl. Bot. xvi. t. 1098 (1803).
*Curtis, Fl. Londin. Ed. 2, iii. fasc. VI. t. 68 (1826).
[M. E.] Jackson, Pict. Fl. fig. 1342 (1840).
Leighton, Fl. Shropshire, 465 [t. 18] (1841).—*Fr.*
*Reichenbach, Ic. Fl. Germ. viii. t. 256 (1846).
*Deakin, Florigr. Brit. iii. fig. 1426 (1847).
Johnson & Sowerby, Brit. Wild Fl. fig. 1438 (1858–60).
*Syme, Engl. Bot. x. t. 1664 (1870).
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, vi. t. 246 [1873].
Cusin, Herb. Fl. Franç. xxiii (Cypéracées), t. 137 (1874).
*Hogg & Johnson, Wild Fl. Gr. Brit. xi. t. 923 (1880).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, vi. t. 534 (1881).
Husnot, Cypérac. t. 11 (1905).
Coste, Fl. France, iii. 515 (1906).
depressa Link
*Schkuhr, Bot. Handb. Ed. 2, t. 286 Ccc, No. 120 (1808).
Rouy, Illustr. Pl. Eur. Rar. fasc. 1, t. 24 (1895).
Battandier & Trabut, Fl. Algér., Monocot. t. 3, fig. 10 (1895).—*Fl.*
Husnot, Cypérac. t. 9 (1905).
Coste, Fl. France, iii. 501 (1906).
—— **subumbellata** Kük.
Journ. Russe Bot. 1911, p. 126.
descendens Kük.
Pflanzenreich, Cyperac.-Caricoid. 327 (1909).
Journ. Russe Bot. 1911, p. 87.—*Fl.*
desponsa Boott
Boott, Carex, ii. t. 228 (1860).
Deweyana Schwein.
*Amer. Journ. Sc. ix. t. 3 (1825).
Boott, Carex, i. t. 70 (1858).
Britton & Brown, Ill. Fl. N. States & Canada, i. 354 (1896); Ed. 2, i. 376 (1913).
Proc. Amer. Acad. xxxvii. No. 17, t. 5 (1902).
diandra Schrank
Blytt, Haandb. Norg. Fl. Ed. Dahl, 137 (1906).
Pflanzenreich, Cyperac.-Caricoid. 176 (1909).
Journ. Russe Bot. 1911, p. 57.
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, i. 370 (1913).
Lindman, Svensk Fanerogamfl. 120 (1918).—*Fr.*
diaphana Boott
Boott, Carex, iv. t. 506 (1867).
Dickinsii Franch. & Sav.
T. Makino, Glumac. Japon. i. No. 1, t. 4 (1901).
Pflanzenreich, Cyperac.-Caricoid. 711 (1909).
dicuspis Franch.
Nouv. Arch. Mus. Hist. Nat. Paris, Ser. III. viii. t. 10 (1896).
digitalis Schwein. & Torr.
Ann. Lyc. New York, i. 27 (1824).
digitalis Willd.
Boott, Carex, i. t. 98 (1858).
Britton & Brown, Ill. Fl. N. States & Canada, i. 328 (1896); Ed. 2, i. 401 (1913).
—— **copulata** L. H. Bailey
Cratty in Bull. Labor. Nat. Hist. Iowa, iv. No. 4, t. 5 (1898).
digitata Linn.
Hoppe, Ect. Pl. Ratisb. t. 39 (1787).
Leers, Fl. Herborn. t. 16, fig. 4 (1789).
*Sowerby & Sm. Engl. Bot. ix. t. 615 (1799).
*Host, Gram. i. t. 60 (1801).
*Schkuhr, Bot. Handb. Ed. 2, t. 286 H, No. 38 (1808).
*Fl. Dan. ix. t. 1466 (1813).
*Sturm, Deutschl. Fl. xiv. LXI [t. 971] (1833).
*Zenker, Fl. Thüringen, iii. t. 346 (1836–55).
[M. E.] Jackson, Pict. Fl. fig. 1337 (1840).
*Reichenbach, Ic. Fl. Germ. viii. t. 240 (1846).

CAREX
digitata
*Deakin, Florigr. Brit. iii. fig. 1440 (1847).
*Lorek, Fl. Pruss. Ed. 3, t. 215, fig. 1145 (1848).
Andersson, Cyperac. Scand. t. 7, fig. 88 (1849).
Johnson & Sowerby, Brit. Wild Fl. fig. 1433 (1858–60).
Bentham, Handb. Brit. Fl. fig. 1117 (1865).
*Syme, Engl. Bot. x. t. 1650 (1870).
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, vi. t. 248 [1873].
Cusin, Herb. Fl. Franç. xxiii (Cypéracées), t. 127 (1874).
*Hogg & Johnson, Wild Fl. Gr. Brit. xi. t. 899 (1880).
Karsten, Deutsche Fl. Pharm.-medic. Bot. 350 (1880–83).—*Fr.*
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, vi. t. 510 (1881).
Wagner, Ill. Deutsche Fl. Ed. 2, p. 798 (1882).
Willkomm, Führ. Reich Pflanzen, 250 (1882).—*Fr.*
Nederl. Kruidk. Arch. Ser. II. v. 1. t. 1 (1887).—*Fr.*
Acloque, Fl. France, 664 (1894).—*Fl.*
Karsten, Fl. Deutschl. i. 353 (1895).
Raunkiær, Danske Blomsterpl. Naturhist. i. 469 (1895–99).—*Veg.*
Fiori & Paol. Ic. Fl. Ital. 56 (1896).
Sturm, Fl. Deutschl. Ed. 2, ii. t. 52 (1900).
Husnot, Cypérac. t. 10 (1905).
Blytt, Haandb. Norg. Fl. Ed. Dahl, 163 (1906).—*Fl.*
Coste, Fl. France, iii. 510 (1906).
Suireishchikov, Ill. Fl. Mosc. Gov. i. 208 (1906).
Heukels, Fl. Nederl. i. 401 (1910).
Lindman, Svensk Fanerogamfl. 127 (1918).—*Fl.*
Fitch & Smith, Ill. Brit. Fl. Ed. rev. 4, Iss. 2, fig. 1135 (1919).
—— **quadriflora** Kük.
Journ. Russe Bot. 1911, p. 138.—*Fl.*
diluta M. Bieb.
Boott, Carex, iv. t. 448 (1867).
Journ. Russe Bot. 1911, p. 172.
Fedtschenko, Veg. Turkest. 194 (1915).
dioica Linn.
*Fl. Dan. iii. t. 369 (1768).
Hoppe, Ect. Pl. Ratisb. t. 177 (1788).
*Sowerby & Sm. Engl. Bot. viii. t. 543 (1799).
*Host, Gram. i. t. 41 (1801).
Koenig & Sims, Ann. Bot. ii. t. 8, fig. 66 (1805).—*Fr.*
*Schkuhr, Bot. Handb. Ed. 2, t. 286 A, No. 1, 2; Q, No. 2; W, No. 2 (1808).
*Svensk Bot. viii. t. 551 (1819).
*Kops, Fl. Batava, vi. t. 466 (1832).
*Sturm, Deutschl. Fl. xvi. LXIX [t. 1089] (1835).
*Zenker, Fl. Thüringen, vi. t. 628 (1836–55).
[M. E.] Jackson, Pict. Fl. fig. 1318 (1840).
Leighton, Fl. Shropshire, 450 [t. 12] (1841).—*Fr.*
*Reichenbach, Ic. Fl. Germ. viii. t. 194 (1846).
*Deakin, Florigr. Brit. iii. fig. 1386 (1847).
*Lorek, Fl. Pruss. Ed. 3, t. 210, fig. 1118 (1848).
Andersson, Cyperac. Scand. t. 3, fig. 10 (1849).
Johnson & Sowerby, Brit. Wild Fl. fig. 1406 (1858–60).
Bentham, Handb. Brit. Fl. fig. 1093 (1865).
Boott, Carex, iv. t. 458 (1867).
*Syme, Engl. Bot. x. t. 1610 (1870).
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, vi. t. 243 [1873].
Cusin, Herb. Fl. Franç. xxiii (Cypéracées), t. 56 (1874).
*Hogg & Johnson, Wild Fl. Gr. Brit. xi. t. 823 (1880).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, v. t. 442 (1881).
Wagner, Ill. Deutsche Fl. Ed. 2, p. 784 (1882).
Nederl. Kruidk. Arch. Ser. II. iv. IV. t. 11 (1886).—*Fr.*
*Thomé, Fl. Deutschl. i. t. 88 (1886).
Potonié, Ill. Fl. Nord- u. Mittel-Deutschl. Ed. 4, fig. 97 (1889).
Acloque, Fl. France, 659, 660 (1894).
Garcke, Ill. Fl. Deutschl. 632 (1895).
Raunkiær, Danske Blomsterpl. Naturhist. i. 463 (1895–99).—*Veg.*

CAREX
dioica
Fiori & Paol. Ic. Fl. Ital. 52 (1896).
*Sturm, Fl. Deutschl. Ed. 2, ii. t. 22 (1900).
Lindman, Bild. Nord. Fl. t. 430 (1901–5).
Ostenfeld, Fl. Arctica, i. 61 (1902).
Husnot, Cypérac. t. 1 (1905).
Blytt, Haandb. Norg. Fl. Ed. Dahl, 129 (1906).
Coste, Fl. France, iii. 492 (1906).
Suireishchikov, Ill. Fl. Mosc. Gov. i. 186 (1906).
Junge in Jahrb. Hamburg. Wiss. Anstalt. 1907, xxv. Beih. 3, p. 177 (1908).
Fedtschenko & Fler. Fl. Eur. Russia, 172 (1910).
Heukels, Fl. Nederl. i. 378 (1910).
Journ. Russe Bot. 1911, p. 33.—*Fl.*
Lindman, Svensk Fanerogamfl. 34, 119 (1918).
Fitch & Smith, Ill. Brit. Fl. Ed. rev. 4, Iss. 2, fig. 1111 (1919).
—— **gynocrates** Ostenf.
Ostenfeld, Fl. Arctica, i. 61 (1902).
—— **parallela** Laest.
Ostenfeld, Fl. Arctica, i. 61 (1902).
dipsacea Berggr.
Berggren, Några nya ofullst. kaenda arter Ny-Zeel. Fanerog. (Minneskr. Fisiogr. Sällsk. Lund. viii. 1), t. 7 (1877).
discolor Nyl.
Andersson, Cyperac. Scand. t. 2, fig. 38 (1849).
dispalatha Boott
Schmidt in Mém. Acad. Sc. Pétersb. Ser. VII. xii. t. 7 (1868).
*Useful Pl. Jap. ii. t. 341 (1895).
Journ. Russe Bot. 1911, p. 162.—*Fl.*
disperma Dewey
*Amer. Journ. Sc. ix. t. 1 (1825).
*Kunze, Suppl. Schkuhr. Riedgräs. (Caric.), i. t. 33 (1840–50).
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, i. 372 (1913).
dissita Soland.
Boott, Carex, i. t. 176 (1858).
dissitiflora Franch.
Nouv. Arch. Mus. Hist. Nat. Paris, Ser. III. viii. t. 5 (1896).
Pflanzenreich, Cyperac.-Caricoid. 253 (1909).
distachya Desf.
Fiori & Paol. Ic. Fl. Ital. 54 (1896).
Pflanzenreich, Cyperac.-Caricoid. 256 (1909).
distans Linn.
Hoppe, Ect. Pl. Ratisb. t. 360 (1789).
*Fl. Dan. vi. t. 1049 (1792); xiv. t. 2434 (1845).
*Host, Gram. i. t. 77 (1801).
*Sowerby & Sm. Engl. Bot. xviii. t. 1234 (1804).
Koenig & Sims, Ann. Bot. ii. t. 8, fig. 48, 56 (1805).
*Schkuhr, Bot. Handb. Ed. 2, t. 286 T, No. 68; 286 Yy, No. 68 (1808).
*Sturm, Deutschl. Fl. xiii. LIII [t. 841] (1829).
*Zenker, Fl. Thüringen, vii. t. 729 (1836–55).
[M. E.] Jackson, Pict. Fl. fig. 1358 (1840).
Leighton, Fl. Shropshire, 457 [t. 15] (1841).—*Fr.*
Cosson & Germ. Fl. Paris, Atlas, t. 35 (1845).
*Reichenbach, Ic. Fl. Germ. viii. t. 253 (1846).
*Deakin, Florigr. Brit. iii. fig. 1423 (1847).
*Lorek, Fl. Pruss. Ed. 3, t. 217, fig. 1152 (1848).
Andersson, Cyperac. Scand. t. 8, fig. 96 (1849).
Johnson & Sowerby, Brit. Wild Fl. fig. 1453 (1858–60).
Bentham, Handb. Brit. Fl. fig. 1127 (1865).
*Syme, Engl. Bot. x. t. 1668 (1870).
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, vi. t. 246 [1873].
Cusin, Herb. Fl. Franç. xxiii (Cypéracées), t. 144 (1874).
De Silvestri, Piante Prat. 32 (1879).
*Hogg & Johnson, Wild Fl. Gr. Brit. xi. t. 904 (1880).
Karsten, Deutsche Fl. Pharm.-medic. Bot. 345 (1880–83).—*Fr.*
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, vi. t. 540 (1881).
Wagner, Ill. Deutsche Fl. Ed. 2, p. 803 (1882).
*Thomé, Fl. Deutschl. i. t. 93 (1886).
Nederl. Kruidk. Arch. Ser. II. v. 1. t. 2 (1887).—*Fr.*
Paolucci, Fl. Marchig. t. 6 (1890).
*Masclef, Atlas Pl. France, t. 363 (1893).

CAREX
distans
Acloque, Fl. France, 659, 667 (1894).
Battandier & Trabut, Fl. Algér., Monocot. t. 3, fig. 16 (1895).—*Fl.*
Karsten, Fl. Deutschl. i. 348 (1895).
Fiori & Paol. Ic. Fl. Ital. 59 (1896).
*Sturm, Fl. Deutschl. Ed. 2, ii. t. 59 (1900).
C. T. Green, Fl. Liverpool Distr. fig. 696 (1902).
Husnot, Cypérac. t. 12 (1905).
Coste, Fl. France, iii. 518 (1906).
Suireishchikov, Ill. Fl. Mosc. Gov. i. 209 (1906).
Rec. Instit. Bot. Errera, vii Annexe, p. 121, fig. 108 (1908).—*Hab.*
Heukels, Fl. Nederl. i. 403 (1910).
Fitch & Smith, Ill. Brit. Fl. Ed. rev. 4, Iss. 2, fig. 1145 (1919).
—— **Hampeana** Reichb.
*Reichenbach, Ic. Fl. Germ. viii. t. 254 (1846).
×—— **luteola** Reichb.
*Reichenbach, Ic. Fl. Germ. viii. t. 253 (1846).
disticha Huds.
J. E. Smith, Reliq. Rudbeck. 3 (1789).
*Lorek, Fl. Pruss. Ed. 3, t. 211, fig. 1122 (1848).
Andersson, Cyperac. Scand. t. 3, fig. 15 (1849).
Boott, Carex, iii. t. 410 (1862).
*Syme, Engl. Bot. x. t. 1617 (1870).
Cusin, Herb. Fl. Franç. xxiii (Cypéracées), t. 69 (1874).
*Hogg & Johnson, Wild Fl. Gr. Brit. xi. t. 839 (1880).
Karsten, Deutsche Fl. Pharm.-medic. Bot. 340 (1880–83).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, v. t. 457 (1881).
Nederl. Kruidk. Arch. Ser. II. iv. IV. t. 11 (1886).—*Fr.*
Garcke, Ill. Fl. Deutschl. 635 (1895).
Raunkiær, Danske Blomsterpl. Naturhist. i. 457 (1895–99).—*Veg.*
*Sturm, Fl. Deutschl. Ed. 2, ii. t. 26 (1900).
Lindman, Bild. Nord. Fl. t. 433 c (1901–5).
C. T. Green, Fl. Liverpool Distr. fig. 680 (1902).
Husnot, Cypérac. t. 3 (1905).
Blytt, Haandb. Norg. Fl. Ed. Dahl, 135 (1906).
Coste, Fl. France, iii. 496 (1906).
Suireishchikov, Ill. Fl. Mosc. Gov. i. 188 (1906).
Heukels, Fl. Nederl. i. 380 (1910).
Bull. Angew. Bot. vii. t. 102 (1914).
Lindman, Svensk Fanerogamfl. 122 (1918).
—— **modesta** Husnot
Husnot, Cypérac. t. 3 (1905).
diversiflora Host
*Host, Gram. i. t. 70 (1801).
dives Holm
Amer. Journ. Sc. Ser. IV. xvii. 303 (1904); xxvi. 485 (1908).—*Fl.*
divisa Huds.
Trans. Linn. Soc. London, ii. t. 19 (1794).
Roemer, Archiv Bot. ii. II. t. 1 (1801).
*Sowerby & Sm. Engl. Bot. xvi. t. 1096 (1803).
*Schkuhr, Bot. Handb. Ed. 2, t. 286 R, No. 61 (1808).
[M. E.] Jackson, Pict. Fl. fig. 1331 (1840).
Leighton, Fl. Shropshire, 452 [t. 13] (1841).—*Fr.*
*Reichenbach, Ic. Fl. Germ. viii. t. 205 (1846).
*Deakin, Florigr. Brit. iii. fig. 1392 (1847).
Johnson & Sowerby, Brit. Wild Fl. fig. 1412 (1858–60).
Bentham, Handb. Brit. Fl. fig. 1108 (1865).
*Syme, Engl. Bot. x. t. 1616 (1870).
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, vi. t. 245 [1873].
Cusin, Herb. Fl. Franç. xxiii (Cypéracées), t. 67 (1874).
*Hogg & Johnson, Wild Fl. Gr. Brit. xi. t. 855 (1880).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, v. t. 456 (1881).
Willkomm, Führ. Reich Pflanzen, 238 (1882).—*Fr.*
Battandier & Trabut, Fl. Algér., Monocot. t. 3, fig. 1 (1895).—*Fl.*
Fiori & Paol. Ic. Fl. Ital. 54 (1896).
Husnot, Cypérac. t. 3 (1905).
Coste, Fl. France, iii. 495 (1906).
Pflanzenreich, Cyperac.-Caricoid. 116 (1909).

CAREX
divisa
Fitch & Smith, Ill. Brit. Fl. Ed. rev. 4, Iss. 2, fig. 1126 (1919).
divulsa Gooden.
*Sowerby & Sm. Engl. Bot. ix. t. 629 (1799).
*Host, Gram. i. t. 55 (1801).
*Fl. Dan. viii. t. 1280 (1806).
*Schkuhr, Bot. Handb. Ed. 2, t. 286 Dd, No. 89; 286 Ww, No. 89 (1808).
*Sturm, Deutschl. Fl. xiii. LVII [t. 899] (1831).
*Zenker, Fl. Thüringen, x. t. 1197 (1836–55).
[M. E.] Jackson, Pict. Fl. fig. 1333 (1840).
Leighton, Fl. Shropshire, 454 [t. 14] (1841).—*Fr.*
*Reichenbach, Ic. Fl. Germ. viii. t. 220 (1846).
*Deakin, Florigr. Brit. iii. fig. 1398 (1847).
Andersson, Cyperac. Scand. t. 3, fig. 20 (1849).
Johnson & Sowerby, Brit. Wild Fl. fig. 1414 (1858–60).
Migout, Fl. Dépt. Allier, t. 22 (1866).
*Syme, Engl. Bot. x. t. 1625 (1870).
Flora, liv. t. 1, 2 A (1871).
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, vi. t. 244 [1873].
Cusin, Herb. Fl. Franç. xxiii (Cypéracées), t. 77 (1874).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, v. t. 466 (1881).
Nederl. Kruidk. Arch. Ser. II. t. 11, 12 (1886).
Acloque, Fl. France, 662 (1894).—*Fl.*
Battandier & Trabut, Fl. Algér., Monocot. t. 3, fig. 4 (1895).—*Fl.*
Husnot, Cypérac. t. 4 (1905).
Coste, Fl. France, iii. 498 (1906).
Pflanzenreich, Cyperac.-Caricoid. 155 (1909).
Heukels, Fl. Nederl. i. 385 (1910).
Lindman, Svensk Fanerogamfl. 121 (1918).—*Fr.*
Doenitzii Boeck.
Pflanzenreich, Cyperac.-Caricoid. 536 (1909).
Doniana Spreng.
Drejer, Symb. Caric. t. 13 (1844).
Douglasii Boott
Hooker, Fl. Bor.-Amer. t. 214 (1840).
Britton & Brown, Ill. Fl. N. States & Canada, i. 342 (1896); Ed. 2, i. 363 (1913).
Nelson in Bull. Wyoming Agric. St. No. 76, p. 67 (1908).
Drejeriana Lange
*Fl. Dan. xvii. t. 2975 (1880).
drepanorrhyncha Franch.
Nouv. Arch. Mus. Hist. Nat. Paris, Ser. III. ix. t. 4 (1897).
Drummondiana Dewey
Amer. Journ. Sc. xxix. t. Y (1836).
Drymeia Ehrh.
Willdenow in Mém. Acad. Berlin, 1794, t. 3, fig. 3.
Koenig & Sims, Ann. Bot. ii. t. 8, fig. 49, 55 (1805).—*Fr.*
*Sturm, Deutschl. Fl. xiii. LV [t. 878] (1830).
drymophila Turcz.
Pflanzenreich, Cyperac.-Caricoid. 752 (1909).
Journ. Russe Bot. 1911, p. 198.—*Fl.*
Durieui Steud.
*Kunze, Suppl. Schkuhr. Riedgräs. (Caric.), i. t. 38 (1840–50).
Rouy, Illustr. Pl. Eur. Rar. fasc. 18, t. 450 (1903).
Pflanzenreich, Cyperac.-Caricoid. 668 (1909).
durifolia L. H. Bailey
Britton & Brown, Ill. Fl. N. States & Canada, i. 338 (1896); Ed. 2, i. 388 (1913).
duriuscula C. A. Mey.
Meyer in Mém. Acad. Sc. Pétersb. Sav. Étrang. i. t. 8 (1830).
*Fl. Dan. xvi. t. 2843 (1871).
Dusenii Kük.
Arkiv Bot. Stockholm, vii. No. 2, t. 4, 7 (1907).
ebenea Rydb.
Nelson in Bull. Wyoming Agric. St. No. 76, p. 71 (1908).
eburnea Boott
Hooker, Fl. Bor.-Amer. t. 225 (1840).
Boott, Carex, i. t. 197 (1858).
Pflanzenreich, Cyperac.-Caricoid. 501 (1909).
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, i. 396 (1913).

CAREX
echinata Murr.
Cusin, Herb. Fl. Franç. xxiii (Cypéracées), t. 84 (1874).
Karsten, Deutsche Fl. Pharm.-medic. Bot. 338 (1880–83).
Wagner, Ill. Deutsche Fl. Ed. 2, p. 790 (1882).
Willkomm, Führ. Reich Pflanzen, 41 (1882).—*Fr.*
Nederl. Kruidk. Arch. Ser. II. iv. IV. t. 12 (1886).—*Fr.*
*Thomé, Fl. Deutschl. i. t. 89 (1886).
*Heathcote, Fl. Engadine, t. 222 (1891).
Karsten, Fl. Deutschl. i. 340 (1895).
Fiori & Paol. Ic. Fl. Ital. 55 (1896).
*Sturm, Fl. Deutschl. Ed. 2, ii. t. 31 (1900).
C. T. Green, Fl. Liverpool Distr. fig. 685 (1902).
Proc. Amer. Acad. xxxvii. No. 17, t. 4 (1902).
Husnot, Cypérac. t. 5 (1905).
Coste, Fl. France, iii. 499 (1906).
Suireishchikov, Ill. Fl. Mosc. Gov. i. 190 (1906).
Pflanzenreich, Cyperac.-Caricoid. 155 (1909).
Heukels, Fl. Nederl. i. 387 (1910).
Fitch & Smith, Ill. Brit. Fl. Ed. rev. 4, Iss. 2 fig. 1118 (1919).
—— **angustata** L. H. Bailey
Proc. Amer. Acad. xxxvii. No. 17, t. 4 (1902).
—— **cephalantha** L. H. Bailey
Proc. Amer. Acad. xxxvii. No. 17, t. 4 (1902).
—— **excelsior** Fernald
Proc. Amer. Acad. xxxvii. No. 17, t. 4 (1902).
—— **ormantha** Fernald
Proc. Amer. Acad. xxxvii. No. 17, t. 4 (1902).
echinochloë Kunze
*Kunze, Suppl. Schkuhr. Riedgräs. (Caric.), i. t. 12 (1840–50).
Boott, Carex, i. t. 166 (1858).
Ecklonii Nees
*Kunze, Suppl. Schkuhr. Riedgräs. (Caric.), i. t. 5 (1840–50).
elachycarpa Fernald
Proc. Amer. Acad. xxxvii. No. 17, t. 5 (1902).
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, i. 377 (1913).
elata Boott
Boott, Carex, i. t. 190 (1858).
elata All.
West in Proc. Roy. Soc. Edinb. xxv. No. 11, t. 6 (1905).
Hayek, Pflanzend. Oesterr.-Ung. i. 55 (1914); t. 54 (1916).
elegans Willd.
Willdenow, Fl. Berol. Prodr. t. 1 (1787).
eleusinoides Turcz.
Boott, Carex, iv. t. 428 (1867).
Journ. Russe Bot. 1911, p. 80.—*Fl.*
Elliottii Schwein. & Torr.
Amer. Journ. Sc. xi. t. 6 (1826).
Boott, Carex, ii. t. 265 (1860).
elongata Linn.
Leers, Fl. Herborn. t. 14, fig. 7 (1789).
Hoppe, Ect. Pl. Ratisb. t. 605 (1791).
*Fl. Dan. vii. t. 1236 (1799).
*Host, Gram. iii. t. 79 (1805).
*Schkuhr, Bot. Handb. Ed. 2, t. 286 E, No. 25 (1808).
*Sowerby & Sm. Engl. Bot. xxvii. t. 1920 (1808).
*Sturm, Deutschl. Fl. xii. L [t. 794] (1827).
*Zenker, Fl. Thüringen, vi. t. 616 (1836–55).
[M. E.] Jackson, Pict. Fl. fig. 1324 (1840).
Leighton, Fl. Shropshire, 450 [t. 12] (1841).—*Fr.*
*Reichenbach, Ic. Fl. Germ. viii. t. 218 (1846).
*Deakin, Florigr. Brit. iii. fig. 1406 (1847).
*Lorek, Fl. Pruss. Ed. 3, t. 213, fig. 1134 (1848).
Andersson, Cyperac. Scand. t. 4, fig. 32 (1849).
Johnson & Sowerby, Brit. Wild Fl. fig. 1421 (1858–60).
Bentham, Handb. Brit. Fl. fig. 1099 (1865).
*Syme, Engl. Bot. x. t. 1630 (1870).
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, vi. t. 243 [1873].
Cusin, Herb. Fl. Franç. xxiii (Cypéracées), t. 82 (1874).
*Hogg & Johnson, Wild Fl. Gr. Brit. xi. t. 847 (1880).
Karsten, Deutsche Fl. Pharm.-medic. Bot. 337 (1880–83).—*Fr.*

CAREX
elongata
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, vi. t. 478 (1881).
Wagner, Ill. Deutsche Fl. Ed. 2, p. 791 (1882).
Nederl. Kruidk. Arch. Ser. II. iv. IV. t. 12 (1886).—*Fr.*
Karsten, Fl. Deutschl. i. 339 (1895).
Fiori & Paol. Ic. Fl. Ital. 55 (1896).
*Sturm, Fl. Deutschl. Ed. 2, ii. t. 32 (1900).
Husnot, Cypérac. t. 5 (1905).
Coste, Fl. France, iii. 500 (1906).
Suireishchikov, Ill. Fl. Mosc. Gov. i. 195 (1906).
Karsten & Schenck, Veg.-Bild. iv. t. 47 (1907).—*Hab.*
Pflanzenreich, Cyperac.-Caricoid. 229 (1909).
Heukels, Fl. Nederl. i. 388 (1910).
Journ. Russe Bot. 1911, p. 74.—*Fl.*
Feucht, Württemb. Pflanzenw. t. 81 (1912).—*Hab.*
Lindman, Svensk Fanerogamfl. 124 (1918).—*Fr.*
Fitch & Smith, Ill. Brit. Fl. Ed. rev. 4, Iss. 2, fig. 1117 (1919).
—— **Gebhardii** Aschers.
Suireishchikov, Ill. Fl. Mosc. Gov. i. 195 (1906).
elynoides Holm
Amer. Journ. Sc. Ser. IV. ix. 357 (1900).
elytroides Fries
Andersson, Cyperac. Scand. t. 5, fig. 48 (1849).
emarginata Willd.
*Schkuhr, Bot. Handb. Ed. 2, t. 286 Ooo, No. 153 (1808).
emirnensis Baker
Journ. of Bot. xxi. t. 238 (1883).
Emmonsii Dewey
Boott, Carex, ii. t. 286 (1860).
—— **elliptica** Boott
Boott, Carex, ii. t. 287 (1860).
enervis C. A. Mey.
*Ledebour, Ic. Pl. Ross. iv. t. 349 (1833).
Engelmannii L. H. Bailey
Amer. Journ. Sc. Ser. IV. xiv. 60 (1902).
ericetorum Poll.
Hoppe, Ect. Pl. Ratisb. t. 675 (1791).
*Fl. Dan. x. t. 1765 (1823).
*Sturm, Deutschl. Fl. xiii. LVII [t. 902] (1831).
*Zenker, Fl. Thüringen, vi. t. 631 (1836–55).
*Reichenbach, Ic. Fl. Germ. viii. t. 262 (1846).
*Lorek, Fl. Pruss. Ed. 3, t. 215, fig. 1144 (1848).
Andersson, Cyperac. Scand. t. 7, fig. 83 (1849).
*Sowerby & Sm. Engl. Bot. Suppl. v. t. 2971 (1863).
*Syme, Engl. Bot. x. t. 1654 (1870).
Cusin, Herb. Fl. Franç. xxiii (Cypéracées), t. 121 (1874).
*Hogg & Johnson, Wild Fl. Gr. Brit. xi. t. 922 (1880).
Karsten, Deutsche Fl. Pharm.-medic. Bot. 351 (1880–83).—*Fr.*
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, vi. t. 505 (1881).
Willkomm, Führ. Reich Pflanzen, 249 (1882).—*Fr.*
*Thomé, Fl. Deutschl. i. t. 98 (1886).
Karsten, Fl. Deutschl. i. 354 (1895).
Fiori & Paol. Ic. Fl. Ital. 56 (1896).
*Sturm, Fl. Deutschl. Ed. 2, ii. t. 49 (1900).
Husnot, Cypérac. t. 9 (1905).
Coste, Fl. France, iii. 509 (1906).
Suireishchikov, Ill. Fl. Mosc. Gov. i. 204 (1906).
Heukels, Fl. Nederl. i. 396 (1910).
Journ. Russe Bot. 1911, p. 117.—*Fl.*
Lindman, Svensk Fanerogamfl. 128 (1918).—*Fl.*
erinacea Cav.
Cavanilles, Ic. v. t. 464 (1799).
*Schkuhr, Bot. Handb. Ed. 2, t. 286 Nnnn, No. 201 (1808).
eriocarpa Hausskn. & Kük.
Pflanzenreich, Cyperac.-Caricoid. 533 (1909).
erythrostachys Hoppe
*Sturm, Deutschl. Fl. xvi. LXIX [t. 1099] (1835).
*Reichenbach, Ic. Fl. Germ. viii. t. 270 (1846).
eurycarpa Holm
Amer. Journ. Sc. Ser. IV. xx. 307 (1905).—*Fl.*
evoluta Hartm.
*Sturm, Deutschl. Fl. xvi. LXIX [t. 1100] (1835).

CAREX
evoluta
*Kunze, Suppl. Schkuhr. Riedgräs. (Caric.), i. t. 7 (1840–50).
*Reichenbach, Ic. Fl. Germ. viii. t. 267 (1846).
Andersson, Cyperac. Scand. t. 8, fig. 102 (1849).
*Fl. Dan. Suppl. t. 30 (1853).
Boott, Carex, i. t. 130 (1858).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, vi. t. 551 (1881).
Journ. de Bot. v. 3 (1891).
Husnot, Cypérac. t. 14 (1905–6).
excelsa Poepp.
*Kunze, Suppl. Schkuhr. Riedgräs. (Caric.), i. t. 19 (1840–50).
C. Gay, Hist. Chile, Atlas, t. 73, fig. 15(1854).—*Fr.*
excurva Boott
Boott, Carex, i. t. 150 (1858).
exilis Dewey
Amer. Journ. Sc. xiv. t. 9 (1828).
*Kunze, Suppl. Schkuhr. Riedgräs. (Caric.), i. t. 41 (1840–50).
Boott, Carex, i. t. 47 (1858).
Britton & Brown, Ill. Fl. N. States & Canada, i. 340 (1896); Ed. 2, i. 376 (1913).
Asa Gray Bull. vi. 26 (1898).
Proc. Amer. Acad. xxxvii. No. 17, t. 4 (1902).
Stone, Pl. Southern New Jersey (Ann. Rep. New Jersey State Mus. 1910), t. 26 (1911).
—— **squamacea** Dewey
Amer. Journ. Sc. xiv. t. 9 (1828).
extensa Gooden.
Trans. Linn. Soc. London, ii. t. 21 (1794).
*Host, Gram. i. t. 73 (1801).
Roemer, Archiv Bot. ii. II. t. 3 (1801).
*Sowerby & Sm. Engl. Bot. xii. t. 833 (1801).
*Schkuhr, Bot. Handb. Ed. 2, t. 286 V, No. 72; 286 Xx, No. 72 (1808).
*Fl. Dan. x. t. 1709 (1821).
*Sturm, Deutschl. Fl. xiii. LVII [t. 905] (1831).
[M. E.] Jackson, Pict. Fl. fig. 1357 (1840).
Leighton, Fl. Shropshire, 457 [t. 15] (1841).—*Fr.*
*Reichenbach, Ic. Fl. Germ. viii. t. 274 (1846).
*Deakin, Florigr. Brit. iii. fig. 1417 (1847).
Andersson, Cyperac. Scand. t. 7, fig. 91 (1849).
Johnson & Sowerby, Brit. Wild Fl. fig. 1452 (1858–60).
Bentham, Handb. Brit. Fl. fig. 1125 (1865).
*Syme, Engl. Bot. x. t. 1675 (1870).
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, vi. t. 246 [1873].
Cusin, Herb. Fl. Franç. xxiii (Cypéracées), t. 146 (1874).
*Hogg & Johnson, Wild Fl. Gr. Brit. xi. t. 883 (1880).
Karsten, Deutsche Fl. Pharm.-medic. Bot. 345 (1880–83).—*Fr.*
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, vi. t. 533 (1881).
Battandier & Trabut, Fl. Algér., Monocot. t. 3, fig. 20 (1895).—*Fl.*
Karsten, Fl. Deutschl. i. 348 (1895).
Britton & Brown, Ill. Fl. N. States & Canada, i. 323 (1896); Ed. 2, i. 429 (1913).
Fiori & Paol. Ic. Fl. Ital. 59 (1896).
*Sturm, Fl. Deutschl. Ed. 2, ii. t. 54 (1900).
C. T. Green, Fl. Liverpool Distr. fig. 697 (1902).
Husnot, Cypérac. t. 13 (1905–6).
Coste, Fl. France, iii. 519 (1906).
Heukels, Fl. Nederl. i. 404 (1910).
Lindman, Svensk Fanerogamfl. 131 (1918).
Fitch & Smith, Ill. Brit. Fl. Ed. rev. 4, Iss. 2, fig. 1143 (1919).
—— **Balbisii** Reichb.
*Reichenbach, Ic. Fl. Germ. viii. t. 274 (1846).
Faberiana Loes.
Beih. Bot. Centralbl. xxxvii. II. t. 3 (1919).
Fargesii Franch.
Nouv. Arch. Mus. Hist. Nat. Paris, Ser. III. ix. t. 2 (1897).
fascicularis Soland.
Boott, Carex, i. t. 139, 140 (1858).
*Meredith, Bush Friends Tasmania, Last Ser. t. 1 (1891).
fasciculata Link
*Schkuhr, Bot. Handb. Ed. 2, t. 286 Zz, No. 114 (1808).

CAREX
fastigiata Franch.
Nouv. Arch. Mus. Hist. Nat. Paris, Ser. III. viii. t. 12 (1896).
Fauriei Franch.
Nouv. Arch. Mus. Hist. Nat. Paris, Ser. III. ix. t. 6 (1897).
fecunda Steud.
Pflanzenreich, Cyperac.-Caricoid. 406 (1909).
ferruginea Scop.
*Host, Gram. i. t. 81 (1801).
*Reichenbach, Ic. Fl. Germ. viii. t. 248 (1846).
Cusin, Herb. Fl. Franç. xxiii (Cypéracées), t. 132 (1874).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, vi. t. 525 (1881).
Acloque, Fl. France, 667 (1894).—*Fl.*
Fiori & Paol. Ic. Fl. Ital. 59 (1896).
*Hartinger, Atlas Alpenfl. i. t. 48 (1897).
Husnot, Cypérac. t. 11 (1905).
Coste, Fl. France, iii. 514 (1906).
Schroeter, Pflanzenleb. Alp. 318, 319 (1906).
Beih. Bot. Centralbl. xxvii. II. 69 (1910).
*H. S. Thompson, Sub-Alp. Pl. t. 10 (1912).
*Hegi & Dunz. Alp. Fl. t. 3 (1913).
ferruginea Schkuhr
*Schkuhr, Bot. Handb. Ed. 2, t. 286 M, No. 48 (1808).
*Sturm, Deutschl. Fl. xiii. LIII [t. 843] (1829).
*Reichenbach, Ic. Fl. Germ. viii. t. 247 (1846).
festiva Dewey
Amer. Journ. Sc. xxix. t. W (1836).
*Kunze, Suppl. Schkuhr. Riedgräs. (Caric.), i. t. 45 (1840–50).
*Fl. Dan. xiv. t. 2367 (1843).
Andersson, Cyperac. Scand. t. 4, fig. 27 (1849).
D'Urville, Voy. Pole Sud & Océanie, Atlas, Monocot. t. 7 [1852].
Boott, Carex, i. t. 66 (1858).
Amer. Journ. Sc. Ser. IV. xviii. 16, fig. 1, 2 (1904).—*Fl.*
F. E. & E. S. Clements, Rocky Mt. Fl. t. 45 (1914).
Lindman, Svensk Fanerogamfl. 122 (1918).—*Fl.*
—— **decumbens** Holm
Amer. Journ. Sc. Ser. IV. xviii. 16, fig. 4 (1904).—*Fl.*
—— **Haydeniana** Holm
Amer. Journ. Sc. Ser. IV. xviii. 16, fig. 3 (1904).—*Fl.*
festucacea Schkuhr
*Schkuhr, Bot. Handb. Ed. 2, t. 286 Www, No. 173 (1808).
Britton & Brown, Ill. Fl. N. States & Canada, i. 359 (1896); Ed. 2, i. 383 (1913).
Proc. Amer. Acad. xxxvii. No. 17, t. 3 (1902).
F. E. & E. S. Clements, Rocky Mt. Fl. t. 45 (1914).
—— **brevior** Dewey
Proc. Amer. Acad. xxxvii. No. 17, t. 3 (1902).
Stone, Pl. Southern New Jersey (Ann. Rep. New Jersey State Mus. 1910), t. 26 (1911).
feta L. H. Bailey
Amer. Plants, iii. t. 36 (1910).
filicina Nees
Boott, Carex, iii. t. 311–13, 315, 316 (1862).
Fyson, Fl. Nilgiri & Pulney Hill-tops, iii. 552 (1920).
—— **meiogyna** Strachey
Boott, Carex, iii. t. 314 (1862).
—— **minor** Boott
Boott, Carex, iii. t. 317, 318 (1862).
filifolia Nutt.
Amer. Journ. Sc. xii. t. 3 (1827).
Hook. Ic. Pl. v. t. 448 (1842).
Boott, Carex, i. t. 37 (1858).
Britton & Brown, Ill. Fl. N. States & Canada, i. 339 (1896); Ed. 2, i. 390 (1913).
Pflanzenreich, Cyperac.-Caricoid. 71 (1909).
filiformis Auct.
Leers, Fl. Herborn. t. 16, fig. 5 (1789).
Hoppe, Ect. Pl. Ratisb. t. 625 (1791).
*Fl. Dan. vi. t. 1048 (1792); viii. t. 1344 (1808).
Trans. Linn. Soc. London, ii. t. 20 (1794).
*Host, Gram. i. t. 86 (1801).
Roemer, Archiv Bot. ii. II. t. 2 (1801).
*Sowerby & Sm. Engl. Bot. xiii. t. 904 (1801).

CAREX
filiformis
Koenig & Sims, Ann. Bot. ii. t. 8, fig. 52 (1805). —*Fr.*
*Schkuhr, Bot. Handb. Ed. 2, t. 286 K, No. 45 (1808).
*Sturm, Deutschl. Fl. xiii. LIII [t. 835] (1829).
*Zenker, Fl. Thüringen, x. t. 1117 (1836–55).
[M. E.] Jackson, Pict. Fl. fig. 1376 (1840).
Leighton, Fl. Shropshire, 465 [t. 17] (1841).—*Fr.*
*Reichenbach, Ic. Fl. Germ. viii. t. 265 (1846).
*Deakin, Florigr. Brit. iii. fig. 1441 (1847).
*Lorek, Fl. Pruss. Ed. 3, t. 218, fig. 1159 (1848).
Andersson, Cyperac. Scand. t. 8, fig. 103 (1849).
Johnson & Sowerby, Brit. Wild Fl. fig. 1468 (1858–60).
Boott, Carex, i. t. 132 (1858).
Bentham, Handb. Brit. Fl. fig. 1122 (1865).
*Syme, Engl. Bot. x. t. 1676 (1870).
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, vi. t. 248 [1873].
Cusin, Herb. Fl. Franç. xxiii (Cypéracées), t. 156 (1874).
*Hogg & Johnson, Wild Fl. Gr. Brit. xi. t. 859 (1880).
Karsten, Deutsche Fl. Pharm.-medic. Bot. 343 (1880–83).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, vi. t. 552 (1881).
Nederl. Kruidk. Arch. Ser. II. v. t. 2 (1887).—*Fr.*
Karsten, Fl. Deutschl. i. 346 (1895).
Raunkiær, Danske Blomsterpl. Naturhist. i. 457 (1895–99).—*Veg.*
Britton & Brown, Ill. Fl. N. States & Canada, i. 305 (1896).
Fiori & Paol. Ic. Fl. Ital. 60 (1896).
Husnot, Cypérac. t. 13 (1905–6).
Coste, Fl. France, iii. 507 (1906).
Heukels, Fl. Nederl. i. 410 (1910).
Warming in Dansk. Vid. Selsk. Skrift. Ser. VIII. ii. 336 (1918).—*Veg.*
Fitch & Smith, Ill. Brit. Fl. Ed. rev. 4, Iss. 2, fig. 1140 (1919).
Filipendula Drej.
*Fl. Dan. xiv. t. 2371 (1843).
—— **concolor** Drej.
*Fl. Dan. xiv. t. 2372 (1843).
filipes Franch. & Sav.
Nouv. Arch. Mus. Hist. Nat. Paris, Ser. III. x. t. 7 (1898).
Pflanzenreich, Cyperac.-Caricoid. 640 (1909).
—— **oligostachys** Kük.
Journ. Russe Bot. 1911, p. 169.
fimbriata Schkuhr
*Schkuhr, Bot. Handb. Ed. 2, t. 286 Uuu, No. 165 (1808).
*Reichenbach, Ic. Fl. Germ. viii. t. 248 (1846).
Husnot, Cypérac. t. 10 (1905).
Coste, Fl. France, iii. 511 (1906).
finitima Boott
Boott, Carex, i. t. 112 (1858).
Pflanzenreich, Cyperac.-Caricoid. 596 (1909).
firma Host
*Host, Gram. i. t. 75 (1801).
*Schkuhr, Bot. Handb. Ed. 2, t. 286 O, No. 54; 286 Y, No. 54 (1808).
*Sturm, Deutschl. Fl. xiii. LVII [t. 906] (1831).
*Reichenbach, Ic. Fl. Germ. viii. t. 247 (1846).
Cusin, Herb. Fl. Franç. xxiii (Cypéracées), t. 134 (1874).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, vi. t. 538 (1881).
*Kerner, Pflanzenleben, ii. 193 (1891).—*Hab.*
Acloque, Fl. France, 667 (1894).—*Fl.*
*Kerner & Oliv. Nat. Hist. Pl. ii. t. 12 (1895).—*Hab.*
*Hartinger, Atlas Alpenfl. i. t. 49 (1897).
*Sturm, Fl. Deutschl. Ed. 2, ii. t. 58 (1900).
Husnot, Cypérac. t. 11 (1905).
Coste, Fl. France, iii. 514 (1906).
Schroeter, Pflanzenleb. Alp. 321, 323 (1906).
Karsten & Schenck, Veg.-Bild. vi. t. 26, 27 (1908). —*Hab.*
*Hegi & Dunz. Alp. Fl. t. 3 (1913).
*Penzig, Fl. Alpi Illustr. Ed. 2, t. 40 (1915).

CAREX
fissilis Boott
Boott, Carex, ii. t. 245 (1860).
F. M. Bailey, Compr. Cat. Queensl. 601 (1909–13).
fissirostris Ball.
Journ. Linn. Soc., Bot. xix. t. 28 (1882).
flacca Schreb.
*Host, Gram. i. t. 90 (1801).
*Schkuhr, Bot. Handb. Ed. 2, t. 286 O, No. 57 a; 286 P, No. 57 b; 286 Zz, No. 113 (1808).
Karsten, Deutsche Fl. Pharm.-medic. Bot. 349 (1880–83).—*Fr.*
Wagner, Ill. Deutsche Fl. Ed. 2, p. 799 (1882).
*Thomé, Fl. Deutschl. i. t. 97 (1886).
Nederl. Kruidk. Arch. Ser. II. v. i. t. 1 (1887). —*Fr.*
Karsten, Fl. Deutschl. i. 352 (1895).
Lindman, Svensk Fanerogamfl. 132 (1918).—*Fr.*
flaccisperma Dewey
Boott, Carex, i. t. 88 (1858).
Britton & Brown, Ill. Fl. N. States & Canada, i. 322 (1896); Ed. 2, i. 407 (1913).
Pflanzenreich, Cyperac.-Caricoid. 519 (1909).
flava Linn.
Hoppe, Ect. Pl. Ratisb. t. 73 (1787).
Leers, Fl. Herborn. t. 15, fig. 6 (1789).
*Fl. Dan. vi. t. 1047 (1792).
Lamarck, Ill. v. t. 752, fig. 3 (1797–1819).
*Host, Gram. i. t. 63 (1801).
*Sowerby & Sm. Engl. Bot. xviii. t. 1294 (1804).
*Schkuhr, Bot. Handb. Ed. 2, t. 286 F, No. 26; H, No. 36 (1808).
*Sturm, Deutschl. Fl. xiii. LVII [t. 903] (1831).
*Kops, Fl. Batava, vi. t. 435 (1832).
Nees, Gen. Pl., Monocot. ii. t. 1 (1836).—*Fr.*
*Zenker, Fl. Thüringen, vi. t. 639 (1836–55).
[M. E.] Jackson, Pict. Fl. fig. 1354 (1840).
Leighton, Fl. Shropshire, 457 [t. 15] (1841).—*Fr.*
Cosson & Germ. Fl. Paris, Atlas, t. 35 (1845).
*Reichenbach, Ic. Fl. Germ. viii. t. 273 (1846).
*Deakin, Florigr. Brit. iii. fig. 1416 (1847).
*Lorek, Fl. Pruss. Ed. 3, t. 216, fig. 1150 (1848).
Andersson, Cyperac. Scand. t. 7, fig. 93 (1849).
Petermann, Deutschl. Fl. t. 93, fig. 740, 1 (1849). —*Fr.*
Johnson & Sowerby, Brit. Wild Fl. fig. 1448 (1858–60).
Bull. Soc. Bot. France, xi. t. 7, fig. 10, 11 (1864). —*Fl.*
Bentham, Handb. Brit. Fl. fig. 1126 (1865).
*Syme, Engl. Bot. x. t. 1672 (1870).
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, vi. t. 246 [1873].
Cusin, Herb. Fl. Franç. xxiii (Cypéracées), t. 139 (1874).
*Hogg & Johnson, Wild Fl. Gr. Brit. xi. t. 883 (1880).
Karsten, Deutsche Fl. Pharm.-medic. Bot. 345 (1880–83).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, vi. t. 529 (1881).
Wagner, Ill. Deutsche Fl. Ed. 2, p. 802 (1882).
Willkomm, Führ. Reich Pflanzen, 255 (1882).—*Fr.*
*Thomé, Fl. Deutschl. i. t. 94 (1886).
Nederl. Kruidk. Arch. Ser. II. v. i. t. 1 (1887). —*Fr.*
Quincy in Bull. Soc. Hist. Nat. Autun, ii. 530, t. F (1889).
*Heathcote, Fl. Engadine, t. 224 (1891).
Brehm, Merv. Nat. Mondedes Pl. ii. 672 (1894–96).
Battandier & Trabut, Fl. Algér., Monocot. t. 3, fig. 21 (1895).
Karsten, Fl. Deutschl. i. 348 (1895).
Britton & Brown, Ill. Fl. N. States & Canada, i. 323 (1896); Ed. 2, i. 430 (1913).
Fiori & Paol. Ic. Fl. Ital. 59 (1896).
Sturm, Fl. Deutschl. Ed. 2, ii. t. 60 (1900).
Lindman, Bild. Nord. Fl. t. 437 a (1901–5).
C. T. Green, Fl. Liverpool Distr. fig. 698 (1902).
Husnot, Cypérac. t. 12 (1905–6).
Blytt, Haandb. Norg. Fl. Ed. Dahl, 155 (1906).
Coste, Fl. France, iii. 519 (1906).
Suireishchikov, Ill. Fl. Mosc. Gov. i. 210 (1906).
Junge in Jahrb. Hamburg. Wiss. Anstalt. 1907. xxv. Beih. 3, p. 208 (1908).
Clarke in Nature Book, iv. 659, t. 2 (1909).

CAREX
flava
Heukels, Fl. Nederl. i. 405 (1910).
*H. S. Thompson, Sub-Alp. Pl. t. 22 (1912).
Lindman, Svensk Fanerogamfl. 131 (1918).
Fitch & Smith, Ill. Brit. Fl. Ed. rev. 4, Iss. 2, fig. 1144 (1919).
—— **intermedia** Coss. & Germ.
Cosson & Germ. Fl. Paris, Atlas, t. 35 (1845). —*Fl.*
—— **lepidocarpa** Godr.
*Syme, Engl. Bot. x. t. 1673 (1870).
—— **Oederi** Ehrh.
Heukels, Fl. Nederl. i. 405 (1910).
—— **patula** Schur
Cusin, Herb. Fl. Franç. xxiii (Cypéracées), t. 140 (1874).
—— **pumila** Coss. & Germ.
Cosson & Germ. Fl. Paris, Atlas, t. 35 (1845).—*Fl.*
—— **vulgaris** Döll
Cosson & Germ. Fl. Paris, Atlas, t. 35 (1845).—*Fl.*
flavescens Host
*Host, Gram. iv. t. 96 (1809).
flectens Boott
Boott, Carex, iv. t. 581 (1867).
Fleischeri Podpera
Husnot, Cypérac. t. 14 (1905–6).
flexilis Rudge
Trans. Linn. Soc. London, vii. t. 10, fig. 1 (1804).
Boott, Carex, i. t. 80 (1858).
flexuosa Muhl.
*Schkuhr, Bot. Handb. Ed. 2, t. 286 Ddd, No. 124; 286 Aaaa, No. 124 (1808).
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, i. 410 (1913).
Floresiana Hochst.
Seubert, Fl. Azor. t. 3 (1844).
floridana Schwein.
Ann. Lyc. New York. i. t. 28 (1824).
*Amer. Journ. Sc. x. t. 4 (1826).
Boott, Carex, ii. t. 297 (1860).
fluviatilis Boott
Boott, Carex, iv. t. 582 (1867).
foenea Willd.
Boott, Carex, iii. t. 375–77 (1862).
Britton & Brown, Ill. Fl. N. States & Canada, i. 357 (1896); Ed. 2, i. 387 (1913).
Proc. Amer. Acad. xxxvii. No. 17, t. 3 (1902).
Pflanzenreich, Cyperac.-Caricoid. 204 (1909).
—— **perplexa** L. H. Bailey
Proc. Amer. Acad. xxxvii. No. 17, t. 3 (1902).
foetida All.
*Schkuhr, Bot. Handb. Ed. 2, t. 286 Hh, No. 96 (1808).
*Sturm, Deutschl. Fl. xii. XLVII [t. 738] (1827).
*Reichenbach, Ic. Fl. Germ. viii. t. 199 (1846).
Cusin, Herb. Fl. Franç. xxiii (Cypéracées), t. 65 (1874).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, v. t. 460 (1881).
Acloque, Fl. France, 659 (1894).—*Fr.*
Fiori & Paol. Ic. Fl. Ital. 53 (1896).
Husnot, Cypérac. t. 2 (1905).
Coste, Fl. France, iii. 494 (1906).
Pflanzenreich, Cyperac.-Caricoid. 116 (1909).
foliosa D. Don
Boott, Carex, i. t. 3 (1858).
foliosissima F. Schmidt
Schmidt in Mém. Acad. Sc. Pétersb. Ser. VII. xii. t. 6 (1868).
folliculata Rudge
Trans. Linn. Soc. London, vii. t. 9, fig. 4 (1804).
folliculata Linn.
*Schkuhr, Bot. Handb. Ed. 2, t. 286 N, No. 52 (1808).
Boott, Carex, ii. t. 268, 269 (1860).
Britton & Brown, Ill. Fl. N. States & Canada, i. 293 (1896); Ed. 2, i. 431 (1913).
Pflanzenreich, Cyperac.-Caricoid. 706 (1909).
Stone, Pl. Southern New Jersey (Ann. Rep. New Jersey State Mus. 1910), t. 22 (1911).
forficula Franch. & Sav.
Nouv. Arch. Mus. Hist. Nat. Paris, Ser. III. viii. t. 8 (1896).
Pflanzenreich, Cyperac.-Caricoid. 343 (1909).

CAREX
formosa Dewey
*Amer. Journ. Sc. ix. t. 2 (1825).
Boott, Carex, i. t. 141 (1858).
Britton & Brown, Ill. Fl. N. States & Canada, i. 318 (1896); Ed. 2, i. 408 (1913).
Forsteri Wahlenb.
Koenig & Sims, Ann. Bot. ii. t. 8, fig. 71 (1805). —*Fr.*
Boott, Carex, i. t. 137 (1858).
fragilis Boott
Boott, Carex, i. t. 21 (1858).
Frankii Kunth
*Kunze, Suppl. Schkuhr. Riedgräs. (Caric.), i. t. 9 (1840–50).
Britton & Brown, Ill. Fl. N. States & Canada, i. 301 (1896); Ed. 2, i. 438 (1913).
Franklinii Boott
Hooker, Fl. Bor.-Amer. t. 218 (1840).
Boott, Carex, ii. t. 211 (1860).
Amer. Journ. Sc. Ser. IV. xlix. 197, fig. 1–4 (1920).
Fraseri Andr.
*Andrews, Bot. Rep. x. t. 639 (1811).
Boott, Carex, iv. t. 484 (1867).
Britton & Brown, Ill. Fl. N. States & Canada, i. 336 (1896).
Pflanzenreich, Cyperac.-Caricoid. 95 (1909).
Fraseriana Ker-Gawl.
*Bot. Mag. xxxiv. t. 1391 (1811).
*Gartenfl. xxi. t. 128 (1872).
frigida All.
*Host, Gram. iv. t. 90 (1809).
*Sturm, Deutschl. Fl. xiii. LIII [t. 842] (1829).
*Reichenbach, Ic. Fl. Germ. viii. t. 250 (1846).
Cusin, Herb. Fl. Franç. xxiii (Cypéracées), t. 130 (1874).
Journ. of Bot. xiii. t. 159 (1875); xxxvi. t. 382 (1898).
Trans. & Proc. Bot. Soc. Edinb. xii. t. 2 (1876).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, vi. t. 524 (1881).
Fiori & Paol. Ic. Fl. Ital. 58 (1896).
Sturm, Fl. Deutschl. Ed. 2, ii. t. 58 (1900).
Husnot, Cypérac. t. 10 (1905).
Coste, Fl. France, iii. 514 (1906).
fuirenoides Gaudich.
Boott, Carex, iv. t. 507 (1867).
fuliginosa Schkuhr
*Schkuhr, Bot. Handb. Ed. 2, t. 286 Cc, No. 47 c (1808).
*Denkschr. Bot. Ges. Regensburg, i. Abt. I. t. 3 (1815).
*Sturm, Deutschl. Fl. xii. XLVII [t. 749] (1827).
*Kunze, Suppl. Schkuhr. Riedgräs. (Caric.), i. t. 14 (1840–50).
*Fl. Dan. xiv. t. 2373 (1843).
Andersson, Cyperac. Scand. t. 7, fig. 90 (1849).
Boott, Carex, ii. t. 212 (1860).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, vi. t. 528 (1881).
Husnot, Cypérac. t. 10 (1905).
Journ. Russe Bot. 1911, p. 152.—*Fl.*
Lindman, Svensk Fanerogamfl. 129 (1918).—*Fr.*
fuliginosa Host
*Host, Gram. iv. t. 93 (1809).
fuliginosa Reichb.
*Reichenbach, Ic. Fl. Germ. viii. t. 249 (1846).
fulta Franch.
Nouv. Arch. Mus. Hist. Nat. Paris, Ser. III. viii. t. 3 (1896).
fulva Gooden.
Trans. Linn. Soc. London, ii. t. 20 (1794).
Roemer, Archiv Bot. ii. II. t. 2 (1801).
*Sowerby & Sm. Engl. Bot. xviii. t. 1295 (1804).
*Schkuhr, Bot. Handb. Ed. 2, t. 286 T, No. 67 (1808).
*Host, Gram. iv. t. 95 (1809).
*Fl. Dan. x. t. 1768 (1823); xiv. t. 2435 (1845).
*Sturm, Deutschl. Fl. xiii. LVII [t. 909] (1831).
*Zenker, Fl. Thüringen, vii. t. 720 (1836–55).
[M. E.] Jackson, Pict. Fl. fig. 1356 (1840).
Leighton, Fl. Shropshire, 457 [t. 15] (1841).—*Fr.*
*Reichenbach, Ic. Fl. Germ. viii. t. 252 (1846).
*Deakin, Florigr. Brit. iii. fig. 1421 (1847).
*Lorek, Fl. Pruss. Ed. 3, t. 216, fig. 1151 (1848).
Andersson, Cyperac. Scand. t. 8, fig. 94 (1849).

CAREX
fulva
Johnson & Sowerby, Brit. Wild Fl. fig. 1450 (1858–60).
Boott, Carex, iv. t. 441 (1867).
*Syme, Engl. Bot. x. t. 1669 (1870).
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, vi. t. 246 [1873].
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, vi. t. 539-II (1881).
Lindman, Svensk Fanerogamfl. 130 (1918).
—— **Hornschuchiana** Boott
Boott, Carex, iv. t. 443 (1867).
—— **speirostachya** Syme
*Syme, Engl. Bot. x. t. 1670 (1870).
—— **sterilis** Wimm.
Boott, Carex, iv. t. 442 (1867).
×**fulva** Hoppe
Heukels, Fl. Nederl. i. 406 (1910).
fulvescens Mackenzie
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, i. 429 (1913).
fulvicoma Dewey
Amer. Journ. Sc. xxix. t. Y (1836).
fulvo-rubescens Hayata
Hayata, Ic. Pl. Formosan. vi. 127 (1916).—*Fl.*
funicularis Franch.
Nouv. Arch. Mus. Hist. Nat. Paris, Ser. III. ix. t. 3 (1897).
fusca Schkuhr
*Schkuhr, Bot. Handb. Ed. 2, t. 286 Cc, No. 88 (1808).
fusca All.
Britton & Brown, Ill. Fl. N. States & Canada, i. 307 (1896).
Ostenfeld, Fl. Arctica, i. 67 (1902).
fusco-vaginata Kük.
Journ. Russe Bot. 1911, p. 92.
fuscula D'Urv.
Duperrey, Voy. Coquille, Bot. Atlas, Phan. t. 28 (1826).
C. Gay, Hist. Chile, Atlas, t. 73, fig. 14 (1854).
Rio y Achaval, Geogr. Prov. Cordoba, Atlas, tab. [9] (1905).
Pflanzenreich, Cyperac.-Caricoid. 668 (1909).
fusiformis Nees
Drejer, Symb. Caric. t. 11 (1844).
Boott, Carex, i. t. 111 (1858).
gaimardioides Desv.
*C. Gay, Hist. Chile, Atlas, t. 73, fig. 2 (1854).
ganjuensis Franch.
Nouv. Arch. Mus. Hist. Nat. Paris, Ser. III. ix. t. 3 (1897); *C. gansuensis* in textu.
Gaudichaudiana Kunth
*Hooker f., Fl. Tasman. ii. t. 151 (1860).
Gaudiniana Guthn.
*Sturm, Deutschl. Fl. xvi. LXIX [t. 1092] (1835).
*Reichenbach, Ic. Fl. Germ. viii. t. 202 (1846).
Boott, Carex, iv. t. 467 (1867).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, vi. t. 485 (1881).
Willkomm, Führ. Reich Pflanzen, 243 (1882).—*Fr.*
*Sturm, Fl. Deutschl. Ed. 2, ii. t. 39 (1900).
Gayana Desv.
*C. Gay, Hist. Chile, Atlas, t. 73, fig. 3 (1854).
Boott, Carex, iii. t. 411 (1862).
Gebhardii Willd.
*Schkuhr, Bot. Handb. Ed. 2, t. 286 Hhhh, No. 192 (1808).
*Reichenbach, Ic. Fl. Germ. viii. t. 218 (1846).
Gebhardii Hoppe
*Sturm, Deutschl. Fl. xii. L [t. 793] (1827).
*Reichenbach, Ic. Fl. Germ. viii. t. 206 (1846).
geminata Schkuhr
*Schkuhr, Bot. Handb. Ed. 2, t. 286 W, No. 75; 286 Pp, No. 75 (1808).
geniculata Host
*Host, Gram. iv. t. 94 (1809).
gentilis Franch.
Nouv. Arch. Mus. Hist. Nat. Paris, Ser. III. viii. t. 4 (1896).
Geyeri Boott
*Kunze, Suppl. Schkuhr. Riedgräs. (Caric.), i. t. 47 (1840–50).
Boott, Carex, i. t. 105 (1858).
Pflanzenreich, Cyperac.-Caricoid. 91 (1909).

CAREX
gibba Wahlenb.
Koenig & Sims, Ann. Bot. ii. t. 8, fig. 67 (1805).—*Fr.*
Pflanzenreich, Cyperac.-Caricoid. 229 (1909).
Gibsonii Bab.
Ann. Nat. Hist. London, xi. t. 5 (1843).
Trans. Bot. Soc. Edinb. ii. t. 1 (1846).
gifuensis Franch.
Journ. Russe Bot. 1911, p. 119.
gigantea Rudge
Trans. Linn. Soc. London, vii. t. 10, fig. 2 (1804).
Boott, Carex, i. t. 164 (1858).
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, i. 441 (1913).
Giraldiana Kük.
Pflanzenreich, Cyperac.-Caricoid. 633 (1909).
glabra Boott
Boott, Carex, ii. t. 275 (1860).
glareosa Wahlenb.
Koenig & Sims, Ann. Bot. ii. t. 8, fig. 43 (1805). —*Fr.*
*Schkuhr, Bot. Handb. Ed. 2, t. 286 Aaa, No. 97 (1808).
*Svensk Bot. ix. t. 645 (1823–25).
*Fl. Dan. xiv. t. 2430 (1845).
Andersson, Cyperac. Scand. t. 4, fig. 31 (1849).
Boott, Carex, iv. t. 494 (1867).
Britton & Brown, Ill. Fl. N. States & Canada, i. 353 (1896); Ed. 2, i. 374 (1913).
Lindman, Bild. Nord. Fl. t. 434 b (1901–5).
Ostenfeld, Fl. Arctica, i. 57 (1902).
Proc. Amer. Acad. xxxvii. No. 17, t. 5 (1902).
Journ. Russe Bot. 1911, p. 64.—*Fl.*
Lindman, Svensk Fanerogamfl. 123 (1918).—*Fr.*
glauca Murr.
Hoppe, Ect. Pl. Ratisb. t. 665 (1791).
*Fl. Dan. vi. t. 1051 (1792).
*Sturm, Deutschl. Fl. xiii. LIII [t. 847] (1829).
*Zenker, Fl. Thüringen, vi. t. 609 (1836–55).
*Plée, Types chq. Famille Pl. France, t. 29 (1844).
Schnizlein, Iconogr. i. t. 43, 43 a (1845).
*Reichenbach, Ic. Fl. Germ. viii. t. 269 (1846).
*Lorek, Fl. Pruss. Ed. 3, t. 216, fig. 1148 (1848).
Andersson, Cyperac. Scand. t. 7, fig. 79 (1849).
Bentham, Handb. Brit. Fl. fig. 1132 (1865).
Migout, Fl. Dépt. Allier, t. 22 (1866).—*Veg.*
*Syme, Engl. Bot. x. t. 1644 (1870).
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, vi. t. 247 [1873].
Cusin, Herb. Fl. Franç. xxiii (Cypéracées), t. 98 (1874).
*Hogg & Johnson, Wild Fl. Gr. Brit. xi. t. 918 (1880).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, vi. t. 517 (1881).
!Journ. Linn. Soc., Bot. xx. 45 (1883).
*Leclerc du Sablon, Nos Fleurs, III, t. 14 [1892].
Acloque, Fl. France, 664 (1894).—*Fl.*
Brehm, Merv. Nat. Monde des Pl. ii. 672 (1894–96).
Battandier & Trabut, Fl. Algér., Monocot. t. 3, fig. 13 (1895).—*Fl.*
Britton & Brown, Ill. Fl. N. States & Canada, i. 315 (1896); Ed. 2, i. 415 (1913).
Fiori & Paol. Ic. Fl. Ital. 58 (1896).
Gradmann, Pflanzenl. Schwäb. Alb, Ed. 2, i. 182 (1900).
Sturm, Fl. Deutschl. Ed. 2, ii. t. 41 (1900).
C. T. Green, Fl. Liverpool Distr. fig. 690 (1902).
Husnot, Cypérac. t. 7 (1905).
Coste, Fl. France, iii. 505 (1906).
Junge in Jahrb. Hamburg. Wiss. Anstalt. 1907, xxv. Beih. 3, p. 196 (1908).
Merino, Fl. Galicia, iii. 177 (1909).
Heukels, Fl. Nederl. i. 397 (1910).
Fitch & Smith, Ill. Brit. Fl. Ed. rev. 4, Iss. 2, fig. 1150 (1919).
—— **bulbosa** Drej.
Drejer, Symb. Caric. t. 6 (1844).
—— **erythrostachys** Kük.
Cusin, Herb. Fl. Franç. xxiii (Cypéracées), t. 99 (1874).
—— **Micheliana** Aschers & Graebn.
*Syme, Engl. Bot. x. t. 1645 (1870).
—— **sphaerostachys** Lange
*Fl. Dan. xv. t. 2666 (1861).

CAREX
glauca stictocarpa D. Don
*Syme, Engl. Bot. x. t. 1646 (1870).
glaucescens Ell.
*Amer. Journ. Sc. xi. t. 6 (1826).
Drejer, Symb. Caric. t. 3 (1844).
Boott, Carex, ii. t. 261 (1860).
Pflanzenreich, Cyperac.-Caricoid. 732 (1909).—*Fr.*
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, i. 420 (1913).
—— **androgyna** Curt.
Boott, Carex, ii. t. 262 (1860).
—— **polystachya** Curt.
Boott, Carex, ii. t. 263 (1860).
glauciformis Meinsh.
Journ. Russe Bot. 1911, p. 114.—*Fl.*
glaucodea Tuckerm.
Britton & Brown, Ill. Fl. N. States & Canada, i. 322 (1896); Ed. 2, i. 406 (1913).
Glehnii F. Schmidt
Schmidt in Mém. Acad. Sc. Pétersb. Ser. VII. xii. t. 7 (1868).
globosa Boott
Amer. Plants, iii. t. 32 (1910)
globularis Linn.
*Fl. Dan. iii. t. 443 (1769).
*Schkuhr, Bot. Handb. Ed. 2, t. 286 Eeee, No. 189 (1808).
Andersson, Cyperac. Scand. t. 7, fig. 81 (1849).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, vi. t. 503 (1881).
Suireishchikov, Ill. Fl. Mosc. Gov. i. 202 (1906).
Pflanzenreich, Cyperac.-Caricoid. 435 (1909).
Journ. Russe Bot. 1911, p. 115.—*Fl.*
Lindman, Svensk Fanerogamfl. 128 (1918).—*Fl.*
globularis Willd.
Willdenow in Mém. Acad. Berlin, 1794, t. 2, fig. 1.
globularis Vahl
*Schkuhr, Bot. Handb. Ed. 2, t. 286 Gg, No. 93 (1808).
glomerata Host
*Host, Gram. i. t. 44 (1801).
glomerata Schkuhr
*Schkuhr, Bot. Handb. Ed. 2, t. 286I, No. 41 (1808).
glomerata Thunb.
Boott, Carex, ii. t. 222 (1860).
Gmelinii Hook. & Arn.
Hooker, Bot. Beechey Voy. t. 27 (1841).
Boott, Carex, iv. t. 440 (1867).
Ostenfeld, Fl. Arctica, i. 67 (1902).
Pflanzenreich, Cyperac.-Caricoid. 397 (1909).
Journ. Russe Bot. 1911, p. 106.—*Fl.*
Goodenowii Gay
Cusin, Herb. Fl. Franç. xxiii (Cypéracées), t. 92 (1874).
Karsten, Deutsche Fl. Pharm.-medic. Bot. 341 (1880–83).
Nederl. Kruidk. Arch. Ser. II. v. 1. t. 1 (1887).—*Fr.*
Karsten, Fl. Deutschl. i. 344 (1895).
Britton & Brown, Ill. Fl. N. States & Canada, i. 309 (1896); Ed. 2, i. 422 (1913).
*Sturm, Fl. Deutschl. Ed. 2, ii. 91, t. 36 (1900).
Lindman, Bild. Nord. Fl. t. 441 a (1901–5).
C. T. Green, Fl. Liverpool Distr. fig. 689 (1902).
Ostenfeld, Fl. Arctica, i. 73 (1902).
Blytt, Haandb. Norg. Fl. Ed. Dahl, 151 (1906).
Schroeter, Pflanzenleb. Alp. 332 (1906).
Junge in Jahrb. Hamburg. Wiss. Anstalt. 1907, xxv. Beih. 3, p. 188 (1908).
Clarke in Nature Book, iv. 659, t. 3 (1909).
Journ. Russe Bot. 1911, p. 84.—*Fl.*
Lindman, Svensk Fanerogamfl. 125 (1918).
—— **curvata** Aschers. & Graebn.
Suireishchikov, Ill. Fl. Mosc. Gov. i. 201 (1906).
—— **dolia** Jones
M. Jones in Bull. Univ. Montana Biol. Ser. No. 15, p. 71 (1910).
—— **elatior** Aschers. & Graebn.
Suireishchikov, Ill. Fl. Mosc. Gov. i. 201 (1906).
—— **juncella** Birg.
Arkiv Bot. Stockholm vii. No. 13, t. 6 (1908).—*Hab.*
—— **polygama** Aschers & Graebn.
Suireishchikov, Ill. Fl. Mosc. Gov. i. 201 (1906).

CAREX
gracilis Curt.
*Curtis, Fl. Londin. ii. fasc. iv. t. 62 (1798).
Lindman, Bild. Nord. Fl. t. 440 (1901–5).
Ostenfeld, Fl. Arctica, i. 73 (1902).
Suireishchikov, Ill. Fl. Mosc. Gov. i. 200 (1906).
Pflanzenreich, Cyperac.-Caricoid. 320 (1909).
Simmons, Fl. Kiruna (Vetensk. Prakt. Undersoekn. Lappland), t. 19 (1910).
Journ. Russe Bot. 1911, p. 85.
Fedtschenko, Veg. Turkest. 181 (1915).
—— **corynophora** Aschers. & Graebn.
Lindman, Svensk Fanerogamfl. 126 (1918).
—— **tricostata** Aschers.
Suireishchikov, Ill. Fl. Mosc. Gov. i. 200 (1906).
gracilis Ehrh.
*Schkuhr, Bot. Handb. Ed. 2, t. 286 E, No. 24 (1808).
gracilis R. Br.
Boott, Carex, i. t. 154, 155 (1858).
—— **minor** Boott
Boott, Carex, i. t. 156 (1858).
gracillima Schwein.
*Amer. Journ. Sc. xi. t. 2 (1826).
*Kunze, Suppl. Schkuhr. Riedgräs. (Caric.), i. t. 8 (1840–50).
Boott, Carex, i. t. 145 (1858).
Britton & Brown, Ill. Fl. N. States & Canada, i. 317 (1896); Ed. 2, i. 407 (1913).
Pflanzenreich, Cyperac.-Caricoid. 583 (1909).
Grahamii Boott
*Sowerby & Sm. Engl. Bot. Suppl. iv. t. 2923 (1843–49).
Johnson & Sowerby, Brit. Wild Fl. Suppl. fig. 1688 (1863).
Trans. Bot. Soc. Edinburgh, vii. t. 6 (1863).
*Syme, Engl. Bot. x. t. 1684 (1870); vide errata.
grallatoria Maxim.
Pflanzenreich, Cyperac.-Caricoid. 76 (1909).
grandis L. H. Bailey
Britton & Brown, Ill. Fl. N. States & Canada, i. 295 (1896).
grandisquama Franch.
Nouv. Arch. Mus. Hist. Nat. Paris, Ser. III. x. t. 1 (1898).
granularioides Schwein.
*Amer. Journ. Sc. ix. t. 1 (1825).
granularis Muhl.
*Schkuhr, Bot. Handb. Ed. 2, t. 286 Vvv, No. 169 (1808).
Boott, Carex, i. t. 85 (1858).
Britton & Brown, Ill. Fl. N. States & Canada, i. 322 (1896); Ed. 2, i. 404 (1913).
Stone, Pl. Southern New Jersey (Ann. Rep. New Jersey State Mus. 1910), t. 24 (1911).
gravida L. H. Bailey
Britton & Brown, Ill. Fl. N. States & Canada, i. 345 (1896); Ed. 2, i. 367 (1913).
Grayana Dewey
Goebel, Organogr. Pfl. 598 (1900); Ed. Angl. 411 (1905).—*Veg.*
Grayi Carey
Boott, Carex, i. t. 161 (1858).
Velenovsky, Vergl. Morphol. Pfl. ii. 324 (1907).—*Veg.*
Greeneana Dewey
Amer. Journ. Sc. xxx. t. 2 (1836).
Grioletii Roem.
*Schkuhr, Bot. Handb. Ed. 2, t. 286 Rrrr, No. 209 (1808).
Bull. Soc. Bot. France, 1901, xlviii. 336, t. 9 (1902).
Fiori & Paol. Ic. Fl. Ital. 480 (1904).
Husnot, Cypérac. t. 9 (1905).
Coste, Fl. France, iii. 511 (1906).
grisea Viv.
Viviani, Ann. Bot. i. ii. t. 35 (1804).
grisea Wahlenb.
Boott, Carex, i. t. 86 (1858).
Britton & Brown, Ill. Fl. N. States & Canada, i. 321 (1896); Ed. 2, i. 406 (1913).
Going, Field, Forest & Wayside Fl. 189 (1899).
Stone, Pl. Southern New Jersey (Ann. Rep. New Jersey State Mus. 1910), t. 24 (1911).
—— **angustifolia** Boott
Boott, Carex, i. t. 87 (1858).

CAREX
Grosseckii Heuff.
*Reichenbach, Ic. Fl. Germ. viii. t. 198 (1846).
Grossii Fiek
Husnot, Cypérac. t. 14 (1905–6).
grypos Schkuhr
*Schkuhr, Bot. Handb. Ed. 2, t. 286 Hhhh, No. 193 (1808).
*Sturm, Deutschl. Fl. xiii. LVII [t. 900] (1831).
*Reichenbach, Ic. Fl. Germ. viii. t. 203 (1846).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, vi. t. 475 (1881).
guestphalica Boenningh.
*Reichenbach, Ic. Fl. Germ. viii. t. 220 (1846).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, v. t. 467 (1881).
Gunniana Boott
Boott, Carex, i. t. 185 (1858).
Guthnickiana J. Gay
*Kunze, Suppl. Schkuhr. Riedgräs. (Caric.), i. t. 1 (1840–50).
gymnoclada Holm
Amer. Journ. Sc. Ser. IV. xiv. 425, fig. 12–14 (1902).
gynandra Schwein.
Boott, Carex, i. t. 50 (1858).
Britton & Brown, Ill. Fl. N. States & Canada, i. 315 (1896); Ed. 2, i. 425 (1913).
gynobasis Vill.
*Schkuhr, Bot. Handb. Ed. 2, t. 286 G, No. 35 (1808).
*Sturm, Deutschl. Fl. xii. XLVII [t. 752] (1827).
*Reichenbach, Ic. Fl. Germ. viii. t. 259 (1846).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, vi. t. 509 (1881).
Sturm, Fl. Deutschl. Ed. 2, ii. t. 52 (1900).
gynocrates Wormsk.
*Kunze, Suppl. Schkuhr. Riedgräs. (Caric.), i. t. 31 (1840–50).
Andersson, Cyperac. Scand. t. 3, fig. 8 (1849).
Boott, Carex, iv. t. 459, 460 (1867).
Proc. Amer. Acad. xxxvii. No. 17, t. 4 (1902).
Journ. Russe Bot. 1911, p. 33.—*Fl.*
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, i. 361 (1913).
gynomane Bertol.
*Reichenbach, Ic. Fl. Germ. viii. t. 258 (1846).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, v. t. 451 (1881).
*Thomé, Fl. Deutschl. i. t. 97 (1886).
haematolepis Drej.
*Fl. Dan. xiv. t. 2370 (1843).
Andersson, Cyperac. Scand. t. 2, fig. 37 (1849).
Amer. Journ. Sc. Ser. IV. l. 167, fig. 12–14 (1920).—*Fl.*
haematostoma Nees
Boott, Carex, i. t. 196 (1858).
hakkodensis Franch.
Nouv. Arch. Mus. Hist. Nat. Paris, Ser. III. viii. t. 3 (1896).
*Miyoshi & Makino, Pocket-Atlas, Alp. Pl. Jap. i. t. 30, fig. 171 (1906).
hakkuensis Hayata
Hayata, Ic. Pl. Formosan. vi. 123 (1916).—*Fl.*
hakonensis Franch. & Sav.
Nouv. Arch. Mus. Hist. Nat. Paris, Ser. III. viii. t. 2 (1896).
Halei Carey
Boott, Carex, ii. t. 279 (1860).
Halleri Gunn
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, i. 417 (1913).
Lindman, Svensk Fanerogamfl. 127 (1918).—*Fr.*
Halleriana Asso
Asso, Mant. Stirp. Arag. t. 9 (1781).
Boott, Carex, iv. t. 415, 416 (1867).
Bull. Soc. Bot. France, xvii. t. 4, fig. 6 (1870).—*Fr.*
Duval-Jouve in Mém. Acad. Sc. Lett. Montpellier, Sect. Sc. vii. 1870, t. 21 (1871).—*Fr.*
Cusin, Herb. Fl. Franç. xxiii (Cypéracées), t. 124 (1874).
Battandier & Trabut, Fl. Algér., Monocot. t. 3, fig. 9 (1895).—*Fl.*
Fiori & Paol. Ic. Fl. Ital. 56 (1896).

CAREX
Halleriana
Husnot, Cypérac. t. 9 (1905).
Coste, Fl. France, iii. 501 (1906).
halophila Nyl.
Andersson, Cyperac. Scand. t. 5, fig. 51 (1849).
*Fl. Dan. xvii. t. 2978 (1880).
Halseyana Dewey
*Amer. Journ. Sc. xi. t. 7 (1826).
Boott, Carex, i. t. 57 (1858).
Harlandii Boott
Boott, Carex, ii. t. 255 (1860).
Pflanzenreich, Cyperac.-Caricoid. 631 (1909).
Hartii Dewey
Britton & Brown, Ill. Fl. N. States & Canada, i. 299 (1896).
Hartwegii Boott
Boott, Carex, iv. t. 509, 510 (1867).
Hassei L. H. Bailey
Amer. Plants, iii. t. 31 (1910).
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, i. 396 (1913).
Hassiana Loes.
Beih. Bot. Centralbl. xxxvii. II. t. 3 (1919).
Haydenii Dewey
Britton & Brown, Ill. Fl. N. States & Canada, i. 308 (1896); Ed. 2, i. 421 (1913).
hebecarpa C. A. Mey.
Mém. Prés. Acad. Sc. Pétersb. Sav. Étrang. i. III & IV. t. 12 (1830).
—— **ligulata** Kük.
Hayata, Ic. Pl. Formosan. vi. 132 (1916).—*Fr.*
hebetata Boott
Boott, Carex, iv. t. 583 (1867).
heleonastes Ehrh.
Koenig & Sims, Ann. Bot. ii. t. 8, fig. 43 (1805).—*Fr.*
*Schkuhr, Bot. Handb. Ed. 2, t. 286 Ii, No. 97 (1808).
*Sturm, Deutschl. Fl. xii. XLVII [t. 742] (1827).
*Reichenbach, Ic. Fl. Germ. viii. t. 204 (1846).
Andersson, Cyperac. Scand. t. 4, fig. 30 (1849).
*Fl. Dan. Suppl. t. 31 (1853).
Boott, Carex, iv. t. 489 (1867).
Cusin, Herb. Fl. Franç. xxiii (Cypéracées), t. 81 (1874).
Karsten, Deutsche Fl. Pharm.-medic. Bot. 337 (1880–83).—*Fr.*
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, vi. t. 480 (1881).
Acloque, Fl. France, 659 (1894).—*Fr.*
Karsten, Fl. Deutschl. i. 339 (1895).
Britton & Brown, Ill. Fl. N. States & Canada, i. 352 (1896); Ed. 2, i. 374 (1913).
Fiori & Paol. Ic. Fl. Ital. 55 (1896).
*Sturm, Fl. Deutschl. Ed. 2, ii. t. 34 (1900).
Ostenfeld, Fl. Arctica, i. 57 (1902).
Proc. Amer. Acad. xxxvii. No. 17, t. 5 (1902).
Husnot, Cypérac. t. 5 (1905).
Coste, Fl. France, iii. 500 (1906).
Journ. Russe Bot. 1911, p. 64.—*Fl.*
Lindman, Svensk Fanerogamfl. 123 (1918).—*Fr.*
helvola Blytt
*Fl. Dan. Suppl. t. 32 (1853).
Hepburnii Boott
Hooker, Fl. Bor.-Amer. t. 207 (1840).
Lindman, Svensk Fanerogamfl. 120 (1918).—*Fr.*
hermaphrodita Jacq.
*Jacquin, Ic. Pl. Rar. iii. t. 615 (1786–93).
heteroclita Franch.
Nouv. Arch. Mus. Hist. Nat. Paris, Ser. III. viii. t. 3 (1896).
heterosperma Wahlenb.
Koenig & Sims, Ann. Bot. ii. t. 8, fig. 70 (1805).—*Fr.*
heterostachya Bunge
Journ. Russe Bot. 1911, p. 192.—*Fl.*
Fedtschenko, Veg. Turkest. 201 (1915).
Heudesii Léveillé & Vaniot
Léveillé, Cat. Pl. Yun-Nan, 71 (1915–16).
Hilairei Boott
Boott, Carex, iv. t. 468 (1867).
—— **Glazioviana** Kük.
Pflanzenreich, Cyperac.-Caricoid. 91 (1909).
hirsuta Willd.
*Schkuhr, Bot. Handb. Ed. 2, t. 286 Www, No. 172 (1808).

CAREX
hirta Linn.
*Fl. Dan. iii. t. 379 (1768); iii. t. 425 (1769); vide Lange, Nomencl. Fl. Dan. 14 (1887).
Hoppe, Ect. Pl. Ratisb. t. 244 (1788).
Leers, Fl. Herborn. t. 16, fig. 3 (1789).
*Sowerby & Sm. Engl. Bot. x. t. 685 (1800).
*Host, Gram. i. t. 96 (1801).
Koenig & Sims, Ann. Bot. ii. t. 8, fig. 51 (1805).—*Fr.*
*Schkuhr, Bot. Handb. Ed. 2, t. 286 Uu, No. 108 (1808).
*Hayne, Getreue Darst. Arzn. Gewächse, v. t. 9 (1817).
*Vietz, Ic. Pl. Med.-oec.-techn. Suppl. t. 18 (1822).
*Mann, Deutschl. Wildwachs. Arzney-Pfl. [t. 39] (1823–28).
*Nees, Pl. Offic. i. t. 27 (1828).
*Sturm, Deutschl. Fl. xiii. LV [t. 880] (1830).
*Kops, Fl. Batava, vi. t. 469 (1832).
Meigen, Deutschl. Fl. i. 83 (1836) in textu; *C. caespitosa* in ic. t. 13.—*Fl.*
*Zenker, Fl. Thüringen, vi. t. 679 (1836–55).
[M. E.] Jackson, Pict. Fl. fig. 1373 (1840).
Leighton, Fl. Shropshire, 465 [t. 17] (1841).—*Fr.*
*Reichenbach, Ic. Fl. Germ. viii. t. 257 (1846).
*Deakin, Florigr. Brit. iii. fig. 1442 (1847).
*Lorek, Fl. Pruss. Ed. 3, t. 218, fig. 1160 (1848).
Andersson, Cyperac. Scand. t. 8, fig. 101 (1849).
Johnson & Sowerby, Brit. Wild Fl. fig. 1467 (1858–60).
Bentham, Handb. Brit. Fl. fig. 1123 (1865).
*Syme, Engl. Bot. x. t. 1677 (1870).
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, vi. t. 248 [1873].
Cusin, Herb. Fl. Franç. xxiii (Cypéracées), t. 157 (1874).
*Hogg & Johnson, Wild Fl. Gr. Brit. xi. t. 859 (1880).
Karsten, Deutsche Fl. Pharm.-medic. Bot. 343 (1880–83).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, vi. t. 553 (1881).
Wagner, Ill. Deutsche Fl. Ed. 2, p. 806 (1882).
Willkomm, Führ. Reich Pflanzen, 255 (1882).—*Fr.*
*Baillon, Ic. Fl. Franç. iii. t. 218 [1885–94].
*Thomé, Fl. Deutschl. i. t. 92 (1886).
Nederl. Kruidk. Arch. Ser. II. v. 1. t. 2 (1887).—*Fr.*
Paolucci, Fl. Marchig. t. 6 (1890).
Acloque, Fl. France, 659, 667 (1894).—*Fl.*
Battandier & Trabut, Fl. Algér., Monocot. t. 3, fig. 27 (1895).—*Fl.*
Garcke, Ill. Fl. Deutschl. 651 (1895).
Karsten, Fl. Deutschl. i. 346 (1895).
Britton & Brown, Ill. Fl. N. States & Canada, i. 306 (1896); Ed. 2, i. 428 (1913).
Fiori & Paol. Ic. Fl. Ital. 60 (1896).
Woenig, Pusztenflora, 33 (1899).
*Sturm, Fl. Deutschl. Ed. 2, ii. t. 64 (1900).
C. T. Green, Fl. Liverpool Distr. fig. 699 (1902).
Husnot, Cypérac. t. 14 (1905–6).
Blytt, Haandb. Norg. Fl. Ed. Dahl, 164 (1906).
Coste, Fl. France, iii. 507 (1906).
Suireishchikov, Ill. Fl. Mosc. Gov. i. 215 (1906).
Heukels, Fl. Nederl. i. 411 (1910).
Pammel, Man. Poison. Pl. 369 (1911).—*Fl.*
Lindman, Svensk Fanerogamfl. 133 (1918).
Fitch & Smith, Ill. Brit. Fl. Ed. rev. 4, Iss. 2, fig. 1141 (1919).
—— **hirtiformis** Kunth
Cusin, Herb. Fl. Franç. xxiii (Cypéracées), t. 158 (1874).
—— **sublaevis** Hornem.
*Fl. Dan. x. t. 1711 (1821).
hirtella Drej.
Boott, Carex, i. t. 31 (1858).
Pflanzenreich, Cyperac.-Caricoid. 562 (1909).
hirtifolia Mackenzie
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, i. 394 (1913).
hispida Willd.
*Schkuhr, Bot. Handb. Ed. 2, t. 286 S, No. 64 (1808).

CAREX
hispida
Cusin, Herb. Fl. Franç. xxiii (Cypéracées), t. 115 (1874).
Battandier & Trabut, Fl. Algér., Monocot. t. 3, fig. 14 (1895).—*Fl.*
Fiori & Paol. Ic. Fl. Ital. 58 (1896).
Husnot, Cypérac. t. 7 (1905).
Coste, Fl. France, iii. 506 (1906).
Pflanzenreich, Cyperac.-Caricoid. 421 (1909).
—— **anacantha** Gren. & Godr.
Cusin, Herb. Fl. Franç. xxiii (Cypéracées), t. 116 (1874).
hispidula Gaud.
Cusin, Herb. Fl. Franç. xxiii (Cypéracées), t. 131 (1874).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, vi. t. 526 (1881).
Willkomm, Führ. Reich Pflanzen, 253 (1882).—*Fr.*
—— **karaczaica** Busch
Act. Hort. Jurjev. x. 2 (1909).—*Hab.*
Hitchcockiana Dewey
*Amer. Journ. Sc. x. t. 2 (1826).
Boott, Carex, i. t. 100 (1858).
Britton & Brown, Ill. Fl. N. States & Canada, i. 325 (1896); Ed. 2, i. 405 (1913).
Hochstetteriana J. Gay
*Kunze, Suppl. Schkuhr. Riedgräs. (Caric.), i. t. 34 (1840–50).
Seubert, Fl. Azor. t. 2 (1844).
Pflanzenreich, Cyperac.-Caricoid. 648 (1909).
hololasius Léveillé & Vaniot
Léveillé, Cat. Pl. Yun-Nan, 72 (1915–16).
holostoma Drej.
*Fl. Dan. xiv. t. 2428 (1845).
Ostenfeld, Fl. Arctica, i. 63 (1902).
Amer. Journ. Sc. Ser. IV. xxiii. 425, fig. 3–9 (1907).
Pflanzenreich, Cyperac.-Caricoid. 385 (1909).
Hoodii Boott
Hooker, Fl. Bor.-Amer. t. 211 (1840).
*Amer. Journ. Sc. xlix. t. 1 (1845).
Boott, Carex, i. t. 46 (1858).
Hookeriana Dewey
Amer. Journ. Sc. xxix. t. x (1836).
Hooker, Fl. Bor.-Amer. t. 212 (1840).
Hoppneri Boott
Hooker, Fl. Bor.-Amer. t. 220 (1840).
*Amer. Journ. Sc. xlix. t. 1 (1845).
hordeiformis Host
*Host, Gram. i. t. 76 (1801).
*Schkuhr, Bot. Handb. t. 286 Kk, No. 98 (1808).
hordeiformis Wahlenb.
*Schkuhr, Bot. Handb. t. 286 Ddd, No. 121 (1808).
*Sturm, Deutschl. Fl. xiii. LVII [t. 911] (1831); vide xvii. LXXVI. Übers. 48 (1839).
Leighton, Fl. Shropshire, 467 [t. 19] (1841).—*Fr.*
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, vi. t. 532 (1881).
hordeistichos Vill.
Villars, Hist. Pl. Dauph. ii. t. 6 (1787).
*Reichenbach, Ic. Fl. Germ. viii. t. 257 (1846).
Boott, Carex, iv. t. 430, 431 (1867).
Cusin, Herb. Fl. Franç. xxiii (Cypéracées), t. 138 (1874).
Karsten, Deutsche Fl. Pharm.-medic. Bot. 345 (1880–83).—*Fr.*
Willkomm, Führ. Reich Pflanzen, 253 (1882).
Battandier & Trabut, Fl. Algér., Monocot. t. 3, fig. 19 (1895).—*Fl.*
Karsten, Fl. Deutschl. i. 348 (1895).
Fiori & Paol. Ic. Fl. Ital. 60 (1896).
*Sturm, Fl. Deutschl. Ed. 2, ii. t. 57 (1900).
Husnot, Cypérac. t. 13 (1905–6).
Coste, Fl. France, iii. 507 (1906).
Pflanzenreich, Cyperac.-Caricoid. 680 (1909).
—— **secalina** Boott
Boott, Carex, iv. t. 432–35 (1867).
hormathodes Fernald
Stone, Pl. Southern New Jersey (Ann. Rep. New Jersey State Mus. 1910), t. 26 (1911).
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, i. 384 (1913).

CAREX
Hornschuchiana Hoppe
*Sturm, Deutschl. Fl. xiii. LVII [t. 908] (1831).
*Zenker, Fl. Thüringen, xi. t. 1201 (1836–55).
*Fl. Dan. xiii. t. 2249 (1839).
Cosson & Germ. Fl. Paris, Atlas, t. 35 (1845).
*Reichenbach, Ic. Fl. Germ. viii. t. 252 (1846).
Andersson, Cyperac. Scand. t. 8, fig. 95 (1849).
Cusin, Herb. Fl. Franç. xxiii (Cypéracées), t. 143 (1874).
Karsten, Deutsche Fl. Pharm.-medic. Bot. 345 (1880–83).—*Fr.*
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, vi. t. 539-1 (1881).
Nederl. Kruidk. Arch. Ser. II. v. 1. t. 2 (1887).—*Fr.*
Quincy in Bull. Soc. Hist. Nat. Autun, ii. 530, t. F (1889).
Karsten, Fl. Deutschl. i. 348 (1895).
*Sturm, Fl. Deutschl. Ed. 2, ii. t. 56 (1900).
Husnot, Cypérac. t. 12 (1905–6).
Coste, Fl. France, iii. 518 b (1906).
Junge in Jahrb. Hamburg. Wiss. Anstalt. 1907, xxv. Beih. 3, p. 205 (1908).
Heukels, Fl. Nederl. i. 404 (1910).
Horsfieldii Boott
Boott, Carex, i. t. 32 (1858).
Houghtonii Torr.
Amer. Journ. Sc. xxx. t. 2 (1836).
Boott, Carex, i. t. 51, 151 (1858).
Britton & Brown, Ill. Fl. N. States & Canada, i. 305 (1896); Ed. 2, i. 427 (1913).
Howei Mackenzie
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, i. 377 (1913).
Hudsonii A. Bennett
Junge in Jahrb. Hamburg. Wiss. Anstalt. 1907, xxv. Beih. 3, p. 179 (1908).
Pflanzenreich, Cyperac.-Caricoid. 331 (1909).
Journ. Russe Bot. 1911, p. 91.
Lindman, Svensk Fanerogamfl. 125 (1918).—*Fr.*
—— **homalocarpa** Reichb.
Junge in Jahrb. Hamburg. Wiss. Anstalt. 1907, xxv. Beih. 3, p. 179 (1908).
—— **stenocarpa** Junge
Junge in Jahrb. Hamburg. Wiss. Anstalt. 1907, xxv. Beih. 3, p. 179 (1908).
humilis Leyss.
*Kniphof, Herb. Viv. i. t. 213 (1758).
Hoppe, Ect. Pl. Ratisb. t. 26 (1787).
*Sturm, Deutschl. Fl. i. II [t. 31] (1797); xvi. LXIX [t. 1095] (1835).
*Host, Gram. i. t. 67 (1801).
*Zenker, Fl. Thüringen, iii. t. 342 (1836–55).
*Reichenbach, Ic. Fl. Germ. viii. t. 239 (1846).
Bentham, Handb. Brit. Fl. fig. 1116 (1865).
*Syme, Engl. Bot. x. t. 1651 (1870).
Cusin, Herb. Fl. Franç. xxiii (Cypéracées), t. 126 (1874).
*Hogg & Johnson, Wild Fl. Gr. Brit. xi. t. 899 (1880).
Karsten, Deutsche Fl. Pharm.-medic. Bot. 350 (1880–83).—*Fr.*
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, vi. t. 508 (1881).
Wagner, Ill. Deutsche Fl. Ed. 2, p. 797 (1882).
Willkomm, Führ. Reich Pflanzen, 250 (1882).
Karsten, Fl. Deutschl. i. 353 (1895).
Fiori & Paol. Ic. Fl. Ital. 56 (1896).
Reichenau, Mainzer Flora, fig. 109 (1900).
*Sturm, Fl. Deutschl. Ed. 2, ii. t. 51 (1900).
Husnot, Cypérac. t. 10 (1905).
Coste, Fl. France, iii. 510 (1906).
Isv. Obshth. Prir. Orl. [Bull. Soc. Nat. Orel], i. t. 2 (1907).
Journ. Russe Bot. 1911, p. 136.—*Fl.*
Fitch & Smith, Ill. Brit. Fl. Ed. rev. 4, Iss. 2, fig. 1134 (1919).
hyalina Boott
Boott, Carex, iii. t. 371 (1862).
hybrida Schkuhr
*Schkuhr, Bot. Handb. Ed. 2, t. 286 Rrr, No. 161 (1808).
hymenocarpa Drej.
*Fl. Dan. xvi. t. 2849 (1871).

CAREX
hyperborea Drej.
Andersson, Cyperac. Scand. t. 5, fig. 47 (1849).
*Fl. Dan. xiv. t. 2482 (1849).
D. Dietrich, Fl. Univ. Abt. i. t. 896 (1852–55).
—— **paradoxa** Drej.
*Fl. Dan. xiv. t. 2483 (1849).
hypoleucos Desv.
C. Gay, Hist. Chile, Atlas, t. 73, fig. 4 (1854).
hypsophila Miq.
Pflanzenreich, Cyperac.-Caricoid. 547 (1909).
hystricina Muhl.
*Schkuhr, Bot. Handb. Ed. 2, t. 286 Fff, No. 127 (1808).
Boott, Carex, i. t. 165 (1858).
Britton & Brown, Ill. Fl. N. States & Canada, i. 300 (1896); Ed. 2, i. 437 (1913).
Going, Field, Forest & Wayside Fl. 195 (1899).
Idzuroei Franch. & Sav.
T. Makino, Glumac. Japon. i. No. VIII. t. 29 (1902).
Pflanzenreich, Cyperac.-Caricoid. 706 (1909).
illegitima Cesati
*Visiani, Mem. Istit. Veneto, xvi. t. 10 (1871); et Fl. Dalmat. Suppl. t. 10 (1872).
impressa Mackenzie
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, i. 426 (1913).
impunctata Boott
Boott, Carex, iii. t. 326 (1862).
incisa Boott
T. Makino, Glumac. Japon. i. No. VIII. t. 31 (1902).
Pflanzenreich, Cyperac.-Caricoid. 349 (1909).
incomperta Bickn.
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, i. 378 (1913).
incompta Franch.
*Miss. Sc. Cap Horn, t. 6, 1882–83, v. Bot. Phan. t. 6 (1889).
W. B. Scott, Rep. Princeton Univ. Exped. Patag. 1896–99, viii. 1. Bot. 283 (1904).—*Fl.*
incurva Lightf.
*Fl. Dan. iii. t. 432 (1769), vide Lange, Nomencl. Fl. Dan. 14 (1887).
Lightfoot, Fl. Scot. ii. t. 24 (1777).
*Sowerby & Sm. Engl. Bot. xiii. t. 927 (1801).
*Schkuhr, Bot. Handb. Ed. 2, t. 286 Hh, No. 95 (1808).
*Sturm, Deutschl. Fl. xii. XLVII [t. 737] (1827).
[M. E.] Jackson, Pict. Fl. fig. 1328 (1840).
Leighton, Fl. Shropshire, 450 [t. 12] (1841).—*Fr.*
*Reichenbach, Ic. Fl. Germ. viii. t. 199 (1846).
*Deakin, Florigr. Brit. iii. fig. 1391 (1847).
Andersson, Cyperac. Scand. t. 3, fig. 12 (1849).
Johnson & Sowerby, Brit. Wild Fl. fig. 1409 (1858–60).
Bentham, Handb. Brit. Fl. fig. 1109 (1865).
*Syme, Engl. Bot. x. t. 1615 (1870).
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, vi. t. 243 [1873].
Cusin, Herb. Fl. Franç. xxiii (Cypéracées), t. 66 (1874).
*Hogg & Johnson, Wild Fl. Gr. Brit. xi. t. 855 (1880).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, v. t. 453 (1881).
Raunkiær, Danske Blomsterpl. Naturhist. i. 467 (1895–99).—*Veg.*
Britton & Brown, Ill. Fl. N. States & Canada, i. 341 (1896); Ed. 2, i. 361 (1913).
Fiori & Paol. Ic. Fl. Ital. 53 (1896).
Ostenfeld, Fl. Arctica, i. 50 (1902).
Husnot, Cypérac. t. 2 (1905).
Coste, Fl. France, iii. 494 (1906).
Blytt, Haandb. Norg. Fl. Ed. Dahl, 133 (1906).
Schroeter, Pflanzenleb. Alp. 336 (1906).
Pflanzenreich, Cyperac.-Caricoid. 116 (1909).
Journ. Russe Bot. 1911, p. 42.—*Fl.*
Lindman, Svensk Fanerogamfl. 120 (1918).—*Fl.*
Fitch & Smith, Ill. Brit. Fl. Ed. rev. 4, Iss. 2, fig. 1127 (1919).
indecora Kunth
Boott, Carex, i. t. 184 (1858).

CAREX
indica Linn.
*Schkuhr, Bot. Handb. Ed. 2, t. 286 Qqqq, No. 206 (1808).
Boott, Carex, ii. t. 250–54 (1860).
Pflanzenreich, Cyperac.-Caricoid. 263 (1909).
inflata Huds.
Hoppe, Ect. Pl. Ratisb. t. 795 (1793).
*Sturm, Deutschl. Fl. i. II [t. 32] (1797).
insignis Boott
Boott, Carex, i. t. 14 (1858).
Pflanzenreich, Cyperac.-Caricoid. 549 (1909).
insularis Carmich.
Boott, Carex, iii. t. 350 (1862).
interior L. H. Bailey
Britton & Brown, Ill. Fl. N. States & Canada, i. 350 (1896); Ed. 2, i. 377 (1913).
Proc. Amer. Acad. xxxvii. No. 17, t. 4 (1902).
Stone, Pl. Southern New Jersey (Ann. Rep. New Jersey State Mus. 1910), t. 26 (1911).
intermedia Gooden.
*Host, Gram. i. t. 50 (1801).
Koenig & Sims, Ann. Bot. ii. t. 8, fig. 50 (1805).—*Fr.*
*Fl. Dan. viii. t. 1343 (1808).
*Schkuhr, Bot. Handb. Ed. 2, t. 286 B, No. 7; 286 Sss, No. 7 (1808).
*Sowerby & Sm. Engl. Bot. xxix. t. 2042 (1809).
*Hayne, Getreue Darst. Arzn. Gewächse, v. t. 8 (1817).
*Sturm, Deutschl. Fl. xiii. LV [t. 867] (1830).
*Kops, Fl. Batava, vii. t. 555 (1836).
Meigen, Deutschl. Fl. i. t. 12 (1836).—*Fl.*
*Zenker, Fl. Thüringen, vi. t. 627 (1836–55).
[M. E.] Jackson, Pict. Fl. fig. 1330 (1840).
Leighton, Fl. Shropshire, 450 [t. 13] (1841).—*Fr.*
*Reichenbach, Ic. Fl. Germ. viii. t. 210 (1846).
*Deakin, Florigr. Brit. iii. fig. 1393 (1847).
Johnson & Sowerby, Brit. Wild Fl. fig. 1411 (1858–60).
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, vi. t. 245 [1873].
Journ. Russe Bot. 1911, p. 50.—*Fl.*
Fedtschenko, Veg. Turkest. 176 (1915).
intricata Tineo
Coste, Fl. France, iii. 504 (1906).
intumescens Rudge
Trans. Linn. Soc. London, vii. t. 9, fig. 3 (1804).
Boott, Carex, i. t. 159, 160 (1858).
Britton & Brown, Ill. Fl. N. States & Canada, i. 293 (1896); Ed. 2, i. 439 (1913).
Stone, Pl. Southern New Jersey (Ann. Rep. New Jersey State Mus. 1910), t. 22 (1911).
inversa R. Br.
Boott, Carex, iv. t. 486–88 (1867).
Ann. Rep. Agric. Victoria, ii. t. 5 (1874).
F. M. Bailey, Weeds & Poison. Pl. Queensland, 219 (1906).
Pflanzenreich, Cyperac.-Caricoid. 188 (1909).
involucrata Boott
Boott, Carex, ii. t. 210 (1860).
involuta Bab.
*Syme, Engl. Bot. x. t. 1681 (1870); vide errata.
irrigua Sm.
*Sturm, Deutschl. Fl. xiii. LIII [t. 838] (1829).
*Sowerby & Sm. Engl. Bot. Suppl. iv. t. 2895 (1843–49).
*Reichenbach, Ic. Fl. Germ. viii. t. 238 (1846).
Andersson, Cyperac. Scand. t. 7, fig. 72 (1849).
Johnson & Sowerby, Brit. Wild Fl. Suppl. fig. 1689 (1863).
*Fl. Dan. Suppl. t. 106 (1865).
*Syme, Engl. Bot. x. t. 1648 (1870).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, vi. t. 498 (1881).
Willkomm, Führ. Reich Pflanzen, 246 (1882).—*Fr.*
*Sturm, Fl. Deutschl. Ed. 2, ii. t. 42 (1900).
Husnot, Cypérac. t. 6 (1905).
Blytt, Haandb. Norg. Fl. Ed. Dahl, 160 (1906).
Coste, Fl. France, iii. 513 (1906).
ischnostachya Steud.
Pflanzenreich, Cyperac.-Caricoid. 613 (1909).
jacintoënsis Parish
Amer. Plants, iii. t. 30 (1910).
Jackiana Boott
Boott, Carex, i. t. 25 (1858).

CAREX
Jackiana parciflora Boott
Journ. Russe Bot. 1911, p. 169.—*Fl.*
Jamesii Torr.
Boott, Carex, iv. t. 592 (1867).
Jamesii Schwein.
A. Gray, Man. Bot. N.U.S. Ed. 6, t. 5 (1867).
Britton & Brown, Ill. Fl. N. States & Canada, i. 337 (1896); Ed. 2, i. 388 (1913).
Jamesonii Boott
Boott, Carex, iii. t. 334–37 (1862).
Pflanzenreich, Cyperac.-Caricoid. 406 (1909).—*Fl.*
japonica Thunb.
*Schkuhr, Bot. Handb. Ed. 2, t. 286 Ww, No. 110 (1808).
Boott, Carex, ii. t. 257 (1860).
Mönkemeyer, Sumpf- u. Wasserpfl. 66 (1897).
—— **albo-marginata** Hort.
Neubert's Deutsch. Gart. Mag. xlvii. 401 (1894).—*Hab.*
—— **marginata** Hort.
Bellair & St.-Léger, Pl. Serre, 447 (1900).—*Hab.*
—— —— **variegata** Hort.
Rev. Hort. Belge, xx. 9 (1894).—*Hab.*
—— **variegata** Hort.
Gard. Chron. Ser. III. xiii. 173 (1893).—*Hab.*
Johnstonii Boeck.
Pflanzenreich, Cyperac.-Caricoid. 594 (1909).
Joorii L. H. Bailey
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, i. 419 (1913).
juncifolia All.
Allioni, Fl. Pedem. iii. t. 92, fig. 4 (1785).
*Reichenbach, Ic. Fl. Germ. viii. t. 199 (1846).
juncifolia Host
*Schkuhr, Bot. Handb. Ed. 2, t. 286 G, No. 32; 286 Ii, No. 32 (1808).
×**Justischmidtii** Junge
Junge in Jahrb. Hamburg. Wiss. Anstalt. 1907, xxv. Beih. 3, p. 229 (1908).—*Veg.*
—— **intermedia** Junge
Junge in Jahrb. Hamburg. Wiss. Anstalt. 1907, xxv. Beih. 3, p. 230 (1908).
—— **superpseudocyperus** Junge
Junge in Jahrb. Hamburg. Wiss. Anstalt. 1907, xxv. Beih. 3, p. 230 (1908).—*Fr.*
—— **superrostrata** Junge
Junge in Jahrb. Hamburg. Wiss. Anstalt. 1907, xxv. Beih. 3, p. 230 (1908).
kaloides Petrie
Pflanzenreich, Cyperac.-Caricoid. 130 (1909).
katahdinensis Fernald
Rhodora, iii. t. 32 (1901).
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, i. 405 (1913).
Kawakamii Hayata
Hayata, Ic. Pl. Formosan. vi. 129 (1916).—*Fl.*
kinabaluensis Stapf
Journ. Linn. Soc., Bot. xlii. 184 (1914).
Kochiana DC.
*Sturm, Deutschl. Fl. xvi. LXIX [t. 1103] (1835).
*Reichenbach, Ic. Fl. Germ. viii. t. 271 (1846).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, vi. t. 548 (1881).
*Sturm, Fl. Deutschl. Ed. 2, ii. t. 148 (1900).
Koestlinii Hochst.
Boott, Carex, ii. t. 204, 205 (1860).
Engler & Drude, Veget. Erde, ix. II. 218 (1908).
Pflanzenreich, Cyperac.-Caricoid. 169 (1909).
—— **minor** Boott
Boott, Carex, ii. t. 206, 307 (1860).
koreana Kom.
Pflanzenreich, Cyperac.-Caricoid. 589 (1909).
Journ. Russe Bot. 1911, p. 158.—*Fl.*
Krameri Franch. & Sav.
Nouv. Arch. Mus. Hist. Nat. Paris, Ser. III. viii. t. 2 (1896).
kurdica Kük.
Ann. Nat. Hofm. Wien, xxvii. pt. 1–2, p. 24 (1914).
Lachenalii Schkuhr
*Schkuhr, Bot. Handb. Ed. 2, t. 286 Y, No. 79 (1808).
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, i. 373 (1913).
Lindman, Svensk Fanerogamfl. 123 (1918).—*Fr.*

CAREX
laciniata Boott
Boott, Carex, iv. t. 594 (1867).
lacistoma R. Br.
Boott, Carex, iv. t. 532 (1867).—*Fl.*
lacunarum Holm
Amer. Journ. Sc. Ser. IV. xvii. 303 (1904).
lacustris Willd.
*Schkuhr, Bot. Handb. Ed. 2, t. 286 Ooo, No. 152 (1808).
Stone, Pl. Southern New Jersey (Ann. Rep. New Jersey State Mus. 1910), t. 23 (1911).
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, i. 425 (1913).
laeta Boott
Boott, Carex, i. t. 188 (1858).
laevicaulis Hochst.
*Kunze, Suppl. Schkuhr. Riedgräs. (Caric.), i. t. 6 (1840–50).
laevicaulis Franch.
Nouv. Arch. Mus. Hist. Nat. Paris, Ser. III. viii. t. 13 (1896).
laeviculmis Meinsh.
Pflanzenreich, Cyperac.-Caricoid. 229 (1909).
Journ. Russe Bot. 1911, p. 73.—*Fl.*
laevigata Sm.
*Sowerby & Sm. Engl. Bot. xx. t. 1387 (1805).
*Schkuhr, Bot. Handb. Ed. 2, t. 286 Sss, No. 162 (1808).
*Sturm, Deutschl. Fl. xiii. LV [t. 874] (1830).
[M. E.] Jackson, Pict. Fl. fig. 1370 (1840).
Leighton, Fl. Shropshire, 460 [t. 17] (1841).—*Fr.*
*Kops, Fl. Batava, viii. t. 639 (1844).
*Reichenbach, Ic. Fl. Germ. viii. t. 254 (1846).
*Deakin, Florigr. Brit. iii. fig. 1425 (1847).
Johnson & Sowerby, Brit. Wild Fl. fig. 1464 (1858–60).
Boott, Carex, iv. 540 (1867).
*Syme, Engl. Bot. x. t. 1666 (1870).
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, vi. t. 246 [1873].
Cusin, Herb. Fl. Franç. xxiii (Cypéracées), t. 148 (1874).
*Hogg & Johnson, Wild Fl. Gr. Brit. xi. t. 922 (1880).
Karsten, Deutsche Fl. Pharm.-medic. Bot. 345 (1880–83).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, vi. t. 542 (1881).
Journ. of Bot. xxiii. 68 (1885).—*Fl.*
Karsten, Fl. Deutschl. i. 348 (1895).
*Sturm, Fl. Deutschl. Ed. 2, ii. t. 56 (1900).
Husnot, Cypérac. t. 12 (1905).
Coste, Fl. France, iii. 517 (1906).
—— **Welwitschii** Boott
Boott, Carex, iv. t. 541 (1867).
laevirostris Blytt
*Kunze, Suppl. Schkuhr. Riedgräs. (Caric.), i. t. 49 (1840–50).
Andersson, Cyperac. Scand. t. 8, fig. 108 (1849).
*Fl. Dan. Suppl. t. 36 (1853).
Journ. Russe Bot. 1911, p. 183.
Lindman, Svensk Fanerogamfl. 133 (1918).
laevis Kit.
Linnaea, xxxi. t. 5 (1861–62).
Laggeri Wimm.
Husnot, Cypérac. t. 2 (1905).
lagopina Wahlenb.
Koenig & Sims, Ann. Bot. ii. t. 8, fig. 46, 65 (1805).—*Fr.*
*Sturm, Deutschl. Fl. xii. XLVII [t. 741] (1827).
*Reichenbach, Ic. Fl. Germ. viii. t. 204 (1846).
Andersson, Cyperac. Scand. t. 4, fig. 28 (1849).
Bentham, Handb. Brit. Fl. fig. 1098 (1865).
*Syme, Engl. Bot. x. t. 1633 (1870).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, vi. t. 479 (1881).
Bih. Svenska Vet. Akad. Handl. xvi. III. No. 7, tab. (1890).
Britton & Brown, Ill. Fl. N. States & Canada, i. 353 (1896).
Ostenfeld, Fl. Arctica, i. 57 (1902).
Proc. Amer. Acad. xxxvii. No. 17, t. 5 (1902).
Husnot, Cypérac. t. 5 (1905).
Blytt, Haandb. Norg. Fl. Ed. Dahl, 138 (1906).—*Fl.*

CAREX
lagopina
Coste, Fl. France, iii. 500 (1906).
Pflanzenreich, Cyperac.-Caricoid. 213 (1909).
Journ. Russe Bot. 1911, p. 64.—*Fl.*
Fitch & Smith, Ill. Brit. Fl. Ed. rev. 4, Iss. 2, fig. 1116 (1919).
—— **furva** Webb
Webb, Otia Hispan. Pl. Rar. Ed. 2, t. 41 (1853).
lagopodioides Schkuhr
*Schkuhr, Bot. Handb. Ed. 2, t. 286 Yyy, No. 177 (1808).
Boott, Carex, iii. t. 370, 371 (1862).
Lambertiana Boott
Boott, Carex, i. t. 177 (1858).
lanceata Dewey
Amer. Journ. Sc. xxix. t. X (1836).
lanceolata Boott
Pflanzenreich, Cyperac.-Caricoid. 492 (1909).
Journ. Russe Bot. 1911, p. 136.—*Fl.*
lanuginosa Michx.
*Torrey, Fl. State New York, ii. t. 144a, in expl. tab. (1843); errore *C. pellita* in ic.
Boott, Carex, i. t. 129 (1858).
Britton & Brown, Ill. Fl. N. States & Canada, i. 305 (1896); Ed. 2, i. 427 (1913).
Nelson in Bull. Wyoming Agric. St. No. 76, p. 72 (1908).
Stone, Pl. Southern New Jersey (Ann. Rep. New Jersey State Mus. 1910), t. 23 (1911).
F. E. & E. S. Clements, Rocky Mt. Fl. t. 45 (1914).
lasiocarpa Ehrh.
*Kops, Fl. Batava, vi. t. 468 (1832).
*Sturm, Fl. Deutschl. Ed. 2, ii. t. 64 (1900).
Suireishchikov, Ill. Fl. Mosc. Gov. i. 214 (1906).
Junge in Jahrb. Hamburg. Wiss. Anstalt. 1907, xxv. Beih. 3, p. 226 (1908).
Journ. Russe Bot. 1911, p. 194.—*Fl.*
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, i. 427 (1913).
Fedtschenko, Veg. Turkest. 202 (1915).
Lindman, Svensk Fanerogamfl. 132 (1918).—*Fr.*
lasiochlaena Kunth
Boott, Carex, iv. t. 511 (1867).
latifolia Moench.
*Schkuhr, Bot. Handb. Ed. 2, t. 286 U, No. 70 (1808).
laxa Wahlenb.
Koenig & Sims, Ann. Bot. ii. t. 8, fig. 57 (1805).—*Fr.*
Wahlenberg, Fl. Lapp. t. 15 (1812).
*Svensk Bot. x. t. 718 (1826–29).
Andersson, Cyperac. Scand. t. 6, fig. 69 (1849).
Boott, Carex, ii. t. 213 (1860).
*Fl. Dan. Suppl. t. 107 (1865).
Journ. Russe Bot. 1911, p. 144.—*Fl.*
laxa Schkuhr
*Schkuhr, Bot. Handb. Ed. 2, t. 286 Aaa, No. 78 (1808).
laxiculmis Schwein.
Britton & Brown, Ill. Fl. N. States & Canada, i. 329 (1896); Ed. 2, i. 401 (1913).
Stone, Pl. Southern New Jersey (Ann. Rep. New Jersey State Mus. 1910), t. 24 (1911).
laxiflora Lam.
*Schkuhr, Bot. Handb. Ed. 2, t. 286 Kkk, No. 141 (1808).
Boott, Carex, i. t. 89 (1858).
Amer. Journ. Sc. Ser. IV. ii. t. 2, fig. 2, 3 (1896).—*Fl.*
Britton & Brown, Ill. Fl. N. States & Canada, i. 327 (1896); Ed. 2, i. 402 (1913).
—— **blanda** Boott
Boott, Carex, i. t. 92 (1858).
—— **gracillima** Boott
Boott, Carex, i. t. 91 (1858).
—— **intermedia** Boott
Boott, Carex, i. t. 91 (1858).
—— **latifolia** Boott
Boott, Carex, i. t. 93 (1858).
—— **patulifolia** Dewey
Stone, Pl. Southern New Jersey (Ann. Rep. New Jersey State Mus. 1910), t. 24 (1911).
—— **styliflexa** Boott
Boott, Carex, i. t. 90 (1858).

CAREX
Leavenworthii Dewey
Britton & Brown, Ill. Fl. N. States & Canada, i. 349 (1896); Ed. 2, i. 367 (1913).
Leersii F. Schultz
Flora, liv. t. 2 (1871).
Suireishchikov, Ill. Fl. Mosc. Gov. i. 191 (1906).
Leersii Willd.
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, i. 378 (1913).
Lindman, Svensk Fanerogamfl. 124 (1918).—*Fr.*
Lehmannii Drej.
Drejer, Symb. Caric. t. 2 (1844).
Boott, Carex, iii. t. 361 (1862).
leiocarpa C. A. Mey.
Mém. Prés. Acad. Sc. Pétersb. Sav. Étrang. i. III & IV. t. 5 (1830).
Boott, Carex, iv. t. 456 (1867).
leiorrhyncha C. A. Mey.
Mém. Prés. Acad. Sc. Pétersb. Sav. Étrang. i. III & IV. t. 9 (1830).
*Kunze, Suppl. Schkuhr. Riedgräs. (Caric.), i. t. 2 (1840–50).
*Reichenbach, Ic. Fl. Germ. viii. t. 221 (1846).
Pflanzenreich, Cyperac.-Caricoid. 145 (1909).
Journ. Russe Bot. 1911, p. 53.
Lemanniana Boott
Boott, Carex, i. t. 198 (1858).
Lemmonii W. Boott
Amer. Journ. Sc. Ser. IV. xlviii. 25, fig. 9–12 (1919).
lenticularis Dewey
*Amer. Journ. Sc. ix. t. 1 (1825).
lenticularis Michx.
Boott, Carex, i. t. 77 (1858).
Britton & Brown, Ill. Fl. N. States & Canada, i. 309 (1896); Ed. 2, i. 422 (1913).
Pflanzenreich, Cyperac.-Caricoid. 308 (1909).
lepidocarpa Tausch.
*Sturm, Deutschl. Fl. xvi. LXIX [t. 1098] (1835).
*Kunze, Suppl. Schkuhr. Riedgräs. (Caric.), i. t. 13 (1840–50).
*Reichenbach, Ic. Fl. Germ. viii. t. 272 (1846).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, vi. t. 530 (1881).
*Sturm, Fl. Deutschl. Ed. 2, ii. t. 60 (1900).
Junge in Jahrb. Hamburg. Wiss. Anstalt. 1907, xxv. Beih. 3, p. 209 (1908).—*Fr.*
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, i. 430 (1913).
Lindman, Svensk Fanerogamfl. 131 (1918).—*Fl.*
leporina Linn.
*Fl. Dan. ii. t. 294 (1766).
Leers, Fl. Herborn. t. 14, fig. 6 (1789).
Hoppe, Ect. Pl. Ratisb. t. 506 (1790).
*Host, Gram. iv. t. 80 (1809).
*Schkuhr, Bot. Handb. Ed. 2, t. 286 Fff, No. 129 (1810).
*Sturm, Deutschl. Fl. xii. XLVII [t. 740] (1827).
*Zenker, Fl. Thüringen, vi. t. 619 (1836–55).
Leighton, Fl. Shropshire, 450 [t. 12] (1841).—*Fr.*
*Sowerby & Sm. Engl. Bot. Suppl. iii. t. 2815 (1843).
*Reichenbach, Ic. Fl. Germ. viii. t. 211 (1846).
*Deakin, Florigr. Brit. iii. fig. 1401 (1847).
*Lorek, Fl. Pruss. Ed. 3, t. 213, fig. 1131 (1848).
Andersson, Cyperac. Scand. t. 4, fig. 26 (1849).
Johnson & Sowerby, Brit. Wild Fl. fig. 1419 (1858–60).
Bentham, Handb. Brit. Fl. fig. 1097 (1865).
Migout, Fl. Dépt. Allier, t. 22 (1866).
*Hogg & Johnson, Wild Fl. Gr. Brit. iv. t. 268 (1868).
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, vi. t. 243 [1873].
Cusin, Herb. Fl. Franç. xxiii (Cypéracées), t. 83 (1874).
Karsten, Deutsche Fl. Pharm.-medic. Bot. 337 (1880–83).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, vi. t. 476 (1881).
Wagner, Ill. Deutsche Fl. Ed. 2, p. 791 (1882).
Willkomm, Führ. Reich Pflanzen, 241 (1882).—*Fr.*
Nederl. Kruidk. Arch. Ser. II. iv. IV. t. 12 (1886). —*Fr.*
*Heathcote, Fl. Engadine, t. 222 (1891).

CAREX
leporina
Acloque, Fl. France, 659 (1894).—*Fr.*
Battandier & Trabut, Fl. Algér., Monocot. t. 3, fig. 5 (1895).—*Fl.*
Karsten, Fl. Deutschl. i. 339 (1895).
Britton & Brown, Ill. Fl. N. States & Canada, i. 356 (1896); Ed. 2, i. 385 (1913).
Fiori & Paol. Ic. Fl. Ital. 54 (1896).
Sturm, Fl. Deutschl. Ed. 2, ii. t. 31 (1900).
Lindman, Bild. Nord. Fl. t. 433 b (1901–5).
Proc. Amer. Acad. xxxvii. No. 17, t. 3 (1902).
Husnot, Cypérac. t. 5 (1905).
Blytt, Haandb. Norg. Fl. Ed. Dahl, 140 (1906). —*Fl.*
Coste, Fl. France, iii. 500 (1906).
Suireishchikov, Ill. Fl. Mosc. Gov. i. 193 (1906).
Clarke in Nature Book, iv. 659, t. 1 (1909).
Fedtschenko & Fler. Fl. Eur. Russia, 180 (1910).
Heukels, Fl. Nederl. i. 387 (1910).
Journ. Russe Bot. 1911, p. 62.—*Fl.*
*H. S. Thompson, Sub-Alp. Pl. t. 22 (1912).
Hayek, Pflanzend. Oesterr.-Ung. i. 53 (1914).
Lindman, Svensk Fanerogamfl. 27, 122 (1918).
Fitch & Smith, Ill. Brit. Fl. Ed. rev. 4, Iss. 2, fig. 1115 (1919).
—— **argyroglochin** Koch
*Sturm, Fl. Deutschl. Ed. 2, ii. t. 32 (1900).
—— **capitata** Sond.
*Fl. Dan. xiv. t. 2366 (1843).
leptalea Wahlenb.
Britton & Brown, Ill. Fl. N. States & Canada, i. 339 (1896); Ed. 2, i. 388 (1913).
Pflanzenreich, Cyperac.-Caricoid. 105 (1909).
—— **Harperi** Fernald
Stone, Pl. Southern New Jersey (Ann. Rep. New Jersey State Mus. 1910), t. 26 (1911).
leptophylla Heuff.
Linnaea, xxxi. t. 5 (1861–62).
leptostachys Ehrh.
*Sturm, Deutschl. Fl. xiii. LV [t. 876] (1830).
*Kops, Fl. Batava, viii. t. 638 (1844).
leucantha Arn.
Boott, Carex, i. t. 28 (1858).
leucoglochin Ehrh.
*Fl. Dan. viii. t. 1279 (1806).
*Svensk Bot. viii. t. 539 (1819).
*Reichenbach, Ic. Fl. Germ. viii. t. 196 (1846).
Leveillei Husnot
Husnot, Cypérac. t. 2 (1905).
Liddonii Boott
Hooker, Fl. Bor.-Amer. t. 215 (1840).
*Amer. Journ. Sc. xlix. t. 1 (1845).
Boott, Carex, i. t. 53 (1858).
Nelson in Bull. Wyoming Agric. St. No. 70, p. 59 (1906).
Pflanzenreich, Cyperac.-Caricoid. 194 (1909).
ligata Boott
Nouv. Arch. Mus. Hist. Nat. Paris, Ser. III. ix. t. 7 (1897).
Pflanzenreich, Cyperac.-Caricoid. 472 (1909).
ligerica Gay
Cusin, Herb. Fl. Franç. xxiii (Cypéracées), t. 71 (1874).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, v. t. 459 (1881).
Willkomm, Führ. Reich Pflanzen, 238 (1882).—*Fr.*
Nederl. Kruidk. Arch. Ser. II. iv. IV. t. 11 (1886). —*Fr.*
Karsten, Fl. Deutschl. i. 343 (1895).
Husnot, Cypérac. t. 4 (1905).
Coste, Fl. France, iii. 496 (1906).
Junge in Jahrb. Hamburg. Wiss. Anstalt. 1907, xxv. Beih. 3, p. 155 (1908).
Heukels, Flora Nederl. i. 382 (1910).
Lindman, Svensk Fanerogamfl. 122 (1918).—*Fl.*
ligulata Nees
Boott, Carex, i. t. 113 (1858).
limnaea Holm
Amer. Journ. Sc. Ser. IV. xx. 307 (1905).—*Fl.*
limosa Linn.
*Fl. Dan. iv. t. 646 (1775).
*Houttuyn, Handl. Pl. & Kruidk. xiii. t. 93, fig. 2 (1782).
Leers, Fl. Herborn. t. 15, fig. 3 (1789).
*Host, Gram. i. t. 89 (1801).

CAREX
limosa
*Schkuhr, Bot. Handb. Ed. 2, t. 286 X, No. 78 (1808).
*Sowerby & Sm. Engl. Bot. xxix. t. 2043 (1809).
*Sturm, Deutschl. Fl. xiii. LIII [t. 839] (1829).
[M. E.] Jackson, Pict. Fl. fig. 1349 (1840).
Leighton, Fl. Shropshire, 465 [t. 18] (1841).—*Fr.*
*Reichenbach, Ic. Fl. Germ. viii. t. 238 (1846).
*Deakin, Florigr. Brit. iii. fig. 1433 (1847).
*Lorek, Fl. Pruss. Ed. 3, t. 214, fig. 1139 (1848).
Andersson, Cyperac. Scand. t. 7, fig. 73 (1849).
Johnson & Sowerby, Brit. Wild Fl. fig. 1441 (1858–60).
Boott, Carex, ii. t. 216 (1860).
Bentham, Handb. Brit. Fl. fig. 1131 (1865).
*Syme, Engl. Bot. x. t. 1647 (1870).
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, vi. t. 247 [1873].
Cusin, Herb. Fl. Franç. xxiii (Cypéracées), t. 113 (1874).
*Hogg & Johnson, Wild Fl. Gr. Brit. xi. t. 908 (1880).
Karsten, Deutsche Fl. Pharm.-medic. Bot. 351 (1880–83).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, vi. t. 499 (1881).
Willkomm, Führ. Reich Pflanzen, 246 (1882).—*Fr.*
Nederl. Kruidk. Arch. Ser. II. v. I. t. 1 (1887). —*Fr.*
*Heathcote, Fl. Engadine, t. 223 (1891).
Karsten, Fl. Deutschl. i. 354 (1895).
Britton & Brown, Ill. Fl. N. States & Canada, i. 313 (1896); Ed. 2, i. 416 (1913).
Fiori & Paol. Ic. Fl. Ital. 58 (1896).
*Sturm, Fl. Deutschl. Ed. 2, ii. t. 42 (1900).
Lindman, Bild. Nord. Fl. t. 436 b (1901–5).
Ostenfeld, Fl. Arctica, i. 68 (1902).
Husnot, Cypérac. t. 6 (1905).
Blytt, Haandb. Norg. Fl. Ed. Dahl, 159 (1906).
Coste, Fl. France, iii. 513 (1906).
Suireishchikov, Ill. Fl. Mosc. Gov. i. 205 (1906).
Pflanzenreich, Cyperac.-Caricoid. 503 (1909).
Heukels, Fl. Nederl. i. 397 (1910).
Stone, Pl. Southern New Jersey (Ann. Rep. New Jersey State Mus. 1910), t. 23 (1911).
Journ. Russe Bot. 1911, p. 143.—*Fl.*
Lindman, Svensk Fanerogamfl. 129 (1918).—*Fl.*
Fitch & Smith, Ill. Brit. Fl. Ed. rev. 4, Iss. 2, fig. 1149 (1919).
—— **irrigata** Wahlenb.
Wahlenberg, Fl. Lapp. t. 15 (1812).
limula Fries
Andersson, Cyperac. Scand. t. 5, fig. 53 (1849).
*Fl. Dan. Suppl. t. 105 (1865).
Lindleyana Nees
Pflanzenreich, Cyperac.-Caricoid. 278 (1909).
linearis Boott
Boott, Carex, i. t. 136 (1856).
Linkii Schkuhr
*Schkuhr, Bot. Handb. Ed. 2, t. 286 Bbb, No. 118 (1808).
*Sturm, Deutschl. Fl. xiv. LXI [t. 968] (1833).
Boott, Carex, iv. t. 412–14 (1867).
Cusin, Herb. Fl. Franç. xxiii (Cypéracées), t. 88 (1874).
Husnot, Cyperac. t. 6, 16 (1905–6).
Linnaeana Host
Host, Gram. iii. t. 77 (1805).
litoralis Schwein.
Britton & Brown, Ill. Fl. N. States & Canada, i. 312 (1896).
litorea Labill.
Labillardière, Nov. Holl. Pl. t. 219 (1806).
litorosa L. H. Bailey
Pflanzenreich, Cyperac.-Caricoid. 688 (1909).—*Fr.*
Cheeseman, Ill. New Zeal. Fl. t. 217 (1914).
livida Willd.
*Schkuhr, Bot. Handb. Ed. 2, t. 286 Ssss, No. 211 (1808).
Andersson, Cyperac. Scand. t. 7, fig. 74 (1849).
*Fl. Dan. Suppl. t. 34 (1853).
Boott, Carex, ii. t. 214, 215 (1860).
Britton & Brown, Ill. Fl. N. States & Canada, i. 331 (1896); Ed. 2, i. 397 (1913).

CAREX
livida
Stone, Pl. Southern New Jersey (Ann. Rep. New Jersey State Mus. 1910), t. 24 (1911).
Lindman, Svensk Fanerogamfl. 130 (1918).—*Fr.*
lobata Vill.
*Schkuhr, Bot. Handb. Ed. 2, t. 286 D, No. 18; 286 Ii, No. 18 (1808).
lobulirostris Drej.
Drejer, Symb. Caric. t. 14 (1844).
loliacea Linn.
*Schkuhr, Bot. Handb. Ed. 2, t. 286 Ee, No. 91 (1808).
*Fl. Dan. viii. t. 1403 (1810).
*Krocker, Fl. Siles. iii. t. 6 (1814).
*Svensk Bot. x. t. 664 (1826–29).
*Sturm, Deutschl. Fl. xvi. LXIX [t. 1090] (1835).
*Reichenbach, Ic. Fl. Germ. viii. t. 214 (1846).
Andersson, Cyperac. Scand. t. 4, fig. 34 (1849).
Boott, Carex, i. t. 127 (1858).
Karsten, Deutsche Fl. Pharm.-medic. Bot. 338 (1880–83).—*Fr.*
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, vi. t. 483 (1881).
Willkomm, Führ. Reich Pflanzen, 241 (1882).—*Fr.*
Karsten, Fl. Deutschl. i. 340 (1895).
Sturm, Fl. Deutschl. Ed. 2, ii. t. 33 (1900).
Suireishchikov, Ill. Fl. Mosc. Gov. i. 197 (1906).
Pflanzenreich, Cyperac.-Caricoid. 223 (1909).
Journ. Russe Bot. 1911, p. 72.—*Fl.*
Fedtschenko, Veg. Turkest. 179 (1915).
Hayek, Pflanzend. Oesterr.-Ung. i. 415 (1915).
Lindman, Svensk Fanerogamfl. 123 (1918).—*Fr.*
longearistata Biv.
Bivona, Stirp. Rar. Sicil. iv. t. 2 (1816).
longerostrata C. A. Mey.
Mém. Prés. Acad. Sc. Pétersb. Sav. Étrang. i. III & IV. t. 11 (1830).
Pflanzenreich, Cyperac.-Caricoid. 633 (1909).
Journ. Russe Bot. 1911, p. 165.
longicaulis Coulteri Kük.
Pflanzenreich, Cyperac.-Caricoid. 579 (1909).
longicruris Nees
Boott, Carex, i. t. 157 (1858).
longifolia Host
*Host, Gram. iv. t. 85 (1809).
longifolia R. Br.
Boott, Carex, iii. t. 331 (1862).
Ann. Rep. Agric. Victoria, ii. t. 20 (1874).
Pflanzenreich, Cyperac.-Caricoid. 651 (1909).
—— **minor** Boott
Boott, Carex, iii. t. 332 (1862).
longipes D. Don
Drejer, Symb. Caric. t. 10 (1844).
longirostris Torr.
*Amer. Journ. Sc. ix. t. 3 (1825); Ser. IV. ii. t. 2, fig. 5, 6 (1896).
Boott, Carex, i. t. 78 (1858).
Britton & Brown, Ill. Fl. N. States & Canada, i. 319 (1896).
L. H. Bailey, Cycl. Amer. Hort. 245 (1900); Stand. Cycl. Hort. 663 (1914).
longiseta Brot.
Battandier & Trabut, Fl. Algér., Monocot. t. 3, fig. 7 (1895).—*Fl.*
Coste, Fl. France, iii. 501 (1906).
longkiensis Franch.
Nouv. Arch. Mus. Hist. Nat. Paris, Ser. III. viii. t. 11 (1896).
Loscosii Lange
*Willkomm, Ill. Fl. Hispan. Balear. i. t. 40, fig. A (1881–85).
louisianica L. H. Bailey
Britton & Brown, Ill. Fl. N. States & Canada, i. 294 (1896); Ed. 2, i. 440 (1913).
lucida Boott
Boott, Carex, i. t. 173 (1858).
lucorum Willd.
*Kunze, Suppl. Schkuhr. Riedgräs. (Caric.), i. t. 39 (1840–50).
ludibunda J. Gay
Husnot, Cypérac. t. 5 (1905).
Junge in Jahrb. Hamburg. Wiss. Anstalt. 1907, xxv. Beih. 3, p. 172 (1908).
lugens Holm
Amer. Journ. Sc. Ser. IV. x. 268 (1900).

CAREX
lupuliformis Sartw.
Boott, Carex, i. t. 163 (1858).
Britton & Brown, Ill. Fl. N. States & Canada, i. 294 (1896); Ed. 2, i. 440 (1913).
lupulina Muhl.
*Schkuhr, Bot. Handb. Ed. 2, t. 286 Ddd, No. 123; 286 Iiii, No. 194 (1808).
*Amer. Journ. Sc. xi. t. 4 (1826).
Boott, Carex, i. t. 162 (1858).
Britton & Brown, Ill. Fl. N. States & Canada, i. 294 (1896); Ed. 2, i. 440 (1913).
Going, Field, Forest & Wayside Fl. 189 (1899).
Stone, Pl. Southern New Jersey (Ann. Rep. New Jersey State Mus. 1910), t. 22 (1911).
—— **albo-marginata** Sherff
Bull. Torr. Bot. Club, xxxviii. t. 26 (1911).
—— **polystachya** Schwein. & Torr.
*Amer. Journ. Sc. xi. t. 8 (1826).
lurida Wahlenb.
Britton & Brown, Ill. Fl. N. States & Canada, i. 299 (1896); Ed. 2, i. 436 (1913).
L. H. Bailey, Cycl. Amer. Hort. 245 (1900); Stand. Cycl. Hort. 662 (1914).
Selby in Bull. Ohio Agric. St. No. 175, t. 1 (1906).—*Fr.*
Pflanzenreich, Cyperac.-Caricoid. 711 (1909).
Stone, Pl. Southern New Jersey (Ann. Rep. New Jersey State Mus. 1910), t. 23 (1911).
lusitanica Schkuhr
*Schkuhr, Bot. Handb. Ed. 2, t. 286 Ccc, No. 119 (1808).
luzulifolia Boott
Amer. Journ. Sc. Ser. IV. xx. 307 (1905).—*Fl.*
—— **strobilantha** Holm
Amer. Journ. Sc. Ser. IV. xx. 307 (1905).—*Fl.*
Lyallii Boott
Boott, Carex, iv. t. 483 (1867).
Lyngbyei Hornem.
*Fl. Dan. xi. t. 1888 (1827).
Andersson, Cyperac. Scand. t. 6, fig. 63 (1849).
Ostenfeld, Fl. Arctica, i. 76 (1902).
Journ. Russe Bot. 1911, p. 95.
Amer. Journ. Sc. Ser. IV. l. 167, fig. 1–3 (1920).
Lyonii Boott
Hooker, Fl. Bor.-Amer. t. 208 (1840).
*Amer. Journ. Sc. xlix. t. 1 (1845).
Maackii Maxim.
Journ. Russe Bot. 1911, p. 62.
macilenta Fries
Andersson, Cyperac. Scand. t. 4, fig. 35 (1849).
Boott, Carex, iv. t. 471 (1867).
*Fl. Dan. Suppl. t. 168 (1874).
Macloviana D'Urv.
Ostenfeld, Fl. Arctica, i. 53 (1902).
Pflanzenreich, Cyperac.-Caricoid. 194 (1909).
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, i. 383 (1913).
—— **gracilis** Olney
Journ. Russe Bot. 1911, p. 61.—*Fl.*
macrocephala Willd.
Hooker, Fl. Bor.-Amer. t. 216 (1840).
*Amer. Journ. Sc. xliii. t. 2 (1842).
Boott, Carex, i. t. 69 (1858).
Mém. Acad. Sc. Pétersb. Ser. VII. iv. No. 4, t. 12 (1861).
Miyoshi, Atlas Jap. Veg. t. 87, 88 (1909).—*Hab.*
Pflanzenreich, Cyperac.-Caricoid. 185 (1909).
Journ. Russe Bot. 1911, p. 59.—*Fl.*
Brit. Columbia Bot. Office Ann. Rep. i. 1913, p. 22, fig. 24 (1914).—*Hab.*
macrochaeta C. A. Mey.
Mém. Prés. Acad. Sc. Pétersb. Sav. Étrang. i. III & IV. t. 13 (1830).
Amer. Journ. Sc. Ser. IV. xviii. 18, fig. D (1904).—*Fl.*
Pflanzenreich, Cyperac.-Caricoid. 413 (1909).
Journ. Russe Bot. 1911, p. 110.—*Fl.*
macrochlamys Franch.
Nouv. Arch. Mus. Hist. Nat. Paris, Ser. III. x. t. 1 (1898).
macroglossa Franch. & Sav.
Nouv. Arch. Mus. Hist. Nat. Paris, Ser. III. x. t. 2 (1898).
macrogyna Turcz.
Boott, Carex, i. t. 22 (1858).

CAREX
macrogyna
Boott, Carex, i. t. 31 (1858); errore *C. obtusa.*—*Fl.*
Journ. Russe Bot. 1911, p. 151.—*Fl.*
Fedtschenko, Veg. Turkest. 191 (1915).
macrokolea Steud.
Britton & Brown, Ill. Fl. N. States & Canada, i. 315 (1896).
macrolepis DC.
*Kunze, Suppl. Schkuhr. Riedgräs. (Caric.), i. t. 36 (1840–50).
*Reichenbach, Ic. Fl. Germ. viii. t. 246 (1846).
Fiori & Paol. Ic. Fl. Ital. 58 (1896).
macrostachys Bertol.
Bertoloni in Mem. Accad. Sci. Istit. Bologna, iv. t. 17 (1853).
Bertoloni, Misc. Bot. xiv. t. 2 (1853).
macrostigmatica Kük.
Journ. Russe Bot. 1911, p. 101.—*Fl.*
macrostyla Lapeyr.
Boott, Carex, iv. t. 473 (1867).
Husnot, Cypérac. t. 1 (1905).
Coste, Fl. France, iii. 493 (1906).
Pflanzenreich, Cyperac.-Caricoid. 105 (1909).
—— **peregrina** L. H. Bailey
Rep. Missouri Bot. Gard. viii. t. 49 (1897).
maculata Boott
Boott, Carex, i. t. 26 (1858).
T. Makino, Glumac. Japon. i. No. VIII. t. 30 (1902).
magellanica Lam.
*Schkuhr, Bot. Handb. Ed. 2, t. 286 N, No. 51 (1808).
Hooker f., Fl. Antarct. ii. t. 143 (1846).
Boott, Carex, ii. 218–20 (1860).
Britton & Brown, Ill. Fl. N. States & Canada, i. 313 (1896).
Ostenfeld, Fl. Arctica, i. 67 (1902).
W. B. Scott, Rep. Princeton Univ. Exped. Patag. 1896–99, viii. 1. Bot. 284 (1904).—*Fl.*
Pflanzenreich, Cyperac.-Caricoid. 503 (1909).
Journ. Russe Bot. 1911, p. 143.—*Fl.*
mainensis Porter
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, i. 432 (1913).
Mairii Coss. & Germ.
*Kunze, Suppl. Schkuhr. Riedgräs. (Caric.), i. t. 37 (1840–50).
Cosson & Germ. Fl. Paris, Atlas, t. 35 (1845).
Cusin, Herb. Fl. Franç. xxiii (Cypéracées), t. 142 (1874).
Battandier & Trabut, Fl. Algér., Monocot. t. 3, fig. 22 (1895).—*Fl.*
Fiori & Paol. Ic. Fl. Ital. 59 (1896).
Husnot, Cypérac. t. 12 (1905–6).
Coste, Fl. France, iii. 519 (1906).
makinoënsis Franch.
Nouv. Arch. Mus. Hist. Nat. Paris, Ser. III. x. t. 4 (1898).
T. Makino, Glumac. Japon. i. No. IV. t. 16 (1901).
manca Boott
Boott, Carex, iv. t. 425 (1867).
Pflanzenreich, Cyperac.-Caricoid. 627 (1909).
mandshurica Meinsh.
Journ. Russe Bot. 1911, p. 114.—*Fl.*
marcida Boott
Hooker, Fl. Bor.-Amer. t. 213 (1840).
*Amer. Journ. Sc. xlix. t. 1 (1845).
Boott, Carex, i. t. 45 (1858).
Britton & Brown, Ill. Fl. N. States & Canada, i. 344 (1896).
Nelson in Bull. Wyoming Agric. St. No. 70, p. 56 (1906).
marginata Muhl.
*Schkuhr, Bot. Handb. Ed. 2, t. 286 Lll, No. 143 (1808).
marina Dewey
Amer. Journ. Sc. xxix. t. x (1836).
maritima O. F. Muell.
*Fl. Dan. iv. t. 703 (1777).
*Schkuhr, Bot. Handb. Ed. 2, t. 286 W, No. 74 (1808).
Andersson, Cyperac. Scand. t. 6, fig. 64 (1849).
Boott, Carex, iv. t. 498, 499 (1867).

CAREX
maritima
Britton & Brown, Ill. Fl. N. States & Canada, i. 314 (1896); Ed. 2, i. 424 (1913).
Pflanzenreich, Cyperac.-Caricoid. 360 (1909).
Lindman, Svensk Fanerogamfl. 124 (1918).—*Fr.*
Martinii Léveillé & Vaniot
Léveillé, Cat. Pl. Yun-Nan, 73 (1915–16).
Matsumurae Franch.
Nouv. Arch. Mus. Hist. Nat. Paris, Ser. III. x. t. 5 (1898).
Maubertiana Boott
Boott, Carex, i. t. 114 (1858).
maxima Scop.
Ann. Mus. Hist. Nat. Paris, xvi. 433, t. 16 (1810). —*Fr.*
*Sturm, Deutschl. Fl. xiii. LV [t. 879] (1830), vide xvii. LXXVI. Übers. 48 (1839).
Schnizlein, Iconogr. i. t. 43 a (1845).
Cusin, Herb. Fl. Franç. xxiii (Cypéracées), t. 101 (1874).
*Fl. Dan. xvii. t. 2979 (1880).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, vi. t. 520 (1881).
*Baillon, Ic. Fl. Franç. iii. t. 237 [1885–94].
*Thomé, Fl. Deutschl. i. t. 96 (1886).
*Masclef, Atlas Pl. France, t. 362 (1893).
Meadii Dewey
*Amer. Journ. Sc. xliii. t. 2 (1842).
Boott, Carex, i. t. 83 (1858).
Britton & Brown, Ill. Fl. N. States & Canada, i. 327 (1896); Ed. 2, i. 398 (1913).
melanantha C. A. Mey.
*Ledebour, Ic. Pl. Ross. iv. t. 317 (1833).
Pflanzenreich, Cyperac.-Caricoid. 390 (1909).
Journ. Russe Bot. 1911, p. 102.—*Fl.*
Fedtschenko, Veg. Turkest. 183 (1915).
melanocarpa Cham.
Middendorff, Reise Sibir. ii. t. 4 [1847].
Ostenfeld, Fl. Arctica, i. 85 (1902).
melanocystis Desv.
*C. Gay, Hist. Chile, Atlas, t. 73, fig. 5 (1854).
membranacea Hoppe
*Sturm, Deutschl. Fl. xiv. LXI [t. 970] (1833).
*Reichenbach, Ic. Fl. Germ. viii. t. 262 (1846).
membranacea Hook.
Amer. Journ. Sc. xxix. t. x (1836).
membranipacta L. H. Bailey
Britton & Brown, Ill. Fl. N. States & Canada, i. 296 (1896); Ed. 2, i. 434 (1913).
Simmons, Vasc. Pl. Fl. Ellesm. (Rep. 2nd Norweg. Arctic Exped. 'Fram', 1898–1902, No. 2), t. 9 (1906).
Mertensii Presc.
Hooker, Fl. Bor.-Amer. t. 217 (1840).
Nouv. Arch. Mus. Hist. Nat. Paris, Ser. III. viii. t. 13 (1896).
Pflanzenreich, Cyperac.-Caricoid. 397 (1909).
mesochorea Mackenzie
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, i. 366 (1913).
Meyeriana Kunth
Journ. Russe Bot. 1911, p. 103.—*Fl.*
mexicana Presl
Boott, Carex, iv. t. 512 (1867).
Michauxiana Boeck.
*Miyoshi & Makino, Pocket-Atlas, Alp. Pl. Jap. i. t. 8, fig. 46 (1906).
Journ. Russe Bot. 1911, p. 179.—*Fl.*
Michauxii Dewey
*Amer. Journ. Sc. x. t. 4 (1826).
Michauxii Schwein.
*Kunze, Suppl. Schkuhr. Riedgräs. (Caric.), i. t. 25 (1840–50) in ic.; *C. Wormskjoldiana* in textu, p. 102.
Micheliana Sm.
*Sowerby & Sm. Engl. Bot. xxxii. t. 2236 (1811).
Michelii Host
*Host, Gram. i. t. 72 (1801).
*Schkuhr, Bot. Handb. Ed. 2, t. 286 P, No. 59; 286 Vv, No. 59 (1808).
*Sturm, Deutschl. Fl. xiii. LV [t. 875] (1830).
*Reichenbach, Ic. Fl. Germ. viii. t. 256 (1846).
Ann. Soc. Bot. Lyon, ii. 68 (1874).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, vi. t. 527 (1881).

CAREX
Michelii
Fiori & Paol. Ic. Fl. Ital. 59 (1896).
*Sturm, Fl. Deutschl. Ed. 2, ii. t. 57 (1900).
Husnot, Cypérac. t. 13 (1905–6).
Coste, Fl. France, iii. 511 (1906).
microcarpa Bertol.
*Kunze, Suppl. Schkuhr. Riedgräs. (Caric.), i. t. 50 (1840–50).
Cusin, Herb. Fl. Franç. xxiii (Cypéracées), t. 100 (1874).
Barbey, Fl. Sard. Compend. t. 2 (1884).
Fiori & Paol. Ic. Fl. Ital. 57 (1896).
Husnot, Cypérac. t. 8 (1905).
Coste, Fl. France, iii. 517 (1906).
microcephala C. A. Mey.
*Ledebour, Ic. Pl. Ross. iv. t. 319 (1833).
microglochin Wahlenb.
*Schkuhr, Bot. Handb. Ed. 2, t. 286 Ssss, No. 210 (1808).
*Fl. Dan. viii. t. 1402 (1810).
*Svensk Bot. viii. t. 539 (1819)
*Sturm, Deutschl. Fl. xiv. LXI [t. 965] (1833).
*Reichenbach, Ic. Fl. Germ. viii. t. 196 (1846).
Andersson, Cyperac. Scand. t. 3, fig. 1 (1849).
*Froelich, Alpenpfl. Schweiz, iii. t. 7 (1853).
Boott, Carex, iv. t. 589 (1867).
Cusin, Herb. Fl. Franç. xxiii (Cypéracées), t. 62 (1874).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, v. t. 448 (1881).
Willkomm, Führ. Reich Pflanzen, 237 (1882).—*Fr.*
*Thomé, Fl. Deutschl. i. t. 88 (1886).
Kerner, Pflanzenleben, ii. 809 (1891).
Kerner & Oliv. Nat. Hist. Pl. ii. 874 (1895).
Fiori & Paol. Ic. Fl. Ital. 53 (1896).
*Sturm, Fl. Deutschl. Ed. 2, ii. t. 21 (1900).
Ostenfeld, Fl. Arctica, i. 92 (1902).
Husnot, Cypérac. t. 1 (1905).
Blytt, Haandb. Norg. Fl. Ed. Dahl, 132 (1906). —*Fl.*
Coste, Fl. France, iii. 493 (1906).
Schroeter, Pflanzenleb. Alp. 332 (1906).
Pflanzenreich, Cyperac.-Caricoid. 59 (1909).
Journ. Russe Bot. 1911, p. 40.—*Fl.*
Steffen in Schrift. Phys.-Oekon. Ges. Königsberg, liv. III. 197 (1913).
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, i. 389 (1913).
Fedtschenko, Veg. Turkest. 173 (1915).
Lindman, Svensk Fanerogamfl. 119 (1918).—*Fl.*
micropoda C. A. Mey.
Mém. Prés. Acad. Sc. Pétersb. Sav. Étrang. i. III & IV. t. 6 (1830).
microsperma Wahlenb.
*Amer. Journ. Sc. x. t. 3 (1826).
microstachya Ehrh.
*Schkuhr, Bot. Handb. Ed. 2, t. 286 C, No. 11 (1808).
*Sturm, Deutschl. Fl. xiii. LV [t. 872] (1830).
*Reichenbach, Ic. Fl. Germ. viii. t. 202 (1846).
Andersson, Cyperac. Scand. t. 3, fig. 11 (1849).
*Fl. Dan. Suppl. t. 28 (1853).
Boott, Carex, iv. t. 470 (1867).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, vi. t. 486 (1881).
*Sturm, Fl. Deutschl. Ed. 2, ii. t. 39 (1900).
Husnot, Cypérac. t. 6 (1905).
Blytt, Haandb. Norg. Fl. Ed. Dahl, 135 (1906). —*Fl.*
—— **supercanescens** Junge
Junge in Jahrb. Hamburg. Wiss. Anstalt. 1907, xxv. Beih. 3, p. 177 (1908).
×—— **superclioeca** Junge
Junge in Jahrb. Hamburg. Wiss. Anstalt. 1907, xxv. Beih. 3, p. 177 (1908).
microstyla J. Gay
*Gaudin, Fl. Helv. vi. t. 1 (1830).
*Reichenbach, Ic. Fl. Germ. viii. t. 203 (1846).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, v. t. 461 (1881).
Fiori & Paol. Ic. Fl. Ital. 53 (1896).
Husnot, Cypérac. t. 2 (1905).
Middendorffii F. Schmidt
Mém. Acad. Sc. Pétersb. Ser. VII. xii. No. 2, t. 7 (1868).

CAREX
Middendorffii
Journ. Russe Bot. 1911, p. 96.
Mielichhoferi Schkuhr
*Schkuhr, Bot. Handb. Ed. 2, t. 286 Mmmm, No. 198 (1808).
*Sturm, Deutschl. Fl. xiii. LIII [t. 844] (1829).
Mielichhoferi Sm.
*Sowerby & Sm. Engl. Bot. xxxii. t. 2293 (1811).
[M. E.] Jackson, Pict. Fl. fig. 1343 (1840).
Johnson & Sowerby, Brit. Wild Fl. fig. 1439 (1858–60).
miliacea Muhl.
*Schkuhr, Bot. Handb. Ed. 2, t. 286 Ooo, No. 151 (1808).
Boott, Carex, ii. t. 300 (1860).
miliaris Michx.
Boott, Carex, i. t. 200 (1858).
Britton & Brown, Ill. Fl. N. States & Canada, i. 296 (1896); Ed. 2, i. 431 (1913).
Pflanzenreich, Cyperac.-Caricoid. 718 (1909).
mirabilis Host
*Host, Gram. iv. t. 78 (1809).
mirabilis Dewey
Amer. Journ. Sc. xxx. t. 2 (1836).
Boott, Carex, iii. t. 374 (1862).
Proc. Amer. Acad. xxxvii. No. 17, t. 2 (1902).
—— **perlonga** Fernald
Proc. Amer. Acad. xxxvii. No. 17, t. 2 (1902).
mirata Dewey.
Boott, Carex, iv. t. 457 (1867).
misandra R. Br.
Britton & Brown, Ill. Fl. N. States & Canada, i. 312 (1896); Ed. 2, i. 413 (1913).
Ostenfeld, Fl. Arctica, i. 89 (1902).
miser Buckl.
*Amer. Journ. Sc. xlviii. t. 2 (1845).
Mitchelliana M. A. Curt.
*Amer. Journ. Sc. xlviii. t. 2 (1845).
mixta Miégév.
Husnot, Cypérac. t. 9 (1905).
Coste, Fl. France, iii. 502 (1906).
Moenchiana Wender.
*Reichenbach, Ic. Fl. Germ. viii. t. 232 (1846).
mollicula Boott
Pflanzenreich, Cyperac.-Caricoid. 619 (1909).
mollis Host
*Host, Gram. iv. t. 82 (1809).
mollissima Christ
Pflanzenreich, Cyperac.-Caricoid. 721 (1909).
Journ. Russe Bot. 1911, p. 180.—*Fl.*
monile Tuckerm.
*Amer. Journ. Sc. xlix. t. 1 (1845).
Boott, Carex, i. t. 72 (1858).
Britton & Brown, Ill. Fl. N. States & Canada, i. 297 (1896); Ed. 2, i. 433 (1913).
Moniziana Lowe
Boott, Carex, iv. t. 590 (1867).
monostachya A. Rich.
Boott, Carex, ii. t. 221 (1860).
—— **triquetrifolia** Kük.
Engler & Drude, Veget. Erde, ix. II. 216 (1908).
Pflanzenreich, Cyperac.-Caricoid. 73 (1909).
montana Linn.
*Fl. Dan. iii. t. 444 (1769); x. t. 1769 (1823).
Hoppe, Ect. Pl. Ratisb. t. 434 (1789).
Leers, Fl. Herborn. t. 16, fig. 6 (1789).
*Sturm, Deutschl. Fl. i. II. t. 30 (1797); xvi. LXIX [t. 1096] (1835).
*Host, Gram. i. t. 66 (1801).
*Schkuhr, Bot. Handb. Ed. 2, t. 286 F, No. 29 (1808).
*Zenker, Fl. Thüringen, vi. t. 629 (1836–55).
*Sowerby & Sm. Engl. Bot. Suppl. iv. t. 2924 (1843–49).
*Reichenbach, Ic. Fl. Germ. viii. t. 261 (1846).
*Lorek, Fl. Pruss. Ed. 3, t. 215, fig. 1142 (1848).
Andersson, Cyperac. Scand. t. 7, fig. 85 (1849).
Johnson & Sowerby, Brit. Wild Fl. Suppl. fig. 1690 (1863).
Bentham, Handb. Brit. Fl. fig. 1119 (1865).
*Syme, Engl. Bot. x. t. 1652 (1870).
Cusin, Herb. Fl. Franç. xxiii (Cypéracées), t. 122 (1874).

CAREX
montana
*Hogg & Johnson, Wild Fl. Gr. Brit. xi. t. 920 (1880).
Karsten, Deutsche Fl. Pharm.-medic. Bot. 351 (1880–83).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, vi. t. 504 (1881).
Wagner, Ill. Deutsche Fl. Ed. 2, p. 796 (1882).
Willkomm, Führ. Reich Pflanzen, 249 (1882).—*Fr.*
Nederl. Kruidk. Arch. Ser. II. v. I. t. I (1887).—*Fr.*
Karsten, Fl. Deutschl. i. 354 (1895).
Fiori & Paol. Ic. Fl. Ital. 56 (1896).
Gradmann, Pflanzenl. Schwäb. Alb, Ed. 2, i. 122 (1900).
*Sturm, Fl. Deutschl. Ed. 2, ii. t. 50 (1900).
Husnot, Cypérac. t. 9 (1905).
Coste, Fl. France, iii. 508 (1906).
Suireishchikov, Ill. Fl. Mosc. Gov. i. 203 (1906).
Ulbrich in Verh. Bot. Ver. Brandenb. xlix. 218 (1908).—*Fr.*
Heukels, Fl. Nederl. i. 395 (1910).
Journ. Russe Bot. 1911, p. 118.
Morton in Mitt. Nat. Ver. Univ. Wien, x. t. I, fig. 20 (1912).—*Fr.*
Lindman, Svensk Fanerogamfl. 128 (1918).—*Fl.*
Fitch & Smith, Ill. Brit. Fl. Ed. rev. 4, Iss. 2, fig. 1137 (1919).
Moorcroftii Falc.
Boott, Carex, i. t. 27 (1858).
Morii Hayata
Hayata, Ic. Pl. Formosan. vi. 135 (1916).—*Fl.*
Morrowii Boott
L. H. Bailey, Cycl. Amer. Hort. 244 (1900); Stand. Cycl. Hort. 663 (1914).
Journ. Russe Bot. 1911, p. 164.
moupinensis Franch.
Nouv. Arch. Mus. Hist. Nat. Paris, Ser. III. viii. t. 7 (1896).
mucronata All.
*Schkuhr, Bot. Handb. Ed. 2, t. 286 K, No. 44 (1808).
*Sturm, Deutschl. Fl. xii. L [t. 796] (1827).
*Reichenbach, Ic. Fl. Germ. viii. t. 201 (1846).
*Froelich, Alpenpfl. Schweiz, iii. t. 8 (1853).
Cusin, Herb. Fl. Franç. xxiii (Cypéracées), t. 129 (1874).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, vi. t. 484 (1881).
Willkomm, Führ. Reich Pflanzen, 243 (1882).—*Fr.*
*Thomé, Fl. Deutschl. i. t. 91 (1886).
Acloque, Fl. France, 667 (1894).—*Fl.*
Fiori & Paol. Ic. Fl. Ital. 58 (1896).
Sturm, Fl. Deutschl. Ed. 2, ii. t. 33 (1900).
Husnot, Cypérac. t. 10 (1905).
Coste, Fl. France, iii. 503 (1906).
Schroeter, Pflanzenleb. Alp. 602 (1908).
Pflanzenreich, Cyperac.-Caricoid. 533 (1909).
Muehlenbergii Schkuhr
*Schkuhr, Bot. Handb. Ed. 2, t. 286 Yyy, No. 178 (1808).
Boott, Carex, iii. t. 399 (1862).
Britton & Brown, Ill. Fl. N. States & Canada, i. 349 (1896); Ed. 2, i. 365 (1913).
Stone, Pl. Southern New Jersey (Ann. Rep. New Jersey State Mus. 1910), t. 21 (1911).
—— **enervis** Boott
Boott, Carex, iii. t. 400 (1862).
multicaulis L. H. Bailey
Amer. Journ. Sc. Ser. IV. ii. II. t. 2, fig. 10 (1896).—*Fl.*
multiflora Muhl.
*Schkuhr, Bot. Handb. Ed. 2, t. 286 Lll, No. 144 (1808).
Husnot, Cypérac. t. 4 (1905).
—— **microsperma** Dewey
*Amer. Journ. Sc. x. t. 3 (1826).
multispicata Kunze
*Kunze, Suppl. Schkuhr. Riedgräs. (Caric.), i. t. 10 (1840–50).
Boott, Carex, iv. t. 453 (1867).
munda Boott
Boott, Carex, i. t. 20 (1858).
muricata Linn.
*Fl. Dan. ii. t. 284 (1766); ix. t. 1526 (1816).

CAREX
muricata
Hoppe, Ect. Pl. Ratisb. t. 409 (1789).
Leers, Fl. Herborn. t. 14, fig. 8 (1789).
J. E. Smith, Reliq. Rudbeck. 4 (1789).
*Host, Gram. i. t. 54 (1801).
*Sowerby & Sm. Engl. Bot. xvi. t. 1097 (1803).
*Schkuhr, Bot. Handb. Ed. 2, t. 286 E, No. 22; 286 Dd, No. 22 (1808).
*Sturm, Deutschl. Fl. xiv. LXI [t. 961] (1833).
Meigen, Deutschl. Fl. i. t. 12 (1836) in ic.; *C. caespitosa* in textu, p. 83.—*Fl.*
*Zenker, Fl. Thüringen, vi. t. 615 (1836–55).
[M. E.] Jackson, Pict. Fl. fig. 1332 (1840).
Leighton, Fl. Shropshire, 450, 452 [t. 13] (1841).—*Fr.*
*Reichenbach, Ic. Fl. Germ. viii. t. 215 (1846).
*Deakin, Florigr. Brit. iii. fig. 1399 (1847).
*Lorek, Fl. Pruss. Ed. 3, t. 212, fig. 1125 (1848).
Andersson, Cyperac. Scand. t. 3, fig. 19 (1849).
Petermann, Deutschl. Fl. t. 93, fig. 740, k (1849).—*Fr.*
Johnson & Sowerby, Brit. Wild Fl. fig. 1413 (1858–60).
Bentham, Handb. Brit. Fl. fig. 1106 (1865).
Migout, Fl. Dépt. Allier, t. 22 (1866).—*Fr.*
Cesati, Passer. & Gibelli, Comp. Fl. Ital. t. 12 (1867–86).—*Fl.*
*Syme, Engl. Bot. x. t. 1624 (1870).
Flora, liv. t. 2 A (1871).
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, vi. t. 244 [1873].
Cusin, Herb. Fl. Franç. xxiii (Cypéracées), t. 75 (1874).
Nobbe, Handb. Samenkunde, 348 (1876).—*Fr.*
De Silvestri, Piante Prat. 27 (1879).
*Hogg & Johnson, Wild Fl. Gr. Brit. xi. t. 880 (1880).
Karsten, Deutsche Fl. Pharm.-medic. Bot. 339 (1880–83).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, v. t. 465 (1881).
Wagner, Ill. Deutsche Fl. Ed. 2, p. 788 (1882).
Nederl. Kruidk. Arch. Ser. II. iv. IV. t. II, I2 (1886).
Paolucci, Fl. Marchig. t. 6 (1890).
Acloque, Fl. France, 659, 662 (1894).—*Fl.*
Battandier & Trabut, Fl. Algér., Monocot. t. 3, fig. 3 (1895).—*Fl.*
Karsten, Fl. Deutschl. i. 341 (1895).
Britton & Brown, Ill. Fl. N. States & Canada, i. 348 (1896); Ed. 2, i. 365 (1913).
Fiori & Paol. Ic. Fl. Ital. 54 (1896).
Bot. Notiser, 1898, t. 2, fig. 8, 9.
*Sturm, Fl. Deutschl. Ed. 2, ii. t. 28 (1900).
Lindman, Bild. Nord. Fl. t. 433 a (1901–5).
C. T. Green, Fl. Liverpool Distr. fig. 684 (1902).
Husnot, Cypérac. t. 4 (1905).
Blytt, Haandb. Norg. Fl. Ed. Dahl, 136 (1906).—*Fl.*
Coste, Fl. France, iii. 498 (1906).
Heukels, Fl. Nederl. i. 384 (1910).
F. E. & E. S. Clements, Rocky Mt. Fl. t. 45 (1914).
Fitch & Smith, Ill. Brit. Fl. Ed. rev. 4, Iss. 2, fig. 1124 (1919).
—— **virens** Auct.
*Sturm, Deutschl. Fl. xiv. LXI [t. 961] (1833), vide xvii. LXXVI. 46 (1839).
Andersson, Cyperac. Scand. t. 3, fig. 18 (1849).
*Fl. Dan. xv. t. 2608 (1858).
Cusin, Herb. Fl. Franç. xxiii (Cypéracées), t. 76 (1874).
muskingumensis Schwein.
*Amer. Journ. Sc. xi. t. 4 (1826); Ser. IV. i. t. 9, fig. 3 (1896).
Britton & Brown, Ill. Fl. N. States & Canada, i. 355 (1896); Ed. 2, i. 381 (1913).
Proc. Amer. Acad. xxxvii. No. 17, t. I (1902).
Pflanzenreich, Cyperac.-Caricoid. 200 (1909).
mutabilis Willd.
Willdenow, Fl. Berol. Prodr. t. 2, 3 (1787).
mutica R. Br.
Amer. Journ. Sc. xxix. t. 2 (1836).
—— **curvata** Drej.
Blytt, Haandb. Norg. Fl. Ed. Dahl, 149 (1906).

CAREX
myosuroides Vill.
Villars, Hist. Pl. Dauph. ii. t. 6 (1787).
myosurus Nees
Boott, Carex, ii. t. 229–33 (1860).
Fyson, Fl. Nilgiri & Pulney Hill-tops, iii. 553 (1920).
Nakaharai Hayata
Hayata, Ic. Pl. Formosan. vi. 128 (1916).—*Fl.*
nambuensis Franch.
Nouv. Arch. Mus. Hist. Nat. Paris, Ser. III. viii. t. 9 (1896).
nana Boott
Boott, Carex, iv. t. 449 (1867).
nardina Fries
*Kunze, Suppl. Schkuhr. Riedgräs. (Caric.), i. t. 23 (1840–50).
*Fl. Dan. xiv. t. 2365 (1843).
Andersson, Cyperac. Scand. t. 3, fig. 5 (1849).
Britton & Brown, Ill. Fl. N. States & Canada, i. 340 (1896); Ed. 2, i. 360 (1913).
Ostenfeld, Fl. Arctica, i. 49 (1902).
Pflanzenreich, Cyperac.-Caricoid. 71 (1909).
Jones in Bull. Univ. Montana, No. 61, p. 70 (1910).—*Fr.*
Journ. Russe Bot. 1911, p. 30.—*Fl.*
Lindman, Svensk Fanerogamfl. 119, 120 (1918).
Navasii Merino
Merino, Bol. Soc. Aragonesa Cienc. Nat. i. 65 (1902).
Bull. Instit. Catalana Hist. Nat. ii. 117 (1902).
nebraskensis Dewey
Britton & Brown, Ill. Fl. N. States & Canada, i. 308 (1896); Ed. 2, i. 423 (1913).
Nelson in Bull. Wyoming Agric. St. No. 70, p. 60 (1906).
Amer. Journ. Sc. Ser. IV. xxvi. 485 (1908).—*Fl.*
nebrodensis Lojac.-Poj.
Lojacono-Pojero, Fl. Sic. iii. t. 18 (1909).
Neesiana Endl.
Boott, Carex, iv. t. 436 (1867).
nemorosa Rebent.
*Schkuhr, Bot. Handb. Ed. 2, t. 286 Dddd, No. 186 (1808).
*Host, Gram. iv. t. 81 (1809).
*Sturm, Deutschl. Fl. xiii. LVII [t. 897] (1831).
*Reichenbach, Ic. Fl. Germ. viii. t. 216 (1846).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, v. t. 462 (1881).
*Thomé, Fl. Deutschl. i. t. 90 (1886).
Lindman, Svensk Fanerogamfl. 121 (1918).—*Fr.*
nemorosa Lumn.
*Reichenbach, Ic. Fl. Germ. viii. t. 215 (1846).
nepalensis Spreng.
Drejer, Symb. Caric. t. 9 (1844).
nervina L. H. Bailey
Bot. Gaz. x. 203, fig. 6–8 (1885).—*Fl.*
neurocarpa Maxim.
Journ. Russe Bot. 1911, p. 52.—*Fl.*
neurochlaena Holm
Amer. Journ. Sc. Ser. IV. xvii. 303 (1904).
×**Nicoloffii** Pamp.
Ann. Bot. Roma, i. t. 11 (1903).
nigra All.
*Schkuhr, Bot. Handb. Ed. 2, t. 286 Aaa, No. 115 (1808).
*Sturm, Deutschl. Fl. xii. XLVII [t. 746] (1827).
*Reichenbach, Ic. Fl. Germ. viii. t. 236 (1846).
Andersson, Cyperac. Scand. t. 2, fig. 39 (1849).
*Fl. Dan. Suppl. t. 104 (1865).
Cusin, Herb. Fl. Franç. xxiii (Cypéracées), t. 112 (1874).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, vi. t. 495 (1881).
*Heathcote, Fl. Engadine, t. 223 (1891).
Acloque, Fl. France, 664 (1894).—*Fl.*
Husnot, Cypérac. t. 6 (1905).
Coste, Fl. France, iii. 502 (1906).
nigricans C. A. Mey.
Mém. Prés. Acad. Sc. Pétersb. Sav. Étrang. i. III & IV. t. 7 (1830).
Amer. Journ. Sc. xxix. t. Y (1836).
Boott, Carex, iv. t. 474 (1867).
nigritella Drej.
*Fl. Dan. xiv. t. 2369 (1843).

CAREX
nigro-marginata Schwein.
Amer. Journ. Sc. xi. t. 1 (1826).
Boott, Carex, ii. t. 296 (1860).
Britton & Brown, Ill. Fl. N. States & Canada, i. 335 (1896); Ed. 2, i. 393 (1913).
nikkoënsis Franch. & Sav.
Nouv. Arch. Mus. Hist. Nat. Paris, Ser. III. viii. t. 4 (1896).
Pflanzenreich, Cyperac.-Caricoid. 253 (1909).
nitida Host
*Host, Gram. i. t. 71 (1801).
*Sturm, Deutschl. Fl. xii. XLVII [t. 751] (1827).
*Reichenbach, Ic. Fl. Germ. viii. t. 264 (1846).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, vi. t. 513 (1881).
Willkomm, Führ. ReichPflanzen, 247 (1882).—*Fr.*
Fiori & Paol. Ic. Fl. Ital. 57 (1896).
Sturm, Fl. Deutschl. Ed. 2, ii. t. 44 (1900).
Husnot, Cypérac. t. 8 (1905).
Coste, Fl. France, iii. 512 (1906).
Pflanzenreich, Cyperac.-Caricoid. 456 (1909).
Journ. Russe Bot. 1911, p. 123.
Fedtschenko, Veg. Turkest. 187 (1915).
nivalis Boott
Boott, Carex, i. t. 35 (1858).
Pflanzenreich, Cyperac.-Caricoid. 552 (1909).
nobilis Boott
Boott, Carex, i. t. 9–11 (1858).
normalis Mackenzie
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, i. 382 (1913).
norvegica Willd.
*Schkuhr, Bot. Handb. Ed. 2, t. 286 S, No. 66 (1808).
Wahlenberg, Fl. Lapp. t. 15 (1812).
Andersson, Cyperac. Scand. t. 4, fig. 29 (1849).
*Fl. Dan. Suppl. t. 103 (1865).
Britton & Brown, Ill. Fl. N. States & Canada, i. 351 (1896); Ed. 2, i. 374 (1913).
Ostenfeld, Fl. Arctica, i. 55 (1902).
Proc. Amer. Acad. xxxvii. No. 17, t. 5 (1902).
Blytt, Haandb. Norg. Fl. Ed. Dahl, 139 (1906).—*Fl.*
Journ. Russe Bot. 1911, p. 65.—*Fl.*
Lindman, Svensk Fanerogamfl. 123 (1918).—*Fr.*
notha Kunth
Boott, Carex, i. t. 24 (1858).
novae-angliae Schwein.
*Amer. Journ. Sc. ix. t. 2 (1825).
Boott, Carex, ii. t. 285 (1860).
Britton & Brown, Ill. Fl. N. States & Canada, i. 334 (1896); Ed. 2, i. 392 (1913).
nubigena D. Don
Boott, Carex, i. t. 2 (1858).
Collett, Fl. Siml. 567 (1902).
Koorders, Exkursionsfl. Java, i. 208 (1911).
Fyson, Fl. Nilgiri & Pulney Hill-tops, ii. 283 (1915).
—— **albata** Kük.
Journ. Russe Bot. 1911, p. 53.
—— **planiuscula** Kük.
*Miyoshi & Makino, Pocket-Atlas, Alp. Pl. Jap. ii. t. 70, fig. 404 (1907).
nuptialis Boott
Boott, Carex, iv. t. 591 (1867).
nutans Host
*Host, Gram. i. t. 83 (1801).
*Schkuhr, Bot. Handb. Ed. 2, t. 286 Qqqq, No. 205 (1808).
*Sturm, Deutschl. Fl. xiv. LXI [t. 973] (1833).
*Reichenbach, Ic. Fl. Germ. viii. t. 265 (1846).
Cusin, Herb. Fl. Franç. xxiii (Cypéracées), t. 155 (1874).
Karsten, Deutsche Fl. Pharm.-medic. Bot. 344 (1880–83).—*Fr.*
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, vi. t. 550 (1881).
Karsten, Fl. Deutschl. i. 347 (1895).
Fiori & Paol. Ic. Fl. Ital. 60 (1896).
*Sturm, Fl. Deutschl. Ed. 2, ii. t. 63 (1900).
Husnot, Cypérac. t. 14 (1905–6).
Coste, Fl. France, iii. 507 (1906).
Journ. Russe Bot. 1911, p. 191.—*Fl.*
Fedtschenko, Veg. Turkest. 201 (1915).

CAREX
Nuttallii Dewey
*Amer. Journ. Sc. xliii. t. 2 (1842).
oahuensis C. A. Mey.
Bryan, Nat. Hist. Hawaii, t. 58, fig. 11 (1915).
obesa Gren. & Godr.
Boott, Carex, iv. t. 533, 534 (1867).
Cusin, Herb. Fl. Franç. xxiii (Cypéracées), t. 110 (1874).
—— **minor** Boeck.
Boott, Carex, iv. t. 535 (1867).
obliensis Jord.
Coste, Fl. France, iii. 515 (1906).
oblita Steud.
Britton & Brown, Ill. Fl. N. States & Canada, i. 321 (1896); Ed. 2, i. 409 (1913).
Stone, Pl. Southern New Jersey (Ann. Rep. New Jersey State Mus. 1910), t. 25 (1911).
obscura Nees
Boott, Carex, i. t. 192 (1858).
obscuriceps pamirica Kük.
Pflanzenreich, Cyperac.-Caricoid. 721 (1909).
obtusata Lilj.
Svenska Vet. Akad. Handl. xiv. t. 4 (1793).
*Schkuhr, Bot. Handb. Ed. 2, t. 286 Qqq, No. 159 (1808).
*Svensk Bot. viii. t. 533 (1819).
*Reichenbach, Ic. Fl. Germ. viii. t. 197 (1846).
Andersson, Cyperac. Scand. t. 3, fig. 4 (1849).
*Fl. Dan. Suppl. t. 100 (1865).
Karsten, Deutsche Fl. Pharm.-medic. Bot. 351 (1880–83).
Karsten, Fl. Deutschl. i. 354 (1895).
*Sturm, Fl. Deutschl. Ed. 2, ii. t. 24 (1900).
Lindman, Bild. Nord. Fl. t. 431 a (1901–5).
Suireishchikov, Ill. Fl. Mosc. Gov. i. 186 (1906).
Journ. Russe Bot. 1911, p. 36.
Fedtschenko, Veg. Turkest. 172 (1915).
Lindman, Svensk Fanerogamfl. 119 (1918).—*Fl.*
obtuso-bracteata Hayata
Hayata, Ic. Pl. Formosan. vi. 129 (1916).—*Fl.*
ochrolepis Franch.
Nouv. Arch. Mus. Hist. Nat. Paris, Ser. III. x. t. 2 (1898).
Oederi Retz.
*Fl. Dan. iii. t. 371 (1768).
Willdenow in Mém. Acad. Berlin, 1794, t. 1, fig. 2.
*Host, Gram. i. t. 65 (1801).
*Sowerby & Sm. Engl. Bot. xxv. t. 1773 (1807).
*Schkuhr, Bot. Handb. Ed. 2, t. 286 F, No. 26 (1808).
*Sturm, Deutschl. Fl. xiii. LVII [t. 904] (1831).
*Zenker, Fl. Thüringen, ix. t. 1002 (1836–55).
[M. E.] Jackson, Pict. Fl. fig. 1355 (1840).
Leighton, Fl. Shropshire, 450 [t. 15] (1841).—*Fr.*
*Reichenbach, Ic. Fl. Germ. viii. t. 272 (1846).
Andersson, Cyperac. Scand. t. 7, fig. 92 (1849).
Johnson & Sowerby, Brit. Wild Fl. fig. 1449 (1858–60).
*Syme, Engl. Bot. x. t. 1674 (1870).
Cusin, Herb. Fl. Franç. xxiii (Cypéracées), t. 141 (1874).
De Silvestri, Piante Prat. 31 (1879).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, vi. t. 531 (1881).
Willkomm, Führ. ReichPflanzen, 255 (1882).—*Fr.*
*Sturm, Fl. Deutschl. Ed. 2, ii. t. 54 (1900).
Ostenfeld, Fl. Arctica, i. 91 (1902).
Husnot, Cypérac. t. 12 (1905–6).
Coste, Fl. France, iii. 519 (1906).
Suireishchikov, Ill. Fl. Mosc. Gov. i. 210 (1906).
Junge in Jahrb. Hamburg. Wiss. Anstalt. 1907, xxv. Beih. 3, p. 211 (1908).
Journ. Russe Bot. 1911, p. 173.—*Fl.*
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, i. 429 (1913).
Lindman, Svensk Fanerogamfl. 131 (1918).
—— **oedocarpa** Anderss.
*Fl. Dan. xvi. t. 2794 (1869).
oedipostyla Duval-Jouve
Bull. Soc. Bot. France, xvii. t. 3, fig. 1–5 (1870).
Duval-Jouve in Mém. Acad. Sc. Lett. Montpellier, Sect. Sc. vii. 1870, t. 21 (1871).
Battandier & Trabut, Fl. Algér., Monocot. t. 3, fig. 8 (1895).—*Fl.*
Coste, Fl. France, iii. 501 (1906).

CAREX
Ohmuelleriana O. F. Lang
*Reichenbach, Ic. Fl. Germ. viii. t. 213 (1846).
Husnot, Cypérac. t. 3 (1905).
Okesiana Dewey
Amer. Journ. Sc. xiv. t. 9 (1828).
olbiensis Jord.
Jordan, Obs. iii (Ann. Soc. Linn. Lyon, 1845–46), t. 8, 12 (1846).
Boott, Carex, iv. t. 437 (1867).
Cusin, Herb. Fl. Franç. xxiii (Cypéracées), t. 106 (1874).
Battandier & Trabut, Fl. Algér., Monocot. t. 3, fig. 23 (1895).—*Fl.*
Fiori & Paol. Ic. Fl. Ital. 57 (1896).
Husnot, Cypérac. t. 11 (1905).
oligantha Boott
Boott, Carex, iv. t. 589 (1867).
oligocarpa Schkuhr
*Schkuhr, Bot. Handb. Ed. 2, t. 286 Vvv, No. 170 (1808).
Boott, Carex, i. t. 99 (1858).
Britton & Brown, Ill. Fl. N. States & Canada, i. 325 (1896); Ed. 2, i. 404 (1913).
Rhodora, iii. t. 32 (1901).
—— **Van Vleckii** Dewey
*Amer. Journ. Sc. x. t. 3 (1826).
oligocarpa Hornem.
*Fl. Dan. xiii. t. 2181 (1836).
oligosperma Michx.
Boott, Carex, i. t. 63 (1858).
Britton & Brown, Ill. Fl. N. States & Canada, i. 295 (1896); Ed. 2, i. 436 (1913).
Whitson, Sandsten, Haskins & Ramsay in Bull. Wisconsin Agric. St. No. 119, p. 70 (1905).
Pflanzenreich, Cyperac.-Caricoid. 718 (1909).
olivacea Boott
Boott, Carex, i. t. 149 (1858).
Olneyi Boott
Boott, Carex, i. t. 42 (1858).
Onoei Franch. & Sav.
Nouv. Arch. Mus. Hist. Nat. Paris, Ser. III. viii. t. 2 (1896).
Journ. Russe Bot. 1911, p. 38.—*Fl.*
orbicularis Boott
Arbejd. Bot. Have Kjöbenhavn, No. 40, p. 228 (1907); et in Bot. Tidsskr. xxviii. 228 (1907).
Journ. Russe Bot. 1911, p. 82.—*Fl.*
Fedtschenko, Veg. Turkest. 180 (1915).
—— **brachylepis** Kük.
Pflanzenreich, Cyperac.-Caricoid. 300 (1909).
—— **bulungensis** Ostenf.
Arbejd. Bot. Have Kjöbenhavn, No. 40, p. 229 (1907); et in Bot. Tidsskr. xxviii. 229 (1907).
oregonensis Olney
Pflanzenreich, Cyperac.-Caricoid. 746 (1909).
oreocharis Holm
Amer. Journ. Sc. Ser. IV. ix. 357 (1900).
oreophila C. A. Mey.
Boott, Carex, iv. t. 465 (1867).
ornithopoda Willd.
*Fl. Dan. viii. t. 1405 (1810).
*Sturm, Deutschl. Fl. xiv. LXI [t. 972] (1833).
Nees, Gen. Pl., Monocot. ii. t. 1 (1836).—*Fl.*
*Zenker, Fl. Thüringen, iii. t. 343 (1836–55).
*Reichenbach, Ic. Fl. Germ. viii. t. 240 (1846).
Andersson, Cyperac. Scand. t. 7, fig. 87 (1849).
Cusin, Herb. Fl. Franç. xxiii (Cypéracées), t. 128 (1874).
Journ. of Bot. xiii. t. 164 (1875).
Karsten, Deutsche Fl. Pharm.-medic. Bot. 350 (1880–83).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, vi. t. 511 (1881).
*Thomé, Fl. Deutschl. i. t. 98 (1886).
Nederl. Kruidk. Arch. Ser. II. v. 1. t. 1 (1887).—*Fr.*
Acloque, Fl. France, 664 (1894).—*Fl.*
Karsten, Fl. Deutschl. i. 353 (1895).
*Sturm, Fl. Deutschl. Ed. 2, ii. t. 44 (1900).
Husnot, Cypérac. t. 10 (1905).
Coste, Fl. France, iii. 510 (1906).
Heukels, Fl. Nederl. i. 401 (1910).
Lindman, Svensk Fanerogamfl. 127 (1918).—*Fl.*

CAREX
ornithopodioides Hausm.
Flora, xxxviii. t. 14 (1855).
*Sturm, Deutschl. Fl. xx. XCVI [t. 1432] (1855).
Husnot, Cypérac. t. 10 (1905).
Coste, Fl. France, iii. 510 (1906).
oronensis Fernald
Proc. Amer. Acad. xxxvii. No. 17, t. 1 (1902).
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, i. 379 (1913).
orthostachys Trev.
*Ledebour, Ic. Pl. Ross. iv. t. 324 (1833).
orthostachys C. A. Mey.
Bot. Gaz. x. 318, fig. 12 (1885).—*Fl.*
orthostemon Hayata
Hayata, Ic. Pl. Formosan. vi. 125 (1916).—*Fl.*
ovalis Gooden.
*Fl. Dan. vii. t. 1115 (1794).
*Sowerby & Sm. Engl. Bot. v. t. 306 (1796).
*Host, Gram. i. t. 51 (1801).
*Schkuhr, Bot. Handb. Ed. 2, t. 286 B, No. 8 (1808).
[M. E.] Jackson, Pict. Fl. fig. 1325 (1840).
Leighton, Fl. Shropshire, 450 [t. 12] (1841).—*Fr.*
*Kops, Fl. Batava, ix. t. 650 (1846).
*Deakin, Florigr. Brit. iii. fig. 1402 (1847).
Johnson & Sowerby, Brit. Wild Fl. fig. 1422 (1858–60).
*Syme, Engl. Bot. x. t. 1634 (1870).
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, vi. t. 243 [1873].
C. T. Green, Fl. Liverpool Distr. fig. 687 (1902).
ovata Rudge
Trans. Linn. Soc. London, vii. t. 9, fig. 1 (1804).
ovata C. A. Mey.
*Ledebour, Ic. Pl. Ross. iv. t. 323 (1833).
oxycarpa Holm
Amer. Journ. Sc. Ser. IV. xx. 307 (1905).—*Fl.*
oxylepis Torr. & Hook.
Boott, Carex, i. t. 142 (1858).
Britton & Brown, Ill. Fl. N. States & Canada, i. 318 (1896); Ed. 2, i. 408 (1913).
pachygyna Franch. & Sav.
Nouv. Arch. Mus. Hist. Nat. Paris, Ser. III. ix. t. 5 (1897).
Pflanzenreich, Cyperac.-Caricoid. 524 (1909).
pachystoma Holm
Amer. Journ. Sc. Ser. IV. xx. 307 (1905).—*Fl.*
pacifica Drej.
*Reichenbach, Ic. Fl. Germ. viii. t. 229 (1846).
Pairaei F. Schultz
Flora, liv. t. 1 A, 2, 2 A (1871).
Billotia, t. 1, 2 (1878).
Husnot, Cypérac. t. 4 (1905).
Coste, Fl. France, iii. 498 (1906).
Journ. Russe Bot. 1911, p. 55.
Fedtschenko, Veg. Turkest. 177 (1915).
Lindman, Svensk Fanerogamfl. 120 (1918).—*Fr.*
paleata Boott
C. Gay, Hist. Chile, Atlas, t. 73, fig. 17 (1854).—*Fr.*
Boott, Carex, i. t. 116 (1858).
×**Palezieuxii** Kneucker
Allg. Bot. Zeitschr. xix. t. 1 (1913).
pallescens Linn.
*Fl. Dan. iii. t. 442 (1769), vide Lange, Nomencl. Fl. Dan. 14 (1887); vi. t. 1050 (1792).
Hoppe, Ect. Pl. Ratisb. t. 459 (1789).
Leers, Fl. Herborn. t. 15, fig. 4 (1789).
J. E. Smith, Reliq. Rudbeck. 2 (1789).
*Host, Gram. i. t. 74 (1801).
Koenig & Sims, Ann. Bot. ii. t. 8, fig. 43 (1805).—*Fr.*
*Schkuhr, Bot. Handb. Ed. 2, t. 286 Kk, No. 99 (1808).
*Sowerby & Sm. Engl. Bot. xxxi. t. 2185 (1810).
*Curtis, Fl. Londin. Ed. 2, v. t. 178 (1821).
*Sturm, Deutschl. Fl. xiii. LIII [t. 840] (1829).
*Zenker, Fl. Thüringen, vi. t. 630 (1836–55).
[M. E.] Jackson, Pict. Fl. fig. 1353 (1840).
Leighton, Fl. Shropshire, 457 [t. 15] (1841).—*Fr.*
*Reichenbach, Ic. Fl. Germ. viii. t. 251 (1846).
*Deakin, Florigr. Brit. iii. fig. 1418 (1847).
*Lorek, Fl. Pruss. Ed. 3, t. 216, fig. 1149 (1848).
Andersson, Cyperac. Scand. t. 7, fig. 78 (1849).

CAREX
pallescens
Johnson & Sowerby, Brit. Wild Fl. fig. 1447 (1858–60).
Bull. Soc. Bot. France, xi. t. 7, fig. 2, 8, 9 (1864).
Bentham, Handb. Brit. Fl. fig. 1124 (1865).
Migout, Fl. Dépt. Allier, t. 22 (1866).—*Fr.*
Boott, Carex, iv. t. 450 (1867).
*Syme, Engl. Bot. x. t. 1657 (1870).
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, vi. t. 246 [1873].
Cusin, Herb. Fl. Franç. xxiii (Cypéracées), t. 105 (1874).
De Silvestri, Piante Prat. 29 (1879).
*Hogg & Johnson, Wild Fl. Gr. Brit. xi. t. 918 (1880).
Karsten, Deutsche Fl. Pharm.-medic. Bot. 349 (1880–83).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, vi. t. 521 (1881).
Wagner, Ill. Deutsche Fl. Ed. 2, p. 800 (1882).
Nederl. Kruidk. Arch. Ser. II. v. I. t. I (1887).—*Fr.*
Quincy in Bull. Soc. Hist. Nat. Autun, ii. 530, t. F (1889).
*Heathcote, Fl. Engadine, t. 224 (1891).
Karsten, Fl. Deutschl. i. 352 (1895).
Britton & Brown, Ill. Fl. N. States & Canada, i. 324 (1896); Ed. 2, i. 415 (1913).
Fiori & Paol. Ic. Fl. Ital. 57 (1896).
*Sturm, Fl. Deutschl. Ed. 2, ii. t. 47 (1900).
Lindman, Bild. Nord. Fl. t. 437 b (1901–5).
Husnot, Cypérac. t. 8 (1905).
Blytt, Haandb. Norg. Fl. Ed. Dahl, 158 (1906).
Coste, Fl. France, iii. 518 (1906).
Suireishchikov, Ill. Fl. Mosc. Gov. i. 207 (1906).
Pflanzenreich, Cyperac.-Caricoid. 430 (1909).
Fedtschenko & Fler. Fl. Eur. Russia, 196 (1910).
Heukels, Fl. Nederl. i. 400 (1910).
Journ. Russe Bot. 1911, p. 113.—*Fl.*
Fedtschenko, Veg. Turkest. 185 (1915).
Lindman, Svensk Fanerogamfl. 129 (1918).
Fitch & Smith, Ill. Brit. Fl. Ed. rev. 4, Iss. 2, fig. 1142 (1919).
pallida C. A. Mey.
C. A. Meyer in Mém. Acad. Sc. Pétersb. Sav. Étrang. i. t. 8 (1830).
Journ. Russe Bot. 1911, p. 50.—*Fl.*
Fedtschenko, Veg. Turkest. 176 (1915).
paludosa Gooden.
*Host, Gram. i. t. 92 (1801).
*Sowerby & Sm. Engl. Bot. xii. t. 807 (1801).
*Schkuhr, Bot. Handb. Ed. 2, t. 286 Oo, No. 103; 286 Vv, No. 103 (1808).
*Curtis, Fl. Londin. Ed. 2, ii. fasc. IV. t. 61 (1821).
*Fl. Dan. x. t. 1767 (1823).
*Sturm, Deutschl. Fl. xiii. LIII [t. 848] (1829).
Nees, Gen. Pl., Monocot. ii. t. I (1836).
*Zenker, Fl. Thüringen, vi. t. 634 (1836–55).
[M. E.] Jackson, Pict. Fl. fig. 1368 (1840).
Leighton, Fl. Shropshire, 465 [t. 17] (1841).—*Fr.*
*Reichenbach, Ic. Fl. Germ. viii. t. 266 (1846).
*Deakin, Florigr. Brit. iii. fig. 1445 (1847).
*Lorek, Fl. Pruss. Ed. 3, t. 218, fig. 1157 (1848).
Andersson, Cyperac. Scand. t. 8, fig. 109 (1849).
Johnson & Sowerby, Brit. Wild Fl. fig. 1462 (1858–60).
Bentham, Handb. Brit. Fl. fig. 1139 (1865).
Cesati, Passer. & Gibelli, Comp. Fl. Ital. t. 12 (1867–86).—*Fl.*
*Syme, Engl. Bot. x. t. 1678 (1870).
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, vi. t. 248 [1873].
Cusin, Herb. Fl. Franç. xxiii (Cypéracées), t. 152 (1874).
De Silvestri, Piante Prat. 33 (1879).
*Hogg & Johnson, Wild Fl. Gr. Brit. xi. t. 835 (1880).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, vi. t. 547 (1881).
Wagner, Ill. Deutsche Fl. Ed. 2, p. 805 (1882).
Willkomm, Führ. Reich Pflanzen, 251 (1882).
*Baillon, Ic. Fl. Franç. iv. t. 340 [1885–94].
Acloque, Fl. France, 659, 667 (1894).
Battandier & Trabut, Fl. Algér., Monocot. t. 3, fig. 25 (1895).—*Fl.*

CAREX
paludosa
Husnot, Cypérac. t. 15 (1905–6).
Bot. Congr. Bruxelles, i. t. 6 (1910).—*Hab.*
Bull. Angew. Bot. vii. t. 100 (1914).
*Bonnier, Name This Flower, t. 58 (1917).
Fitch & Smith, Ill. Brit. Fl. Ed. rev. 4, Iss. 2, fig. 1157 (1919).
—— **depauperata** Lange
*Fl. Dan. xvi. t. 2848 (1871).
—— **Kochiana** Coss. & Germ.
Cusin, Herb. Fl. Franç. xxiii (Cypéracées), t. 153 (1874).
pandanophylla C. B. Clarke
Lecomte, Not. Syst. i. 293 (1910).
panicea Linn.
*Fl. Dan. ii. t. 261 (1766).
Hoppe, Ect. Pl. Ratisb. t. 251 (1788).
Leers, Fl. Herborn. t. 15, fig. 5 (1789).
J. E. Smith, Reliq. Rudbeck. 2 (1789).
*Host, Gram. i. t. 79 (1801).
*Sowerby & Sm. Engl. Bot. xxi. t. 1505 (1805).
*Schkuhr, Bot. Handb. Ed. 2, t. 286 Ll, No. 100 (1808).
*Sturm, Deutschl. Fl. xii. L [t. 800] (1827).
*Kops, Fl. Batava, v. t. 395 (1828).
Meigen, Deutschl. Fl. i. t. 13 (1836).—*Fl.*
Nees, Gen. Pl., Monocot. ii. t. I (1836).—*Fr.*
*Zenker, Fl. Thüringen, vi. t. 676 (1836–55).
[M. E.] Jackson, Pict. Fl. fig. 1362 (1840).
Leighton, Fl. Shropshire, 460 [t. 16] (1841).—*Fr.*
*Reichenbach, Ic. Fl. Germ. viii. t. 245 (1846).
*Deakin, Florigr. Brit. iii. fig. 1419 (1847).
*Lorek, Fl. Pruss. Ed. 3, t. 216, fig. 1147 (1848).
Andersson, Cyperac. Scand. t. 7, fig. 76 (1849).
Johnson & Sowerby, Brit. Wild Fl. fig. 1458 (1858–60).
Bentham, Handb. Brit. Fl. fig. 1129 (1865).
Boott, Carex, iv. t. 472 (1867).
*Syme, Engl. Bot. x. t. 1658 (1870).
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, vi. t. 246 [1873].
Cusin, Herb. Fl. Franç. xxiii (Cypéracées), t. 108 (1874).
De Silvestri, Piante Prat. 31 (1879).
*Hogg & Johnson, Wild Fl. Gr. Brit. xi. t. 921 (1880).
Karsten, Deutsche Fl. Pharm.-medic. Bot. 349 (1880–83).—*Fr.*
Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, v. t. VIII; vi. t. 515 (1881).
Wagner, Ill. Deutsche Fl. Ed. 2, p. 799 (1882).
Willkomm, Führ. Reich Pflanzen, 247 (1882).—*Fr.*
*Baillon, Ic. Fl. Franç. iv. t. 336 [1885–94].
Nederl. Kruidk. Arch. Ser. II. v. I. t. I (1887).—*Fr.*
*Heathcote, Fl. Engadine, t. 223 (1891).
Acloque, Fl. France, 664 (1894).—*Fl.*
Karsten, Fl. Deutschl. i. 352 (1895).
Raunkiær, Danske Blomsterpl. Naturhist. i. 528 (1895–99).—*Veg.*
Britton & Brown, Ill. Fl. N. States & Canada, i. 330 (1896); Ed. 2, i. 397 (1913).
Fiori & Paol. Ic. Fl. Ital. 58 (1896).
*Sturm, Fl. Deutschl. Ed. 2, ii. t. 45 (1900).
Lindman, Bild. Nord. Fl. t. 436 a (1901–5).
C. T. Green, Fl. Liverpool Distr. fig. 693 (1902).
Ostenfeld, Fl. Arctica, i. 80 (1902).
Husnot, Cypérac. t. 8 (1905).
Blytt, Haandb. Norg. Fl. Ed. Dahl, 157 (1906).
Coste, Fl. France, iii. 515 (1906).
Suireishchikov, Ill. Fl. Mosc. Gov. i. 206 (1906).
Heukels, Fl. Nederl. i. 399 (1910).
Journ. Russe Bot. 1911, p. 145.—*Fl.*
Bull. Angew. Bot. vii. t. 101 (1914).
Fedtschenko, Veg. Turkest. 190 (1915).
Lindman, Svensk Fanerogamfl. 130 (1918).
Fitch & Smith, Ill. Brit. Fl. Ed. rev. 4, Iss. 2, fig. 1147 (1919).
—— **tumidula** Laest.
*Fl. Dan. xvii. t. 3048 (1883).
paniculata Linn.
Leers, Fl. Herborn. t. 14, fig. 4 (1789).
Hoppe, Ect. Pl. Ratisb. t. 540 (1790).
*Krocker, Fl. Siles. iii. t. 7 (1790).
*Fl. Dan. vii. t. 1116 (1794).

CAREX
paniculata
*Host, Gram. i. t. 58 (1801).
*Sowerby & Sm. Engl. Bot. xv. t. 1064 (1802).
*Schkuhr, Bot. Handb. Ed. 2, t. 286 D, No. 20; 286 Ttt, No. 163 (1808).
*Sturm, Deutschl. Fl. xii. XLIX [t. 789] (1827).
Meigen, Deutschl. Fl. i. t. 12 (1836).—*Fl.*
*Zenker, Fl. Thüringen, vi. t. 622 (1836–55).
[M. E.] Jackson, Pict. Fl. fig. 1336 (1840).
Leighton, Fl. Shropshire, 454 [t. 14] (1841).—*Fr.*
Luxford in Phytologist, i. 918 (1844).—*Fr.*
*Kops, Fl. Batava, viii. t. 640 (1844).
*Reichenbach, Ic. Fl. Germ. viii. t. 223 (1846).
*Deakin, Florigr. Brit. iii. fig. 1395 (1847).
*Lorek, Fl. Pruss. Ed. 3, t. 212, fig. 1127 (1848).
Andersson, Cyperac. Scand. t. 3, fig. 21 (1849).
Johnson & Sowerby, Brit. Wild Fl. fig. 1417 (1858–60).
Bentham, Handb. Brit. Fl. fig. 1104 (1865).
*Syme, Engl. Bot. x. t. 1622 (1870).
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, vi. t. 244 [1873].
Cusin, Herb. Fl. Franç. xxiii (Cypéracées), t. 78 (1874).
*Hogg & Johnson, Wild Fl. Gr. Brit. xi. t. 880 (1880).
Karsten, Deutsche Fl. Pharm.-medic. Bot. 339 (1880–83).—*Fr.*
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, v. t. 469 (1881).
Wagner, Ill. Deutsche Fl. Ed. 2, p. 789 (1882).
Nederl. Kruidk. Arch. Ser. II. iv. IV. t. 12 (1886). —*Fr.*
Acloque, Fl. France, 662 (1894).—*Fl.*
Karsten, Fl. Deutschl. i. 342 (1895).
Raunkiær, Danske Blomsterpl. Naturhist. i. 457 (1895–99).—*Veg.*
Fiori & Paol. Ic. Fl. Ital. 54 (1896).
U.S. Dep. Agric. Fiber Invest. Rep. No. 9, p. 110 (1897).
*Sturm, Fl. Deutschl. Ed. 2, ii. t. 30 (1900).
C. T. Green, Fl. Liverpool Distr. fig. 682 (1902).
Husnot, Cypérac. t. 5 (1905).
Coste, Fl. France, iii. 497 (1906).
Suireishchikov, Ill. Fl. Mosc. Gov. i. 192 (1906).
Junge in Jahrb. Hamburg. Wiss. Anstalt. 1907, xxv. Beih. 3, p. 170 (1908).
Pflanzenreich, Cyperac.-Caricoid. 176 (1909).
West in Proc. Roy. Soc. Edinb. xxx. No. 2, t. 52 (1910).—*Hab.*
Heukels, Fl. Nederl. i. 386 (1910).
Lindman, Svensk Fanerogamfl. 120 (1918).—*Fr.*
*Horwood, Brit. Wild Fl. t. 54, p. 59 (1919).
Fitch & Smith, Ill. Brit. Fl. Ed. rev. 4, Iss. 2, fig. 1122 (1919).
—— **pallida** Lange
*Fl. Dan. xvi. t. 2793 (1869).
×**Pannewitziana** Figert
Husnot, Cypérac. t. 15 (1905–6).
paradoxa Willd.
Willdenow in Mém. Acad. Berlin, 1794, t. 1, fig. 1.
*Schkuhr, Bot. Handb. Ed. 2, t. 286 E, No. 21 (1808).
*Fl. Dan. xi. t. 1887 (1827).
*Sturm, Deutschl. Fl. xii. L [t. 788] (1827).
*Zenker, Fl. Thüringen, vi. t. 621 (1836–55).
*Sowerby & Sm. Engl. Bot. Suppl. iv. t. 2896 (1843–49).
*Reichenbach, Ic. Fl. Germ. viii. t. 222 (1846).
*Lorek, Fl. Pruss. Ed. 3, t. 212, fig. 1128 (1848).
Andersson, Cyperac. Scand. t. 3, fig. 23 (1849).
Johnson & Sowerby, Brit. Wild Fl. Suppl. fig. 1691 (1863).
*Syme, Engl. Bot. x. t. 1621 (1870).
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, vi. t. 244 [1873].
Cusin, Herb. Fl. Franç. xxiii (Cypéracées), t. 79 (1874).
Karsten, Deutsche Fl. Pharm.-medic. Bot. 339 (1880–83).—*Fr.*
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, v. t. 470 (1881).
Willkomm, Führ. Reich Pflanzen, 240 (1882).—*Fr.*
Nederl. Kruidk. Arch. Ser. II. iv. IV. t. 12 (1886). —*Fr.*

CAREX
paradoxa
Karsten, Fl. Deutschl. i. 342 (1895).
*Sturm, Fl. Deutschl. Ed. 2, ii. t. 30 (1900).
Husnot, Cypérac. t. 5 (1905).
Coste, Fl. France, iii. 497 (1906).
Suireishchikov, Ill. Fl. Mosc. Gov. i. 191 (1906).
Junge in Jahrb. Hamburg. Wiss. Anstalt. 1907, xxv. Beih. 3, p. 170 (1908).
Pflanzenreich, Cyperac.-Caricoid. 176 (1909).
Heukels, Fl. Nederl. i. 385 (1910).
Journ. Russe Bot. 1911, p. 58.
Bull. Angew. Bot. vii. t. 102 (1914).
Lindman, Svensk Fanerogamfl. 120 (1918).—*Fr.*
paraguayensis Maury
Maury in Mém. Soc. Phys. Genève, xxxi. t. 45 (1889).
parallela Sommerf.
Andersson, Cyperac. Scand. t. 3, fig. 9 (1849).
*Fl. Dan. Suppl. t. 29 (1853).
Boott, Carex, iv. t. 461 (1867).
Lindman, Svensk Fanerogamfl. 119 (1918).—*Fl.*
Parryana Dewey
Amer. Journ. Sc. xxvii. t. U (1835).
Boott, Carex, i. t. 71 (1858).
Britton & Brown, Ill. Fl. N. States & Canada, i. 307 (1896); Ed. 2, i. 418 (1913).
—— **Hallii** Kük.
M. Jones in Bull. Univ. Montana, No. 61, t. 3, 4 (1910).
—— **Statonii** M. Jones
Jones in Bull. Univ. Montana, No. 61, p. 71 (1910).
parva Nees
Boott, Carex, i. t. 148 (1858).
parviflora Host
*Host, Gram. i. t. 87 (1801).
*Schkuhr, Bot. Handb. Ed. 2, t. 286 Llll, No. 197 (1808).
parviflora C. A. Mey.
Journ. Russe Bot. 1911, p. 101.—*Fl.*
Fedtschenko, Veg. Turkest. 183 (1915).
patagonica Speg.
W. B. Scott, Rep. Princeton Univ. Exped. Patag. 1896–99, viii. II. t. 12 (1904).
patula Host
*Host, Gram. i. t. 64 (1801).
patula Schkuhr
*Schkuhr, Bot. Handb. Ed. 2, t. 286 Bbb, No. 116 (1808).
patula Scop.
Scopoli, Fl. Carn. Ed. 2, ii. t. 59 (1772).
pauciflora Lightf.
Lightfoot, Fl. Scot. ii. t. 6 (1777).
*Host, Gram. i. t. 42 (1801).
*Schkuhr, Bot. Handb. Ed. 2, t. 286 A, No. 4 (1808).
*Sowerby & Sm. Engl. Bot. xxix. t. 2041 (1809).
*Sturm, Deutschl. Fl. xiv. LXI [t. 964] (1833).
*Zenker, Fl. Thüringen, x. t. 1194 (1836–55).
[M. E.] Jackson, Pict. Fl. fig. 1321 (1840).
Leighton, Fl. Shropshire, 450 [t. 12] (1841).—*Fr.*
*Reichenbach, Ic. Fl. Germ. viii. t. 196 (1846).
*Deakin, Florigr. Brit. iii. fig. 1390 (1847).
Andersson, Cyperac. Scand. t. 3, fig. 2 (1849).
Johnson & Sowerby, Brit. Wild Fl. fig. 1431 (1858–60).
Bentham, Handb. Brit. Fl. fig. 1096 (1865).
A. Gray, Man. Bot. N.U.S. Ed. 5, t. 5 (1867).
*Syme, Engl. Bot. x. t. 1614 (1870).
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, vi. t. 243 [1873].
Cusin, Herb. Fl. Franç. xxiii (Cypéracées), t. 61 (1874).
*Hogg & Johnson, Wild Fl. Gr. Brit. xi. t. 867 (1880).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, v. t. 447 (1881).
Wagner, Ill. Deutsche Fl. Ed. 2, p. 785 (1882).
Willkomm, Führ. Reich Pflanzen, 237 (1882).—*Fr.*
Acloque, Fl. France, 659, 660 (1894).
Raunkiær, Danske Blomsterpl. Naturhist. i. 526 (1895–99).
Britton & Brown, Ill. Fl. N. States & Canada, i. 292 (1896); Ed. 2, i. 389 (1913).
Fiori & Paol. Ic. Fl. Ital. 53 (1896).

CAREX
pauciflora
Sturm, Fl. Deutschl. Ed. 2, ii. t. 21 (1900).
Husnot, Cypérac. t. 1 (1905).
Blytt, Haandb. Norg. Fl. Ed. Dahl, 131 (1906). —*Fl.*
Coste, Fl. France, iii. 493 (1906).
Suireishchikov, Ill. Fl. Mosc. Gov. i. 186 (1906).
Journ. Russe Bot. 1911, p. 40.—*Fl.*
Hayek, Pflanzend. Oesterr.-Ung. i. 58 (1914).
Matsumura, Ic. Pl. Koisikav. iii. t. 150 (1915).
Lindman, Svensk Fanerogamfl. 119 (1918).—*Fl.*
Fitch & Smith, Ill. Brit. Fl. Ed. rev. 4, Iss. 2, fig. 1114 (1919).
paupercula Michx.
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, i. 417 (1913).
pedata Linn.
*Host, Gram. i. t. 61 (1801).
*Schkuhr, Bot. Handb. Ed. 2, t. 286 H, No. 37 (1808).
Wahlenberg, Fl. Lapp. t. 14 (1812).
*Svensk Bot. x. t. 684 (1826–29).
pedata Wahlenb.
*Fl. Dan. xiv. t. 2431 (1845).
*Reichenbach, Ic. Fl. Germ. viii. t. 240 (1846).
Andersson, Cyperac. Scand. t. 7, fig. 89 (1849).
Ostenfeld, Fl. Arctica, i. 87 (1902).
Journ. Russe Bot. 1911, p. 138.—*Fl.*
Lindman, Svensk Fanerogamfl. 130 (1918).—*Fl.*
pedicellata Britton
Britton & Brown, Ill. Fl. N. States & Canada, i. 333 (1896).
pediformis C. A. Mey.
C. A. Meyer in Mém. Acad. Sc. Pétersb. Sav. Étrang. i. t. 10 (1830).
*Kunze, Suppl. Schkuhr. Riedgräs. (Caric.), i. t. 16 (1840–50).
Andersson, Cyperac. Scand. t. 7, fig. 86 (1849).
*Fl. Dan. Suppl. t. 35 (1853).
Suireishchikov, Ill. Fl. Mosc. Gov. i. 208 (1906).
Journ. Russe Bot. 1911, p. 133.—*Fl.*
Fedtschenko, Veg. Turkest. 189 (1915).
Lindman, Svensk Fanerogamfl. 127 (1918).—*Fl.*
—— **brevis** Drob.
Drobow in Trud. Bot. Mus. (Trav. Mus. Bot. Acad. Sc. Pétersb.), xii. t. 14 (1914).
—— **rhizina** Kük.
Pflanzenreich, Cyperac.-Caricoid. 492 (1909).
pedunculata Muhl.
*Schkuhr, Bot. Handb. Ed. 2, t. 286 Ggg, No. 131 (1808).
Boott, Carex, iv. t. 419 (1867).
Britton & Brown, Ill. Fl. N. States & Canada, i. 333 (1896); Ed. 2, i. 395 (1913).
pellita Muhl.
*Schkuhr, Bot. Handb. Ed. 2, t. 286 Nnn, No. 149, 150 (1808).
pendula Huds.
*Curtis, Fl. Londin. i. fasc. III. t. 63 (1777); Ed. 2, ii. fasc. III. t. 63 (1821).
*Host, Gram. i. t. 100 (1801).
*Schkuhr, Bot. Handb. Ed. 2, t. 286 Q, No. 60 (1808).
*Sowerby & Sm. Engl. Bot. xxxiii. t. 2315 (1812).
Krocker, Fl. Siles. iii. t. 8 (1814).
[M. E.] Jackson, Pict. Fl. fig. 1339 (1840).
Leighton, Fl. Shropshire, 465 [t. 18] (1841).—*Fr.*
*Reichenbach, Ic. Fl. Germ. viii. t. 243 (1846).
*Deakin, Florigr. Brit. iii. fig. 1429 (1847).
Johnson & Sowerby, Brit. Wild Fl. fig. 1435 (1858–60).
Bentham, Handb. Brit. Fl. fig. 1136 (1865).
*Hogg & Johnson, Wild Fl. Gr. Brit. iii. t. 236 (1866).
*Syme, Engl. Bot. x. t. 1660 (1870).
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, vi. t. 247 [1873].
Karsten, Deutsche Fl. Pharm.-medic. Bot. 349 (1880–83).—*Fr.*
Wagner, Ill. Deutsche Fl. Ed. 2, p. 799 (1882).
Battandier & Trabut, Fl. Algér., Monocot. t. 3, fig. 15 (1895).—*Fl.*
Karsten, Fl. Deutschl. i. 352 (1895).
Fiori & Paol. Ic. Fl. Ital. 57 (1896).
*Sturm, Fl. Deutschl. Ed. 2, ii. t. 46 (1900).

CAREX
pendula
C. T. Green, Fl. Liverpool Distr. fig. 694 (1902).
Husnot, Cypérac. t. 8 (1905).
Coste, Fl. France, iii. 517 (1906).
Clarke in Nature Book, iv. 660, t. 2 (1909).
Heukels, Fl. Nederl. i. 400 (1910).
Fitch & Smith, Ill. Brit. Fl. Ed. rev. 4, Iss. 2, fig. 1154 (1919).
pennsylvanica Lam.
Boott, Carex, ii. t. 290, 291 (1860).
*Goodale & I. Sprague, Wild Fl. Amer. t. 9 (1882).
Britton & Brown, Ill. Fl. N. States & Canada, i. 333 (1896); Ed. 2, i. 391 (1913).
Stone, Pl. Southern New Jersey (Ann. Rep. New Jersey State Mus. 1910), t. 26 (1911).
F. E. & E. S. Clements, Rocky Mt. Fl. t. 45 (1914).
*Weaver in Carnegie Inst. Washington, Publ. No. 292, t. 17, A (1920).—*Veg.*
—— **amblyolepis** Kük.
*Journ. Russe Bot. 1911, p. 120.—*Fl.*
Persoonii Sieber
*Reichenbach, Ic. Fl. Germ. viii. t. 206 (1846).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, vi. t. 482 (1881).
petasata Dewey
Amer. Journ. Sc. xxix. t. W (1836).
Petitiana A. Rich.
Boott, Carex, ii. t. 259 (1860).
Engler & Drude, Veget. Erde, ix. II. 221 (1908).
Pflanzenreich, Cyperac.-Caricoid. 425 (1909).
petraea Wahlenb.
*Schkuhr, Bot. Handb. Ed. 2, t. 286 Kkk, No. 139 (1808).
*Host, Gram. iv. t. 76 (1809).
*Fl. Dan. viii. t. 1401 (1810).
*Reichenbach, Ic. Fl. Germ. viii. t. 198 (1846).
petricosa Dewey
Amer. Journ. Sc. xxix. t. W (1836); Ser. IV. xxvi. 488 (1908).
peucophila Holm
Contrib. U.S. Nat. Herb. viii. t. 63 (1905).
phacota Spreng.
Drejer, Symb. Caric. t. 4 (1844).
Boott, Carex, i. t. 168 (1858).
Pflanzenreich, Cyperac.-Caricoid. 351 (1909).
Fyson, Fl. Nilgiri & Pulney Hill-tops, iii. 551 (1920).
phaeostachya Sm.
*Sowerby & Sm. Engl. Bot. Suppl. ii. t. 2731 (1834).
[M. E.] Jackson, Pict. Fl. fig. 1345 (1840).
Leighton, Fl. Shropshire, 460 [t. 16] (1841).—*Fr.*
*Deakin, Florigr. Brit. iii. fig. 1420 (1847) in ic.; *C. speirostachya* in textu.
Johnson & Sowerby, Brit. Wild Fl. fig. 1459 (1858–60).
phalaroides Kunth
C. Gay, Hist. Chile, Atlas, t. 73, fig. 13 (1854).—*Fr.*
phleoides Cav.
Cavanilles, Ic. v. t. 464 (1799).
phyllostachys C. A. Mey.
Boott, Carex, i. t. 106 (1858).
physocarpa Presl
Boott, Carex, iv. t. 513 (1867).
physodes M. Bieb.
M. v. Bieberstein in Mém. Soc. Nat. Mosc. ii. t. 7 (1809).
Boott, Carex, iv. t. 576, 577 (1867).
Amer. Journ. Sc. Ser. IV. xiv. II. 60 (1902).—*Fl.*
Pflanzenreich, Cyperac.-Caricoid. 116 (1909).
Bot. Tidsskr. xxxii. 84 (1912).
Paulsen, Stud. Veg. Pamir (Second Dan. Pamir Exp.), 98 (1912).
Jardin, xxix. 287 (1915).
pichinchensis H. B. K.
H. B. K. Nov. Gen. vii. t. 696 (1825).
Boott, Carex, i. t. 199, 200 (1858).
Pflanzenreich, Cyperac.-Caricoid. 404 (1909).
picta Steud.
Britton & Brown, Ill. Fl. N. States & Canada, i. 336 (1896); Ed. 2, i. 395 (1913).
picta Boott
C. B. Clarke, Illustr. Cyperac. t. 144 (1909).—*Fr.*

CAREX
Pierotii Miq.
*Useful Pl. Jap. ii. t. 343 (1895).
pilosa Scop.
*Host, Gram. i. t. 78 (1801).
*Schkuhr, Bot. Handb. Ed. 2, t. 286 M, No. 49 (1808).
*Sturm, Deutschl. Fl. xiii. LV [t. 877] (1830).
*Reichenbach, Ic. Fl. Germ. viii. t. 244 (1846).
*Lorek, Fl. Pruss. Ed. 3, t. 216, fig. 1146 (1848).
Cusin, Herb. Fl. Franç. xxiii (Cypéracées), t. 107 (1874).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, vi. t. 514 (1881).
Acloque, Fl. France, 659 (1894).—*Fr.*
Fiori & Paol. Ic. Fl. Ital. 57 (1896).
*Sturm, Fl. Deutschl. Ed. 2, ii. t. 43 (1900).
Husnot, Cypérac. t. 11 (1905).
Coste, Fl. France, iii. 516 (1906).
Suireishchikov, Ill. Fl. Mosc. Gov. i. 205 (1906).
Journ. Russe Bot. 1911, p. 167.
pilulifera Linn.
Willdenow, Fl. Berol. Prodr. t. 1 (1787).
Hoppe, Ect. Pl. Ratisb. t. 709 (1793).
Willdenow in Mém. Acad. Berlin, 1794, t. 2, fig. 2.
Duval-Jouve in Mém. Acad. Sc. Lett. Montpellier, Sect. Sc. vii. 1870, t. 21 (1871).—*Fr.*
*Sowerby & Sm. Engl. Bot. xiii. t. 885 (1801).
*Schkuhr, Bot. Handb. Ed. 2, t. 286 I, No. 39 (1808).
*Host, Gram. iv. t. 84 (1809).
*Sturm, Deutschl. Fl. xii. L [t. 799] (1827).
*Kops, Fl. Batava, vi. t. 467 (1832).
*Zenker, Fl. Thüringen, vi. t. 620 (1836–55).
[M. E.] Jackson, Pict. Fl. fig. 1361 (1840).
Leighton, Fl. Shropshire, 465 [t. 17] (1841).—*Fr.*
*Reichenbach, Ic. Fl. Germ. viii. t. 260 (1846).
*Deakin, Florigr. Brit. iii. fig. 1437 (1847).
*Lorek, Fl. Pruss. Ed. 3, t. 215, fig. 1140 (1848).
Andersson, Cyperac. Scand. t. 7, fig. 82 (1849).
Johnson & Sowerby, Brit. Wild Fl. fig. 1456 (1858–60).
Boott, Carex, ii. t. 283 (1860).
Bentham, Handb. Brit. Fl. fig. 1120 (1865).
Migout, Fl. Dépt. Allier, t. 22 (1866).—*Fr.*
*Syme, Engl. Bot. x. t. 1653 (1870).
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, vi. t. 248 [1873].
Cusin, Herb. Fl. Franç. xxiii (Cypéracées), t. 120 (1874).
*Hogg & Johnson, Wild Fl. Gr. Brit. xi. t. 920 (1880).
Karsten, Deutsche Fl. Pharm.-medic. Bot. 351 (1880–83).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, vi. t. 501 (1881).
Wagner, Ill. Deutsche Fl. Ed. 2, p. 796 (1882).
Willkomm, Führ. Reich Pflanzen, 249 (1882).—*Fr.*
Journ. of Bot. xxiii. 68 (1885).—*Veg.*
*Thomé, Fl. Deutschl. i. t. 99 (1886).
Nederl. Kruidk. Arch. Ser. II. v. I. t. 1 (1887).—*Fr.*
Karsten, Fl. Deutschl. i. 354 (1895).
Fiori & Paol. Ic. Fl. Ital. 56 (1896).
Sturm, Fl. Deutschl. Ed. 2, ii. t. 49 (1900).
C. T. Green, Fl. Liverpool Distr. fig. 691 (1902).
Ostenfeld, Fl. Arctica, i. 83 (1902).
Husnot, Cypérac. t. 9 (1905).
Blytt, Haandb. Norg. Fl. Ed. Dahl, 154 (1906).—*Fl.*
Coste, Fl. France, iii. 508 (1906).
Heukels, Fl. Nederl. i. 394 (1910).
Lindman, Svensk Fanerogamfl. 128 (1918).—*Fl.*
Fitch & Smith, Ill. Brit. Fl. Ed. rev. 4, Iss. 2, fig. 1138 (1919).
—— **deflexa** Drej.
*Fl. Dan. xvii. t. 3051 (1883).
Ostenfeld, Fl. Arctica, i. 84 (1902).
—— **Leesii** Ridl.
Journ. Bot. xix. t. 218 (1881).
—— **longibracteata** Lange
*Fl. Dan. xvii. t. 3050 (1883).
pinetorum Liebm.
Pflanzenreich, Cyperac.-Caricoid. 194 (1909).

CAREX
pinguis L. H. Bailey
Pflanzenreich, Cyperac.-Caricoid. 204 (1909).
piptolepis Desv.
C. Gay, Hist. Chile, Atlas, t. 73, fig. 7 (1854).
piriformis Schwein.
*Amer. Journ. Sc. xi. t. 2 (1826).
pisiformis Boott
Nouv. Arch. Mus. Hist. Nat. Paris, Ser. III. ix. t. 7 (1897).
Pflanzenreich, Cyperac.-Caricoid. 476 (1909).
—— **sachalinensis** Kük.
Journ. Russe Bot. 1911, p. 133.
planostachys Kunze
*Kunze, Suppl. Schkuhr. Riedgräs. (Caric.), i. t. 35 (1840–50).
plantaginea Lam.
*Schkuhr, Bot. Handb. Ed. 2, t. 286 Kkkk, No. 195 (1808).
*Amer. Journ. Sc. xi. t. 7 (1826).
Boott, Carex, i. t. 94 (1858).
Britton & Brown, Ill. Fl. N. States & Canada, i. 329 (1896); Ed. 2, i. 399 (1913).
platyphylla Carey
Boott, Carex, i. t. 96 (1858).
Amer. Journ. Sc. Ser. IV. i. t. 9, fig. 1 (1896).
Britton & Brown, Ill. Fl. N. States & Canada, i. 330 (1896); Ed. 2, i. 400 (1913).
Pflanzenreich, Cyperac.-Caricoid. 530 (1909).
pocilliformis Boott
Boott, Carex, iv. t. 593 (1867).
podocarpa R. Br.
Amer. Journ. Sc. xxix. t. Z (1836).
Hooker, Fl. Bor.-Amer. t. 224 (1840).
Britton & Brown, Ill. Fl. N. States & Canada, i. 313 (1896).
podogyna Franch. & Sav.
Nouv. Arch. Mus. Hist. Nat. Paris, Ser. III. viii. t. 6 (1896).
Pflanzenreich, Cyperac.-Caricoid. 536 (1909).
polyandra Schkuhr
*Schkuhr, Bot. Handb. Ed. 2, t. 286 Dd, No. 90 (1808).
polycephala Boott
Boott, Carex, i. t. 12 (1858).
polygama Schkuhr
*Schkuhr, Bot. Handb. Ed. 2, t. 286 X, No. 76; 286 Gg, No. 76 (1808).
Blytt, Haandb. Norg. Fl. Ed. Dahl, 145 (1906).
Coste, Fl. France, iii. 503 (1906).
Lindman, Svensk Fanerogamfl. 127 (1918).—*Fr.*
polymorpha Muhl.
Boott, Carex, i. t. 57 (1858).
Britton & Brown, Ill. Fl. N. States & Canada, i. 326 (1896); Ed. 2, i. 399 (1913).
polyrrhiza Wallr.
Bull. Soc. Bot. France, xvii. t. 4, fig. 8 (1870).—*Fr.*
Cusin, Herb. Fl. Franç. xxiii (Cypéracées), t. 118 (1874).
Husnot, Cypérac. t. 8 (1905).
Coste, Fl. France, iii. 509 (1906).
polystachya A. Rich.
Richard, Voy. Astrolabe, Bot. Atlas, Essai Fl. Nouv.-Zél. t. 21 (1833).
polystachya Boott
Boott, Carex, iv. t. 490–92 (1867).
polytrichoides Muhl.
*Schkuhr, Bot. Handb. Ed. 2, t. 286 Iii, No. 138 (1808).
Boott, Carex, iv. t. 469 (1867).
praealta Boott
Boott, Carex, i. t. 179, 180 (1858).
*Melliss, St. Helena, t. 53 (1875).
praecox Jacq.
*Jacquin, Fl. Austr. v. t. 446 (1778).
Hoppe, Ect. Pl. Ratisb. t. 734 (1793).
*Host, Gram. i. t. 68 (1801).
*Sowerby & Sm. Engl. Bot. xvi. t. 1099 (1803).
*Schkuhr, Bot. Handb. Ed. 2, t. 286 F, No. 27 (1808).
*Fl. Dan. ix. t. 1527 (1816).
*Curtis, Fl. Londin. Ed. 2, iv. t. 22 (1819–21).
*Sturm, Deutschl. Fl. xvi. LXIX [t. 1097] (1835).
*Zenker, Fl. Thüringen, vi. t. 638 (1836–55).

CAREX
praecox
*Fritzsche in Mém. Acad. Sc. Pétersb. Div. Sav. iii. t. 6, fig. 2 (1837).—*Fl.*
[M. E.] Jackson, Pict. Fl. fig. 1360 (1840).
Leighton, Fl. Shropshire, 465 [t. 18] (1841).—*Fr.*
*Reichenbach, Ic. Fl. Germ. viii. t. 261 (1846).
*Deakin, Florigr. Brit. iii. fig. 1436 (1847).
*Lorek, Fl. Pruss. Ed. 3, t. 215, fig. 1143 (1848).
Andersson, Cyperac. Scand. t. 7, fig. 84 (1849).
Johnson & Sowerby, Brit. Wild Fl. fig. 1455 (1858–60).
Bull. Soc. Bot. France, xi. t. 7, fig. 6, 7 (1864); xvii. t. 4, fig. 7 (1870).
Bentham, Handb. Brit. Fl. fig. 1118 (1865).
Migout, Fl. Dépt. Allier, t. 22 (1866).
Cesati, Passer. & Gibelli, Comp. Fl. Ital. t. 12 (1867–86).—*Fl.*
*Syme, Engl. Bot. x. t. 1655 (1870).
Duval-Jouve in Mém. Acad. Sc. Lett. Montpellier, Sect. Sc. vii. 1870, t. 21 (1871).—*Fr.*
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, vi. t. 247 [1873].
Cusin, Herb. Fl. Franç. xxiii (Cypéracées), t. 117 (1874).
*Hogg & Johnson, Wild Fl. Gr. Brit. xi. t. 911 (1880).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, vi. t. 506 (1881).
Journ. of Bot. xxiii. 67 (1885).
Acloque, Fl. France, 659, 664 (1894).
Britton & Brown, Ill. Fl. N. States & Canada, i. 335 (1896).
*Sturm, Fl. Deutschl. Ed. 2, ii. t. 35 (1900).
C. T. Green, Fl. Liverpool Distr. fig. 692 (1902).
Husnot, Cypérac. t. 8 (1905).
Coste, Fl. France, iii. 509 (1906).
Heukels, Fl. Nederl. i. 396 (1910).
Fitch & Smith, Ill. Brit. Fl. Ed. rev. 4, Iss. 2, fig. 1136 (1919).
—— **insularis** Christ
Barbey, Fl. Sard. Compend. t. 1 (1884).
—— **reflexa** Reichb.
*Reichenbach, Ic. Fl. Germ. viii. t. 261 (1846).
praecox Schreb.
Karsten, Deutsche Fl. Pharm.-medic. Bot. 338 (1880–83).
Karsten, Fl. Deutschl. i. 341 (1895).
Suireishchikov, Ill. Fl. Mosc. Gov. i. 188 (1906).
Junge in Jahrb. Hamburg. Wiss. Anstalt. 1907, xxv. Beih. 3, p. 155 (1908).—*Fr.*
Journ. Russe Bot. 1911, p. 50.—*Fl.*
Fedtschenko, Veg. Turkest. 175 (1915).
Schröter in Jahrb. Schweiz. Alpenclub, lii. 175 (1917).
praegracilis Boott
Amer. Plants, iii. t. 35 (1910).
×**Prahliana** Junge
Junge in Jahrb. Hamburg. Wiss. Anstalt. 1907, xxv. Beih. 3, p. 227 (1908).—*Veg.*
—— **superlasiocarpa** Junge
Junge in Jahrb. Hamburg. Wiss. Anstalt. 1907, xxv. Beih. 3, p. 227 (1908).
—— **superrostrata** Junge
Junge in Jahrb. Hamburg. Wiss. Anstalt. 1907, xxv. Beih. 3, p. 226 (1908).
prairea Dewey
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, i. 370 (1913).
prasina Wahlenb.
Britton & Brown, Ill. Fl. N. States & Canada, i. 311 (1896); Ed. 2, i. 407 (1913).
Pflanzenreich, Cyperac.-Caricoid. 585 (1909).
pratensis Drej.
*Fl. Dan. xiv. t. 2368 (1843).
Britton & Brown, Ill. Fl. N. States & Canada, i. 354 (1896).
Ostenfeld, Fl. Arctica, i. 53 (1902).
Pflanzenreich, Cyperac.-Caricoid. 194 (1909).
praticola Rydb.
Proc. Amer. Acad. xxxvii. No. 17, t. 1 (1902).
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, i. 386 (1913).
Preissii Nees
Boott, Carex, i. t. 186 (1858).

CAREX
Prescottiana Boott
Boott, Carex, i. t. 115 (1858).
prionocarpa Franch.
Nouv. Arch. Mus. Hist. Nat. Paris, Ser. III. viii. t. 8 (1896).
Amer. Journ. Sc. Ser. IV. l. 167, fig. 11 (1920).—*Fl.*
prionophylla Holm
Amer. Journ. Sc. Ser. IV. xiv. 425, fig. 7–11 (1902).
procera Kunth
Boott, Carex, iv. t. 445 (1867).
projecta Mackenzie
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, i. 381 (1913).
prolixa Fries
Andersson, Cyperac. Scand. t. 5, fig. 57 (1849).
*Fl. Dan. xvii. t. 2976 (1880).
propinqua Nees & Meyen
C. Gay, Hist. Chile, Atlas, t. 73, fig. 9 (1854).—*Fr.*
provincialis Degl.
Loiseleur, Fl. Gall. Ed. 2, t. 31 (1828).
*Kunze, Suppl. Schkuhr. Riedgräs. (Caric.), i. t. 18 (1840–50).
pruinosa Boott
Boott, Carex, i. t. 174 (1858).
—— **suifunensis** Kük.
Journ. Russe Bot. 1911, p. 93.—*Fl.*
pseudo-arenaria Reichb.
*Reichenbach, Ic. Fl. Germ. viii. t. 208 (1846).
Husnot, Cypérac. t. 4 (1905).
pseudo-arenicola Hayata
Hayata, Ic. Pl. Formosan. vi. 119 (1916).—*Fl.*
pseudo-brizoides Chavaud.
Husnot, Cypérac. t. 16 (1905–6).
pseudo-chinensis Léveillé & Vaniot
Léveillé, Cat. Pl. Yun-Nan, 74 (1915–16).
pseudo-curaica F. Schmidt
F. Schmidt in Mém. Acad. Sc. Pétersb. Ser. VII. xii. t. 5 (1868).
Journ. Russe Bot. 1911, p. 48.
Pseudocyperus Linn.
Hoppe, Ect. Pl. Ratisb. t. 754 (1793).
C. K. Sprengel, Entd. Geheimn. Natur, t. 13, fig. 11 (1793).—*Fr.*
*Fl. Dan. vii. t. 1117 (1794).
*Sowerby & Sm. Engl. Bot. iv. t. 242 (1795).
*Host, Gram. i. t. 85 (1801).
*Schkuhr, Bot. Handb. Ed. 2, t. 286 Mm, No. 102 (1808).
*Sturm, Deutschl. Fl. xiii. LVII [t. 910] (1831).
*Zenker, Fl. Thüringen, vi. t. 660 (1836–55).
[M. E.] Jackson, Pict. Fl. fig. 1348 (1840).
Leighton, Fl. Shropshire, 465 [t. 18] (1841).—*Fr.*
*Reichenbach, Ic. Fl. Germ. viii. t. 275 (1846).
*Deakin, Florigr. Brit. iii. fig. 1430 (1847).
*Lorek, Fl. Pruss. Ed. 3, t. 217, fig. 1154 (1848).
Andersson, Cyperac. Scand. t. 8, fig. 111 (1849).
Johnson & Sowerby, Brit. Wild Fl. fig. 1443 (1858–60).
Bentham, Handb. Brit. Fl. fig. 1135 (1865).
Migout, Fl. Dépt. Allier, t. 22 (1866).—*Fr.*
Boott, Carex, iv. t. 451, 452 (1867).
*Syme, Engl. Bot. x. t. 1685 (1870).
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, vi. t. 247 [1873].
Cusin, Herb. Fl. Franç. xxiii (Cypéracées), t. 149 (1874).
De Silvestri, Piante Prat. 33 (1879).
*Hogg & Johnson, Wild Fl. Gr. Brit. xi. t. 924 (1880).
Karsten, Deutsche Fl. Pharm.-medic. Bot. 345 (1880–83).—*Fr.*
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, vi. t. 544 (1881).
Wagner, Ill. Deutsche Fl. Ed. 2, p. 804 (1882).
Willkomm, Führ. Reich Pflanzen, 256 (1882).—*Fr.*
Nederl. Kruidk. Arch. Ser. II. v. 1. t. 2 (1887).—*Fr.*
Potonié, Ill. Fl. Nord- u. Mittel-Deutschl. Ed. 4, fig. 102 (1889).
Kerner, Pflanzenleben, ii. 809 (1891).—*Fr.*
Battandier & Trabut, Fl. Algér., Monocot. t. 3, fig. 24 (1895).—*Fl.*

CAREX
Pseudocyperus
Karsten, Fl. Deutschl. i. 348 (1895).
Kerner & Oliv. Nat. Hist. Pl. ii. 874 (1895).—*Fr.*
Britton & Brown, Ill. Fl. N. States & Canada, i. 300 (1896); Ed. 2, i. 437 (1913).
Fiori & Paol. Ic. Fl. Ital. 60 (1896).
Mönkemeyer, Sumpf- u. Wasserpfl. 65 (1897).
*Sturm, Fl. Deutschl. Ed. 2, ii. t. 61 (1900).
C. T. Green, Fl. Liverpool Distr. fig. 700 (1902).
*Step, Wayside & Woodl. Bloss. New Ed. ii. t. 26 (1905).
Husnot, Cypérac. t. 15 (1905–6).
Coste, Fl. France, iii. 516 (1906).
Blytt, Haandb. Norg. Fl. Ed. Dahl, 167 (1906).
Suireishchikov, Ill. Fl. Mosc. Gov. i. 211 (1906).
Junge in Jahrb. Hamburg. Wiss. Anstalt. 1907, xxv. Beih. 3, p. 229 (1908).
Heukels, Fl. Nederl. i. 406 (1910).
Journ. Russe Bot. 1911, p. 176.—*Fl.*
Fedtschenko, Veg. Turkest. 196 (1915).
Lindman, Svensk Fanerogamfl. 129 (1918).—*Fr.*
Fitch & Smith, Ill. Brit. Fl. Ed. rev. 4, Iss. 2, fig. 1153 (1919).
—— **brachystachya** Reg. & Maack
Regel in Mém. Acad. Sc. Pétersb. Ser. VII. iv. No. 4, t. 12 (1862).
pseudo-filicina Hayata
Hayata, Ic. Pl. Formosan. vi. 122 (1916).—*Fl.*
pseudo-foetida Kük.
Arbejd. Bot. Have Kjöbenhavn, No. 40, p. 225 (1907); et in Bot. Tidsskr. xxviii. 225 (1907).
Journ. Russe Bot. 1911, p. 44.
Fedtschenko, Veg. Turkest. 173 (1915).
pseudo-japonica Hayata
Hayata, Ic. Pl. Formosan. vi. 129 (1916).—*Fl.*
pseudo-loliacea F. Schmidt
F. Schmidt in Mém. Acad. Sc. Pétersb. Ser. VII. xii. t. 6 (1868).
Journ. Russe Bot. 1911, p. 71.—*Fl.*
×**pseudo-Mairii** G. Camus
*Bull. Soc. Bot. France, xxxiv. t. 3 (1887).
pseudo-paradoxa Gibs.
Luxford in Phytologist, i. 919 (1844).—*Fr.*
psychrophila Nees
Boott, Carex, i. t. 191 (1858).
Pflanzenreich, Cyperac.-Caricoid. 540 (1909).
ptychocarpa Steud.
Britton & Brown, Ill. Fl. N. States & Canada, i. 330 (1896).
pubescens Muhl.
*Schkuhr, Bot. Handb. Ed. 2, t. 286 Eee, No. 126 (1808).
Boott, Carex, i. t. 61 (1858).
Britton & Brown, Ill. Fl. N. States & Canada, i. 336 (1896).
pulchella Berggr.
Berggren, Nya arter Ny-Zeel. Fanerog. (Minneskr. Fisiogr. Sällsk. Lund. viii. 1), t. 7 (1877).
Lindman, Svensk Fanerogamfl. 132 (1918).—*Fr.*
pulchra Boott
Boott, Carex, i. t. 13 (1858).
pulicaris Linn.
*Fl. Dan. i. t. 166 (1764); xv. t. 2546 (1852).
Leers, Fl. Herborn. t. 14, fig. 1 (1789).
Lamarck, Ill. v. t. 752, fig. 2 (1797–1819).
*Sturm, Deutschl. Fl. i. II [t. 28] (1797); xiii. LIII [t. 833] (1829).
*Sowerby & Sm. Engl. Bot. xv. t. 1051 (1802).
*Schkuhr, Bot. Handb. Ed. 2, t. 286 A, No. 3 (1808).
*Host, Gram. iv. t. 75 (1809).
*Vietz, Ic. Pl. Med.-oec.-techn. v. t. 382 b (1817).
*Svensk Bot. viii. t. 533 (1819).
*Curtis, Fl. Londin. Ed. 2, v. t. 177 (1828).
*Kops, Fl. Batava, vii. t. 544 (1836).
*Zenker, Fl. Thüringen, vi. t. 624 (1836–55).
[M. E.] Jackson, Pict. Fl. fig. 1320 (1840).
Leighton, Fl. Shropshire, 450 [t. 12] (1841).—*Fr.*
*Reichenbach, Ic. Fl. Germ. viii. t. 195 (1846).
*Deakin, Florigr. Brit. iii. fig. 1388 (1847).
*Lorek, Fl. Pruss. Ed. 3, t. 210, fig. 1120 (1848).
Andersson, Cyperac. Scand. t. 3, fig. 7 (1849).
*Froelich, Alpenfl. Schweiz, vi. t. 5 (1855).

CAREX
pulicaris
Johnson & Sowerby, Brit. Wild Fl. fig. 1408 (1858–60).
Bentham, Handb. Brit. Fl. fig. 1094 (1865).
Migout, Fl. Dépt. Allier, t. 22 (1866).—*Fr.*
*Syme, Engl. Bot. x. t. 1612 (1870).
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, vi. t. 243 [1873].
Cusin, Herb. Fl. Franç. xxiii (Cypéracées), t. 58 (1874).
*Hogg & Johnson, Wild Fl. Gr. Brit. xi. t. 823 (1880).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, v. t. 444 (1881).
Wagner, Ill. Deutsche Fl. Ed. 2, p. 784 (1882).
Journ. of Bot. xxiii. 70 (1885).
Nederl. Kruidk. Arch. Ser. II. v. iv. t. 11 (1886).—*Fr.*
Acloque, Fl. France, 659, 660 (1894).
Raunkiær, Danske Blomsterpl. Naturhist. i. 526, 528 (1895–99).
Fiori & Paol. Ic. Fl. Ital. 52 (1896).
*Sturm, Fl. Deutschl. Ed. 2, ii. t. 23 (1900).
Lindman, Bild. Nord. Fl. t. 431 b (1901–5).
C. T. Green, Fl. Liverpool Distr. fig. 679 (1902).
Husnot, Cypérac. t. 1 (1905).
Coste, Fl. France, iii. 492 (1906).
Merino, Fl. Galicia, iii. 160 (1909).
Heukels, Fl. Nederl. i. 379 (1910).
!Abh. Nat. Ver. Bremen, xxi. 249 (1913).—*Fl.*
Lindman, Svensk Fanerogamfl. 119 (1918).
Fitch & Smith, Ill. Brit. Fl. Ed. rev. 4, Iss. 2, fig. 1112 (1919).
pulla Gooden.
Trans. Linn. Soc. London, iii. t. 14 (1797).
Roemer, Archiv Bot. ii. II. t. 5 (1801).
*Schkuhr, Bot. Handb. Ed. 2, t. 286 R, No. 63 (1808).
*Sowerby & Sm. Engl. Bot. xxix. t. 2045 (1809).
[M. E.] Jackson, Pict. Fl. fig. 1352 (1840).
Leighton, Fl. Shropshire, 454 [t. 14] (1841).—*Fr.*
Johnson & Sowerby, Brit. Wild Fl. fig. 1425 (1858–60).
*Syme, Engl. Bot. x. t. 1683 (1870).
*Fl. Dan. xvi. t. 2850 (1871).
Ostenfeld, Fl. Arctica, i. 94 (1902).
pumila Thunb.
Koenig&Sims, Ann. Bot. ii. t. 8, fig. 53 (1805).—*Fr.*
Schkuhr, Bot. Handb. Ed. 2, t. 286 Yy, No. 112 (1808).
Pflanzenreich, Cyperac.-Caricoid. 739 (1909).
Journ. Russe Bot. 1911, p. 190.
Hayata, Ic. Pl. Formosan. vi. 132 (1916).—*Fl.*
punctata Gaud.
*Gaudin, Fl. Helv. vi. t. 2 (1830).
*Sturm, Deutschl. Fl. xiv. LXI [t. 974] (1833).
*Kunze, Suppl. Schkuhr. Riedgräs. (Caric.), i. t. 6 (1840–50).
Leighton, Fl. Shropshire, 457 [t. 15] (1841).—*Fr.*
*Reichenbach, Ic. Fl. Germ. viii. t. 251 (1846).
*Deakin, Florigr. Brit. iii. fig. 1422 (1847).
Andersson, Cyperac. Scand. t. 8, fig. 97 (1849).
Bentham, Handb. Brit. Fl. fig. 1128 (1865).
*Fl. Dan. Suppl. t. 108 (1865).
Boott, Carex, iv. t. 500 (1867).
*Syme, Engl. Bot. x. t. 1671 (1870).
Cusin, Herb. Fl. Franç. xxiii (Cypéracées), t. 147 (1874).
*Hogg & Johnson, Wild Fl. Gr. Brit. xi. t. 923 (1880).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, vi. t. 536 (1881).
Battandier & Trabut, Fl. Algér., Monocot. t. 3, fig. 17 (1895).—*Fl.*
Fiori & Paol. Ic. Fl. Ital. 59 (1896).
*Sturm, Fl. Deutschl. Ed. 2, ii. t. 55 (1900).
Husnot, Cypérac. t. 13 (1905–6).
Coste, Fl. France, iii. 518 (1906).
Pflanzenreich, Cyperac.-Caricoid. 662 (1909).
Lindman, Svensk Fanerogamfl. 131 (1918).—*Fr.*
Fitch & Smith, Ill. Brit. Fl. Ed. rev. 4, Iss. 2, fig. 1146 (1919).
punctulata A. Rich.
Richard, Voy. Astrolabe, Bot. Atlas, Essai Fl. Nouv.-Zél. t. 22 (1833).

CAREX
Purdiei Boott
Boott, Carex, i. t. 67 (1858).
purpurea Boott
Boott, Carex, iv. t. 514 (1867).
pycnostachya Desv.
C. Gay, Hist. Chile, Atlas, t. 73, fig. 11 (1854).
pyrenaica Wahlenb.
C. A. Meyer in Mém. Acad. Sc. Pétersb. Sav. Étrang. i. t. 7 (1830).
*Reichenbach, Ic. Fl. Germ. viii. t. 198 (1846).
Linnaea, xxxi. t. 4 (1861–62).
Boott, Carex, iv. t. 475, 476 (1867).
Cusin, Herb. Fl. Franç. xxiii (Cypéracées), t. 60 (1874).
Acloque, Fl. France, 659 (1894).—*Fr.*
Husnot, Cypérac. t. 1 (1905).
Coste, Fl. France, iii. 493 (1906).
Pflanzenreich, Cyperac.-Caricoid. 105 (1909).
*Flahault, Nouv. Fl. Alpes & Pyrén. iii. t. 143 (1912).
pyriformis = *piriformis*
quadrifida caeca L. H. Bailey
Amer. Plants, iii. t. 25 (1910).
radicalis Boott
Boott, Carex, i. t. 147 (1858).
Pflanzenreich, Cyperac.-Caricoid. 483 (1909).
radicans Forst.
*Sowerby & Sm. Engl. Bot. xxxi. t. 2175 (1810).
Raeana Boott
Boott, Carex, i. t. 64 (1858).
Britton & Brown, Ill. Fl. N. States & Canada, i. 295 (1896); Ed. 2, i. 433 (1913).
Rafflesiana Boott
Boott, Carex, i. t. 33 (1858).
Ramondiana DC.
*Reichenbach, Ic. Fl. Germ. viii. t. 198 (1846).
ramosa Schkuhr
*Schkuhr, Bot. Handb. Ed. 2, t. 286 Pppp, No. 204 (1808).
Boott, Carex, iii. t. 322 (1862).
Raoulii Boott
Boott, Carex, iii. t. 333 (1862).
Cheeseman, Ill. New Zeal. Fl. t. 215 (1914).
raphidocarpa Nees
Boott, Carex, ii. t. 244 (1860).
Pflanzenreich, Cyperac.-Caricoid. 278 (1909).
rara Boott
Boott, Carex, i. t. 109 (1858).
Pflanzenreich, Cyperac.-Caricoid. 105 (1909).
—— **capillacea** Boott
Journ. Russe Bot. 1911, p. 39.—*Fl.*
rariflora Sm.
*Sowerby & Sm. Engl. Bot. xxxv. t. 2516 (1813).
[M. E.] Jackson, Pict. Fl. fig. 1347 (1840).
Leighton, Fl. Shropshire, 465 [t. 18] (1841).—*Fr.*
*Fl. Dan. xiv. t. 2432 (1845).
*Deakin, Florigr. Brit. iii. fig. 1434 (1847).
Andersson, Cyperac. Scand. t. 6, fig. 70 (1849).
D. Dietrich, Fl. Univ. Abt. i. t. 896 (1852–55).
Johnson & Sowerby, Brit. Wild Fl. fig. 1442 (1858–60).
Boott, Carex, ii. t. 217 (1860).
*Syme, Engl. Bot. x. t. 1649 (1870).
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, vi. t. 247 [1873].
*Hogg & Johnson, Wild Fl. Gr. Brit. xi. t. 908 (1880).
Britton & Brown, Ill. Fl. N. States & Canada, i. 312 (1896); Ed. 2, i. 416 (1913).
Ostenfeld, Fl. Arctica, i. 68 (1902).
Pflanzenreich, Cyperac.-Caricoid. 503 (1909).
Journ. Russe Bot. 1911, p. 141.—*Fl.*
Lindman, Svensk Fanerogamfl. 129 (1918).—*Fl.*
—— **stygia** Anderss.
Andersson, Cyperac. Scand. t. 7, fig. 71 (1849).
recta Boott
Hooker, Fl. Bor.-Amer. t. 222 (1840).
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, i. 424 (1913).
recurva Huds.
*Sowerby & Sm. Engl. Bot. xxi. t. 1506 (1805).
[M. E.] Jackson, Pict. Fl. fig. 1363 (1840).
Leighton, Fl. Shropshire, 465 [t. 18] (1841).—*Fr.*
*Baxter, Brit. Bot. Ed. 2, vi. t. 440 (1843).
*Deakin, Florigr. Brit. iii. fig. 1431 (1847).

CAREX
recurva
Johnson & Sowerby, Brit. Wild Fl. fig. 1460 (1858–60).
De Silvestri, Piante Prat. 30 (1879).
recurva Schkuhr
*Schkuhr, Bot. Handb. Ed. 2, t. 286 Z, No. 84; 286 Nn, No. 84 (1808).
Redowskiana C. A. Mey.
C. A. Meyer in Mém. Acad. Sc. Pétersb. Sav. Étrang. i. t. 4 (1830).
Amer. Journ. Sc. xxix. t. Y (1836).
*Kunze, Suppl. Schkuhr. Riedgräs. (Caric.), i. t. 31 (1840–50).
Britton & Brown, Ill. Fl. N. States & Canada, i. 340 (1896).
Journ. Russe Bot. 1911, p. 32.—*Fl.*
reducta Drej.
*Fl. Dan. xvii. t. 2977 (1880).
reflexistyla Hayata
Hayata, Ic. Pl. Formosan. vi. 133 (1916).—*Fl.*
refracta Schkuhr
*Schkuhr, Bot. Handb. Ed. 2, t. 286 Iii, No. 136 (1808).
Husnot, Cypérac. t. 11 (1905).
Coste, Fl. France, iii. 513 (1906).
Pflanzenreich, Cyperac.-Caricoid. 575 (1909).
Reichenbachii Kük.
Pflanzenreich, Cyperac.-Caricoid. 130 (1909).
Reinii Franch. & Sav.
Nouv. Arch. Mus. Hist. Nat. Paris, Ser. III. viii. t. 7 (1896).
remota Linn.
*Fl. Dan. iii. t. 370 (1768).
Leers, Fl. Herborn. t. 15, fig. 1 (1789).
J. E. Smith, Reliq. Rudbeck. i (1789).
Hoppe, Ect. Pl. Ratisb. t. 645 (1791).
*Host, Gram. i. t. 52 (1801).
*Sowerby & Sm. Engl. Bot. xii. t. 832 (1801).
*Schkuhr, Bot. Handb. Ed. 2, t. 286 E, No. 23 (1808).
*Sturm, Deutschl. Fl. xii. L [t. 795] (1827).
*Zenker, Fl. Thüringen, vi. t. 618 (1836–55).
[M. E.] Jackson, Pict. Fl. fig. 1326 (1840).
Leighton, Fl. Shropshire, 450 [t. 13] (1841).—*Fr.*
*Reichenbach, Ic. Fl. Germ. viii. t. 212 (1846).
*Deakin, Florigr. Brit. iii. fig. 1403 (1847).
*Lorek, Fl. Pruss. Ed. 3, t. 213, fig. 1133 (1848).
Andersson, Cyperac. Scand. t. 4, fig. 40 (1849).
Johnson & Sowerby, Brit. Wild Fl. fig. 1423 (1858–60).
Bentham, Handb. Brit. Fl. fig. 1102 (1865).
*Syme, Engl. Bot. x. t. 1627 (1870).
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, vi. t. 243 [1873].
Cusin, Herb. Fl. Franç. xxiii (Cypéracées), t. 86 (1874).
*Hogg & Johnson, Wild Fl. Gr. Brit. xi. t. 871 (1880).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, vi. t. 473, 1 (1881).
Wagner, Ill. Deutsche Fl. Ed. 2, p. 790 (1882).
Nederl. Kruidk. Arch. Ser. II. iv. IV. t. 12 (1886).—*Fr.*
*Thomé, Fl. Deutschl. i. t. 89 (1886).
Potonié, Ill. Fl. Nord- u. Mittel-Deutschl. Ed. 4, fig. 98 (1889).
Acloque, Fl. France, 659, 662 (1894).
Battandier & Trabut, Fl. Algér., Monocot. t. 3, fig. 6 (1895).—*Fl.*
Raunkiær, Danske Blomsterpl. Naturhist. i. 454, 457 (1895–99).—*Veg.*
Fiori & Paol. Ic. Fl. Ital. 55 (1896).
Post, Fl. Syria, Palestine & Sinai, 836 [1896].—*Fl.*
*Sturm, Fl. Deutschl. Ed. 2, ii. t. 29 (1900).
C. T. Green, Fl. Liverpool Distr. fig. 686 (1902).
Husnot, Cypérac. t. 5 (1905).
Coste, Fl. France, iii. 499 (1906).
Suireishchikov, Ill. Fl. Mosc. Gov. i. 198 (1906).
Junge in Jahrb. Hamburg. Wiss. Anstalt. 1907, xxv. Beih. 3, p. 174 (1908).
Merino, Fl. Galicia, iii. 167 (1909).
Pflanzenreich, Cyperac.-Caricoid. 229 (1909).
Heukels, Fl. Nederl. i. 389 (1910).
Lindman, Svensk Fanerogamfl. 123 (1918).—*Fr.*

CAREX
remota
Fitch & Smith, Ill. Brit. Fl. Ed. rev. 4, Iss. 2, fig. 1120 (1919).
—— **repens** Brittinger
*Reichenbach, Ic. Fl. Germ. viii. t. 212 (1846).
—— **Rochebrunei remotiformis** Kük.
Journ. Russe Bot. 1911, p. 74.—*Fl.*
repens Bell.
*Schkuhr, Bot. Handb. Ed. 2, t. 286 Iii, No. 135 (1808).
*Reichenbach, Ic. Fl. Germ. viii. t. 210 (1846).
Husnot, Cypérac. t. 3 (1905).
retrocurva Dewey
Boott, Carex, i. t. 97 (1858).
retroflexa Muhl.
*Schkuhr, Bot. Handb. Ed. 2, t. 286 Kkk, No. 140 (1808).
Boott, Carex, ii. t. 226 (1860).
Britton & Brown, Ill. Fl. N. States & Canada, i. 347 (1896); Ed. 2, i. 364 (1913).
retrorsa Schwein.
Ann. Lyc. New York, i. t. 28 (1824).
*Amer. Journ. Sc. xi. t. 4 (1826).
Boott, Carex, ii. t. 276 (1860).
Britton & Brown, Ill. Fl. N. States & Canada, i. 298 (1896); Ed. 2, i. 435 (1913).
U.S. Dep. Agric. Div. Agrost. Bull. No. 2, p. 12 (1896).
retusa Degl.
Loiseleur, Fl. Gall. Ed. 2, t. 30 (1828).
×**Reudtii** Kneucker
Junge in Jahrb. Hamburg. Wiss. Anstalt. 1907, xxv. Beih. 3, p. 211 (1908).
rhizomatosa Steud.
Pflanzenreich, Cyperac.-Caricoid. 290 (1909).
rhizopoda Maxim.
Nouv. Arch. Mus. Hist. Nat. Paris, Ser. III. viii. t. 3 (1896).—*Fl.*
rhomalea Mackenzie
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, i. 432 (1913).
rhomboidea Holm.
Amer. Journ. Sc. Ser. IV. xvi. 29 (1903).
rhynchocarpa Heuff.
*Sturm, Deutschl. Fl. xvi. LXIX [t. 1101] (1835).
Linnaea, xxxi. t. 5 (1861–62).
rhynchophysa C. A. Mey.
Irish Nat. ii. t. 5 (1893).
Journ. Bot. xxxi. t. 332 (1893).
Richardsonii R. Br.
Hooker, Fl. Bor.-Amer. t. 223 (1840).
Boott, Carex, ii. t. 298 (1860).
Britton & Brown, Ill. Fl. N. States & Canada, i. 332 (1896); Ed. 2, i. 396 (1913).
rigida Gooden.
Trans. Linn. Soc. London, ii. t. 22 (1794).
Roemer, Archiv Bot. ii. II. t. 4 (1801).
*Schkuhr, Bot. Handb. Ed. 2, t. 286 U, No. 71 (1808).
*Sowerby & Sm. Engl. Bot. xxix. t. 2047 (1809).
[M. E.] Jackson, Pict. Fl. fig. 1364 (1840).
Leighton, Fl. Shropshire, 450 [t. 14] (1841).—*Fr.*
*Reichenbach, Ic. Fl. Germ. viii. t. 225 (1846).
*Deakin, Florigr. Brit. iii. fig. 1411 (1847).
Andersson, Cyperac. Scand. t. 5, fig. 46 (1849).
Johnson & Sowerby, Brit. Wild Fl. fig. 1427 (1858–60).
*Hogg & Johnson, Wild Fl. Gr. Brit. iv. t. 252 (1868).
*Syme, Engl. Bot. x. t. 1640 (1870).
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, vi. t. 245 [1873].
Karsten, Deutsche Fl. Pharm.-medic. Bot. 341 (1880–83).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, vi. t. 491 (1881).
Karsten, Fl. Deutschl. i. 344 (1895).
*Sturm, Fl. Deutschl. Ed. 2, ii. t. 38 (1900).
Ostenfeld, Fl. Arctica, i. 77 (1902).
Husnot, Cypérac. t. 7 (1905).
Pflanzenreich, Cyperac.-Caricoid. 300 (1909).
Journ. Russe Bot. 1911, p. 81.—*Fl.*
Hayek, Pflanzend. Oesterr.-Ung. i. 216 (1914).
Fedtschenko, Veg. Turkest. 180 (1915).
Lindman, Svensk Fanerogamfl. 125 (1918).

CAREX
rigida Bigelovii Tuckerm.
Ostenfeld, Fl. Arctica, i. 78 (1902).
—— **infuscata** Drej.
*Fl. Dan. xiv. t. 2479 (1849).
—— **lutosa** Drej.
*Fl. Dan. xiv. t. 2480 (1849).
rigidifolia Hochst.
Seubert, Fl. Azor. t. 2 (1844).
riparia Curt.
*Fl. Dan. vii. t. 1118 (1794).
*Curtis, Fl. Londin. ii. fasc. IV. t. 60 (1798); Ed. 2, ii. fasc. IV. 60 (1821).
*Sowerby & Sm. Engl. Bot. ix. t. 579 (1799).
*Schkuhr, Bot. Handb. Ed. 2, t. 286 Qq, No. 105; 286 Rr, No. 105 (1808).
*Kops, Fl. Batava, v. t. 365 (1828).
*Sturm, Deutschl. Fl. xvi. LXIX [t. 1102] (1835).
*Zenker, Fl. Thüringen, vi. t. 685 (1836–55).
[M. E.] Jackson, Pict. Fl. fig. 1369 (1840).
Leighton, Fl. Shropshire, 467 [t. 19] (1841).—*Fr.*
*Reichenbach, Ic. Fl. Germ. viii. t. 268 (1846).
*Deakin, Florigr. Brit. iii. fig. 1446 (1847).
*Lorek, Fl. Pruss. Ed. 3, t. 218, fig. 1158 (1848).
Andersson, Cyperac. Scand. t. 8, fig. 110 (1849).
Johnson & Sowerby, Brit. Wild Fl. fig. 1463 (1858–60).
Boott, Carex, iii. t. 355 (1862).
*T. Moore, Field Bot. Comp. t. 21 (1862).
Migout, Fl. Dépt. Allier, t. 22 (1866).—*Fr.*
Le Maout & Decaisne, Traité Gén. Bot. 601, 602 (1868).
*Réveil, Règne Vég. iii. t. 24 (1870).—*Veg.*
*Syme, Engl. Bot. x. t. 1679 (1870).
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, vi. t. 248 [1873].
Cusin, Herb. Fl. Franç. xxiii (Cypéracées), t. 154 (1874).
Ann. Rep. Agric. Victoria, ii. t. 20 (1874).
De Silvestri, Piante Prat. 34 (1879).
*Hogg & Johnson, Wild Fl. Gr. Brit. xi. t. 835 (1880).
Karsten, Deutsche Fl. Pharm.-medic. Bot. 344 (1880–83).—*Fr.*
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, vi. t. 549 (1881).
Willkomm, Führ. Reich Pflanzen, 251 (1882).
Journ. of Bot. xxiii. 66 (1885).
*Thomé, Fl. Deutschl. i. t. 92 (1886).
Nederl. Kruidk. Arch. Ser. II. v. I. t. 2 (1887).—*Fr.*
Acloque, Fl. France, 659 (1894).—*Fr.*
Brehm, Merv. Nat. Monde des Pl. ii. 665, 673 (1894–96).
Battandier & Trabut, Fl. Algér., Monocot. t. 3, fig. 26 (1895).—*Fl.*
Karsten, Fl. Deutschl. i. 347 (1895).
Britton & Brown, Ill. Fl. N. States & Canada, i. 303 (1896).
Fiori & Paol. Ic. Fl. Ital. 60 (1896).
*Sturm, Fl. Deutschl. Ed. 2, ii. t. 63 (1900).
C. T. Green, Fl. Liverpool Distr. fig. 701 (1902).
Husnot, Cypérac. t. 14 (1905–6).
Coste, Fl. France, iii. 506 (1906).
Lazaro, Comp. Fl. Españ. i. 639 (1906).
Suireishchikov, Ill. Fl. Mosc. Gov. i. 214 (1906).
Junge in Jahrb. Hamburg. Wiss. Anstalt. 1907, xxv. Beih. 3, p. 223 (1908).
Heukels, Fl. Nederl. i. 409 (1910).
Journ. Russe Bot. 1911, p. 189.—*Fl.*
Fedtschenko, Veg. Turkest. 200 (1915).
Horwood, Plant Life Brit. Isles, iii. 394 (1915).—*Hab.*
Lindman, Svensk Fanerogamfl. 132 (1918).
rivularis Schkuhr
*Schkuhr, Bot. Handb. Ed. 2, t. 286 Cc, No. 87 (1808).
Lindley, Veg. Kingd. 117 (1846).
rosea Schkuhr
*Schkuhr, Bot. Handb. Ed. 2, t. 286 Zzz, No. 179 (1808).
Boott, Carex, ii. t. 223 (1860).
Britton & Brown, Ill. Fl. N. States & Canada, i. 347 (1896); Ed. 2, i. 365 (1913).
—— **minor** Boott
Boott, Carex, ii. t. 224 (1860).

CAREX
rosea radiata Dewey
*Amer. Journ. Sc. xi. t. 1 (1826).
Boott, Carex, ii. t. 225 (1860).
rosioides E. C. Howe
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, i. 379 (1913).
Rossii Boott
Boott, Carex, ii. t. 295 (1860).
Pflanzenreich, Cyperac.-Caricoid. 448 (1909).
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, i. 393 (1913).
rostrata Hoppe
*Schkuhr, Bot. Handb. Ed. 2, t. 286 Hhh, No. 134 (1808).
rostrata Michx.
Boott, Carex, ii. t. 267 (1860).
rostrata Stokes
Karsten, Deutsche Fl. Pharm.-medic. Bot. 344 (1880–83).—*Fr.*
Nederl. Kruidk. Arch. Ser. II. v. I. t. 2 (1887).—*Fr.*
Karsten, Fl. Deutschl. i. 347 (1895).
Raunkiær, Danske Blomsterpl. Naturhist. i. 463 (1895–99).—*Veg.*
Fiori & Paol. Ic. Fl. Ital. 60 (1896).
Gradmann, Pflanzenl. Schwäb. Alb, Ed. 2, i. 182 (1900).
*Sturm, Fl. Deutschl. Ed. 2, ii. t. 61 (1900).
Lindman, Bild. Nord. Fl. t. 439 (1901–5).
C. T. Green, Fl. Liverpool Distr. fig. 702 (1902).
Ostenfeld, Fl. Arctica, i. 93 (1902).
West in Proc. Roy. Soc. Edinb. xxv. No. 11, t. 17, 43, 50 (1905); xxx. No. 2, t. 11, 24 (1910).—*Hab.*
Coste, Fl. France, iii. 508 (1906).
Blytt, Haandb. Norg. Fl. Ed. Dahl, 166 (1906).
Schroeter, Pflanzenleb. Alp. 338 (1906).
Suireishchikov, Ill. Fl. Mosc. Gov. i. 212 (1906).
Junge in Jahrb. Hamburg. Wiss. Anstalt. 1907, xxv. Beih. 3, p. 217 (1908).
Heukels, Fl. Nederl. i. 407 (1910).
Wettstein, Handb. Syst. Bot. Ed. 2, p. 817 (1911).—*Fr.*
Journ. Russe Bot. 1911, p. 181.
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, i. 434 (1913).
Fedtschenko, Veg. Turkest. 197 (1915).
Lindman, Svensk Fanerogamfl. 133 (1918).
rotundata Wahlenb.
*Fl. Dan. viii. t. 1407 (1810).
*Svensk Bot. xi. t. 755 (1843).
Ostenfeld, Fl. Arctica, i. 94 (1902).
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, i. 434 (1913).
Lindman, Svensk Fanerogamfl. 131 (1918).—*Fl.*
—— **elatior** Lange
*Fl. Dan. xvii. t. 3049 (1883).
Rouyana Franch.
Nouv. Arch. Mus. Hist. Nat. Paris, Ser. III. x. t. 7 (1898).
Royleana Nees
Boott, Carex, i. t. 19 (1858).
rubella Boott
Boott, Carex, iv. t. 599 (1867).
rufa Lam.
Baillon, Hist. Pl. xii. 340 (1894).—*Fl.*
rufina Drej.
*Kunze, Suppl. Schkuhr. Riedgräs. (Caric.), i. t. 23 (1840–50).
Andersson, Cyperac. Scand. t. 4, fig. 44 (1849).
*Fl. Dan. xiv. t. 2481 (1849).
Ostenfeld, Fl. Arctica, i. 79 (1902).
Blytt, Haandb. Norg. Fl. Ed. Dahl, 144 (1906).
Lindman, Svensk Fanerogamfl. 126 (1918).
Rugeliana Kunze
*Kunze, Suppl. Schkuhr. Riedgräs. (Caric.), i. t. 48 (1840–50).
rupestris All.
Allioni, Fl. Pedem. iii. t. 92, fig. 1 (1785).
*Schkuhr, Bot. Handb. Ed. 2, t. 286 Nnnn, No. 200 (1808).
*Sturm, Deutschl. Fl. xiv. LXI [t. 967] (1833).
Leighton, Fl. Shropshire, 450 [t. 12] (1841).—*Fr.*
*Sowerby & Sm. Engl. Bot. Suppl. iii. t. 2814 (1843).
*Fl. Dan. xiv. t. 2433 (1845).

CAREX
rupestris
*Reichenbach, Ic. Fl. Germ. viii. t. 198 (1846).
*Deakin, Florigr. Brit. iii. fig. 1389 (1847).
Andersson, Cyperac. Scand. t. 3, fig. 3 (1849).
Johnson & Sowerby, Brit. Wild Fl. fig. 1432 (1858–60).
Bentham, Handb. Brit. Fl. fig. 1095 (1865).
Boott, Carex, iv. t. 516 (1867).
*Syme, Engl. Bot. x. t. 1613 (1870).
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, vi. t. 243 [1873].
Cusin, Herb. Fl. Franç. xxiii (Cypéracées), t. 63 (1874).
*Hogg & Johnson, Wild Fl. Gr. Brit. xi. t. 867 (1880).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, v. t. 446 (1881).
Wagner, Ill. Deutsche Fl. Ed. 2, p. 784 (1882).
Acloque, Fl. France, 659 (1894).—*Fr.*
Britton & Brown, Ill. Fl. N. States & Canada, i. 338 (1896); Ed. 2, i. 390 (1913).
Fiori & Paol. Ic. Fl. Ital. 53 (1896).
*Sturm, Fl. Deutschl. Ed. 2, ii. t. 24 (1900).
Ostenfeld, Fl. Arctica, i. 86 (1902).
Husnot, Cypérac. t. 1 (1905).
Blytt, Haandb. Norg. Fl. Ed. Dahl, 132 (1906).
Coste, Fl. France, iii. 494 (1906).
Schroeter, Pflanzenleb. Alp. 521 (1908).
Beih. Bot. Centralbl. xxvii. II. 66 (1910).
Journ. Russe Bot. 1911, p. 35.—*Fl.*
F. E. & E. S. Clements, Rocky Mt. Fl. t. 45 (1914).
Lindman, Svensk Fanerogamfl. 119 (1918).
Fitch & Smith, Ill. Brit. Fl. Ed. rev. 4, Iss. 2, fig. 1113 (1919).
sachalinensis F. Schmidt
F. Schmidt in Mém. Acad. Sc. Pétersb. Ser. VII. xii. t. 6 (1868).
sadoënsis Franch.
Pflanzenreich, Cyperac.-Caricoid. 343 (1909).
salina Wahlenb.
*Schkuhr, Bot. Handb. Ed. 2, t. 286 Cccc, No. 185 (1808).
*Svensk Bot. xi. t. 756 (1843).
Andersson, Cyperac. Scand. t. 5, fig. 50 (1849).
Boott, Carex, iv. t. 525–27, 530 (1867).
Britton & Brown, Ill. Fl. N. States & Canada, i. 310 (1896); Ed. 2, i. 423 (1913).
Ostenfeld, Fl. Arctica, i. 74 (1902).
Blytt, Haandb. Norg. Fl. Ed. Dahl, 148 (1906).
Lindman, Svensk Fanerogamfl. 125 (1918).—*Fr.*
Amer. Journ. Sc. Ser. IV. xlix. 436, fig. 1–4 (1920).
—— **kattegatensis** Almq.
Journ. of Bot. xxiii. t. 262 (1885).
—— **minor** Boott
Boott, Carex, iv. t. 528, 529 (1867).
—— **pumila** M. N. Blytt
Amer. Journ. Sc. Ser. IV. xlix. 436, fig. 5 (1920).
—— **subspathacea** Almq.
Ostenfeld, Fl. Arctica, i. 74 (1902).
sanguinea Boott
Boott, Carex, iv. t. 515 (1867).
Sartwellii Dewey
*Amer. Journ. Sc. xliii. t. 2 (1842).
Britton & Brown, Ill. Fl. N. States & Canada, i. 346 (1896); Ed. 2, i. 363 (1913).
saruensis Franch.
Nouv. Arch. Mus. Hist. Nat. Paris, Ser. III. viii. t. 12 (1896).
Sasakii Hayata
Hayata, Ic. Pl. Formosan. vi. 132 (1916).—*Fl.*
satsumensis Franch. & Sav.
T. Makino, Glumac. Japon. i, No. II. t. 5 (1901).
—— **longiculma** Hayata
Hayata, Ic. Pl. Formosan. vi. t. 17 (1916).
—— **Nakaii** Hayata
Hayata, Ic. Pl. Formosan. vi. 119 (1916).—*Fl.*
saxatilis Linn.
*Fl. Dan. i. t. 159 (1764).
*Schkuhr, Bot. Handb. Ed. 2, t. 286 I, No. 40; 286 Tt, No. 40 (1808).
*Sturm, Deutschl. Fl. xvi. LXIX [t. 1093] (1835).
*Reichenbach, Ic. Fl. Germ. viii. t. 225 (1846).
*Deakin, Florigr. Brit. iii. fig. 1415 (1847).
Trans. Bot. Soc. Edinb. vii. t. 6 (1863).

CAREX
saxatilis
Bentham, Handb. Brit. Fl. fig. 1110 (1865).
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, vi. t. 246 [1873].
Britton & Brown, Ill. Fl. N. States & Canada, i. 296 (1896); Ed. 2, i. 432 (1913).
Lindman, Svensk Fanerogamfl. 125 (1918).
Fitch & Smith, Ill. Brit. Fl. Ed. rev. 4, Iss. 2, fig. 1128 (1919).
scabrata Schwein.
Ann. Lyc. New York, i. t. 26 (1824).
*Amer. Journ. Sc. xi. t. 3 (1826).
Boott, Carex, iv. t. 517 (1867).
Britton & Brown, Ill. Fl. N. States & Canada, i. 304 (1896); Ed. 2, i. 416 (1913).
scabrella Wahlenb.
Boott, Carex, i. t. 75 (1858).
scabrifolia Steud.
Journ. Russe Bot. 1911, p. 189.—*Fl.*
scabrirostris Kük.
Pflanzenreich, Cyperac.-Caricoid. 566 (1909).
scaposa C. B. Clarke
*Bot. Mag. cxiii. t. 6940 (1887).
*Wien. Ill. Gart.-Zeit. xix. t. 4 (1894).
Schiedeana Kunze
*Kunze, Suppl. Schkuhr. Riedgräs. (Caric.), i. t. 30 (1840–50).
Boott, Carex, iv. t. 420 (1867).
Schkuhrii Willd.
*Schkuhr, Bot. Handb. Ed. 2, t. 286 Qqq, No. 158 (1808).
Schmidtii Meinsh.
Pflanzenreich, Cyperac.-Caricoid. 327 (1909).
Journ. Russe Bot. 1911, p. 88.—*Fl.*
schoenoides Thuill.
*Host, Gram. i. t. 45 (1801).
*Sturm, Deutschl. Fl. xiii. LV [t. 866] (1830).
Schottii Dewey
Amer. Journ. Sc. Ser. IV. xvii. 303 (1904).
Schraderi Schkuhr
*Schkuhr, Bot. Handb. Ed. 2, t. 286 Pppp, No. 203 (1808).
Schreberi Schrank
Hoppe, Ect. Pl. Ratisb. t. 615 (1791).
*Host, Gram. i. t. 46 (1801).
*Schkuhr, Bot. Handb. Ed. 2, t. 286 B, No. 9 (1808).
*Fl. Dan. xi. t. 1829 (1825).
*Sturm, Deutschl. Fl. xiv. LXI [t. 963] (1833).
*Zenker, Fl. Thüringen, vi. t. 636 (1836–55).
*Reichenbach, Ic. Fl. Germ. viii. t. 207 (1846).
Andersson, Cyperac. Scand. t. 4, fig. 25 (1849).
Payer, Organog. Comp. Fl. t. 147 (1857).
Cusin, Herb. Fl. Franç. xxiii (Cypéracées), t. 72 (1874).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, v. t. 471 (1881).
Acloque, Fl. France, 659 (1894).—*Fr.*
Husnot, Cypérac. t. 4 (1905).
Coste, Fl. France, iii. 496 (1906).
Heukels, Fl. Nederl. i. 382 (1910).
×**Schuetzeana** Figert
Junge in Jahrb. Hamburg. Wiss. Anstalt. 1907, xxv. Beih. 3, p. 170 (1908).
Schweinitzii Dewey
*Amer. Journ. Sc. ix. t. 2 (1825).
Boott, Carex, ii. t. 266 (1860).
Britton & Brown, Ill. Fl. N. States & Canada, i. 300 (1896); Ed. 2, i. 437 (1913).
scirpoidea Michx.
Boott, Carex, iv. t. 482 (1867).
Britton & Brown, Ill. Fl. N. States & Canada, i. 337 (1896); Ed. 2, i. 390 (1913).
Ostenfeld, Fl. Arctica, i. 82 (1902).
Amer. Journ. Sc. Ser. IV. xviii. 16, fig. 6 (1904).
Pflanzenreich, Cyperac.-Caricoid. 76 (1909).
Journ. Russe Bot. 1911, p. 34.—*Fl.*
—— **gigas** Holm
Amer. Journ. Sc. Ser. IV. xviii. 16, fig. 8 (1904).—*Fl.*
—— **stenochlaena** Holm
Amer. Journ. Sc. Ser. IV. xviii. 16, t. 7 (1904).—*Fl.*
scirpoides Schkuhr
*Schkuhr, Bot. Handb. Ed. 2, t. 286 Zzz, No. 180 (1808).

CAREX
scita Maxim.
Pflanzenreich, Cyperac.-Caricoid. 413 (1909).
Journ. Russe Bot. 1911, p. 111.
scitula Boott
Boott, Carex, iv. t. 600 (1867).
Pflanzenreich, Cyperac.-Caricoid. 544 (1909).
scoparia Schkuhr
*Schkuhr, Bot. Handb. Ed. 2, t. 286 Xxx, No. 175 (1808).
Boott, Carex, iii. 368 (1862).
Britton & Brown, Ill. Fl. N. States & Canada, i. 356 (1896); Ed. 2, i. 380 (1913).
Proc. Amer. Acad. xxxvii. No. 17, t. 1 (1902).
Pflanzenreich, Cyperac.-Caricoid. 200 (1909).
Stone, Pl. Southern New Jersey (Ann. Rep. New Jersey State Mus. 1910), t. 26 (1911).
L. H. Bailey, Stand. Cycl. Hort. 662 (1914).
—— **condensa** Fernald
Proc. Amer. Acad. xxxvii. No. 7, t. 1 (1902).
—— **minor** Boott
Boott, Carex, iii. t. 369 (1862).
Scopoliana Willd.
*Schkuhr, Bot. Handb. Ed. 2, t. 286 Nnnn, No. 199 (1808).
scopulorum Holm
Amer. Journ. Sc. Ser. IV. xiv. 421 (1902).
Nelson in Bull. Wyoming Agric. St. No. 76, p. 76 (1908).
Pflanzenreich, Cyperac.-Caricoid. 300 (1909).—*Fr.*
Scordiae Lojac.-Poj.
Lojacono-Pojero, Fl. Sic. iii. t. 18 (1909).
secalina Wahlenb.
*Schkuhr, Bot. Handb. Ed. 2, t. 286 S, No. 65; 286, Kk, No. 98 (1808).
*Sturm, Deutschl. Fl. xiii. LVII [t. 911] (1831).
*Reichenbach, Ic. Fl. Germ. viii. t. 257 (1846).
Journ. Russe Bot. 1911, p. 174.
Fedtschenko, Veg. Turkest. 195 (1915).
secta Boott
Boott, Carex, i. t. 123, 124 (1858).
Sedakovii C. A. Mey.
Pflanzenreich, Cyperac.-Caricoid. 589 (1909).
Journ. Russe Bot. 1911, p. 156.—*Fl.*
seditiosa Steud.
Boott, Carex, iv. t. 495 (1867).
Sellowiana Schlechtd.
Boott, Carex, iv. t. 485 (1867).
semiplena Kük.
Pflanzenreich, Cyperac.-Caricoid. 336 (1909).
sempervirens Vill.
*Sturm, Deutschl. Fl. xiii. LIII [t. 843] (1829), vide xvii. LXXVI. Übers. 48 (1839).
*Reichenbach, Ic. Fl. Germ. viii. t. 247 (1846).
Cusin, Herb. Fl. Franç. xxiii (Cypéracées), t. 133 (1874).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, vi. t. 537 (1881).
Willkomm, Führ. Reich Pflanzen, 253 (1882).—*Fr.*
Sturm, Fl. Deutschl. Ed. 2, t. 53 (1900).
Husnot, Cypérac. t. 11 (1905).
Coste, Fl. France, iii. 514 (1906).
Schroeter, Pflanzenleb. Alp. 313, 314 (1906).
Beih. Bot. Centralbl. xxvii. II. 72 (1910).
*Hegi & Dunz. Alp. Fl. t. 3 (1913).
—— **tristis** M. Bieb.
Journ. Russe Bot. 1911, p. 154.—*Fl.*
Fedtschenko, Veg. Turkest. 192 (1915).
sendaica Franch.
Nouv. Arch. Mus. Hist. Nat. Paris, Ser. III. viii. t. 10 (1896).
senta Boott
Amer. Plants, iii. t. 27 (1910).
seorsa E. C. Howe
Proc. Amer. Acad. xxxvii. t. 4 (1902).
serrulata Biv.
Cusin, Herb. Fl. Franç. xxiii (Cypéracées), t. 99 bis (1874).
W. Barbey, Fl. Sard. Compend. t. 2 (1884).
Coste, Fl. France, iii. 505 (1906).
setacea Dewey
*Amer. Journ. Sc. ix. t. 2 (1825).
Britton & Brown, Ill. Fl. N. States & Canada, i. 346 (1896); Ed. 2, i. 370 (1913).

CAREX
setifolia Kunze
*Kunze, Suppl. Schkuhr. Riedgräs. (Caric.), i. t. 26 (1840–50).
C. Gay, Hist. Chile, Atlas, t. 73, fig. 6 (1854).
Boott, Carex, iv. t. 480 (1867).
Pflanzenreich, Cyperac.-Caricoid. 84 (1909).
—— **minor** Boott
Boott, Carex, iv. t. 481 (1867).
setifolia Godr.
Cusin, Herb. Fl. Franç. xxiii (Cypéracées), t. 68 (1874).
setifolia Britton
Britton & Brown, Ill. Fl. N. States & Canada, i. 332 (1896).
setigera hymenolepis Drej.
Drejer, Symb. Caric. t. 8 (1844).
—— **minor** Boott
Boott, Carex, i. t. 6 (1858).
setosa Boott
Boott, Carex, iii. t. 327–29 (1862).
Sewellii A. Benn. & C. B. Clarke
Trans. & Proc. Bot. Soc. Edinb. xvii. t. 8 (1889).
Shimadai Hayata
Hayata, Ic. Pl. Formosan. vi. 127 (1916).—*Fl.*
Shortiana Dewey
Amer. Journ. Sc. xxx. t. 1 (1836).
Drejer, Symb. Caric. t. 1 (1844).
Boott, Carex, ii. t. 271 (1860).
Britton & Brown, Ill. Fl. N. States & Canada, i. 303 (1896); Ed. 2, i. 419 (1913).
Cratty in Bull. Labor. Nat. Hist. Iowa, iv. No. 4, t. 2 (1898).
Shriveri Britton
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, i. 403 (1913).
siccata Dewey
*Amer. Journ. Sc. x. t. 3 (1826); xxx. t. 2 (1836).
Boott, Carex, i. t. 52, 146 (1858).
Britton & Brown, Ill. Fl. N. States & Canada, i. 355 (1896); Ed. 2, i. 364 (1913).
Ostenfeld, Fl. Arctica, i. 53 (1902).
Proc. Amer. Acad. xxxvii. No. 17, t. 1 (1902).
Nelson in Bull. Wyoming Agric. St. No. 76, p. 75 (1908).
F. E. & E. S. Clements, Rocky Mt. Fl. t. 45 (1914).
siderosticta Hance
Nouv. Arch. Mus. Hist. Nat. Paris, Ser. III. ix. t. 5 (1897).
Pflanzenreich, Cyperac.-Caricoid. 524 (1909).
Journ. Russe Bot. 1911, p. 148.
Act. Hort. Petrop. xxxi. 115 (1912).
Siegertiana Uechtr.
Willkomm, Führ. Reich Pflanzen, 255 (1882).—*Fr.*
Husnot, Cypérac. t. 15 (1905–6).
silicea Olney
Britton & Brown, Ill. Fl. N. States & Canada, i. 358 (1896); Ed. 2, i. 385 (1913).
Proc. Amer. Acad. xxxvii. No. 17, t. 2 (1902).
Pflanzenreich, Cyperac.-Caricoid. 204 (1909).
Stone, Pl. Southern New Jersey (Ann. Rep. New Jersey State Mus. 1910), t. 26 (1911).
silvatica Huds.
*Fl. Dan. iii. t. 404 (1768).
Hoppe, Ect. Pl. Ratisb. t. 635 (1791).
*Host, Gram. i. t. 84 (1801).
*Sowerby & Sm. Engl. Bot. xiv. t. 995 (1802).
*Schkuhr, Bot. Handb. Ed. 2, t. 286 Ll, No. 101 (1808).
*Zenker, Fl. Thüringen, vi. t. 670 (1836–55).
[M. E.] Jackson, Pict. Fl. fig. 1341 (1840).
Leighton, Fl. Shropshire, 465 [t. 18] (1841).—*Fr.*
*Reichenbach, Ic. Fl. Germ. viii. t. 242 (1846).
*Deakin, Florigr. Brit. iii. fig. 1427 (1847).
*Lorek, Fl. Pruss. Ed. 3, t. 217, fig. 1153 (1848).
Andersson, Cyperac. Scand. t. 8, fig. 100 (1849).
Johnson & Sowerby, Brit. Wild Fl. fig. 1437 (1858–60).
Bentham, Handb. Brit. Fl. fig. 1133 (1865).
Migout, Fl. Dépt. Allier, t. 22 (1866).—*Fr.*
*Syme, Engl. Bot. x. t. 1665 (1870).
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, vi. t. 247 [1873].
Cusin, Herb. Fl. Franç. xxiii (Cypéracées), t. 136 (1874).

CAREX
silvatica
*Hogg & Johnson, Wild Fl. Gr. Brit. xi. t. 913 (1880).
Karsten, Deutsche Fl. Pharm.-medic. Bot. 345 (1880–83).—*Fl.*
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, vi. t. 543 (1881).
Wagner, Ill. Deutsche Fl. Ed. 2, p. 804 (1882).
*Thomé, Fl. Deutschl. i. t. 93 (1886).
Nederl. Kruidk. Arch. Ser. II. v. 1. t. 2 (1887).—*Fr.*
Potonié, Ill. Fl. Nord- u. Mittel-Deutschl. Ed. 4, fig. 103 (1889).
*Masclef, Atlas Pl. France, t. 363 (1893).
Acloque, Fl. France, 659 (1894).—*Fr.*
Battandier & Trabut, Fl. Algér., Monocot. t. 3, fig. 18 (1895).—*Fl.*
Karsten, Fl. Deutschl. i. 348 (1895).
Fiori & Paol. Ic. Fl. Ital. 59 (1896).
*Sturm, Fl. Deutschl. Ed. 2, ii. t. 53 (1900).
C. T. Green, Fl. Liverpool Distr. fig. 695 (1902).
Husnot, Cypérac. t. 12 (1905).
Coste, Fl. France, iii. 516 (1906).
Suireishchikov, Ill. Fl. Mosc. Gov. i. 211 (1906).
Junge in Jahrb. Hamburg. Wiss. Anstalt. 1907, xxv. Beih. 3, p. 202 (1908).
Clarke in Nature Book, iv. 660, t. 1 (1909).
Fedtschenko & Fler. Fl. Eur. Russia, 190 (1910).
Heukels, Fl. Nederl. i. 402 (1910).
*Bonnier, Name This Flower, t. 58 (1917).
Lindman, Svensk Fanerogamfl. 129 (1918).—*Fl.*
Fitch & Smith, Ill. Brit. Fl. Ed. rev. 4, Iss. 2, fig. 1151 (1919).
simensis Hochst.
Engler & Drude, Veget. Erde, ix. II. 220 (1908).
Pflanzenreich, Cyperac.-Caricoid. 653 (1909).
sitchensis Presc.
Hooker, Fl. Bor.-Amer. t. 221 (1840).
Boott, Carex, iv. t. 518, 519 (1867).
Amer. Journ. Sc. Ser. IV. xxvi. 485 (1908).—*Fl.*
C. B. Clarke, Illustr. Cyperac. t. 144 (1909).—*Fl.*
Solanderi Boott
Boott, Carex, i. t. 175 (1858).
songorica pamirica Ostenf.
Arbejd. Bot. Have Kjöbenhavn, No. 40, p. 231 (1907); et in Bot. Tidsskr. xxviii. 231 (1907).
sororia Kunth
Boott, Carex, i. t. 117 (1858).
Spachiana Boott
Boott, Carex, i. t. 108 (1858).
spadicea Roth
Hoppe, Ect. Pl. Ratisb. t. 770 (1793).
spadicea Schkuhr
*Schkuhr, Bot. Handb. Ed. 2, t. 286 L, No. 47 a, b (1808).
spadicea Host
*Host, Gram. iv. t. 91 (1809).
sparganioides Muhl.
*Schkuhr, Bot. Handb. Ed. 2, t. 286 Lll, No. 142 (1808).
Boott, Carex, iii. t. 394 (1862).
Britton & Brown, Ill. Fl. N. States & Canada, i. 348 (1896); Ed. 2, i. 368 (1913).
—— **minor** Boott
Boott, Carex, iii. t. 394 (1862).
sparsiflora Steud.
Andersson, Cyperac. Scand. t. 7, fig. 75 (1849).
Willkomm, Führ. Reich Pflanzen, 248 (1882).—*Fr.*
*Sturm, Fl. Deutschl. Ed. 2, ii. t. 45 (1900).
Ostenfeld, Fl. Arctica, i. 81 (1902).
Pflanzenreich, Cyperac.-Caricoid. 512 (1909).
Journ. Russe Bot. 1911, p. 146.—*Fl.*
spartea Wahlenb.
Koenig & Sims, Ann. Bot. ii. t. 8, fig. 44 (1805).—*Fr.*
*Schkuhr, Bot. Handb. Ed. 2, t. 286 Bb, No. 86 (1808).
spatiosa Boott
Boott, Carex, ii. t. 246 (1860).
spectabilis Dewey
Amer. Journ. Sc. xxix. t. x (1836); Ser. IV. xviii. 18, fig. a–c (1904); xlix. 197, fig. 5, 6 (1920).

CAREX
spectabilis alpina Holm
Amer. Journ. Sc. Ser. IV. xlix. 197, fig. 15 (1920).
—— **elegantula** Holm
Amer. Journ. Sc. Ser. IV. xlix. 197, fig. 13, 14 (1920).—*Fl.*
—— **gelida** Holm
Amer. Journ. Sc. Ser. IV. xlix. 197, fig. 7–9 (1920).
—— **superba** Holm
Amer. Journ. Sc. Ser. IV. xlix. 197, fig. 10–12 (1920).
speirostachya Sm.
*Sowerby & Sm. Engl. Bot. Suppl. ii. t. 2770 (1834).
[M. E.] Jackson, Pict. Fl. fig. 1344 (1840).
*Deakin, Florigr. Brit. iii. fig. 1420 (1847) in textu; *C. phaeostachya* in ic.
Johnson & Sowerby, Brit. Wild Fl. fig. 1451 (1858–60).
sphaerogyna Baker
Journ. of Bot. xxi. t. 238 (1883).
sphaerostachya Dewey
*Amer. Journ. Sc. xlix. t. 1 (1845).
spicata Poll.
Hoppe, Ect. Pl. Ratisb. t. 685 (1791).
spicata Schkuhr
*Schkuhr, Bot. Handb. Ed. 2, t. 286 D, No. 15 (1808).
*Sturm, Deutschl. Fl. xiv. LXI [t. 966] (1833).
Nees, Gen. Pl., Monocot. ii. t. 1 (1836).—*Fr.*
*Reichenbach, Ic. Fl. Germ. viii. t. 197 (1846).
spicato-paniculata C. B. Clarke
Engler & Drude, Veget. Erde, ix. II. 219 (1908).
Pflanzenreich, Cyperac.-Caricoid. 269 (1909).
spicigera Nees
Boott, Carex, i. t. 29 (1858).
spiculata Boott
Boott, Carex, i. t. 7 (1858).
spiculosa Fries
Andersson, Cyperac. Scand. t. 6, fig. 62 (1849).
Boott, Carex, iv. t. 524 (1867).
spissa L. H. Bailey
Amer. Plants, iii. t. 26 (1910).
splendida Willd.
Willdenow, Fl. Berol. Prodr. t. 1 (1787).
Sprengelii Dewey
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, i. 412 (1913).
squarrosa Linn.
Ann. Lyc. New York, i. t. 27 (1824).
*Amer. Journ. Sc. xi. t. 2 (1826).
Drejer, Symb. Caric. t. 17 (1844).
Boott, Carex, ii. t. 280, 281 (1860).
Britton & Brown, Ill. Fl. N. States & Canada, i. 301 (1896); Ed. 2, i. 438 (1913).
stans Drej.
*Fl. Dan. xiv. t. 2477 (1849).
D. Dietrich, Fl. Univ. Abt. i. t. 896 (1852–55).
stantonensis M. Jones
M. Jones in Bull. Univ. Montana No. 61, p. 70, t. 3 (1910).
stellulata Gooden.
*Host, Gram. i. t. 53 (1801).
*Sowerby & Sm. Engl. Bot. xii. t. 806 (1801).
*Schkuhr, Bot. Handb. Ed. 2, t. 286 C, No. 14 (1808).
*Sturm, Deutschl. Fl. xii. L [t. 791] (1827).
*Zenker, Fl. Thüringen, vi. t. 614 (1836–55).
[M. E.] Jackson, Pict. Fl. fig. 1322 (1840).
Leighton, Fl. Shropshire, 450 [t. 12] (1841).—*Fr.*
*Reichenbach, Ic. Fl. Germ. viii. t. 214 (1846).
*Deakin, Florigr. Brit. iii. fig. 1400 (1847).
*Lorek, Fl. Pruss. Ed. 3, t. 213, fig. 1132 (1848).
Andersson, Cyperac. Scand. t. 4, fig. 37 (1849).
Johnson & Sowerby, Brit. Wild Fl. fig. 1418 (1858–60).
Bentham, Handb. Brit. Fl. fig. 1100 (1865).
*Hogg & Johnson, Wild Fl. Gr. Brit. iv. t. 284 (1868).
*Syme, Engl. Bot. x. t. 1626 (1870).
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, vi. t. 243 [1873].
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, vi. t. 474 (1881).

CAREX
stellulata
Blytt, Haandb. Norg. Fl. Ed. Dahl, 141 (1906). —*Fl.*
Suireishchikov, Ill. Fl. Mosc. Gov. i. 194 (1906).
Pflanzenreich, Cyperac.-Caricoid. 229 (1909).
Journ. Russe Bot. 1911, p. 73.—*Fl.*
Hayek, Pflanzend. Oesterr.-Ung. i. 58 (1914).
—— **scirpoides** Carey
Boott, Carex, i. t. 146** (1858).
stenantha Franch. & Sav.
Nouv. Arch. Mus. Hist. Nat. Paris, Ser. III. x. t. 3 (1898).
Pflanzenreich, Cyperac.-Caricoid. 566 (1909).
Journ. Russe Bot. 1911, p. 153.—*Fl.*
stenolepis Torr.
Amer. Journ. Sc. xxx. t. 1 (1836).
Drejer, Symb. Caric. t. 16 (1844).
Boott, Carex, ii. t. 282 (1860).
stenophylla Wahlenb.
J. G. Gmelin, Fl. Sibir. i. t. 30, fig. 2 (1747); fide Ledebour, Comm. 57.
*Sturm, Deutschl. Fl. xii. XLVII [t. 739] (1827).
*Reichenbach, Ic. Fl. Germ. viii. t. 200 (1846).
Karsten, Deutsche Fl. Pharm.-medic. Bot. 336 (1880–83).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, v. t. 455 (1881).
Karsten, Fl. Deutschl. i. 338 (1895).
Britton & Brown, Ill. Fl. N. States & Canada, i. 341 (1896); Ed. 2, i. 362 (1913).
Cratty in Bull. Labor. Nat. Hist. Iowa, iv. No. 4, t. 6 (1898).
Woenig, Pusztenflora, 19 (1899).
Ostenfeld, Fl. Arctica, i. 50 (1902).
Husnot, Cypérac. t. 3 (1905).
Journ. Russe Bot. 1911, p. 46.
F. E. & E. S. Clements, Rocky Mt. Fl. t. 45 (1914).
Fedtschenko, Veg. Turkest. 174 (1915).
sterilis Willd.
*Schkuhr, Bot. Handb. Ed. 2, t. 286 Mmm, No. 146 (1808).
*Krocker, Fl. Siles. iii. t. 4 (1814).
Boott, Carex, i. t. 146, 146* (1858).
Britton & Brown, Ill. Fl. N. States & Canada, i. 350 (1896).
Asa Gray Bulletin, vol. vi. 27 (1898).
Proc. Amer. Acad. xxxvii. No. 17, t. 4 (1902).
Steudelii Kunth
*Kunze, Suppl. Schkuhr. Riedgräs. (Caric.), i. t. 3 (1840–50).
*Amer. Journ. Sc. xlix. t. 1 (1845).
Boott, Carex, i. t. 103 (1858).
A. Gray, Man. Bot. N.U.S. Ed. 5, t. 5 (1867).
Pflanzenreich, Cyperac.-Caricoid. 644 (1909).
stictocarpa Sm.
*Sowerby & Sm. Engl. Bot. Suppl. ii. t. 2772 (1834).
[M. E.] Jackson, Pict. Fl. fig. 1374 (1840).
Johnson & Sowerby, Brit. Wild Fl. fig. 1461 (1858–60).
stipata Muhl.
*Schkuhr, Bot. Handb. Ed. 2, t. 286 Hhh, No. 132 (1808).
Boott, Carex, iii. t. 390 (1862).
Britton & Brown, Ill. Fl. N. States & Canada, i. 343 (1896); Ed. 2, i. 371 (1913).
Going, Field, Forest & Wayside Fl. 189 (1899).
Pflanzenreich, Cyperac.-Caricoid. 169 (1909).
Stone, Pl. Southern New Jersey (Ann. Rep. New Jersey State Mus. 1910), t. 21 (1911).
—— **maxima** Chapm.
Boott, Carex, iii. t. 391 (1862).
stolonifera Hoppe
*Sturm, Deutschl. Fl. xvi. LXIX [t. 1094] (1835).
straminea Willd.
*Schkuhr, Bot. Handb. Ed. 2, t. 286 G, No. 34; 286 Xxx, No. 174 (1808).
Boott, Carex, iii. t. 387 (1862).
A. Gray, Man. Bot. N.U.S. Ed. 5, t. 6 (1867).
Britton & Brown, Ill. Fl. N. States & Canada, i. 358 (1896); Ed. 2, i. 382 (1913).
Proc. Amer. Acad. xxxvii. No. 17, t. 2 (1902).
Pflanzenreich, Cyperac.-Caricoid. 204 (1909).
Stone, Pl. Southern New Jersey (Ann. Rep. New Jersey State Mus. 1910), t. 26 (1911).

CAREX
straminea aperta Boott
Boott, Carex, iii. t. 385 (1862).
—— **brevior** Dewey
A. Gray, Man. Bot. N.U.S. Ed. 6, t. 6 (1890).
—— **Crawei** Boott
Boott, Carex, iii. t. 371, 388 (1862).
—— **echinodes** Fernald
Proc. Amer. Acad. xxxvii. No. 17, t. 2 (1902).
—— **festucacea** Tuckerm.
Boott, Carex, iii. t. 386 (1862).
—— **Meadii** Boott
Boott, Carex, iii. t. 389 (1862).
—— **minor** Dewey
*Amer. Journ. Sc. xi. t. 7 (1826).
—— **tenera** Boott
Boott, Carex, iii. t. 384 (1862).
straminiformis L. H. Bailey
Pflanzenreich, Cyperac.-Caricoid. 194 (1909).
striata R. Br.
Drejer, Symb. Caric. t. 15 (1844).
striata Michx.
Boott, Carex, i. t. 151 (1858).
striatula Michx.
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, i. 403 (1913).
stricta Gooden.
Trans. Linn. Soc. London, ii. t. 21 (1794).
*Host, Gram. i. t. 94 (1801).
Roemer, Archiv Bot. ii. II. t. 3 (1801).
*Sowerby & Sm. Engl. Bot. xiii. t. 914 (1801).
*Schkuhr, Bot. Handb. Ed. 2, t. 286 V, No. 73 (1808).
*Sturm, Deutschl. Fl. xii. L [t. 798] (1827).
*Zenker, Fl. Thüringen, vi. t. 626 (1836–55).
[M. E.] Jackson, Pict. Fl. fig. 1366 (1840).
Leighton, Fl. Shropshire, 454 [t. 14] (1841).—*Fr.*
*Reichenbach, Ic. Fl. Germ. viii. t. 228, fig. d–g, t. 230 (1846).
*Deakin, Florigr. Brit. iii. fig. 1414 (1847).
*Lorek, Fl. Pruss. Ed. 3, t. 214, fig. 1136 (1848).
Andersson, Cyperac. Scand. t. 6, fig. 60 (1849).
*Fl. Dan. xv. t. 2548 (1852).
Johnson & Sowerby, Brit. Wild Fl. fig. 1428 (1858–60).
Boott, Carex, iv. t. 584, 585 (1867).
*Syme, Engl. Bot. x. t. 1638 (1870).
Cusin, Herb. Fl. Franç. xxiii (Cypéracées), t. 93 (1874).
*Hogg & Johnson, Wild Fl. Gr. Brit. xi. t. 895 (1880).
Karsten, Deutsche Fl. Pharm.-medic. Bot. 341 (1880–83).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, vi. t. 487 (1881).
Willkomm, Führ. Reich Pflanzen, 244 (1882).—*Fr.*
*Thomé, Fl. Deutschl. i. t. 95 (1886).
Nederl. Kruidk. Arch. Ser. II. v. I. t. 1 (1887). —*Fr.*
*Kerner, Pflanzenleben, ii. 645 (1891); Ed. 3, i. 110 (1913).
*Masclef, Atlas Pl. France, t. 364 (1893).
Baillon, Hist. Pl. xii. 343 (1894).
Battandier & Trabut, Fl. Algér., Monocot. t. 3, fig. 11 (1895).—*Fl.*
Garcke, Ill. Fl. Deutschl. 639 (1895).
Karsten, Fl. Deutschl. i. 344 (1895).
*Sturm, Fl. Deutschl. Ed. 2, ii. t. 36 (1900).
Ostenfeld, Fl. Arctica, i. 71 (1902).
Husnot, Cypérac. t. 7 (1905).
Coste, Fl. France, iii. 504 (1906).
Suireishchikov, Ill. Fl. Mosc. Gov. i. 199 (1906).
Heukels, Fl. Nederl. i. 391 (1910).
Karsten & Schenck, Veg.-Bild. ix. t. 14, 16 (1911).—*Hab.*
Feucht, Württemb. Pflanzenw. t. 31 (1912).—*Hab.*
Bull. Angew. Bot. vii. t. 100 (1914).
stricta Lam.
*Meehan, Fl. & Ferns U.S. i. t. 10 (1878).
Britton & Brown, Ill. Fl. N. States & Canada, i. 308 (1896); Ed. 2, i. 420 (1913).
Bot. Tidsskr. xxx. 79 (1909).—*Hab.*
Pflanzenreich, Cyperac.-Caricoid. 331 (1909).
Stone, Pl. Southern New Jersey (Ann. Rep. New Jersey State Mus. 1910), t. 25 (1911).

CAREX
stricta
Bull. Soc. Bot. Belg. li. II. 162 (1913).—*Hab.*
×**strictiformis** Almq.
Junge in Jahrb. Hamburg. Wiss. Anstalt. 1907, xxv. Beih. 2, p. 181 (1908).
strigosa Huds.
Trans. Linn. Soc. London, ii. t. 20 (1794).
*Fl. Dan. vii. t. 1237 (1799).
Roemer, Archiv Bot. ii. II. t. 2 (1801).
*Sowerby & Sm. Engl. Bot. xiv. t. 994 (1802).
*Schkuhr, Bot. Handb. Ed. 2, t. 286 N, No. 53 (1808).
*Sturm, Deutschl. Fl. xiii. LV [t. 876] (1830), vide xvii. LXXVI. Übers. 48 (1839).
[M. E.] Jackson, Pict. Fl. fig. 1340 (1840).
Leighton, Fl. Shropshire, 465 [t. 18] (1841).—*Fr.*
*Reichenbach, Ic. Fl. Germ. viii. t. 242 (1846).
*Deakin, Florigr. Brit. iii. fig. 1428 (1847).
Andersson, Cyperac. Scand. t. 8, fig. 99 (1849).
Johnson & Sowerby, Brit. Wild Fl. fig. 1436 (1858–60).
Bentham, Handb. Brit. Fl. fig. 1134 (1865).
*Syme, Engl. Bot. x. t. 1661 (1870).
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, vi. t. 247 [1873].
Cusin, Herb. Fl. Franç. xxiii (Cypéracées), t. 102 (1874).
*Hogg & Johnson, Wild Fl. Gr. Brit. xi. t. 913 (1880).
Karsten, Deutsche Fl. Pharm.-medic. Bot. 349 (1880–83).—*Fr.*
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, vi. t. 519 (1881).
Wagner, Ill. Deutsche Fl. Ed. 2, p. 800 (1882).
Willkomm, Führ. Reich Pflanzen, 248 (1882).—*Fr.*
Nederl. Kruidk. Arch. Ser. II. v. I. t. 1 (1887). —*Fr.*
Karsten, Fl. Deutschl. i. 352 (1895).
Raunkiær, Danske Blomsterpl. Naturhist. i. 472 (1895–99).—*Veg.*
Fiori & Paol. Ic. Fl. Ital. 57 (1896).
*Sturm, Fl. Deutschl. Ed. 2, ii. t. 46 (1900).
Husnot, Cypérac. t. 12 (1905).
Coste, Fl. France, iii. 516 (1906).
Junge in Jahrb. Hamburg. Wiss. Anst. 1907, xxv. Beih. 3, p. 202 (1908).
Heukels, Fl. Nederl. i. 403 (1910).
Fitch & Smith, Ill. Brit. Fl. Ed. rev. 4, Iss. 2, fig. 1152 (1919).
styliflexa Buckley
*Amer. Journ. Sc. xlviii. t. 2 (1845).
Britton & Brown, Ill. Fl. N. States & Canada, i. 328 (1896); Ed. 2, i. 403 (1913).
Stone, Pl. Southern New Jersey (Ann. Rep. New Jersey State Mus. 1910), t. 24 (1911).
stylosa C. A. Mey.
Mém. Prés. Acad. Sc. Pétersb. Sav. Étrang. i. t. III & IV. t. 12 (1830).
*Kunze, Suppl. Schkuhr. Riedgräs. (Caric.), i. t. 29 (1840–50).
Boott, Carex, iv. t. 454 (1867).
Britton & Brown, Ill. Fl. N. States & Canada, i. 307 (1896); Ed. 2, i. 418 (1913).
Ostenfeld, Fl. Arctica, i. 65 (1902).
Journ. Russe Bot. 1911, p. 105.—*Fl.*
suberea Boott
Boott, Carex, iv. t. 546 (1867).
suberecta Britton
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, i. 384 (1913).
subspathacea Wormsk.
*Fl. Dan. ix. t. 1530 (1816).
*Kunze, Suppl. Schkuhr. Riedgräs. (Caric.), i. t. 24 (1840–50).
Andersson, Cyperac. Scand. t. 5, fig. 49 (1849).
Britton & Brown, Ill. Fl. N. States & Canada, i. 310 (1896); Ed. 2, i. 423 (1913).
Journ. Russe Bot. 1911, p. 94.
—— **curvata** Drej.
Amer. Journ. Sc. Ser. IV. xlix. 436, fig. 6 (1920).
—— **stricta** Drej.
Amer. Journ. Sc. Ser. IV. xlix. 436, fig. 7, 8 (1920).—*Fl.*

CAREX
subulata Michx.
Ann. Lyc. New York, i. t. 26 (1824).
*Kunze, Suppl. Schkuhr. Riedgräs. (Caric.), i. t. 40 (1840–50).
*Torrey, Fl. State New York, ii. t. 147; (errore t. 144 in textu) (1843).
Boott, Carex, ii. t. 270 (1860).
×**Sullivantii** Boott
*Amer. Journ. Sc. xlix. t. 1 (1845).
Boott, Carex, i. t. 133 (1858).
supina Wahlenb.
*Sturm, Deutschl. Fl. xii. XLVII [t. 750] (1827).
*Zenker, Fl. Thüringen, x. t. 1112 (1836–55).
*Reichenbach, Ic. Fl. Germ. viii. t. 259 (1846).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, vi. t. 500 (1881).
Willkomm, Führ. Reich Pflanzen, 246 (1882).
Britton & Brown, Ill. Fl. N. States & Canada, i. 338 (1896); Ed. 2, i. 389 (1913).
*Sturm, Fl. Deutschl. Ed. 2, ii. t. 41 (1900).
Ostenfeld, Fl. Arctica, i. 87 (1902).
Husnot, Cypérac. t. 9 (1905).
Pflanzenreich, Cypérac.-Caricoid. 456 (1909).
Journ. Russe Bot. 1911, p. 122.
Fedtschenko, Veg. Turkest. 186 (1915).
Swanii Mackenzie
Stone, Pl. Southern New Jersey (Ann. Rep. New Jersey State Mus. 1910), t. 25 (1911).
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, i. 413 (1913).
sychnocephala Carey
Boott, Carex, i. t. 118 (1858).
Britton & Brown, Ill. Fl. N. States & Canada, i. 360 (1896); Ed. 2, i. 379 (1913).
Cratty in Bull. Labor. Nat. Hist. Iowa, iv. No. 4, t. 9 (1898).
Proc. Amer. Acad. xxxvii. No. 17, t. 3 (1902).
Pflanzenreich, Cyperac.-Caricoid. 188 (1909).
sylvatica = *silvatica*
taliensis Franch.
Nouv. Arch. Mus. Hist. Nat. Paris, Ser. III. ix. t.2 (1897).
tasmanica Kük.
Pflanzenreich, Cyperac.-Caricoid. 688 (1909).
tatsutakensis Hayata
Hayata, Ic. Pl. Formosan. vi. 134 (1916).—*Fl.*
teinogyna Boott
Boott, Carex, i. t. 158 (1858).
Pflanzenreich, Cyperac.-Caricoid. 600 (1909).
temnolepis Franch.
Nouv. Arch. Mus. Hist. Nat. Paris, Ser. III. x. t. 4 (1898).
tenax Chapm.
Boott, Carex, i. t. 60 (1858).
tenax Berggr.
Berggren, Några nya ofullst. kända arter Ny-Zeel. Fanerog. (Minneskr. Fisiogr. Sällsk. Lund. viii. 1), t. 7 (1877).
tenebrosa Boott
Boott, Carex, ii. t. 256 (1860).
tenella Schkuhr
*Schkuhr, Bot. Handb. Ed. 2, t. 286 Pp, No. 104 (1808).
Andersson, Cyperac. Scand. t. 4, fig. 33 (1849).
Boott, Carex, i. t. 125, 126 (1858).
*Fl. Dan. Suppl. t. 166 (1874).
Britton & Brown, Ill. Fl. N. States & Canada, i. 346 (1896).
Suireishchikov, Ill. Fl. Mosc. Gov. i. 198 (1906).
Pflanzenreich, Cyperac.-Caricoid. 223 (1909).
Journ. Russe Bot. 1911, p. 69.—*Fl.*
F. E. & E. S. Clements, Rocky Mt. Fl. t. 45 (1914).
Lindman, Svensk Fanerogamfl. 120 (1918).—*Fr.*
tenera Dewey
*Amer. Journ. Sc. ix. t. 3 (1825).
Britton & Brown, Ill. Fl. N. States & Canada, i. 358 (1896).
Proc. Amer. Acad. xxxvii. No. 17, t. 2 (1902).
—— **Richii** Fernald
Proc. Amer. Acad. xxxvii. No. 17, t. 2 (1902).
—— **invisa** Fernald
Proc. Amer. Acad. xxxvii. No. 17, t. 2 (1902).

CAREX
tentaculata Muhl.
*Schkuhr, Bot. Handb. Ed. 2, t. 286 Ggg, No. 130 (1808).
*Torrey, Fl. State New York, ii. t. 144 (1843).
Boott, Carex, ii. t. 277 (1860).
—— **altior** Boott
Boott, Carex, ii. t. 278 (1860).
tenuiflora Wahlenb.
Koenig & Sims, Ann. Bot. ii. t. 8, fig. 62 (1805).—*Fr.*
*Schkuhr, Bot. Handb. Ed. 2, t. 286 Eeee, No. 187 (1808).
Andersson, Cyperac. Scand. t. 4, fig. 36 (1849).
Boott, Carex, iv. t. 463 (1867).
*Fl. Dan. Suppl. t. 167 (1874).
Britton & Brown, Ill. Fl. N. States & Canada, i. 352 (1896); Ed. 2, i. 372 (1913).
Proc. Amer. Acad. xxxvii. No. 17, t. 5 (1902).
Pflanzenreich, Cyperac.-Caricoid. 223 (1909).
Journ. Russe Bot. 1911, p. 71.—*Fl.*
tenuiformis Léveillé & Vaniot
Léveillé, Cat. Pl. Yun-Nan, 75 (1915–16).
tenuis Rudge
Trans. Linn. Soc. London, vii. t. 9, fig. 2 (1804).
Britton & Brown, Ill. Fl. N. States & Canada, i. 320 (1896).
tenuis Host
*Host, Gram. iv. t. 92 (1809).
*Sturm, Deutschl. Fl. xiii. LIII [t. 845] (1829), vide xvii. LXXVI. Übers. 48 (1839).
*Reichenbach, Ic. Fl. Germ. viii. t. 241 (1846).
Cusin, Herb. Fl. Franç. xxiii (Cypéracées), t. 135 (1874).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, vi. t. 535 (1881).
*Thomé, Fl. Deutschl. i. t. 94 (1886).
Husnot, Cypérac. t. 10 (1905).
Coste, Fl. France, iii. 513 (1906).
teres Boott
Boott, Carex, i. t. 167 (1858).
tereticaulis F. Muell.
Pflanzenreich, Cyperac.-Caricoid. 178 (1909).
teretiuscula Gooden.
Trans. Linn. Soc. London, ii. t. 19 (1794).
Roemer, Archiv Bot. ii. II. t. 1 (1801).
*Sowerby & Sm. Engl. Bot. xv. t. 1065 (1802).
*Schkuhr, Bot. Handb. Ed. 2, t. 286 D, No. 19; 286 T, No. 69 (1808).
*Fl. Dan. xi. t. 1886 (1827).
*Sturm, Deutschl. Fl. xii. L [t. 787] (1827).
*Zenker, Fl. Thüringen, vi. t. 625 (1836–55).
[M. E.] Jackson, Pict. Fl. fig. 1335 (1840).
Leighton, Fl. Shropshire, 454 [t. 14] (1841).—*Fr.*
Luxford in Phytologist, i. 919 (1844).—*Fr.*
*Kops, Fl. Batava, ix. t. 678 (1846).
*Reichenbach, Ic. Fl. Germ. viii. t. 222 (1846).
*Deakin, Florigr. Brit. iii. fig. 1396 (1847).
*Lorek, Fl. Pruss. Ed. 3, t. 212, fig. 1126 (1848).
Andersson, Cyperac. Scand. t. 3, fig. 22 (1849).
Johnson & Sowerby, Brit. Wild Fl. fig. 1416 (1858–60).
*Syme, Engl. Bot. x. t. 1619 (1870).
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, vi. t. 244 [1873].
Cusin, Herb. Fl. Franç. xxiii (Cypéracées), t. 80 (1874).
*Hogg & Johnson, Wild Fl. Gr. Brit. xi. t. 827 (1880).
Karsten, Deutsche Fl. Pharm.-medic. Bot. 339 (1880–83).—*Fr.*
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, v. t. 468 (1881).
Willkomm, Führ. Reich Pflanzen, 240 (1882).—*Fr.*
Nederl. Kruidk. Arch. Ser. II. iv. IV. t. 12 (1886).—*Fr.*
Karsten, Fl. Deutschl. i. 342 (1895).
Britton & Brown, Ill. Fl. N. States & Canada, i. 344 (1896).
*Sturm, Fl. Deutschl. Ed. 2, ii. t. 29 (1900).
Husnot, Cypérac. t. 5 (1905).
Coste, Fl. France, iii. 497 (1906).
Suireishchikov, Ill. Fl. Mosc. Gov. i. 192 (1906).
Heukels, Fl. Nederl. i. 386 (1910).
Bull. Angew. Bot. vii. t. 103 (1914).

CAREX
teretiuscula Ehrhartiana Sanio
*Syme, Engl. Bot. x. t. 1620 (1870).
—— **maior** Koch
Boott, Carex, iv. t. 466 (1867).
ternaria Forst.
Boott, Carex, iv. t. 596, 598 (1867).
Chilton, Subantarct. Isl. New Zeal. i. 187 (1909).—*Hab.*
Pflanzenreich, Cyperac.-Caricoid. 368 (1909).
—— **minor** Boott
Boott, Carex, iv. t. 597 (1867).
testacea Soland.
Pflanzenreich, Cyperac.-Caricoid. 688 (1909).
tetanica Schkuhr
*Schkuhr, Bot. Handb. Ed. 2, t. 286 Ggg, No. 100; 286 Oooo, No. 207 (1808).
*Amer. Journ. Sc. xi. t. 8 (1826).
Boott, Carex, i. t. 84 (1858).
Britton & Brown, Ill. Fl. N. States & Canada, i. 326 (1896); Ed. 2, i. 398 (1913).
Pflanzenreich, Cyperac.-Caricoid. 512 (1909).—*Fr.*
Stone, Pl. Southern New Jersey (Ann. Rep. New Jersey State Mus. 1910), t. 24 (1911).
texensis L. H. Bailey
Britton & Brown, Ill. Fl. N. States & Canada, i. 347 (1896); Ed. 2, i. 364 (1913).
Thomsonii Boott
Boott, Carex, i. t. 1 (1858).
Lecomte, Fl. Gén. Indo-Chine, vii. 184 (1912).—*Fl.*
Thouarsii Carmich.
Boott, Carex, iv. t. 595 (1867).
thuringiaca Willd.
*Schkuhr, Bot. Handb. Ed. 2, t. 286 Ppp, No. 155 (1808).
thyrsiflora Boott
Boott, Carex, i. t. 34 (1858).
tibetica minor Kük.
Pflanzenreich, Cyperac.-Caricoid. 627 (1909).
×**Timmiana** Junge
Junge in Jahrb. Hamburg. Wiss. Anstalt. 1907, xxv. Beih. 3, p. 189 (1908).
Tolmiei Boott
Boott, Carex, ii. t. 299 (1860).
Journ. Russe Bot. 1911, p. 108.—*Fl.*
tomentosa Linn.
Leers, Fl. Herborn. t. 15, fig. 7 (1789).
Hoppe, Ect. Pl. Ratisb. t. 719 (1793).
*Host, Gram. i. t. 82 (1801).
*Schkuhr, Bot. Handb. Ed. 2, t. 286 F, No. 28 (1808).
*Sowerby & Sm. Engl. Bot. xxix. t. 2046 (1809).
*Fl. Dan. viii. t. 1404 (1810); Suppl. t. 109 (1865).
*Sturm, Deutschl. Fl. xiii. LIII [t. 834] (1829).
Nees, Gen. Pl., Monocot. ii. t. 1 (1836).—*Fr.*
*Zenker, Fl. Thüringen, vi. t. 600 (1836–55).
[M. E.] Jackson, Pict. Fl. fig. 1495 (1840).
Leighton, Fl. Shropshire, 465 [t. 17] (1841).—*Fr.*
*Reichenbach, Ic. Fl. Germ. viii. t. 263 (1846).
*Deakin, Florigr. Brit. iii. fig. 1438 (1847).
*Lorek, Fl. Pruss. Ed. 3, t. 215, fig. 1141 (1848).
Andersson, Cyperac. Scand. t. 7, fig. 80 (1849).
*Petermann, Deutschl. Fl. t. 93, fig. 740, a–i (1849).
Johnson & Sowerby, Brit. Wild Fl. fig. 1457 (1858–60).
Bentham, Handb. Brit. Fl. fig. 1121 (1865).
Migout, Fl. Dépt. Allier, t. 22 (1866).—*Fr.*
*Syme, Engl. Bot. x. t. 1656 (1870).
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, vi. t. 248 [1873].
Cusin, Herb. Fl. Franç. xxiii (Cypéracées), t. 119 (1874).
De Silvestri, Piante Prat. 29 (1879).
*Hogg & Johnson, Wild Fl. Gr. Brit. xi. t. 911 (1880).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, vi. t. 502 (1881).
Fiori & Paol. Ic. Fl. Ital. 57 (1896).
*Sturm, Fl. Deutschl. Ed. 2, ii. t. 47 (1900).
Husnot, Cypérac. t. 9 (1905).
Coste, Fl. France, iii. 509 (1906).
Pflanzenreich, Cyperac.-Caricoid. 435 (1909).

CAREX
tomentosa
Wettstein, Handb. Syst. Bot. Ed. 2, p. 817 (1911).—*Fl.*
Journ. Russe Bot. 1911, p. 115.—*Fl.*
Fedtschenko, Veg. Turkest. 186 (1915).
Lindman, Svensk Fanerogamfl. 128 (1918).—*Fl.*
Fitch & Smith, Ill. Brit. Fl. Ed. rev. 4, Iss. 2, fig. 1139 (1919).
tonsa Bicknell
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, i. 394 (1913).
Torreyi Tuckerm.
*Amer. Journ. Sc. xlix. t. 1 (1845).
Boott, Carex, i. t. 56 (1858).
Pflanzenreich, Cyperac.-Caricoid. 430 (1909).—*Fr.*
torta Boott
Boott, Carex, i. t. 169 (1858).
Britton & Brown, Ill. Fl. N. States & Canada, i. 311 (1896); Ed. 2, i. 421 (1913).
Pflanzenreich, Cyperac.-Caricoid. 347 (1909).
trachycarpa Cheesem.
Cheeseman, Ill. New Zeal. Fl. t. 214 (1914).
traiziscana F. Schmidt
Mém. Acad. Sc. Pétersb. Ser. VII. xii. No. 2, t. 7 (1868).
Journ. Russe Bot. 1911, p. 67.—*Fl.*
transversa Boott
Nouv. Arch. Mus. Hist. Nat. Paris, Ser. III. x. t. 3 (1898).
tribuloides Wahlenb.
Koenig & Sims, Ann. Bot. ii. t. 8, fig. 68 (1805).—*Fr.*
Amer. Journ. Sc. Ser. IV. i. t. 9, fig. 2 (1896).
Britton & Brown, Ill. Fl. N. States & Canada, i. 356 (1896); Ed. 2, i. 380 (1913).
Going, Field, Forest & Wayside Fl. 189 (1899).
Proc. Amer. Acad. xxxvii. No. 17, t. 1 (1902).
Pflanzenreich, Cyperac.-Caricoid. 200 (1909).
Stone, Pl. Southern New Jersey (Ann. Rep. New Jersey State Mus. 1910), t. 26 (1911).
—— **Bebbii** L. H. Bailey
Cratty in Bull. Labor. Nat. Hist. Iowa, iv. No. 4, t. 8 (1898).
—— **reducta** L. H. Bailey
Proc. Amer. Acad. xxxvii. No. 17, t. 1 (1902).
triceps Michx.
*Amer. Journ. Sc. xlviii. t. 2 (1845).
Boott, Carex, i. t. 128 (1858).
Britton & Brown, Ill. Fl. N. States & Canada, i. 316 (1896).
Pflanzenreich, Cyperac.-Caricoid. 430 (1909).
Stone, Pl. Southern New Jersey (Ann. Rep. New Jersey State Mus. 1910), t. 25 (1911).
trichocarpa Muhl.
*Schkuhr, Bot. Handb. Ed. 2, t. 286 Nnn, No. 148 (1810).
Boott, Carex, i. t. 152 (1858).
Bot. Gaz. x. 318, fig. 1–4 (1885).—*Fl.*
Britton & Brown, Ill. Fl. N. States & Canada, i. 302 (1896); Ed. 2, i. 428 (1913).
Stone, Pl. Southern New Jersey (Ann. Rep. New Jersey State Mus. 1910), t. 25 (1911).
—— **aristata** L. H. Bailey
Bot. Gaz. x. 318, fig. 15–18 (1885).—*Fl.*
—— **Deweyi** L. H. Bailey
Bot. Gaz. x. 318, fig. 13, 14 (1885).—*Fl.*
—— **imberbis** L. H. Bailey
Bot. Gaz. x. 318, fig. 5–9 (1885).—*Fl.*
—— **turbinata** Dewey
*Amer. Journ. Sc. xi. t. 6 (1826).
Bot. Gaz. x. 318, fig. 10, 11 (1885).—*Fl.*
trichodes Steud.
Boott, Carex, iv. t. 464 (1867).
Pflanzenreich, Cyperac.-Caricoid. 105 (1909).
trichopoda Franch.
Nouv. Arch. Mus. Hist. Nat. Paris, Ser. III. viii. t. 11 (1896).
tricostata Fries
Andersson, Cyperac. Scand. t. 5, fig. 55 (1849).
Schilling, Grundr. Naturg. ii. Pflanzenr. Ausgb. A, p. 197 (1882); Ausgb. B, p. 130 (1884).
Gadeceau in Mém. Soc. Sc. Nat. & Math. Cherbourg, xxxv. 414 (1905–6).
trifida Cav.
Cavanilles, Ic. v. t. 465 (1799).

CAREX
trifida
*Schkuhr, Bot. Handb. Ed. 2, t. 286 Oooo, No. 202 (1808).
C. Gay, Hist. Chile, Atlas, t. 73, fig. 20 (1854).—*Fr.*
Boott, Carex, iv. t. 444 (1867).
Pflanzenreich, Cyperac.-Caricoid. 732 (1909).
triflora Willd.
Willdenow, Phytogr. t. 1 (1794).
*Schkuhr, Bot. Handb. Ed. 2, t. 286 M, No. 50; 286 Vv, No. 50 (1808).
trigona All.
Allioni, Fl. Pedem. iii. t. 89, fig. 4 (1785).
trinervis Degl.
*Kunze, Suppl. Schkuhr. Riedgräs. (Caric.), i. t. 1 (1840–50).
Drejer, Symb. Caric. t. 7 (1844).
*Fl. Dan. xv. t. 2665 (1861).
Boott, Carex, iv. t. 520, 521 (1867).
Cusin, Herb. Fl. Franç. xxiii (Cypéracées), t. 94 (1874).
Nederl. Kruidk. Arch. Ser. II. v. 1. t. 1 (1887).—*Fr.*
Husnot, Cypérac. t. 7 (1905).
Coste, Fl. France, iii. 505 (1906).
Junge in Jahrb. Hamburg. Wiss. Anstalt. 1907, xxv. Beih. 3, p. 188, 189 (1908).
Pflanzenreich, Cyperac.-Caricoid. 310 (1909).
Heukels, Fl. Nederl. i. 398 (1910).
tripartita All.
Allioni, Fl. Pedem. iii. t. 92, fig. 5 (1785).
*Reichenbach, Ic. Fl. Germ. viii. t. 205 (1846).
triquetra Boott
Amer. Plants, iii. t. 33 (1910).
trisperma Dewey
*Amer. Journ. Sc. ix. t. 3 (1825).
Boott, Carex, i. t. 74 (1858).
A. Gray, Man. Bot. N.U.S. Ed. 5, t. 6 (1867).
Britton & Brown, Ill. Fl. N. States & Canada, i. 353 (1896); Ed. 2, i. 372 (1913).
Proc. Amer. Acad. xxxvii. No. 17, t. 5 (1902).
tristachya Thunb.
*Schkuhr, Bot. Handb. Ed. 2, t. 286 Ww, No. 109 (1808).
Boott, Carex, iv. t. 424 (1867).
—— **pocilliformis** Kük.
Pflanzenreich, Cyperac.-Caricoid. 472 (1909).
Hayata, Ic. Pl. Formosan. vi. 125 (1916).—*Fl.*
tristicha Spruce
Boott, Carex, iv. t. 493 (1867).
tristis M. Bieb.
Ostenfeld, Fl. Arctica, i. 89 (1902).
tuberosa Blanco
*Blanco, Fl. Filip. t. 15 (1878–80).
Tuckermannii Dewey
*Amer. Journ. Sc. xlix. t. 1 (1845).
Boott, Carex, i. t. 40 (1858).
Britton & Brown, Ill. Fl. N. States & Canada, i. 298 (1896); Ed. 2, i. 435 (1913).
—— **niagarensis** C. P. Sm.
Rhodora, xvii. 59 (1915).
tumida Boott
Boott, Carex, i. t. 181 (1858).
tuminensis Kom.
Journ. Russe Bot. 1911, p. 98.
Act. Hort. Petrop. xxxi. 113 (1912).
turfosa Fries
Andersson, Cyperac. Scand. t. 6, fig. 58 (1849).
*Fl. Dan. xvii. t. 2974 (1880).
*Sturm, Fl. Deutschl. Ed. 2, ii. t. 37 (1900).
Husnot, Cypérac. t. 7 (1905).
Coste, Fl. France, iii. 504 (1906).
turgescens Torr.
Boott, Carex, ii. t. 264 (1860).
Tweediana Nees
Boott, Carex, iv. t. 422, 423 (1867).
typhina Michx.
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, i. 439 (1913).
typhinoides Schwein.
Britton & Brown, Ill. Fl. N. States & Canada, i. 302 (1896).
uda Maxim.
Boott, Carex, iv. t. 449 (1867).
Journ. Russe Bot. 1911, p. 39.—*Fl.*

CAREX
uliginosa Linn.
J. E. Smith, Reliq. Rudbeck. 1 (1789).
umbellata Schkuhr
*Schkuhr, Bot. Handb. Ed. 2, t. 286 Www, No. 171 (1808).
Boott, Carex, ii. t. 292, 293 (1860).
A. Gray, Man. Bot. N.U.S. Ed. 5, t. 6 (1867).
Britton & Brown, Ill. Fl. N. States & Canada, i. 335 (1896); Ed. 2, i. 394 (1913).
Stone, Pl. Southern New Jersey (Ann. Rep. New Jersey State Mus. 1910), t. 26 (1911).
F. E. & E. S. Clements, Rocky Mt. Fl. t. 45 (1914).
—— **brevirostris** Boott
Boott, Carex, ii. t. 294 (1860).
U.S. Dep. Agric. Forest Serv. Circ. No. 169, p. 26 (1909).
Journ. Agric. Research, iii. t. 19 (1914).
—— **vicina** Dewey
*Amer. Journ. Sc. x. t. 1 (1826).
umbrosa Host
*Host, Gram. i. t. 69 (1801).
*Schkuhr, Bot. Handb. Ed. 2, t. 286 Ffff, No. 190 (1808).
*Sturm, Deutschl. Fl. xiii. LVII [t. 907] (1831).
*Zenker, Fl. Thüringen, xi. t. 1208 (1836–55).
*Reichenbach, Ic. Fl. Germ. viii. t. 263 (1846).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, vi. t. 507 (1881).
*Sturm, Fl. Deutschl. Ed. 2, ii. t. 51 (1900).
Pflanzenreich, Cyperac.-Caricoid. 467 (1909).
Suireishchikov, Ill. Fl. Mosc. Gov. iv. 33 (1914).
—— **sabynensis** Less.
Journ. Russe Bot. 1911, p. 129.
uncinata Linn. f.
*Schkuhr, Bot. Handb. Ed. 2, t. 286 G, No. 30 (1808).
uncinioides Boott
Boott, Carex, i. t. 23 (1858).
Journ. Linn. Soc., Bot. xx. t. 30 (1883).
undulata Kunze
*Kunze, Suppl. Schkuhr. Riedgräs. (Caric.), i. t. 4 (1840–50).
*Reichenbach, Ic. Fl. Germ. viii. t. 251 (1846).
urolepis Franch.
*Miss. Sc. Cap Horn, 1882–83, v. Bot. Phan. t. 5 (1889).
W. B. Scott, Rep. Princeton Univ. Exped. Patag. 1896–99, viii. 1. Bot. 289 (1904).
ursina Dewey
Amer. Journ. Sc. xxvii. t. v (1835).
Hooker, Fl. Bor.-Amer. t. 210 (1840).
*Fl. Dan. xiv. t. 2429 (1845).
Ostenfeld, Fl. Arctica, i. 59 (1902).
Pflanzenreich, Cyperac.-Caricoid. 71 (1909).
Journ. Russe Bot. 1911, p. 31.—*Fl.*
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, i. 373 (1913).
Urvillei Brongn.
C. Gay, Hist. Chile, Atlas, t. 73, fig. 18 (1854).—*Fr.*
ustulata Wahlenb.
Koenig & Sims, Ann. Bot. ii. t. 8, fig. 58 (1805).—*Fr.*
*Sowerby & Sm. Engl. Bot. xxxiv. t. 2404 (1812).
*Fl. Dan. ix. t. 1590 (1818).
*Svensk Bot. x. t. 717 (1826–29).
*Sturm, Deutschl. Fl. xiii. LIII [t. 837] (1829).
[M. E.] Jackson, Pict. Fl. fig. 1350 (1840).
Leighton, Fl. Shropshire, 465 [t. 18] (1841).—*Fr.*
*Reichenbach, Ic. Fl. Germ. viii. t. 250 (1846).
*Deakin, Florigr. Brit. iii. fig. 1435 (1847).
Andersson, Cyperac. Scand. t. 6, fig. 68 (1849).
Boott, Carex, i. t. 193 (1858).
Johnson & Sowerby, Brit. Wild Fl. fig. 1444 (1858–60).
*Syme, Engl. Bot. x. t. 1663 (1870).
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, vi. t. 247 [1873].
Cusin, Herb. Fl. Franç. xxiii (Cypéracées), t. 110 bis (1874).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, vi. t. 523 (1881).
Fiori & Paol. Ic. Fl. Ital. 58 (1896).
Lindman, Bild. Nord. Fl. t. 435 a (1901–5).
Ostenfeld, Fl. Arctica, i. 90 (1902).

CAREX
ustulata
Husnot, Cypérac. t. 7 (1905).
Coste, Fl. France, iii. 512 (1906).
—— **minor** Boott
Boott, Carex, i. t. 194 (1858).
utriculata Boott
Boott, Carex, i. t. 39 (1858).
Britton & Brown, Ill. Fl. N. States & Canada, i. 297 (1896).
F. E. & E. S. Clements, Rocky Mt. Fl. t. 45 (1914).
vacillans Drej.
Andersson, Cyperac. Scand. t. 2, fig. 36 (1849).
vaginata Tausch
*Sturm, Deutschl. Fl. xiv. LXI [t. 975] (1833).
*Kunze, Suppl. Schkuhr. Riedgräs. (Caric.), i. t. 15 (1840–50).
*Reichenbach, Ic. Fl. Germ. viii. t. 246 (1846).
*Fl. Dan. Suppl. t. 27 (1853).
Boott, Carex, iv. t. 478 (1867).
*Syme, Engl. Bot. x. t. 1659 (1870).
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, vi. t. 246 [1873].
Cusin, Herb. Fl. Franç. xxiii (Cypéracées), t. 109 (1874).
*Hogg & Johnson, Wild Fl. Gr. Brit. xi. t. 921 (1880).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, vi. t. 516 (1881).
Husnot, Cypérac. t. 8 (1905).
Coste, Fl. France, iii. 515 (1906).
Suireishchikov, Ill. Fl. Mosc. Gov. i. 207 (1906).
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, i. 399 (1913).
Hayek, Pflanzend. Oesterr.-Ung. i. 216 (1914).
Vahlii Schkuhr
*Schkuhr, Bot. Handb. Ed. 2, t. 286 Gg, No. 94; 286 Ppp, No. 154 (1808).
*Sowerby & Sm. Engl. Bot. Suppl. i. t. 2666 (1831).
Leighton, Fl. Shropshire, 454 [t. 14] (1841).—*Fr.*
*Reichenbach, Ic. Fl. Germ. viii. t. 235 (1846).
*Deakin, Florigr. Brit. iii. fig. 1407 (1847).
Johnson & Sowerby, Brit. Wild Fl. fig. 1446 (1858–60).
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, vi. t. 245 [1873].
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, vi. t. 494 (1881).
Fiori & Paol. Ic. Fl. Ital. 55 (1896).
varia Host
*Host, Gram. i. t. 80 (1801).
varia Muhl.
*Schkuhr, Bot. Handb. Ed. 2, t. 286 Uuu, No. 167 (1808).
Britton & Brown, Ill. Fl. N. States & Canada, i. 334 (1896); Ed. 2, i. 392 (1913).
—— **Emmonsii** Dewey
Stone, Pl. Southern New Jersey (Ann. Rep. New Jersey State Mus. 1910), t. 26 (1911).
varia Boott
Boott, Carex, ii. t. 288 (1860).
—— **minor** Boott
Boott, Carex, ii. t. 289 (1860).
variabilis L. H. Bailey
Nelson in Bull. Wyoming Agric. St. No. 76, p. 79 (1908).
Velenovskyi Domin
Beih. Bot. Centralbl. xxvi. II. 282 (1910).
ventricosa Curt.
*Curtis, Fl. Londin. ii. fasc. VI. t. 68 (1798).
Fiori & Paol. Ic. Fl. Ital. 59 (1896).
venusta Dewey
Amer. Journ. Sc. xxvi. t. T (1834).
Boott, Carex, i. t. 134 (1858).
venustula Holm
Amer. Journ. Sc. Ser. IV. xlviii. 25, fig. 1–5 (1919).
verna Schkuhr
*Schkuhr, Bot. Handb. Ed. 2, t. 286 L, No. 46; 286 Ppp, No. 156; 286 Ffff, No. 189 (1808).
*Host, Gram. iv. t. 86 (1809).
verna Chaix & Vill.
Wagner, Ill. Deutsche Fl. Ed. 2, p. 797 (1882).
Nederl. Kruidk. Arch. Ser. II. v. I. t. 1 (1887).—*Fr.*
G. Beck, Fl. Nied.-Oesterr. i. 120 (1890).—*Fl.*
Fiori & Paol. Ic. Fl. Ital. 56 (1896).

CAREX
verna
Schinz & Keller, Fl. Schweiz, 62 (1900).
*Sturm, Fl. Deutschl. Ed. 2, ii. t. 50 (1900).
verrucosa Muhl.
*Amer. Journ. Sc. xi. t. 6 (1826).
—— **androgyna** Curt.
*Amer. Journ. Sc. xlviii. t. 2 (1845).
verticillata Boott
Boott, Carex, i. t. 183 (1858).
vesicaria Linn.
*Fl. Dan. iv. t. 647 (1775).
Hoppe, Ect. Pl. Ratisb. t. 484 (1789).
Leers, Fl. Herborn. t. 16, fig. 2 (1789).
*Sowerby & Sm. Engl. Bot. xi. t. 779 (1800).
*Host, Gram. i. t. 98 (1801).
*Svensk Bot. iii. t. 216 (1804).
Koenig & Sims, Ann. Bot. ii. t. 8, fig. 60 (1805).—*Fr.*
*Schkuhr, Bot. Handb. Ed. 2, t. 286 Ss, No. 106 (1808).
*Sturm, Deutschl. Fl. xvi. LXIX [t. 1104] (1835).
*Zenker, Fl. Thüringen, vi. t. 673 (1836–55).
[M. E.] Jackson, Pict. Fl. fig. 1371 (1840).
Leighton, Fl. Shropshire, 465 [t. 17] (1841).—*Fr.*
Schnizlein, Iconogr. i. t. 43 a (1845).
*Kops, Fl. Batava, ix. t. 694 (1846).
*Reichenbach, Ic. Fl. Germ. viii. t. 276 (1846).
*Deakin, Florigr. Brit. iii. fig. 1444 (1847).
*Lorek, Fl. Pruss. Ed. 3, t. 217, fig. 1156 (1848).
Andersson, Cyperac. Scand. t. 8, fig. 107 (1849).
Johnson & Sowerby, Brit. Wild Fl. fig. 1465 (1858–60).
Bentham, Handb. Brit. Fl. fig. 1138 (1865).
Migout, Fl. Dépt. Allier, t. 22 (1866).—*Fr.*
Boott, Carex, iv. t. 536, 537 (1867).
*Syme, Engl. Bot. x. t. 1682 (1870).
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, vi. t. 248 [1873].
Cusin, Herb. Fl. Franç. xxiii (Cypéracées), t. 151 (1874).
*Hogg & Johnson, Wild Fl. Gr. Brit. xi. t. 87 (1880).
Karsten, Deutsche Fl. Pharm.-medic. Bot. 344 (1880–83).—*Fr.*
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, v. t. viii; VI. t. 546 (1881).
Wagner, Ill. Deutsche Fl. Ed. 2, p. 805 (1882).
Willkomm, Führ. Reich Pflanzen, 256 (1882).—*Fr.*
Nederl. Kruidk. Arch. Ser. II. v. I. t. 2 (1887).—*Fr.*
*Heathcote, Fl. Engadine, t. 224 (1891).
Acloque, Fl. France, 659 (1894).—*Fr.*
Battandier & Trabut, Fl. Algér., Monocot. t. 3, fig. 28 (1895).—*Fl.*
Karsten, Fl. Deutschl. i. 347 (1895).
Fiori & Paol. Ic. Fl. Ital. 60 (1896).
*Sturm, Fl. Deutschl. Ed. 2, ii. t. 62 (1900).
Lindman, Bild. Nord. Fl. t. 438 (1901–5).
C. T. Green, Fl. Liverpool Distr. fig. 703 (1902).
Husnot, Cypérac. t. 15 (1905–6).
Coste, Fl. France, iii. 508 (1906).
Suireishchikov, Ill. Fl. Mosc. Gov. i. 213 (1906).
Junge in Jahrb. Hamburg. Wiss. Anstalt. 1907, xxv. Beih. 3, p. 218 (1908).
Pflanzenreich, Cyperac.-Caricoid. 721 (1909).—*Veg.*
Heukels, Fl. Nederl. i. 408 (1910).
Journ. Russe Bot. 1911, p. 184.
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, i. 433 (1913).
Bull. Angew. Bot. vii. t. 103 (1914).
Fedtschenko, Veg. Turkest. 198 (1915).
Lindman, Svensk Fanerogamfl. 133 (1918).—*Fr.*
Fitch & Smith, Ill. Brit. Fl. Ed. rev. 4, Iss. 2, fig. 1156 (1919).
—— **pulla** Aschers.
Andersson, Cyperac. Scand. t. 8, fig. 104 (1849).
vesiculosa Boott
Boott, Carex, iii. t. 323 (1862).
Pflanzenreich, Cyperac.-Caricoid. 284 (1909).
vestita Willd.
*Schkuhr, Bot. Handb. Ed. 2, t. 286 Bbbb, No. 182 (1808).
Boott, Carex, i. t. 131 (1858).

CAREX
vestita
Britton & Brown, Ill. Fl. N. States & Canada, i. 304 (1896); Ed. 2, i. 426 (1913).
Stone, Pl. Southern New Jersey (Ann. Rep. New Jersey State Mus. 1910), t. 25 (1911).
vicinalis Boott
Boott, Carex, iv. t. 428 (1867).
Villarsii Schkuhr
*Schkuhr, Bot. Handb. Ed. 2, t. 286 Ddd, No. 122 (1808).
villosa latisquamea Kük.
Journ. Russe Bot. 1911, p. 170.
Vilmorinii Mottet
Rev. Hort. 1897, p. 79.—*Hab.*
virens Lam.
*Reichenbach, Ic. Fl. Germ. viii. t. 215 (1846).
*Thomé, Fl. Deutschl. i. t. 90 (1886).
*Sturm, Fl. Deutschl. Ed. 2, ii. t. 28 (1900).
virescens Muhl.
*Schkuhr, Bot. Handb. Ed. 2, t. 286 Mmm, No. 147 (1808).
Boott, Carex, i. t. 73 (1858).
Britton & Brown, Ill. Fl. N. States & Canada, i. 316 (1896); Ed. 2, i. 413 (1913).
virgata Soland.
Boott, Carex, i. t. 121, 122 (1858).
viridis Jungh.
Boott, Carex, iv. t. 522 (1867).
viridula Michx.
Boott, Carex, iv. t. 523 (1867).
Britton & Brown, Ill. Fl. N. States & Canada, i. 324 (1896).
vitilis Fries
Andersson, Cyperac. Scand. t. 4, fig. 38 (1849).
*Fl. Dan. xvii. t. 2973 (1880).
Suireishchikov, Ill. Fl. Mosc. Gov. i. 196 (1906); iv. 28 (1914).
vitrea Holm
Amer. Journ. Sc. Ser. IV. xvii. 303 (1904).
vulcani Hochst.
Seubert, Fl. Azor. t. 3 (1844).
vulgaris Fries
*Reichenbach, Ic. Fl. Germ. viii. t. 226 (1846).
Andersson, Cyperac. Scand. t. 5, fig. 52 (1849).
*Fl. Dan. xiv. t. 2478 (1849).
Boott, Carex, iv. t. 557–75 (1867).
*Syme, Engl. Bot. x. t. 1643 (1870).
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, vi. t. 245 [1873].
*Hogg & Johnson, Wild Fl. Gr. Brit. xi. t. 890 (1880).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, vi. t. 489 (1881).
Kerner, Pflanzenleben, i. 566 (1887).—*Veg.*
Kerner & Oliv. Nat. Hist. Pl. i. 607 (1894).—*Veg.*
Husnot, Cypérac. t. 7 (1905).
Coste, Fl. France, iii. 504 (1906).
Heukels, Fl. Nederl. i. 393 (1910).
Long, Common Weeds Farm & Garden, 215 (1910).
Bull. Angew. Bot. vii. t. 99 (1914).
—— **basigyna** Reichb.
*Reichenbach, Ic. Fl. Germ. viii. t. 227 (1846).
—— **chlorostachya** Reichb.
*Reichenbach, Ic. Fl. Germ. viii. t. 226 (1846).
—— **homalocarpa** Reichb.
*Reichenbach, Ic. Fl. Germ. viii. t. 228, fig. a–c (1846).
—— **polygama** Reichb.
*Reichenbach, Ic. Fl. Germ. viii. t. 227 (1846).
vulpina Linn.
J. G. Gmelin, Fl. Sibir. i. t. 32 (1747); fide Ledebour, Comm. 57.
*Fl. Dan. ii. t. 308 (1767).
Gaertner, Fruct. i. t. 2 (1788).—*Fr.*
Leers, Fl. Herborn. t. 14, fig. 5 (1789).
Hoppe, Ect. Pl. Ratisb. t. 780 (1793).
*Sowerby & Sm. Engl. Bot. v. t. 307 (1796).
Lamarck, Ill. v. t. 752, fig. 1 (1797–1819).
*Host, Gram. i. t. 56 (1801).
*Schkuhr, Bot. Handb. Ed. 2, t. 286 C, No. 10 (1808).
Ann. Mus. Hist. Nat. Paris, xvi. 433, t. 17 (1810).—*Fr.*
*Sturm, Deutschl. Fl. xiii. LVII [t. 898] (1831).

CAREX
vulpina
*Zenker, Fl. Thüringen, vi. t. 623 (1836–55).
[M. E.] Jackson, Pict. Fl. fig. 1334 (1840).
Leighton, Fl. Shropshire, 454 [t. 14] (1841).—*Fr.*
*Reichenbach, Ic. Fl. Germ. viii. t. 217 (1846).
*Spach, Hist. Nat. Vég. Phan. Atlas, t. 110 (1846).—*Fr.*
*Deakin, Florigr. Brit. iii. fig. 1397 (1847).
*Lorek, Fl. Pruss. Ed. 3, t. 211, fig. 1124 (1848).
Andersson, Cyperac. Scand. t. 3, fig. 17 (1849).
Johnson & Sowerby, Brit. Wild Fl. fig. 1415 (1858–60).
Boott, Carex, iii. t. 393 (1862).
Bentham, Handb. Brit. Fl. fig. 1105 (1865).
*Syme, Engl. Bot. x. t. 1623 (1870).
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, vi. t. 244 [1873].
Cusin, Herb. Fl. Franç. xxiii (Cypéracées), t. 74 (1874).
De Silvestri, Piante Prat. 27 (1879).
*Hogg & Johnson, Wild Fl. Gr. Brit. xi. t. 827 (1880).
Karsten, Deutsche Fl. Pharm.-medic. Bot. 339 (1880–83).—*Fr.*
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, v. t. 463 (1881).
Wagner, Ill. Deutsche Fl. Ed. 2, p. 788 (1882).
Nederl. Kruidk. Arch. Ser. II. iv. IV. t. 11 (1886).—*Fr.*
*Thomé, Fl. Deutschl. i. t. 90 (1886).
G. Beck, Fl. Nied.-Oesterr. i. 120 (1890).—*Fr.*
Acloque, Fl. France, 659 (1894).—*Fr.*
Battandier & Trabut, Fl. Algér., Monocot. t. 3, fig. 2 (1895).—*Fl.*
Karsten, Fl. Deutschl. i. 341 (1895).
Fiori & Paol. Ic. Fl. Ital. 54 (1896).
Schinz & Keller, Fl. Schweiz, 62 (1900).—*Fr.*
*Sturm, Fl. Deutschl. Ed. 2, ii. t. 27 (1900).
C. T. Green, Fl. Liverpool Distr. fig. 683 (1902).
Husnot, Cypérac. t. 5 (1905).
*Masclef, Pl. Eur. t. 14 (1905).
Coste, Fl. France, iii. 498 (1906).
*Kirby, Brit. Fl. Pl. t. 114 (1906).
Suireishchikov, Ill. Fl. Mosc. Gov. i. 189 (1906).
Clarke in Nature Book, iv. 658 (1909).
Pflanzenreich, Cyperac.-Caricoid. 169 (1909).
Fedtschenko & Fler. Fl. Eur. Russia, 178 (1910).
Heukels, Fl. Nederl. i. 383 (1910).
Rec. Instit. Bot. Errera, vii bis Annexe, fig. 329 (1910); viii. 23 (1911).
Journ. Russe Bot. 1911, p. 56.—*Fl.*
Fedtschenko, Veg. Turkest. 177 (1915).
Lindman, Svensk Fanerogamfl. 121 (1918).—*Fr.*
*Horwood, Brit. Wild Fl. v. t. 54, p. 61 (1919).
Fitch & Smith, Ill. Brit. Fl. Ed. rev. 4, Iss. 2, fig. 1123 (1919).
vulpinaris angustifolia Kük.
Journ. Russe Bot. 1911, p. 44.—*Fl.*
vulpinoidea Michx.
Boott, Carex, iii. t. 404–9 (1862).
Britton & Brown, Ill. Fl. N. States & Canada, i. 345 (1896); Ed. 2, i. 369 (1913).
Pflanzenreich, Cyperac.-Caricoid. 145 (1909).
Stone, Pl. Southern New Jersey (Ann. Rep. New Jersey State Mus. 1910), t. 21 (1911).
Pammel & King in Bull. Iowa Geol. Surv. No. 4, p. 407 (1913).—*Fr.*
Wahlenbergiana Boott
Boott, Carex, ii. t. 301–3 (1860).
—— **brevifolia** Boott
Boott, Carex, ii. t. 305 (1860).
—— **Schimperi** Boott
Boott, Carex, ii. t. 304 (1860).
wahuensis C. A. Mey.
Mém. Acad. Sc. Pétersb. Sav. Étrang. i. III & IV. t. 10 (1830).
Boott, Carex, iii. t. 351–54 (1862).
Walkeri Arn.
Boott, Carex, i. t. 4 (1858).
Wallichiana Presc.
Boott, Carex, i. t. 18 (1858).

CAREX
Walteriana L. H. Bailey
Britton & Brown, Ill. Fl. N. States & Canada, i. 304 (1896); Ed. 2, i. 426 (1913).
Stone, Pl. Southern New Jersey (Ann. Rep. New Jersey State Mus. 1910), t. 23 (1911).
Washingtoniana Dewey
*Amer. Journ. Sc. x. t. 1 (1826).
Wightiana Nees
Boott, Carex, i. t. 30 (1858).
Wilkesii Olney
Torrey, Phan. Pacific Coast, Wilkes, U.S. Expl. Exp. 1838–42, t. 17 (1874).
Willdenowii Schkuhr
*Schkuhr, Bot. Handb. Ed. 2, t. 286 Mmm, No. 145 (1808).
Boott, Carex, i. t. 101, 102 (1858).
Britton & Brown, Ill. Fl. N. States & Canada, i. 337 (1896); Ed. 2, i. 387 (1913).
wiluica Meinsh.
Journ. Russe Bot. 1911, p. 87.
Wormskioldiana Hornem.
*Fl. Dan. ix. t. 1528 (1816).
Amer. Journ. Sc. xiv. t. R (1828).
*Kunze, Suppl. Schkuhr. Riedgräs. (Caric.), i. t. 102 (1840–50) in textu; *C. Michauxii* in ic. t. 25.
Wrightii Franch.
Pflanzenreich, Cyperac.-Caricoid. 444 (1909).
xanthathera Franch.
Nouv. Arch. Mus. Hist. Nat. Paris, Ser. III. ix. t. 4 (1897).
×**xanthocarpa** Degl.
Quincy in Bull. Soc. Hist. Nat. Autun, ii. 530, t. G (1889).
Junge in Jahrb. Hamburg. Wiss. Anstalt. 1907, xxv. Beih. 3, p. 213 (1908).—*Fr.*
xanthocarpa Bicknell
Britton & Brown, Ill. Fl. N. States & Canada, i. 345 (1896).
Cratty in Bull. Labor. Nat. Hist. Iowa, iv. No. 4, t. 7 (1898).
xanthophysa Wahlenb.
*Amer. Journ. Sc. x. t. 1 (1826).
—— **minor** Dewey
Amer. Journ. Sc. xiv. t. R (1828).
—— **nana** Dewey
Amer. Journ. Sc. xiv. t. R (1828).
xerantica L. H. Bailey
Britton & Brown, Ill. Fl. N. States & Canada, i. 355 (1896); Ed. 2, i. 386 (1913).
Proc. Amer. Acad. xxxvii. No. 17, t. 3 (1902).
xiphium Kom.
Journ. Russe Bot. 1911, p. 166.

CAREYA Roxb.—Vide *Cumbia*
arborea Roxb.
Rheede, Hort. Mal. iii. t. 36 (1682); fide Fl. Brit. Ind. ii. 511.
*Roxburgh, Pl. Coromandel, iii. t. 218 (1819).
Lindley, Veg. Kingd. 754 (1846).
*Wight, Illustr. Ind. Bot. ii. t. 99, 100 (1850).
Journ. Linn. Soc., Bot. ii. t. 1 (1858).
Beddome, Fl. Sylv. Anal. Gen. t. 18, 205 (1872).
Talbot, For. Fl. Bombay, ii. 49 (1911).
Basu, Ind. Med. Pl. t. 428 (1918).
australis F. Muell.
F. M. Bailey, Compr. Cat. Queensl. Pl. 216 (1909–13).
herbacea Roxb.
*Joh. Kerner, Gen. Pl. Ill. ii. t. 40 (1818).
*Roxburgh, Pl. Coromandel, iii. t. 217 (1819).
Wight, Ic. Pl. Ind. Or. ii. t. 557 (1840–43).
Griffith, Ic. Pl. Asiat. t. 634 (1854).—*Fr.*
Beddome, Ic. Pl. Ind. Or. t. 284 (1874).
orbiculata Miers
Trans. Linn. Soc. London, Ser. II. Bot. i. t. 16 (1875).
pendula Griff.
Griffith, Ic. Pl. Asiat. t. 634, A (1854).—*Fr.*
sphaerica Roxb.
Wight, Ic. Pl. Ind. Or. i. t. 147 (1839); ii. t. 556 (1840–43).
Trans. Linn. Soc. London, Ser. II. Bot. i. t. 16 (1875).

CARGILLIA R. Br.: *Diospyros*
australis R. Br.
*Bot. Mag. lx. t. 3274 (1833).
Ettingshausen in Sitzb. Akad. Wiss. Wien, xxviii. 530 (1858).—*Veg.*
Ettingshausen, Blatt-Skel. Dikot. t. 35 (1861).—*Veg.*

CARICA Linn.—Vide *Mocinna, Papaya, Vasconcellea, Vasconcellosia*
aurantiaca Bull
Journ. Hort. xlix. 488 (1873).
candicans A. Gray
Engler & Drude, Veget. Erde, xii. t. 4 (1911).—*Hab.*
cauliflora Jacq.
*Jacquin, Hort. Schoenbr. iii. t. 311 (1798).
*Joh. Kerner, Hort. Sempervir. t. 83 (1800).
Schacht, Grundr. Anat. Phys. Gewächse, 151 (1859).—*Fl.*
Schacht, Baum, 246 (1860).—*Fl.*
citriformis Jacq. f.
*Jacquin, Ecl. Pl. i. 68, 69 (1811–16).
*Joh. Kerner, Hort. Sempervir. t. 795, 796 (1829).
*Bot. Mag. lxv. t. 3633 (1838).
*Schnizlein, Iconogr. iii. t. 200 (1857).
cundinamarcensis Linden
*Bot. Mag. ci. t. 6198 (1875); errore *candamarcensis.*
Lubbock, Seedlings, i. 592 (1892).—*Veg.*
Trop. Agric. xxv. No. 3, p. 490 (1905); xliv. No. 3, p. 179 (1915).
Bol. Agric. São Paulo, Ser. XIX. iv. 250 (1918).—*Fr.*
dodecaphylla Vell.
Vellozo, Fl. Flum. x. t. 132 (1827).
erythrocarpa Linden & André
*Ill. Hort. xviii. t. 51 (1871).
Bol. Agric. São Paulo, Ser. XIX. iv. 250 (1918).—*Fr.*
gossypiifolia Griseb.
Mart. Fl. Bras. xiii. III. t. 51 (1889).—*Fl.*
Pflanzenfam. iii. VI. A. 95 (1893).—*Fl.*
Bol. Agric. São Paulo, Ser. XIX. iv. 250 (1918).—*Fl.*
Goudotiana Triana & Planch.
Mart. Fl. Bras. xiii. III. t. 51 (1889).—*Fr.*
gracilis Solms
Rev. Hort. 1904, p. 541.—*Fr.*
heptaphylla Vell.
Vellozo, Fl. Flum. x. t. 133 (1827).
heterophylla Poepp. & Endl.
Poeppig & Endl. Nov. Gen. & Sp. Pl. ii. t. 182 (1838).
Mart. Fl. Bras. xiii. III. t. 51 (1889).—*Fl.*
Pflanzenfam. iii. VI. A. 95 (1893).—*Fl.*
Bol. Agric. São Paulo, Ser. XIX. iv. 250 (1918).—*Fl.*
mamaya Vell.
Vellozo, Fl. Flum. x. t. 131 (1827).
microcarpa Jacq.
*Jacquin, Hort. Schoenbr. iii. t. 309, 310 (1798).
*Schnizlein, Iconogr. iii. t. 200 (1857).—*Fl.*
monoica Desf.
Ann. Mus. Hist. Nat. Paris, i. 273 (1802).
*Joh. Kerner, Hort. Sempervir. t. 409 (1815).
Mart. Fl. Bras. xiii. III. t. 52 (1889).—*Fl.*
Papaya Linn.
Rheede, Hort. Mal. i. t. 15 (1678); fide Hasskarl, Hort. Mal. Rheed. Clavis, 9.
Rumphius, Herb. Amboin. i. t. 50, 51 (1741); fide Merrill, Interpret. Rumph. Herb. Amboin.
Buchoz, Hist. Règne Vég. i. Dec. 6, t. 2 (1773); v. Dec. 4, t. 3 (1775).
Gil & Xuarez, Osserv. t. 10 (1789).
Mirbel, Élém. Phys. Vég. Bot. iii. t. 4, fig. 1 (1815).—*Hab.*
Dict. Sc. Nat., Planch. Bot. Dicot. t. 212 (1816–29).
*Bot. Reg. vi. t. 459 (1820).
*Descourtilz, Fl. Pitt. & Méd. Antilles, i. t. 47, 48 (1821).
*Vietz, Ic. Pl. Med.-oec.-techn. Suppl. t. 19 (1822).
*Joh. Kerner, Gen. Pl. Ill. vii. t. 119–22 (1823).
Vellozo, Fl. Flum. x. t. 130 (1827).
*Bot. Mag. lvi. t. 2898, 2899 (1829).

CARICA
Papaya
Martius, Pfl. & Thiere Trop. Amer. t. 2, fig. VIII (1831).—*Hab.*
*Table Fr. Ind. (Calcutta) [t. 9] (1842).—*Fr.*
Lindley, Veg. Kingd. 321, 322 (1846).—*Fl.*
*Spach, Hist. Nat. Vég. Phan. Atlas, t. 50 (1846).
*Wight, Illustr. Ind. Bot. ii. t. 106, 107 (1850).
Griffith, Ic. Pl. Asiat. t. 584, fig. 2 (1854).—*Fr.*
Schnizlein, Iconogr. iii. t. 200 (1857).
*Nooten, Fleurs, Fruits, Feuill. Java, [t. 36] (1863).
Journ. Linn. Soc., Bot. x. t. 1 (1869).
Nature, xiv. 98 (1876).—*Hab.*
Garden, xv. 353 (1879).
Garten-Zeit. Berlin, i. 305 (1882).—*Hab.*
Schilling, Grundr. Naturg., ii. Pflanzenr. Ausgb. A, p. 289 (1882); Ausgb. B, p. 241, 303 (1884).—*Hab.*
Wien. Ill. Gart.-Zeit. ix. 448 (1884).—*Hab.*
Gard. Chron. xxiii. 141 (1885); Ser. III. xliv. 444 (1908).
Rhein. Jahrb. Gartenk. & Bot. ii. 334 (1885).
Rev. Hort. Belge, xi. 80 (1885).—*Hab.*
Mart. Fl. Bras. xiii. III. t. 49 (1889).
Ann. Bot. v. t. 21, fig. 1, 2 (1891).—*Fl.*
Semler, Trop. Agrik. iv. 256 (1892).
Tschirch, Ind. Heil- & Nutzpfl. t. 46, 47, 48 (1892).—*Hab.*
Pflanzenfam. iii. VI. A. 95, 96, 99 (1893).
Jardin, viii. 267 (1894).—*Hab.*
Brehm, Merv. Nat. Monde des Pl. ii. 49 (1894–96).—*Hab.*
Neubert's Deutsch. Gart. Mag. xlviii. 748 (1895).—*Hab.*
Publ. Field Columbian Mus., Bot. Ser. i. 1. t. 3, 4 (1895).—*Hab.*
Agric. Gaz. N.S.Wales, ix. 192 (1898).
Queensland Agric. Journ. ii. t. 9 (1898); xxiii. t. 9–12 (1909).
Greshoff in Indische Mercuur, xxi. No. 30, tab. (1898).
*Köhler, Med. Pfl. iii [t. 219, 220] (1898).
Kronfeld, Atlas Pflanzengeogr. 167 (1899).—*Hab.*
Sadebeck, Kulturg. Deutsch. Kolon. Erzeugn. 114, 115, 116 (1899).
L. H. Bailey, Cycl. Amer. Hort. 246 (1900), 1864 (1902); Stand. Cycl. Hort. 2461, t. 84 (1916).
Greshoff, Nutt. Ind. Pl. t. 43 (1900).
Rev. Hort. 1900, p. 480, 481; 1904, p. 541.
Amer. Journ. Pharm. lxxiii. 278, 279, 281, 385, 387, 389 (1901).
Penzig in Atti Soc. Ligust. Genova, xiii. t. 7, 7 B (1902).—*Veg.*
Agric. Prat. Pays Chauds, ii. 281 (1902); xii. II. 317–19 (1912).
!Malpighia, xvi. t. 5, 6 (1902).—*Veg.*
Sargent, Silva N. Amer. xiv. t. 705 (1902).
Journ. New York Bot. Gard. iv. 197 (1903).—*Hab.*
Karsten & Schenck, Veg.-Bild. i. t. 11, 18 (1903).—*Hab.*
Knuth, Handb. Blütenbiol. iii. 1. 513 (1904).—*Fl.*
Ramirez, Estud. Hist. Nat. t. 23 (1904).
Natal Agric. Journ. viii. 1215, 1216 (1905).—*Fl.*
Sargent, Man. Trees N. Amer. 684 (1905).
Shattuck, Bahama Isl. t. 33 (1905).—*Hab.*
Trop. Agric. xxv. No. 3, p. 490 (1905); xxxii. No. 6, p. 505 (1909); xliv. No. 3, p. 137 (1915).
Baldrati, Cat. Ill. Mostra Eritrea, 37, 39 (1906).
Pobéguin, Fl. Guin. Franç. t. 61 (1906).—*Hab.*
De Wildeman, Miss. É. Laurent. i. p. clxxxii, clxxxiii (1907).—*Fl.*
*Kloppenburg-Versteegh, Pl. Atlas, t. 16 [1907].
!Ann. Jard. Bot. Buitenzorg, xxii. t. 5, 6 (1908); xxiv. t. 21, fig. 15, 16 (1911).—*Fr.*
Britton, N. Amer. Trees, 709, 710 (1908).
!Bull. Torr. Bot. Club, xxxv. 141 (1908).—*Fl.*
Teysmannia, xix. 770 (1908).
Philippine Agric. Rev. ii. frontispiece, p. 173, 180, t. 2–5 (1909); vii. 262, t. 2 (1914); xiii. 184, t. 19 (1920).
H. F. Macmillan, Handb. Trop. Garden. & Plant. 132, 133 (1910).
Rechinger in Denkschr. Akad. Wiss. Wien, lxxxv. 315 (1910).—*Hab.*

CARICA
Papaya
Wettstein, Handb. Syst. Bot. Ed. 2, p. 591 (1911).—*Hab.*
Bull. Agric. Congo Belge, ii. 489 (1911).—*Hab.*
Philippine Journ. Sc., Chem. & Geol. vi. 329, t. 6 (1911); viii. 80, t. 7 (1913).
Reinhardt, Kulturgesch. Nutzpfl. (Erde und Kultur), iv. 1. t. 40 (1911).—*Hab.*
Capus & Bois, Prod. Colon. 161, 162 (1912).
Hubert, Fruits Pays Chauds, 601, 604, 605, 607 (1912).
Francé, Leben Pflanze, vi. 382, 440 (1913).
U.S. Dep. Agric. Bur. Pl. Indust. Circ. No. 119, p. 9, 11, 12 (1913).
Agric. Journ. Ind. ix. 386 (1914).—*Hab.*
Merck's Rep. (Pract. Journ. Pharm.), xxiv. 136, 137 (1915).
Bryan, Nat. Hist. Hawaii, t. 70, fig. 4 (1915).—*Fr.*
U.S. Dep. Agric. Bur. Pl. Indust. Invent. Seeds & Pl. Import. No. 34, t. 1 (1915).
U.S. Dep. Agric. Bur. Pl. Indust. New Pl. Introduct. [t. 4] (1915–16).—*Hab.*
Crevost & Lemarié, Cat. Prod. Indochine, i. 254 (1917).—*Hab.*
Basu, Ind. Med. Pl. t. 440 (1918).
Bol. Agric. São Paulo, Ser. XIX. iv. 250, 257, 258 (1918).
Van Gorkom, Oost-Ind. Cult. Ed. 2, ii. 908 (1918).—*Fr.*
Britton, Fl. Bermuda, 250 (1918).
Brotéria, Ser. Vulg. Sc. xvi. 61, 63, 65, 67, 69 (1918).—*Hab.*
U.S. Dep. Agric. Bur. Pl. Ind. Pl. Immigrants, No. 164, t. 252 (1919).—*Fr.*
Bose, Man. Ind. Bot. 82, 83 (1920).—*Fl.*
W. Popenoe, Man. Trop. & Subtrop. Fr. t. 11, p. 227 (1920).
—— **Correae** Solms-Laub.
Mart. Fl. Bras. xiii. III. t. 49 (1889).
Pflanzenfam. iii. VI. A. 99 (1894).—*Fl.*
Sadebeck, Kulturg. Deutsch. Kolon. Erzeugn. 115 (1899).—*Fl.*
Bol. Agric. São Paulo, Ser. XIX. iv. 251 (1918).—*Fl.*
—— **Ernstii** Solms-Laub.
Ber. Deutsch. Bot. Ges. xxv. 488 (1907).
—— **Forbesii** Solms-Laub.
Pflanzenfam. iii. VI. A. 95, 99 (1893).—*Fl.*
Bol. Agric. São Paulo, Ser. XIX. iv. 251 (1918).—*Fl.*
peltata Hook. & Arn.
Hooker & Arn. Bot. Beechey Voy. t. 98 (1841).
piriformis Willd.
*C. Gay, Hist. Chile, Atlas, t. 25 (1854).
spinosa Aubl.
Aublet, Hist. Pl. Guiane Franç. iv. t. 346 (1775).

CARINIANA Casar.
brasiliensis Casar.
Trans. Linn. Soc. London, xxx. t. 35 (1874).—*Fr.*
Pflanzenfam. iii. VII. 41 (1892).—*Fl.*
domestica Miers
Trans. Linn. Soc. London, xxx. t. 63 (1874).—*Fr.*
excelsa Casar.
Trans. Linn. Soc. London, xxx. t. 63 (1874).—*Fr.*
legalis O. Kuntze
U.S. Dep. Agric. Bur. Pl. Indust. Invent. Seeds & Pl. Import. No. 46, t. 2 (1919).—*Hab.*
piriformis Miers
Trans. Linn. Soc. London, xxx. t. 63 (1874).—*Fr.*
U.S. Dep. Agric. Forest Serv. Circ. No. 185, p. 5, 7, 9 (1911).
rubra Miers
Trans. Linn. Soc. London, xxx. t. 63 (1874).—*Fr.*
uahupensis Miers
Trans. Linn. Soc. London, xxx. t. 63 (1874).—*Fr.*

CARIONIA Naud.
elegans Naud.
Ann. Sc. Nat. Paris, Ser. III. xv. t. 15 (1851).—*Fl.*
Trans. Linn. Soc. London, xxviii. t. 7, fig. 93 (1871).—*Fl.*
Pflanzenfam. iii. VII. 178 (1893).—*Fl.*

CARISSA Linn.—Vide *Arduina*
Arduina Lam.
*Réveil, Règne Vég. iii. t. 47 (1870).—*Veg.*
Wood, Natal Pl. iii. 1. t. 203 (1900); *C. acuminata*, errore, see Notes & Corrections, vol. vi.
Ann. Rep. Hawai Agric. Exp. St. 1910, t. 2 (1911).—*Hab.*
Candolleana Jaub. & Spach
Jaubert & Spach, Illustr. Pl. Or. v. t. 497 (1853–57).
Carandas Linn.
Rumphius, Herb. Amboin. vii. Auct. t. 19, fig. 3?, t. 25 (1755); fide Merrill, Interpret. Rumph. Herb. Amboin.
*Roxburgh, Pl. Coromandel, i. t. 77 (1795).
Lamarck, Ill. i. t. 118, fig. 1 (1797).
Ann. Mus. Hist. Nat. Paris, viii. 68, t. 32 (1806).—*Fr.*
*Lodd. Bot. Cab. vii. t. 663 (1822).
*Hooker, Comp. Bot. Mag. i. t. 12 (1835).
Wight, Ic. Pl. Ind. Or. ii. 426 (1840–43).
Paxt. Mag. xvi. 104 (1849).
Honigberger, Thirty-five Years East, ii. t. 4 (1852).
Ettingshausen, Blatt-Skel. Dikot. t. 27, 28 (1861).—*Veg.*
Beddome, Fl. Sylv. Anal. Gen. t. 19 (1872).
Talbot, For. Fl. Bombay, ii. 206 (1911).
Basu, Ind. Med. Pl. t. 601 (1918).
Ind. Forester, xlv. t. 17 (1919).
congesta Wight
Wight, Ic. Pl. Ind. Or. iv. t. 1289 (1848).
cornifolia Jaub. & Spach
Jaubert & Spach, Illustr. Pl. Or. v. t. 498 (1853–57).
diffusa Roxb.
Wight, Ic. Pl. Ind. Or. ii. t. 427 (1840–43).
Ann. Jard. Bot. Buitenzorg, xvii. 58 (1900).—*Veg.*
Ind. Forester, xlv. t. 18 (1919).
—— **scandens** Haines
Ind. Forester, xlv. t. 19 (1919).
edulis Vahl
Delile, Cent. Pl. Afr. Voy. Méroé, ii. t. 63 (1826).
Jaubert & Spach, Illustr. Pl. Or. v. t. 495 (1853–57).
Engler & Drude, Veget. Erde, ix. 1. 1. 117 (1910).
ferox A. DC.
Stoneman, Plants & their Ways S. Africa, Ed. 2, p. 43 (1915).—*Veg.*
grandiflora A. DC.
*Saunders, Ref. Bot. v. t. 300 (1872).
*Bot. Mag. ciii. t. 6307 (1877).
Wood & Evans, Natal Pl. i. 1. t. 14 (1898).
Sim, For. Fl. Cape Colony, t. 155 (1907).
Garden, lxxv. 616 (1911).
U.S. Dep. Agric. Bur. Pl. Indust. New Pl. Introduct. [t. 5] (1915–16).—*Hab.*
L. H. Bailey, Stand. Cycl. Hort. 2114 (1916).
W. Popenoe, Man. Trop. & Subtrop. Fr. 437 (1920).
inermis macrophylla Haines
Ind. Forester, xlv. t. 19 (1919).
—— **suavissima** Haines
Ind. Forester, xlv. t. 20 (1919).
lanceolata R. Br.
F. M. Bailey, Compr. Cat. Queensl. Pl. 321 (1909–13).
mitis Vahl
Vahl, Symb. Bot. iii. t. 59 (1794).
ovata pubescens F. M. Bailey
F. M. Bailey, Compr. Cat. Queensl. Pl. 321 (1909–13).
—— **stolonifera** F. M. Bailey
F. M. Bailey, Compr. Cat. Queensl. Pl. 321 (1909–13).
paucinervia A. DC.
Wight, Ic. Pl. Ind. Or. iv. t. 1290 (1848).

CARISSA
paucinervia
*Wight, Illustr. Ind. Bot. ii. t. 154 bis (1850).—*Fl.*
*Wight, Spicil. Neilgherr. ii. t. 158 (1851).
Fyson, Fl. Nilgiri & Pulney Hill-tops, iii. 416 (1920).
Richardiana Jaub. & Spach
Jaubert & Spach, Illustr. Pl. Or. v. t. 496 (1853–57).
Schimperi A. DC.
A. Richard, Tent. Fl. Abyssin. Atlas, t. 68 [1851].
spinarum Linn.
Lamarck, Ill. i. t. 118, fig. 2 (1797).
*Lodd. Bot. Cab. ii. t. 162 (1818).
Ind. Forester, xlv. t. 17 (1919).
—— **paucinervia** A. DC.
Ind. Forester, xlv. t. 18 (1919).
villosa Roxb.
Wight, Ic. Pl. Ind. Or. ii. 437 (1840–43).
Xylopicron Thou.
Petit-Thouars, Mélanges Bot. t. 15 (1811).
Phil. Trans. Roy. Soc. London, clxviii. t. 27 (1879).

CARLEMANNIA Benth.
Griffithii Benth.
Pflanzenfam. iv. iv. 22 (1891).—*Fl.*

CARLEPHYTON Jum.
madagascariense Jum.
Ann. Mus. Col. Marseille, Ser. III. vii. i. 188 (1919).

CARLESIA Dunn
sinensis Dunn
Hook. Ic. Pl. xxviii. t. 2739 (1902).

CARLINA Linn.—Vide *Carlowizia*
acanthifolia All.
Allioni, Fl. Pedem. iii. t. 51 (1785).
Reichenbach, Ic. Fl. Germ. xv. t. 740 (1852).
*Cusin, Herb. Fl. Franç. xiii (Composées), t. 392 (1874).
Coste, Fl. France, ii. 366 (1903).
Fiori & Paol. Ic. Fl. Ital. 438 (1904).
Flahault, Nouv. Fl. Alpes & Pyrén. ii. 72 (1908); iii. 55 (1912).
Gard. Chron. Ser. III. xlvii. 68 (1910).—*Hab.*
Silva Tarouca, Freiland-Stauden, 57 (1910).—*Hab.*
Farrer, English Rock-Gard. i. 204 (1919).—*Hab.*
—— **Cynara** DC.
Reichenbach, Ic. Fl. Germ. xv. t. 740 (1852).
acaulis Linn.
Hill, Veget. Syst. iv. t. 7 (1762).
*Regnault, Bot. ii. 162 (1774).
Buchoz, Hist. Règne Vég. xi. Dec. 5, t. 10 (1776).
*Bergius, Mat. Med. ii. 659, t. 168 (1778).
*Zorn, Ic. Pl. Med. ii. t. 168 (1780).
*Plenck, Ic. Pl. Med. vi. t. 598 (1794).
*Oskamp, Afb. Artseny-Gewass. iii. t. 206 (1796).
*Schkuhr, Bot. Handb. Ed. 2, t. 232 (1808).—*Fr.*
*Chaumeton, Fl. Méd. ii. t. 98 (1815).
*Vietz, Ic. Pl. Med.-oec.-techn. v. t. 384 (1817).
*Schrank, Fl. Monac. iv. t. 332 (1818).
*Mann, Deutschl. Arzney-Pfl. [t. 41] (1823–28).
*Hayne, Getreue Darst. Arzn. Gewächse, x. t. 45 (1827).
*Nees, Pl. Offic. ii. t. 222 (1828).
Delle Chiaje, Fl. Med. ii. tab. sine num. (1832).
*Zenker, Fl. Thüringen, vii. t. 745 (1836–55).
Schnizlein, Iconogr. ii. t. 120 a (1843–70).—*Fr.*
*Lorek, Fl. Pruss. Ed. 3, t. 191, fig. 1017 (1848).
*Cassone, Fl. Med.-Farm. iv. t. 301 (1850).
Reichenbach, Ic. Fl. Germ. xv. t. 741 (1852).
Berg, Charakt. t. 48, fig. 371 (1861).—*Fl.*
*Schubert, Naturg., Pflanzenreich, Ed. 2, t. 41, fig. 10 [1865].
*Cusin, Herb. Fl. Franç. xiii (Composées), t. 389 (1874).
De Silvestri, Piante Prat. 253 (1879).
Gard. Chron. xiii. 720, 721 (1880).
Karsten, Deutsche Fl. Pharm.-medic. Bot. 1105 (1880–83).
*C. Hoffmann, Pflanzenatlas, t. 62, fig. 388 (1881).
Nicholson, Illustr. Dict. Gard. i. 268 [1884–88].
*Sterne, Herbst- & Winterbl. t. 32 (1886).—*Hab.*

CARLINA
acaulis
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xxx. t. 3141 (1888).
*Thomé, Fl. Deutschl. iv. t. 590 (1889).
Paolucci, Fl. Marchig. t. 25 (1890).
*Heathcote, Fl. Engadine, t. 127 (1891).
Kerner, Pflanzenleben, ii. 116 (1891).—*Hab.*
Pflanzenfam. iv. v. 315, 316 (1892).
*Schimpfky, Uns. Heilpfl. ii. t. 47 [1893–94].
Brehm, Merv. Nat. Monde des Pl. ii. 159 (1894–96).
Garcke, Ill. Fl. Deutschl. 339 (1895).
Karsten, Fl. Deutschl. ii. 685 (1895).
Kerner & Oliv. Nat. Hist. Pl. ii. 117 (1895).
Gradmann, Pflanzenl. Schwäb. Alb, Ed. 2, i. 235 (1900).
*Josef v. Oesterreich & Marg. v. Thurn und Taxis, Atlas Heilpfl. t. 36 (1903).
Coste, Fl. France, ii. 366 (1903).
*L. & C. Schroeter, Col. Vade-Mecum Alp. Fl. Ed. 16 & 17, t. 13 (1904).—*Hab.*
Flahault, Nouv. Fl. Alpes & Pyrén. i. 74 (1906).
Senn, Alpen-Flora, ii. 74 (1906).
Jardin, xxi. 228, 229 (1907).
Lazaro, Comp. Fl. Espan. ii. 662 (1907).
Velenovsky, Vergl. Morphol. Pfl. ii. 381 (1907).—*Veg.*
Oesterr. Bot. Zeitschr. lvii. t. 4, fig. 6 (1907).—*Fl.*
*Hulme, Familiar Swiss Fl. t. 70 (1908).
*Correvon & Rob. Alp. Fl. t. 58 [1908?].
Arber, Fl. Life Alp. Switz. t. 29 (1910).
Fedtschenko & Fler. Fl. Eur. Russia, 999 (1910).
Karsten & Schenck, Veg.-Bild. viii. t. 17 (1910).—*Hab.*
*Milner, Life Oberammergau, t. 50 (1910).
Hosseus, Pflanzenw. Reichenhall, 131 (1911).
Stecki in Kosmos, xxxvii. 569 (1912).
Feucht, Württemb. Pflanzenw. t. 47 (1912).—*Hab.*
Cadevall & Sallent, Fl. Catalunya, iii. 398 (1917).
—— **alpina** Jacq.
Fiori & Paol. Ic. Fl. Ital. 438 (1904).
—— **caulescens** Reichb. f.
Reichenbach, Ic. Fl. Germ. xv. t. 741 (1852).
Cusin, Herb. Fl. Franç. xiii (Composées), t. 390, 391 (1874).
Silva Tarouca, Freiland-Stauden, 56 (1910).—*Hab.*
Chamaeleon Vill.
*Sturm, Fl. Deutschl. Ed. 2, xiv. t. 17 (1906).
corymbosa Linn.
Hill, Veget. Syst. iv. t. 8 (1762).
Santi, Viaggio Secondo, t. 8 (1798).
*Sibthorp & Sm. Fl. Graeca, ix. t. 837 (1837).
Reichenbach, Ic. Fl. Germ. xv. t. 744 (1852).
Cusin, Herb. Fl. Franç. xiii (Composées), t. 388 (1874).
Coste, Fl. France, ii. 367 (1903).
Fiori & Paol. Ic. Fl. Ital. 439 (1904).
Merino, Fl. Galicia, ii. 405 (1906).
Adamović, Pflanzenw. Dalmat. t. 45 (1911).—*Hab.*
*H. S. Thompson, Fl. Pl. Riviera, t. 18 (1914).
Cadevall & Sallent, Fl. Catalunya, iii. 400 (1917).
Cynara Pourr.
Coste, Fl. France, ii. 366 (1903).
*Flahault, Nouv. Fl. Alpes & Pyrén. iii. t. 55 (1912).
Cadevall & Sallent, Fl. Catalunya, iii. 399 (1917).
Fontanesii DC.
Bull. Soc. Bot. Ital. 1903, p. 64.
graeca Heldr. & Sart.
Karsten & Schenck, Veg.-Bild. xii. t. 37 (1916).—*Hab.*
gummifera Less.
Cusin, Herb. Fl. Franç. xiii (Composées), t. 393 (1874).
Bull. Soc. Bot. Ital. 1903, p. 63.
Coste, Fl. France, ii. 365 (1903).
Fiori & Paol. Ic. Fl. Ital. 438 (1904).
—— **Fontanesii** DC.
Fiori & Paol. Ic. Fl. Ital. 438 (1904).
lanata Linn.
Hill, Veget. Syst. iv. t. 7 (1762).
Santi, Viaggio Secondo, t. 7 (1798).
*Jaume St.-Hilaire, Fl. & Pom. Franç. iv. t. 386 (1831).

CARLINA
lanata
*Sibthorp & Sm. Fl. Graeca, ix. t. 836 (1837).
Reichenbach, Ic. Fl. Germ. xv. t. 743 (1852).
Cusin, Herb. Fl. Franç. xiii (Composées), t. 387 (1874).
Coste, Fl. France, ii. 367 (1903).
Cadevall & Sallent, Fl. Catalunya, iii. 399 (1917).
—— **Pola** Fiori & Paol.
Fiori & Paol. Ic. Fl. Ital. 439 (1904).
longifolia Reichb.
Reichenbach, Pl. Crit. viii. t. 761 (1830).
Reichenbach, Ic. Fl. Germ. xv. t. 742 (1852).
Suireishchikov, Ill. Fl. Mosc. Gov. iii. 288 (1910).
macrocephala Moris
Moris, Fl. Sard. t. 84 (1840–43).
Cusin, Herb. Fl. Franç. xiii (Composées), t. 386 (1874).
Coste, Fl. France, ii. 366 (1903).
Fiori & Paol. Ic. Fl. Ital. 438 (1904).
nebrodensis Guss.
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xxx. t. 3143 (1888).
Rouy, Illustr. Pl. Eur. Rar. fasc. 8, t. 187 (1896).
Lojacono-Pojero, Fl. Sic. ii. 1. t. 10, 21 (1902).
—— **longifolia** Le Grand
Coste, Fl. France, ii. 367 (1903).
pallescens Wettst.
Wettstein in Sitzb. Akad. Wiss. Wien, xcviii. t. 3, fig. 1–8 (1890).
Pola Hacq.
Hacquet, Pl. Alp. Carniol. t. 4, fig. 3 (1782).
pygmaea Holmb.
Holmboe, Veg. Cyprus, 184 (1914).
pyrenaica Linn.
Hill, Veget. Syst. iv. t. 8 (1762).
racemosa Linn.
Hill, Veget. Syst. iv. t. 8 (1762).
Reichenbach, Ic. Fl. Germ. xv. t. 743 (1852).
Fiori & Paol. Ic. Fl. Ital. 439 (1904).
salicifolia Cav.
Webb & Berth. Hist. Nat. Iles Canar. iii. Phytogr. ii. t. 115 (1836–50).
sicula Ten.
*Tenore, Fl. Nap., Atlas, iv. t. 187 (1811–38).
Fiori & Paol. Ic. Fl. Ital. 439 (1904).
simplex Waldst. & Kit.
*Waldstein & Kit. Pl. Rar. Hung. ii. t. 152 (1805).
subacaulis DC.
*Argenta, Album Fl. Med.-Farm. ii. t. 173 (1863).
sulphurea Desf.
Desfontaines, Fl. Atlant. ii. t. 224 (1798).
Utzka Hacq.
Hacquet, Pl. Alp. Carniol. t. 1 (1782).
vulgaris Linn.
Hill, Veget. Syst. iv. t. 7 (1762).
Hill, Herb. Brit. i. t. 48 (1769).
Hoppe, Ect. Pl. Ratisb. t. 335 (1789).
Gaertner, Fruct. ii. t. 163 (1791).—*Fr.*
*Joh. Kerner, Abbild. Oek. Pfl. (Fig. Pl. Écon.), iv. t. 316 (1791).
*Fl. Dan. vii. t. 1174 (1797).
Lamarck, Ill. iv. t. 662 (1797).
Santi, Viaggio Secondo, t. 6 (1798).
*Sowerby & Sm. Engl. Bot. xvi. t. 1144 (1803).
Boissieu, Fl. Eur. iii. t. 534 (1806).
*Schkuhr, Bot. Handb. Ed. 2, t. 232 (1808).
*Svensk Bot. vii. t. 434 (1812).
*Vietz, Ic. Pl. Med.-oec.-techn. v. t. 385 (1817).
Trattinick, Fl. Oesterr. Kaiserth. ii. t. 170 (1820).
*Kops, Fl. Batava, v. t. 370 (1828).
*Jaume St.-Hilaire, Fl. & Pom. Franç. iv. t. 385 (1831).
*Heger, Danske Oec. Pl. iii. t. 256 (1835).
*Zenker, Fl. Thüringen, v. t. 583 (1836–55).
[M. E.] Jackson, Pict. Fl. fig. 1188 (1840).
Meigen, Deutschl. Fl. iii. t. 127 (1842).—*Fl.*
*Baxter, Brit. Bot. Ed. 2, vi. t. 405 (1843).
*Deakin, Florigr. Brit. iii. fig. 1234 (1847).
*Lorek, Fl. Pruss. Ed. 3, t. 191, fig. 1018 (1848).
*Petermann, Deutschl. Fl. t. 50, fig. 394 (1849).—*Fl.*
Reichenbach, Ic. Fl. Germ. xv. t. 742 (1852).
Johnson & Sowerby, Brit. Wild Fl. fig. 691 (1858–60).
Bentham, Handb. Brit. Fl. fig. 563 (1865).

CARLINA
vulgaris
*Syme, Engl. Bot. v. t. 697 (1866).
Cesati, Passer. & Gibelli, Comp. Fl. Ital. t. 77 (1867–86).—*Fl.*
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, iii. t. 117 [1873].
*Cusin, Herb. Fl. Franç. xiii (Composées), t. 384 (1874).
*Hogg & Johnson, Wild Fl. Gr. Brit. viii. t. 618 (1874).
Wagner, Ill. Deutsche Fl. Ed. 2, p. 443 (1882).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xxx. t. 3142 (1888).
Acloque, Fl. France, 406 (1894).
Brehm, Merv. Nat. Monde des Pl. ii. 160 (1894–96).
Reichenau, Mainzer Flora, fig. 11 (1900).
Lindman, Bild. Nord. Fl. t. 5 (1901–5).
C. T. Green, Fl. Liverpool Distr. fig. 343 (1902).
Coste, Fl. France, ii. 367 (1903).
!Bull. Soc. Hist. Nat. Autun, xvii. ii. 34, t. B (1904).
Fiori & Paol. Ic. Fl. Ital. 438 (1904).
*Step, Wayside & Woodl. Bloss. New Ed. i. t. 121, p. 140 (1905).
Blytt, Haandb. Norg. Fl. Ed. Dahl, 704 (1906).
*Sturm, Fl. Deutschl. Ed. 2, xiv. t. 18 (1906).
Fitzgerald in Nature Book, iv. 623, t. 1 (1909).
Fedtschenko & Fler. Fl. Eur. Russia, 999 (1910).
Heukels, Fl. Nederl. iii. 418 (1910).
Suireishchikov, Ill. Fl. Mosc. Gov. iii. 287 (1910).
*Perrin & Boulger, Brit. Flower. Pl. iv. t. 292 (1914).
*Bonnier, Name This Flower, t. 28 (1917).
Cadevall & Sallent, Fl. Catalunya, iii. 401 (1917).
Lindman, Svensk Fanerogamfl. 518 (1918).—*Fl.*
Fitch & Smith, Ill. Brit. Fl. Ed. rev. 4, Iss. 2, fig. 571 (1919).
xeranthemoides Linn. f.
Webb & Berth. Hist. Nat. Iles Canar. iii. Phytogr. ii. t. 116 (1836–50).

CARLOWIZIA Moench: *Carlina*
salicifolia Moench
Ann. Mus. Hist. Nat. Paris, xvi. 205 (1810).
*Jacquin, Ecl. Pl. i. t. 5 (1811–16).
Webb & Berth. Hist. Nat. Iles Canar. Atlas Facies, t. 7 (1838).—*Hab.*

CARLOWRIGHTIA A. Gray
glandulosa Robins. & Greenm.
Velenovsky, Vergl. Morphol. Pfl. iii. 1110 (1910).—*Fr.*

CARLUDOVICA Ruiz & Pav.—Vide *Ludovia*, Pers. *Salmia*, Willd.
acuminata Ruiz & Pav.
Martius, Pfl. & Thiere Trop. Amer. t. 2, fig. VII. 5 (1831).—*Hab.*
acuminata Poepp. & Endl.
Mart. Fl. Bras. iii. ii. t. 57 (1881).
atropurpurea Hort.
Wien. Ill. Gart.-Zeit. x. 78 (1885).—*Hab.*
atrovirens H. Wendl.
Gartenfl. lxi. 526 (1912).—*Hab.*
brachypus Drude
Mart. Fl. Bras. iii. ii. t. 58 (1881).—*Veg.*
Caput-Medusae Hook. f.
*Bot. Mag. cxvi. t. 7118 (1890).
caulescens Hort.
Wien. Ill. Gart.-Zeit. x. 17 (1885).—*Hab.*
chelidonura Drude
Mart. Fl. Bras. iii. ii. t. 57 (1881).
divergens Drude
Mart. Fl. Bras. iii. ii. t. 59 (1881).
Drudei Mast.
Gard. Chron. viii. 715, 721 (1877); xii. 279 (1879).
Gartenfl. xxx. t. 1046 (1881).
ensiformis Hook. f.
*Bot. Mag. cv. t. 6418 (1879).
funifera Kunth
*Horticulteur Univ. vi. 65 (1845).
Baillon, Hist. Pl. xiii. 418 (1895).—*Fl.*
Gardneri Hook.
Hooker, Journ. Bot. ii. t. 3, 4 (1840).
heterophylla Mart.
Mart. Fl. Bras. iii. ii. t. 59 (1881).—*Veg.*

CARLUDOVICA
humilis Poepp. & Endl.
Rev. Hort. 1869, p. 327.—*Hab.*
Garden, vi. 429 (1874).—*Hab.*
Bellair & St.-Léger, Pl. Serre, 449 (1900).—*Hab.*
Gartenwelt, viii. 146 (1903).
imperialis Linden & André
*Ill. Hort. xxi. t. 166 (1874).
insignis Duchass.
Gartenwelt, viii. 148 (1903).
lancifolia Hort.
Le Maout & Decaisne, Traité Gén. Bot. 622 (1868).—*Fl.*
latifolia Ruiz & Pav.
*Lodd. Bot. Cab. xi. t. 1068 (1825).
*Schnizlein, Iconogr. i. t. 74 a (1846).
Le Maout & Decaisne, Traité Gén. Bot. 622 (1868).—*Fl.*
Pflanzenfam. ii. III. 98 (1889).—*Fr.*
Gartenwelt, viii. 147 (1903).
latifrons Drude
Mart. Fl. Bras. iii. ii. t. 58 (1881).
Laucheana Hook. f.
*Bot. Mag. cxxv. t. 7683 (1899).
longicomans C. Lem.
Ill. Hort. ii. Misc. 23 (1855).—*Fl.*
longicrura Drude
Mart. Fl. Bras. iii. ii. t. 58 (1881).—*Veg.*
macropoda Klotzsch
Wien. Ill. Gart.-Zeit. x. 19 (1885).—*Hab.*
Marceana Hort.
Wien. Ill. Gart.-Zeit. x. 19 (1885).—*Hab.*
mattogrossensis Lindm.
Bih. Svenska Vet. Akad. Handl. xxvi. III. No. 8, t. 3 (1900).
microcephala Hook. f.
*Bot. Mag. cxviii. t. 7263 (1892).
microphylla Örst.
Bull. Agric. Congo Belge, iii. 984 (1912).—*Hab.*
Moritziana Klotzsch
Gartenwelt, viii. 151 (1903).
palmata Ruiz & Pav.
Rev. Hort. 1861, p. 36, 37.
Decaisne & Naud. Amat. Jard. iii. 657 [1862–66].—*Hab.*
Le Maout & Decaisne, Traité Gén. Bot. 622 (1868).
Garden, ii. 461 (1872); ix. 423, 425 (1876).—*Hab.*
Mart. Fl. Bras. iii. ii. t. 54, 55 (1881).
Nicholson, Illustr. Dict. Gard. i. 268 [1884–88].—*Hab.*
Wien. Ill. Gart.-Zeit. x. 78 (1885).—*Hab.*
Pflanzenfam. ii. III. 95, 99 (1889).
Mem. Torr. Bot. Club, ii. III. t. 14 (1891).—*Veg.*
Brehm, Merv. Nat. Monde des Pl. ii. 656 (1894–96).
Baillon, Hist. Pl. xiii. 420 (1895).—*Fl.*
Gartenwelt, iv. 9 (1899); viii. 146 (1903).—*Fr.*
Semaine Hort. iv. 419 (1900).—*Hab.*
L. H. Bailey, Cycl. Amer. Hort. 247 (1900); Stand. Cycl. Hort. 665 (1914).
Bellair & St.-Léger, Pl. Serre, 450 (1900).—*Hab.*
Preuss, Exped. Centr.- & Südamer. 76 (1901).—*Hab.*
Gard. Chron. Ser. III. xlii. 322 (1907).
!Ann. Jard. Bot. Buitenzorg, xxiii. t. 6, 7 (1909).
Tribune Hort. iv. 259 (1909).—*Hab.*
H. F. Macmillan, Handb. Trop. Garden. & Plant. 285 (1910).—*Hab.*
May in Rep. Porto Rico Agric. St. t. 1 (1910).—*Hab.*
Wettstein, Handb. Syst. Bot. Ed. 2, p. 852 (1911).—*Fl.*
Bot. Notiser, 1914, p. 145, 147.—*Veg.*
—— **humilis** Hort.
Wien. Ill. Gart.-Zeit. x. 16 (1885).—*Hab.*
palmifolia Kunze
Journ. Hort. Ser. III. xx. 383 (1890).—*Hab.*
plicata Klotzsch
Mart. Fl. Bras. iii. ii. t. 55, 56 (1881).
Pflanzenfam. ii. III. 95 (1889).—*Fl.*
Gartenwelt, viii. 146 (1903).
Plumieri Kunth
Gartenwelt, viii. 150 (1903).
Trop. Agric. xxv. No. 3, p. 496 (1905).—*Fr.*
polymera Hand.-Mazz.
Wettstein in Denkschr. Akad. Wiss. Wien, lxxix. 206 (1908).—*Fl.*

CARLUDOVICA
pumila Hort.
Ann. Jard. Bot. Buitenzorg, xxiv. t. 27, fig. 5 (1911).—*Veg.*
rigida Urb.
Descourtilz, Fl. Pitt. & Méd. Antilles, vii. t. 506 (1829); fide Urban ex Synon.
rivularis Lindm.
Bih. Svenska Vet. Akad. Handl. xxvi. III. No. 8, t. 1, 2 (1900).
rotundifolia Wendl.
*Bot. Mag. cxv. t. 7083 (1889).
sarmentosa Sagot
Mart. Fl. Bras. iii. ii. t. 58 (1881).
Bih. Svenska Vet. Akad. Handl. xxvi. III. No. 8, t. 3 (1900).
Wettstein in Denkschr. Akad. Wiss. Wien, lxxix. 206, fig. 4 a, b (1908).—*Fl.*
Sartorii Hort.
Wien. Ill. Gart.-Zeit. x. 19 (1885).—*Hab.*
serrata Hort.
Wien. Ill. Gart.-Zeit. x. 78 (1885).—*Hab.*
tetragonopus Mart.
Mart. Fl. Bras. iii. ii. t. 58 (1881).
Trailiana Drude
Mart. Fl. Bras. iii. ii. t. 59 (1881).
trigona Ruiz & Pav.
Poeppig & Endl. Nov. Gen. & Sp. Pl. ii. t. 151, 154 (1838).
Wallisii Regel
Gartenfl. xxviii. t. 992 (1879).

CARMELITA C. Gay: *Chaetanthera*
formosa C. Gay
*C. Gay, Hist. Chile, Atlas, t. 37 (1854).
Weddell, Chloris Andina (Castelnau Expéd., Bot.), i. t. 6 (1855–57).
Schimper, Pflanzen-Geogr. 781 (1898).

CARMENOCANIA Wernham
porphyrantha Wernham
Journ. of Bot. l. t. 520 (1912).

CARMICHAELIA R. Br.
australis R. Br.
*Bot. Reg. xi. t. 912 (1825).
*Lodd. Bot. Cab. xi. t. 1061 (1825).
Raoul, Choix Pl. Nouv.-Zél. t. 28 (1846).
Ralph, Ic. Carpolog. t. 37 (1849).—*Fr.*
Schnizlein, Iconogr. iv. t. 275 a (1856).—*Fr.*
Flora, lviii. t. 7 (1875).—*Veg.*
Kerner, Pflanzenleben, i. 308 (1887).
Kerner & Oliv. Nat. Hist. Pl. i. 335 (1894).
Pflanzenfam. iii. III. 278 (1894).—*Fl.*
Brehm, Merv. Nat. Monde des Pl. i. 509 (1894–96).
De Wildeman, Ic. Sel. Hort. Then. i. t. 13 (1900).
Knuth, Handb. Blütenbiol. iii. 1. 397 (1904).
Laing & Blackwell, Pl. New Zeal. Ed. 2, p. 205, 207 (1907).
Schneider, Ill. Handb. Laubh. ii. 78 (1907).
Kerner, Pflanzenleben, Ed. 3, i. 250 (1913).
Goebel, Entfaltungsb. Pfl. 43 (1920).—*Fr.*
Cunninghamii Raoul
Raoul, Choix Pl. Nouv.-Zél. t. 28 (1846).
Enysii Kirk
Trans. & Proc. New Zeal. Inst. 1883, xvi. t. 30 (1884).
—— **orbiculata** Kirk
Cockayne, New Zeal. Pl. 159 (1910).—*Hab.*
exsul F. Muell.
Engl. Jahrb. xxii. 266 (1896).
flagelliformis Colenso
*E. H. & S. Featon, Art Album, i. t. 26 (1889).
Goebel, Entfaltungsb. Pfl. 43 (1920).—*Fr.*
gracilis Armstr.
Cheeseman, Ill. New Zeal. Fl. t. 35 (1914).
grandiflora Hook. f.
Cheeseman, Ill. New Zeal. Fl. t. 33 (1914).
Kirkii Hook. f.
Hook. Ic. Pl. xiv. t. 1332 (1881).
Trans. & Proc. New Zeal. Inst. 1883, xvi. t. 33 (1884).
odorata Colenso
*E. H. & S. Featon, Art Album, i. t. 26 (1889).
Cheeseman, Ill. New Zeal. Fl. t. 34 (1914).
Petriei Kirk
Cockayne, New Zeal. Pl. Ed. 2, p. 190 (1919).

CARMICHAELIA
uniflora Kirk
Trans. & Proc. New Zeal. Inst. 1883, xvi. t. 31 (1884).
Williamsii Kirk
Trans. & Proc. New Zeal. Inst. 1883, xvi. t. 32 (1884).
*E. H. & S. Featon, Art Album, i. t. 26 (1889).
Cheeseman, Ill. New Zeal. Fl. t. 32 (1914).

CARMINATIA Moc.
tenuiflora DC.
Delessert, Ic. Pl. iv. t. 98 (1839).
Pflanzenfam. iv. v. 136 (1890).—*Fl.*

CARMONA Cav.: *Ehretia*
heterophylla Cav.
An. Hist. Nat. Madrid, i. t. 3 (1799).
Cavanilles, Ic. v. t. 438 (1799).

CARNARVONIA F. Muell.
aralifolia F. Muell.
F. Mueller, Fragm. Phyt. Austral. vi. t. 55, 56 (1867).

CARNEGIEA Perk.
eximia Perk.
Pflanzenreich, Monimiac. Nachtr. 37 (1911).

CARNEGIEA Britton & Rose—Vide *Cereus* (7)
gigantea Britt. & Rose
Journ. New York Bot. Gard. ix. 187, t. 49–52 (1908).
Ann. Rep. Smithson. Inst. 1908, p. 557 (1909).—*Fr.*
MacDougal & Cannon in Carnegie Inst. Washington, Publ. No. 129, t. 9 (1910).—*Hab.*
MacDougal & Spalding in Carnegie Inst. Washington, Publ. No. 141, t. 1–5, 7 (1910).
Cannon in Carnegie Inst. Washington, Publ. No. 131, t. 15 (1911).—*Veg.*
Ann. Bot. xxvi. t. 6 (1912).
Contrib. U.S. Nat. Herb. xvi. t. 7 (1912).—*Hab.*
Bull. Missouri Bot. Gard. ii. t. 4 (1914).
L. H. Bailey, Stand. Cycl. Hort. t. 3, p. 672 (1914).—*Hab.*
Monnet, Expl. Bot. Calif. & Grands Déserts Amér. t. 21 [1915].—*Hab.*
Plant World, xix. 19 (1916).
Journ. Ecol. v. t. 7 (1917).—*Hab.*
*Nat. Geogr. Mag. Washington, xxxi. 513 (1917).
*Britton & Rose, Cactac. ii. 165, 166, t. 22, 23 (1920).

CAROLINEA Linn. f.: *Bombax*
alba Lodd.
*Lodd. Bot. Cab. viii. t. 752 (1823).
*Hooker, Exot. Fl. ii. t. 100 (1825).
*Géel, Sert. Bot. Cl. 16 (1832).
*Reichenbach, Fl. Exot. iv. t. 249 (1835).
*Maund, Botanist, ii. t. 80 (1838).
fastuosa Sessé
A. De Candolle, Calq. Dess. Fl. Mex., Moc. & Sessé, t. 97 (1874).
insignis Sw.
*Lodd. Bot. Cab. xi. t. 1004 (1825).
Ann. Hort. i. 145 (1845).
*Réveil, Règne Vég. xiv. t. 46 (1870).
macrocarpa Cham. & Schlechtd.
*Rev. Hort. 1887, p. 156.
minor Sims
*Bot. Mag. xxxiv. t. 1412 (1811).
*Joh. Kerner, Hort. Sempervir. t. 634 (1822).
princeps Linn. f.
*Naturalist's Pocket Mag. vi [t. 38] (1800).
*Martius, Nov. Gen. & Sp. Pl. Bras. i. t. 56 (1824).—*Fr.*
*Descourtilz, Fl. Pitt. & Méd. Antilles, iii. t. 232 (1827).
*Réveil, Règne Vég. xiv. t. 46 (1870).
tomentosa Mart.
*Martius, Nov. Gen. & Sp. Pl. Bras. i. t. 56 (1824).
*Géel, Sert. Bot. Cl. 16 (1832).
*Reichenbach, Fl. Exot. ii. t. 142 (1834).
Schnizlein, Iconogr. iii. t. 210 (1866).—*Fl.*

CAROLINELLA Hemsl.
cordifolia Hemsl.
Hook. Ic. Pl. xxviii. t. 2775 (1903).
Henryi Hemsl.
Hook. Ic. Pl. xxviii. t. 2726 (1902).

CAROTA Rupr.: *Daucus*
urens Linn.
*Blanco, Fl. Filip. t. 349 (1878–80).

CAROXYLON Thunb.: *Salsola*
indicum Wight
Wight, Ic. Pl. Ind. Or. v. t. 1794 (1852).

CARPENTERIA Torr.
californica Torr.
Torrey in Smiths. Contrib. Knowl. vi. t. 7 (1854).
Garden, xviii. 397 (1880); xxviii. 64 (1885); xxix. 312 (1886); xxxi. 100 (1887); lxxvi. 376 (1912).
Rev. Hort. 1884, p. 365.
*Bot. Mag. cxii. t. 6911 (1886).
Gard. Chron. xxvi. 113 (1886); Ser. III. xl. 6, 7 (1906); xliv. 112 (1908).—*Hab.*
Dippel, Handb. Laubholzk. iii. 346 (1893).
Journ. Hort. Ser. III. xxix. 251 (1894); xxxvii. 267 (1898); xlv. 107 (1902); lix. 61 (1909).
Jardin, viii. 223 (1894); xxvi. 181 (1912).
Möllers Deutsche Gärtn.-Zeit. xiii. 570, 571 (1898); xxviii. 121 (1913).—*Hab.*
Flora & Sylva, iii. 7 (1905).
Silva Tarouca, Freiland-Laubgehölze, 170 (1913).—*Hab.*
Eden Phillpotts, My Shrubs, 28 (1915).—*Hab.*

CARPENTIA Ewart
floribunda Ewart & Davies
Ewart & Davies, Fl. North. Terr. 380, t. 20 (1917).

CARPESIUM Linn.
abrotanoides Linn.
Hill, Veget. Syst. ii. t. 82 (1761).
Osbeck, Voyage China & E. Indies, i. t. 10 (1771).
Lamarck, Ill. iv. t. 696, fig. 2 (1797).
Villars, Cat. Pl. Jard. Strasbourg, t. 4 (1807).
*Jacquin, Fragm. t. 134 (1809).
Reichenbach, Ic. Fl. Germ. xvi. t. 983 (1853).
*Somoku Dzusetsu, Ed. 2, xv. t. 61 (1874).
Fiori & Paol. Ic. Fl. Ital. 434 (1904).
Somoku Dzusetsu, Ed. Makino (Iconogr. Pl. Nippon), xv. t. 61 (1912).
cernuum Linn.
Hill, Veget. Syst. ii. t. 82 (1761).
*Jacquin, Fl. Austr. iii. t. 204 (1775).
Gaertner, Fruct. ii. t. 164 (1791).—*Fr.*
Lamarck, Ill. iv. t. 696, fig. 1 (1797).
*Schkuhr, Bot. Handb. Ed. 2, t. 244 (1808).
*Petermann, Deutschl. Fl. t. 46, fig. 363 (1849).
Reichenbach, Ic. Fl. Germ. xvi. t. 983 (1853).
Cesati, Passer. & Gibelli, Comp. Fl. Ital. t. 82 (1867–86).—*Fl.*
*Cusin & Ansberque, Herb. Fl. Franç. xii (Composées), t. 227 (1873).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xxix. t. 3051 (1887).
Paolucci, Fl. Marchig. t. 26 (1890).—*Fl.*
Pflanzenfam. iv. v. 206 (1890).—*Fl.*
Acloque, Fl. France, 385 (1894).
Garcke, Ill. Fl. Deutschl. 309 (1895).
Coste, Fl. France, ii. 328 (1903).
Fiori & Paol. Ic. Fl. Ital. 434 (1904).
Hegi, Ill. Fl. Mittel-Eur. vi. 1. 489 (1915).
Cadevall & Sallent, Fl. Catalunya, iii. 324 (1917).
divaricatum Sieb. & Zucc.
Somoku Dzusetsu, Ed. 2, xv. t. 62 (1874).
Somoku Dzusetsu, Ed. Makino (Iconogr. Pl. Nippon), xv. t. 62 (1912).
minus Hemsl.
Journ. Linn. Soc. London, xxiii. t. 13 (1886–88).
nepalense Less.
Wight, Ic. Pl. Ind. Or. iii. t. 1120 (1846).
*Wight, Spicil. Neilgherr. ii. t. 112 (1851).
verbascifolium Léveillé
Léveillé, Cat. Pl. Yun-Nan, 42 (1915–16).

CARPHA Banks & Soland.
alpina R. Br.
Hook. Ic. Pl. xiii. t. 1216 (1877).
C. B. Clarke, Illustr. Cyperac. t. 76 (1909).
arundinacea Brongn.
Duperrey, Voy. Coquille, Bot. Atlas Phan. t. 30 (1826).
Aubertii Nees
C. B. Clarke, Illustr. Cyperac. t. 77 (1909).—*Fl.*

CARPHA
bracteosa C. B. Clarke
De Wildeman, Pl. Nov. Herb. Hort. Then. i. t. 10 (1904).
capitellata tenuis C. B. Clarke
C. B. Clarke, Illustr. Cyperac. t. 77 (1909).—*Fr.*
deusta R. Br.
C. B. Clarke, Illustr. Cyperac. t. 76, 77 (1909).
Eminii C. B. Clarke
Chiovenda & Cortesi, Il Ruwenzori, Angiosp. t. 30 [1909].
glomerata Nees
C. B. Clarke, Illustr. Cyperac. t. 76 (1909).—*Fl.*
*Marloth, Fl. S. Africa, iv. 39, 44, t. 10 (1915).
Schlechteri C. B. Clarke
De Wildeman, Pl. Nov. Herb. Hort. Then. i. t. 9 (1904).
schoenoides Banks & Soland.
Hooker f., Fl. Antarct. ii. t. 148 (1846).
Pflanzenfam. ii. 11. 110 (1887).
W. B. Scott, Rep. Princeton Univ. Exped. Patag. 1896–99, viii. 1. Bot. 257 (1904).

CARPHALEA Juss.
angulata Baill.
Baillon, Hist. Pl. vii. 295 (1880).—*Fl.*
kirondron Baill.
Grandidier, Hist. Madag. [Plantes] Atlas, t. 436 (1897).
madagascariensis Lam.
Lamarck, Ill. i. t. 59 (1791).

CARPHEPHORUS Cass.
corymbosus Torr. & Gray
Lounsberry, Southern Wild Fl. & Trees, t. 167 (1901).
pseudoliatris Cass.
Pflanzenfam. iv. v. 141 (1890).—*Fr.*

CARPIDIOPTERYX Karst.: *Thinouia*
macroptera Karst.
Karsten, Fl. Columbiae, ii. t. 123 (1862–69).

CARPINUS Linn.—Vide *Distegocarpus*
americana Michx.
Buchoz, Hist. Règne Vég. xl. Dec. 3, t. 3 (1776).
*Michaux, Arb. Amer. Sept. iii. t. 8, p. 57 (1813) in textu: *C. virginiana* in ic.
*Guimpel, Otto & Hayne, Abbild. Fremd. Holzart. i. t. 84 (1825).
*P. W. Watson, Dendr. Brit. ii. t. 157 (1825).
J. C. Loudon, Arbor. & Frutic. Brit. iii. 2013 (1838).
*Torrey, Fl. State New York, ii. t. 103 (1843).
Brendel in Trans. Illinois State Agric. Soc. iv. 421 (1861).
Emerson, Trees & Shrubs Massachusetts, Ed. 2, i. 199 (1875).
Garden, xxiv. 418 (1883).
Avellana Pokorny-Schoen.
*Pokorny-Schoenichen, Pflanzenkunde, t. 36, fig. 3 (1912).
Betulus Linn.
*Oelhafen, Abbild. Wild. Bäume, ii. t. 9–12 (1773).
*Joh. Kerner, Beschr. u. Abbild. Bäume u. Gestr. Wirtemberg, 11 (1784).
Hoppe, Ect. Pl. Ratisb. t. 212 (1788).
*Reitter & Abel, Holz-Art. t. 12 (1790).
Gaertner, Fruct. ii. t. 89 (1791).—*Fr.*
*Joh. Kerner, Abbild. Oek. Pfl. (Fig. Pl. Écon.), iv. t. 373 (1791).
*F. J. Schultz, Abb. Bäume, Staud. Sträuch. Oesterr. i. t. 87 (1792).
Usteri, Ann. Bot. ix. t. 3 (1794).—*Fl.*
Lamarck, Ill. v. t. 780 (1797–1819).
Aikin, Woodl. Comp. t. 10 (1802).
*Duhamel, Arbres & Arbustes, Ed. 2, ii. t. 58 (1804).
*Fl. Dan. viii. t. 1345 (1808).
*Schkuhr, Bot. Handb. Ed. 2, t. 304 (1808).
*Sowerby & Sm. Engl. Bot. xxix. t. 2032 (1809).
Thornton, Brit. Fl. iii. 120 (1812).
*Svensk Bot. vii. t. 433 (1812).
*Vigneux, Fl. Pitt. Envir. Paris, t. 58 (1812).
*Trattinick, Ausg. Taf. Arch. ii. 163 (1813); et Arch. Gewächsk. iii. t. 222 (1817).
*Vietz, Ic. Pl. Med.-oec.-techn. v. t. 386 (1817).

CARPINUS
Betulus
*Schrank, Fl. Monac. iv. t. 389 (1818).
*Guimpel, Willd. & Hayne, Abb. Deutsch. Holzart. ii. t. 150 (1820).
*Krebs, Holzarten, t. 15, 142 (1826).
*Heger, Danske Oec. Pl. iii. t. 270 (1835).
Nees, Gen. Pl., Monochlam. i. t. 20 (1835).
*Zenker, Fl. Thüringen, iv. t. 394 (1836–55).
*Baxter, Brit. Bot. Ed. 2, iii. t. 234 (1837).
J. C. Loudon, Arbor. & Frutic. Brit. viii. t. 66 A (1838).
[M. E.] Jackson, Pict. Fl. fig. 1401 (1840).
Selby, Hist. Brit. Forest-Trees, 337–39 (1842).
*Deakin, Florigr. Brit. iii. fig. 1467 (1847).
*Lorek, Fl. Pruss. Ed. 3, t. 222, fig. 1180 (1848).
C. A. Johns, Forest Trees Brit. ii. 126, 128, 129 (1849); Ed. 11, p. 235–37 (1919).
Lindley, Med. & Oecon. Bot. 99 (1849).—*Veg.*
*Petermann, Deutschl. Fl. t. 80, fig. 634 (1849).
Ann. Hort. v. 471 (1850).—*Hab.*
*Reichenbach, Ic. Fl. Germ. xii. t. 632 (1850).
*Hartig, Forstl. Cult. t. 21 (1851).
*Schnizlein, Iconogr. ii. t. 89 (1854).
Ettingshausen in Sitzb. Akad. Wiss. Wien, xx. 433 (1856).—*Veg.*
*Fiscali, Deutschl. Forstcult.-Pfl. t. 5, fig. 12–16 (1858).
Johnson & Sowerby, Brit. Wild Fl. fig. 1208 (1858–60).
Willkomm, Deutsch. Laubhölzer im Winter, 26, fig. 29 (1859).—*Veg.*
Schacht, Grundr. Anat. Phys. Gewächse, 155 (1859).—*Fl.*
Schacht, Lehrb. Anat. Phys. Gewächse, ii. 296, 605, t. 9 (1860).—*Fl.*
Schacht, Baum, t. 4, p. 4, 137 (1860).
Berg, Charakt. t. 20, fig. 176 (1861).—*Fl.*
Ettingshausen, Blatt-Skel. Dikot. t. 2 (1861).—*Veg.*
*Johnson & Sowerby, Useful Pl. Gr. Brit. t. 19, fig. 219 (1861[–62]).
Pokorny, Oesterr. Holzpfl. 463, t. 6 (1864).—*Veg.*
Bentham, Handb. Brit. Fl. fig. 906 (1865).
Heer, Pfl. Pfahlbauten, tab. fig. 91 (1865).—*Fr.*
*Schubert, Naturg., Pflanzenreich, Ed. 2, t. 47, fig. 9 [1865].
Migout, Fl. Dépt. Allier, t. 20 (1866).—*Fr.*
Cesati, Passer. & Gibelli, Comp. Fl. Ital. t. 31 (1867–86).—*Fl.*
*Syme, Engl. Bot. viii. t. 1293 (1868).
Gayffier, Herb. For. France, 2 tab. sine num. (1868–73).
Le Maout & Decaisne, Traité Gén. Bot. 527 (1868).
*Hogg & Johnson, Wild Fl. Gr. Brit. v. t. 373 (1869).
*Réveil, Règne Vég. iii. t. 45 (1870).—*Veg.*
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, v. t. 208 [1873].
Winkler in Verh. Bot. Ver. Brandenb. xvi. t. 2, fig. 12 f (1874); xxvi. t. 1, fig. 9 (1885).—*Veg.*
Emerson, Trees & Shrubs Massachusetts, Ed. 2, i. 198 (1875).—*Hab.*
Willkomm, Forstl. Fl. Deutschl. & Oesterr. 297, 301 (1875).
*Cusin, Herb. Fl. Franç. xx (Cupulifères), t. 16 (1876).
Baillon, Hist. Pl. vi. 225, 226 (1877).
Schübeler in Nyt Mag. Naturvid. (Christiania), xxiv. 315 (1879).—*Veg.*
Karsten, Deutsche Fl. Pharm.-medic. Bot. 492 (1880–83).
*C. Hoffmann, Pflanzenatlas, t. 73, fig. 453 (1881).
Wagner, Ill. Deutsche Fl. Ed. 2, p. 678 (1882).
Schilling, Grundr. Naturg. ii. Pflanzenr. Ausgb. A, p. 206 (1882); Ausgb. B, p. 161 (1884).—*Hab.*
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, x. t. 969 (1882).
Garden, xxiv. 418–20 (1883).
Lauche, Deutsche Dendrol. Ed. 2, p. 281 (1883).
Nicholson, Woods & Forests, i. 353, 357, 360, 361 (1884).
Nicholson, Illustr. Dict. Gard. i. 271 [1884–88].

CARPINUS
Betulus
*Baillon, Ic. Fl. Franç. i. t. 88 [1885–94].
*Thomé, Fl. Deutschl. ii. t. 162 (1886).
Pflanzenfam. iii. 1. 41, 42 (1887).
Potonié, Ill. Fl. Nord- u. Mittel-Deutschl. Ed. 4, fig. 187 (1889).
Hempel & Wilhelm, Bäume u. Sträuch. ii. 31, t. 17 [1889?].
Paolucci, Fl. Marchig. t. 11 (1890).—*Fr.*
G. Beck, Fl. Nied.-Oesterr. i. 266 (1890).—*Fl.*
!Gartenfl. xl. 378 (1891).—*Veg.*
Kerner, Pflanzenleben, ii. 427, 705 (1891).
*Leclerc du Sablon, Nos Fleurs, 83, t. 11 [1892].
Lubbock, Seedlings, ii. 533 (1892).—*Veg.*
Mouillefert, Traité Arbres & Arbriss. Atlas, t. 103, (1892–98).—*Hab.*
Schwarz, Forstl. Bot. 303, 450, 472 (1892).
Bot. Jaarb. Gent, v. t. 5, fig. 14 (1893).
*Masclef, Atlas Pl. France, t. 300 (1893).
Acloque, Fl. France, 573 (1894).
Siélain, Atlas Poche Pl. Champs, Prair. & Bois, t. 141 [1894].
Brehm, Merv. Nat. Monde des Pl. ii. 496, 497 (1894–96).
Step, Wayside & Woodl. Bloss. t. 145 (1895).
Garcke, Ill. Fl. Deutschl. 543 (1895).
Karsten, Fl. Deutschl. ii. 20 (1895).
Kerner & Oliv. Nat. Hist. Pl. ii. 453, 759 (1895).
*Journ. Linn. Soc., Bot. xxxiii. 247, t. 12 (1897).—*Veg.*
Fiori & Paol. Ic. Fl. Ital. 103 (1898).
*Behrens, Blattformen, t. 9, fig. a (1900).—*Veg.*
Gradmann, Pflanzenl. Schwäb. Alb, Ed. 2, ii. 103 (1900).
Schinz & Keller, Fl. Schweiz, 139 (1900).—*Fr.*
Lindman, Bild. Nord. Fl. t. 369 (1901–5).
Charpentier, Timber, Ed. Engl. 45 (1902).
C. T. Green, Fl. Liverpool Distr. fig. 570 (1902).
Schneider, Dendrol. Winterst. 160 (1903).—*Veg.*
Schneider, Ill. Handb. Laubh. i. 138, 139, 141 (1904).—*Veg.*
Pflanzenreich, Betulac. 29, 39 (1904).
Step, Wayside & Woodl. Trees, t. 15–17, p. 33 (1904).
Avebury, Notes Life Hist. Brit. Fl. Pl. 376 (1905).—*Fr.*
Bot. Congr. Bruxelles, i. t. 12 (1905).—*Hab.*
Flora & Sylva, iii. 153–55 (1905).
Nisbet, Forester, i. 171 (1905).—*Veg.*
*Sturm, Fl. Deutschl. Ed. 2, iv. t. 33 (1905).
Coste, Fl. France, iii. 260 (1906).
*Boulger, Familiar Trees, Rev. Ed. iii. 16, 20, 22, 23 [1906–7].
Lazaro, Comp. Fl. Espaň. ii. 70 (1907).
Velenovsky, Vergl. Morphol. Pfl. ii. 689 (1907).—*Veg.*
*Avebury, Buds & Stipules, 9, t. 1 (1908).—*Veg.*
Elwes & Henry, Trees Gr. Brit. & Ireland, iii. t. 148–52, 201 (1908).
Hayek, Fl. Steierm. i. 103 (1908).—*Fl.*
Heukels, Fl. Nederl. ii. 12 (1908).
Cooper & Westell, Trees & Shrubs Brit. Isl. ii. t. 56 (1909).
Groom, Trees & Life Hist. t. 266–73 (1909).
Graebner, Pflanzenw. Deutschl. 171 (1909).
*Hegi, Ill. Fl. Mittel-Eur. iii. t. 77, 83, p. 67 (1909).
Kirchner, Loew & Schröter, Blütenpfl. Mitteleur. ii. Abt. 1. 172, 177–80, 182–88 (1911).
Wettstein, Handb. Syst. Bot. Ed. 2, p. 493 (1911).—*Fl.*
Wrigley, Stud. Trees & Fl. 110 [1911].
Bull. Soc. Dendr. France, 1912, p. 109; 1913, p. 143.
*Pokorny-Schoenichen, Pflanzenkunde, t. 36, fig. 4 (1912).
Strasburger, Text-Book Botany, Ed. Angl. 4, p. 549 (1912).
Nuttall, Trees & How They Grow, 48, 50, 51 (1913).
*Gatin, Arbres, Arbustes & Arbriss. t. 18 (1913).
Warburg, Pflanzenwelt, i. 443 (1913).
Gard. Chron. Ser. III. liii. 397 (1913).—*Hab.*

CARPINUS
Betulus
*Perrin & Boulger, Brit. Flower. Pl. i. t. 42, 48 [c], fig. 1–7 (1914).
Bot. Journ. iv. 1. 9 (1915).
Hayek, Pflanzend. Oesterr.-Ung. i. 449 (1915).—*Hab.*
*Maxwell, Trees, 96 (1915).—*Fr.*
*Bonnier, Name This Flower, t. 50 (1917).
Lindman, Svensk Fanerogamfl. 28 (1918).—*Fr.*
Fitch & Smith, Ill. Brit. Fl. Ed. rev. 4, Iss. 2, fig. 914 (1919).
Goebel, Entfaltungsb. Pfl. 100 (1920).—*Veg.*
—— **genuina** Syme
Moss, Cambridge Brit. Fl. ii. t. 80 (1914).
—— **incisa** Ait.
Willkomm, Forstl. Fl. Deutschl. & Oesterr. 176 (1875).—*Veg.*
Nicholson, Woods & Forests, i. 360 (1884).—*Veg.*
Schneider, Ill. Handb. Laubh. i. 138 (1904).—*Veg.*
—— **pyramidalis** Hort.
Caspary in Schrift. Phys.-Oekon. Ges. Königsberg, xxiii. t. 3 (1882).—*Hab.*
—— **quercifolia** Desf.
Nicholson, Woods & Forests, i. 360 (1884).—*Veg.*
Schneider, Ill. Handb. Laubh. i. 138 (1904).—*Veg.*
caroliniana Walt.
Nicholson, Woods & Forests, i. 361 (1884).
Dippel, Handb. Laubholzk. ii. 141 (1892).
Newhall, Shrubs N.E. Amer. 215 (1893).—*Veg.*
Newhall, Trees N.E. Amer. 67 (1894).—*Veg.*
Britton & Brown, Ill. Fl. N. States & Canada, i. 506 (1896); Ed. 2, i. 606 (1913).
Sargent, Silva N. Amer. ix. t. 447 (1896).
S. B. Green, Forestry Minnesota, 211 (1898).
Clark in Bull. Vermont Agric. St. No. 73, p. 56 (1899).
Lounsberry, Guide to the Trees, Ed. 2, p. 53 (1900).
L. H. Bailey, Cycl. Amer. Hort. 253 (1900); Stand. Cycl. Hort. 673 (1914).
Huntington, Stud. Trees in Winter, 72 (1902).—*Veg.*
Dame & Brooks, Trees of New England, t. 29 (1902).
Parkhurst, Trees, Shrubs, Vines N.E. United States, 211, t. 7, fig. 49 (1903).—*Veg.*
Pflanzenreich, Betulac. 39 (1904).—*Fr.*
Schneider, Ill. Handb. Laubh. i. 137, 138 (1904).
Rogers, Tree Book, 165, 166 (1905).
Sargent, Man. Trees N. Amer. 191 (1905).
Hough, Handb. Trees N. States & Canada, 114, 115 (1907).
Emerson & Weed, Our Trees, How to Know Them, 96 (1908).
Britton, N. Amer. Trees, 241 (1908).
Elwes & Henry, Trees Gr. Brit. & Ireland, iii. t. 201 (1908).—*Veg.*
Blakeslee & Jarvis, New England Trees in Winter (Storrs Agric. Exp. St. Bull. No. 69), 413 (1911).
Bull. Soc. Dendr. France, 1912, p. 109.—*Fr.*
Clements, Rosend. & Butters, Minnesota Trees & Shrubs, 244 (1912).
Keeler, Our Native Trees, 320, 321 (1912).
Collins & Preston, Key to Trees, 29 (1912).—*Veg.*
Otis, Michigan Trees (Ann Arb. Mich.), 82 (1913).
Blakeslee & Jarvis, Trees in Winter, 279 (1913).
Levison, Stud. Trees, 67 (1914).—*Veg.*
Mathews, Field Book Amer. Trees & Shrubs, 112, 115 (1915).
Burns & Otis in Bull. Vermont Agric. Exp. St. No. 194, p. 94 (1916).
Morton & Lewis, Native Trees Canada (Dept. Int. Canada, Forest. Branch Bull. No. 61), 170 171 (1917).
Illick, Pennsylvania Trees (Pennsylv. Dept. For. Bull. 11), fig. 110, t. 6, 9, 49 (1919).
Carpinizza Kit.
Pokorny, Oesterr. Holzpfl. t. 6 (1864).—*Veg.*
Carpinus Sarg.
Gard. & Forest, vi. 365 (1893).
Sargent, For. Fl. Japan, t. 21 (1894)

CARPINUS
Carpinus
Schneider, Ill. Handb. Laubh. i. 137, 138, 142 (1904).
cordata Bl.
Bull. Coll. Agric. Tokyo, ii. t. 13, fig. 12 (1895).—*Veg.*
Gard. & Forest, viii. 295 (1895).
*Shirasawa, Ic. Ess. Forest. Jap. i. t. 24 (1900).
Kawakami, Hokkaidô-shinrin-shokubutsu-zusetsu (Forestry Pl. Hokkaido), t. 44 (1902).
Pflanzenreich, Betulac. 25, 27 (1904).
Schneider, Ill. Handb. Laubh. i. 137, 138, 142 (1904).
Elwes & Henry, Trees Gr. Brit. & Ireland, iii. t. 201 (1908).—*Veg.*
Nakai, Fl. Sylv. Koreana, Pt. 2, t. 7 (1915).
—— **chinensis** Franch.
Schneider, Ill. Handb. Laubh. ii. 893 (1912).—*Veg.*
—— **pseudo-japonica** H. Winkl.
Engl. Jahrb. l. Suppl. 490 (1914).—*Veg.*
—— **robusta** H. Winkl.
Engl. Jahrb. l. Suppl. 490 (1914).—*Veg.*
Davidii C. K. Schneider
Schneider, Ill. Handb. Laubh. ii. 893, 895 (1912).
duinensis Scop.
Scopoli, Fl. Carn. Ed. 2, ii. t. 60 (1772).
*Reichenbach, Ic. Fl. Germ. xii. t. 634 (1850).
Pokorny, Oesterr. Holzpfl. 433, 462, t. 6 (1864).—*Veg.*
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, x. t. 970 (1882).
Pflanzenfam. iii. 1. 41 (1887).—*Fr.*
Hempel & Wilhelm, Bäume u. Sträuch. ii. 34 [1889?].
Földr. Közl. (Bull. Hung. Geogr. Soc.), xxxix. t. 20, fig. 3 (1911).—*Hab.*
Hayek, Pflanzend. Oesterr.-Ung. i. 449 (1915).—*Hab.*
eximia Nakai
Nakai, Fl. Sylv. Koreana, Pt. 2, t. 8 (1915).
faginea Lindl.
Brandis, Illustr. For. Fl. N.W. & Centr. Ind. t. 66 (1874).
Schneider, Ill. Handb. Laubh. ii. 893, 895 (1912).
Fargesiana H. Winkl.
Engl. Jahrb. l. Suppl. 506 (1914).
Nakai, Fl. Sylv. Koreana, Pt. 2, t. 9 (1915).
Fargesii Franch.
Schneider, Ill. Handb. Laubh. ii. 893, 895 (1912).
Fauriei Nakai
Nakai, Fl. Sylv. Koreana, Pt. 2, t. 11 (1915).
grandis Ung.
Geyler in Abh. Senckenb. Nat. Ges. xii. 215, t. 2 (1880).—*Veg.*
Henryana H. Winkl.
Engl. Jahrb. l. Suppl. 507 (1914).
intermedia Wierzb.
*Reichenbach, Ic. Fl. Germ. xii. t. 633 (1850).
japonica Bl.
Nouv. Arch. Mus. Hist. Nat. Paris, Ser. II. vii. t. 11 (1884).—*Fr.*
Pflanzenfam. iii. 1. 41 (1887).—*Fr.*
Dippel, Handb. Laubholzk. ii. 144 (1892).—*Veg.*
Bull. Coll. Agric. Tokyo, ii. t. 13, fig. 10 (1895).—*Veg.*
Rev. Hort. 1895, p. 427.—*Veg.*
*Shirasawa, Ic. Ess. Forest. Jap. i. t. 24 (1900).
Pflanzenreich, Betulac. 25, 27 (1904).
Elwes & Henry, Trees Gr. Brit. & Ireland, iii. t. 201 (1908).—*Veg.*
Miyabe-Festschrift, t. 26, fig. 12 (1911).—*Veg.*
Bull. Soc. Dendr. France, 1912, p. 109.—*Fr.*
Bean, Trees & Shrubs, i. 296 (1914).
*Bot. Mag. cxl. t. 8534 (1914).
Gard. Chron. Ser. III. lxvi. 107 (1919).
Kawakamii Hayata
Hayata, Ic. Pl. Formosan. iii. t. 33, B, p. 176 (1913).
Kanehira, Formosan Trees, 547 (1917).—*Veg.*
laxiflora Bl.
Nouv. Arch. Mus. Hist. Nat. Paris, Ser. II. vii. t. 11 (1884).
Bull. Coll. Agric. Tokyo, ii. t. 13, fig. 13 (1895).—*Veg.*

CARPINUS
laxiflora
*Shirasawa, Ic. Ess. Forest. Jap. i. t. 25 (1900).
Kawakami, Hokkaidô-shinrin-shokubutsu-zusetsu (Forestry Pl. Hokkaido), t. 45 (1902).
Pflanzenreich, Betulac. 34 (1904).—*Fr.*
Schneider, Ill. Handb. Laubh. i. 138 (1904); ii. 893, 895 (1912).—*Veg.*
Elwes & Henry, Trees Gr. Brit. & Ireland, iii. t. 201 (1908).—*Veg.*
Miyabe-Festschrift, t. 25, fig. 10 (1911).—*Veg.*
Engl. Jahrb. l. Suppl. 492 (1914).—*Fr.*
Nakai, Fl. Sylv. Koreana, Pt. 2, t. 12 (1915).
Trans. Korea Branch Royal Asiatic Soc. ix. 16 (1918).—*Hab.*
—— **macrostachya** Oliv.
Hook. Ic. Pl. xx. t. 1989 (1891).
Schneider, Ill. Handb. Laubh. ii. 895 (1912).—*Fr.*
Londoniana H. Winkl.
Pflanzenreich, Betulac. 25 (1904).
Schneider, Ill. Handb. Laubh. ii. 893, 895 (1912).
macrocarpa H. Winkl.
Pflanzenreich, Betulac. 34 (1904).—*Fr.*
minutiserrata Hayata
Hayata, Ic. Pl. Formosan. iii. t. 33 ,A (1913).
nervata Dulac
Dulac, Fl. Dépt. Hautes-Pyrén. 141 (1867).—*Fl.*
orientalis Mill.
*Trattinick, Ausg. Taf. Arch. ii. 164 (1813).
Trattinick, Arch. iii. t. 223 (1817).
*P. W. Watson, Dendr. Brit. ii. t. 98 (1825).
J. C. Loudon, Arbor. & Frutic. Brit. iii. 2014 (1838).
*Reichenbach, Ic. Fl. Germ. xii. t. 634 (1850).
Willkomm, Führ. Reich Pflanzen, 317 (1882).—*Fr.*
Garden, xxiv. 418 (1883).
Lauche, Deutsche Dendrol. Ed. 2, p. 282 (1883).
Nicholson, Woods & Forests, i. 361 (1884).
Kerner, Pflanzenleben, ii. 791 (1891).—*Fr.*
Dippel, Handb. Laubholzk. ii. 143 (1892).
*Mouillefert, Traité Arbres & Arbriss. Atlas, t. xxii (1892–98).
Kerner & Oliv. Nat. Hist. Pl. ii. 854 (1895).—*Fr.*
Fiori & Paol. Ic. Fl. Ital. 104 (1898).
Schneider, Dendrol. Winterst. 33, 160 (1903).
Schneider, Ill. Handb. Laubh. i. 138, 140, 141 (1904).
Pflanzenreich, Betulac. 34 (1904).—*Fr.*
Elwes & Henry, Trees Gr. Brit. & Ireland, iii. t. 201 (1908).—*Veg.*
Bull. Soc. Dendr. France, 1912, p. 109.—*Fr.*
Karsten & Schenck, Veg.-Bild. xi. t. 34 (1913).—*Hab.*
Kirchner, Loew & Schröter, Blütenpfl. Mitteleur. ii. Abt. 1. 190 (1913).
Ostrya Linn.
*Buchoz, Herb. Col. Amér. [t. 94] (1783).
*F. J. Schultz, Abb. Bäume, Staud. Sträuch. Oesterr. i. t. 88 (1792).
*Abbot & Smith, Nat. Hist. Lepidopt. Insects Georgia, ii. t. 76 (1797).
*Duhamel, Arbres & Arbustes, Ed. 2, ii. t. 59 (1804).
*Michaux, Arb. Amer. Sept. iii. t. 7, p. 53 (1813).
*Michaux, N. Amer. Sylva, ii. t. 109 (1819).
Schneider, Ill. Handb. Laubh. i. 138 (1904).—*Veg.*
oxycarpa H. Winkl.
Pflanzenreich, Betulac. 34 (1904).
Schneider, Ill. Handb. Laubh. ii. 895 (1912).—*Fr.*
Engl. Jahrb. l. Suppl. 492 (1914).—*Fr.*
Paxii H. Winkl.
Pflanzenreich, Betulac. 34 (1904).
Nakai, Fl. Sylv. Koreana, Pt. 2, t. 13 (1915).
polyneura Franch.
Elwes & Henry, Trees Gr. Brit. & Ireland, iii. t. 201 (1908).—*Veg.*
Schneider, Ill. Handb. Laubh. ii. 893, 895 (1912).
pubescens Burkill
Schneider, Ill. Handb. Laubh. ii. 893 (1912).—*Veg.*
rankanensis Hayata
Hayata, Ic. Pl. Formosan. vi. t. 10, p. 63 (1916).
Kanehira, Formosan Trees, 548 (1917).—*Veg.*
rubra Wettst.
Wettstein, Handb. Syst. Bot. Ed. 2, p. 493 (1911).

CARPINUS
schuschaënsis H. Winkl.
Pflanzenreich, Betulac. 34 (1904).—*Fr.*
Schneider, Ill. Handb. Laubh. ii. 893, 895 (1912).
Seemeniana Diels
Pflanzenreich, Betulac. 39 (1904).
Schneider, Ill. Handb. Laubh. ii. 893 (1912).—*Veg.*
stipulata H. Winkl.
Pflanzenreich, Betulac. 35 (1904).
Schneider, Ill. Handb. Laubh. ii. 893 (1912).—*Veg.*
Tschonoskii Maxim.
Pflanzenreich, Betulac. 34 (1904).—*Fr.*
Schneider, Ill. Handb. Laubh. ii. 893, 895 (1912).
Engl. Jahrb. l. Suppl. 499 (1914).—*Fr.*
Nakai, Fl. Sylv. Koreana, Pt. 2, t. 10 (1915).
Trans. Korea Branch Royal Asiatic Soc. ix. 16 (1918).—*Hab.*
—— **Jablonszkyi** H. Winkl.
Engl. Jahrb. l. Suppl. 499 (1914).—*Fr.*
—— **serratiauriculata** H. Winkl.
Engl. Jahrb. l. Suppl. 499 (1914).—*Fr.*
—— **subintegra** H. Winkl.
Engl. Jahrb. l. Suppl. 499 (1914).—*Fr.*
Turczaninowii Hance
Nouv. Arch. Mus. Hist. Nat. Paris, Ser. II. vii. t. 10 (1884).
Schneider, Ill. Handb. Laubh. ii. 893, 895 (1912).
Engl. Jahrb. l. Suppl. 503 (1914).—*Fr.*
—— **polyneura** H. Winkl.
Pflanzenreich, Betulac. 39 (1904).
viminea Wall.
*Wallich, Pl. Asiat. Rar. ii. t. 106 (1831).
J. C. Loudon, Arbor. & Frutic. Brit. iii. 2014 (1838).
Garden, xxiv. 419 (1883).
Nicholson, Woods & Forests, i. 361 (1884).
Pflanzenreich, Betulac. 39 (1904).
Schneider, Ill. Handb. Laubh. ii. 893, 895 (1912).
virginiana Michx.
*Michaux, Arb. Amer. Sept. iii. t. 8, p. 57 (1813) in ic.; *C. americana* in textu.
*Michaux, N. Amer. Sylva, ii. t. 108 (1819).
yedoënsis Maxim.
Nouv. Arch. Mus. Hist. Nat. Paris, Ser. II. vii. t. 11 (1884).—*Fr.*
Bull. Coll. Agric. Tokyo, ii. t. 13, fig. 11 (1895).—*Veg.*
Pflanzenreich, Betulac. 34 (1904).—*Fr.*
Schneider, Ill. Handb. Laubh. i. 138 (1904).—*Veg.*
Elwes & Henry, Trees Gr. Brit. & Ireland, iii. t. 201 (1908).—*Veg.*
*Shirasawa, Ic. Ess. Forest. Jap. ii. t. 11 (1908).
Miyabe-Festschrift, t. 25, fig. 7 (1911).—*Veg.*
Nihon-zyûyô-mokuchiku-zuhyô (Tabl. Japan. Trees & Bamb. Forest Bur.), fig. 23 (1916).

CARPODETUS Forst.
maior Schlechter
Engl. Jahrb. lii. 137 (1914).
serratus Forst.
Forster, Charact. Gen. Pl. t. 17 (1776).—*Fl.*
Lamarck, Ill. i. t. 143 (1797).
Denkschr. Bot. Ges. Regensburg, iii. t. 1, 2 (1841).
Hook. Ic. Pl. vi. t. 564 (1843).
Agardh, Theor. Syst. Pl. t. 23 (1858).—*Fl.*
Schnizlein, Iconogr. iii. t. 170 (1866–70).
*E. H. & S. Featon, Art Album, i. t. 30 (1889).
Kirk, For. Fl. New Zeal. t. 47 (1889).
Laing & Blackwell, Pl. New Zeal. Ed. 2, p. 187 (1907).
Cheeseman, Ill. New Zeal. Fl. t. 41 (1914).

CARPODINUS R. Br.
Bruneelii De Wild.
De Wildeman, Miss. É. Laurent, ii. t. 149 (1907).
chylorrhiza K. Schum.
De Wildeman, Apoc. Laticif. Congo, i. t. 2 (1903).
Warburg, Kunene-Sambesi-Exped. t. 5, p. 337 (1903).—*Hab.*
De Wildeman & Gentil, Lianes Caoutch. Congo, 126 (1904).
Engler & Drude, Veget. Erde, ix. 1. 2, p. 601 (1910).—*Hab.*

CARPODINUS
dulcis Sabine
Hook. Ic. Pl. xxvi. t. 2568 (1898).
Journ. de Bot. xv. 117 (1901).—*Fr.*
De Wildeman & Gentil, Lianes Caoutch. Congo, 101 (1904).—*Fr.*
Eetveldeana De Wild.
*De Wildeman & Gentil, Lianes Caoutch. Congo, t. 23 (1904).
fulva Pierre
De Wildeman, Miss. É. Laurent, ii. t. 161 (1907).
Gentilii De Wild.
*De Wildeman & Gentil, Lianes Caoutch. Congo, t. 16–19 (1904).
hirsuta Hua
Journ. de Bot. xv. 117 (1901).—*Fr.*
De Wildeman & Gentil, Lianes Caoutch. Congo, 101 (1904).—*Fr.*
lanceolata K. Schum.
Jumelle, Pl. Caoutch. Tous Pays Chauds, 359 (1876–79).
Tropenpfl. i. 134 (1897).
Morris in Bull. Soc. Belg. Étud. Col. 212 (1899).
Schlechter, Westafr. Kautsch.-Exped. (1899–1900), 52 (1900).
Hallier in Jahrb. Hamburg. Wiss. Anstalt. 1899, xvii. Beih. 3, t. 3 (1900).—*Fr.*
Warburg, Pl. Caoutch. 211 (1902).
De Wildeman, Miss. É. Laurent, ii. t. 168 (1907).
Bull. Agric. Congo Belge, ii. 446 (1911).
leptanthus Stapf
Hallier in Jahrb. Hamburg. Wiss. Anstalt. 1899, xvii. Beih. 3, t. 3 (1900).
ligustrifolia Stapf
*De Wildeman & Gentil, Lianes Caoutch. Congo, t. 20, 21 (1904).
—— **angusta** De Wild.
*De Wildeman & Gentil, Lianes Caoutch. Congo, t. 22 (1904).
oocarpa Stapf
H. H. Johnston, Liberia, ii. 623 (1906).
Schlechteri K. Schum.
Schlechter, Westafr. Kautsch.-Exped. (1899–1900), 305 (1900).
subrepandus K. Schum.
Hallier in Jahrb. Hamburg. Wiss. Anstalt. 1899, xvii. Beih. 3, t. 3 (1900).—*Fr.*
De Wildeman, Miss. É. Laurent, ii. t. 160 (1907).
turbinata Stapf
De Wildeman & Durand, Ill. Fl. Congo (Ann. Mus. Congo), i. t. 29 (1899).
Hallier in Jahrb. Hamburg. Wiss. Anstalt. 1899, xvii. Beih. 3, t. 3 (1900).
*De Wildeman & Gentil, Lianes Caoutch. Congo, t. 18, 19 (1904).
De Wildeman, Miss. É. Laurent, i. 513–15 (1907).
uniflorus Stapf
Hook. Ic. Pl. xxiv. t. 2340 (1894).
verticillata De Wild.
De Wildeman, Miss. É. Laurent, i. 516–18; ii. t. 156, 157 (1907).

CARPODIPTERA Griseb.
africana Mast.
Engler & Drude, Veget. Erde, ix. 1. 1. 405 (1910).
Boivinii Baill.
Grandidier, Hist. Madag. [Plantes] Atlas, t. 80 (1888).
floribunda Urb.
Urban, Symb. Antill. v. 412 (1908).—*Fl.*
minor Sim
Sim, For. Fl. Portug. E. Africa, t. 3 (1909).

CARPODONTOS Labill.: *Eucryphia*
lucida Labill.
Labillardière, Relation Voy.-Pérouse, t. 18 [1800].

CARPOLYZA Salisb.: *Hessea*
spiralis Salisb.
*Salisbury, Parad. Londin, i. 11. t. 63 (1806).
Herbert, Amar. t. 29, fig. 9 (1837).—*Fl.*
*Marloth, Fl. S. Africa, iv. t. 34 (1915).

CARPONEMA Eckl. & Zeyh.
filiforme Eckl. & Zeyh.
Sonder, Rev. Helioph. (Abh. Ges. Naturw. Hamburg, i), t. 17 [1846].

CARPOPHORA Klotzsch: *Silene*
Hoffmeisteri Klotzsch
Klotzsch & Garcke, Bot. Ergebn. Reise Pr. Waldemar, t. 32 (1862).

CARPOTROCHE Endl.
brasiliensis Endl.
Mart. Fl. Bras. xiii. 1. t. 88 (1871).
Pflanzenfam. iii. VI. A. 19 (1893).—*Fl.*
crassiramea Pittier
Contrib. U.S. Nat. Herb. xii. 180, 181 (1909).
glaucescens Pittier
Contrib. U.S. Nat. Herb. xii. 179 (1909).—*Veg.*
platyptera Pittier
Contrib. U.S. Nat. Herb. xii. t. 19, p. 179–80 (1909).

CARPOXYLON H. Wendl. & Drude
macrospermum H. Wendl. & Drude
Linnaea, xxxix. t. 1, fig. 3 (1875).—*Fr.*
Kerchove, Palm. 162, 163 (1878).—*Fr.*

CARRADORIA A. DC.: *Globularia*
incanescens A. DC.
Willkomm, Rech. Glob. t. 1 (1850).—*Fl.*

CARREGNOA Boiss.: *Tapeinanthus*
dubia Perez-Lara
*Willkomm, Ill. Fl. Hispan. Balear. i. t. 74, fig. A (1881–85).

CARRICHTERA Adans.
annua Prantl
Mém. Mus. Hist. Nat. Paris, vii. 248, t. 7 (1821).—*Fl.*
Pflanzenfam. iii. 11. 172, 173 (1891).
Fiori & Paol. Ic. Fl. Ital. 159 (1899).
Vella DC.
*Cusin & Ansberque, Herb. Fl. Franç. ii. t. 359[2] (1868).
Cadevall & Sallent, Fl. Catalunya, i. 164 (1915).

CARRIEREA Franch.
calycina Franch.
Rev. Hort. 1896, p. 499.
Schneider, Ill. Handb. Laubh. ii. 360, 362 (1909).
Viellardii Gagnep.
Lecomte, Not. Syst. iii. 369 (1918).

CARROA Presl: *Dalea*
glandulosa Presl
Presl, Symbolae Bot. t. 71 (1858).

CARRONIA F. Muell.
multisepalea F. Muell.
Pflanzenreich, Menispermac. 77 (1910).
protensa Diels
Pflanzenreich, Menispermac. 77 (1910).—*Fr.*
thyrsiflora Diels
Pflanzenreich, Menispermac. 77 (1910).

CARRUTHERSIA Seem.
scandens Seem.
*Seemann, Fl. Vit. t. 30 (1865–73).

CARTERETIA A. Rich.: *Doritis*
paniculata A. Rich.
Richard, Voy. Astrolabe, Bot. Atlas Sert. Astrolab. t. 4 (1833).

CARTHAMUS Linn.—Vide *Centrophyllum, Kentrophyllum*
arborescens Linn.
Hill, Veget. Syst. iv. t. 3 (1762).
brasiliensis Vell.
Vellozo, Fl. Flum. viii. t. 77 (1827).
caeruleus Linn.
Hill, Veget. Syst. iv. t. 4 (1762).
*Bot. Mag. xlix. t. 2293 (1822).
*Sibthorp & Sm. Fl. Graeca, ix. t. 843 (1837).
*J. W. Loudon, Ladies' Fl.-Gard. Ornam. Perenn. ii. t. 58 (1844).
Fiori & Paol. Ic. Fl. Ital. 448 (1904).
Carduncellus Linn.
Hill, Veget. Syst. iv. t. 3 (1762).
carolinensis Hort.
Buchoz, Hist. Règne Vég. xii. Dec. 1, t. 8 (1776).
*Buchoz, Herb. Col. Amér. [t. 17] (1783).
corymbosus Linn.
*Sibthorp & Sm. Fl. Graeca, ix. t. 844 (1837).

CARTHAMUS
creticus Linn.
*Schkuhr, Bot. Handb. Ed. 2, t. 233 (1808).—*Fr.*
dentatus Vahl
Vahl, Symb. Bot. i. t. 17 (1790).
*Sibthorp & Sm. Fl. Graeca, ix. t. 840 (1837).
Hayward & Druce, Advent. Fl. Tweedside, 151 (1919).—*Hab.*
dianius Coincy
Coincy, Eclog. Pl. Hispan. i. t. 5 (1893).
fluminensis Vell.
Vellozo, Fl. Flum. viii. t. 78 (1827).
helenioides Desf.
Desfontaines, Fl. Atlant. ii. t. 230 (1798).
laevis Hill
*Hill, Hort. Kew. t. 5 (1769).
lanatus Linn.
Hill, Veget. Syst. iv. t. 2 (1762).
Buchoz, Hist. Règne Vég. xi. Dec. 8, t. 5 (1776).
Lamarck, Ill. iv. t. 661, fig. 2 (1797).—*Fl.*
*Schkuhr, Bot. Handb. Ed. 2, t. 233 (1808).
*Bot. Mag. xlvii. t. 2142 (1820).
*Sibthorp & Sm. Fl. Graeca, ix. t. 841 (1837).
Reichenbach, Ic. Fl. Germ. xv. t. 746 (1852).
Fiori & Paol. Ic. Fl. Ital. 448 (1904).
Wagner, Magyar. gyomnöv. (Weeds of Hungary), 317 (1908).—*Fl.*
Queensland Agric. Journ. xxix. t. 50 (1912).
leucocaulos Sibth. & Sm.
*Sibthorp & Sm. Fl. Graeca, ix. t. 842 (1837).
maculatus Lam.
Lamarck, Ill. iv. t. 661, fig. 1 (1797).—*Fl.*
mareoticus Del.
Delile, Fl. Égypte, t. 48 (1812).
mitissimus Linn.
Hill, Veget. Syst. iv. t. 3 (1762).
*Baillon, Ic. Fl. Franç. iii. t. 300 [1885–94].
multifidus Desf.
Desfontaines, Fl. Atlant. ii. t. 227 (1798).
pectinatus Desf.
Desfontaines, Fl. Atlant. ii. t. 228 (1798).
pinnatus Desf.
Desfontaines, Fl. Atlant. ii. t. 229 (1798).
tinctorius Linn.
Rumphius, Herb. Amboin. v. t. 79, fig. 2 (1747); fide Merrill, Interpret. Rumph. Herb. Amboin.
*Kniphof, Herb. Viv. i. t. 214 (1758).
Kwa-wi [transl. Savatier], Herb. iii. t. 5 (1759).
Hill, Veget. Syst. iv. t. 4 (1762).
Buchoz, Hist. Règne Vég. i. Dec. 9, t. 5 (1773).
*Regnault, Bot. ii. 127 (1774).
*Bergius, Mat. Med. ii. 660, t. 140 (1778).
Zorn, Ic. Pl. Med. ii. t. 140 (1780).
*Joh. Kerner, Abbild. Oek. Pfl. (Fig. Pl. Écon.), i. t. 5 (1786).
Gaertner, Fruct. ii. t. 161 (1791).—*Fr.*
*Plenck, Ic. Pl. Med. vi. t. 600 (1794).
*Oskamp, Afb. Artseny-Gewass. ii. t. 164 (1796).
Lamarck, Ill. iv. t. 661, fig. 3 (1797).
*Mirbel, Hist. Nat. Pl. xii. t. 69 [1802–6].
*Schkuhr, Bot. Handb. Ed. 2, t. 233 (1808).—*Fl.*
*Jaume St.-Hilaire, Pl. France, i [t. 78] (1808).
Descourtilz, Vég. Naturaliste, t. 11 (1809).
*Chaumeton, Fl. Méd. ii. t. 101 (1815).
*Vietz, Ic. Pl. Med.-oec.-techn. v. t. 387 (1817).
*Bot. Reg. ii. t. 170 (1817).
Nees, Pl. Offic. ii. t. 228 (1828).
*Zenker & Schenk, Merkant. Waarenk. iii. t. 53 (1835).
*Petermann, Deutschl. Fl. t. 51, fig. 399 (1849).
*Cassone, Fl. Med.-Farm. iv. t. 312 (1850).
Reichenbach, Ic. Fl. Germ. xv. t. 746 (1852).
*Archer, Pop. Econ. Bot. et Profitable Pl. t. 14, fig. 72 (1853).
*Calwer, Landwirthsch. Pflanzenk. iii. t. 9, fig. 2 (1854).
Berg, Charakt. t. 48, fig. 372 (1861).
*Argenta, Album Fl. Med.-Farm. ii. t. 168 (1863).
*Schubert, Naturg., Pflanzenreich, Ed. 2, t. 41, fig. 11 [1865].
*Réveil, Règne Vég. xvi. t. 27 (1870).
*Somoku Dzusetsu, Ed. 2, xv. t. 53 (1874).
M. C. Cooke, Rep. Oil Seeds & Oils, 34 (1876).—*Fr.*
Karsten, Deutsche Fl. Pharm.-medic. Bot. 1121 (1880–83).—*Fl.*

CARTHAMUS
tinctorius
*C. Hoffmann, Pflanzenatlas, t. 63, fig. 391 (1881).
Wagner, Ill. Deutsche Fl. Ed. 2, p. 435 (1882).
Duthie & Fuller, Field & Gard. Crops, t. 13 (1882).
Baillon, Traité Bot. Méd. Phan. ii. 1143 (1884).
Baillon, Hist. Pl. viii. 10 (1886).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xxx. t. 3154 (1888).
Potonié, Ill. Fl. Nord- u. Mittel-Deutschl. Ed. 4, fig. 578 (1889).
*Thomé, Fl. Deutschl. iv. t. 591 (1889).
Pflanzenfam. iv. v. 325, 331 (1893).
Garcke, Ill. Fl. Deutschl. 342 (1895).
Karsten, Fl. Deutschl. ii. 699 (1895).
*Useful Pl. Jap. ii. t. 367 (1895).
Lochman, Phot. Med. Pl. t. 234 (1898).
Pharm. Journ. Ser. IV. xvii. 800 (1903).
Fiori & Paol. Ic. Fl. Ital. 448 (1904).
*Sturm, Fl. Deutschl. Ed. 2, xiv. t. 21 (1906).
Lazaro, Comp. Fl. Españ. ii. 672 (1907).
Ramirez, Dat. Mat. Med. Mexic. v. t. 3 (1908).
Beille, Bot. Pharm. ii. 1146 (1909).
Fedtschenko & Fler. Fl. Eur. Russia, 1033 (1910).
Heukels, Fl. Nederl. iii. 441 (1910).
*Mém. Dep. Agric. Ind. Bot. Ser. iii. No. 6, t. 12, 13 (1910).
Somoku Dzusetsu, Ed. Makino (Iconogr. Pl. Nippon), xv. t. 53 (1912).
Trotter, Fl. Econ. della Libia, 289 (1915).
Cadevall & Sallent, Fl. Catalunya, iii. 362 (1917).
Basu, Ind. Med. Pl. t. 555 (1918).
tingitanus Linn.
Cavanilles, Ic. ii. t. 128 (1793).

CARTONEMA R. Br.
parviflorum Hassk.
F. M. Bailey, Compr. Cat. Queensl. Pl. 564 (1909–13).
spicatum R. Br.
*Bauer, Illustr. Fl. Nov. Holl. t. 7 (1813).
Schnizlein, Iconogr. i. t. 48 (1845).—*Fl.*
—— **humilis** Hassk.
Banks & Soland. Bot. Cook's Voy. iii. t. 311 (1905).

CARUELIA Parl.: *Ornithogalum*
algeriensis Jord.
*Jordan & Fourr. Ic. Fl. Eur. ii. t. 298 (1903).
hipponensis Jord.
*Jordan & Fourr. Ic. Fl. Eur. ii. t. 299 (1903).
macrocoma Jord.
*Jordan & Fourr. Ic. Fl. Eur. ii. t. 302 (1903).
ochroleuca Jord.
*Jordan & Fourr. Ic. Fl. Eur. ii. t. 300 (1903).
stenopetala Jord.
*Jordan & Fourr. Ic. Fl. Eur. ii. t. 301 (1903).

CARUM Linn.—Vide *Athamanta* (2), *Seseli* (2)
Ajowan Benth. & Hook.
*Bentley & Trim. Med. Pl. ii. t. 120 (1878).
Anisum Baill.
Baillon, Hist. Pl. vii. 119 (1880).—*Fr.*
Baillon, Traité Bot. Méd. Phan. ii. 1054 (1884). —*Fr.*
Dujard.-Beaumetz & Égasse, Pl. Méd. 58 (1889). —*Fr.*
brachyactis Post
Post, Fl. Syria, Palestine & Sinai, 346 [1896]. —*Fr.*
Bulbocastanum Koch
Nees, Gen. Pl. fasc. xxvi. t. 15 (1849).—*Fl.*
Flora, xxxv. t. 3 (1852).—*Veg.*
Irmisch in Abh. Nat. Ges. Halle, ii. t. 3, fig. 1–26 (1855).—*Veg.*
Bentham, Handb. Brit. Fl. fig. 407 (1865).
*Syme, Engl. Bot. iv. t. 583 (1865).
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, iii. t. 115 [1873].
*Hogg & Johnson, Wild Fl. Gr. Brit. viii. t. 639 (1874).
Wagner, Ill. Deutsche Fl. Ed. 2, p. 315 (1882).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xxvii. t. 2734 (1886).
Velenovsky, Vergl. Morphol. Pfl. ii. 298 (1907). —*Veg.*

CARUM
Bulbocastanum
Heukels, Fl. Nederl. ii. 433 (1908).
Basu, Ind. Med. Pl. t. 479 (1918).
Fitch & Smith, Ill. Brit. Fl. Ed. rev. 4, Iss. 2, fig. 414 (1919).
Bunias Linn.
*Jacquin, Hort. Vind. i. t. 198 (1772).
Carvi Linn.
Hill, Veget. Syst. vi. t. 54 (1764).
Hill, Herb. Brit. i. t. 89 (1769).
*Regnault, Bot. ii. 50 (1774).
*Jacquin, Fl. Austr. iv. t. 393 (1776).
*Zorn, Ic. Pl. Med. iv. t. 397 (1782).
*Joh. Kerner, Abbild. Oek. Pfl. (Fig. Pl. Écon.), i. t. 65 (1786).
Gaertner, Fruct. i. t. 23 (1788).—*Fr.*
Hoppe, Ect. Pl. Ratisb. t. 320 (1789).
*Woodville, Med. Bot. i. t. 45 (1790); Ed. 3, i. t. 41 (1832).
*Plenck, Ic. Pl. Med. iii. t. 214 (1790).
*Baylis, Bot. Phys. t. 33, p. 413 (1791).
*Martyn, Fl. Rustica, ii. t. 55 (1792).
*Fl. Dan. vii. t. 1091 (1794).
*Vietz, Ic. Pl. Med.-oec.-techn. i. t. 45 (1800).
*Oskamp, Afb. Artseny-Gewass. v. t. 467 (1800); vii. t. 6 (1813).
*Svensk Bot. ii. t. 115 (1803).
Boissieu, Fl. Eur. i. t. 216 (1805).
*Sowerby & Sm. Engl. Bot. xxi. t. 1503 (1805).
*Schkuhr, Bot. Handb. Ed. 2, t. 77 (1808).
Thornton, Brit. Fl. ii. 122 (1812).
*Vigneux, Fl. Pitt. Envir. Paris, t. 22 (1812).
G. F. Hoffmann, Gen. Umbell. t. 1 A, fig. 25; t. 1 B, fig. 20 (1814); Ed. 2, t. 1 A, fig. 25; t. 1 B, fig. 20 (1816).—*Fl.*
*Chaumeton, Fl. Méd. ii. t. 102 (1815).
*Hayne, Getreue Darst. Arzn. Gewächse, vii. t. 19 (1821).
*Kops, Fl. Batava, iv. t. 267 (1822).
*Heger, Herb. Pharm. [t. 48] (1822–25).
*Mann, Deutschl. Wildwachs. Arzney-Pfl. [t. 42] (1823–28).
Gaudin, Fl. Helv. ii. t. 8 (1828).—*Fr.*
*Nees, Pl. Offic. ii. t. 276 (1828).
*Wagner, Pharm.-Med. Bot. i. t. 67 (1828).
*Fl. Med. [Spratt], i. 191 (1829).
*Schlechtendal & Guimpel Abb. Pharm. Boruss. Gew. ii. t. 131 (1833).
Mutel, Fl. Française, t. 21 (1834).—*Fr.*
*Stephenson & Churchill, Med. Bot. New Ed. i. t. 59 (1834).
*Zenker, Fl. Thüringen, v. t. 559 (1836–55).
*Baxter, Brit. Bot. Ed. 2, iii. t. 232 (1837).
[M. E.] Jackson, Pict. Fl. fig. 463 (1840).
*Deakin, Florigr. Brit. i. fig. 428 (1841).
*Dietrich, Fl. Boruss. xi. t. 753 (1843).
Ann. Hort. ii. 565 (1846).
*Lorek, Fl. Pruss. Ed. 3, t. 74, fig. 406 (1848).
*Cassone, Fl. Med.-Farm. iii. t. 222 (1848).
Nees, Gen. Pl. fasc. xxvi. t. 15 (1849).
Lindley, Med. & Oecon. Bot. 248 (1849).—*Fr.*
*Petermann, Deutschl. Fl. t. 34, fig. 261 (1849). —*Fl.*
*Calwer, Landwirthsch. Pflanzenk. i. t. 34, fig. 1 (1852).
*Schnizlein, Iconogr. iii. t. 162 a (1855).—*Fr.*
Irmisch in Abh. Nat. Ges. Halle, ii. t. 3, fig. 39 (1855).—*Veg.*
Johnson & Sowerby, Brit. Wild Fl. fig. 524 (1858–60).
Berg, Charakt. t. 55, fig. 420 (1861).
*Johnson & Sowerby, Useful Pl. Gr. Brit. t. 9, fig. 99 (1861[–62]).
Fleischer, Missbildung. t. 3, 4 (1862).
*Artus, Atlas Pharm. Deutschl. Aufg. Offic. Gew. t. 116 [1862–74].
*Argenta, Album Fl. Med.-Farm. ii. t. 138 (1863).
*Berg & Schmidt, Darst. u. Beschr. Offiz. Gew. iv. t. 25, c (1863).
*Schubert, Naturg., Pflanzenreich, Ed. 2, t. 15, fig. 9 [1865].
Bentham, Handb. Brit. Fl. fig. 406 (1865).
*Syme, Engl. Bot. iv. t. 582 (1865).
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, iii. t. 86 [1873].

CARUM
Carvi
Nobbe, Handb. Samenkunde, 87 (1876).—*Fr.*
*Bentley & Trim. Med. Pl. ii. t. 121 (1876).
Baillon, Hist. Pl. vii. 117 (1880).—*Fr.*
Karsten, Deutsche Fl. Pharm.-medic. Bot. 834 (1880–83).
*C. Hoffmann, Pflanzenatlas, t. 20, fig. 115 (1881).
Wagner, Ill. Deutsche Fl. Ed. 2, p. 314 (1882).
Baillon, Traité Bot. Méd. Phan. ii. 1051 (1884). —*Fr.*
Harz, Samenkunde, ii. 1037 (1885).—*Fr.*
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xxvii. t. 2733 (1886).
Bot. Gaz. xii. 138, fig. 67 (1887).—*Fr.*
Hager, Handb. Pharm. Prax. Ed. Nov. i. 759 (1887).—*Fr.*
*Köhler, Med. Pfl. i [t. 36] (1887).
*Thomé, Fl. Deutschl. iii. t. 370 (1888).
Potonié, Ill. Fl. Nord- u. Mittel-Deutschl. Ed. 4, fig. 351 (1889).
Kerner, Pflanzenleben, ii. 421 (1891).—*Fr.*
G. Beck, Fl. Nied.-Oesterr. ii. 1. 607 (1892).—*Fl.*
Schwarz, Forstl. Bot. 352 (1892).
*Schimpfky, Uns. Heilpfl. i. t. 43 [1893–94].
Garcke, Ill. Fl. Deutschl. 244 (1895).
Karsten, Fl. Deutschl. ii. 397 (1895).
Kerner & Oliv. Nat. Hist. Pl. ii. 427 (1895).—*Fr.*
*Kohl, Off. Pfl. Pharm. Germ. t. 78 (1895).
Britton & Brown, Ill. Fl. N. States & Canada, ii. 535 (1897); Ed. 2, ii. 659 (1913).
Lochman, Phot. Med. Pl. t. 143 (1898).
*Warlich, Russk. Lekarst. Rast. (Russ. Med. Pl.), ii. t. 44 (1899).
Fiori & Paol. Ic. Fl. Ital. 267 (1899).
Pharm. Journ. Ser. IV. x. 303 (1900).—*Fr.*
Schinz & Keller, Fl. Schweiz, 344 (1900).—*Fl.*
Lindman, Bild. Nord. Fl. t. 261 (1901–5).
C. T. Green, Fl. Liverpool Distr. fig. 251 (1902).
Coste, Fl. France, ii. 209 (1903).
*Josef v. Oesterreich & Marg. v. Thurn und Taxis, Atlas Heilpfl. t. 37 (1903).
*Losch, Kräuterb. t. 49 (1903).
*Sturm, Fl. Deutschl. Ed. 2, xii. t. 10 (1904).
Hare, Caspari & Rusby, Nat. Stand. Dispens. 374 (1905).—*Fr.*
Blytt, Haandb. Norg. Fl. Ed. Dahl, 529 (1906).
Selby in Bull. Ohio Agric. St. No. 175, t. 3 (1906). —*Fr.*
Lazaro, Comp. Fl. Españ. ii. 435 (1907).
Suireishchikov, Ill. Fl. Mosc. Gov. ii. 401 (1907).
Heukels, Fl. Nederl. ii. 418, 432 (1908).
*Dinand, Taschenb. Heilpfl. t. 21, fig. 2 (1910).
Fedtschenko & Fler. Fl. Eur. Russia, 688 (1910).
Hayek, Fl. Steierm. i. 1139 (1910).—*Fr.*
Wettstein, Handb. Syst. Bot. Ed. 2, p. 692 (1911). —*Fr.*
Strasburger, Text-Book Botany, Ed. Angl. 4, p. 635 (1912).
Pammel in Iowa Geol. Surv. Bull. No. 4, p. 226 (1913).
Tschirch, Handb. Pharmakog. ii. 1093, t. 37 (1913).—*Hab.*
Bull. Angew. Bot. vii. t. 111 (1914).—*Fr.*
Canada Dep. Agric. Exper. Farms, Bull. No. 23, Ser. II. 25 (1915).
Meded. Land-, Boschbouw., Wageningen, viii. 14, 15, 17, 18, t. 1, 2 (1915).
Palmer in Proc. Iowa Acad. Sc. xxiii. t. 10 (1916). —*Fr.*
Rec. Trav. Bot. Néerl. xiii. 176, 177, 179, 181, t. 9, 10 (1916).
Cadevall & Sallent, Fl. Catalunya, iii. 83 (1917).
Komarow, Sbor, Suschka i Razvod. Leka Rast. Ross. (Coll. Dry & Cult. Med. Pl. Russia, Ed. 3, t. 70 (1917).
Mayevsky, Fl. Central Russia, 238 (1918).
Basu, Ind. Med. Pl. t. 479 (1918).
Lindman, Svensk Fanerogamfl. 428, 434 (1918).
Fitch & Smith, Ill. Brit. Fl. Ed. rev. 4, Iss fig. 413 (1919).
Krafft & Fruwirth, Pflanzenb. 104 (1920).
—— **atrorubens** Lange
*Fl. Dan. xvii. t. 2895 (1877).
carvifolium Benth. & Hook.
Fiori & Paol. Ic. Fl. Ital. 267 (1899).

CARUM
copticum Benth. & Hook.
Duthie & Fuller, Field & Gard. Crops, t. 73 (1893).
Basu, Ind. Med. Pl. t. 477 (1918).
divaricatum Koch
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xxvii. t. 2735 (1886).
elegans Fenzl
Post, Fl. Syria, Palestine & Sinai, 346 [1896].—*Fr.*
holopetalum Maxim.
Somoku Dzusetsu, Ed. Makino (Iconogr. Pl. Nippon), v. t. 25 (1907).
kuriense Vierh.
Vierhapper in Denkschr. Akad. Wiss. Wien, lxxi. t. 8 (1907).
leptocladum Aitch. & Hemsl.
Trans. Linn. Soc. London, Ser. II. Bot. iii. t. 22 (1888).
montanum Blankinship
Montana Agric. Coll. Sc. Stud. i. 92, t. 4 (1905).
neurophyllum Franch. & Sav.
Somoku Dzusetsu, Ed. 2, v. t. 28 (1874).
Somoku Dzusetsu, Ed. Makino (Iconogr. Pl. Nippon), v. t. 28 (1907).
oreganum S. Wats.
Contrib. U.S. Nat. Herb. vii. 103 (1900).—*Fr.*
Petroselinum Benth. & Hook.
Baillon, Hist. Pl. vii. 118 (1880).—*Fr.*
Baillon, Traité Bot. Méd. Phan. ii. 1053 (1884).—*Fr.*
L. H. Bailey, Cycl. Amer. Hort. 1218 (1901); Stand. Cycl. Hort. 2476 (1916).—*Hab.*
Fitch & Smith, Ill. Brit. Fl. Ed. rev. 4, Iss. 2, fig. 410 (1919).
rigidulum Koch
Fiori & Paol. Ic. Fl. Ital. 268 (1899).
Roxburghianum Benth. & Hook.
Basu, Ind. Med. Pl. t. 480 (1918).
segetum Benth. & Hook. f.
*Hill, Family Herbal, t. 27 (1812); fide Ed.
Fitch & Smith, Ill. Brit. Fl. Ed. rev. 4, Iss. 2, fig. 411 (1919).
sioides Black
Trans. & Proc. Roy. Soc. S. Australia, xxxvi. t. 3 (1912).
Tanakae Franch. & Sav.
Matsumura, Ic. Pl. Koisikav. ii. t. 103 (1914).
trichocarpum Vierh.
Vierhapper in Denkschr. Akad. Wiss. Wien, lxxi. t. 8 (1907).
verticillatum Koch
*Deakin, Florigr. Brit. i. fig. 429 (1841).
Johnson & Sowerby, Brit. Wild Fl. fig. 525 (1858–60).
Bentham, Handb. Brit. Fl. fig. 405 (1865).
*Syme, Engl. Bot. iv. t. 581 (1865).
Migout, Fl. Dépt. Allier, t. 8 (1866).
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, iii. t. 86 [1873].
*Hogg & Johnson, Wild Fl. Gr. Brit. viii. t. 639 (1874).
Willkomm, Führ. Reich Pflanzen, 573 (1882).—*Veg.*
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xxvii. t. 2736 (1886).
Flora, lxxxiii. 261 (1897).—*Veg.*
Coste, Fl. France, ii. 209 (1903).
Merino, Fl. Galicia, i. 613 (1905).
Heukels, Fl. Nederl. ii. 433 (1908).
West in Proc. Roy. Soc. Edinb. xxx. No. 2, t. 14 (1910).—*Hab.*
Glück, Biol. u. Morph. Wasser- u. Sumpfgew. iii. t. 6, fig. 37 (1911).
Cadevall & Sallent, Fl. Catalunya, iii. 82 (1917).
Fitch & Smith, Ill. Brit. Fl. Ed. rev. 4, Iss. 2, fig. 412 (1919).
—— **submersum** Glück
Glück, Biol. u. Morph. Wasser- u. Sumpfgew. iii. t. 6 (1911).
villosum Haines
Journ. & Proc. Asiat. Soc. Bengal, 1919, N. Ser. xv. t. 9 (1920).

CARUMBIUM Reinw.: *Homalanthus*
fastuosum Müll. Arg.
Baillon, Adans. vi. t. 8 (1866).
stillingiifolium Baill.
Baillon, Adans. vi. t. 8, fig. 6, 7 (1866).—*Fr.*

CARYA Nutt.—Vide *Hicoria*
alba K. Koch
Gartenfl. xxix. 156 (1880).
Blakeslee & Jarvis, New England Trees in Winter (Storrs Agric. Exp. St. Bull. No. 69), 405 (1911).
Collins & Preston, Key to Trees, 66 (1912).—*Veg.*
Blakeslee & Jarvis, Trees in Winter, 271 (1913).
Otis, Michigan Trees (Ann Arb. Mich.), 72 (1913).
Mathews, Field Book Amer. Trees & Shrubs, 104, 107 (1915).
Burns & Otis in Bull. Vermont Agric. Exp. Stat. No. 194, p. 86 (1916).
Morton & Lewis, Native Trees Canada (Dept. Int. Canada, Forest. Branch. Bull. No. 61), 161, 165 (1917).
Pammel & King in Proc. Iowa Acad. Sc. xxv. 304 (1918).—*Veg.*
Illick, Pennsylvania Trees (Pennsylv. Dept. For. Bull. No. 11), fig. 107, t. 40 (1919).
alba Nutt.
J. C. Loudon, Arbor. & Frutic. Brit. iii. 1446, vii. t. 61 A (1838).
Emerson, Trees & Shrubs Massachusetts, t. 12 (1846); Ed. 2, i. 217 (1875).
*Archer, Pop. Econ. Bot. et Profitable Pl. t. 5, fig. 24 (1853).—*Fr.*
*Belg. Hort. vi. 219 (1856).—*Fr.*
Monatsschr. Gartenb. Berlin, xix. 82 (1876).
*Millspaugh, American Med. Pl. t. 157 (1887).
Pflanzenfam. iii. 1. 20, 23 (1887).
Hempel & Wilhelm, Bäume u. Sträuch. ii. 95 [1889?].
Dame & Brooks, Typ. Elms & Other Trees Massachusetts, t. 35, 36 (1890).—*Hab.*
Schwarz, Forstl. Bot. 310 (1892).
Semler, Trop. Agrik. iv. 237 (1892).—*Fr.*
Lochman, Phot. Ill. Maples N. America, t. 3, 3 a (1899).
Clark in Bull. Vermont Agric. St. No. 73, p. 48 (1899).
Dame & Brooks, Trees of New England, t. 24 (1902).
Pardé, Arbor. Nat. Barres, t. 61, 67, 71 (1906).—*Hab.*
Elwes & Henry, Trees Gr. Brit. & Ireland, iii. t. 173, 203 (1908).
Beille, Bot. Pharm. ii. 184 (1909).
Mitt. Deutsch. Dendr. Ges. 1911, p. 189, 191, 199, 205, 211; 1913, p. 71; 1914, p. 9, 11, 13, 15, 17.—*Hab.*
Bull. Soc. Dendr. France, 1912, p. 75, t. 2—*Fr.*; 1913, p. 139.—*Veg.*
Warburg, Pflanzenwelt, i. 438 (1913).—*Fr.*
amara Nutt.
J. C. Loudon, Arbor. & Frutic. Brit. iii. 1443 (1838).
Emerson, Trees & Shrubs Massachusetts, t. 15 (1846); Ed. 2, i. 226 (1875).
Pflanzenfam. iii. 1. 20, 23 (1887).
Trans. Acad. Sc. St. Louis, vi. 149, fig. 102, 103 (1893).—*Veg.*
Clark in Bull. Vermont Agric. St. No. 73, p. 48 (1899).
Lochman, Phot. Ill. Maples N. America, t. 8, 8 a (1899).
Dame & Brooks, Trees of New England, t. 27 (1902).
Pardé, Arbor. Nat. Barres, t. 61, 71 (1906).—*Hab.*
Elwes & Henry, Trees Gr. Brit. & Ireland, iii. t. 170, 171, 203 (1908).
Beille, Bot. Pharm. ii. 184 (1909).
Mitt. Deutsch. Dendr. Ges. 1911, p. 187, 199, 201, 205, 211.
Bull. Soc. Dendr. France, 1912, p. 75, 101, t. 2.—*Fr.*
aquatica Nutt.
J. C. Loudon, Arbor. & Frutic. Brit. iii. 1444 (1838).

CARYA
aquatica
Lochman, Phot. Ill. Maples N. America, t. 9 (1899).
Mitt. Deutsch. Dendr. Ges. 1911, p. 199, 205, 211.
Bull. Soc. Dendr. France, 1912, p. 75, t. 2.—*Fr.*
Mathews, Field Book Amer. Trees & Shrubs, 107 (1915).
arkansana Sarg.
Sargent, Trees & Shrubs, ii. t. 181 (1913).
×**Brownii** Sarg.
Sargent, Trees & Shrubs, ii. t. 178 (1913).
Buckleyi Durand
Sargent, Trees & Shrubs, ii. t. 182 (1913).
cathayensis Sarg.
Journ. Heredity, ix. 279 (1918).—*Hab.*
cordiformis K. Koch
Blakeslee & Jarvis, New England Trees in Winter (Storrs Agric. Exp. St. Bull. No. 69), 409 (1911).
Clements, Rosend. & Butters, Minnesota Trees & Shrubs, 239 (1912).
Collins & Preston, Key to Trees, 67 (1912).—*Veg.*
Otis, Michigan Trees (Ann Arb. Mich.), 78 (1913).
Blakeslee & Jarvis, Trees in Winter, 275 (1913).
*Mathews, Field Book Amer. Trees & Shrubs, 108, 111 (1915).
Burns & Otis in Bull. Vermont Agric. Exp. St. No. 194, p. 90 (1916).
Morton & Lewis, Native Trees Canada (Dept. Int. Canada, Forest. Branch Bull. No. 61), 161, 164, 198, 213 (1917).
Pammel & King in Proc. Iowa Acad. Sc. xxv. 305, 306 (1918).—*Veg.*
Journ. Heredity, ix. 278 (1918).—*Hab.*
Illick, Pennsylvania Trees (Pennsylv. Dept. For. Bull. No. 11), fig. 108, t. 42 (1919).
Diguetii Dode
Bull. Soc. Bot. France, lv. 471 (1908).—*Fr.*
floridanda Sarg.
Sargent, Trees & Shrubs, ii. t. 177 (1913).
glabra Sweet
*Torrey, Fl. State New York, ii. 182 (1843) in textu; *C. porcina* in ic. t. 101.
Trans. Wisconsin State Agric. Soc. iv. 231 (1854–57).
Blakeslee & Jarvis, New England Trees in Winter (Storrs Agric. Exp. St. Bull. No. 69), 407 (1911).
Collins & Preston, Key to Trees, 64 (1912).—*Veg.*
Otis, Michigan Trees (Ann Arb. Mich.), 76 (1913).
Blakeslee & Jarvis, Trees in Winter, 273 (1913).
L. H. Bailey, Stand. Cycl. Hort. 677 (1914).
Mathews, Field Book Amer. Trees & Shrubs, 107 (1915).—*Fr.*
Burns & Otis in Bull. Vermont Agric. Exp. St. No. 194, p. 88 (1916).
Morton & Lewis, Native Trees Canada (Dept. Int. Canada, Forest. Branch Bull. No. 61), 161, 165 (1917).
Pammel & King in Proc. Iowa Acad. Sc. xxv. 305 (1918).—*Veg.*
Illick, Pennsylvania Trees (Pennsylv. Dept. For. Bull. No. 11), fig. 106, t. 41 (1919).
illionoënsis K. Koch
Lauche, Deutsche Dendrol. Ed. 2, p. 307 (1883).
Mathews, Field Book Amer. Trees & Shrubs, 103 (1915).
laciniosa Loud.
Collins & Preston, Key to Trees, 68 (1912).—*Veg.*
Otis, Michigan Trees (Ann Arb. Mich.), 70 (1913).
Mathews, Field Book Amer. Trees & Shrubs, 107 (1915).
Pammel & King in Proc. Iowa Acad. Sc. xxv. 303 (1918).—*Veg.*
Illick, Pennsylvania Trees (Pennsylv. Dept. For. Bull. No. 11), t. 39 (1919).
megacarpa Sarg.
Sargent, Trees & Shrubs, ii. t. 180 (1913).
microcarpa Nutt.
*Nuttall, Silva, i. t. 13 (1865).

CARYA
microcarpa
Lochman, Phot. Ill. Maples N. America, t. 7, 7 a (1899).
Collins & Preston, Key to Trees, 64, 65 (1912).—*Veg.*
Otis, Michigan Trees (Ann Arb. Mich.), 74 (1913).
Mathews, Field Book Amer. Trees & Shrubs, 107 (1915).—*Fr.*
myristiciformis Nutt.
J. C. Loudon, Arbor. & Frutic. Brit. iii. 1451 (1838).
Mitt. Deutsch. Dendr. Ges. 1911, p. 211.—*Fr.*
Mathews, Field Book Amer. Trees & Shrubs, 111 (1915).
oliviformis Nutt.
J. C. Loudon, Arbor. & Frutic. Brit. iii. 1442 (1838).
*Archer, Pop. Econ. Bot. et Profitable Pl. t. 5, fig. 23 (1853).—*Fr.*
*Belg. Hort. vi. t. 45 (1856).—*Fr.*
Ettingshausen, Blatt-Skel. Dikot. 175 (1861).—*Veg.*
Lochman, Phot. Ill. Maples N. America, t. 10 (1899).
Pardé, Arbor. Nat. Barres, t. 68, 71 (1906).—*Hab.*
Elwes & Henry, Trees Gr. Brit. & Ireland, iii. t. 203 (1908).—*Veg.*
Mitt. Deutsch. Dendr. Ges. 1911, p. 199, 205, 211.
Bull. Soc. Dendr. France, 1912, p. 75, 101, t. 2.—*Fr.*
Warburg, Pflanzenwelt, i. 438 (1913).—*Fr.*
Agric. Colon., Ital. ix. 566 (1915).—*Fr.*
ovalis Sarg.
L. H. Bailey, Stand. Cycl. Hort. 677, 678 (1914).
Pammel, Macdonald & Clark in Proc. Iowa Acad. Sc. xxii. t. 10 (1915).—*Hab.*
ovata K. Koch
Blakeslee & Jarvis, New England Trees in Winter (Storrs Agric. Exp. St. Bull. No. 69), 403 (1911).
Clements, Rosend. & Butters, Minnesota Trees & Shrubs, 239 (1912).
Collins & Preston, Key to Trees, 62, 63 (1912).—*Veg.*
Otis, Michigan Trees (Ann Arb. Mich.), 68 (1913).
Blakeslee & Jarvis, Trees in Winter, 269 (1913).
L. H. Bailey, Stand. Cycl. Hort. 678 (1914); 1488 (1915).
Pammel in Macdonald & Clark, Proc. Iowa Acad. Sc. xxii. t. 11 (1915).—*Hab.*
Mathews, Field Book Amer. Trees & Shrubs, 103 (1915).
Burns & Otis in Bull. Vermont Agric. Exp. St. No. 194, p. 84 (1916).
Morton & Lewis, Native Trees Canada (Dept. Int. Canada, Forest. Branch Bull. No. 61), 161, 164, 198, 213 (1917).
Journ. Heredity, ix. 277 (1918).—*Hab.*
Pammel & King in Proc. Iowa Acad. Sc. xxv. 302 (1918).—*Veg.*
Illick, Pennsylvania Trees (Pennsylv. Dept. For. Bull. No. 11), fig. 105, t. 38 (1919).
pecan Engler & Graebn.
L. H. Bailey, Cycl. Amer. Hort. 1253, 1254, 1255 (1901); Stand. Cycl. Hort. 676 (1914); 2517, 2518, 2519, 2522, 2523 (1916).
porcina Nutt.
J. C. Loudon, Arbor. & Frutic. Brit. iii. 1450 (1838).
*Torrey, Fl. State New York, ii. t. 101 (1843) in ic.; *C. glabra* in textu, p. 182.
Emerson, Trees & Shrubs Massachusetts, t. 14 (1846); Ed. 2, i. 224 (1875).
Hempel & Wilhelm, Bäume u. Sträuch. ii. 95 [1889?].—*Fr.*
Lochman, Phot. Ill. Maples N. America, t. 6 (1899).
Clark in Bull. Vermont Agric. St. No. 73, p. 49 (1899).
Dame & Brooks, Trees of New England, t. 26 (1902).
Pardé, Arbor. Nat. Barres, t. 61, 69–71 (1906).—*Hab.*
Elwes & Henry, Trees Gr. Brit. & Ireland, iii. t. 172, 203 (1908).

CARYA
porcina
Mitt. Deutsch. Dendr. Ges. 1911, p. 191, 205, 211.—*Hab.*
Bull. Soc. Dendr. France, 1912, p. 75, t. 2.—*Fr.*
Warburg, Pflanzenwelt, i. 438 (1913).—*Fr.*
Sargent, Trees & Shrubs, ii. t. 179 (1913).
—— **glabra** J. C. Loud.
J. C. Loudon, Arbor. & Frutic. Brit. iii. 1449 (1838).—*Fr.*
—— **microcarpa** Graebn.
Mitt. Deutsch. Dendr. Ges. 1911, p. 205, 211.
sinensis Dode
Bull. Soc. Dendr. France, 1912, p. 60.—*Fr.*
sulcata Nutt.
J. C. Loudon, Arbor. & Frutic. Brit. iii. 1449 (1838).
Ettingshausen, Blatt-Skel. Dikot. t. 74, 75 (1861).—*Veg.*
Amer. Journ. Sc. Ser. IV. ii. t. 5 (1896).—*Fr.*
Lochman, Phot. Ill. Maples N. America, t. 4, 4 a (1899).
Pardé, Arbor. Nat. Barres, 71 (1906).—*Hab.*
Elwes & Henry, Trees Gr. Brit. & Ireland, iii. t. 203 (1908).—*Veg.*
Mitt. Deutsch. Dendr. Ges. 1911, p. 195, 203, 205, 211.
Bull. Soc. Dendr. France, 1912, p. 75, 101, t. 2.—*Fr.*
texana C. DC.
Mitt. Deutsch. Dendr. Ges. 1911, p. 211.—*Fr.*
tomentosa Nutt.
J. C. Loudon, Arbor. & Frutic. Brit. iii. 1445 (1838).
Emerson, Trees & Shrubs Massachusetts, t. 13 (1846); Ed. 2, i. 222 (1875).
Ettingshausen, Blatt-Skel. Dikot. t. 74 (1861).—*Veg.*
Garden, xix. 216 (1881).
Lochman, Phot. Ill. Maples N. America, t. 5, 5 a (1899).
Dame & Brooks, Trees of New England, t. 25 (1902).
Elwes & Henry, Trees Gr. Brit. & Ireland, iii. t. 203 (1908).—*Veg.*
Mitt. Deutsch. Dendr. Ges. 1911, p. 191, 205, 211.
Bull. Soc. Dendr. France, 1912, p. 75, 101, t. 2; 1913, p. 139.
Bean, Trees & Shrubs, i. 301 (1914).
—— **integrifolia** Torr.
*Torrey, Fl. State New York, ii. t. 100 (1843).

CARYOCAR Linn.—Vide *Pekea, Rhizobolus, Saouari*
amygdaliferum Cav.
Cavanilles, Ic. iv. t. 361, 362 (1797).
Mart. Fl. Bras. xii. 1. t. 69 (1886).—*Fr.*
barbinerve Miq.
Mart. Fl. Bras. xii. 1. t. 71 (1886).
brasiliense St.-Hil.
St.-Hilaire, Fl. Bras. Mérid. i. t. 67 bis (1827).
*Fritzsche in Mém. Acad. Sc. Pétersb. Div. Sav. iii. t. 5, fig. 9, 10 (1837).—*Fl.*
Schnizlein, Iconogr. iv. t. 231 (1856–65).—*Fl.*
Mart. Fl. Bras. xii. 1. t. 73 (1886).
Vidensk. Meddel. Kjöbenhavn, 1889, t. 3 (1890).—*Fr.*
Broteria, Ser. Vulg. Sc. xviii. 246, 247 (1920).
butyrosum Willd.
Lindley, Veg. Kingd. 398 (1846).—*Fr.*
*Archer, Pop. Econ. Bot. et Profitable Pl. t. 6, fig. 28 (1853).—*Fr.*
*Belg. Hort. vi. t. 45 (1856).—*Fr.*
*Schubert, Naturg., Pflanzenreich, Ed. 2, t. 28, fig. 2 [1865].
crenatum Wittm.
Mart. Fl. Bras. xii. 1. t. 72 (1886).
glabrum Pers.
Baillon, Hist. Pl. iv. 242, 243 (1873).—*Fl.*
Mart. Fl. Bras. xii. 1. t. 69, 70 (1886).
Pflanzenfam. iii. vi. 154 (1893).
Knuth, Handb. Blütenbiol. iii. 1. 495 (1904).—*Fl.*
—— **edule** Wittm.
Mart. Fl. Bras. xii. 1. t. 70 (1886).
nuciferum Linn.
*Bot. Mag. liv. t. 2727, 2728 (1827).
*Géel, Sert. Bot. Cl. 13 (1832).

CARYOCAR
nuciferum
*Reichenbach, Fl. Exot. iv. t. 247, 248 (1835).
*Spach, Hist. Nat. Vég. Phan. Atlas, t. 147 (1846).
*Fl. des Serres, Ser. I. iii. t. 183, 184 (1847).
*Schnizlein, Iconogr. iv. t. 231 (1856–65).
Mart. Fl. Bras. xii. 1. t. 69 (1886).—*Fr.*
Pflanzenfam. iii. vi. 154 (1893).—*Fr.*
Trop. Agric. xxxviii. No. 3, p. 193 (1912).—*Hab.*
Agric. Colon., Ital. ix. 179 (1915).
toxiferum Barb. Rodr.
Barbosa Rodrigues, Vellosia, iii. 1. t. 6 (1891).
villosum Pers.
Arbor. Amaz. Mus. Goeldi, Para, t. 35 (1906).—*Hab.*

CARYOCHLOA Trin.: *Luziola*
brasiliensis Trin.
Mart. Fl. Bras. ii. 11. t. 4 (1871).

CARYODENDRON Karst.—Vide *Centrodiscus*
grandifolium Benth.
Pflanzenfam. iii. v. 50 (1890).—*Fl.*
janeirense Barb. Rodr.
Barbosa Rodrigues, Pl. Nov. Jard. Bot. Rio de Janeiro, ii. t. 1 (1893).
orinocense Karst.
Karsten, Fl. Columbiae, i. t. 45 (1858–61).

CARYOLOBIS Gaertn.: *Doona*
indica Gaertn.
Gaertner, Fruct. i. t. 45 (1788).—*Fr.*

CARYOLOPHA Fisch. & Trautv.: *Anchusa*
sempervirens Fisch. & Trautv.
Vidensk. Meddel. Kjöbenhavn, 1851, p. 32 (1852).—*Fl.*
Reichenbach, Ic. Fl. Germ. xviii. t. 1306 (1857).
Warming in Dansk. Vid. Selsk. Skrift. Ser. V. x. t. 8, fig. 17–20 (1875).—*Fl.*
Ber. Deutsch. Bot. Ges. iv. t. 8, fig. 10 (1886).—*Fl.*
Merino, Fl. Galicia, ii. 151 (1906).

CARYOPHYLLUS Linn.: *Eugenia*
aromaticus Linn.
*Houttuyn, Handl. Pl. & Kruidk. iii. t. 12, fig. 1 (1775).
Sonnerat, Voy. Nouv. Guinée, t. 119 (1776); fide Hooker, Bot. Mag. 2749.
*Bergius, Mat. Med. ii. 472, t. 315 (1778).
Sonnerat, Voyage Spice Isl. & N. Guinea, t. 119 (1781).
*Zorn, Ic. Pl. Med. iv. t. 315 (1782).
Gaertner, Fruct. i. t. 33 (1788).—*Fr.*
*Plantarum Indig. & Exot. Ic. i [t. 13] (1788).
Bordiga, Storia Piante Forast. i. t. 8 (1791).
*Plenck, Ic. Pl. Med. v. t. 422 (1792).
*Woodville, Med. Bot. ii. t. 135 (1792); Ed. 3, iii. t. 193 (1832).
Lamarck, Ill. iii. t. 417 (1797).
*Oskamp, Afb. Artseny-Gewass. iv. t. 398 (1800).
*Vietz, Ic. Pl. Med.-oec.-techn. i. t. 44 (1800).
*Roques, Pl. Usuell. Indig. & Exot. i. t. 48 (1807).
Dict. Sc. Nat., Planch. Bot. Dicot. t. 222, 223 (1816–29).
Berchtold & J. S. Presl, Rostlin. ii. t. 58 (1825).
*Bot. Mag. liv. t. 2749, 2750 (1827).
*Hayne, Getreue Darst. Arzn. Gewächse, x. t. 38 (1827).
*Nees, Pl. Offic. ii. t. 299 (1828).
*Descourtilz, Fl. Pitt. & Méd. Antilles, viii. t. 566 (1829).
*Schlechtendal & Guimpel, Abb. Pharm. Boruss. Gew. i. t. 72 (1830).
*Zenker & Schenk, Merkant. Waarenk. i. t. 12 (1831).
*Spach, Hist. Nat. Vég. Phan. Atlas, t. 29 (1846).
Lindley, Med. & Oecon. Bot. 242 (1849).—*Veg.*
*Archer, Pop. Econ. Bot. et Profitable Pl. t. 2, fig. 10 (1853).
*Berg & Schmidt, Darst. u. Beschr. Offiz. Gewächse, i. t. 3, d (1858).
Berg, Charakt. t. 61, fig. 470 (1861).
Ettingshausen, Blatt-Skel. Dikot. t. 86, 87 (1861).—*Veg.*
*Artus, Atlas Pharm. Deutschl. Aufg. Offic. Gew. t. 108 [1862–74].

CARYOPHYLLUS
aromaticus
*Argenta, Album Fl. Med.-Farm. ii. t. 125 (1863).
*Schubert, Naturg., Pflanzenreich, Ed. 2, t. 24, fig. 10 [1865].
Le Maout & Decaisne, Traité Gén. Bot. 293 (1868).—*Fl.*
*Réveil, Règne Vég. ix. t. 12; xiv. t. 46 (1870).
Journ. Hort. liv. 248 (1875); Ser. III. xi. 145 (1885); xlix. 503 (1904).
Berge, Pflanzenphysiogn. t. 79 (1880).
Karsten, Deutsche Fl. Pharm.-medic. Bot. 789 (1880–83).
*C. Hoffmann, Pflanzenatlas, t. 40, fig. 246 (1881).
Schilling, Grundr. Naturg. ii. Pflanzenr. Ausgb. A, p. 138 (1882); Ausgb. B, p. 267 (1884).
*Zippel, Ausländ. Handels- & Nährpfl. t. 19 (1885).
Hager, Handb. Pharm. Prax. Ed. Nov. i. 762, 763 (1887).
*Köhler, Med. Pfl. i [t. 37] (1887).
Tschirch, Ind. Heil- & Nutzpfl. t. 66, 67 (1892). —*Hab.*
Brehm, Merv. Nat. Monde des Pl. ii. 26 (1894–96).
Jardin, viii. 255 (1894); xii. 85 (1898).—*Hab.*
*Karsten, Fl. Deutschl. ii. 349 (1895).
Sadebeck, Kulturg. Deutsch. Kolon. Erzeugn. 200 (1899).
*De Janville, Pl. Utiles Pays Chauds, t. 25 (1902).
*Josef v. Oesterreich & Marg. v. Thurn und Taxis, Atlas Heilpfl. t. 58 (1903).
Karsten & Schenck, Veg.-Bild. vi. t. 38 (1908). —*Hab.*
Reinhardt, Kulturgesch. Nutzpfl. (Erde und Kultur), iv. i. t. 76, p. 588 (1911).
Nat. Geogr. Mag. Washington, xxiii. 818 (1912). —*Hab.*
Capus & Bois, Prod. Colon. 256, 257 (1912).
Tschirch, Handb. Pharmakog. ii. t. 46 (1914).— *Hab.*
Agric. Colon., Ital. ix. 180 (1915).
Prudhomme, Pl. Utiles Pays Chauds, t. 14, 15 (1920).
ellipticus Labill.
Labillardière, Sert. Austr.-Caled. t. 63 (1825).
falsus Sonn.
Sonnerat, Voy. Spice Isl. & N. Guinea, t. 120 (1781).

CARYOPTERIS Bunge—Vide *Mastacanthus*
divaricata Maxim.
Somoku Dzusetsu, Ed. Makino (Iconogr. Pl. Nippon), xi. t. 38 (1912).
glossocarya Bocquill.
Bocquillon, Rev. Verbénac. t. 19 (1861–63).—*Fl.*
incana Miq.
Schneider, Ill. Handb. Laubh. ii. 587, 596 (1911).
Somoku Dzusetsu, Ed. Makino (Iconogr. Pl. Nippon), xi. t. 11 (1912).
L. H. Bailey, Stand. Cycl. Hort. 679 (1914).
Mastacanthus Schauer
*Somoku Dzusetsu, Ed. 2, xi. t. 11 (1874).
Garden, xxiv. 523 (1883); lxxvi. 24 (1912); lxxxi. 477 (1917).
Gard. Chron. xxi. 149 (1884); Ser. III. xlii. 409 (1907).
Sempervirens, xiv. 220 (1885).
*Bot. Mag. cxi. t. 6799 (1885).
*Rev. Hort. 1892, p. 324; 1903, p. 17.
*Rev. Hort. Belge, xix. 273 (1893).
Bull. Soc. Tosc. Ortic. xxi. 221 (1896).—*Hab.*
Semaine Hort. 1898, p. 89.
L. H. Bailey, Cycl. Amer. Hort. 255 (1900); t. 47 (1902).
Apgar, Orn. Shrubs U.S. 289, fig. 502 (1910).
Jardin, xxiv. 381 (1910).
mongolica Bunge
*Journ. Jard. 1845, p. 337.
*Horticulteur Univ. vii. 40 (1846).
Bocquillon, Rev. Verbénac. t. 19 (1861–63).— *Fl.*
*Rev. Hort. 1872, p. 451.
Pflanzenfam. iv. III. A. 176 (1895).—*Fl.*
*Schneider, Ill. Handb. Laubh. ii. 587, 596 (1911).
nepetifolia Maxim.
Matsumura, Ic. Pl. Koisikav. i. t. 50 (1912).

CARYOPTERIS
sinensis Dippel
Dippel, Handb. Laubholzk. i. 59 (1889).
Koehne, Dendrol. 527 (1893).
Schneider, Dendrol. Winterst. 120 (1903).—*Veg.*
tangutica Maxim.
Schneider, Ill. Handb. Laubh. ii. 587 (1911).— *Veg.*
Wallichiana Schauer
Collett, Fl. Siml. 381 (1902).

CARYOSPERMUM Bl.: *Perrottetia*
arborescens F. Muell.
F. M. Bailey, Compr. Cat. Queensl. Pl. 102 (1909–13).

CARYOTA Linn.
Cumingii Lodd.
*Bot. Mag. xcv. t. 5762 (1869).
Vidal, Sin. Fam. & Gen. Pl. Leñ. Filip. (Introd. Fl. For. Filip.), Atlas, t. 93, fig. B (1883).—*Veg.*
Jackson in Mem. Boston Soc. Nat. Hist. v. t. 23 (1899).—*Veg.*
Gatin, Palm. 276 (1912).—*Hab.*
excelsa Hort.
Journ. Hort. xlvii. 125 (1872); Ser. III. vi. 137 (1883); xlviii. 126 (1904).—*Hab.*
maxima Bl.
Blume, Rumphia, iii. t. 163 (1847).—*Fl.*
Gartenfl. xlii. 616 (1893).—*Fr.*
Siebert, Palmengarten Frankfurt-a-M. 76 (1895).
Schröter in Neujahrsblatt Naturf. Ges. Zürich, ciii. t. 1 (1901).—*Hab.*
mitis Lour.
Knuth, Handb. Blütenbiol. iii. 1. 56 (1904).—*Fl.*
Tribune Hort. iv. 257 (1909).—*Hab.*
Wettstein, Handb. Syst. Bot. Ed. 2, p. 844 (1911). —*Fl.*
Bull. Agric. Congo Belge, ii. 536 (1911).—*Hab.*
Zurawska in Bull. Internat. Acad. Sc. Cracovie, t. 52 (1912).—*Veg.*
Journ. Bombay Nat. Hist. Soc. xxii. 83, 84 (1913). —*Hab.*
Bull. Écon. Indo-Chine, N. Ser. cxli. 214 (1920). —*Hab.*
obtusidentata Griff.
*Griffith, Palms Brit. Ind. t. 236, A, B (1850).
onusta Blanco
*Blanco, Fl. Filip. t. 419 (1878–80).
propinqua Bl.
*Blume, Rumphia, iii. t. 162 (1847).
Kerner, Pflanzenleben, i. 286 (1887); Ed. 3, i. 226 (1913).—*Hab.*
Wien. Ill. Gart.-Zeit. xiii. 278 (1888).—*Hab.*
Kerner & Oliv. Nat. Hist. Pl. i. 311 (1894).— *Hab.*
Brehm, Merv. Nat. Monde des Pl. ii. 623 (1894–96).—*Hab.*
Kronfeld, Atlas Pflanzengeogr. 158 (1899).— *Hab.*
Rumphiana Mart.
Rumphius, Herb. Amboin. i. t. 14 (1741); fide Merrill, Interpret. Rumph. Herb. Amboin.
Bull. Agric. Congo Belge, iii. 992, 994, 997 (1912).—*Hab.*
Journ. Bombay Nat. Hist. Soc. xxii. 85 (1913).— *Hab.*
St. Petersb. Bot. Gard. Hist. Sketch (1793–1913), 405 (1913).—*Hab.*
W. H. Brown & E. D. Merrill in Bull. Philip. Isl. Dep. Agric. Bur. Forestry, No. 18, t. 15–17 (1919); No. 22, p. 179, 181, 183, t. 15–17 (1920).
sobolifera Wall.
*Griffith, Palms Brit. Ind. t. 236, C (1850).
Le Maout & Decaisne, Traité Gén. Bot. 618 (1868).—*Hab.*
Neubert's Deutsch. Gart. Mag. 1873, p. 72.
*Kerchove, Palm. 212, t. 21 (1878).—*Hab.*
Gartenfl. xxvii. 181 (1878).—*Hab.*
Berge, Pflanzenphysiogn. 19 (1880).—*Hab.*
Nicholson, Illustr. Dict. Gard. i. 275; iii. 11 [1884–88].—*Hab.*
Solomon, Palmen, 131 (1887).—*Hab.*
Gard. Chron. Ser. III. iii. 337 (1888).—*Hab.*
Pflanzenfam. ii. III. 10, 55 (1889).
Rev. Hort. Belge, xix. 158 (1893).—*Veg.*
Bellair & St.-Léger, Pl. Serre, 452 (1900).—*Hab.*

CARYOTA
sobolifera
Gatin, Palm. 64, 274 (1912).
urens Linn.
Rheede, Hort. Mal. i. t. 11 (1678); fide Fl. Brit. Ind. vi. 422.
Gaertner, Fruct. i. t. 7 (1788).—*Fr.*
Lamarck, Ill. v. t. 897 (1797–1819).
*Jacquin, Fragm. t. 12 (1809).
*Martius, Palm. i. tab. v, fig. II, Y, fig. I–III; iii. 107, 108, 162 (1823–50).
*Descourtilz, Fl. Pitt. & Méd. Antilles, vii. t. 501 (1829).
Ill. Hort. iv. t. 148, sub t. 148 (1857).
Decaisne & Naud. Amat. Jard. iii. 628 [1862–66]. —*Hab.*
*Réveil, Règne Vég. iii. t. 39 (1870).—*Veg.*
Garden, i. 218 (1872); xi. 517 (1877).—*Hab.*
Neubert's Deutsch. Gart. Mag. 1873, p. 72; xlviii. 173 (1895).
Kerchove, Palm. 267 (1878).—*Hab.*
Baillon, Traité Bot. Méd. Phan. ii. 1412 (1884).
Bull. Soc. Acclim. Ser. IV. iv. 519 (1887).—*Hab.*
Pflanzenfam. ii. III. 16 (1889).
Brehm, Merv. Nat. Monde des Pl. ii. 622, 645 (1894–96).
Baillon, Hist. Pl. xiii. 266 (1895).
U.S. Dep. Agric. Fiber Invest. Rep. 9, p. 112 (1897).—*Hab.*
Hassack in Schrift. Ver. Verbr. Naturw. Kenntn. Wien, xxxviii. 112, fig. 3 (1898).—*Hab.*
Gartenwelt, ii. 487 (1898).
Semaine Hort. iv. 197 (1900).—*Hab.*
Journ. New York Bot. Gard. iii. 209 (1902).
Trop. Agric. xxv. No. 3, p. 496 (1905); xxxix. No. 5, p. 392 (1912).
Möllers Deutsche Gärtn.-Zeit. xviii. 344, 345 (1909).
Woodrow, Gardening in Tropics, 569 [1910].— *Hab.*
Wettstein, Handb. Syst. Bot. Ed. 2, p. 850 (1911). —*Hab.*
Talbot, For. Fl. Bombay, ii. frontisp. (1911).
Bull. Agric. Congo Belge, iii. 995 (1912).—*Hab.*
Gatin, Palm. 30, 69, 92, 148, 268 (1912).
Pflanzer, viii. Beih. No. 1, t. 6 (1912).—*Hab.*
Journ. Bombay Nat. Hist. Soc. xxii. 79, 80 (1913). —*Hab.*
Oesterr. Gart.-Zeit. ix. 42 (1914).—*Hab.*
Rev. Hort. 1915, p. 573.—*Hab.*
Rock, Orn. Trees Hawaii, t. 16 (1917).—*Hab.*
Basu, Ind. Med. Pl. t. 986 A (1918).

CASALEA St.-Hil.: *Ranunculus*
adscendens St.-Hil.
St.-Hilaire, Fl. Bras. Merid. i. t. 1 (1825).

CASASIA A. Rich.
calophylla A. Rich.
Ramon de la Sagra, Fl. Cubana, iv. Atlas, Pl. Vasc. t. 49 (1853); et Ic. Fl. Cub. Pl. Vasc. t. 49 (1863).
clusiifolia Urb.
Britton, Fl. Bermuda, 362 (1918).

CASCARILLA Endl.: *Ladenbergia*
Carua Wedd.
Weddell, Hist. Nat. Quinq. t. 25 (1849).
Gaudichaudiana Wedd.
Baillon, Hist. Pl. vii. 343 (1880).—*Fr.*
Hookeriana Wedd.
Weddell, Hist. Nat. Quinq. t. 24 (1849).
muzonensis Wedd.
Weddell, Hist. Nat. Quinq. t. 24 (1849).
Riveroana Wedd.
Weddell, Hist. Nat. Quinq. t. 23 (1849).

CASEARIA Jacq.—Vide *Anavinga, Antigona, Bigelowia, Chaetocrater, Guidonia, Irroeana, Lindleya* Kunth, *Melistaurum, Piparea, Pitumba, Valentinia* Sw., *Vareca*
aculeata Jacq.
Plumier, Pl. Amer. Ed. Burm. t. 147, fig. 1 (1757); fide Urban, Fedde Repert. Beih. v. 70.
adamantium Cambess.
St.-Hilaire, Fl. Bras. Merid. ii. t. 125 (1829).
bonairensis Bold.
Boldingh, Fl. Dutch W. Ind. Isl. ii. t. 8 (1914).

CASEARIA
brasiliensis Eichl.
Mart. Fl. Bras. xiii. 1. t. 97 (1871).
clutiifolia Bl.
Engl. Jahrb. lv. 285 (1918).
Commersoniana Cambess.
Mart. Fl. Bras. xiii. 1. t. 98 (1871).
coriacea Vent.
Ventenat, Choix Pl. t. 45 (1803).
Schnizlein, Iconogr. iii. t. 194 (1856–65).
Koorders &Val. Atlas Baumart. Java, t. 345 (1914).
decandra Jacq.
Jacquin, Sel. Stirp. Amer. Hist. t. 85 (1763).
dentata Moc. & Sessé
A. De Candolle, Calq. Dess. Fl. Mex., Moc. & Sessé, t. 185 (1874).
disticha A. Gray
A. Gray, U.S. Expl. Exp. Bot. Atlas, i. t. 5 (1857).
dubia Moc. & Sessé
A. De Candolle, Calq. Dess. Fl. Mex., Moc. & Sessé, t. 184 (1874).
elliptica Willd.
Wight, Ic. Pl. Ind. Or. v. t. 1849 (1852).
esculenta Roxb.
Brandis, Indian Trees, 343 (1906).
Basu, Ind. Med. Pl. t. 438 (1918).
flavovirens Bl.
Blume, Mus. Bot. Lugd.-Bat. i. fig. 50 (1850). —*Fl.*
*Schnizlein, Iconogr. iii. t. 194 (1856–65).
Koorders &Val. Atlas Baumart. Java, t. 346 (1914).
fuliginosa Blanco
*Blanco, Fl. Filip. t. 90 (1878–80).
grandiflora Cambess.
St.-Hilaire, Fl. Bras. Merid. ii. t. 126 (1829).
Lindley, Veg. Kingd. 330 (1846).
grewiifolia contermina Koorders & Val.
Koorders & Val. Atlas Baumart. Java, t. 342 (1914).
—— **deglabrata** Koorders & Val.
Koorders & Val. Atlas Baumart. Java, t. 343 (1914).
hirta Sw.
Gaertner f., Fruct. iii. t. 224 (1807).—*Fr.*
Schnizlein, Iconogr. iii. t. 194 (1856–65).—*Fr.*
ilicifolia Vent.
Ventenat, Choix Pl. t. 44 (1803).
Schnizlein, Iconogr. iii. t. 194 (1856–65).—*Fr.*
inaequilatera Cambess.
St.-Hilaire, Fl. Bras. Merid. ii. t. 127 (1829).
javitensis H. B. K.
H. B. K. Nov. Gen. v. t. 479 (1821) in textu et in tab. emend.; *Lindleya glabra* in ic., sphalm.
Pflanzenfam. iii. vi. a. 51 (1893).—*Fl.*
lasiophylla Eichl.
Mart. Fl. Bras. xiii. 1. t. 94 (1871).
leucolepis Turcz.
Vidal, Sin. Fam. & Gen. Pl. Leñ. Filip. (Introd. Fl. For. Filip.), Atlas, t. 53, fig. c (1883).
luzonensis Warb.
Pflanzenfam. iii. vi. a. 51 (1893).—*Fr.*
macrantha Gilg
Engl. Jahrb. lv. 291 (1918).
Merrillii Hayata
Hayata, Ic. Pl. Formosan. iii. t. 3 (1913).
Kanehira, Formosan Trees, 269 (1917).
microphylla Eichl.
Mart. Fl. Bras. xiii. 1. t. 96 (1871).
mollis H. B. K.
H. B. K. Nov. Gen. v. t. 480 (1821) in textu et in tab. emend.; *Lindleya mollis* in ic., sphalm.
nitida Jacq.
*Jacquin, Sel. Stirp. Amer. Hist. Picta, t. 126 [1780].
oblongifolia Cambess.
Mart. Fl. Bras. xiii. 1. t. 93 (1871).
oligantha Eichl.
Mart. Fl. Bras. xiii. 1. t. 96 (1871).
ovata Willd.
Rheede, Hort. Mal. iv. t. 49 (1683); fide Hasskarl, Hort. Mal. Rheed. Clavis, 36.
parviflora Willd.
*Jacquin, Sel. Stirp. Amer. Hist. Picta, t. 127 [1780].

CASEARIA
pauciflora Cambess.
Mart. Fl. Bras. xiii. 1. t. 95 (1871).
pulchella Le Maout & Decne.
Le Maout & Decaisne, Traité Gén. Bot. 428 (1868).
Richii A. Gray
A. Gray, U.S. Expl. Exp. Bot. Atlas, i. t. 5 (1857).
silvestris Sw.
Pflanzenfam. iii. vi. a. 51 (1893).
Lindman, Veget. Rio Grande do Sul, 210 (1900). —*Veg.*
—— **campestris** Warm.
Warming in Dansk. Vid. Selsk. Skrift. Ser. VI. vi. 215 (1892).—*Veg.*
singularis Eichl.
Mart. Fl. Bras. xiii. 1. t. 95 (1871).—*Fl.*
stipularis Vent.
Ventenat, Choix Pl. t. 46 (1803).
Thonneri De Wild.
De Wildeman, Études Fl. Bangala & Ubangi, t. 11 (1911).
tinifolia Vent.
Ventenat, Choix Pl. t. 47 (1803).
tomentosa Roxb.
Rheede, Hort. Mal. v. t. 50 (1685); fide Fl. Brit. Ind. ii. 593.
Brandis, Illustr. For. Fl. N.W. & Centr. Ind. t. 31 (1874).
Pflanzenfam. iii. vi. a. 51 (1893).—*Fl.*
Collett, Fl. Siml. 197 (1902).
Talbot, For. Fl. Bombay, ii. 71 (1911).
Koorders & Val. Atlas Baumart. Java, t. 344 (1914).
Basu, Ind. Med. Pl. t. 439 (1918).
varians Thw.
Beddome, Fl. Sylv. t. 208 (1872).
wynadensis Bedd.
Beddome, Ic. Pl. Ind. Or. t. 160 (1874).

CASIMIRELLA Hassl.
guaranitica Hassl.
Fedde, Repert. xii. 251 (1913).

CASIMIROA La Llave
edulis La Llave
Seemann, Bot. Voy. Herald, Pt. 6, t. 51, 52 (1854).
Gard. Chron. viii. 465 (1877); Ser. III. xiv. 393 (1893).
Pflanzenfam. iii. iv. 177 (1896).—*Fl.*
Ramirez, Mat. Med. Mexic. ii. 113 (1898).
Pomona Coll. Journ. Econ. Bot. i. 84, 87–90 (1911).
Tropenpfl. xv. 170 (1911).
Estac. Exp. Agronom., Cuba, Circ. No. 45, p. 23 (1913).
Journ. Roy. Hort. Soc. London, xxxix. 337, fig. 138 (1913).—*Hab.*
Agric. Colon., Ital. ix. 620 (1915).—*Fr.*
U.S. Dep. Agric. Bur. Indust. Invent. Seeds & Pl. Import. No. 37, t. 3 (1916).
L. H. Bailey, Stand. Cycl. Hort. 3075 (1917).
Agric. Gaz. N. S. Wales, xxix. 134, 135 (1918).
W. Popenoe, Manual Trop. & Subtrop. Fr. 445 (1920).
pubescens Ramirez
An. Inst. Med. Nac. Mexico, ii. t. 5 (1897).
Ramirez, Estud. Hist. Nat. t. 13 (1904).

CASPAREA H. B. K.: *Bauhinia*
pes-caprae H. B. K.
Ralph, Ic. Carpolog. t. 14 (1849).—*Fr.*

CASPARYA Klotzsch: *Begonia*
hirta Klotzsch
Klotzsch in Abh. Akad. Berlin, 1854, t. 11 (1855). —*Fl.*

CASSANDRA D. Don: *Lyonia*
angustifolia D. Don
J. C. Loudon, Arbor. & Frutic. Brit. ii. 1108 (1838).
calyculata D. Don
J. C. Loudon, Arbor. & Frutic. Brit. ii. 1108 (1838).
Reichenbach, Ic. Fl. Germ. xvii. t. 1161 (1855).
Emerson, Trees & Shrubs Massachusetts, Ed. 2, ii. 423 (1875).

CASSANDRA
calyculata
Willkomm, Forstl. Fl. Deutschl. & Oesterr. 521 (1875).—*Fl.*
*Meehan, Fl. & Ferns U.S. i. t. 32 (1878).
Garden, xvii. 425 (1880); xxxiii. 392 (1888).
Newhall, Shrubs N.E. Amer. 172 (1893).
Miller & Whiting, Wild Fl. N.E. States, 372 (1895).
Parkhurst, Trees, Shrubs, Vines N.E. United States, 267, t. 4, fig. 20 (1903).—*Veg.*
Warming in Arbejd. Bot. Have Kjöbenhavn, xliii. No. 43, p. 33 (1908); et in Meddel. Groenl. xxxvi. 33 (1912).—*Fl.*
Suireishchikov, Ill. Fl. Mosc. Gov. iii. 19 (1910).
—— **nana** Hort.
Bean, Trees & Shrubs, i. 302 (1914).

CASSEBEERA Kaulf.: *Cheilanthes* (1), *Dosyopteris* (2), *Pellaea* (3)
farinosa J. Sm. (1)
Moore & Ayres, Mag. Bot. iii. 165 (1851).
gleichenioides Gardn. (3)
Hook. Ic. Pl. vi. t. 507 (1843).
Mart. Fl. Bras. i. ii. t. 43 (1870).
paradoxa Fée (2)
Fée, Mém. Foug. vii. t. 20 (1854–57); et in Mém. Soc. Sc. Nat. Strasbourg, v. i. t. 20 (1858).
petiolata Fée (3)
Fée, Mém. Foug. vii. t. 12 (1854–57); et in Mém. Soc. Sc. Nat. Strasbourg, v. i. t. 12 (1858).
pinnata Kaulf. (3)
Kaulfuss, Enum. Fil. t. 1, fig. 11 (1824).
*Martius, Crypt. Bras. t. 61 (1828–34).
Kunze, Anal. Pteridogr. t. 24 (1837).
T. Moore, Index Fil. Gen. & Spec. t. 27 [1857–62].
pteroides Presl (3)
Presl, Tent. Pteridogr. t. 6 (1836).
triphylla Kaulf. (2)
Presl, Tent. Pteridogr. t. 6 (1836).
*Hooker, Gen. Fil. t. 66 (1842).
Payer, Bot. Crypt. 195 (1850).
Fée, Mém. Foug. vii. t. 12 (1854–57).
J. Smith, Hist. Fil. t. 20 (1875).
Baillon, Dict. Bot. i. 647 (1878).
Schneider, Book Choice Ferns, ii. 26 (1893).—*Hab.*
Pflanzenfam. i. iv. 149, 287 (1899).
Nicholson, '1900' Suppl. Dict. Gard. 201 (1900). —*Hab.*
Hicken in An. Soc. Cient. Arg. Buenos Aires, lxii. v. 218 (1906).
Trab. Mus. Farm. Fac. Cienc. Med. Buenos Aires, No. 15, p. 218 (1907).

CASSEBEERIA Dennst.: *Sonerila*
maculata Dennst.
Pflanzenfam. iii. vii. 175 (1893).—*Fl.*

CASSELIA Nees & Mart.
chamaedryfolia Cham.
Warming in Dansk. Vid. Selsk. Skrift. Ser. VI. vi. 197 (1892).
integrifolia Nees & Mart.
Nov. Act. Acad. Nat. Cur. xi. t. 6 (1823).
*Fl. des Serres, Ser. I. iv. t. 361 (1848).
*Paxt. Mag. xv. 75 (1849).
Mansoi Schauer
Mart. Fl. Bras. ix. t. 32, fig. 2 (1851).
Bocquillon, Rev. Verbénac. t. 16 (1861–63).—*Fl.*
Pflanzenfam. iv. iii. a. 157 (1895).—*Fl.*
serrata Nees & Mart.
Nov. Act. Acad. Nat. Cur. xi. t. 6 (1823).

CASSIA Linn.—Vide *Bactyrilobium, Cathartocarpus, Chamaecrista, Chamaefistula, Grimaldia, Herpetica, Senna*
abbreviata Oliv.
Pharm. Journ. Ser. IV. xiii. 616 (1901).
Absus Linn.
*Buchoz, Herb. Col. Amér. [t. 56] (1783).
*Jacquin, Ecl. Pl. i. t. 53 (1811–16).
*Nees, Pl. Offic. ii. t. 350 (1828).
Cuoco, Fauna & Flora Eritrea, 68 (1897).
Basu, Ind. Med. Pl. t. 357 (1918).
aculeata Pohl
Mart. Fl. Bras. xv. ii. t. 39 (1870).

CASSIA
acuminata Willd.
Ettingshausen in Sitzb. Akad. Wiss. Wien, xii. IV. t. 19, fig. 19 (1854).—*Veg.*
Ettingshausen in Denkschr. Akad. Wiss. Wien, xxxvii. t. 27, fig. 13 (1877).—*Veg.*
acutifolia Del.
Delile, Fl. Égypte, t. 27 (1812).
*Hayne, Getreue Darst. Arzn. Gewächse, ix. t. 40 (1825).
*Nees, Pl. Offic. ii. t. 346 (1828).
Fée, Journ. Chimie Méd. vi. 228 (1830).
Lindley, Veg. Kingd. 550 (1846).
Lindley, Med. & Oecon. Bot. 177 (1849).
Ralph, Ic. Carpolog. t. 18 (1849).—*Fr.*
Bertoloni in Mem. Accad. Sc. Istit. Bologna, iv. t. 22 (1853).
*Artus, Atlas Pharm. Deutschl. Aufg. Offic. Gew. t. 85 [1862–74].
*Réveil, Règne Vég. x. t. 33 (1870).
Baillon, Hist. Pl. ii. 126 (1870).—*Fr.*
Ettingshausen in Denkschr. Akad. Wiss. Wien, xxxvii. t. 27, fig. 14 (1877).—*Veg.*
*Bentley & Trim. Med. Pl. ii. t. 90 (1877).
Amer. Nat. xvi. 285 (1882).—*Fl.*
Baillon, Traité Bot. Méd. Phan. i. 605 (1883).
*Köhler, Med. Pfl. i [t. 38] (1887).
Dujard.-Beaumetz & Égasse, Pl. Méd. 661 (1889).
Pflanzenfam. iii. III. 160 (1892).
Brehm, Merv. Nat. Monde des Pl. i. 564 (1894–96).
*Kohl, Off. Pfl. Pharm. Germ. t. 107 (1895).
Cuoco, Fauna & Flora Eritrea, 66 (1897).
Sadebeck, Kulturg. Deutsch. Kolon. Erzeugn. 339 (1899).
*De Janville, Pl. Utiles Pays Chauds, t. 39 (1902).
Hare, Caspari & Rusby, Nat. Stand. Dispens. 1380, fig. 391; 1381, fig. 395 (1905).
Beille, Bot. Pharm. ii. 840 (1909).
Tschirch, Handb. Pharmakog. ii. t. 65 (1917).—*Fr.*
Youngken, Pharm. Bot. Ed. 2, p. 291 (1918).
Trav. Mat. Méd. Paris, xii. I. t. 6, 16 (1920).
—— **acutifolia** Bisch.
Tschirch, Handb. Pharmakog. ii. t. 65 (1917).—*Veg.*
—— **obtusifolia** Bisch.
Tschirch, Handb. Pharmakog. ii. t. 65 (1917).—*Veg.*
adiantifolia Spruce
Trans. Linn. Soc. London, xxvii. t. 63 (1871).
Aeschynomene DC.
Colladon, Cass. t. 17 (1816).
alata Linn.
Rumphius, Herb. Amboin. vii. Auct. t. 18 (1755); fide Merrill, Interpret. Rumph. Herb. Amboin.
*Reichenbach, Mag. Aesth. Bot. (Ic. & Descr. Pl.), t. 84 [1823].
*Descourtilz, Fl. Pitt. & Méd. Antilles, vi. t. 443 (1828).
Wight, Ic. Pl. Ind. Or. i. t. 253 (1840).
Ralph, Ic. Carpolog. t. 18 (1849).—*Fr.*
*Blanco, Fl. Filip. t. 124, bis (1878–80).
*Bot. Mag. cv. t. 6425 (1879).
Ann. Jard. Bot. Buitenzorg, vi. t. 31 (1887).—*Fl.*
Christy, New Commerc. Pl. & Drugs, No. 11, p. 36 (1889).
Greshoff in Indische Mercuur, xviii. No. 1, tab. (1895).
Greshoff, Nutt. Ind. Pl. t. 12 (1895).
F. M. Bailey, Weeds & Poison. Pl. Queensland, 43 (1906).
Pobéguin, Fl. Guin. Franç. t. 48, 58 (1906).
*Kloppenburg-Versteegh, Pl. Atlas, t. 9 [1907].
Beille, Bot. Pharm. ii. 843 (1909).
Estac. Exp. Agronom., Cuba, Bol. No. 22, 1914, Ed. 2, t. 5 (1916).
Basu, Ind. Med. Pl. t. 355 (1918).
Rock, Legum. Pl. Hawaii, t. 32 (1920).
alexandrina Thell.
Garsault, Descr. Pl. & Anim. i. t. 42 *β* (1767); fide Thellung.
angulata Vog.
Mart. Fl. Bras. xv. II. t. 32 (1870).
angustifolia Vahl
*Berg & Schmidt, Darst. u. Beschr. Offiz. Gewächse, ii. t. 9, a (1859).

CASSIA
angustifolia
Berg, Charakt. t. 72, fig. 532, A, B (1861).
Baillon, Hist. Pl. ii. 126 (1870).
*Bentley & Trim. Med. Pl. ii. t. 91 (1877).
Baillon, Traité Bot. Méd. Phan. i. 606 (1883).
Hager, Handb. Pharm. Prax. Ed. Nov. ii. 949 (1887).
Dujard.-Beaumetz & Égasse, Pl. Méd. 662 (1889).
Kerner, Pflanzenleben, ii. 425 (1891).—*Fr.*
Pflanzenfam. iii. III. 160 (1892).
Karsten, Fl. Deutschl. ii. 273 (1895).—*Veg.*
Kerner & Oliv. Nat. Hist. Pl. ii. 431 (1895).—*Fr.*
*Kohl, Off. Pfl. Pharm. Germ. t. 108 (1895).
Hare, Caspari & Rusby, Nat. Stand. Dispens. 1380, fig. 390; 1381, fig. 396 (1905).
Beille, Bot. Pharm. ii. 841 (1909).
*Strasburger, Text-Book Botany, Ed. Angl. 4, p. 619 (1912).
Tschirch, Handb. Pharmakog. ii. t. 65 (1917).—*Fr.*
Trav. Mat. Méd. Paris, xii. I. t. 8 (1920).
—— **Ehrenbergii** Bisch.
Tschirch, Handb. Pharmakog. ii. t. 65 (1917).—*Veg.*
—— **genuina** Bisch.
Tschirch, Handb. Pharmakog. ii. t. 65 (1917).—*Veg.*
—— **Royleana** Bisch.
Tschirch, Handb. Pharmakog. ii. t. 65 (1917).—*Veg.*
angustisiliqua Lam.
Plumier, Pl. Amer. Ed. Burm. t. 78, fig. 2 (1756); fide Urban, Fedde Repert. Beih. v. 53.
aphylla Cav.
Cavanilles, Ic. vi. t. 561 (1801).
Apoucouita Aubl.
Aublet, Hist. Pl. Guiane Franç. iii. t. 146 (1775).
Mart. Fl. Bras. xv. II. t. 40 (1870).
Pflanzenfam. iii. III. 157 (1892).—*Fr.*
appendiculata Vog.
Mart. Fl. Bras. xv. II. t. 36 (1870).
aprica Vell.
Vellozo, Fl. Flum. iv. t. 76 (1827).
arachoides Burch.
Edmonds & Marloth, Elem. Bot. S. Africa, 144 (1897).—*Fl.*
Henslow, S. Afr. Flower. Pl. 129 (1903).—*Fl.*
Stoneman, Plants & their Ways S. Africa, Ed. 2, p. 312 (1915).—*Fl.*
arayatensis Llanos
*Blanco, Fl. Filip. t. 426 (1878–80).
arborescens Mill.
Ettingshausen in Sitzb. Akad. Wiss. Wien, xii. IV. t. 20, fig. 13 (1854).—*Veg.*
arereh Del.
A. Richard, Tent. Fl. Abyssin. Atlas, t. 47 [1847].
Ferret & Galinier, Abyss. Atlas, Bot. t. 3 (1847–48).
armata S. Wats.
M. Armstrong, Field Book West. Wild Fl. 266 (1915).
artemisioides Gaudich.
F. Turner, Forage Pl. Austral., Dep. Agric. N. S. Wales, 28 (1891).
—— **eremophila** F. Muell.
F. Mueller, Introd. Bot. Teach. Schools Victoria, 31 (1877).
—— **phyllodinea** F. Muell.
F. Mueller, Introd. Bot. Teach. Schools Victoria, 31 (1877).
aspera Muhl.
Bull. Torr. Bot. Club, xxii. t. 252, fig. 2 (1895).—*Veg.*
aurea Hort.
De Sornay, Green Manures Tropics, 403 (1916).
auriculata Linn.
Ralph, Ic. Carpolog. t. 18 (1849).—*Fr.*
*Trimen, Handb. Fl. Ceylon, Atlas, ii. t. 33 (1894).
Talbot, For. Fl. Bombay, i. 450, 451 (1909).
Basu, Ind. Med. Pl. t. 354 (1918).
australis Sims
*Bot. Mag. liii. t. 2676 (1826).
Reichenbach, Hort. Bot. t. 206 (1827–30).

CASSIA
australis
*Bot. Reg. xvi. t. 1322 (1830).
*Géel, Sert. Bot. Cl. 10 (1832).
J. C. Loudon, Arbor. & Frutic. Brit. ii. 661 (1838).
F. M. Bailey, Weeds & Poison. Pl. Queensland, 47 (1906).
—— **schinifolia** Henders.
*Ill. Bouquet, iii. t. 62 (1861–64).
australis Vell.
Vellozo, Fl. Flum. iv. t. 65 (1827).
aversiflora Herb.
*Bot. Mag. liii. t. 2638 (1826).
bacillaris Linn. f.
Ralph, Ic. Carpolog. t. 17 (1849).—*Fr.*
Mart. Fl. Bras. xv. II. t. 31 (1870).
Trans. Linn. Soc. London, xxvii. t. 62 (1871).
Ann. Jard. Bot. Buitenzorg, vi. t. 31 (1887); xxi. t. 20, fig. 2 (1907).
Pflanzenfam. ii. I. 145 (1889); iii. III. 157 (1892).—*Fl.*
Knuth, Handb. Blütenbiol. iii. I. 367 (1904).—*Fl.*
bacillus Gaertn.
Wight, Ic. Pl. Ind. Or. i. t. 252 (1840).
Barclayana Sweet
*Sweet, Fl. Austral. t. 32 (1828).
J. C. Loudon, Arbor. & Frutic. Brit. ii. 660 (1838).
Barrenfieldii Colla
Colla, Hort. Ripul. Append. 4 (Mem. Accad. Sc. Torino, xxxv), t. 11 (1831).
Gartenfl. xl. 75 (1891).—*Hab.*
Wien. Ill. Gart.-Zeit. xvi. 31 (1891).—*Hab.*
Bull. Arboricult. Belg. 1892, p. 208.
Bartonii F. M. Bailey
Queensland Agric. Journ. ix. t. 16 (1901).
basifolia Vog.
Mart. Fl. Bras. xv. II. t. 44 (1870).
Pflanzenfam. iii. III. 157 (1892).—*Fl.*
Glück, Blatt- & Blütenmorph. Stud. 34 (1919).—*Veg.*
bauhiniifolia Kunth
*Kunth, Mimos. (Humb. & Bonpl. Voy. vi), t. 37 (1819).
Beareana Holmes
Pharm. Journ. Ser. IV. xiv. 42 (1902).
Berteri Colla
Colla, Hort. Ripul. t. 24 (1824).
bicapsularis Linn.
Plumier, Pl. Amer. Ed. Burm. t. 76, fig. 1 (1756); fide Urban, Fedde Repert. Beih. v. 52.
*Jacquin, Fragm. t. 58 (1809).
Ralph, Ic. Carpolog. t. 17 (1849).—*Fr.*
Britton, Fl. Bermuda, 172 (1918).
Manganaro in An. Soc. Cient. Arg. Buenos Aires, lxxxvii. I–VI. 94, 96 (1919).
Rock, Legum. Pl. Hawaii, t. 35 (1920).
biflora Linn.
*Bot. Mag. xxi. t. 810 (1805).
*Bot. Reg. xvi. t. 1310 (1830).
Möllers Deutsche Gärtn.-Zeit. xxix. 351 (1914).—*Hab.*
bifoliolata DC.
Colladon, Cass. t. 9 (1816).
biglandulosa Bertol.
Bertoloni, Opusc. Sc. Bologna, iii. t. 19 (1819).
brasiliana Lam.
Buchoz, Hist. Règne Vég. x. Dec. 4, t. 2 (1775); sphalm. *C. brasiliensis.*
*Buchoz, Grand Jard. Univ. t. 69 (1785).
Ralph, Ic. Carpolog. t. 17 (1849).—*Fr.*
brasiliana Saldan.
Saldanha da Gama, Config. Descr. Madeiras Rio de Janeiro, t. [6] (1865).
brevifolia Lam.
Colladon, Cass. t. 19 (1816).
brevipes DC.
Colladon, Cass. t. 9 (1816).
Brewsteri F. Muell.
F. M. Bailey, Queensland Fl. t. 16 (1900).—*Fr.*
—— **silvestris** F. M. Bailey
*F. M. Bailey, Compr. Cat. Queensl. Pl. 151, t. 6 (1909–13).

CASSIA
Brongniartii Gaudich.
Gaudichaud, Voy. Bonite, Bot. Atlas, t. 10 (1844–66).
Browniana Kunth
*Kunth, Mimos. (Humb. & Bonpl. Voy. vi), t. 41 (1819).
Ralph, Ic. Carpolog. t. 18 (1849).—*Fr.*
Burmannii Wight
Wight in Madras Journ. vi. t. 5 (1837).
calycioides DC.
Colladon, Cass. t. 20 (1816).
Mart. Fl. Bras. xv. II. t. 43 (1870).
Candolleana Vog.
Ettingshausen in Sitzb. Akad. Wiss. Wien, xii. IV. t. 19, fig. 15–18 (1854).—*Veg.*
Ettingshausen, Blatt-Skel. Dikot. 219, t. 95 (1861).—*Veg.*
Ettingshausen in Denkschr. Akad. Wiss. Wien, xxxvii. t. 27, fig. 10, 11 (1877).—*Veg.*
capensis Thunb.
Colladon, Cass. t. 19 (1816).
*Lodd. Bot. Cab. vi. t. 511 (1821).
caracasana Jacq.
*Jacquin, Hort. Schoenbr. iii. t. 270 (1798).
caribaea Northrop
Mem. Torr. Bot. Club, xii. I. t. 6 (1902).
cathartica Mart.
Mart. Fl. Bras. xv. II. t. 42 (1870).
Chamaecrista Linn.
*Bot. Mag. iii. t. 107 (1790).
*Abbot & Smith, Nat. Hist. Lepidopt. Insects Georgia, i. t. 5 (1797).
*Schrank, Pl. Rar. Hort. Monac. i. t. 33 (1819).
Mart. Fl. Bras. xv. II. t. 45 (1870).
*Meehan, Native Fl. & Ferns U.S. Ser. II. i. t. 43 (1879).
Amer. Nat. xvi. 284 (1882).—*Fl.*
Mem. Torr. Bot. Club, ii. III. t. 10 (1891); xxii. t. 252, fig. 5 (1895).—*Veg.*
Pflanzenfam. iii. III. 160 (1892).
Hitchcock & Norton in Bull. Kansas Agric. St. No. 50, t. 1, fig. 19 (1895); No. 57, t. 4, fig. 39 (1896); No. 66, t. 4, fig. 39 (1897).
Britton & Brown, Ill. Fl. N. States & Canada, ii. 258 (1897).
Pittonia, iii. XVII. 240 (1897).—*Fl.*
Selby in Bull. Ohio Agric. St. No. 83, p. 304 (1897); No. 175, p. 334 (1906).
Lounsberry, Southern Wild Fl. & Trees, t. 78 (1901).
Norton & Walls in Bull. Maryland Agric. St. No. 100, p. 107 (1905).
Vilmorin, Hort. Vilm. (Bull. Soc. Bot. France, 1904, li. App.), 121 (1906).
Velenovsky, Vergl. Morphol. Pfl. ii. 715 (1907).—*Veg.*
Beille, Bot. Pharm. ii. 842 (1909).
Pammel, Man. Poison. Pl. 536 (1911).
F. E. & E. S. Clements, Rocky Mt. Fl. t. 29 (1914).
A. Georgia, Manual Weeds, t. 158 (1914).
Kinman in Bull. Porto Rico Agric. St. No. 19, t. 7 (1916); Ed. Hisp. (Plant. Protecc. Terreno), t. 7 (1917).
Hawaii Agric. Exper. Stat. Bull. No. 52, p. 9 (1917).
Pellett, Amer. Honey Pl. 188 (1920).
Chatelainiana Gaudich.
Freycinet, Voyage, t. 111 (1826).
Ralph, Ic. Carpolog. t. 18 (1849).—*Fr.*
chinensis Jacq.
*Jacquin, Ic. Pl. Rar. i. t. 73 (1781–86).
chinensis Lam.
Colladon, Cass. t. 10 (1816).
*Somoku Dzusetsu, Ed. 2, viii. t. 4 (1874).
chrysotingens Hoehne
Hoehne in Comm. Linh. Telegraph. Matto Grosso ão Amaz. Annexo, No. 5, Bot. viii. t. 143 (1919).
chrysotricha Collad.
Colladon, Cass. t. 13 (1816).
Ettingshausen in Sitzb. Akad. Wiss. Wien, xii. IV. t. 20, fig. 7, 8 (1854).—*Veg.*
circinata Benth.
F. Turner, Forage Pl. Austral., Dep. Agric. N. S. Wales, 25 (1891).
Lubbock, Seedlings, i. 459 (1892).—*Veg.*

CASSIA
coluteoides Collad.
Colladon, Cass. t. 12 (1816).
compressa Pohl
Velenovsky, Vergl. Morphol. Pfl. ii. 428 (1907).—*Veg.*
coquimbensis Vog.
*Bot. Mag. cxiv. t. 7002 (1888).
coromandeliana Jacq.
*Jacquin, Fragm. t. 100 (1809).
corymbosa Lam.
*Duhamel, Arbres & Arbustes, Ed. 2, vi. t. 32 (1801–19).
*Bot. Mag. xvii. t. 633 (1803).
*Jacquin, Fragm. t. 101 (1809).
*Mag. Bot. & Gard. iii. t. 35 (1835).
Ettingshausen, Blatt-Skel. Dikot. 219, t. 94 (1861).—*Veg.*
Unger in Denkschr. Akad. Wiss. Wien, xxii. t. 10, fig. 10 (1864).—*Veg.*
Somoku Dzusetsu, Ed. 2, viii. t. 5 (1874).
Belg. Hort. xxxi. 315 (1881).—*Hab.*
Journ. Hort. Ser. III. xxv. 233 (1892); lxi. 139 (1910).
Garden, l. 139 (1896).—*Hab.*
Gard. Chron. Ser. III. xxxi. 245 (1902); lii. 138 (1912).—*Hab.*
De Wildeman, Ic. Sel. Hort. Then. v. t. 183 (1905).
Apgar, Orn. Shrubs U.S. 129, fig. 164 (1910).
costata J. F. Bailey & White
Queensland Agric. Journ. N. Ser. iv. t. 22 (1915).
cotinifolia G. Don
Mart. Fl. Bras. xv. II. t. 41 (1870).
crassiramea Benth.
Hook. Ic. Pl. xi. t. 1063 (1870).
crista Jacq.
*Jacquin, Ic. Pl. Rar. i. t. 74 (1781–86).
Ettingshausen in Sitzb. Akad. Wiss. Wien, xii. IV. t. 19, fig. 11, 12 (1854).—*Veg.*
crotalarioides Kunth
*Kunth, Mimos. (Humb. & Bonpl. Voy. vi), t. 40 (1819).
Ralph, Ic. Carpolog. t. 18 (1849).—*Fr.*
cultrifolia H. B. K.
Ettingshausen, Blatt-Skel. Dikot. t. 95 (1861).—*Veg.*
cytisoides DC.
Colladon, Cass. t. 14 (1816).
dentata Vog.
Ettingshausen in Sitzb. Akad. Wiss. Wien, xii. IV. t. 20, fig. 9, 10 (1854).—*Veg.*
Ettingshausen, Blatt-Skel. Dikot. t. 93 (1861).—*Veg.*
depressa Pollard
Bull. Torr. Bot. Club, xxii. t. 251, 252, fig. 6 (1895).
desolata F. Muell.
F. Turner, Forage Pl. Austral., Dep. Agric. N. S. Wales, 29 (1891).
didymobotrya Fresen.
Rock, Legum. Pl. Hawaii, t. 33 (1920).
diphylla Linn.
Cavanilles, Ic. vi. t. 600 (1801).
disperma Vell.
Vellozo, Fl. Flum. iv. t. 69 (1827).
dormiens Vell.
Vellozo, Fl. Flum. iv. t. 67 (1827).
Droogmansiana De Wild.
De Wildeman, Études Fl. Katanga (Ann. Mus. Congo), i. t. 17 (1902).
elongata Lemaire-Lis.
*Carson, Ill. Med. Bot. i. t. 29 (1847).
*Strong, American Fl. ii. 9 (1848).
ensiformis Vell.
Vellozo, Fl. Flum. iv. t. 79 (1827).
eremophila A. Cunn.
A. Braun in Abh. Akad. Berlin, 1859, t. 6, fig. 10, 11 (1860).—*Fr.*
F. Mueller, Key Syst. Victorian Pl. ii. fig. 49 (1885).
F. Turner, Forage Pl. Austral., Dep. Agric. N. S. Wales, 27 (1891).
excelsa Schrad.
Mart. Fl. Bras. xv. II. t. 33 (1870).
falcata brasiliana Pinto
Pinto, Diccion. Bot. Brasil. fig. 15 (1873).

CASSIA
falcinella Oliv.
Trans. Linn. Soc. London, xxix. t. 36 (1873).
filipendula Boj.
*Nov. Act. Acad. Nat. Cur. xxii. II. t. 42 (1850).
fistula Linn.
Rheede, Hort. Mal. i. t. 22 (1678); fide Hasskarl, Hort. Mal. Rheed. Clavis, 11.
Rumphius, Herb. Amboin. ii. t. 21 (1743); fide Merrill, Interpret. Rumph. Herb. Amboin.
Garsault, Descr. Pl. & Anim. i. t. 53 (1767); fide Thellung.
*Regnault, Bot. iii. 104 (1774).
*Bergius, Mat. Med. i. 239, t. 511 (1778).
*Buchoz, Herb. Col. Amér. [t. 89] (1783).
*Zorn, Ic. Pl. Med. vi. t. 511 (1790).
Bordiga, Storia Piante Forast. i. t. 12 (1791).
Gaertner, Fruct. ii. t. 147 (1791).—*Fr.*
*Plenck, Ic. Pl. Med. iv. t. 327 (1791).
Lamarck, Ill. ii. t. 332, fig. 1 (1797).
*Oskamp, Afb. Artseny-Gewass. vi. t. 538 (1800).
*Vietz, Ic. Pl. Med.-oec.-techn. i. t. 47 (1800).
*Roques, Pl. Usuell. Indig. & Exot. i. t. 32 (1807).
*Nectoux, Voyage Haute Égypte, t. 4 (1808).
Bruce, Trav. Ed. 3, viii. Atlas, t. 44 (1813).
*Chaumeton, Fl. Méd. ii. t. 104 (1815).
*Descourtilz, Fl. Pitt. & Méd. Antilles, ii. t. 125 (1822).
*Hayne, Getreue Darst. Arzn. Gewächse, ix. t. 39 (1825).
*Tussac, Fl. Antilles, iv. t. 2 (1827).
*Fl. Med. [Spratt], ii. 206 (1830).
Delle Chiaje, Fl. Med. ii. tab. (1832).
*Woodville, Med. Bot. iii. t. 163 (1793); Ed. 3, iii. t. 160 (1832).
*Stephenson & Churchill, Med. Bot. New Ed. iii. t. 155 (1836).
*Burnett, Pl. Util. ii. 55, b (1845).
*Carson, Ill. Med. Bot. i. t. 26 (1847).
*Cassone, Fl. Med.-Farm. ii. t. 113 (1847).
*Strong, American Fl. i. 73 (1848).
Ralph, Ic. Carpolog. t. 17 (1849).—*Fr.*
Ettingshausen in Sitzb. Akad. Wiss. Wien, xii. IV. t. 20, fig. 12 (1854).—*Veg.*
*Good, Family Flora, ii. t. 77 (1854).
Berg, Charakt. t. 72, fig. 532, III–IX (1861).—*Fr.*
Ettingshausen, Blatt-Skel. Dikot. t. 92, 94 (1861).—*Veg.*
*Artus, Atlas Pharm. Deutschl. Aufg. Offic. Gew. t. 84 [1862–74].
Baillon, Hist. Pl. ii. 127, 128 (1870).
*Réveil, Règne Vég. viii. t. 30 (1870).
*Bentley & Trim. Med. Pl. ii. 87 (1877).
Baillon, Dict. Bot. i. 647 (1878).
*Blanco, Fl. Filip. t. 120 (1878–80).
Garden, xix. 78 (1881).
Baillon, Traité Bot. Méd. Phan. i. 603 (1883).
Vidal, Sin. Fam. & Gen. Pl. Leñ. Filip. (Introd. Fl. For. Filip.), Atlas, t. 42, fig. E (1883).—*Fr.*
Dujard.-Beaumetz & Égasse, Pl. Méd. 157 (1889).—*Fr.*
Lubbock, Seedlings, i. 461, 462 (1892).
Brehm, Merv. Nat. Monde des Pl. i. 563 (1894–96).
Knuth, Handb. Blütenbiol. iii. I. 376 (1904).—*Fl.*
Trop. Agric. xxv. No. 3, p. 496 (1905).—*Fr.*
*Kloppenburg-Versteegh, Pl. Atlas, t. 9 [1907].
Beille, Bot. Pharm. ii. 844 (1909).—*Fr.*
Talbot, For. Fl. Bombay, i. 449 (1909).
Pammel, Man. Poison. Pl. 532 (1911).
Koorders & Val. Atlas Baumart. Java, t. 29 (1913).
*Nat. Tijdschr. Nederl. Ind. lxxii. 249 (1913).
De Sornay, Green Manures in Tropics, 405 (1916).
Rock, Orn. Trees Hawaii, t. 43 (1917).
Basu, Ind. Med. Pl. t. 350 (1918).
Van Gorkom, Oost-Ind. Cult. Ed. 2, iii. 743 (1919).—*Hab.*
Rock, Legum. Pl. Hawaii, t. 28 (1920).
fistuloides Collad.
Colladon, Cass. t. 1 (1816).
flexuosa DC.
A. P. & A. De Candolle in Mém. Soc. Phys. & Hist. Nat. Genève, vii. t. 6 (sph. 4) (1836).
floribunda Cav.
Colladon, Cass. t. 11 (1816).

CASSIA
floribunda
Rev. Hort. Ser. IV. vii. 655 (1858); 1867, p. 188; 1905, p. 493; 1908, p. 211.
*Horticulteur Franç. 1861, t. 21.
Baillon, Hist. Pl. ii. 122, 123 (1870).
Baillon, Dict. Bot. i. 646 (1878).
Baillon, Traité Bot. Méd. Phan. i. 600, 601 (1883).
Garden, xxiii. 489 (1883).
*Bois, Dict. Hort. 260 (1893–99).
Brehm, Merv. Nat. Monde des Pl. i. 562 (1894–96).
Bellair & St.-Léger, Pl. Serre, 454 (1900).
Warming, Handb. Syst. Bot. Ed. Möbius, 357 (1902).—*Fl.*
florida Vahl
Beddome, Fl. Sylv. t. 179 (1872).
Pflanzer, ix. t. 16 (1913).—*Hab.*
De Sornay, Green Manures in Tropics, 407 (1916).
fluminensis Vell.
Vellozo, Fl. Flum. iv. t. 72 (1827).
fruticosa Mill.
Houstoun, Reliq. t. 17 (1781).
Garrettiana Craib
Lecomte, Fl. Gén. Indo-Chine, ii. 152 (1913).
gemina Vell.
Vellozo, Fl. Flum. iv. t. 74 (1827).
geminiflora Moc. & Sessé
Colladon, Cass. t. 3 (1816).
geminiflora Schrank
*Schrank, Pl. Rar. Hort. Monac. i. t. 26 (1819).
glandulosa Linn.
*Bot. Mag. lxii. t. 3435 (1835).
Ettingshausen, Blatt-Skel. Dikot. t. 92 (1861).—*Veg.*
glauca Lam.
Rheede, Hort. Mal. vi. t. 9, 19 (1686); fide Hasskarl, Hort. Mal. Rheed. Clavis, 47.
Rumphius, Herb. Amboin. iv. t. 23 (1743); fide Merrill, Interpret. Rumph. Herb. Amboin.
*Blanco, Fl. Filip. t. 426, bis (1878–80).
Vidal, Sin. Fam. & Gen. Pl. Leñ. Filip. (Introd. Fl. For. Filip.), Atlas, t. 43, fig. F (1883).—*Veg.*
Ann. Jard. Bot. Buitenzorg, vi. t. 31 (1887).—*Fl.*
Talbot, For. Fl. Bombay, i. 453 (1909).
Basu, Ind. Med. Pl. t. 356 (1918).
Goebel, Entfaltungsb. Pfl. 11 (1920).—*Veg.*
Rock, Legum. Pl. Hawaii, t. 31 (1920).
gonioides A. Cunn.
Hook. Ic. Pl. xi. t. 1061 (1870).
goratensis Fresen.
Fiori, Boschi e Piante Legn. Eritrea, 172 (1909–12).
Agric. Colon., Ital. v. 184 (1911).
Engler & Drude, Veget. Erde, ix. III. 1. 496 (1915).
gracilis Kunth
*Kunth, Mimos. (Humb. & Bonpl. Voy. vi), t. 36 (1819).
Ralph, Ic. Carpolog. t. 18 (1849).—*Fr.*
grandis Linn. f.
Trop. Agric. xxv. No. 3, p. 496 (1905).—*Fr.*
Grantii Oliv.
Trans. Linn. Soc. London, xxix. t. 35 (1873).
hecatophylla DC.
Colladon, Cass. t. 18 (1816).
Herbertiana Lindl.
*Bot. Reg. xvii. t. 1422 (1831).
herpetica Jacq.
Jacquin, Obs. Bot. t. 45, fig. 2 (1767).
hirsuta Vell.
Vellozo, Fl. Flum. iv. t. 80 (1827).
hirsuta Linn.
Mart. Fl. Bras. xv. II. t. 34 (1870).
Pflanzenfam. ii. 1. 145 (1889).—*Fl.*
Trop. Agric. xliv. No. 1, frontisp. (1915).—*Hab.*
hispidula Vahl
Mart. Fl. Bras. xv. II. t. 35 (1870).
holosericea Fresen.
Tschirch, Handb. Pharmakog. ii. t. 65 (1917).—*Veg.*
Hookeriana Gill.
Jörgensen in An. Mus. Nac. Hist. Nat. Buenos Aires, xxviii. 503 (1916).—*Veg.*

CASSIA
Horsfieldii Miq.
Knuth, Handb. Blütenbiol. iii. 1. 371 (1904).—*Fl.*
hypnotica Vell.
Vellozo, Fl. Flum. iv. t. 75 (1827).
indecora H. B. K.
Ettingshausen in Sitzb. Akad. Wiss. Wien, xii. IV. t. 19, fig. 20, 21 (1854).—*Veg.*
Knuth, Handb. Blütenbiol. iii. 1. 379 (1904).—*Fl.*
Somoku Dzusetsu, Ed. Makino (Iconogr. Pl. Nippon), viii. t. 4 (1910).
italculumiensis Damazio
Bull. Soc. Bot. Genève, Ser. II. iv. 251 (1912).
Broteria, Ser. Bot. xi. 53 (1913).
javanica Linn.
Rumphius, Herb. Amboin. ii. t. 22 (1743); fide Merrill, Interpret. Rumph. Herb. Amboin.
Vidal, Sin. Fam. & Gen. Pl. Leñ. Filip. (Introd. Fl. For. Filip.), Atlas, t. 42, fig. D (1883).—*Fl.*
Koorders & Val. Atlas Baumart. Java, t. 30 (1913); t. 579 (1915).
javanica Vell.
Vellozo, Fl. Flum. iv. t. 73 (1827).
Kethulleana De Wild.
De Wildeman, Études Fl. Katanga (Ann. Mus. Congo), i. t. 16 (1902).
Kleinii Wight & Arn.
Rheede, Hort. Mal. ix. t. 21 (1689); fide Hasskarl, Hort. Mal. Rheed. Clavis, 70.
lactea Vatke
Grandidier, Hist. Madag. [Plantes] Atlas, t. 30 (1886).
laevigata Willd.
Colladon, Cass. t. 5 (1816).
*Gartenfl. iii. t. 77 (1854).
F. M. Bailey, Weeds & Poison. Pl. Queensland, 43 (1906).
Somoku Dzusetsu, Ed. Makino (Iconogr. Pl. Nippon), viii. t. 3 (1910).
Guilfoyle, Austral. Pl. 216 [1911].—*Hab.*
Bull. Soc. Dendr. France, 1913, p. 193.—*Veg.*
Fyson, Fl. Nilgiri & Pulney Hill-tops, ii. 91 (1915).
Rock, Legum. Pl. Hawaii, t. 34 (1920).
lanceolata Forsk.
Lamarck, Ill. ii. t. 332, fig. 3 (1797).
*Roques, Pl. Usuell. Indig. & Exot. ii. t. 41 (1808).
*Nectoux, Voyage Haute Égypte, t. 2 (1808).
*Roques, Phytogr. Medic. ii. t. 151 (1821); Nouv. Ed. Atlas, t. 125 (1835).
*Hayne, Getreue Darst. Arzn. Gewächse, ix. t. 41 (1825).
*Nees, Pl. Offic. ii. t. 345 (1828).
*Wagner, Pharm.-Med. Bot. ii. t. 135 (1829).
Delle Chiaje, Fl. Med. ii. tab. (1832).
Graves, Hort. Med. 159 (1834).—*Veg.*
*Schlechtendal & Guimpel, Abb. Pharm. Boruss. Gew. iii. t. 205 (1837).
*Royle, Illustr. Bot. Himal. t. 37 (1839).
*Carson, Ill. Med. Bot. i. t. 27 (1847).
Bot. Zeitung, viii. t. 10 (1850).
*Artus, Atlas Pharm. Deutschl. Aufg. Offic. Gew. t. 86 [1862–74].
lanceolata Collad.
Colladon, Cass. t. 15 (1816).
leiandra Benth.
Mart. Fl. Bras. xv. II. t. 30 (1870).
Pflanzenfam. ii. 1. 145 (1889).—*Fl.*
lenitiva Bisch.
Berg, Charakt. t. 72, fig. 532, E (1861).—*Veg.*
Hager, Handb. Pharm. Prax. Ed. Nov. ii. 947, 948 (1887).
Kerner, Pflanzenleben, ii. 89 (1891).—*Fl.*
Kerner & Oliv. Nat. Hist. Pl. ii. 91 (1895).—*Fl.*
—— **acutifolia** Del.
Karsten, Deutsche Fl. Pharm.-medic. Bot. 716 (1880–83).
Karsten, Fl. Deutschl. ii. 272 (1895).—*Veg.*
—— **obtusifolia** Bisch.
*Berg & Schmidt, Darst. u. Beschr. Offiz. Gewächse, i. t. 8, f (1858).
Karsten, Deutsche Fl. Pharm.-medic. Bot. 716 (1880–83).
Karsten, Fl. Deutschl. ii. 272 (1895).

CASSIA
Leschenaultiana DC.
Fyson, Fl. Nilgiri & Pulney Hill-tops, iii. 322 (1920).
ligustrina Linn.
Dillenius, Hort. Eltham. Add. Denom. Linn. t. 259 (1774).
*Panzer, Martyn's Abbild. Beschr. Selt. Gewächse, t. 19 (1797).
*Bot. Mag. xliii. t. 1829 (1816).
*Bot. Reg. ii. t. 109 (1816).
*Descourtilz, Fl. Pitt. & Méd. Antilles, ii. t. 134 (1822).
Ettingshausen, Blatt-Skel. Dikot. t. 93 (1861).—*Veg.*
Britton, Fl. Bermuda, 171 (1918).
Lindleyana Gardn.
*Dietrich, Fl. Univ. N. Ser. t. 10 (1861).
Lorentzii Niederl.
*Roca, Exped. Rio Negro, ii. Bot. t. 5 (1881).
macranthera DC.
Colladon, Cass. t. 8 (1816).
macrocarpa Micheli
Micheli in Mém. Soc. Phys. Genève, xxviii. t. 16 (1883).
macrophylla Kunth
*Kunth, Mimos. (Humb. & Bonpl. Voy. vi), t. 38 (1819).
magnifica Mart.
Ettingshausen in Sitzb. Akad. Wiss. Wien, xii. IV. t. 19, fig. 23, 24 (1854).—*Veg.*
Ettingshausen, Blatt-Skel. Dikot. t. 86 (1861).—*Veg.*
marginata Roxb.
Ralph, Ic. Carpolog. t. 17 (1849).—*Fr.*
Presid. Coll. Bot. Bull. Madras, No. 18, t. 18 (1913).
marilandica Linn.
*Kniphof, Herb. Viv. i. t. 215 (1758).
Dillenius, Hort. Eltham. Add. Denom. Linn. t. 260 (1774).
*F. J. Schultz, Abb. Bäume, Staud. Sträuch. Oesterr. i. t. 89 (1792).
*Panzer, Martyn's Abbild. Beschr. Selt. Gewächse, t. 21 (1797).
Barton, Elem. Bot. t. 17, fig. 1 (1804).
*Schkuhr, Bot. Handb. Ed. 2, t. 113 (1808).
*Barton, Med. Bot. i. t. 12 (1817).
*Bigelow, Amer. Med. Bot. ii. t. 39 (1819).
*Nees, Pl. Offic. ii. t. 349 (1828).
Rafinesque, Med. Fl. i. t. 18 (1828).
*Strong, American Fl. iv. 34 (1850).
*Good, Family Flora, i. t. 21 (1854).
*Schnizlein, Iconogr. iv. t. 275 b (1856).—*Fl.*
Ettingshausen, Blatt-Skel. Dikot. t. 95 (1861).—*Veg.*
Garden, xii. 399 (1877).
*Bentley & Trim. Med. Pl. ii. t. 88 (1878).
*Nederl. Fl. & Pomona, ii. t. 78 (1879).
W. Robinson, Engl. Fl. Gard. t. 61 (1883).—*Hab.*
Nicholson, Illustr. Dict. Gard. i. 276 [1884–88].
Rep. Comm. Agric. Washington, 80, t. 4 (1885).
Hager, Handb. Pharm. Prax. Ed. Nov. ii. 949 (1887).—*Veg.*
Jardin, ii. 239 (1888).—*Hab.*
Pflanzenfam. iii. III. 157 (1892).—*Fl.*
*Miller & Whiting, Wild Fl. N.E. United States, frontisp., 122 (1895).
Hitchcock & Norton in Bull. Kansas Agric. St. No. 57, t. 3, fig. 38 (1896); No. 66, t. 4, fig. 38 (1897); No. 76, t. 3, fig. 15 (1898).
Britton & Brown, Ill. Fl. N. States & Canada, ii. 258 (1897); Ed. 2, ii. 356 (1913).
Pittonia, iii. XVII. 240 (1897).—*Fl.*
Selby in Bull. Ohio Agric. St. No. 83, p. 304 (1897); No. 175, p. 335 (1906).
Lochman, Phot. Med. Pl. t. 92 (1898).
Torreya, iv. 180 (1904).—*Fr.*
Pharm. Journ. Ser. IV. xx. 619 (1905).
Norton & Walls in Bull. Maryl. Agric. St. No. 100, t. 1, fig. 34 (1905).—*Fr.*
Pammel, Man. Poison. Pl. 537 (1911).
U.S. Dep. Agric. Bur. Pl. Indust. Bull. No. 219, p. 12 (1911).
Gager, Fundam. Bot. 467 (1916).

CASSIA
marilandica
Tschirch, Handb. Pharmakog. ii. t. 65 (1917).—*Veg.*
*House, Wild Fl. New York (Mem. No. 15 N.Y. State Mus.), i. t. 104 (1918).
marimari Aubl.
Plumier, Pl. Amer. Ed. Burm. t. 78, fig. 1 (1756); fide Urban, Fedde Repert. Beih. v. 53.
medica Vell.
Vellozo, Fl. Flum. iv. t. 62 (1827).
medicinalis Bisch.
Karsten, Fl. Deutschl. ii. 273 (1895).—*Veg.*
—— **Ehrenbergii** Bisch.
Karsten, Deutsche Fl. Pharm.-medic. Bot. 717 (1880–83).—*Veg.*
—— **genuina** Bisch.
Karsten, Deutsche Fl. Pharm.-medic. Bot. 717 (1880–83).—*Veg.*
—— **Royleana** Bisch.
Karsten, Deutsche Fl. Pharm.-medic. Bot. 717 (1880–83).—*Veg.*
Karsten, Fl. Deutschl. ii. t. 273 (1895).—*Veg.*
Medsgeri Shafer
Torreya, iv. 180 (1904).—*Fr.*
Louisiana State Mus. Nat. Hist. Surv. Bull. No. 1 [t. 3] (1910).
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, ii. 336 (1913).
mexicana Jacq.
*Jacquin, Hort. Schoenbr. ii. t. 203 (1797).
Reichenbach, Hort. Bot. t. 235 (1827–30).
mimosoides Linn.
Rumphius, Herb. Amboin. vi. t. 67, fig. 1 (1750); fide Merrill, Interpret. Rumph. Herb. Amboin.
*Somoku Dzusetsu, Ed. 2, ii. t. 38; xiv. t. 1 (1874).
*Useful Pl. Jap. i. t. 286 (1895).
Collett, Fl. Siml. 148 (1902).
F. M. Bailey, Weeds & Poison. Pl. Queensland, 47 (1906).
Somoku Dzusetsu, Ed. Makino (Iconogr. Pl. Nippon), ii. t. 38 (1907).
Koorders, Exkursionsfl. Java, ii. 369 (1912).
Engler & Drude, Veget. Erde, ix. III. 1. 499 (1915).
Basu, Ind. Med. Pl. t. 356 (1918).
Rock, Legum. Pl. Hawaii, t. 37 (1920).
—— **Telfairiana** Hook.
*Bot. Mag. xcvi. t. 5874 (1870).
mississippiensis Pollard
Bull. Torr. Bot. Club, xxii. t. 252, fig. 7 (1895).—*Veg.*
monaden Vell.
Vellozo, Fl. Flum. iv. t. 63 (1827).
monophylla Vell.
Vellozo, Fl. Flum. iv. t. 61 (1827).
montana Vell.
Vellozo, Fl. Flum. iv. t. 77 (1827).
montana Heyne
*Blanco, Fl. Filip. t. 452 (1878–80).
Pharm. Journ. Ser. IV. xii. 646 (1901).
Tschirch, Handb. Pharmakog. ii. t. 65 (1917).—*Veg.*
moschata H. B. K.
Trans. Linn. Soc. London, xxiv. t. 26 (1863).
Pharm. Journ. Ser. II. v. 350 (1864).
multiglandulosa Linn.
*Jacquin, Ic. Pl. Rar. i. t. 72 (1781–86).
multijuga Rich.
Mart. Fl. Bras. xv. II. t. 37 (1870).
multipinnata Pollard
Bull. Torr. Bot. Club, xxii. t. 250, 252, fig. 3 (1895).
Mutisiana Kunth
*Kunth, Mimos. (Humb. & Bonpl. Voy. vi), t. 43 (1819).
Ralph, Ic. Carpolog. t. 18 (1849).—*Fr.*
neglecta Vog.
Schimper, Bot. Mitt. Tropen, Heft i. t. 3 (1888).—*Veg.*
Nelsonii Rose
Contrib. U.S. Nat. Herb. v. 135 (1897).
nictitans Linn.
Linnaeus, Hort. Cliff. t. 36 (1737); fide Linn.

CASSIA
nictitans
*Meehan, Native Fl. & Ferns U.S. Ser. II. ii. t. 34 (1880).
Bull. Torr. Bot. Club, xxii. t. 252, fig. 1 (1895).—*Veg.*
Britton & Brown, Ill. Fl. N. States & Canada, ii. 257 (1897).
Creevey, Harper's Guide Wild Flowers, 178 (1912).
Contrib. Bot. Lab. Univ. Pennsylvania, iv. t. 58 (1919).
nodosa Buch.-Ham.
Wight, Ic. Pl. Ind. Or. ii. t. 410 (1840–43).
Proc. & Journ. Agric. & Hort. Soc. India, 67 (1903).
Trop. Agric. xxv. No. 3, p. 496 (1905).—*Fr.*
*Rock, Orn. Trees Hawaii, 76, t. 44 (1917).—*Hab.*
Rock, Legum. Pl. Hawaii, t. 29 (1920).
nutans Collad.
Colladon, Cass. t. 4 (1816).
obovata Collad.
Colladon, Cass. t. 15 (1816).
*Hayne, Getreue Darst. Arzn. Gewächse, ix. t. 42 (1825).
*Nees, Pl. Offic. ii. t. 347 (1828).
Graves, Hort. Med. 159 (1834).—*Veg.*
*Schlechtendal & Guimpel, Abb. Pharm. Boruss. Gew. iii. t. 206 (1837).
*Carson, Ill. Med. Bot. i. t. 28 (1847).
Ralph, Ic. Carpolog. t. 18 (1849).—*Fr.*
*Berg & Schmidt, Darst. u. Beschr. Offiz. Gewächse, ii. t. 9, b (1859).
Berg, Charakt. t. 72, fig. 532, C, H-II (1861).
*Argenta, Album Fl. Med.-Farm. i. t. 103 (1862).
Schnizlein, Iconogr. iv. t. 275 b (1866–70).
Baillon, Hist. Pl. ii. 124, 125 (1870).
*Bentley & Trim. Med. Pl. ii. t. 89 (1877).
Baillon, Dict. Bot. i. 647 (1878).
Karsten, Deutsche Fl. Pharm.-medic. Bot. 717 (1880–83).—*Veg.*
Baillon, Traité Bot. Méd. Phan. i. 607, 608 (1883).
*Zippel, Ausländ. Handels- & Nährpfl. t. 28 (1885).
Hager, Handb. Pharm. Prax. Ed. Nov. ii. 948 (1887).
Dujard.-Beaumetz & Égasse, Pl. Méd. 662 (1889).
Lubbock, Seedlings, i. 460 (1892).—*Veg.*
Brehm, Merv. Nat. Monde des Pl. i. 564 (1894–96).
Karsten, Fl. Deutschl. ii. 272 (1895).—*Veg.*
Knuth, Handb. Blütenbiol. iii. 1. 377 (1904).—*Fl.*
Hare, Caspari & Rusby, Nat. Stand. Dispens. 1380 (1905).
Lazaro, Comp. Fl. Españ. ii. 214 (1907).
Beille, Bot. Pharm. ii. 825, 826 (1909).
Crowfoot, Desert Fl. t. 12 [1914?].
Trotter, Fl. Econ. della Libia, 185 (1915).
Basu, Ind. Med. Pl. t. 354 (1918).
Trav. Mat. Méd. Paris, xii. 1. t. 7, 10, 16 (1920).
—— **genuina** Bisch.
Tschirch, Handb. Pharmakog. ii. t. 65 (1917).—*Veg.*
—— **obtusata** Bisch.
Karsten, Deutsche Fl. Pharm.-medic. Bot. 717 (1880–83).—*Veg.*
Karsten, Fl. Deutschl. ii. 272 (1895).—*Veg.*
Tschirch, Handb. Pharmakog. ii. t. 65 (1917).
obtusa Roxb.
Wight, Ic. Pl. Ind. Or. iii. t. 757 (1843–45).
obtusata Hayne
*Hayne, Getreue Darst. Arzn. Gewächse, ix. t. 43 (1825).
Graves, Hort. Med. 159 (1834).—*Veg.*
*Schlechtendal & Guimpel, Abb. Pharm. Boruss. Gew. iii. t. 207 (1837).
Berg, Charakt. t. 72, fig. 532, D (1861).—*Veg.*
Ettingshausen, Blatt-Skel. Dikot. 221 (1861).—*Veg.*
*Artus, Atlas Pharm. Deutschl. Aufg. Offic. Gew. t. 87 [1862–74]; sphalm. *C. obtusa.*
obtusifolia Linn.
Dillenius, Hort. Eltham. Add. Denom. Linn. t. 62 (1774).
Basu, Ind. Med. Pl. 473 (1918) in textu; *C. tora,* in ic., t. 353.

CASSIA
occidentalis Linn.
Rumphius, Herb. Amboin. v. t. 97, fig. 1 (1747); fide Merrill, Interpret. Rumph. Herb. Amboin.
*Panzer, Martyn's Abbild. Beschr. Selt. Gewächse, t. 20 (1797).
*Titford, Sketches Hort. Bot. Amer. t. 9 (1812).
*Bot. Reg. i. t. 83 (1816).
*Descourtilz, Fl. Pitt. & Méd. Antilles, ii. t. 135 (1822).
Vellozo, Fl. Flum. iv. t. 66 (1827).
*Audubon, Birds Amer. iii. t. 171 (1841).
Ralph, Ic. Carpolog. t. 18 (1849).—*Fr.*
Ettingshausen, Blatt-Skel. Dikot. t. 94 (1861).—*Veg.*
*Somoku Dzusetsu, Ed. 2, viii. t. 2 (1874).
*Blanco, Fl. Filip. t. 73 (1878–80).
Amer. Nat. xvi. 285 (1882).—*Fl.*
Ann. Jard. Bot. Buitenzorg, vi. t. 31 (1887).—*Fl.*
Britton & Brown, Ill. Fl. N. States & Canada, ii. 259 (1897); Ed. 2, ii. 356 (1913).
*Rev. Hort. 1897, p. 156.
Trans. Acad. Sc. St. Louis, xiii. 201 (1903).—*Fl.*
Somoku Dzusetsu, Ed. Makino (Iconogr. Pl. Nippon), viii. t. 2 (1910).
A. Georgia, Manual Weeds, t. 157 (1914).
De Sornay, Green Manures in Tropics, 379 (1916).
Queensland Agric. Journ. N. Ser. v. t. 2 (1916).
Basu, Ind. Med. Pl. 351 (1918).
Britton, Fl. Bermuda, 172 (1918).
Rock, Legum. Pl. Hawaii, t. 36 (1920).
—— **Sophera** Vog.
*Jacquin, Ecl. Pl. ii. t. 148 (1844) in textu; *C. purpurea* in ic.
odorata Morris
*Morris, Fl. Conspic. t. 57 [1825–30].
ovalifolia Mart. & Gal.
Ettingshausen in Sitzb. Akad. Wiss. Wien, xii. IV. t. 19, fig. 2, 3 (1854).—*Veg.*
Baillon, Hist. Pl. ii. 126 (1870).—*Veg.*
Baillon, Traité Bot. Méd. Phan. i. 609 (1883).—*Veg.*
oxyphylla Kunth
*Kunth, Mimos. (Humb. & Bonpl. Voy. vi), t. 39 (1819).
Trans. Linn. Soc. London, xxvii. t. 61 (1871).
pachycalyx Vog.
Ettingshausen in Sitzb. Akad. Wiss. Wien, xii. IV. t. 19, fig. 22 (1854).—*Veg.*
parahyba Vell.
Vellozo, Fl. Flum. iv. t. 71 (1827).
paratyensis Vell.
Vellozo, Fl. Flum. iv. t. 70 (1827).
patellaria DC.
Colladon, Cass. t. 16 (1816).
pentagonia Mill.
Mart. Fl. Bras. xv. II. t. 34 (1870).
Pflanzenfam. iii. III. 157 (1892).—*Fr.*
Petersiana Bolle
Grandidier, Hist. Madag. [Plantes] Atlas, t. 29 (1886).
Engler & Drude, Veget. Erde, ix. I. 1. 404 (1910); ix. III. 1. 494 (1915).
phyllodinea R. Br.
F. Turner, Forage Pl. Austral., Dep. Agric. N. S. Wales, 26 (1891).
pilosa Linn.
Colladon, Cass. t. 20 (1816).
planisiliqua Linn.
Plumier, Pl. Amer. Ed. Burm. t. 77 (1756); fide Urban, Fedde Repert. Beih. v. 52.
Ettingshausen in Sitzb. Akad. Wiss. Wien, xii. IV. t. 19, fig. 13, 14 (1854).—*Veg.*
Ettingshausen, Blatt-Skel. Dikot. t. 94 (1861).—*Veg.*
Ettingshausen in Denkschr. Akad. Wiss. Wien, xxxvii. t. 27, fig. 12 (1877).—*Veg.*
platypoda R. Br.
F. Mueller, Pl. Victoria, i. t. 25 (1864–65).
Pohliana Benth.
Mart. Fl. Bras. xv. II. t. 42 (1870).
polyantha Moc. & Sessé
Colladon, Cass. t. 2 (1816).

CASSIA
polyphylla Jacq.
*Jacquin, Ic. Pl. Rar. iii. t. 460 (1786–93).
*Addisonia, i. t. 2 (1916).
procumbens Linn.
Bull. Torr. Bot. Club, xxii. t. 252, fig. 8 (1895).—*Veg.*
pubescens Jacq.
*Jacquin, Fragm. t. 57 (1809).
Ann. Jard. Bot. Buitenzorg, vi. t. 31 (1887).—*Fl.*
pulchella Salisb.
*Lodd. Bot. Cab. xix. t. 1839 (1832).
purpurea Roxb.
*Bot. Reg. x. t. 856 (1825).
*Jacquin, Ecl. Pl. ii. t. 148 (1844) in ic.; *C. occidentalis Sophera* in textu.
quiedondilla Micheli
Micheli in Mém. Soc. Phys. Genève, xxxiv. t. 19 (1903).
renigera Wall.
Gard. Chron. Ser. III. xl. 394 (1906).—*Hab.*
Journ. Bombay Nat. Hist. Soc. xvii. 1036 (1907).—*Hab.*
rhombifolia Roxb.
Wight, Ic. Pl. Ind. Or. i. t. 269 (1840).
Ralph, Ic. Carpolog. t. 17 (1849).—*Fr.*
Richardiana Kunth
*Kunth, Mimos. (Humb. & Bonpl. Voy. vi), t. 42 (1819).
Ralph, Ic. Carpolog. t. 18 (1849).—*Fr.*
rostrata Mart.
*Verh. Ver. Beförd. Gartenb. iii. t. 7 (1827).
Roxburghii DC.
*Wight, Illustr. Ind. Bot. i. t. 83 (1840).
Beddome, Fl. Sylv. t. 180 (1872).
rugosa G. Don
Hoehne in Comm. Linh. Telegraph. Matto Grosso ão Amaz. Annexo No. 5, Bot. viii. t. 142 (1919).
ruscifolia Jacq.
*Jacquin, Ic. Pl. Rar. i. t. 71 (1781–86).
Ettingshausen, Blatt-Skel. Dikot. t. 93, 94 (1861).—*Veg.*
schinifolia A. DC.
*Horticulteur Franç. 1864, t. 21.
Schultesii Colla
Colla, Hort. Ripul. Append. 3 (Mem. Accad. Sc. Torino, xxxiii), 166, t. 10 (1829).
Selloi G. Don
Ettingshausen, Blatt-Skel. Dikot. t. 94, 95 (1861).—*Veg.*
semifalcata Vell.
Vellozo, Fl. Flum. iv. t. 68 (1827).
Senna Linn.
N. L. Burman, Fl. Ind. t. 33 (1768).
*Regnault, Bot. iii. 103 (1774).
*Plenck, Ic. Pl. Med. iv. t. 326 (1791).
*Woodville, Med. Bot. iii. t. 162 (1793); Ed. 3, iii. t. 159 (1832).
Bordiga, Storia Piante Forast. iv. t. 81 (1794).
Lamarck, Ill. ii. t. 332, fig. 2 (1797).
*Vietz, Ic. Pl. Med.-oec.-techn. ii. t. 191 (1803).
*Roques, Pl. Usuell. Indig. & Exot. ii. t. 41 (1808).
*Nectoux, Voyage Haute Égypte, t. 1 (1808).
*Jacquin, Ecl. Pl. i. t. 87 (1811–16).
*Oskamp, Afb. Artseny-Gewass. vii. t. 80 (1813).
*Chaumeton, Fl. Méd. vi. t. 323 (1818).
*Descourtilz, Fl. Pitt. & Méd. Antilles, ii. t. 133 (1822).
*Nees, Pl. Offic. ii. t. 348 (1828).
*Fl. Med. [Spratt], i. 128 (1829).
*Wagner, Pharm.-Med. Bot. ii. t. 180 (1829).
*Stephenson & Churchill, Med. Bot. New Ed. i. t. 30 (1834).
*Burnett, Pl. Util. ii. 54, a (1845).
Duchesne, Pl. Util. t. 109 (1846).
*Cassone, Fl. Med.-Farm. ii. t. 115 (1847).
*Schubert, Naturg., Pflanzenreich, Ed. 2, t. 21, fig. 3 [1865].
*C. Hoffmann, Pflanzenatlas, t. 33, fig. 202 (1881).
sennoides Jacq.
*Jacquin, Ic. Pl. Rar. i. t. 70 (1781–86).
sensitiva Jacq.
*Jacquin, Ic. Pl. Rar. iii. t. 459 (1786–93).

CASSIA
sericea Sw.
Mart. Fl. Bras. xv. II. t. 35 (1870).
Pinto, Diccion. Bot. Brasil. fig. 26 (1873).
Pflanzenfam. iii. III. 157 (1892).—*Fr.*
serpens grandiflora Hoehne
Hoehne in Comm. Linh. Telegraph. Matto Grosso ão Amaz. Annexo No. 5, Bot. viii. t. 145 (1919).
setosa Vog.
Mart. Fl. Bras. xv. II. t. 41 (1870).
siamea Lam.
Knuth, Handb. Blütenbiol. iii. I. 375 (1904).—*Fl.*
Talbot, For. Fl. Bombay, i. 454 (1909).
Presid. Coll. Bot. Bull. Madras, No. 7, t. 7 (1914).
Kanehira, Formosan Trees, 191 (1917).
Rock, Orn. Trees Hawaii, t. 42 (1917).
Rock, Legum. Pl. Hawaii, t. 30 (1920).
silvestris Vell.
Vellozo, Fl. Flum. iv. t. 78 (1827).
Mart. Fl. Bras. xv. II. t. 38 (1870).
Simpsonii Pollard
Bull. Torr. Bot. Club, xxii. t. 252, fig. 4 (1895).—*Veg.*
Sophera Linn.
Rheede, Hort. Mal. ii. t. 52 (1679); fide Fl. Brit. Ind. ii. 262.
Somoku Dzusetsu, Ed. Makino (Iconogr. Pl. Nippon), viii. t. 5 (1910).
Apgar, Orn. Shrubs U.S. 129, fig. 163 (1910).
Basu, Ind. Med. Pl. t. 352 (1918).
Goebel, Entfaltungsb. Pfl. 458 (1920).—*Veg.*
—— **schinifolia** Benth.
F. M. Bailey, Weeds & Poison. Pl. Queensland, 47 (1906).
F. Sulman, Wild Fl. N. S. Wales, ii. t. 13 (1914).
spectabilis DC.
Colladon, Cass. t. 7 (1816).
A. S. & P. P. Calvert, A Year of Costa Rican Nat. Hist. 336 (1917).
splendida Vog.
Ettingshausen in Sitzb. Akad. Wiss. Wien, xii. IV. t. 20, fig. 11 (1854).—*Veg.*
*Dietrich, Fl. Univ. N. Ser. t. 9 (1861).
Spruceana Benth.
Trans. Linn. Soc. London, xxvii. 149 (1871) in textu; *C. Sprucei* in ic. t. 60.
stipulacea Soland.
Ettingshausen in Sitzb. Akad. Wiss. Wien, xii. IV. t. 20, fig. 4, 5 (1854).—*Veg.*
stricta Schrank
*Schrank, Pl. Rar. Hort. Monac. i. t. 34 (1819).
sulcata DC.
Colladon, Cass. t. 6 (1816).
tomentosa Linn. f.
*Schrank, Pl. Rar. Hort. Monac. i. t. 1 (1819).
Ann. Jard. Bot. Buitenzorg, xxi. t. 22, fig. 25 (1907).
Fyson, Fl. Nilgiri & Pulney Hill-tops, ii. 92 (1915).
Goebel, Entfaltungsb. Pfl. 463 (1920).—*Veg.*
tora Linn.
Rheede, Hort. Mal. ii. t. 53 (1679); fide Fl. Brit. Ind. ii. 263.
Rumphius, Herb. Amboin. v. t. 97, fig. 2 (1747); fide Merrill, Interpret. Rumph. Herb. Amboin.
Plumier, Pl. Amer. Ed. Burm. t. 76, fig. 2 (1756); fide Urban, Fedde Repert. Beih. v. 52.
Dillenius, Hort. Eltham. Add. Denom. Linn. t. 63 (1774).
Ralph, Ic. Carpolog. t. 18 (1849).—*Fr.*
Le Maout & Decaisne, Traité Gén. Bot. 309 (1868).—*Fr.*
*Somoku Dzusetsu, Ed. 2, viii. t. 1 (1874).
*Blanco, Fl. Filip. t. 122 (1878–80).
Britton & Brown, Ill. Fl. N. States & Canada, ii. 258 (1897); Ed. 2, ii. 335 (1913).
Somoku Dzusetsu, Ed. Makino (Iconogr. Pl. Nippon), viii. t. 1 (1910).
Estac. Exp. Agronom., Cuba, Bol. No. 22, 1914, Ed. 2, t. 6 (1916).
Basu, Ind. Med. Pl. t. 353 (1918) in ic.; *C. obtusifolia* in textu, p. 473.

CASSIA
tragacanthoides Mart.
Mart. Fl. Bras. xv. II. t. 45 (1870).
triflora Jacq.
*Jacquin, Hort. Schoenbr. iv. t. 480 (1804).
tropica Vell.
Vellozo, Fl. Flum. iv. t. 64 (1827).
umbellata Reichb.
Reichenbach, Hort. Bot. t. 206 (1827–30).
uniflora Spreng.
Mart. Fl. Bras. xv. II. t. 43 (1870).
uniflora Mill.
Fawcett & Rendle, Fl. Jamaica, iv. II. 106 (1920).
—— **utarityi** Hoehne
Hoehne in Comm. Linh. Telegraph. Matto Grosso ão Amaz. Annexo No. 5, Bot. viii. t. 144 (1919).
Verdickii De Wild.
De Wildeman, Études Fl. Katanga (Ann. Mus. Congo), i. t. 16 (1902).
villosa Mill.
Hook. Ic. Pl. xi. t. 1060 (1870).
viscida Zoll. & Mor.
Ann. Jard. Bot. Buitenzorg, vi. t. 31 (1887).—*Fl.*

CASSIDISPERMUM Hemsl.
megahilum Hemsl.
Ann. Bot. vi. t. 14, fig. 1–4 (1892).—*Fr.*

CASSINE Linn.
Aquifolium Fiori
Fiori in Bull. Soc. Bot. Ital. Bull. No. 4–6, p. 50 (1915).
articulata E. Mey.
Ettingshausen, Blatt-Skel. Dikot. t. 68 (1861).—*Veg.*
capensis Linn.
N. L. Burman, Rar. Afr. Pl. t. 85 (1739); fide Fl. Cap.
Dillenius, Hort. Eltham. Add. Denom. Linn. t. 236 (1774).
Lamarck, Ill. i. t. 130, fig. 3 (1797).
Berchtold & J. S. Presl, Rostlin. ii. t. 68 (1825).
J. C. Loudon, Arbor. & Frutic. Brit. ii. 504 (1838).
Ettingshausen, Blatt-Skel. Dikot. t. 68 (1861).—*Veg.*
—— **Colpoon** Sond.
N. L. Burman, Rar. Afr. Pl. t. 86 (1739); fide Fl. Cap.
iliciifolia Hayata
Hayata, Ic. Pl. Formosan. iii. t. 11 (1913).
magellanica Lam.
Lamarck, Ill. i. t. 130, fig. 2 (1797).
Matsudai Hayata
Hayata, Ic. Pl. Formosan. ix. 17 (1920).
Maurocenia Linn.
Dillenius, Hort. Eltham. Add. Denom. Linn. t. 121 (1774).
Gaertner, Fruct. ii. t. 92 (1791).—*Fr.*
Lamarck, Ill. i. t. 130, fig. 1 (1797).
Hook. Ic. Pl. vi. t. 552 (1843).
Ettingshausen, Blatt-Skel. Dikot. t. 65 (1861).—*Veg.*
Journ. Bot. Soc. S. Africa, iii. t. 1 (1917).—*Veg.*
peragua Linn.
*Bergius, Mat. Med. i. 338, t. 535 (1778).
*Zorn, Ic. Pl. Med. vi. t. 535 (1790).
*Plenck, Ic. Pl. Med. iii. t. 239 (1790).
*Joh. Kerner, Abbild. Oek. Pfl. (Fig. Pl. Écon.), viii. t. 766 (1796).
*Oskamp, Afb. Artseny-Gewass. vi. t. 560 (1800).
*Schkuhr, Bot. Handb. Ed. 2, t. 84 (1808).
*Vietz, Ic. Pl. Med.-oec.-techn. v. t. 388 (1817).
xylocarpa Vent.
Ventenat, Choix Pl. t. 23 (1803).
Pflanzenfam. iii. v. 196 (1892).—*Fr.*

CASSINIA R. Br.—Vide *Rhynea*
amoena Cheesem.
Cheeseman, Ill. New Zeal. Fl. t. 107 (1914).
arcuata R. Br.
F. Mueller, Pl. Victoria, i. t. 43 (1864–65) in textu; *C. paniculata* in ic.
F. Mueller, Key Syst. Victoria Pl. ii. fig. 84 (1885).
*Journ. Dep. Agric. Victoria, v. t. 15, p. 498 (1907).

CASSINIA
arcuata
*Ewart & Tovey, Weeds, Poison. Pl. & Nat. Aliens Victoria, 32 (1909).
Guilfoyle, Austral. Pl. 336 [1911].—*Hab.*
aurea R. Br.
*Bot. Reg. ix. t. 764 (1824).
denticulata R. Br.
F. Sulman, Wild Fl. N. S. Wales, ii. t. 33 (1914).
fulvida Hook. f.
Gartenfl. xxxix. 241 (1890).
Koehne, Dendrol. 563 (1893).
Schimper, Pflanzen-Geogr. 692 (1898).—*Hab.*
Schneider, Ill. Handb. Laubh. ii. 760 (1911).
Silva Tarouca, Freiland-Laubgehölze, 171 (1913). —*Hab.*
leptophylla R. Br.
Paxt. Fl. Gard. iii. 16 (1852–53).
Lem. Jard. Fl. iv. Misc. 66 (1854).
paniculata Behr & F. Muell.
F. Mueller, Pl. Victoria, i. t. 43 (1864–65) in ic.; *C. arcuata* in textu.
phylicifolia Wood
Wood, Natal Pl. iv. III. t. 355 (1905).
spectabilis R. Br.
*Bot. Reg. viii. t. 678 (1823).
subtropica F. Muell.
F. M. Bailey, Queensland Fl. t. 32 (1900).
Vauvilliersii Hook. f.
Laing & Blackwell, Pl. New Zeal. Ed. 2, p. 431 (1907).
Illustr. New Zeal. Fl. (Educ. Dep.), t. 15 (1908). —*Hab.*

CASSINOPSIS Sond.
capensis Harv. & Sond.
Sim, For. Fl. Cape Col. t. 16 (1907).
madagascariensis Baill.
Grandidier, Hist. Madag. [Plantes] Atlas, t. 240 (1892).
Pflanzenfam. iii. v. 243 (1893).
tinifolia Harv.
Harvey, Thes. Cap. ii. t. 168 (1863).
Sim, For. Fl. Cape Colony, t. 16 (1907).

CASSIOPE D. Don—Vide *Andromeda* (5), *Harrimanella*
ericoides D. Don
Fedtschenko, Fl. Aziat. Ross. fasc. 9, p. 40 (1916).
fastigiata D. Don
*Bot. Mag. lxxx. t. 4796 (1854).
Cottage Gard. xiii. 224 (1855).
Pflanzenfam. iv. 1. 22 (1889).
Garden, xliii. 189 (1893).—*Hab.*
Gard. Chron. Ser. III. xlvii. 379 (1910).—*Hab.*
Schneider, Ill. Handb. Laubh. ii. 524 (1911).
hypnoides D. Don
J. C. Loudon, Arbor. & Frutic. Brit. ii. 1107 (1838).
*Verlot, Pl. Alp. Ed. 2, t. 7 (1873).
Lauche, Deutsche Dendrol. Ed. 2, p. 236 (1883).
Bot. Tidsskr. xv. 179, 181 (1886).
Warming in Meddel. Groenl. xii. 114 (1888).
Dippel, Handb. Laubholzk. i. 354 (1889).
Pflanzenfam. iv. 1. 22 (1889).
Britton & Brown, Ill. Fl. N. States & Canada, ii. 565 (1897).
Knuth, Handb. Blütenbiol. ii. II. 39 (1899).—*Fl.*
*Rikli in Jahrb. St. Gall. Naturw. Ges. 1901–2, p. 440 (1903).
Keeler, Our North. Shrubs, 375 (1903); Ed. 2, p. 375 (1912).
Gard. Chron. Ser. III. xxxix. 226 (1906).—*Hab.*
Warming in Arbejd. Bot. Have Kjöbenhavn, No. 43, p. 23–25 (1908); et in Meddel. Groenl. xxxvi. 23–25 (1912).—*Fl.*
Fedtschenko & Fler. Fl. Eur. Russia, 724 (1910).
Schneider, Ill. Handb. Laubh. ii. 524 (1911).
F. E. & E. S. Clements, Rocky Mt. Fl. t. 15 (1914).
Mathews, Field Book Amer. Trees & Shrubs, 349 (1915).
Lindman, Svensk Fanerogamfl. 442 (1918).
lycopodioides D. Don
J. G. Gmelin, Fl. Sibir. iv. t. 57, fig. 1 (1769); fide Ledebour, Comm. 125.
K. Ito, Nipon Skokubutsu Dsu-setsu (Ic. Pl. Jap.), t. 16 (1874).

CASSIOPE
lycopodioides
Proc. Washington Acad. Sc. iii. 572 (1901).
*Miyoshi & Makino, Pocket-Atl. Alp. Pl. Jap. i. t. 26, fig. 148 (1906).
Fedtschenko, Fl. Aziat. Ross. fasc. 9, p. 43 (1916).
Mertensiana G. Don
Proc. Washington Acad. Sc. iii. 571 (1901).
*Burroughs, Muir & Grinnell, Alaska, i. 32 (1902). —*Hab.*
Henshaw, Mount. Wild Fl. Amer. t. 25 (1906).
*S. Brown, Alp. Fl. Rocky Mts. 216, t. 59 (1907).
Muhlenbergia, vii. No. 10, frontisp. p. 112 (1911).—*Hab.*
H. M. & C. C. Hall, Yosemite Fl. 179 (1912).
Barnes in Nat. Geogr. Mag. Washington, xxiii. 595 (1912).—*Hab.*
M. Armstrong, Field Book West. Wild Fl. 355 (1915).
Redowskiana G. Don
Fedtschenko, Fl. Aziat. Ross. fasc. 9, p. 41 (1916).
selaginoides Hook. f. & Thoms.
Hooker's Journ. Bot. & Kew Misc. vii. t. 4 (1855).
Stelleriana DC.
*Burroughs, Muir & Grinnell, Alaska, i. 32 (1902). —*Hab.*
*Miyoshi & Makino, Pocket-Atl. Alp. Pl. Jap. i. t. 6, fig. 34 (1906).
tetragona D. Don
J. C. Loudon, Arbor. & Frutic. Brit. ii. 1107 (1838).
*Verlot, Pl. Alp. Ed. 2, t. 29 (1873).
Nicholson, Illustr. Dict. Gard. i. 277 [1884–88]. —*Hab.*
Bot. Tidsskr. xv. 176, 178 (1886).
Warming in Meddel. Groenl. xii. 108 (1888).
Dippel, Handb. Laubholzk. i. 354 (1889).
Pflanzenfam. iv. 1. 22 (1889).
Dieck, Nat. Arb. Zoesch. 14 (1891); 14 (1892).
Britton & Brown, Ill. Fl. N. States & Canada, ii. 566 (1897); Ed. 2, ii. 686 (1913).
Schimper, Pflanzen-Geogr. 13 (1898).
Knuth, Handb. Blütenbiol. ii. II. 38 (1899).—*Fl.*
Proc. Washington Acad. Sc. iii. 572 (1901).
*Rikli in Jahrb. St. Gall. Naturw. Ges. 1901–2, p. 440 (1903).
Arbejd. Bot. Have Kjöbenhavn, No. 43, p. 26–28 (1908); lxx. 361 (1912).—*Hab.*
Fedtschenko & Fler. Fl. Eur. Russia, 725 (1910).
Lundager in Meddel. Groenl. xliii. 361 (1911). —*Hab.*
Warming in Meddel. Groenl. xxxvi. 26–28 (1912).
Silva Tarouca, Freiland-Laubgehölze, 171 (1913). —*Hab.*
Fedtschenko, Fl. Aziat. Ross. fasc. 9, p. 38 (1916).
Lindman, Svensk Fanerogamfl. 442 (1918).

CASSIPOUREA Aubl.—Vide *Legnotis*
elliptica Poir.
Hook. Ic. Pl. iii. t. 280 (1840).
Schnizlein, Iconogr. iv. t. 263* (1843–70).
Lindley, Veg. Kingd. 604 (1846).
Baillon, Hist. Pl. vi. 292 (1877).—*Fl.*
Pflanzenfam. iii. VII. 55 (1893).—*Fl.*
guianensis Aubl.
Aublet, Hist. Pl. Guiane Franç. iv. t. 211 (1775).
Lamarck, Ill. ii. t. 406 (1797).
Mart. Fl. Bras. xii. II. t. 91 (1876).
verticillata N. E. Br.
Wood, Natal Pl. iii. IV. t. 276 (1902).

CASSUPA Humb. & Bonpl.
verrucosa Humb. & Bonpl.
Humboldt & Bonpl. Pl. Aeq. t. 12 (1805).
Lamarck, Ill. vi. t. 938 (1819).
Mart. Fl. Bras. vi. VI. t. 129 (1889).
Pflanzenfam. iv. IV. 62 (1891).—*Fl.*

CASSUVIUM Lam.: *Anacardium*
pomiferum Lam.
Lamarck, Ill. ii. t. 322 (1797).
Dict. Sc. Nat., Planch. Bot. Dicot. t. 261 (1816–29).
*Tussac, Fl. Antilles iii. t. 13 (1824) in textu; *Anacardium occidentale* in ic.

CASSUVIUM
reniforme Blanco
*Blanco, Fl. Filip. t. 116 (1878–80).

CASSYTHA Linn.
americana Nees
Mart. Fl. Bras. v. II. t. 107 (1866).
Jahrb. Bot. Gart. Berlin, v. t. 2, fig. 19; t. 3, fig. 58 (1889).—*Fl.*
Pflanzenfam. iii. II. 125 (1889).
brasiliensis Mart.
Chatin, Anat. Comp. Vég. Atlas, t. 5 (1856–91).— *Veg.*
Casuarinae Nees
Chatin, Anat. Comp. Vég. Atlas, t. 6 (1856).
ciliolata Nees
*Marloth, Fl. S. Africa, i. 226, 228, t. 62 (1913).
corniculata N. L. Burm.
N. L. Burman, Fl. Ind. t. 33 (1768).
filiformis Linn.
Rheede, Hort. Mal. vii. t. 44 (1688); fide Fl. Brit. Ind. v. 188.
Rumphius, Herb. Amboin. v. t. 184, fig. 4 (1747); fide Merrill, Interpret. Rumph. Herb. Amboin.
Jacquin, Sel. Stirp. Amer. Hist. t. 79 (1763).
*Jacquin, Sel. Stirp. Amer. Hist. Picta, t. 116 [1780].
Gaertner, Fruct. i. t. 27 (1788).—*Fr.*
Lamarck, Ill. ii. t. 323 (1797).
*Hooker, Exot. Fl. iii. t. 167 (1827).
Lindley, Veg. Kingd. 538 (1846).
Wight, Ic. Pl. Ind. Or. v. t. 1847 (1852).
Trans. Linn. Soc. London, xxii. t. 68 (1859). —*Fl.*
Le Maout & Decaisne, Traité Gén. Bot. 460 (1868).
Baillon, Hist. Pl. ii. 444 (1870).—*Fl.*
Baillon, Traité Bot. Méd. Phan. i. 696 (1883).
Pflanzenfam. ii. 1. 133 (1889); iii. II. 125 (1889). —*Fl.*
Knuth, Handb. Blütenbiol. iii. 1. 310 (1904). —*Fl.*
F. M. Bailey, Compr. Cat. Queensl. Pl. 437 (1909–13).
Wettstein, Handb. Syst. Bot. Ed. 2, p. 553 (1911).
Pflanzer, ix. t. 32 (1913).
Rock, Indig. Trees Hawaiian Isl. t. 9 (1913).— *Hab.*
Fawcett & Rendle, Fl. Jamaica, iii. 1. 218 (1914).
R. E. Fries, Schwed. Rhod.-Kong.-Exped. 1911–12, Bot. i. 1. t. 1 (1914).—*Hab.*
Engler & Drude, Veget. Erde, ix. III. 1. 222 (1915).
Basu, Ind. Med. Pl. t. 835 (1918).
Bose, Man. Ind. Bot. 273 (1920).
glabella R. Br.
F. Mueller, Pl. Victoria, i. t. 68 (1864–65).
F. Mueller, Key Syst. Victorian Pl. ii. fig. 5 (1885).
F. M. Bailey, Compr. Cat. Queensl. Pl. 437 (1909–13).
melantha R. Br.
Proc. Roy. Soc. Victoria, N. Ser. xxxiii. II. t. 18 (1919).—*Veg.*
pubescens R. Br.
F. M. Bailey, Weeds & Poison. Pl. Queensland, 171 (1906).
F. M. Bailey, Compr. Cat. Queensl. Pl. 437 (1909–13).
racemosa Nees
F. M. Bailey, Compr. Cat. Queensl. Pl. 438 (1909–13).

CASSYTHA Mill.: *Rhipsalis*
baccifera Mill.
*J. Miller, Illustr. Syst. Sex. Linn. t. 29 (1771).

CASTALIA Salisb.: *Nymphaea*
alba Greene
New Phytologist, vii. t. 4 (1908).—*Hab.*
*Horwood, Brit. Wild Fl. iv. t. 38, p. 73 (1919).
A. Arber, Water Pl. 26, 28, 31 (1920).
caerulea Tratt.
*Trattinick, Ausw. Gartenpfl. i. t. 32 (1821).
candida Schinz & Thell.
Bull. Herb. Boiss. Ser. II. viii. t. 1, fig. VI (1908).—*Veg.*

CASTALIA
elegans Greene
Gard. & Forest, viii. 205 (1895).
Leibergii Morong
Bot. Gaz. xiii. 124 (1888).
Lotus monstrosa C. A. Barber
A. Arber, Water Pl. 37 (1920).—*Veg.*
magnifica Salisb.
*Salisbury, Parad. Londin, i. t. 14, 14 bis (1805).
*Trattinick, Ausw. Gartenpfl. i. t. 33, 33 a (1821).
mexicana Coult.
U.S. Dep. Agric. Bull. No. 465, p. 37–39 (1917).
odorata Woodv. & Wood.
*Wild Fl. Canada, t. 255 (1894).—*Hab.*
Britton & Brown, Ill. Fl. N. States & Canada, ii. 44 (1897); Ed. 2, ii. 79 (1913).
*Blanchan, Nat. Gard. 174 (1900).
Stone, Pl. Southern New Jersey (Ann. Rep. New Jersey State Mus. 1910), t. 59 (1911).—*Hab.*
*House, Wild Fl. New York (Mem. No. 15 N.Y. State Mus.), i. t. 57 (1918).
pygmaea Salisb.
*Salisbury, Parad. Londin, i. II. t. 68 (1806).
speciosa Salisb.
West in Proc. Roy. Soc. Edinb. xxv. No. 11, t. 31, 33 (1905); xxx. No. 2, t. 11, 44 (1910).—*Hab.*
stellata Bl.
*Trattinick, Ausw. Gartenpfl. i. t. 31 (1821).
tetragona Lawson
Britton & Brown, Ill. Fl. N. States & Canada, ii. 45 (1897); Ed. 2, ii. 80 (1913).
tuberosa Greene
Britton & Brown, Ill. Fl. N. States & Canada, ii. 44 (1897); Ed. 2, ii. 80 (1913).
*House, Wild Fl. New York (Mem. No. 15 N.Y. State Mus.), i. t. 58 (1918).

CASTANEA Adans.—Vide *Fagus*
alnifolia Nutt.
*Nuttall, Sylva, i. t. 6 (1865).
Bull. Soc. Dendr. France, 1908, p. 143.—*Veg.*
Schneider, Ill. Handb. Laubh. ii. 900 (1912).—*Veg.*
americana Rafin.
Dippel, Handb. Laubholzk. ii. 57 (1892).—*Veg.*
L. H. Bailey, Cycl. Amer. Hort. 256 (1900).—*Veg.*
Pammel, Man. Poison. Pl. 402 (1911).
Mitt. Deutsch. Dendr. Ges. 1912, p. 115.—*Hab.*
argentea Bl.
*Blume, Fl. Jav., Cupul. t. 21 (1828).
J. C. Loudon, Arbor. & Frutic. Brit. iii. 2004 (1838).
Örsted in Dansk. Vid. Selsk. Skrift. Ser. V. ix. 342 (1873).—*Fl.*
Koorders & Val. Atlas Baumart. Java, t. 37 (1913).
Bungeana Bl.
Nakai, Fl. Sylv. Koreana, Pt. 3, p. 39–44, t. 4, 5, 7 (1917).
—— **chaibam** Nakai
Nakai, Fl. Sylv. Koreana, Pt. 3, t. 6 (1917).
Castanea Karst.
Karsten, Deutsche Fl. Pharm.-medic. Bot. 494 (1880–83).
Karsten, Fl. Deutschl. ii. 24 (1895).
Schneider, Dendrol. Winterst. 23, 25, 160 (1903).
Schneider, Ill. Handb. Laubh. i. 141, 155, 157, 158 (1904).
—— **aspleniifolia** C. K. Schneider
Schneider, Ill. Handb. Laubh. i. 155 (1904).—*Veg.*
chrysophylla Dougl.
*Hooker, London Journ. Bot. ii. t. 16 (1843).
*Bot. Mag. lxxxii. t. 4953 (1856).
*Belg. Hort. vii. t. 40 (1857).
*Fl. des Serres, Ser. II. ii. t. 1184 (1857).
Rep. Expl. & Surv. Railr. Mississippi, 1854–55, vi. III. 26 (1857).
Mathews, Field Book Amer. Trees & Shrubs, 135 (1915).
concinna Champ.
Seemann, Bot. Voy. Herald, t. 86 (1856).

CASTANEA
crenata Sieb. & Zucc.
Dippel, Handb. Laubholzk. ii. 56 (1892).—*Veg.*
L. H. Bailey, Cycl. Amer. Hort. 257 (1900); Stand. Cycl. Hort. 682 (1914).
Elwes & Henry, Trees Gr. Brit. & Ireland, iv. t. 237 (1909).—*Hab.*
Apgar, Orn. Shrubs U.S. 317, fig. 567 (1910).—*Veg.*
Schneider, Ill. Handb. Laubh. ii. 899 (1912).—*Fr.*
Prunet in Ann. Serv. Épiphyties, ii. 81, 83 (1915).
Davidii Dode
Bull. Soc. Dendr. France, 1908, p. 143–54.
Schneider, Ill. Handb. Laubh. ii. 899, 900 (1912).
dentata Borkh.
Britton & Brown, Ill. Fl. N. States & Canada, i. 515 (1896); Ed. 2, i. 615 (1913).
Sargent, Silva N. Amer. ix. t. 440, 441 (1896).
U.S. Dep. Agric. Div. Pom. Nut Cult. t. 14 (1896).—*Fr.*
S. B. Green, Forestry Minnesota, 213 (1898).
Clark in Bull. Vermont Agric. St. No. 73, p. 57 (1899).
*Lounsberry, Guide to the Trees, Ed. 2, t. 89 (1900).
Huntington, Stud. Trees in Winter, 82 (1902).—*Veg.*
Fox, Tree Plant. Highways, 34, 38 tab. (1903).
Schneider, Ill. Handb. Laubh. i. 155 (1904); ii. 899 (1912).
*Rogers, Tree Book, 185, 186, 188 (1905).
Sargent, Man. Trees N. Amer. 220 (1905).
Canad. For. Journ. ii. 174, 182, 192 (1906).—*Veg.*
Hough, Handb. Trees N. States & Canada, t. 134, 135 (1907).
Emerson & Weed, Our Trees, How to Know Them, 120 (1908).
Britton, N. Amer. Trees, 273 (1908).
Bull. Soc. Dendr. France, 1908, p. 143, 147; 1912, p. 117.—*Fr.*
Elwes & Henry, Trees Gr. Brit. & Ireland, iii. t. 202 (1908).—*Veg.*
Bull. New York Bot. Gard. vii. t. 138 (1909).—*Hab.*
Blakeslee & Jarvis, New England Trees in Winter (Storrs Agric. Exp. St. Bull. No. 69), 431 (1911).
Chapman in Rep. Massachusetts Agric. St. No. 23, I. t. 1 (1911).—*Veg.*
Collins & Preston, Key to Trees, 81 (1912).—*Veg.*
Keeler, Our Native Trees, 387, 389, 391 (1912).
Otis, Michigan Trees (Ann Arbor. Mich.), 94 (1913).
Blakeslee & Jarvis, Trees in Winter, 297 (1913).
S. B. Elliott, Import. Timber Trees U.S. 288 (1913).—*Hab.*
L. H. Bailey, Stand. Cycl. Hort. 681 (1914).—*Veg.*
Levison, Stud. Trees, 81 (1914).—*Veg.*
Merck's Rep. (Pract. Journ. Pharm.), xxiv. 85 (1915).
Journ. Heredity, vi. 412 (1915).—*Hab.*
Prunet in Ann. Serv. Épiphyties, ii. 81, 83 (1915).
*Mathews, Field Book Amer. Trees & Shrubs, 132, 135 (1915).
Burns & Otis in Bull. Vermont Agric. Exp. St. No. 194, p. 108 (1916).
Amer. Mus. Journ. xvii. 316 (1917).
Morton & Lewis, Native Trees Canada (Dept. Int. Canada, Forest. Branch Bull. No. 61), 170, 171 (1917).
Illick, Pennsylvania Trees (Pennsylv. Dept. For. Bull. No. 11), fig. 99, t. 2–4, 6, 7, 9, 53 (1919).
Duclouxii Dode
Bull. Soc. Dendr. France, 1908, p. 143.—*Veg.*
Schneider, Ill. Handb. Laubh. ii. 900 (1912).—*Veg.*
edulis Gaertn.
Berg, Charakt. t. 21, fig. 180 (1861).
esculenta L. Reinhardt
L. Reinhardt, Kulturgesch. Nutzpfl. (Erde und Kultur), iv. I. 219 (1911).

CASTANEA
Fargesii Dode
Bull. Soc. Dendr. France, 1908, p. 143, 156.
Schneider, Ill. Handb. Laubh. ii. 899, 900 (1912).
hupehensis Dode
Bull. Soc. Dendr. France, 1908, p. 143–54.
Wilson, Veg. West. China (Publ. Arn. Arb. No. 2), 146, 147 (1911).—*Hab.*
Schneider, Ill. Handb. Laubh. ii. 899, 900 (1912).
indica Roxb.
Wight, Ic. Pl. Ind. Or. ii. t. 417 (1840–43).
japonica Bl.
Wien. Ill. Gart.-Zeit. x. 400, 401 (1885).—*Fr.*
American Garden, xii. 277 (1891).
U.S. Dep. Agric. Div. Pom. Nut Cult. t. 14 (1896).—*Fr.*
Bull. Soc. Dendr. France, 1908, p. 143, 147.
javanica Bl.
*Blume, Fl. Jav., Cupul. t. 23, 24 (1828).
J. C. Loudon, Arbor. & Frutic. Brit. iii. 2004 (1838).
Koorders, Exkursionsfl. Java, ii. 56 (1912).
Koorders & Val. Atlas Baumart. Java, t. 38 (1913).
martabanica Wall.
*Wallich, Pl. Asiat. Rar. ii. t. 107 (1831).
J. C. Loudon, Arbor. & Frutic. Brit. iii. 2003 (1838).
mollissima Bl.
U.S. Dep. Agric. Bur. Pl. Indust. Invent. Seeds & Pl. Import. No. 36, t. 2, 3 (1915).—*Hab.*
Nakai, Fl. Sylv. Koreana, Pt. 3, p. 45–53, t. 2, 7 (1917).
—— **dulcissima** Nakai
Nakai, Fl. Sylv. Koreana, Pt. 3, t. 3 (1917).
nana Muhl.
Bull. Torr. Bot. Club, xxi. t. 206 (1894).
neglecta Dode
Bull. Soc. Dendr. France, 1908, p. 143.—*Veg.*
Schneider, Ill. Handb. Laubh. ii. 900 (1912).—*Veg.*
pubinervis C. K. Schneider
Schneider, Ill. Handb. Laubh. i. 155 (1904).—*Veg.*
pumila Mill.
*Michaux, Arb. Amer. Sept. ii. t. 7, p. 166 (1812).
*Trattinick, Ausg. Taf. Arch. i. 65 (1813).
Trattinick, Arch. ii. t. 107 (1814).
*Michaux, N. Amer. Sylva, ii. t. 105 (1819).
J. C. Loudon, Arbor. & Frutic. Brit. iii. 2002 (1838).
*Audubon, Birds Amer. ii. t. 79 (1841).
Ettingshausen in Denkschr. Akad. Wiss. Wien, xv. t. 8, fig. 17–19 (1858).—*Veg.*
Ettingshausen, Blatt-Skel. Dikot. 10 (1861).—*Veg.*
Garten-Zeit. Berlin, iv. 146, 147 (1885).
Dippel, Handb. Laubholzk. ii. 58 (1892).
Newhall, Shrubs N.E. Amer. 219 (1893).—*Veg.*
Britton & Brown, Ill. Fl. N. States & Canada, i. 515 (1896); Ed. 2, i. 616 (1913).
Sargent, Silva N. Amer. ix. t. 442, 443 (1896).
U.S. Dep. Agric. Div. Pom. Nut Cult. t. 15 (1896).—*Veg.*
*Lounsberry, Guide to the Trees, Ed. 2, t. 90 (1900).
Keeler, Our North. Shrubs, 447 (1903); Ed. 2, p. 447 (1912).
Schneider, Ill. Handb. Laubh. i. 155 (1904); ii. 899 (1912).
Rogers, Tree Book, 189 (1905).
Sargent, Man. Trees N. Amer. 222 (1905).
Hough, Handb. Trees N. States & Canada, 136, 137 (1907).
Jardin, xxi. 372 (1907).
Emerson & Weed, Our Trees, How to Know Them, 123 (1908).
Britton, N. Amer. Trees, 272 (1908).
Bull. Soc. Dendr. France, 1908, p. 143, 151.
Elwes & Henry, Trees Gr. Brit. & Ireland, iii. t. 202 (1908).—*Veg.*
Collins & Preston, Key to Trees, 82 (1912).—*Veg.*
Silva Tarouca, Freiland-Laubgehölze, 172 (1913).
Bean, Trees & Shrubs, i. 308 (1914).
Merck's Rep. (Pract. Journ. Pharm.), xxiv. 85 (1915).

CASTANEA
pumila
Mathews, Field Book Amer. Trees & Shrubs, 135 (1915).
Prunet in Ann. Serv. Épiphyties, ii. 81, 83 (1915).
Illick, Pennsylvania Trees (Pennsylv. Dept. For. Bull. No. 11), t. 54 (1919).
Pellett, Amer. Honey Pl. 69 (1920).
sativa Mill.
Pokorny, Oesterr. Holzpfl. t. 11 (1864).—*Veg.*
Cesati, Passer. & Gibelli, Comp. Fl. Ital. t. 32 (1867–86).—*Fl.*
*Réveil, Règne Vég. xii. t. 50 (1870).—*Fr.*
Lauche, Deutsche Dendrol. Ed. 2, p. 288 (1883).
Nicholson, Illustr. Dict. Gard. i. 277, 278 [1884–88].
Garcke, Ill. Fl. Deutschl. 542 (1895).
*U.S. Dep. Agric. Div. Pom. Nut Cult. t. 2, 14 (1896).
Fiori & Paol. Ic. Fl. Ital. 105 (1898).
L. H. Bailey, Cycl. Amer. Hort. 256 (1900); Stand. Cycl. Hort. 682 (1914).—*Veg.*
Schinz & Keller, Fl. Schweiz, 142 (1900).—*Fl.*
C. T. Green, Fl. Liverpool Distr. fig. 573 (1902).
Flora & Sylva, i. 227 (1903).—*Hab.*
Step, Wayside & Woodl. Trees, t. 97–99, p. 137 (1904).
Avebury, Notes Life Hist. Brit. Fl. Pl. 361, 371 (1905).—*Veg.*
Bot. Kongr. Wien, II. Exk. t. 21; iii. Exk. t. 33 (1905).—*Hab.*
Sturm, Fl. Deutschl. Ed. 2, iv. 177 (1905).
Coste, Fl. France, iii. 255 (1906).
*Boulger, Familiar Trees, Rev. Ed. ii. 40, 44, 46, 47 [1906–7].
Bull. Soc. Dendr. France, 1908, p. 143, 147; 1912, p. 117.—*Fr.*
Elwes & Henry, Trees Gr. Brit. & Ireland, iii. t. 202 (1908); iv. t. 232–36 (1909).
Hayek, Fl. Steierm. i. 103 (1908).—*Fl.*
Heukels, Fl. Nederl. ii. 15 (1908).
Pitard & Proust, Iles Canar. t. 18 (1908).—*Hab.*
Cooper & Westell, Trees & Shrubs Brit. Isl. i. t. 3, fig. 3–6; ii. t. 60, 70 (1909).
Groom, Trees & Life Hist. t. 218–27 (1909).
Hegi, Ill. Fl. Mittel-Eur. iii. 101, 104 (1909).
Bot. Közl. (Bot. Communic.) xii. t. 3 (1911).
Wettstein, Handb. Syst. Bot. Ed. 2, p. 495 (1911).—*Fl.*
Wrigley, Stud. Trees & Fl. 100, 101 [1911].
Nuttall, Trees & How They Grow, 178, 182 (1913).
Silva Tarouca, Freiland-Laubgehölze, 20 (1913).—*Hab.*
Journ. Hort. Ser. III. lxvii. 629 (1913).—*Hab.*
Moss, Cambridge Brit. Fl. ii. t. 78 (1914).
Hayek, Pflanzend. Oesterr.-Ung. i. t. 39 (1915).—*Hab.*
Maxwell, Trees, 26 (1915).—*Hab.*
Bot. Tidsskr. xxxv. 99 (1916).—*Hab.*
Lendner in Bull. Soc. Bot. Genève, Ser. II. viii. 164 (1916).—*Fr.*
*Bonnier, Name This Flower, t. 49 (1917).
Monthly Bull. Hort. California, vi. 419 (1917).
Naturwiss. Zeitschr. Land- & Forst. xv. 258 (1917).—*Fr.*
Oesterr. Bot. Zeitschr. lxvii. 387 (1918).—*Veg.*
—— **americana** Sarg.
Dame & Brooks, Typ. Elms & Other Trees Massachusetts, t. 42 (1890).—*Hab.*
Newhall, Trees N.E. Amer. 69 (1894).—*Veg.*
Dame & Brooks, Trees of New England, t. 36 (1902).
Parkhurst, Trees, Shrubs, Vines N.E. United States, 199, t. 4, fig. 23 (1903).—*Veg.*
Seguinii Dode
Bull. Soc. Dendr. France, 1908, p. 143.—*Veg.*
Schneider, Ill. Handb. Laubh. ii. 900 (1912).—*Veg.*
tungurrut Bl.
*Blume, Fl. Jav., Cupul. t. 22 (1828).
J. C. Loudon, Arbor. & Frutic. Brit. iii. 2003 (1838).
Koorders & Val. Atlas Baumart. Java, t. 39 (1913).

CASTANEA
vesca Gaertn.
Gaertner, Fruct. i. t. 37 (1788).—*Fr.*
*Michaux, Arb. Amer. Sept. ii. t. 6, p. 156 (1812).
*Trattinick, Ausg. Taf. Arch. i. 64 (1813).
Trattinick, Arch. ii. t. 106 (1814).
Dict. Sc. Nat., Planch. Bot. Dicot. t. 304, 305 (1816–29).
*Michaux, N. Amer. Sylva, ii. t. 104 (1819).
*Guimpel, Willd. & Hayne, Abb. Deutsch. Holzart. ii. t. 144 (1820).
*Krebs, Holzarten, t. 16, 142 (1826).
*Zenker & Schenk, Merkant. Waarenk. ii. t. 26 (1832).
Nees, Gen. Pl., Monochlam. i. t. 25 (1835).
Nov. Act. Acad. Nat. Cur. xviii. 1. t. 40 (1836).—*Veg.*
Meigen, Deutschl. Fl. ii. t. 91 (1837).—*Fl.*
J. C. Loudon, Arbor. & Frutic. Brit. viii. 71 A (1838).
Selby, Hist. Brit. Forest-Trees, 321–23, 331 (1842).
*Baxter, Brit. Bot. Ed. 2, vi. t. 485 (1843).
Lindley, Med. & Oecon. Bot. 91 (1849).
*C. A. Johns, Forest Trees Brit. ii. 2, 14, 15, 24 (1849); Ed. 11, p. 170, 172, 179, 180, t. 6 (1919).
*Reichenbach, Ic. Fl. Germ. xii. t. 640 (1850).
*Hartig, Forstl. Cult. t. 19 (1851).
*Calwer, Landwirthsch. Pflanzenk. ii. t. 18, fig. 3 (1854).
Ettingshausen in Sitzb. Akad. Wiss. Wien, xx. 434 (1856).—*Veg.*
Agardh, Theor. Syst. Pl. t. 13 (1858).—*Fl.*
*Fiscali, Deutschl. Forstcult.-Pfl. t. 5, fig. 1–6 (1858).
Willkomm, Deutschl. Laubhölz. im Winter, 24, fig. 24 (1859).—*Veg.*
Ettingshausen, Blatt-Skel. Dikot. t. 5 (1861).—*Veg.*
Decaisne & Naud. Amat. Jard. iv. 613 [1862–66].
Pokorny, Oesterr. Holzpfl. 463 (1864).—*Veg.*
Vidensk. Meddel. Kjöbenhavn, 1866, p. 48 (1867–68).—*Fl.*
Le Maout & Decaisne, Traité Gén. Bot. 525 (1868).—*Fl.*
Liebmann, Chênes Amér. Trop. 10 (1868).—*Fl.*
Marchand, Élém. Bot. 93 (1869).
Mongredien, Trees & Shrubs for Engl. Plantat. 56 (1870).—*Hab.*
*Réveil, Règne Vég. xvi. t. 36 (1870).
Ettingshausen in Sitzb. Akad. Wiss. Wien, lxv. 1. t. 1–17 (1872).—*Veg.*
Örsted in Dansk. Vid. Selsk. Skrift. Ser. V. ix. 342 (1873).—*Fl.*
Emerson, Trees & Shrubs Massachusetts, Ed. 2, i. 186, 187 (1875).
Jeffrey & Howie, Trees & Shrubs Fife & Kinross, 4 (1879).—*Hab.*
Trans. Scott. Arbor. Soc. ix. t. 1 (1879).—*Hab.*
Berge, Pflanzenphysiogn. 107 (1880).
Wagner, Ill. Deutsche Fl. Ed. 2, p. 680 (1882).
Ettingshausen in Denkschr. Akad. Wiss. Wien, xliii. t. 16, fig. 4–11 (1882).—*Veg.*
*Laguna, Fl. For. Españ. t. 28 (1884).
Garden, xxvii. 291, 292 (1885).
*Zippel, Ausländ. Handels- & Nährpfl. t. 57 (1885).
*Millspaugh, American Med. Pl. t. 158 (1887).
Hempel & Wilhelm, Bäume u. Sträuch. ii. 36, t. 19 [1889?].
Potonié, Ill. Fl. Nord- u. Mittel-Deutschl. Ed. 4, fig. 189 (1889).
Kerner, Pflanzenleben, ii. 439 (1891).—*Fr.*
Schwarz, Forstl. Bot. 304, 450 (1892).
Semler, Trop. Agrik. iv. 239 (1892).
Bot. Jaarb. Gent, v. t. 5, fig. 1–4 (1893).
Rev. Hort. 1895, p. 349.—*Hab.*
Baum-Album d. Schweiz. t. 7 (1896).
Journ. Linn. Soc., Bot. xxxiii. 248 (1897).—*Veg.*
*Köhler, Med. Pfl. iii [t. 221] (1898).
*Hulme, Wild Fr. Country-side, t. 18 (1902).
Warming, Handb. Syst. Bot. Ed. Möbius, 254 (1902).

CASTANEA
vesca
*Josef v. Oesterreich & Marg. v. Thurn und Taxis, Atlas Heilpfl. t. 38 (1903).
Jarvis, Tree Book, 42 (1903).
Avebury, Buds & Stipules, 151 (1908).—*Veg.*
Rec. Instit. Bot. Errera, vii bis Annexe, fig. 59 (1910).—*Hab.*
Erdész. Kiséri. (Rep. Hung. Forest Exp. St.), xiii. 18, 24, 46 (1911).—*Hab.*
Warburg, Pflanzenwelt, i. 456 (1913).
Bot. Közl. (Bot. Communic.) xii. 125 (1913).—*Fr.*
Naturwiss. Zeitschr. Land- & Forst. xii. 297 (1914).
Mitt. Deutsch. Dendr. Ges. 1914, p. 276.—*Hab.*
—— **americana** Michx.
Torrey, Fl. State New York, ii. t. 111 (1843).
Lochman, Phot. Med. Pl. t. 32 (1898).
—— **microcarpa** Martins
*Rev. Hort. 1865, p. 350, 351; 1892, p. 56, 57.
Vilmoriniana Dode
Bull. Soc. Dendr. France, 1908, p. 156.—*Fr.*
Schneider, Ill. Handb. Laubh. ii. 899 (1912).—*Fr.*
vulgaris Lam.
*Duhamel, Arbres & Arbustes, Ed. 2, iii. t. 19 (1806).
*Deakin, Florigr. Brit. iii. fig. 1462 (1847).
*Petermann, Deutschl. Fl. t. 80, fig. 632 (1849).
Johnson & Sowerby, Brit. Wild Fl. fig. 1204 (1858–60).
Irvine, Illustr. Handb. Brit. Pl. 351, 352 (1858).—*Fl.*
*Johnson & Sowerby, Useful Pl. Gr. Brit. t. 18, fig. 215 (1861[–62]).
*Syme, Engl. Bot. viii. t. 1290 (1868).
Gayffier, Herb. For. France, 2 tab. sine num. (1868–73).
*Réveil, Règne Vég. xii. t. 50 (1870).—*Fr.*
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, v. t. 207 [1873].
Willkomm, Forstl. Fl. Deutschl. & Oesterr. 320 (1875).—*Fl.*
Baillon in Assoc. Franç. Avanc. Sc. 1875, Nantes, t. 11 (1876).—*Fl.*
Baillon, Adansonia, xii. t. 11 (1876).—*Fl.*
*Cusin, Herb. Fl. Franç. xx (Cupulifères), t. 2 (1876).
Baillon, Hist. Pl. vi. 231–33 (1877).
Dai-Nihon Ju-moku Shi-ri-yaku (Jap. Trees), t. 27 (1878).
*C. Hoffmann, Pflanzenatlas, t. 73, fig. 455 (1881).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, x. t. 958 (1882).
*Baillon, Ic. Fl. Franç. ii. t. 144 [1885–94].
*Thomé, Fl. Deutschl. ii. t. 159 (1886).
Coutinho, Curso Silvicult. ii. 69 (1887).
Pflanzenfam. iii. 1. 49, 50, 54, 55 (1888).
Dujard.-Beaumetz & Égasse, Pl. Méd. 172 (1889).
G. Beck, Fl. Nied.-Oesterr. i. 269 (1890).—*Fl.*
*Leclerc du Sablon, Nos Fleurs, 64, t. 8 [1892].
Mouillefert, Traité Arbres & Arbriss. Atlas, t. 108 (1892–98).—*Hab.*
*Masclef, Atlas Pl. France, t. 297 (1893).
Acloque, Fl. France, 570 (1894).
Siélain, Atlas Poche Pl. Champs, Prair. & Bois, t. 138 [1894].
Brehm, Merv. Nat. Monde des Pl. ii. 519 (1894–96).
Kerner & Oliv. Nat. Hist. Pl. ii. 445 (1895).—*Fr.*
*Useful Pl. Jap. i. t. 221, 222 (1895) in ic.; *C. vulgaris* var. *japonica* in textu, p. 60.
Step, Wayside & Woodl. Bloss. t. 142 (1895).
*Zippel, Ausländ. Kulturpfl. Atl. Ed. 4, Abt. 2, t. 16 (1899).
*Behrens, Blattformen, t. 14, fig. c (1900).—*Veg.*
Merino, Fl. Galicia, ii. 607 (1906).
Lazaro, Comp. Fl. Españ. ii. 74 (1907).
Beille, Bot. Pharm. ii. 177 (1909).
Warburg, Pflanzenwelt, i. t. 27 (1913).—*Hab.*
*Gatin, Arbres, Arbustes & Arbriss. t. 17 (1913).
Kirchner, Loew & Schröter, Blütenpfl. Mitteleur. ii. Abt. 1. 135, 139, 145 (1913).
Prunet in Ann. Serv. Épiphyties, ii. 81 (1915).—*Veg.*
—— **japonica** DC.
Bull. Coll. Agric. Tokyo, ii. t. 12, fig. 14 (1895).—*Veg.*

CASTANEA
vulgaris japonica
Useful Pl. Jap. 60 (1895) in textu; *C. vulgaris* in ic. i. t. 221.
*Shirasawa, Ic. Ess. Forest. Jap. i. t. 34 (1900).
Kawakami, Hokkaidô-shinrin-shokubutsu-zu-setsu (Forestry Pl. Hokkaido), t. 51 (1902).
Nihon-zyûyô-mokuchiku-zuhyô (Tabl. Japan. Trees & Bamb. Forest Bur.), fig. 28 (1916).
—— **pendulifolia** Lavallée
Lavallée, Arb. & Frutic. Hort. Segrez. t. 33 (1885).

CASTANOPSIS Spach
argentea A. DC.
Vidensk. Meddel. Kjöbenhavn, 1866, p. 37, 48 (1867–68).
Liebmann, Chênes Amér. Trop. 10, t. E (1868).
Ann. Bot. Gard. Calcutta, ii. t. 89 (1889).
—— **martabanica** A. DC.
Ettingshausen in Denkschr. Akad. Wiss. Wien, xlvii. t. 7, fig. 8 (1883).—*Veg.*
argyrophylla King
Ann. Bot. Gard. Calcutta, ii. t. 85 (1889).
armata Spach
Ann. Bot. Gard. Calcutta, ii. t. 93 (1889).
borneënsis King
Ann. Bot. Gard. Calcutta, ii. t. 90 (1889).
brachyacantha Hayata
Hayata, Ic. Pl. Formosan. iii. 188 (1913).
Kanehira, Formosan Trees, 549 (1917).
buruana Miq.
Ann. Bot. Gard. Calcutta, ii. t. 101 (1889).
castanicarpa Spach
Ann. Bot. Gard. Calcutta, ii. t. 91 (1889).
catappifolia King
Ann. Bot. Gard. Calcutta, ii. t. 92 (1889).
chrysophylla A. DC.
Dippel, Handb. Laubholzk. ii. 60 (1892).
Sargent, Silva N. Amer. ix. t. 439 (1896).
U.S. Dep. Agric. Div. Pom. Nut Cult. t. 15 (1896).—*Fr.*
Gard. Chron. Ser. III. xxii. 411 (1897); xxxvi. 145 (1904).
Schneider, Ill. Handb. Laubh. i. 155, 159 (1904).
Eastwood, Handb. Trees California (Occ. Papers California Acad. Sc. ix), t. 29 (1905).
Sargent, Man. Trees N. Amer. 223 (1905).
Britton, N. Amer. Trees, 275 (1908).
Elwes & Henry, Trees Gr. Brit. & Ireland, iii. t. 202 (1908).—*Veg.*
Sudworth, Forest Trees Pac. Slope, 274, 275 (1908).
Jepson, Silva California (Mem. Univ. California, ii), t. 74 (1910).—*Veg.*
Garden, lxxvi. 634 (1912); lxxxiv. 426 (1920).
Bull. Soc. Dendr. France, 1912, p. 117.—*Fr.*
Silva Tarouca, Freiland-Laubgehölze, 172 (1913).—*Hab.*
L. H. Bailey, Stand. Cycl. Hort. 683 (1914).
Bean, Trees & Shrubs, i. 310 (1914).
Lendner in Bull. Soc. Bot. Genève, Ser. II. viii. 165 (1916).—*Fr.*
—— **obovata** Hort.
Gard. Chron. Ser. III. lxiv. 215 (1918).
Clarkei King
Ann. Bot. Gard. Calcutta, ii. t. 83 bis (1889).
concinna A. DC.
Ettingshausen in Denkschr. Akad. Wiss. Wien, xlvii. t. 7, fig. 9 (1883).—*Veg.*
Curtisii King
Ann. Bot. Gard. Calcutta, ii. t. 103 (1889).
Delavayi Franch.
Journ. Soc. Hort. France, Ser. IV. i. 229 (1900).
diversifolia King
Ann. Bot. Gard. Calcutta, ii. t. 85 (1889).
formosana Hayata
Kanehira, Formosan Trees, 550 (1917).
Hullettii King
Ann. Bot. Gard. Calcutta, ii. t. 98 (1889).
hystrix A. DC.
Ann. Bot. Gard. Calcutta, ii. t. 84 (1889).
indica A. DC.
Ann. Bot. Gard. Calcutta, ii. t. 83 (1889).
Brandis, Indian Trees, 633 (1906).

CASTANOPSIS
javanica A. DC.
Vidal, Sin. Fam. & Gen. Pl. Leñ. Filip. (Introd. Fl. For. Filip.), Atlas, t. 92, fig. 1 (1883).
Ann. Bot. Gard. Calcutta, ii. t. 88 (1889).
Lendner in Bull. Soc. Bot. Genève, Ser. II. viii. 164 (1916).—*Fr.*
Kawakamii Hayata
Kanehira, Formosan Trees, 551 (1917).
Mottleyana King
Ann. Bot. Gard. Calcutta, ii. t. 86 (1889).
nephelioides King
Ann. Bot. Gard. Calcutta, ii. t. 102 (1889).
philippensis Vid.
W. H. Brown in Bull. Philip. Isl. Dep. Agric. Bur. Forestry, No. 21, p. 39 (1920).
rhamnifolia A. DC.
Ann. Bot. Gard. Calcutta, ii. t. 100 (1889).
Schefferiana Hance
Ann. Bot. Gard. Calcutta, ii. t. 99 (1889).
sempervirens Dudley
Jepson, Silva California (Mem. Univ. California, ii), t. 75 (1910).—*Hab.*
subacuminata Hayata
Kanehira, Formosan Trees, 552 (1917).
sumatrana A. DC.
Vidal, Sin. Fam. & Gen. Pl. Leñ. Filip. (Introd. Fl. For. Filip.), Atlas, t. 92, fig. H (1883).—*Fl.*
Ann. Bot. Gard. Calcutta, ii. t. 97 (1889).
taiwaniana Hayata
Journ. Coll. Sc. Tokyo, xxv. Art. 19, p. 205 (1908).—*Fr.*
Kanehira, Formosan Trees, 554 (1917).
tribuloides A. DC.
Ettingshausen in Sitzb. Akad. Wiss. Wien, lxxxvii. 1. t. 5 (1883).—*Veg.*
Ann. Bot. Gard. Calcutta, ii. t. 94 (1889).
Brandis, Indian Trees, 635 (1906).
—— **echidnocarpa** King
Ann. Bot. Gard. Calcutta, ii. t. 96 (1889).
—— **ferox** King
Ann. Bot. Gard. Calcutta, ii. t. 95 (1889).
—— **longispina** King
Ann. Bot. Gard. Calcutta, ii. t. 95 (1889).
—— **Wattii** King
Ann. Bot. Gard. Calcutta, ii. t. 96 (1889).
tungurrut A. DC.
Ann. Bot. Gard. Calcutta, ii. t. 87 (1889).
Wallichii King
Ann. Bot. Gard. Calcutta, ii. t. 101 (1889).

CASTANOSPERMUM A. Cunn.
australe A. Cunn. & Fraser
Hooker, Bot. Misc. i. t. 51, 52 (1830).
Ralph, Ic. Carpolog. t. 23 (1849).—*Fr.*
*Ann. Soc. Hort. Paris, xliii. 477 (1852).
F. M. Bailey & Gordon, Pl. Poison. & Injur. Stock, 29 (1887).
Lubbock, Seedlings, i. 454 (1892).—*Veg.*
Pflanzenfam. iii. III. 196 (1892).—*Fr.*
Agric. Gaz. N. S. Wales, v. 4 (1894); xxii. 197 (1911).—*Hab.*
Queensland Agric. Journ. i. 451 (1897).—*Fl.*
Banks & Soland. Bot. Cook's Voy. i. t. 80 (1900).
Maiden, For. Fl. N. S. Wales, i. t. 25, 26 (1904); iv. Pt. XL [t. 16] (1910).—*Hab.*
Gard. Chron. Ser. III. xxxviii. 245 (1905).
Trop. Agric. xxv. No. 3, p. 496 (1905).—*Fr.*
F. M. Bailey, Compr. Cat. Queensl. Pl. 146 (1909–13).—*Fl.*
Guilfoyle, Austral. Pl. 223 [1911].—*Hab.*
DeSornay, Green Manures in Tropics, 391 (1916).
Maiden, Some Princip. Comm. Trees N. S. Wales (N. S. Wales, Forest. Handb.), 214 (1917).
Sim, Flowering Trees & Shrubs, 150 (1919).
Rock, Legum. Pl. Hawaii, t. 48 (1920).
—— **brevivexillum** F. M. Bailey
Queensland Agric. Journ. i. 451 (1897).—*Fl.*
F. M. Bailey, Compr. Cat. Queensl. Pl. 147 (1909–13).—*Fl.*

CASTANOSPORA F. Muell.
Alphandii F. Muell.
F. M. Bailey, Compr. Cat. Queensl. Pl. 111 (1909–13).

CASTELA Turp.
longistipitata F. M. Bailey
F. M. Bailey, Compr. Cat. Queensl. Pl. 111 (1909–13).—*Fr.*
coccinea Griseb.
Pflanzenfam. iii. IV. 219 (1896).
Alvarez, Fl. & Fauna Prov. Santiago del Estero, 113 (1919).—*Hab.*
depressa Turp.
Ann. Mus. Hist. Nat. Paris, vii. 78 (1806).
Dict. Sc. Nat., Planch. Bot. Dicot. t. 126 (1816–29).
erecta Turp.
Ann. Mus. Hist. Nat. Paris, vii. 78 (1806).
macrophylla Urb.
Fawcett & Rendle, Fl. Jamaica, iv. II. 197 (1920).
Nicholsonii Hook.
Hooker, Bot. Misc. i. t. 56 (1830).
Schnizlein, Iconogr. iv. t. 248 (1843–70).—*Fl.*
Gray & Sprague, Gen. Fl. Amer. ii. t. 158 (1849).
Rep. Commissioner Patents, Agric. Washington, 1857, t. 7, fig. 2 (1858).
Fawcett & Rendle, Fl. Jamaica, iv. II. 197 (1920).—*Fl.*

CASTELIA Cav.: *Priva*
cuneato-ovata Cav.
An. Cienc. Nat. Madrid, iii. t. 30 (1801).
Cavanilles, Ic. vi. t. 583 (1801).

CASTELNAVIA Tul. & Wedd.
fimbriata Tul. & Wedd.
Arch. Mus. Hist. Nat. Paris, vi. t. 11 (1852).
Mart. Fl. Bras. iv. I. t. 76 (1855).
fruticulosa Tul. & Wedd.
*Arch. Mus. Hist. Nat. Paris, vi. t. 12 (1852).
Mart. Fl. Bras. iv. I. t. 76 (1855).
Lindmaniana Warm.
Warming in Dansk. Vid. Selsk. Skrift. Ser. VI. ix. 140, 142 (1899).
monandra Tul. & Wedd.
*Arch. Mus. Hist. Nat. Paris, vi. t. 12 (1852).
Mart. Fl. Bras. iv. I. t. 76 (1855).
multipartita Tul. & Wedd.
Arch. Mus. Hist. Nat. Paris, vi. t. 11 (1852).
princeps Tul. & Wedd.
Arch. Mus. Hist. Nat. Paris, vi. t. 11 (1852).
Mart. Fl. Bras. iv. I. t. 76 (1855).
Warming in Dansk. Vid. Selsk. Skrift. Ser. VI. ii. t. 13–15 (1882).
Engl. Jahrb. iv. 218 (1883).
Pflanzenfam. iii. II. A. 8, 10 (1890).
Knuth, Handb. Blütenbiol. iii. I. 326 (1904).
serpens Tul. & Wedd.
*Arch. Mus. Hist. Nat. Paris, vi. t. 12 (1852).
Mart. Fl. Bras. iv. I. t. 76 (1855).
Wettstein, Handb. Syst. Bot. Ed. 2, p. 649 (1911).—*Fr.*

CASTIGLIONIA Ruiz & Pav.: *Jatropha*
lobata Ruiz & Pav.
Ruiz & Pavon, Fl. Peruv. & Chil. Prodr. t. 37 (1794).—*Fl.*

CASTILLA Cerv.: *Castilloa*
australis Hemsl.
Contrib. U.S. Nat. Herb. xiii. t. 24 (1910).
costaricana Liebm.
Pittier, Ensayo Pl. Usual. Costa Rica, t. 7, 21 (1908).
Contrib. U.S. Nat. Herb. xiii. 270, t. 29–34 (1910).
daguensis Pittier
Contrib. U.S. Nat. Herb. xiii. t. 25, p. 268 (1910).
fallax O. F. Cook
Contrib. U.S. Nat. Herb. xiii. 263, 264 (1910).—*Fl.*
guatemalensis Pittier
Contrib. U.S. Nat. Herb. xiii. 272–74, t. 35–39 (1910).
lactiflua O. F. Cook
Contrib. U.S. Nat. Herb. xiii. t. 26–28, p. 269 (1910).
nicoyana O. F. Cook
Pittier, Ensayo Pl. Usual. Costa Rica, t. 22 (1908).
Contrib. U.S. Nat. Herb. xiii. 276, t. 40–42 (1910).
tunu Hemsl.
Contrib. U.S. Nat. Herb. xiii. t. 23 (1910).

CASTILLEJA Mutis
Ulei Warb.
Contrib. U.S. Nat. Herb. xiii. t. 22 (1910).
acuminata Spreng.
Britton & Brown, Ill. Fl. N. States & Canada, iii. 180 (1898); Ed. 2, iii. 215 (1913).
affinis Hook. & Arn.
Sertum Petrop. t. 15 (1852).
austromontana Standley & Blumer
Muhlenbergia, vii. No. 4, frontisp. 44, 45 (1911).
candens Durand & Hilg.
Rep. Expl. & Surv. Railr. Mississippi, 1853–54, v. III. t. 13 (1856).
coccinea Spreng.
*Bot. Reg. xiv. t. 1136 (1828).
*Mag. Bot. & Gard. ii. t. 44 (1834).
*J. W. Loudon, Ladies' Fl.-Gard. Ornam. Annuals, t. 44 (1844).
*Wild Fl. Canada, t. 194 (1894).—*Fl.*
*Fitz Gibbon & Traill, Canad. Wild Fl. Ed. 4, t. 10, p. 77 (1895).
Miller & Whiting, Wild Fl. N.E. States, 456 (1895).
Britton & Brown, Ill. Fl. N. States & Canada, iii. 179 (1898); Ed. 2, iii. 214 (1913).
*Blanchan, Nat. Gard. 392 (1900).
*Lounsberry, Southern Wild Fl. & Trees, t. 154 (1901).
communis Benth.
Mart. Fl. Bras. viii. I. t. 56 (1862).
coronopifolia Vent.
Ventenat, Choix Pl. t. 59 (1803).
fissifolia Linn. f.
J. E. Smith, Pl. Ic. Ined. ii. t. 40 (1790).
Lamarck, Ill. iii. t. 519, fig. 2 (1797).
inconspicua Nels. & Kennedy
Muhlenbergia, viii. No. 10, frontisp. 120 (1912). —*Hab.*
indivisa Engelm.
*Bot. Mag. civ. t. 6376 (1878).
*Florist, 1880, t. 525.
Britton & Brown, Ill. Fl. N. States & Canada, iii. 179 (1898); Ed. 2, iii. 215 (1913).
integra A. Gray
Pflanzenfam. iv. III. B. 44 (1891).—*Fl.*
Knuth, Handb. Blütenbiol. iii. II. 130 (1905). —*Fl.*
integrifolia Linn. f.
J. E. Smith, Pl. Ic. Ined. ii. t. 39 (1790).
Lamarck, Ill. iii. t. 519, fig. 1 (1797).
irasuensis Örst.
A. S. & P. P. Calvert, A Year of Costa Rican Nat. Hist. 120 (1917).
lapidicola Heller
Muhlenbergia, viii. 50 (1912).
linariifolia Benth.
*Nat. Geogr. Mag. Washington, xxxi. 515 (1917).
lithospermoides H. B. K.
H. B. K. Nov. Gen. ii. t. 164 (1817).
*Florist's Journ. 1847, frontisp.
*Fl. des Serres, Ser. I. iv. t. 371 (1848).
*Belg. Hort. iv. t. 36 (1854).
miniata Dougl.
*Gartenfl. xxi. t. 737 (1872).
*F. E. & E. S. Clements, Rocky Mt. Fl. t. 22 (1914).
*M. Armstrong, Field Book West. Wild Fl. 472 (1915).
Gard. Chron. Ser. III. lx. 10 (1916).—*Hab.*
*Bot. Mag. cxliii. t. 8730 (1917).
McCalla, Wild Fl. West. Canada, 113 (1920).
minor A. Gray
Britton & Brown, Ill. Fl. N. States & Canada, iii. 179 (1898); Ed. 2, iii. 215 (1913).
nubigena H. B. K.
H. B. K. Nov. Gen. ii. t. 163 (1817).
pallida Kunth
Bot. Tidsskr. xvii. 221 (1890).—*Fl.*
Fedtschenko & Fler. Fl. Eur. Russia, 869 (1910).
parviflora Bong.
Parsons, Wild Fl. California, 345 (1897).
pinetorum Fernald
M. Armstrong, Field Book West. Wild Fl. 473 (1915).
pumila Wedd.
Weddell, Chloris Andina (Castelnau Expéd., Bot.), ii. t. 61 (1857–61).

CASTILLEJA
Schaffneri Hemsl.
Hemsley, Biol. Centr. Amer. v. t. 63 (1882).
scorzonerifolia H. B. K.
H. B. K. Nov. Gen. ii. t. 165 (1817).
septentrionalis Lindl.
*Bot. Reg. xi. t. 925 (1825).
sessiliflora Pursh
Britton & Brown, Ill. Fl. N. States & Canada, iii. 180 (1898); Ed. 2, iii. 216 (1913).
toluccensis H. B. K.
Karsten & Schenck, Veg.-Bild. v. t. 47 (1907). —*Hab.*

CASTILLOA Cerv.—Vide *Castilla*
australis Hemsl.
Hook. Ic. Pl. xxvii. t. 2676 (1901).
elastica Cerv.
Ann. Sc. Nat. Paris, Ser. III. viii. t. 5, fig. 139–48 (1847).—*Fl.*
Collins, Caoutch. t. 2 (1872).
Journ. Linn. Soc., Bot. xvi. t. 3 (1877).
Baillon, Hist. Pl. vi. 155 (1877).
Baillon, Dict. Bot. i. t. 652 (1878).
Baillon, Traité Bot. Méd. Phan. ii. 994 (1884).
Trans. Linn. Soc. London, Ser. II. Bot. t. 28 (1886).—*Fr.*
Brigham, Guatemala, 347 (1887).
Pflanzenfam. iii. I. 85 (1888).
Dujard.-Beaumetz & Égasse, Pl. Méd. 160 (1889).
Gard. Chron. Ser. III. vii. 649 (1890).—*Hab.*
Ann. Bot. Jard. Buitenzorg, xiv. t. 1, 2 (1896).
Jumelle, Pl. Caoutch. Col. Franç. 37 (1898).
Tropenpfl. ii. 339 (1898); ix. 447 (1905).
Ann. Inst. Col. Marseille, v. I. 37 (1898).
*Köhler, Med. Pfl. iii [t. 222] (1898).
Bull. Soc. Belg. Étud. Col. 1899, p. 190, 196; x. 391 (1903).
Semaine Hort. 1899, p. 423, 435, 485.—*Hab.*
Warburg, Kautschukpfl. 52 (1900); et in Pl. Caoutch. 98 (1902).
Bull. Mus. Hist. Nat. Paris, vii. 374 (1901).—*Fr.*
Preuss, Exped. Centr. & Südamer. 33, 370–75, 385 (1901).
Rev. Cult. Colon. viii. 331; ix. 133 (1901).
*De Janville, Pl. Utiles Pays Chauds, t. 80 (1902).
Jumelle, Pl. Caoutch. Tous Pays Chauds, 194, 219 (1903).
Romburgh, Pl. Caoutch. & Gutta-Percha Cult. Ind. Néerl. t. 3–5 (1903).—*Hab.*
U.S. Dep. Agric. Bur. Pl. Indust. Bull. No. 49, t. 1–16 (1903).
Flora, xcv. 86, t. 1 (1905).—*Veg.*
Engl. Jahrb. xxxv. 674 (1905).—*Fr.*
Ann. Inst. Col. Marseille, Ser. II. iv. 26, fig. 9 (1906).—*Veg.*
Lavoura in Bol. Soc. Nac. Agric. x. 190 (1906).— *Hab.*
Mayin Rep. Porto Rico Agric. St. t. 5 (1906).—*Hab.*
U.S. Dep. Agric. Off. Exp. St. Bull. No. 171, t. 5 (1906).—*Hab.*
Y. Henry, Caoutch. Afr. Occ. Fr. 201 (1907).— *Hab.*
Charabot, Prod. Vég. Col. Franç. 23 (1908).
Agric. Prat. Pays Chauds, viii. I. 105 (1908).
Beille, Bot. Pharm. ii. 207 (1909).
Estac. Exp. Agron. Cuba, Circ. No. 37, p. 24 (1909).—*Hab.*
Bull. Agric. Congo Belge, i. 262 (1910).—*Hab.*
Contrib. U.S. Nat. Herb. xiii. t. 43, p. 277 (1910).
E. Werner, Kaiser-Wilhelms-Land, 79, 82 (1911). —*Hab.*
Wettstein, Handb. Syst. Bot. Ed. 2, p. 503 (1911). —*Hab.*
Pammel, Man. Poison. Pl. 406 (1911).
L. Reinhardt, Kulturgesch. Nutzpfl. (Erde und Kultur), iv. I. t. 110 (1911).—*Hab.*
Capus & Bois, Prod. Colon. 435 (1912).—*Hab.*
Warburg, Pflanzenwelt, i. 479 (1913).
Pflanzer, ix. Beih. No. 1, t. 1 (1913).
Van Gorkom, Oost-Ind. Cult. Ed. 2, iii. 827, 829, 831 (1919).—*Hab.*
Markhamiana Collins
Collins, Caoutch. t. 3 (1872).
*Trans. Linn. Soc. London, Ser. II. Bot. ii. t. 27 (1886).

CASTILLOA
tunu Hemsl.
Hook. Ic. Pl. xxvii. t. 2651 (1900).
Warburg, Pl. Caoutch. 99 (1902).
Rev. Hort. Belge, xxix. 244 (1903).—*Hab.*
Engl. Jahrb. xxxv. 674 (1905).—*Fr.*
Bull. Agric. Congo Belge, i. 262 (1910); ii. 510 (1911).—*Hab.*
Ulei Warb.
Tropenpfl. ix. Beih. No. 6, p. 16, 34 (1905).
Engl. Jahrb. xxxv. 674 (1905).
Karsten & Schenck, Veg.-Bild. xii. t. 35 (1914). —*Hab.*

CASTRA Vell.: *Trixis*
illustris Vell.
Vellozo, Fl. Flum. viii. t. 81 (1827).
nobilis Vell.
Vellozo, Fl. Flum. viii. t. 82 (1827).
praestans Vell.
Vellozo, Fl. Flum. viii. t. 80 (1827).
regia Vell.
Vellozo, Fl. Flum. viii. t. 79 (1827).

CASTRATELLA Naud.
piloselloides Naud.
Ann. Sc. Nat. Paris, Ser. III. xiv. t. 4 (1850).—*Fl.*
Trans. Linn. Soc. London, xxviii. t. 1, fig. 3 (1871).—*Fl.*

CASUARINA Linn.
acuaria F. Muell.
F. Mueller, Fragm. Phyt. Austral. vi. t. 54 (1867).
africana Lour.
Rev. Hort. 1869, p. 175.
Garden, v. 549 (1874).
Sim, For. Fl. Portug. E. Africa, t. 85 (1909).
angulata Poisson
Nouv. Arch. Mus. Hist. Nat. Paris, x. t. 5 (1874).
Baillon, Hist. Pl. xii. 24 (1894).—*Fl.*
Baxteriana Miq.
Miquel in Nieuwe Verh. Kl. I. Nederl. Inst. Wet. Amsterdam, Ser. II. xiii. t. 3 (1848).
bicuspidata Benth.
Engl. Jahrb. xxxv. 127 (1904).—*Fr.*
Brunoniana Miq.
Miquel in Nieuwe Verh. Kl. I. Nederl. Inst. Wet. Amsterdam, Ser. II. xiii. t. 1 (1848).
Cambagei R. T. Baker
Proc. Linn. Soc. N. S. Wales, xxiv. IV. t. 46 (1900); xxvii. IV. t. 8 (1902).—*Hab.*
campestris Diels
Engl. Jahrb. xxxv. 127 (1904).
Chamaecyparis Poiss.
Nouv. Arch. Mus. Hist. Nat. Paris, x. t. 7 (1874).
cristata Miq.
Miquel in Nieuwe Verh. Kl. I. Nederl. Inst. Wet. Amsterdam, Ser. II. xiii. t. 10 (1848).
Cunninghamiana Miq.
Miquel in Nieuwe Verh. Kl. I. Nederl. Inst. Wet. Amsterdam, Ser. II. xiii. t. 6 (1848).
Nouv. Arch. Mus. Hist. Nat. Paris, x. t. 4 (1874).
Lubbock, Seedlings, ii. 525 (1892).—*Veg.*
Proc. Linn. Soc. N. S. Wales, xxvi. IV. t. 33 (1902); xxix. IV. t. 22 (1905).—*Hab.*
Maiden, For. Fl. N. S. Wales, ii. 120–21, 210 t. 59 (1905); iii. 169 (1908); iv. Pt. XL [t. 27] (1910).—*Hab.*
F. M. Bailey, Compr. Cat. Queensl. Pl. 507 (1909–13).
Guilfoyle, Austral. Pl. 55 [1911].—*Hab.*
Maiden, Princip. Comm. Trees N. S. Wales (N. S. Wales, Forest. Handb.), 190 (1917).
Decaisneana F. Muell.
F. M. Bailey, Compr. Cat. Queensl. Pl. 507 (1909–13).
Trans. & Proc. Roy. Soc. S. Australia, xxxviii. t. 31, 32 (1914).—*Hab.*
Deplancheana Miq.
Nouv. Arch. Mus. Hist. Nat. Paris, x. t. 6 (1874).
—— **crassidens** Poiss.
Nouv. Arch. Mus. Hist. Nat. Paris, x. t. 6 (1874).
distyla Vent.
Ventenat, Jard. Cels, t. 62 [1800].
Miquel in Nieuwe Verh. Kl. I. Nederl. Inst. Wet. Amsterdam, Ser. II. xiii. t. 7 (1848).
*J. E. Brown, For. Fl. S. Australia, Pt. 3 (1882–90).

CASUARINA
distyla
Engl. Jahrb. xxxv. 127 (1904).—*Fr.*
F. M. Bailey, Compr. Cat. Queensl. Pl. 507 (1909–13).
Guilfoyle, Austral. Pl. 332 [1911].—*Hab.*
Maiden, Native Fl. N. S. Wales, [t. 8] (1911).
Warburg, Pflanzenwelt, i. 417 (1913).—*Fr.*
Trans. & Proc. Roy. Soc. S. Australia, xliii. t. 32 (1919).—*Fl.*
Dorrienii Domin
Journ. Linn. Soc., Bot. xli. t. 13 (1912).
Drummondiana Miq.
Miquel in Nieuwe Verh. Kl. I. Nederl. Inst. Wet. Amsterdam, Ser. II. xiii. t. 1 (1848).
Engl. Jahrb. xxxv. 129 (1904).—*Fr.*
equisetifolia Linn.
Rumphius, Herb. Amboin. iii. t. 57 (1743); fide Merrill, Interpret. Rumph. Herb. Amboin.
Forster, Charact. Gen. Pl. t. 52 (1776).—*Fl.*
Lamarck, Ill. v. t. 746, fig. 2 (1797–1819).
*Lodd. Bot. Cab. vii. t. 607 (1822).
J. C. Loudon, Arbor. & Frutic. Brit. iv. 2061 (1838).—*Hab.*
Miquel in Nieuwe Verh. Kl. I. Nederl. Inst. Wet. Amsterdam, Ser. II. xiii. t. 4 (1848).
*Schnizlein, Iconogr. ii. t. 86 (1849).—*Fl.*
Ann. Nat. Hist. London, Ser. II. xi. t. 15, fig. 25 (1853).—*Fr.*
Agardh, Theor. Syst. Pl. t. 14 (1858).—*Fl.*
Vidal, Sin. Fam. & Gen. Pl. Leñ. Filip. (Introd. Fl. For. Filip.), Atlas, t. 91 (1883).
Pflanzenfam. iii. 1. 17, 18 (1887).
Baillon, Hist. Pl. xii. 24 (1894).—*Fl.*
Krieger, Neu-Guinea, t. 5 (1899).—*Hab.*
Knuth, Handb. Blütenbiol. iii. 1. 219 (1904).
Flora & Sylva, ii. 175 (1904).
Rep. Forest Bur. Philip. Isl. 1903–4, t. 10 (1905).—*Hab.*
Contrib. U.S. Nat. Herb. ix. t. 41 (1905).
Merritt & Whitford in Bull. Philip. Isl. Dep. Agric. Bur. Forestry, No. 6, t. 5 (1906).—*Hab.*
Karsten & Schenck, Veg.-Bild. iii. t. 41 (1906); vii. t. 12 (1909).—*Hab.*
Britton, N. Amer. Trees, 163, 164 (1908).
Gubb, Fl. Algeria, t. 19 (1909).
Beille, Bot. Pharm. ii. 163 (1909).
F. M. Bailey, Compr. Cat. Queensl. Pl. 506 (1909–13).
Velenovsky, Vergl. Morphol. Pfl. iii. 796 (1910).
Wettstein, Handb. Syst. Bot. Ed. 2, p. 491 (1911).
Ann. Mus. et Inst. Col. Marseille, fig. 6 (1912).
Maiden, For. Fl. N. S. Wales, v. t. 182 (1912).
Warburg, Pflanzenwelt, i. 417 (1913).
Rechinger in Denkschr. Akad. Wiss. Wien, lxxxix. 596, fig. 28 (1914).—*Hab.*
L. H. Bailey, Stand. Cycl. Hort. 683 (1914).
Engler & Drude, Veget. Erde, ix. III. 1. 2 (1915).
!Journ. Bombay Nat. Hist. Soc. xxiv. 615 (1916).—*Veg.*
Torreya, xvi. 91, 94 (1916).
Rock, Orn. Trees Hawaii, t. 27 (1917).—*Hab.*
Flora, cxi & cxii. 433 (1918).—*Veg.*
Basu, Ind. Med. Pl. t. 910 (1918).
—— **incana** Benth.
Nouv. Arch. Mus. Hist. Nat. Paris, x. t. 4 (1874).
F. M. Bailey, Compr. Cat. Queensl. Pl. 506 (1909–13).
Ann. Mus. Col. Marseille, Ser. II. x. 279, 362, t. 35 (1912).
—— **monoica** Miq.
Miquel in Nieuwe Verh. Kl. I. Nederl. Inst. Wet. Amsterdam, Ser. II. xiii. t. 5 (1848).
excelsa Dehnh.
Miquel in Nieuwe Verh. Kl. I. Nederl. Inst. Wet. Amsterdam, Ser. II. xiii. t. 1 (1848).
Fraseriana Miq.
Miquel in Nieuwe Verh. Kl. I. Nederl. Inst. Wet. Amsterdam, Ser. II. xiii. t. 6 (1848).
Engl. Jahrb. xxxv. 125 (1904).—*Fr.*
Engler & Drude, Veget. Erde, vii. 101 (1906).—*Fr.*
glauca Sieber
Miquel in Nieuwe Verh. Kl. I. Nederl. Inst. Wet. Amsterdam, Ser. II. xiii. t. 11 (1848).
F. Turner, Forage Pl. Austral. Dep. Agric. N. S. Wales, 89 (1891).

CASUARINA
glauca
Queensland Agric. Journ. iv. t. 101, 107 (1899).—*Hab.*
Proc. Linn. Soc. N. S. Wales, xxvi. IV. t. 33 (1902); xliv. III. t. 26, 29 (1919).—*Hab.*
Engl. Jahrb. xxxv. 125 (1904).—*Fr.*
Maiden, For. Fl. N. S. Wales, ii. 96, t. 55 (1905); iii. 168–69 (1908); iv. Pt. XL [t. 26] (1910).—*Hab.*
Engler & Drude, Veget. Erde, vii. 101 (1906).—*Fr.*
Agric. Gaz. N. S. Wales, xix. 112 (1908).—*Hab.*
F. M. Bailey, Compr. Cat. Queensl. Pl. 506 (1909–13).
Maiden, Princip. Comm. Trees N. S. Wales (N. S. Wales, Forest. Handb.), 187 (1917).
Ind. Forester, xliv. t. 15 (1918).—*Veg.*
grevilleoides Diels
Engl. Jahrb. xxxv. 129 (1904).
Helmsii Ewart & Gordon
Proc. Roy. Soc. Victoria, N. Ser. xxxii. II. t. 12 (1920).
Hügeliana Miq.
Miquel in Nieuwe Verh. Kl. I. Nederl. Inst. Wet. Amsterdam, Ser. II. xiii. t. 11 (1848).
Engl. Jahrb. xxxv. 125 (1904).—*Fl.*
Engler & Drude, Veget. Erde, vii. 101 (1906).—*Fl.*
humilis Otto & Dietr.
Engl. Jahrb. xxxv. 129 (1904).—*Fr.*
Warburg, Pflanzenwelt, i. 417 (1913).—*Fr.*
inophloia F. Muell. & F. M. Bailey
Maiden, For. Fl. N. S. Wales, iii. t. 80 (1906); 172 (1908).—*Hab.*
F. M. Bailey, Compr. Cat. Queensl. Pl. 507 (1909–13).
lateriflora Poir.
Lamarck, Ill. v. t. 746 (1797–1819).
Lehmanniana Miq.
Miquel in Nieuwe Verh. Kl. I. Nederl. Inst. Wet. Amsterdam, Ser. II. xiii. t. 3 (1848).
lepidophloia F. Muell.
Maiden, For. Fl. N. S. Wales, ii. 83, t. 51 (1904); iv. Pt. XL [t. 25] (1910); vi. Pt. LX [t. 7] (1917).
F. M. Bailey, Compr. Cat. Queensl. Pl. 506 (1909–13).
Maiden, Princip. Comm. Trees N. S. Wales (N. S. Wales, Forest. Handb.), 184 (1917).
leptoclada Miq.
Miquel in Nieuwe Verh. Kl. I. Nederl. Inst. Wet. Amsterdam, Ser. II. xiii. t. 4 (1848).
Ewart, Pl. Victoria, ii. t. 91 (1910) in ic.; *C. suberosa* in textu.
leucodon Poiss.
Nouv. Arch. Mus. Hist. Nat. Paris, x. t. 7 (1874).
Pflanzenfam. iii. 1. 17 (1887).—*Fr.*
Morini in Mem. Accad. Sc. Istit. Bologna, Ser. V. v. 299, t. 3 (1895).
Engler & Drude, Veget. Erde, ix. III. 1. 2 (1915).—*Fr.*
Luehmannii R. T. Baker
Proc. Linn. Soc. N. S. Wales, xxiv. IV. t. 47 (1900); xxvi. IV. t. 32 (1902).—*Hab.*
Maiden, For. Fl. N. S. Wales, ii. t. 76, p. 182–83 (1906).
F. M. Bailey, Compr. Cat. Queensl. Pl. 506 (1909–13).
Maiden, Princip. Comm. Trees N. S. Wales (N. S. Wales, Forest. Handb.), 194 (1917).
Proc. Linn. Soc. N. S. Wales, xliii. IV. t. 71 (1919).—*Hab.*
maculenta Schilling
Schilling, Grundr. Naturg. ii. Pflanzenr. Ausgb. A, p. 287 (1882); Ausgb. B, p. 301 (1884).—*Hab.*
microstachya Miq.
Miquel in Nieuwe Verh. Kl. I. Nederl. Inst. Wet. Amsterdam, Ser. II. xiii. t. 1 (1848).
Engl. Jahrb. xxxv. 129 (1904).—*Fr.*
montana Leschen.
Miquel, Ill. Fl. Arch. Ind. t. 7 (1871).
Schimper, Pflanzen-Geogr. 763, 764 (1898).
Koorders, Exkursionsfl. Java, i. t. 1, 4, 5 (1911); ii. 6, t. 7; iii. t. 17, 18 (1912).—*Hab.*

CASUARINA
muricata Roxb.
*Schnizlein, Iconogr. ii. t. 86 (1849).
Wettstein, Handb. Syst. Bot. Ed. 2, p. 22 (1911).—*Veg.*
nana Sieber
Miquel in Nieuwe Verh. Kl. I. Nederl. Inst. Wet. Amsterdam, Ser. II. xiii. t. 2 (1848).
A. E. Sulman, Some Familiar Wild Fl. t. 22 [1913].
nodiflora Forst.
Gaertner, Fruct. ii. t. 91 (1791).—*Fr.*
Lamarck, Ill. v. t. 746, fig. 3 (1797–1819).—*Fl.*
Miquel in Nieuwe Verh. Kl. I. Nederl. Inst. Wet. Amsterdam, Ser. II. xiii. t. 1 (1848).
Rev. Hort. 1869, p. 175.
Garden, v. 549 (1874).
Nouv. Arch. Mus. Hist. Nat. Paris, x. t. 5 (1874).
Pflanzenfam. iii. 1. 18 (1887).—*Veg.*
paludosa Sieber
*Spach, Hist. Nat. Vég. Phan. Atlas, t. 134 (1846).
Miquel in Nieuwe Verh. Kl. I. Nederl. Inst. Wet. Amsterdam, Ser. II. xiii. t. 8 (1848).
quadrivalvis Labill.
Labillardière, Nov. Holl. Pl. t. 218 (1806).
Dict. Sc. Nat., Planch. Bot. Dicot. t. 299 (1816–29).
Le Maout & Decaisne, Traité Gén. Bot. 532, 533 (1868).
Assoc. Franç. Avanc. Sc. 1873, Lyon, t. 8 (1874).—*Fr.*
Garden, xx. 441 (1881).
*J. E. Brown, For. Fl. S. Australia, Pt. 1&8 (1882–90).
Schilling, Grundr. Naturg. ii. Pflanzenr. Ausgb. B, p. 164 (1884).
Kerner, Pflanzenleben, i. 275 (1887); Ed. 3, i. 214 (1913).—*Veg.*
Kerner & Oliv. Nat. Hist. Pl. i. 299 (1894).—*Veg.*
Baillon, Hist. Pl. xii. 23 (1894).
Bull. Soc. Dendr. France, 1912, p. 87; 1913, p. 135.—*Fr.*
Preissiana Miq.
Miquel in Nieuwe Verh. Kl. I. Nederl. Inst. Wet. Amsterdam, Ser. II. xiii. t. 2 (1848).
pumila Otto & Dietr.
Miquel in Nieuwe Verh. Kl. I. Nederl. Inst. Wet. Amsterdam, Ser. II. xiii. t. 8 (1848).
quadrivalvis Labill.
Miquel in Nieuwe Verh. Kl. I. Nederl. Inst. Wet. Amsterdam, Ser. II. xiii. t. 9 (1848).
—— **macrocarpa** Miq.
Miquel in Nieuwe Verh. Kl. I. Nederl. Inst. Wet. Amsterdam, Ser. II. xiii. t. 10 (1848).
—— **spectabilis** Miq.
Miquel in Nieuwe Verh. Kl. I. Nederl. Inst. Wet. Amsterdam, Ser. II. xiii. t. 10 (1848).
ramuliflora Otto & Dietr.
Miquel in Nieuwe Verh. Kl. I. Nederl. Inst. Wet. Amsterdam, Ser. II. xiii. t. 4 (1848).
rigida Miq.
Miquel in Nieuwe Verh. Kl. I. Nederl. Inst. Wet. Amsterdam, Ser. II. xiii. t. 7 (1848).
Rumphiana Miq.
Rumphius, Herb. Amboin. iii. t. 58 (1743); fide Merrill, Interpret. Rumph. Herb. Amboin.
Miquel, Ill. Fl. Arch. Ind. t. 8 (1871).
selaginoides Miq.
Miquel in Nieuwe Verh. Kl. I. Nederl. Inst. Wet. Amsterdam, Ser. II. xiii. t. 3 (1848).
stricta Ait.
*Andrews, Bot. Rep. v. t. 346 (1804).
Miquel in Nieuwe Verh. Kl. I. Nederl. Inst. Wet. Amsterdam, Ser. II. xiii. t. 6 (1848).
Schnizlein, Iconogr. ii. t. 86 (1849).—*Fl.*
Lubbock, Seedlings, ii. 525 (1892).—*Veg.*
Baillon, Hist. Pl. xii. 23 (1894).
Bull. Soc. Bot. Belg. xxxiii. 165 (1894).—*Veg.*
Proc. Linn. Soc. N. S. Wales, xxx. III. t. 12 (1905).—*Hab.*
Maiden, For. Fl. N. S. Wales, ii. 213, t. 65 (1905); iii. 170 (1908).—*Hab.*
Rec. Instit. Bot. Errera, iii. 262 (1908).—*Veg.*
Warburg, Pflanzenwelt, i. 417 (1913).
Victorian Naturalist, xxix. t. 8 (1913).—*Veg.*
Maiden, Princip. Comm. Trees N. S. Wales (N. S. Wales, Forest. Handb.), 192 (1917).

CASUARINA
stricta
Trans. & Proc. Roy. Soc. S. Australia, xliii. t. 32 (1919).—*Fl.*
suberosa Otto & Dietr.
Miquel in Nieuwe Verh. Kl. I. Nederl. Inst. Wet. Amsterdam, Ser. II. xiii. t. 6 (1848).
*Hooker f., Fl. Tasman. i. t. 96 (1860).
F. Mueller, Introd. Bot. Teach. Schools Victoria, 36, 37 (1877).
F. Mueller, Key Syst. Victorian Pl. ii. fig. 25 a, b (1885).
F. Turner, Forage Pl. Austral. Dep. Agric. N. S. Wales, 90 (1891).
*Maiden & Campbell, Fl. Pl. & Ferns N. S. Wales, t. 23 (1897).
Queensland Agric. Journ. iv. t. 108 (1899).—*Hab.*
Maiden, For. Fl. N. S. Wales, ii. t. 72 (1905).
Rhodesian Agric. Journ. vi. VI. 666 (1909); xiv. IV. 488 (1917).
F. M. Bailey, Compr. Cat. Queensl. Pl. 506 (1909–13).
Ewart, Pl. Victoria, ii. t. 91 (1910) in textu; *C. leptoclada* in ic.
Guilfoyle, Austral. Pl. 264 [1911].—*Hab.*
Maiden, Princip. Comm. Trees N. S. Wales (N. S. Wales, Forest. Handb.), 188 (1917).
sumatrana Jungh.
Rumphius, Herb. Amboin. iii. t. 58, fig. A (1743); fide Merrill, Interpret. Rumph. Herb. Amboin.
De Vriese, Pl. Nov. Ind. Bat. Or. t. 1 (1843).
Miquel, Ill. Fl. Arch. Ind. t. 8 (1871).—*Fr.*
Ann. Jard. Bot. Buitenzorg, xvii. 38 (1900).—*Veg.*
Wettstein, Handb. Syst. Bot. Ed. 2, p. 491 (1911).—*Fr.*
tenuissima Sieber
Miquel in Nieuwe Verh. Kl. I. Nederl. Inst. Wet. Amsterdam, Ser. II. xiii. t. 4 (1848).
thuyoides Miq.
Miquel in Nieuwe Verh. Kl. I. Nederl. Inst. Wet. Amsterdam, Ser. II. xiii. t. 2 (1848).
Engl. Jahrb. xxxv. 129 (1904).—*Fr.*
torulosa Ait.
Miquel in Nieuwe Verh. Kl. I. Nederl. Inst. Wet. Amsterdam, Ser. II. xiii. t. 11 (1848).
Schnizlein, Iconogr. ii. t. 86 (1849).—*Fr.*
Goebel, Organogr. Pfl. 123 (1898); Ed. Angl. i. 144 (1900); Ed. 2, i. 360 (1913).—*Veg.*
Queensland Agric. Journ. iv. t. 109 (1899).—*Hab.*
Maiden, For. Fl. N. S. Wales, ii. t. 63 (1905); iv. Pt. XL. t. 29 (1910).—*Hab.*
Sim, Tree Planting Natal, fig. 48 (1905).—*Hab.*
F. M. Bailey, Compr. Cat. Queensl. Pl. 507 (1909–13).
Maiden, Princip. Comm. Trees N. S. Wales (N. S. Wales, Forest. Handb.), 195 (1917).
trichodon Miq.
Miquel in Nieuwe Verh. Kl. I. Nederl. Inst. Wet. Amsterdam, Ser. II. xiii. t. 8 (1848).

CATABROSA P. Beauv.—Vide *Aira* (5)
algida Fries
Andersson, Catabrosa algida, tab. (1849).
Andersson, Gram. Scand. t. 6, fig. 65 (1852).
Lindman, Svensk Fanerogamfl. 4, 86 (1918).
antarctica Hook. f.
Hooker f., Fl. Antarct. i. t. 56 (1845).
Buchanan, Man. Grass. New Zeal. t. 41 (1880).
aquatica P. Beauv.
P. Beauvais, Agrost. t. 19, fig. 8 (1812).—*Fl.*
Kunth, Enum. Pl. i. II. t. 25 (1835).
Nees, Gen. Pl., Monocot. i. t. 58 (1837).—*Fl.*
*Baxter, Brit. Bot. Ed. 2, iv. t. 252 (1839).
[M. E.] Jackson, Pict. Fl. fig. 131 (1840).
*Deakin, Florigr. Brit. i. fig. 120 (1841).
Parnell, Grasses Scotland, t. 20 (1842); Grasses Britain t. 20 (1845).
*Török, Magyar rétfüvek és takarmánynövények (Hungarian Grasses & Food-Pl.), t. 3 (1844).
*Kops, Fl. Batava, viii. t. 593 (1844).
Andersson, Gram. Scand. t. 6, fig. 64 (1852).
*Sowerby & Johnson, Grasses Gr. Brit. t. 35 [1857–61].
Johnson & Sowerby, Brit. Wild Fl. fig. 1500 (1858–60).

CATABROSA
aquatica
*Lowe, Nat. Hist. Brit. Grasses, t. 19 (1858).
Bentham, Handb. Brit. Fl. fig. 1232 (1865).
*Plues, Brit. Grasses, 287, t. 14 (1867).
Cesati, Passer. & Gibelli, Comp. Fl. Ital. t. 9 (1867–86).—*Fl.*
*Syme, Engl. Bot. xi. t. 1750 (1872).
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, vi. t. 254 [1873].
Cusin, Herb. Fl. Franç. xxiv (Graminées), t. 183 (1874).
De Silvestri, Piante Prat. 77 (1879).
Karsten, Deutsche Fl. Pharm.-medic. Bot. 390 (1880–83).
Wagner, Ill. Deutsche Fl. Ed. 2, p. 847 (1882).
Willkomm, Führ. Reich Pflanzen, 216 (1882).—*Fl.*
Potonié, Ill. Fl. Nord- u. Mittel-Deutschl. Ed. 4, fig. 139 (1889).
G. Beck, Fl. Nied.-Oesterr. i. 32, 77 (1890).—*Fl.*
Acloque, Fl. France, 699 (1894).—*Fl.*
Garcke, Ill. Fl. Deutschl. 684 (1895).
Karsten, Fl. Deutschl. i. 396 (1895).
Battandier & Trabut, Fl. Algér., Monocot. t. 5, fig. 30 (1895).
Raunkiær, Danske Blomsterpl. Naturhist. i. 572 (1895–99).—*Veg.*
Fiori & Paol. Ic. Fl. Ital. 33 (1896).
Britton & Brown, Ill. Fl. N. States & Canada, i. 194 (1896); Ed. 2, i. 245 (1913).
Husnot, Gram. t. 16 (1896–99).
U.S. Dep. Agric. Div. Agrost. Bull. No. 7, p. 274 (1897); No. 13, p. 55 (1898); No. 20, p. 137 (1900).
Sturm, Fl. Deutschl. Ed. 2, iii. t. 27 (1900).
C. T. Green, Fl. Liverpool Distr. fig. 735 (1902).
Blytt, Haandb. Norg. Fl. Ed. Dahl, 106 (1906).
Coste, Fl. France, iii. 609 (1906).
Suireishchikov, Ill. Fl. Mosc. Gov. i. 143 (1906).
*Gordon, Man. Brit. Grasses, 53, 91, t. 31 [1907].
H. M. Ward, Grasses, 12 (1908).
Fedtschenko & Fler. Fl. Eur. Russia, 114 (1910).
Heukels, Fl. Nederl. i. 516 (1911).
F. E. & E. S. Clements, Rocky Mt. Fl. t. 45 (1914).
Wilcox, Link & Pool in Bull. Agric. St. Nebraska, xxvii. No. 148, p. 48 (1915).—*Fl.*
Fedtschenko, Veg. Turkest. 121 (1915).
Lindman, Svensk Fanerogamfl. 63, 86 (1918).
Fitch & Smith, Ill. Brit. Fl. Ed. rev. 4, Iss. 2, fig. 1251 (1919).
U.S. Dep. Agric. Bull. No. 772, p. 51 (1920).
—— **borealis** Lange
*Fl. Dan. xvii. t. 3002, fig. 1 (1883).
—— **subtilis** Hook.
*Fl. Dan. xvii. t. 3002, fig. 2 (1883).
concinna T. Fries
Öfv. Vet. Akad. Forh. Stockholm, xxvi. t. 5 (1869).
Ostenfeld, Fl. Arctica, i. 117 (1902).
Lindman, Svensk Fanerogamfl. 86 (1918).—*Fl.*
humilis Trin.
Rouy, Illustr. Pl. Eur. Rar. fasc. 6, t. 150 (1896).
minuta Trin.
Kunth, Enum. Pl. i. II. t. 25 (1835).
ochroleuca Dumort.
Dumortier, Gramin. Belg. t. 4 (1823).—*Fl.*
tenuifolia Presl
C. Gay, Hist. Chile, Atlas, t. 81 (1854).
versicolor stenantha Somm. & Lév.
Déchy, Kaukasus, iii. t. 6, c (1907).
vilfoidea Anderss.
Öfv. Vet. Akad. Forh. Stockholm, xxiii. t. 2 (1866).

CATACHAETUM Hoffmsgg.: *Catasetum*
recurvatum Link, Klotzsch & Otto
*Link, Klotzsch & Otto, Ic. Pl. Rar. t. 42 (1840–44).

CATALPA Scop.—Vide *Bignonia* (7), *Macrocatalpa*
bignonioides Walt.
Decaisne & Naud. Amat. Jard. iii. 279 [1862–66].
Bureau, Monogr. Bignoniac. Atlas, t. 25 (1864).—*Fl.*
Réveil, Règne Vég. xiv. t. 30 (1870).
Decaisne, Naud. & Hemsl. Trees, Shrubs & Herb. Pl. 353 (1873).
Lauche, Deutsche Dendrol. Ed. 2, p. 146 (1883).

CATALPA
bignonioides
Nicholson, Illustr. Dict. Gard. i. 279 [1884–88].
Nicholson, Woods & Forests, ii. 50, 51 (1885).
*Millspaugh, American Med. Pl. t. 109 (1887).
Journ. Hort. Ser. III. xvi. 47 (1888); xxxii. 121 (1896); xli. 229 (1900).
Gard. Chron. Ser. III. viii. 697 (1890); xxix. 167 (1901); xliv. II. 313 (1908).
Gard. & Forest, iii. 537, 539 (1890).—*Hab.*
Baillon, Hist. Pl. x. 12 (1891).—*Fl.*
Koehne, Dendrol. 521 (1893).
*Bois, Dict. Hort. 261 (1893–99).
Newhall, Trees N.E. Amer. 141 (1894).
Pflanzenfam. iv. III. B. 237 (1894).—*Fl.*
Lochman, Phot. Med. Pl. t. 198 (1898).
E. T. Cook, Trees & Shrubs for Engl. Gard. 350 (1902).—*Hab.*
Fiori & Paol. Ic. Fl. Ital. 362 (1902).
Parkhurst, Trees, Shrubs, Vines N.E. United States, 219, t. 9, fig. 58 (1903).—*Veg.*
Möllers Deutsche Gärtn.-Zeit. xviii. 230 (1903); xxix. 527 (1914).—*Hab.*
Rev. Hort. 1907, p. 378, 379; 1911, p. 418.—*Veg.*
Bull. Soc. Dendr. France, 1907, p. 195; 1913, p. 110, 237.—*Veg.*
Elwes, Trees Gr. Brit. & Ireland, iii. t. 204 (1908); vi. t. 350 (1912).
Mitt. Deutsch. Dendr. Ges. 1909, p. 237; 1916, t. 65.—*Hab.*
Groom, Trees & Life Hist. t. 17, 44, 47 (1909).
Holm in Ottawa Naturalist, xxii. No. 11, t. 7 (1909).—*Veg.*
Garden, lxxv. 631 (1911); lxxviii. 578 (1914); lxxxi. 398 (1917).—*Fr.*
Schneider, Ill. Handb. Laubh. ii. 624, 626 (1911).
Collins & Preston, Key to Trees, 146 (1912).—*Veg.*
Silva Tarouca, Freiland-Laubgehölze, 29 (1913).—*Hab.*
Otis, Michigan Trees (Ann Arbor, Mich.), 226 (1913).
Bean, Trees & Shrubs, i. 312 (1914).
*Mathews, Field Book Amer. Trees & Shrubs, 384, 385 (1915).
Illick, Pennsylvania Trees (Pennsylv. Dept. For. Bull. No. 11), t. 2, 6, 123 (1919).
Sim, Flowering Trees & Shrubs, 162 (1919).
Journ. Heredity, xi. 17, 21, 22 (1920).
Bungei C. A. Mey.
Dippel, Handb. Laubholzk. i. 51 (1889).—*Veg.*
Nouv. Arch. Mus. Hist. Nat. Paris, Ser. III. vi. t. 4 (1894).
Bull. Soc. Dendr. France, 1907, p. 198.—*Veg.*
Apgar, Orn. Shrubs U.S. 283, fig. 492 (1910).
Schneider, Ill. Handb. Laubh. ii. 624, 626 (1911).
Catalpa Karst.
Sargent, Silva N. Amer. vi. t. 288, 289 (1894).
Britton & Brown, Ill. Fl. N. States & Canada, iii. 199 (1898); Ed. 2, iii. 238 (1913).
*Lounsberry, Guide to the Trees, Ed. 2, t. 103, p. 196 (1900).—*Hab.*
Schneider, Dendrol. Winterst. 15, 196 (1903).—*Veg.*
Rogers, Tree Book, 472 (1905).
Hough, Handb. Trees N. States & Canada, 404, 405 (1905).
Sargent, Man. Trees N. Amer. 794 (1905).
Emerson & Weed, Our Trees, How to Know Them, 283 (1908).
Britton, N. Amer. Trees. 834 (1908).
Solotaroff, Shade Trees Towns & Cities, t. 13, fig. 1, 2 (1911).
Keeler, Our Native Trees, 227 (1912).
Clements, Rosend. & Butters, Minnesota Tree & Shrubs, 117 (1912).
cordifolia Jaume
*Duhamel, Arbres & Arbustes, Ed. 2, ii. t. 5 (1804).
*Behrens, Blattformen, t. 11, fig. c (1900).—*Veg.*
Bull. Soc. Dendr. France, 1907, p. 195—*Veg.*; 1913, p. 110.—*Fr.*
Duclouxii Dode
Bull. Soc. Dendr. France, 1907, p. 197.

CATALPA
Fargesii Bur.
Nouv. Arch. Mus. Hist. Nat. Paris, Ser. III. vi. t. 3 (1894).
Wilson, Arn. Arb. Exped. China, 1910–11, t. 0192 (1912).—*Hab.*
×**Galleana** Hort.
Bull. Soc. Dendr. France, 1907, p. 198.—*Veg.*
Henryi Dode
Bull. Soc. Dendr. France, 1907, p. 198.—*Veg.*
heterophylla Dode
Bull. Soc. Dendr. France, 1907, p. 198.—*Veg.*
×**hybrida** Hort.
*Gartenfl. xlvii. t. 1454 (1898).
japonica Dode
Bull. Soc. Dendr. France, 1907, p. 198.—*Veg.*
Kaempferi Sieb. & Zucc.
Kwa-wi [transl. Savatier], Arbor. i. t. 24 (1759).
*Ill. Hort. ix. t. 319 (1862).
*Bot. Mag. cviii. t. 6611 (1882).
Lavallée, Arb. & Fruct. Hort. Segrez. t. 10 (1885).
Journ. Linn. Soc., Bot. xxii. 358 (1886).—*Veg.*
Lubbock, Seedlings, i. 18; ii. 339 (1892).—*Veg.*
*Mouillefert, Traité Arbres & Arbriss. Atlas, t. XVII (1892–98); errore *C. Bungei.*
Bull. Coll. Agric. Tokyo, ii. t. 16, fig. 17 (1895).—*Veg.*
Rocchetti in Borzi, Contrib. Biol. Veg. (Palermo), iv. 1. t. 1, fig. 8 (1905).—*Veg.*
Elwes & Henry, Trees Gr. Brit. & Ireland, iii. t. 204 (1908).—*Veg.*
*Shirasawa, Ic. Ess. Forest. Jap. ii. t. 71 (1908).
Miyabe-Festschrift, t. 27, fig. 10 (1911).—*Veg.*
Journ. Heredity, xi. 17–22 (1920).
longissima Sims
Plumier, Pl. Amer. Ed. Burm. t. 57 (1756); fide Urban, Fedde Repert. Beih. v. 48.
ovata G. Don
Dippel, Handb. Laubholzk. i. 50 (1889).—*Veg.*
Koehne, Dendrol. 521 (1893).
L. H. Bailey, Cycl. Amer. Hort. 258 (1900); Stand. Cycl. Hort. 684 (1914).
Schneider, Dendrol. Winterst. 196 (1903).—*Veg.*
Schneider, Ill. Handb. Laubh. ii. 624, 626 (1911).
Bull. Soc. Dendr. France, 1913, p. 110.—*Fr.*
Silva Tarouca, Freiland-Laubgehölze, 173 (1913).
speciosa Warder
Sargent, Silva N. Amer. vi. t. 290, 291 (1894).
Möllers Deutsche Gärtn.-Zeit. x. 269 (1895); xviii. 229 (1903).
*Rev. Hort. 1895, p. 136.
S. B. Green, Forestry Minnesota, 288 (1898).
Britton & Brown, Ill. Fl. N. States & Canada, iii. 200 (1898); Ed. 2, iii. 238 (1913).
L. H. Bailey, Cycl. Amer. Hort. 258 (1900); Stand. Cycl. Hort. 684, 685 (1914).
Huntington, Stud. Trees in Winter, 158 (1902).—*Hab.*
Fox, Tree Plant. Highways, 34, tab. (1903).
Schneider, Dendrol. Winterst. 196 (1903).—*Veg.*
Green in Bull. Ohio Agric. St. No. 149, p. 74, 75 (1904); No. 158, frontisp. p. 143, 144, 146, 147, 152, 161 (1905).—*Hab.*
Journ. Agric. S. Austral. vii. 615 (1904).—*Hab.*
Natal Agric. Journ. vii. 713 (1904).—*Hab.*
Sargent, Man. Trees N. Amer. 795 (1905).
Hough, Handb. Trees N. States & Canada, 406, 407 (1907).
Emerson & Weed, Our Trees, How to Know Them, 284 (1908).
Britton, N. Amer. Trees, 834 (1908).
Pammel, Man. Poison. Pl. 740 (1911).
Blakeslee & Jarvis, New England Trees in Winter (Storrs Agric. Exp. St. Bull. No. 69), 563 (1911).
Schneider, Ill. Handb. Laubh. ii. 626 (1911).—*Veg.*
Clements, Rosend. & Butters, Minnesota Trees & Shrubs, 117 (1912).
Collins & Preston, Key to Trees, 145, 146 (1912).—*Veg.*
Otis, Michigan Trees (Ann Arbor, Mich.), 224 (1913).
Blakeslee & Jarvis, Trees in Winter, 429 (1913).
Hayden in Iowa Geol. Surv. Bull. No. 4, p. 634 (1913).—*Fr.*

CATALPA
speciosa
Levison, Stud. Trees, 103 (1914).—*Hab.*
Journ. Heredity, vi. 419 (1915).—*Hab.*
Gard. Chron. Ser. III. lxvi. 34 (1919).—*Hab.*
Mitt. Deutsch. Dendr. Ges. 1920, t. 18–20.—*Hab.*
Pellett, Amer. Honey Pl. 60 (1920).
sutchuenensis Dode
Bull. Soc. Dendr. France, 1907, p. 198.
syringifolia Sims
*Bot. Mag. xxvii. t. 1094 (1808).
*Lodd. Bot. Cab. xiii. t. 1285 (1827).
*Géel, Sert. Bot. i. Cl. 2 (1828).
*Fritzsche in Mém. Acad. Sc. Pétersb. Div. Sav. iii. t. 4, fig. 4 (1837).—*Fl.*
J. C. Loudon, Arbor. & Frutic. Brit. vii. t. 47 A (1838).
Mongredien, Trees & Shrubs Engl. Plantat. 58 (1870).—*Hab.*
Garden, viii. 269 (1875); xxii. 74 (1882).
Gard. Chron. v. 13 (1876); Ser. III. xxi. 298 (1897).—*Hab.*
Berge, Pflanzenphysiogn. 96 (1880).
Sempervirens, xiv. 354 (1885).
Lazaro, Comp. Fl. Españ. ii. 578 (1907).
×**Teasiana** Hort.
Bull. Soc. Dendr. France, 1907, p. 198.—*Veg.*

CATAMIXIS Thoms.
baccharoides Thoms.
Journ. Linn. Soc., Bot. ix. t. 4 (1867).
Pflanzenfam. iv. v. 341 (1893).—*Fl.*
New Phytologist, xvii. 22 (1918).—*Fl.*

CATANANCHE Linn.
arenaria Coss. & Dur.
Gubb, Fl. Sahar. t. 29 (1913).
caerulea Linn.
Hill, Veget. Syst. iii. t. 117 (1762).
*Bot. Mag. ix. t. 293 (1795).
Lamarck, Ill. iv. t. 658, fig. 1 (1797).
*McDonald, Dict. Pract. Gard. i. t. 15 (1807).
*Schkuhr, Bot. Handb. Ed. 2, t. 226 (1808).
*Jaume St.-Hilaire, Pl. France, ii [t. 19] (1808).
*S. Edwards, New Bot. Gard. i. t. 15 (1812).
*Roscoe, Fl. Illustr. Seasons, t. 34 [1829–31].
Meigen, Deutschl. Fl. iii. t. 127 (1842).—*Fl.*
*J. W. Loudon, Ladies' Fl.-Gard. Ornam. Perenn. ii. t. 59 (1844).
Reichenbach, Ic. Fl. Germ. xix. t. 1363 (1858).
Decaisne & Naud. Amat. Jard. ii. 362 [1862–66].
Cesati, Passer. & Gibelli, Comp. Fl. Ital. t. 73 (1867–86).—*Fl.*
*Réveil, Règne Vég. iv. t. 4 (1870).—*Fl.*
Decaisne, Naud. & Hemsl. Trees, Shrubs & Herb. Pl. 267 (1873).
*Cusin, Herb. Fl. Franç. xiv (Composées), t. 402 (1874).
W. Robinson, Engl. Fl. Gard. t. 61 (1883).—*Hab.*
Nicholson, Illustr. Dict. Gard. i. 279 [1884–88].
Rev. Hort. 1890, p. 523.
Kerner, Pflanzenleben, ii. 112 (1891).—*Fl.*
Pflanzenfam. iv. v. 355 (1893).—*Fl.*
Acloque, Fl. France, 406 (1894).—*Fl.*
Brehm, Merv. Nat. Mondedes Pl. ii. 147 (1894–96).—*Fl.*
Kerner & Oliv. Nat. Hist. Pl. ii. 112 (1895).—*Fl.*
*Garden, lv. 368 (1899).
Coste, Fl. France, ii. 410 (1903).
Fiori & Paol. Ic. Fl. Ital. 456 (1904).
Lazaro, Comp. Fl. Españ. ii. 724 (1907).—*Fl.*
*H. S. Thompson, Fl. Pl. Riviera, t. 18 (1914).
Cadevall & Sallent, Fl. Catalunya, iii. 409 (1917).
caespitosa Desf.
Desfontaines, Fl. Atlant. ii. t. 217 (1798).
graeca Linn.
Hill, Veget. Syst. iii. t. 117 (1762).
lutea Linn.
Hill, Veget. Syst. iii. t. 117 (1762).
Gaertner, Fruct. ii. t. 157 (1791).—*Fr.*
Lamarck, Ill. iv. t. 658, fig. 2 (1797).
Boissieu, Fl. Eur. iii. t. 525 (1806).
*Schkuhr, Bot. Handb. Ed. 2, t. 226 (1808).—*Fl.*
*Sprengel, Anleit. Kenntn. Gewächse, Ed. 2, ii. t. 12, fig. 6, 9 (1818).—*Fl.*
*Sibthorp & Sm. Fl. Graeca, ix. t. 821 (1837).

CATANANCHE
lutea
Reichenbach, Ic. Fl. Germ. xix. t. 1363 (1858).
Bull. Soc. Bot. France, xxx. t. 3 (1883).
Öfv. Vet. Akad. Forh. Stockholm, lviii. 567 (1901).
Fiori & Paol. Ic. Fl. Ital. 456 (1904).
Bull. Soc. Bot. Ital. 1910, p. 150, 151.
Trotter, Fl. Econ. della Libia, 290 (1915).

CATAPODIUM Link
loliaceum Link
Reichenbach, Ic. Fl. Germ. i. t. 15 (1834).
Nees, Gen. Pl., Monocot. i. t. 69 (1837).
Cesati, Passer. & Gibelli, Comp. Fl. Ital. t. 10 (1867–86).—*Fl.*
Willkomm, Führ. Reich Pflanzen, 196 (1882).
Fiori & Paol. Ic. Fl. Ital. 40 (1896).
Husnot, Gram. t. 25 (1896–99).
Murbeck, Contr. Fl. N.-Ouest Afriq. Ser. II. t. 20 (1905).
—— **syrticum** Barr. & Murb.
Murbeck, Contr. Fl. N.-Ouest Afriq. Ser. II. t. 20 (1905).
Salzmannii Boiss.
Husnot, Gram. t. 25 (1896–99).
siculum Link
Cesati, Passer. & Gibelli, Comp. Fl. Ital. t. 10 (1867–86).—*Fl.*
Fiori & Paol. Ic. Fl. Ital. 40 (1896).
tenellum Husnot
Husnot, Gram. t. 25 (1896–99).
tuberculosum Moris
*Cosson & Durieu, Expl. Scient. Algér. 1840–42, Bot. Atlas, t. 42 (1850).
Fiori & Paol. Ic. Fl. Ital. 39 (1896).

CATAPPA Gaertn.: *Terminalia*
Benzoin Gaertn.
Gaertner, Fruct. ii. t. 127 (1791).—*Fr.*
brasiliensis Raddi
Raddi in Mem. Mat. Fis. Soc. Ital. Modena, xviii. t. 5, fig. 6 (1820).—*Fr.*
guianensis Lam.
Gaertner f., Fruct. iii. t. 217 (1807).—*Fr.*

CATASETUM L. Ç. Rich.—Vide *Catachaetum, Clowesia, Cypripedium* (2), *Monachanthus, Myanthus*
abruptum Hook.
*Bot. Mag. lxviii. t. 3929 (1842).
albo-purpureum Lind.
*Lindenia, xi. t. 502, 503 (1895).
albo-virens Barb.-Rodr.
Mart. Fl. Bras. iii. v. t. 88 (1898–1902).
atratum Lindl.
*Bot. Reg. xxiv. t. 63 (1838).
*T. Moore, Illustr. Orchidac. Pl., Catasetum, t. 3 (1857).
*Bot. Mag. lxxxvi. t. 5202 (1860).
*Warner & Will. Orch. Album, x. t. 480 (1893).
Baraquinianum C. Lem.
Ill. Hort. ix. Misc. 82 (1862).—*Fl.*
barbatum Lindl.
Neger, Biol. Pflanz. 631 (1913).—*Fl.*
Goebel, Organogr. Pfl. Ed. 2, i. 155 (1913).—*Fl.*
—— **proboscideum** Lindl.
*Bot. Reg. xxvii. t. 5 (1841).—*Fl.*
*T. Moore, Illustr. Orchidac. Pl., Catasetum, t. 5 (1857).—*Fl.*
—— **spinosum** Rolfe
*Lindenia, vii. t. 298 (1891).
Bungerothii N. E. Br.
*Lindenia, ii. t. 57 (1886).
Journ. Hort. Ser. III. xiii. 563 (1886); li. 221 (1905).
*Ill. Hort. xxxiv. t. 10 (1887).
Gard. Chron. Ser. III. i. 139, 142 (1887); v. 461 (1889).—*Fl.*
*Garden, xxxiii. 388 (1888).
*Bot. Mag. cxiv. t. 6998 (1888).
*Warner & Will. Orch. Album, viii. 352 (1889).
*Sander, Reichenbachia, ii. 91, t. 90 (1890) in ic.; *C. pileatum* in textu.
Linden, Orch. Exot. 513 (1894).
B. S. Williams, Orchid-Grower's Man. Ed. 7, p. 146 (1894).—*Hab.*

CATASETUM

Bungerothii
*Cogniaux, Dict. Icon. Orch., Catasetum, t. 1 (1897).—*Fl.*
Nicholson, '1900' Suppl. Dict. Gard. 202 (1900).—*Fl.*
Rev. Hort. 1920, p. 98.

—— **aurantiacum** Cogn.
*Lindenia, x. t. 459 (1894).
*Cogniaux, Dict. Icon. Orch., Catasetum, t. 1 (1897).—*Fl.*

—— **aureum** Linden & Rodigas
*Lindenia, iii. t. 116 (1887).
Oesterr. Gart.-Zeit. vii. 420 (1912).

—— **imperiale** Cogn.
*Cogniaux, Dict. Icon. Orch., Catasetum, t. 1 A (1897).—*Fl.*

—— **Pottsianum** Linden & Rodigas
*Lindenia, iii. t. 104 (1887).

—— **Randii** Rodigas
*Ill. Hort. xxxvii. t. 117 (1890).

calceolatum C. Lem.
Lem. Jard. Fl. i. Misc. 45 (1851).—*Fl.*

callosum Lindl.
*Bot. Reg. xxvii. t. 5 (1841).—*Fl.*
*T. Moore, Illustr. Orchidac. Pl., Catasetum, t. 5 (1857).—*Fl.*
*Bot. Mag. cviii. t. 6648 (1882).

—— **grandiflorum** Hook. f.
*Bot. Mag. lxxii. t. 4219 (1846).
Crisp, Guide Friar Park, 157 (1914).—*Fl.*

cassideum Linden & Reichb. f.
Reichenbach f., Xenia Orch. ii. t. 170 (1870).—*Fl.*

cernuum Reichb. f.
*Bot. Mag. lxxxix. t. 5399 (1863).

—— **umbrosum** Cogn.
Mart. Fl. Bras. iii. v. t. 86 (1898–1902).

Christyanum Reichb. f.
*Warner & Will. Orch. Album, ii. t. 83 (1883).
Orchidophile, 1886, p. 225.—*Fl.*
Gard. Chron. Ser. III. xviii. 617 (1895).—*Fl.*
*Bot. Mag. cxxxi. t. 8007 (1905).

ciliatum Barb. Rodr.
Mart. Fl. Bras. iii. v. t. 87 (1898–1902).

Claesianum Linden & Cogn.
Gard. Chron. Ser. III. xliv. 211 (1908).

Claveringii Lindl.
*Bot. Reg. x. t. 840 (1824).
*Lodd. Bot. Cab. xiv. t. 1344 (1828).
*Géel, Sert. Bot. Cl. 20 (1832).
*Reichenbach, Fl. Exot. ii. t. 122 (1834).
Mutel in Mém. Soc. Mus. Hist. Nat. Strasbourg, iii. 1. t. 5, fig. 33 (1840).—*Fl.*

cornutum Lindl.
*Bot. Reg. xxvii. t. 5 (1841).—*Fl.*
*T. Moore, Illustr. Orchidac. Pl., Catasetum, t. 5 (1857).—*Fl.*

cristatum Lindl.
*Bot. Reg. xii. t. 966 (1826).
Mutel in Mém. Soc. Mus. Hist. Nat. Strasbourg, iii. 1. t. 4, fig. 25 (1840).—*Fl.*
Velenovsky, Vergl. Morphol. Pfl. iii. 1033 (1910).—*Fl.*

—— **monstrosum** Hook.
!Hook. Ic. Pl. ii. t. 177 (1837).

—— **spinigerum** Hook.
*Hooker, Cent. Orch. Pl. t. 54 (1849).

—— **stenosepalum** Reichb. f.
*Ill. Hort. xxxiv. t. 25 (1887).

cruciatum Schlechter
Orchis, x. 185 (1916).—*Fl.*

Darwinianum Rolfe
Journ. Linn. Soc., Bot. xxvii. t. 8 (1890).
Kew Bull. 1913, p. 99.
Gard. Chron. Ser. III. lxiv. 61 (1918).

decipiens Reichb. f.
*Lindenia, iii. t. 144 (1887).

deltoideum Lindl.
Mutel in Mém. Soc. Mus. Hist. Nat. Strasbourg, iii. 1. t. 5, fig. 26 (1840).—*Fl.*

discolor Lindl.
*Saunders, Ref. Bot. ii. t. 83 (1869).
*Lindenia, i. t. 38 (1885).
Mart. Fl. Bras. iii. v. t. 90 (1898–1902).

CATASETUM

ferox Kränzl.
Reichenbach f., Xenia Orch. iii. t. 288 (1896).—*Fl.*

fimbriatum Lindl. & Paxt.
Paxt. Fl. Gard. i. 124 (1850–51).—*Fl.*
Cottage Gard. v. 145 (1851).
Journ. Hort. xxx. 192 (1863).
*Bot. Mag. cxvii. t. 7158 (1891).
Diels in Natur, iv. 56 [1907].—*Fl.*
*Wettstein in Denkschr. Akad. Wiss. Wien, lxxix. t. 14 (1908).—*Fl.*
Wettstein, Handb. Syst. Bot. Ed. 2, p. 836 (1911).—*Veg.*
Orchis, vi. t. 23 (1912).
Hauman in An. Mus. Nac. Hist. Nat. Buenos Aires, xxix. 380 (1917); xc. I–VI. 151 (1920).—*Fl.*
Rev. Hort. 1920, p. 99.—*Hab.*

—— **aurantiacum** Porsch
Wettstein in Denkschr. Akad. Wiss. Wien, lxxix. t. 14 (1908).—*Fl.*

—— **brevipetalum** Porsch
*Wettstein in Denkschr. Akad. Wiss. Wien, lxxix. t. 14 (1908).—*Fl.*

—— **Cogniauxii** Linden
*Lindenia, xi. t. 499 (1895).

—— **fissum** Reichb. f.
*Rev. Hort. Belge, xiv. 273 (1888).
*Kerchove, Livre Orch. t. 13 (1894).

—— **micranthum** Porsch
*Wettstein in Denkschr. Akad. Wiss. Wien, lxxix. t. 14 (1908).—*Fl.*

—— **subtropicale** Haum.
Hauman in An. Mus. Nac. Hist. Nat. Buenos Aires, xxix. 380 (1917).—*Fl.*

floribundum Hook.
*Hooker, Exot. Fl. ii. t. 151 (1825).

galeritum Reichb. f.
*Lindenia, ii. t. 67 (1886).

—— **pachyglossum** Reichb. f.
*Bot. Mag. cxxxii. t. 8093 (1906).

Garnettianum Rolfe
*Bot. Mag. cxv. t. 7069 (1889).

globiflorum Hook.
*Bot. Mag. lxviii. t. 3942 (1842).
*Hooker, Cent. Orch. Pl. t. 50 (1849).

gnomus Linden & Reichb. f.
Reichenbach f., Xenia Orch. ii. t. 170 (1870).—*Fl.*
*Ill. Hort. xxiv. t. 270 (1877).
Mart. Fl. Bras. iii. v. t. 84, 85 (1898–1902).
*Costantin, Atlas Orch. Cult. t. 22 (1913).—*Fl.*

Hookeri Lindl.
*Lindley, Collect. t. 40 (1821).
*Beer, Beitr. Morph. u. Biol. Orch. t. 8, fig. 7 (1863).—*Fr.*

—— **labiatum** Cogn.
Mart. Fl. Bras. iii. v. t. 86 (1898–1902).

imperiale Linden & Cogn.
*Lindenia, x. t. 460 (1894).
Journ. Hort. Ser. III. xxx. 25 (1895).—*Fl.*
Gard. Chron. Ser. III. xvii. 329 (1895).—*Fl.*
Journ. Orch. v. 347 (1895).—*Fl.*

Imschootianum Linden & Cogn.
*Lindenia, ix. t. 403 (1893).

incurvum Klotzsch
Gard. Chron. 1855, p. 4.—*Fl.*
Ill. Hort. x. Misc. 60 (1863).—*Fl.*

inornatum Schlechter
Orchis, x. 185 (1916).—*Fl.*

integerrimum Hook.
*Bot. Mag. lxvii. t. 3823 (1840).
*T. Moore, Illustr. Orchidac. Pl., Catasetum, t. 1 (1857).

—— **viridiflorum** Hook.
*Bot. Mag. lxvii. t. 3823 (1840).—*Fl.*

labiatum Barb. Rodr.
Hook. Ic. Pl. xxvii. t. 2617 (1899).

laminatum Lindl.
*Saunders, Ref. Bot. ii. t. 137 (1882).
Pflanzenfam. ii. VI. 160 (1889).—*Fl.*
Kerchove, Livre Orch. 124 (1895).—*Fl.*

—— **eburneum** Lindl.
*Bot. Reg. xxvii. t. 5 (1841).—*Fl.*
*T. Moore, Illustr. Orchidac. Pl., Catasetum, t. 5 (1857).—*Fl.*

CATASETUM

laminatum maculatum Lindl.
*Lindley, Sertum Orch. t. 38 (1840).

lanciferum Lindl.
*Bot. Reg. xxvii. t. 5 (1841).—*Fl.*
*T. Moore, Illustr. Orchidac. Pl., Catasetum, t. 5 (1857).—*Fl.*

Lehmannii Regel
*Gartenfl. xxxv. t. 1223 (1886).

Leichtensteinii Kränzl.
*Reichenbach f., Xenia Orch. iii. t. 253, 254 (1892).

Lemosii Rolfe
*Bot. Mag. cxxi. t. 7444 (1895).
Mart. Fl. Bras. iii. v. t. 87 (1898–1902).

×**Lindenii** Cogn.
*Lindenia, x. t. 453 (1894).
Gard. Chron. Ser. III. xvii. 329 (1895).—*Fl.*
Journ. Orch. v. 347 (1895).—*Fl.*

longifolium Lindl.
*Lindley, Sertum Orch. t. 31 (1840).
*Hooker, Cent. Orch. Pl. t. 52 (1849).
*Saunders, Ref. Bot. ii. t. 82 (1869).
*Warner & Will. Orch. Album, x. t. 456 (1893).

×**Luciani** Cogn.
*Lindenia, x. t. 454 (1894).

luridum Lindl.
*Bot. Reg. xx. t. 1667 (1835).
*Bot. Mag. lxiv. t. 3590 (1837).
Mutel in Mém. Soc. Mus. Hist. Nat. Strasbourg, iii. 1. t. 5, fig. 34 (1840).—*Fl.*
Reichenbach, Ic. Fl. Germ. xiii & xiv. t. 355, fig. 21–31 (1850).—*Fl.*

macrocarpum Rich.
H. B. K. Nov. Gen. vii. t. 631 (1825).
*Warner & Will. Orch. Album, iv. t. 189 (1885).
*Ill. Hort. xxxiii. t. 619 (1886).
Stein, Orchideenbuch, 111 (1892).—*Fl.*
Gartenwelt, xv. 89 (1911).
Schlechter, Orchideen, 375 (19[14–]15).—*Hab.*
A Kert (The Garden), xxiii. 81 (1917).—*Fl.*
Rev. Hort. 1920, p. 99.—*Hab.*

—— **chrysanthum** Linden & Rodigas
*Lindenia, v. t. 197 (1889).

—— **Lindenii** O'Brien
Journ. Orch. v. 205 (1894).
*Lindenia, x. t. 442 (1894).

—— **luteo-roseum** Linden
*Lindenia, xi. t. 502, 503 (1895).

—— **viride** Hort.
A Kert (The Garden), xxiii. 81 (1917).—*Fl.*

maculatum Kunth
H. B. K. Nov. Gen. vii. t. 630 (1825).
*Bateman, Orchidac. Mex. & Guatem. t. 2 (1837–43).
*Bot. Reg. xxvi. t. 62 (1840).
Journ. Hort. liii. 373 (1875).
Horticulture (Boston), ix. 425 (1909).—*Hab.*

mentosum C. Lem.
Lem. Jard. Fl. iii. Misc. 65 (1853).—*Fl.*

micranthum Barb. Rodr.
Mart. Fl. Bras. iii. v. t. 89 (1898–1902).

microglossum Rolfe
*Bot. Mag. cxxxix. t. 8514 (1913).

×**mirabile** Cogn.
*Lindenia, x. t. 458 (1894).
Gard. Chron. Ser. III. xvii. 329 (1895).—*Fl.*
Journ. Orch. v. 347 (1895).—*Fl.*

monodon Kränzl.
*Orchis, i. t. 6 (1906).—*Hab.*

naso Lindl.
*Bot. Mag. lxxx. t. 4792 (1854).

ornithorrhynchus Porsch
*Wettstein in Denkschr. Akad. Wiss. Wien, lxxix. t. 14 (1908).—*Fl.*
Wettstein, Handb. Syst. Bot. Ed. 2, p. 838 (1911).—*Fl.*

pallidum Cogn.
Orchis, ii. 27 (1907).

Pflanzii Schlechter
Hauman in An. Mus. Nac. Hist. Nat. Buenos Aires, xxix. 379 (1917).—*Fl.*

pileatum Reichb. f.
Sander, Reichenbachia, ii. 91, t. 90 (1890) in textu; *C. Bungerothii* in ic.
Journ. Hort. Ser. III. xlix. 543 (1904).—*Fl.*
Garden, lxvi. 445 (1904).—*Fl.*

CATASETUM
planiceps Lindl.
*Bot. Reg. xxix. t. 9 (1843).
*T. Moore, Illustr. Orchidac. Pl., Catasetum, t. 2 (1857).
platyglossum Schlechter
Orchis, x. 185 (1916).—*Fl.*
pulchrum N. E. Br.
*Lindenia, iii. t. 120 (1887).
punctatum Rolfe
*Lindenia, xi. t. 496 (1895).
purum Nees & Sinning
*Nees, Pl. Hort. Med. Bonn. Ic. Sel. t. 1 (1824).
*Bot. Mag. lxii. t. 3388 (1835).
*Hooker, Cent. Orch. Pl. t. 51 (1849).
quadridens Rolfe
*Bot. Mag. cxxviii. t. 7864 (1902).
Randii Rolfe
*Bot. Mag. cxxii. t. 7470 (1896).
rivularium Barb. Rodr.
Mart. Fl. Bras. iii. v. t. 85 (1898–1902).—*Fl.*
Rodigasianum Rolfe
*Lindenia, vi. t. 259 (1890).
Garden, lxxx. 261 (1916).
—— **tenebrosum** Rolfe
*Lindenia, ix. t. 406 (1893).
roseo-album Lindl.
*Hooker, Cent. Orch. Pl. t. 53 (1849).
rostratum Klinge
Act. Hort. Petrop. xvii. 1. 134, t. 2, fig. 22 (1898).—*Fl.*
Russellianum Hook.
*Bot. Mag. lxvi. t. 3777 (1840).
Jardin, vii. 79 (1893).
Journ. Hort. Ser. III. lvii. 315 (1908).—*Fl.*
Journ. Roy. Hort. Soc. London, xxiv. Proc. p. cclv. fig. 119 (1909).—*Fl.*
saccatum Lindl.
*Lindley, Sertum Orch. t. 41 (1841).
Wiesner in Schrift. Ver. Verbr. Naturw. Kenntn. Wien, iv. 71, fig. 5; 72, fig. 6 (1865).—*Fl.*
Nature, x. 423, 424, fig. 21–22 (1874); xv. 358 (1877).—*Fl.*
Lubbock, Brit. Fl. Relat. Insects, 174, 175 (1875).—*Fl.*
*Lindenia, vi. t. 269 (1890).
Rev. Hort. Belge, xvi. 180 (1890).—*Fl.*
B. S. Williams, Orchid-Grower's Man. Ed. 7, p. 148 (1894).—*Fl.*
sanguineum Lindl. & Paxt.
Paxt. Fl. Gard. ii. 168 (1851–52).—*Fl.*
Lem. Jard. Fl. ii. Misc. 134 (1852).—*Fl.*
*Linden, Pescatorea, t. 14 (1860).
scurra Reichb. f.
Gard. Chron. vii. 304, 305 (1877).
Stein, Orchideenbuch, 113 (1892).—*Hab.*
B. S. Williams, Orchid-Grower's Man. Ed. 7, p. 148 (1894).
Pittier in Nat. Geogr. Mag. Washington, xxiii. 641 (1912).
*Addisonia, i. t. 32 (1916).
semiapertum Hook.
*Hooker, Exot. Fl. iii. t. 213 (1827).
*Bot. Reg. xx. t. 1708 (1835).
semiroseum G. Beck
*Wien. Ill. Gart.-Zeit. xxi. t. 4 (1896).
×**splendens acutipetalum** Linden
*Lindenia, xi. t. 502, 503 (1895).
×—— **album** Linden & Cogn.
*Lindenia, x. t. 455 (1894).
×—— **Aliciae** Linden & Cogn.
*Lindenia, x. t. 457 (1894).
×—— **atropurpureum** Cogn.
*Lindenia, x. t. 456 (1894).
×—— **aureo-maculatum** Hort.
*Ill. Hort. xliii. t. 54 (1896).
×—— **Grignanii** Linden
*Lindenia, xiii. t. 596 (1897).
×—— **Lansbergeanum** Linden
*Lindenia, xiii. t. 611 (1897).
×—— **Lindenii** Rolfe
*Cogniaux, Dict. Icon. Orch., Catasetum hybr. t. 1 (1901).—*Fl.*
×—— **punctatissimum** Hort.
Garden, lxix. 88 (1906).—*Hab.*

CATASETUM
×**splendens rubiginosum** Linden
*Lindenia, xii. t. 555 (1896).
×—— **rubrum** Linden & Cogn.
*Lindenia, xi. t. 502, 503 (1895).
stupendum Cogn.
*Lindenia, xi. t. 487 (1895).
tabulare Lindl.
*Cogniaux, Dict. Icon. Orch., Catasetum, t. 2 (1905).—*Fl.*
—— **rhinophorum** Reichb. f.
Gard. Chron. Ser. III. xviii. 43 (1895).
—— **serrulatum** Reichb. f.
*Gartenfl. xxxv. t. 1223 (1886).
thylaciochilum C. Lem.
Ill. Hort. iii. Misc. 90 (1856).—*Fl.*
tigrinum Reichb. f.
*Lindenia, i. t. 27 (1885).
tridentatum Hook.
*Hooker, Exot. Fl. ii. t. 90, 91 (1825).
*Bot. Mag. lii. t. 2559 (1825).
*Géel, Sert. Bot. Cl. 20 (1832).
*Reichenbach, Fl. Exot. i. t. 60 (1834).
*Bot. Mag. lxi. t. 3329 (1834).
Ann. Sc. Nat. Paris, Ser. IV. xix. t. 12 (1863).—*Fl.*
Journ. Linn. Soc., Bot. viii. t. 9, fig. 7–13 (1865).—*Fl.*
Pflanzenfam. ii. vi. 72, 160 (1889).—*Fl.*
Kerner, Pflanzenleben, ii. 269 (1891).—*Fl.*
Kerchove, Livre Orch. 186 (1894).—*Fl.*
Kerner & Oliv. Nat. Hist. Pl. ii. 269 (1895).—*Fl.*
Gartenfl. xlvii. 109 (1898).—*Fl.*
Diels in Natur, iv. 60 [1907].—*Fl.*
—— **genuinum** Mutel
Mutel in Mém. Soc. Mus. Hist. Nat. Strasbourg, iii. i. t. 5, fig. 27 (1840).—*Fl.*
—— **globoso-connivens** Mutel
Mutel in Mém. Soc. Mus. Hist. Nat. Strasbourg, iii. i. t. 5, fig. 28 (1840).—*Fl.*
—— **monacanthum** Kerch.
Kerchove, Livre Orch. 186 (1894).—*Fl.*
—— **myanthum** Kerch.
Kerchove, Livre Orch. 186 (1894).—*Fl.*
—— **pallidum** Mutel
Mutel in Mém. Soc. Mus. Hist. Nat. Strasbourg, iii. i. t. 5, fig. 29 (1840).—*Fl.*
—— **unidentatum** Mutel
Mutel in Mém. Soc. Mus. Hist. Nat. Strasbourg, iii. i. t. 5, fig. 31 (1840).—*Fl.*
—— **viridi-eburneum** Mutel
Mutel in Mém. Soc. Mus. Hist. Nat. Strasbourg, iii. i. t. 5, fig. 32 (1840).—*Fl.*
—— **viridi-sanguineum** Mutel
Mutel in Mém. Soc. Mus. Hist. Nat. Strasbourg, iii. i. t. 5, fig. 30 (1840).—*Fl.*
trifidum Hook.
*Bot. Mag. lx. t. 3262 (1833).
*Hooker, Cent. Orch. Pl. t. 55 (1849).
trimerochilum C. Lem.
*Ill. Hort. x. t. 374 (1863).
Trulla Lindl.
*Bot. Reg. xxvii. t. 34 (1841).
*T. Moore, Illustr. Orchidac. Pl., Catasetum, t. 4 (1857).
Reichb. f., Xenia Orch. iii. t. 253 (1892).—*Fl.*
viride Lindl.
Journ. Hort. xxxvi. 429 (1866).—*Fl.*
viridiflavum Hook.
*Bot. Mag. lxix. t. 4017 (1843).
*Gartenfl. iv. t. 121 (1855).
*Addisonia, i. t. 53 (1917).
Wailesii Hook.
*Bot. Mag. lxviii. t. 3937 (1842).
Warczewitzii Lindl. & Paxt.
Paxt. Fl. Gard. i. 45 (1850–51).—*Fl.*
Wredeanum Schlechter
Orchis, ix. 18, 19 (1915).

CATESBAEA Linn.
erecta Moc. & Sessé
A. De Candolle, Calq. Dess. Fl. Mex. Moc. & Sessé, t. 460 (1874).
fasciculata Northrop
Mem. Torr. Bot. Club, xii. 1. t. 16 (1902).

CATESBAEA
latifolia Lindl.
*Bot. Reg. x. t. 858 (1825).
*Géel, Sert. Bot. Cl. 4 (1828).
*Reichenbach, Fl. Exot. iv. t. 279 (1835).
longiflora Sw.
Lamarck, Ill. i. t. 67, fig. 1 (1791).
macrantha A. Rich.
Ramon de la Sagra, Fl. Cubana, iv. Atlas, Pl. Vasc. t. 47 (1853); et Ic. Fl. Cub. Pl. Vasc. t. 47 (1863).
nana Greenm.
Trans. Acad. Sc. St. Louis, vii. t. 35 (1897).
parahybensis Vell.
Vellozo, Fl. Flum. i. t. 145 (1827).
parviflora Lam.
Lamarck, Ill. i. t. 67, fig. 2 (1791).
parviflora Sw.
Vahl, Eclogae Amer. i. t. 10 (1796).—*Fl.*
Gaertner f., Fruct. iii. t. 192 (1805).—*Fr.*
Velenovsky, Vergl. Morphol. Pfl. ii. 649 (1907).—*Veg.*
spinosa Linn.
*Bot. Mag. iv. t. 131 (1790).
*Joh. Kerner, Abbild. Oek. Pfl. (Fig. Pl. Écon.), viii. t. 800 (1796).
*Joh. Kerner, Ausländ. Bäume & Gestr. t. 53 (1796).
*Trattinick, Ausg. Taf. Arch. iii. 211 (1814).
Brooklyn Bot. Gard. Rec. i. 5 (1912).—*Hab.*

CATHA Forsk.
edulis Forsk.
Lindley, Veg. Kingd. 586 (1846).
Ettingshausen in Denkschr. Akad. Wiss. Wien, xiii. fig. 31, p. 75, t. 7, fig. 23 (1857).—*Veg.*
Ettingshausen, Blatt-Skel. Dikot. 151 (1861).—*Veg.*
Pflanzenfam. iii. v. 208 (1892).
Sim, For. Fl. Cape Colony, t. 38 (1907).
Beille, Bot. Pharm. ii. 661 (1909).
Engler & Drude, Veget. Erde, ix. 1. 1. 94 (1910).
Hartwich, Menschl. Genussmittel, 470 (1911).
Forskalii A. Rich.
A. Richard, Tent. Fl. Abyssin. Atlas, t. 30 [1847].

CATHA D. Don: *Celastrus*
cassinoides Webb & Berth.
Webb & Berth. Hist. Nat. Iles Canar. iii. Phytogr. ii. t. 69 b (1836–50).—*Fl.*
crenata A. Brongn.
A. Du Petit-Thouars, Voy. Venus, Bot. t. 24 (1846).
emarginata G. Don
Ann. Jard. Bot. Buitenzorg, xvii. 21 (1900).—*Veg.*
europaea Boiss.
Laguna, Comis. Fl. For. Españ. t. 7 (1872).
vitiensis A. Gray
A. Gray, U.S. Expl. Exp. Bot. Atlas, i. t. 23 (1857).

CATHARTOCARPUS Pers.: *Cassia*
bacillaris Pers.
*Jacquin, Fragm. t. 85 (1809).
Bacillus Lindl.
*Bot. Reg. xi. t. 881 (1825).
brasilianus Jacq.
*Jacquin, Fragm. t. 85 (1809).—*Fr.*
Fistula Pers.
*Nees, Pl. Offic. ii. t. 344 (1828).

CATHARTOLINUM Reichb.: *Linum*
alternum Reichb.
*Reichenbach, Ic. Fl. Germ. vi. t. 327 (1844).
Berlandieri Small
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, ii. 439 (1913).
cathcarticum Small
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, ii. 438 (1913).
corymbulosum Reichb.
*Reichenbach, Ic. Fl. Germ. vi. t. 326 (1844).
floridanum Small
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, ii. 438 (1913).
gallicum Reichb.
*Reichenbach, Ic. Fl. Germ. vi. t. 326 (1844).

CATHARTOLINUM
medium Small
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, ii. 438 (1913).
pratense Reichb.
*Reichenbach, Ic. Fl. Germ. vi. t. 325 (1844).
rigidum Small
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, ii. 439 (1913).
salsoloides Reichb.
*Reichenbach, Ic. Fl. Germ. vi. t. 328 (1844).
spicatum Reichb.
*Reichenbach, Ic. Fl. Germ. vi. t. 327 (1844).
striatum Small
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, ii. 437 (1913).
strictum Reichb.
*Reichenbach, Ic. Fl. Germ. vi. t. 327 (1844).
suffruticosum Reichb.
*Reichenbach, Ic. Fl. Germ. vi. t. 328 (1844).
sulcatum Small
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, ii. 439 (1913).
tenuifolium Reichb.
*Reichenbach, Ic. Fl. Germ. vi. t. 328 (1844).
virginianum Reichb.
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, ii. 437 (1913).

CATHCARTIA Hook. f.
betonicifolia Prain
Pflanzenreich, Papaverac. 252 (1909).
integrifolia Maxim.
Maximowicz, Pl. Tangut. t. 9, 23 (1889).
lyrata Cumm. & Prain
Ann. Bot. Gard. Calcutta, ix. t. 7 (1901).
Pflanzenreich, Papaverac. 252 (1909).
polygonoides Prain
Ann. Bot. Gard. Calcutta, ix. t. 8 (1901).
Pflanzenreich, Papaverac. 252 (1909).—*Fr.*
punicea Maxim.
Maximowicz, Fl. Tangut. t. 23 (1889).
villosa Hook. f.
*Bot. Mag. lxxvii. t. 4596 (1851).
*Lem. Jard. Fl. ii. t. 167 (1851).
*Fl. des Serres, Ser. I. vii. t. 686 (1851–52).
Cottage Gard. vii. 379 (1852).
Pflanzenreich, Papaverac. 252 (1909).

CATHEDRA Miers
Gardneriana Miers
Miers, Contrib. Bot. i. t. 2 (1851–61).
Mart. Fl. Bras. xii. II. t. 7 (1872).—*Fl.*
Pflanzenfam. iii. I. 234 (1889).—*Fl.*
rubricaulis Miers
Miers, Contrib. Bot. i. t. 2 (1851–61).
Mart. Fl. Bras. xii. II. t. 7 (1872).
Valeton, Olacineae, t. I (1886).—*Fl.*
Pflanzenfam. ii. I. 133 (1889).—*Fl.*

CATHESTECUM Presl
erectum Vasey & Hackel
Bull. Torr. Bot. Club, xi. t. 45 (1884).
Vasey, Ill. N. Amer. Grasses (U.S. Dep. Agric. Div. Bot. Bull. No. 12, I), i. t. 13 (1890).
Contrib. U.S. Nat. Herb. xiv. 361 (1912).—*Fl.*
U.S. Dep. Agric. Bull. No. 772, p. 196 (1920).
multifidum D. Griffiths
Contrib. U.S. Nat. Herb. xiv. 360 (1912).—*Fl.*
prostratum Presl
Presl, Reliq. Haenk. t. 42 (1830).
U.S. Dep. Agric. Div. Agrost. Bull. No. 7, p. 242 (1897); No. 20, p. 119 (1900).
Contrib. U.S. Nat. Herb. xiv. 358, 359 (1912).—*Fl.*
stoloniferum D. Griffiths
Contrib. U.S. Nat. Herb. xiv. 363 (1912).—*Fl.*

CATHETOSTEMMA Bl.: *Hoya*
laurifolium Bl.
Blume, Mus. Bot. Lugd.-Bat. i. fig. 13 (1849).—*Fl.*

CATIMBIUM Juss.: *Alpinia*
erectum Juss.
Ann. Sc. Nat. Paris, Ser. II. xv. t. 18 (1841).—*Fl.*
nutans Juss.
Ann. Sc. Nat. Paris, Ser. II. xv. t. 18 (1841).—*Fl.*

CATINGA Aubl.: *Eugenia*
aromatica Aubl.
Aublet, Hist. Pl. Guiane Franç. iv. t. 203 (1775).
moschata Aubl.
Aublet, Hist. Pl. Guiane Franç. iv. t. 203 (1775).

CATOBLASTUS H. Wendl.
Drudei O. F. Cook & Doyle
Contrib. U.S. Nat. Herb. xvi. 233 (1913).—*Fl.*
praemorsus H. Wendl.
Contrib. U.S. Nat. Herb. xvi. t. 61, fig. 14, 15 (1913).—*Fr.*
pubescens H. Wendl.
Pflanzenfam. ii. III. 61 (1889).—*Fl.*
Contrib. U.S. Nat. Herb. xiv. t. 61, fig. 1–13, t. 62 (1913).
—— **crinocarpa** Trail
Mart. Fl. Bras. iii. II. t. 127 (1882).—*Fl.*

CATOCOMA Benth.: *Bredemeyera*
altissima Poepp. & Endl.
Poeppig & Endl. Nov. Gen. & Sp. Pl. iii. t. 273 (1845).

CATONIA Vell.
rustica Vell.
Vellozo, Fl. Flum. iv. t. 18 (1827).

CATOPHERIA Benth.
capitata Benth.
Pflanzenfam. iv. III. A. 374 (1897).
spicata Benth.
Hook. Ic. Pl. xiii. t. 1215 (1877).

CATOPHRACTES D. Don
Alexandri D. Don
Trans. Linn. Soc. London, xviii. t. 22 (1841).
Pflanzenfam. iv. II. B. 231 (1894).—*Fl.*
Engler & Drude, Veget. Erde, ix. I. 2, t. 31, p. 528 (1910).
Engl. Jahrb. xlvi. t. 4 (1911).—*Hab.*
Welwitschii Seemann
Journ. of Bot. iii. t. 39 (1865).

CATOPSIS Griseb.—Vide *Pogospermum*
deflexa Ule
Ber. Deutsch. Bot. Ges. xviii. t. 10, fig. 1–6 (1900).
Mosenii Mez.
Wettstein, Veg. Südbras. t. 16 (1904).—*Hab.*
nitida Griseb.
Baillon, Hist. Pl. xiii. 97 (1894).—*Fr.*
nutans Griseb.
Mart. Fl. Bras. iii. III. t. 107 (1894).

CATOSPERMA Benth.
Muelleri Benth.
Hook. Ic. Pl. xi. t. 1028 (1868).

CATOSTEMMA Benth.
fragrans Benth.
Hook. Ic. Pl. xviii. t. 1793 (1888); xx. t. 1986 (1891).

CATOSTIGMA O. F. Cook & Doyle
radiatum O. F. Cook & Doyle
Contrib. U.S. Nat. Herb. xvi. t. 56–60 (1913).

CATTLEYA Lindl.—Vide *Maelenia*
Aclandiae Lindl.
*Bot. Reg. xxvi. t. 48 (1840).
*Paxt. Mag. ix. 1, 2 (1842).
*Fl. des Serres, Ser. I. vii. t. 674 (1851–52).
*Bot. Mag. lxxxiv. t. 5039 (1858).
*Bateman, Second Cent. Orch. Pl. t. 119 (1867).
*Ill. Hort. xv. t. 565 (1868).
Journ. Hort. lxii. 90 (1879); Ser. III. liii. 243 (1906).
*Warner & Will. Orch. Album, ii. t. 69 (1883).
Gard. Chron. xxiii. 544 (1885).
Orchidophile, 1885, p. 366.—*Hab.*
Veitch, Man. Orch. Pl. Pt. 2, p. 29 (1887).—*Fl.*
*Lindenia, viii. t. 346 (1892).
Kerchove, Livre Orch. 218 (1894).—*Fl.*
Linden, Orch. Exot. 623 (1894).—*Hab.*
B. S. Williams, Orchid-Grower's Man. Ed. 7, p. 151 (1894).—*Fl.*
Bellair & St.-Léger, Pl. Serre, 459 (1900).—*Hab.*
*Cogniaux, Dict. Icon. Orch., Cattl. t. 23 (1900).
Kertészeti Lapok (Hungarian Journ. Hort.), xxii. 143 (1907).

CATTLEYA
Aclandiae
*Costantin, Atlas Orch. Cult. t. 18 (1913).—*Fl.*
Schlechter, Orchideen, 216 (19[14–]15).—*Hab.*
—— **maxima** Hort.
*Lindenia, ix. t. 421 (1893).
—— **salmonea** Hort.
*Lindenia, ix. t. 399 (1893).
—— **Schilleriana** Jennings
*Jennings, Orchids, t. 25 (1875).
×**Adolphinae** Hort.
*Cogniaux, Dict. Icon. Orch., Cattl. hybr. t. 36 (1906).
×**Adonis Karthousii** Hort.
Schlechter, Orchideen, 737 (19[14–]15).—*Fl.*
Albertii Hort.
*Orchidophile, 1890, p. 321.
Alexandrae Rolfe
Bull. Soc. Tosc. Ortic. xvii. 330 (1892).—*Hab.*
Journ. Orch. iii. 168 (1892).—*Hab.*
Rev. Hort. Belge, xviii. 197 (1892).—*Hab.*
Kerchove, Livre Orch. 385 (1894).—*Hab.*
Linden, Orch. Exot. 173 (1894).—*Hab.*
—— **elegans** Rolfe
*Lindenia, viii. t. 358 (1892).
—— **tenebrosa** Rolfe
*Lindenia, viii. t. 357 (1892).
×**Aliciae** Linden
*Lindenia, xi. t. 494 (1895).
amethystina Morr.
*Ann. Gand, iv. t. 201 (1848).
*Lem. Jard. Fl. iv. t. 379 (1853).
*Beer, Beitr. Morph. u. Biol. Orch. t. 3, fig. 18, t. 11, fig. 10, 14 (1863).—*Fr.*
amethystoglossa Linden & Reichb. f.
*Warner, Select Orch. Pl. Ser. I. t. 2 (1862–65).
*Ill. Hort. xiv. t. 538 (1867).
*Bot. Mag. xciv. t. 5683 (1868).
*Rev. Hort. 1869, p. 212.
Journ. Hort. lxii. 290 (1879); Ser. III. x. 396 (1885).—*Fl.*
De Puydt, Orchidées, 91 (1880).—*Fl.*
Garten-Zeit. Berlin, iii. 5 (1884).—*Fl.*
*Orchidophile, 1892, p. 369.
*Sander, Reichenbachia, Ser. II. i. 101, t. 47 (1892).
Bellair & St.-Léger, Pl. Serre, 460 (1900).—*Hab.*
Gard. Chron. Ser. III. xxxviii. 105 (1905).
—— **rosea** Rolfe
*Lindenia, viii. t. 375 (1892).
—— **sulfurea** Hort.
Gard. Chron. 1866, p. 315.—*Fl.*
×**amoena** Hort.
*Orchidophile, 1891, p. 273.
Aquinii Barb. Rodr.
Barbosa Rodrigues, Pl. Nov. Jard. Bot. Rio de Janeiro, i. t. 4, fig. C (1891).—*Fl.*
×**Artemis** Hort.
Gard. Chron. Ser. III. lii. 65 (1912).—*Fl.*
Ashtonii alba Hort.
Journ. Roy. Hort. Soc. London, xxxvii. Proc. p. cclii. fig. 162 (1912).—*Fl.*
×**atlanta inversa** Hort.
*Cogniaux, Dict. Icon. Orch., Cattl. hybr. t. 11 (1899).—*Fl.*
×—— **splendens** Hort.
*Cogniaux, Dict. Icon. Orch., Cattl. hybr. t. 11 A (1900).—*Fl.*
×—— **superba** Hort.
Journ. Roy. Hort. Soc. London, xxviii. Proc. p. ccxxxix (1903–4).—*Fl.*
aurea Linden
*Garden, xxi. 80 (1882).
*Ill. Hort. xxx. t. 493 (1883).
*Lindenia, i. t. 28 (1885).
Journ. Hort. Ser. III. xxxi. 253 (1895).—*Fl.*
*Orch. World, ii. 284 (1912).
Hefka, Cattleyen u. Laelien, t. 9, fig. 14 (1914).
—— **aurantiaca** Linden
*Lindenia, xiii. t. 598, 599 (1897).
—— **Chotekiana** Linden
*Lindenia, xiii. t. 598, 599 (1897).
—— **chrysotoxa** André
*Rev. Hort. 1892, p. 492.
—— **grandis** Linden
*Lindenia, xiii. t. 598, 599 (1897).

CATTLEYA
aurea magnifica Linden
*Lindenia, xiii. t. 598, 599 (1897).
—— **musaica** Linden
*Lindenia, xiii. t. 598, 599 (1897).
—— **splendens** Linden
*Lindenia, xiii. t. 598, 599 (1897).
aureo-maculata Hort.
*Floral Mag. i. t. 27 (1861).
×**Ballantiniana** Reichb. f.
*Sander, Reichenbachia, ii. 95, t. 91 (1890).
bicolor Lindl.
*Lindley, Sertum Orch. t. 5 (1837).
*Bot. Mag. lxxxii. t. 4909 (1856).
*Beer, Beitr. Morph. u. Biol. Orch. t. 3, fig. 26 (1863).—*Fr.*
Journ. Hort. lxii. 91 (1879); Ser. III. xiv. 177 (1887); li. 565 (1905).
Nicholson, Illustr. Dict. Gard. i. 281; ii. 517 [1884–88].—*Fl.*
Rhein. Jahrb. Gartenkunde & Bot. v. 250, 251 (1887–88).
*Warner & Will. Orch. Album, vii. t. 318 (1888).
*Lindenia, vii. t. 292 (1891).
*Orchidophile, 1891, p. 17.
*Cogniaux, Dict. Icon. Orch., Cattl. t. 10 (1897).—*Fl.*
Schimper, Pflanzen-Geogr. 12 (1898).
Mart. Fl. Bras. iii. v. t. 58 (1898–1902).
Orch. Rev. x. 305 (1902).—*Fl.*
Kertészeti Lapok (Hungarian Journ. Hort.), xxi. 37 (1906).
*Costantin, Atlas Orch. Cult. t. 18 (1913).—*Fl.*
—— **Measuresiana** Warn. & Will.
*Warner & Will. Orch. Album, viii. t. 357 (1889).
—— **olocheilos** Klinge
Act. Hort. Petrop. xvii. 1. 135, t. 1, fig. 6 (1898).—*Fl.*
×**blesensis** Hort.
*Rev. Hort. 1893, p. 424.
Bowringiana Veitch
Sempervirens, xv. 220, 221 (1886).
Journ. Hort. Ser. III. xii. 397 (1886); xxxviii. 25 (1899).
Veitch, Man. Orch. Pl. Pt. 2, p. 31, 32 (1887); Pt. 10, p. 24 (1894).—*Fl.*
*Warner & Will. Orch. Album, vii. t. 323 (1888).
*Sander, Reichenbachia, Ser. II. i. 3, t. 2 (1892).
*Rev. Hort. Belge, xxi. 37 (1895).
*Cogniaux, Dict. Icon. Orch., Cattl. t. 24 (1900).—*Fl.*
Orch. Rev. xii. 361 (1904); xvi. 337 (1908); xxiv. 249 (1916).
Gard. Chron. Ser. III. xxxix. 114 (1906).—*Hab.*
Orchis, vi. t. 7 (1912).
*Costantin, Atlas Orch. Cult. t. 18 (1913).
Orch. World, iii. 155 (1913); vi. 85 (1916).
—— **lilacina** Hort.
Gard. Chron. Ser. III. lxv. 1 (1919).
—— **violacea** Hort.
*Rev. Hort. 1890, p. 300.—*Fl.*
×**Bowringiano-labiata** G. Mantin
*Cogniaux, Dict. Icon. Orch., Cattl. hybr. t. 15 (1900).—*Fl.*
×**Brabantiae** Veitch
*Floral Mag. vi. t. 360 (1867).
brasiliensis Klinge
Act. Hort. Petrop. xvii. 1. 135, t. 1, fig. 7, 8 (1898).—*Fl.*
×**Browniae** Hort.
Journ. Hort. Ser. III. xliii. 437 (1901); liv. 545 (1907).—*Fl.*
Orch. Rev. xiv. 345 (1906); xxv. 32 (1917).—*Fl.*
Hefka, Cattleyen u. Laelien, t. 4 (1914).
×**Brymeriana** Reichb. f.
*Warner & Will. Orch. Album, iv. t. 184 (1885).
*Lindenia, viii. t. 343 (1892).
*Cogniaux, Dict. Icon. Orch., Cattl. hybr. t. 1 (1896).—*Fl.*
*Gartenfl. li. t. 1505 (1902).
Brysiana C. Lem.
*Lem. Jard. Fl. iii. t. 275, 276 (1852).
bulbosa Lindl.
*Bot. Reg. xxxiii. t. 42 (1847).
*Journ. Hort. Prat. Belg. vi. 97 (1848).
*Paxt. Mag. xv. 49 (1849).

CATTLEYA
Bullieri Carr.
*Rev. Hort. 1886, p. 444.
×**Buyssoniana** Hort.
Gard. Chron. Ser. III. viii. 589 (1890).—*Fl.*
×**calummata** André
*Rev. Hort. 1883, p. 564.
*Warner & Will. Orch. Album, iv. t. 166 (1885).
Gard. Chron. xxvi. 525 (1886).
Gartenfl. xxxvi. 88 (1887).—*Fl.*
×—— **Grignanii** Linden
*Lindenia, xvi. t. 749 (1901).
Carrieri Houllet
*Rev. Hort. 1876, p. 350.
×**Cecilia elata** Cogn.
*Cogniaux, Dict. Icon. Orch., Cattl. hybr. t. 9 (1898).—*Fl.*
×**Chamberlainiana** Reichb. f.
*Cogniaux, Dict. Icon. Orch., Cattl. hybr. t. 17 (1902).—*Fl.*
×**chloris** Hort.
Gard. Chron. Ser. III. xiv. 525 (1893).—*Fl.*
Hefka, Cattleyen u. Laelien, t. 11, fig. 17 (1914).
chocoënsis Linden & André
*Ill. Hort. xx. t. 120 (1873).
*Miner, Orchids, t. 6 (1885).
Pflanzenfam. ii. vi. 69 (1889).—*Fl.*
Hefka, Cattleyen u. Laelien, t. 7, fig. 10 (1914).
citrina Lindl.
*Bot. Mag. lxvi. t. 3742 (1839).
*Hooker, Cent. Orch. Pl. t. 34 (1849).
*Linden, Pescatorea, t. 9 (1860).
*Fl. des Serres, Ser. II. vi. t. 1689 (1865–67).
*Gartenfl. xxvii. t. 931 (1878).
*Warner, Select Orch. Pl. Ser. III. t. 18 (1878).—*Hab.*
*Garden, xxii. 274 (1882); xxxiii. 535 (1888).
Nicholson, Illustr. Dict. Gard. i. 282 [1884–88].
Journ. Hort. Ser. III. xv. 565 (1887); xxx. 399 (1895); xl. 432 (1900).
Möllers Deutsche Gärtn.-Zeit. ii. 305 (1887).
Veitch, Man. Orch. Pl. Pt. 2, p. 33 (1887).
*Sander, Reichenbachia, i. 45, t. 20 (1888).
Jardin, iii. 58 (1889).
Pflanzenfam. ii. vi. 148 (1889).
Journ. Orch. iii. 28 (1892).—*Hab.*
Stein, Orchideenbuch, 117 (1892).—*Hab.*
Schweiz. Gartenbau, vi. 188 (1893).
*Warner & Will. Orch. Album, x. t. 469 (1893).
Kerchove, Livre Orch. 387 (1894).
Linden, Orch. Exot. 220 (1894).
B. S. Williams, Orchid-Grower's Man. Ed. 7, p. 157 (1894).—*Hab.*
*Cogniaux, Dict. Icon. Orch., Cattl. t. 6 (1897).
Bellair & St.-Léger, Pl. Serre, 461 (1900).—*Hab.*
Horticulture (Boston), viii. 775 (1908); x. 539 (1909).—*Hab.*
C. H. Curtis, Orchids for Everyone, 208 (1910).—*Hab.*
*Costantin, Atlas Orch. Cult. t. 18 (1913).
L. H. Bailey, Stand. Cycl. Hort. 692 (1914).
Orch. World, vi. 13 (1915).
Orchis, ix. 115 (1915).
×**Clymene** Linden
*Lindenia, xvi. t. 761 (1902).
×**Cogniauxii** F. Peeters
*Cogniaux, Dict. Icon. Orch., Cattl. hybr. t. 22 (1904).
concolor Drapiez
*Horticulteur Univ. ii. 197 (1841).
crispa Lindl.
*Bot. Reg. xiv. t. 1172 (1828).
Géel, Sert. Bot. Cl. 20 (1832).
*Reichenbach, Fl. Exot. iv. t. 268 (1835).
*Hort. Belge Journ. Jard. & Amat. v. t. 106 (1838).
*Paxt. Mag. v. 5 (1838).
*Journ. Jard. 1840, p. 63.
*Bot. Mag. lxviii. t. 3910 (1841).
*Hooker, Cent. Orch. Pl. t. 32 (1849).
*Beer, Beitr. Morph. u. Biol. Orch. t. 1, fig. 12, t. 11, fig. 5 (1863).
*Gartenfl. xvii. t. 574 (1868).
B. S. Williams, Orchid-Grower's Man. Ed. 7, p. 158 (1894).—*Fl.*
Garden, xlviii. 504 (1895).—*Hab.*

CATTLEYA
crispa Buchananiana Warn. & Will.
*Warner & Will. Orch. Album, ii. t. 81 (1883).
—— **delicatissima** Will.
*Warner & Will. Orch. Album, ix. t. 424 (1891).
—— **pendula** C. Morr.
*Belg. Hort. iv. t. 26 (1854) in ic.; *C. crispa reflexa-macrophylla* in textu.
—— **purpurea** Lindl.
*Beer, Beitr. Morph. u. Biol. Orch. t. 4, fig. 17, t. 10, fig. 19, 20 (1863).—*Fr.*
—— **reflexa-macrophylla** Enghien
*Belg. Hort. iv. t. 26 (1854) in textu; *C. crispa pendula* in ic.
Cupidon Hort.
*Lindenia, x. t. 440 (1894).
Dawsonii Warn.
*Warner, Select Orch. Pl. Ser. I. t. 16 (1862–65).
Dirce magnifica Hort.
Orch. World, iii. 287 (1913).—*Fl.*
dolosa Reichb. f.
Gard. Chron. v. 430, 431 (1876).
*Belg. Hort. xxvi. 184 (1876).
De Puydt, Orchidées, 23 (1880).—*Hab.*
Pfitzer, Grundz. Vergl. Morph. Orchideen, 112 (1882).—*Hab.*
B. S. Williams, Orchid-Grower's Man. Ed. 7, p. 160 (1894).—*Hab.*
L. H. Bailey, Stand. Cycl. Hort. 2384 (1916).
×**Dominiana alba** Veitch
*Floral Mag. vi. t. 367 (1867).
Dowiana Batem.
*Fl. des Serres, Ser. II. vi. t. 1709, 1710 (1865–67).
*Warner, Select Orch. Pl. Ser. II. t. 27 (1865–75).
*Bateman, Second Cent. Orch. Pl. t. 191 (1867).
*Bot. Mag. xciii. t. 5618 (1867).
*Ill. Hort. xiv. t. 525 (1867).
*Belg. Hort. xix. 193 (1869).
*Rev. Hort. 1869, p. 31, 460.
*Jennings, Orchids, t. 33 (1875).
*Garden, xii. 448 (1877).
*De Puydt, Orchidées, t. 7 (1880).
Gard. Chron. xxiii. 501 (1885).—*Fr.*
Journ. Hort. Ser. III. xli. 573 (1900); xlvii. 347 (1903).—*Fl.*
Bol. de Fomento, Costa Rica, ii. xi. 797 (1912).
Horticulture (Boston), xvii. 889 (1913).—*Fl.*
—— **aurea** Warn. & Will.
*Warner & Will. Orch. Album, ii. t. 84 (1883); ix. 432 (1891).
*Sander, Reichenbachia, i. t. 5 (1888).
*Cogniaux, Dict. Icon. Orch., Cattl. t. 2 A (1896).—*Fl.*
Bellair & St.-Léger, Pl. Serre, 462 (1900).
Orch. Rev. xix. 17 (1911); xxi. 304 (1913).
Orchis, vii. 131 (1913).
—— **aurea-marmorata** Hort.
*Cogniaux, Dict. Icon. Orch., Cattl. t. 2 B (1896).—*Fl.*
—— **aurea Statteriana** Warn. & Will.
*Warner & Will. Orch. Album, x. t. 468 (1893).
—— **aureo-alba** Cogn.
Cogniaux, Dict. Icon. Orch., Cattl. t. 2 C (1897).
—— **chrysotoxa** Sander
*Sander, Reichenbachia, ii. 71, t. 80 (1890).
—— **moortebeekiensis** Linden
*Lindenia, xv. t. 688 (1900).
Semaine Hort. iv. 41 (1900).—*Fl.*
—— **rosita** Hort.
Journ. Roy. Hort. Soc. London, xxv. Proc. p. ccxxiv, ccxxv (1900–1).—*Fl.*
—— **Statteriana** Hort.
*Lindenia, viii. t. 356 (1892).
Journ. Orch. v. 140 (1894).
×**Duchesnei** Pynaert
*Rev. Hort. Belge, xxx. 3 (1904).
×**Dupreana Hyeana** Hort.
Möllers Deutsche Gärtn.-Zeit. xxviii. 457 (1913).—*Hab.*
×**Düsseldorfii Undine** Hort.
Orch. Rev. xviii. frontisp. (1910).—*Fl.*
Bull. Missouri Bot. Gard. vi. t. 5 (1918).
×**Edwardii** Hort.
Horticulture (Boston), xiv. 585 (1911).—*Fl.*
eldorado Linden
*De Puydt, Orchidées, t. 8 (1880).—*Hab.*

CATTLEYA
eldorado
*Lindenia, vi. t. 262 (1890).
Mart. Fl. Bras. iii. v. t. 56 (1898–1902).
*Cogniaux, Dict. Icon. Orch., Cattl. t. 26 (1900). —*Fl.*
—— **crocata** Reichb. f.
*Sander, Reichenbachia, ii. 99, t. 93 (1890).
—— **Lindenii** Hort.
*Lindenia, ix. t. 409 (1893).
—— **Owenii** Hort.
*Lindenia, ix. t. 409 (1893).
—— **splendens** Linden
*Ill. Hort. xvii. t. 7 (1870).
*Warner & Will. Orch. Album, vii. 310 (1888).
—— **Treyeranae** Linden
*Lindenia, ix. t. 402 (1893).
—— **virginalis** Warn. & Will.
*Warner & Will. Orch. Album, ix. 388 (1891).
—— **Wallisii** Rand.
*Cogniaux, Dict. Icon. Orch., Cattl. t. 26 A (1901). —*Fl.*
elegans C. Morr.
*Ann. Gand, iv. t. 185 (1848).
Moore & Ayres, Mag. Bot. i. 184 (1850).
D. Dietrich, Fl. Univ. Abt. i. t. 901 (1852–55).
*Bot. Mag. lxxix. t. 4700 (1853).
*Linden, Pescatorea, t. 23 (1860).
Cottage Gard. xxvi. 100 (1861).
*Ill. Hort. xi. t. 402 (1864).
*Bateman, Second Cent. Orch. Pl. t. 156 (1867).
Journ. Hort. xlvii. 31 (1872).
×**Elisabethae** Linden
*Lindenia, xvi. t. 721 (1901).
×**elongata** Barb. Rodr.
*Bot. Mag. cxxiii. t. 7543 (1897).
*Cogniaux, Dict. Icon. Orch., Cattl. t. 4 (1897). —*Fl.*
Mart. Fl. Bras. iii. v. t. 50 (1898–1902).
*Costantin, Atlas Orch. Cult. t. 17 (1913).—*Fl.*
×**exoniensis** Reichb. f.
*Warner, Select Orch. Pl. Ser. II. t. 36 (1865–75).
*Floral Mag. v. t. 269 (1866).
*Jennings, Orchids, t. 1 (1875).
×**Fabia** Hort.
Journ. Hort. Ser. III. xxxv. 499 (1897).—*Fl.*
Journ. Roy. Hort. Soc. London, xxi. Proc. p. ccxxiv (1897–98).—*Fl.*
*Cogniaux, Dict. Icon. Orch., Cattl. hybr. t. 24 A (1907).
*Rev. Hort. 1910, p. 500.
×—— **Vigeriana** Hort.
*Cogniaux, Dict. Icon. Orch., Cattl. hybr. t. 24 (1904).—*Fl.*
Orch. Rev. xvi. 89 (1908); xxiv. 272 (1916).—*Hab.*
×**fausta** Reichb. f.
Garden, iv. 435 (1873).
Gard. Chron. 1873, p. 290.—*Fl.*
*Floral Mag. N. Ser. 1875, t. 189.
×—— **radicans** Reichb. f.
Gard. Chron. 1873, p. 290.—*Fl.*
×**flavescens** Maron
*Cogniaux, Dict. Icon. Orch., Cattl. hybr. t. 19 (1902).—*Fl.*
*Costantin, Atlas, Orch. Cult. t. 21 (1913).—*Fl.*
Forbesii Lindl.
*Bot. Reg. xi. t. 953 (1826).
*Lodd. Bot. Cab. xii. t. 1152 (1826).
*Bot. Mag. lx. t. 3265 (1833).
*Journ. Jard. 1834, p. 379.
Mutel in Mém. Soc. Mus. Hist. Nat. Strasbourg, iii. 1. t. 3, fig. 15 (1840).—*Fl.*
Reichenbach, Ic. Fl. Germ. xiii & xiv. t. 353, fig. 48–55 (1850).—*Fl.*
*Beer, Beitr. Morph. u. Biol. Orch. t. 4, fig. 40 (1863).—*Fr.*
*Cogniaux, Dict. Icon. Orch., Cattl. t. 11 (1897). —*Fl.*
Nicholson, '1900' Suppl. Dict. Gard. 205 (1900). —*Fl.*
Ann. Jard. Bot. Buitenzorg, xxiii. t. 4 (1910). —*Fl.*
*Costantin, Atlas Orch. Cult. t. 18 (1913).
×**Fowleri** Sander & Kränzl.
Gard. Chron. Ser. III. xviii. 239 (1895).—*Fl.*

CATTLEYA
Fowleri
Journ. Roy. Hort. Soc. London, xix. Proc. p. ccii (1896).—*Fl.*
*Cogniaux, Dict. Icon. Orch., Cattl. hybr. t. 5 (1897).—*Fl.*
fragrans Barb. Rodr.
Barbosa Rodrigues, Struct. Orch. t. 7, fig. 4 (1883).—*Fr.*
Frankeana Rolfe
Orchis, iii. t. 2 (1909).
fulva Beer
*Beer, Beitr. Morph. u. Biol. Orch. t. 10, fig. 4, 6 (1863).—*Fr.*
×**fulvescens** Hort.
Journ. Hort. Ser. III. lv. 505 (1907).—*Fl.*
Journ. Roy. Hort. Soc. London, xxxiii. Proc. p. ccxxii. fig. 112 (1908).—*Fl.*
Galeottiana Beer
*Beer, Beitr. Morph. u. Biol. Orch. t. 11, fig. 4 (1863).—*Fr.*
Gaskelliana Hort.
*Ill. Hort. xxxiii. t. 613 (1886).
*Rev. Hort. Belge, xiii. 205 (1887).
Orchidophile, 1888, p. 275.
*Cogniaux, Dict. Icon. Orch., Cattl. t. 20 (1899). —*Fl.*
Horticulture (Boston), x. 822 (1909).—*Hab.*
Teysmannia, xxii. 150 (1911).
Gartenwelt, xvi. 468 (1912).
Journ. Hort. Ser. III. lxvii. 397 (1913).—*Hab.*
—— **alba** Warn. & Will.
*Warner & Will. Orch. Album, viii. t. 353 (1889).
*Cogniaux, Dict. Icon. Orch., Cattl. t. 20 A (1899). —*Fl.*
Journ. Roy. Hort. Soc. London, xxxvi. 37, fig. 21 (1910).
Orch. World, iii. 14 (1912).—*Hab.*
—— **albens** Reichb. f.
*Gartenfl. xxxvii. t. 1274 (1888).
—— **amabilis** Linden
*Lindenia, xv. t. 720 (1900).
Semaine Hort. iv. 365 (1900).—*Fl.*
×**germania burbagensis** Hort.
Orch. Rev. x. 297 (1902).
Gibeziae Linden & Rodigas
*Lindenia, iii. t. 133 (1887).
gigas Linden & André
*Ill. Hort. xxi. t. 178 (1874).
*Floral Mag. N. Ser. 1874, t. 144.
Gard. Chron. ii. 617 (1874); xiv. 269 (1880); xvii. 343 (1882).
*Jennings, Orchids, t. 18 (1875).
*Warner, Select Orch. Pl. Ser. III. t. 7 (1878).—*Hab.*
De Puydt, Orchidées, 180 (1880).
Pfitzer, Grundz. Vergl. Morph. Orchideen, 113 (1882).
*Garden, xxi. 348 (1882); xlv. 445 (1894).
*Lindenia, ii. t. 63 (1886).
Gard. & Forest, i. 437 (1888).
Journ. Hort. Ser. III. xxix. 275 (1894).—*Fl.*
B. S. Williams, Orchid-Grower's Man. Ed. 7, p. 164 (1894).
Horticulture (Boston), ii. 83 (1905); vi. 1 (1907); x. 635 (1909); xi. 813 (1910); xxvi. 502 (1917).
Teysmannia, xxii. 150 (1911).
—— **amplissima** Linden
*Lindenia, x. t. 461 (1894).
—— **franconvillensis** Will.
*Warner & Will. Orch. Album, xi. t. 505 (1897).
—— **Meulenaereana** Linden
*Lindenia, xvii. t. 775 (1902).
—— **Sanderiana** Hort.
Journ. Hort. Ser. III. ix. 52, 57 (1885); xxx. 545 (1895).
*Orchidophile, 1886, p. 17.
Horticulture (Boston), vi. 103 (1907); vii. 854 (1908).
×**Goossensiana** Cogn.
*Cogniaux, Dict. Icon. Orch., Cattl. hybr. t. 14 (1900).—*Fl.*
granulosa Lindl.
*Bot. Reg. xxviii. t. 1 (1842).
*Ann. Gand, ii. t. 103 (1846).
*Fl. des Serres, Ser. I. iii. t. 198 (1847).

CATTLEYA
granulosa
*Bot. Mag. lxxxiv. t. 5048 (1858).
*Réveil, Règne Vég. t. 46 (1870).—*Fl.*
*Cogniaux, Dict. Icon. Orch., Cattl. t. 14 (1897). —*Fl.*
Orch. Rev. xi. 345 (1903).—*Fl.*
*Costantin, Atlas Orch. Cult. t. 18 (1913).—*Fl.*
—— **Buyssoniana** O'Brien
*Lindenia, vi. t. 270 (1890).
*Costantin, Atlas Orch. Cult. t. 18 (1913).—*Fl.*
—— **Russelliana** Lindl.
*Bot. Reg. xxxi. t. 59 (1845).
—— **Schofieldiana** Veitch
*Sander, Reichenbachia, Ser. II. i. 75, t. 36 (1892).
*Cogniaux, Dict. Icon. Orch., Cattl. t. 14 A (1898). —*Fl.*
×**Grossii** Kränzl.
*Gartenfl. xlvi. t. 1436 (1897).
Orch. Rev. x. 305 (1902).—*Fl.*
guatemalensis T. Moore
*Floral Mag. i. t. 61 (1861).
guttata Lindl.
*Bot. Reg. xvii. t. 1406 (1831).
*Lodd. Bot. Cab. xviii. t. 1715 (1831).
*Trans. Hort. Soc. London, Ser. II. ii. 1835–41, t. 8 (1842).
Stein, Orchideenbuch, 121 (1892).
!Veitch, Man. Orch. Pl. Pt. 10, p. 41 (1894).—*Fl.*
Semaine Hort. iv. 439 (1900).
Journ. Hort. Ser. III. xlvii. 599 (1903); l. 507 (1905).—*Fl.*
Kertészeti Lapok (Hungarian Journ. Hort.), xxi. 37 (1906).
—— **Keteleerii** Houllet
*Rev. Hort. 1875, p. 350.
—— **leopardina** Linden & Rodigas
*Lindenia, i. t. 19 (1885).
—— **Leopoldi** Linden & Reichb. f.
*Linden, Pescatorea, t. 43 (1860).
*Fl. des Serres, Ser. II. iv. t. 1471, 1472 (1861).
De Puydt, Orchidées, t. 9 (1880).
*Warner & Will. Orch. Album, i. t. 16 (1882).
*Sander, Reichenbachia, ii. 65, t. 77 (1890).
Stein, Orchideenbuch, 120 (1892).—*Fl.*
Bellair & St.-Léger, Pl. Serre, 465 (1900).
Nicholson, '1900' Suppl. Dict. Gard. 205 (1900). —*Fl.*
*Costantin, Atlas Orch. Cult. t. 18 (1913).—*Fl.*
—— **marmorata** Lindl.
*Ann. Gand, i. t. 46 (1845).
—— **pernambucensis** Rodigas
*Ill. Hort. xl. t. 184 (1893).
—— **Prinzii** Reichb. f.
Veitch, Man. Orch. Pl. Pt. 2, p. 37 (1887).
Rev. Hort. Belge, xiv. 230 (1888).—*Fl.*
Kerchove, Livre Orch. 217 (1894).—*Fl.*
Journ. Hort. Ser. III. xxx. 10 (1895).—*Fl.*
*Costantin, Atlas Orch. Cult. t. 17 (1913).—*Fl.*
—— **Russelliana** Hook.
*Bot. Mag. lxv. t. 3693 (1838).
*Hartinger, Parad. Vindob. t. 22 (1844–60).
*Hooker, Cent. Orch. Pl. t. 33 (1849).
—— **tigrina** Hort.
*Lindenia, x. t. 441 (1894).
—— **Williamsiana** Reichb. f.
*Warner & Will. Orch. Album, v. t. 212 (1886).
×**Hardyana** Hort.
*Warner & Will. Orch. Album, v. t. 231 (1886).
B. S. Williams, Orchid-Grower's Man. Ed. 7 p. 166 (1894).—*Fl.*
*Sander, Reichenbachia, Ser. II. ii. 15, t. 55 (1894).
*Cogniaux, Dict. Icon. Orch., Cattl. hybr. t. 2 (1896).—*Fl.*
Orch. Rev. iv. 241 (1896); v. frontisp. (1897); viii. 248 (1900); xi. 337 (1903); xxiv. 224 (1916); xxvii. 77 (1919).
Journ. Roy. Hort. Soc. London, xxiv. 192 (1900).
Hesdörffer, Handb. Zimmergärtn. Ed. 2, p. 278 (1900).
Journ. Hort. Ser. III. xliii. 305 (1901); lix. 481 (1909); lxiii. 27 (1911).—*Fl.*
Roy. Hort. Soc. London, Rep. Genet, 225, fig. 51 (1907).
Horticulture (Boston), vi. 501 (1907); xii. 265 (1910).

CATTLEYA
Hardyana
*C. H. Curtis, Orchids for Everyone, 72 (1910).—*Fl.*
—— **alba** Rolfe
*Cogniaux, Dict. Icon. Orch., Cattl. hybr. t. 2 A (1901).—*Fl.*
—— **Fanyauiana** Linden
*Lindenia, xiii. t. 593 (1897).
—— **Gardeniana** Hort.
*Lindenia, viii. t. 353 (1892).
—— **laversinensis** Linden
*Lindenia, vii. t. 305 (1891).
—— **Lindenii** Hort.
*Lindenia, x. t. 468 (1894).
—— **Luciani** Hort.
*Lindenia, x. t. 449 (1894).
—— **majestica** Hort.
*Lindenia, xvii. t. 801 (1906).
—— **reginae** Linden
*Lindenia, xiii. t. 606 (1897).
—— **rex** Hort.
Schlechter, Orchideen, 735 (19[14–]15).—*Fl.*
—— **Rochfordiana** Hort.
Journ. Roy. Hort. Soc. London, xxvi. Proc. p. cci (1901).—*Fl.*
—— **Statteriana** Rolfe
*Lindenia, viii. t. 373 (1892).
Linden, Orch. Exot. 635 (1894).—*Hab.*
Harrisoniae Paxt.
*Paxt. Mag. iv. 247 (1838).
Gard. Chron. Ser. III. v. 108 (1889); xxxviii. 267 (1905).—*Fl.*
*Garden, xlviii. 380 (1895); lxxii. 483 (1908).
Journ. Hort. Ser. III. xxxix. 97 (1899); lvii. 291 (1908).—*Fl.*
Semaine Hort. iv. 353 (1900).
American Garden, xxiii. 749 (1902).
Horticulture (Boston), xii. 297 (1910); xvii. 849 (1913).
—— **alba** Hort.
Journ. Roy. Hort. Soc. London, xxiii. Proc. p. cliii (1899–1900).—*Fl.*
—— **splendens** Hort.
*Orchidophile, 1888, p. 15.
—— **violacea** Hort.
*Warner & Will. Orch. Album, vii. t. 333 (1888).
Harrisoniana Batem.
*Hartinger, Parad. Vindob. t. 21 (1844–60).
*Journ. Soc. Hort., Paris, iii. 725 (1857).
*Beer, Beitr. Morph. u. Biol. Orch. t. 11, fig. 8, 16 (1863).—*Fr.*
Mart. Fl. Bras. iii. v. t. 52 (1898–1902).
*Cogniaux, Dict. Icon. Orch., Cattl. t. 17 (1899).—*Fl.*
Möllers Deutsche Gärtn.-Zeit. xvii. 481 (1902).
—— **alba** Beer
*Cogniaux, Dict. Icon. Orch., Cattl. t. 17 A (1901).—*Fl.*
Journ. Roy. Hort. Soc. London, xxxvi. 50, fig. 31 (1910).—*Fl.*
Harrissonii Hort.
*Beer, Beitr. Morph. u. Biol. Orch. t. 1, fig. 8, t. 4, fig. 31 (1863).
—— **alba** Hort.
*Beer, Beitr. Morph. u. Biol. Orch. t. 9, fig. 25 (1863).—*Fr.*
×**Huegeliana** Hort.
Oesterr. Gart.-Zeit. viii. 67 (1913).
×**hybrida picta** Hort.
*Floral Mag. N. Ser. 1881, t. 473.
×—— **schoenbrunnensis** Hort.
Oesterr. Gart.-Zeit. viii. 5 (1913).
×**illustris** Hort.
Gard. Chron. Ser. III. lx. 158 (1916); lxvi. 95 (1919).—*Fl.*
×**imperator** Rolfe
*Cogniaux, Dict. Icon. Orch., Cattl. hybr. t. 26 (1904).—*Fl.*
integerrima angustifolia Grah.
*Hooker, Cent. Orch. Pl. t. 30 (1849) in textu; *C. intermedia* in ic.
intermedia Grah.
Bot. Mag. lv. t. 2851 (1828).
*Géel, Sert. Bot. Cl. 20 (1832).
*Reichenbach, Fl. Exot. i. t. 64 (1834).

CATTLEYA
intermedia
*Maund & Henslow, Bot. Souv. [t. 38, 1838–40].
Mutel in Mém. Soc. Mus. Hist. Nat. Strasbourg, iii. 1. t. 3, fig. 14 (1840).—*Fl.*
*Maund, Botanist, iv. t. 195 (1840).
*Paxt. Mag. i. 151 (1841).
*Hooker, Cent. Orch. Pl. t. 30 (1849) in ic.; *C. integerrima angustifolia* in textu.
!Ill. Hort. xxxiv. 92 (1887).—*Fl.*
Veitch, Man. Orch. Pl. Pt. 2, p. 39 (1887).
Kerchove, Livre Orch. 141 (1894).
!Rev. Hort. 1896, p. 404.—*Fl.*
*Cogniaux, Dict. Icon. Orch., Cattl. t. 8 (1897).—*Fl.*
Mart. Fl. Bras. iii. v. t. 51 (1898–1902).
Orch. Rev. xv. 156 (1907).—*Fl.*
Gartenwelt, xiii. 114 (1909).
*Costantin, Atlas Orch. Cult. t. 17 (1913).—*Fl.*
Schlechter, Orchideen, 219 (19[14–]15).—*Hab.*
—— **alba** Hort.
Horticulture (Boston), xi. 769 (1910).—*Hab.*
Journ. Roy. Hort. Soc. London, xxxvi. 49, fig. 30 (1910); xxxviii. 417, fig. 144 (1913).—*Fl.*
—— **angustifolia** Hook.
*Bot. Mag. lxvi. t. 3711 (1839).
—— **Aquinii** Hort.
! Orch. Rev. viii. 73 (1900).—*Fl.*
!Gard. Chron. Ser. III. xxvii. 83 (1900).—*Fl.*
—— **candida splendens** Regel
*Gartenfl. xxxix. 1 (1890).
Nicholson, '1900' Suppl. Dict. Gard. 205 (1900).—*Fl.*
—— **monstrosa** Hort.
!Orch. Rev. xvii. 41 (1909).
—— **pallida** Lindl.
*Bot. Reg. xxii. t. 1919 (1836).
—— **parthenia** Reichb. f.
*Cogniaux, Dict. Icon. Orch., Cattl. t. 8 A (1897).—*Fl.*
—— **prolifera** Reichb. f.
Gard. Chron. Ser. III. ii. 13 (1887).—*Fl.*
—— **punctatissima** Sander
*Sander, Reichenbachia, Ser. II. i. 51, t. 24 (1892).
*Cogniaux, Dict. Icon. Orch., Cattl. t. 8 B (1897).—*Fl.*
—— **variegata** Hort.
*Bot. Mag. lxx. t. 4085 (1844).
iricolor Reichb. f.
Journ. Hort. Ser. III. xxv. 15 (1892).—*Fl.*
*Bot. Mag. cxix. t. 7287 (1893).
×**iridescens** Hort.
Journ. Hort. Ser. III. lx. 27 (1910).—*Fl.*
×**Iris** Hort.
Journ. Hort. Ser. III. li. 335 (1905).—*Fl.*
*Orchis, i. t. 10 (1907).
Horticulture (Boston), xi. 772 (1910).—*Fl.*
—— **magnifica** Hort.
Journ. Roy. Hort. Soc. London, xxxi. Proc. p. clxxxiv. fig. 56 (1906).—*Fl.*
×—— **oculata** Hort.
Orch. Rev. x. 369 (1902).
isopetala Beer
*Beer, Beitr. Morph. u. Biol. Orch. t. 11, fig. 13, 15 (1863).—*Fr.*
itatiayae C. Porto
*Arch. Jard. Bot. Rio de Janeiro, ii. 66, t. 27 (1918).
Karwinskii Mart.
*Martius, Auswahl Merkw. Pfl. Bot. Gard. München, t. 10 (1829–31).
Kimballiana Linden & Rodigas
*Lindenia, ii. t. 89 (1886).
×**kinkora** Hort.
Horticulture (Boston), iii. 619 (1906).—*Fl.*
×**Krameriana** Reichb. f.
*Cogniaux, Dict. Icon. Orch., Cattl. hybr. t. 32 (1905).—*Fl.*
labiata Lindl.
*Lindley, Collect. t. 33 (1821).
*Forsetz. Allg. Teutsch. Gart. Mag. viii. t. 20 (1824).
*Hooker, Exot. Fl. ii. t. 157 (1825).
*Lodd. Bot. Cab. xx. t. 1956 (1833).
*Bot. Reg. xxii. t. 1859 (1836).
*Knowles & Westc. Floral Cab. i. t. 26 (1837).
*Paxt. Mag. iv. 121 (1838).
*Bot. Mag. lxix. t. 3998 (1843).

CATTLEYA
labiata
*Journ. Jard. 1843, p. 107.
*Hartinger, Parad. Vindob. t. 20 (1844–60); vide p. 13.
*Hooker, Cent. Orch. Pl. t. 28 (1849).
*Belg. Hort. x. 193 [t. 13, 14] (1860).
*Horticulteur Franç. 1860, t. 1.
*Beer, Beitr. Morph. u. Biol. Orch. t. 9, fig. 5 (1863).—*Fr.*
*Fl. des Serres, Ser. II. viii. t. 1893, 1894 (1869–70).
*Jennings, Orchids, t. 45 (1875).
*Warner & Will. Orch. Album, ii. t. 88 (1883).
Journ. Hort. Ser. III. xxiv. 17 (1892); xxvi. 23 (1893); lxvii. 429 (1913).
Stein, Orchideenbuch, 123, 124 (1892).
*Orchidophile, 1892, p. 304.
!Gard. Chron. Ser. III. xiv. 584 (1893); xviii. 495 (1895); xix. 13 (1896).
Kerchove, Livre Orch. 389 (1894).
Linden, Orch. Exot. 133 (1894).
*Sander, Reichenbachia, Ser. II. ii. 1, t. 49 (1894).
Veitch, Man. Orch. Pl. Pt. 10, p. 29 (1894).—*Fl.*
*R. Nielsen, Trop. Orch. Dyrkning, Kjöbenhavn, t. 1 (1895).
*Garden, li. 154 (1897).
Semaine Hort. 1897, p. 431.—*Fl.*
*Jardin, xii. 72 (1898).
*Cogniaux, Dict. Icon. Orch., Cattl. t. 3, b, c, d (1898).—*Fl.*
*Wien. Ill. Gart.-Zeit. xxiii. t. 4 (1898).
*Villard, Fleurs, t. 44 (1900).
Möllers Deutsche Gärtn.-Zeit. xix. 548, 549 (1904).
Horticulture (Boston), ii. 611, 658 (1905); v. 223 (1907); xiv. 689 (1911).—*Hab.*
Diels in Natur, iv. 27, 39, 52, 66 [1907].
!Bot. Gaz. xlvii. 44 (1909).—*Fl.*
Ann. Jard. Bot. Buitenzorg, Suppl. iii. t. 5 (1910).—*Fl.*
Woodrow, Gardening Tropics, 501 [1910].
Teysmannia, xxii. 150 (1911).
Orch. World, ii. 87, 99, 156 (1912); v. 50 (1914).—*Hab.*
Tribune Hort. vii. t. 341 (1912).
*Costantin, Atlas Orch. Cult. t. 17 (1913).—*Fl.*
Hefka, Cattleyen u. Laelien, t. 1, fig. 1, t. 8 (1914).
Schlechter, Orchideen, 220 (19[14–]15).—*Hab.*
—— **alba** Linden & Rodigas
Cottage Gard. v. 108 (1851).
*Lindenia, viii. t. 370 (1892).
—— **albo-marginata** Hort.
*Lindenia, xii. t. 550, 551 (1896).
—— **albo-oculata** Cogn.
*Cogniaux, Dict. Icon. Orch., Cattl. t. 3 (1897).—*Fl.*
—— **Alfrediana** Linden
*Lindenia, xv. t. 684 (1900).
—— **ardens** Hort.
*Lindenia, xii. t. 550, 551 (1896).—*Fl.*
—— **atropurpurea** Paxt.
Paxt. Mag. vii. 73 (1840).
—— **autumnalis** Linden
*Lindenia, iii. t. 112 (1887).
*Orchidophile, 1889, p. 81 in ic.; *C. labiata vera* in textu.
Bull. Soc. Tosc. Ortic. xviii. 76 (1893).—*Hab.*
*!Rev. Hort. Belge, xxii. 25 (1896).
Bellair & St.-Léger, Pl. Serre, 466 (1900).
Möllers Deutsche Gärtn.-Zeit. xviii. 68, 69 (1903).
—— **candida** Lindl.
*Paxt. Fl. Gard. i. t. 24 (1850–51).
*Fl. des Serres, Ser. I. vii. t. 661 (1851–52).
—— **chocoënsis** Hort.
*Costantin, Atlas Orch. Cult. t. 17 (1913).—*Fl.*
—— **Dowiana** Hort.
Veitch, Man. Orch. Pl. Pt. 2, p. 15 (1887).—*Fl.*
Journ. Hort. Ser. III. xv. 473 (1887).—*Fl.*
Stein, Orchideenbuch, 129 (1892).—*Fl.*
*Costantin, Atlas Orch. Cult. t. 18 (1913).—*Fl.*
—— —— **aurea** Schlechter
Schlechter, Orchideen, 221 (19[14–]15).—*Hab.*

CATTLEYA
labiata flammea Linden & Rodigas
*Lindenia, viii. t. 370 (1892).
—— **Foleyana** H. Will.
*Warner & Will. Orch. Album, xi. t. 497 (1897).
—— **Gaskelliana** Reichb.
*Sander, Reichenbachia, ii. t. 75 (1890).
—— **gloriosa** Linden & Rodigas
*Lindenia, viii. t. 370 (1892).
—— **lilacina** Linden
*Lindenia, xiv. t. 649 (1899).
—— **Lindigii** Karsten
Karsten, Fl. Columbiae, i. t. 49 (1858–61).
—— **Luddemanniana** Reichb. f.
*Orchidophile, 1892, p. 304.
*Sander, Reichenbachia, Ser. II. i. 71, t. 34 (1892).
—— **magnifica** Regel
*Gartenfl. xxxvii. t. 1281 (1888).
—— **maiestica** Linden
*Lindenia, viii. t. 370 (1892).
—— **Mendelii** Reichb. f.
Veitch, Man. Orch. Pl. Pt. 2, p. 22 (1887).—*Fl.*
Kerchove, Livre Orch. 143 (1894).—*Fl.*
L. H. Bailey, Cycl. Amer. Hort. 261 (1900).
*Costantin, Atlas Orch. Cult. t. 17 (1913).—*Fl.*
—— —— **Measuresiana** Hort.
*Sander, Reichenbachia, Ser. II. 59, t. 28 (1892).
—— **moortebeekiensis** Hort.
*Lindenia, xii. t. 550, 551 (1896).
—— **Mossiae** Reichb. f.
*Bot. Reg. xxvi. t. 58 (1840).
Veitch, Man. Orch. Pl. Pt. 2, p. 23 (1887).
Journ. Linn. Soc., Bot. xxiv. 397–401, 403–5 (1888).
Pflanzenfam. ii. VI. 144 (1889).
Gartenfl. xl. 2, 50 (1891).
Stein, Orchideenbuch, 125 (1892).
Kerchove, Livre Orch. 58 (1894).
*Bois, Atlas Pl. Jard. t. 246 (1896).
*Villard, Fleurs, t. 45 (1900).
*Costantin, Atlas Orch. Cult. t. 17 (1913).—*Fl.*
*Schlechter, Orchideen, 222, t. 3 (19[14–]15).
—— —— **Reineckiana** Reichb. f.
*Sander, Reichenbachia, Ser. II. ii. 9, t. 52 (1894).
—— **pallida** Hort.
*Warner & Will. Orch. Album, iii. t. 121 (1884).
—— **Peetersii** Rolfe
*Cogniaux, Dict. Icon. Orch., Cattl. t. 3 A (1897).—*Fl.*
—— **Percivaliana** Reichb. f.
*Warner & Will. Orch. Album, iii. t. 144 (1884).
*Sander, Reichenbachia, i. 5, t. 2 (1888).
*Costantin, Atlas Orch. Cult. t. 17 (1913).—*Fl.*
—— **perfecta** Linden
*Lindenia, xvi. t. 766 (1902).
—— **picta** Lindl.
*Paxt. Fl. Gard. i. t. 24 (1850–51).
*Fl. des Serres, Ser. I. vii. t. 660 (1851–52).
—— **purpureo-striata** Cogn.
*Cogniaux, Dict. Icon. Orch., Cattl. t. 3 (1897).—*Fl.*
—— **Roehrsiana** Hort.
Orch. Rev. xi. 105 (1903); xvi. 281 (1908).
—— **Sanderiana** Hort.
L. H. Bailey, Cycl. Amer. Hort. 262 (1900).
—— **Schroederae alba** Sander
*Sander, Reichenbachia, Ser. II. i. 37, t. 17 (1892).
—— **superba** Regel
*Gartenfl. v. t. 146 (1856).
*Lindenia, xii. t. 560 (1896).
—— **Trianae** Reichb.
Karsten, Fl. Columbiae, i. t. 49 (1858–61).—*Fl.*
Veitch, Man. Orch. Pl. Pt. 2, p. 26 (1887).—*Fl.*
*Bois, Dict. Hort. 265 (1893–99).
Kerchove, Livre Orch. 393 (1894).—*Fl.*
Bellair & St.-Léger, Pl. Serre, 474, 475 (1900).
L. H. Bailey, Cycl. Amer. Hort. 263 (1900).
*Costantin, Atlas Orch. Cult. t. 17 (1913).—*Fl.*
—— —— **alba** Hort.
*Sander, Reichenbachia, ii. 73, t. 81 (1890).
—— —— **Backhouseana** Hort.
*Orchis, i. t. 1 (1906).—*Hab.*

CATTLEYA
labiata Trianae Schroederiana Sander
*Sander, Reichenbachia, i. t. 46 (1888); errore *C. Trianaei Schroederiana* in ic.
—— **vera** Hort.
Veitch, Man. Orch. Pl. Pt. 2, p. 14 (1887).
Rev. Hort. Belge, xiv. 228 (1888).
*Orchidophile, 1889, p. 81 in textu; *C. labiata autumnalis* in ic.
—— **Warneri** Sander
*Sander, Reichenbachia, ii. 103, t. 95 (1890).
—— **Warocqueana** Linden
*Orchidophile, 1892, p. 304.
—— **Warscewiczii** Reichb.
Veitch, Man. Orch. Pl. Pt. 2, p. 27 (1887).—*Fl.*
*Orchis, i. t. 7 (1906).
—— —— **rochellensis** Reichb. f.
*Sander, Reichenbachia, ii. 81, t. 85 (1890).
—— **Youngiana** Hort.
Orch. Rev. iv. 369 (1896); xxiv. 260 (1916).—*Fl.*
laelioides C. Lem.
Lem. Jard. Fl. iii. Misc. 42 (1853).—*Fl.*
lancastriensis Hort.
Horticulture (Boston), iii. 63 (1906).—*Fl.*
Lansbergei Linden
*Lindenia, xvi. t. 725 (1901).
Lawrenceana Reichb. f.
*Gard. Chron. xxiii. 374, 375 (1885); Ser. III. xviii. 428 (1895); liv. Suppl. tab. p. 156 (1913).
*Lindenia, i. t. 44 (1885).
*Rev. Hort. Belge, xii. 156 (1886).
Journ. Hort. Ser. III. xii. 295 (1886); xv. 451 (1887); l. 69, li. 75 (1905); lx. 555 (1910).
*Sander, Reichenbachia, i. 27, t. 12 (1888).
*Warner & Will. Orch. Album, viii. t. 342 (1889).
*Bot. Mag. cxvi. t. 7133 (1890).
Teysmannia, xxii. 143 (1911).
*Costantin, Atlas Orch. Cult. t. 18 (1913).—*Fl.*
L. H. Bailey, Stand. Cycl. Hort. 686, t. 23 (1914).
Orch. Rev. xxv. 17 (1917).—*Hab.*
Lemoniana Lindl.
*Bot. Reg. xxxii. t. 35 (1846).
Leopoldi Hort.
*Ill. Hort. ii. t. 69 (1855).
Norton, Brazil. Fl. t. 13 (1893).
*Cogniaux, Dict. Icon. Orch., Cattl. t. 15 (1897).—*Fl.*
—— **purpurea** Cogn.
*Cogniaux, Dict. Icon. Orch., Cattl. t 15 A (1900).—*Fl.*
×**leucoglossa** Hort.
Journ. Hort. Ser. III. xxv. 413 (1892).—*Fl.*
Journ. Roy. Hort. Soc. London, xv. Proc. p. cxci (1893).—*Fl.*
×**Lindenii** Hort.
Journ. Hort. Ser. III. xxi. 471 (1890).—*Fl.*
Lindleyana Reichb. f.
*Bot. Mag. xc. t. 5449 (1864).
*Reichenbach f., Xenia Orch. ii. t. 135 (1865).
*Bateman, Second Cent. Orch. Pl. t. 175 (1867).
lobata Lindl.
Gard. Chron. 1848, p. 403.—*Fl.*
Fl. des Serres, Ser. II. x. 132 (1874).—*Fl.*
Loddigesii Lindl.
*Lindley, Collect. t. 37 (1821).
*Hooker, Exot. Fl. iii. t. 186 (1827).
*Beer, Beitr. Morph. u. Biol. Orch. t. 4, fig. 39, t. 12, fig. 16 (1863).—*Fr.*
Barbosa Rodrigues, Struct. Orch. t. 7, fig. 3 (1883).—*Fr.*
*Miner, Orchids, t. 8 (1885).
Gard. Chron. Ser. III. v. 109 (1889).
*Cogniaux, Dict. Icon. Orch., Cattl. t. 18 (1899).—*Fl.*
Orch. Rev. xv. 145 (1907).—*Fl.*
Jardin, xxii. 295 (1908).
!Rev. Hort. Belge, xxxiv. 308 (1908).—*Hab.*
*Costantin, Atlas Orch. Cult. t. 18 (1913).—*Fl.*
—— **Harrisoniae** Veitch
*Lindenia, xiv. t. 667 (1899).
Journ. Hort. Ser. III. lviii. 273 (1909).—*Fl.*
*Costantin, Atlas Orch. Cult. t. 17 (1913).—*Fl.*

CATTLEYA
Loddigesii Harrisoniae alba Linden
*Lindenia, xv. t. 682 (1900).
—— —— **Jorisiana** Linden
*Lindenia, xvii. t. 799 (1903).
—— **lutescens** Mutel
Mutel in Mém. Soc. Mus. Hist. Nat. Strasbourg, iii. 1. t. 2, fig. 13 (1840).—*Fl.*
—— **O'Brieniana** Rolfe
*Sander, Reichenbachia, Ser. II. i. 85, t. 40 (1892).
×**lucida** Hort.
*Cogniaux, Dict. Icon. Orch., Cattl. hybr. t. 37 (1906).—*Fl.*
Luddemanniana Reichb. f.
*Cogniaux, Dict. Icon. Orch., Cattl. t. 21 (1899).—*Fl.*
Journ. Hort. Ser. III. xxxix. 247 (1899); xlv. 283 (1902); lxx. 103 (1915).—*Fl.*
Bellair & St.-Léger, Pl. Serre, 468 (1900).
Nicholson, '1900' Suppl. Dict. Gard. 206 (1900).—*Fl.*
—— **alba** Hort.
*Sander, Reichenbachia, Ser. II. ii. 59, t. 74 (1894).
Orch. Rev. xvi. 201 (1908); xxiii. 345 (1915).—*Fl.*
Horticulture (Boston), ix. 389 (1909).—*Hab.*
—— **Stanleyi** Hort.
*Cogniaux, Dict. Icon. Orch., Cattl. t. 21 A (1902).—*Fl.*
Orch. World, v. 110 (1915).—*Fl.*
luteola Lindl.
*Bot. Mag. lxxxiv. t. 5032 (1858).
*Fl. des Serres, Ser. II. xiii. t. 2479 (1880).
Rep. Missouri Bot. Gard. vii. 123 (1896).
*Costantin, Atlas Orch. Cult. t. 18 (1913).
—— **fastuosa** Reichb. f.
*Reichenbach f., Xenia Orch. i. t. 83 (1856).—*Fl.*
—— **lepida** Reichb. f.
*Reichenbach f., Xenia Orch. i. t. 83 (1856).—*Fl.*
×**Magneana** Hort.
*Jardin, xvi. 328 (1902).
Malouana Linden
*Lindenia, i. t. 47 (1885).
×**Mantinii** G. Mantin
*Lindenia, xi. t. 509 (1895).
Journ. Hort. Ser. III. xxxi. 503 (1895).—*Fl.*
*Rev. Hort. 1895, p. 129; 1897, p. 208.
Journ. Roy. Hort. Soc. London, xix. Proc. p. ccxii (1896).—*Fl.*
*Cogniaux, Dict. Icon. Orch., Cattl. hybr. t. 7 (1898).—*Fl.*
Orch. Rev. x. 337 (1902); xxiv. 237 (1916).—*Hab.*
*Costantin, Atlas Orch. Cult. t. 21 (1913).—*Fl.*
×**Mardellii** Seden
*Floral Mag. N. Ser. 1881, t. 437.
*Warner & Will, Orch. Album, vi. t. 287 (1887).
marginata Paxt.
*Paxt. Mag. x. 265 (1843).
*Floral World, 1874, p. 353.
Journ. Hort. Ser. III. vii. 253 (1884).—*Hab.*
×**Maronii** Hort.
Journ. Hort. Ser. III. xxxvii. 361 (1898).—*Fl.*
*Cogniaux, Dict. Icon. Orch., Cattl. hybr. t. 10 (1898).—*Fl.*
Gard. Chron. Ser. III. xxiv. 332 (1898).—*Fl.*
Journ. Roy. Hort. Soc. London, xxii. Proc. p. ccxv (1898–99).—*Fl.*
*Costantin, Atlas Orch. Cult. t. 21 (1913).—*Fl.*
×—— **violacea** Hort.
*Jardin, xiii. 360 (1899).
Massaiana Warn. & Will.
*Warner & Will. Orch. Album, viii. 362 (1889).
×**massiliensis** Maron
*Rev. Hort. 1897, p. 12.
*Cogniaux, Dict. Icon. Orch., Cattl. hybr. t. 21 (1904).—*Fl.*
×**Mastersoniae** Seden
*Warner & Will. Orch. Album, ix. t. 385 (1891).
×**Mathoniae** Linden
*Lindenia, xii. t. 539 (1896).
×**Mautinii** Hort.
Orchis, viii. 95 (1914).

CATTLEYA
maxima Lindl.
*Bot. Reg. xxxii. t. 1 (1846).
*Bot. Mag. lxxxii. t. 4902 (1856).
*Reichenbach f., Xenia Orch. i. t. 95 (1858).
*Bateman, Second Cent. Orch. Pl. t. 131 (1867).
*Ill. Hort. xvii. t. 29 (1870).
*Fl. des Serres, Ser. II. x. t. 2136 (1874).
Gard. Chron. xxii. 620 (1884).—*Fl.*
Pflanzenfam. ii. vi. 147 (1889).—*Fl.*
Stein, Orchideenbuch, 134 (1892).—*Fl.*
Kerchove, Livre Orch. 115 (1894).—*Fl.*
*Cogniaux, Dict. Icon. Orch., Cattl. t. 3 (1896).—*Fl.*
*Costantin, Atlas Orch. Cult. t. 18 (1913).—*Fl.*
Schlechter, Orchideen, 226 (19[14–]15).—*Hab.*
—— **Backhousei** Reichb. f.
*Warner & Will. Orch. Album, v. t. 193 (1886).
—— **floribunda** Linden
*Lindenia, xi. t. 506, 507 (1895).
—— **Hrubyana** Linden
*Lindenia, i. t. 12 (1885).
—— **Malouana** Linden
*Lindenia, v. t. 211 (1889).
—— **Marchettiana** Warn. & Will.
*Warner & Will. Orch. Album, ix. t. 404 (1891).
—— **virginalis** Linden
*Lindenia, xii. t. 558 (1896).
×**memoria-Bleui** Linden
*Lindenia, xvi. t. 764 (1902).
Mendelii Backh.
*Floral Mag. N. Ser. 1872, t. 32.
!Gard. Chron. xxiv. 20 (1885); Ser. III. xii. 365 (1892); xviii. 428 (1895).
*Lindenia, ii. t. 55 (1886).
!Orch. Rev. i. 273 (1893); vii. 241 (1899); ix. 233 (1901); x. 233 (1902); xxiv. 261 (1916).
Brehm, Merv. Nat. Monde des Pl. ii. 544 (1894–96).—*Fl.*
Journ. Hort. Ser. III. xxx. 453 (1895); xlii. 409 (1901); lvi. 535 (1908); lxvii. 303 (1913).
*Cogniaux, Dict. Icon. Orch., Cattl. t. 19 (1899).—*Fl.*
Nicholson, '1900' Suppl. Dict. Gard. 207 (1900).—*Fl.*
Garden, lxii. 289 (1902).—*Hab.*
Diels in Natur, iv. t. 4 [1907].
C. H. Curtis, Orchids for Everyone, 2 (1910).
Tribune Hort. v. t. 217 (1910).
L. H. Bailey, Stand. Cycl. Hort. 687 (1914).
—— **bella** Will. & Moore
*Warner & Will. Orch. Album, v. t. 225 (1886).
—— **grandiflora** Warn. & Will.
*Warner & Will. Orch. Album, i. t. 3 (1882).
—— **Jamesiana** Hort.
*Warner & Will. Orch. Album, iv. t. 178 (1885).
—— **Kegeljanii** Linden
*Lindenia, xiii. t. 589 (1897).
—— **Lackneri** Beyrodt
*Gartenfl. liii. t. 1522 (1904).
—— **superbissima** Hort.
*Garden, xx. 352 (1881).
×**minacia** Hort.
Gartenwelt, x. 199 (1906).
×**miranda** Hort.
Journ. Roy. Hort. Soc. London, xxii. Proc. p. xlix (1898–99).—*Fl.*
×**Mitchellii** Reichb. f.
*Floral Mag. N. Ser. 1879, t. 337.
Morganae Warn. & Will.
*Warner & Will. Orch. Album, i. t. 6 (1882).
Mossiae Hook.
*Bot. Mag. lxv. t. 3669 (1838).
*Hooker, Cent. Orch. Pl. t. 29 (1849).
Rev. Hort. Ser. IV. vi. 322 (1857).
Neubert's Deutsch. Gart. Mag. xxxii. 344 (1879).
Journ. Hort. lxii. 173 (1879); Ser. III. xxxviii. 471 (1899); liii. 27 (1906); lxiii. 99 (1911).
Garden, xix. 384 (1881).
Barbosa Rodrigues, Struct. Orch. t. 7, fig. 1 (1883).—*Fr.*
Gard. Chron. xx. 533 (1883); xxvi. 401 (1886); Ser. III. xxv. 410 (1899); xxxv. 107 (1904); lvi. Suppl. tab. p. 236 (1914).

CATTLEYA
Mossiae
*Miner, Orchids, t. 7 (1885).
Orchidophile, 1887, p. 255.—*Hab.*
*Warner & Will. Orch. Album, vi. t. 246 (1887).
Delcheval, Orch. Ed. 3, p. 66, 67 (1889).
Journ. Orch. iii. 26 (1892).
Schweiz. Gartenbau, vi. 326 (1893).
*Rev. Hort. Belge, xix. 201 (1893).
B. S. Williams, Orchid-Grower's Man. Ed. 7, p. 176 (1894).
*Cogniaux, Dict. Icon. Orch., Cattl. t. 9, 9 A (1897); t. 9 D (1898).—*Fl.*
Semaine Hort. 1897, p. 149.
*Step, Fav. Fl. Gard. & Greenh. iv. t. 239 (1897).
Linden, Orch. Exot. 497 (1898).
Bellair & St.-Léger, Pl. Serre, 470 (1900).
Gartenwelt, v. 597 (1901).
Horticulture (Boston), vii. 745 (1908); ix. 767 (1909); xiii. 733 (1911); xviii. 176, 397 (1913); xxvi. 493 (1917).
*C. H. Curtis, Orchids for Everyone, 40, 42 (1910).
Orch. Rev. xviii. 241 (1910); xxv. 105 (1917).—*Hab.*
Orch. World, v. 249 (1915).—*Hab.*
—— **alba** Hort.
*Orchidophile, 1887, p. 15.
—— —— **caelestis** Hort.
*Lindenia, xi. t. 481 (1895).
—— —— **sulfurea** Hort.
Tribune Hort. ii. t. 21 (1907).
—— **amoena** Hort.
*Lindenia, x. t. 470 (1894).
—— **amplissima** Linden
*Lindenia, xi. t. 482, 483 (1895).
—— **ardens** Linden
*Lindenia, xi. t. 482, 483 (1895).
—— **Arnoldiana** Hort.
Journ. Hort. Ser. III. xxxiii. 13 (1896); xlvi. 91 (1903); lxii. 589 (1911).—*Fl.*
—— **aurea grandiflora** T. Moore
*Warner & Will. Orch. Album, vii. t. 289 (1888).
—— **aurosa** Linden
*Lindenia, xi. t. 482, 483 (1895).
—— **Beyrodtiana** Schlechter
Orchis, vii. 68 (1913).
—— **Bousiesiana** Linden & Rodigas
*Lindenia, iv. t. 185 (1888).
—— **caerulea** Cogn.
*Cogniaux, Dict. Icon. Orch., Cattl. t. 9 E (1899).—*Fl.*
—— **carnea** Hort.
Ann. Jard. Bot. Buitenzorg, Suppl. iii. t. 4 (1910).—*Fl.*
—— **decora** Warn. & Will.
*Warner & Will. Orch. Album, ix. t. 421 (1891).
—— **eximia** Linden
*Lindenia, xi. t. 482, 483 (1895).
—— **Germinyana** Hort.
*Cogniaux, Dict. Icon. Orch., Cattl. t. 9 C (1898).—*Fl.*
—— **grandiflora** T. Moore
*Warner, Select Orch. Pl. Ser. III. t. 16 (1878).
—— **Hardyana** Will. & Moore
*Warner & Will. Orch. Album, iii. t. 125 (1884).
—— **imperator** Linden
*Lindenia, xi. t. 482, 483 (1895).
—— **Marianae** T. Moore
Warner, Select Orch. Pl. Ser. III. t. 24 (1878).—*Hab.*
—— **McMorlandii** Will.
*Warner, Select Orch. Pl. Ser. III. t. 16 (1878).
—— **Mendelii** Linden
*Lindenia, viii. t. 376 (1892).
—— **Mondii** Fraser
*Warner & Will. Orch. Album, xi. t. 528 (1897).
—— **Rappartiana** Hort.
Gard. Chron. Ser. III. xxii. 20 (1897).—*Fl.*
—— **Reineckiana** Reichb. f.
*Warner & Will. Orch. Album, x. t. 461 (1893).
*Cogniaux, Dict. Icon. Orch., Cattl. t. 9 B (1897).—*Fl.*

CATTLEYA
Mossiae Reineckiana
Nicholson, '1900' Suppl. Dict. Gard. 207 (1900).—*Fl.*
Horticulture (Boston), xxi. 265 (1915).—*Fl.*
—— —— **exquisita** Hort.
*Lindenia, xi. t. 481 (1895).
—— **Rothschildiana** Moore
*Warner, Select Orch. Pl. Ser. III. t. 16 (1878).
—— **speciosissima** Hort.
*Florist's Journ. 1844, t. 57.
—— **Treyeranae** Linden
*Lindenia, x. t. 438 (1894).
—— **variabilis** Hort.
Jardin, ii. 115 (1888).—*Hab.*
*Cogniaux, Dict. Icon. Orch., Cattl. t. 9 F (1903).—*Fl.*
—— **vestalis** Hort.
*Orchidophile, 1892, p. 113.
—— **Wageneri** Reichb. f.
*Lindenia, x. t. 445 (1894).
Journ. Roy. Hort. Soc. London, xxxvi. 36, fig. 20 (1910).—*Fl.*
Orchis, iv. t. 3 (1910).—*Fl.*
—— **Wambekeana** Linden
*Lindenia, x. t. 433 (1894).
—— **Warocqueana** Linden
*Lindenia, iv. t. 192 (1888).
nobilior Reichb. f.
Gard. Chron. xix. 729 (1883).
*Ill. Hort. xxx. t. 485 (1883).
Orchis, vii. 50 (1913).
—— **Hugueneyi** Linden
*Lindenia, i. t. 5 (1885).
×**Oberon** Hort.
Orch. World, iii. 236 (1913).—*Fl.*
×**O'Brieniana** Rolfe
*Cogniaux, Dict. Icon. Orch., Cattl. hybr. t. 8 (1898).
Journ. Hort. Ser. III. lxi. 75 (1910); lxix. 222 (1914).—*Fl.*
×—— **alba** Hort.
Journ. Roy. Hort. Soc. London, xxxvi. Proc. p. clxix. fig. 156 (1911).—*Fl.*
×**Olivia** Hort.
Journ. Roy. Hort. Soc. London, xxi. Proc. p. ccxx. fig. 132 (1897–98).—*Fl.*
ovata Lindl.
*Bot. Reg. xxii. t. 1919 (1836).
×**Oweniana** Hort.
Journ. Hort. Ser. III. xxv. 241 (1892).—*Fl.*
pallida Lindl.
*Lem. Jard. Fl. ii. t. 161 (1851).
*Paxt. Fl. Gard. ii. t. 48 (1851–52).
×**Pannemaekeriana** Linden
*Lindenia, xvii. t. 802 (1906).
Papeiansiana C. Morr.
*Ann. Gand, i. t. 5 (1845).
×**parthenia** A. Bleu
*Lindenia, vi. t. 276 (1890).
*Sander, Reichenbachia, Ser. II. ii. 39, t. 67 (1894).
*Cogniaux, Dict. Icon. Orch., Cattl. hybr. t. 4 (1897).
Patinii Cogn.
*Cogniaux, Dict. Icon. Orch., Cattl. t. 25 (1900).—*Fl.*
*Costantin, Atlas Orch. Cult. t. 18 (1913).—*Fl.*
—— **alba** Cogn.
*Cogniaux, Dict. Icon. Orch., Cattl. t. 25 A (1900).—*Fl.*
×**Patrocinii** St.-Léger
*Cogniaux, Dict. Icon. Orch., Cattl. hybr. t. 6 (1898).—*Fl.*
*Costantin, Atlas Orch. Cult. t. 21 (1913).—*Fl.*
×**peckaviensis** Hort.
Wien. Ill. Gart.-Zeit. xxvi. 431 (1901).—*Fl.*
×**Peetersii** Hort.
*Cogniaux, Dict. Icon. Orch., Cattl. hybr. t. 27 (1904).—*Fl.*
Percivaliana Hort.
Gard. Chron. xxi. 181 (1884).—*Fl.*
Wien. Ill. Gart.-Zeit. xi. 158 (1886).—*Fl.*
*Garden, xxxv. 532 (1889).
Journ. Hort. Ser. III. xxxii. 179 (1896); lx. 161 (1910).—*Fl.*

CATTLEYA
Percivaliana
*Cogniaux, Dict. Icon. Orch., Cattl. t. 7 (1897).—*Fl.*
!Orch. Rev. xv. 305 (1907).—*Fl.*
Orch. World, iv. 140 (1914).
Hefka, Cattleyen u. Laelien, t. 10, fig. 15 (1914).
Horticulture (Boston), xix. 253 (1914).—*Fl.*
—— **alba** Hort.
Journ. Roy. Hort. Soc. London, xxxix. Proc. p. ccxlviii. fig. 208 (1914).
Horticulture (Boston), vii. 57 (1908).—*Hab.*
—— **grandiflora** Hort.
*Cogniaux, Dict. Icon. Orch., Cattl. t. 7 A (1903).
—— **Reichenbachii** Linden & Rodigas
*Lindenia, i. t. 39 (1885).
Perrinii Lindl.
*Bot. Reg. xxiv. t. 2 (1838).
*Hort. Belge Journ. Jard. & Amat. v. t. 101 (1838).
*Hartinger, Parad. Vindob. t. 20 (1844–60) errore in ic.; *C. labiata* in textu p. 13.
Pinellii Rich.
Journ. Jard. 1843, p. 109.
*Florist, 1851, p. 25 (1852).
×**Pittiana** O'Brien
*Cogniaux, Dict. Icon. Orch., Cattl. hybr. t. 28 (1904).—*Fl.*
*C. H. Curtis, Orchids for Everyone, 189 (1910).—*Fl.*
*Costantin, Atlas Orch. Cult. t. 21 (1913).—*Fl.*
pumila Hook.
*Bot. Mag. lxv. t. 3656 (1839).
*Bot. Reg. xxx. t. 5 (1844).
!Gard. Chron. xxiii. 597 (1885).—*Fl.*
—— **Dayana** André
Rev. Hort. 1890, p. 490.—*Hab.*
—— **maior** C. Lem.
*Ill. Hort. vi. t. 193, sub t. 193 (1859).
quadricolor Lindl.
*Bot. Mag. xci. t. 5504 (1865).
*Bateman, Second Cent. Orch. Pl. t. 108 (1867).
*Ill. Hort. xiv. t. 514 (1867).
Orch. Rev. vi. 145 (1898).—*Fl.*
—— **eldorado** Linden
*Fl. des Serres, Ser. II. viii. t. 1826 (1869–70).
×**quinquecolor** Dombr.
*Floral Mag. ix. t. 511 (1870).
Raphaelae Hort.
Horticulture (Boston), xxvii. 73 (1918).—*Fl.*
Regnellii Hort.
*Warner, Select Orch. Pl. Ser. II. t. 22 (1865–75).—*Hab.*
Reineckiana Reichb. f.
*Garten-Zeit. Berlin, i. 159 & tab. (1882).
Gard. Chron. xxii. 173 (1884).—*Hab.*
Journ. Roy. Hort. Soc. London, xxi. Proc. p. xxii (1897–98).
Rex O'Brien
*Lindenia, vi. t. 265 (1890).
Gard. Chron. Ser. III. ix. 273 (1891).
Ill. Hort. xxxviii. 72 (1891).
Journ. Orch. iii. 42 (1892).
Journ. Hort. Ser. III. xxv. 170 (1892); xlvii. 143 (1903); lix. 363 (1909).—*Fl.*
Rev. Hort. Belge, xviii. 245, 246 (1892).
Linden, Orch. Exot. 66 (1894).
*Rev. Hort. 1894, p. 228.
*Sander, Reichenbachia, Ser. II. ii. 55, t. 72 (1894).
Semaine Hort. 1897, p. 479.—*Fl.*
*Cogniaux, Dict. Icon. Orch., Cattl. t. 22 (1899).
*Bot. Mag. cxxxvii. t. 8377 (1911).
×**Robertii** Hort.
*C. H. Curtis, Orchids for Everyone, 45 (1910).—*Hab.*
Roezlii Reichb. f.
*Rev. Hort. 1888, p. 572.
Rollissonii T. Moore
*Floral Mag. i. t. 8 (1861).
Sanderiana Hort.
Gard. Chron. xx. 401 (1883).—*Fl.*
Journ. Hort. Ser. III. xviii. 461 (1889).
Schilleriana Reichb. f.
*Reichenbach f., Xenia Orch. ii. t. 111 (1862).
*Fl. des Serres, Ser. II. xii. t. 2286 (1876).

CATTLEYA
Schilleriana
Barbosa Rodrigues, Struct. Orch. t. 7, fig. 2; t. 9, fig. 4 (1883).—*Fr.*
*Gartenfl. xxxviii. t. 1290 (1889).
*Neubert's Deutsch. Gart. Mag. 1891, t. 1, p. 3.
Journ. Hort. Ser. III. xxv. 187 (1892).
Warner & Will. Orch. Album, xi. t. 525 (1897).
*Cogniaux, Dict. Icon. Orch., Cattl. t. 16 (1898).
*Costantin, Atlas Orch. Cult. t. 18 (1913).—*Fl.*
—— **Amaliana** Linden
*Lindenia, ii. t. 87 (1886).
—— **concolor** Hook.
*Bot. Mag. lxxxv. t. 5150 (1859).
—— **Lowii** Hort.
Journ. Roy. Hort. Soc. London, xv. Proc. p. clxxx (1893).—*Fl.*
Journ. Hort. Ser. III. xlvii. 303 (1903).
—— **superba** Hort.
*Lindenia, xiv. t. 663 (1899).
×**schoenbrunnensis** Hort.
Orchis, viii. 95 (1914).
Hefka, Cattleyen u. Laelien, t. 3, fig. 4, 5, t. 5 (1914).
Schofieldiana Reichb. f.
*Warner & Will. Orch. Album, ii. t. 93 (1883).
×—— **gigantea** Hort.
Gard. Chron. Ser. III. xxii. 252, 253 (1897).—*Fl.*
Schroederae Reichb. f.
*Garden, xl. 30 (1891).
Journ. Hort. Ser. III. xxiv. 397 (1892); xxxii. 231 (1896); xlviii. 357 (1904); lvi. 443 (1908).—*Fl.*
Gard. Chron. Ser. III. xviii. 428 (1895); xx. 73 (1896); xxxvii. June 3, Suppl. p. i (1905).—*Fl.*
Orch. Rev. xi. 177 (1903); xxvi. 104 (1918).
Roy. Hort. Soc. London Rep. Genet. 235, fig. 55 (1907).—*Fl.*
C. H. Curtis, Orchids for Everyone, 50 (1910).—*Fl.*
Orch. World, ii. 129; iii. 82 (1912).
Orchis, vii. 100 (1913).
—— **alba** Hort.
Gard. Chron. Ser. III. xxxix. 300 (1906).
Journ. Roy. Hort. Soc. London, xxxvi. 52, fig. 34 (1910).—*Fl.*
Skinneri Batem.
*Bateman, Orchidac. Mex. & Guatem. t. 13 (1837–43).
*Paxt. Mag. xi. 193 (1844).
*Hartinger, Parad. Vindob. t. 23 (1844–60).
*Bot. Mag. lxxii. t. 4270 (1846).
*Horticulteur Franç. 1855, t. 12.
Garten-Zeit. Berlin, iii. 392 (1884).—*Hab.*
Veitch, Man. Orch. Pl. Pt. 2, p. 46 (1887).—*Fl.*
Rev. Hort. Belge, xiv. 231 (1888); xxii. 201 (1896).
Gard. Chron. Ser. III. v. 685 (1889); vii. 289 (1890); xx. 6 (1896).—*Hab.*
Gard. & Forest, iii. 201 (1890).
*Cogniaux, Dict. Icon. Orch., Cattl. t. 30 (1905).
Orchis, i. 20 (1906).
Journ. New York Bot. Gard. ix. 131 (1908).
Bol. de Fomento, Costa Rica, ii. XI. 798 (1911).
Orch. World, v. 59 (1914); vi. 177, 227 (1916).
—— **alba** Reichb. f.
*Warner & Will. Orch. Album, iii. t. 112 (1884).
!Gard. Chron. Ser. III. xvii. 681 (1895).—*Fl.*
Journ. Roy. Hort. Soc. London, xlii. 352, fig. 64 (1917).
—— **Bowringiana** Kränzl.
*Reichenbach f., Xenia Orch. iii. t. 245 (1892).
—— **oculata** Hort.
*Lindenia, xi. t. 490 (1895).
—— **parviflora** Lindl.
*Bot. Mag. lxxxii. t. 4916 (1856).
sororia Reichb. f.
*Warner & Will. Orch. Album, vii. t. 307 (1888).
speciosissima Buchananiana Will. & Moore
*Warner & Will. Orch. Album, vi. t. 261 (1887).
spectabilis Hort.
*Florist, 1850, p. 89 (1851).
sphenophora C. Morr.
*Ann. Gand, iv. t. 175 (1848).
Ann. Hort. iv. 273 (1849).

CATTLEYA
splendens imperiale Hort.
Garden, lxxvi. 591 (1912).—*Fl.*
×**Statteriana** Hort.
Journ. Hort. Ser. III. xxv. 277 (1892); xlviii. 467 (1904).—*Fl.*
sulfurina C. Lem.
Lem. Jard. Fl. iv. Misc. 56 (1854).
superba Schomb.
*Lindley, Sertum Orch. t. 22 (1838).
*Paxt. Mag. ix. 265, 266 (1842).
*Bot. Mag. lxx. t. 4083 (1844).
*Hooker, Cent. Orch. Pl. t. 31 (1849).
*Fl. des Serres, Ser. I. ix. t. 926 (1853–54).
*Warner, Select. Orch. Pl. Ser. I. t. 24 (1862–65).
Orchis, xiii. 11 (1919).
—— **alba** Rolfe
Journ. Hort. Ser. III. xxxi. 321 (1895).—*Fl.*
Nicholson, '1900' Suppl. Dict. Gard. 208 (1900).—*Fl.*
—— **splendens** C. Lem.
*Ill. Hort. xvi. t. 605 (1869).
*Warner & Will. Orch. Album, i. t. 33 (1882).
*Sander, Reichenbachia, i. 71, t. 32 (1888).
×**Thayeriana** Hort.
Orch. Rev. xii. 49 (1904); xxvi. 105 (1918).—*Fl.*
Horticulture (Boston), xi. 767 (1910).—*Fl.*
tigrina A. Rich.
*Beer, Beitr. Morph. u. Biol. Orch. t. 3, fig. 58; t. 11, fig. 3, 11 (1863).—*Fr.*
Trianaei Linden & Reichb. f.
Rev. Hort. Ser. IV, ix. 406, 407 (1860).
*Journ. Soc. Hort. Paris, vi. 385 (1860).
Garden, iv. 317 (1873); xxii. 70 (1882); xxxi. 176 (1887).—*Hab.*
*Warner & Will. Orch. Album, i. t. 45 (1882).
Nicholson, Illustr. Dict. Gard. i. 283; ii. 518 [1884–88].
*Miner, Orchids, t. 5 (1885).
Garten-Zeit. Berlin, v. 195 (1886).
*Orchidophile, 1889, p. 209; 1891, p. 81.
Delchevalerie, Orchidées, Ed. 3, p. 70, 71 (1889).
*Jardin, v. 126 (1891).
B. S. Williams, Orchid-Grower's Man. Ed. 7, p. 187 (1894).
*Bull. Soc. Tosc. Ortic. xxii. 16, t. 1 (1897).
*Cogniaux, Dict. Icon. Orch., Cattl. t. 5 (1897); t. 5 D (1898).—*Fl.*
!Orch. Rev. x. 120 (1902).—*Fl.*
Wien. Ill. Gart.-Zeit. xxix. 302 (1904).—*Hab.*
Tribune Hort. ii. 259 (1907).
Journ. Hort. Ser. III. lxi. 553 (1910).—*Fl.*
Horticulture (Boston), xi. 289 (1910); xvii. 369 (1913); xxiv. 721 (1916).
C. H. Curtis, Orchids for Everyone, 176 (1910).—*Fl.*
Orch. World, i. 138, 151 (1911); iii. 31 (1912); iv. 107, 154 (1914).
Hefka, Cattleyen u. Laelien, t. 9, fig. 13 (1914).
L. H. Bailey, Stand. Cycl. Hort. 691 (1914).
Gard. Chron. Ser. III. lv. 344 (1914).—*Hab.*
Schlechter, Orchideen, 770 (19[14–]15).—*Fr.*
—— **alba** Hort.
*Garden, xxii. 70 (1882).
*Lindenia, i. t. 29 (1885).
*Rev. Hort. Belge, xi. 49 (1885).
Journ. Hort. Ser. III. xxxii. 113 (1896).—*Fl.*
*Cogniaux, Dict. Icon. Orch., Cattl. t. 5 A (1897).—*Fl.*
Horticulture (Boston), xvii. 369 (1913).—*Fl.*
—— **albo-rosea** Linden
*Lindenia, xiii. t. 612 (1897).
—— **amplissima** Linden
*Lindenia, xii. t. 530, 531 (1896).
—— **Annae** Linden
*Lindenia, i. t. 31 (1885).
—— **ardens** Linden
*Lindenia, xii. t. 530, 531 (1896).
—— **Arkleana** Hort.
Orch. Rev. iv. 81 (1896); viii. 88 (1900).—*Fl.*
—— **Backhousei** Backh.
*Garden, xxii. 70 (1882).
Journ. Hort. Ser. III. xiii. 337 (1886).—*Fl.*
*Cogniaux, Dict. Icon. Orch., Cattl. t. 5 E (1899).—*Fl.*

CATTLEYA
Trianaei bicolor Linden
*Lindenia, xiii. t. 612 (1897).
—— **Brandneriana** Linden
*Lindenia, xvii. t. 804 (1906).
—— **caerulescens** Linden
*Lindenia, xiv. t. 653 (1899).
—— **candidula** Linden
*Lindenia, xv. t. 677 (1899).
—— **Capartiana** Linden
*Lindenia, ix. t. 426 (1893).
—— **cincta** Linden
*Lindenia, xiii. t. 612 (1897).
—— **Colemanii** Williams
*Floral Mag. N. Ser. 1875, t. 176.
*Ill. Gartenzeit. Stuttgart, xxviii. t. 13 (1884).
—— **deliciosa** Linden
*Lindenia, xii. t. 564 (1896).
—— **Dodgsonii** Williams
*Floral Mag. N. Ser. 1873, t. 64.
*Warner & Will. Orch. Album, vi. t. 249 (1887).
—— **dulcis** Linden
*Lindenia, xii. t. 530, 531 (1896).
—— **eminens** Linden
*Lindenia, xii. t. 570 (1896).
Semaine Hort. 1898, p. 405.—*Fl.*
—— **Ernestii** Sander
*Sander, Reichenbachia, i. 99, t. 43 (1888).
—— **excelsior** Linden
*Lindenia, xv. t. 701 (1900).
Semaine Hort. iv. 103 (1900).—*Fl.*
—— **exornata** Linden
*Lindenia, xii. t. 556 (1896).
Semaine Hort. 1897, p. 11.
—— **exquisita** Hort.
Semaine Hort. iv. 591 (1900).—*Fl.*
—— **fascinator** Hort.
*Lindenia, xvii. t. 810 (1906).
—— **festiva** Linden
*Lindenia, xii. t. 530, 531 (1896).
—— **formosa** Williams
*Warner & Will. Orch. Album, iii. t. 108 (1884).
—— **Hooleana** Will.
*Warner & Will. Orch. Album, vi. 265 (1887).
—— **hydra** Hort.
Möllers Deutsche Gärtn.-Zeit. xxvi. 122 (1911).
Gard. Chron. Ser. III. xlix. 108 (1911); lv. 159 (1914).
Orch. World, i. 252 (1911); iv. 185 (1914).—*Hab.*
—— **imperator** Linden
*Lindenia, xi. t. 528 (1895).
Semaine Hort. 1898, p. 403.
—— **latissima** Linden
*Lindenia, xv. t. 677 (1899).
—— **lucida** Linden
*Lindenia, xiv. t. 661 (1899).
Semaine Hort. iv. 55 (1900).
—— **maiestica** Linden
*Lindenia, xii. t. 530, 531 (1896); xv. t. 689 (1900).
—— **Mariae** Hort.
*Cogniaux, Dict. Icon. Orch., Cattl. t. 5 C (1897).—*Fl.*
—— **Massangeana** Reichb. f.
*Warner & Will. Orch. Album, vi. t. 242 (1887).
*Cogniaux, Dict. Icon. Orch., Cattl. t. 5 F (1900).—*Fl.*
—— **memoria-Lindenii** Linden
*Lindenia, xvii. t. 770 (1902).
*Rev. Hort. Belge, xxxiii. 289 (1907).
—— **Osmanii** Williams
*Warner, Select Orch. Pl. Ser. III. t. 29 (1878).
*Floral Mag. N. Ser. 1879, t. 361.
—— **pallida** Lind.
*Lindenia, v. t. 231 (1889).
—— **platychila** Linden
*Lindenia, xv. t. 677 (1899).
—— **princeps** Linden
*Lindenia, xiii. t. 583 (1897).
—— **purpurata** Linden
*Lindenia, v. t. 229 (1889).
—— **regalis** Linden
*Lindenia, xii. t. 530, 531 (1896).
—— **Reginae** Warn. & Will.
*Warner & Will. Orch. Album, x. t. 466 (1893).

CATTLEYA
Trianaei Reginae
*Cogniaux, Dict. Icon. Orch., Cattl. t. 5 B (1897).—*Fl.*
*Lindenia, xv. t. 697 (1900).
—— **Rimestadiana** Linden
*Lindenia, xv. t. 708 (1900).
Semaine Hort. iv. 507 (1900).—*Fl.*
—— **Russelliana** Williams
*Warner & Will. Orch. Album, v. t. 219 (1886).
—— **Samyana** Linden
*Lindenia, xiv. t. 631 (1898).
—— **Sanderae** Hort.
Journ. Hort. Ser. III. xxxvi. 127 (1898).—*Fl.*
—— **Schroederae alba** Hort.
*Cogniaux, Dict. Icon. Orch., Cattl. t. 5 G (1901).—*Fl.*
—— **splendens** Linden
*Lindenia, xii. t. 530, 531 (1896).
—— **splendidissima** Warn. & Will.
*Warner & Will. Orch. Album, iv. t. 150 (1885).
—— **striata** Linden
*Lindenia, v. t. 232 (1889).
—— **superba** Hort.
*Rev. Hort. Belge, xi. 49 (1885).
*Lindenia, xii. t. 530, 531 (1896).
—— **triumphans** Linden
*Lindenia, xvii. t. 797 (1903).
—— **Villegontieriae** Linden
*Lindenia, xiv. t. 637 (1898).
×**triumphans** Hort.
Journ. Soc. Hort. France, Ser. IV. vi. 576 (1905).—*Fl.*
*Cogniaux, Dict. Icon. Orch., Cattl. hybr. t. 33 (1906).—*Fl.*
×**Vedastii** Perren.
*Orchidophile, 1891, p. 48.—*Hab.*
velutina Reichb. f.
Gard. Chron. 1872, p. 1258; Ser. III. xxiv. 333 (1898).—*Fl.*
*Warner & Will. Orch. Album, i. t. 26 (1882).
*Lindenia, ix. t. 395 (1893).
B. S. Williams, Orchid-Grower's Man. Ed. 7, p. 192 (1894).—*Fl.*
Journ. Roy. Hort. Soc. London, xxii. Proc. p. ccxvi (1898–99).—*Fl.*
Mart. Fl. Bras. iii. v. t. 54 (1898–1902).
Kertészeti Lapok (Hungar. Journ. Hort.), xxi. 36 (1906).
*Costantin, Atlas Orch. Cult. t. 18 (1913).—*Fl.*
—— **alutacea** Cogn.
*Cogniaux, Dict. Icon. Orch., Cattl. t. 29 A (1904).—*Fl.*
—— **Lietzei** Regel
*Gartenfl. xxxvii. t. 1265 (1888).
—— **punctata** Regel
*Gartenfl. xliv. t. 1420 (1895).—*Fl.*
Victoria-regina O'Brien
Gard. Chron. Ser. III. xi. 808, 809 (1892).
Rev. Hort. Belge, xviii. 198 (1892).—*Hab.*
Bull. Soc. Tosc. Ortic. xvii. 331 (1892).—*Hab.*
Journ. Hort. Ser. III. xxiv. 349 (1892).—*Fl.*
Kerchove, Livre Orch. 57 (1894).—*Hab.*
*Sander, Reichenbachia, Ser. II. ii. 89, t. 85 (1894).
Orch. Rev. iii. 17 (1895); viii. 361 (1900); xxiii. 280 (1915).
*Cogniaux, Dict. Icon. Orch., Cattl. hybr. t. 3 (1896).—*Fl.*
*Wien. Ill. Gart.-Zeit. xxvii. t. 3 (1902).
Roy. Hort. Soc. London, Rep. Genet. 231, fig. 53 (1907).
Vigeriana Hort.
Journ. Soc. Hort. France, Ser. IV. viii. 760 (1907).—*Hab.*
violacea Rolfe
Mart. Fl. Bras. iii. v. t. 57 (1898–1902).
*Cogniaux, Dict. Icon. Orch., Cattl. t. 28 (1901).—*Fl.*
*Costantin, Atlas Orch. Cult. t. 18 (1913).—*Fl.*
virginalis Linden & André
*Ill. Hort. xxiii. t. 257 (1876).
*Lindenia, iii. t. 101 (1887).
Wageneri Reichb. f.
*Reichenbach f., Xenia Orch. i. t. 13 (1854).
*Warner & Will. Orch. Album, vii. t. 295 (1888).

CATTLEYA
Walkeriana Gardn.
*Paxt. Fl. Gard. i. t. 3 (1850–51).
*Linden, Pescatorea, t. 41 (1860).
*Belg. Hort. xxix. 319 (1879).
Gard. Chron. xxii. 780, 781 (1884).
*Warner & Will. Orch. Album, iv. t. 154 (1885).
Veitch, Man. Orch. Pl. Pt. 2, p. 49 (1887).—*Fl.*
*Rev. Hort. Belge, xiv. 129 (1888).
*Gartenfl. xxxviii. t. 1299 (1889).
*Orchidophile, 1889, p. 241.
American Garden, xi. 159 (1890).—*Fl.*
*Kerchove, Livre Orch. t. 31 (1894).
Mart. Fl. Bras. iii. v. t. 53 (1898–1902).
Nicholson, '1900' Suppl. Dict. Gard. 208 (1900).—*Fl.*
*Cogniaux, Dict. Icon. Orch., Cattl. t. 27 (1901).—*Fl.*
*Costantin, Atlas Orch. Cult. t. 18 (1913).—*Fl.*
Oesterr. Gart.-Zeit. ix. 105 (1914).
—— **nobilior** Hort.
Gard. Chron. Ser. III. xiv. 713 (1893).—*Fl.*
Warneri T. Moore
*Warner, Select Orch. Pl. Ser. I. t. 8 (1862–65).
*Floral Mag. x. t. 516 (1871).
Gard. Chron. xx. 369 (1883).—*Fl.*
*Rev. Hort. Belge, xiv. 177 (1888).
*Kerchove, Livre Orch. t. 10 (1894).
*Warner & Will. Orch. Album, xi. t. 521 (1897).
*Cogniaux, Dict. Icon. Orch., Cattl. t. 12 (1897).—*Fl.*
Mart. Fl. Bras. iii. v. t. 55 (1898–1902).
Garden, lxiv. 47 (1903).—*Fl.*
—— **alba** Hort.
*Cogniaux, Dict. Icon. Orch., Cattl. t. 12 A (1903).—*Fl.*
Journ. Roy. Hort. Soc. London, xxviii. Proc. p. ccxxxvi (1903–4); xxxvi. 51, fig. 32 (1910).—*Fl.*
Warocqueana Linden
*Rev. Hort. Belge, xviii. 97 (1892).
Journ. Orch. iii. 57, 290 (1892).
Semaine Hort. 1897, p. 427.
—— **amethystina** Linden
*Lindenia, vi. t. 268 (1890).
Warszewiczii Reichb. f.
*Reichenbach f., Xenia Orch. i. t. 31 (1855).
*Florist, 1867, p. 69.
Garden, xxxiii. 18 (1888).—*Hab.*
*Sander, Reichenbachia, ii. 53, t. 72 (1890).
*Cogniaux, Dict. Icon. Orch., Cattl. t. 1 (1896); t. 1 A (1907).
Gard. Chron. Ser. III. xxvi. 281 (1899); xlii. 313 (1907); lvi. 62 (1914).
Orch. Rev. xii. 241 (1904).
Journ. Hort. xlix. 257 (1904); lvii. 267 (1908); lviii. 69 (1909); lxvii. 111 (1913); lxix. 109 (1914).
*Gartenwelt, ix. 374 (1905).
Horticulture (Boston), iii. 397 (1906).—*Hab.*
C. H. Curtis, Orchids for Everyone, 39, 85 (1910).
Orch. World, i. 279 (1911); ii. 281 (1912); iii. 272 (1913); vi. 275 (1916).—*Hab.*
*Lindman, Vi och våra blomm. t. 84 (1911–13).
—— **alba** Hort.
Orch. Rev. xviii. 232 (1910); xxiii. 272 (1915).
Gard. Chron. xlviii. 34 (1910).
Orch. World, i. 187 (1911).—*Hab.*
—— **delicata** T. Moore
*Warner, Select Orch. Pl. Ser. I. t. 4 (1862–65).
—— **gigas** Linden
L. H. Bailey, Stand. Cycl. Hort. 690 (1914).
×**Wavriniana** Cogn.
Journ. Hort. Ser. III. xlv. 97 (1902).—*Fl.*
*Cogniaux, Dict. Icon. Orch., Cattl. hybr. t. 18 (1902).—*Fl.*
Horticulture (Boston), x. 822 (1909).—*Hab.*
×**weedoniensis** Hort.
Gartenwelt, x. 199 (1906).
×**Wendlandiana** Hort.
*Cogniaux, Dict. Icon. Orch., Cattl. hybr. t. 12 (1900).—*Fl.*
Whitei Reichb. f.
*Warner & Will. Orch. Album, iii. t. 115 (1884).
*Gartenfl. xxxiii. t. 1159 (1884).

CATTLEYA
Whitei
*Bot. Mag. cxxvi. t. 7727 (1900).
Journ. Hort. Ser. III. xlvi. 539 (1903); lvii. 75 (1908).—*Fl.*
*Cogniaux, Dict. Icon. Orch., Cattl. hybr. t. 20 (1903).—*Fl.*
—— **magnifica** Hort.
Journ. Roy. Hort. Soc. London, xxviii. Proc. p. ccxxxi (1903–4).—*Fl.*
×**Wincqxiana** Peeters
*Cogniaux, Dict. Icon. Orch., Cattl. hybr. t. 29 in textu; t. 35 in ic. (1906).
Zephyra Hort.
Horticulture (Boston), xvii. 733 (1913).—*Fl.*

CATTLEYOPSIS C. Lem.: *Laelia*
delicatula C. Lem.
Lem. Jard. Fl. iv. Misc. 60 (1854).—*Fl.*

CATURUS Linn.: *Acalypha*
spiciflorus Linn.
Rheede, Hort. Mal. v. t. 32 (1685); fide Hasskarl, Hort. Mal. Rheed. Clavis, 42.
Lamarck, Ill. v. t. 805 (1797–1819).
Jussieu, Euphorb. t. 14 (1824).—*Fl.*

CATUTSJERON O. Kuntze: *Holigarna*
Arnottiana Hook. f.
Pflanzenfam. iii. v. 175 (1892).—*Fl.*

CAUCALIS Linn.—Vide *Turgenia*
Anthriscus Huds.
Hill, Herb. Brit. i. t. 71 (1769).
*Curtis, Fl. Londin. ii. fasc. VI. t. 22 (1798); Ed. 2, iii. fasc. VI. t. 22 (1826).
*Sowerby & Sm. Engl. Bot. xiv. t. 987 (1802).
*Hayne, Getreue Darst. Arzn. Gewächse, i. t. 36 (1805).
Thornton, Brit. Fl. ii. 93 (1812).
Gaudin, Fl. Helv. ii. t. 4 (1828).—*Fr.*
*Kops, Fl. Batava, v. t. 321 (1828).
*Syme, Engl. Bot. iv. t. 620 (1865).
Bentham, Handb. Brit. Fl. fig. 441 (1865).
*Hogg & Johnson, Wild Fl. Gr. Brit. ix. t. 685 (1876).
Britton & Brown, Ill. Fl. N. States & Canada, ii. 511 (1897).
C. T. Green, Fl. Liverpool Distr. fig. 277 (1902).
*Horwood, Brit. Wild Fl. iii. t. 28, p. 190 (1919).
Fitch & Smith, Ill. Brit. Fl. Ed. rev. 4, Iss. 2, fig. 448 (1919).
arvensis Huds.
Hill, Herb. Brit. i. t. 71 (1769).
*Schubert, Naturg., Pflanzenreich, Ed. 2, t. 15, fig. 1 [1865].
C. T. Green, Fl. Liverpool Distr. fig. 276 (1902).
Fitch & Smith, Ill. Brit. Fl. Ed. rev. 4, Iss. 2, fig. 449 (1919).
caerulescens Boiss.
Murbeck, Contr. Fl. N.-Ouest Afriq. i. t. 4 (1897).
cordisepala Murb.
Murbeck, Contr. Fl. N.-Ouest Afriq. i. t. 4 (1897).
daucoides Linn.
Hill, Veget. Syst. vi. t. 14 (1764).
*Jacquin, Fl. Austr. ii. t. 157 (1774).
Hoppe, Ect. Pl. Ratisb. t. 250 (1788).
Gaertner, Fruct. i. t. 20 (1788).—*Fr.*
*Sowerby & Sm. Engl. Bot. iii. t. 197 (1794).
Boissieu, Fl. Eur. i. t. 185 (1805).
*Schkuhr, Bot. Handb. Ed. 2, t. 79 (1808).—*Fr.*
G. F. Hoffmann, Gen. Umbell. t. 1 A, fig. 14; t. 1 B, fig. 31 (1814); Ed. 2, t. 1 A, fig. 14; t. 1 B, fig. 31 (1816).—*Fl.*
Nov. Act. Acad. Nat. Cur. xii. i. t. 9 (1824).—*Fr.*
Gaudin, Fl. Helv. ii. t. 4 (1828).—*Fr.*
Mutel, Fl. Française, t. 25 (1834).—*Fr.*
*Zenker, Fl. Thüringen, vi. t. 686 (1836–55).
[M. E.] Jackson, Pict. Fl. fig. 421 (1840).
*Sturm, Deutschl. Fl. xviii. LXXXI [t. 1249] (1840).
*Deakin, Florigr. Brit. i. fig. 459 (1841).
*Dietrich, Fl. Boruss. xi. t. 750 (1843).
*Fl. Dan. xiv. t. 2346 (1843).
*Baxter, Brit. Bot. Ed. 2, vi. t. 459 (1843).
*Lorek, Fl. Pruss. Ed. 3, t. 80, fig. 432 (1848).

CAUCALIS
daucoides
*Petermann, Deutschl. Fl. t. 38, fig. 299 (1848).—*Fl.*
Johnson & Sowerby, Brit. Wild Fl. fig. 559 (1858–60).
Bentham, Handb. Brit. Fl. fig. 443 (1865).
*Syme, Engl. Bot. iv. t. 617 (1865).
Reichenbach, Ic. Fl. Germ. xxi. t. 2011 (1866).
Cesati, Passer. & Gibelli, Comp. Fl. Ital. t. 97 (1867–86).—*Fl.*
*Cusin & Ansberque, Herb. Fl. Franç. x (Ombellifères), t. 17 (1869).
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, iii. t. 94 [1873].
*Hogg & Johnson, Wild Fl. Gr. Brit. ix. t. 685 (1876).
Karsten, Deutsche Fl. Pharm.-medic. Bot. 855 (1880–83).—*Fr.*
*C. Hoffmann, Pflanzenatlas, t. 20, fig. 116 (1881).
Wagner, Ill. Deutsche Fl. Ed. 2, p. 341 (1882).
Willkomm, Führ. Reich Pflanzen, 592 (1882).—*Fr.*
*Thomé, Fl. Deutschl. iii. t. 387 (1888).
Paolucci, Fl. Marchig. t. 30 (1890).—*Fr.*
G. Beck, Fl. Nied.-Oesterr. ii. 1. 608 (1892).—*Fr.*
Acloque, Fl. France, 294 (1894).
Garcke, Ill. Fl. Deutschl. 266 (1895).
Karsten, Fl. Deutschl. ii. 422 (1895).—*Fr.*
Gradman, Pflanzenl. Schwäb. Alb, Ed. 2, ii. 245 (1900).
Fiori & Paol. Ic. Fl. Ital. 280 (1901).
C. T. Green, Fl. Liverpool Distr. fig. 275 (1902).
Coste, Fl. France, ii. 162 (1903).
*Sturm, Fl. Deutschl. Ed. 2, xii. t. 35 (1904).
Heukels, Fl. Nederl. ii. 454 (1908).
Fedtschenko & Fler. Fl. Eur. Russia, 679 (1910).
Hayek, Fl. Steierm. i. 1139 (1910).—*Fr.*
Klein, Unsere Unkräuter, 104 (1913).
Bull. Appl. Bot. viii. t. 139 (1915); ix. App. 7, 12 (1917).—*Fr.*
Cadevall & Sallent, Fl. Catalunya, iii. 18 (1917).
Lindman, Svensk Fanerogamfl. 430 (1918).
Fitch & Smith, Ill. Brit. Fl. Ed. rev. 4, Iss. 2, fig. 450 (1919).
—— **muricata** Gren. & Godr.
Reichenbach, Ic. Fl. Germ. xxi. t. 2011 (1866).
glabra maior Del.
Delile, Fl. Égypte, t. 23 (1812).
—— **minor** Del.
Delile, Fl. Égypte, t. 23 (1812).
glochidiata Spreng.
Sprengel in Comm. Soc. Sc. Rec. Göttingen, ii. tab. fig. 4 (1813).—*Fr.*
grandiflora Linn.
Hill, Veget. Syst. vi. t. 14 (1764).
*Jacquin, Fl. Austr. i. t. 54 (1773).
Gaertner, Fruct. i. t. 20 (1788).—*Fr.*
Hoppe, Ect. Pl. Ratisb. t. 531 (1790).
*Joh. Kerner, Abbild. Oek. Pfl. (Fig. Pl. Écon.), vi. t. 505 (1793).
Lamarck, Ill. i. t. 192, fig. 1 (1797).
*Schkuhr, Bot. Handb. Ed. 2, t. 79 (1808).—*Fr.*
*Vietz, Ic. Pl. Med.-oec.-techn. v. t. 389 (1817).
Gaudin, Fl. Helv. ii. t. 3 (1828).—*Fr.*
helvetica Jacq.
*Jacquin, Hort. Vind. iii. t. 16 (1776).
*Sturm, Fl. Deutschl. Ed. 2, xii. t. 36 (1904).
homoeophylla Coincy
Coincy, Eclog. Pl. Hispan. iii. t. 4 (1897).
humilis Jacq.
*Jacquin, Hort. Vind. i. t. 195 (1772).
infesta Curt.
*Curtis, Fl. Londin. ii. fasc. VI. t. 23 (1798); Ed. 2, iii. fasc. VI. t. 23 (1826).
*Sowerby & Sm. Engl. Bot. xix. t. 1314 (1804).
Bentham, Handb. Brit. Fl. fig. 442 (1865).
*Syme, Engl. Bot. iv. t. 619 (1865).
*Hogg & Johnson, Wild Fl. Gr. Brit. ix. t. 667 (1876).
japonica Houtt.
*Houttuyn, Handl. Pl. & Kruidk. viii. t. 45, fig. 1 (1777).
*Somoku Dzusetsu, Ed. 2, v. t. 7 (1874).
latifolia Linn.
*Jacquin, Hort. Vind. i. t. 128 (1772).
Gaertner, Fruct. i. t. 20 (1788).—*Fr.*

CAUCALIS
latifolia
Hoppe, Ect. Pl. Ratisb. t. 751 (1793).
*Sowerby & Sm. Engl. Bot. iii. t. 198 (1794).
*Schkuhr, Bot. Handb. Ed. 2, t. 79 (1808).—*Fr.*
Meigen, Deutschl. Fl. ii. t. 52 (1837).—*Fl.*
[M. E.] Jackson, Pict. Fl. fig. 422 (1840).
*Deakin, Florigr. Brit. i. fig. 460 (1841).
*J. W. Loudon, Brit. Wild Fl. Ed. 2, t. 38 [1846].
Johnson & Sowerby, Brit. Wild Fl. fig. 560 (1858–60).
*Syme, Engl. Bot. iv. t. 618 (1865).
Bentham, Handb. Brit. Fl. fig. 444 (1865).
Cesati, Passer. & Gibelli, Comp. Fl. Ital. t. 97 (1867–86).—*Fr.*
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, iii. t. 94 [1873].
C. T. Green, Fl. Liverpool Distr. fig. 274 (1902).
Fedtschenko & Fler. Fl. Eur. Russia, 680 (1910).
Fitch & Smith, Ill. Brit. Fl. Ed. rev. 4, Iss. 2, fig. 451 (1919).
leptophylla Linn.
*Kniphof, Herb. Viv. i. t. 216 (1758).
Hill, Veget. Syst. vi. t. 15 (1764).
Hill, Herb. Brit. i. t. 71 (1769).
*Sturm, Deutschl. Fl. i. III [t. 38] (1797).
*Schkuhr, Bot. Handb. Ed. 2, t. 79 (1808).—*Fr.*
Gaudin, Fl. Helv. ii. t. 4 (1828).—*Fr.*
Mutel, Fl. Française, t. 24 (1834).—*Fr.*
*Cusin & Ansberque, Herb. Fl. Franç. x (Ombellifères), t. 18 (1869).
Willkomm, Führ. Reich Pflanzen, 592 (1882).—*Fr.*
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xxvii. t. 2835 (1886).
Post, Fl. Syria, Palestine & Sinai, 375 [1896].—*Fr.*
Coste, Fl. France, ii. 163 (1903).
Paulsen, Stud. Veg. Pamir (Second Dan. Pamir Exped.), 62 (1912).
Bot. Tidsskr. xxxii. 53 (1912).
Cadevall & Sallent, Fl. Catalunya, 19 (1917).
littoralis M. Bieb.
G. F. Hoffmann, Gen. Umbell. t. 1 B, fig. 36 (1814); Ed. 2, t. 1 B, fig. 36 (1816).—*Fr.*
maritima Gouan
Gerard, Fl. Gallo-Prov. t. 10 (1761); fide DC.
Cavanilles, Ic. ii. t. 101 (1793).
mauritanica Linn.
Hill, Veget. Syst. vi. t. 8 (1764).
microcarpa Hook. & Arn.
Contrib. U.S. Nat. Herb. vii. 69 (1900).—*Fr.*
muricata Bisch.
*Sturm, Deutschl. Fl. xviii. LXXXI [t. 1250] (1840).
nodosa Scop.
*Sowerby & Sm. Engl. Bot. iii. t. 199 (1794).
G. F. Hoffmann, Gen. Umbell. t. 1 B, fig. 36 (1814).—*Fr.*
*Fl. Dan. xii. t. 1990 (1830).
*Syme, Engl. Bot. iv. t. 621 (1865).
Bentham, Handb. Brit. Fl. fig. 440 (1865).
*Hogg & Johnson, Wild Fl. Gr. Brit. ii. t. 667 (1876).
Britton & Brown, Ill. Fl. N. States & Canada, ii. 510 (1897).
C. T. Green, Fl. Liverpool Distr. fig. 278 (1902).
Black, Nat. Fl. S. Australia, 70 (1909).
Horwood, Plant Life Brit. Isles, ii. 268 (1914).
Fitch & Smith, Ill. Brit. Fl. Ed. rev. 4, Iss. 2, fig. 447 (1919).
orientalis Linn.
Hill, Veget. Syst. vi. t. 15 (1764).
parviflora Lam.
Lamarck, Ill. i. t. 192, fig. 2 (1797).
platycarpos Linn.
Hill, Veget. Syst. vi. t. 14 (1764).
*Jacquin, Hort. Vind. iii. t. 10 (1776).
pulcherrima Willd.
G. F. Hoffmann, Gen. Umbell. t. 1 B, fig. 36 (1814); Ed. 2, t. 1 B, fig. 36 (1816).—*Fr.*
pumila Linn.
Hill, Veget. Syst. vi. t. 15 (1764).
pumila Gouan
Sprengel in Comm. Soc. Sc. Rec. Göttingen, ii. tab. fig. 8 (1813).—*Fr.*
purpurea Ten.
*Tenore, Fl. Nap., Atlas, iii. t. 131 (1811–38).

CAUCALIS
Rojenii Crantz
Fedtschenko, Fl. Aziat. Ross. fasc. 15, 86 (1920).—*Fr.*
scandicina Roth
*Kops, Fl. Batava, iv. t. 258 (1822).
tenella Del.
Delile, Fl. Égypte, t. 21, fig. 3 (1812).

CAULANTHUS S. Wats.
crassicaulis S. Wats.
F. E. & E. S. Clements, Rocky Mt. Fl. t. 6 (1914).—*Fr.*
hastatus S. Wats.
King U.S. Geol. Expl. v (Bot.), t. 3 (1871).
senilis Heller
Muhlenbergia, viii. 138 (1913).

CAULINIA DC.: *Posidonia*
bimaculata O. Kuntze
Banks & Soland. Bot. Cook's Voy. i. t. 68 (1900).
oceanica DC.
Dict. Sc. Nat., Planch. Bot. Monocot. t. 37 (1816–29).
Tenore in Atti Accad. Sc. Napoli, iv. tab. (1839); v. I. A. 282 (1843).

CAULINIA Willd.: *Naias*
flexilis Willd.
Willdenow in Mém. Acad. Berlin, 1798, t. 1, fig. 1.
Koenig & Sims in Ann. Bot. ii. t. 1 (1805).
fragilis Willd.
Lamarck, Ill. v. t. 799, fig. 2 (1797–1819).
Willdenow in Mém. Acad. Berlin, 1798, t. 1, fig. 2.
Koenig & Sims in Ann. Bot. ii. t. 1 (1805).
Mem. Mat. Fis. Soc. Ital. Sc. Modena, xix. IV. t. 8, fig. 1 (1823).
Nees, Gen. Pl., Monocot. iii. t. 45 (1836).
Le Maout & Decaisne, Traité Gén. Bot. 649 (1868).
*Cusin, Herb. Fl. Franç. xxii (Naïadées), t. 1 (1876).
indica Willd.
Willdenow in Mém. Acad. Berlin, 1798, t. 1, fig. 3.
Koenig & Sims in Ann. Bot. ii. t. 2 (1805).
intermedia Balb.
Nocca & Balb. Fl. Ticin. ii. t. 15 (1821).
microphylla Balb.
Nocca & Balb. Fl. Ticin. ii. t. 16 (1821).

CAULINIA Moench: *Kennedya*
retusa O. Kuntze
Banks & Soland. Bot. Cook's Voy. i. t. 69 (1900).
rubicunda Moench
Banks & Soland. Bot. Cook's Voy. i. t. 70 (1900).

CAULOPHYLLUM L. C. Rich.: *Leontice*
thalictroides Michx.
Michaux, Fl. Bor.-Amer. i. t. 21 (1803).
Lamarck, Ill. vi. t. 937 (1819).
Rafinesque, Med. Fl. i. t. 19 (1828).
*Schnizlein, Iconogr. iii. t. 179 a (1855).
*Somoku Dzusetsu, Ed. 2, vii. t. 25 (1874).
*Millspaugh, American Med. Pl. t. 16 (1887).
Lloyd, Drugs & Med. N. Amer. ii. 142, 143, 148, t. 39 (1887).
Citerne, Berbér. & Érythrosperm. (Thèse), t. 2, fig. 6 (1892).—*Fl.*
*Wild Fl. Canada, t. 18 (1894).
Britton & Brown, Ill. Fl. N. States & Canada, ii. 91 (1897); Ed. 2, ii. 128 (1913).
Lochman, Phot. Med. Pl. t. 69 (1898).
Pammel, Burnip & Thomas in Proc. Iowa Acad. Sc. v. t. 12 (1898).—*Fr.*
Hare, Caspari & Rusby, Nat. Stand. Dispens. 388 (1905).—*Veg.*
Merck's Rep. (Pract. Journ. Pharm.), xvi. 94 (1907).
U.S. Dep. Agric. Bur. Pl. Indust. Bull. No. 107, t. 4 (1907).
Minnesota Bot. Stud. iv. t. 6–9 (1909).—*Hab.*
Peterson, How to Know Wild Fr. 259 (1914).
L. H. Bailey, Stand. Cycl. Hort. 695 (1914).—*Fr.*
Canada Dep. Agric. Exper. Farms, Bull. No. 23, Ser. II. p. 36 (1915).
*House, Wild Fl. New York (Mem. No. 15 N.Y. State Mus.), i. t. 75 (1918).

CAULOPHYLLUM
thalictroides
*Nat. Geogr. Mag. Washington, xxxv. t. 2 (1919).
Fyles in Canada Dep. Agric. Exp. Farms, Bull. No. 39, Ser. II. p. viii; t. 18 (1920).
Gard. Chron. Ser. III. lxvii. 63 (1920).
—— **robustum** Regel
Somoku Dzusetsu, Ed. Makino (Iconogr. Pl. Nippon), vii. t. 25 (1910).

CAUSTIS R. Br.
dioica R. Br.
C. B. Clarke, Illustr. Cyperac. t. 99 (1909).
flexuosa R. Br.
Guillemin, Ic. Lith. Pl. Austral. t. 14 (1827).
C. B. Clarke, Illustr. Cyperac. t. 100 (1909).—*Fr.*
pentrandra R. Br.
C. B. Clarke, Illustr. Cyperac. t. 100 (1909).—*Fl.*
recurvata Spreng.
C. B. Clarke, Illustr. Cyperac. t. 100 (1909).
Ber. Deutsch. Bot. Ges. xxxviii. 214 (1920).—*Fl.*

CAUTLEYA Royle
lutea Royle
*Bot. Mag. cxiv. t. 6991 (1888).
Pflanzenreich, Zingiberac. 124 (1904).
spicata Baker
Collett, Fl. Siml. 511 (1902).

CAVANILLA Vell.: *Caperonia*
spinosa Vell.
Vellozo, Fl. Flum. v. t. 102 (1827).

CAVANILLEA Desr.: *Diospyros*
philippensis Lam.
Lamarck, Ill. iii. t. 454 (1797).

CAVANILLESIA Ruiz & Pav.—*Pourretia*, Willd.
arborea K. Schum.
Engl. Jahrb. xl. Beibl. 93, t. 7 (1908).—*Hab.*
platanifolia H. B. K.
Pflanzenfam. iii. VI. 64 (1890).—*Fl.*
Pittier in Nat. Geogr. Mag. Washington, xxiii. 634, 635 (1912).—*Hab.*
Amer. Mus. Journ. xix. 313 (1919).—*Hab.*
Goldman in Smithson. Misc. Coll. lxix. No. 5, t. 9 (1920).—*Hab.*
tuberculata Kostel.
Kerner & Oliv. Nat. Hist. Pl. i. 656 (1894).—*Hab.*
[**umbellata**] Ruiz & Pav.
Ruiz & Pavon, Fl. Peruv. & Chil. Prodr. t. 20 (1794).—*Fl.*

CAVEA W. W. Smith & J. Small
tanguensis W. W. Smith & J. Small
Trans. & Proc. Bot. Soc. Edinb. xxvii. t. 5 (1917).
New Phytologist, xvii. 22 (1918).—*Fl.*

CAVENDISHIA Lindl.
callista J. D. Sm.
Bot. Gaz. xx. t. 2 (1895).
cordifolia Drude
Pflanzenfam. iv. I. 54 (1889).
guatemalensis Loes.
Engl. Jahrb. xlii. 266 (1909).—*Fl.*
pubescens Hemsl.
De Wildeman, Ic. Sel. Hort. Then. i. t. 24 (1900).
pubescens Britton
Engler & Drude, Veget. Erde, xii. 229 (1911).

CAYAPONIA Silva Manso—Vide *Perianthopodus*, *Trianosperma*
americana Cogn.
Plumier, Pl. Amer. Ed. Burm. t. 66, fig. 1 (1756); fide Urban, Fedde Repert. Beih. v. 50.
—— **angustifolia** Cogn.
Plumier, Pl. Amer. Ed. Burm. t. 250, fig. 2 (1760); fide Urban, Fedde Repert. Beih. v. 97.
cordifolia Cogn.
Mart. Fl. Bras. vi. IV. t. 21 (1878).
coriacea Cogn.
Mart. Fl. Bras. vi. IV. t. 22 (1878).
ficifolia Cogn.
Gartenfl. xxxi. 276 (1882).—*Veg.*
pedata Cogn.
Mart. Fl. Bras. vi. IV. t. 23 (1878).
villosissima Cogn.
Mart. Fl. Bras. vi. IV. t. 24 (1878).
Pflanzenfam. iv. v. 32 (1889).—*Fl.*

CAYLUSEA A. St.-Hil.
abyssinica Fisch. & Mey.
J. Müller, Monogr. Fam. Résédac. (Neue Denkschr. Allg. Schweiz. Ges. ges. Naturw. xvi), t. 4, fig. 44–46, 55; t. 10, fig. 133 (1857).—*Fl.*
Baillon, Hist. Pl. iii. 300 (1872).—*Fl.*
Pflanzenfam. iii. II. 239 (1891).—*Fl.*
canescens A. St.-Hil.
J. Müller, Monogr. Fam. Résédac. (Neue Denkschr. Allg. Schweiz. Ges. ges. Naturw. xvi), t. 10, fig. 132 (1857).—*Fl.*
Payer, Organog. Comp. Fl. t. 39 (1857).—*Fl.*
Pflanzenfam. iii. II. 239 (1891).—*Fl.*
Bibl. Bot. ix. No. 48, t. 4, fig. 14 (1899).—*Fl.*
Knuth, Handb. Blütenbiol. iii. I. 322 (1904).—*Fl.*
Crowfoot, Desert Fl. t. 10 [1914?].—*Hab.*

CAYRATIA Juss.: *Cissus*
cambodiana Gagnep.
Lecomte, Fl. Gén. Indo-Chine, i. t. 26 (1912).
geniculata Gagnep.
Lecomte, Fl. Gén. Indo-Chine, i. t. 26 (1912).—*Fl.*
japonica Gagnep.
Lecomte, Fl. Gén. Indo-Chine, i. t. 26 (1912).

CEANOTHUS Linn.
africanus Linn.
Berchtold & J. S. Presl, Rostlin. ii. t. 77 (1825).
Nova Acta Soc. Sc. Upsala, Ser. III. xiii. t. 2 (1887).
albus Hort.
Garden, lxxvii. 432 (1913).
americanus Linn.
*Zorn, Ic. Pl. Med. ii. t. 167 (1780).
*Wangenheim, Beytr. Forstwissensch. t. 31, fig. 70 (1787).
*Plenck, Ic. Pl. Med. ii. t. 143 (1789).
Gaertner, Fruct. ii. t. 106 (1791).—*Fr.*
*F. J. Schultz, Abb. Bäume, Staud. Sträuch. Oesterr. i. t. 90 (1792).
*Schmidt, Oest. Allgem. Baumzucht, t. 132 (1792–1822).
*Oskamp, Afb. Artseny-Gewass. iii. t. 205 (1796).
Lamarck, Ill. i. t. 129, fig. 1 (1797).
*Duhamel, Arbres & Arbustes, Ed. 2, vi. t. 31 (1801–19).
*Krauss, Afb. Fraaiste Boom. & Heest. [t. 32] (1802).
*McDonald, Dict. Pract. Gard. i. t. 13 (1807).
*Schkuhr, Bot. Handb. Ed. 2, t. 46 (1808).
*Bot. Mag. xxxvi. t. 1479 (1812).
*S. Edwards, New Bot. Gard. i. t. 13 (1812).
*Mordant de Launay, Herb. Amat. ii. t. 81 (1817).
*Vietz, Ic. Pl. Med.-oec.-techn. v. t. 389 b (1817).
Berchtold & J. S. Presl, Rostlin. ii. t. 77 (1825).
*Drapiez, Herb. Amat. Fl. viii. t. 577 (1835).
J. C. Loudon, Arbor. & Frutic. Brit. ii. 539 (1838).
Gray & Sprague, Gen. Fl. Amer. ii. t. 169 (1849).
*Good, Family Flora, ii. t. 88 (1854).
Agardh, Theor. Syst. Pl. t. 15 (1858).—*Fl.*
Lauche, Deutsche Dendrol. Ed. 2, p. 488 (1883).
Newhall, Shrubs N.E. Amer. 65 (1893).
Trans. Acad. Sc. St. Louis, vi. 143, fig. 16–18 (1893).—*Veg.*
Miller & Whiting, Wild Fl. N.E. States, 108 (1895).
Pflanzenfam. iii. v. 413 (1895).
Britton & Brown, Ill. Fl. N. States & Canada, ii. 407 (1897); Ed. 2, ii. 504 (1913).
Lochman, Phot. Med. Pl. t. 122 (1898).
L. H. Bailey, Cycl. Amer. Hort. 265 (1900); Stand. Cycl. Hort. 696 (1914).
*Behrens, Blattformen, t. 23, fig. g (1900).—*Veg.*
Parkhurst, Trees, Shrubs, Vines N.E. United States, 253, t. 1, fig. 2 (1903).—*Veg.*
Schneider, Dendrol. Winterst. 93 (1903).—*Veg.*
Keeler, Our North. Shrubs, 69 (1903); Ed. 2, p. 69 (1912).
Knuth, Handb. Blütenbiol. iii. I. 468 (1904).
*A Kert (The Garden), xi. 512 (1905).
Hare, Caspari & Rusby, Nat. Stand. Dispens. 847 (1905).
Amer. Journ. Sc. Ser. IV. xxii. 524 (1906).—*Veg.*
Jones & Rand in Bull. Vermont Agric. St. No. 145, p. 136 (1909).

CEANOTHUS
americanus
Schneider, Ill. Handb. Laubh. ii. 293, 295 (1909).
Apgar, Orn. Shrubs U.S. 97, fig. 92 (1910).
Velenovsky, Vergl. Morphol. Pfl. iii. t. 9 (1910).—*Fl.*
Clements, Rosend. & Butters, Minnesota Trees & Shrubs, 200 (1912).
Bull. Soc. Dendr. France, 1913, p. 57, 214.
Ann. Bot. xxix. t. 28, fig. 2 (1915).—*Veg.*
Mathews, Field Book Amer. Trees & Shrubs, 323 (1915).
*House, Wild Fl. New York (Mem. No. 15 N.Y. State Mus.), i. t. 126 (1918).
—— **intermedius** Trel.
Schneider, Ill. Handb. Laubh. ii. 293 (1909).—*Veg.*
aramis Hort.
Gard. Chron. Ser. III. lvi. 247 (1914).
arboreus Greene
Sargent, Man. Trees N. Amer. 666 (1905).
Britton, N. Amer. Trees, 681 (1908).
Sudworth, Forest Trees Pac. Slope, 410 (1908).
asiaticus Linn.
Lamarck, Ill. i. t. 129, fig. 2 (1797).
Cavanilles, Ic. v. t. 440 (1799).
axillaris Carr.
Rev. Hort. 1876, p. 87.
azureus Desf.
*Bot. Reg. iv. t. 291 (1818).
Ann. Sc. Nat. Paris, x. Atlas, t. 15 (1827).—*Fl.*
*Paxt. Mag. ii. 74 (1836).
J. C. Loudon, Arbor. & Frutic. Brit. ii. 539 (1838).
Ettingshausen, Blatt-Skel. Dikot. t. 69 (1861).—*Veg.*
E. T. Cook, Trees & Shrubs for Engl. Gard. 20, 21 (1902).—*Hab.*
*A Kert (The Garden), xi. 512 (1905).
Schneider, Ill. Handb. Laubh. ii. 293 (1909).—*Veg.*
Beille, Bot. Pharm. ii. 676 (1909).
Garden, lxxx. 76 (1916).
buxifolius Willd.
H. B. K. Nov. Gen. vii. t. 615 (1825).
caeruleus Lag.
*Lodd. Bot. Cab. ii. t. 110 (1818).
circumscissus Gaertn.
Gaertner, Fruct. ii. t. 106 (1791).—*Fr.*
collinus Dougl.
*Maund, Botanist, i. t. 16 (1837).
*Knowles & Westc. Floral Cab. i. t. 13 (1837).
J. C. Loudon, Arbor. & Frutic. Brit. iv. 2548 (1838).
cordulatus Kellogg
Hesperian (San Francisco), iv. 246 (1860).
Proc. California Acad. ii. 124 (1863).
crassifolius Torr.
Torrey, Bot. U.S. & Mexic. Bound. Surv. t. 11 (1858).
cuneatus Nutt.
Journ. Hort. Soc. London, vi. 220 (1851).
Belg. Hort. viii. 170, fig. 44 (1858).
Cottage Gard. xix. 133 (1858).
Schimper, Pflanzen-Geogr. 566 (1898).
Schneider, Ill. Handb. Laubh. ii. 296 (1909).—*Veg.*
Apgar, Orn. Shrubs U.S. 97, fig. 93 (1910).
U.S. Dep. Agric. Forest Serv. Bull. No. 85, p. 31 (1911).—*Hab.*
dentatus Torr. & Gray
*Moore & Ayres, Mag. Bot. i. 169 (1850).
*Journ. Hort. Prat. Belg. viii. 97 (1850).
*Paxt. Fl. Gard. i. t. 4 (1850–51).
*Fl. des Serres, Ser. I. vi. t. 567 (1850–51).
*Lem. Jard. Fl. i. t. 25 (1851).
*W. Thompson, Engl. Fl. Gard. i. 97 (1852).
*Belg. Hort. iii. t. 16 (1853).
Torrey, Bot. U.S. & Mexic. Bound. Surv. t. 10 (1858).
Journ. Hort. l. 117 (1873); lxi. 443 (1879); Ser. III. xi. 279 (1885).
Schneider, Ill. Handb. Laubh. ii. 296 (1909).—*Veg.*
discolor Vent.
*Ventenat, Jard. Malm. t. 58 (1803).

CEANOTHUS
divaricatus Nutt.
Schneider, Ill. Handb. Laubh. ii. 296 (1909).—*Veg.*
Apgar, Orn. Shrubs U.S. 98, fig. 95 (1910).
elegans Hort.
*Ill. Hort. vii. t. 268 (1860).
Fendleri A. Gray
Neubert's Deutsch. Gart. Mag. xlviii. 88 (1895).
Rev. Hort. 1901, p. 423.
Möllers Deutsche Gärtn.-Zeit. xxiii. 208 (1908); xxvii. 499 (1912).
Schneider, Ill. Handb. Laubh. ii. 296 (1909).—*Veg.*
Apgar, Orn. Shrubs U.S. 97, fig. 94 (1910).
Silva Tarouca, Freiland-Laubgehölze, 173 (1913).—*Hab.*
F. E. & E. S. Clements, Rocky Mt. Fl. t. 33 (1914).
floribundus Hook.
*Bot. Mag. lxxx. t. 4806 (1854).
*Floricult. Cab. 1854, p. 253.
*Journ. Hort. Prat. Belg. xii. 257 (1854).
*Fl. des Serres, Ser. I. x. t. 977 (1854–55).
*Belg. Hort. v. t. 21 (1855).
*Ill. Hort. vii. t. 238 (1860).
globulosus Labill.
Labillardière, Nov. Holl. Pl. t. 85 (1804).
granulosus Ruiz & Pav.
Ruiz & Pavon, Fl. Peruv. & Chil. iii. t. 228 (1802).
hirsutus Nutt.
Schneider, Ill. Handb. Laubh. ii. 293 (1909).—*Veg.*
hybridus Hort.
*Jaume St.-Hilaire, Fl. & Pom. Franç. vi. t. 525 (1833).
infestus H. B. K.
H. B. K. Nov. Gen. vii. t. 614 (1825).
integerrimus Hook. & Arn.
Gard. Chron. 1856, p. 36.
Pflanzenfam. iii. v. 413 (1895).
*Bot. Mag. cxxv. t. 7640 (1899).
Knuth, Handb. Blütenbiol. iii. 1. 468 (1904).—*Fl.*
Apgar, Orn. Shrubs U.S. 98, fig. 96 (1910).
M. Armstrong, Field Book West. Wild Fl. 285 (1915).
laniger Andr.
*Andrews, Bot. Rep. ix. t. 569 (1809).
Lobbianus Hook.
*Bot. Mag. lxxx. t. 4811 (1854), t. 4810, errore.
*Fl. des Serres, Ser. I. x. t. 1016 (1854–55).
macrocarpus Cav.
Cavanilles, Ic. iii. t. 276 (1794).
microphyllus Michx.
Schneider, Ill. Handb. Laubh. ii. 296 (1909).—*Veg.*
Mathews, Field Book Amer. Trees & Shrubs, 323 (1915).
Mocinianus DC.
A. De Candolle, Calq. Dess. Fl. Mex. Moc. & Sessé, t. 176 (1874).
nevadensis Kellogg
Proc. California Acad. ii. 151 (1863).
Schneider, Ill. Handb. Laubh. ii. 296 (1909).—*Veg.*
oreganus Nutt.
*Bot. Mag. lxxxvi. t. 5177 (1860).
ovalis Bigel.
*Torrey, Fl. State New York, i. t. 20 (1843).
ovatus Desf.
Newhall, Shrubs N.E. Amer. 65 (1893).
Hitchcock & Norton in Bull. Kansas Agric. St. No. 57, t. 2, fig. 29 (1896); No. 66, t. 3, fig. 29 (1897); No. 76, t. 1, fig. 2 (1898).
Britton & Brown, Ill. Fl. N. States & Canada, ii. 407 (1897); Ed. 2, ii. 505 (1913).
Schneider, Ill. Handb. Laubh. ii. 293 (1909).—*Veg.*
Clements, Rosend. & Butters, Minnesota Trees & Shrubs, 200 (1912).
F. E. & E. S. Clements, Rocky Mt. Fl. t. 33 (1914).
Mathews, Field Book Amer. Trees & Shrubs, 323 (1915).
Weaver in Carnegie Inst. Washington, Publ. No. 286, t. 12 (1919).—*Veg.*

CEANOTHUS
ovatus roseus Hort.
*Rev. Hort. 1875, p. 30.
pallidus Lindl.
*Bot. Reg. xxvi. t. 20 (1840).
papillosus Torr. & Gray
Hook. Ic. Pl. iii. t. 272 (1840).
*Rev. Hort. Ser. III. iv. 321 (1850).
*Moore & Ayres, Mag. Bot. i. 169 (1850).
*Fl. des Serres, Ser. I. vi. t. 567 (1850–51).
Paxt. Fl. Gard. i. 74 (1850–51).
*Lem. Jard. Fl. i. t. 17 (1851).
*Belg. Hort. iii. t. 16 (1853).
*Bot. Mag. lxxx. t. 4815 (1854).
Schimper, Pflanzen-Geogr. 566 (1898).
Journ. Hort. Ser. III. xlvi. 451 (1903).
parvifolius Trel.
M. Armstrong, Field Book West. Wild Fl. 285 (1915).
pauciflorus Moc. & Sessé
A. De Candolle, Calq. Dess. Fl. Mex. Moc. & Sessé, t. 175 (1874).
pinetorum Coville
Contrib. U.S. Nat. Herb. iv. t. 6 (1893).
prostratus Benth.
Schneider, Ill. Handb. Laubh. ii. 296 (1909).—*Veg.*
M. Armstrong, Field Book West. Wild Fl. 283 (1915).
pubescens Ruiz & Pav.
Ruiz & Pavon, Fl. Peruv. & Chil. iii. t. 228 (1802).
rigidus Nutt.
Paxt. Fl. Gard. i. 74 (1850–51).
Lem. Jard. Fl. i. Misc. 22 (1851); iv. t. 348 (1853).
*Bot. Mag. lxxviii. t. 4664 (1852).
Cottage Gard. ix. 275 (1853).
*Belg. Hort. iii. t. 16 (1853).
Torrey, Bot. U.S. & Mexic. Bound. Surv. t. 9 (1858).
Gard. Chron. Ser. III. xxxvi. 36 (1904).—*Hab.*
Schneider, Ill. Handb. Laubh. ii. 296 (1909).—*Veg.*
Bean, Trees & Shrubs, i. 319 (1914).
Kew Bull. 1915, p. 380.
—— **pallens** Sprague
Kew Bull. 1915, p. 380.
sanguineus Pursh
Schneider, Ill. Handb. Laubh. ii. 293, 295 (1909).
Apgar, Orn. Shrubs U.S. 98, fig. 97 (1910).
serpyllifolius Nutt.
Mathews, Field Book Amer. Trees & Shrubs, 323 (1915).
spatulatus Labill.
Labillardière, Nov. Holl. Pl. t. 84 (1804).
spinosus Nutt.
Sargent, Silva N. Amer. xiii. t. 621 (1902).
Eastwood, Handb. Trees California (Occ. Papers California Acad. Sc. ix), t. 50 (1905).
Sargent, Man. Trees N. Amer. 668 (1905).
Britton, N. Amer. Trees, 680 (1908).
Sudworth, Forest Trees Pac. Slope, 411 (1908).
thyrsiflorus Eschsch.
*Bot. Reg. xxx. t. 38 (1844).
*Floricult. Cab. xii. 229 (1844).
*Ann. Gand, iii. t. 107 (1847).
*Nuttall, Sylva, i. t. 57 (1865).
Sargent, Silva N. Amer. ii. t. 64 (1892).
Gard. Chron. Ser. III. xx. 363 (1896); xxxvii. 179 (1905); xli. 221 (1907).—*Hab.*
Parsons, Wild Fl. California, 275 (1897).
Sargent, Man. Trees N. Amer. 667 (1905).
Britton, N. Amer. Trees, 680 (1908).
Sudworth, Forest Trees Pac. Slope, 408 (1908).
Schneider, Ill. Handb. Laubh. ii. 295, 296 (1909).
tomentosus Parry
Mathews, Field Book Amer. Trees & Shrubs, 323 (1915).
Veitchianus Hook.
*Fl. des Serres, Ser. II. iii. t. 1383 (1858).
*Bot. Mag. lxxxv. t. 5127 (1859).
*Journ. Hort. Prat. Belg. N. Ser. iii. t. 22 (1859).
*Belg. Hort. x. 99 [t. 8] (1860).
Veitch, Hortus Veitchii, 394 (1906).—*Hab.*

CEANOTHUS
velutinus Dougl.
Hooker, Fl. Bor.-Amer. t. 45 (1833).
J. C. Loudon, Arbor. & Frutic. Brit. ii. 540 (1838).
*Bot. Mag. lxxxvi. t. 5165 (1860).
Garten-Zeit. Berlin, iii. 569 (1884).
Gard. Chron. xxii. 233 (1884).
Nelson in Bull. Wyoming Agric. St. No. 54, p. 29 (1902).—*Veg.*
Schneider, Ill. Handb. Laubh. ii. 293, 295 (1909).
Apgar, Orn. Shrubs U.S. 98, fig. 98 (1910).
F. E. & E. S. Clements, Rocky Mt. Fl. t. 33 (1914).
M. Armstrong, Field Book West. Wild Fl. 283 (1915).
Ann. Bot. xxix. t. 28, fig. 1 (1915).—*Veg.*
—— **arboreus** Sarg.
Sargent, Silva N. Amer. ii. t. 65 (1892).
—— **laevigatus** Hort.
Bean, Trees & Shrubs, i. 321 (1914).
verrucosus Nutt.
*Bot. Mag. lxxviii. t. 4660 (1852).
Journ. Hort. Soc. London, vii. 277 (1852).
*Lem. Jard. Fl. iii. t. 316 (1853).
Cottage Gard. xvi. 350 (1856).

CEBATHA Forsk.: *Cocculus*
carolina Koehne
Dippel, Handb. Laubh. iii. 98 (1893).
Britton & Brown, Ill. Fl. N. States & Canada, ii. 94 (1897).
Schneider, Ill. Handb. Laubh. i. 327 (1905).
orbiculata O. Kuntze
Schneider, Ill. Handb. Laubh. i. 325, 326 (1905).—*Fl.*
—— **triloba** C. K. Schneider
Schneider, Ill. Handb. Laubh. i. 326 (1905).—*Veg.*
virginica O. Kuntze
Schneider, Dendrol. Winterst. 59 (1903).—*Veg.*

CECROPIA Linn.
Adenopus Mart.
Mart. Fl. Bras. iv. 1. t. 50 (1853).
Schimper, Bot. Mitt. Tropen, Heft i. t. 1, 2 (1888).
Schimper, Pflanzen-Geogr. 156–60 (1898).
Karsten & Schenck, Veg.-Bild. i. t. 4 (1903).—*Hab.*
*Wettstein, Veg. Südbras. t. 2, 20, 21 (1904).—*Hab.*
Engl. Jahrb. xxxix. 670, t. 6, 9, 10 (1907).
Wettstein, Handb. Syst. Bot. Ed. 2, p. 504 (1911).—*Hab.*
angustifolia Tréc.
Ann. Sc. Nat. Paris, Ser. III. viii. t. 1, fig. 22 (1847).—*Fr.*
arenaria Warb.
Karsten & Schenck, Veg.-Bild. iv. t. 2 (1906).—*Hab.*
Bureauiana A. Richt.
Bibl. Bot. viii. No. 43, t. 4 (1898).
carbonaria Mart. & Miq.
Mart. Fl. Bras. iv. 1. t. 48 (1853).
Pflanzenfam. iii. 1. 95 (1888).
cinerea Miq.
Kronfeld, Atlas Pflanzengeogr. 178 (1899).—*Veg.*
Kerner, Pflanzenleben, Ed. 3, i. 423 (1913).—*Veg.*
cyrtostachya Miq.
Mart. Fl. Bras. iv. 1. t. 49 (1853).
Fawcett & Rendle, Fl. Jamaica, iii. 1. 53 (1914).
erecta Tréc.
Ann. Sc. Nat. Paris, Ser. III. viii. t. 1, fig. 11, 20 (1847).—*Fl.*
Pflanzenfam. iii. 1. 94 (1888).—*Fl.*
flagellifera Tréc.
Ann. Sc. Nat. Paris, Ser. III. viii. t. 1, fig. 18 (1847).—*Fr.*
Goudotiana Tréc.
Ann. Sc. Nat. Paris, Ser. III. viii. t. 1, fig. 9, 10 (1847).—*Fl.*
hololeuca Miq.
Engl. Jahrb. xxxix. t. 8 (1907).—*Hab.*
Juranyiana A. Richt.
Bibl. Bot. viii. No. 43, t. 1 (1898).

CECROPIA
leucocoma Miq.
Wawra, Bot. Ergebn. Reise Bras. t. 85 (1866).
leucophaea Poepp.
Mart. Fl. Bras. iv. 1. t. 50 (1853).
Levyana Bureau & A. Richt.
Bibl. Bot. viii. No. 43, t. 5 (1898).
lyratiloba Miq.
Engl. Jahrb. xxxix. t. 7 (1907).—*Hab.*
membranacea Tréc.
Ann. Sc. Nat. Paris, Ser. III. viii. t. 1, fig. 12 (1847).—*Fl.*
mexicana Hemsl.
Hemsley, Biol. Centr. Amer. v. t. 80 (1883).
Möllers Deutsche Gärtn.-Zeit. xxix. 535 (1914).—*Hab.*
obtusa Tréc.
Ann. Sc. Nat. Paris, Ser. III. viii. t. 1, fig. 19 (1847).—*Fr.*
pachystachya Tréc.
Ann. Sc. Nat. Paris, Ser. III. viii. t. 1, fig. 13–17 (1847).—*Fl.*
Mart. Fl. Bras. iv. 1. t. 48 (1853).—*Fl.*
Pflanzenfam. iii. 1. 94 (1888).—*Fl.*
Correa, Fibr. Text. & Cellul. 240 (1919).—*Hab.*
palmata Willd.
Ettingshausen in Denkschr. Akad. Wiss. Wien, xv. t. 23 (1858).—*Veg.*
Warburg, Pflanzenwelt, i. 491 (1913).
L. H. Bailey, Stand. Cycl. Hort. 697 (1914).—*Hab.*
Philippine Agric. Rev. x. 16, t. 9 (1917).
peltata Linn.
Jacquin, Obs. Bot. t. 46, fig. 4 (1767).—*Fl.*
*Jacquin, Sel. Stirp. Amer. Hist. Picta, t. 262, fig. 66 [1780].—*Fl.*
Lamarck, Ill. v. t. 800 (1797–1819).
Vellozo, Fl. Alograph. t. 6 (1798).
*Vietz, Ic. Pl. Med.-oec.-techn. v. t. 390 (1817).
*Descourtilz, Fl. Pitt. & Méd. Antilles, ii. t. 75 (1822).
Vellozo, Fl. Flum. x. t. 101 (1827).
Garden, xv. 371 (1879).
Sim, Tree Planting Natal, fig. 46 (1905).—*Hab.*
Journ. New York Bot. Gard. vii. 135 (1906).—*Hab.*
Fawcett & Rendle, Fl. Jamaica, iii. 1. 53 (1914).—*Fl.*
Agric. Colon., Ital. ix. 181 (1915).—*Fr.*
Teysmannia, xxix. 53 (1918).
Radlkoferiana A. Richt.
Bibl. Bot. viii. No. 43, t. 3 (1898).
scabra Mart.
Mart. Fl. Bras. iv. 1. t. 47 (1853).
scabrifolia A. Richt.
Bibl. Bot. viii. No. 43, t. 2 (1898).
Schiedeana Klotzsch
Mart. Fl. Bras. iv. 1. t. 49 (1853).—*Fl.*
sciadophylla Mart.
Mart. Fl. Bras. iv. 1. t. 46 (1853).
Karsten & Schenck, Veg.-Bild. iv. t. 1 (1906).—*Hab.*
strigosa Tréc.
Ann. Sc. Nat. Paris, Ser. III. viii. t. 1, fig. 21 (1847).—*Fr.*
surinamensis Miq.
Mart. Fl. Bras. iv. 1. t. 46 (1853).—*Fl.*

CEDRELA Linn.
angustifolia DC.
Mém. Mus. Hist. Nat. Paris, xix. 304, t. 23 (1830).—*Fl.*
*Réveil, Règne Vég. iv. t. 23 (1870).—*Fr.*
A. De Candolle, Calq. Dess. Fl. Mex. Moc. & Sessé, t. 153 (1874).
australis F. Muell.
A. & C. De Candolle, Monogr. Phan. i. t. 9, fig. 5 (1878).—*Fl.*
Agric. Gaz. N. S. Wales, iv. 605 (1893).
Maiden, For. Fl. N. S. Wales, i. t. 9, 10 (1903); iv. Pt. XI [t. 8, 9] (1910); vi. Pt. LX [t. 2] (1917).—*Hab.*
Maiden, Some Princip. Comm. Trees N. S. Wales (N. S. Wales, Forest. Handb.), 140 (1917).

CEDRELA
Balansae C. DC.
De Candolle in Bull. Soc. Bot. Genève, Ser. II. vi. 120 (1914).
brachystachya C. DC.
A. De Candolle, Calq. Dess. Fl. Mex. Moc. & Sessé, t. 155 (1874).
brasiliensis Juss.
St.-Hilaire, Fl. Bras. Merid. ii. t. 101 (1829).
Saldanha da Gama, Config. & Estudo Bot. Veg. Janeiro, ii. t. 9 (1872).
Holmberg, Fl. Rep. Argent. in Censo Nacional, i. v. t. 10 (1898).—*Hab.*
febrifuga Bl.
*Forsten, Diss. Cedrela febrifuga, tab. (1836).
Greshoff, Nutt. Ind. Pl. t. 30 (1896); et in Indische Mercuur, xix. No. 49, tab. (1896).
fissilis Vell.
Vellozo, Fl. Flum. ii. t. 68 (1827).
A. & C. De Candolle, Monogr. Phan. i. t. 9, fig. 4 (1878).—*Fl.*
Mart. Fl. Bras. xi. 1, t. 65 (1878).
Warming in Dansk. Vid. Selsk. Skrift. Ser. VI. vi. 389 (1892).—*Hab.*
Pflanzenfam. iii. iv. 268 (1896).
Pomona Coll. Journ. Econ. Bot. i. 207 (1911).—*Hab.*
Bull. Soc. Bot. Genève, Ser. II. vi. 120 (1914).—*Fl.*
G. Andersson in Skogsv. för. Tidskr. xv. Bilaga 1. 311 (1917).—*Hab.*
Glaziovii C. DC.
Mart. Fl. Bras. xi. 1, t. 65 (1878).
humilis Schnizl.
*Schnizlein, Iconogr. iii. t. 226 (1856).—*Fl.*
Kotschyi Schweinf.
Schweinfurth, Reliq. Kotsch. t. 35 (1868).
Lilloi C. DC.
De Candolle in Bull. Soc. Bot. Genève, Ser. II. vi. 119 (1914).
microcarpa C. DC.
Wilson, Veg. West. China (Publ. Arn. Arb. No. 2), 151 (1911).—*Hab.*
Wilson, Arn. Arb. Exped. China, 1910–11, t. 0119 (1912).—*Hab.*
odorata Linn.
*Jacquin, Sel. Stirp. Amer. Hist. Picta, t. 261, fig. 52 [1780].—*Fr.*
Browne, Hist. Jamaica, Ed. 2, t. 10 (1789).—*Fl.*
Gaertner, Fruct. ii. t. 95 (1791).—*Fr.*
Lamarck, Ill. i. t. 137 (1797).
Vellozo, Fl. Flum. ii. t. 67 (1827).
*Descourtilz, Fl. Pitt. & Méd. Antilles, vi. t. 411 (1828).
Ettingshausen, Blatt-Skel. Dikot. t. 55, 56 (1861).—*Veg.*
Pflanzenfam. iii. iv. 268 (1896).—*Fl.*
Löfgren, Serv. Flor. Partic. fig. 19 (1903).—*Fr.*
Sim, Tree Planting Natal, fig. 55 (1905).—*Hab.*
Thays, Jard. Bot. Buenos Aires, 116 (1910).—*Hab.*
Velenovsky, Vergl. Morphol. Pfl. iv. Suppl. 182 (1913).—*Fl.*
Estac. Exp. Agronom. Cuba, Bol. No. 22, 1914, Ed. 2, t. 12 (1916).—*Hab.*
Unwin, W. Afr. Forests & Forestry, 174, 228 (1920).—*Hab.*
Fawcett & Rendle, Fl. Jamaica, iv. 11. 219 (1920).—*Fl.*
serrata Royle
*Royle, Illustr. Bot. Himal. t. 25 (1839).
Greshoff, Nutt. Ind. Pl. t. 30 (1896); et in Indische Mercuur, xix. No. 49, tab. (1896).
Collett, Fl. Siml. 82 (1902).
sinensis Juss.
Rev. Hort. 1875, p. 87; 1891, p. 574.
Florist, 1876, p. 175.—*Hab.*
Garden, xiii. 205 (1878).—*Hab.*
Lauche, Deutsche Dendrol. Ed. 2, p. 491 (1883).—*Veg.*
Dippel, Handb. Laubholzk. ii. 363 (1892).—*Veg.*
Mouillefert, Traité Arbres & Arbriss. Atlas, t. 9 (1892–98).—*Hab.*
Jardin, viii. 43 (1894).
Bull. Coll. Agric. Tokyo, ii. t. 6, fig. 10 (1895).—*Veg.*

CEDRELA
sinensis
*Useful Pl. Jap. ii. t. 537 (1895).
Möllers Deutsche Gärtn.-Zeit. xvii. 495 (1902).
Schneider, Dendrol. Winterst. 98 (1903).—*Veg.*
Elwes & Henry, Trees Gr. Brit. & Ireland, ii. t. 125, 126 (1907).—*Veg.*
*Shirasawa, Ic. Ess. Forest. Jap. ii. t. 35 (1908).
Wilson, Veg. West. China (Publ. Arn. Arb. No. 2), 152–55 (1911).—*Hab.*
Wilson, Arn. Arb. Exped. China, 1910–11, t. 013, 076 (1912).—*Hab.*
Bull. Soc. Dendr. France, 1913, p. 26, 199.
Toona Roxb.
*Roxburgh, Pl. Coromandel, iii. t. 238 (1819).
Wight, Ic. Pl. Ind. Or. i. t. 161 (1839).
Beddome, Fl. Sylv. t. 10 (1869).
Brandis, Illustr. For. Fl. N.W. & Centr. Ind. t. 14 (1874).
Baillon, Hist. Pl. v. 481 (1874).—*Fl.*
Baillon, Dict. Bot. i. 665, 666 (1878).
Vidal, Fl. For. Filip. Atlas, t. 29, fig. G (1883).—*Fl.*
Kerner, Pflanzenleben, ii. 422 (1891).—*Fr.*
Kerner & Oliv. Nat. Hist. Pl. ii. 423 (1895).—*Fr.*
*Ahern, Philipp. Woods, 38 (1901).
Rhodesian Agric. Journ. vi. v. 566 (1909).—*Hab.*
Talbot, For. Fl. Bombay, i. 249, 250 (1909).
Basu, Ind. Med. Pl. t. 230 (1918).

CEDRELOPSIS Baill.
Grevei Baill.
Grandidier, Hist. Madag. [Plantes] Atlas, t. 257 (1893).
Ann. Mus. Col. Marseille, Ser. II. iv. 39–54 (1906); viii. 82, 83 (1910).

CEDRONELLA Moench
cana Hook.
*Bot. Mag. lxxvii. t. 4618 (1851).
*Belg. Hort. ii. t. 58 (1852).
*Lem. Jard. Fl. iii. t. 218 (1852).
mexicana Benth.
Gartenfl. xxix. 270 (1880).
Nicholson, Illustr. Dict. Gard. ii. 53 [1884–88].
pallida Lindl.
*Bot. Reg. xxxii. t. 29 (1846).

CEDRUS Loud.—Vide *Abies* (2)
atlantica Man.
Belg. Hort. ii. t. 66 (1852).
Nat. Hist. Rev. ii. t. 2 (1862).
*Pinet. Brit. iii. 217, 218, 222, 246, t. 38 (1884).
Pflanzenfam. ii. 1. 75 (1889).—*Hab.*
Garden, xxxvii. 195 (1890).—*Hab.*
Gard. Chron. Ser. III. x. 425 (1891).
Gard. & Forest, viii. 335 (1895); ix. 417 (1896).—*Hab.*
Tubeuf, Nadelhölzer, 94, 96 (1897).
Nicholson, '1900' Suppl. Dict. Gard. 211 (1900).—*Hab.*
L. H. Bailey, Cycl. Amer. Hort. 266 (1900); Stand. Cycl. Hort. 698 (1914).—*Hab.*
Tollemache, Brit. Trees, 85 (1901).—*Hab.*
Pardé, Arbor. Nat. Barres, t. 35 (1906).—*Hab.*
Elwes & Henry, Trees Gr. Brit. & Ireland, iii. t. 136–38 (1908).—*Hab.*
Gubb, Fl. Algeria, t. 29 (1909).—*Hab.*
Clinton-Baker, Ill. Conif. i. 69 (1909).
Groom, Trees & Life Hist. t. 108, 110, 114, 116 (1909).
Ber. Senck. Nat. Ges. Frankfurt, xli. 95 (1910).
Bull. Soc. Dendr. France, 1911, p. 188.—*Veg.*
Gartenfl. lxii. 258 (1913).—*Hab.*
Mitt. Deutsch. Dendr. Ges. 1913, p. 39, 57, 203, 207; 1918, t. 58.—*Hab.*
Möllers Deutsche Gärtn.-Zeit. xxviii. 403 (1913).—*Hab.*
Silva Tarouca, Freiland-Nadelhölzer, 67, 93, 128, t. 6 (1913).
Naturwiss. Zeitschr. Land- & Forst. xii. 229, 233, 234, 247 (1914).—*Hab.*
Neger, Nadelhölzer, Ed. 2, p. 98, 99 (1919).
—— **argentea** Hort.
Bull. Soc. Acclim. lviii. 689 (1911).—*Hab.*

CEDRUS
atlantica fastigiata Carr.
Rev. Hort. 1890, p. 32.—*Hab.*
Mottet, Conif. & Taxac. 240 (1902).—*Hab.*
—— **glauca** Hort.
Beissner, Handb. Nadelholzk. 303 (1891); Ed. 2, p. 332 (1909).—*Hab.*
Jardin, x. 231 (1896); xxi. 23 (1907).—*Hab.*
Horticulture (Boston), v. 93 (1907).—*Hab.*
Mitt. Deutsch. Dendr. Ges. 1910, p. 171; 1913, p. 32; 1918, t. 58.—*Hab.*
*Silva Tarouca, Freiland-Nadelhölzer, 77, 80, t. 3 (1913).—*Hab.*
—— **pendula** Hort.
Gard. Chron. Ser. III. lxvi. 287 (1919).—*Hab.*
Deodara Loud.
J. C. Loudon, Arbor. & Frutic. Brit. iv. 2428, 2429, 2430 (1838).
*Forbes, Pinetum Woburnense, t. 48, 49 (1839).
Ann. Hort. i. 128 (1845); v. 466 (1850).—*Hab.*
Fl. des Serres, Ser. I. iv. 345 C (1848).
C. A. Johns, Forest Trees Brit. ii. 418 (1849).
Belg. Hort. ii. t. 47 (1852).—*Hab.*
Nat. Hist. Rev. ii. t. 3 (1862).
Journ. Agric. & Hort. Soc. India (1865–66), xiv. 1. 264 (1867).
Bull. Arboricult. Belg. 1872, p. 237.—*Hab.*
Florist, 1876, p. 103.—*Hab.*
Berge, Pflanzenphysiogn. 55 (1880).—*Hab.*
Rev. Hort. Belge, vi. 20 (1880); xxviii. 100 (1902).—*Hab.*
Veitch, Man. Conif. 134, 135 (1881); Ed. 2, p. 412 (1900).—*Hab.*
Lauche, Deutsche Dendrol. Ed. 2, p. 101 (1883).
*Pinet. Brit. iii. 225, 226, 244–46, t. 39–43 (1884).
Garden, xxviii. 223 (1885).
Jardin, i. 8 (1887).—*Hab.*
Pflanzenfam. ii. 1. 58, 74 (1889).
Beissner, Handb. Nadelholzk. 306 (1891); Ed. 2, p. 336 (1909).—*Hab.*
Gard. Chron. Ser. III. x. 423 (1891); xxxiv. 400 (1903).—*Hab.*
Bull. Soc. Acclim. xxxix. 1. 49 (1892).—*Hab.*
Bois, Dict. Hort. 268 (1893–99).
Tubeuf, Nadelhölzer, 94, 95 (1897).
Tollemache, Brit. Trees, 85 (1901).—*Hab.*
Bull. Ort. Bot. Napoli, i. 324 (1902).—*Fr.*
Garcia in Bull. New Mexico Agric. St. No. 47, p. 36 (1903).—*Hab.*
Step, Wayside & Woodl. Trees, p. 168, t. 122–24 (1904).
Natal Agric. Journ. viii. 401 (1905).—*Hab.*
Horticulture, v. 189 (1907).—*Hab.*
Ness in Bull. Texas Agric. St. No. 105, t. 10 (1908).—*Hab.*
Agric. Gaz. N. S. Wales, xix. 268 (1908).—*Hab.*
Elwes & Henry, Trees Gr. Brit. & Ireland, iii. t. 139, 140 (1908).—*Hab.*
Groom, Trees & Life Hist. t. 111, 112, 115 (1909).
Clinton-Baker, Ill. Conif. i. 70 (1909).
Fernow, Care of Trees, fig. 61 (1910).
Bull. Soc. Acclim. lviii. 689 (1911).—*Hab.*
Pomona Coll. Journ. Econ. Bot. i. 130 (1911).—*Hab.*
Möllers Deutsche Gärtn.-Zeit. xxviii. 402 (1913).—*Hab.*
Warburg, Pflanzenwelt, i. 360 (1913).
Mitt. Deutsch. Dendr. Ges. 1913, p. 203, 207.
Silva Tarouca, Freiland-Nadelhölzer, 103, 113, t. 6 (1913).—*Hab.*
Naturwiss. Zeitschr. Land- & Forst. xii. 229, 233, 412–19, 427, 465 (1914).—*Hab.*
Basu, Ind. Med. Pl. t. 928 (1918).
Neger, Nadelhölzer, Ed. 2, p. 99 (1919).—*Fr.*
—— **fastigiata monstrosa** Hort.
Pardé, Arbor. Nat. Barres, t. 14 (1906).—*Hab.*
—— **nivea** Hort.
Gard. Chron. Ser. III. xxv. 399 (1899).—*Hab.*
—— **robusta** Hort.
Rev. Hort. Belge, xviii. 268 (1892).—*Hab.*
—— **viridis Hügelii** Hort.
Garten-Zeit. Berlin, iv. 222 (1885).—*Hab.*
libani Barrel.
*Trew, Cedro Libani Hist. t. 3–8 (1767).

CEDRUS
libani
J. C. Loudon, Arbor. & Frutic. Brit. iv. 2403, viii. t. 86 A (1838).
Selby, Hist. Brit. Forest-Trees, 520, 521, 535 (1842).
Nat. Hist. Rev. ii. t. i (1862).
Decaisne & Naud. Amat. Jard. iii. 306 [1862–66].—*Hab.*
Parlatore in Ann. Mus. Fis. Stor. Nat. Firenze, 1865, N. Ser. i. t. 2 (1866).—*Fl.*
Gayffier, Herb. For. France, tab. (1868–73).
Mém. Acad. Sc. Pétersb. Ser. VII. xiii. No. 6, t. 2, fig. 37–50 (1869).—*Fl.*
*Réveil, Règne Vég. iii. t. 32; xiv. t. 40 (1870).
Decaisne, Naud. & Hemsl. Trees, Shrubs & Herb. Pl. 433 (1873).—*Hab.*
Journ. Hort. lii. 523 (1874).—*Hab.*
Emerson, Trees & Shrubs Massachusetts, Ed. 2, i. 110, 112 (1875).—*Hab.*
Garden, ix. 201 (1876).—*Hab.*
Jeffrey & Howie, Trees & Shrubs Fife & Kinross, 54 (1879).—*Hab.*
Veitch, Man. Conif. 137 (1881); Ed. 2, p. 29, 417, 421 (1900).
Hochstetter, Conifer. Mitt. Europa, fig. 17 (1882).
*Pinet. Brit. iii. 221, 222, 245, 246, 248, 249, 251, 253, 256, 268, t. 44, 45, 47–50 (1884).
Woods & Forests, i. 325 (1884).—*Hab.*
Nicholson, Illustr. Dict. Gard. i. 286; iii. 517 [1884–88].
Rhein. Jahrb. Gartenk. & Bot. ii. t. 3 (1885).
Foucard in Ann. Soc. Sc. Nat. Charente Infér. La Rochelle, 1890, No. 27, p. 4 (1891).—*Hab.*
Gadeau & Kerville in Bull. Soc. Sc. Nat. Rouen, Ser. III. xxvi. II. 1890, t. 8, 9 (1891); xxviii. II. 1892, t. 6 (1893).—*Hab.*
Beissner, Handb. Nadelholzk. 298, 299 (1891); Ed. 2, p. 327, 328 (1909).
Gartenfl. xl. 235 (1891); lxiv. 151 (1915).
*Mouillefert, Traité Arbres & Arbriss. Atlas, t. xxvii^{ter} (1892–98).
Koehne, Dendrol. 27 (1893).
Brehm, Merv. Nat. Monde des Pl. ii. 727 (1894–96).—*Hab.*
Baum-Album d. Schweiz. t. 5 (1896).
Siélain, Atlas Poche Pl. Champs, Prair. & Bois, Ser. II. t. 151 (1896).
Kronfeld, Atlas Pflanzengeogr. 109 (1899).—*Hab.*
Tollemache, Brit. Trees, 85 (1901).—*Hab.*
Charpentier, Timber, Ed. Engl. 122 (1902).—*Hab.*
Gard. Chron. Ser. III. xxxi. 8, 10 (1902).—*Hab.*
Mottet, Conif. & Taxac. 237 (1902).—*Hab.*
Jarvis, Tree Book, 48 (1903).
Parkhurst, Trees, Shrubs, Vines N.E. United States, 373, t. 4, fig. 20 (1903).—*Veg.*
Step, Wayside & Woodl. Trees, 165, t. 121, 122 (1904).
Arkiv Bot. Stockholm, iii. No. 7, p. 18 (1904).—*Hab.*
Flora & Sylva, ii. 291–94 (1904).
Wien. Ill. Gart.-Zeit. xxx. 278 (1905).—*Hab.*
Lazaro, Comp. Fl. Españ. i. 591 (1906).—*Hab.*
Pardé, Arbor. Nat. Barres, t. 36 (1906).—*Hab.*
*Boulger, Familiar Trees, Rev. Ed. iii. 88, 92, 94–96 [1906–7].
Temple, Fl. & Trees Palestine, t. 28 (1907).—*Hab.*
Mitt. Deutsch. Dendr. Ges. 1908, t. 3; 1912, p. 149; 1913, p. 57, 203, 205; 1914, p. 171; 1917, t. 17; 1919, t. 18.
Torreya, viii. 288 (1908).—*Hab.*
*Elwes & Henry, Trees Gr. Brit. & Ireland, iii. frontisp. t. 127–135 (1908).—*Hab.*
Clinton-Baker, Ill. Conif. i. frontisp. p. 71 (1909).
Groom, Trees & Life Hist. t. 109, 113 (1909).
Gubb, Fl. Algeria, t. 30 (1909).—*Hab.*
Beille, Bot. Pharm. ii. 12 (1909).
Fernow, Care of Trees, fig. 60 (1910).
Wettstein, Handb. Syst. Bot. Ed. 2, p. 410 (1911).—*Fr.*

CEDRUS
libani
Bull. Soc. Acclim. lviii. 689 (1911).—*Hab.*
Bull. Soc. Dendr. France, 1911, p. 97, 130.
Leland Stanford Junr. Univ. Publ. Dudley, Mem. Vol. p. 108 (1913).
Warburg, Pflanzenwelt, i. 359, 360 (1913).
Silva Tarouca, Freiland-Nadelhölzer, 158, 159, t. 6 (1913).—*Hab.*
Naturwiss. Zeitschr. Land- & Forst. xii. 423 (1914).
Bean, Trees & Shrubs, i. 324 (1914).
L. H. Bailey, Stand. Cycl. Hort. 699 (1914).—*Hab.*
Basu, Ind. Med. Pl. t. 928 (1918).
*C. A. Johns, Forest Trees Brit. Ed. 11, p. 411, 412, t. 16, 414 (1919).
Neger, Nadelhölzer, Ed. 2, p. 99, 101 (1919).
—— **atlantica** Hook. f.
Mouillefert, Traité Arbres & Arbriss. Atlas, t. 135 (1892–98).—*Hab.*
Rikli & Schröter in Vierteljahrsschr. Naturf. Ges. Zürich, lvii. t. 10 (1912).—*Hab.*
Karsten & Schenck, Veg.-Bild. x. t. 15 (1912).—*Hab.*
Rikli, Lebensb. Veget. Mittelmeerl. Atlant. Inseln, t. 13 (1912).—*Hab.*
—— **brevifolia** Hook. f.
Beissner, Handb. Nadelholzk. 301 (1891); Ed. 2, p. 329 (1909).—*Fr.*
Rev. Hort. 1920, p. 85.—*Hab.*
—— **Deodara** Hook. f.
Collett, Fl. Siml. 487 (1902).
R. S. Pearson, Comm. Guide For. Econ. Prod. Ind. t. 1 (1912).—*Hab.*
—— **glauca** Carr.
J. C. Loudon, Arbor. & Frutic. viii. t. 86 A (1838).
libanotica Link
Nov. Act. Acad. Nat. Cur. xix. 1. t. 14 (1839).
Berg, Charakt. t. 19, fig. 167 (1861).
Schilling, Grundr. Naturg. ii. Pflanzenr. Ausgb. A, p. 283 (1882).—*Hab.*
—— **brevifolia** Holmb.
Holmboe, Veg. Cyprus, 29 (1914).
orientalis atlantis F. Hamilt.
F. Hamilton, Bot. Bible, t. 6 (1871).—*Hab.*

CEIBA Medic.—Vide *Eriodendron*
Casearia Medic.
L. H. Bailey, Stand. Cycl. Hort. 700 (1914).
erianthos K. Schum.
Borzi, Contrib. Biol. Veg. ii. 11. t. 18 (1898).—*Veg.*
pentandra Gaertn.
Rumphius, Herb. Amboin. i. t. 80 (1741); fide Merrill, Interpret. Rumph. Herb. Amboin.
Sonnerat, Voy. Nouv. Guinée, t. 132 (1776).
Gaertner, Fruct. ii. t. 133 (1791).—*Fr.*
Pflanzenfam. iii. vi. 62 (1890).—*Fl.*
Bot. Centralbl. xv. lix. t. 2 (1894).—*Fr.*
Sadebeck, Kulturg. Deutsch. Kolon. Erzeugn. 310, 311 (1899).
Werth in Verh. Bot. Ver. Brandenb. xlii. 229 (1901).—*Fl.*
Journ. New York Bot. Gard. iv. 174 (1903).—*Hab.*
Contrib. U.S. Nat. Herb. viii. t. 24 (1903); ix. t. 42 (1905).
Flora, xcv. t. 1 (1905).—*Veg.*
Shattuck, Bahama Isl. t. 88 (1905).—*Hab.*
Karsten & Schenck, Veg.-Bild. iv. t. 11, 27 (1906).—*Hab.*
Torreya, vi. 218, 219, 221–24 (1906).
Beih. Bot. Centralbl. xxiii. 11. t. 8 (1908).—*Hab.*
Beille, Bot. Pharm. ii. 500 (1909).
Engler & Drude, Veget. Erde, ix. 1. 2, t. 45, 47 (1910).—*Hab.*
Notizbl. Bot. Gart. Berlin, vi. 56, 58 (1913).
Francé, Leben Pflanze, vi. 462 (1913).—*Hab.*
Pflanzer, ix. Beih. No. 1, t. 8 (1913).
Rock, Orn. Trees Hawaii, t. 57 (1917).—*Veg.*
A. P. West & W. H. Brown in Bull. Philip. Isl. Dep. Agric. Bur. Forestry, No. 20, p. 149 (1920).—*Hab.*

CEIBA
Rivieri K. Schum.
Mart. Fl. Bras. xii. III. t. 41 (1886).
Pflanzenfam. iii. vi. 62 (1890).—*Fl.*
Beille, Bot. Pharm. ii. 500 (1909).—*Fl.*

CELASTRUS Linn.—Vide *Catha* G. Don, *Orixa*
acuminatus Linn. f.
Ettingshausen in Denkschr. Akad. Wiss. Wien, xiii. fig. 24–26, p. 70; t. 6, fig. 13, 14 (1857); xxxvii. t. 25, fig. 8, 9 (1877).—*Veg.*
Ettingshausen, Blatt-Skel. Dikot. t. 65 (1861).—*Veg.*
Wood, Natal Pl. iii. III. t. 267 (1902).
alatus Thunb.
Thunberg, Ic. Pl. Jap. iv [t. 3] (1802).
alpestris Bl.
Flora, lxxxvii. 5 (1900).—*Veg.*
angulatus Maxim.
Schneider, Ill. Handb. Laubh. ii. 183, 184 (1907).
Bull. Soc. Tosc. Ortic. xxxiv. 227 (1909).—*Hab.*
articulatus Thunb.
Gard. & Forest, iii. 550 (1890).
Bull. Coll. Agric. Tokyo, ii. t. 11, fig. 22 (1895).—*Veg.*
*Bot. Mag. cxxiv. t. 7599 (1898).
Gard. Chron. Ser. III. xxiii. 29 (1898); xliii. 242 (1908).
Journ. Hort. Ser. III. lxii. 226 (1911).
*Addisonia, iv. t. 125 (1919).
australis Harv. & F. Muell.
F. Mueller, Pl. Victoria, i. t. 21 (1864–65).
F. Mueller, Key Syst. Victorian Pl. ii. fig. 28 a, b (1885).
Velenovsky, Vergl. Morphol. Pfl. ii. 298 (1907).—*Veg.*
bullatus Linn.
*F. J. Schultz, Abb. Bäume, Staud. Sträuch. Oesterr. i. t. 91 (1792).
buxifolius Linn.
*Houttuyn, Handl. Pl. & Kruidk. iv. t. 21, fig. 1 (1775).
Ettingshausen in Denkschr. Akad. Wiss. Wien, xiii. fig. 21, 22, p. 68; t. 5, fig. 2–5 (1857); xxxvii. t. 24, fig. 12–14 (1877).—*Veg.*
Ettingshausen, Blatt-Skel. Dikot. t. 57 (1861).—*Veg.*
Edmonds & Marloth, Elem. Bot. S. Africa, 59 (1897).—*Veg.*
Henslow, S. Afr. Flower. Pl. 38 (1903).—*Veg.*
Wood, Natal Pl. vi. 11. t. 535 (1910).
—— **inermis** Sims
*Bot. Mag. xlvii. t. 2114 (1819).
campestris Eckl. & Zeyh.
Ettingshausen in Denkschr. Akad. Wiss. Wien, xiii. t. 7, fig. 16 (1857).—*Veg.*
Ettingshausen, Blatt-Skel. Dikot. t. 63 (1861).—*Veg.*
capitatus E. Mey.
Ettingshausen in Denkschr. Akad. Wiss. Wien, xiii. t. 7, fig. 7 (1857).—*Veg.*
Ettingshausen, Blatt-Skel. Dikot. t. 62 (1861).—*Veg.*
cassinoides L'Hér.
L'Héritier, Sertum Angl. t. 10 (1788).
Ettingshausen in Denkschr. Akad. Wiss. Wien, xiii. fig. 27, p. 71 (1857); xxxvii. t. 24, fig. 11 (1877).—*Veg.*
Ettingshausen, Blatt-Skel. Dikot. t. 63 (1861).—*Veg.*
collinus Eckl. & Zeyh.
Ettingshausen in Denkschr. Akad. Wiss. Wien, xiii. t. 6, fig. 9, 10 (1857).—*Veg.*
cordatus E. Mey.
Ettingshausen in Denkschr. Akad. Wiss. Wien, xiii. t. 6, fig. 16 (1857).—*Veg.*
coriaceus Guill.
*Guillemin, Perrottet & Richard, Fl. Seneg. Tent. t. 36 (1830–33).
crispulus Regel
Gartenfl. ix. t. 312 (1860).
Trans. Russ. Hort. Soc. 1860, t. 38.
Cunninghamii parvifolius F. M. Bailey
Queensland Agric. Journ. xxix. t. 22 (1912).
cymosus Soland.
*Bot. Mag. xlvi. t. 2070 (1819).

CELASTRUS
cymosus
Ettingshausen, Blatt-Skel. Dikot. t. 59, 62 (1861).—*Veg.*
decolor Del.
Delile, Cent. Pl. Afr. Voy. Méroé, ii. t. 64 (1826).
dependens Wall.
Dippel, Handb. Laubholzk. ii. 485 (1892).—*Veg.*
diversifolius Hemsl.
Kanehira, Formosan Trees, 129 (1917).
dumetorum Eckl. & Zeyh.
Ettingshausen in Denkschr. Akad. Wiss. Wien, xiii. t. 5, fig. 9 (1857).—*Veg.*
edulis Vahl
Gard. Chron. 1843, p. 391.
Ferret & Galinier, Voy. Abyssinie, Atlas, Bot. t. 4 (1847–48).
emarginatus Ruiz & Pav.
Ruiz & Pavon, Fl. Peruv. & Chil. iii. t. 229 (1802).
empleurifolius Eckl. & Zeyh.
Ettingshausen in Denkschr. Akad. Wiss. Wien, xiii. t. 6, fig. 6–8 (1857).—*Veg.*
europaeus Boiss.
*Boissier, Voy. Bot. Espagne, i. t. 38 (1839–45).
fasciculatus Grandid.
Grandidier, Hist. Madag. [Plantes] Atlas, t. 280 (1896).
flagellaris Rupr.
Ruprecht, Dec. Pl. Amur. t. 4 (1859).
Schneider, Ill. Handb. Laubh. ii. 183 (1907).—*Veg.*
Velenovsky, Vergl. Morphol. Pfl. ii. 546 (1907).—*Veg.*
geminiflora Hayata
Hayata, Ic. Pl. Formosan. v. 25 (1915).—*Fl.*
glomeratus E. Mey.
Ettingshausen, Blatt-Skel. Dikot. t. 54 (1861).—*Veg.*
heterophyllus Savi
Savi in Mem. Accad. Sc. Torino, xxxviii. 180, t. 2 (1835).
heterophyllus Eckl. & Zeyh.
Ettingshausen in Denkschr. Akad. Wiss. Wien, xxxvii. t. 23, fig. 16 (1877).—*Veg.*
hypoleucus Warb.
Schneider, Ill. Handb. Laubh. ii. 183, 184 (1907).
illicinus Burch.
Ettingshausen in Denkschr. Akad. Wiss. Wien, xiii. fig. 19, 20, p. 67; t. 5, fig. 6, 7 (1857).—*Veg.*
Ettingshausen, Blatt-Skel. Dikot. 151, t. 64 (1861).—*Veg.*
integer Thunb.
Ettingshausen, Blatt-Skel. Dikot. t. 63 (1861).—*Veg.*
integrifolius Thunb.
*Mordant de Launay, Herb. Amat. iv. t. 260 (1820).
*Drapiez, Herb. Amat. Fl. vii. t. 467 (1834).
Krausianus Ettingshaus.
Ettingshausen, Blatt-Skel. Dikot. 151 (1861).—*Veg.*
Kusanoi Hayata
Hayata, Ic. Pl. Formosan. v. 21 (1915).
lanceolatus E. Mey.
Ettingshausen in Denkschr. Akad. Wiss. Wien, xiii. t. 7, fig. 8, 9 (1857).—*Veg.*
latifolius Hemsl.
Hook. Ic. Pl. xxiii. t. 2206 (1894).
Wilson, Arn. Arb. Exped. China, 1910–11, t. 0139 (1912).—*Hab.*
leptopus Bernh.
Grandidier, Hist. Madag. [Plantes] Atlas, t. 280 a (1896).
linearis Linn. f.
Roemer, Archiv Bot. iii. III. t. 3 (1805).
Ettingshausen in Denkschr. Akad. Wiss. Wien, xiii. t. 7, fig. 10 (1857).—*Veg.*
—— **madagascariensis** Grandid.
Grandidier, Hist. Madag. [Plantes] Atlas, t. 280 b (1896).
longe-racemosus Hayata
Hayata, Ic. Pl. Formosan. v. t. 3 (1915).
lucidus Linn.
*Meerburg, Afb. Zeld. Gewassen, t. 12 (1785).

CELASTRUS
lucidus
*L'Héritier, Stirp. t. 25 (1786).
*Meerburg, Pl. Rar. t. 12 (1789).
Ettingshausen in Denkschr. Akad. Wiss. Wien, xiii. fig. 28, 30, p. 74; t. 7, fig. 20 (1857).—*Veg.*
Ettingshausen, Blatt-Skel. Dikot. t. 64 (1861).—*Veg.*
luteolus Del.
Ferret & Galinier, Voy. Abyssinie, Atlas, Bot. t. 8 (1847–48).
macrocarpus Ruiz & Pav.
Ruiz & Pavon, Fl. Peruv. & Chil. iii. t. 230 (1802).
magellanicus DC.
Hook. Ic. Pl. vi. t. 537 (1843).
mexicanus Moc. & Sessé
A. De Candolle, Calq. Dess. Fl. Mex. Moc. & Sessé, t. 165 (1874).
montanus Roxb.
Wight, Ic. Pl. Ind. Or. ii. t. 382 (1840–43).
nutans Roxb.
Ettingshausen in Denkschr. Akad. Wiss. Wien, xiii. fig. 18, p. 66; t. 5, fig. 14, 15 (1857).—*Veg.*
Ettingshausen, Blatt-Skel. Dikot. 154 (1861).—*Veg.*
orbiculata Thunb.
Dippel, Handb. Laubholzk. ii. 483 (1892).—*Veg.*
Möllers Deutsche Gärtn.-Zeit. xvii. 306 (1902).
Schneider, Ill. Handb. Laubh. ii. 183, 184 (1907).
L. H. Bailey, Stand. Cycl. Hort. 701 (1914).
Fedtschenko, Fl. Aziat. Ross. fasc. 5, p. 31 (1914).
ovatus Hill.
*Hill, Hort. Kew. t. 16 (1769).
Ettingshausen in Denkschr. Akad. Wiss. Wien, xiii. t. 7, fig. 17, 18 (1857).—*Veg.*
paniculatus Willd.
Wight, Ic. Pl. Ind. Or. i. t. 158 (1839).
*Wight, Illustr. Ind. Bot. i. t. 72 (1840).
Lindley, Veg. Kingd. 587 (1846).—*Fl.*
Pflanzenfam. iii. v. 194, 196 (1892).—*Fl.*
Brandis, Indian Trees, 162 (1906).
Schneider, Ill. Handb. Laubh. ii. 183 (1907).—*Veg.*
Talbot, For. Fl. Bombay, i. 277 (1909).
Fyson, Fl. Nilgiri & Pulney Hill-tops, ii. 63 (1915).
Basu, Ind. Med. Pl. t. 235 (1918).
parviflorus Vahl
Ferret & Galinier, Voy. Abyssinie, Atlas, Bot. t. 5 (1847–48).
parvifolius Eckl. & Zeyh.
Ettingshausen in Denkschr. Akad. Wiss. Wien, xiii. t. 6, fig. 4, 5 (1857).—*Veg.*
Ettingshausen, Blatt-Skel. Dikot. t. 59, 62 (1861).—*Veg.*
patentiflorus Hayata
Hayata, Ic. Pl. Formosan. ix. 16 (1920).—*Fl.*
pterocarpus DC.
Burman, Rar. Afr. Pl. t. 97, fig. 1 (1739); fide DC.
punctatus Thunb.
Gartenfl. ix. t. 312 (1860).
Trans. Russ. Hort. Soc. 1860, t. 38.
Lauche, Deutsche Dendrol. Ed. 2, p. 473 (1883).
Schneider, Ill. Handb. Laubh. ii. 183 (1907).—*Veg.*
pyracanthus Linn.
Buchoz, Hist. Règne Vég. vi. Dec. 5, t. 6 (1775).
Gaertner, Fruct. ii. t. 95 (1791).—*Fr.*
*Bot. Mag. xxix. t. 1167 (1809).
Berchtold & J. S. Presl, Rostlin. ii. t. 78 (1825).
ramulosus A. Cunn.
Ettingshausen in Denkschr. Akad. Wiss. Wien, xiii. t. 7, fig. 14, 15 (1857).—*Veg.*
Ettingshausen, Blatt-Skel. Dikot. t. 58, 63 (1861).—*Veg.*
Rosthorniana Loes.
Engl. Jahrb. xxix. t. 5 (1900).
rubra Wall.
Ettingshausen in Denkschr. Akad. Wiss. Wien, xiii. t. 6, fig. 15 (1857).—*Veg.*
rupestris Eckl. & Zeyh.
Ettingshausen in Denkschr. Akad. Wiss. Wien, xxxvii. t. 23, fig. 14, 15 (1877).—*Veg.*

CELASTRUS
scandens Linn.
Gaertner, Fruct. ii. t. 95 (1791).—*Fr.*
*F. J. Schultz, Abb. Bäume, Staud. Sträuch. Oesterr. i. t. 92 (1792).
*Schmidt, Oest. Allgem. Baumzucht, t. 140 (1792–1822).
*Joh. Kerner, Abbild. Oek. Pfl. (Fig. Pl. Écon.), vii. t. 675 (1794).
*Duhamel, Arbres & Arbustes, Ed. 2, vi. t. 33 (1801–19).
*Schkuhr, Bot. Handb. Ed. 2, t. 47 (1808).
*Vietz, Ic. Pl. Med.-oec.-techn. v. t. 391 (1817).
Berchtold & J. S. Presl, Rostlin. ii. t. 78 (1825).
*Jaume St.-Hilaire, Traité Arbriss. & Arbust. i. t. 43 (1825).
Turpin, Œuvres Hist. Nat. Goethe, Atlas, t. 4 (1837).—*Fl.*
J. C. Loudon, Arbor. & Frutic. Brit. ii. 502 (1838).
*Strong, American Fl. i. 113 (1848).
Gray & Sprague, Gen. Fl. Amer. ii. t. 170 (1849).
Ettingshausen in Denkschr. Akad. Wiss. Wien, xiii. t. 9, fig. 3 (1857).—*Veg.*
Payer, Organog. Comp. Fl. t. 36 (1857).—*Fl.*
Agardh, Theor. Syst. Pl. t. 22 (1858).—*Fl.*
*Schnizlein, Iconogr. iv. t. 236 (1866–70).
*Emerson, Trees & Shrubs Massachusetts, Ed. 2, ii. 545 (1875).
Lauche, Deutsche Dendrol. Ed. 2, p. 472 (1883).
Pflanzenfam. iii. v. 191 (1892).
Gard. & Forest, v. 569 (1892).
Trans. Acad. Sc. St. Louis, vi. 143, fig. 14 (1893).—*Veg.*
*Wild Fl. Canada, t. 212 (1894).
Miller & Whiting, Wild Fl. N.E. States, 106 (1895).
Britton & Brown, Ill. Fl. N. States & Canada, ii. 396 (1897); Ed. 2, ii. 493 (1913).
Lochman, Phot. Med. Pl. t. 109 (1898).
L. H. Bailey, Cycl. Amer. Hort. 267 (1900); Stand. Cycl. Hort. 701 (1914).
Halsted in Bull. New Jersey Agric. St. No. 144, p. 24 (1900).
Möllers Deutsche Gärtn.-Zeit. xvii. 305 (1902).
Pammel in Bull. Iowa Agric. St. No. 70, p. 493 (1903).—*Fr.*
Parkhurst, Trees, Shrubs, Vines N.E. United States, 327, t. 5, fig. 28 (1903).—*Veg.*
Schneider, Dendrol. Winterst. 114 (1903).—*Veg.*
Schneider, Ill. Handb. Laubh. ii. 183, 184 (1907).
Jones & Rand in Bull. Vermont Agric. St. No. 145, p. 132 (1909).
U.S. Dep. Agric. Bur. Pl. Indust. Bull. No. 139, p. 36 (1909).
Pammel, Man. Poison. Pl. 615 (1911).
Clements, Rosend. & Butters, Minnesota Trees & Shrubs, 196 (1912).
Neger, Biol. Pflanz. 413 (1913).—*Veg.*
Bull. Soc. Dendr. France, 1913, p. 35, 203.
Peterson, How to Know Wild Fr. 104 (1914).
*Nat. Geogr. Mag. Washington, xxxv. t. 4 (1919).
Schottii H. B. K.
Bol. Direc. Estud. Biol. Mexico, ii. 1. 153, fig. 4 (1917).
senegalensis Lam.
Ettingshausen in Denkschr. Akad. Wiss. Wien, xiii. t. 5, fig. 10, 11 (1857).—*Veg.*
Beddome, Fl. Sylv. Anal. Gen. t. 10 (1871).
spathephyllus Eckl. & Zeyh.
Ettingshausen in Denkschr. Akad. Wiss. Wien, xiii. t. 6, fig. 2, 3 (1857).—*Veg.*
spicatus Vell.
Vellozo, Fl. Flum. ii. t. 138 (1827).
striatus Thunb.
*Useful Pl. Jap. ii. t. 608 (1895) in ic.; *Evonymus oxyphyllus* in textu, p. 151.
stylosus Wall.
Ettingshausen in Denkschr. Akad. Wiss. Wien, xiii. t. 5, fig. 12 (1857).—*Veg.*
Ettingshausen, Blatt-Skel. Dikot. 154 (1861).—*Veg.*
subspicatus Hook.
Hook. Ic. Pl. v. t. 482 (1842).
tonkinensis Pitard
Lecomte, Fl. Gén. Indo-Chine, i. 892 (1912).—*Fl.*

CELASTRUS
trigynus Lam.
Ettingshausen in Denkschr. Akad. Wiss. Wien, xiii. fig. 23, p. 69; t. 4, fig. 8, 9 (1857).—*Veg.*
Ettingshausen in Sitzb. Akad. Wiss. Wien, cv. 1. t. 5, fig. 5 (1896).—*Veg.*
Tsaad Ferr. & Gal.
Ferret & Galinier, Voy. Abyssinie, Atlas, Bot. t. 4 (1847–48).
umbellatus Vell.
Vellozo, Fl. Flum. ii. t. 137 (1827).
uncinatus Ruiz & Pav.
Ruiz & Pavon, Fl. Peruv. & Chil. iii. t. 230 (1802).
venenatus Eckl. & Zeyh.
Ettingshausen, Blatt-Skel. Dikot. t. 54 (1861).—*Veg.*
verticillatus Ruiz & Pav.
Ruiz & Pavon, Fl. Peruv. & Chil. iii. t. 229 (1802).

CELERI Adans.: *Apium*
graveolens Britton
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, ii. 660 (1913).
Britton, Fl. Bermuda, 278 (1918).

CELMISIA Cass.
argentea T. Kirk
Cockayne, New Zeal. Pl. 96 (1910).—*Hab.*
Armstrongii Petrie
Trans. & Proc. New Zeal. Inst. xxxii. t. 10 (1900).—*Hab.*
Cockayne, New Zeal. Pl. 95 (1910); Ed. 2, p. 120 (1919).—*Hab.*
Chapmanii T. Kirk
Gard. Chron. Ser. III. ix. 731 (1891).
cordatifolia Buchan.
Trans. & Proc. New Zeal. Inst. xi. t. 18 (1879).
coriacea Hook. f.
Hooker f., Fl. Nov.-Zel. i. t. 32 (1853).
Gard. Chron. Ser. III. xxxii. 191 (1902); xl. 3 (1906).—*Hab.*
Journ. Hort. Ser. III. xlvi. 291 (1903).—*Hab.*
Garden, lxv. 74 (1904).—*Hab.*
Laing & Blackwell, Pl. New Zeal. Ed. 2, p. 419, 421 (1907).—*Hab.*
Illustr. New Zeal. Fl. (Educ. Dep.), t. 14 (1908).—*Hab.*
Dallii Buchan.
Trans. & Proc. New Zeal. Inst. xiv. t. 35 (1882).
discolor Hook. f.
Illustr. New Zeal. Fl. (Educ. Dep.), t. 29 (1909).—*Hab.*
—— **petiolata** Cockayne
Cockayne, New Zeal. Pl. 95 (1910).—*Hab.*
glandulosa Hook. f.
*Hetley, Nat. Flowers New Zeal. t. 21 (1888).—*Hab.*
Cheeseman, Ill. New Zeal. Fl. t. 99 (1914).
Haastii Hook. f.
Garden, lxv. 75 (1904).—*Hab.*
Cheeseman, Ill. New Zeal. Fl. t. 94 (1914).
Hectori Hook. f.
Cheeseman, Ill. New Zeal. Fl. t. 98 (1914).
hieracifolia Hook. f.
Hooker f., Fl. Nov.-Zel. i. t. 34 (1853).
holosericea Hook. f.
Hooker f., Fl. Nov.-Zel. i. t. 31 (1853).
Illustr. New Zeal. Fl. (Educ. Dep.), t. 1 (1908).—*Hab.*
Journ. Hort. Ser. III. lxi. 178 (1910).—*Hab.*
Garden, lxxv. 274 (1911); lxxx. 134 (1916).—*Hab.*
Gard. Chron. Ser. III. lxiv. 179 (1918).—*Hab.*
incana Hook. f.
Hooker f., Fl. Nov.-Zel. i. t. 34 (1853).
Cockayne, New Zeal. Pl. Ed. 2, p. 89 (1919).—*Hab.*
lateralis Buchan.
Trans. & Proc. New Zeal. Inst. iv. t. 15 (1872).
Cheeseman, Ill. New Zeal. Fl. t. 93 (1914).
Lindsayi Hook. f.
*Lindsay, Contrib. New Zeal. Bot. t. 3 (1868).
*Bot. Mag. cxvi. t. 7134 (1890).
linearis Armstr.
Cockayne, New Zeal. Pl. Ed. 2, p. 121 (1919).—*Hab.*

CELMISIA
longifolia Cass.
Freycinet, Voyage, t. 91 (1826).
*Hetley, Nat. Flowers New Zeal. t. 21 (1888).—*Hab.*
Laing & Blackwell, Pl. New Zeal. Ed. 2, p. 423 (1907).
Cockayne, New Zeal. Pl. 104 (1910).—*Hab.*
F. Sulman, Wild Fl. N. S. Wales, ii. t. 41 (1914).
Lyallii Hook. f.
Illustr. New Zeal. Fl. (Educ. Dep.), t. 22 (1909).—*Hab.*
Mackaui Decne.
Raoul, Choix Pl. Nouv.-Zél. t. 14 (1846).
Munroi Hook. f.
*Hetley, Nat. Flowers New Zeal. t. 5, Part 1, pl. 5 (1888).
*Bot. Mag. cxxii. t. 7496 (1896).
Journ. Roy. Hort. Soc. London, xxi. Proc. p. cxxxvi (1897–98); xxv. Proc. p. xvii (1900–1).
Garden, lvii. 387 (1900).—*Hab.*
Gard. Chron. Ser. III. lv. 439 (1914).
Farrer, English Rock-Gard. i. 208 (1919).—*Hab.*
petiolata Hook. f.
Cheeseman, Ill. New Zeal. Fl. t. 96 (1914).
robusta Buchan.
Trans. & Proc. New Zeal. Inst. xix. t. 18 (1887).
sessiliflora Hook. f.
Schimper, Pflanzen-Geogr. 744 (1898).
spectabilis Hook. f.
Hooker f., Fl. Nov.-Zel. i. t. 33 (1853).
*Bot. Mag. cviii. t. 6653 (1882).
Journ. Hort. Ser. III. xxii. 505 (1891); xxx. 503 (1895); xl. 491 (1900).—*Hab.*
Journ. Roy. Hort. Soc. London, xxv. Proc. p. xviii (1900–1).
Gard. Chron. Ser. III. xl. 2 (1906); xlv. 1 (1909); lxiii. 51 (1918).—*Hab.*
Cockayne, New Zeal. Pl. 94, 159 (1910); Ed. 2, p. 89 (1919).
Journ. New Zeal. Dep. Agric. xx. 341, 343 (1920).—*Hab.*
Traversii Hook. f.
Cheeseman, Ill. New Zeal. Fl. t. 95 (1914).
verbascifolia Hook. f.
Illustr. New Zeal. Fl. (Educ. Dep.), t. 13 (1908).—*Hab.*
vernicosa Hook. f.
Hooker f., Fl. Antarct. i. t. 26–27 (1844).
Ann. Hort. iii. 94 (1847).
Gard. Chron. Ser. III. ix. 587 (1891).
viscosa Hook. f.
Cheeseman, Ill. New Zeal. Fl. t. 97 (1914).
Walkeri T. Kirk
Trans. & Proc. New Zeal. Inst. ix. t. 30 (1877).

CELOSIA Linn.—Vide *Lestibudesia*
anthelmintica Aschers.
Pflanzenfam. iii. 1. A. 94 (1893).—*Fl.*
argenta Linn.
Rheede, Hort. Mal. x. t. 38, 39 (1690); fide Fl. Brit. Ind. iv. 714.
*Kniphof, Herb. Viv. i. t. 217 (1758).
*Panzer, Martyn's Abbild. Beschr. Selt. Gewächse, t. 6 (1797).
Wight, Ic. Pl. Ind. Or. v. t. 1767 (1852).
Rev. Hort. Ser. IV. vi. 78 (1857).
Somoku Dzusetsu, Ed. 2, iii. t. 59 (1874).
Nicholson, Illustr. Dict. Gard. i. 289 [1884–88].
Pflanzenfam. iii. 1. A. 99 (1893).—*Fl.*
*Useful Pl. Jap. ii. t. 449; iii. t. 904 (1895).
Engl. Jahrb. xxx. t. 1 (1901).—*Fl.*
Lo Priore in Borzi, Contrib. Biol. Veg. (Palermo), iii. III. t. 17, fig. 6 (1905).—*Fr.*
Somoku Dzusetsu, Ed. Makino (Iconogr. Pl. Nippon), iii. t. 59 (1907).
Fawcett & Rendle, Fl. Jamaica, iii. 1. 127 (1914).
Engler & Drude, Veget. Erde, ix. III. 1. 128 (1915).
Basu, Ind. Med. Pl. t. 786 (1918).
Bose, Man. Ind. Bot. 157, 260 (1920).
—— **margaritacea** Hort.
Gartenfl. xxvii. 150 (1878).—*Hab.*
—— **pyramidalis** Voss
Hegi, Ill. Fl. Mittel-Eur. iii. 261 (1909).

CELOSIA
argenteiformis Schinz
Engl. Jahrb. xxx. 104 (1901).—*Fl.*
Urban & Graebn. Festschr. Aschers. 416 (1904).—*Fl.*
aspera Roth
Medicus, Bot. Beob. iv. 385, fig. 45 (1783).—*Fl.*
aurea T. Moore
*Florist, 1860, t. 171.
*Floral Mag. i. t. 47 (1861).
brasiliensis Moq.
Wawra, Bot. Ergebn. Reise Bras. t. 84 (1866).
cardinalis Hort.
Bull. Arboricult. Belg. 1892, p. 360.
Bull. Soc. Tosc. Ortic. xvii. 356 (1892).—*Hab.*
cernua Andr.
*Andrews, Bot. Rep. x. t. 635 (1811).
cernua Roxb.
Wight, Ic. Pl. Ind. Or. ii. t. 730 (1840–43).
coccinea Linn.
*Bot. Reg. xxii. t. 1834 (1836).
*Florist, 1860, t. 171.
*Floral Mag. i. t. 49 (1861).
*Blanco, Fl. Filip. t. 64 (1878–80).
cristata Linn.
Rumphius, Herb. Amboin. v. t. 84 (1747); fide Merrill, Interpret. Rumph. Herb. Amboin.
*Kniphof, Herb. Viv. i. t. 218 (1758).
Gaertner, Fruct. ii. t. 128 (1791).—*Fr.*
Lamarck, Ill. i. t. 168, fig. 1 (1797).
*Schnizlein, Iconogr. ii. t. 102 (1852).
*Réveil, Règne Vég. iv. t. 33 (1870).—*Fl.*
*Somoku Dzusetsu, Ed. 2, iii. t. 58 (1874).
Gartenfl. xxx. 60 (1881).—*Hab.*
W. Robinson, Engl. Fl. Gard. t. 61 (1883).—*Hab.*
Nicholson, Illustr. Dict. Gard. i. 289 [1884–88].
Baillon, Hist. Pl. ix. 157 (1887).
Brehm, Merv. Nat. Monde des Pl. ii. 371 (1894–96).
*!Bois, Atlas Pl. Jard. t. 236 (1896).
*Step, Fav. Fl. Gard. & Greenh. iii. t. 229 (1897).
Fiori & Paol. Ic. Fl. Ital. 122 (1899).
U.S. Dep. Agric. Farm. Bull. No. 195, p. 27 (1904).
Somoku Dzusetsu, Ed. Makino (Iconogr. Pl. Nippon), iii. t. 58 (1907).
Hegi, Ill. Fl. Mittel-Eur. iii. 261 (1909).
Warburg, Pflanzenwelt, i. 548, 549 (1913).
L. H. Bailey, Stand. Cycl. Hort. 709 (1914).—*Hab.*
Basu, Ind. Med. Pl. t. 787 (1918).
—— **coccinea** Hort.
*Journ. Hort. Prat. Belg. N. Ser. v. t. 13 (1861).
—— **monstrosa** Hort.
A. Braun in Abh. Acad. Berlin, 1859, t. 4, fig. 15–18 (1860).—*Fr.*
—— **nana** Hort.
Rev. Hort. 1894, p. 58.—*Hab.*
—— —— **alba** Hort.
Gartenfl. xlviii. 159 (1899).—*Hab.*
—— **pyramidalis** Hort.
Gartenfl. xxx. 57 (1881) in textu; *C. cristata pyramidata* in ic.
—— **pyramidata** Hort.
Gartenfl. xxx. 57 (1881) in ic.; *C. cristata pyramidalis* in textu.
—— **variegata** Hort.
*Neubert's Deutsch. Gart. Mag. xxvi. 4 (1873).
Nicholson, Illustr. Dict. Gard. i. 289 [1884–88].
Rev. Hort. 1894, p. 58.—*Hab.*
cymosa Seub.
Mart. Fl. Bras. v. 1. t. 75 (1875).
falcata Lopr.
Engl. Jahrb. xxx. 104 (1901).—*Fl.*
Urban & Graebn. Festschr. Aschers. 416 (1904).—*Fl.*
glauca Wendl.
*Wendland, Hort. Herrenh. i. t. 2 (1798).
hastata Lopr.
Urban & Graebn. Festschr. Aschers. 416 (1904).—*Fl.*
Huttonii Mast.
Gartenfl. xxi. sub t. 744 (1872).
*Floral Mag. N. Ser. 1872, t. 17.
Gard. Chron. 1872, p. 214.

CELOSIA
Huttonii
Nicholson, Illustr. Dict. Gard. i. 289 [1884–88].—*Hab.*
lanata Linn.
*Jacquin, Hort. Vind. iii. t. 85 (1776).
—— **rotundifolia** Blanco
*Blanco, Fl. Filip. t. 354 (1878–80).
lappacea Medic.
Medicus, Bot. Beob. iv. 385, fig. 46–49 (1783).—*Fl.*
linearis Schinz
Pflanzenfam. iii. 1. A. 99 (1893).
Engl. Jahrb. xxx. 104 (1901).—*Fl.*
Urban & Graebn. Festschr. Aschers. 416 (1904).—*Fl.*
longifolia Mart.
*Martius, Nov. Gen. & Sp. Pl. Bras. ii. t. 157, 158 (1826).
Lindley, Veg. Kingd. 510 (1846).
margaritacea Linn.
*Houttuyn, Handl. Pl. & Kruidk. vii. t. 43, fig. 1 (1777).
Payer, Organog. Comp. Fl. t. 67 (1857).—*Fl.*
Baillon, Hist. Pl. ix. 157 (1887).—*Fl.*
nodiflora Linn.
*Jacquin, Hort. Vind. i. t. 98 (1770).
paniculata Linn.
*Descourtilz, Fl. Pitt. & Méd. Antilles, iv. t. 254 (1827).
plumosa Hort.
Rev. Hort. Belge, xxix. 268 (1903).
procumbens Jacq.
*Jacquin, Ic. Pl. Rar. i. t. 51 (1781–86).
Murray in Comm. Soc. Sc. Göttingen, v. t. 5 (1783).
pulchella Moq.
Wight, Ic. Pl. Ind. Or. v. t. 1768 (1852).
purpurea St.-Hil.
*Jaume St.-Hilaire, Pl. France, i [t. 79] (1808).
*Cassone, Fl. Med.-Farm. v. t. 449 (1850).
pyramidalis N. L. Burm.
N. L. Burman, Fl. Ind. t. 25 (1768).
Rev. Hort. Belge, vi. 280 (1880).—*Hab.*
Wien. Ill. Gart.-Zeit. vi. 78 (1881).—*Hab.*
Gard. Chron. Ser. III. iii. 494 (1888).—*Hab.*
Rev. Hort. 1890, p. 522.—*Hab.*
—— **monstrosa** Hort.
Gartenfl. xlviii. 104 (1899).—*Hab.*
Wien. Ill. Gart.-Zeit. xxvii. 452 (1902).—*Hab.*
scabra Schinz
Engl. Jahrb. xxx. 104 (1901).—*Fl.*
Urban & Graebn. Festschr. Aschers. 416 (1904).—*Fl.*
spathulifolia Engl.
Engl. Jahrb. xxx. 104 (1901).—*Fl.*
Urban & Graebn. Festschr. Aschers. 416 (1904).—*Fl.*
spicata Spreng.
Engl. Jahrb. xxx. t. 1 (1901).—*Fr.*
Gartenfl. li. 76 (1902).—*Hab.*
Lo Priore in Borzi, Contrib. Biol. Veg. (Palermo), iii. III. t. 17, fig. 13 (1905).
Thompsonii magnifica Hort.
Bull. Soc. Tosc. Ortic. xxvii. 20 (1902).—*Hab.*
Möllers Deutsche Gärtn.-Zeit. xx. 54, 55 (1905).
trigyna Linn.
*Jacquin, Hort. Vind. iii. t. 15 (1776).
Lamarck, Ill. i. t. 168, fig. 2 (1797).
virgata Jacq.
*Jacquin, Ic. Pl. Rar. ii. t. 339 (1786–93).
Welwitschii Schinz
Engl. Jahrb. xxx. 104 (1901).—*Fl.*
Urban & Graebn. Festschr. Aschers. 416 (1904).—*Fl.*

CELSA Vell.
frutescens Vell.
Vellozo, Fl. Flum. iv. t. 93 (1827).

CELSIA Linn.—Vide *Ianthe*, Griseb.
acaulis Bory & Chaub.
Bory & Chaub. Exped. Morée, Bot. iii. t. 18 (1832).
Bory & Chaub. Nouv. Fl. Pelop. t. 19 (1838).
Arcturus Jacq.
*Jacquin, Hort. Vind. i. t. 117 (1772).

CELSIA
Arcturus
*Schkuhr, Bot. Handb. Ed. 2, t. 173 (1808).—*Fl.*
*Bot. Mag. xlv. t. 1962 (1818).
*Drapiez, Herb. Amat. Fl. vi. t. 403 (1833).
*Sertum Petrop. ii [t. 6] (1852).—*Fr.*
Jaubert & Spach, Illustr. Pl. Or. v. t. 406 (1853–57).
Journ. Hort. Ser. III. x. 253 (1885); liv. 105 (1907).
*Rev. Hort. Belge, xxviii. 169 (1902).
*Rev. Hort. 1907, p. 64.
Horticulture (Boston), vii. 161 (1908).
Jardin, xxii. 123 (1908).
Holmboe, Veg. Cyprus, 262 (1914).—*Hab.*
atroviolacea Somm. & Lévl.
Déchy, Kaukasus, iii. t. 18, fig. 1–5 (1907).
Bernadesii G. Don
Rouy, Illustr. Pl. Eur. Rar. fasc. 6, t. 142 (1896).
—— **baetica** Willk.
*Willkomm, Ill. Fl. Hispan. Balear. ii. t. 125 (1888).
betoniifolia Desf.
*Jacquin, Fragm. t. 96 (1809).
*Bot. Mag. xcix. t. 6066 (1873).
Willkomm, Ill. Fl. Hispan. Balear. ii. t. 125, fig. k–o (1888).
brassicifolia Mariz
Bol. Soc. Brotero, xxiii. 48 (1907).
bugulifolia Jaub. & Spach
Jaubert & Spach, Illustr. Pl. Or. v. t. 407 (1853–57).
coromandeliana Vahl
Wight, Ic. Pl. Ind. Or. iv. t. 1406 (1849).
*Wight, Illustr. Ind. Bot. ii. t. 165 bis (1850).—*Fl.*
Sertum Petrop. ii [t. 6] (1852).—*Fr.*
Basu, Ind. Med. Pl. t. 691 (1918).
cretica Linn. f.
*Jacquin, Hort. Schoenbr. iv. t. 474 (1804).
*Bot. Mag. xxiv. t. 964 (1806).
Villars, Cat. Pl. Jard. Strasbourg, t. 3 (1807).
*Géel, Sert. Bot. Cl. 14 (1832).
Mutel, Fl. Française, t. 40 (1834).—*Fl.*
*Reichenbach, Fl. Exot. iii. t. 206 (1835).
Risso, Fl. Nice, [t. 8] (1844).
Cesati, Passer. & Gibelli, Comp. Fl. Ital. t. 52 (1867–86).—*Fl.*
*Garden, xxii. 314 (1882); xxx. 407 (1886); lxxvi. 309 (1912).
Fiori & Paol. Ic. Fl. Ital. 343 (1902).
Journ. Hort. Ser. III. xliv. 435 (1902).
Coste, Fl. France, ii. 623 (1903).
F. M. Bailey, Weeds & Poison. Pl. Queensland, 128 (1906).
Gard. Chron. Ser. III. xlviii. 267 (1910); lxvii. 179 (1920).—*Hab.*
Rev. Hort. 1912, p. 197.
cyllenea Boiss. & Heldr.
Rouy, Illustr. Pl. Eur. Rar. fasc. 4, t. 93 (1895).
glandulosa Bouché
*Cusin, Herb. Fl. Franç. xvii (Verbascées), t. 33 (1875).
Acloque, Fl. France, 483 (1894).—*Fl.*
heterophylla Desf.
*Jacquin, Fragm. t. 97 (1809).
*Mordant de Launay, Herb. Amat. viii. t. 529 (1827).
Jaubert & Spach, Illustr. Pl. Or. v. t. 404 (1853–57).
lanata Spreng.
*Schrank, Pl. Rar. Hort. Monac. ii. t. 76 (1819).
J. C. Loudon, Arbor. & Frutic. Brit. iii. 1277 (1838).
lanceolata Vent.
Ventenat, Jard. Cels, t. 27 [1800].
linearis Jacq.
*Jacquin, Ic. Pl. Rar. iii. t. 497 (1786–93).
*Bot. Mag. vi. t. 210 (1792).
orientalis Linn.
Linnaeus, Hort. Upsal. t. 2 (1745); fide Linnaeus, Sp. Pl.
Risler, Diss. Inaug. Med.-Bot. Verbasco, tab. (1754).
Gaertner, Fruct. i. t. 55 (1788).—*Fr.*
Lamarck, Ill. iii. t. 532 (1797).
*Schkuhr, Bot. Handb. Ed. 2, t. 173 (1808).

CELSIA
orientalis
*Sibthorp & Sm. Fl. Graeca, vii. t. 605 (1830).
Nees, Gen. Pl., Gamop. ii. t. 28 (1837).—*Fl.*
Meigen, Deutschl. Fl. iii. t. 110 (1842).—*Fl.*
*Sertum Petrop. ii [t. 6] (1852).—*Fr.*
Jaubert & Spach, Illustr. Pl. Or. v. t. 405 (1853–57).
Reichenbach, Ic. Fl. Germ. xx. t. 1671 (1861).
Post, Fl. Syria, Palestine & Sinai, 582 [1896].
Coste, Fl. France, ii. 623 (1903).
Fedtschenko & Fler. Fl. Eur. Russia, 849 (1910).
rupicola Hayek & Siehe
Ann. Nat. Hofm. Wien, xxviii. t. 14, fig. 1 (1914).—*Hab.*
sinuata Cav.
*Willkomm, Ill. Fl. Hispan. Balear. ii. t. 126 (1888).
sublanata Jacq.
*Jacquin, Fragm. t. 126 (1809).
*Bot. Reg. vi. t. 438 (1820).
*J. W. Loudon, Ladies' Fl.-Gard. Ornam. Perenn. ii. t. 81 (1844).
urticifolia Curt.
*Bot. Mag. xii. t. 417 (1798).
*Mag. Bot. & Gard. iv. t. 68 (1836).
viscosa Roth
*Schrank, Pl. Rar. Hort. Monac. i. t. 4 (1819).
*Hooker, Journ. Bot. i. t. 129 (1834).

CELTIS Linn.—Vide *Mertensia* H. B. K., *Momisia*
Adolfi-Friderici Engl.
Mildbraed, Deutsch. Zentral-Afr.-Exped. 1907–8, ii. t. 16 (1911).
amboinensis Willd.
Duperrey, Voy. Coquille, Bot. Atlas, Phan. t. 47 (1826).
appendiculata E. Mey.
Ettingshausen in Denkschr. Akad. Wiss. Wien, xv. t. 13, fig. 13, 14 (1858).—*Veg.*
aspera Brongn.
Duperrey, Voy. Coquille, Bot. Atlas, Phan. t. 48 (1826).
australis Linn.
Scopoli, Del. Fl. & Fauna Insubr. ii. t. 18 (1786).
*F. J. Schultz, Abb. Bäume, Staud. Sträuch. Oesterr. i. t. 93 (1792).
*Schmidt, Oest. Allgem. Baumzucht, t. 190 (1792–1822).
*Duhamel, Arbres & Arbustes, Ed. 2, ii. t. 8 (1804).
*Schkuhr, Bot. Handb. Ed. 2, t. 355 (1808).—*Veg.*
*Jaume St.-Hilaire, Pl. France, iii [t. 34] (1809).
*Vigneux, Fl. Pitt. Envir. Paris, t. 62 (1812).
*P. W. Watson, Dendr. Brit. ii. t. 105 (1825).
Risso, Hist. Nat. Eur. Merid. ii [t. 7] (1826).
J. C. Loudon, Arbor. & Frutic. Brit. iii. 1414 (1838).
*Laguna, Fl. For. Españ. t. 40 (1844).
Lindley, Med. & Oecon. Bot. 162 (1849).
*Petermann, Deutschl. Fl. t. 80, fig. 628 (1849).
*Reichenbach, Ic. Fl. Germ. xii. t. 667 (1850).
*Hartig, Forstl. Cult. t. 58 (1851).
Agardh, Theor. Syst. Pl. t. 20 (1858).—*Fl.*
Ettingshausen in Denkschr. Akad. Wiss. Wien, xv. t. 13, fig. 6–8 (1858).—*Veg.*
Pokorny, Oesterr. Holzpfl. 473, t. 14 (1864).—*Veg.*
Cesati, Passer. & Gibelli, Comp. Fl. Ital. t. 33 (1867–86).—*Fl.*
Gayffier, Herb. For. France, tab. (1868–73).
Le Maout & Decaisne, Traité Gén. Bot. 513 (1868).
*Réveil, Règne Vég. iii. t. 36; xvi. t. 34 (1870).
Brandis, Illustr. For. Fl. N.W. & Centr. Ind. t. 50 (1874).
*Cusin, Herb. Fl. Franç. xx (Celtidées), t. 1 (1876).
Baillon, Hist. Pl. vi. 140 (1877).—*Fl.*
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, ix. t. 911 (1882).
Willkomm, Führ. Reich Pflanzen, 321 (1882).—*Fl.*
Lauche, Deutsche Dendrol. Ed. 2, p. 352 (1883).
*Thomé, Fl. Deutschl. ii. t. 185 (1886).
Coutinho, Curso Silvicult. ii. 86 (1887).

CELTIS
australis
Pflanzenfam. iii. 1. 63 (1888).
*Hempel & Wilhelm, Bäume u. Sträuch. iii. 11, t. 40 [1889?].
G. Beck, Fl. Nied.-Oesterr. i. 313 (1890).—*Fl.*
Dippel, Handb. Laubholzk. ii. 42 (1892).
Acloque, Fl. France, 566 (1894).
Fiori & Paol. Ic. Fl. Ital. 105 (1898).
Charpentier, Timber, Ed. Engl. 59 (1902).
Schneider, Dendrol. Winterst. 163 (1903).—*Veg.*
Schneider, Ill. Handb. Laubh. i. 229, 230, 232 (1904).
Merino, Fl. Galicia, ii. 596 (1906).
Coste, Fl. France, iii. 250 (1906).
Lazaro, Comp. Fl. Españ. ii. 16 (1907).
Beille, Bot. Pharm. ii. 199 (1909).
Elwes & Henry, Trees Gr. Brit. & Ireland, iv. t. 267 (1909).—*Veg.*
Gubb, Fl. Algeria, t. 26 (1909).
Hegi, Ill. Fl. Mittel-Eur. iii. 122 (1909).
Adamović, Pflanzenw. Dalmat. t. 64 (1911).
Wettstein, Handb. Syst. Bot. Ed. 2, p. 506 (1911).—*Fr.*
Bull. Soc. Dendr. France, 1912, p. 149; 1913, p. 152.
Warburg, Pflanzenwelt, i. 469 (1913).
Basu, Ind. Med. Pl. t. 886 (1918).
betulina Lojac.-Poj.
Lojacono-Pojero, Fl. Sic. ii. 11. t. 5 (1907).
Biondii Pampan.
Nuov. Giorn. Bot. Ital. N. Ser. xvii. 252 (1910).—*Veg.*
Bull. Soc. Tosc. Ortic. xxxvi. 214 (1911).—*Veg.*
bolivensis Planch.
Primera Reun. Nac. Soc. Argent. Cienc. Nat. Tucuman, 1916, t. 28 (1918–19).—*Hab.*
Bungeana Bl.
Schneider, Ill. Handb. Laubh. i. 229, 230 (1904).
Matsumura, Ic. Pl. Koisikav. i. t. 2 (1911).
canina Rafin.
Britton, N. Amer. Trees, 355 (1908).
caucasica Willd.
Ettingshausen in Denkschr. Akad. Wiss. Wien, xv. t. 13, fig. 11 (1858).—*Veg.*
Schneider, Ill. Handb. Laubh. i. 229, 230 (1904).
cinerea Torr.
Torrey, Bot. U.S. & Mexic. Bound. Surv. t. 50 (1858) in ic.; *C. pallida* in textu, p. 203.
cinnamomea Lindl.
*Trimen, Handb. Fl. Ceylon, Atlas, iv. t. 86 (1898).
Talbot, For. Fl. Bombay, ii. 499 (1911).
cordifolia L'Hér.
*Schkuhr, Bot. Handb. Ed. 2, t. 355 (1808).—*Veg.*
crassifolia Lam.
*Michaux, Arb. Amer. Sept. iii. t. 9, p. 228 (1813).
*Michaux, N. Amer. Sylva, ii. t. 115 (1819).
J. C. Loudon, Arbor. & Frutic. Brit. iii. 1419 (1838).
Emerson, Trees & Shrubs Massachusetts, Ed. 2, ii. 347 (1875).—*Hab.*
Schneider, Ill. Handb. Laubh. i. 229 (1904).—*Veg.*
Britton, N. Amer. Trees, 355 (1908).
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, i. 629 (1913).
Davidiana Carr.
Schneider, Ill. Handb. Laubh. i. 229 (1904).—*Veg.*
Elwes & Henry, Trees Gr. Brit. & Ireland, iv. t. 267 (1909).—*Veg.*
discolor Brongn.
Duperrey, Voy. Coquille, Bot. Atlas, Phan. t. 47 (1826).
Douglasii Planch.
Britton, N. Amer. Trees, 359 (1908).
Durandii Engl.
Engler & Drude, Veget. Erde, ix. 1. 2, p. 797 (1910); ix. III. 1. 13 (1915).
eriocarpa Decne.
Jacquemont, Voy. Inde, t. 152 (1844).
formosana Hayata
Kanehira, Formosan Trees, 511 (1917).—*Veg.*
georgiana Small
Britton, N. Amer. Trees, 357 (1908).

CELTIS

georgiana
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, i. 630 (1913).

glabrata Stev.
Dippel, Handb. Laubholzk. ii. 49 (1892).—*Veg.*
Schneider, Ill. Handb. Laubh. i. 229, 230 (1904).
Elwes & Henry, Trees Gr. Brit. & Ireland, iv. t. 267 (1909).—*Veg.*

glycycarpa Mart.
Mart. Fl. Bras. iv. 1. t. 62 (1853).

Helleri Small
Britton, N. Amer. Trees, 359 (1908).

Holtzii Engl.
Engler & Drude, Veget. Erde, ix. 1. 2, p. 797 (1910); ix. III. 1. p. 13 (1915).

iguanaea Sarg.
Fawcett & Rendle, Fl. Jamaica, iii. 1. 37 (1914).—*Fl.*

integrifolia Lam.
Engler & Drude, Veget. Erde, ix. 1. 2, p. 797 (1910); ix. III. 1, p. 13 (1915).

koraiensis Nakai
Journ. Coll. Sc. Tokyo, xxxi. t. 18 (1911).

Kraussiana Bernh.
Wood & Evans, Natal Pl. i. 1. t. 28 (1898).
Sim, For. Fl. Cape Colony, t. 134 (1907).
Sim, For. Fl. Portug. E. Africa, t. 96 (1909).
Fiori, Boschi e Piante Legn. Eritrea, 111 (1909–12).
Agric. Colon., Ital. iv. 367 (1910).
*Marloth, Fl. S. Africa, i. t. 23 (1913).

lactea Sim
Sim, For. Fl. Portug. E. Africa, t. 96 (1909).—*Veg.*

laevigata Willd.
Dippel, Handb. Laubholzk. ii. 46 (1892).
Deutsche Bot. Monatsschr. xxii. 163 (1911).—*Veg.*

longifolia Nutt.
*Nuttall, Sylva, i. t. 40 (1865).

Mildbraedii Engl.
Mildbraed, Deutsch. Zentral-Afr.-Exped. 1907–8, ii. t. 16 (1911).

mississippiensis Bosc.
Brendel, Trees & Shrubs in Illinois (Trans. Illinois State Agric. Soc. iv), 433 (1861).
Sargent, Silva N. Amer. vii. t. 318 (1895).
Britton & Brown, Ill. Fl. N. States & Canada, i. 527 (1896); Ed. 2, i. 629 (1913).
Bull. Torr. Bot. Club, xxvii. 500 (1900).—*Fr.*
Schneider, Ill. Handb. Laubh. i. 229, 230 (1904).
Rogers, Tree Book, 238 (1905).—*Veg.*
Sargent, Man. Trees N. Amer. 300 (1905).
Hough, Handb. Trees N. States & Canada, 194, 195 (1907).
Britton, N. Amer. Trees, 356 (1908).
Elwes & Henry, Trees Gr. Brit. & Ireland, iv. t. 267 (1909).—*Veg.*
Lewis, Trees of Texas (Bull. Univ. Texas, No. 22), 101 (1915).
Mathews, Field Book Amer. Trees & Shrubs, 167 (1915).
Britton, Fl. Bermuda, 99 (1918).

—— **reticulata** Sarg.
Sargent, Silva N. Amer. vii. t. 319 (1895).
Sargent, Man. Trees N. Amer. 301 (1905).
Rogers, Tree Book, 238 (1905).—*Veg.*

monoica Hemsl.
Hemsley, Biol. Centr. Amer. v. t. 77 (1883).

nervosa Hemsl.
Kanehira, Formosan Trees, 511 (1917).—*Veg.*

occidentalis Linn.
Gaertner, Fruct. i. t. 77 (1788).—*Fr.*
*F. J. Schultz, Abb. Bäume, Staud. Sträuch. Oesterr. i. t. 94 (1792).
*Schmidt, Oest. Allgem. Baumzucht, t. 191 (1792–1822).
*Joh. Kerner, Abbild. Oek. Pfl. (Fig. Pl. Écon.), vii. t. 650 (1794).
*Abbot & Smith, Nat. Hist. Lepidopt. Insects Georgia, i. t. 36 (1797).
Lamarck, Ill. v. t. 844, fig. 1 (1797–1819).
*Duhamel, Arbres & Arbustes, Ed. 2, ii. t. 9 (1804).
*Schkuhr, Bot. Handb. Ed. 2, t. 354 (1808).
*Michaux, Arb. Amer. Sept. iii. t. 8, p. 225 (1813).
*Vietz, Ic. Pl. Med.-oec.-techn. v. t. 391 b (1817).

CELTIS

occidentalis
Michaux, N. Amer. Sylva, ii. t. 114 (1819).
*Descourtilz, Fl. Pitt. & Méd. Antilles, i. t. 19 (1821).
*Guimpel, Otto & Hayne, Abbild. Fremd. Holzart. i. t. 96 (1825).
*P. W. Watson, Dendr. Brit. ii. t. 147 (1825).
Nees, Gen. Pl., Monochlam. i. t. 35 (1835).
Meigen, Deutschl. Fl. ii. t. 50 (1837).
J. C. Loudon, Arbor. & Frutic. Brit. vii. t. 59 B (1838).
Emerson, Trees & Shrubs Massachusetts, t. 16 (1846); Ed. 2, ii. 343 (1875).
*Schnizlein, Iconogr. ii. t. 91 (1849).
Trans. Wisconsin State Agric. Soc. iv. 226 (1854–57).
Ettingshausen in Denkschr. Akad. Wiss. Wien, xv. t. 13, fig. 3–5 (1858).—*Veg.*
Brendel, Trees & Shrubs in Illinois (Trans. Illinois State Agric. Soc. iv), 431 (1861).
Provancher, Fl. Canad. ii. 521 (1862).
Karsten, Deutsche Fl. Pharm.-medic. Bot. 501 (1880–83).
*Millspaugh, American Med. Pl. t. 152 (1887).
Pflanzenfam. iii. 1. 63, 64 (1888).
Dame & Brooks, Typ. Elms & Other Trees Massachusetts, t. 39, 40 (1890).—*Hab.*
Gard. & Forest, iii. 39, 40, 41, 43 (1890).
Lubbock, Seedlings, ii. 495 (1892).—*Veg.*
*Mouillefert, Traité Arbres & Arbriss. Atlas, t. 127, t. XXV (1892–98).—*Hab.*
Trans. Acad. Sc. St. Louis, vi. 147, fig. 88, 89 (1893).—*Veg.*
Newhall, Trees N.E. Amer. 49 (1894).
Karsten, Fl. Deutschl. ii. 30 (1895).
Sargent, Silva N. Amer. vii. t. 317 (1895).
Britton & Brown, Ill. Fl. N. States & Canada, i. 526 (1896); Ed. 2, i. 629 (1913).
S. B. Green, Forestry Minnesota, 231 (1898).
Clarkin Bull. Vermont Agric. St. No. 73, p. 63 (1899).
Lounsberry, Guide to the Trees, Ed. 2, p. 127 (1900).
Bull. Torr. Bot. Club, xxvii. 500 (1900).—*Fr.*
Dame & Brooks, Trees of New England, t. 51 (1902).
Huntington, Stud. Trees in Winter, 112 (1902).—*Veg.*
Parkhurst, Trees, Shrubs, Vines N.E. United States, 223, t. 10, fig. 64 (1903).—*Veg.*
Schneider, Dendrol. Winterst. 127, 163 (1903).
Schneider, Ill. Handb. Laubh. i. 229, 230, 232 (1904).
Rogers, Tree Book, 238 (1905).
Sargent, Man. Trees N. Amer. 299 (1905).
Canad. For. Journ. iii. 141, 156 (1907).—*Hab.*
Hough, Handb. Trees N. States & Canada, 192, 193 (1907).
Britton, N. Amer. Trees, 354 (1908).
Emerson & Weed, Our Trees, How to Know Them, 160 (1908).
Sudworth, Forest Trees Pac. Slope, 324 (1908).
Elwes & Henry, Trees Gr. Brit. & Ireland, iv. t. 251, 267 (1909).
Blakeslee & Jarvis, New England Trees in Winter (Storrs Agric. Exper. St. Bull. No. 69), 465 (1911).
Solotaroff, Shade Trees Towns & Cities, t. 17, fig. 2 (1911).
Clements, Rosend. & Butters, Minnesota Trees & Shrubs, 78 (1912).
Collins & Preston, Key to Trees, 16 (1912).—*Veg.*
Keeler, Our Native Trees, 251 (1912).
Blakeslee & Jarvis, Trees in Winter, 331 [1913].
Gartenfl. lxii. 357 (1913).—*Hab.*
Otis, Michigan Trees (Ann Arbor, Mich.), 130 (1913).
Warburg, Pflanzenwelt, i. 469 (1913).
L. H. Bailey, Stand. Cycl. Hort. 710 (1914).
F. E. & E. S. Clements, Rocky Mt. Fl. t. 4 (1914).
Levison, Stud. Trees, 69 (1914).—*Veg.*
Mathews, Field Book Amer. Trees & Shrubs, 167, 168 (1915).
Morton & Lewis, Native Trees Canada (Dept. Int. Canada, Forest. Branch Bull. No. 61), 175, 201, 214 (1917).

CELTIS

occidentalis
Pammel & King in Proc. Iowa Acad. Sc. xxv. 317 (1918).—*Veg.*
Illick, Pennsylvania Trees (Pennsylvania Dept. For. Bull. No. 11), fig. 119, t. 10, 73 (1919).

—— **crassifolia** Gray
Mouillefert, Traité Arbres & Arbriss. Atlas, t. 128 (1892–98).—*Hab.*

—— **reticulata** Sarg.
Dippel, Handb. Laubholzk. ii. 45 (1892).

orientalis Linn.
Rheede, Hort. Mal. iv. t. 40 (1683); fide Hasskarl, Hort. Mal. Rheed. Clavis, 35.
*F. J. Schultz, Abb. Bäume, Staud. Sträuch. Oesterr. i. t. 95 (1792).
J. C. Loudon, Arbor. & Frutic. Brit. iii. 1420 (1838).
Wight, Ic. Pl. Ind. Or. ii. t. 602, 603 (1840–43).
Ettingshausen in Denkschr. Akad. Wiss. Wien, xv. t. 13, fig. 9 (1858).—*Veg.*

pallida Torr.
Torrey, Bot. U.S. & Mexic. Bound. Surv. 203 (1858) in textu; *C. cinerea* in ic. t. 50.
Cannon in Carnegie Inst. Washington, Publ. No. 98, t. 2 (1908).—*Veg.*

paniculata Planch.
Banks & Soland. Bot. Cook's Voy. iii. t. 298 (1905.)

philippensis Blanco
Rumphius, Herb. Amboin. iii. t. 36, 37 (1743); fide Merrill, Interpret. Rumph. Herb. Amboin.
Vidal, Fl. For. Filip. Atlas, t. 85, fig. A (1883).
Kanehira, Formosan Trees, 512 (1917).—*Veg.*

pumila Pursh
Bull. Torr. Bot. Club, xxvii. 500, t. 33 (1900).
Schneider, Ill. Handb. Laubh. i. 229, 230 (1904).

reticulata Torr.
*Nuttall, Sylva, i. t. 39 (1865).
Dieck, Nat. Arb. Zoesch. 30 (1891).
Wien. Ill. Gart.-Zeit. xvii. 210 (1892).
Bull. Torr. Bot. Club, xxvii. 500 (1900).—*Fr.*
Schneider, Ill. Handb. Laubh. i. 229, 230 (1904).
Eastwood, Handb. Trees California (Occ. Papers California Acad. Sc. ix), t. 30 (1905).
Britton, N. Amer. Trees, 358 (1908).
Sudworth, Forest Trees Pac. Slope, 326 (1908).
Ramaley in Univ. Colorado Stud. vi. 271 (1909).
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, i. 630 (1913).
Lewis, Trees of Texas (Bull. Univ. Texas, No. 22), 99 (1915).

rhamnifolia Presl
Burman, Rar. Afr. Pl. t. 88 (1739); fide Fl. Cap.
Transvaal Agric. Journ. iv. No. 16, t. 111 (1906).
Journ. Bot. Soc. S. Africa, iii. t. 2 (1917).—*Veg.*

rugosa Willd.
Wettstein, Handb. Syst. Bot. Ed. 2, p. 506 (1911).

Selloviana Miq.
Mart. Fl. Bras. iv. 1. t. 63 (1853).
Alvarez, Fl. & Fauna Prov. Santiago del Estero, 115 (1919).—*Hab.*

serotina Planch.
Wight, Ic. Pl. Ind. Or. vi. t. 1970 (1853).
Beddome, Fl. Sylv. t. 312 (1873).

serrata Hort.
Ettingshausen, Blatt-Skel. Dikot. t. 3 (1861).—*Veg.*

sinensis Pers.
Dai-Nihon Ju-moku Shi-ri-yaku (Jap. Trees Fig. & Expl.), t. 43 (1878).
Dippel, Handb. Laubholzk. ii. 47 (1892).—*Veg.*
Bull. Coll. Agric. Tokyo, ii. t. 12, fig. 9 (1895).—*Veg.*
*Useful Pl. Jap. ii. t. 558 (1895).
*Shirasawa, Ic. Ess. Forest. Jap. i. t. 36 (1900).
Schneider, Ill. Handb. Laubh. i. 229, 230 (1904).
Matsumura, Ic. Pl. Koisikav. i. t. 2 (1911).
Miyabe-Festschrift, t. 25, fig. 13 (1911).—*Veg.*
Wilson, Veg. West. China (Publ. Arn. Arb. No. 2), 161 (1911).—*Hab.*
Shaw, Chinese Forest Trees & Timber Supply, 223 (1914).—*Hab.*
Bull. Écon. Indo-Chine, N. Ser. xix. 132 (1917).—*Hab.*
Kanehira, Formosan Trees, 511 (1917).—*Veg.*

CELTIS
Smallii Beadle
Britton, N. Amer. Trees, 357 (1908).
spinosa Spreng.
Rocchetti in Borzi, Contrib. Biol. Veg. (Palermo), iv. 1. t. 1, fig. 12 (1905).—*Veg.*
Stuhlmannii Engl.
Engler & Drude, Veget. Erde, ix. 1. 2, p. 797 (1910); ix. III. 1, p. 13 (1915).
tala Gill.
Karsten & Schenck, Veg.-Bild. xi. t. 5, 7 (1913). —*Hab.*
Tournefortii Lam.
Lamarck, Ill. v. t. 844, fig. 2 (1797–1819).
J. C. Loudon, Arbor. & Frutic. Brit. vii. t. 59 c (1838).
Jaubert & Spach, Illustr. Pl. Or. iv. t. 400 (1850–53).
Ettingshausen in Denkschr. Akad. Wiss. Wien, xv. t. 13, fig. 10 (1858).—*Veg.*
Dippel, Handb. Laubholzk. ii. 48 (1892).—*Veg.*
Schneider, Ill. Handb. Laubh. i. 229, 230 (1904).
—— **aetnensis** Tornab.
Tornabene in Atti Accad. Gioen. Catania, Ser. II. xi. t. 1 (1855).
Fiori & Paol. Ic. Fl. Ital. 106 (1898).
—— **betulifolia** C. K. Schneider
Schneider, Ill. Handb. Laubh. i. 229 (1904).—*Veg.*
trinervia Roxb.
Beddome, Fl. Sylv. t. 312 (1873).
trinervia Lam.
Fawcett & Rendle, Fl. Jamaica, iii. 1. 37 (1914).
Wightii Planch.
Wight, Ic. Pl. Ind. Or. vi. t. 1969 (1853).
Fyson, Fl. Nilgiri & Pulney Hill-tops, iii. 503 (1920).

CENARRHENES Labill.
nitida Labill.
Labillardière, Nov. Holl. Pl. t. 50 (1804).
Lamarck, Ill. vi. t. 914 (1819).

CENCHRUS Linn.
anomoplexis Labill.
Labillardière, Sert. Austr.-Caled. t. 19 (1824).
australis R. Br.
Agric. Gaz. N. S. Wales, iv. 97 (1893).
F. M. Bailey, Weeds & Poison. Pl. Queensland, 222 (1906).
Trans. & Proc. Roy. Soc. S. Australia, xxxix. t. 9 (1915).
brevisetus Fourn.
Publ. Field Columbian Mus., Bot. Ser. iii. No. 1, p. 41 (1903).—*Fl.*
caliculatus Cav.
Cavanilles, Ic. v. t. 463 (1799).
capitatus Linn.
J. E. Smith, Reliq. Rudbeck. 7 (1789).
*Sibthorp & Sm. Fl. Graeca, i. t. 100 (1806).
*Schkuhr, Bot. Handb. Ed. 2, t. 345 (1808).
carolinianus Walt.
Stone, Pl. Southern New Jersey (Ann. Rep. New Jersey State Mus. 1910), t. 15 (1911).
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, i. 167 (1913).
Hitchcock, Text-Book Grasses, 187 (1914).
Mosher, Grasses Illinois (Bull. Illinois Agric. Exp. St. No. 205), 327 (1918).
catharticus Del.
Duthie, Illustr. Fodder Grasses, t. 11 (1886).
Coldstream, Grasses Punjab, t. 9 (1889).
Lisboa, Bombay Grasses, 37 (1896).
Contrib. U.S. Nat. Herb. xxii. 54 (1920).—*Fl.*
ciliaris Linn.
Lamarck, Ill. v. t. 838, fig. 3 (1797–1819).
Ettingshausen in Sitzb. Akad. Wiss. Wien, lii. 1. t. 5 (1866).—*Veg.*
Velenovsky, Vergl. Morphol. Pfl. iv. Suppl. t. 2 (1913).—*Fr.*
ciliaris Fig. & De Not.
Figari & De Notaris in Mem. Accad. Sc. Torino, Ser. II. xiv. 392, fig. 35 (1854).
distichophyllus Griseb.
Contrib. U.S. Nat. Herb. xxii. 55 (1920).—*Fl.*
echinatus Linn.
*Joh. Kerner, Abbild. Oek. Pfl. (Fig. Pl. Écon.), i. t. 90 (1786).

CENCHRUS
echinatus
Gaertner, Fruct. ii. t. 80 (1791).—*Fr.*
Lamarck, Ill. v. t. 838, fig. 1 (1797–1819).
Cavanilles, Ic. v. t. 462 (1799).
*Schreber, Beschr. Gräser, ii. t. 23 (1810).
P. Beauvais, Agrost. t. 13, fig. 7 (1812).—*Fl.*
*Vietz, Ic. Pl. Med.-oec.-techn. v. t. 393 (1817).
Ettingshausen in Sitzb. Akad. Wiss. Wien, lii. 1. t. 5 (1866).—*Veg.*
Mart. Fl. Bras. ii. II. t. 43 (1877).
Pflanzenfam. ii. II. 37 (1887).
U.S. Dep. Agric. Div. Agrost. Bull. No. 17, p. 111 (1899).
Publ. Field Columbian Mus., Bot. Ser. iii. No. 1, p. 41 (1903); ii. No. 11, p. 430 (1916).
Queensland Agric. Journ. N. Ser. ix. t. 14 (1918).
Britton, Fl. Bermuda, 24 (1918).
Contrib. U.S. Nat. Herb. xxii. 59 (1920).—*Fl.*
gracillimus Nash
U.S. Dep. Agric. Div. Agrost. Bull. No. 17, p. 108 (1899).
Contrib. U.S. Nat. Herb. xxii. t. 64 (1920).—*Fl.*
hystrix Fig. & De Not.
Figari & De Notaris in Mem. Accad. Sc. Torino, Ser. II. xiv. 392, fig. 34 (1854).
incertus M. A. Curt.
U.S. Dep. Agric. Div. Agrost. Bull. No. 17, p. 109 (1899).
Contrib. U.S. Nat. Herb. xxii. 65 (1920).—*Fl.*
insularis Scribn.
Publ. Field Columbian Mus., Bot. Ser. iii. No. 1, p. 42, 43 (1903); ii. No. 11, p. 430 (1916).
Contrib. U.S. Nat. Herb. xxii. 63 (1920).—*Fl.*
macrocephalus Scribn.
U.S. Dep. Agric. Div. Agrost. Bull. No. 17, p. 110 (1899).
macrostachyus Hochst.
Ettingshausen in Sitzb. Akad. Wiss. Wien, lii. 1. t. 4 (1866).—*Veg.*
marginalis Rudge
Rudge, Pl. Guian. t. 25 (1805).
microcephalus Nash
Contrib. U.S. Nat. Herb. xxii. 67 (1920).—*Fl.*
montanus Nees
Duthie, Illustr. Fodder Grasses, t. 48 (1887).
muricatus Linn.
*Schreber, Beschr. Gräser, ii. t. 34 (1810).
myosuroides H. B. K.
*H. B. K. Nov. Gen. i. t. 35 (1815).
Vasey, Ill. N. Amer. Grasses (U.S. Dep. Agric. Div. Bot. Bull. No. 12. 1), i. t. 6 (1890).
U.S. Dep. Agric. Div. Agrost. Bull. No. 7, p. 88 (1897).
Contrib. U.S. Nat. Herb. xxii. 52 (1920).—*Fl.*
niloticus Fig. & De Not.
Figari & De Notaris in Mem. Accad. Sc. Torino, Ser. II. xiv. 392, fig. 33 (1854).—*Fl.*
ovatus Lam.
Lamarck, Ill. v. t. 838, fig. 2 (1797–1819).
pallidus Fourn.
Publ. Field Columbian Mus., Bot. Ser. iii. No. 1, p. 40 (1903).—*Fl.*
Palmeri Vasey
Vasey, Ill. N. Amer. Grasses (U.S. Dep. Agric. Div. Bot. Bull. No. 13. 1), ii. t. 3 (1892).
Contrib. U.S. Nat. Herb. xxii. 75 (1920).—*Fl.*
pauciflorus Benth.
Contrib. U.S. Nat. Herb. xxii. 68, 69 (1920).—*Fl.*
pilosus H. B. K.
H. B. K. Nov. Gen. i. t. 36 (1815).
Contrib. U.S. Nat. Herb. xxii. 56 (1920).—*Fl.*
pungens H. B. K.
Ettingshausen in Sitzb. Akad. Wiss. Wien, lii. 1. t. 2 (1866).—*Veg.*
racemosus Linn.
*Schreber, Beschr. Gräser, i. t. 4 (1769).
*Vietz, Ic. Pl. Med.-oec.-techn. v. t. 392 (1817).
rigidifolius Fig. & De Not.
Figari & De Notaris in Mem. Accad. Sc. Torino, Ser. II. xiv. 392, fig. 36 (1854).
scabridus Arech.
Arechavaleta, Gram. Urug. (An. Mus. Nac. Montevideo, iii), 214 (1895); *C. myosuroides* in errore, vide Corr. p. 556.

CENCHRUS
spinifex Cav.
Cavanilles, Ic. v. t. 461 (1799).
Flora, lxxvi. t. 1, fig. 17 (1892).—*Fr.*
Baillon, Hist. Pl. xii. 176 (1894).
tribuloides Linn.
Elliott, Bot. S. Carolina & Georgia, i. t. 4 (1816–21).
A. Gray, Man. Bot. N.U.S. Ed. 4, t. 8 (1862).
Ettingshausen in Sitzb. Akad. Wiss. Wien, lii. 1. t. 4 (1866).—*Veg.*
Rep. Secretary Agric. Washington, 392, t. 6 (1890).
Vasey, Ill. N. Amer. Grasses (U.S. Dep. Agric. Div. Bot. Bull. No. 12. 1), i. t. 7 (1890).
Lamson-Scribner, Grass. Tennessee, Pt. II (Bull. Tenn. Agric. Exp. St. vii. No. 1), t. 17 (1894).
Halsted in Rep. New Jersey Agric. St. No. 5, p. 314 (1895).
Hitchcock & Norton in Bull. Kansas Agric. St. No. 50, t. 9, fig. 145 (1895); No. 57, t. 21, fig. 196 (1896); No. 66, t. 16, fig. 196 (1897).
U.S. Dep. Agric. Div. Agrost. Bull. No. 3, p. 35 (1896); No. 7, p. 87 (1897); No. 14, p. 27 (1898); No. 16, p. 33 (1899); No. 20, p. 40 (1900).
Britton & Brown, Ill. Fl. N. States & Canada, i. 127 (1896); Ed. 2, i. 167 (1913).
Selby in Bull. Ohio Agric. St. No. 83, p. 266 (1897); No. 175, p. 308 (1906).
Iowa Geol. Surv. Bull. No. 1, p. 72 (1901); Suppl. Rep. 1903, p. 92 (1904); No. 4, p. 26, 412 (1913).
Publ. Field Columbian Mus., Bot. Ser. iii. No. 1, p. 45 (1903).—*Fl.*
Pammel in Bull. Iowa Agric. St. No. 70, p. 496 (1903).—*Fr.*
Pammel, Man. Poison. Pl. 68, 69, 361 (1911).
Beal, Michigan Weeds (Bull. Mich. Agric. Exp. St. No. 267), 294 (1911); et in Ann. Rep. xxv. 283 (1912).
A. Georgia, Manual Weeds, t. 11 (1914).
Wilcox, Link & Pool in Bull. Agric. St. Nebraska, xxvii. No. 148, p. 17 (1915).—*Fl.*
Britton, Fl. Bermuda, 23 (1918).
Fyles in Canada Dep. Agric. Exp. Farms, Bull. No. 39, Ser. II. t. 5 (1920).—*Fr.*
Journ. Dep. Agric. S. Australia, xxiii. 10 (1920).
Contrib. U.S. Nat. Herb. xxii. 73 (1920).—*Fl.*
U.S. Dep. Agric. Bull. No. 772, p. 250 (1920).
viridis Spreng.
Publ. Field Columbian Mus., Bot. Ser. iii. No. 1, p. 40 (1903).—*Fl.*
Contrib. U.S. Nat. Herb. xxii. 57 (1920).—*Fl.*

CENIA Comm.: *Cotula*
geminata Kunze
Hansgirg in Sitzb. Böhm. Ges. Wiss. 1896, t. 2, fig. 30 (1897).
Velenovsky, Vergl. Morphol. Pfl. ii. 293 (1907). —*Veg.*
hispida Benth. & Hook. f.
Wood, Natal Pl. iv. II. t. 343 (1904).
pruinosa DC.
Gard. Chron. 1856, p. 4.
turbinata Pers.
Schnizlein, Iconogr. ii. t. 120 b (1843–70).—*Fl.*
Pflanzenfam. iv. v. 101 (1889).—*Fl.*
Rev. Hort. 1892, p. 137.—*Hab.*
—— **concolor** Harv.
Hayward & Druce, Advent. Fl. Tweedside, 128 (1919).

CENOCENTRUM Gagnep.
tonkinense Gagnep.
Lecomte, Fl. Gén. Indo-Chine, i. t. 21 (1910).

CENOLOPHIUM Koch
Fischeri Koch
De Candolle, Ombéllif. (Coll. Mém. v), t. 3 (1829).—*Fl.*
Reichenbach, Ic. Fl. Germ. xxi. t. 1920 (1864), t. 1990 (1865) in textu, p. 45; *Coenolophium Fischeri* in ic.
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xxvii. t. 2776 (1886).

CENOLOPHIUM
Fischeri
Garcke, Ill. Fl. Deutschl. 252 (1895).
Suireishchikov, Ill. Fl. Mosc. Gov. ii. 409 (1907).
Fedtschenko & Fler. Fl. Eur. Russia, 698 (1910).

CENOSTIGMA Tul.
Gardnerianum Tul.
Mart. Fl. Bras. xv. II. t. 13 (1870).
macrophyllum Tul.
Ann. Sc. Nat. Paris, Ser. II. xx. t. 3 (1843).
sclerophyllum Malme
Bih. Svenska Vet. Akad. Handl. xxv. III. No. 11, t. 1 (1900).
tocantinum Ducke
Arch. Jard. Bot. Rio de Janeiro, i. 29, t. 10 (1915).

CENTAUREA Linn.—Vide *Acroptilon, Aetheopappus, Amberboa, Amblyopogon, Autrania, Calcitrapa, Callicephalus, Chartolepis, Cyanus, Hyalea, Hymenocephalus, Jacea, Lacellia, Leuzea, Microlonchoides, Microlonchus, Phaeopappus, Plectocephalus, Psephellus, Rhaponticum, Sagmen, Seridia, Solstitiaria, Staebe, Volutarella*
acaulis Linn.
Hill, Veget. Syst. iv. t. 27 (1762).
Desfontaines, Fl. Atlant. ii. t. 243 (1798).
Trotter, Fl. Econ. della Libia, t. 138 (1915).
—— **Haenseleri** Boiss.
*Boissier, Voy. Bot. Espagne, i. t. 105 (1839–45).
acicularis Sibth.
*Sibthorp & Sm. Fl. Graeca, x. t. 911 (1840).
Adami Willd.
Reichenbach, Ic. Fl. Germ. xv. t. 795 (1852).
Hayek in Denkschr. Akad. Wiss. Wien, lxx. t. 2, fig. 2 (1901).—*Fl.*
adulterina Moretti
Reichenbach, Ic. Fl. Germ. xv. t. 786 (1852).
aegyptiaca Linn.
Delile, Fl. Égypte, t. 49 (1812).
*Sibthorp & Sm. Fl. Graeca, x. t. 907 (1840).
Crowfoot, Desert Fl. t. 35 [1914?].—*Hab.*
Aemilii Briq.
Briquet, Monogr. Centaur. Alpes Marit. t. 1 (1902).
×**Ajtayana** Wagn.
Wagner, Centaureae Hungariae, Math. és Term. Tud. Közl. (Math. & Nat. Sc. Communic.), xxx. 6, t. 6, fig. 4 (1910).
alata Lam.
Ventenat, Jard. Cels, t. 80 [1800].
Ann. Mus. Hist. Nat. Paris, xvi. 135 (1810).—*Fr.*
alba Linn.
Hill, Veget. Syst. iv. t. 38 (1762).
Reichenbach, Ic. Fl. Germ. xv. t. 752 (1852).
—— **deusta** DC.
Reichenbach, Ic. Fl. Germ. xv. t. 752 (1852).
Fiori & Paol. Ic. Fl. Ital. 442 (1904).
—— **Tenoreana** Willk.
Fiori & Paol. Ic. Fl. Ital. 442 (1904).
alexandrina Del.
Delile, Fl. Égypte, t. 49 (1812).
algeriensis Coss. & Dur.
Bonnet & Barratte, Ill. Phan. Tunisie (Expl. Sc. Tun.), t. 10 (1895).
aliena Wagn.
Magyar Bot. Lap. x. t. 3, fig. 5 (1911).
Alophium DC.
Rouy, Illustr. Pl. Eur. Rar. fasc. 15, t. 365 (1901).
alpestris Hegetschw.
Willkomm, Führ. Reich Pflanzen, 401 (1882).—*Fr.*
Hayek in Denkschr. Akad. Wiss. Wien, lxx. t. 4, fig. 4 (1901).—*Fl.*
Wagner, Centaureae Hungariae, Math. és Term. Tud. Közl. (Math. & Nat. Sc. Communic.), xxx. No. 6, t. 1, fig. 6 (1910).
alpina Linn.
Cornuti, Hist. 70 (1735); fide Linn.
Hill, Veget. Syst. iv. t. 42 (1762).
Reichenbach, Ic. Fl. Germ. xv. t. 751 (1852).
Hayek in Denkschr. Akad. Wiss. Wien, lxx. t. 1, fig. 1 (1901).—*Fl.*
Fiori & Paol. Ic. Fl. Ital. 446 (1904).
—— **Cornuti** Reichb.
Reichenbach, Hort. Bot. t. 146 (1828) in textu; *C. cornuti* in ic.

CENTAUREA
amara Linn.
Reichenbach, Ic. Fl. Germ. xv. t. 753 (1852).
Puccinello in Atti Accad. Lucchese, xi. 214 (1853).
Cesati, Passer. & Gibelli, Comp. Fl. Ital. t. 78 (1867–86).—*Fl.*
*Cusin, Herb. Fl. Franç. xiii (Composées), t. 312, 312 a (1874).
*Bicknell, Fl. Pl. Riviera, t. 32 (1885).
Paolucci, Fl. Marchig. t. 25 (1890).—*Fl.*
Coste, Fl. France, ii. 390 (1903).
Heukels, Fl. Nederl. iii. 436 (1910).
Cadevall & Sallent, Fl. Catalunya, iii. 369 (1917).
Amberboi Mill.
Lamarck, Ill. iv. t. 703, fig. 2 (1797–1819).
*Mirbel, Hist. Nat. Pl. xii. t. 70 [1802–6].
—— **Margaritae** Hort.
Rev. Hort. 1906, p. 329.
ambigua Guss.
Gussone, Pl. Rar. t. 61 (1826).
amblensis Graëlls
Graëlls in Mem. Acad. Cienc. Madrid, iv. II. t. 2 [1857].
*Graëlls, Ram. Pl. Españ. t. 2 (1859).
ambracea Schkuhr
*Schkuhr, Bot. Handb. Ed. 2, t. 261 (1808).
americana Nutt.
*Barton, Fl. N. Amer. ii. t. 50 (1822).
Colla in Mem. Accad. Sc. Torino, xxxi. 138, t. 6 (1827).
Reichenbach, Hort. Bot. t. 132 (1828).
*Fl. des Serres, Ser. I. iv. t. 327 (1848).
Decaisne & Naud. Amat. Jard. ii. 346 [1862–66].
Decaisne, Naud. & Hemsl. Trees, Shrubs & Herb. Pl. 265 (1873).
Gard. Chron. 1873, p. 331.
*Meehan, Native Fl. & Ferns U.S. Ser. II. ii. t. 17 (1880).
Nicholson, Illustr. Dict. Gard. i. 290 [1884–88].
Semaine Hort. 1898, p. 223.
Britton & Brown, Ill. Fl. N. States & Canada, iii. 492 (1898); Ed. 2, iii. 559 (1913).
L. H. Bailey, Cycl. Amer. Hort. 275 (1900); Stand. Cycl. Hort. 713 (1914).
Teysmannia, xxix. 49 (1918).
amplexicaulis Gmel.
S. G. Gmelin, Reise, i. t. 24 [1770].
aplolepa Moretti
Moretti, Bot. Ital. t. 3 (1826).
Reichenbach, Ic. Fl. Germ. xv. t. 778 (1852).
apula Lam.
Lojacono-Pojero, Fl. Sic. ii. 1. t. 17 (1902).
arachnoidea Viv.
Viviani in Ann. Bot. i. II. t. 31 (1804).
arenaria M. Bieb.
Reichenbach, Pl. Crit. v. t. 443 (1827).
Hayek in Denkschr. Akad. Wiss. Wien, lxx. t. 8, fig. 11 (1901).—*Fl.*
Fedtschenko & Fler. Fl. Eur. Russia, 1029 (1910).—*Fl.*
Wagner, Centaureae Hungariae, Math. és Term. Tud. Közl. (Math. & Nat. Sc. Communic.), xxx. No. 6, p. 11, fig. 6 (1910).—*Fl.*
Hayek, Pflanzend. Oesterr.-Ung. i. 489 (1916).
Argecillensis Gred.
Gredilla in Bol. Soc. Españ. Hist. Nat. iii. t. 5 (1903).
argentea Linn.
Hill, Veget. Syst. iv. t. 31 (1762).
arguta Nees
Buch, Fl. Canar. Inseln, t. 25, 26 (1819).
Nees, Horae Berol. t. 25, 26 (1820).
argyrolepis Hayek
Hayek in Denkschr. Akad. Wiss. Wien, lxx. t. 9, fig. 6 (1901).—*Fl.*
aspera Linn.
Hill, Veget. Syst. iv. t. 33 (1762).
Reichenbach, Ic. Fl. Germ. xv. t. 799 (1852).
Bentham, Handb. Brit. Fl. fig. 567 (1865).
*Syme, Engl. Bot. v. t. 710 (1866).
*Cusin, Herb. Fl. Franç. xiii (Composées), t. 355 (1874).
Acloque, Fl. France, 401 (1894).
*Penzig, Fl. Litt. Méditerr. t. 64 (1902).
Coste, Fl. France, ii. 397 (1903).

CENTAUREA
aspera
Fiori & Paol. Ic. Fl. Ital. 447 (1904).
Cadevall & Sallent, Fl. Catalunya, iii. 385 (1917).
Fitch & Smith, Ill. Brit. Fl. Ed. rev. 4, Iss. 2, fig. 575 (1919).
—— **auricularia** DC.
Reichenbach, Ic. Fl. Germ. xv. t. 799 (1852).
—— **subinermis** DC.
Reichenbach Ic. Fl. Germ. xv. t. 799 (1852).—*Fl.*
×**aspero-Calcitrapa** Godr. & Gren.
Reichenbach, Ic. Fl. Germ. xv. t. 797 (1852).
*Cusin, Herb. Fl. Franç. xiii (Composées), t. 356 (1874).
aterrima Hayek
Hayek in Denkschr. Akad. Wiss. Wien, lxx. t. 11, fig. 2 (1901).—*Fl.*
atropurpurea Waldst. & Kit.
*Waldstein & Kit. Pl. Rar. Hung. ii. t. 116 (1805).
Reichenbach, Pl. Crit. v. t. 447 (1827).
Hayek in Denkschr. Akad. Wiss. Wien, lxx. t. 5, fig. 3 (1901).—*Fl.*
Wagner, Centaureae Hungariae, Math. és Term. Tud. Közl. (Math. & Nat. Sc. Communic.), xxx. No. 6, 11, fig. 4 (1910).—*Fl.*
Hayek, Pflanzend. Oesterr.-Ung. i. t. 48 (1915).—*Hab.*
augustana Reichb. f.
Reichenbach, Ic. Fl. Germ. xv. t. 785 (1852).
aurea Ait.
*Bot. Mag. xii. t. 421 (1798).
australis Benth. & Hook.
F. M. Bailey, Weeds & Poison. Pl. Queensland, 96 (1906).
austriaca Willd.
Reichenbach, Pl. Crit. iv. t. 376 (1826).
Rochel, Fl. Banat. Rar. t. 36 (1828).
*Lorek, Fl. Pruss. Ed. 3, t. 202, fig. 1073 (1848).
Reichenbach, Ic. Fl. Germ. xv. t. 761 (1852).
Willkomm, Führ. Reich Pflanzen, 400 (1882).—*Fr.*
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xxx. t. 3158 (1888).
Wagner, Centaureae Hungariae, Math. és Term. Tud. Közl. (Math. & Nat. Sc. Communic.), xxx. No. 6, p. 11, fig. 11; p. 147, fig. 4 (1910).—*Fl.*
×**austriacoides** Wolosz.
Hayek in Denkschr. Akad. Wiss. Wien, lxx. t. 11, fig. 4 (1901).—*Fl.*
Fedtschenko & Fler. Fl. Eur. Russia, 1023 (1910).—*Fl.*
Suireishchikov, Ill. Fl. Mosc. Gov. iii. 313 (1910).
avilae Pau
Pau, Espec. Nuev. Fl. Españ. (Revista Montes, Madrid), [t. 1] (1909).
axillaris Willd.
Reichenbach, Ic. Fl. Germ. xv. t. 770 (1852).
*Cusin, Herb. Fl. Franç. xiii (Composées), t. 333 (1874).
Fedtschenko & Fler. Fl. Eur. Russia, 1027 (1910).—*Fl.*
babylonica Linn.
Jaubert & Spach, Illustr. Pl. Or. v. t. 428 (1853–57).
Rev. Hort. Ser. IV. viii. 540, 541 (1859).
Decaisne & Naud. Amat. Jard. ii. 639 [1862–66].—*Hab.*
Garden, ii. 73 (1872); viii. 263 (1875).—*Hab.*
Decaisne, Naud. & Hemsl. Trees, Shrubs & Herb. Pl. 265 (1873).—*Hab.*
Gard. Chron. 1873, p. 331.—*Hab.*
W. Robinson, Engl. Fl. Gard. t. 62 (1883).—*Hab.*
Nicholson, Illustr. Dict. Gard. i. 291 [1884–88].—*Hab.*
badensis Tratt.
Trattinick, Arch. i. t. 50 (1812).
*Trattinick, Ausg. Taf. Arch. i. 23 (1813).
Hayek in Denkschr. Akad. Wiss. Wien, lxx. t. 2, fig. 10 (1901).—*Fl.*
balearica Rodr.
*Willkomm, Ill. Fl. Hispan. Balear. i. t. 14 (1881–85).
Rouy, Illustr. Pl. Eur. Rar. fasc. 3, t. 63 (1895).
Balsamita Lam.
Ann. Mus. Hist. Nat. Paris, xvi. 135 (1810).
*Jacquin, Ecl. Pl. i. t. 10 (1811–16).

CENTAUREA
Balsamita
*Sweet, Brit. Fl. Gard. vii. t. 355 (1836).
*J. W. Loudon, Ladies' Fl.-Gard. Ornam. Perenn. ii. t. 57 (1844).
banatica Roch.
Hayek in Denkschr. Akad. Wiss. Wien, lxx. t. 9, fig. 7 (1901).—*Fl.*
Magyar Bot. Lap. ii. t. 4 (1903).—*Fl.*
Wagner, Centaureae Hungariae, Math. és Term. Tud. Közl. (Math. & Nat. Sc. Communic.), xxx. No. 6, p. 118, fig. 5 (1910).—*Fl.*
×**Barbeyana** Vetter
Bull. Soc. Bot. France, l. t. 7 (1903).
×**Beckiana** Mülln.
Hayek in Denkschr. Akad. Wiss. Wien, lxx. t. 8, fig. 5 (1901).—*Fl.*
behen Linn.
Hill, Veget. Syst. iv. t. 38 (1762).
*Plenck, Ic. Pl. Med. vii. t. 637 (1803).
benedicta Linn.
*Regnault, Bot. ii. 126 (1774).
*Bergius, Mat. Med. ii. 701, t. 122 (1778).
*Zorn, Ic. Pl. Med. ii. t. 122 (1780).
*Woodville, Med. Bot. i. t. 42 (1790); Ed. 3, i. t. 14 (1832).
*Oskamp, Afb. Artseny-Gewass. ii. t. 134 (1796).
*Vietz, Ic. Pl. Med.-oec.-techn. i. t. 41 (1800).
*Plenck, Ic. Pl. Med. vii. t. 634 (1803).
*Roques, Pl. Usuell. Indig. & Exot. i. t. 34 (1807).
Ann. Mus. Hist. Nat. Paris, xvi. 135 (1810).—*Fr.*
*Vigneux, Fl. Pitt. Envir. Paris, t. 56 (1812).
*Sterler, Eur. Med. Fl. t. 15 (1820).
*Hayne, Getreue Darst. Arzn. Gewächse, vii. t. 34 (1821).
*Heger, Herb. Pharm. [t. 81] (1822–25).
*Mann, Deutschl. Wildwachs. Arzney-Pfl. [t. 43] (1823–28).
*Fl. Med. [Spratt], ii. 175 (1830).
*Schlechtendal & Guimpel, Abb. Pharm. Boruss. Gew. ii. t. 164 (1833).
*Stephenson & Churchill, Med. Bot. New Ed. iii. t. 128 (1836).
*Sibthorp & Sm. Fl. Graeca, x. t. 906 (1840).
Meigen, Deutschl. Fl. iii. t. 132 (1842).—*Fl.*
*Argenta, Album Fl. Med.-Farm. ii. t. 170 (1863).
*Lesacher & Mareschal, Nouv. Bot. Méd. iv [t. 21] (1883).
Baillon, Traité Bot. Méd. Phan. ii. 1145, 1146 (1884).
*Baillon, Ic. Fl. Franç. ii. t. 134 [1885–94].
Baillon, Hist. Pl. viii. 8, 9 (1886).
*Josef v. Oesterreich & Marg. v. Thurn und Taxis, Atlas Heilpfl. t. 39 (1903).
bimorpha Viv.
Viviani, Fl. Lib. Sp. t. 24, fig. 3 (1824).
Boissieri DC.
*Boissier, Voy. Bot. Espagne, i. t. 101 (1839–45).
bombycina Boiss.
*Boissier, Voy. Bot. Espagne, i. t. 101 (1839–45).
×**Borbásii** Wagn.
Wagner, Centaureae Hungariae, Math. és Term. Tud. Közl. (Math. & Nat. Sc. Communic.), xxx. No. 6, t. 2, fig. 4 (1910).
Bordzilowskii Lonacz
Acta Hort. Jurjev. ix. 163 (1909).
×**borsodensis** Wagn.
Wagner, Centaureae Hungariae, Math. és Term. Tud. Közl. (Math. & Nat. Sc. Communic.), xxx. No. 6, t. 5, fig. 4 (1910).
bosniaca Murb.
Hayek in Denkschr. Akad. Wiss. Wien, lxx. t. 12, fig. 4 (1901).—*Fl.*
Brachtii Reichb. f.
Reichenbach, Ic. Fl. Germ. xv. t. 786 (1852).
bracteata Scop.
Scopoli, Del. Fl. & Fauna Insubr. ii. t. 9 (1786).
Hayek in Denkschr. Akad. Wiss. Wien, lxx. t. 9, fig. 8 (1901).—*Fl.*
Wagner, Centaureae Hungariae, Math. és Term. Tud. Közl. (Math. & Nat. Sc. Communic.), xxx. No. 6, p. 118, fig. 2 (1910).—*Fl.*
×**Budaiana** Wagn.
Wagner, Centaureae Hungariae, Math. és Term. Tud. Közl. (Math. & Nat. Sc. Communic.), xxx. No. 6, t. 5, fig. 1 (1910).

CENTAUREA
Cadevalii Pau
Cadevall & Sallent, Fl. Catalunya, iii. 378 (1917).
caerulescens Willd.
J. G. Gmelin, Fl. Sibir. ii. t. 44, fig. 1 (1749); fide Ledebour, Comm. 71.
Jordan, Obs. v (Ann. Soc. Linn. Lyon 1847), t. 4 (1847).—*Fl.*
Reichenbach, Ic. Fl. Germ. xv. t. 886 (1853).
*Cusin, Herb. Fl. Franç. xiii (Composées), t. 344 (1874).
Coste, Fl. France, ii. 394 (1903).
Cadevall & Sallent, Fl. Catalunya, iii. 380 (1917).
caespitosa Cirillo
Cirillo, Pl. Rar. Neap. i. t. 8 (1788).
*Roemer, Fl. Eur. i. t. 2 (1797).
calcarea Jord.
Reichenbach, Ic. Fl. Germ. xv. t. 773 (1852).
Cusin, Herb. Fl. Franç. xiii (Composées), t. 338 (1874).
Calcitrapa Linn.
*Kniphof, Herb. Viv. i. t. 232 (1758).
Hill, Veget. Syst. iv. t. 17 (1762).
*Regnault, Bot. ii. 119 (1774).
Buchoz, Hist. Règne Vég. xi. Dec. 2, t. 4 (1776).
*Zorn, Ic. Pl. Med. iv. t. 335 (1782).
*Sowerby & Sm. Engl. Bot. ii. t. 125 (1793).
*Oskamp, Afb. Artseny-Gewass. ii. t. 135 (1796).
*Sturm, Deutschl. Fl. i. iv. t. 63 (1798).
*Dreves & Hayne, Bot. Bilderbuch, v. t. 15 (1801).
*Plenck, Ic. Pl. Med. vii. t. 636 (1803).
*Kops, Fl. Batava, ii. t. 88 (1807).
*Roques, Pl. Usuell. Indig. & Exot. i. t. 34 (1807).
*Schkuhr, Bot. Handb. Ed. 2, t. 261 (1808).—*Fr.*
*Hill, Family Herbal, t. 47 (1812); fide Ed.
*Vigneux, Fl. Pitt. Envir. Paris, t. 55 (1812).
*Fl. Dan. xii. t. 1998 (1830).
*Zenker, Fl. Thüringen, ii. t. 231 (1836–55).
*Dietrich, Fl. Boruss. viii. t. 551 (1840).
[M. E.] Jackson, Pict. Fl. fig. 1258 (1840).
Meigen, Deutschl. Fl. iii. t. 132 (1842).—*Fl.*
*Deakin, Florigr. Brit. iii. fig. 1317 (1847).
Reichenbach, Ic. Fl. Germ. xv. t. 798 (1852).
Johnson & Sowerby, Brit. Wild Fl. fig. 761 (1858–60).
Berg, Charakt. t. 49, fig. 379, R (1861).—*Fr.*
*Argenta, Album Fl. Med.-Farm. ii. t. 169 (1863).
Bentham, Handb. Brit. Fl. t. 568 (1865).
*Syme, Engl. Bot. v. t. 711 (1866).
*Hogg & Johnson, Wild Fl. Gr. Brit. v. t. 383 (1869).
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, iii. t. 118 [1873].
*Cusin, Herb. Fl. Franç. xiii (Composées), t. 358 (1874).
Wagner, Ill. Deutsche Fl. Ed. 2, p. 447 (1882).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xxx. t. 3168 (1888).
Paolucci, Fl. Marchig. t. 25 (1890).
Pflanzenfam. iv. v. 328 (1893).—*Fl.*
Agric. Gaz. N. S. Wales, v. 469 (1894); xvi. 340 (1905); xxviii. 565 (1917).
Acloque, Fl. France, 401 (1894).
Journ. Agric. S. Australia, i. 190 (1897); xi. 242 (1907).
Britton & Brown, Ill. Fl. N. States & Canada, iii. 493 (1898); Ed. 2, iii. 559 (1913).
Woenig, Pusztenflora, 75 (1899).
Hayek in Denkschr. Akad. Wiss. Wien, lxx. t. 1, fig. 3 (1901).—*Fl.*
!Gerber in Assoc. Franç. Avanc. Sc. 1901, Ajaccio, Pt. 2, p. 484–87 (1902).
C. T. Green, Fl. Liverpool Distr. fig. 357 (1902).
Coste, Fl. France, ii. 396 (1903).
Fiori & Paol. Ic. Fl. Ital. 447 (1904).
Merino, Fl. Galicia, ii. 422 (1906).
*Sturm, Fl. Deutschl. Ed. 2, xiv. t. 28 (1906).
Arechavaleta, Fl. Urug. iii (An. Mus. Nac. Montevideo, vi), t. 93 (1908).
Black, Nat. Fl. S. Australia, 96 (1909).
Fedtschenko & Fler. Fl. Eur. Russia, 1032 (1910).
Heukels, Fl. Nederl. iii. 439 (1910).
Wagner, Centaureae Hungariae, Math. és Term. Tud. Közl. (Math. & Nat. Sc. Communic.), xxx. No. 6, p. 11, fig. 7 (1910).—*Fl.*

CENTAUREA
Calcitrapa
Cadevall & Sallent, Fl. Catalunya, iii. 384 (1917).
Fitch & Smith, Ill. Brit. Fl. Ed. rev. 4, Iss. 2, fig. 576 (1919).
×**Calcitrapo-aspera** Gren. & Godr.
*Cusin, Herb. Fl. Franç. xiii (Composées), t. 357 (1874).
calcitrapoides Linn.
Hill, Veget. Syst. iv. t. 17 (1762).
Covolo, Discourse Concerning Irritability of Some Fl. tab. [1767].—*Fl.*
Reichenbach, Ic. Fl. Germ. xv. t. 798 (1852).
calocephala Willd.
Reichenbach, Pl. Crit. v. t. 446 (1827).
Reichenbach, Ic. Fl. Germ. xv. t. 789 (1852).
calolepis Boiss.
Tchichatcheff, Asie Mineure, Atlas, t. 31 (1860).
calvescens Panč.
Wagner, Centaureae Hungariae, Math. és Term. Tud. Közl. (Math. & Nat. Sc. Communic.), xxx. No. 6, t. 2, fig. 1 (1910).
—— **millanthodia** Wagn.
Wagner, Centaureae Hungariae, Math. és Term. Tud. Közl. (Math. & Nat. Sc. Communic.), xxx. No. 6, t. 8, 9 (1910).
canariensis Willd.
Webb & Berth. Hist. Nat. Iles Canar. iii. Phytogr. ii. t. 118 (1836–50).
candida Velen.
Engler & Drude, Veget. Erde, xi. t. 27, 28 (1909).—*Hab.*
candidissima Lam.
*Dujard.-Beaumetz & Égasse, Pl. Méd. t. 12 (1889).
Journ. Hort. Ser. III. lxviii. 280 (1914).—*Hab.*
capillata Linn.
Hill, Veget. Syst. iv. t. 34 (1762).
Cardunculus Boiss
Brehm, Merv. Nat. Monde des Pl. ii. 164 (1894–96) in ic.; *Cynara Cardunculus* in textu.
carniolica Host
Wagner, Centaureae Hungariae, Math. és Term. Tud. Közl. (Math. & Nat. Sc. Communic.), xxx. No. 6, t. 3, fig. 2 (1910).
carpatica Porc.
Hayek in Denkschr. Akad. Wiss. Wien, lxx. t. 11, fig. 8 (1901).—*Fl.*
Wagner, Centaureae Hungariae, Math. és Term. Tud. Közl. (Math. & Nat. Sc. Communic.), xxx. No. 6, p. 147, fig. 1 (1910).—*Fl.*
carratracensis Lange
*Willkomm, Ill. Fl. Hispan. Balear. ii. t. 174 (1892).
Cavanillesiana Graëlls
Rouy, Illustr. Pl. Eur. Rar. fasc. 8, t. 189 (1896).
Centaurium Linn.
Hill, Veget. Syst. iv. t. 42 (1762).
*Regnault, Bot. ii. 124 (1774).
*Zorn, Ic. Pl. Med. iv. t. 320 (1782).
*Plantarum Indig. & Exot. Ic. ii [t. 69] (1789).
*Oskamp, Afb. Artseny-Gewass. ii. t. 136 (1796).
Lamarck, Ill. iv. t. 703, fig. 1 (1797–1819).—*Fl.*
*Roques, Pl. Usuell. Indig. & Exot. i. t. 33 (1807).
Ann. Mus. Hist. Nat. Paris, xvi. 135 (1810).—*Fr.*
*Chaumeton, Fl. Méd. ii. t. 106 (1815).
*Vietz, Ic. Pl. Med.-oec.-techn. v. t. 394 (1817).
*Jaume St.-Hilaire, Fl. & Pom. Franç. iii. t. 241 (1830).
*Cassone, Fl. Med.-Farm. iv. t. 309 (1850).
*Argenta, Album Fl. Med.-Farm. ii. t. 172 (1863).
Fiori & Paol. Ic. Fl. Ital. 447 (1904).
centauroides Linn.
*Kniphof, Herb. Viv. i. t. 225 (1758).
Hill, Veget. Syst. iv. t. 28 (1762).
Fiori & Paol. Ic. Fl. Ital. 446 (1904).
cephalariifolia Willk.
*Willkomm, Ill. Fl. Hispan. Balear. ii. t. 172 (1892).
ceratophylla Ten.
*Tenore, Fl. Nap., Atlas, ii. t. 85 (1811–38).
Chaubardi Reichb. f.
Reichenbach, Ic. Fl. Germ. xv. t. 781 (1852).
cheiranthifolia Willd.
Willdenow, Phytogr. t. 7 (1794).
chiliensis Bertol.
Colla in Mem. Accad. Sc. Torino, xxxviii. 42 t. 22 (1835).

CENTAUREA
chrysolepis Vis.
Visiani, Pl. Serb. Pempt. (Mem. Istit. Veneto, ix), t. 3 (1860).
cichoracea Linn.
Hill, Veget. Syst. iv. t. 24 (1762).
Cineraria Linn.
Hill, Veget. Syst. iv. t. 31 (1762).
*Jacquin, Hort. Vind. i. t. 92 (1770).
Reichenbach, Ic. Fl. Germ. xv. t. 772 (1852).
Cesati, Passer. & Gibelli, Comp. Fl. Ital. t. 78 (1867–86).—*Fl.*
Gartenfl. xxxvi. 471 (1887).
Nuov. Giorn. Bot. Ital. N. Ser. i. t. 7 (1894).
L. H. Bailey, Cycl. Amer. Hort. 273 (1900); Stand. Cycl. Hort. 711 (1914).—*Veg.*
Coste, Fl. France, ii. 393 (1903).
Fiori & Paol. Ic. Fl. Ital. 444 (1904).
Rev. Hort. 1907, p. 469.—*Hab.*
—— **busambarensis** Guss.
Fiori & Paol. Ic. Fl. Ital. 444 (1904).
—— **cinerea** Lam.
Fiori & Paol. Ic. Fl. Ital. 444 (1904).
—— **Circae** Somm.
Nuov. Giorn. Bot. Ital. N. Ser. i. t. 5, 6, 7 (1894).
—— **Friderici** Vis.
Fiori & Paol. Ic. Fl. Ital. 444 (1904).
—— **gymnocarpa** Moris & De Not.
Fiori & Paol. Ic. Fl. Ital. 444 (1904).
—— **Sirenium** Lacaita
Nuov. Giorn. Bot. Ital. N. Ser. xxii. t. 2 (1915).
—— **typica ascendens** Somm.
Nuov. Giorn. Bot. Ital. N. Ser. i. t. 4 (1894).
—— **Veneris** Somm.
Nuov. Giorn. Bot. Ital. N. Ser. i. t. 8 (1894).
cinerea Lam.
Reichenbach, Pl. Crit. x. t. 965 (1832).
Mutel, Fl. Française, t. 32 (1834).
Reichenbach, Ic. Fl. Germ. xv. t. 773 (1852).
*Cusin, Herb. Fl. Franç. xiii (Composées), t. 336 (1874).
cirrata Reichb.
Reichenbach, Pl. Crit. x. t. 964 (1832).
Mutel, Fl. Française, t. 32 (1834).
Reichenbach f., Ic. Fl. Germ. xv. t. 762 (1852).
Hayek in Denkschr. Akad. Wiss. Wien, lxx. t. 12, fig. 6 (1901).—*Fl.*
Clementei Boiss.
*Boissier, Voy. Bot. Espagne, i. t. 102, a (1839–45).
Gard. Month. & Hort. Meehan, xiii. 92 (1871); xx. 75 (1878).
Rev. Hort. Belge, iii. 113 (1877).—*Hab.*
W. Robinson, Engl. Fl. Gard. t. 62 (1883).—*Hab.*
Gartenfl. xxxvi. 528 (1887).
Lubbock, Seedlings, ii. 154 (1892).—*Veg.*
collina Linn.
Hill, Veget. Syst. iv. t. 28 (1762).
Ann. Mus. Hist. Nat. Paris, xvi. 135 (1810).—*Fr.*
*Jaume St.-Hilaire, Fl. & Pom. Franç. iii. t. 248 (1830).
*Sibthorp & Sm. Fl. Graeca, x. t. 914 (1840).
Reichenbach, Ic. Fl. Germ. xv. t. 790 (1852).
*Cusin, Herb. Fl. Franç. xiii (Composées), t. 351 (1874).
Acloque, Fl. France, 401 (1894).—*Fl.*
Coste, Fl. France, ii. 295 (1903).
Fiori & Paol. Ic. Fl. Ital. 446 (1904).
Cadevall & Sallent, Fl. Catalunya, iii. 381 (1917).
conifera Linn.
Hill, Veget. Syst. iv. t. 43 (1762).
Fiori & Paol. Ic. Fl. Ital. 442 (1904).
contracta Viv.
Viviani, Fl. Lib. Sp. t. 24, fig. 1 (1824).
Cosson, Ill. Fl. Atlant. ii. t. 138 (1893).
corbariensis Sennen
Bull. Soc. Bot. France, xlvii. 435 (1900).—*Fl.*
Rouy, Illustr. Pl. Eur. Rar. fasc. 16, t. 389 (1901).
Coste, Fl. France, ii. 392 (1903).
coriacea Waldst. & Kit.
*Waldst. & Kit. Pl. Rar. Hung. ii. t. 195 (1805).
Reichenbach, Ic. Fl. Germ. xv. t. 774 (1852).
Cornuti Reichb.
Reichenbach, Hort. Bot. t. 146 (1828) in ic.; *C. alpina cornuti* in textu.

CENTAUREA
corymbosa Pourr.
Jordan, Obs. v (Ann. Soc. Linn. Lyon 1847), t. 4 (1847).—*Fl.*
Reichenbach, Ic. Fl. Germ. xv. t. 788 (1852).
*Cusin, Herb. Fl. Franç. xiii (Composées), t. 342 (1874).
Rouy, Illustr. Pl. Eur. Rar. fasc. 7, t. 161 (1896).
Coste, Fl. France, ii. 394 (1903).
Costae Willk.
Rouy, Illustr. Pl. Eur. Rar. fasc. 15, t. 364 (1901).
Cadevall & Sallent, Fl. Catalunya, iii. 368 (1917).
crassifolia Bertol.
Fiori & Paol. Ic. Fl. Ital. 447 (1904).
*Bot. Mag. cxxxix. t. 8508 (1913).
cretica Nym.
Ann. Mus. Hist. Nat. Paris, xvi. 135 (1810).—*Fr.*
Holmboe, Veg. Cyprus, 189 (1914).
cristata Bartl.
Reichenbach, Ic. Fl. Germ. xv. t. 777 (1852); t. 886 (1853).
Willkomm, Führ. Reich Pflanzen, 402 (1882).—*Fr.*
Hayek in Denkschr. Akad. Wiss. Wien, lxx. t. 8, fig. 14 (1901).—*Fl.*
—— **spinosociliata** Reichb. f.
Reichenbach, Ic. Fl. Germ. xv. t. 886 (1853).
crithmifolia Vis.
Reichenbach, Ic. Fl. Germ. xv. t. 786 (1852).
*Visiani, Fl. Dalmat. Suppl. (Mem. Istit. Veneto, xvi), t. 5 (1872).
Pályi in Pótfüz. Természett. a Közl. (Journ. Nat. Sc.), xxx. 120 (1898).—*Fr.*
Hayek in Denkschr. Akad. Wiss. Wien, lxx. t. 6, fig. 9 (1901).—*Fl.*
croatica Wagn. & Deg.
Magyar Bot. Lap. viii. t. 4, fig. 2 (1909).
Wagner, Centaureae Hungariae, Math. és Term. Tud. Közl. (Math. & Nat. Sc. Communic.), xxx. No. 6, p. 79 (1910).—*Fl.*
crocodylium Linn.
Hill, Veget. Syst. iv. t. 19 (1762).
*Schkuhr, Bot. Handb. Ed. 2, t. 261 (1808).—*Fr.*
Ann. Mus. Hist. Nat. Paris, xvi. 135 (1810).—*Fr.*
*J.W. Loudon, Ladies' Fl.-Gard. Ornam. Annuals, t. 33 (1844).
×**Cruchetii** Beauverd & Besse
Bull. Soc. Bot. Genève, Ser. II. iv. 442 (1912).
crupina Linn.
*Kniphof, Herb. Viv. i. t. 222 (1758).
Hill, Veget. Syst. iv. t. 41 (1762).
C. K. Sprengel, Entd. Geheimn. Natur, t. 20, fig. 54 (1793).—*Fr.*
*Schkuhr, Bot. Handb. Ed. 2, t. 261 (1808).—*Fr.*
Ann. Mus. Hist. Nat. Paris, xvi. 135 (1810).—*Fr.*
*Sibthorp & Sm. Fl. Graeca, ix. t. 900 (1837).
Meigen, Deutschl. Fl. iii. t. 132 (1842).—*Fl.*
crupinoides Desf.
Ann. Mus. Hist. Nat. Paris, xvi. 135 (1810).—*Fr.*
Csatói Borb.
Hayek in Denkschr. Akad. Wiss. Wien, lxx. t. 4, fig. 5 (1901).—*Fl.*
Wagner, Centaureae Hungariae, Math. és Term. Tud. Közl. (Math. & Nat. Sc. Communic.), xxx. No. 6, t. 1, fig. 7 (1910).
cuneifolia Sibth.
*Sibthorp & Sm. Fl. Graeca, x. t. 901 (1840).
cuspidata Vis.
Visiani, Fl. Dalmat. ii. t. 12 (1847).
Reichenbach f., Ic. Fl. Germ. xv. t. 767 (1852).
Hayek in Denkschr. Akad. Wiss. Wien, lxx. t. 2, fig. 11 (1901).—*Fl.*
Cyanus Linn.
*Kniphof, Herb. Viv. i. t. 220 (1758).
Hill, Veget. Syst. iv. t. 26 (1762).
*Regnault, Bot. ii. 122 (1774).
Buchoz, Hist. Règne Vég. x. Dec. 8, t. 8 (1775).
*Curtis, Fl. Londin. ii. fasc. VI. t. 62 (1777); Ed. 2, iii. fasc. VI. t. 62 (1826).
*Gleichen, Entdeckungen, t. 17, 18 (1777); fide Ed. Walcott, Fl. Brit. Indig. [t. 138] (1778).
*Zorn, Ic. Pl. Med. v. t. 433 (1784).
*Joh. Kerner, Abbild. Oek. Pfl. (Fig. Pl. Écon.), ii. t. 129 (1788).
Hoppe, Ect. Pl. Ratisb. t. 424 (1789).
*Fl. Dan. vi. t. 993 (1790).
*Baylis, Bot. Phys. t. 15, p. 157 (1791).

CENTAUREA
Cyanus
*Martyn, Fl. Rustica, iv. t. 111 (1792).
C. K. Sprengel, Entd. Geheimn. Natur, t. 20, fig. 47–49, 53–55; t. 21, fig. 2, 3 (1793).—*Fl.*
Usteri, Ann. Bot. ix. t. 2 (1794).—*Fl.*
*Sowerby & Sm. Engl. Bot. iv. t. 277 (1795).
*Oskamp, Afb. Artseny-Gewass. ii. t. 137 (1796).
Lamarck, Ill. iv. t. 703, fig. 3 (1797–1819).—*Fl.*
*Sturm, Deutschl. Fl. i. IV [t. 61] (1798).
*Svensk Bot. i. t. 52 (1802).
*Plenck, Ic. Pl. Med. vii. t. 635 (1803).
Rousseau, Bot. t. 37 (1805).
*Roques, Pl. Usuell. Indig. & Exot. i. t. 25 (1807).
Ann. Mus. Hist. Nat. Paris, xvi. 135 (1810).—*Fr.*
*A. & F. Plée, Herbor. Paris, t. 51 (1811).
*Schrank, Fl. Monac. ii. t. 130 (1814).
*Vietz, Ic. Pl. Med.-oec.-techn. v. t. 395 (1817).
*Hayne, Getreue Darst. Arzn. Gewächse, vii. t. 32 (1821).
*Kops, Fl. Batava, v. t. 325 (1828).
*Baxter, Brit. Bot. Ed. 2, i. t. 35 (1834).
*Zenker, Fl. Thüringen, i. t. 2 (1836–55).
*Dietrich, Fl. Boruss. viii. t. 547 (1840).
[M. E.] Jackson, Pict. Fl. fig. 1255 (1840).
Meigen, Deutschl. Fl. iii. t. 132 (1842).—*Fl.*
Schnizlein, Iconogr. ii. t. 120 a (1843–70).—*Fl.*
*J.W. Loudon, Ladies' Fl.-Gard. Ornam. Annuals, t. 33 (1844).
*Plée, Types chq. Famille Pl. France, t. 158 (1844–64).
Cosson & Germ. Fl. Paris, Atlas, t. 25 (1845).—*Fl.*
Lindley, Veg. Kingd. 702 (1846).—*Fl.*
*Deakin, Florigr. Brit. iii. fig. 1315 (1847).
*Lorek, Fl. Pruss. Ed. 3, t. 203, fig. 1075 (1848).
*Petermann, Deutschl. Fl. t. 51, fig. 401 (1849).—*Fl.*
*Cassone, Fl. Med.-Farm. iv. t. 314 (1850).
Reichenbach, Ic. Fl. Germ. xv. t. 768 (1852).
G. Johnston, Bot. Eastern Borders, t. 6 (1853).—*Fr.*
Johnson & Sowerby, Brit. Wild Fl. fig. 758 (1858–60).
Nees, Gen. Pl. fasc. xxxi. t. 17 (1860).
Steiger, Fl. Kantons Luzern, Rigi & Pilatus, 434 (1860).—*Fl.*
Berg, Charakt. t. 49, fig. 379, A–P (1861).
*Argenta, Album Fl. Med.-Farm. ii. t. 171 (1863).
*Hogg & Johnson, Wild Fl. Gr. Brit. i. t. 24 (1863).
Bentham, Handb. Brit. Fl. fig. 566 (1865).
Heer, Pfl. Pfahlbauten, tab. fig. 37 (1865).—*Fr.*
*Schubert, Naturg., Pflanzenreich, Ed. 2, t. 4, fig. 8 [1865].
*Syme, Engl. Bot. v. t. 709 (1866).
*Hulme, Plant Form. t. 8 (1868).
Jourdan, Fl. Vichy, 241 (1872).
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, iii. t. 118 [1873].
*Cusin, Herb. Fl. Franç. xiii (Composées), t. 335 (1874).
Nobbe, Handb. Samenkunde, 37, 350 (1876).—*Fr.*
Baillon, Dict. Bot. i. 432, 692 (1877).—*Fl.*
De Silvestri, Piante Prat. 256 (1879).
*Hulme & Hibberd, Familiar Gard. Fl. iii. 117 [1879–87].
*Lesacher & Mareschal, Nouv. Bot. Méd. iii [t. 22] (1880).
Gartenfl. xxix. 267 (1880); xxxviii. 641 (1889).
Karsten, Deutsche Fl. Pharm.-medic. Bot. 1124 (1880–83).—*Fl.*
Staub in Természett. Közl. (Journ. Nat. Sc.), xiii. 206 (1881).—*Fl.*
*C. Hoffmann, Pflanzenatlas, t. 68, fig. 426 (1881).
Pharm. Journ. Ser. III. xii. 138 (1881).—*Fr.*
Wagner, Ill. Deutsche Fl. Ed. 2, p. 444 (1882).
Willkomm, Führ. Reich Pflanzen, 398 (1882).—*Fl.*
W. Robinson, Engl. Fl. Gard. t. 62 (1883).
Nicholson, Illustr. Dict. Gard. i. 291 [1884–88].
*Baillon, Ic. Fl. Franç. i. t. 74 [1885–94].
Gerardin, Herb. t. 9 (1888).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xxx. t. 3163 (1888).
Pflanzenfam. iv. v. 102, 112, 328 (1889).—*Fl.*

CENTAUREA
Cyanus
Potonié, Ill. Fl. Nord- u. Mittel-Deutschl. Ed. 4, fig. 581 (1889).
Stebler & Schroeter, Best Forage Pl. 64 (1889).—*Fr.*
*Thomé, Fl. Deutschl. iv. t. 595 (1889).
Kerner, Pflanzenleben, ii. 180 (1891).—*Fl.*
*Hulme, Familiar Wild Fl. (5 vol. Ed.), iv. 49 (1892); (Pop. Ed.), v. 149 [1897?].
*Leclerc du Sablon, Nos Fleurs, 25, t. 4 [1892].
Bot. Jaarb. Gent, v. 399 (1893).—*Fl.*
G. Beck, Fl. Nied.-Oesterr. ii. 11. 1158 (1893).—*Fl.*
*Masclef, Atlas Pl. France, t. 163 (1893).
Acloque, Fl. France, 401 (1894).
*Siélain, Atlas Poche Pl. Champs, Prair. & Bois, t. 67 [1894].
Brehm, Merv. Nat. Monde des Pl. i. 105; ii. 147, 163, 166 (1894–96) in ic.; *Cynara Scolymus* in textu.
Garcke, Ill. Fl. Deutschl. 344 (1895).
*Step, Wayside & Woodl. Bloss. t. 67 (1895).
Karsten, Fl. Deutschl. ii. 703 (1895).
Kerner & Oliv. Nat. Hist. Pl. ii. 184 (1895).—*Fl.*
Edmonds & Marloth, Elem. Bot. S. Africa, 156 (1897).—*Fl.*
Knuth, Handb. Blütenbiol. ii. 1. 657 (1898).—*Fl.*
Britton & Brown, Ill. Fl. N. States & Canada, iii. 491 (1898); Ed. 2, iii. 557 (1913).
L. H. Bailey, Cycl. Amer. Hort. 274 (1900); Stand. Cycl. Hort. 712 (1914).
Schinz & Keller, Fl. Schweiz, 512 (1900).—*Fl.*
*Villard, Fleurs, t. 32 (1900).
Hayek in Denkschr. Akad. Wiss. Wien, lxx. t. 6, fig. 4 (1901).—*Fl.*
Lindman, Bild. Nord. Fl. t. 7 (1901–5).
Flora, xci. t. 16, fig. 4 (1902).—*Veg.*
C. T. Green, Fl. Liverpool Distr. fig. 356 (1902).
Warming, Handb. Syst. Bot. Ed. Möbius, 440, 441 (1902).—*Fl.*
Bull. Arboricult. Belg. 1903, p. 123.
Coste, Fl. France, ii. 388 (1903).
Losch, Kräuterb. 168 (1903).
Fiori & Paol. Ic. Fl. Ital. 443 (1904).
U.S. Dep. Agric. Farm. Bull. No. 195, p. 29 (1904).
Blytt, Haandb. Norg. Fl. Ed. Dahl, 715 (1906).
Journ. Board Agric. xii. 718 (1906).—*Fr.*
Selby in Bull. Ohio Agric. St. No. 175, t. 5 (1906).—*Fr.*
*Sturm, Fl. Deutschl. Ed. 2, xiv. t. 26 (1906).
Lazaro, Comp. Fl. Españ. ii. 678 (1907).
Gregory in Bull. Iowa Agric. St. No. 99, p. 11 (1908).—*Fr.*
Ulbrich in Verh. Bot. Ver. Brandenb. xlix. 220 (1908).—*Fr.*
Fitzgerald in Nature Book, vi. 986 (1909).
Beille, Bot. Pharm. ii. 1146 (1909).
Fedtschenko & Fler. Fl. Eur. Russia, 1026 (1910).
Heukels, Fl. Nederl. iii. 437 (1910).
Long, Common Weeds Farm & Garden, t. 2 (1910).—*Fr.*
*Milner, Life Oberammergau, t. 19 (1910).
Scient. Proc. Roy. Dublin Soc. N. Ser. xii. t. 23 (1910).—*Fr.*
Suireishchikov, Ill. Fl. Mosc. Gov. iii. 315 (1910).
Wettstein, Handb. Syst. Bot. Ed. 2, p. 774 (1911).—*Fl.*
*Correvon, Fl. Champs & Bois, t. 55 (1911).
Bull. Angew. Bot. v. t. 70 (1912); vii. t. 112, 114, 115 (1914).
*Creevey, Harper's Guide Wild Flowers, 368, tab. (1912).
*Pokorny-Schoenichen, Pflanzenkunde, t. 33, fig. 1 (1912).
Morton in Mitt. Nat. Ver. Univ. Wien, x. t. 1, fig. 15 (1912).—*Fr.*
Gatin, Fl. des Bois, 67, fig. 30 (1913).—*Fl.*
*Klein, Unsere Unkräuter, t. 5 (1913).
Pammel in Iowa Geol. Surv. Bull. No. 4, p. 497, 688 (1913).—*Fr.*
*Gadeceau, Fl. Moiss. t. 5 (1914).
*Perrin & Boulger, Brit. Flower. Pl. iv. t. 295, 300 [E], fig. 1–8 (1914).

CENTAUREA
Cyanus
Journ. Soc. Hort. France, Ser. IV. xvi. 13 (1915).—*Hab.*
Palmer in Proc. Iowa Acad. Sc. xxiii. t. 11 (1916).—*Fr.*
*Bonnier, Name This Flower, t. 30 (1917).
Cadevall & Sallent, Fl. Catalunya, iii. 370 (1917).
Lindman, Svensk Fanerogamfl. 519 (1918).—*Fl.*
Board Agric. & Fish. Leaflet No. 184, p. 3 (1918).—*Fr.*
Fitch & Smith, Ill. Brit. Fl. Ed. rev. 4, Iss. 2, fig. 574 (1919).
*Horwood, Brit. Wild Fl. ii. t. 11, p. 137 (1919).
Krafft & Fruwirth, Pflanzenb. 30 (1920).—*Fr.*
Bornemann, Landwirthsch. Unkräuter, fig. 33 (1920).
—— **nana compacta** Hort.
Gartenfl. xliv. 150 (1895).—*Hab.*
—— **Victoria** Hort.
Wien. Ill. Gart.-Zeit. xxiv. 435 (1899).—*Hab.*
cylindrocarpa Reichb. f.
Reichenbach, Ic. Fl. Germ. xv. t. 781 (1852).
Czetzii Wagn. & Budai
Magyar Bot. Lap. x. t. 3, fig. 2 (1911).
dalmatica Kern.
Hayek in Denkschr. Akad. Wiss. Wien, lxx. t. 9, fig. 2 (1901).—*Fl.*
dealbata Willd.
*Sprengel, Anleit. Kenntn. Gewächse, Ed. 2, ii. t. 12, fig. 3 (1818).—*Fl.*
*M. v. Bieberstein, Cent. Pl. Rar. ii. t. 53 (1832).
Nov. Act. Acad. Nat. Cur. xxxv. Art. IV. t. 6 (1869).—*Fl.*
Nicholson, Illustr. Dict. Gard. i. 291 [1884–88].—*Hab.*
Pflanzenfam. iv. v. 109 (1889).—*Fl.*
Journ. Hort. Ser. III. xlvi. 515 (1903).
*A Kert (The Garden), xv. 1 (1909).
Debeauxii Godr. & Gren.
Reichenbach, Ic. Fl. Germ. xv. t. 759 (1852).
decipiens Thuill.
Reichenbach, Pl. Crit. x. t. 985 (1832).
Reichenbach, Ic. Fl. Germ. xv. t. 759 (1852).
*Fl. Dan. xvi. t. 2736 (1867).
*Cusin, Herb. Fl. Franç. xiii (Composées), t. 320 (1874).
Degeniana Wagn.
Wagner, Centaureae Hungariae, Math. és Term. Tud. Közl. (Math. & Nat. Sc. Communic.), xxx. No. 6, t. 3, fig. 5 (1910).
depressa M. Bieb.
*Bot. Mag. lxv. t. 3662 (1838).
Lojacono-Pojero, Fl. Sic. ii. 1. t. 18 (1902).
Fedtschenko & Fler. Fl. Eur. Russia, 1027 (1910).—*Fl.*
derventana Vis. & Panč.
Visiani & Pančić, Pl. Serb. (Mem. Istit. Veneto, xii), ii. t. 13 (1866).
deusta Ten.
*Tenore, Fl. Nap., Atlas, ii. t. 84 (1811–38).
Hayek in Denkschr. Akad. Wiss. Wien, lxx. t. 9, fig. 5 (1901).—*Fl.*
—— **nobilis** Groves
Nuov. Giorn. Bot. Ital. xix. t. 4 (1887).
—— **tenacissima** Groves
Nuov. Giorn. Bot. Ital. xix. t. 3 (1887).
deustiformis Adamov.
Adamović in Denkschr. Akad. Wiss. Wien, lxxiv. t. 5, fig. 13–24 (1904).
×**dévensis** Wagn.
Wagner, Centaureae Hungariae, Math. és Term. Tud. Közl. (Math. & Nat. Sc. Communic.), xxx. No. 6, t. 5, fig. 5 (1910).
dichroantha Kern.
Hayek in Denkschr. Akad. Wiss. Wien, lxx. t. 2, fig. 5 (1901).—*Fl.*
diffusa Lam.
*Cusin, Herb. Fl. Franç. xiii (Composées), t. 350 (1874).
Hayek in Denkschr. Akad. Wiss. Wien, lxx. t. 8, fig. 7 (1901).—*Fl.*
Coste, Fl. France, ii. 395 (1903).
Fiori & Paol. Ic. Fl. Ital. 445 (1904).
Fedtschenko & Fler. Fl. Eur. Russia, 1029 (1910).—*Fl.*

CENTAUREA
diffusa
Heukels, Fl. Nederl. iii. 439 (1910).
Magyar Bot. Lap. xvii. 72 (1918).
diluta Ait.
*Willkomm, Ill. Fl. Hispan. Balear. ii. t. 103 (1886).
diomedaea Gasp.
Rouy, Illustr. Pl. Eur. Rar. fasc. 19, t. 463 (1904).
dissecta Hill
Hill, Veget. Syst. iv. t. 30 (1762).
dissecta Ten.
Reichenbach, Ic. Fl. Germ. xv. t. 787 (1852).
Fiori & Paol. Ic. Fl. Ital. 444 (1904).
—— **ilvensis** Somm.
Fiori & Paol. Ic. Fl. Ital. 444 (1904).—*Fl.*
—— **intermedia** Fiori & Paol.
Fiori & Paol. Ic. Fl. Ital. 444 (1904).—*Fl.*
—— **maritima** Lac.
Fiori & Paol. Ic. Fl. Ital. 444 (1904).—*Fl.*
—— **nigra** Fiori & Paol.
Fiori & Paol. Ic. Fl. Ital. 444 (1904).
—— **Parlatorii** Heldr.
Fiori & Paol. Ic. Fl. Ital. 444 (1904).—*Fl.*
—— **virescens** Ten.
Fiori & Paol. Ic. Fl. Ital. 444 (1904).—*Fl.*
divergens Vis.
Visiani, Fl. Dalmat. ii. t. 41 (1847).
Reichenbach, Ic. Fl. Germ. xv. t. 782 (1852).
Hayek in Denkschr. Akad. Wiss. Wien, lxx. t. 9, fig. 3 (1901).—*Fl.*
Donatiana Sennen
Rouy, Illustr. Pl. Eur. Rar. fasc. 18, t. 438 (1903).
drabifolia Sibth.
*Sibthorp & Sm. Fl. Graeca, x. t. 910 (1840).
dracunculifolia Duf.
Reichenbach, Ic. Fl. Germ. xv. t. 755 (1852).
dubia Suter
Hayek in Denkschr. Akad. Wiss. Wien, lxx. t. 10, fig. 12 (1901).—*Fl.*
Durieui Lojac.-Poj.
Lojacono-Pojero, Fl. Sic. ii. 1. t. 18 (1902).
elatior Hayek
Hayek in Denkschr. Akad. Wiss. Wien, lxx. t. 11, fig. 7 (1901).—*Fl.*
Bull. Acad. Pétersb. Ser. VI. i. 1. 356 (1907).—*Fl.*
elegans All.
Allioni, Fl. Pedem. iii. t. 49, fig. 1 (1785).
emigrantis Bubani
Cadevall & Sallent, Fl. Catalunya, iii. 373 (1917).
eriophora Linn.
*Kniphof, Herb. Viv. i. t. 221 (1758).
Hill, Veget. Syst. iv. t. 44 (1762).
Lamarck, Ill. iv. t. 703, fig. 4 (1797–1819).
Ann. Mus. Hist. Nat. Paris, xvi. 135 (1810).—*Fr.*
Wien. Ill. Gart.-Zeit. xxv. 19 (1900).—*Hab.*
erucifolia Linn.
Hill, Veget. Syst. iv. t. 41 (1762).
eryngioides Lam.
*Sibthorp & Sm. Fl. Graeca, x. t. 913 (1840).
extranea, G. Beck
Hayek in Denkschr. Akad. Wiss. Wien, lxx. t. 10, fig. 9 (1901).—*Fl.*
×**Fabrei** Bonnet
Rouy, Illustr. Pl. Eur. Rar. fasc. 10, t. 238 (1898).
Fenzlii Reichardt
Rev. Hort. 1868, p. 366.—*Hab.*
*Bot. Mag. civ. t. 6392 (1878).
Gartenfl. xxxvi. 471 (1887).
Ferdinandi Gren.
Reichenbach, Ic. Fl. Germ. xv. t. 765 (1852).
*Cusin, Herb. Fl. Franç. xiii (Composées), t. 327 (1874).
ferox Desf.
Desfontaines, Fl. Atlant. ii. t. 242 (1798).
ferulacea Martelli
Nuov. Giorn. Bot. Ital. N. Ser. iii. t. 6 (1896).
filaginoides Lojac.-Poj.
Lojacono-Pojero, Fl. Sic. ii. 1. t. 17 (1902).
×**Filarszkyi** Gugler
Ann. Hist.-Nat. Mus. Nat. Hung. vi. t. 1 (1908).
filiformis Viv.
Moris, Fl. Sard. t. 86 (1840–43).
Rouy, Illustr. Pl. Eur. Rar. fasc. 8, t. 188 (1896).
Fiori & Paol. Ic. Fl. Ital. 443 (1904).
Fischeri Willd.
*Willdenow, Hort. Berol. ii. t. 97 (1816).

CENTAUREA
Fleischeri Hayek
Hayek in Denkschr. Akad. Wiss. Wien, lxx. t. 10, fig. 4 (1901).—*Fl.*
flosculosa Balb.
Reichenbach, Pl. Crit. iv. t. 362 (1826).
Reichenbach, Ic. Fl. Germ. xv. t. 764 (1852).
Fontanesii Spach
Ann. Soc. Linn. Dépt. Maine & Loire, Angers, ix. 223 (1867).—*Fl.*
fragilis Dur.
*Cosson & Durieu, Expl. Scient. Algér. 1840–42, Bot. Atlas, t. 54 (1850).
×**Frayana** Boissieu
Bull. Soc. Bot. France, l. t. 7 (1903).
Fraylensis Sch.-Bip.
Rouy, Illustr. Pl. Eur. Rar. fasc. 9, t. 209 (1898).
Friderici Vis.
Visiani, Fl. Dalmat. ii. t. 48 (1847).
Reichenbach, Ic. Fl. Germ. xv. t. 776 (1852).
Hayek in Denkschr. Akad. Wiss. Wien, lxx. t. 6, fig. 8 (1901).—*Fl.*
Fritschii Hayek
Hayek in Denkschr. Akad. Wiss. Wien, lxx. t. 2, fig. 9 (1901).—*Fl.*
fruticosa Linn.
Hill, Veget. Syst. iv. t. 38 (1762).
furfuracea Cosson & Dur.
Cosson, Ill. Fl. Atlant. ii. t. 140 (1893).
fuscata Desf.
Desfontaines, Fl. Atlant. ii. t. 244 (1798).
galactites Linn.
Hill, Veget. Syst. iv. t. 23 (1762).
Cavanilles, Ic. iii. t. 231 (1794).
*Schkuhr, Bot. Handb. Ed. 2, t. 261 (1808).—*Fr.*
*Sibthorp & Sm. Fl. Graeca, x. t. 919 (1840).
gigantea Sch.-Bip.
Tribune Hort. viii. t. 363 (1915).
glaberrima Tausch
Hayek in Denkschr. Akad. Wiss. Wien, lxx. t. 8, fig. 12 (1901).—*Fl.*
glastifolia Linn.
*Kniphof, Herb. Viv. i. t. 226 (1758).
Hill, Veget. Syst. iv. t. 43 (1762).
*Bot. Mag. ii. t. 62 (1788).
Ann. Mus. Hist. Nat. Paris, xvi. 135 (1810).—*Fr.*
Fedtschenko & Fler. Fl. Eur. Russia, 1019 (1910). —*Fl.*
glomerata Vahl
Cosson, Ill. Fl. Atlant. ii. t. 138 (1893).—*Fl.*
Goetzeana O. Hoffm.
Engl. Jahrb. xxx. t. 19 (1901).
Grafiana DC.
Reichenbach, Ic. Fl. Germ. xv. t. 791 (1852).
granatensis Boiss.
*Boissier, Voy. Bot. Espagne, i. t. 104 (1839–45).
×**Gugleri** Wagn.
Wagner, Centaureae Hungariae, Math. és Term. Tud. Közl. (Math. & Nat. Sc. Communic.), xxx. No. 6, t. 4, fig. 2 (1910).
gymnocarpa Moris
Moris & De Notaris in Mem. Accad. Sc. Torino, Ser. II. ii. t. 2 (1840).
*Belg. Hort. xviii. 322 (1868).
L. H. Bailey, Cycl. Amer. Hort. 273 (1900); Stand. Cycl. Hort. 711 (1914).—*Veg.*
Hanrii Jord.
Jordan, Obs. v (Ann. Soc. Linn. Lyon, 1847), t. 4 (1847).
*Cusin, Herb. Fl. Franç. xiii (Composées), t. 345 (1874).
Coste, Fl. France, ii. 394 (1903).
Cadevall & Sallent, Fl. Catalunya, iii. 378 (1917).
Hausmannii Hayek
Hayek in Denkschr. Akad. Wiss. Wien, lxx. t. 10, fig. 11 (1901).—*Fl.*
Haynaldii Borb.
Hayek in Denkschr. Akad. Wiss. Wien, lxx. t. 7, fig. 4 (1901).—*Fl.*
Wagner, Centaureae Hungariae, Math. és Term. Tud. Közl. (Math. & Nat. Sc. Communic.), xxx. No. 6, p. 11, fig. 2; p. 118, fig. 4 (1910).—*Fl.*
Heldreichii Halác.
Halácsy, Bot. Ergebn. Griechenl. ii (Denkschr. Akad. Wiss. Wien, lxi), t. 2, fig. 1–5 (1894).
Rouy, Illustr. Pl. Eur. Rar. fasc. 19, t. 462 (1904).

CENTAUREA
×**hemiptera** Borb.
Hayek in Denkschr. Akad. Wiss. Wien, lxx. t. 2, fig. 4 (1901).—*Fl.*
Rouy, Illustr. Pl. Eur. Rar. fasc. 20, t. 493 (1905).
Wagner, Centaureae Hungariae, Math. és Term. Tud. Közl. (Math. & Nat. Sc. Communic.), xxx. No. 6, t. 1, fig. 1 (1910).
×**Herbichii** Janka
Wagner, Centaureae Hungariae, Math. és Term. Tud. Közl. (Math. & Nat. Sc. Communic.), xxx. No. 6, t. 1, fig. 2 (1910).
Herminii Rouy
Rouy, Illustr. Pl. Eur. Rar. fasc. 13, t. 318 (1900).
Heuffelii Reichb. f.
Reichenbach, Ic. Fl. Germ. xv. t. 801 (1852).
horrida Badaro
Moris, Fl. Sard. t. 85 (1840–43).
Reichenbach, Ic. Fl. Germ. xv. t. 788 (1852).
Fiori & Paol. Ic. Fl. Ital. 443 (1904).
×**hybrida** All.
De Candolle, Ic. Pl. Gall. t. 22 (1808).
Reichenbach, Ic. Fl. Germ. xv. t. 785 (1852).
Rouy, Illustr. Pl. Eur. Rar. fasc. 20, t. 492 (1905).
hypanica Paczoski
*Paczoski in Zap. Kievsk. Obshch. Est.-Ispuit. x. t. 8 (1889).
iberica Trev.
Reichenbach, Ic. Fl. Germ. xv. t. 798 (1852).
Hayek in Denkschr. Akad. Wiss. Wien, lxx. t. 1, fig. 4 (1901).—*Fl.*
Fiori & Paol. Ic. Fl. Ital. 448 (1904).
Immanuelis-Loewii Degen
Magyar Bot. Lap. xvi. tab. 1 (1917).
×**imperialis** Hort.
*Gartenwelt, iv. 270 (1900).
Rev. Hort. Belge, xxvi. 66 (1900).—*Fl.*
Horticulture (Boston), vi. 539 (1907).
incana Ten.
*Tenore, Fl. Nap., Atlas, v. t. 247 (1811–38).
Reichenbach, Ic. Fl. Germ. xv. t. 759 (1852).
incompta Vis.
Visiani, Fl. Dalmat. ii. t. 49 (1847).
Reichenbach, Ic. Fl. Germ. xv. t. 787 (1852).
Hayek in Denkschr. Akad. Wiss. Wien, lxx. t. 6, fig. 10 (1901).—*Fl.*
indurata Janka
Hayek in Denkschr. Akad. Wiss. Wien, lxx. t. 12, fig. 5 (1901).—*Fl.*
Magyar Bot. Lap. ii. t. 4 (1903).—*Fl.*
Wagner, Centaureae Hungariae, Math. és Term. Tud. Közl. (Math. & Nat. Sc. Communic.), xxx. No. 6, t. 6, fig. 1 (1910).
intercedens Hayek
Hayek in Denkschr. Akad. Wiss. Wien, lxx. t. 3, fig. 3 (1901).—*Fl.*
intybacea Lam.
*Cusin, Herb. Fl. Franç. xiii (Composées), t. 341 (1874).
Coste, Fl. France, ii. 393 (1903).
Fedtschenko & Fler. Fl. Eur. Russia, 1027 (1910). —*Fl.*
Cadevall & Sallent, Fl. Catalunya, iii. 375 (1917).
Isernii Willk.
Cadevall & Sallent, Fl. Catalunya, iii. 379 (1917).
Isnardi Linn.
Hill, Veget. Syst. iv. t. 33 (1762).
Ann. Mus. Hist. Nat. Paris, xvi. 135 (1810).—*Fr.*
*Sowerby & Sm. Engl. Bot. xxxii. t. 2256 (1811).
[M. E.] Jackson, Pict. Fl. fig. 1257 (1840).
*Deakin, Florigr. Brit. iii. fig. 1316 (1847).
Johnson & Sowerby, Brit. Wild Fl. fig. 760 (1858–60).
*Hogg & Johnson, Wild Fl. Gr. Brit. v. t. 325 (1869).
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, iii. t. 118 [1873].
Jacea Linn.
*Kniphof, Herb. Viv. i. t. 231 (1758).
Hill, Veget. Syst. iv. t. 38 (1762).
*Fl. Dan. iii. t. 519 (1770).
*Regnault, Bot. ii. 121 (1774).
Walcott, Fl. Brit. Indig. [t. 139] (1778).
Hoppe, Ect. Pl. Ratisb. t. 145 (1788).
Usteri, Ann. Bot. v. t. 6 (1793).—*Fl.*
*Sturm, Deutschl. Fl. i. iv. t. 62 (1798).

CENTAUREA
Jacea
*Kops, Fl. Batava, i. t. 59 (1800).
*Sowerby & Sm. Engl. Bot. xxiv. t. 1678 (1807).
*Schkuhr, Bot. Handb. Ed. 2, t. 261 (1808).—*Fr.*
Ann. Mus. Hist. Nat. Paris, xvi. 135 (1810).—*Fr.*
*Jaume St.-Hilaire, Fl. & Pom. Franç. iii. t. 242 (1830).
*Zenker, Fl. Thüringen, i. t. 70 (1836–55) in textu; *C. Scabiosa* in ic.
*Dietrich, Fl. Boruss. viii. t. 548 (1840).
[M. E.] Jackson, Pict. Fl. fig. 1253 (1840).
*Deakin, Florigr. Brit. iii. fig. 1313 (1847).
*Lorek, Fl. Pruss. Ed. 3, t. 202, fig. 1074 (1848).
*Cassone, Fl. Med.-Farm. iv. t. 313 (1850).
Reichenbach, Ic. Fl. Germ. xv. t. 754 (1852).
Payer, Organog. Comp. Fl. t. 134 (1857).—*Fl.*
Johnson & Sowerby, Brit. Wild Fl. fig. 756 (1858–60).
Berg, Charakt. t. 49, fig. 379, Q (1861).—*Fr.*
*Syme, Engl. Bot. v. t. 705 (1866).
Migout, Fl. Dépt. Allier, t. 11 (1866).—*Fr.*
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, iii. t. 118 [1873].
*Cusin, Herb. Fl. Franç. xiii (Composées), t. 314 (1874).
*Lesacher & Mareschal, Nouv. Bot. Méd. ii [t. 30] (1878).
De Silvestri, Piante Prat. 254 (1879).
Karsten, Deutsche Fl. Pharm.-medic. Bot. 1123 (1880–83).
Willkomm, Führ. Reich Pflanzen, 399 (1882).—*Fl.*
*Bicknell, Fl. Pl. Riviera, t. 32 (1885).
*Sterne, Herbst- & Winterblumen, t. 15, fig. b (1886).—*Hab.*
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xxx. t. 3156 (1888).
Pflanzenfam. iv. v. 112 (1889).—*Fl.*
*Thomé, Fl. Deutschl. iv. t. 594 (1889).
*Masclef, Atlas Pl. France, t. 164 (1893).
Acloque, Fl. France, 396 (1894).
Brehm, Merv. Nat. Mondedes Pl. ii. 165 (1894–96).
*Siélain, Atlas Poche Pl. Champs, Prair. & Bois, t. 56 [1894].
Karsten, Fl. Deutschl. ii. 701 (1895).
Britton & Brown, Ill. Fl. N. States & Canada, iii. 492 (1898); Ed. 2, iii. 557 (1913).
Bull. Soc. Bot. France, xlvii. 435 (1900).—*Fl.*
Hayek in Denkschr. Akad. Wiss. Wien, lxx. t. 9 (1901).—*Fl.*
Husnot, Prés & Herbag. t. 4 (1902).
Coste, Fl. France, ii. 390 (1903).
*Josef v. Oesterreich & Marg. v. Thurn und Taxis, Atlas Heilpfl. t. 40 (1903).
Fiori & Paol. Ic. Fl. Ital. 442 (1904).
Notizbl. Bot. Gart. Berlin, App. xvi. 64 (1905). —*Fl.*
Selby in Bull. Ohio Agric. St. No. 175, t. 5 (1906). —*Fr.*
*Sturm, Fl. Deutschl. Ed. 2, xiv. t. 22 (1906).
Bull. Acad. Pétersb. Ser. VI. i. 1. 357 (1907).—*Fl.*
Fedtschenko & Fler. Fl. Eur. Russia, 1022 (1910).
Heukels, Fl. Nederl. iii. 434 (1910).
*Milner, Life Oberammergau, t. 46 (1910).
Suireishchikov, Ill. Fl. Mosc. Gov. iii. 311 (1910).
Wagner, Centaureae Hungariae, Math. és Term. Tud. Közl. (Math. & Nat. Sc. Communic.), xxx. No. 6, p. 118, fig. 6 (1910).—*Fl.*
*Correvon, Fl. Champs & Bois, t. 67 (1911).
*Creevey, Harper's Guide Wild Flowers, 368, tab. (1912).
Neger, Biol. Pflanz. 633 (1913).—*Fl.*
*Perrin & Boulger, Brit. Flower. Pl. iv. t. 294 (1914).
*Bonnier, Name This Flower, t. 30 (1917).
Cadevall & Sallent, Fl. Catalunya, iii. 368 (1917).
Lindman, Svensk Fanerogamfl. 519, 551 (1918). —*Fl.*
Mayevsky, Fl. Central Russia, 327 (1918).
—— **crispo-fimbriata** Koch
Reichenbach, Ic. Fl. Germ. xv. t. 755 (1852).
—— **cuculigera** Reichb.
Reichenbach, Pl. Crit. x. t. 962 (1832).
Reichenbach, Ic. Fl. Germ. xv. t. 754 (1852).
—— **genuina** Koch
Fedtschenko & Fler. Fl. Eur. Russia, 1023 (1910). —*Fl.*

CENTAUREA
Jacea lacera Koch
Fedtschenko & Fler. Fl. Eur. Russia, 1023 (1910). —*Fl.*
—— **neapolitana** Boiss.
Fiori & Paol. Ic. Fl. Ital. 442 (1904).—*Fl.*
—— **nigra** Linn.
Fiori & Paol. Ic. Fl. Ital. 442 (1904).
—— **pratensis** Thuill.
Fiori & Paol. Ic. Fl. Ital. 442 (1904).—*Fl.*
—— **serotina** Bor.
Bull. Soc. Hist. Nat. Autun, xiii. 11. t. 3 (1900).
—— **transalpina** Schleich.
Fiori & Paol. Ic. Fl. Ital. 442 (1904).—*Fl.*
—— **vochinensis** Bernh.
Fiori & Paol. Ic. Fl. Ital. 442 (1904).
—— **vulgaris** Koch
Reichenbach, Ic. Fl. Germ. xv. t. 755 (1852).
Jankaeana Simk.
Wagner, Centaureae Hungariae, Math. és Term. Tud. Közl. (Math. & Nat. Sc. Communic.), xxx. No. 6, t. 2, fig. 3 (1910).
×**Javorkae** Budai & Wagn.
Magyar Bot. Lap. xv. t. 5, fig. 11, 1, 2 (1916).
Jordiniana Gren. & Godr.
*Cusin, Herb. Fl. Franç. xiii (Composées), t. 323 (1874).
Coste, Fl. France, ii. 392 (1903).
Cadevall & Sallent, Fl. Catalunya, iii. 374 (1917).
Kartschiana Scop.
Scopoli, Fl. Carn. Ed. 2, ii. t. 55 (1772).
Reichenbach, Pl. Crit. ix. t. 811 (1831).
Reichenbach, Ic. Fl. Germ. xv. t. 777 (1852); t. 886 (1853).
Hayek in Denkschr. Akad. Wiss. Wien, lxx. t. 9, fig. 1 (1901).—*Fl.*
Kerneriana Janka
Rouy, Illustr. Pl. Eur. Rar. fasc. 4, t. 86 (1895).
×**Kleiniana** Wagn.
Wagner, Centaureae Hungariae, Math. és Term. Tud. Közl. (Math. & Nat. Sc. Communic.), xxx. No. 6, t. 6, fig. 2 (1910).
Košaninii Hayek
Hayek in Denkschr. Akad. Wiss. Wien, xciv. t. 4, fig. 2 (1918).
Kotschyana Heuff.
Reichenbach, Ic. Fl. Germ. xv. t. 775, 801 (1852).
*Cusin, Herb. Fl. Franç. xiii (Composées), t. 339 (1874).
Hayek in Denkschr. Akad. Wiss. Wien, lxx. t. 5, fig. 1 (1901).—*Fl.*
Wagner, Centaureae Hungariae, Math. és Term. Tud. Közl. (Math. & Nat. Sc. Communic.), xxx. No. 6, p. 91 (1910).—*Fl.*
Goebel, Organogr. Pfl. Ed. 2, i. 268 (1913).—*Veg.*
kroumirensis Cosson
Cosson, Ill. Fl. Atlant. ii. t. 139 (1893).
×**Kupcsokiana** Wagn.
Wagner, Centaureae Hungariae, Math. és Term. Tud. Közl. (Math. & Nat. Sc. Communic.), xxx. No. 6, t. 5, fig. 2 (1910).
lanata DC.
Ann. Mus. Hist. Nat. Paris, xvi. 135 (1810).—*Fr.*
lanceolata Vis.
Hayek in Denkschr. Akad. Wiss. Wien, lxx. t. 3, fig. 2 (1901).—*Fl.*
lappacea Ten.
*Tenore, Fl. Nap., Atlas, iv. t. 193 (1811–38).
Lojacono-Pojero, Fl. Sic. ii. 1. t. 17 (1902).
—— **adunca** Lojac.-Poj.
Lojacono-Pojero, Fl. Sic. ii. 1. t. 17 (1902).
×**Legrandii** Rouy
Rouy, Illustr. Pl. Eur. Rar. fasc. 12, t. 289 (1899).
×**Lengyelii** Wagn.
Wagner, Centaureae Hungariae, Math. és Term. Tud. Közl. (Math. & Nat. Sc. Communic.), xxx. No. 6, t. 2, fig. 5 (1910).
leucolepis DC.
Hayek in Denkschr. Akad. Wiss. Wien, lxx. t. 9, fig. 4 (1901).—*Fl.*
leucophaea Jord.
Jordan, Obs. v (Ann. Soc. Linn. Lyon, 1847), t. 4 (1847).—*Fl.*
Reichenbach, Ic. Fl. Germ. xv. t. 784 (1852).

CENTAUREA
leucophaea
*Cusin, Herb. Fl. Franç. xiii (Composées), t. 346 (1874).
Coste, Fl. France, ii. 395 (1903).
Cadevall & Sallent, Fl. Catalunya, iii. 376 (1917).
leucophylla declinata Boiss.
Fedtschenko & Fler. Fl. Eur. Russia, 1021 (1910). —*Fl.*
limbata Link
*Hoffmannsegg & Link, Fl. Portug. ii. t. 97 (1820).
linifolia Vahl
Cadevall & Sallent, Fl. Catalunya, iii. 373 (1917).
Lippii Linn.
Hill, Veget. Syst. iv. t. 42 (1762).
*Schkuhr, Bot. Handb. Ed. 2, t. 261 (1808).—*Fr.*
Pflanzenfam. iv. v. 328 (1893).—*Fr.*
Fiori & Paol. Ic. Fl. Ital. 441 (1904).
Crowfoot, Desert Fl. t. 34 [1914?].
longifolia Posp.
Hayek in Denkschr. Akad. Wiss. Wien, lxx. t. 4, fig. 2 (1901).—*Fl.*
Loscosii Willk.
*Willkomm, Ill. Fl. Hispan. Balear. i. t. 81 (1881–85).
lugdunensis Jord.
Jordan, Obs. v (Ann. Soc. Linn. Lyon, 1847), t. 3 (1847).
Reichenbach, Ic. Fl. Germ. xv. t. 769 (1852).
*Cusin, Herb. Fl. Franç. xiii (Composées), t. 331, 331 bis (1874).
Coste, Fl. France, ii. 389 (1903).
Luisieri Samp.
Brotéria, Ser. Bot. xiv. 122 (1916).
lungensis Ginzb.
Ginzberger in Verh. Zool.-Bot. Ges. Wien, lxvi. t. 2 (1916).
—— **Baumgartneri** Ginzb.
Oesterr. Bot. Zeitschr. lxix. 91, 94, 97, t. 2 (1920).
—— **Padelinii** Ginzb.
Oesterr. Bot. Zeitschr. lxix. 95, 101, t. 2 (1920).
×**Lykeana** Wagn.
Magyar Bot. Lap. xvii. 73 (1918).
macrocephala Willd.
*Bot. Mag. xxxi. t. 1248 (1809).
W. Robinson, Engl. Fl. Gard. t. 63 (1883).—*Hab.*
Nicholson, Illustr. Dict. Gard. i. 291 [1884–88]. —*Hab.*
Gard. Chron. xxvi. 169 (1886); Ser. III. x. 39 (1891).
Journ. Hort. Ser. III. xix. 197 (1889); xxxiii. 331 (1896); lii. 547 (1906); lxiii. 319 (1911).
Jardin, v. 177 (1891).—*Hab.*
macroptilon Borb.
Hayek in Denkschr. Akad. Wiss. Wien, lxx. t. 10, fig. 3 (1901).—*Fl.*
Wagner, Centaureae Hungariae, Math. és Term. Tud. Közl. (Math. & Nat. Sc. Communic.), xxx. No. 6, t. 3, fig. 1 (1910).
Lindman, Svensk Fanerogamfl. 551 (1918).—*Fl.*
maculosa Lam.
J. G. Gmelin, Fl. Sibir. ii. t. 44, fig. 2 (1749); fide Ledebour, Comm. 72.
Jordan, Obs. v (Ann. Soc. Linn. Lyon, 1847), t. 4 (1847).—*Fl.*
*Lorek, Fl. Pruss. Ed. 3, t. 203, fig. 1077 (1848); errore *C. maculata.*
Reichenbach, Ic. Fl. Germ. xv. t. 779 (1852); t. 886 (1853).
Migout, Fl. Dépt. Allier, t. 11 (1866).—*Fr.*
Schnizlein, Iconogr. ii. t. 120 a (1866–70).—*Fl.*
*Cusin, Herb. Fl. Franç. xiii (Composées), t. 343, 343 bis (1874).
Karsten, Deutsche Fl. Pharm.-medic. Bot. 1123 (1880–83).—*Fl.*
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xxx. t. 3165 (1888).
Acloque, Fl. France, 401 (1894).
Hayek in Denkschr. Akad. Wiss. Wien, lxx. t. 8, fig. 3 (1901).—*Fl.*
Coste, Fl. France, ii. 394 (1903).
Bull. Acad. Pétersb. Ser. VI. i. 1. 364 (1907).—*Fl.*
Fedtschenko & Fler. Fl. Eur. Russia, 1028 (1910). —*Fl.*
Suireishchikov, Ill. Fl. Mosc. Gov. iii. 317 (1910).
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, iii. 558 (1913).

CENTAUREA
×**Magocsyana** Wagn.
Magyar Bot. Lap. ii. t. 4 (1903).—*Fl.*
Wagner, Centaureae Hungariae, Math. és Term. Tud. Közl. (Math. & Nat. Sc. Communic.), xxx. No. 6, t. 3, fig. 4 (1910).
×**Magyarii** Wagn.
Wagner, Centaureae Hungariae, Math. és Term. Tud. Közl. (Math. & Nat. Sc. Communic.), xxx. No. 6, t. 1, fig. 3 (1910).
Malinvaldiana Battand.
Battandier & Trabut, Atlas Fl. Algér. t. 11 (1886).
margaritacea Ten.
J. G. Gmelin, Fl. Sibir. ii. t. 39, fig. 1 (1749); fide Ledebour, Comm. 70.
Fedtschenko & Fler. Fl. Eur. Russia, 1020 (1910). —*Fl.*
Margaritae Hort.
Gard. Chron. Ser. III. x. 741 (1891).—*Hab.*
Bull. Arboricult. Belg. 1892, p. 240.
Bull. Soc. Tosc. Ortic. xviii. 105 (1893).—*Hab.*
Semaine Hort. 1898, p. 110.
Tribune Hort. iii. 611 (1908).—*Fl.*
×**Margittaiana** Wagn.
Magyar Bot. Lap. xv. t. 5, fig. 1, 1, 2 (1916).
mariolensis Rouy
Rouy, Illustr. Pl. Eur. Rar. fasc. 11, t. 264 (1899).
×**Markiana** Wagn.
Magyar Bot. Lap. ii. t. 4 (1903).—*Fl.*
Wagner, Centaureae Hungariae, Math. és Term. Tud. Közl. (Math. & Nat. Sc. Communic.), xxx. No. 6, t. 7, fig. 1 (1910).
maroccana macilenta Coincy
Coincy, Eclog. Pl. Hispan. iii. t. 5 (1897).
Marschalliana Spreng.
Rouy, Illustr. Pl. Eur. Rar. fasc. 5, t. 120 (1896).
Hayek in Denkschr. Akad. Wiss. Wien, lxx. t. 12, fig. 8 (1901).—*Fl.*
Fedtschenko & Fler. Fl. Eur. Russia, 1026 (1910). —*Fl.*
Hayek, Pflanzend. Oesterr.-Ung. i. 304 (1914).
melanocalathia Borb.
Wagner, Centaureae Hungariae, Math. és Term. Tud. Közl. (Math. & Nat. Sc. Communic.), xxx. No. 6, p. 147, fig. 2 (1910).—*Fl.*
melanocephala Panč.
Magyar Bot. Lap. x. t. 3, fig. 1 (1911).
melitensis Linn.
*Kniphof, Herb. Viv. i. t. 227 (1758).
Hill, Veget. Syst. iv. t. 18 (1762).
*Schkuhr, Bot. Handb. Ed. 2, t. 261 (1808).—*Fr.*
*Sibthorp & Sm. Fl. Graeca, ix. t. 909 (1840).
Reichenbach, Ic. Fl. Germ. xv. t. 796 (1852).
*Cusin, Herb. Fl. Franç. xiii (Composées), t. 361 (1874).
Bull. Soc. Roy. Bot. Belg. xxxiii. 176 (1894).—*Veg.*
Agric. Gaz. N. S. Wales, vi. 149 (1895); xxviii. 569 (1917).
*Bettfreund, Fl. Argentina, ii. t. 66 (1900).
Hayek in Denkschr. Akad. Wiss. Wien, lxx. t. 2, fig. 1 (1901).—*Fl.*
Coste, Fl. France, ii. 396 (1903).
Fiori & Paol. Ic. Fl. Ital. 447 (1904).
F. M. Bailey, Weeds & Poison. Pl. Queensland, 96 (1906).
Rec. Instit. Bot. Errera, iii. 272 (1908).—*Veg.*
Transvaal Agric. Journ. vi. No. 23, t. 48 (1908).
Black, Nat. Fl. S. Australia, 95 (1909).
Scient. Proc. Roy. Soc. Dublin, N. Ser. xii. t. 23 (1910).—*Fr.*
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, iii. 559 (1913).
Cadevall & Sallent, Fl. Catalunya, iii. 383 (1917).
*Union S. Afr. Dep. Agric. Loc. Ser. 35 (1918).
—— **floribunda** Trotter
Nuov. Giorn. Bot. Ital. N. Ser. xxii. t. 17, fig. 2 (1915).
Michaeli G. Beck
Hayek in Denkschr. Akad. Wiss. Wien, lxx. t. 11, fig. 10 (1901).—*Fl.*
micrantha Hoffmgg. & Link
Hayek in Denkschr. Akad. Wiss. Wien, lxx. t. 8, fig. 9 (1901).—*Fl.*
Bull. Acad. Pétersb. Ser. VI. i. 1. 366 (1907).—*Fl.*
Cadevall & Sallent, Fl. Catalunya, iii. 377 (1917).
micranthos S. G. Gmel.
S. G. Gmelin, Reise, i. t. 23 [1770].

CENTAUREA
micranthos scopiformis Wagn.
Wagner, Centaureae Hungariae, Math. és Term. Tud. Közl. (Math. & Nat. Sc. Communic.), xxx. No. 6, t. 10 (1910).
microcarpa Coss. & Dur.
Bonnet & Barratte, Ill. Phan. Tunisie (Expl. Sc. Tun.), t. 10 (1895).
microptilon Godr. & Gren.
Reichenbach, Ic. Fl. Germ. xv. t. 758 (1852).
*Cusin, Herb. Fl. Franç. xiii (Composées), t. 316 (1874).
mollis Waldst. & Kit.
*Waldstein & Kit. Pl. Rar. Hung. iii. t. 219 (1812).
Hayek in Denkschr. Akad. Wiss. Wien, lxx. t. 7, fig. 2 (1901).—*Fl.*
Wagner, Centaureae Hungariae, Math. és Term. Tud. Közl. (Math. & Nat. Sc. Communic.), xxx. No. 6, p. 11, fig. 3 (1910).—*Fl.*
montana Linn.
*Kniphof, Herb. Viv. i. t. 229 (1758).
Hill, Veget. Syst. iv. t. 26 (1762).
*Jacquin, Fl. Austr. iv. t. 371 (1776).
Martyn, Pl. Expl. Linn. Syst. Veg. t. 27 (1788).—*Fl.*
*Bot. Mag. iii. t. 77 (1789).
*Mirbel, Hist. Nat. Pl. xii. t. 70 [1802–6].
Ann. Mus. Hist. Nat. Paris, xvi. 135 (1810).—*Fr.*
*Schrank, Fl. Monac. ii. t. 133 (1814).
*Jaume St.-Hilaire, Fl. & Pom. Franç. iii. t. 246 (1830).
*Zenker, Fl. Thüringen, iv. t. 397 (1836–55).
*J. W. Loudon, Ladies' Fl.-Gard. Ornam. Perenn. ii. t. 57 (1844).
Jordan, Obs. v (Ann. Soc. Linn. Lyon, 1847), t. 3 (1847).
Reichenbach, Ic. Fl. Germ. xv. t. 771 (1852).
Nov. Act. Acad. Nat. Cur. xxxv. Art. iv. t. 5 (1869).—*Fl.*
*Réveil, Règne Vég. xiv. t. 17 (1870).
*Cusin, Herb. Fl. Franç. xiii (Composées), t. 329 (1874).
*Seboth & A. W. Bennett, Alpine Pl. i. t. 54 (1879).
W. Robinson, Engl. Fl. Gard. t. 62 (1883).—*Hab.*
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xxx. t. 3162 (1888).
Kerner, Pflanzenleben, ii. 356 (1891).—*Fl.*
*Correvon, Fl. Col. Suisse, t. 82 (1894).
Brehm, Merv. Nat. Mondedes Pl. ii. 167 (1894–96).
Kerner & Oliv. Nat. Hist. Pl. ii. 360 (1895).—*Fl.*
*Bois, Atlas Pl. Jard. t. 162 (1896).
*Step, Fav. Fl. Gard. & Greenh. iii. t. 157 (1897).
*Hartinger, Atlas Alpenfl. v. t. 482 (1897).
G. Beck, Alpenblum. Semmering, t. 18, fig. 13 (1898).—*Fl.*
*Villard, Fleurs, t. 32 (1900).
Hayek in Denkschr. Akad. Wiss. Wien, lxx. t. 7, fig. 1 (1901).—*Fl.*
Coste, Fl. France, ii. 389 (1903).
Fiori & Paol. Ic. Fl. Ital. 443 (1904).
*Flahault, Nouv. Fl. Alpes & Pyrén. i. t. 74 (1906).
*Senn, Alpen-Flora, ii. t. 74 (1906).
*Sturm, Fl. Deutschl. Ed. 2, xiv. t. 25 (1906).
*Hulme, Familiar Swiss Fl. t. 71 (1908).
*A Kert (The Garden), iv. 274 (1908).—*Fl.*
*Correvon & Rob. Alp. Fl. t. 59 [1908?].
Heukels, Fl. Nederl. iii. 433, 436 (1910).
Rev. Hort. 1910, p. 115.
*H. S. Thompson, Alp. Pl. Europe, t. 38 (1911).
*H. S. Thompson, Sub-Alp. Pl. t. 22 (1912).
*Gatin, Fl. des Bois, t. 82 (1913).
Gartenfl. lxiv. 401 (1915).—*Fl.*
Cadevall & Sallent, Fl. Catalunya, iii. 370 (1917).
*Addisonia, iv. t. 149 (1919).
—— **pyrenaica** Godr.
Cusin, Herb. Fl. Franç. xiii (Composées), t. 330 (1874).
monticola Boiss.
*Boissier, Voy. Bot. Espagne, i. t. 102 (1839–45).
moschata Linn.
*Kniphof, Herb. Viv. i. t. 219 (1758).
Hill, Veget. Syst. iv. t. 41 (1762).
*Schkuhr, Bot. Handb. Ed. 2, t. 261 (1808).—*Fr.*
*J. W. Loudon, Ladies' Fl.-Gard. Ornam. Annuals, t. 33 (1844) in ic.; *Amberboa moschata* in textu, p. 209.

CENTAUREA
moschata
W. Robinson, Engl. Fl. Gard. t. 63 (1883).—*Hab.*
*Wien. Ill. Gart.-Zeit. xvii. t. 4 (1892).
*Garden, liv. 372 (1898).
L. H. Bailey, Cycl. Amer. Hort. 274 (1900); Stand. Cycl. Hort. 713 (1914).
*D. McDonald, Frag. Fl. & Leaves, t. 15 (1905).
—— **alba** Hort.
*J. W. Loudon, Ladies' Fl.-Gard. Ornam. Annuals, t. 33 (1844).
—— **Amberboi** Kniph.
*Kniphof, Herb. Viv. i. t. 224 (1758).
—— **Margaritae** Hort.
Semaine Hort. 1898, p. 225.
Müllneri G. Beck
Hayek in Denkschr. Akad. Wiss. Wien, lxx. t. 11, fig. 11 (1901).—*Fl.*
Murbeckii Hayek
Hayek in Denkschr. Akad. Wiss. Wien, lxx. t. 5, fig. 2 (1901).—*Fl.*
muricata Linn.
Hill, Veget. Syst. iv. t. 19 (1762).
*Schkuhr, Bot. Handb. Ed. 2, t. 261 (1808).—*Fr.*
mutabilis St.-Amans
Mém. Mus. Hist. Nat. Paris, i. 477 (1815).
St.-Amans, Bouquet Lot-et-Gar. t. 6 (1821).
*Cusin, Herb. Fl. Franç. xiii (Composées), t. 321 (1874).
myacantha DC.
De Candolle, Ic. Pl. Gall. t. 23 (1808).
Reichenbach, Ic. Fl. Germ. xv. t. 797 (1852).
myriocephala Sch.-Bip.
Ann. Nat. Hofm. Wien, xxviii. Pt. 1–2, p. 65 (1914).—*Hab.*
myriotoma Vis. & Panč.
Visiani & Pančić, Pl. Serb. (Mem. Istit. Veneto, xii), t. 12 (1866).
nana Desf.
Desfontaines, Fl. Atlant. ii. t. 241 (1798).
napifolia Linn.
Hill, Veget. Syst. iv. t. 33 (1762).
*Sibthorp & Sm. Fl. Graeca, x. t. 905 (1840).
Reichenbach, Ic. Fl. Germ. xv. t. 800 (1852).
*Cusin, Herb. Fl. Franç. xiii (Composées), t. 352 (1874).
Coste, Fl. France, ii. 396 (1903).
Fiori & Paol. Ic. Fl. Ital. 448 (1904).
napulifera Rochel
Frivaldszky in Magyar Tud. Társ. Evk. (Ann. Hung. Acad. Sc.), ii. t. 3, p. 251 (1833).
Reichenbach, Ic. Fl. Germ. xv. t. 768 (1852).
×**Neményiana** Wagn.
Wagner, Centaureae Hungariae, Math. és Term. Tud. Közl. (Math. & Nat. Sc. Communic.), xxx. No. 6, t. 3, fig. 3 (1910).
nemoralis Jord.
*Cusin, Herb. Fl. Franç. xiii (Composées), t. 318 (1874).
Hayek in Denkschr. Akad. Wiss. Wien, lxx. t. 11, fig. 1 (1901).—*Fl.*
nervosa Willd.
Reichenbach, Pl. Crit. iv. t. 372 (1826) in ic.; *C. pectinata* in textu.
Reichenbach, Ic. Fl. Germ. xv. t. 763 (1852).
*Cusin, Herb. Fl. Franç. xiii (Composées), t. 326 (1874).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xxx. t. 3160 (1888).
Flora, lxxxix. t. 4, fig. 5 (1901).—*Fr.*
Coste, Fl. France, ii. 393 (1903).
*L. & C. Schroeter, Col. Vade-Mecum Alp. Fl. Ed. 16 & 17, t. 13 (1904).
Wagner, Centaureae Hungariae, Math. és Term. Tud. Közl. (Math. & Nat. Sc. Communic.), xxx. No. 6, p. 11, fig. 10 (1910).—*Fl.*
Goebel, Entfaltungsb. Pfl. 364 (1920).—*Fl.*
—— **ambigua** Reichb.
Reichenbach, Ic. Fl. Germ. xv. t. 763 (1852).
nicaeënsis All.
Allioni, Fl. Pedem. iii. t. 74, fig. 1 (1785).
Reichenbach, Ic. Fl. Germ. xv. t. 796 (1852).
Fiori & Paol. Ic. Fl. Ital. 447 (1904).
—— **Riacana** Reichb. f.
Reichenbach, Ic. Fl. Germ. xv. t. 800 (1852).

CENTAUREA
nigra Linn.
Hill, Veget. Syst. iv. t. 29 (1762).
Reichard, Fl. Moeno-Francof. Enum. Stirp. tab. (1772).
*Fl. Dan. vi. t. 996 (1790).
*Martyn, Fl. Rustica, iv. t. 130 (1794).
*Sowerby & Sm. Engl. Bot. iv. t. 278 (1795).
Ann. Mus. Hist. Nat. Paris, xvi. 135 (1810).—*Fr.*
*Hill, Family Herbal, t. 31 (1812); fide Ed.
*Jaume St.-Hilaire, Fl. & Pom. Franç. iii. t. 243 (1830).
[M. E.] Jackson, Pict. Fl. fig. 1254 (1840).
*J. W. Loudon, Brit. Wild Fl. Ed. 2, t. 42 [1846].
*Deakin, Florigr. Brit. iii. fig. 1312 (1847).
Reichenbach, Ic. Fl. Germ. xv. t. 761 (1852).
Ann. Nat. Hist. London, Ser. II. t. 15, fig. 13 (1853).—*Fr.*
Johnson & Sowerby, Brit. Wild Fl. fig. 757 (1858–60).
*Hogg & Johnson, Wild Fl. Gr. Brit. i. t. 60 (1863).
Bentham, Handb. Brit. Fl. fig. 564 (1865).
Migout, Fl. Dépt. Allier, t. 11 (1866).—*Fr.*
*Syme, Engl. Bot. v. t. 706 (1866).
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit Ed. 3, iii. t. 118 [1873].
*Cusin, Herb. Fl. Franç. xiii (Composées), t. 319 (1874).
De Silvestri, Piante Prat. 255 (1879).
Wagner, Ill. Deutsche Fl. Ed. 2, p. 446 (1882).
Willkomm, Führ. Reich Pflanzen, 399 (1882).—*Fr.*
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xxx. t. 3161 (1888).
*Hulme, Familiar Wild Fl. (5 vol. Ed.), iii. 153 [1892?]; (Pop. Ed.), i. 101 [1897?].
Acloque, Fl. France, 396 (1894).
Britton & Brown, Ill. Fl. N. States & Canada, iii. 492 (1898); Ed. 2, iii. 557 (1913).
C. T. Green, Fl. Liverpool Distr. fig. 354 (1902).
Coste, Fl. France, ii. 391 (1903).
Blytt, Haandb. Norg. Fl. Ed. Dahl, 714 (1906).
Merino, Fl. Galicia, ii. 420 (1906).
*Sturm, Fl. Deutschl. Ed. 2, xiv. t. 24 (1906).
*Clark & Fletcher, Farm Weeds Canada, t. 56, fig. 63 (1906); Ed. 2, t. 76, fig. 90 (1909).—*Fr.*
Beille, Bot. Pharm. ii. 1145 (1909).
Heukels, Fl. Nederl. iii. 435 (1910).
Long, Common Weeds Farm & Garden, 176, t. 2 (1910).
*Milner, Life Oberammergau, t. 31 (1910).
Wagner, Centaureae Hungariae, Math. és Term. Tud. Közl. (Math. & Nat. Sc. Communic.), xxx. No. 6, p. 147, fig. 3 (1910).—*Fl.*
Cadevall & Sallent, Fl. Catalunya, iii. 371 (1917).
Lindman, Svensk Fanerogamfl. 551 (1918).—*Fl.*
Fitch & Smith, Ill. Brit. Fl. Ed. rev. 4, Iss. 2, fig. 572 (1919).
Glück, Blatt- & Blütenmorph. Stud. 281, 282 (1919).
*Horwood, Brit. Wild Fl. i. 99; ii. t. 5, 59 (1919).
—— **decipiens** Bab.
*Syme, Engl. Bot. v. t. 707 (1866).
—— **nemorosa** Glück
Glück, Blatt- & Blütenmorph. Stud. 282 (1919).—*Veg.*
nigrescens Willd.
*Jaume St.-Hilaire, Fl. & Pom. Franç. iii. t. 244 (1830).
De Silvestri, Piante Prat. 254 (1879).
Willkomm, Führ. Reich Pflanzen, 398 (1882).—*Fl.*
Bull. Soc. Bot. France, xlvii. 435 (1900).—*Fl.*
Hayek in Denkschr. Akad. Wiss. Wien, lxx. t. 10, fig. 10 (1901).—*Fl.*
Coste, Fl. France, ii. 391 (1903).
—— **decipiens** Mutel
Mutel, Fl. Française, t. 31 (1834).
Acloque, Fl. France, 396 (1894).
—— **pratensis** Mutel
Mutel, Fl. Française, t. 31 (1834).
×**nigro-Calcitrapa** Clav.
Clavaud in Act. Soc. Linn. Bordeaux, xxxii. t. 2 (1878).
nudicaulis Linn.
Hill, Veget. Syst. iv. t. 23 (1762).
Scopoli, Del. Fl. & Fauna Insubr. iii. t. 11 (1788).

CENTAUREA
ochroleuca Puschk. ex Willd.
*Bot. Mag. xxix. t. 1175 (1809).
*M. v. Bieberstein, Cent. Pl. Rar. i. t. 46 (1810).
*J. W. Loudon, Ladies' Fl.-Gard. Ornam. Perenn. ii. t. 57 (1844).
ochrolopha Costa
Cadevall & Sallent, Fl. Catalunya, iii. 377 (1917).
odorata chamaeleon Hort.
Brehm, Merv. Nat. Monde des Pl. ii. 167 (1894–96).
Ill. Hort. xlii. 106 (1895).—*Hab.*
Bull. Soc. Tosc. Ortic. xx. 18 (1895).—*Hab.*
omphalodes Cosson & Dur.
Cosson, Ill. Fl. Atlant. ii. t. 141 (1893).
orientalis Linn.
*Kniphof, Herb. Viv. i. t. 228 (1758).
Hill, Veget. Syst. iv. t. 27 (1762).
Reichenbach, Ic. Fl. Germ. xv. t. 790 (1852).
Hayek in Denkschr. Akad. Wiss. Wien, lxx. t. 5, fig. 4 (1901).—*Fl.*
Fedtschenko & Fler. Fl. Eur. Russia, 1031 (1910).—*Fl.*
—— **calocephala** Willd.
Fedtschenko & Fler. Fl. Eur. Russia, 1031 (1910).—*Fl.*
ornata Willd.
Cadevall & Sallent, Fl. Catalunya, iii. 382 (1917).
×**orodensis** Wagn.
Wagner, Centaureae Hungariae, Math. és Term. Tud. Közl. (Math. & Nat. Sc. Communic.), xxx. No. 6, t. 5, fig. 3 (1910).
ovina Pall.
Fedtschenko & Fler. Fl. Eur. Russia, 1028 (1910).—*Fl.*
oxylepis Hayek
Hayek in Denkschr. Akad. Wiss. Wien, lxx. t. 10, fig. 5 (1901).—*Fl.*
Bull. Acad. Pétersb. Ser. VI. i. 1. 359 (1907).—*Fl.*
pallescens Del.
Delile, Fl. Égypte, t. 49 (1812).
pallida Friv.
Reichenbach, Ic. Fl. Germ. xv. t. 784 (1852).
Pančićii Wagn.
Magyar Bot. Lap. x. t. 3, fig. 3 (1911).
paniculata Linn.
Hill, Veget. Syst. iv. t. 30 (1762).
*Jacquin, Fl. Austr. iv. t. 320 (1776).
Hoppe, Ect. Pl. Ratisb. t. 537 (1790).
Boissieu, Fl. Eur. iii. t. 569 (1806).
Ann. Mus. Hist. Nat. Paris, xvi. 135 (1810).
*Schrank, Fl. Monac. iii. t. 235 (1816).
*Jaume St.-Hilaire, Fl. & Pom. Franç. iii. t. 247 (1830).
*Zenker, Fl. Thüringen, viii. t. 920 (1836–55).
*Dietrich, Fl. Boruss. viii. t. 550 (1840).
Jordan, Obs. v (Ann. Soc. Linn. Lyon, 1847), t. 4 (1847).—*Fl.*
Reichenbach, Ic. Fl. Germ. xv. t. 780 (1852).
*Cusin, Herb. Fl. Franç. xiii (Composées), t. 347 (1874).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xxx. t. 3166 (1888).
Coste, Fl. France, ii. 395 (1903).
Bull. Acad. Pétersb. Ser. VI. i. 1. 364 (1907).—*Fl.*
Cadevall & Sallent, Fl. Catalunya, iii. 375 (1917).
—— **aetaliae** Somm.
Fiori & Paol. Ic. Fl. Ital. 445 (1904).
—— **aplolepa** Moretti
Fiori & Paol. Ic. Fl. Ital. 445 (1904).
—— **Carueliana** Mich.
Fiori & Paol. Ic. Fl. Ital. 445 (1904).
—— **cosana** Fiori & Paol.
Fiori & Paol. Ic. Fl. Ital. 445 (1904).
—— **cristata** Bartl.
Fiori & Paol. Ic. Fl. Ital. 445 (1904).
—— **eupaniculata** Briq.
Fiori & Paol. Ic. Fl. Ital. 445 (1904).
—— **Kartschiana** Scop.
Fiori & Paol. Ic. Fl. Ital. 445 (1904).
—— **lunensis** Fiori & Paol.
Fiori & Paol. Ic. Fl. Ital. 445 (1904).
—— **maculosa** Lam.
Fiori & Paol. Ic. Fl. Ital. 444 (1904).
—— **pseudo-Cineraria** Fiori & Paol.
Fiori & Paol. Ic. Fl. Ital. 445 (1904).

CENTAUREA
paniculata spinoso-ciliata Bernh.
Fiori & Paol. Ic. Fl. Ital. 445 (1904).
—— **subtilis** Bert.
Fiori & Paol. Ic. Fl. Ital. 445 (1904).
—— **Tommasinii** Kern.
Fiori & Paol. Ic. Fl. Ital. 445 (1904).
pannonica Hayek
Hayek in Denkschr. Akad. Wiss. Wien, lxx. t. 9, fig. 10 (1901).—*Fl.*
Magyar Bot. Lap. ii. t. 4 (1903).—*Fl.*
Wagner, Centaureae Hungariae, Math. és Term. Tud. Közl. (Math. & Nat. Sc. Communic.), xxx. No. 6, p. 118, fig. 3 (1910).—*Fl.*
pannosa DC.
Rouy, Illustr. Pl. Eur. Rar. fasc. 6, t. 140 (1896).
Parlatorii Heldr.
Bull. Herb. Boiss. vii. 283 (1899).—*Fr.*
parviflora Sibth.
*Sibthorp & Sm. Fl. Graeca, x. t. 912 (1840).
Paui Losc.
*Willkomm, Ill. Fl. Hispan. Balear. ii. t. 174, fig. A (1892).
pectinata Linn.
Ann. Mus. Hist. Nat. Paris, xvi. 135 (1810).—*Fr.*
Reichenbach, Pl. Crit. iv. t. 372 (1826); errore *C. nervosa.*
Reichenbach, Pl. Crit. vii. t. 642 (1829).
Reichenbach, Ic. Fl. Germ. xv. t. 760 (1852).
*Cusin, Herb. Fl. Franç. xiii (Composées), t. 324 (1874).
Coste, Fl. France, ii. 392 (1903).
Fiori & Paol. Ic. Fl. Ital. 442 (1904).
Cadevall & Sallent, Fl. Catalunya, iii. 374 (1917).
peregrina Linn.
Hill, Veget. Syst. iv. t. 19 (1762).
×**Perlakyana** Borb.
Hayek in Denkschr. Akad. Wiss. Wien, lxx. t. 6, fig. 3 (1901).—*Fl.*
Pernhofferi Hayek
Hayek in Denkschr. Akad. Wiss. Wien, lxx. t. 10, fig. 7 (1901).—*Fl.*
Petteri Reichb. f.
Reichenbach, Ic. Fl. Germ. xv. t. 783 (1852).
phrygia Linn.
*Kniphof, Herb. Viv. i. t. 230 (1758).
Hill, Veget. Syst. iv. t. 34 (1762).
S. G. Gmelin, Reise, i. t. 23 [1770].
*Fl. Dan. iii. t. 520 (1770).
*Schkuhr, Bot. Handb. Ed. 2, t. 261 (1808).—*Fr.*
Reichenbach, Pl. Crit. iv. t. 375 (1826).
*Zenker, Fl. Thüringen, vi. t. 688 (1836–55).
*Dietrich, Fl. Boruss. xi. t. 773 (1843).
Reichenbach, Ic. Fl. Germ. xv. t. 764 (1852).
Cesati, Passer. & Gibelli, Comp. Fl. Ital. t. 78 (1867–86).—*Fl.*
*Wooster, Alp. Pl. Ser. II. t. 53 (1874).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xxx. t. 3159 (1888).
Pflanzenfam. iv. v. 328 (1893).—*Fl.*
*A. W. Bennett, Fl. Alps, ii. t. 64 (1897).
*Hartinger, Atlas Alpenfl. v. t. 480 (1897).
Hayek in Denkschr. Akad. Wiss. Wien, lxx. t. 11, fig. 5 (1901).—*Fl.*
Bull. Acad. Pétersb. Ser. VI. i. 1. 354 (1907).—*Fl.*
Fedtschenko & Fler. Fl. Eur. Russia, 1024 (1910).—*Fl.*
Suireishchikov, Ill. Fl. Mosc. Gov. iii. 313 (1910).
Lindman, Svensk Fanerogamfl. 551 (1918).—*Fl.*
—— **adscendens** Moritzi
Moritzi in Neue Allg. Denkschr. Schweiz. Ges. ges. Naturw. iii. t. 4 (1839).
—— **pseudophrygia** Mey.
Fiori & Paol. Ic. Fl. Ital. 443 (1904).
picris Pall.
Bull. Bur. Angew. Bot. ii. 314 (1909).—*Fr.*
Fedtschenko & Fler. Fl. Eur. Russia, 1021 (1910).—*Fl.*
U.S. Dep. Agric. Bull. No. 138, p. 5 (1914).—*Fr.*
Journ. New Zeal. Dep. Agric. x. 443 (1915).—*Fr.*
pinnatifida Schur.
Hayek in Denkschr. Akad. Wiss. Wien, lxx. t. 7, fig. 3 (1901).—*Fl.*
Engler & Drude, Veget. Erde, x. ii. 92 (1908).
Hayek, Pflanzend. Oesterr.-Ung. i. 425 (1915).

CENTAUREA
plumosa Kern.
*Hartinger, Atlas Alpenfl. v. t. 481 (1897).
Hayek in Denkschr. Akad. Wiss. Wien, lxx. t. 7, fig. 5 (1901).—*Fl.*
podospermifolia Losc. & Pard.
*Willkomm, Ill. Fl. Hispan. Balear. i. t. 80 (1881–85).
Cadevall & Sallent, Fl. Catalunya, iii. 381 (1917).
polyacantha Willd.
*Hoffmannsegg & Link, Fl. Portug. ii. t. 98 (1820).
*Boissier, Voy. Bot. Espagne, i. t. 105 (1839–45).
polycephala Jord.
Jordan, Obs. v (Ann. Soc. Linn. Lyon), t. 4 (1847).—*Fl.*
Reichenbach, Ic. Fl. Germ. xv. t. 782 (1852).
*Cusin, Herb. Fl. Franç. xiii (Composées), t. 349 (1874).
polyclada DC.
Rouy, Illustr. Pl. Eur. Rar. fasc. 10, t. 237 (1898).
Pouzinii DC.
Reichenbach, Ic. Fl. Germ. xv. t. 797 (1852).
praetoria Reichb. f.
Reichenbach, Ic. Fl. Germ. xv. t. 885 (1853).
pratensis Thuill.
Reichenbach, Pl. Crit. x. t. 963 (1832).
Reichenbach, Ic. Fl. Germ. xv. t. 758 (1852).
*Cusin, Herb. Fl. Franç. xiii (Composées), t. 317 (1874).
Coste, Fl. France, ii. 391 (1903).
Cadevall & Sallent, Fl. Catalunya, iii. 372 (1917).
Preissmannii Hayek
Hayek in Denkschr. Akad. Wiss. Wien, lxx. t. 10, fig. 2 (1901).—*Fl.*
princeps Boiss. & Heldr.
Rouy, Illustr. Pl. Eur. Rar. fasc. 15, t. 363 (1901).
procumbens Balb.
Balbis in Mém. Acad. Sc. Turin, 1805–8, xvii. 241, t. 1 (1809).
Reichenbach, Ic. Fl. Germ. xv. t. 760 (1852).
*Cusin, Herb. Fl. Franç. xiii (Composées), t. 322 (1874).
Coste, Fl. France, ii. 391 (1903).
Fiori & Paol. Ic. Fl. Ital. 442 (1904).
×**Prodanii** Wagn.
Wagner, Centaureae Hungariae, Math. és Term. Tud. Közl. (Math. & Nat. Sc. Communic.), xxx. No. 6, t. 6, fig. 3 (1910).
prolifera Vent.
Ventenat, Jard. Cels, t. 16 [1800].
Prolongii Boiss.
*Boissier, Voy. Bot. Espagne, i. t. 103 (1839–45).
pseudophrygia C. A. Mey.
*Sturm, Fl. Deutschl. Ed. 2, xiv. t. 23 (1906).
pseudospinulosa Borb.
Magyar Bot. Lap. xv. t. 5, fig. 1, 4 (1916).—*Fl.*
pubescens Willd.
*Willdenow, Hort. Berol. i. t. 42 (1805).
Gubb, Fl. Sahar. t. 30 (1913).
pulchella Ledeb.
*Ledebour, Ic. Pl. Ross. i. t. 93 (1829).
pulcherrima Willd.
Reichenbach, Pl. Crit. viii. t. 716 (1830).
Garden, lxxix. 111 (1915).—*Hab.*
pulchra DC.
*Bot. Reg. xxvi. t. 28 (1840).
pullata Linn.
Hill, Veget. Syst. iv. t. 29 (1762).
Reichenbach, Pl. Crit. iv. t. 373 (1826).
Reichenbach, Ic. Fl. Germ. xv. t. 766 (1852).
*Cusin, Herb. Fl. Franç. xiii (Composées), t. 328 (1874).
Pflanzenfam. iv. v. 328 (1893).—*Fl.*
Acloque, Fl. France, 396 (1894).
Coste, Fl. France, ii. 390 (1903).
pumila Linn.
Ann. Mus. Hist. Nat. Paris, i. 276 (1802).
*Ventenat, Jard. Malm. t. 9 (1803).
*Sibthorp & Sm. Fl. Graeca, x. t. 918 (1840).
pumilio Hill
Hill, Veget. Syst. iv. t. 23 (1762).
Holmboe, Veg. Cyprus, 189 (1914).
punctata Vis.
Visiani, Fl. Dalmat. ii. t. 11 (1847).
Reichenbach, Ic. Fl. Germ. xv. t. 778 (1852); t. 886 (1853).

CENTAUREA
ragusina Linn.
*Kniphof, Herb. Viv. i. t. 233 (1758).
Hill, Veget. Syst. iv. t. 31 (1762).
*Bot. Mag. xiv. t. 494 (1800).
*Sibthorp & Sm. Fl. Graeca, x. t. 903 (1840).
Reichenbach, Ic. Fl. Germ. xv. t. 794 (1852).
*Belg. Hort. xviii. 321 (1868).
Hayek in Denkschr. Akad. Wiss. Wien, lxx. t. 6, fig. 7 (1901).—*Fl.*
Fiori & Paol. Ic. Fl. Ital. 446 (1904).
Bot. Kongr. Wien, II. Exk. t. 14 (1905).—*Hab.*
Oesterr. Bot. Zeitschr. lxix. 94–97, t. 2 (1920).
raphanina Sibth. & Sm.
*Sibthorp & Sm. Fl. Graeca, x. t. 917 (1840).
reflexa Lam.
Reichenbach, Ic. Fl. Germ. xv. t. 793 (1852).
Reichenbachioides Schur.
Hayek in Denkschr. Akad. Wiss. Wien, lxx. t. 8, fig. 2 (1901).—*Fl.*
Wagner, Centaureae Hungariae, Math. és Term. Tud. Közl. (Math. & Nat. Sc. Communic.), xxx. No. 6, t. 2, fig. 2 (1910).
Reuteri Reichb. f.
Reichenbach, Ic. Fl. Germ. xv. t. 780 (1852).
Reuteriana Boiss.
Tchichatcheff, Asie Mineure, Atlas, t. 30 (1860).
rhaetica Moritzi
Moritzi in Neue Denkschr. Schweiz. Ges. ges. Naturw. iii. t. 3 (1839).
Reichenbach, Ic. Fl. Germ. xv. t. 762 (1852).
Fiori & Paol. Ic. Fl. Ital. 443 (1904).
rhapontica Linn.
Hill, Veget. Syst. iv. t. 44 (1762).
*Bot. Mag. xlii. t. 1752 (1815).
*J. W. Loudon, Ladies' Fl.-Gard. Ornam. Perenn. ii. t. 57 (1844).
*Cassone, Fl. Med.-Farm. iv. t. 310 (1850).
Fiori & Paol. Ic. Fl. Ital. 441 (1904).
rhenana Boreau
Karsten, Fl. Deutschl. ii. 701 (1895).—*Fr.*
Hayek in Denkschr. Akad. Wiss. Wien, lxx. t. 8, fig. 4 (1901).—*Fl.*
Bull. Acad. Pétersb. Ser. VI. i. 1. 365 (1907).—*Fl.*
Heukels, Fl. Nederl. iii. 438 (1910).
Wagner, Centaureae Hungariae, Math. és Term. Tud. Közl. (Math. & Nat. Sc. Communic.), xxx. No. 6, p. 11, fig. 5 (1910).—*Fl.*
Magyar Bot. Lap. xv. t. 5, fig. 1, 3 (1916).—*Fl.*
rigidula Jord.
Jordan, Obs. v (Ann. Soc. Linn. Lyon, 1847), t. 4 (1847).
*Cusin, Herb. Fl. Franç. xiii (Composées), t. 348 (1874).
romana Linn.
Hill, Veget. Syst. iv. t. 35 (1762).
×**Rossiana** Wagn. & Deg.
Magyar Bot. Lap. viii. t. 4, fig. 1 (1909).
Wagner, Centaureae Hungariae, Math. és Term. Tud. Közl. (Math. & Nat. Sc. Communic.), xxx. No. 6, p. 48 (1910).
rotundifolia Hayek
Hayek in Denkschr. Akad. Wiss. Wien, lxx. t. 10, fig. 8 (1901).—*Fl.*
Rouyi Coincy
Coincy, Eclog. Pl. Hispan. v. t. 4 (1901).
Rouy, Illustr. Pl. Eur. Rar. fasc. 17, t. 411 (1902).
rufipappa Hayek
Hayek in Denkschr. Akad. Wiss. Wien, lxx. t. 2, fig. 7 (1901).—*Fl.*
rupestris Linn.
*Sibthorp & Sm. Fl. Graeca, x. t. 915 (1840).
Hayek in Denkschr. Akad. Wiss. Wien, lxx. t. 3, fig. 4 (1901).—*Fl.*
Fiori & Paol. Ic. Fl. Ital. 446 (1904).
—— **armata** Reichb. f.
Reichenbach, Ic. Fl. Germ. xv. t. 792 (1852).
—— **ceratophylla** Ten.
Fiori & Paol. Ic. Fl. Ital. 446 (1904).
—— **subinermis** Reichb. f.
Reichenbach, Ic. Fl. Germ. xv. t. 792 (1852).—*Fl.*
ruthenica Lam.
J. G. Gmelin, Fl. Sibir. ii. t. 41 (1749); fide Ledebour, Comm. 71.
*Garden, xliv. 372 (1893).

CENTAUREA
ruthenica
Taliew in Trav. Soc. Nat. Univ. Kharkow, 1899–1900, xxxiv. t. 2 (1900).—*Veg.*
Hayek in Denkschr. Akad. Wiss. Wien, lxx. t. 1, fig. 2 (1901).—*Fl.*
*A Kert (The Garden), xv. 1 (1909).
Fedtschenko & Fler. Fl. Eur. Russia, 1020 (1910).—*Fl.*
Suireishchikov, Ill. Fl. Mosc. Gov. iii. 311 (1910).
Wagner, Centaureae Hungariae, Math. és Term. Tud. Közl. (Math. & Nat. Sc. Communic.), xxx. No. 6, p. 11, fig. 1; p. 44 (1910).
Gartenfl. lxiv. 196 (1915).
Hayek, Pflanzend. Oesterr.-Ung. i. 463 (1915).
—— **angustiloba** Taliew
Taliew in Trav. Soc. Nat. Univ. Kharkow, 1899–1900, xxxiv. t. 2 (1900).—*Veg.*
—— **latiloba** Taliew
Taliew in Trav. Soc. Nat. Univ. Kharkow, 1899–1900, xxxiv. t. 2 (1900).—*Veg.*
—— **villosa** Taliew
Taliew in Trav. Soc. Nat. Univ. Kharkow, 1899–1900, xxxiv. t. 2 (1900).—*Veg.*
rutifolia Sibth.
*Sibthorp & Sm. Fl. Graeca, x. t. 916 (1840).
—— **purpurea** Hort.
Wien. Ill. Gart.-Zeit. xxviii. 21 (1903).—*Hab.*
Sadleriana Janka
Hayek in Denkschr. Akad. Wiss. Wien, lxx. t. 6, fig. 1 (1901).—*Fl.*
salicifolia M. Bieb.
J. G. Gmelin, Fl. Sibir. ii. t. 42, fig. 1 (1749); fide Ledebour, Comm. 71.
Hayek in Denkschr. Akad. Wiss. Wien, lxx. t. 11, fig. 3 (1901).—*Fl.*
Fedtschenko & Fler. Fl. Eur. Russia, 1023 (1910).—*Fl.*
salina Benth. & Hook.
Fedtschenko & Fler. Fl. Eur. Russia, 1021 (1910).—*Fl.*
salmantica Linn.
Hill, Veget. Syst. iv. t. 24 (1762).
*Jacquin, Hort. Vind. i. t. 64 (1770).
*Schkuhr, Bot. Handb. Ed. 2, t. 261 (1808).—*Fr.*
Ann. Mus. Hist. Nat. Paris, xvi. 135 (1810).—*Fr.*
*Jaume St.-Hilaire, Fl. & Pom. Franç. iii. t. 250 (1830).
Cesati, Passer. & Gibelli, Comp. Fl. Ital. t. 78 (1867–86).—*Fl.*
Pflanzenfam. iv. v. 328 (1893).—*Fl.*
Fiori & Paol. Ic. Fl. Ital. 441 (1904).
salonitana Vis.
Visiani, Fl. Dalmat. ii. t. 13 (1847).
Reichenbach, Ic. Fl. Germ. xv. 39, t. 793 (1852).
Hayek in Denkschr. Akad. Wiss. Wien, lxx. t. 3, fig. 1 (1901).—*Fl.*
Fedtschenko & Fler. Fl. Eur. Russia, 1031 (1910).—*Fl.*
—— **lanceolata** Vis.
Reichenbach, Ic. Fl. Germ. xv. 39, t. 793 (1852).—*Fl.*
Sandorii Wagn.
Magyar Bot. Lap. x. t. 3, fig. 4 (1911).
saxicola Lag.
*Willkomm, Ill. Fl. Hispan. Balear. ii. t. 173, fig. A (1892).
Garden, lxxxii. 46 (1918).
Saxifraga Coincy
Coincy, Eclog. Pl. Hispan. iv. t. 8 (1899).
Scabiosa Linn.
Hill, Veget. Syst. iv. t. 32 (1762).
*Sowerby & Sm. Engl. Bot. i. t. 56 (1790).
Trans. Linn. Soc. London, iv. t. 17, fig. 4 (1798).
*Fl. Dan. vii. t. 1231 (1799).
*Svensk Bot. v. t. 327 (1807).
*Schrank, Fl. Monac. ii. t. 168 (1814).
*Hayne, Getreue Darst. Arzn. Gewächse, vii. t. 33 (1821).
*Jaume St.-Hilaire, Fl. & Pom. Franç. iii. t. 249 (1830).
*Heger, Danske Oec. Pl. iii. t. 265 (1835).
*Zenker, Fl. Thüringen, i. t. 70 (1836–55) in ic.; *C. Jacea* in textu.
*Zenker, Fl. Thüringen, v. t. 551 (1836–55).
*Dietrich, Fl. Boruss. viii. t. 549 (1840).

CENTAUREA
Scabiosa
[M. E.] Jackson, Pict. Fl. fig. 1256 (1840).
*Deakin, Florigr. Brit. iii. fig. 1314 (1847).
*Lorek, Fl. Pruss. Ed. 3, t. 203, fig. 1076 (1848).
Reichenbach, Ic. Fl. Germ. xv. t. 774 (1852).
Buchenau in Abh. Senckenb. Nat. Ges. i. t. 6 (1854).—*Fl.*
Johnson & Sowerby, Brit. Wild Fl. fig. 759 (1858–60).
*Hogg & Johnson, Wild Fl. Gr. Brit. i. t. 29 (1863).
Bentham, Handb. Brit. Fl. fig. 565 (1865).
*Syme, Engl. Bot. v. t. 708 (1866).
*Réveil, Règne Vég. iv. t. 5 (1870).—*Fl.*
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, iii. t. 118 [1873].
*Cusin, Herb. Fl. Franç. xiii (Composées), t. 337 (1874).
Nobbe, Handb. Samenkunde, 350 (1876).—*Fr.*
De Silvestri, Piante Prat. 256 (1879).
Karsten, Deutsche Fl. Pharm.-medic. Bot. 1123 (1880–83).—*Veg.*
Wagner, Ill. Deutsche Fl. Ed. 2, p. 445 (1882).
Willkomm, Führ. Reich Pflanzen, 401 (1882).—*Fr.*
*Baillon, Ic. Fl. Franç. ii. t. 171 [1885–94].
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xxx. t. 3164 (1888).
Potonié, Ill. Fl. Nord- u. Mittel-Deutschl. Ed. 4, fig. 580 (1889).
*Hulme, Familiar Wild Fl. (5 vol. Ed.), ii. 153 [1892?]; (Pop. Ed.), v. 109 [1897?].
Karsten, Fl. Deutschl. ii. 701 (1895).—*Veg.*
*Behrens, Blattformen, t. 27, fig. g (1900).—*Veg.*
Gradmann, Pflanzenl. Schwäb. Alb, Ed. 2, ii. 357 (1900).
Hayek in Denkschr. Akad. Wiss. Wien, lxx. t. 4, fig. 3 (1901).—*Fl.*
Lindman, Bild. Nord. Fl. t. 8 (1901–5).
C. T. Green, Fl. Liverpool Distr. fig. 355 (1902).
Schiller in Sitzb. Akad. Wiss. Wien, cxii. 1. t. 2, fig. 61–63 (1903).—*Veg.*
Coste, Fl. France, ii. 390 (1903).
Fiori & Paol. Ic. Fl. Ital. 445 (1904).
*Step, Wayside & Woodl. Bloss. New Ed. i. t. 125 (1905).
Blytt, Haandb. Norg. Fl. Ed. Dahl, 715 (1906).
Sturm, Fl. Deutschl. Ed. 2, xiv. t. 27 (1906).
Bull. Acad. Pétersb. Ser. VI. i. 1. 361 (1907).—*Fl.*
Avebury, Buds & Stipules, 59 (1908).—*Veg.*
*Hulme, Familiar Swiss Fl. t. 73 (1908).
Fedtschenko & Fler. Fl. Eur. Russia, 1030 (1910).—*Fl.*
Heukels, Fl. Nederl. iii. 438 (1910).
*Milner, Life Oberammergau, t. 28 (1910).
Wagner, Centaureae Hungariae, Math. és Term. Tud. Közl. (Math. & Nat. Sc. Communic.), xxx. No. 6, t. 1, fig. 5 (1910).
Rec. Instit. Bot. Errera, vii bis Annexe, fig. 344 (1910).—*Hab.*
Scient. Proc. Roy. Dublin Soc. N. Ser. xii. t. 23 (1910).—*Fr.*
Suireishchikov, Ill. Fl. Mosc. Gov. iii. 315 (1910).
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, iii. 558 (1913).
Hayek, Pflanzend. Oesterr.-Ung. i. 494 (1915).—*Hab.*
Magyar Bot. Lap. xv. t. 5, fig. 1, 5 (1916).—*Fl.*
Cadevall & Sallent, Fl. Catalunya, iii. 369 (1917).
Lindman, Svensk Fanerogamfl. 519 (1918).—*Fl.*
Mayevsky, Fl. Central Russia, 330 (1918).
Fitch & Smith, Ill. Brit. Fl. Ed. rev. 4, Iss. 2, fig. 573 (1919).
—— **alpina** Gaud.
Fiori & Paol. Ic. Fl. Ital. 446 (1904).
Bull. Soc. Bot. Genève, Ser. II. iv. 442 (1912).
×**sciaphila** Vukot
Hayek in Denkschr. Akad. Wiss. Wien, lxx. t. 12, fig. 1 (1901).—*Fl.*
Wagner, Centaureae Hungariae, Math. és Term. Tud. Közl. (Math. & Nat. Sc. Communic.), xxx. 6, t. 7, fig. 2 (1910).
semidecurrens Jord.
Jordan, Obs. v (Ann. Soc. Linn. Lyon, 1847), t. 3 (1847).
*Cusin, Herb. Fl. Franç. xiii (Composées), t. 332 (1874).

CENTAUREA
sempervirens Linn.
Hill, Veget. Syst. iv. t. 32 (1762).
*Cusin, Herb. Fl. Franç. xiii (Composées), t. 340 (1874).
Coste, Fl. France, ii. 393 (1903).
Fiori & Paol. Ic. Fl. Ital. 443 (1904).
seridis Linn.
Hill, Veget. Syst. iv. t. 35 (1762).
*Schkuhr, Bot. Handb. Ed. 2, t. 261 (1808).—*Fr.*
Ann. Mus. Hist. Nat. Paris, xvi. 135 (1810).—*Fr.*
Rouy, Illustr. Pl. Eur. Rar. fasc. 2, t. 37 (1895).
serotina Bor.
*Cusin, Herb. Fl. Franç. xiii (Composées), t. 313 (1874).
sessiliflora Linn.
Hill, Veget. Syst. iv. t. 29 (1762).
setabensis Coincy
Coincy, Eclog. Pl. Hispan. v. t. 5 (1901).
seusana Chaix
Reichenbach, Ic. Fl. Germ. xv. t. 769 (1852).
*Cusin, Herb. Fl. Franç. xiii (Composées), t. 334 (1874).
sibirica Linn.
J. G. Gmelin, Fl. Sibir. ii. t. 42, fig. 2 (1749); fide Ledebour, Comm. 71.
Hill, Veget. Syst. iv. t. 32 (1762).
—— **typica** Korsh.
Fedtschenko & Fler. Fl. Eur. Russia, 1025 (1910).—*Fl.*
sicula Linn.
Hill, Veget. Syst. iv. t. 28 (1762).
*Schkuhr, Bot. Handb. Ed. 2, t. 261 (1808).—*Fr.*
×**Siegescui** Wagn.
Magyar Bot. Lap. xvii. 72 (1918).
×**similata** Haussk.
Hayek in Denkschr. Akad. Wiss. Wien, lxx. t. 11, fig. 6 (1901).—*Fl.*
Simonkaiana Hayek
Hayek in Denkschr. Akad. Wiss. Wien, lxx. t. 12, fig. 7 (1901).—*Fl.*
smolinensis Hayek
Hayek in Denkschr. Akad. Wiss. Wien, lxx. t. 10, fig. 6 (1901).—*Fl.*
solstitialis Linn.
*Kniphof, Herb. Viv. i. t. 223 (1758).
Hill, Veget. Syst. iv. t. 18 (1762).
*Sowerby & Sm. Engl. Bot. iv. t. 243 (1795).
*Schkuhr, Bot. Handb. Ed. 2, t. 261 (1808).—*Fr.*
Ann. Mus. Hist. Nat. Paris, xvi. 135 (1810).—*Fr.*
*A. & F. Plée, Herbor. Paris, [t. 52] (1811).
*Zenker, Fl. Thüringen, v. t. 568 (1836–55).
*Sibthorp & Sm. Fl. Graeca, x. t. 908 (1840).
[M. E.] Jackson, Pict. Fl. fig. 1259 (1840).
*Deakin, Florigr. Brit. iii. fig. 1318 (1847).
*Lorek, Fl. Pruss. Ed. 3, t. 203, fig. 1078 (1848).
Reichenbach, Ic. Fl. Germ. xv. t. 795 (1852).
Johnson & Sowerby, Brit. Wild Fl. fig. 762 (1858–60).
Bentham, Handb. Brit. Fl. fig. 569 (1865).
*Syme, Engl. Bot. v. t. 712 (1866).
Cesati, Passer. & Gibelli, Comp. Fl. Ital. t. 78 (1867–86).—*Fl.*
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, iii. t. 118 [1873].
*Cusin, Herb. Fl. Franç. xiii (Composées), t. 362 (1874).
Wagner, Ill. Deutsche Fl. Ed. 2, p. 447 (1882).
Willkomm, Führ. Reich Pflanzen, 398 (1882).—*Fl.*
*Bicknell, Fl. Pl. Riviera, t. 32 (1885).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xxx. t. 3167 (1888).
Stebler & Schroeter, Best Forage Pl. 152 (1889).—*Fr.*
New Zeal. Dep. Agric. Rep. No. 3, p. 124 (1895).
Journ. Agric. S. Australia, i. 189 (1897); xi. 243 (1907).
Woenig, Pusztenflora, 73 (1899).
Hayek in Denkschr. Akad. Wiss. Wien, lxx. t. 2, fig. 3 (1901).—*Fl.*
C. T. Green, Fl. Liverpool Distr. fig. 358 (1902).
Coste, Fl. France, ii. 396 (1903).
Fiori & Paol. Ic. Fl. Ital. 447 (1904).
Agric. Gaz. N. S. Wales, xvi. 808 (1905).—*Hab.*
Journ. Board Agric. xiii. 85 (1906).—*Fr.*

CENTAUREA
solstitialis
F. M. Bailey, Weeds & Poison. Pl. Queensland, 96 (1906).
Selby in Bull. Ohio Agric. St. No. 175, t. 5 (1906).—*Fr.*
*Journ. Dep. Agric. Victoria, v. t. 16, p. 540 (1907).
*Wagner, Magyar. Gyomnöv. (Weeds of Hungary), t. 6 (1908).
*Agric. Gaz. N. S. Wales, xix. 47 (1908); xxviii. 182 (1917).
*Ewart & Tovey, Weeds, Poison. Pl. & Nat. Aliens Victoria, 36 (1909).
Black, Nat. Fl. S. Australia, 95 (1909).
Fedtschenko & Fler. Fl. Eur. Russia, 1033 (1910).
Heukels, Fl. Nederl. iii. 440 (1910).
Journ. New Zeal. Dep. Agric. i. 344 (1910).
Beal, Michigan Weeds (Bull. Mich. Agric. Exp. St. No. 267), 421 (1911); et in Ann. Rep. xxv. 410 (1912).
Pammel, Man. Poison. Pl. 802 (1911).—*Fl.*
Iowa Geol. Surv. Bull. No. 4, p. 383, 497 (1913).
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, iii. 560 (1913).
A. Georgia, Manual Weeds, t. 358 (1914).
Oberstein, Herkunft. Kleesaaten, fig. 3, 13 (1916).
Cadevall & Sallent, Fl. Catalunya, iii. 382 (1917).
Monthly Bull. Hort. California, vi. 27, 29 (1917); viii. 596, 597 (1919).
Fitch & Smith, Ill. Brit. Fl. Ed. rev. 4, Iss. 2, fig. 577 (1919).
Pellett, Amer. Honey Pl. 243 (1920).
—— **lappacea** Ten.
Reichenbach, Ic. Fl. Germ. xv. t. 887 (1853).
sonchifolia Linn.
Hill, Veget. Syst. iv. t. 35 (1762).
Ann. Mus. Hist. Nat. Paris, xvi. 135 (1810).—*Fr.*
Reichenbach, Ic. Fl. Germ. xv. t. 799 (1852).
*Cusin, Herb. Fl. Franç. xiii (Composées), t. 353 (1874).
Cadevall & Sallent, Fl. Catalunya, iii. 383 (1917).
sordida Willd.
Reichenbach, Ic. Fl. Germ. xv. t. 791 (1852).
Hayek in Denkschr. Akad. Wiss. Wien, lxx. t. 4, fig. 1 (1901).—*Fl.*
sphaerocephala Linn.
Hill, Veget. Syst. iv. t. 45 (1762).
*Bot. Mag. lii. t. 2551 (1825).
*Sibthorp & Sm. Fl. Graeca, x. t. 904 (1840).
Reichenbach, Ic. Fl. Germ. xv. t. 800 (1852).
*Cusin, Herb. Fl. Franç. xiii (Composées), t. 354 (1874).
Coste, Fl. France, ii. 397 (1903).
Fiori & Paol. Ic. Fl. Ital. 447 (1904).
—— **sonchifolia** Linn.
Fiori & Paol. Ic. Fl. Ital. 447 (1904).
spinosa Linn.
Hill, Veget. Syst. iv. t. 30 (1762).
*Bot. Mag. li. t. 2493 (1824).
*Sibthorp & Sm. Fl. Graeca, x. t. 902 (1840).
Reichenbach, Ic. Fl. Germ. xv. t. 788 (1852).
spinoso-ciliata Bernh.
Hayek in Denkschr. Akad. Wiss. Wien, lxx. t. 8, fig. 15 (1901).—*Fl.*
spinulosa Roch.
Rochel, Pl. Banat. Rar. t. 36 (1828).
Reichenbach, Ic. Fl. Germ. xv. t. 775 (1852).
Hayek in Denkschr. Akad. Wiss. Wien, lxx. t. 2, fig. 8 (1901).—*Fl.*
Wagner, Centaureae Hungariae, Math. és Term. Tud. Közl. (Math. & Nat. Sc. Communic.), xxx. No. 6, p. 11, fig. 8 (1910).—*Fl.*
splendens Linn.
Hill, Veget. Syst. iv. t. 43 (1762).
*Cusin, Herb. Fl. Franç. xiii (Composées), t. 311 (1874).
×**spuria** Kern.
Hayek in Denkschr. Akad. Wiss. Wien, lxx. t. 11, fig. 9 (1901).—*Fl.*
Wagner, Centaureae Hungariae, Math. és Term. Tud. Közl. (Math. & Nat. Sc. Communic.), xxx. No. 6, t. 4, fig. 3 (1910).
stenolepis Kern.
Hayek in Denkschr. Akad. Wiss. Wien, lxx. t. 12, fig. 3 (1901).—*Fl.*
Bull. Acad. Pétersb. Ser. VI. i. 1. 356 (1907).—*Fl.*

CENTAUREA
stenolepis
Fedtschenko & Fler. Fl. Eur. Russia, 1024 (1910).—*Fl.*
Wagner, Centaureae Hungariae, Math. és Term. Tud. Közl. (Math. & Nat. Sc. Communic.), xxx. No. 6, p. 11, fig. 9 (1910).—*Fl.*
Suireishchikov, Ill. Fl. Mosc. Gov. iii. 314 (1910).
stereophylla Bess.
Reichenbach, Pl. Crit. v. t. 444 (1827).
Reichenbach, Ic. Fl. Germ. xv. t. 775, 809 (1852).
Bull. Acad. Pétersb. Ser. VI. i. 1. 362 (1907).—*Fl.*
Fedtschenko & Fler. Fl. Eur. Russia, 1030 (1910).—*Fl.*
Suireishchikov, Ill. Fl. Mosc. Gov. iii. 317 (1910).
sterilis Linn.
Fedtschenko & Fler. Fl. Eur. Russia, 1020 (1910).—*Fl.*
stiriaca Hayek
Hayek in Denkschr. Akad. Wiss. Wien, lxx. t. 9, fig. 13 (1901).—*Fl.*
Stoebe Linn.
Hill, Veget. Syst. iv. t. 27 (1762).
Stohlii Hayek
Hayek in Denkschr. Akad. Wiss. Wien, lxx. t. 9, fig. 12 (1901).—*Fl.*
stramenticia Hand.-Mazz.
Ann. Nat. Hofm. Wien, xxvii. t. 17, 18 (1913).
straminea Willd.
*Willdenow, Hort. Berol. i. t. 26 (1804).
stricta Waldst. & Kit.
*Waldstein & Kit. Pl. Rar. Hung. ii. t. 178 (1805).
strobilacea Scop.
Scopoli, Del. Fl. & Fauna Insubr. i. t. 17 (1786).
suaveolens Willd.
*Sweet, Brit. Fl. Gard. i. t. 51 (1824).
*J. W. Loudon, Ladies' Fl.-Gard. Ornam. Annuals, t. 33 (1844) in ic.; *Amberboa odorata* in textu, p. 209.
W. Robinson, Engl. Fl. Gard. t. 63 (1883).
—— **Margueritae** Hort.
Semaine Hort. 1899, p. 471.—*Hab.*
subjacea Hayek
Hayek in Denkschr. Akad. Wiss. Wien, lxx. t. 10, fig. 1 (1901).—*Fl.*
sulfurea Lag.
Reichenbach, Pl. Crit. v. t. 460 (1827).
sulfurea Willd.
*Boissier, Voy. Bot. Espagne, i. t. 100 (1839–45).
×**Szöllösii** Wagn.
Wagner, Centaureae Hungariae, Math. és Term. Tud. Közl. (Math. & Nat. Sc. Communic.), xxx. No. 6, t. 4, fig. 4 (1910).
tagana Brot.
Brotero, Phytogr. t. 32 (1816).
Fiori & Paol. Ic. Fl. Ital. 446 (1904).
—— **africana** Bonnet
Cosson, Ill. Fl. Atlant. ii. t. 137 (1893).
taraxacifolia Boiss.
Tchichatcheff, Asie Mineure, Atlas, t. 32 (1860).
tatarica Linn. f.
Reichenbach, Pl. Crit. v. t. 445 (1827).
×**tatrae** Borb.
Wagner, Centaureae Hungariae, Math. és Term. Tud. Közl. (Math. & Nat. Sc. Communic.), xxx. 6, t. 1, fig. 4 (1910).
tauromenitana Guss.
Fiori & Paol. Ic. Fl. Ital. 446 (1904).
Tauscheri Kern.
Hayek in Denkschr. Akad. Wiss. Wien, lxx. t. 8, fig. 10 (1901).—*Fl.*
tenuiflora DC.
J. G. Gmelin, Fl. Sibir. ii. t. 43 (1749); fide Ledebour, Comm. 71.
tenuifolia Duf.
*Boissier, Voy. Bot. Espagne, i. t. 102 (1839–45).
tenuifolia Schleich.
Hayek in Denkschr. Akad. Wiss. Wien, lxx. t. 2, fig. 6 (1901).—*Fl.*
tenuisecta Jord.
Reichenbach, Ic. Fl. Germ. xv. t. 779, 886 (1852).
Teyberi Hayek
Hayek in Denkschr. Akad. Wiss. Wien, lxx. t. 8, fig. 8 (1901).—*Fl.*

CENTAUREA
×Thaiszii Wagn.
Wagner, Centaureae Hungariae, Math. és Term. Tud. Közl. (Math. & Nat. Sc. Communic.), xxx. No. 6, t. 4, fig. 1 (1910).
tiroliensis Hayek
Hayek in Denkschr. Akad. Wiss. Wien, lxx. t. 8, fig. 6 (1901).—*Fl.*
Todaroi Lacaita
Nuov. Giorn. Bot. Ital. N. Ser. xxii. t. 5, 6 (1915).
—— **Seguenzae** Lacaita
Nuov. Giorn. Bot. Ital. N. Ser. xxii. t. 7 (1915).
toletana Boiss. & Reut.
*Willkomm, Ill. Fl. Hispan. Balear. ii. t. 173, fig. B (1892).
tomentella Hand.-Mazz.
Ann. Nat. Hofm. Wien, xxvii. t. 17 (1913).
Tommasinii Kern.
Hayek in Denkschr. Akad. Wiss. Wien, lxx. t. 8, fig. 13 (1901).—*Fl.*
transalpina Schleich.
Reichenbach, Ic. Fl. Germ. xv. t. 756 (1852).
trichacantha Willd.
*Cusin, Herb. Fl. Franç. xiii (Composées), t. 360 (1874).
trichocephala Willd.
J. G. Gmelin, Fl. Sibir. ii. t. 45, fig. 1, 2 (1749); fide Ledebour, Comm. 72.
Fedtschenko & Fler. Fl. Eur. Russia, 1025 (1910).—*Fl.*
trinervia Steph.
Reichenbach, Ic. Fl. Germ. xv. t. 767 (1852).
Hayek in Denkschr. Akad. Wiss. Wien, lxx. t. 12, fig. 9 (1901).—*Fl.*
Fedtschenko & Fler. Fl. Eur. Russia, 1022 (1910).—*Fl.*
Hayek, Pflanzend. Oesterr.-Ung. i. t. 50 (1916).—*Hab.*
triniifolia Heuff.
Hayek in Denkschr. Akad. Wiss. Wien, lxx. t. 8, fig. 1 (1901).—*Fl.*
Wagner, Centaureae Hungariae, Math. és Term. Tud. Közl. (Math. & Nat. Sc. Communic.), xxx. No. 6, p. 106 (1910).—*Veg.*
Triumfettii All.
Coste, Fl. France, ii. 389 (1903).
tuba Somm. & Lev.
Act. Hort. Petrop. xvi. t. 29 (1900).
tuberosa Vis.
Visiani, Fl. Dalmat. ii. t. 12 (1847).
Hayek in Denkschr. Akad. Wiss. Wien, lxx. t. 6, fig. 5 (1901).—*Fl.*
tubulosa Chabert
*Cusin, Herb. Fl. Franç. xiii (Composées), t. 315 (1874).
Ucriae Lacaita
Nuov. Giorn. Bot. Ital. N. Ser. xxii. t. 3, 4 (1915).
uliginosa Brot.
Brotero, Phytogr. t. 30 (1816).
umbrosa Lacaita
Nuov. Giorn. Bot. Ital. N. Ser. xxii. t. 8–11 (1915).
uniflora Linn.
Reichenbach, Pl. Crit. iv. t. 374 (1826).
*Jaume St.-Hilaire, Fl. & Pom. Franç. iii. t. 245 (1830).
Reichenbach, Ic. Fl. Germ. xv. t. 765 (1852).
Cesati, Passer. & Gibelli, Comp. Fl. Ital. t. 78 (1867–86).—*Fl.*
*Cusin, Herb. Fl. Franç. xiii (Composées), t. 325 (1874).
Coste, Fl. France, ii. 392 (1903).
Fiori & Paol. Ic. Fl. Ital. 443 (1904).
*Flahault, Nouv. Fl. Alpes & Pyrén. i. t. 75 (1906).
*Senn, Alpen-Flora, ii. t. 75 (1906).
*H. S. Thompson, Sub-Alp. Pl. t. 22 (1912).
—— **nervosa** Rouy
Fiori & Paol. Ic. Fl. Ital. 443 (1904).
Bull. Soc. Bot. Genève, Ser. II. iv. 442 (1912).
valentina Rouy
Rouy, Illustr. Pl. Eur. Rar. fasc. 14, t. 341 (1900).
vallesiaca Reichb. f.
Reichenbach, Ic. Fl. Germ. xv. t. 783 (1852).
vallesiaca Jord.
Willkomm, Führ. Reich Pflanzen, 402 (1882).—*Fr.*

CENTAUREA
variegata Lam.
Hayek in Denkschr. Akad. Wiss. Wien, lxx. t. 6, fig. 6 (1901).—*Fl.*
Coste, Fl. France, ii. 389 (1903).
×Varjassyi Wagn.
Wagner, Centaureae Hungariae, Math. és Term. Tud. Közl. (Math. & Nat. Sc. Communic.), xxx. No. 6, t. 7, fig. 3 (1910).
verutum Linn.
Hill, Veget. Syst. iv. t. 23 (1762).
*Jacquin, Ic. Pl. Rar. i. t. 178 (1781–86).
vicentina Welw.
Bol. Soc. Brotero, x. t. 2 (1892).
virgata Cav.
Cavanilles, Ic. iii. t. 230 (1794).
vochinensis Bernh.
Reichenbach, Ic. Fl. Germ. xv. t. 757 (1852).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xxx. t. 3157 (1888).
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, iii. 558 (1913).
Goebel, Entfaltungsb. Pfl. 352 (1920).—*Fl.*
Vukotinovicii Hayek
Hayek in Denkschr. Akad. Wiss. Wien, lxx. t. 12, fig. 2 (1901).—*Fl.*
×Wagneri Gugler
Wagner, Centaureae Hungariae, Math. és Term. Tud. Közl. (Math. & Nat. Sc. Communic.), xxx. No. 6, t. 7, fig. 4 (1910).
Weldeniana Reichb.
Reichenbach, Ic. Fl. Germ. xv. t. 753 (1852).
Hayek in Denkschr. Akad. Wiss. Wien, lxx. t. 9, fig. 9 (1901).—*Fl.*
Wagner, Centaureae Hungariae, Math. és Term. Tud. Közl. (Math. & Nat. Sc. Communic.), xxx. No. 6, p. 118, fig. 1 (1910).—*Fl.*
Wettsteinii Degen & Dörfl.
Degen & Dörfler in Denkschr. Akad. Wiss. Wien, lxiv. t. 1, fig. 1 (1897).
Zuccariniana DC.
Glück, Blatt- & Blütenmorphol. Stud. 281 (1919).—*Veg.*

CENTAURELLA Michx.: *Bartonia*
paniculata Michx.
Michaux, Fl. Bor.-Amer. i. t. 12 (1803).
verna Michx.
Michaux, Fl. Bor.-Amer. i. t. 12 (1803).

CENTAURIDIUM Torr. & Gray: *Xanthisma*
Drummondii Torr. & Gray
W. Robinson, Engl. Fl. Gard. t. 63 (1883).—*Hab.*

CENTAURIUM Gilib.: *Erythraea*
calycosum Fernald
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, iii. 3 (1913).
capitatum Rendle & Britton
Lindman, Svensk Fanerogamfl. 452 (1918).—*Fl.*
Centaurium W. F. Wight
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, iii. 2 (1913).
Erythraea Rafin.
Lindman, Svensk Fanerogamfl. 452 (1918).—*Fl.*
exaltatum W. F. Wight
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, iii. 3 (1913).
glomeratum Rendle & Britton
Lindman, Svensk Fanerogamfl. 452 (1918).—*Fl.*
minus Moench
*Vietz, Ic. Pl. Med.-oec.-techn. i. t. 50 (1800).
*Hill, Family Herbal, t. 10 (1812).
Wettstein, Handb. Syst. Bot. Ed. 2, p. 747 (1911).—*Fr.*
pulchellum Druce
Suireishchikov, Ill. Fl. Mosc. Gov. iii. 40 (1910).
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, iii. 2 (1913).
Lindman, Bild. Nord. Fl. Ed. 2 & 3, t. 78b (1917–20).
Britton, Fl. Bermuda, 292 (1918).
Lindman, Svensk Fanerogamfl. 452 (1918).
spicatum Fernald
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, iii. 2 (1913).

CENTAURIUM
texense Fernald
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, iii. 3 (1913).
umbellatum Gilib.
G. Beck, Fl. Nied.-Oesterr. ii. 11. 933 (1893).—*Fr.*
Fitzgerald in Nature Book, ii. 287 (1909).
Suireishchikov, Ill. Fl. Mosc. Gov. iii. 39 (1910).
*Perrin & Boulger, Brit. Flower. Pl. iii. t. 217, 223 [c], fig. 1–6 (1914).
Lindman, Svensk Fanerogamfl. 452 (1918).
*Horwood, Brit. Wild Fl. ii. t. 15, p. 196 (1919).
vulgare Rafin.
Lindman, Bild. Nord. Fl. Ed. 2 & 3, t. 78a (1917–20).

CENTAURODENDRON Johow
dracaenoides Johow
Svenska Vet. Akad. Handl. li. No. 9, p. 57, t. 5, fig. 2, 3 (1914).

CENTAUROPSIS Boj.
fruticosa Boj.
Grandidier, Hist. Madag. [Plantes] Atlas, t. 461 (1899).
lanuginosa Boj.
Delessert, Ic. Pl. iv. t. 7 (1839).
Grandidier, Hist. Madag. [Plantes] Atlas, t. 460 (1899).
rhaponticoides Drake
Grandidier, Hist. Madag. [Plantes] Atlas, t. 462 (1899).

CENTELLA Linn.
asiatica Urb.
Rumphius, Herb. Amboin. v. t. 169, fig. 1 (1747); fide Merrill, Interpret. Rumph. Herb. Amboin.
Mart. Fl. Bras. xi. 1. t. 78 (1879).
Pflanzenfam. iii. VIII. 117 (1897).—*Fr.*
Britton & Brown, Ill. Fl. N. States & Canada, ii. 541 (1897); Ed. 2, ii. 651 (1913).
Contrib. U.S. Nat. Herb. vii. 29 (1900).—*Fr.*
Britton, Fl. Bermuda, 273 (1918).
Fyson, Fl. Nilgiri & Pulney Hill-tops, iii. 346 (1920).
cuneifolia F. Muell.
Hooker's Journ. Bot. & Kew Misc. vii. t. 12 (1855) in ic.; *Microsciadium cuneifolia* in textu.

CENTEMA Hook. f.
biflora Schinz
Gard. Chron. Ser. III. xlvi. 147 (1909).
glomerata Lopr.
Engl. Jahrb. xxvii. t. 1 (1899).—*Fl.*
Stefaninii Chiov.
Chiovenda, Result. Sc. Miss. Stefan.-Paoli Somal. Ital. t. 17 (1916).

CENTIPEDA Lour.—Vide *Myriogyne*
Cunninghamii F. Muell.
F. Mueller, Key Syst. Victorian Pl. ii. fig. 88 (1885).
minima O. Kuntze
Somoku Dzusetsu, Ed. Makino (Iconogr. Pl. Nippon), xvi. t. 28 (1912).
orbicularis Lour.
Basu, Ind. Med. Pl. t. 538 (1918).
—— **lanuginosa** F. M. Bailey & Gord.
F. M. Bailey & Gordon, Pl. Poison. & Injur. Stock, 37 (1887).
F. M. Bailey, Weeds & Poison. Pl. Queensland, 89 (1906).
—— **minuta** F. M. Bailey & Gord.
F. M. Bailey & Gordon, Pl. Poison. & Injur. Stock, 37 (1887).
F. M. Bailey, Weeds & Poison. Pl. Queensland, 89 (1906).
—— **sternutatoria** F. M. Bailey & Gord.
F. M. Bailey & Gordon, Pl. Poison. & Injur. Stock, 37 (1887).
F. M. Bailey, Weeds & Poison. Pl. Queensland, 89 (1906).
racemosa Hook.
F. M. Bailey, Weeds & Poison. Pl. Queensland, 89 (1906).
F. M. Bailey, Compr. Cat. Queensl. Pl. 269 (1909–13).

CENTOTHECA Desv.
Lappacea Desv.
P. Beauvais, Agrost. t. 14, fig. 7 (1812).—*Fl.*
*Kunth, Rév. Gram. i. t. 70 (1829).
Griffith, Ic. Pl. Asiat. t. 152 (1851).

CENTOTHECA
Lappacea
Ettingshausen in Sitzb. Akad. Wiss. Wien, lii. 1. t. 2 (1866).—*Veg.*
Lisboa, Bombay Grasses, 127 (1896).
Engler & Drude, Veget. Erde, ix. II. 136 (1908).
malabarica Merrill
Domin in Bibl. Bot. xx. 410 (1915).

CENTRACHAENA Schott: *Chrysanthemum*
viscida Schott
Reichenbach, Pl. Crit. iv. t. 361 (1826).

CENTRADENIA G. Don
floribunda Planch.
*Fl. des Serres, Ser. I. v. t. 453 (1849).
Ann. Hort. v. 546 (1850).
Gard. Chron. 1853, p. 839.
Trans. Linn. Soc. London, xxviii. t. 1, fig. 15 b (1871).—*Fl.*
Baillon, Hist. Pl. vii. 10 (1880).—*Fl.*
Rev. Gén. Bot. i. 131 (1889).—*Veg.*
Pflanzenfam. iii. VII. 145 (1893).—*Fl.*
*Addisonia, ii. t. 73 (1917).
grandifolia Endl.
*Hort. Lind. No. 4 (1859).
*Ill. Gartenzeit. Stuttgart, iii. t. 3 (1859).
*Journ. Hort. Prat. Belg. N. Ser. iii. t. 6 (1859).
*Bot. Mag. lxxxvii. t. 5228 (1861).
*Horticulteur Franç. 1861, t. 9.
Wettstein, Handb. Syst. Bot. Ed. 2, p. 678 (1911).
inaequilateralis G. Don
Trans. Linn. Soc. London, xxviii. t. 1, fig. 15 a (1871).—*Fl.*
Pflanzenfam. iii. VII. 137, 145 (1893).—*Fl.*
Goebel, Organogr. Pfl. 96 (1898); Ed. Angl. i. 111 (1900); Ed. 2, i. 255 (1913); errore, p. 96 *inaequalifolia.*—*Veg.*
Neger, Biol. Pflanz. 109 (1913); errore *inaequalifolia.*—*Veg.*
rosea Lindl.
*Bot. Reg. xxix. t. 20 (1843).
*Paxt. Mag. x. 101 (1843).
*Horticulteur Univ. v. 37 (1844).

CENTRANDRA Karst.: *Julocroton*
hondensis Karst.
Karsten, Fl. Columbiae, i. t. 88 (1858–61).

CENTRANTHERA R. Br.
Brunoniana Wall.
Makino, Phan. & Pterid. Jap. Ic. i. t. 3 (1899).
hispida R. Br.
Rheede, Hort. Mal. ix. t. 68 (1689); fide Hasskarl, Hort. Mal. Rheed. Clavis, 76.
*Wallich, Pl. Asiat. Rar. i. t. 45 (1830).
*Wight, Illustr. Ind. Bot. ii. t. 165 bis (1850).—*Fl.*
procumbens Benth.
*Trimen, Handb. Fl. Zeylon, Atlas, iii. t. 68 (1895).

CENTRANTHUS DC.—Vide *Hybidium*
angustifolius DC.
*J. W. Loudon, Ladies' Fl..-Gard. Ornam. Perenn. i. 175 (1843) in textu; *Valeriana rubra* in ic. t. 42.
Nees, Gen. Pl. fasc. xxv. t. 8 (1849).
*Reichenbach, Ic. Fl. Germ. xii. t. 718 (1850).
*Cusin & Ansberque, Herb. Fl. Franç. xi (Valérianées), t. 1 (1873).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xxviii. t. 2932 (1886).
Coste, Fl. France, ii. 259 (1903).
Fiori & Paol. Ic. Fl. Ital. 394 (1903).
Hegi, Ill. Fl. Mittel-Eur. vi. 1. 279 (1915).
Cadevall & Sallent, Fl. Catalunya, iii. 161 (1917).
Calcitrapa Dufr.
*Reichenbach, Ic. Fl. Germ. xii. t. 717 (1850).
Buchenau in Abh. Senckenb. Nat. Ges. i. t. 5 (1854).—*Fl.*
*Syme, Engl. Bot. iv. t. 665 (1865).
*Cusin & Ansberque, Herb. Fl. Franç. xi (Valérianées), t. 4 (1873).
Coste, Fl. France, ii. 260 (1903).
Fiori & Paol. Ic. Fl. Ital. 394 (1903).
Merino, Fl. Galicia, ii. 508 (1906).
Cadevall & Sallent, Fl. Catalunya, iii. 161 (1917).
macrosiphon Boiss.
*Boissier, Voy. Bot. Espagne, i. t. 85, a (1839–45).
*Paxt. Fl. Gard. ii. t. 67 (1851–52).

CENTRANTHUS
macrosiphon
Cottage Gard. viii. 391 (1852).
*Lem. Jard. Fl. iii. t. 273 (1852).
Nicholson, Illustr. Dict. Gard. i. 292 [1884–88].
Lubbock, Seedlings, ii. 82 (1892).—*Veg.*
*Bois, Atlas Pl. Jard. t. 129 (1896).
*Step, Fav. Fl. Gard. & Greenh. ii. t. 124 (1897).
Britton, Fl. Bermuda, 374 (1918).
—— **nanus** Hort.
W. Robinson, Engl. Fl. Gard. t. 64 (1883).—*Hab.*
nervosus Moris
Moris, Fl. Sard. t. 78, bis (1840–43).
*Cusin & Ansberque, Herb. Fl. Franç. xi (Valérianées), t. 3 (1873).
Coste, Fl. France, ii. 260 (1903).
nevadensis Boiss.
*Willkomm, Ill. Fl. Hispan. Balear. i. t. 69, fig. B (1881–85).
ruber DC.
*Jaume St.-Hilaire, Pl. France, i [t. 80] (1808).
*Floricult. Cab. i. 94 (1833).
Lindley, Veg. Kingd. 697 (1846).
*Petermann, Deutschl. Fl. t. 42, fig. 382 (1849).—*Fl.*
*Reichenbach, Ic. Fl. Germ. xii. t. 718 (1850).
Schnizlein, Iconogr. ii. t. 126 (1851).
Payer, Organog. Comp. Fl. t. 130 (1857).—*Fl.*
Johnson & Sowerby, Brit. Wild Fl. fig. 612 (1858–60).
*T. Moore, Field Bot. Comp. t. 14 (1862).
*Hogg & Johnson, Wild Fl. Gr. Brit. ii. t. 140 (1864).
Bentham, Handb. Brit. Fl. fig. 477 (1865).
*Syme, Engl. Bot. iv. t. 664 (1865).
Cesati, Passer. & Gibelli, Comp. Fl. Ital. t. 87 (1867–86).—*Fl.*
Le Maout & Decaisne, Traité Gén. Bot. 154 (1868).
*Réveil, Règne Vég. iv. t. 4; xiv. t. 14 (1870).
*Weber, Alp.-Pfl. Ed. 3, ii. t. 192 (1872).
*Cusin & Ansberque, Herb. Fl. Franç. xi (Valérianées), t. 2 (1873).
Decaisne, Naud. & Hemsl. Trees, Shrubs & Herb. Pl. 227 (1873).
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, iii. t. 102 [1873].
Baillon, Hist. Pl. vii. 509 (1880).—*Fl.*
W. Robinson, Engl. Fl. Gard. t. 63 (1883).—*Hab.*
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xxviii. t. 2933 (1886).
Potonié, Ill. Fl. Nord- u. Mittel-Deutschl. Ed. 4, fig. 553 (1889).
Paolucci, Fl. Marchig. t. 28 (1890).—*Fl.*
Kerner, Pflanzenleben, ii. 240, 303 (1891).
Pflanzenfam. iv. IV. 180 (1891).—*Fl.*
*Hulme, Familiar Wild Fl. (5 vol. Ed.), iii. 61 [1892?]; (Pop. Ed.), iv. 109 [1897?].
Acloque, Fl. France, 344 (1894).
Kerner & Oliv. Nat. Hist. Pl. ii. 240, 305 (1895).
*Siélain, Atlas Poche Pl. Champs, Prair. & Bois. Ser. II. t. 49 (1896).
C. T. Green, Fl. Liverpool Distr. fig. 297 (1902).
Warming, Handb. Syst. Bot. Ed. Möbius, 432 (1902).—*Fl.*
Coste, Fl. France, ii. 260 (1903).
Fiori & Paol. Ic. Fl. Ital. 394 (1903).
*Step, Wayside & Woodl. Bloss. New Ed. i. t. 104 (1905).
*Strasburger, Rambles Riviera, 71 (1906).
Lazaro, Comp. Fl. Españ. ii. 651 (1907).—*Fl.*
Black, Nat. Fl. S. Australia, 75 (1909).
Fedtschenko & Fler. Fl. Eur. Russia, 923 (1910).
Velenovsky, Vergl. Morphol. Pfl. iii. t. 7, 9 (1910).—*Fl.*
Wettstein, Handb. Syst. Bot. Ed. 2, p. 763 (1911).—*Fl.*
Adamović, Pflanzenw. Dalmat. t. 21 (1911).—*Hab.*
Neger, Biol. Pflanz. 666 (1913).—*Fl.*
Horwood, Plant Life Brit. Isles, ii. 296 (1914).
*Hegi, Ill. Fl. Mittel-Eur. vi. 1. t. 253 (1915).
Cadevall & Sallent, Fl. Catalunya, iii. 162 (1917).
Fitch & Smith, Ill. Brit. Fl. Ed. rev. 4, Iss. 2, fig. 484 (1919).
trinervis Bég.
Fiori & Paol. Ic. Fl. Ital. 394 (1903).

CENTRATHERUM Cass.—Vide *Ampherephis. Crantzia, Decaneurum, Rolfinkia*
Englerianum Muschler
Engl. Jahrb. xlvi. 57 (1911).
intermedium Less.
Linnaea, iv. t. 2, fig. 4, 5, 11, 23 (1829).—*Fl.*
Pflanzenfam. iv. V. 122 (1889).—*Fl.*
reticulatum Benth.
Fyson, Fl. Nilgiri & Pulney Hill-tops, ii. 148 (1915).

CENTROCARPHA D. Don: *Rudbeckia*
grandiflora Sweet
*Sweet, Brit. Fl. Gard. iv. t. 87 (1831).

CENTROCHILUS Schauer: *Habenaria*
gracilis Schauer
Nov. Act. Acad. Nat. Cur. xix. Suppl. 1. t. 13 (1843).—*Fl.*

CENTROCLINIUM D. Don: *Onoseris*
altissimum Poepp. & Endl.
Poeppig & Endl. Nov. Gen. & Sp. Pl. iii. t. 259 (1845).
appressum Hook.
*Bot. Mag. lviii. t. 3115 (1831).
reflexum Hook.
*Bot. Mag. lviii. t. 3114 (1831).

CENTRODISCUS Müll.-Arg.: *Caryodendron*
grandifolius Müll.-Arg.
Mart. Fl. Bras. xi. II. t. 102 (1874).

CENTROGLOSSA Barb. Rodr.: *Zygostates*
macroceras Barb. Rodr.
Barbosa Rodrigues, Struct. Orch. t. 14, fig. 11 (1883).—*Fr.*
Mart. Fl. Bras. iii. VI. t. 46 (1904–6).
tripollinica Barb. Rodr.
Mart. Fl. Bras. iii. VI. t. 46 (1904–6).

CENTROLEPIS Labill.—Vide *Desvauxia*
aemula Rudge
Trans. Linn. Soc. London, x. t. 12 (1811).
Lamarck, Ill. vi. t. 901, fig. 1 (1819).
Schnizlein, Iconogr. i. t. 44 (1845).—*Fl.*
aristata Roem. & Schult.
*Hooker f., Fl. Tasman. ii. t. 138 (1860).
Le Maout & Decaisne, Traité Gén. Bot. 599 (1868).—*Fl.*
Pflanzenfam. ii. IV. 12 (1888).
Engler & Drude, Veget. Erde, vii. 153 (1906).
Velenovsky, Vergl. Morphol. Pfl. iii. 960 (1910).—*Fl.*
cuspidigera Rudge
Trans. Linn. Soc. London, x. t. 12 (1811).
*Schnizlein, Iconogr. i. t. 44 (1845).—*Fl.*
Drummondii Hieron.
Pflanzenfam. ii. IV. 12 (1888).
Baillon, Hist. Pl. xii. 127 (1894).—*Fl.*
Engler & Drude, Veget. Erde, vii. 153 (1906).
exserta rubra F. M. Bailey
F. M. Bailey, Compr. Cat. Queensl. Pl. 587 (1909–13).
fascicularis Labill.
Labillardière, Nov. Holl. Pl. t. 1 (1804).
Lamarck, Ill. vi. t. 901, fig. 2 (1819).
Ann. Sc. Nat. Paris, xiii. t. 2 (1828).
Endlicher, Ic. Gen. Pl. t. 49 (1838).
*Schnizlein, Iconogr. i. t. 44 (1845).
Lindley, Veg. Kingd. 120 (1846).
Hieronymus in Abh. Nat. Ges. Halle, xii. t. 4, fig. 37 (1873).—*Fl.*
F. M. Bailey, Weeds & Poison. Pl. Queensland, 207 (1906).
polygyna Hieron.
Baillon, Hist. Pl. xii. 128 (1894).
pulvinata Roem. & Schult.
Ann. Sc. Nat. Paris, xiii. t. 2 (1828).
tenuior Roem. & Schult.
Hieronymus in Abh. Nat. Ges. Halle, xii. t. 2, fig. 14–27; t. 4, fig. 16 a, 29 (1873).
Pflanzenfam. ii. IV. 12 (1888).
Engler & Drude, Veget. Erde, vii. 153 (1906).
viridis Christ
Christ, Geogr. Farne, 309 (1910).—*Hab.*

CENTROLOBIUM Mart.
minus Presl
Presl, Symbolae Bot. t. 74 (1858).

CENTROLOBIUM
robustum Mart.
Ralph, Ic. Carpolog. t. 28, 40 (1849).—*Fr.*
Ettingshausen in Sitzb. Akad. Wiss. Wien, xii. iv. t. 13, fig. 1 (1854).—*Veg.*
Kerner, Pflanzenleben, ii. 439 (1891).
Pflanzenfam. iii. iii. 334 (1894).—*Fr.*
Kerner & Oliv. Nat. Hist. Pl. ii. 445 (1895).—*Fr.*
Wettstein, Handb. Syst. Bot. Ed. 2, p. 661 (1911). —*Fr.*
—— **macrochaete** Mart.
Mart. Fl. Bras. xv. i. t. 89, 90 (1862).
—— **microchaete** Mart.
Mart. Fl. Bras. xv. i. t. 90 (1862).
tomentosum Benth.
Mart. Fl. Bras. xv. i. t. 90, 91 (1862).
Löfgren, Serv. Flor. Partic. fig. 15 (1903).—*Fr.*

CENTRONIA D. Don—Vide *Calyptraria*
excelsa Triana
Trans. Linn. Soc. London, xxviii. t. 5, fig. 59 a (1871).—*Fl.*
haemantha Triana
Trans. Linn. Soc. London, xxviii. t. 5, fig. 59 b (1871).—*Fl.*
Pflanzenfam. iii. vii. 165 (1893).—*Fl.*
reticulata Triana
Trans. Linn. Soc. London, xxviii. t. 5, fig. 59 c (1871).—*Fl.*

CENTROPAPPUS Hook. f.: *Senecio*
Brunonis Hook. f.
*Hooker f., Fl. Tasman. i. t. 65 (1860).

CENTROPETALUM Lindl.
Warscewiczii Reichb. f.
Reichenbach f., Xenia Orch. i. t. 38 (1855).

CENTROPHORUM Trin.: *Chrysopogon*
chinense Trin.
Trinius, Fund. Agrostr. t. 5 (1820).—*Fl.*

CENTROPHYLLUM Dumort.: *Carthamus*
caeruleum Gren. & Godr.
Coste, Fl. France, ii. 398 (1903).
lanatum DC.
*Petermann, Deutschl. Fl. t. 51, fig. 400 (1849).
Coste, Fl. France, ii. 398 (1903).

CENTROPLACUS Pierre
glaucinus Pierre
Engl. Jahrb. xl. 517 (1908).
Engler & Drude, Veget. Erde, ix. i. 2, p. 708 (1910).

CENTROPOGON C. Presl
chrysostoma Cortes
Cortes, Fl. Colomb. i. t. 3 (1897).—*Fl.*
cordifolius Decne.
*Fl. des Serres, Ser. I. iv. t. 362 (1848).
fastuosus Scheidw.
*Journ. Jard. 1845, p. 118.
*Rev. Hort. Ser. IV. ii. 181 (1853).
Le Maout & Decaisne, Traité Gén. Bot. 150 (1868).
Nicholson, Illustr. Dict. Gard. i. 293 [1884–88].
glandulosus Decne.
*Rev. Hort. Ser. III. ii. 421 (1848).
longipes Regel
Gartenfl. iii. t. 75 (1854).
×**Lucyanus** Houllet
*Rev. Hort. 1868, p. 290–91.
*Rev. Hort. Belge, vi. 217 (1880).
magnus Cortes
Cortes, Fl. Colomb. i. t. 9 (1897).—*Fl.*
psittacimorphus Cortes
Cortes, Fl. Colomb. i. t. 4 (1897).
surinamensis Presl
*Ann. Gand, ii. t. 96 (1846).
*Paxt. Mag. xiii. 149 (1847).
Mart. Fl. Bras. vi. iv. t. 39 (1878).
Baillon, Hist. Pl. 334 (1886).—*Fr.*
Goebel, Entfaltungsb. Pfl. 265 (1920).—*Fl.*
tovarensis Planch. & Linden
*Fl. des Serres, Ser. I. viii. t. 802 (1852–53).
uncinatus Zahlbr.
Beih. Bot. Centralbl. t. 3, fig. 4; t. 5, fig. 3 (1903).

CENTROSEMA Benth.
brasilianum Benth.
Mart. Fl. Bras. xv. i. t. 34 (1859).

CENTROSEMA
grandiflorum Benth.
American Garden, xiii. 649 (1892).
hastatum Benth.
Ralph, Ic. Carpolog. t. 36 (1849).—*Fr.*
Velenovsky, Vergl. Morphol. Pfl. ii. 442 (1907). —*Veg.*
heptaphyllum Moric.
Moricand, Pl. Amér. t. 61 (1841).
macranthum Hoehne
Hoehne in Comm. Linh. Telegraph. Matto Grosso ão Amaz. Annexo, No. 5, Bot. viii. t. 154 (1919).
Plumieri Benth.
Ralph, Ic. Carpolog. t. 36 (1849).—*Fr.*
pubescens Benth.
Mart. Fl. Bras. xv. i. t. 34 (1859).
Kinman in Bull. Porto Rico Agric. St. No. 19, t. 6 (1916).
Fawcett & Rendle, Fl. Jamaica, iv. ii. 45 (1920).
roseum Huber
Bol. Mus. Para. iv. 571 (1905–6).
virginianum Benth.
Amer. Nat. xiii. 690 (1879).—*Fl.*
Bot. Gaz. xviii. 464, fig. 1, 2 (1893).

CENTROSIA A. Rich.: *Calanthe*
Aubertii A. Rich.
A. Richard, Monogr. Orch. Iles Fr. & Bourb. [Mém. Soc. Hist. Nat. Paris, iv], t. 7 (1828). —*Fl.*

CENTROSIS Thou.: *Calanthe*
silvatica Thou.
Petit-Thouars, Hist. Pl. Orch. Iles Afr. t. 35, 36 (1822).

CENTROSOLENIA Benth.: *Episcia*
aenea Linden & André
*Ill. Hort. xxii. t. 222 (1875).
bractescens Hook.
*Bot. Mag. lxxviii. t. 4675 (1852).
*Lem. Jard. Fl. iv. t. 369 (1853).
bullata C. Lem.
*Ill. Hort. xvi. t. 607 (1869).
glabra Benth.
*Bot. Mag. lxxvi. t. 4552 (1850).
*Fl. des Serres, Ser. I. vi. t. 638, p. 323 (1850–51).
Cottage Gard. vi. 174 (1851).
*Lem. Jard. Fl. i. t. 85 (1851).
glabra Hook.
Hook. Ic. Pl. ix. t. 873 (1852).
picta Hook.
*Bot. Mag. lxxvii. t. 4611 (1851).
*Fl. des Serres, Ser. I. vii. t. 701 (1851–52).

CENTROSPERMUM H. B. K.: *Acanthospermum*
xanthioides H. B. K.
H. B. K. Nov. Gen. iv. t. 397 (1820).
Lamarck, Ill. vi. t. 988 (1823).

CENTROSPERMUM Spreng.: *Chrysanthemum*
Chrysanthemum Spreng.
*Jacquin, Ecl. Pl. ii. t. 146 (1844) in ic.; *Chrysanthemum viscosum* in textu.

CENTROSTACHYS Wall.: *Achyranthes*
aquatica Wallr.
Endlicher, Ic. Gen. Pl. t. 20 (1838).
Wight, Ic. Pl. Ind. Or. v. t. 1780 (1852).
Urban & Graebn. Festschr. Aschers. 416 (1904). —*Fl.*
diandra Wall.
Wight, Ic. Pl. Ind. Or. ii. t. 722 (1840–43).

CENTROSTEGIA A. Gray
Thurberi A. Gray
Rep. Expl. & Surv. Railr. Mississippi, 1853–56, vii. iii. t. 8 (1857).
Pflanzenfam. iii. i. a. 12 (1892).—*Fl.*

CENTROSTEMMA Decne.: *Hoya*
Lindleyanum Decne.
*Hartinger, Parad. Vindob. t. 52 (1844–60).
micranthum Bl.
Blume, Mus. Bot. Lugd.-Bat. i. fig. 12 (1849). —*Fl.*
multiflorum Decne.
Ann. Sc. Nat. Paris, ix. t. 10 (1838).—*Fl.*

CENTROSTEMMA
multiflorum
*Ann. Gand, i. t. 2 (1845).
*Bot. Mag. lxxxvi. t. 5173 (1860).

CENTROSTYLIS Baill.: *Adenochlaena*
ceylanica Baill.
Baillon, Euphorb. t. 2, fig. 28, 29 (1858).—*Fl.*

CENTUNCULUS Linn.
minimus Linn.
*Fl. Dan. i. t. 177 (1764).
*Curtis, Fl. Londin. i. fasc. iii. t. 11 (1777); Ed. 2, ii. fasc. iii. t. 11 (1821).
*Bergeret, Phyt. Univ. ii. 133 (1784).
*Krocker, Fl. Siles. i. t. 34 (1787).
Gaertner, Fruct. i. t. 50 (1788).—*Fr.*
Lamarck, Ill. i. t. 83 (1791).
*Sowerby & Sm. Engl. Bot. viii. t. 531 (1799).
*Schkuhr, Bot. Handb. Ed. 2, t. 24 (1808).
*Sturm, Deutschl. Fl. viii. xxx [t. 465] (1811).
Trattinick, Fl. Oesterr. Kaiserth. ii. t. 186 (1820).
*Svensk Bot. ix. t. 610 (1823–25).
Nees, Gen. Pl., Gamop. i. t. 19 (1836).
*Zenker, Fl. Thüringen, vii. t. 798 (1836–55).
*Baxter, Brit. Bot. Ed. 2, iv. t. 296 (1839).
*Dietrich, Fl. Boruss. vii. t. 494 (1839).
[M. E.] Jackson, Pict. Fl. fig. 250 (1840).
*Deakin, Florigr. Brit. i. fig. 251 (1841).
*Lorek, Fl. Pruss. Ed. 3, t. 40, fig. 227 (1848).
*Petermann, Deutschl. Fl. t. 73, fig. 572 (1849).
Reichenbach, Ic. Fl. Germ. xvii. t. 1082 (1855).
Mart. Fl. Bras. x. t. 23 (1856).
Johnson & Sowerby, Brit. Wild Fl. fig. 1005 (1858–60).
Bentham, Handb. Brit. Fl. fig. 654 (1865).
*Schubert, Naturg., Pflanzenreich, Ed. 2, t. 7, fig. 10 [1865].
Migout, Fl. Dépt. Allier, t. 13 (1866).
*Syme, Engl. Bot. vii. t. 1149 (1867).
Cesati, Passer. & Gibelli, Comp. Fl. Ital. t. 64 (1867–86).—*Fl.*
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, iv. t. 171 [1873].
*Cusin, Herb. Fl. Franç. xv (Primulacées), t. 49 (1874).
*Hogg & Johnson, Wild Fl. Gr. Brit. x. t. 732 (1878).
*C. Hoffmann, Pflanzenatlas, t. 9, fig. 53 (1881).
Wagner, Ill. Deutsche Fl. Ed. 2, p. 512 (1882).
Willkomm, Führ. Reich Pflanzen, 550 (1882).— *Fl.*
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xix. t. 1933 (1884).
Journ. Roy. Hort. Soc. London, N. Ser. vii. 238 (1886).
Potonié, Ill. Fl. Nord- u. Mittel-Deutschl. Ed. 4, fig. 459 (1889).
G. Beck, Fl. Nied.-Oesterr. ii. ii. 910 (1893).— *Fr.*
Acloque, Fl. France, 454 (1894).
Garcke, Ill. Fl. Deutschl. 495 (1895).
Britton & Brown, Ill. Fl. N. States & Canada, ii. 593 (1897); Ed. 2, ii. 717 (1913).
Fiori & Paol. Ic. Fl. Ital. 318 (1901).
C. T. Green, Fl. Liverpool Distr. fig. 411 (1902).
Coste, Fl. France, ii. 537 (1903).
Blytt, Haandb. Norg. Fl. Ed. Dahl, 566 (1906).
Merino, Fl. Galicia, ii. 35 (1906).
Arechavaleta, Fl. Urug. iv (An. Mus. Nac. Montevideo, vii), t. 8 (1909).
Heukels, Fl. Nederl. iii. 29 (1909).
Fedtschenko & Fler. Fl. Eur. Russia, 741 (1910).
Suireishchikov, Ill. Fl. Mosc. Gov. iii. 22 (1910).
Lindman, Svensk Fanerogamfl. 7, 448 (1918).
Fitch & Smith, Ill. Brit. Fl. Ed. rev. 4, Iss. 2, fig. 662 (1919).
simplex Hornem.
*Fl. Dan. ix. t. 1567 (1818).
tenellus Duby
Wight, Ic. Pl. Ind. Or. vi. t. 2000 (1853).

CENTUNCULUS Adans.: *Cerastium*
angustifolius Scop.
Scopoli, Fl. Carn. Ed. 2, i. t. 19 (1772).
rigidus Scop.
Scopoli, Fl. Carn. Ed. 2, i. t. 19 (1772).

CEODES Forst.: *Pisonia*
umbellifera Forst.
Forster, Charact. Gen. Pl. t. 71 (1776).—*Fl.*

CEPHAËLIS Sw.—Vide *Callicocca, Camptopus, Carapichea, Evea, Tapogomes, Uragoga* (2)
calycina Lindl.
*Lindley, Coll. t. 21 (1821).
*Fortsetz. Allg. Teutsch. Gart. Mag. viii. t. 12 (1824).
cuneata Korth.
Ic. Bogor. iv. t. 337 (1912).
dichotoma Rudge
Rudge, Pl. Guian. t. 44 (1805).
emetica Pers.
Delle Chiaje, Fl. Med. ii. tab. (1832).
fragrans Hook. & Arn.
Hooker & Arn. Bot. Beechey Voy. t. 13 (1841).
glomerulata J. D. Sm.
Bot. Gaz. xvi. 12 (1891).
Ipecacuanha Rich.
Berlin. Jahrb. Pharm. x. t. 1 (1804); xxi. t. 1 (1821).
*Plenck, Ic. Pl. Med. viii. t. 754 (1812).
Richard, Hist. Nat. & Méd. Ipecacuanha, t. 1 (1820).
*Roques, Phytogr. Médic. ii. t. 97 (1821); Nouv. Ed. Atlas, t. 75 (1835).
*Vietz, Ic. Pl. Med.-oec.-techn. Suppl. t. 20 (1822).
*Hayne, Getreue Darst. Arzn. Gewächse, viii. t. 20 (1822).
St.-Hilaire, Pl. Usuelles Bras. t. 6 (1824–28).
Martius in Denkschr. Akad. Wiss. München, ix. t. 1 (1825).
*Nees, Pl. Offic. ii. t. 258 (1828).
Loudon, Mag. Nat. Hist. i. 61 (1828).
*Fl. Med. [Spratt], i. 148 (1829).
*Schlechtendal & Guimpel, Abb. Pharm. Boruss. Gew. i. t. 43 (1830).
*Woodville, Med. Bot. Ed. 3, v. t. 6 (1832).
*Stephenson & Churchill, Med. Bot. New Ed. i. t. 62 (1834).
*Bot. Mag. lxx. t. 4063 (1844).
*Carson, Ill. Med. Bot. i. t. 46 (1847).
Lindley, Med. & Oecon. Bot. 237 (1849).
*Berge & Riecke, Giftgewächse, t. 61 (1850).
*Burnett, Pl. Util. iv. t. 106, a (1850).
*E. Hamilton, Fl. Homoeopath. ii. t. 38 (1853).
Schnizlein, Iconogr. ii. t. 127 b (1854).
*Berg & Schmidt, Darst. u. Beschr. Offiz. Gew. ii. t. 15, c (1859).
Berg, Charakt. t. 44, fig. 346 (1861).
*Artus, Atlas Pharm. Deutschl. Aufg. Offic. Gew. t. 134 [1862–74].
*Réveil, Règne Vég. viii. t. 18 (1870).
Trans. Bot. Soc. Edinb. x. t. 4 (1870).
Balfour in Trans. Roy. Soc. Edinb. xxvi. t. 31, 32 (1872).
Pinto, Diccion. Bot. Brasil. fig. 22 (1873).
Rev. Hort. 1873, p. 275.
*Bentley & Trim. Med. Pl. ii. t. 145 (1876).
Baillon, Dict. Bot. i. 697 (1878).
Karsten, Deutsche Fl. Pharm.-medic. Bot. 1195 (1880–83).
*C. Hoffmann, Pflanzenatlas, t. 12, fig. 67 (1881).
*Zippel, Ausländ. Handels- & Nährpfl. t. 26 (1885).
Hager, Handb. Pharm. Prax. Ed. Nov. ii. 213 (1887).—*Veg.*
*Köhler, Med. Pfl. i [t. 39] (1887).
Dujard.-Beaumetz & Égasse, Pl. Méd. 372–75 (1889).
Kerner, Pflanzenleben, 712 (1891).
Brehm, Merv. Nat. Monde des Pl. ii. 132 (1894–96).
Karsten, Fl. Deutschl. ii. 777 (1895).
Kerner & Oliv. Nat. Hist. Pl. ii. 764 (1895).
Kronfeld, Atlas Pflanzengeogr. 187 (1899).
Bellair & St.-Léger, Pl. Serre, 490 (1900).—*Hab.*
*De Janville, Pl. Utiles Pays Chauds, t. 36 (1902).
Warming, Handb. Syst. Bot. Ed. Möbius, 428 (1902).—*Veg.*
Knight & Step, Living Plant. 129 (1905).
Hare, Caspari & Rusby, Nat. Stand. Dispens. 828 (1905).—*Veg.*
Youngken, Pharm. Bot. Ed. 2, p. 346 (1918).
Teysmannia, xxx. 226 (1919).

CEPHAËLIS
justiciifolia Rudge
Rudge, Pl. Guian. t. 43 (1805).
peduncularis Salisb.
*Salisbury, Parad. London, ii. 1. t. 99 (1807).
psychotrioides Val.
Ic. Bogor. iv. t. 357 (1913).
stipulacea Bl.
Ic. Bogor. iv. t. 336 (1912).
tomentosa Willd.
*Bot. Mag. cix. t. 6696 (1883).

CEPHALANDRA Schrad.: *Coccinia*
diversifolia Naud.
Ann. Sc. Nat. Paris, Ser. V. v. t. 1 (1866).
indica Naud.
Rheede, Hort. Mal. viii. t. 14 (1688); fide Fl. Brit. Ind. ii. 621.
Cuoco, Fauna & Flora Eritrea, 74 (1897).—*Fl.*
Basu, Ind. Med. Pl. t. 462 (1918).—*Fl.*
palmata Schrad.
Lubbock, Seedlings, i. 605 (1892).—*Veg.*

CEPHALANTHERA L.C.Rich.—Vide *Epipactis* (1), *Helleborine* (1)
acuminata Lindl.
Jacquemont, Voy. Inde, t. 164 (1844).
Wight, Ic. Pl. Ind. Or. v. t. 1721 (1851).
alba Simonk.
Pantu, Orch. Romania, t. 33 (1915).
Lindman, Svensk Fanerogamfl. 179 (1918).—*Fl.*
Austinae A. A. Heller
M. Armstrong, Field Book West. Wild Fl. 73 (1915).—*Fl.*
cucullata Boiss.
Reichenbach, Ic. Fl. Germ. xiii & xiv. t. 472 (1851).
ensifolia L. C. Rich.
Rivinus, Irreg. Hexap. t. 5 (ca. 1760); fide Camus.
*Dietrich, Fl. Boruss. i. t. 19 (1833).
*Zenker, Fl. Thüringen, x. t. 1132 (1836–55).
Meigen, Deutschl. Fl. iii. t. 135 (1842).—*Fl.*
*Lorek, Fl. Pruss. Ed. 3, t. 206, fig. 1095 (1848).
A. Henry in Verh. Naturhist. Ver. Preuss. Rheinl. vii. t. 2 (1850).—*Veg.*
Bentham, Handb. Brit. Fl. fig. 974 (1865).
Cesati, Passer. & Gibelli, Comp. Fl. Ital. t. 21 (1867–86).
*Barla, Fl. Illustr. Nice & Alpes-Marit., Orch. t. 2 (1868).
*Hogg & Johnson, Wild Fl. Gr. Brit. v. t. 395 (1869).
*Syme, Engl. Bot. ix. t. 1484 (1869).
*Cusin, Herb. Fl. Franç. xxii (Orchidées), t. 2 (1876).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, iv. t. 369 (1880).
Wagner, Ill. Deutsche Fl. Ed. 2, p. 717 (1882).
*Bicknell, Fl. Pl. Riviera, t. 57 (1885).
Bol. Soc. Brotero, v. t. 1, fig. 4 (1887).—*Fl.*
G. Beck, Fl. Nied.-Oesterr. i. 193, 213 (1890).—*Fl.*
*Ann. Bot. Gard. Calcutta, viii. t. 362 (1898).
Fiori & Paol. Ic. Fl. Ital. 100 (1898).
*Correvon, Alb. Orch. t. 4 (1899).
*Müller & Kränzl. Abbild. Deutsch. Orch. t. 56 (1904).
Coste, Fl. France, iii. 412 (1906).
*E. G. Camus, Orchidées, t. 32, fig. 1114–22 (1908).
Gard. Chron. Ser. III. xlviii. 481 (1910).—*Hab.*
*Costantin, Atlas Orch. Cult. t. 28 (1913).—*Fl.*
Fitch & Smith, Ill. Brit. Fl. Ed. rev. 4, Iss. 2, fig. 987 (1919).
erecta Bl.
*Blume, Coll. Orchidées, t. 65 (1858).
*Somoku Dzusetsu, Ed. 2, xviii. t. 74 (1874).
Somoku Dzusetsu, Ed. Makino (Iconogr. Pl. Nippon), xviii. t. 74 (1912).
falcata Bl.
*Blume, Coll. Orchidées, t. 65, 66 (1858).
*Somoku Dzusetsu, Ed. 2, xviii. t. 73 (1874).
Somoku Dzusetsu, Ed. Makino (Iconogr. Pl. Nippon), xviii. t. 73 (1912).
grandiflora Bab.
Bentham, Handb. Brit. Fl. fig. 973 (1865).
*Syme, Engl. Bot. ix. t. 1485 (1869).
Lubbock, Brit. Fl. Relat. Insects, 169 (1875).

CEPHALANTHERA
grandiflora
De Puydt, Orchidées, 51 (1880).
Wagner, Ill. Deutsche Fl. Ed. 2, p. 717 (1882).
Willkomm, Führ. Reich Pflanzen, 278 (1882).—*Fl.*
Journ. de Bot. iii. t. 2 (1889).
Pflanzenfam. ii. vi. 110 (1889).—*Fl.*
Potonié, Ill. Fl. Nord- u. Mittel-Deutschl. Ed. 4, fig. 169 (1889).
Rev. Hort. 1892, p. 393; 1904, p. 337.
Stein, Orchideenbuch, 139 (1892).
Kerchove, Livre Orch. 175 (1894).—*Fl.*
Garcke, Ill. Fl. Deutschl. 583 (1895).
Raunkiær, Danske Blomsterpl. Naturhist. i. 364 (1895–99).
*Siélain, Atlas Poche Pl. Champs, Prair. & Bois, Ser. II. t. 27 (1896).
Knuth, Handb. Blütenbiol. ii. ii. 448 (1899).—*Fl.*
*Müller & Kränzl. Abbild. Deutsch. Orch. t. 57 (1904).
Avebury, Notes Life Hist. Brit. Fl. Pl. 410 (1905).
*Gatin, Fl. des Bois, t. 34 (1913).
Lonchophyllum Reichb. f.
Reichenbach, Ic. Fl. Germ. xiii & xiv. t. 471 (1851).
Lindman, Bild. Nord. Fl. t. 414 a (1901–5).
longibracteata Bl.
Blume, Coll. Orchidées, t. 65 (1858).
longifolia Fritsch
Suireishchikov, Ill. Fl. Mosc. Gov. i. 263 (1906).
Pantu, Orch. Romania, t. 34 (1915).
Lindman, Svensk Fanerogamfl. 179 (1918).—*Fl.*
ochroleuca Reichb.
Reichenbach, Ic. Fl. Germ. xiii & xiv. t. 472 (1851).
oregana Reichb.
Bull. Torr. Bot. Club, xxvi. t. 367 (1899).—*Hab.*
pallens Rich.
Rivinus, Irreg. Hexap. t. 4 (ca. 1760); fide Camus).
*Dietrich, Fl. Boruss. i. t. 18 (1833).
Nees, Gen. Pl., Monocot. iii. t. 21 (1835).
*Zenker, Fl. Thüringen, i. t. 102 (1836–55).
*Barla, Fl. Illustr. Nice & Alpes-Marit., Orch. t. 3 (1868).
*Cusin, Herb. Fl. Franç. xxii (Orchidées), t. 3 (1876).
Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, iv. t. vi, 368 (1880).
*Bicknell, Fl. Pl. Riviera, t. 57 (1885).
Kerchove, Livre Orch. 207 (1894).—*Fl.*
Fiori & Paol. Ic. Fl. Ital. 100 (1898).
*Correvon, Alb. Orch. t. 5 (1899).
*Step, Wayside & Woodl. Bloss. New Ed. ii. t. 112 (1905).
Coste, Fl. France, iii. 412 (1906).
*E. G. Camus, Orchidées, t. 32, fig. 1129–36 (1908).—*Fl.*
Heukels, Fl. Nederl. i. 599 (1911).
*Costantin, Atlas Orch. Cult. t. 28 (1913).—*Fl.*
*Mackenzie, Brit. Orchids, [t. 9, 1917].
Fitch & Smith, Ill. Brit. Fl. Ed. rev. 4, Iss. 2, fig. 986 (1919).
—— **ochroleuca** E. G. Camus
Rivinus, Irreg. Hexap. t. 4 (ca. 1760); fide Camus.
rubra L. C. Rich.
Rivinus, Irreg. Hexap. t. 6 (ca. 1760); fide Camus.
*Fl. Dan. ii. t. 345 (1767); fide Lange, Nomencl. Fl. Dan. 11 (1887).
*Dietrich, Fl. Boruss. i. t. 20 (1833).
*Zenker, Fl. Thüringen, vi. t. 694 (1836–55).
*Lorek, Fl. Pruss. Ed. 3, t. 206, fig. 1096 (1848).
*Petermann, Deutschl. Fl. t. 86, fig. 681 (1849).—*Fl.*
Reichenbach, Ic. Fl. Germ. xiii & xiv. t. 469 (1851).
Hofmeister in Abh. Sächs. Ges. Wiss. Leipzig, vii. t. 6, fig. 11, 12 (1861).—*Fl.*
Bentham, Handb. Brit. Fl. fig. 975 (1865).
Cesati, Passer. & Gibelli, Comp. Fl. Ital. t. 21 (1867–86).—*Fl.*
*Barla, Fl. Illustr. Nice & Alpes-Marit., Orch. t. 4 (1868).

CEPHALANTHERA
rubra
*Syme, Engl. Bot. ix. t. 1483 (1869).
*Cusin, Herb. Fl. Franç. xxii (Orchidées), t. 4 (1876).
*Hogg & Johnson, Wild Fl. Gr. Brit. x. t. 794 (1878).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, iv. t. 370 (1880).
Karsten, Deutsche Fl. Pharm.-medic. Bot. 457 (1880–83).—*Fl.*
Wagner, Ill. Deutsche Fl. Ed. 2, p. 717 (1882).
Willkomm, Führ. Reich Pflanzen, 278 (1882).—*Fl.*
*Bicknell, Fl. Pl. Riviera, t. 57 (1885).
*Baillon, Ic. Fl. Franç. iv. t. 392 [1885–94].
*Thomé, Fl. Deutschl. i. t. 155 (1886).
Pflanzenfam. ii. VI. 110 (1889).—*Fl.*
Paolucci, Fl. Marchig. t. 10 (1890).
*Masclef, Atlas Pl. France, t. 337 (1893).
Acloque, Fl. France, 622 (1894).—*Fl.*
Karsten, Fl. Deutschl. i. 472 (1895).—*Fl.*
Raunkiær, Danske Blomsterpl. Naturhist. i. 310, 364 (1895–99).
Fiori & Paol. Ic. Fl. Ital. 99 (1898).
*Correvon, Alb. Orch. t. 6 (1899).
Reichenau, Mainzer Flora, fig. 96 (1900).
Lindman, Bild. Nord. Fl. t. 414 b (1901–5).
*Müller & Kränzl. Abbild. Deutsch. Orch. t. 55 (1904).
Blytt, Haandb. Norg. Fl. Ed. Dahl, 236 (1906).
Coste, Fl. France, iii. 411 (1906).
Diels in Natur, iv. 50 [1907].—*Fl.*
*E. G. Camus, Orchideés, t. 32, fig. 1123–28 (1908).
*Hulme, Familiar Swiss Fl. t. 90 (1908).
*Milner, Life Oberammergau, t. 19 (1910).
Fedtschenko & Fler. Fl. Eur. Russia, 280 (1910).
*Correvon, Fl. Champs & Bois, t. 27 (1911).
Heukels, Fl. Nederl. i. 600, 601 (1911).
*Costantin, Atlas Orch. Cult. t. 28 (1913).—*Fl.*
*H. S. Thompson, Fl. Pl. Riviera, t. 30 (1914).
Pantu, Orch. Romania, t. 35 (1915).
Lindman, Svensk Fanerogamfl. 173 (1918).—*Fl.*
Fitch & Smith, Ill. Brit. Fl. Ed. rev. 4, Iss. 2, fig. 988 (1919).
xiphophyllum Reichb. f.
Reichenbach, Ic. Fl. Germ. xiii & xiv. t. 470 (1851).
Heukels, Fl. Nederl. i. 600 (1911).
*Gatin, Fl. des Bois, t. 34 (1913).

CEPHALANTHUS Linn.
angustifolius Lour.
Rev. Hort. 1889, p. 281.
glabratus K. Schum.
Mart. Fl. Bras. vi. VI. t. 94 (1889).
Pflanzenfam. iv. IV. 58 (1891).
Knuth, Handb. Blütenbiol. iii. II. 165 (1905).—*Fl.*
Arechavaleta, Fl. Urug. iii (An. Mus. Nac. Montevideo, vi), t. 3 (1906).
natalensis Oliv.
Hook. Ic. Pl. xiv. t. 1331 (1881).
*Bot. Mag. cxxi. t. 7400 (1895).
naucleoides DC.
Kanehira, Formosan Trees, 291 (1917).
occidentalis Linn.
Gaertner, Fruct. ii. t. 86 (1791).—*Fr.*
Lamarck, Ill. i. t. 59 (1791).
*F. J. Schultz, Abb. Bäume, Staud. Sträuch. Oesterr. i. t. 96 (1792).
Schmidt, Oest. Allgem. Baumzucht, t. 45 (1792–1822).
*Joh. Kerner, Abbild. Oek. Pfl. (Fig. Pl. Écon.), vii. t. 629 (1794).
*Krauss, Afb. Fraaiste Boom. & Heest. [t. 3] (1802).
*Schkuhr, Bot. Handb. Ed. 2, t. 5 b, 21 (1808).
*Vietz, Ic. Pl. Med.-oec.-techn. v. t. 396 (1817).
*Mordant de Launay, Herb. Amat. iv. t. 272 (1820).
*Barton, Fl. N. Amer. iii. t. 91 (1823).
Rafinesque, Med. Fl. i. t. 20 (1828).
*Drapiez, Herb. Amat. Fl. vi. t. 400 (1833).
J. C. Loudon, Arbor. & Frutic. Brit. ii. 1061 (1838).
*Réveil, Règne Vég. iii. t. 45 (1870).—*Veg.*

CEPHALANTHUS
occidentalis
Emerson, Trees & Shrubs Massachusetts, Ed. 2, ii. 394 (1875).
De Lanessan in Assoc. Franç. Avanc. Sc. 1876, Clermont-Ferrand, t. 5, fig. 1–3, 29, 30 (1877).—*Veg.*
Baillon, Hist. Pl. vii. 349 (1880).—*Fl.*
Lauche, Deutsche Dendrol. Ed. 2, p. 185 (1883).
*Millspaugh, American Med. Pl. t. 76 (1887).
American Garden, x. 247 (1889).
Rev. Hort. 1889, p. 280.
Dippel, Handb. Laubholzk. i. 163 (1889).
Pflanzenfam. iv. IV. 58 (1891).
Koehne, Dendrol. 531 (1893).
Newhall, Shrubs N.E. Amer. 153 (1893).
Miller & Whiting, Wild Fl. N.E. States, 242 (1895).
Lochman, Phot. Med. Pl. t. 201 (1898).
Britton & Brown, Ill. Fl. N. States & Canada, iii. 216 (1898); Ed. 2, iii. 255 (1913).
*Blanchan, Nat. Gard. 252 (1900).
Journ. New York Bot. Gard. i. 54 (1900).
Sargent, Silva N. Amer. xiv. t. 711 (1902).
Parkhurst, Trees, Shrubs, Vines N.E. United States, 267, t. 4, fig. 24 (1903).—*Veg.*
Schneider, Dendrol. Winterst. 228 (1903).—*Veg.*
Keeler, Our North. Shrubs, 309 (1903); Ed. 2, p. 309 (1912).
Knuth, Handb. Blütenbiol. iii. II. 165 (1905).
*A Kert (The Garden), xi. 704 (1905).
Sargent, Man. Trees N. Amer. 802 (1905).
Eastwood, Handb. Trees California (Occ. Papers California Acad. Sc. ix), t. 56 (1905).
Hare, Caspari & Rusby, Nat. Stand. Dispens. 1329 (1905).
Schneider, Ill. Handb. Laubh. i. 396 (1905); ii. 630 (1911).
Hough, Handb. Trees N. States & Canada, 408, 409 (1907).
Sudworth, Forest Trees Pac. Slope, 432 (1908).
Britton, N. Amer. Trees, 843 (1908).
Jones & Rand in Bull. Vermont Agric. St. No. 145, p. 176 (1909).
U.S. Dep. Agric. Bur. Pl. Indust. Bull. No. 139, p. 47 (1909).
Apgar, Orn. Shrubs U.S. 241, fig. 400 (1910).
Stone, Pl. Southern New Jersey (Ann. Rep. New Jersey State Mus. 1910), t. 96 (1911).
Richter in Bull. California Agric. St. No. 217, p. 1023 (1911).—*Hab.*
Merck's Rep. (Pract. Journ. Pharm.), xx. 216 (1911).
Clements, Rosend. & Butters, Minnesota Trees & Shrubs, 276 (1912).
Collins & Preston, Key to Trees, 21 (1912).—*Veg.*
Silva Tarouca, Freiland-Laubgehölze, 174 (1913).—*Hab.*
L. H. Bailey, Stand. Cycl. Hort. 714 (1914).
Mathews, Field Book Amer. Trees & Shrubs, 385 (1915).
*Nat. Geogr. Mag. Washington, xxix. 600 (1916).
*House, Wild Fl. New York (Mem. No. 15 N.Y. State Mus.), ii. t. 210 (1918).
Lovell, Flower & Bee, 240 (1919).
Pellett, Amer. Honey Pl. 54 (1920).
salicifolius Humb. & Bonpl.
Humboldt & Bonpl. Pl. Aeq. t. 98 (1813).
spinosus Griff.
Griffith, Ic. Pl. Asiat. t. 562 (1854) in ic.; *Batis spinosa* in textu.

CEPHALARIA Schrad.
alpina Schrad.
Coulter in Mém. Soc. Phys. & Hist. Nat. Genève, ii. II. t. 1 (1824).—*Fr.*
Nees, Gen. Pl. fasc. xxv. t. 11 (1849).
Cesati, Passer. & Gibelli, Comp. Fl. Ital. t. 86 (1867–86).—*Fl.*
*Weber, Alp.-Pfl. Ed. 3, ii. t. 193 (1872).
Cusin & Ansberque, Herb. Fl. Franç. xi (Dipsacées), t. 8 (1873).
Acloque, Fl. France, 347 (1894).—*Fl.*
Fiori & Paol. Ic. Fl. Ital. 396 (1903).
Coste, Fl. France, ii. 273 (1903).

CEPHALARIA
alpina
Flahault, Nouv. Fl. Alpes & Pyrén. i. 60 (1906).
Senn, Alpen-Flora, ii. 60 (1906).
Ann. Conserv. & Jard. Bot. Genève, xiii–xiv. 16 (1909).—*Hab.*
Journ. Hort. Ser. III. lxxi. 105 (1915).
Hegi, Ill. Fl. Mittel-Eur. vi. I. 287 (1915).
balearica Coss.
Marès & Vigineix, Pl. Vasc. Iles Baléar. t. 5 (1880).
*Willkomm, Ill. Fl. Hispan. Balear. i. t. 11 (1881–85).
Rouy, Illustr. Pl. Eur. Rar. fasc. 2, t. 34 (1895).
cachemirica Decne.
Jacquemont, Voy. Inde, t. 94 (1844).
Centauroides Roem. & Schult.
Coulter in Mém. Soc. Phys. & Hist. Nat. Genève, ii. II. t. 1 (1824).—*Fr.*
joppica Bég.
Fiori & Paol. Ic. Fl. Ital. 397 (1903).
leucantha Schrad.
Coulter in Mém. Soc. Phys. & Hist. Nat. Genève, ii. II. t. 1 (1824).—*Fr.*
Petermann, Deutschl. Fl. t. 43, p. 335 (1849).—*Fr.*
*Cusin & Ansberque, Herb. Fl. Franç. xi (Dipsacées), t. 9 (1873).
Willkomm, Führ. Reich Pflanzen, 346 (1882).—*Fr.*
*Bicknell, Fl. Pl. Riviera, t. 26 (1885).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xxviii. t. 2948 (1886).
Coste, Fl. France, ii. 274 (1903).
Fiori & Paol. Ic. Fl. Ital. 397 (1903).
Hegi, Ill. Fl. Mittel-Eur. vi. I. 287 (1915).
Cadevall & Sallent, Fl. Catalunya, iii. 182 (1917).
linearifolia Lange
*Willkomm, Ill. Fl. Hispan. Balear. ii. t. 97 (1886).
pilosa Gren. & Godr.
*Cusin & Ansberque, Herb. Fl. Franç. xi (Dipsacées), t. 5 (1873).
rigida Schrad.
Thonner, Blütenpfl. Afr. t. 147 (1908).
syriaca Schrad.
Coulter in Mém. Soc. Phys. & Hist. Nat. Genève, ii. II. t. 1 (1824).—*Fr.*
*Cusin & Ansberque, Herb. Fl. Franç. xi (Dipsacées), t. 6 (1873).
Post, Fl. Syria, Palestine & Sinai, 400 [1896].—*Fl.*
Coste, Fl. France, ii. 273 (1903).
Fiori & Paol. Ic. Fl. Ital. 397 (1903).
Cadevall & Sallent, Fl. Catalunya, iii. 181 (1917).
Szaboi Hayek
Ann. Nat. Hofm. Wien, xxviii. t. 12, fig. 2 (1914).—*Hab.*
Tchichatchewii Boiss.
Tchichatcheff, Asie Mineure, Atlas, t. 26 (1860).
transsilvanica Schrad.
Coulter in Mém. Soc. Phys. & Hist. Nat. Genève, ii. II. t. 1 (1824).—*Fr.*
*Petermann, Deutschl. Fl. t. 43, fig. 335, a–o (1849).—*Fl.*
Cesati, Passer. & Gibelli, Comp. Fl. Ital. t. 86 (1867–86).—*Fl.*
*Cusin & Ansberque, Herb. Fl. Franç. xi (Dipsacées), t. 7 (1873).
Willkomm, Führ. Reich Pflanzen, 346 (1882).—*Fr.*
*Bicknell, Fl. Pl. Riviera, t. 26 (1885).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xxviii. t. 2947 (1886).
Paolucci, Fl. Marchig. t. 28 (1890).—*Fl.*
G. Beck, Fl. Nied.-Oesterr. ii. II. 1141 (1893).—*Fr.*
Coste, Fl. France, ii. 273 (1903).
Fiori & Paol. Ic. Fl. Ital. 397 (1903).
Wagner, Magyar. Gyomnöv. (Weeds of Hungary), 168 (1908).—*Hab.*
Hegi, Ill. Fl. Mittel-Eur. vi. I. 287 (1915).
Oberstein, Herkunft. Kleesaat. fig. 4, 14 (1916).
uralensis Roem. & Schult.
Fedtschenko & Fler. Fl. Eur. Russia, 929 (1910).

CEPHALIPTERUM A. Gray
Drummondii A. Gray
Jardin, xx. 12 (1906).—*Fl.*
De Vries, Plant Breeding, 169, 171 (1907).—*Hab.*

CEPHALOCARPUS Nees
dracaenula Nees
Mart. Fl. Bras. ii. 1. t. 18 (1842).
Ber. Deutsch. Bot. Ges. xxx. 14 (1912).

CEPHALOCEREUS Pfeiff.—Vide *Cereus* (8)
Arrabidae Britton & Rose
*Britton & Rose, Cactac. ii. t. 6, p. 43 (1920).
bahamensis Britton
Journ. New York Bot. Gard. xi. 96 (1910).—*Hab.*
*Britton & Rose, Cactac. ii. t. 4, p. 38 (1920).
Bakeri Britton & Rose
Journ. New York Bot. Gard. xi. 226 (1910).—*Hab.*
barbadensis Britton & Rose
*Britton & Rose, Cactac. ii. t. 6, p. 45, 46 (1920).
brasiliensis Britton & Rose
Britton & Rose, Cactac. ii. 57 (1920).—*Hab.*
Brooksianus Britton & Rose
*Britton & Rose, Cactac. ii. t. 8 (1920).
catingicola Britton & Rose
*Britton & Rose, Cactac. ii. t. 8 (1920).
chrysacanthus Britton & Rose
Britton & Rose, Cactac. ii. t. 7 (1920).—*Hab.*
colombianus Rose
Contrib. U.S. Nat. Herb. xii. t. 62, 63 (1909).
Britton & Rose, Cactac. ii. 55, 56 (1920).
columna Trajani K. Schum.
Schelle, Handb. Kakteenkult. 106 (1907).
cometes Britton & Rose
Britton & Rose, Cactac. ii. 51 (1920).—*Hab.*
Deeringii Small
Journ. New York Bot. Gard. xviii. t. 206 (1917).—*Hab.*
*Britton & Rose, Cactac. ii. t. 4, 5, p. 39 (1920).
De Laetii Gürke
Monatsschr. Kakt. xix. 119 (1909).
Dybowskii Britton & Rose
Britton & Rose, Cactac. ii. 30 (1920).—*Hab.*
euphorbioides Britton & Rose
Britton & Rose, Cactac. ii. 33 (1920).—*Hab.*
fluminensis Britton & Rose
Britton & Rose, Cactac. ii. 29, 57 (1920).
Gounellei Britton & Rose
*Britton & Rose, Cactac. ii. t. 4, p. 35 (1920).
keyensis Britton & Rose
Britton & Rose, Cactac. ii. 40 (1920).
lanuginosus Britton & Rose
Britton & Rose, Cactac. ii. 50 (1920).—*Hab.*
leucocephalus Britton & Rose
Britton & Rose, Cactac. ii. 53 (1920).—*Hab.*
leucostele Britton & Rose
Britton & Rose, Cactac. ii. 36, 37 (1920).
macrocephalus A. Weber
Contrib. U.S. Nat. Herb. x. t. 43 (1906).—*Hab.*
D. T. MacDougal in Carnegie Inst. Washington, Publ. No. 99, t. 15 (1908).—*Hab.*
Nat. Geogr. Mag. Washington, xxi. 698 (1910).—*Hab.*
Möllers Deutsche Gärtn.-Zeit. xxix. 351 (1914).—*Hab.*
Palacios in Mem. & Rev. Soc. Cient. 'Antonio Alzate', xxxvi. 1. 188 (1917).—*Hab.*
Britton & Rose, Cactac. ii. t. 1 (1920).—*Hab.*
Maxonii Rose
Contrib. U.S. Nat. Herb. xii. t. 64 (1909).—*Hab.*
Britton & Rose, Cactac. ii. 48 (1920).—*Hab.*
Melocactus K. Schum.
Mart. Fl. Bras. iv. II. t. 43 (1890).
Pflanzenfam. iii. VI. A. 191 (1894).
Millspaughii Britton
Britton & Rose, Cactac. ii. 46 (1920).
monoclonos Britton & Rose
Plumier, Pl. Amer. Ed. Burm. t. 191 (1758); fide Urban, Fedde Repert. Beih. v. 82.
Britton & Rose, Cactac. ii. 40 (1920).—*Fl.*
Moritzianus Britton & Rose
Britton & Rose, Cactac. ii. 42 (1920).
nobilis Britton & Rose
*Britton & Rose, Cactac. ii. t. 6, p. 45 (1920).
pentaëdrophorus Britton & Rose
*Britton & Rose, Cactac. ii. t. 4, p. 31 (1920).
phaeacanthus Britton & Rose
*Britton & Rose, Cactac. ii. t. 8, p. 57 (1920).

CEPHALOCEREUS
piauhyensis Gürke
Britton & Rose, Cactac. ii. 48 (1920).—*Hab.*
polygonus Britton & Rose
Plumier, Pl. Amer. Ed. Burm. t. 196 (1758); fide Urban, Fedde Repert. Beih. v. 83.
Britton & Rose, Cactac. ii. t. 7 (1920).—*Hab.*
polylophus Britton & Rose
Britton & Rose, Cactac. ii. 32 (1920).
purpureus Gürke
Britton & Rose, Cactac. ii. 28, 29 (1920).
Robinii Britton & Rose
Britton & Rose, Cactac. ii. 39 (1920).
robustus Britton & Rose
Britton & Rose, Cactac. ii. 51 (1920).—*Hab.*
Royenii Britton & Rose
Journ. New York Bot. Gard. xv. t. 133, 134 (1914).—*Hab.*
Britton & Rose, Cactac. ii. 46, 50 (1920).
Russelianus Rose
Britton & Rose, Cactac. ii. 33, 34 (1920).
senilis Pfeiff.
Pflanzenfam. iii. VI. A. 181, 186 (1894).
Schumann, Gesamtb. Kakt. 201 (1897).
Schelle, Handb. Kakteenkult. 108 (1907).
Ann. Rep. Smithson. Inst. 1908, p. 552 (1909).
Rother, Prakt. Leitf. Kakt. 83 (1910).
Engler & Drude, Veget. Erde, xiii. 644 (1911).—*Hab.*
Francé, Leben Pflanze, vi. 432 (1913).
Britton & Rose, Cactac. ii. 28 (1920).—*Hab.*
Smithianus Britton & Rose
Britton & Rose, Cactac. ii. 36, 37 (1920).
Swartzii Britton & Rose
Britton & Rose, Cactac. ii. 47 (1920).—*Hab.*
Tweedyanus Britton & Rose
Britton & Rose, Cactac. ii. 54, 55 (1920).
Ulei Gürke
Karsten & Schenck, Veg.-Bild. vi. t. 18 (1908).—*Hab.*
Engl. Jahrb. xl. Beibl. 93, t. 9 (1908).—*Hab.*
Zehntneri Britton & Rose
Britton & Rose, Cactac. ii. 35 (1920).—*Fl.*

CEPHALOCROTON Hochst.
cordofanus Müll.-Arg.
Pflanzenreich, Euphorb.-Adrian. 9 (1910).
discolor Müll.-Arg.
M. J. Müller in Mém. Soc. Phys. & Hist. Nat. Genève, xvii. II. 460 (1864).
indicum Bedd.
Beddome, Fl. Sylv. t. 261 (1872).
mollis Klotzsch
Baillon, Euphorb. t. 18, fig. 24–26 (1858).—*Fl.*
Peters, Reise Mossamb., Bot. t. 17 (1861).
Peuschelii Pax
Pflanzenreich, Euphorb.-Adrian. 11 (1910).
polygynus Pax & K. Hoffm.
Pflanzenreich, Euphorb.-Adrian. 9 (1910).—*Hab.*
socotranus Balf. f.
Balfour f., Bot. Socotra (Trans. Roy. Soc. Edinb. xxxi), t. 94 (1888).

CEPHALOMANES Presl: *Trichomanes*
atrovirens Presl
Presl, Bot. Bemerk. (Abh. Böhm. Ges. Wiss. Ser. V. iii), t. 5 (1844).—*Fr.*
auriculatum Bl.
Bosch in Verh. Akad. Wet. Amsterdam, ix. t. 25 (1861).
australicum Bosch
Mededeel. Rijks Herb. Leiden, No. 17, p. 12 (1913).
dissectum Bosch
Mededeel. Rijks Herb. Leiden, No. 17, p. 17 (1913).
javanicum Bl.
Bosch in Verh. Akad. Wet. Amsterdam, ix. t. 22 (1861).
madagascariense Bosch
Mededeel. Rijks Herb. Leiden, No. 17, p. 16 (1913).
oblongifolium Presl
Presl, Epimeliae Bot. (Abh. Böhm. Ges. Wiss. Ser. V. vi), t. 10 (1851).

CEPHALOMANES
rhomboideum Bosch
Bosch in Verh. Akad. Wet. Amsterdam, ix. t. 24 (1861).
singaporianum Bosch
Mededeel. Rijks Herb. Leiden, No. 17, p. 14 (1913).
Wilkesii Bosch
Mededeel. Rijks Herb. Leiden, No. 17, p. 14 (1913).
Zollingeri Bosch
Bosch in Verh. Akad. Wet. Amsterdam, ix. t. 23 (1861).

CEPHALONEMA K. Schum.
polyandrum K. Schum.
Hook. Ic. Pl. xxxi. t. 3002 (1915).

×**CEPHALOPACTIS** Aschers. & Graebn.
speciosa Aschers. & Graebn.
*E. G. Camus, Orchidées, t. 30, fig. 1059–62 (1908).

CEPHALOPAPPUS Nees & Mart.
sonchifolius Nees & Mart.
Nov. Act. Acad. Nat. Cur. xii. 1. t. 1 (1824).

CEPHALOPHORA Cav.: *Helenium*
aromatica Schrad.
Schnizlein, Iconogr. ii. t. 120 c (1843–70).—*Fr.*
glauca Cav.
Cavanilles, Ic. vi. t. 599 (1801).
An. Cienc. Nat. Madrid, v. t. 39 (1802).
heterophylla Less.
Mart. Fl. Bras. vi. III. t. 77 (1884).
Arechavaleta, Fl. Urug. (An. Mus. Nac. Montevideo, vi), iii. t. 80 (1906).

CEPHALORHYNCHUS Boiss.: *Lactuca*
glandulosus Boiss.
Rouy, Illustr. Pl. Eur. Rar. fasc. 7, t. 162 (1896).

CEPHALOSPHAERA Warb.
usambarensis Warb.
Engler & Drude, Veget. Erde, ix. 1. 1, p. 301 (1910); iii. 1. 218 (1915).
Pflanzer, ix. t. 11 (1913).—*Hab.*

CEPHALOSTACHYUM Munro
capitatum Munro
Ann. Bot. Gard. Calcutta, vii. t. 91 (1896).
E. G. Camus, Bambus. Atlas, t. 93 (1913).
flavescens Kurz
Ann. Bot. Gard. Calcutta, vii. t. 96 (1896).
Fuchsianum Gamble
Ann. Bot. Gard. Calcutta, vii. t. 94 (1896).
E. G. Camus, Bambus. Atlas, t. 93 (1913).
latifolium Munro
Ann. Bot. Gard. Calcutta, vii. t. 93 (1896).
mindorense Gamble
W. H. Brown & A. F. Fischer in Bull. Philip. Isl. Dep. Agric. Bur. Forestry, No. 15, t. 11 (1918); No. 22, p. 288, t. 11 (1920).—*Hab.*
pallidum Munro
Ann. Bot. Gard. Calcutta, vii. t. 92 (1896).
pergracile Munro
Ann. Bot. Gard. Calcutta, vii. t. 95 (1896).
Ind. For. Rec. iii. 1. t. 2 (1911).—*Hab.*
virgatum Kurz
Ann. Bot. Gard. Calcutta, vii. t. 97 (1896).
E. G. Camus, Bambus. Atlas, t. 93 (1913).

CEPHALOSTEMON Rob. Schomb.
Riedelianus Körn.
Linnaea, xxxvii. t. 1, fig. 1–12 (1871–73).—*Fl.*
Pflanzenfam. ii. IV. 29 (1888).—*Fr.*

CEPHALOSTIGMA A. DC.
bahiense A. DC.
Mart. Fl. Bras. vi. IV. t. 48 (1885).
Perrottetii A. DC.
Delessert, Ic. Pl. v. t. 15 (1846).

CEPHALOTAXUS Sieb. & Zucc.
drupacea Sieb. & Zucc.
Journ. Hort. xxx. 455 (1863).
Siebold & Zucc. Fl. Jap. t. 130, 131 (1870).
Gartenfl. xxix. 177 (1880).
Lauche, Deutsche Dendrol. Ed. 2, p. 51 (1883).
Koehne, Dendrol. 4 (1893).

CEPHALOTAXUS
drupacea
Gard. Chron. Ser. III. xviii. 716 (1895); xxxiii. 227 (1903).
*Useful Pl. Jap. i. t. 314, 708 (1895).
*Shirasawa, Ic. Ess. Forest. Jap. i. t. 14 (1900).
Veitch, Man. Conif. Ed. 2, p. 8 (1900).
Pflanzenreich, Taxac. 101, 102 (1903).
*Bot. Mag. cxxxv. t. 8285 (1909).
Clinton-Baker, Ill. Conif. iii. 64 (1913).
Warburg, Pflanzenwelt, i. 341 (1913).
Goebel, Organogr. Pfl. Ed. 2, i. 484 (1913).
Silva Tarouca, Freiland-Nadelhölzer, 161 (1913).
Bean, Trees & Shrubs, i. 331 (1914).
Mitt. Deutsch. Dendr. Ges. 1916, t. 5–7.
Fortunei Hook.
*Bot. Mag. lxxvi. t. 4499 (1850).
*Fl. des Serres, Ser. I. vi. t. 555 (1850–51).
Paxt. Fl. Gard. i. 57 (1850–51).
*Lem. Jard. Fl. i. t. 6 (1851).
Journ. Hort. xxx. 454 (1863); Ser. III. vii. 231 (1884); lxvii. 227 (1913).—*Veg.*
Parlatore in Ann. Mus. Fis. Stor. Nat. Firenze, 1865, N. Ser. i. t. 2 (1866).—*Fl.*
Mém. Acad. Sc. Pétersb. Ser. VII. xiii. No. 6, t. 3, fig. 85–89; t. 4, fig. 90 (1869).—*Fr.*
!Rev. Hort. 1878, p. 117.
Gard. Chron. xxi. 113 (1884).—*Veg.*
Pflanzenfam. ii. 1. 110 (1889).
Journ. Linn. Soc., Bot. xxvii. 244 (1890).—*Veg.*
Beissner, Handb. Nadelholzk. 182 (1891); Ed. 2, p. 67 (1909).
Goebel, Organogr. Pfl. 699 (1901); Ed. Angl. 519 (1905).—*Fl.*
Tison in Mém. Soc. Linn. Normandie, xxiv. t. 3 (1910).
Coulter & Chamberlain, Morph. Gymnosp. 275 (1910).
Fernow, Care of Trees, fig. 82 (1910).
Velenovsky, Vergl. Morphol. Pfl. iii. 752 (1910).
Wettstein, Handb. Syst. Bot. Ed. 2, p. 401 (1911).
Wilson, Veg. West. China (Publ. Arn. Arb. No. 2), 162 (1911).—*Hab.*
Clinton-Baker, Ill. Conif. iii. 65 (1913).
Silva Tarouca, Freiland-Nadelhölzer, 37, 161 (1913).
Griffithii Hook. f.
Hook. Ic. Pl. xx. t. 1933 (1890).
Harringtonia K. Koch
Silva Tarouca, Freiland-Nadelhölzer, 160 (1913).—*Hab.*
Oesterr. Bot. Zeitschr. lxiv. 347 (1914).
—— **fastigiata** Silva Tarouca
Silva Tarouca, Freiland-Nadelhölzer, 161, 162 (1913).
Mannii Hook. f.
Hook. Ic. Pl. xvi. t. 1523 (1886).
Oliveri Mast.
Gard. Chron. Ser. III. xxxiii. 226 (1903).—*Veg.*
Silva Tarouca, Freiland-Nadelhölzer, 83, 161 (1913).
pedunculata Sieb. & Zucc.
Carrière, Prod. & Fix. Var. 45 [1865].
Parlatore in Ann. Mus. Fis. Stor. Nat. Firenze, 1865, N. Ser. i. t. 3 (1866).—*Fl.*
Siebold & Zucc. Fl. Jap. t. 132 (1870).
Gard. Chron, xxi. 113 (1884); Ser. III. xviii. 716 (1895); xxxiii. 228 (1903).
Journ. Linn. Soc., Bot. xxii. 202 (1886); xxvii. 324 (1890).
Pflanzenfam. ii. 1. 110 (1889).
Beissner, Handb. Nadelholzk. 179 (1891); Ed. 2, p. 63 (1909).
Tubeuf, Nadelhölzer, 159 (1897).
Veitch, Man. Conif. Ed. 2, p. 115 (1900).
Mottet, Conif. & Taxac. 363 (1902).
Bull. Soc. Dendr. France, 1911, p. 26.—*Fr.*
Warburg, Pflanzenwelt, i. 341 (1913).
Clinton-Baker, Ill. Conif. iii. 66 (1913).
Naturwiss. Zeitschr. Land- & Forst. xii. 237 (1914).
Neger, Nadelhölzer, Ed. 2, p. 27 (1919).—*Fr.*
—— **fastigiata** Carr.
Carrière, Prod. & Fix. Var. 44 [1865].

CEPHALOTAXUS
pedunculata fastigiata
Gard. Chron. xxi. 112 (1884); Ser. III. xxxiii. 229 (1903).—*Veg.*
Journ. Linn. Soc., Bot. xxvii. 245 (1890).—*Veg.*
Tubeuf, Nadelhölzer, 160 (1897).
Semaine Hort. 1898, p. 450.—*Hab.*
Nicholson, '1900' Suppl. Dict. Gard. 214 (1900).—*Hab.*
De Vries, Mutationsth. i. 486 (1901).
Mottet, Conif. & Taxac. 364 (1902).—*Hab.*
—— **sphaeralis** Mast.
Gard. Chron. xxi. 117 (1884).
Garten-Zeit. Berlin, iii. 349 (1884).
Journ. Linn. Soc., Bot. xxii. t. 7 (1886).

CEPHALOTROPHIS Bl.: *Malaisia*
javanica Bl.
Blume, Mus. Bot. Lugd.-Bat. ii. fig. 27 (1856).

CEPHALOTUS Labill.
follicularis Labill.
Labillardière, Nov. Holl. Pl. t. 145 (1806).
Trattinick, Arch. i. t. 96 (1812).
Flinders, Voy. Terra Austral. t. 4 (1814).
Lamarck, Ill. vi. t. 960 (1823).
Trattinick, Gen. Nov. Pl. t. 9 (1825).
*Bot. Mag. lviii. t. 3118, 3119 (1831).
Hort. Reg. ii. 365 (1833).
Paxt. Mag. i. 59 (1841).
*Fl. des Serres, Ser. I. iii. t. 290 (1847).
Ann. Hort. iii. 397 (1847).
*Schnizlein, Iconogr. iii. t. 169 (1851).
Album Natuur, 1864, p. 58, 60–62.
Le Maout & Decaisne, Traité Gén. Bot. 266 (1868).
*Floral Mag. vii. t. 372 (1868).
Garden, ii. 340 (1872); iii. 307, 401 (1873); xvii. 405 (1880); lvii. 377 (1900).
Baillon, Hist. Pl. iii. 338 (1872).
Journ. Hort. li. 327 (1874); Ser. III. xii. 95 (1886); xxxv. 260 (1897); lxv. 147 (1912).
Gartenfl. xxv. 216 (1876).—*Veg.*
Journ. of Bot. xvi. t. 193, fig. 1 (1878); xix. t. 219 (1881).—*Veg.*
*Ill. Hort. xxvii. t. 391 (1880).
Jahrb. Bot. Gart. Berlin, i. 194 (1881).—*Veg.*
Wien. Ill. Gart.-Zeit. vi. 29 (1881).
Trans. & Proc. Bot. Soc. Edinb. xiv. t. 5, 6 (1883).
Rhein. Jahrb. Gartenk. & Bot. i. t. 5 (1884).
Bouché, Insectenfr. Pfl. t. 1 (1884).—*Hab.*
Nicholson, Illustr. Dict. Gard. i. 294 [1884–88].
Neubert's Deutsch. Gart. Mag. 1886, p. 186.
Kerner, Pflanzenleben, i. 122 (1887); Ed. 3, i. 315 (1913).
Pflanzenfam. iii. II. A. 40 (1890).
Goebel, Pflanzenbiol. Schild. ii. 111 (1891).
Bois, Dict. Hort. 274 (1893–99).
Kerner & Oliv. Nat. Hist. Pl. i. 131 (1894).
Brehm, Merv. Nat. Monde des Pl. i. 737 (1894–96).
Rev. Hort. Belge, xxiii. 233 (1897).—*Hab.*
Journ. Roy. Hort. Soc. London, xxi. Proc. p. clviii (1897–98).
Kronfeld, Atlas Pflanzengeogr. 170 (1899).
L. H. Bailey, Cycl. Amer. Hort. 276 (1900); Stand. Cycl. Hort. 716 (1914).—*Veg.*
Bellair & St.-Léger, Pl. Serre, 492 (1900).
Goebel, Organogr. Pfl. 531, 532 (1900); Ed. Angl. ii. 337, 339 (1905).—*Veg.*
Warming, Handb. Syst. Bot. Ed. Möbius, 345 (1902).
Knight & Step, Living Plant, t. 5 (1905).
Engler & Drude, Veget. Erde, vii. 358 (1906).
Beih. Bot. Centralbl. xxv. II. 496–98, 506, 525, 526–30 (1909).
Pflanzenreich, Cephalot. 3 (1911).
Neger, Biol. Pflanz. 331 (1913).
Gard. Chron. Ser. III. lix. 182, 183 (1916).—*Hab.*

CEPHALOXIS Desv.: *Juncus*
flabellata Desv.
Journ. de Bot. Appl. (Desvaux), i. t. 11 (1808).

CERADIA Lindl.: *Othonna*
furcata Lindl.
Paxt. Mag. xv. 93 (1849).

CERAMANTHE Reichb.: *Scrophularia*
vernalis Reichb.
Reichenbach, Ic. Fl. Germ. xx. t. 1676 (1861).

CERAMANTHUS Malme
flavus Malme
Arkiv Bot. Stockholm, iv. No. 14, t. 1 (1905).—*Fl.*
gracilis Malme
Arkiv Bot. Stockholm, iv. No. 14, t. 1 (1905).—*Fl.*

CERAMANTHUS Hassk.: *Phyllanthus*
gracilis Hassk.
Baillon, Euphorb. t. 25, fig. 22–24 (1858).—*Fl.*

CERAMIA D. Don: *Erica*
serpyllifolia Lodd.
J. C. Loudon, Arbor. & Frutic. Brit. ii. 1090 (1838).
urceolaris D. Don
J. C. Loudon, Arbor. & Frutic. Brit. ii. 1092 (1838).

CERANTHERA P. Beauv.: *Alsodeia*
dentata P. Beauv.
*P. Beauvais, Fl. Oware & Benin, t. 65 (1808).
Lamarck, Ill. vi. t. 927 (1819).
ilicifolia Welw.
Trans. Linn. Soc. London, xxvii. t. 2 (1869).
subintegrifolia P. Beauv.
*P. Beauvais, Fl. Oware & Benin, t. 66 (1808).

CERANTHERA Ellis—Vide *Dicerandra*

CERARIA Pearson & E. L. Stephens
gariepina Pearson & E. L. Stephens
Ann. Bot. xxvi. 1112 (1912).—*Hab.*

CERASEIDOS Sieb. & Zucc.: *Prunus*
apetala Sieb. & Zucc.
Siebold & Zucc. in Abh. Akad. Wiss. München, iii. III. t. 5, fig. I 1–I 8 (1843).

CERASIOCARPUM Hook. f.
Bennettii Cogn.
Pflanzenreich, Curcurbitac.-Fev. & Melothr. 239 (1916).
ceylanicum Bl.
*Trimen, Handb. Fl. Ceylon, Atlas, ii. t. 44 (1894).

CERASTIUM Linn.—Vide *Centunculus*, *Dichodon*, *Eomarchia*, *Pentaple*
aggregatum Dur.
*Willkomm, Ic. & Descr. Pl. Hispan. i. t. 57 (1852).
*Cusin & Ansberque, Herb. Fl. Franç. iv. t. 729 (1869).
alpestre Schur
Lindman, Svensk Fanerogamfl. 238 (1918).
alpinum Linn.
*Fl. Dan. i. t. 6 (1761); vi. t. 979 (1790).
*Sowerby & Sm. Engl. Bot. vii. t. 472 (1798).
Hegetschweiler, Reisen Gebirg. Glarus & Graubünden, t. 3, fig. 30 (1825).
*Sturm, Deutschl. Fl. xv. LXIV [t. 1011] (1834).
[M. E.] Jackson, Pict. Fl. fig. 719 (1840).
*C. E. Sowerby, Ill. Cat. Brit. Pl. fig. 222 (1841).
Edmonston in Phytologist, i. 500 (1843).
*Svensk Bot. xi. t. 745 (1843).
*Reichenbach, Ic. Fl. Germ. vi. t. 232 (1844).
*Deakin, Florigr. Brit. ii. fig. 743 (1845).
Johnson & Sowerby, Brit. Wild Fl. fig. 222 (1858–60).
*Syme, Engl. Bot. ii. t. 223 (1864).
Bentham, Handb. Brit. Fl. fig. 159 (1865).
*Cusin & Ansberque, Herb. Fl. Franç. iv. t. 734 (1869).
*Hogg & Johnson, Wild Fl. Gr. Brit. vii. t. 541 (1872).
*Weber, Alp.-Pfl. Ed. 3, i. t. 98 (1872).
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, i. t. 44 [1873].
Gard. Chron. xiii. 299 (1880).
Wagner, Ill. Deutsche Fl. Ed. 2, p. 118 (1882).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xii. t. 1228 (1883).
G. Beck & Szyszyl. Pl. Cernag. & Albania, t. 4 (1888).
*Heathcote, Fl. Engadine, t. 45 (1891).

CERASTIUM
alpinum
Bot. Tidsskr. xix. 286 (1895).
Britton & Brown, Ill. Fl. N. States & Canada, ii. 27 (1897); Ed. 2, ii. 49 (1913).
Pearson & Feilding, Beyond Petsora Eastward, t. 84 (1899).—*Hab.*
Fiori & Paol. Ic. Fl. Ital. 132 (1899).
Flora, lxxxix. t. 1, fig. 11 (1901).—*Fr.*
Coste, Fl. France, i. 219 (1901).
Porslid in Meddel. Groenl. xxv. 153 (1902); l. 374 (1912).—*Hab.*
*Jul. Hoffmann, Alpine Fl. t. 11 (1903).
Blytt, Haandb. Norg. Fl. Ed. Dahl, 319 (1906).
*Miyoshi & Makino, Pocket-Atlas, Alp. Pl. Jap. ii. t. 54, fig. 308 (1907).
*Hulme, Familiar Swiss Fl. t. 48 (1908).
*Flahault, Nouv. Fl. Alpes & Pyrén. ii. t. 24 (1908).
Engler & Drude, Veget. Erde, xi. t. 41 (1909).—*Hab.*
Hegi, Ill. Fl. Mittel-Eur. iii. 368 (1909).
Somoku Dzusetsu, Ed. Makino (Iconogr. Pl. Nippon), viii. t. 29 (1910).
Lundager in Meddel. Groenl. xliii. 400 (1911); et in Arbejd Bot. Have Kjöbenhavn, No. 70, 400 (1912).—*Hab.*
*H. S. Thompson, Alp. Pl. Europe, t. 15 (1911).
*Bonnier, Fl. Compl. France, Suisse & Belge, ii. t. 89 [1912].
Kruuse in Meddel. Groenl. xlix. 137 (1912).—*Hab.*
Holmsen, Explor. Nord-Ouest Spitsberg, fasc. xliv. v. t. 1 (1913).—*Hab.*
Marret, Ic. Fl. Alp. Pl. Ser. II. fasc. 6, text-fig. 1–3, t. 170 [1914].
Cadevall & Sallent, Fl. Catalunya, i. 322 (1915).
*Penzig, Fl. Alpi Illustr. Ed. 2, t. 11 (1915).
Lindman, Svensk Fanerogamfl. 238 (1918).
Fitch & Smith, Ill. Brit. Fl. Ed. rev. 4, Iss. 2, fig. 162 (1919).
Moss, Cambridge Brit. Fl. iii. t. 44 (1920).
—— **Fischerianum** Torr. & Gray
*Miyoshi & Makino, Pocket-Atlas, Alp. Pl. Jap. ii. t. 62, fig. 355 (1907).
—— **glabratum** Wahlenb.
*Svensk Bot. xi. t. 745 (1843).
*Cusin & Ansberque, Herb. Fl. Franç. iv. t. 735 (1869).
—— **lanatum** Gren. & Godr.
*Cusin & Ansberque, Herb. Fl. Franç. iv. t. 736 (1869).
*Seboth & A. W. Bennett, Alpine Pl. iv. t. 13 (1880).
Marret, Ic. Fl. Alp. Pl. Ser. II. Fasc. 6, t. 170 [1914].
—— **squallidum** Ram.
Marret, Ic. Fl. Alp. Pl. Ser. II. Fasc. 6, t. 170 [1914].
alsinoides distans Gren.
Grenier, Monogr. Cerast. (Mém. Soc. Émul. Doubs, i), t. 3 (1841); *C. pumilum distans* in textu, p. 33.
amplexicaule Sims
*Bot. Mag. xliii. t. 1789 (1816).
anomalum Waldst. & Kit.
*Waldstein & Kit. Pl. Rar. Hung. i. t. 22 (1802).
Petermann, Deutschl. Fl. t. 15, fig. 114 u, v (1849).—*Fl.*
*Cusin & Ansberque, Herb. Fl. Franç. iv. t. 719 (1869).
Fiori & Paol. Ic. Fl. Ital. 131 (1899).
Coste, Fl. France, i. 216 (1901).
Hegi, Ill. Fl. Mittel-Eur. iii. 362 (1909).
apetalum Dumort.
Nouv. Mém. Acad. Sc. Bruxelles, ix. t. 2 (1835).—*Fr.*
aquaticum Linn.
*Curtis, Fl. Londin. i. fasc. 1. t. 34 (1777); Ed. 2, i. fasc. 1. t. 34 (1817).
*Bergeret, Phyt. Univ. i. 157 (1783).
C. K. Sprengel, Entd. Geheimn. Natur, t. 15, fig. 5; t. 25, fig. 7 (1793).—*Fl.*
*Sowerby & Sm. Engl. Bot. viii. t. 538 (1799).
*Kops, Fl. Batava, ii. t. 134 (1807).
*Fl. Dan. viii. t. 1337 (1808).

CERASTIUM
aquaticum
*Schkuhr, Bot. Handb. Ed. 2, t. 125 (1808).—*Fl.*
*Schrank, Fl. Monac. iii. t. 260 (1816).
*Sturm, Deutschl. Fl. xv. LXIII [t. 998] (1833).
*Dietrich, Fl. Boruss. iii. t. 216 (1835).
[M. E.] Jackson, Pict. Fl. fig. 721 (1840).
*C. E. Sowerby, Ill. Cat. Brit. Pl. fig. 217 (1841).
*Reichenbach, Ic. Fl. Germ. vi. t. 237 (1844).
Johnson & Sowerby, Brit. Wild Fl. fig. 224 (1858–60).
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, i. t. 44 [1873].
Wagner, Ill. Deutsche Fl. Ed. 2, p. 119 (1882).
Bot. Jaarb. Gent, vi. 169 (1894).—*Fl.*
Coste, Fl. France, i. 216 (1901).
Arabidis E. Mey. & Drège
Grenier, Monogr. Cerast. (Mém. Soc. Émul. Doubs, i), t. 4 (1841).
arcticum Lange
*Fl. Dan. xvii. t. 2963 (1880).
Lindman, Svensk Fanerogamfl. 238 (1918).
Moss, Cambridge Brit. Fl. iii. t. 46 (1920).
argaeum Boiss. & Bal.
Ann. Nat. Hofm. Wien, xx. t. 15, fig. 2 (1905).—*Hab.*
arisanense Hayata
Hayata, Ic. Pl. Formosan. i. t. 13 (1911).
armeniacum Gren.
Grenier, Monogr. Cerast. (Mém. Soc. Émul. Doubs, i), t. 1 (1841).
arvense Linn.
*Kniphof, Herb. Viv. i. t. 236 (1758).
*Fl. Dan. iv. t. 626 (1775).
*Curtis, Fl. Londin. ii. fasc. VI. t. 29 (1798); Ed. 2, iii. fasc. VI. t. 29 (1826).
*Bergeret, Phyt. Univ. i. 159 (1783) in textu; *C. vulgare* in ic.
Hoppe, Ect. Pl. Ratisb. t. 775 (1793).
*Sowerby & Sm. Engl. Bot. ii. t. 93 (1793).
Lamarck, Ill. ii. t. 392, fig. 2 (1797).
*Kops, Fl. Batava, i. t. 43 (1800).
*Sturm, Deutschl. Fl. ii. VIII [t. 118] (1800).
*Schkuhr, Bot. Handb. Ed. 2, t. 125 (1808).
*A. & F. Plée, Herbor. Paris, [t. 87] (1811).
Thornton, Brit. Fl. iv. 26 (1812).
*Schrank, Fl. Monac. iii. t. 280 (1816).
*Zenker, Fl. Thüringen, i. t. 48 (1836–55).
*Dietrich, Fl. Boruss. v. t. 320 (1837).
*Baxter, Brit. Bot. Ed. 2, iv. t. 286 (1839).
[M. E.] Jackson, Pict. Fl. fig. 718 (1840).
*C. E. Sowerby, Ill. Cat. Brit. Pl. fig. 224 (1841).
*Reichenbach, Ic. Fl. Germ. vi. t. 234 (1844).
*Deakin, Florigr. Brit. ii. fig. 742 (1845).
*J. W. Loudon, Brit. Wild Fl. Ed. 2, t. 18 [1846].
*Lorek, Fl. Pruss. Ed. 3, t. 114, fig. 616 (1848).
Johnson & Sowerby, Brit. Wild Fl. fig. 221 (1858–60).
Nees, Gen. Pl. fasc. xxxi. t. 14 (1860).
*Syme, Engl. Bot. ii. t. 225 (1864).
*Schubert, Naturg., Pflanzenreich, Ed. 2, t. 23, fig. 7 [1865].
Bentham, Handb. Brit. Fl. fig. 158 (1865).
Le Maout & Decaisne, Traité Gén. Bot. 439 (1868).—*Fr.*
*Cusin & Ansberque, Herb. Fl. Franç. iv. t. 737 (1869).
*Hogg & Johnson, Wild Fl. Gr. Brit. v. t. 372 (1869).
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, i. t. 44 [1873].
*Meehan, Fl. & Ferns U.S. ii. t. 48 (1879).
De Silvestri, Piante Prat. 350 (1879).
Karsten, Deutsche Fl. Pharm.-medic. Bot. 540 (1880–83).—*Fr.*
*C. Hoffmann, Pflanzenatlas, t. 36, fig. 226 (1881).
Wagner, Ill. Deutsche Fl. Ed. 2, p. 118 (1882).
Willkomm, Führ. Reich Pflanzen, 782 (1882).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xii. t. 1230 (1883).
Journ. Linn. Soc., Bot. xxii. 354, 365 (1886).
*Thomé, Fl. Deutschl. ii. t. 224 (1886).
Baillon, Hist. Pl. ix. 88 (1887).
Bull. Torr. Bot. Club, xiv. t. 64, fig. 1 (1887).
Pflanzenfam. iii. 1. B. 81 (1889).—*Fl.*

CERASTIUM
arvense
Potonié, Ill. Fl. Nord- u. Mittel-Deutschl. Ed. 4, fig. 224 (1889).
G. Beck, Fl. Nied.-Oesterr. i. 351 (1890).—*Fl.*
*Heathcote, Fl. Engadine, t. 45 (1891).
Lubbock, Seedlings, i. 14, 220 (1892).—*Veg.*
Acloque, Fl. France, 160 (1894).
Garcke, Ill. Fl. Deutschl. 106 (1895).
Karsten, Fl. Deutschl. ii. 75 (1895).
Miller & Whiting, Wild Fl. N.E. States, 76 (1895).
H. Bos in Tijdschr. Tuinb. Ed. Bos, i. fig. 39 (1896).
Britton & Brown, Ill. Fl. N. States & Canada, ii. 27 (1897); Ed. 2, ii. 49 (1913).
Knuth, Handb. Blütenbiol. ii. 1. 198 (1898).—*Fl.*
Arthur in Bull. Indiana Agric. St. No. 74, t. 6 (1898).
Fiori & Paol. Ic. Fl. Ital. 132 (1899).
L. H. Bailey, Cycl. Amer. Hort. 277 (1900); Stand. Cycl. Hort. 716 (1914).
Coste, Fl. France, i. 220 (1901).
C. T. Green, Fl. Liverpool Distr. fig. 88 (1902).
Warming, Handb. Syst. Bot. Ed. Möbius, 272 (1902).—*Fr.*
*Bettfreund, Fl. Argentina, iii. t. 109 (1902).
Henshaw, Mount. Wild Fl. Amer. t. 7 (1906).
Suireishchikov, Ill. Fl. Mosc. Gov. ii. 127 (1907).
Heukels, Fl. Nederl. ii. 148 (1908).
*Correvon & Rob. Alp. Fl. t. 24 [1908?].
*Hegi, Ill. Fl. Mittel-Eur. iii. t. 105 (1909).
Fedtschenko & Fler. Fl. Eur. Russia, 376 (1910).
*Correvon, Fl. Champs & Bois, t. 43 (1911).
*Bonnier, Fl. Compl. France, Suisse & Belge, ii. t. 89 [1912].
Warburg, Pflanzenwelt, i. 571 (1913).
Bull. Angew. Bot. vii. t. 104 (1914).—*Fr.*
A. Georgia, Manual Weeds, t. 92 (1914).
Horwood, Plant Life Brit. Isles, ii. 136 (1914).—*Hab.*
F. E. & E. S. Clements, Rocky Mt. Fl. t. 9 (1914).
M. Armstrong, Field Book West. Wild Fl. 119 (1915).
Cadevall & Sallent, Fl. Catalunya, i. 322 (1915).
C. A. Hall, Plant-Life, t. 41 (1915).—*Hab.*
*Bonnier, Name This Flower, t. 9 (1917).
Mayevsky, Fl. Central Russia, 104 (1918).
Lindman, Svensk Fanerogamfl. 233 (1918).
*House, Wild Fl. New York (Mem. No. 15 N.Y. State Mus.), i. t. 63 (1918).—*Hab.*
Fitch & Smith, Ill. Brit. Fl. Ed. rev. 4, Iss. 2, fig. 161 (1919).
*Horwood, Brit. Wild Fl. v. t. 60, p. 143 (1919).
Moss, Cambridge Brit. Fl. iii. t. 43 (1920).
—— **angustifolium** Fenzl
Bull. Torr. Bot. Club, xiv. t. 65, fig. 7 (1887).
Arthur in Bull. Indiana Agric. St. No. 74, t. 6 (1898).
—— **calcicola** Schur
Bot. Közl. (Bot. Communic.), xii. 65 (1913).
—— **elongatum** Cusin & Ansb.
Cusin & Ansberque, Herb. Fl. Franç. iv. t. 739 (1869).
—— **fuegianum** Hook. f.
Bull. Torr. Bot. Club, xiv. t. 64, fig. 3, 4 (1887).
Arthur in Bull. Indiana Agric. St. No. 74, t. 6 (1898).
—— **latifolium** Fenzl
Bull. Torr. Bot. Club, xiv. t. 65, fig. 5 (1887).
Arthur in Bull. Indiana Agric. St. No. 74, t. 6 (1898).
—— **maximum** Hollick & Britton
Bull. Torr. Bot. Club, xiv. t. 64, fig. 2 (1887).
Arthur in Bull. Indiana Agric. St. No. 74, t. 6 (1898).
—— **molle** Arcang.
*Cusin & Ansberque, Herb. Fl. Franç. iv. t. 738 (1869).
—— **oblongifolium** Hollick & Britton
*Bull. Torr. Bot. Club, xiv. t. 63, 65, fig. 6 (1887).
Arthur in Bull. Indiana Agric. St. No. 74, t. 1–4, 6, p. 97 (1898).
—— **rigidum** Vilm.
Hegi, Ill. Fl. Mittel-Eur. iii. 373 (1909).

CERASTIUM
arvense Soleirolii Arcang.
*Cusin & Ansberque, Herb. Fl. Franç. iv. t. 741 (1869).
—— **strictum** Gaudich.
*Sturm, Deutschl. Fl. xv. LXIV [t. 1015] (1834) in ic.; *C. strictum* in textu.
*Hegi, Ill. Fl. Mittel-Eur. iii. t. 105, p. 375 (1909).
—— **suffruticosum** Koch
Cusin & Ansberque, Herb. Fl. Franç. iv. t. 740 (1869).
—— **velutinum** Britton
Bull. Indiana Agric. St. No. 74, t. 6 (1898).
—— **villosum** Hollick & Britton
Bull. Torr. Bot. Club, xiv. t. 65, fig. 8 (1887).
atlanticum Dur.
*Cosson & Durieu, Expl. Scient. Algér. 1840–42, Bot. Atlas, t. 81 (1850).
atrovirens Bab.
Mag. Zool. & Bot. ii. t. 9 (1838).
*Reichenbach, Ic. Fl. Germ. v. t. 228 (1841).
azoricum Hochst.
Seubert, Fl. Azor. t. 14 (1844).
Biebersteinii DC.
*Bot. Mag. liv. t. 2782 (1827).
*De Candolle, Pl. Rares Genève, t. 11 (1829).
Payer, Organog. Comp. Fl. t. 72 (1857).—*Fl.*
Boissieri Gren.
Grenier, Monogr. Cerast. (Mém. Soc. Émul. Doubs, i), t. 7 (1841).
*Willkomm, Ic. & Descr. Pl. Hispan. i. t. 55 (1852).
*Cusin & Ansberque, Herb. Fl. Franç. iv. t. 742 (1869).
Coste, Fl. France, i. 219 (1901).
—— **lanuginosum** Gren.
Grenier, Monogr. Cerast. (Mém. Soc. Émul. Doubs, i), t. 7 (1841).
boreale Takeda
Kew Bull. 1911, p. 109, fig. 1–5.—*Fl.*
brachycarpum E. Mey. & Drège
Grenier, Monogr. Cerast. (Mém. Soc. Émul. Doubs, i), t. 6 (1841).
brachypetalum Desp.
De Candolle, Ic. Pl. Gall. t. 44 (1808).
Reichenbach, Pl. Crit. iii. t. 234 (1825).
*Sturm, Deutschl. Fl. xv. LXIII [t. 1006] (1833).
Mutel, Fl. Française, t. 14 (1834).
*Zenker, Fl. Thüringen, xi. t. 1258 (1836–55).
*Reichenbach, Ic. Fl. Germ. v. t. 229 (1841).
Cosson & Germ. Fl. Paris, Atlas, t. 4 (1845).
*Cusin & Ansberque, Herb. Fl. Franç. iv. t. 724 (1869).
Clavaud in Act. Soc. Linn. Bordeaux, xxxv. t. 16 (1881); et Fl. Gironde, t. 8 (1882).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xii. t. 1220 (1883).
Fiori & Paol. Ic. Fl. Ital. 131 (1899).
Coste, Fl. France, i. 217 (1901).
Hegi, Ill. Fl. Mittel-Eur. iii. 370 (1909).
*Bonnier, Fl. Compl. France, Suisse & Belge, ii. t. 90 [1912].
Cadevall & Sallent, Fl. Catalunya, i. 319 (1915).
Lindman, Svensk Fanerogamfl. 238 (1918).
brachypodum B. L. Robinson
Britton & Brown, Ill. Fl. N. States & Canada, ii. 26 (1897); Ed. 2, ii. 48 (1913).
caespitosum Gilib.
Suireishchikov, Ill. Fl. Mosc. Gov. ii. 126 (1907).
*Hegi, Ill. Fl. Mittel-Eur. iii. t. 105 (1909).
Fedtschenko & Fler. Fl. Eur. Russia, 377 (1910).
Lindman, Svensk Fanerogamfl. 233, 238 (1918).
campanulatum Viv.
Viviani in Ann. Bot. i. II. t. 23 (1804).
*Tenore, Fl. Nap. iv. 234 (1811–38) in textu; *C. praecox* in ic. Atlas, iii. t. 140.
Sebastiani, Rom. Pl. Fasc. 2, t. 3 (1815).
Sebastiani & Mauri, Rom. Fl. Prod. Cent. xii. t. 3 (1818).
*Reichenbach, Ic. Fl. Germ. vi. t. 233 (1844).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xii. t. 1225 (1883).
Fiori & Paol. Ic. Fl. Ital. 131 (1899).
Adamović, Pflanzenw. Dalmat. t. 9, 25 (1911).—*Hab.*
—— **minus** Moris
Moris, Fl. Sard. t. 20 (1837).

CERASTIUM
capense Sond.
*Marloth, Fl. S. Africa, i. t. 57 (1913).
carinthiacum Vest.
*Reichenbach, Ic. Fl. Germ. vi. t. 233 (1844).
*Hartinger, Atlas Alpenfl. i. t. 100 (1897).
*G. Beck, Alpenblum. Semmering, t. 3, fig. 1 (1898).
Hegi, Ill. Fl. Mittel-Eur. iii. 373 (1909).
—— **lanceolatum** Reichb.
*Reichenbach, Ic. Fl. Germ. vi. t. 233 (1844).
cerastioides Britton
Britton & Brown, Ill. Fl. N. States & Canada, ii. 28 (1897); Ed. 2, ii. 50 (1913).
Hegi, Ill. Fl. Mittel-Eur. iii. 362 (1909).
Engl. Jahrb. xlvii. t. 21 (1912).—*Hab.*
Moss, Cambridge Brit. Fl. iii. t. 52 (1920).
chewsuricum Somm. & Lév.
Déchy, Kaukasus, iii. t. 6, fig. A 1, 2 (1907).
chlorifolium Fisch. & Mey.
Fischer & Meyer in Sert. Petrop. t. 35 (1869).
ciculum Guss.
Coste, Fl. France, i. 218 (1901).
ciliatum Waldst. & Kit.
*Waldstein & Kit. Pl. Rar. Hung. iii. t. 225 (1812).
*Reichenbach, Ic. Fl. Germ. vi. t. 235 (1844).
ciliatum Turcz.
Kew Bull. 1911, p. 109, fig. 12–16.—*Fl.*
davuricum Fisch.
J. G. Gmelin, Fl. Sibir. iv. t. 62, fig. 1 (1769); fide Ledebour, Comm. 127.
*Schrank, Pl. Rar. Hort. Acad. Monac. t. 75 (1819).
Rouy, Ill. Pl. Eur. Rar. fasc. 12, t. 281 (1899).
dichotomum Linn
*Willkomm, Ic. & Descr. Pl. Hispan. i. t. 56 (1852).
Béguinot & Diratz. Contr. Fl. Armenia, t. 1 (1912).
dinaricum G. Beck & Szyszyl.
G. Beck & Szyszyl. Pl. Cernag. & Albania, t. 4 (1888).
Edmonstonii Murb. & Ostenf.
Bih. Svenska Vet. Akad. Handl. xxvi. III. No. 1, p. 60 (1900).
Warming, Bot. Faeröes, i. 60 (1901).
Blytt, Handb. Norg. Fl. Ed. Dahl, 320 (1906).
—— **caespitosum** Anderss. & Hasselm.
Bih. Svenska Vet. Akad. Handl. xxvi. III. No. 1, p. 62, t. 4 (1900).
erectum Coss. & Germ.
Coste, Fl. France, i. 215 (1901).
filiforme Schleich.
*Sturm, Deutschl. Fl. xv. LXIV [t. 1024] (1834).
Schroeter, Pflanzenleb. Alp. 533 (1908).
Fischeri Gren.
Grenier, Monogr. Cerast. (Mém. Soc. Émul. Doubs, ii), t. 1(1842).
frigidum M. Bieb.
Grenier, Monogr. Cerast. (Mém. Soc. Émul. Doubs, i), t. 8 (1841) in ic.; *C. macrocarpum* in textu.
Gayanum Boiss.
*Willkomm, Ic. & Descr. Pl. Hispan. i. t. 57 (1852).
gibraltaricum Boiss.
*Boissier, Voy. Bot. Espagne, i. t. 32 (1839–45).
glabratum Hartm.
*Sturm, Deutschl. Fl. xv. LXIV [t. 1013] (1834).
*Reichenbach, Ic. Fl. Germ. vi. t. 232 (1844).
glaciale Gaud.
*Sturm, Deutschl. Fl. xv. LXIV [t. 1023] (1834).
*Reichenbach, Ic. Fl. Germ. vi. t. 231 (1844).
*Correvon & Rob. Alp. Fl. t. 25 [1908?].
*Jardin, xxiii. 264 (1909).
glaucum Gren. & Godr.
*Cusin & Ansberque, Herb. Fl. Franç. iv. t. 720 (1869).
Acloque, Fl. France, 160 (1894).
—— **octandrum** Gren.
*Cusin & Ansberque, Herb. Fl. Franç. iv. t. 721 (1869).
—— **quaternellum** Gren.
*Cusin & Ansberque, Herb. Fl. Franç. iv. t. 722 (1869).
glomeratum Thuill.
*Sturm, Deutschl. Fl. xv. LXIII [t. 1005] (1833).

CERASTIUM
glomeratum
Mutel, Fl. Française, t. 14 (1834).
*Zenker, Fl. Thüringen, xi. t. 1244 (1836–55).
Cosson & Germ. Fl. Paris, Atlas, t. 4 (1845).
*Lorek, Fl. Pruss. Ed. 3, t. 114, fig. 613 (1848).
*Syme, Engl. Bot. ii. t. 221 (1864).
*Hogg & Johnson, Wild Fl. Gr. Brit. vii. t. 539 (1872).
Clavaud in Act. Soc. Linn. Bordeaux, xxxv. t. 16 (1881); et Fl. Gironde, t. 8 (1882).
Willkomm, Führ. Reich Pflanzen, 779 (1882).—*Fl.*
Schilling, Grundr. Naturg. ii. Pflanzenr. Ausg. A, p. 130, 267 (1882); Ausg. B, p. 245 (1884).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xii. t. 1219 (1883).
*Thomé, Fl. Deutschl. ii. t. 223 (1886).
*Masclef, Atlas Pl. France, t. 54 (1893).
Acloque, Fl. France, 160 (1894).
Fiori & Paol. Ic. Fl. Ital. 131 (1899).
Coste, Fl. France, i. 216 (1901).
C. T. Green, Fl. Liverpool Distr. fig. 87 (1902).
Suireishchikov, Ill. Fl. Mosc. Gov. ii. 126 (1907).
Heukels, Fl. Nederl. ii. 148, 149 (1908).
*Hegi, Ill. Fl. Mittel-Eur. iii. t. 105 (1909).
*Bonnier, Fl. Compl. France, Suisse & Belge, ii. t. 89 [1912].
Cadevall & Sallent, Fl. Catalunya, i. 318 (1915).
Lindman, Svensk Fanerogamfl. 238 (1918).
glutinosum Fries
*Zenker, Fl. Thüringen, xi. t. 1245 (1836–55).
*Reichenbach, Ic. Fl. Germ. v. t. 228 (1841).
*Fl. Dan. xv. t. 2537 (1852).
*Cusin & Ansberque, Herb. Fl. Franç. iv. t. 726 (1869).
Willkomm, Führ. Reich Pflanzen, 781 (1882).—*Fl.*
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xii. t. 1223 (1883).
Lindman, Svensk Fanerogamfl. 238 (1918).
—— **litigiosum** Rouy & Fouc.
*Cusin & Ansberque, Herb. Fl. Franç. iv. t. 727 (1869).
grandiflorum Waldst. & Kit.
*Waldstein & Kit. Pl. Rar. Hung. ii. t. 168 (1805).
*Sturm, Deutschl. Fl. xv. LXIV [t. 1019] (1834).
*Reichenbach, Ic. Fl. Germ. vi. t. 236 (1844).
Petermann, Deutschl. Fl. t. 15, fig. 114, w (1849).—*Fl.*
W. Robinson, Engl. Fl. Gard. t. 64 (1883).—*Hab.*
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xii. t. 1232 (1883).
—— **banaticum** Roch.
Rochel, Pl. Banat. Rar. t. 2 (1828).
*Sturm, Deutschl. Fl. xv. LXIV [t. 1020] (1834).
hirsutum Ten.
*Tenore, Fl. Nap., Atlas, iii. t. 141 (1811–38).
holosteoides Fries
Reichenbach, Pl. Crit. ii. t. 181 (1824).
*Sturm, Deutschl. Fl. xv. LXIII [t. 1001] (1833).
Mutel, Fl. Française, t. 14 (1834).
humifusum Camb.
Mart. Fl. Bras. xiv. II. t. 64 (1872).
*Bettfreund, Fl. Argentina, ii. t. 60 (1900).
illyricum Ard.
Arduino, Animadv. Bot. Spec. ii. t. 11 (1764).
*Reichenbach, Ic. Fl. Germ. vi. t. 233 (1844).
*Cusin & Ansberque, Herb. Fl. Franç. iv. t. 731 (1869).
Coste, Fl. France, i. 217 (1901).
—— **pilosum** Sibth. & Sm.
Fiori & Paol. Ic. Fl. Ital. 131 (1899).
incanum Ledeb.
*Ledebour, Ic. Pl. Ross. ii. t. 149 (1830).
indicum Wight & Arn.
*Wight, Illustr. Ind. Bot. i. t. 26 (1840).
Fyson, Fl. Nilgiri & Pulney Hill-tops, ii. 25 (1915).
inflatum Link
Béguinot & Diratz. Contr. Fl. Armenia, t. 1 (1912).
insubricum Moretti
*Reichenbach, Ic. Fl. Germ. vi. t. 235 (1844).
lanatum Lam.
*Lapeyrouse, Fig. Pl. Pyrén. i. t. 10 (1795).
Rochel, Pl. Banat. Rar. t. 2 (1828).
*Sturm, Deutschl. Fl. xv. LXIV [t. 1012] (1834).
*Reichenbach, Ic. Fl. Germ. vi. t. 232 (1844).

CERASTIUM
lanceolatum Reichb.
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xii. t. 1229 (1883).
lanuginosum Willd.
*Reichenbach, Ic. Fl. Germ. v. t. 230 (1841).
lapponicum Crantz
Lindman, Svensk Fanerogamfl. 238 (1918).
laricifolium Vill.
Villars, Hist. Pl. Dauph. iv. t. 48 (1789).
*Reichenbach, Ic. Fl. Germ. vi. t. 234 (1844).
latifolium Linn.
Lightfoot, Fl. Scot. i. t. 10 (1777).
*Jacquin, Collect. i. t. 20 (1786).
*Sowerby & Sm. Engl. Bot. vii. t. 473 (1798).
*Sturm, Deutschl. Fl. vi. XXIV [t. 378] (1808).
Hegetschweiler, Reisen Gebirg. Glarus & Graubünden, t. 2, fig. 24 (1825).
[M. E.] Jackson, Pict. Fl. fig. 720 (1840).
*C. E. Sowerby, Ill. Cat. Brit. Pl. fig. 223 (1841).
Edmonston in Phytologist, i. 497, 500 (1843).
*Reichenbach, Ic. Fl. Germ. vi. t. 231 (1844).
*Deakin, Florigr. Brit. ii. fig. 744 (1845).
*Froelich, Alpenpfl. Schweiz, vii & viii. t. 5 (1856).
Johnson & Sowerby, Brit. Wild Fl. fig. 223 (1858–60).
*Syme, Engl. Bot. ii. t. 224 (1864).
*Cusin & Ansberque, Herb. Fl. Franç. iv. t. 744 (1869).
*Hogg & Johnson, Wild Fl. Gr. Brit. vii. t. 548 (1872).
*Seboth & A. W. Bennett, Alpine Pl. iii. t. 64 (1880).
H. Müller, Alpenblumen, 190 (1881).—*Fl.*
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xii. t. 1227 (1883).
G. Beck & Szyszyl. Pl. Cernag. & Albania, t. 4 (1888).
*L. & C. Schroeter, Taschenfl. Alp.-Wand. t. 16 (1889).—*Hab.*
*Correvon, Fl. Col. Suisse, t. 34 (1894).
Knuth, Handb. Blütenbiol. ii. 1. 203 (1898).—*Fl.*
Coste, Fl. France, i. 219 (1901).
Flora, lxxxix. t. 1, fig. 7 (1901).—*Fr.*
*Jul. Hoffmann, Alpine Fl. t. 11 (1903).
*L. & C. Schroeter, Col. Vade-Mecum Alp. Fl. Ed. 16 & 17, t. 23 (1904).—*Hab.*
Flahault, Nouv. Fl. Alpes & Pyrén. ii. 24 (1908).
Schroeter, Pflanzenleb. Alp. 533 (1908).
Hegi, Ill. Fl. Mittel-Eur. iii. 368 (1909).
*H. S. Thompson, Alp. Pl. Europe, t. 14 (1911).
*Bonnier, Fl. Compl. France, Suisse & Belge, ii. t. 89 [1912].
*Hegi & Dunz. Alp. Fl. t. 8 (1913).
*Penzig, Fl. Alpi Illustr. Ed. 2, t. 11 (1915).
Marret, Ic. Fl. Alp. Pl. Ser. II. Fasc. 9, text-fig. 1, 7, 8, t. 172 [1919].
—— **glabratum** Sturm
*Sturm, Deutschl. Fl. xv. LXIV [t. 1021] (1834).
—— **glaciale** Gaudich.
Edmonston in Phytologist, i. 500 (1843).
*Lindt in Jahrb. Schweiz. Alpenclub, i. 304 (1864).
*Cusin & Ansberque, Herb. Fl. Franç. iv. t. 745 (1869).
—— **glaucum** Hegetschw.
Hegetschweiler, Reisen Gebirg. Glarus & Graubünden, t. 2, fig. 23 (1825).
—— **grandifolium** Koch
*Sturm, Deutschl. Fl. xv. LXIV [t. 1022] (1834).
—— **intermedium** Hegetschw.
Hegetschweiler, Reisen Gebirg. Glarus & Graubünden, t. 2, fig. 22, 25 (1825).
—— **lanceolatum** Reichb.
*Reichenbach, Ic. Fl. Germ. vi. t. 231 (1844).
—— **pedunculatum** Koch
*Cusin & Ansberque, Herb. Fl. Franç. iv. t. 746 (1869).
—— **subacaule** Hegetschw.
Hegetschweiler, Reisen Gebirg. Glarus & Graubünden, t. 2, fig. 26 (1825).
Lerchenfeldianum Schurf.
Bot. Közl.(Bot. Communic.), xii. 68 (1913).
—— **Simonkaianum** Borza
Bot. Közl. (Bot. Communic.), xii. 71 (1913).
lineare All.
Allioni, Fl. Pedem. iii. t. 88, fig. 4 (1785).
Malpighia, xviii. t. 8 (1904).

CERASTIUM
lithophilum Greenm.
Karsten & Schenck, Veg.-Bild. v. t. 48 (1907).—*Hab.*
lithospermifolium Ledeb.
*Ledebour, Ic. Pl. Ross. v. t. 433 (1834).
longifolium Ten.
*Tenore, Fl. Nap., Atlas, iii. t. 140 (1811–38) in ic.; *C. Samnianum* in textu, iv. 236.
longifolium Willd.
Grenier, Monogr. Cerast. (Mém. Soc. Émul. Doubs, i), t. 4 (1841).
longipedunculatum Muhl.
Britton & Brown, Ill. Fl. N. States & Canada, ii. 26 (1897); Ed. 2, ii. 48 (1913).
Selby in Bull. Ohio Agric. St. No. 175, t. 2 (1906).—*Fr.*
macilentum Fries
Reichenbach, Pl. Crit. iii. t. 230 (1825).
*Reichenbach, Ic. Fl. Germ. v. t. 228 (1841).
macrocarpum Stev.
Grenier, Monogr. Cerast. (Mém. Soc. Émul. Doubs, i), t. 8 (1841) in textu; *C. frigidum* in ic.
Kerner, Pflanzenleben, ii. 443 (1891).—*Fr.*
Kerner & Oliv. Nat. Hist. Pl. ii. 448 (1895).—*Fr.*
manticum Linn.
*Waldstein & Kit. Pl. Rar. Hung. i. t. 96 (1802).
*Sturm, Deutschl. Fl. xv. LXIII [t. 1008] (1833).
Fiori & Paol. Ic. Fl. Ital. 132 (1899).
maximum Linn.
J. G. Gmelin, Fl. Sibir. iv. t. 62, fig. 2 (1769); fide Ledebour, Comm. 128.
*Ledebour, Ic. Pl. Ross. v. t. 424 (1834).
melanandrum Maxim.
Maximowicz, Fl. Tangut. t. 15 (1889).
Moenchia Peterm.
Petermann, Deutschl. Fl. t. 15, fig. 115, r–t (1849).
moesiacum Friv.
Ann. Nat. Hofm. Wien, vi. t. 8 (1891).
G. Beck in Glasnik Muz. Bosn. Herceg. xviii. 491 (1906).
multiflorum C. A. Mey.
Grenier, Monogr. Cerast. (Mém. Soc. Émul. Doubs, i), t. 2 (1841).
nutans Rafin.
Grenier, Monogr. Cerast. (Mém. Soc. Émul. Doubs, i), t. 5 (1841).
Gray & Sprague, Gen. Fl. Amer. ii. t. 114 (1849).
Hitchcock & Norton in Bull. Kansas Agric. St. No. 57, t. 2, fig. 19 (1896); No. 66, t. 3, fig. 19 (1897).
Pammel in Iowa Geol. Surv. Bull. No. 4, p. 123 (1913).
F. E. & E. S. Clements, Rocky Mt. Fl. t. 9 (1914).
obscurum Chaub.
St.-Amans, Bouquet Lot-et-Gar. t. 4 (1821).
ovatum Hoppe
*Sturm, Deutschl. Fl. xv. LXIV [t. 1014] (1834).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xii. t. 1229 (1883).
oxalidiflorum Makino
*Miyoshi & Makino, Pocket-Atlas, Alp. Pl. Jap. ii. t. 62, fig. 356 (1907).
pauciflorum Ledeb.
*Ledebour, Ic. Pl. Ross. v. t. 407 (1834).
pedunculare Bory & Chaub.
Bory & Chaub. Exped. Morée, Bot. iii. t. 12 (1832).
Bory & Chaub. Nouv. Fl. Pelop. t. 13 (1838).
pedunculatum Gaudich.
*Reichenbach, Ic. Fl. Germ. vi. t. 231 (1844).
Hegi, Ill. Fl. Mittel-Eur. iii. 368 (1909).
*Bonnier, Fl. Compl. France, Suisse & Belge, ii. t. 89 [1912].
Marret, Ic. Fl. Alp. Pl. Ser. II. Fasc. 9, text-fig. 2–4, t. 172 bis [1919].
pedunculatum Bab.
Mag. Zool. & Bot. ii. t. 6 (1838).
pellucidum Chaub.
St.-Amans, Bouquet Lot-et-Gar. t. 4 (1821).
pentandrum Linn.
*Krocker, Fl. Siles. ii. 1. t. 7 (1790).
perfoliatum Linn.
*Kniphof, Herb. Viv. i. t. 234 (1758).

CERASTIUM
perfoliatum
Dillenius, Hort. Eltham. Add. Denom. Linn. t. 217 (1774).
*Willkomm, Ic. & Descr. Pl. Hispan. i. t. 56 (1852).
Cadevall & Sallent, Fl. Catalunya, i. 318 (1915).
pilosum Sibth. & Sm.
*Sibthorp & Sm. Fl. Graeca, v. t. 454 (1825).
pilosum Ledeb.
*Ledebour, Ic. Pl. Ross. iv. t. 351 (1833).
praecox Ten.
*Tenore, Fl. Nap., Atlas, iii. t. 140 (1811–38) in ic.; *C. campanulatum* in textu, iv. 234.
pumilum Curt.
*Curtis, Fl. Londin. ii. fasc. VI. t. 30 (1798); Ed. 2, iii. fasc. VI. t. 30 (1826).
*Sturm, Deutschl. Fl. xv. LXIII [t. 1004] (1833).
*Reichenbach, Ic. Fl. Germ. v. t. 228 (1841).
Johnson & Sowerby, Brit. Wild Fl. Suppl. fig. 1616 (1863).
*Syme, Engl. Bot. ii. t. 219 (1864).
*Sowerby & Sm. Engl. Bot. Suppl. v. t. 2996 (1866).
Clavaud in Act. Soc. Linn. Bordeaux, xxxv. t. 16 A (1881); et Fl. Gironde, t. 8 (1882).
Coste, Fl. France, i. 217 (1901).
Hegi, Ill. Fl. Mittel-Eur. iii. 365 (1909).
*Bonnier, Fl. Compl. France, Suisse & Belge, ii. t. 90 [1912].
Cadevall & Sallent, Fl. Catalunya, i. 320 (1915).
Moss, Cambridge Brit. Fl. iii. t. 50 (1920).
—— **distans** Gren.
Grenier, Monogr. Cerast. (Mém. Soc. Émul. Doubs, i), 33 (1841) in textu; *C. alsinoides distans* in ic. t. 3.
—— **viscarium** Reichb.
*Reichenbach, Ic. Fl. Germ. v. t. 228 (1841).
pyrenaicum J. Gay
Grenier, Monogr. Cerast. (Mém. Soc. Émul. Doubs, i), t. 9 (1841).
*Cusin & Ansberque, Herb. Fl. Franç. iv. t. 747 (1869).
Rouy, Ill. Pl. Eur. Rar. fasc. 2, t. 31 (1895).
Coste, Fl. France, i. 218 (1901).
*Bonnier, Fl. Compl. France, Suisse & Belge, ii. t. 89 [1912].
*Flahault, Nouv. Fl. Alpes & Pyrén. iii. t. 33 (1912).
Cadevall & Sallent, Fl. Catalunya, i. 321 (1915).
quaternellum Fenzl
*Syme, Engl. Bot. ii. t. 217 (1864).
Journ. Linn. Soc., Bot. xx. t. 34 (1884).—*Fl.*
Cadevall & Sallent, Fl. Catalunya, i. 317 (1915).
racemosum Bartl.
Grenier, Monogr. Cerast. (Mém. Soc. Émul. Doubs, i), t. 7 (1841).
ramigerum E. Mey. & Drège
Grenier, Monogr. Cerast. (Mém. Soc. Émul. Doubs, i), t. 3 (1841).
ramosissimum Boiss.
*Boissier, Voy. Bot. Espagne, i. t. 31 (1839–41).
repens Linn.
*Kniphof, Herb. Viv. i. t. 235 (1758).
*Sturm, Deutschl. Fl. xv. LXIV [t. 1017] (1834).
*Reichenbach, Ic. Fl. Germ. vi. t. 235 (1844).
Riaei Desm.
*Cusin & Ansberque, Herb. Fl. Franç. iv. t. 730 (1869).
Coste, Fl. France, i. 218 (1901).
*Bonnier, Fl. Compl. France, Suisse & Belge, ii. t. 89 [1912].
rigidulum Takeda
Kew Bull. 1911, p. 109, fig. 10.—*Fr.*
rigidum Ledeb.
*Ledebour, Ic. Pl. Ross. v. t. 432 (1834).
rivulare Camb.
Mart. Fl. Bras. xiv. II. t. 65 (1872).
robustum Williams
Kew Bull. 1911, p. 109, fig. 11.—*Fr.*
rotundifolium Sternb.
Reichenbach, Pl. Crit. iii. t. 234 (1825).
ruderale M. Bieb.
Grenier, Monogr. Cerast. (Mém. Soc. Émul. Doubs, i), t. 5 (1841).
Saccardoanum Diratz.
Béguinot & Diratz. Contr. Fl. Armenia, t. 1 (1912).

CERASTIUM
samnianum DC.
*Tenore, Fl. Nap. iv. 236 (1811–38) in textu; *C. longifolium* in ic. Atlas, iii. t. 140.
scaposum Boiss. & Heldr.
Raulin, Crète, t. 10 (1869).
Scaranii Ten.
*Tenore, Fl. Nap., Atlas, iii. t. 141 (1811–38).
schizopetalum Maxim.
*Miyoshi & Makino, Pocket-Atlas, Alp. Pl. Jap. ii. t. 54, fig. 310 (1907).
Schmalhausenii Paczoski
*Paczoski in Zap. Kievsk. Obshch. Est.-Ispuit. x. t. 7 (1889).
Schmidtianum Takeda
Kew Bull. 1911, p. 109, fig. 6–9.—*Fl.*
Secallii Pau
Pau, Espec. Nuev. Fl. Españ. (Revísta Montes, Madrid), [t. 2] (1909).
Selloi Schlechtd.
Mart. Fl. Bras. xiv. II. t. 65 (1872).
semidecandrum Linn.
*Curtis, Fl. Londin. i. fasc. II. t. 33 (1777); Ed. 2, i. fasc. II. t. 33 (1817).
Hoppe, Ect. Pl. Ratisb. t. 155 (1788).
*Fl. Dan. vii. t. 1212 (1799).
*Sowerby & Sm. Engl. Bot. xxiii. t. 1630 (1806).
Reichenbach, Pl. Crit. ii. t. 181 (1824).
*Sturm, Deutschl. Fl. xv. LXIII [t. 1003] (1833).
Mutel, Fl. Française, t. 13 (1834).
*Kops, Fl. Batava, vii. t. 549 (1836).
*Zenker, Fl. Thüringen, ix. t. 1040 (1836–55).
[M. E.] Jackson, Pict. Fl. fig. 716 (1840).
*Reichenbach, Ic. Fl. Germ. v. t. 228 (1841).
*C. E. Sowerby, Ill. Cat. Brit. Pl. fig. 220 (1841).
*Deakin, Florigr. Brit. ii. fig. 741 (1845).
*Lorek, Fl. Pruss. Ed. 3, t. 114, fig. 614 (1848).
Catlow, Pop. Field Bot. t. 1 (1848).
Johnson & Sowerby, Brit. Wild Fl. fig. 219 (1858–60).
*Syme, Engl. Bot. ii. t. 220 (1864).
*Cusin & Ansberque, Herb. Fl. Franç. iv. t. 725 (1869).
Bot. Tidsskr. iv. t. 1, fig. 18, 19 (1870–71).—*Fr.*
*Hogg & Johnson, Wild Fl. Gr. Brit. vii. t. 533 (1872).
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, i. t. 44 [1873].
Clavaud in Act. Soc. Linn. Bordeaux, xxxv. t. 16 (1881); et Fl. Gironde, t. 8 (1882).
Willkomm, Führ. Reich Pflanzen, 779 (1882).—*Fl.*
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xii. t. 1222 (1885).
Acloque, Fl. France, 160 (1894).
Garcke, Ill. Fl. Deutschl. 104 (1895).
Britton & Brown, Ill. Fl. N. States & Canada, ii. 25 (1897); Ed. 2, ii. 47 (1913).
Fiori & Paol. Ic. Fl. Ital. 131 (1899).
Coste, Fl. France, i. 217 (1901).
C. T. Green, Fl. Liverpool Distr. fig. 86 (1902).
Blytt, Haandb. Norg. Fl. Ed. Dahl, 322 (1906).
Suireishchikov, Ill. Fl. Mosc. Gov. ii. 126 (1907).
Hayek, Fl. Steierm. i. 263 (1908).—*Fr.*
Heukels, Fl. Nederl. ii. 149 (1908).
Hegi, Ill. Fl. Mittel-Eur. iii. 365 (1909).
Fedtschenko & Fler. Fl. Eur. Russia, 378 (1910).
*Bonnier, Fl. Compl. France, Suisse & Belge, ii. t. 90 [1912].
Cadevall & Sallent, Fl. Catalunya, i. 320 (1915).
Lindman, Svensk Fanerogamfl. 238 (1918).
Moss, Cambridge Brit. Fl. iii. t. 51 (1920).
—— **glutinosum** Fries
Heukels, Fl. Nederl. ii. 149 (1908).
—— **viscosum** Mutel
Mutel, Fl. Française, t. 13 (1834).
siculum Guss.
*Bonnier, Fl. Compl. France, Suisse & Belge, ii. t. 89 [1912].
silvaticum Waldst. & Kit.
*Waldstein & Kit. Pl. Rar. Hung. i. t. 97 (1802).
*Sturm, Deutschl. Fl. xv. LXIII [t. 999] (1833).
*Reichenbach, Ic. Fl. Germ. v. t. 230 (1841).
*Lorek, Fl. Pruss. Ed. 3, t. 115, fig. 617 (1848).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xii. t. 1226 (1883).
Fiori & Paol. Ic. Fl. Ital. 132 (1899).
Hegi, Ill. Fl. Mittel-Eur. iii. 370 (1909).

CERASTIUM
sonticum G. Beck
Hegi, Ill. Fl. Mittel-Eur. iii. 371 (1909).
stellarioides Hartm.
A. De Candolle, Calq. Dess. Fl. Mex. Moc. & Sessé, t. 54 (1874).
stenopetalum Fenzl
Coste, Fl. France, i. 219 (1901).
strictum Linn.
Haller, Ic. Pl. Helvet. t. 14 (1795).
*Sturm, Deutschl. Fl. xv. LXIV [t. 1015] (1834) in textu; *C. arvense strictum* in ic.
*Reichenbach, Ic. Fl. Germ. vi. t. 234 (1844).
Flora, lxxxix. t. 1, fig. 13 (1901).—*Fr.*
strigosum Fries
Reichenbach, Pl. Crit. iii. t. 230 (1825).
*Fl. Dan. xv. t. 2536 (1852).
Bot. Tidsskr. iv. t. 1, fig. 16, 17 (1870–71).—*Fr.*
subtetrandrum Murb.
Lindman, Svensk Fanerogamfl. 238 (1918).
subtriflorum Reichb.
Hegi, Ill. Fl. Mittel-Eur. iii. 371 (1909).
suffruticosum Linn.
*Sturm, Deutschl. Fl. xv. LXIV [t. 1016] (1834).
*Reichenbach, Ic. Fl. Germ. vi. t. 236 (1844).
tetrandum Curt.
*Curtis, Fl. Londin. ii. fasc. VI. t. 31 (1798); Ed. 2, iii. fasc. VI. t. 31 (1826).
*Sturm, Deutschl. Fl. xv. LXIII [t. 1007] (1833).
*Fl. Dan. xii. t. 2117 (1834).
[M. E.] Jackson, Pict. Fl. fig. 717 (1840).
*C. E. Sowerby, Ill. Cat. Brit. Pl. fig. 221 (1841).
G. Johnston, Bot. Eastern Borders, t. 1 (1853).
Schnizlein, Iconogr. iii. t. 207, b, fig. 1 (1855).
Johnson & Sowerby, Brit. Wild Fl. fig. 220 (1858–60).
*Syme, Engl. Bot. ii. t. 218 (1864).
*Cusin & Ansberque, Herb. Fl. Franç. iv. t. 728 (1869).
Bot. Tidsskr. iv. t. 1, fig. 22, 23 (1870–71).—*Fr.*
*Hogg & Johnson, Wild Fl. Gr. Brit. vii. t. 533 (1872).
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, i. t. 44 [1873].
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xii. t. 1221 (1883).
Hegi, Ill. Fl. Mittel-Eur. iii. 365 (1909).
*Bonnier, Fl. Compl. France, Suisse & Belge, ii. t. 90 [1912].
Lindman, Svensk Fanerogamfl. 238 (1918).
Moss, Cambridge Brit. Fl. iii. t. 49 (1920).
tomentosum Linn.
*Bergeret, Phyt. Univ. i. 69 (1783).
Lamarck, Ill. ii. t. 392, fig. 3 (1797).
*Jaume St.-Hilaire, Pl. France, i [t. 81] (1808).
*Sibthorp & Sm. Fl. Graeca, v. t. 455 (1825).
*Sturm, Deutschl. Fl. xv. LXIV [t. 1018] (1834).
*Reichenbach, Ic. Fl. Germ. vi. t. 236 (1844).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xii. t. 1231 (1883).
Brehm, Merv. Nat. Monde des Pl. i. 203 (1894–96).
Fiori & Paol. Ic. Fl. Ital. 132 (1899).
Hegi, Ill. Fl. Mittel-Eur. iii. 373 (1909).
*Bonnier, Fl. Compl. France, Suisse & Belge, ii. t. 89 [1912].
Horticulture (Boston), xviii. 161 (1913).—*Hab.*
Lindman, Svensk Fanerogamfl. 238 (1918).
Tournefortii Gren.
Grenier, Monogr. Cerast. (Mém. Soc. Émul. Doubs, i), t. 7 (1841).
transsilvanicum Schur
Bot. Közl. (Bot. Communic.), xii. 54 (1913).
trigynum Vill.
*Fl. Dan. i. t. 92 (1763); fide Lange, Nomencl. Fl. Dan. 4 (1887).
Villars, Hist. Pl. Dauph. iv. t. 46 (1789).
*Syme, Engl. Bot. ii. t. 226 (1864).
Bentham, Handb. Brit. Fl. fig. 160 (1865).
*Cusin & Ansberque, Herb. Fl. Franç. iv. t. 718 (1869).
*Hogg & Johnson, Wild Fl. Gr. Brit. vii. t. 541 (1872).
Bih. Svenska Vet. Akad. Handl. xii. III. No. 6, t. 2, fig. 16 (1887).—*Fl.*
*Heathcote, Fl. Engadine, t. 45 (1891).
Acloque, Fl. France, 155 (1894).

CERASTIUM
trigynum
*Hartinger, Atlas Alpenfl. i. t. 98 (1897).
Knuth, Handb. Blütenbiol. ii. 1. 202 (1898).—*Fl.*
Fiori & Paol. Ic. Fl. Ital. 131 (1899).
Coste, Fl. France, i. 216 (1901).
L. & C. Schroeter, Col. Vade-Mecum Alp. Fl. Ed. 16 & 17, t. 25 (1904).
Blytt, Haandb. Norg. Fl. Ed. Dahl, 318 (1906).
Flahault, Nouv. Fl. Alpes & Pyrén. ii. 24 (1908).
Schroeter, Pflanzenleb. Alp. 498 (1908).
Cadevall & Sallent, Fl. Catalunya, i. 318 (1915).
Fitch & Smith, Ill. Brit. Fl. Ed. rev. 4, Iss. 2, fig. 163 (1919).
triviale Link
Reichenbach, Pl. Crit. iii. t. 245 (1825).
*Sturm, Deutschl. Fl. xv. LXIII [t. 1000] (1833).
Mutel, Fl. Française, t. 14 (1834).
*Zenker, Fl. Thüringen, ix. t. 1049 (1836–55).
Meigen, Deutschl. Fl. ii. t. 88 (1837).—*Fl.*
*Reichenbach, Ic. Fl. Germ. v. t. 229 (1841).
Cosson & Germ. Fl. Paris, Atlas, t. 4 (1845).
*Lorek, Fl. Pruss. Ed. 3, t. 114, fig. 615 (1848).
*Petermann, Deutschl. Fl. t. 15, fig. 114, a–q (1849).
*Schnizlein, Iconogr. iii. t. 207, b, fig. 2–4 (1855).—*Fl.*
Bull. Soc. Bot. Belg. iii. 361 (1864).—*Fl.*
*Syme, Engl. Bot. ii. t. 222 (1864).
Trans. Bot. Soc. Edinb. viii. t. 1 (1866).—*Fl.*
*Hogg & Johnson, Wild Fl. Gr. Brit. vii. t. 539 (1872).
Nobbe, Handb. Samenkunde, 68 (1876).—*Fr.*
Journ. Roy. Agric. Soc. England, Ser. II. xiii. 436 (1877).—*Fr.*
Clavaud in Act. Soc. Linn. Bordeaux, xxxv. t. 16 (1881); et Fl. Gironde, t. 8 (1882).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xii. t. 1224 (1883).
Journ. Linn. Soc., Bot. xx. t. 34, 35 (1884).—*Fl.*
Acloque, Fl. France, 160 (1894).
Fiori & Paol. Ic. Fl. Ital. 131 (1899).
Coste, Fl. France, i. 218 (1901).
*Step, Wayside & Woodl. Bloss. New Ed. i. t. 31 (1905).
Heukels, Fl. Nederl. ii. 150 (1908).
Long, Common Weeds Farm & Garden, 157, t. 1 (1910).
Bull. Angew. Bot. vii. t. 104 (1914).—*Fr.*
Cadevall & Sallent, Fl. Catalunya, i. 321 (1915).
Mayevsky, Fl. Central Russia, 105 (1918).
Board Agric. Fish. Leaflet No. 184, p. 6 (1918).—*Fr.*
Krafft & Fruwirth, Pflanzenb. 223 (1920).—*Fr.*
—— **alpina** Mert. & Koch
*Sturm, Deutschl. Fl. xv. LXIII [t. 1002] (1833).
—— **holosteoides** Koch
*Sturm, Deutschl. Fl. xv. LXIII [t. 1001] (1833); fide xvii. LXXVI. 11 (1839).
—— **maritimum** Preuss
Engl. Jahrb. xlvi. Beibl. 106, p. 16 (1912).
umbellatum Huds.
*Curtis, Fl. Londin. Ed. 2, iv. t. 13 (1819–21).
uniflorum Murith
*Seboth & A. W. Bennett, Alpine Pl. ii. t. 23 (1880).
*Hartinger, Atlas Alpenfl. i. t. 99 (1897).
Karsten & Schenck, Veg.-Bild. vi. t. 31 (1908).—*Hab.*
Schroeter, Pflanzenleb. Alp. 533 (1908).
*Hegi, Ill. Fl. Mittel-Eur. iii. t. 105 (1909).
*H. S. Thompson, Alp. Pl. Europe, t. 14 (1911).
*Bonnier, Fl. Compl. France, Suisse & Belge, ii. t. 89 [1912].
Madrono in Journ. California Bot. Soc. i. II. 52 (1917).—*Hab.*
Marret, Ic. Fl. Alp. Pl. Ser. II. Fasc. 9, text-fig. 5, 6, t. 172 bis [1919].
varians Coss. & Germ.
Clavaud in Act. Soc. Linn. Bordeaux, xxxv. t. 16 (1881); et Fl. Gironde, t. 8 (1882).
—— **obscurum grandiflorum** Coss. & Germ.
Cosson & Germ. Fl. Paris, Atlas, t. 5 (1845).
—— —— **parviflorum** Coss. & Germ.
Cosson & Germ. Fl. Paris, Atlas, t. 5 (1845).

CERASTIUM
varians pellucidum Coss. & Germ.
Cosson & Germ. Fl. Paris, Atlas, t. 5 (1845).
—— —— **abortivum** Coss. & Germ.
Cosson & Germ. Fl. Paris, Atlas, t. 5 (1845).—*Hab.*
velutinum Rafin.
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, ii. 49 (1913).
Journ. New York Bot. Gard. xviii. t. 193 (1917).—*Hab.*
viscosum Linn.
*Curtis, Fl. Londin. i. fasc. II. t. 35 (1777); Ed. 2, i. fasc. II. t. 35 (1817).
*Fl. Dan. vii. t. 1211 (1799); xi. t. 1931 (1829).
*Sowerby & Sm. Engl. Bot. xi. t. 790 (1800).
Boissieu, Fl. Eur. ii. t. 326 (1805).
Trattinick, Fl. Oesterr. Kaiserth. i. t. 13 (1816).
Reichenbach, Pl. Crit. iii. t. 244 (1825).
Mutel, Fl. Française, t. 14 (1834).
[M. E.] Jackson, Pict. Fl. fig. 715 (1840).
*C. E. Sowerby, Ill. Cat. Brit. Pl. fig. 219 (1841).
*Deakin, Florigr. Brit. ii. fig. 740 (1845).
Johnson & Sowerby, Brit. Wild Fl. fig. 218 (1858–60).
*Cusin & Ansberque, Herb. Fl. Franç. iv. t. 723 (1869).
*Réveil, Règne Vég. iv. t. 23 (1870).—*Fr.*
Bot. Tidsskr. iv. t. 1, fig. 20, 21 (1870–71).—*Fr.*
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, i. t. 44 [1873].
Britton & Brown, Ill. Fl. N. States & Canada, ii. 25 (1897); Ed. 2, ii. 47 (1913).
Merino, Fl. Galicia, i. 241 (1905).
Fawcett & Rendle, Fl. Jamaica, iii. 1. 178 (1914).
Britton, Fl. Bermuda, 129 (1918).
Moss, Cambridge Brit. Fl. iii. t. 48 (1920).
—— **alpicolum** Hegetschw.
Hegetschweiler, Reisen Gebirg. Glarus & Graubünden, t. 2, fig. 27, 28 (1825).
—— **silvaticum** Hegetschw.
Hegetschweiler, Reisen Gebirg. Glarus & Graubünden, t. 3, fig. 31 (1825).
—— **villosum** Hegetschw.
Hegetschweiler, Reisen Gebirg. Glarus & Graubünden, t. 3, fig. 32 (1825).
vulgare Hartm.
*Bergeret, Phyt. Univ. i. 159 (1783) in ic.; *C. arvense* in textu.
Lindman, Bild. Nord. Fl. t. 346 b (1901–5).
vulgatum Linn.
*Curtis, Fl. Londin. i. fasc. II. t. 34 (1777); Ed. 2, i. fasc. II. t. 34 (1817).
Walcott, Fl. Brit. Indig. [t. 66] (1778).
*Bergeret, Phyt. Univ. i. 117 (1783).
Hoppe, Ect. Pl. Ratisb. t. 507 (1790).
Gaertner, Fruct. ii. t. 130 (1791).—*Fr.*
C. K. Sprengel, Entd. Geheimn. Natur, t. 25, fig. 2 (1793).—*Fr.*
Lamarck, Ill. ii. t. 392, fig. 1 (1797).
*Sowerby & Sm. Engl. Bot. xi. t. 789 (1800).
Boissieu, Fl. Eur. ii. t. 326 (1805).—*Fr.*
*Fl. Dan. x. t. 1645 (1819).
*Kops, Fl. Batava, iv. t. 259 (1822).
Reichenbach, Pl. Crit. iii. t. 233 (1825).
Hegetschweiler, Reisen Gebirg. Glarus & Graubünden, t. 2, fig. 29 (1825).
[M. E.] Jackson, Pict. Fl. fig. 714 (1840).
*Reichenbach, Ic. Fl. Germ. v. t. 229 (1841).
*C. E. Sowerby, Ill. Cat. Brit. Pl. fig. 218 (1841).
Wight, Ic. Pl. Ind. Or. iii. t. 948 (1843–45).
*Deakin, Florigr. Brit. ii. fig. 739 (1845).
Johnson & Sowerby, Brit. Wild Fl. fig. 217 (1858–60).
Bentham, Handb. Brit. Fl. fig. 157 (1865).
*Cusin & Ansberque, Herb. Fl. Franç. iv. t. 732 (1869).
Bot. Tidsskr. iv. t. 1, fig. 24 (1870–71).—*Fr.*
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, i. t. 44 [1873].
*Somoku Dzusetsu, Ed. 2, viii. t. 70 (1874).
Wagner, Ill. Deutsche Fl. Ed. 2, p. 117 (1882).
G. Beck, Fl. Nied.-Oesterr. i. 351 (1890).—*Fl.*
Hitchcock & Norton in Bull. Kansas Agric. St. No. 57, t. 2, fig. 18 (1896); No. 66, t. 3, fig. 18 (1897).

CERASTIUM
vulgatum
*Siélain, Atlas Poche Pl. Champs, Prair. & Bois, Ser. II. t. 52 (1896).
Britton & Brown, Ill. Fl. N. States & Canada, ii. 26 (1897); Ed. 2, ii. 48 (1913).
U.S. Dep. Agric. Bur. Pl. Indust. Bull. No. 84, p. 32 (1905).—*Fr.*
F. M. Bailey, Weeds & Poison. Pl. Queensland, 17 (1906).
*Clark & Fletcher, Farm Weeds Canada, t. 53, fig. 14 (1906); Ed. 2, t. 72, fig. 18 (1909).—*Fr.*
Black, Nat. Fl. S. Australia, 34 (1909).
Beal in Bull. Michigan Agric. Exp. St. No. 267, p. 331 (1911); et in Ann. Rep. xxv. 320 (1912).
*Bonnier, Fl. Compl. France, Suisse & Belge, ii. t. 89 [1912].
Pammel in Iowa Geol. Surv. Bull. No. 4, p. 124 (1913).
A. Georgia, Manual Weeds, t. 93 (1914).
Britton, Fl. Bermuda, 129 (1918).
*Horwood, Brit. Wild Fl. iv. t. 45, p. 175 (1919).
Fitch & Smith, Ill. Brit. Fl. Ed. rev. 4, Iss. 2, fig. 160 (1919).
—— **glandulosa** Regel
Cusin & Ansberque, Herb. Fl. Franç. iv. t. 733 (1869).
Somoku Dzusetsu, Ed. Makino (Iconogr. Pl. Nippon), viii. t. 70 (1910).
—— **glomerata** Thuill.
Fyson, Fl. Nilgiri & Pulney Hill-tops, ii. 26 (1915).
—— **hirsutum** Fries
Moss, Cambridge Brit. Fl. iii. t. 47 (1920).
—— **murale** Gren.
Cusin & Ansberque, Herb. Fl. Franç. iv. t. 733 (1869).

CERASUS Linn.: *Prunus*
acida Borkh.
*Nees, Pl. Offic. ii. t. 315, 316, b (1828).
*Fl. Dan. xvii. t. 3028 (1883).
Mouillefert, Traité Arbres & Arbriss. Atlas, t. 26 (1892–98).—*Hab.*
acuminata Wall.
*Wallich, Pl. Asiat. Rar. ii. t. 181 (1831).
avium Moench
*Duhamel, Arbres & Arbustes, Ed. 2, v. t. 3, 4–20 (1812).
!Turpin, Oeuvres Hist. Nat. Goethe, Atlas, t. 4 (1837).—*Fl.*
J. C. Loudon, Arbor. & Frutic. Brit. vi. t. 30 A (1838).
*Deakin, Florigr. Brit. ii. fig. 782 (1845).
*J. W. Loudon, Brit. Wild Fl. Ed. 2, t. 31 [1846].
Agardh, Theor. Syst. Pl. t. 14 (1858).—*Fl.*
Gayffier, Herb. For. France, 3 t, sine num. (1868–73).
Jeffrey & Howie, Trees & Shrubs Fife & Kinross, 5 (1879).—*Hab.*
Sempervirens, xii. 414 (1883).
*Laguna, Fl. For. Españ. t. 63 (1890).
*Leclerc du Sablon, Nos Fleurs, 42, 43, t. 6 [1892].
Mouillefert, Traité Arbres & Arbriss. Atlas, t. 25 (1892–98).—*Hab.*
Brehm, Merv. Nat. Monde des Pl. i. 621, 733 (1894–96).
Rochebrune, Toxicolog. Afric. i. 851 (1897).
Rochebrune in Bull. Soc. Hist. Nat. Autun, xii. 1. 83 (1899).
Charpentier, Timber, Ed. Engl. 44 (1902).
Coste, Fl. France, ii. 7 (1903).
Ann. Inst. Col. Marseille, Ser. II. iv. 26, fig. 4 (1906).—*Veg.*
Lazaro, Comp. Fl. Españ. ii. 403 (1907).
Journ. Roy. Hort. Soc. London, xxxiv. 9, fig. 2 (1908).—*Hab.*
Bull. Soc. Dendr. France, 1912, p. 196; 1913, p. 175.
Cadevall & Sallent, Fl. Catalunya, ii. 247 (1916).
borealis Michx.
*Michaux, Arb. Amer. Sept. iii. t. 8, p. 159 (1813).
*Michaux, N. Amer. Sylva, ii. t. 90 (1819).
J. C. Loudon, Arbor. & Frutic. Brit. ii. 703 (1838).

CERASUS
capollin DC.
J. C. Loudon, Arbor. & Frutic. Brit. ii. 713 (1838).
Ettingshausen, Blatt-Skel. Dikot. 208, t. 89 (1861).—*Veg.*
Caproniana DC.
*Fl. des Serres, Ser. II. xi. t. 2238, 2239 (1875).
Rev. Hort. 1906, p. 249.
Lazaro, Comp. Fl. Españ. ii. 404 (1907).
—— **multiplex** Hort.
Sim, Flowering Trees & Shrubs, 65 (1919).
—— **polygyna** Ser.
*!De Candolle, Pl. Rares Genève, t. 18 (1829).
Rev. Hort. 1906, p. 191.
—— **ranunculiflora** Hort.
*Fl. des Serres, Ser. II. vii. t. 1805 (1867–68).
capuli Ser.
Lavallée, Arb. & Frutic. Hort. Segrez. t. 34 (1885).
*Rev. Hort. 1893, p. 496.
caroliniana Michx.
*Michaux, Arb. Amer. Sept. iii. t. 7, p. 156 (1813).
*Michaux, N. Amer. Sylva, ii. t. 89 (1819).
J. C. Loudon, Arbor. & Frutic. Brit. ii. 720 (1838).
Bull. Soc. Dendr. France, 1912, p. 196.—*Fr.*
Chamaecerasus Loisel.
*Duhamel, Arbres & Arbustes, Ed. 2, v. t. 5 (1812).
J. C. Loudon, Arbor. & Frutic. Brit. ii. 702 (1838).
communis Poit. & Turp.
Lindley, Veg. Kingd. 557 (1846).
Favart, Flowers & Pl. t. 25 (1880).
cornuta Wall.
*Royle, Illustr. Bot. Himal. t. 38 (1839).
domestica Perck ex Wesmael
*Redouté, Choix Fl. [t. 19] (1827).
dulcis Borkh.
*Nees, Pl. Offic. ii. t. 314 (1828).
*Schnizlein, Iconogr. iv. t. 273 (1855).
—— **silvestris** Nees
*Nees, Pl. Offic. ii. t. 316, a (1828).
fruticosa Pall.
*Pallas, Fl. Ross. t. 8 B (1784).
Herincquiana Lavallée
Lavallée, Arb. & Frutic. Hort. Segrez. t. 35 (1885).
hixa C. Sm.
Webb & Berth. Hist. Nat. Iles Canar. iii. Phytogr. II. t. 38 (1836–50) in ic.; *Prunus lusitanica* in textu, p. 19.
ilicifolia Nutt.
Hooker & Arn. Bot. Beechey Voy. t. 83 (1841).
Journ. Hort. Prat. Belg. x. 124 (1852).
Paxt. Fl. Gard. iii. 44 (1852–53).
Lem. Jard. Fl. iii. Misc. 26 (1853).
*Nuttall, Sylva, i. t. 47 (1865).
Garden, iii. 131 (1873); xxvii. 116 (1885).
Nicholson, Illustr. Dict. Gard. i. 295 [1884–88].
Eastwood, Handb. Trees California (Occ. Papers California Acad. Sc. ix), t. 33 (1905).
Bull. Soc. Dendr. France, 1912, p. 196.—*Fr.*
japonica Loisel.
J. C. Loudon, Arbor. & Frutic. Brit. ii. 706 (1838).
—— **multiplex** Ser.
J. C. Loudon, Arbor. & Frutic. Brit. ii. 706 (1838).
Juliana DC.
*Rev. Hort. 1875, p. 390.
—— **fl. roseis**
*Garden, x. 486 (1876).
Lannesiana Carr.
*Rev. Hort. 1873, p. 351.
Garden, iv. 275 (1873).
Laurocerasus Loisel.
J. C. Loudon, Arbor. & Frutic. Brit. ii. 716 (1838).
Lindley, Med. & Oecon. Bot. 181 (1849).
*Argenta, Album Fl. Med.-Farm. ii. t. 115 (1863).
*Réveil, Règne Vég. ix. t. 24; xii. t. 22 (1870).—*Veg.*
Berge, Pflanzenphysiogn. 162 (1880).
Garden, xxi. 134 (1882).
*Lesacher & Mareschal, Nouv. Bot. Méd. iv [t. 33] (1883).

CERASUS
Laurocerasus
Nicholson, Illustr. Dict. Gard. i. 295 [1884–88]. —*Veg.*
Cornevin, Pl. Vénén. 357 (1887).
Brehm, Merv. Nat. Monde des Pl. i. 626 (1894–96).
Coste, Fl. France, ii. 8 (1903).
Lazaro, Comp. Fl. Españ. ii. 405 (1907).
Avebury, Buds & Stipules, 49 (1908).—*Veg.*
Bull. Soc. Dendr. France, 1912, p. 196; 1913, p. 175.
Cadevall & Sallent, Fl. Catalunya, ii. 250 (1916).
—— **rotundifolia** Hort.
Garden, xxviii. 405 (1885).
—— **schipkaënsis** Hort.
Jardin, xxi. 117 (1907).
lusitanica Loisel.
J. C. Loudon, Arbor. & Frutic. Brit. ii. 715; vi. t. 30 D (1838).
C. A. Johns, Forest Trees Brit. i. 274 (1847); Ed. 11, p. 124 (1919).
Garden, xxxi. 498 (1887).
Coste, Fl. France, ii. 8 (1903).
Bull. Soc. Dendr. France, 1912, p. 196; 1913, p. 175.
!Rev. Hort. 1912, p. 165.—*Veg.*
Cadevall & Sallent, Fl. Catalunya, ii. 250 (1916).
—— **azorica** Hort.
Garden, xxii. 419 (1882).
—— **hixa** Ser.
J. C. Loudon, Arbor. & Frutic. Brit. iv. 2555 (1838).
mahaleb Mill.
*Duhamel, Arbres & Arbustes, Ed. 2, v. t. 2 (1812).
J. C. Loudon, Arbor. & Frutic. Brit. vi. t. 30 E (1838).
Le Maout & Decaisne, Traité Gén. Bot. 305 (1868).
Gayffier, Herb. For. France, 2 t. sine num. (1868–73).
Mouillefert, Traité Arbres & Arbriss. Atlas, t. 27 (1892–98).—*Hab.*
Charpentier, Timber, Ed. Engl. 44 (1902).
Coste, Fl. France, ii. 8 (1903).
Gubb, Fl. Algeria, t. 58 (1909).
*Guinier, Atlas Arbres & Arbustes, t. 79, 79bis (1912).
Bull. Soc. Dendr. France, 1912, p. 196; 1913, p. 175.
Cadevall & Sallent, Fl. Catalunya, ii. 249 (1916).
mollis Dougl.
*Nuttall, Sylva, i. t. 46 (1865).
multicarpa Hort.
Rev. Hort. 1875, p. 409.
nepalensis Ser.
Paxt. Fl. Gard. ii. 81 (1851–52).
nigra Loisel.
J. C. Loudon, Arbor. & Frutic. Brit. ii. 704 (1838).
occidentalis DC.
Ramon de la Sagra, Fl. Cubana, iv. Atlas, Pl. Vasc. t. 40 bis (1853); et Ic. Fl. Cub. Pl. Vasc. t. 40 bis (1863).
Padus DC.
*Duhamel, Arbres & Arbustes, Ed. 2, v. t. 1 (1812).
*Roques, Phytogr. Médic. Nouv. Ed. Atlas, t. 124 (1835).
J. C. Loudon, Arbor. & Frutic. Brit. vi. t. 30 F (1838).
*Deakin, Florigr. Brit. ii. fig. 783 (1845).
*J. W. Loudon, Brit. Wild Fl. Ed. 2, t. 31 [1846].
C. A. Johns, Forest Trees Brit. i. 272, 273 (1847); Ed. 11, p. 122, 123 (1919).
Gayffier, Herb. For. France, 2 t. sine num. (1868–73).
*Heathcote, Fl. Engadine, t. 66 (1891).
*Masclef, Atlas Pl. France, t. 98 (1893).
Coste, Fl. France, ii. 8 (1903).
Lazaro, Comp. Fl. Españ. ii. 404 (1907).
Bull. Soc. Dendr. France, 1912, p. 196; 1913, p. 175.
Cadevall & Sallent, Fl. Catalunya, ii. 249 (1916).
Pattoniana Carr.
Rev. Hort. 1872, p. 135.
pendula Sweet
Rev. Hort. 1901, p. 352, 353.—*Hab.*
—— **rosea** Hort.
*Floral Mag. x. t. 536 (1871).
Rev. Hort. 1876, p. 328.—*Hab.*

CERASUS
pennsylvanica A. Gray
Emerson, Trees & Shrubs Massachusetts, Ed. 2, ii. 513 (1875).
*Gray, Forest Trees N. Amer. t. 48 (1891).
persicifolia Loisel.
Rev. Hort. 1869, p. 272.
Garden, vi. 131 (1874).
prostrata Ser.
J. C. Loudon, Arbor. & Frutic. Brit. ii. 702 (1838).
pseudo-Cerasus Lindl.
J. C. Loudon, Arbor. & Frutic. Brit. ii. 701 (1838).
Lavallée, Arb. & Frutic. Hort. Segrez. t. 36 (1885).
*Garden, xxxviii. 276 (1890).
Journ. Hort. Ser. III. xxxiv. 139 (1897).
puddum Wall.
*Wallich, Pl. Asiat. Rar. ii. t. 143 (1831).
semperflorens Borkh.
*Duhamel, Arbres & Arbustes, Ed. 2, v. t. 9 (1812).
J. C. Loudon, Arbor. & Frutic. Brit. vi. t. 30 C (1838).
*Rev. Hort. 1877, p. 50.
Garden, xxxiii. 228 (1888).
serotina Loisel.
J. C. Loudon, Arbor. & Frutic. Brit. ii. 712; vi. t. 30 H (1838).
*Carson, Ill. Med. Bot. i. t. 35 (1847).
*Belg. Hort. xv. 210 (1865).
Emerson, Trees & Shrubs Massachusetts, Ed. 2, ii. 515 (1875).
*Gray, Forest Trees N. Amer. t. 50 (1891).
Bull. Soc. Dendr. France, 1912, p. 196; 1913, p. 175.
serratifolia Lindl.
*Rev. Hort. 1877, p. 390.—*Fl.*
—— **rosea** Hort.
*Rev. Hort. 1877, p. 390; 1904, p. 440.
serrulata G. Don
J. C. Loudon, Arbor. & Frutic. Brit. ii. 701 (1838).
Nicholson, Illustr. Dict. Gard. i. 296 [1884–88].
Tribune Hort. iv. 747 (1909).
Sim, Flowering Trees & Shrubs, 37 (1919).—*Hab.*
Sieboldii Carr.
*Rev. Hort. 1866, p. 371.
silvestris S. G. Gmel.
J. C. Loudon, Arbor. & Frutic. Brit. vi. 30 B (1838).
Selby, Hist. Brit. Forest-Trees, 58, 61, 63, 64 (1842).
Tollemache, Brit. Trees, 41 (1901).—*Hab.*
—— **flore pleno**
Journ. Hort. Ser. III. ii. 401 (1881).
sinensis G. Don
J. C. Loudon, Arbor. & Frutic. Brit. ii. 707 (1838).
solfatara Hort.
Eden Phillpotts, My Shrubs, 29 (1915).—*Hab.*
sphaerocarpa Loisel.
*Bot. Mag. lix. t. 3141 (1832).
virginiana Michx.
*Michaux, Arb. Amer. Sept. iii. t. 6, p. 151 (1813).
*Michaux, N. Amer. Sylva, ii. t. 88 (1819).
J. C. Loudon, Arbor. & Frutic. Brit. ii. 711 (1838).
Emerson, Trees & Shrubs Massachusetts, Ed. 2, ii. 518 (1875).
Journ. Hort. lxii. 11 (1879); Ser. III. xxxiv. 459 (1897).
*Gray, Forest Trees N. Amer. i. t. 49 (1891).
vulgaris Mill.
*Duhamel, Arbres & Arbustes, Ed. 2, v. t. 4–20 (1809).
C. A. Johns, Forest Trees Brit. i. 256, 259, 260 (1847); Ed. 11, p. 113–15 (1919).
Decaisne & Naud. Amat. Jard. iv. 367 [1862–66]. —*Hab.*
Florist, 1864, p. 175 (1865).
Le Maout & Decaisne, Traité Gén. Bot. 305 (1868).
*Réveil, Règne Vég. xii. t. 28 (1870).—*Fr.*
*Thomé, Fl. Deutschl. iii. t. 395 (1888).
*Masclef, Atlas Pl. France, t. 97 (1893).

CERASUS
vulgaris
Brehm, Merv. Nat. Monde des Pl. i. 622, 623, 625 (1894–96).
Coste, Fl. France, ii. 7 (1903).
Cadevall & Sallent, Fl. Catalunya, ii. 248 (1916).

CERATANDRA Eckl.
atrata Dur. & Schinz
*Bolus, Ic. Orch. Austr.-Afr. iii. t. 88 (1913).
*Marloth, Fl. S. Africa, iv. t. 56 (1915).
bicolor Sond.
*Bolus, Orch. Cape Penins. (Trans. S.-Afr. Phil. Soc. v. 1), t. 21 (1888).
*Bolus, Ic. Orch. Austr.-Afr. iii. t. 87 (1913).
chloroleuca Eckl.
*Bauer & Lindl. Ill. Orch. Pl. Genera, t. 16 (1830–38).—*Fl.*
Reichenbach, Ic. Fl. Germ. xiii & xiv. t. 354, fig. 32–34 (1850).—*Fl.*
*Beer, Beitr. Morph. u. Biol. Orch. t. 4, fig. 13 (1863).—*Fr.*
globosa Lindl.
*Bolus, Ic. Orch. Austr.-Afr. iii. t. 85 (1913).
grandiflora Lindl.
*Bolus, Ic. Orch. Austr.-Afr. iii. t. 89 (1913).
Harveyana Lindl.
Hook. Ic. Pl. xix. t. 1840 (1889).
*Bolus, Ic. Orch. Austr.-Afr. iii. t. 86 (1913).
ochroleuca Mundt
Ann. Jard. Bot. Buitenzorg, xxiv. t. 32, fig. 4–6 (1911).—*Veg.*

CERATANTHERA Hornem.: *Globba*
Beaumetzii Heckel
*Ann. Fac. Sc. Marseille, i. t. 1–3 (1891).
Ann. Mus. & Inst. Colon. Marseille, 1894, p. 272.

CERATELLA Hook. f.: *Abrotanella*
rosulata Hook. f.
*Hooker f., Fl. Antarct. i. t. 18 (1844).

CERATIOLA L. C. Rich.
ericoides Michx.
*Pursh, Fl. Amer. Sept. i. 283, t. 13 (1814).
*Bot. Mag. liv. t. 2758 (1827).
J. C. Loudon, Arbor. & Frutic. Brit. iv. 2509 (1838).
Lindley, Veg. Kingd. 285 (1846).
Pflanzenfam. iii. v. 126 (1891).
Lounsberry, Southern Wild Fl. & Trees, t. 95 (1901).

CERATIOSICYOS Nees—Vide *Ceratosicyos*
Ecklonii Nees
Pflanzenfam. iii. VI. A. 92 (1893).—*Fl.*

CERATITES Soland.
amoena Soland.
Miers, Apocynac. S. Amer. t. 1 (1878).
Pflanzenfam. iv. II. 157 (1895).—*Fl.*

CERATIUM Bl.: *Eria*
compressum Bl.
Blume, Tab. Jav. Orch. t. 46 (1825).—*Fl.*

CERATOCALYX Coss.: *Orobanche*
fimbriatus Lange
*Lange, Pl. Hispan. t. 14 (1864–66).
macrolepis Coss.
Ann. Sc. Nat. Paris, Ser. III. ix. t. 10 (1848).
Cosson, Ill. Fl. Atlant. ii. t. 157 (1897).

CERATOCAPNOS Dur.: *Corydalis*
palaestina Boiss.
Le Maout & Decaisne, Traité Gén. Bot. 412 (1868).
umbrosa Dur.
*Cosson & Durieu, Expl. Scient. Algér. 1840–42, Bot. Atlas, t. 78 (1850).
Bot. Tidsskr. i. t. 1, fig. 20–24 (1866).
Ann. Bot. Roma, viii. t. 11 (1910).—*Fr.*

CERATOCARPUS Linn.
arenarius Linn.
Gaertner, Fruct. ii. t. 127 (1791).—*Fr.*
Lamarck, Ill. v. t. 741 (1797–1819).
Baillon, Hist. Pl. ix. 137 (1887).—*Fr.*
Pflanzenfam. iii. 1. A. 65 (1893).
Fedtschenko & Fler. Fl. Eur. Russia, 349 (1910).
Bot. Tidsskr. xxxii. 210 (1912).

CERATOCARPUS
arenarius
Paulsen, Stud. Veg. Pamir (Second Dan. Pamir Exp.), 244 (1912).
Bull. Appl. Bot. viii. t. 139, p. 1170 (1915).—*Fr.*
Mayevsky, Fl. Central Russia, 527 (1918).
Buxbaumii Guldenst.
Guldenstaedt in Nov. Comm. Acad. Sc. Pétersb. xvi. t. 17, fig. 7–12 (1772).—*Fl.*

CERATOCARYUM Nees: *Willdenowia*
fistulosum Mast.
Journ. Linn. Soc., Bot. x. t. 8, e (1869).
A. & C. De Candolle, Monogr. Phan. i. t. 4, 5, fig. 18 (1878).—*Fl.*
speciosum Nees
*Dietrich, Fl. Univ. N. Folge, t. 12 (1849).

CERATOCEPHALUS Moench: *Ranunculus*
falcatus Pers.
*Sturm, Deutschl. Fl. xiii. LVI [t. 894] (1830).
*Zenker, Fl. Thüringen, x. t. 1165 (1836–55).
*Reichenbach, Ic. Fl. Germ. iii. t. 1 (1838–39).
Petermann, Deutschl. Fl. t. 2, fig. 10, i–k (1849).—*Fr.*
Bull. Soc. Nat. Mosc. xxv. No. 2, t. 7 (1852).
*Cusin & Ansberque, Herb. Fl. Franç. i. t. 50 (1867).
Le Maout & Decaisne, Traité Gén. Bot. 391 (1868).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xi. t. 1020 (1882).
Willkomm, Führ. Reich Pflanzen, 861 (1882).—*Fr.*
Journ. Linn. Soc., Bot. xxii. 350 (1886).—*Veg.*
Kerner, Pflanzenleben, ii. 807 (1891).—*Fr.*
Lubbock, Seedlings, i. 10, 90 (1892).—*Veg.*
Acloque, Fl. France, 64 (1894).
Garcke, Ill. Fl. Deutschl. 9 (1895).
Kerner & Oliv. Nat. Hist. Pl. ii. 873 (1895).
Fiori & Paol. Ic. Fl. Ital. 180 (1899).
Sterckx in Mém. Soc. Sc. Liége, Ser. III. ii. t. 11, 12 (1900).—*Veg.*
Coste, Fl. France, i. 32 (1901).
*Sturm, Fl. Deutschl. Ed. 2, v. t. 273 (1901).
Goffart in Mém. Soc. Sc. Liége, Ser. III. iv. t. 2 (1902).—*Veg.*
Lazaro, Comp. Fl. Españ. ii. 355 (1907).
Rev. Gén. Bot. xxi. 457 (1910).—*Veg.*
*Bonnier, Fl. Compl. France, Suisse & Belge, i. t. 8 [1911].
Cadevall & Sallent, Fl. Catalunya, i. 24 (1915).
—— **vulgaris** Boiss.
Post, Fl. Syria, Palestine & Sinai, 43 [1896].
incurvus Stev.
Bull. Soc. Nat. Mosc. xxv. No. 2, t. 7 (1852).
leiocarpus Stev.
Bull. Soc. Nat. Mosc. xxv. No. 2, t. 7 (1852).
orthoceras DC.
Delessert, Ic. Pl. i. t. 23 (1820).
*Sturm, Deutschl. Fl. xiii. LVI [t. 894] (1830); fide xvii. LXXVI. 2 (1839).
*Reichenbach, Ic. Fl. Germ. iii. t. 1 (1838–39).
Lindley, Veg. Kingd. 428 (1846).
*Petermann, Deutschl. Fl. t. 2, fig. 10, a–h (1849).
Bull. Soc. Nat. Mosc. xxv. No. 2, t. 7 (1852).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xi. t. 1021 (1882).
Willkomm, Führ. Reich Pflanzen, 861 (1882).—*Fr.*
Paulsen, Stud. Veg. Pamir (Second Dan. Pamir Exp.), 62 (1912).
Bot. Tidsskr. xxxii. 53 (1912).
Mayevsky, Fl. Central Russia, 13 (1918).
platyceras Stev.
Bull. Soc. Nat. Mosc. xxv. No. 2, t. 7 (1852).
reflexus Stev.
Bull. Soc. Nat. Mosc. xxv. No. 2, t. 7 (1852).
spicata Moench
G. Beck, Fl. Nied.-Oesterr. i. 391 (1890).—*Fr.*
syriacus Stev.
Bull. Soc. Nat. Mosc. xxv. No. 2, t. 7 (1852).

CERATOCHILUS Bl.
biglandulosus Bl.
Blume, Tab. Jav. Orch. t. 25 (1825).—*Fl.*
Reichenbach f., Xenia Orch. i. t. 77 (1856).
J. J. Smith, Orch. Java, Fig.-Atlas, vi. fig. 470 (1914).—*Fl.*

CERATOCHILUS Lindl.: *Stanhopea*
grandiflorus Lodd.
*Lodd. Bot. Cab. xv. t. 1414 (1828).
oculatus Lodd.
*Lodd. Bot. Cab. xviii. t. 1764 (1831).

CERATOCHLOA P. Beauv.: *Bromus*
australis Spreng.
Nobbe, Handb. Samenkunde, 411 (1876).—*Fr.*
breviaristata Hook.
Hooker, Fl. Bor.-Amer. t. 234 (1840).
exaltata Bravais
Bravais in Mém. Congr. Sc. France, Mans, vii. 126 (1839).
grandiflora Hook.
Hooker, Fl. Bor.-Amer. t. 235 (1840).
Haenkeana Presl
Rep. Missouri Bot. Gard. x. t. 54 (1899).
pendula Schrad.
Husnot, Gram. t. 28 (1896–99).
unioloides P. Beauv.
P. Beauvais, Agrost. t. 15, fig. 7 (1812).—*Fl.*
Harz, Samenkunde, ii. 1231 (1885).—*Fr.*

CERATOCNEMUM Coss. & Bal.: *Rapistrum*
rapistroides Coss. & Bal.
Cosson, Ill. Fl. Atlant. i. t. 62 (1888).
Ann. Bot. Roma, viii. t. 11 (1910).—*Fr.*
Pflanzenreich, Crucif.-Brass. 12, 267 (1919).

CERATODACTYLIS Sm.: *Llavea*
osmundioides Sm.
*Hooker, Gen. Fil. t. 36 (1842).
*Lowe, New Ferns, t. 30 (1862).
Ettingshausen in Denkschr. Akad. Wiss. Wien, xxii. t. 21 (1864).
Ettingshausen, Farnkr. t. 39 (1865).

CERATOGYNE Turcz—Vide *Diotosperma*
obionoides Turcz
Pflanzenfam. iv. v. 275 (1892).—*Fl.*

CERATOGYNUM Wight: *Sauropus*
rhamnoides Wight
Wight, Ic. Pl. Ind. Or. v. t. 1900 (1852).

CERATOLOBUS Bl.
concolor Bl.
*Blume, Rumphia, ii. t. 130 (1836).
Rev. Hort. Belge, xxxiii. 46 (1907).—*Hab.*
Forgetiana Hort.
Möllers Deutsche Gärtn.-Zeit. xxvii. 307 (1912).
Gard. Chron. Ser. III. li. Suppl. p. xv (1912).
glaucescens Bl.
*Martius, Palm. iii. t. 115 (1823–50).
*Blume, Rumphia, ii. t. 129, 137 (1836).
Pflanzenfam. ii. III. 10, 50 (1889).
Koorders, Exkursionsfl. Java, i. 226 (1911).
Gatin, Palm. 64 (1912).—*Veg.*
Micholitziana Hort.
Jardin, xii. 152 (1898).—*Hab.*
Gard. Chron. Ser. III. xxiii. 251 (1898).—*Hab.*
Zippelii Bl.
Blume, Rumphia, ii. t. 130 (1836).

CERATOMINTHE Briq.
achalensis Briq.
Bull. Herb. Boiss. iv. 876 (1896).—*Fl.*

CERATONIA Linn.
siliqua Linn.
*Bergius, Mat. Med. ii. 836, t. 59 (1778).
*Zorn, Ic. Pl. Med. i. t. 59 (1779).
Gaertner, Fruct. ii. t. 146 (1791).—*Fr.*
Cavanilles, Ic. ii. t. 113 (1793).
*Oskamp, Afb. Artseny-Gewass. i. t. 59 (1796).
Lamarck, Ill. v. t. 859 (1797–1819).
*Duhamel, Arbres & Arbustes, Ed. 2, i. t. 58 (1801–19).
*Vietz, Ic. Pl. Med.-oec.-techn. ii. t. 195 (1803).
*Andrews, Bot. Rep. ix. t. 567 (1809).
*Plenck, Ic. Pl. Med. viii. t. 735 (1812).
*Trattinick, Ausg. Taf. Arch. i. 62 (1813).
Trattinick, Arch. ii. t. 103 (1814).
*Chaumeton, Fl. Méd. ii. t. 100 (1815).
*Hayne, Getreue Darst. Arzn. Gewächse, vii. t. 36 (1821).
Risso, Hist. Nat. Eur. Mérid. ii [t. 2] (1826).
*Nees, Pl. Offic. ii. t. 341 (1828).

CERATONIA
siliqua
*Zenker & Schenk, Merkant. Waarenk. ii. t. 27 (1832).
*Schlechtendal & Guimpel, Abb. Pharm. Boruss. Gew. ii. t. 103 (1833).
J. C. Loudon, Arbor. & Frutic. Brit. ii. 660 (1838).
*Gallesia, Pomona, vi [t. 15, 16] (1839).
!Hoffmann in Tijdschr. Nat. Gesch. vii. t. 9 (1840).—*Veg.*
*Petermann, Deutschl. Fl. t. 24, fig. 181 (1849).—*Fl.*
Ralph, Ic. Carpolog. t. 12 (1849).—*Fr.*
Berg, Charakt. t. 70, fig. 525 (1861).
*Artus, Atlas Pharm. Deutschl. Aufg. Offic. Gew. t. 79 [1862–74].
Pokorny, Oesterr. Holzpfl. 488, t. 79 (1864).—*Veg.*
Reichenbach, Ic. Fl. Germ. xxii. t. 3, 25 (1867–86).
Gayffier, Herb. For. France, 3 t. sine num. (1868–73).
*Réveil, Règne Vég. iii. t. 40 (1870).—*Veg.*
Baillon, Hist. Pl. ii. 138, 139 (1870).
*Cusin & Ansberque, Herb. Fl. Franç. vii. t. 1329 (1871).
F. Hamilton, Bot. Bible, t. 4, 5 (1871).—*Hab.*
Garden, xiii. 424 (1878).—*Hab.*
*C. Hoffmann, Pflanzenatlas, t. 59, fig. 366 (1881).
Baillon, Traité Bot. Méd. Phan. i. 612 (1883).
Garten-Zeit. Berlin, ii. 312 (1883).—*Hab.*
Baillon, Dict. Bot. ii. 452 (1884).—*Fl.*
Schilling, Grundr. Naturg. ii. Pflanzenr. Ausgb. B, p. 283 (1884).
Harz, Samenkunde, i. 93 (1885).—*Fr.*
Coutinho, Curso Silvicult. i. 132 (1886); ii. 216 (1887).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xxiv. t. 2524 (1886).
*Thomé, Fl. Deutschl. iii. t. 455 (1888).
Gard. & Forest, iii. 323 (1890).—*Hab.*
Paolucci, Fl. Marchig. t. 36 (1890).
Agric. Gaz. N. S. Wales, iii. 235 (1892).
Pflanzenfam. iii. III. 154 (1892).
Mouillefert, Traité Arbres & Arbriss. Atlas, t. 56 (1892–98).—*Hab.*
Heckel & Schlagdenhauffen, Sex. Caroub. 2 (Répert. Pharm. 1892), et in Bull. Soc. Bot. France, 1892, xxxix. 355 (1893).—*Fl.*
Heckel in Assoc. Franç. Avanc. Sc. 1892, Pau, Pt. 2, p. 461, 462 (1893).—*Fl.*
Acloque, Fl. France, 240 (1894).
Sauvaigo, Cult. Littor. Méditerr. 215 (1894).
Brehm, Merv. Nat. Monde des Pl. i. 568 (1894–96).
Karsten, Fl. Deutschl. ii. 269 (1895).
Fiori & Paol. Ic. Fl. Ital. 221 (1899).
Kronfeld, Atlas Pflanzengeogr. 106 (1899).
Coste, Fl. France, i. 290 (1901).
De Janville, Pl. Utiles Pays Chauds, t. 28 (1902).—*Hab.*
*Penzig, Fl. Litt. Méditerr. t. 34 (1902).
Schneider, Dendrol. Winterst. 72 (1903).—*Veg.*
Pharm. Journ. Ser. IV. xxi. 578 (1905).
Sim, Tree Planting Natal, fig. 80 (1905).—*Hab.*
Lazaro, Comp. Fl. Españ. ii. 213 (1907).
Schneider, Ill. Handb. Laubh. ii. 8 (1907).
Bull. Soc. Nat. Mosc. N. Ser. 1905, xix. No. 4, t. 10, fig. 56 (1907).
Beille, Bot. Pharm. ii. 844 (1909).—*Fl.*
Gubb, Fl. Algeria, t. 24 (1909).
Journ. Dep. Agric. Victoria, vii. 129, 131 (1909); viii. 432 (1910).—*Hab.*
Karsten & Schenck, Veg.-Bild. vii. t. 24 (1909).—*Hab.*
Tschirch, Handb. Pharmakog. ii. 137, 138, 140 (1910).
Pammel, Man. Poison. Pl. 526 (1911).
L. Reinhardt, Kulturgesch. Nutzpfl. iv. 1. t. 44 (1911).—*Hab.*
Wettstein, Handb. Syst. Bot. Ed. 2, p. 663 (1911).—*Fl.*
Adamović, Pflanzenw. Dalmat. t. 12 (1911).—*Hab.*
Bol. Agric. Prov. Angola, i. 47 (1912).
Bol. de Fomento, Costa Rica, ii. XII. 885 (1912).
Hubert, Fruits Pays Chauds, 201 (1912).

CERATONIA
siliqua
Silva Tarouca, Freiland-Laubgehölze, 174 (1913). —*Hab.*
Bull. Soc. Dendr. France, 1913, p. 19, 193.
L. H. Bailey, Stand. Cycl. Hort. 717, 718 (1914).
*H. S. Thompson, Fl. Pl. Riviera, t. 9 (1914).
U.S. Dep. Agric. Bur. Pl. Indust. Invent. Seeds & Pl. Import. No. 35, t. 3 (1915).—*Hab.*
Cadevall & Sallent, Fl. Catalunya, ii. 239 (1916).
De Sornay, Green Manures in Tropics, 296 (1916).

CERATOPETALUM Sm.
apetalum D. Don
Pflanzenfam. iii. II. A. 99 (1891).—*Fl.*
Maiden, For. Fl. N. S. Wales, i. t. 21 (1904).
Maiden, Some Princip. Comm. Trees N. S. Wales (N. S. Wales Forest. Handb.), 209 (1917).
—— **microphyllum** J. F. Bailey & C. T. White
Dep. Agric. Queensl. Bot. Bull. No. 18, t. 1 (1916).
gummiferum Sm.
*J. E. Smith, Spec. Bot. New Holland, t. 3 (1793).
*G. Bennett, Australasia, t. 7 (1860).
Ettingshausen, Blatt-Skel. Dikot. t. 42, 44, 46 (1861).—*Veg.*
Gartenfl. xxxvi. 632 (1887).
*Maiden & Campbell, Fl. Pl. & Ferns N. S. Wales, t. 25 (1898).
De Wildeman, Ic. Sel. Hort. Then. i. t. 14 (1900).
Maiden, Native Fl. N. S. Wales, [t. 9] (1911).
Guilfoyle, Austral. Pl. 52 [1911].—*Hab.*
Maiden, For. Fl. N. S. Wales, v. t. 186 (1912).
A. E. Sulman, Austral. Wild Fl. Ser. II. t. 48 [1913].
F. Sulman, Wild Fl. N. S. Wales, ii. t. 25 (1914).
Virchowii F. Muell.
F. M. Bailey, Compr. Cat. Queensl. Pl. 173 (1909–13).

CERATOPHYLLUM Linn.
apiculatum Cham.
Linnaea, iv. t. 5, fig. 6 e (1829).—*Fr.*
demersum Linn.
Gaertner, Fruct. i. t. 44 (1788).—*Fr.*
Lamarck, Ill. v. t. 775, fig. 2 (1797–1819).
*Sowerby & Sm. Engl. Bot. xiv. t. 947 (1802).
*Schkuhr, Bot. Handb. Ed. 2, t. 297 (1808).
*Fl. Dan. xii. t. 2000 (1830).
Nees, Gen. Pl., Monochlam. i. t. 1 (1835).
*Zenker, Fl. Thüringen, xi. t. 1308 (1836–55).
Meigen, Deutschl. Fl. ii. t. 90 (1837).—*Fl.*
*Baxter, Brit. Bot. Ed. 2, iv. t. 260 (1839).
[M. E.] Jackson, Pict. Fl. fig. 1388 (1840).
*Plée, Types chq. Famille Pl. France, t. 130 (1844–64).
*Deakin, Florigr. Brit. iii. fig. 1458 (1847).
*Lorek, Fl. Pruss. Ed. 3, t. 220, fig. 1167 (1848).
*Petermann, Deutschl. Fl. t. 28, fig. 215, a–l (1849).
*Schnizlein, Iconogr. ii. t. 83 (1851).
Ann. Nat. Hist. London, Ser. II. xi. t. 14, fig. 1, 2; xii. t. 3, fig. 5 (1853).—*Fl.*
Irvine, Illustr. Handb. Brit. Pl. 372 (1858).
Johnson & Sowerby, Brit. Wild Fl. fig. 1106 (1858–60).
Bentham, Handb. Brit. Fl. fig. 893 (1865).
Heer, Pfl. Pfahlbauten, tab. fig. 96 (1865).—*Fr.*
Cesati, Passer. & Gibelli, Comp. Fl. Ital. t. 34 (1867–86).—*Fl.*
Cusin & Ansberque, Herb. Fl. Franç. ix (Ceratophyllées), t. 2 (1868).
*Syme, Engl. Bot. viii. t. 1276 (1868).
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, v. t. 194 [1873].
*Hogg & Johnson, Wild Fl. Gr. Brit. viii. t. 580 (1874).
Karsten, Deutsche Fl. Pharm.-medic. Bot. 581 (1880–83).—*Fr.*
Schilling, Grundr. Naturg. ii. Pflanzenr. Ausgb. A, p. 204 (1882); Ausgb. B, p. 155 (1884).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, ix. t. 810 (1882).
Wagner, Ill. Deutsche Fl. Ed. 2, p. 664 (1882).
Willkomm, Führ. Reich Pflanzen, 301 (1882).—*Fr.*

CERATOPHYLLUM
demersum
Schenck in Verh. Naturh. Ver. Preuss. Rheinl. & Westfalens, xlii. II. t. 7 (1885).
*Thomé, Fl. Deutschl. ii. t. 186 (1886).
Pflanzenfam. iii. II. 11 (1888).
G. Beck, Fl. Nied.-Oesterr. i. 429 (1890).
Acloque, Fl. France, 272 (1894).
Garcke, Ill. Fl. Deutschl. 536 (1895).
Karsten, Fl. Deutschl. ii. 119 (1895).—*Fr.*
Reichenbach, Ic. Fl. Germ. xxiii. t. 32 (1896–99).
*Siélain, Atlas Poche Pl. Champs, Prair. & Bois, Ser. II. t. 101 (1896).
Mönkemeyer, Sumpf- u. Wasserpfl. 121 (1897).
Britton & Brown, Ill. Fl. N. States & Canada, ii. 46 (1897); Ed. 2, ii. 75 (1913).
Fiori & Paol. Ic. Fl. Ital. 176 (1899).
Borbás, Balaton Fl. 98 (1900).
Gradmann, Pflanzenl. Schwäb. Alb, Ed. 2, i. 160 (1900).
Reichenau, Mainzer Flora, fig. 64 (1900).
Sturm, Fl. Deutschl. Ed. 2, v. 216 (1901).
C. T. Green, Fl. Liverpool Distr. fig. 587 (1902).
Coste, Fl. France, ii. 89 (1903).
Mém. Cour. Bruxelles, lxiv. 639 (1903).
Blytt, Haandb. Norg. Fl. Ed. Dahl, 334 (1906).
F. M. Bailey, Weeds & Poison. Pl. Queensland, 185 (1906).
Glück, Biol. u. Morph. Wasser- u. Sumpfgew. ii. t. 6, fig. 76–78 (1906).
Merino, Fl. Galicia, ii. 626 (1906).
Lazaro, Comp. Fl. Españ. ii. 14 (1907).
Suireishchikov, Ill. Fl. Mosc. Gov. ii. 134 (1907).
Velenovsky, Vergl. Morphol. Pfl. ii. 405 (1907). —*Veg.*
Heukels, Fl. Nederl. 62 (1908).
Rec. Instit. Bot. Errera, iii. t. 4 (1908).—*Veg.*
*Hegi, Ill. Fl. Mittel-Eur. iii. t. 110, p. 450 (1909).
F. M. Bailey, Compr. Cat. Queensl. Pl. 509 (1909–13).
Fedtschenko & Fler. Fl. Eur. Russia, 411 (1910).
Long, Common Weeds Farm & Garden, 331 (1910).
Miyoshi, Pl. World Jap. 338 (1910).—*Hab.*
Wood, Natal Pl. vi. III. t. 551 (1911).
Teysmannia, xxii. 502, 507 (1911).
Koorders, Exkursionsfl. Java, ii. 218 (1912).
Marloth, Fl. S. Africa, i. 219 (1913).
Fawcett & Rendle, Fl. Jamaica, iii. 1. 186 (1914).
Horwood, Plant Life Brit. Isles, iii. 264 (1915).
U.S. Dep. Agric. Bull. No. 205, p. 24, 25 (1915).
Cadevall & Sallent, Fl. Catalunya, ii. 352 (1916).
Kirchner, Loew & Schröter, Blütenpfl. Mitteleur. ii. Abt. III. 56–60, 62–64, 66–69 (1917).
Mayevsky, Fl. Central Russia, 208 (1918).
Lindman, Svensk Fanerogamfl. 29, 252 (1918).
Britton, Fl. Bermuda, 135 (1918).
Fitch & Smith, Ill. Brit. Fl. Ed. rev. 4, Iss. 2, fig. 901 (1919).
Arber, Water Pl. 85, 86, 89 (1920).
—— **apiculatum** Aschers.
Kirchner, Loew & Schröter, Blütenpfl. Mitteleur. ii. Abt. III. 54 (1917).—*Fr.*
Moss, Cambridge, Brit. Fl. iii. t. 98 (1920).
—— **cristatum** K. Schum.
Mart. Fl. Bras. iii. III. t. 125 (1894).
—— **inflatum** R. E. Fries
Schwed. Rhod.-Kongo-Exped. 1911–12, Bot. i. 1. 42 (1914).—*Veg.*
—— **muricatum** Hook. f.
Kirchner, Loew & Schröter, Blütenpfl. Mitteleur. ii. Abt. III. 54 (1917).—*Fr.*
—— **oxyacanthum** K. Schum.
Kirchner, Loew & Schröter, Blütenpfl. Mitteleur. ii. Abt. III. 54 (1917).—*Fr.*
—— **oxyacanthum** Mart.
Moss, Cambridge, Brit. Fl. iii. t. 99 (1920).
—— **pentacanthum** K. Schum.
Kirchner, Loew & Schröter, Blütenpfl. Mitteleur. ii. Abt. III. 54 (1917).—*Fr.*
—— **platyacanthum** Jessen
Kirchner, Loew & Schröter, Blütenpfl. Mitteleur. ii. Abt. III. 54 (1917).—*Fr.*
Haynaldianum Borbás
Magyar Nov. Lapok, viii. 20 (1884).—*Fr.*

CERATOPHYLLUM
missionis Wall.
Wight, Ic. Pl. Ind. Or. vi. t. 1948 (1853).
muricatum Cham.
Linnaea, iv. t. 5, fig. 6 c (1829).—*Fr.*
Wight, Ic. Pl. Ind. Or. vi. t. 1948 (1853).
muticum Cham.
Linnaea, v. t. 4, fig. A, B (1830).—*Fr.*
oxyacanthum Cham.
Linnaea, iv. t. 5, fig. 6 b (1829).—*Fr.*
pentacanthum Hayata
Hayata, Ic. Pl. Formosan. viii. 130 (1919).—*Fr.*
platyacanthum Cham.
Linnaea, iv. t. 5, fig. 6 a (1829).—*Fr.*
Nees, Gen. Pl., Monochlam. i. t. 1 (1835).—*Fr.*
Meigen, Deutschl. Fl. ii. t. 90 (1837).—*Fr.*
Petermann, Deutschl. Fl. t. 28, fig. 215, r (1849). —*Fl.*
Karsten, Deutsche Fl. Pharm.-medic. Bot. 581 (1880–83).
Karsten, Fl. Deutschl. ii. 119 (1895).
Reichenbach, Ic. Fl. Germ. xxiii. t. 33 (1896–99).
Suireishchikov, Ill. Fl. Mosc. Gov. ii. 134 (1907).
spicatum Thornton
Thornton, Brit. Fl. iv [II] 57 (1812).
submersum Linn.
*Fl. Dan. iii. t. 510 (1770).
Lamarck, Ill. v. t. 775, fig. 1 (1797–1819).
*Sowerby & Sm. Engl. Bot. x. t. 679 (1800).
Thornton, Brit. Fl. iv [II] 57 (1812).
Linnaea, iv. t. 5, fig. 6 e (1829).—*Fr.*
Nees, Gen. Pl., Monochlam. i. t. 1 (1835).—*Fr.*
*Zenker, Fl. Thüringen, xi. t. 1272 (1836–55).
Meigen, Deutschl. Fl. ii. t. 90 (1837).—*Fr.*
[M. E.] Jackson, Pict. Fl. fig. 1389 (1840).
Lindley, Veg. Kingd. 263 (1846).
*Deakin, Florigr. Brit. iii. fig. 1459 (1847).
*Lorek, Fl. Pruss. Ed. 3, t. 220, fig. 1168 (1848).
Petermann, Deutschl. Fl. t. 28, fig. 215, m–q (1849).—*Fl.*
Johnson & Sowerby, Brit. Wild Fl. fig. 1107 (1858–60).
Cesati, Passer. & Gibelli, Comp. Fl. Ital. t. 34 (1867–86).—*Fl.*
Le Maout & Decaisne, Traité Gén. Bot. 505 (1868).
*Cusin & Ansberque, Herb. Fl. Franç. ix (Ceratophyllées), t. 1 (1868).
*Syme, Engl. Bot. viii. t. 1277 (1868).
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, v. t. 194 [1873].
Karsten, Deutsche Fl. Pharm.-medic. Bot. 581 (1880–83).—*Fr.*
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, ix. t. 809 (1882).
G. Beck, Fl. Nied.-Oesterr. i. 429 (1890).—*Fr.*
Karsten, Fl. Deutschl. ii. 119 (1895).—*Fr.*
Reichenbach, Ic. Fl. Germ. xxiii. t. 31 (1896–99).
Borbás, Balaton Fl. 43 (1900).—*Fl.*
Coste, Fl. France, ii. 90 (1903).
Heukels, Fl. Nederl. 62 (1908).
Hegi, Ill. Fl. Mittel-Eur. iii. 450 (1909).
Velenovsky, Vergl. Morphol. Pfl. iii. 889 (1910). —*Fl.*
Cadevall & Sallent, Fl. Catalunya, ii. 353 (1916).
Kirchner, Loew & Schröter, Blütenpfl. Mitteleur. ii. Abt. III. 54, 55, 62, 69, 71 (1917).
Hayata, Ic. Pl. Formosan. viii. 130 (1919).—*Fr.*
Moss, Cambridge Brit. Fl. iii. t. 97 (1920).
—— **cristatum** K. Schum.
Kirchner, Loew & Schröter, Blütenpfl. Mitteleur. ii. Abt. III. 54 (1917).—*Fr.*
—— **tanaiticum** C. Schröt.
Kirchner, Loew & Schröter, Blütenpfl. Mitteleur. ii. Abt. III. 54 (1917).—*Fr.*
tuberculatum Cham.
Linnaea, iv. t. 5, fig. 6 d (1829).—*Fr.*
Wight, Ic. Pl. Ind. Or. vi. t. 1948 (1853).
vulgare demersum Baill.
Baillon, Hist. Pl. iii. 479 (1872).
—— **submersum** Baill.
Baillon, Hist. Pl. iii. 480 (1872).—*Fl.*

CERATOPTERIS Brongn.—Vide *Parkeria*
cornuta Le Prieur
Ann. Sc. Nat. Paris, xix. t. 4 (1830).

CERATOPTERIS
cornuta
Möllers Deutsche Gärtn.-Zeit. xxx. 285–87, 289 (1915).—*Hab.*
Goebel, Organogr. Pfl. Ed. 2, ii. 1059 (1915–18).
deltoidea Benedict
Bull. Torr. Bot. Club, xxxvi. 473 (1909).
Gaudichaudii Brongn.
Freycinet, Voyage, t. 20 (1826).
Lockhartii Kunze
Bull. Torr. Bot. Club, xxxvi. 471 (1909).
Parkeri J. Sm.
Mettenius, Fil. Hort. Bot. Lips. t. 10, fig. 9, 10 (1856).
pteridoides Hook.
L. H. Bailey, Stand. Cycl. Hort. 719 (1914).
thalictroides Brongn.
Rumphius, Herb. Amboin. vi. t. 74, fig. 1 (1750); fide Merrill, Interpret. Rumph. Herb. Amboin.
Bull. Soc. Philom. t. 1 (1821).
Presl, Tent. Pteridogr. t. 12 (1836).
*Hooker, Gen. Fil. t. 12 (1842).
Schnizlein, Iconogr. i. t. 26 a (1844).
Payer, Bot. Crypt. 187, 193, 202 (1850).
*Lowe, Ferns, ii. t. 66 (1858).
Beddome, Ferns S. Ind. t. 75 (1863).
Ettingshausen, Farnkr. t. 19, 20 (1865).
Bull. Soc. Bot. Belg. v. t. 5, fig. 4 (1866).
J. Smith, Ferns Brit. & Foreign, 133 (1866); Ed. 2, p. 133 (1879).
Strasburger in Mém. Acad. Sc. Pétersb. Ser. VII. xii. tab. fig. 12, 13, 23, 27 (1869).—*Fl.*
*Réveil, Règne Vég. iv. t. 30 (1870).
Mart. Fl. Bras. i. II. t. 51 (1870).
J. Smith, Hist. Fil. t. 9 (1875).
*Meehan, Native Fl. & Ferns U.S. Ser. II. i. t. 36 (1879).
*Eaton, Ferns N. Amer. ii. t. 80 (1880).
Britten, Eur. Ferns, p. xxvii [1880–82].
Beddome, Handb. Ferns Brit. Ind. 124 (1883).
F. M. Bailey, Lithogr. Ferns Queensland (Dept. Agric. Brisbane), t. 12 (1892).
*Useful Pl. Jap. i. t. 92 (1895).
Weaver in Proc. Iowa Acad. Sc. iii. t. 7, fig. 24 (1896).
Pflanzenfam. i. IV. 340, 342 (1900).
Velenovsky, Vergl. Morphol. Pfl. i. 181, 235 (1905).
Engler & Drude, Veget Erde. ix. II. 60 (1908).
Bull. Torr. Bot. Club, xxxvi. 468 (1909).
Rovirosa, Pteridogr. Mexico, t. 21 (1909).
Philippine Journ. Sc., Bot. iv. 65, t. 15 (1909).
Christ, Geogr. Farne, 12 (1910).
Warburg, Pflanzenwelt, i. 273 (1913).
Bower in Trans. Roy. Soc. Edinb. li. III. 694 (1917).—*Veg.*

CERATOPYXIS Hook. f.
verbenacea Hook. f.
Hook. Ic. Pl. xii. t. 1125 (1872).
Pflanzenfam. iv. IV. 100 (1891).—*Fl.*

CERATOSANTHES Adans.
Hilariana Cogn.
Mart. Fl. Bras. vi. IV. t. 18 (1878).
Pflanzenfam. iv. V. 17 (1889).—*Fl.*
Pflanzenreich, Curcurbitac.-Fev. & Melothr. 130, 245 (1916).—*Fl.*
multiloba Cogn.
Pflanzenreich, Curcurbitac.-Fev. & Melothr. 245 (1916).
palmata Urb.
Plumier, Pl. Amer. Ed. Burm. t. 24 (1755); fide Urban, Fedde Repert. Beih. v. 40.

CERATOSEPALUM Oliv.
digitatum Oliv.
Hook. Ic. Pl. xxiv. t. 2307 (1894).

CERATOSEPALUM Örst.: *Passiflora*
micranthum Örst.
Örsted, Amer. Centr. t. 17 (1863).

CERATOSICYOS Harv.: *Ceratiosicyos*
Ecklonii Nees
Ann. Nat. Hist. London, iii. t. 10 (1839).
Baillon, Hist. Pl. viii. 478 (1886).—*Fl.*

CERATOSTEMMA Drude: *Thibaudia*
angulatum Griff.
Griffith, Ic. Pl. Asiat. t. 503 (1854).
biflorum Poepp. & Endl.
Poeppig & Endl. Nov. Gen. & Sp. Pl. i. t. 10 (1835).
buxifolium Field.
Fielding & Gardn. Sert. Pl. i. t. 7 (1844).
emarginatum Ruiz & Pav.
Ruiz & Pavon, Fl. Peruv. & Chil. Ic. Ined. iv. t. 384 (1802).
grandiflorum Ruiz & Pav.
Ruiz & Pavon, Fl. Peruv. & Chil. Ic. Ined. iv. t. 383 (1802).
*Fl. des Serres, Ser. I. ix. t. 934 (1853–54).
hirsutum Ruiz & Pav.
Ruiz & Pavon, Fl. Peruv. & Chil. Ic. Ined. iv. t. 383 (1802).
longiflorum Lindl.
Fl. des Serres, Ser. I. iv. 345 c, 346 b (1848).
Gard. Chron. 1848, p. 87.
Ann. Hort. iv. 155 (1849).
*Bot. Mag. lxxx. t. 4779 (1854).
*Floricult. Cab. 1854, p. 97.
Cottage Gard. xii. 309 (1854).
*Ill. Hort. i. t. 18 (1854).
*Journ. Hort. Prat. Belg. xii. 65 (1854).
miniatum Griff.
Griffith, Ic. Pl. Asiat. t. 504 (1854).
nanum Griff.
Griffith, Ic. Pl. Asiat. t. 505 (1854).
sanguineum Hörold
Engler & Drude, Veget. Erde, xii. 233 (1911).
speciosum André
*Ill. Hort. xvii. t. 9, p. 54 (1870).
variegatum Griff.
Griffith, Ic. Pl. Asiat. t. 502 (1854).
Weberbaueri Hörold
Engl. Jahrb. xlii. 266 (1909).—*Fl.*

CERATOSTIGMA Bunge—Vide *Valoradia*
plumbaginoides Bunge
Pflanzenfam. iv. I. 120 (1890).
Koehne, Dendrol. 489 (1893).
*Bois, Dict. Hort. 276 (1893–99).
*Bois, Atlas Pl. Jard. t. 175 (1896).
*Step, Fav. Fl. Gard. & Greenh. iii. t. 170 (1897).
Schneider, Dendrol. Winterst. 107 (1903).—*Veg.*
Schneider, Ill. Handb. Laubh. ii. 571, 573 (1911).
Willmottianum Stapf
*Bot. Mag. cxl. t. 8591 (1914).

CERATOSTYLIS Bl.—Vide *Acoridium*
acutilabris J. J. Sm.
Nova Guinea, xii. t. 97 (1915).—*Fl.*
albiflora J. J. Sm.
Nova Guinea, viii. t. 16 (1909).—*Fl.*
alpina J. J. Sm.
Nova Guinea, xii. t. 96 (1915).
anceps Bl.
J. J. Smith, Orch. Java, Fig.-Atlas, iii. fig. 228 (1910).—*Fl.*
arfakensis J. J. Sm.
Nova Guinea, xii. t. 95 (1915).—*Fl.*
Backeri J. J. Sm.
!Ann. Jard. Bot. Buitenzorg, xxviii. t. 24, fig. 9 (1914).—*Veg.*
capitata Zoll. & Moritzi
J. J. Smith, Orch. Java, Fig.-Atlas, iii. fig. 232 (1910).—*Fl.*
ciliolata J. J. Sm.
Nova Guinea, xii. t. 95 (1915).—*Fl.*
clathrata Hook. f.
Hook. Ic. Pl. xxi. t. 2099 (1892).
clavata J. J. Sm.
Nova Guinea, viii. t. 17 (1909).—*Fl.*
eriaeoides Hook. f.
Hook. Ic. Pl. xxi. t. 2074 (1891).
formicifera J. J. Sm.
Nova Guinea, viii. t. 86 (1911).—*Fl.*
gigas Reichb. f.
Reichenbach f., Xenia Orch. ii. t. 127 (1863).
gracilis Bl.
Reichenbach f., Xenia Orch. ii. t. 127 (1863).
Pfitzer, Grundz. Vergl. Morph. Orchideen, t. 3, fig. 2 (1882).—*Fr.*

CERATOSTYLIS
gracilis
J. J. Smith, Orch. Java, Fig.-Atlas, iii. fig. 230 (1910).—*Fl.*
*Costantin, Atlas Orch. Cult. t. 22 (1913).
graminea Bl.
Blume, Tab. Jav. Orch. t. 56 (1825).—*Fl.*
J. J. Smith, Orch. Java, Fig.-Atlas, iii. fig. 226 (1910).—*Fl.*
grandiflora J. J. Sm.
Rec. Trav. Bot. Néerl. i. 156 (1904).—*Fl.*
himalaica Hook. f.
Hook. Ic. Pl. xxii. t. 2101 (1892).
humilis J. J. Sm.
Nova Guinea, viii. t. 17 (1909).—*Fl.*
indifferens J. J. Sm.
Nova Guinea, viii. t. 87 (1911).—*Fl.*
lancifolia Hook. f.
Hook. Ic. Pl. xxii. t. 2102 (1892).
latifolia Bl.
J. J. Smith, Orch. Java, Fig.-Atlas, iii. fig. 227 (1910).—*Fl.*
longicaulis J. J. Sm.
Nova Guinea, xii. t. 97 (1915).—*Fl.*
longifolia J. J. Sm.
Nova Guinea, viii. t. 87 (1911).—*Fl.*
malaccensis Hook. f.
Hook. Ic. Pl. xxi. t. 2098 (1892).
parciflora J. J. Sm.
Nova Guinea, xii. t. 97 (1915).—*Fl.*
pendula Hook. f.
Hook. Ic. Pl. xxi. t. 2100 (1892).
philippinensis Rolfe
Ames, Orchidac. i. 80 (1905).
pugioniformis J. J. Sm.
Nova Guinea, viii. t. 17 (1909).—*Fl.*
radiata J. J. Sm.
J. J. Smith, Orch. Java, Fig.-Atlas, iii. fig. 225 (1910).—*Fl.*
ramosa Ames & Rolfe
Ames, Orchidac. ii. 149 (1908).—*Fl.*
recurva J. J. Sm.
Nova Guinea, viii. t. 86 (1911).—*Fl.*
resiana J. J. Sm.
Nova Guinea, viii. t. 18 (1909).—*Fl.*
robusta Hook. f.
Hook. Ic. Pl. xxii. t. 2103 (1892).
sessilis J. J. Sm.
Nova Guinea, xii. t. 8 (1913).—*Fl.*
simplex Bl.
J. J. Smith, Orch. Java, Fig.-Atlas, iii. fig. 231 (1910).—*Fl.*
subulata Bl.
Reichenbach f., Xenia Orch. ii. t. 127 (1863).
Ames, Orchidac. ii. 152 (1908).
J. J. Smith, Orch. Java, Fig.-Atlas, iii. fig. 229 (1910).—*Fl.*
teres Reichb. f.
*Ann. Bot. Gard. Calcutta, viii. t. 329 (1898).

CERATOTHECA Endl.
sesamoides Endl.
Linnaea, vii. t. 1, 2 (1832).
Endlicher, Atakta Bot. t. 5 (1833).
Schnizlein, Iconogr. ii. t. 153 (1843–70).—*Fr.*
triloba E. Mey.
Gard. Chron. Ser. III. ii. 493 (1887).
*Bot. Mag. cxiv. t. 6974 (1888).
*Gartenfl. xxxviii. t. 1305 (1889).
Pflanzenfam. iv. III. B. 257 (1895).—*Fr.*
Wood, Natal Pl. iv. III. t. 367 (1905).

CERATOZAMIA Brongn.
Kuesteriana Regel
Gartenfl. vi. t. 185, fig. 17, t. 186, fig. 24 (1857); xxv. 878 (1876).
Bull. Soc. Nat. Mosc. xxx. No. 1, p. 187, t. 4, fig. 22 (1857).
mexicana Brongn.
Ann. Sc. Nat. Paris, Ser. III. v. t. 1 (1846).
Gartenfl. vi. t. 185, fig. 16 (1857).—*Fl.*
Rev. Hort. 1861, p. 388, 390.
Garden, ix. 308, 309 (1876).
*M'Alpine, Bot. Atlas, i. t. 1 (1883).—*Fl.*
Pflanzenfam. ii. I. 14 (1889).—*Fr.*
Jardin, vi. 19 (1892); xiv. 292 (1900).
Baillon, Hist. Pl. xii. 60 (1894).

CERATOZAMIA
mexicana
Bellair & St.-Léger, Pl. Serre, 495 (1900).—*Hab.*
De Wildeman, Ic. Sel. Hort. Then. vi. t. 240 (1909).
Coulter & Chamberlain, Morph. Gymnosp. 155 (1910).—*Veg.*
Velenovsky, Vergl. Morphol. Pfl. iii. 736 (1910).—*Fr.*
Bot. Gaz. liii. 3, 5–8 (1912).
L. H. Bailey, Stand. Cycl. Hort. 719 (1914).—*Hab.*
Ann. Bot. xxix. t. 29, fig. 7 (1915).—*Veg.*
C. J. Chamberlain, Living Cycads, 22, 101, 102 (1919).
Rec. Trav. Bot. Néerl. xvii. 250 (1920).—*Fr.*
Miqueliana H. Wendl.
Hemsley, Biol. Centr. Amer. v. t. 83 (1883).
Warburg, Pflanzenwelt, i. 330 (1913).
robusta Miq.
Mém. Acad. Sc. Pétersb. Ser. VII. i. No. 2, t. 1, 2 (1859).
Goebel, Organogr. Pfl. 483, 692 (1900); Ed. Angl. ii. 282, 513 (1905).
Warming, Handb. Syst. Bot. Ed. Möbius, 164 (1902).—*Fr.*
Velenovsky, Vergl. Morphol. Pfl. iii. 740 (1910).—*Fl.*

CERBERA Linn.
Ahouai Linn.
Lamarck, Ill. i. t. 170, fig. 1 (1797).
*Andrews, Bot. Rep. iv. t. 231 (1802).
*Bot. Mag. xix. t. 737 (1804).
*Trattinick, Ausw. Gartenpfl. i. t. 63 (1821).
batjanica Teysm. & Binn.
Ann. Jard. Bot. Buitenzorg, xii. t. 27 (1895).
dichotoma Lodd.
*Lodd. Bot. Cab. xvi. t. 1516 (1829).
floribunda K. Schum.
Ann. Jard. Bot. Buitenzorg, xii. t. 26, 27 (1895).
fruticosa Roxb.
*Bot. Reg. v. t. 391 (1819).
*Lodd. Bot. Cab. iv. t. 326 (1819).
*Fortsetz. Allg. Teutsch. Gart. Mag. vi. t. 17 (1822).
*Géel, Sert. Bot. Cl. 5 (1828).
*Ann. Blumisterei, vi. 280 (1830); vii [t. 4] (1831).
*Reichenbach, Fl. Exot. ii. t. 105 (1834).
*Journ. Jard. 1838, p. 350.
lactaria Buch.-Ham.
Ann. Jard. Bot. Buitenzorg, xii. t. 26, fig. 1–5 (1895).—*Fl.*
*Köhler, Med. Pfl. iii [t. 223] (1898).
laurifolia Lodd.
*Lodd. Bot. Cab. x. t. 989 (1824).
manghas Linn.
Rumphius, Herb. Amboin. ii. t. 81 (1743); fide Merrill, Interpret. Rumph. Herb. Amboin.
Gaertner, Fruct. ii. t. 123, 124 (1791).—*Fr.*
*Wendland, Bot. Beob. t. 3, fig. 21 (1798).—*Fl.*
*Andrews, Bot. Rep. x. t. 655 (1811?).
*Bot. Mag. xliii. t. 1845 (1816).
*Lodd. Bot. Cab. iv. t. 304 (1819).
*Mordant de Launay, Herb. Amat. iv. t. 261 (1820).
*Ann. Blumisterei, ii. 291 [t. 21] (1827).
*Drapiez, Herb. Amat. Fl. i. t. 32 (1828).
Pflanzenfam. iv. 11. 157 (1895).—*Fl.*
W. H. Brown & A. F. Fischer in Bull. Philip. Isl. Dep. Agric. Bur. Forestry, No. 17, t. 36 (1918); No. 22, t. 36 (1920).
Odollam Gaertn.
Rheede, Hort. Mal. i. t. 39 (1678); fide Fl. Brit. Ind. viii. 638.
Gaertner, Fruct. ii. t. 124 (1791).—*Fr.*
Wight, Ic. Pl. Ind. Or. ii. t. 441 (1840–43).
Vidal, Sin. Fam. & Gen. Pl. Leñ. Filip. (Introd. Fl. For. Filip.), Atlas, t. 66, fig. c (1883).—*Fl.*
Schimper, Bot. Mitt. Tropen, Heft iii. t. 7 (1891).—*Fr.*
Greshoff in Indische Mercuur, xviii. No. 19, tab. (1895).
Ann. Jard. Bot. Buitenzorg, xii. t. 26, 27 (1895).
Greshoff, Nutt. Ind. Pl. t. 16 (1895).
*Köhler, Med. Pfl. iii [t. 223] (1898).—*Fl.*
Beille, Bot. Pharm. ii. 954 (1909).

CERBERA
Odollam
Teysmannia, xxii. 129 (1911).—*Fr.*
Talbot, For. Fl. Bombay, ii. 211 (1911).
Koorders & Val. Atlas Baumarten Java, t. 628, 629 (1916).
Kanehira, Formosan Trees, 371 (1917).
Basu, Ind. Med. Pl. t. 603 (1918).
ovata Cav.
Cavanilles, Ic. iii. t. 270 (1794).
*Joh. Kerner, Hort. Sempervir. t. 610 (1821).
parviflora Wall.
Ettingshausen, Blatt-Skel. Dikot. t. 27 (1861).—*Veg.*
platyspermos Gaertn.
Gaertner, Fruct. ii. t. 124 (1791).—*Fr.*
tanghin Poir.
Géel, Sert. Bot. Cl. 5 (1828).
*Bot. Mag. lvii. t. 2968 (1830).
*Reichenbach, Fl. Exot. ii. t. 106 (1834).
Journ. Hort. Prat. Belg. vii. 238 (1849).
*Köhler, Med. Pfl. iii [t. 224] (1898).
Trop. Agric. xlv. No. 4, p. 267 (1915).
Thevetia Linn.
Jacquin, Sel. Stirp. Amer. Hist. t. 34 (1763).
*Houttuyn, Handl. Pl. & Kruidk. ii. t. 6 fig. 2 (1774).
*Jacquin, Sel. Stirp. Amer. Hist. Picta, t. 47 [1780].
Lamarck, Ill. i. t. 170, fig. 2 (1797).
Ruiz & Pavon, Fl. Peruv. & Chil. ii. t. 153 (1799).
Dict. Sc. Nat., Planch. Bot. Dicot. t. 56, 57 (1816–29).
*Bot. Mag. xlix. t. 2309 (1822).
*Joh. Kerner, Gen. Pl. Ill. x. t. 184 (1825).
*Descourtilz, Fl. Pitt. & Méd. Antilles, iii. t. 158 (1827).
*Tussac, Fl. Antilles, iv. t. 7 (1827).
Vellozo, Fl. Flum. iii. t. 1 (1827).
M. C. Cooke, Rep. Oil Seeds & Oils, 36 (1876).—*Fr.*
*Journ. Bombay Nat. Hist. Soc. viii. 453 (1894).
Britton, Fl. Bermuda, 294 (1918).
triphylla Rudge
Rudge, Pl. Guian. t. 48 (1805).
undulata Andr.
*Andrews, Bot. Rep. ii. t. 130 (1801).
*Trattinick, Ausw. Gartenpfl. i. t. 64 (1821).
venenifera Steud.
Baillon, Traité Bot. Méd. Phan. ii. 1274 (1884).—*Fl.*
Baillon, Hist. Pl. x. 154 (1891); errore *veneniflua.*—*Fl.*

CERCESTIS Schott
Afzelii Schott
Schott, Gen. Aroid. t. 52 (1858).
Dinklagei Engl.
Engler & Drude, Veget. Erde, ix. 1. 2, p. 722 (1910).
Pflanzenreich, Arac.-Lasioid. 117 (1911).
kamerunianus N. E. Br.
Pflanzenreich, Arac.-Lasioid. 115 (1911).—*Fl.*

CERCIDIPHYLLUM Sieb. & Zucc.
japonicum Sieb. & Zucc.
Dai-Nihon Ju-moku Shi-ri-yaku (Jap. Trees Fig. & Expl.), t. 88 (1878).—*Veg.*
Dippel, Handb. Laubholzk. iii. 160 (1893).—*Veg.*
Gard. & Forest, vi. 53 (1893); vii. 106, 107 (1894).
Koehne, Dendrol. 151 (1893).—*Veg.*
Meehan's Monthly, iii. 74 (1893).
Sargent, For. Fl. Japan, t. 1, 6, 7 (1894).
Bull. Coll. Agric. Tokyo, ii. t. 15, fig. 19 (1895).—*Veg.*
*Useful Pl. Jap. ii. t. 534 (1895).
Ber. Deutsch. Bot. Ges. xvii. t. 28 (1899).
*Shirasawa, Ic. Ess. Forest. Jap. i. t. 41 (1900).
Kawakami, Hokkaidô-shinrin-shokubutsu-zusetsu (Forestry Pl. Hokkaido), t. 1 (1902).
Annesley, Rare Plants, 70 (1903).—*Hab.*
Schneider, Dendrol. Winterst. 91, 132 (1903).—*Veg.*
Schneider, Ill. Handb. Laubh. i. 348, 425 (1905).
Apgar, Orn. Shrubs U.S. 61, fig. 10 (1910).—*Veg.*
Fernow, Care of Trees, fig. 97 (1910).
Miyoshi, Pl. World Jap. 451 (1910).—*Veg.*

CERCIDIPHYLLUM
japonicum
Wilson, Veg. West. China (Publ. Arn. Arb. No. 2), 163 (1911).—*Hab.*
Miyabe-Festschrift, t. 26, fig. 4 (1911).—*Veg.*
Bull. Soc. Dendr. France, 1912, p. 153; 1913, p. 156.
Silva Tarouca, Freiland-Laubgehölze, 56 (1913).—*Hab.*
L. H. Bailey, Stand. Cycl. Hort. 720 (1914).
Nihon-zyûyô-mokuchiku-zuhyô (Tabl. Japan. Trees & Bamb. Forest Bur.), fig. 38 (1916).
Mitt. Deutsch. Dendr. Ges. 1917, p. 73, 83, t. 1–3, 5.
Becking in Mededeel. Landbouwhoogesch. Wageningen, xiv. t. 1 (1918).—*Fl.*

CERCIDIUM Tul.—Vide *Rhetinophloeum*
floridum Benth.
Rep. Expl. & Surv. Railr. Mississippi, 1853–54, v. 370, t. 3 (1856).
Sargent, Silva N. Amer. iii. t. 129 (1892).
Sargent, Man. Trees N. Amer. 563 (1905).
Britton, N. Amer. Trees, 545 (1908).
peninsulare Rose
Contrib. U.S. Nat. Herb. xvi. t. 114 (1916).—*Hab.*
plurifoliolatum Micheli
Micheli in Mém. Soc. Phys. Genève, xxxiv. t. 18 (1903).
Torreyanum Sarg.
Sargent, Silva N. Amer. iii. t. 130 (1892).
Sargent, Man. Trees N. Amer. 564 (1905).
Britton, N. Amer. Trees, 545 (1908).
Sudworth, Forest Trees Pac. Slope, 375 (1908).
Spalding in Carnegie Inst. Washington, Publ. No. 113, t. 6 (1909).—*Hab.*

CERCIS Linn.—Vide *Siliquastrum*
canadensis Linn.
*Schmidt, Oest. Allgem. Baumzucht, t. 21 (1792–1822).
*F. J. Schultz, Abb. Bäume, Staud. Sträuch. Oesterr. i. t. 98 (1792).
*Joh. Kerner, Abbild. Oek. Pfl. (Fig. Pl. Écon.), vii. t. 676 (1794).
*Krauss, Afb. Fraaiste Boom. & Heest. [t. 62] (1802).
*Vietz, Ic. Pl. Med.-oec.-techn. v. t. 403 b (1817).
*Guimpel, Otto & Hayne, Abbild. Fremd. Holzart. i. t. 92 (1825).
J. C. Loudon, Arbor. & Frutic. Brit. v. t. 25 B (1838).
Garden, xxv. 347 (1884).
Lloyd, Drugs & Med. N. Amer. ii. t. 122, 123, 124 (1887).
*Gray, Forest Trees N. Amer. t. 39 (1891).
Sargent, Silva N. Amer. iii. t. 133, 134 (1892).
Dippel, Handb. Laubholzk. iii. 653 (1893).—*Veg.*
Trans. Acad. Sc. St. Louis, vi. 145, fig. 41, 42 (1893).—*Veg.*
Bot. Gaz. xix. t. 19 (1894); xxi. t. 14, fig. 5 (1896).—*Veg.*
Newhall, Trees N.E. Amer. 13 (1894).—*Veg.*
Britton & Brown, Ill. Fl. N. States & Canada, ii. 257 (1897); Ed. 2, ii. 335 (1913).
L. H. Bailey, Cycl. Amer. Hort. 278 (1900); Stand. Cycl. Hort. 720 (1914).
*Lounsberry, Guide to the Trees, Ed. 2, t. 51, p. 113 (1900).—*Hab.*
Parkhurst, Trees, Shrubs, Vines N.E. United States, 207, t. 6, fig. 42 (1903).—*Veg.*
Schneider, Dendrol. Winterst. 90 (1903).—*Veg.*
Flora & Sylva, ii. 110 (1904).
Rogers, Tree Book, 333 (1905).
Sargent, Man. Trees N. Amer. 552 (1905).
Hough, Handb. Trees N. States & Canada, 284, 285 (1907).
Schneider, Ill. Handb. Laubh. ii. 5, 6 (1907).
Velenovsky, Vergl. Morphol. Pfl. ii. 497 (1907).—*Veg.*
Britton, N. Amer. Trees, 536 (1908).
Emerson & Weed, Our Trees, How to Know Them, 204 (1908).
Apgar, Orn. Shrubs U.S. 126, fig. 156 (1910).

CERCIS
canadensis
Blakeslee & Jarvis, New England Trees in Winter (Storrs Agric. Exp. St. Bull. No. 69), 519 (1911).
Collins & Preston, Key to Trees, 14 (1912).—*Veg.*
Keeler, Our Native Trees, 105, 107 (1912).
Silva Tarouca, Freiland-Laubgehölze, 73 (1913).—*Hab.*
Otis, Michigan Trees (Ann Arbor, Mich.), 166 (1913).
Blakeslee & Jarvis, Trees in Winter, 385 [1913].
Mathews, Field Book Amer. Trees & Shrubs, 271 (1915).
Morton & Lewis, Native Trees Canada (Dept. Int. Canada, Forest. Branch Bull. No. 61), 183, 189 (1917).
Illick, Pennsylvania Trees (Pennsylv. Dept. For. Bull. No. 11), t. 96, fig. 73 (1919).
Pellett, Amer. Honey Pl. 217 (1920).
chinensis Bunge
Gard. & Forest, vi. 476 (1893).—*Hab.*
Dippel, Handb. Laubholzk. iii. 653 (1893).—*Veg.*
Bull. Coll. Agric. Tokyo, ii. t. 8, fig. 9, 10 (1895).—*Veg.*
*Useful Pl. Jap. ii. t. 613 (1895).
L. H. Bailey, Cycl. Amer. Hort. 278 (1900); Stand. Cycl. Hort. 721 (1914).
Schneider, Ill. Handb. Laubh. ii. 5, 6 (1907).
Arkiv Bot. Stockholm, viii. No. 10, p. 5 (1909).—*Veg.*
Apgar, Orn. Shrubs U.S. 126, fig. 157 (1910).
glabra Pampan.
Nuov. Giorn. Bot. Ital. N. Ser. xvii. 393 (1910).
Bull. Soc. Tosc. Ortic. xxxvi. 215 (1911).
Griffithii Boiss.
Schneider, Ill. Handb. Laubh. ii. 6, 7 (1907).
japonica Sieb.
*Fl. des Serres, Ser. I. viii. t. 849 (1852–53).
occidentalis Torr.
Torrey, Phan. Pacific Coast, Wilkes, U.S. Expl. Exp. 1838–42, t. 3 (1862).
Eastwood, Handb. Trees California (Occ. Papers California Acad. Sc. ix), t. 40 (1905).
Schneider, Ill. Handb. Laubh. ii. 6, 7 (1907).
Britton, N. Amer. Trees, 537 (1908).
Sudworth, Forest Trees Pac. Slope, 368 (1908).
racemosa Oliv.
Hook. Ic. Pl. xix. t. 1894 (1889).
Schneider, Ill. Handb. Laubh. ii. 5, 6 (1907).
reniformis Engelm.
Schneider, Ill. Handb. Laubh. ii. 6, 7 (1907).
Britton, N. Amer. Trees, 536 (1908).
Lewis, Trees of Texas (Bull. Univ. Texas, 1915, No. 22), 119 (1915).
Siliquastrum Linn.
*Buchoz, Herb. Col. Amér. [t. 93] (1783).
Gaertner, Fruct. ii. t. 144 (1791).—*Fr.*
*F. J. Schultz, Abb. Bäume, Staud. Sträuch. Oesterr. i. t. 97 (1792).
*Schmidt, Oest. Allgem. Baumzucht, t. 20 (1792–1822).
*Joh. Kerner, Abbild. Oek. Pfl. (Fig. Pl. Écon.), vii. t. 620 (1794).
Lamarck, Ill. ii. t. 328 (1797).
*Duhamel, Arbres & Arbustes, Ed. 2, i. t. 7 (1801–19).
*Krauss, Afb. Fraaiste Boom. & Heest. [t. 61] (1802).
*Bot. Mag. xxviii. t. 1138 (1808).
*Schkuhr, Bot. Handb. Ed. 2, t. 112 (1808).
*Vietz, Ic. Pl. Med.-oec.-techn. v. t. 403 a (1817).
*Joh. Kerner, Gen. Pl. Ill. ii. t. 35 (1818).
*Sibthorp & Sm. Fl. Graeca, iv. t. 367 (1823).
Ann. Sc. Nat. Paris, xvii. t. 16 (1829).
Mirbel in Mém. Acad. Sc. Instit. France, ix. 684, t. 5 (1830).—*Veg.*
*Jaume St.-Hilaire, Fl. & Pom. Franç. v. t. 448 (1832).
J. C. Loudon, Arbor. & Frutic. Brit. v. t. 25 A (1838).
*Schnizlein, Iconogr. iv. t. 275 b (1843–70).—*Fl.*
Duchesne, Pl. Util. t. 110 (1846).
Ralph, Ic. Carpolog. t. 23 (1849).—*Fr.*

CERCIS
Siliquastrum
*Petermann, Deutschl. Fl. t. 23, fig. 179 (1849).—*Fl.*
Decaisne & Naud. Amat. Jard. iii. 273 [1862–66].
Pokorny, Oesterr. Holzpfl. 433, 474, t. 79 (1864).—*Veg.*
Reichenbach, Ic. Fl. Germ. xxii. t. 2 (1867–86).
Le Maout & Decaisne, Traité Gén. Bot. 309 (1868).
Gayffier, Herb. For. France, 2 t. sine num. (1868–73).
Baillon, Hist. Pl. ii. 120, 121 (1870).—*Fl.*
*Réveil, Règne Vég. xiv. t. 30 (1870).
*Cusin & Ansberque, Herb. Fl. Franç. vii. t. 1327 (1871).
Decaisne, Naud. & Hemsl. Handb. Trees, Shrubs & Herb. Pl. 139 (1873).
Karsten, Deutsche Fl. Pharm.-medic. Bot. 717 (1880–83).
Lauche, Deutsche Dendrol. Ed. 2, p. 662 (1882).
Willkomm, Führ. Reich Pflanzen, 691 (1882).—*Fl.*
*Garden, xxv. 346, 347 (1884); xlii. 342 (1892); xliv. 377 (1893); lxxxii. 376 (1918).
Nicholson, Illustr. Dict. Gard. i. 298 [1884–88].
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xxiv. t. 2525 (1886).
Coutinho, Curso Silvicult. ii. 216 (1887).—*Fl.*
Hempel & Wilhelm, Bäume u. Sträuch. iii. 109 [1889?].
Lubbock, Seedlings, i. 464 (1892).—*Veg.*
Pflanzenfam. iii. III. 147 (1892).
Mouillefert, Traité Arbres & Arbriss. Atlas, t. 55 (1892–98).—*Hab.*
*Bois, Dict. Hort. 277 (1893–99).
Acloque, Fl. France, 240 (1894).
Karsten, Fl. Deutschl. ii. 274 (1895).
Fiori & Paol. Ic. Fl. Ital. 221 (1899).
*Behrens, Blattformen, t. 22, fig. i; t. 26, fig. c (1900).—*Veg.*
Coste, Fl. France, i. 290 (1901).
*Penzig, Fl. Litt. Méditerr. t. 31 (1902).
Schneider, Dendrol. Winterst. 90 (1903).—*Veg.*
Flora & Sylva, ii. 107, 109 (1904).
Malpighia, xviii. t. 2 (1904).—*Veg.*
Bull. Soc. Linn. Normandie, Ser. V. 1905, ix. t. 1 (1906).—*Veg.*
Velenovsky, Vergl. Morphol. Pfl. ii. 497 (1907).—*Veg.*
Schneider, Ill. Handb. Laubh. ii. 6, 7 (1907).
Arkiv Bot. Stockholm, viii. No. 10, p. 5 (1909).—*Veg.*
Beille, Bot. Pharm. ii. 838 (1909).
Gubb, Fl. Algeria, t. 64 (1909).
Apgar, Orn. Shrubs U.S. 126, fig. 158 (1910).
Gard. Chron. Ser. III. xlvii. 222 (1910); lii. 6 (1912); lxv. 2 (1919).—*Hab.*
Neger, Biol. Pflanz. 233 (1913).
Silva Tarouca, Freiland-Laubgehölze, 175 (1913).—*Hab.*
Bull. Soc. Dendr. France, 1913, p. 193.—*Veg.*
Bean, Trees & Shrubs, i. 336 (1914).
*Maxwell, Trees, frontisp. (1915).—*Hab.*
Cadevall & Sallent, Fl. Catalunya, ii. 238 (1916).
Gartenfl. lxvii. 85 (1918).—*Hab.*
Glück, Blatt- & Blütenmorphol. Stud. 452 (1919).—*Veg.*
—— **penduliflora** André
Rev. Hort. 1899, p. 469.
texensis Sarg.
Sargent, Silva N. Amer. ii. t. 135 (1892).
Sargent, Man. Trees N. Amer. 553 (1905).

CERCOCARPUS H. B. K.
betulifolius Nutt.
Hook. Ic. Pl. iv. t. 322 (1841).
Garten-Zeit. Berlin, 554, 555 (1885).
Eastwood, Handb. Trees California (Occ. Papers California Acad. Sc. ix), t. 37 (1905).
Schneider, Ill. Handb. Laubh. i. 531, 534 (1905).
betuloides Nutt.
Britton, N. Amer. Trees, 422 (1908).
breviflorus A. Gray
Sargent, Silva N. Amer. xiii. t. 634 (1902).
Sargent, Man. Trees N. Amer. 509 (1905).
Britton, N. Amer. Trees, 424 (1908).

CERCOCARPUS
fothergilloides H. B. K.
H. B. K. Nov. Gen. vi. t. 559 (1823).
Baillon, Hist. Pl. i. 381 (1867–69).—*Fl.*
Pflanzenfam. iii. III. 39 (1888).
Schneider, Ill. Handb. Laubh. i. 534 (1905).
intricatus S. Wats.
Schneider, Ill. Handb. Laubh. i. 534 (1905).—*Veg.*
ledifolius Nutt.
Hook. Ic. Pl. iv. t. 324 (1841).
*Nuttall, N. Amer. Sylva, i. t. 51 (1865).
Sargent, Silva N. Amer. iv. t. 165 (1892).
Dippel, Handb. Laubholzk. iii. 549 (1893).
Schneider, Ill. Handb. Laubh. i. 534 (1905).—*Veg.*
Sargent, Man. Trees N. Amer. 507 (1905).
Sudworth, Forest Trees Pac. Slope, 339 (1908).
Britton, N. Amer. Trees, 425 (1908).
Ramaley in Univ. Colorado Stud. vi. III. 271 (1909).
Muhlenbergia, v. No. 4, frontisp. (1909); viii. 55 (1912).—*Hab.*
Horticulture (Boston), ix. 33 (1909).—*Hab.*
F. E. & E. S. Clements, Rocky Mt. Fl. t. 26 (1914).
Clements in Carnegie Inst. Washington, Publ. No. 290, t. 42 (1920).—*Hab.*
montanus Rafin.
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, ii. 274 (1913).
parvifolius Nutt.
Hook. Ic. Pl. iv. t. 323 (1841).
Sargent, Silva N. Amer. iv. t. 166 (1892).
Neubert's Deutsch. Gart. Mag. xlvi. 345 (1893).
Dippel, Handb. Laubholzk. iii. 548 (1893).
Britton & Brown, Ill. Fl. N. States & Canada, ii. 223 (1897).
Nelson in Bull. Wyoming Agric. St. No. 54, p. 20 (1902).—*Veg.*
Schneider, Ill. Handb. Laubh. i. 534 (1905).—*Veg.*
Sargent, Man. Trees N. Amer. 506 (1905).
Sudworth, Forest Trees Pac. Slope, 341 (1908).
Silva Tarouca, Freiland-Laubgehölze, 175 (1913).—*Hab.*
F. E. & E. S. Clements, Rocky Mt. Fl. t. 26 (1914).
Traskeae Eastw.
Proc. California Acad. Ser. III. i. III. t. 11 (1898).
Sargent, Silva N. Amer. xiii. t. 635 (1902).
Sargent, Man. Trees N. Amer. 506 (1905).
Schneider, Ill. Handb. Laubh. i. 534 (1905).—*Veg.*
Britton, N. Amer. Trees, 423 (1908).
Sudworth, Forest Trees Pac. Slope, 337 (1908).

CERCODIA Murr.: *Haloragis*
erecta Murr.
Murray in Comm. Soc. Sc. Göttingen, iii. t. 1 (1781).
Gaertner, Fruct. i. t. 32 (1788).—*Fr.*
Lamarck, Ill. ii. t. 319 (1797).

CERCOPETALUM Gilg
dasyanthum Gilg
Engl. Jahrb. xxiv. t. 3 (1897).
—— **longeacuminatum** De Wild.
De Wildeman, Études Fl. Bas- et Moyen-Congo (Ann. Mus. Congo), iii. t. 27 (1909).

CERCOPHORA Miers
anomala Miers
Pflanzenfam. iii. VII. 41 (1892).—*Fl.*

CERDANA Ruiz & Pav.: *Cordia*
alliodora Ruiz & Pav.
Ruiz & Pavon, Prodr. Fl. Peruv. & Chil. t. 6 (1794), et Fl. Peruv. & Chil. ii. t. 184 (1799).

CERDIA Moc. & Sessé
congestiflora Hemsl.
Hemsley, Biol. Centr. Amer. v. t. 4 (1879).
glauca Hemsl.
Hemsley, Biol. Centr. Amer. v. t. 4 (1879).
purpurascens Moc. & Sessé
A. De Candolle, Calq. Dess. Fl. Mex. Moc. & Sessé, t. 1092 (1874).
virescens Moc. & Sessé
De Candolle, Paronych. t. 2 (1829).

CEREA Thou.: *Elaeocarpus*
radicans Thou.
Petit-Thouars, Hist. Vég. Isles Austr. d'Afrique, i. t. 28 (1805).

CEREFOLIUM S. F. Gray: *Anthriscus*
Anthriscus G. Beck
G. Beck, Fl. Nied.-Oesterr. ii. 1. 607 (1892).—*Fr.*
Cerefolium Britton
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, ii. 629 (1913).
sativum Bess.
Hayek, Fl. Steierm. i. 1139 (1910).—*Fr.*
*Bonnier, Name This Flower, t. 25 (1917).

CERESIA Pers.: *Paspalum*
elegans Pers.
*Jacquin, Fragm. t. 86 (1809).
fluitans Ell.
Elliott, Bot. S. Carolina&Georgia, i. t. 6 (1816–21).
membranacea P. Beauv.
P. Beauvais, Agrost. t. 5, fig. 4 (1812).—*Fl.*

CEREUS Auct.: *Acanthocereus* (1), *Aporocactus* (2), *Austrocactus* (3), *Bergerocactus* (4), *Borzicactus* (5), *Brachycereus* (6), *Carnegiea* (7), *Cephalocereus* (8), *Cereus* Mill. (9), *Chamaecereus* (10), *Cleistocactus* (11), *Deamia* (12), *Dendrocereus* (13), *Echinocactus* (14), *Echinocereus* (15), *Echinopsis* (16), *Epiphyllanthus* (17), *Epiphyllum* (18), *Erdisia* (19), *Escontria* (20), *Eulychnia* (21), *Gymnocalycium* (22), *Harrisia* (23), *Heliocereus* (24), *Hylocereus* (25), *Jaminocereus* (26), *Lemaireocereus* (27), *Leocereus* (28), *Lepismium* (29), *Leptocereus* (30), *Lobivia* (30 a), *Lophocereus* (31), *Mahaerocereus* (32), *Malacocarpus* (33), *Matucana* (34), *Mediocactus* (35), *Monvillea* (36), *Myrtillocactus* (37), *Nopalxochia* (38), *Nyctocereus* (39), *Oreocereus* (40), *Pachycereus* (41), *Peniocereus* (42), *Rathbunia* (43), *Rhipsalis* (44), *Schlumbergera* (45), *Selenicereus* (46), *Stetsonia* (47), *Strophocactus* (48), *Trichocereus* (49), *Weberocereus* (50), *Wilcoxia* (51), *Zygocactus* (52)

CEREUS Mill.—*Cactus* (4)
Ackermannii Lindl. (18)
*Bot. Mag. lxiv. t. 3598 (1837).
adscendens Gürke (23)
Monatsschr. Kakt. xviii. 67 (1908).—*Hab.*
aethiops Haw. (9)
Britton & Rose, Cactac. ii. 16, 18 (1920).
alacriportanus Pfeiff. (9)
Karsten, Deutsche Fl. Pharm.-medic. Bot. 887 (1880–83).
Karsten, Fl. Deutschl. ii. 456 (1895).
*Britton & Rose, Cactac. ii. t. 2 (1920).
alatus DC. (44)
*Link & Otto, Ic. Pl. Rar. t. 39 (1828–31).
amazonicus K. Schum. (36)
Monatsschr. Kakt. xxiii. 165 (1913).
amecamensis Heese (24)
*Bot. Mag. cxxxv. t. 8277 (1909).
Garden, lxxvi. 306 (1912).—*Fl.*
Journ. Roy. Hort. Soc. London, xxxviii. Proc. p. clix. fig. 128 (1913).—*Fl.*
*Schumann, Blüh. Kakt. t. 157 (1914).
Anisitsii K. Schum. (36)
*Schumann, Blüh. Kakt. t. 107 (1908).
areolatus Mühlenpf. (23?)
Schumann, Gesamtb. Kakt. 100 (1897).—*Veg.*
argentinensis Britton & Rose (9)
Britton & Rose, Cactac. ii. 12 (1920).
assurgens Wright (30)
Schumann, Gesamtb. Kakt. 140 (1897).
atacamensis Phil. (49?)
Engler & Drude, Veget. Erde, viii. t. 9 (1907).—*Hab.*
aurivillus K. Schum. (5)
Monatsschr. Kakt. xxix. 7, 9 (1919).
azureus Parm. (9)
Schumann, Gesamtb. Kakt. 119 (1897).—*Veg.*
Baumannii C. Lem. (11)
*Lem. Jard. Fl. i. t. 48 (1851).
Monatsschr. Kakt. xiii. 139 (1903).
Rep. Missouri Bot. Gard. xvi. t. 9, 12 (1905).
*Schumann, Blüh. Kakt. t. 57 (1905).
—— **colubrina** K. Schum. (11)
Schelle, Handb. Kakteenkult. 82, 83 (1907).
Rother, Prakt. Leitf. Kakt. 67 (1910).

CEREUS
bavosus Web. (27)
Bull. Soc. Acclim. liii. 45 (1906).—*Hab.*
Möllers Deutsche Gärtn.-Zeit. xxix. 438 (1914).—*Hab.*
baxaniensis Karw. (1)
Monatsschr. Kakt. xiii. 158 (1903).
Tribune Hort. iv. t. 140 (1909).
Rev. Hort. Belge, xl. 184, 185 (1914).
Beneckei Ehrenb. (9?)
Schumann, Gesamtb. Kakt. 103 (1897).—*Veg.*
Berlandieri Engelm. (15)
Engelman, Boundary Surv., Cactac. t. 58 (1858).
Nicholson, Illustr. Dict. Gard. iv. Suppl. 510 [1884–88]; '1900' Suppl. 216 (1900).
Garden, xxviii. 614 (1885).
Bellair & St.-Léger, Pl. Serre, 496 (1900).
Bertinii Cels (3)
*Horticulteur Franç. 1865, t. 14.
Bigelovii Engelm. (15)
Rep. Expl. & Surv. Railr. Mississippi, 1853–54, iv. t. 4 (1856) in ic.; *C. mojavensis* in textu.—*Veg.*
—— **zuniensis** Zeissold (15)
Rep. Expl. & Surv. Railr. Mississippi, 1853–54, iv. t. 4 (1856) in ic.; *C. mojavensis zuniensis* in textu.—*Veg.*
Blanckii Poselger (15)
Nicholson, Illustr. Dict. Gard. iv. Suppl. 511 [1884–88]; '1900' Suppl. 217 (1900).
Garden, xxviii. 655 (1885).
Bonplandii Parm. (23)
Rep. Missouri Bot. Gard. xvi. t. 10 (1905).—*Fr.*
Bull. Soc. Bot. Genève, Ser. II. viii. 203 (1916).—*Hab.*
Chodat, Vég. Parag. i. 96 (1916).—*Hab.*
breviflorus K. Schum. (21)
Rep. Missouri Bot. Gard. xvi. t. 4 (1905).—*Fl.*
caerulescens Salm-Dyck (9)
*Bot. Mag. lxviii. t. 3922 (1842).
*Pfeiffer, Blüh. Cact. ii. t. 24 (1846–50).
Blanc, Hints on Cacti, 26 (1891).
Rev. Gén. Bot. v. 217 (1893).—*Hab.*
Schumann, Gesamtb. Kakt. 122 (1897).—*Veg.*
—— **melanacanthus** K. Schum. (9)
*Schumann, Blüh. Kakt. t. 127 (1911).
caespitosus Engelm. & A. Gray (15)
Engelman, Boundary Surv., Cactac. t. 43, 44 (1858).
Gartenfl. xxix. 52 (1880).—*Hab.*
*Bot. Mag. cix. t. 6669 (1883).
Nicholson, Illustr. Dict. Gard. iv. Suppl. 511 [1884–88]; '1900' Suppl. Dict. Gard. 217 (1900).—*Hab.*
Orcutt in West Amer. Scient. vii. 238 (1891).—*Hab.*
Bellair & St.-Léger, Pl. Serre, 497 (1900).—*Hab.*
candelabrum Web. (27)
Schelle, Handb. Kakteenkult. 97 (1907).
Möllers Deutsche Gärtn.-Zeit. xxix. 352, 353 (1914).—*Hab.*
Schumann, Gesamtb. Kakt. 106 (1914).—*Veg.*
candicans Gill. (49)
Garden, xii. 467 (1877).—*Hab.*
—— **Dumesniliana** Zeiss. (49)
Gard. Chron. Ser. III. xxvi. 415 (1899).—*Hab.*
catingae Ule (8)
Engl. Jahrb. xl. Beibl. 93, t. 5 (1908).—*Hab.*
catingicola Gürke (8)
Karsten & Schenck, Veg.-Bild. vi. t. 14 (1908).—*Hab.*
Monatsschr. Kakt. xviii. 55 (1908).—*Hab.*
celsianus A. Berg. (40)
Rep. Missouri Bot. Gard. xvi. t. 2 (1905).—*Fl.*
chalybaeus Otto (9)
Schumann, Gesamtb. Kakt. 121 (1897).—*Veg.*
*Schumann, Blüh. Kakt. t. 135 (1912).
chende Gosselin (27)
Bull. Soc. Acclim. liii. 25 (1906).—*Hab.*
chichipe Gosselin (27)
Bull. Soc. Acclim. liii. 26 (1906).—*Hab.*
Childsii Blanc (9)
Blanc, Hints Cacti, 39 (1891).
chilensis Pfeiff. (49)
Rivera in Act. Soc. Sc. Chile, Santiago, xii. 348 (1903).—*Hab.*
Engler & Drude, Veget. Erde, viii. t. 19 (1907).

CEREUS
chiloënsis Colla (49)
Engler & Drude, Veget. Erde, viii. t. 20 (1907).—*Hab.*
chiotilla Web. (20)
Bull. Soc. Acclim. liii. 24 (1906).—*Hab.*
Möllers Deutsche Gärtn.-Zeit. xxix. 352, 437 (1914).—*Hab.*
chloranthus Engelm. (15)
Engelman, Boundary Surv., Cactac. t. 37, 38 (1858).
Claudianus T. Moore (24)
*Floral Mag. i. t. 20 (1861).
coccineus Salm-Dyck (24)
*Pfeiffer & Otto, Blüh. Cact. i. t. 15 (1843).
Monatsschr. Kakt. v. 135 (1895).
*Schumann, Blüh. Kakt. t. 118 (1910).
cochal Orcutt (37)
Monatsschr. Kakt. v. 74 (1895).
colubrinus Otto (11)
Blanc, Hints Cacti, 14 (1888); 24, 35 (1891).
Daul, Kakteenk. 45 (1890).
Cactus Journ. ii. 141 (1899).—*Hab.*
Orcutt, Rev. Cactac. iii (West Amer. Scient. xiii), 8 (1902).—*Hab.*
conoideus Engelm. & Bigel. (15)
Rep. Expl. & Surv. Railr. Mississippi, 1853–54, iv. t. 4 (1856).—*Veg.*
coquimbanus K. Schum. (21)
Schumann, Gesamtb. Kakt. 59 (1897).—*Fl.*
Engler & Drude, Veget. Erde, viii. t. 5 (1907).—*Hab.*
coryne Salm-Dyck (47)
Monatsschr. Kakt. iii. 177 (1893); xiii. 187 (1903).
Schelle, Handb. Kakteenkult. 64 (1907).
Rev. Hort. Belge, xl. 184, 185 (1914).
crenatus Lindl. (18)
*Bot. Reg. xxx. t. 31 (1844).
ctenoides Engelm. (15)
Engelman, Boundary Surv., Cactac. t. 42 (1858).
Nicholson, Illustr. Dict. Gard. iv. Suppl. 511 [1884–88]; '1900' Suppl. 217 (1900).
Curtisii Link & Otto (8)
*Pfeiffer & Otto, Blüh. Cact. i. t. 11 (1843).
cyaneus Hort. (9)
Hesdörffer, Handb. Zimmergärtn. Ed. 2, p. 306 (1900).
Damazioi K. Schum. (23?)
Monatsschr. Kakt. xxviii. 63 (1918).
dasycanthus Engelm. (15)
Engelman, Boundary Surv., Cactac. t. 39–41 (1858).
Kerner, Pflanzenleben, ii. 689 (1891); Ed. 3, i. 244 (1913).
Brehm, Merv. Nat. Monde des Pl. ii. 68 (1894–96).
Kerner & Oliv. Nat. Hist. Pl. ii. 787 (1895).
Kronfeld, Atlas Pflanzengeogr. 124 (1899).
Gard. Chron. Ser. III. xxxii. 252 (1902).—*Hab.*
Orcutt, Rev. Cactac. iii (West Amer. Scient. xiii), 10 (1902).—*Hab.*
Dayamii Spegazz. (9)
Britton & Rose, Cactac. ii. 11 (1920).
del-Moralii J. A. Purpus (27)
Monatsschr. Kakt. xix. 87 (1909).—*Hab.*
divaricatus P. DC. (23)
Plumier, Pl. Amer. Ed. Burm. t. 193 (1758); fide Urban, Fedde Repert. Beih. v. 82.
dubius Engelm. (15)
Engelman, Boundary Surv., Cactac. t. 50 (1858).
Dumortieri Scheidw. (27)
Hort. Belge Journ. Jard. & Amat. iv. 220, t. 12 (1837).
Blanc, Hints Cacti, 26 (1891).
Dyckii Mart. (27)
Bull. Soc. Acclim. liii. 19 (1906).—*Hab.*
eburneus Salm-Dyck (27)
Journ. New York Bot. Gard. viii. 9 (1907).—*Hab.*
D. T. MacDougal in Carnegie Inst. Washington, Publ. No. 99, t. 23 (1908).—*Hab.*
Monatsschr. Kakt. xviii. 171 (1908); xxi. 36 (1911); xxiv. 5 (1914).
U.S. Dep. Agric. Bur. Pl. Indust. Bull. No. 262, t. 8, 13 (1912).—*Hab.*
Emoryi Engelm. (4)
Engelman, Boundary Surv., Cactac. t. 60 (1858).

CEREUS
Emoryi
Lubbock, Seedlings, ii. 9 (1892).—*Veg.*
Cactus Journ. i. 59 (1898).—*Hab.*
Engelmannii Parry (15)
Engelman, Boundary Surv., Cactac. t. 57 (1858).
*Gartenfl. xxxiii. t. 1174 (1884).
—— **chrysocentrus** Engelm. & Bigel. (15)
Rep. Expl. & Surv. Railr. Mississippi, 1853–54, iv. t. 5 (1856).
—— **variegatus** Engelm. & Bigel. (15)
Rep. Expl. & Surv. Railr. Mississippi, 1853–54, iv. t. 5 (1856).
enneacanthus Engelm. (15)
Engelman, Boundary Surv., Cactac. t. 48, 49 (1858).
Nicholson, Illustr. Dict. Gard. iv. Suppl. 512 [1884–88]; '1900' Suppl. 217 (1900).
Orcutt, Rev. Cactac. iii (West Amer. Scient. xiii), 11 (1902).—*Hab.*
eriophorus Link & Otto (23)
Zuccarini in Abh. Akad. Wiss. München, ii. t. 2, fig. 4–7 (1837).—*Veg.*
*Pfeiffer & Otto, Blüh. Cact. i. t. 22 (1843).
Schnizlein, Iconogr. iii. t. 204 (1854).
eruca Brandegee (32)
Proc. California Acad. (1889), Ser. II. ii. t. 7 (1890).—*Hab.*
Monatsschr. Kakt. v. 71 (1895).
Schumann, Gesamtb. Kakt. 126 (1897).
Nat. Geogr. Mag. Washington, xxii. 466 (1911).—*Hab.*
extensus Salm-Dyck (25)
*Bot. Mag. lxx. t. 4066 (1844).
Eyriesii Zucc. (16)
Bellair & St.-Léger, Pl. Serre, 502 (1900).—*Hab.*
Fendleri Engelm. (15)
Engelman, Boundary Surv., Cactac. t. 51–53 (1858).
*Bot. Mag. cvi. t. 6533 (1880).
Gartenfl. xxxii. 341 (1883).
fimbriatus P. DC. (23)
Plumier, Pl. Amer. Ed. Burm. t. 195, fig. 1, A–D (1758); fide Urban, Fedde Repert. Beih. v. 82.
flagelliformis Mill. (2)
Buchoz, Hist. Règne Vég. iii. Dec. 8, t. 1 (1775).
Zuccarini in Abh. Akad. Wiss. München, ii. t. 1, fig. iv. 1; fig. vii. 2; t. 5, fig. i. 7 (1837).
Belg. Hort. i. t. 18 (1851); xiv. 225 (1864).
Schnizlein, Iconogr. iii. t. 204 (1854).—*Fr.*
Berg, Charakt. t. 61, fig. 464, D (1861).
*Réveil, Règne Vég. iii. t. 24; xiv. t. 29 (1870).
Förster, Handb. Cacteenk. Ed. 2, p. 129 (1885).
Baillon, Hist. Pl. ix. 33 (1886).—*Fl.*
Blanc, Hints Cacti, 11, 16 (1888); 27 (1891).
Daul, Kakteenk. 18, 46 (1890).
Mart. Fl. Bras. iv. II. t. 41 (1890).
Brehm, Merv. Nat. Monde des Pl. ii. 72 (1894–96).—*Hab.*
*Bois, Atlas Pl. Jard. t. 121 (1896).
*Step, Fav. Fl. Gard. & Greenh. ii. t. 117 (1897).
Kertészeti Lapok (Hungarian Journ. Hort.), xii. 186 (1897).—*Hab.*
Cactus Journ. i. 10 (1898).
Nicholson, '1900' Suppl. Dict. Gard. 178 (1900).
Schelle, Handb. Kakteenkult. 87 (1907).
Rother, Prakt. Leitf. Kakt. 34, 71 (1910).
—— **cristatus** Hort. (2)
!Blanc, Hints Cacti, 20, 28 (1891).
Cactus Journ. i. 125 (1898); ii. 34, 135, 153 (1899).—*Hab.*
Rother, Prakt. Leitf. Kakt. 131 (1910).
×—— **Mallisonii** Hort. (2)
Cactus Journ. ii. 41 (1899).—*Hab.*
—— **minor** Salm-Dyck (2)
Rümpler & Schumann, Sukkulenten, 125 (1892).
flagriformis Zucc. (2)
*Pfeiffer & Otto, Blüh. Cact. i. t. 12 (1843).
Pflanzenfam. iii. VI. A. 178 (1894).—*Hab.*
Forbesii Otto (9)
Rio y Achaval, Geogr. Prov. Cordoba, Atlas, tab. [8] (1905).
Schelle, Handb. Kakteenkult. 76 (1907).
Journ. Roy. Hort. Soc. London, xxxiii. 472, fig. 86 (1908).

CEREUS
Forbesii
Smithson. Misc. Coll. lxvi. No. 3, p. 62 (1916).—*Hab.*
Alvarez, Fl. & Fauna Prov. Santiago del Estero, 61 (1919).—*Hab.*
formosus Hort. (9)
!Blanc, Hints Cacti, 29 (1891).
—— **monstrosus** Blanc (9)
!Blanc, Hints Cacti, 17 (1888); 29 (1891).
Daul, Kakteenk. 47 (1890).
fulgidus Hook. f. (46?)
*Bot. Mag. xcvi. t. 5856 (1870).
gemmatus Zucc. (16)
Blanc, Hints Cacti, 17 (1888); 29 (1891).
Daul, Kakteenk. 47 (1890).
gemmatus Zucc. (41)
Cactus Journ. i. 59 (1898); ii. 141, 169 (1899).—*Hab.*
Karsten & Schenck, Veg.-Bild. i. t. 43, 48 (1903).—*Hab.*
geometrizans Mart. (37)
Schumann, Gesamtb. Kakt. 104 (1897).
Ber. Deutsch. Bot. Ges. xv. t. 2, fig. 1 (1897).
Contrib. U.S. Nat. Herb. v. t. 30 (1899).—*Hab.*
Orcutt, Rev. Cactac. iii (West Amer. Scient. xiii), 15 (1902).—*Hab.*
Rother, Prakt. Leitf. Kakt. 68 (1910).
Engler & Drude, Veget. Erde, xiii. 648 (1911).—*Hab.*
Strasburger, Text-Book Botany, Ed. Angl. 4, p. 571 (1912).
Ghiesbreghtii K. Schum. (8?)
Schumann, Gesamtb. Kakt. 82 (1897).
giganteus Engelm. (7)
Emory, Notes, 72 (1848).
Rev. Hort. Ser. IV. iii. 343 (1854).—*Hab.*
Fl. des Serres, Ser. I. x. 22, 23 (1854–55); Ser. II. v. t. 1600 (1862–65).—*Hab.*
Engelman, Boundary Surv., Cactac. frontisp. t. 61, 62 (1858).
Journ. Hort. xlv. 68 (1871).—*Hab.*
Rep. Commissioner Agric. Washington, 1870, p. 416, t. 24 (1871).
Ill. Hort. xix. 263 (1872).—*Hab.*
Garden, i. 263 (1872); xxvii. 468 (1885); xxix. 55 (1886); lviii. 373 (1900).
*Rep. U.S. Geogr. Surv. vi. Bot. frontisp. (1878).—*Hab.*
Amer. Nat. xv. 983 (1881).—*Hab.*
Gard. Chron. xx. 265 (1883); Ser. III. xlv. 162 (1909).—*Hab.*
Garten-Zeit. Berlin, iii. 58 (1884).—*Hab.*
Wien. Ill. Gart.-Zeit. xi. 216 (1886).—*Fl.*
Blanc, Hints Cacti, 18 (1888); 30, 35 (1891).—*Hab.*
Bull. Soc. Acclim. Ser. IV. v. 646 (1888).
*Jardin, ii. 79 (1888); xx. 40 (1906).
Daul, Kakteenk. 48 (1890).—*Hab.*
Kerner, Pflanzenleben, ii. 689 (1891).—*Fr.*
Rümpler & Schumann, Sukkulenten, 114 (1892).
Rep. Secretary Agric. Washington, 1891, p. 358, t. 7 (1892).—*Hab.*
*Bot. Mag. cxviii. t. 7222 (1892).
Sargent, Silva N. Amer. v. t. 210 (1893).
Brehm, Merv. Nat. Monde des Pl. ii. 68 (1894–96).
Kerner & Oliv. Nat. Hist. Pl. ii. 787 (1895).—*Fl.*
Semaine Hort. 1897, p. 457.—*Hab.*
Schimper, Pflanzen-Geogr. 668 (1898).—*Hab.*
Kronfeld, Atlas Pflanzengeogr. 124 (1899).
Cactus Journ. ii. 130, 141 (1899).—*Hab.*
Monatsschr. Kakt. x. 187 (1900).
L. H. Bailey, Cycl. Amer. Hort. 281 (1900).—*Hab.*
Nicholson, '1900' Suppl. Dict. Gard. 218 (1900).—*Fl.*
Journ. New York Bot. Gard. iii. 96–98 (1902); v. 173 (1904); vi. 131, 132 (1905).
Orcutt, Rev. Cactac. iii (West Amer. Scient. xiii), 5 (1902).—*Hab.*
Coville & MacDougal in Carnegie Inst. Washington, Publ. No. 6, t. 1 (1903).
Nat. Geogr. Mag. Washington, xv. 152 (1904); xxi. 711 (1910).—*Hab.*
Nature, lxix. 570 (1904).—*Hab.*
Bull. Torr. Bot. Club, xxxii. t. 3, 4 (1905).—*Hab.*

CEREUS
giganteus
Gartenfl. liv. 589 (1905).
Sargent, Man. Trees N. Amer. 686 (1905).
Karsten & Schenck, Veg.-Bild. iv. t. 40–42 (1907).—*Hab.*
Schelle, Handb. Kakteenkult. 68, 69 (1907).
De Vries, Plant-Breeding, 349 (1907).—*Hab.*
D. T. MacDougal in Carnegie Inst. Washington, Publ. No. 99, t. 54–56 (1908).—*Hab.*
Plant World, xi. 97, 219–21 (1908).
Tribune Hort. iv. 243 (1909).
Wettstein, Handb. Syst. Bot. Ed. 2, p. 543 (1911).—*Hab.*
Bull. Soc. Acclim. lviii. t. 8 (1911).—*Hab.*
Földr. Közl. (Bull. Hung. Geogr. Soc.), xl. t. 7 (1912).—*Hab.*
Francé, Leben Pflanze, vi. 162 (1913).—*Hab.*
Fauna & Flora, Uppsala, x. 112 (1915).—*Hab.*
Journ. Ecol. iii. t. 3 (1915).—*Hab.*
Brotéria, Ser. Vulg. Sc. xviii. 35 (1920).—*Hab.*
—— **cristatus** Hort. (7)
!Cactus Journ. ii. 84 (1899).—*Hab.*
gonacanthus Engelm. & Bigel. (15)
Rep. Expl. & Surv. Railr. Mississippi, 1853–54, iv. t. 5 (1856).—*Veg.*
×**grandifloro-speciosissimus Maynardii** C. Lem. (46)
*Fl. des Serres, Ser. I. iii. t. 233, 234 (1847).
grandiflorus Mill. (46)
*Bot. Mag. lxii. t. 3381 (1835).
Schnizlein, Iconogr. iii. t. 204 (1854).—*Fr.*
Zeitschr. Schweiz. Gartenbauvereins, t. 13 (1881).
Castle, Cactac. Pl. 47 (1884).
Journ. Hort. Ser. III. viii. 421 (1884).
Schilling, Grundr. Naturg. ii. Pflanzenr. Ausgb. B, p. 242 (1884).
Nicholson, Illustr. Dict. Gard. i. 298 [1884–88].—*Hab.*
Sempervirens, xv. 124 (1886); xvii. 269 (1888).—*Hab.*
Orcutt in West Amer. Scient. iii. 169 (1887).—*Hab.*
Blanc, Hints Cacti, 19 (1888); 32, 35 (1891).
Goebel, Pflanzenbiol. Schild. i. t. 2, fig. 5 (1889).
Daul, Kakteenk. 49, 50 (1890).
Kerner, Pflanzenleben, ii. 71 (1891).—*Fr.*
Rümpler & Schumann, Sukkulenten, 129 (1892).
Gard. Chron. Ser. III. xiv. 187 (1893).
Norton, Brazil. Fl. t. 38 (1893).
Gartenfl. xlii. 541 (1893); liii. 401 (1904); lxiv. 90 (1915).
Kerner & Oliv. Nat. Hist. Pl. ii. 77 (1895).—*Fr.*
Pharm. Journ. Ser. IV. v. 165 (1897).
Schumann, Gesamtb. Kakt. 145 (1897).
Cactus Journ. i. 125 (1898).—*Hab.*
Möllers Deutsche Gärtn.-Zeit. xiv. 340–43 (1899).
Bellair & St.-Léger, Pl. Serre, 498 (1900).—*Hab.*
Monatsschr. Kakt. x. 60 (1900).
L. H. Bailey, Cycl. Amer. Hort. 283 (1900).
Journ. Soc. Hort. France, Ser. IV. iv. 536 (1903).—*Fl.*
Hare, Caspari & Rusby, Nat. Stand. Dispens. 323 (1905).
Schelle, Handb. Kakteenkult. 89 (1907).
Tribune Hort. iv. t. 139 (1909).
—— **Macdonaldiae** Blanc (46)
Blanc, Hints Cacti, 34 (1891).
—— **maior** Hort. (46)
Cactus Journ. i. 79 (1898).—*Hab.*
×—— **Maynardii** Paxt. (46?)
*Paxt. Mag. xiv. 75 (1848).
Journ. Hort. Ser. III. xvii. 173 (1888).
grandispinus Haw. (27)
Plumier, Pl. Amer. Ed. Burm. t. 195, fig. 2, E–G (1758); fide Urban, Fedde Repert. Beih. v. 83.
Greggii Engelm. (42)
Emory, Notes, 158, fig. 6 (1848).
Engelman, Boundary Surv., Cactac. t. 63, 64 (1858).
Förster, Handb. Cacteenk. Ed. 2, p. 205 (1885); 729 (1886).
Monatsschr. Kakt. v. 150, 151 (1895); xiv. 135 (1904).
Schumann, Gesamtb. Kakt. 97 (1897).
Gard. Chron. Ser. III. xxxiv. 93 (1903).—*Veg.*
Schelle, Handb. Kakteenkult. 73 (1907).

CEREUS
Greggii transmontanus Engelm. (42)
Engelman, Boundary Surv., Cactac. t. 65 (1858).
grenadensis Britton & Rose (9)
Britton & Rose, Cactac. ii. 223 (1920).
Guelichii Spegazz. (23)
Monatsschr. Kakt. xix. 19 (1909).
gummosus Engelm. (32)
Cactus Journ. ii. 107 (1899).—*Hab.*
Monatsschr. Kakt. xiii. 105 (1903).—*Hab.*
hamatus Scheidw. (46)
Monatsschr. Kakt. ix. 23 (1899).—*Fr.*
De Wildeman, Ic. Sel. Hort. Then. iii. t. 103 (1902).
Schumann, Gesamtb. Kakt. Nachtr. 1898–1902, p. 55 (1903).
Rep. Missouri Bot. Gard. xvi. t. 11 (1905).—*Fr.*
Goebel, Organogr. Pfl. Ed. 2, i. 478 (1913).—*Veg.*
*Schumann, Blüh. Kakt. t. 161, 162 (1914).
Hankeanus Web. (9)
*Schumann, Blüh. Kakt. t. 114 (1909).
Haynii Croucher (34)
Garden, xiii. 291 (1878).—*Hab.*
hexaëdrus Engelm. & Bigel. (15)
Rep. Expl. & Surv. Railr. Mississippi, 1853–54, iv. t. 5 (1856).—*Veg.*
hexagonus Mill. (9)
Britton & Rose, Cactac. ii. 5 (1920).
Hildmannianus K. Schum. (9)
Mart. Fl. Bras. iv. II. t. 41 (1890).
Monatsschr. Kakt. ii. 57 (1892).
Britton & Rose, Cactac. ii. 6 (1920).—*Hab.*
Hirschtianus K. Schum. (39)
Schumann, Gesamtb. Kakt. 130 (1897).
Monatsschr. Kakt. xix. 167 (1909).
hollianus Web. (27)
Contrib. U.S. Nat. Herb. x. t. 19 (1906).—*Hab.*
Hookeri Link & Otto (18)
*Pfeiffer & Otto, Blüh. Cact. i. t. 5 (1843).
Hoppenstedtii K. Schum. (8)
Orcutt in West Amer. Scient. xiii. 23 (1902).—*Hab.*
Houlletii Berger (8)
Bellair & St.-Léger, Pl. Serre, 505 (1900).
Gard. Chron. Ser. III. xxxii. 253 (1902).—*Hab.*
Rep. Missouri Bot. Gard. xvi. t. 4 (1905).
hypogaeus Web. (19)
Gartenfl. xxxi. t. 1085 (1882).
hystrix Sweet (27)
Journ. New York Bot. Gard. x. 107 (1909).—*Hab.*
ingens Reiche (14)
Schimper, Pflanzen-Geogr. 680 (1898).—*Hab.*
insularis Hemsl. (36)
Hemsley, Bot. Challenger Exp. i. II. t. 14 (1884).
isogonus K. Schum. (5)
Schumann, Gesamtb. Kakt. 102 (1897).—*Veg.*
jamacaru DC. (9)
Martius, Pfl. & Thiere Trop. Amer. t. II. fig. vi. 2 (1831).—*Hab.*
Karsten, Deutsche Fl. Pharm.-medic. Bot. 887 (1880–83).
Blanc, Hints Cacti, 35 (1891).
Karsten, Fl. Deutschl. ii. 456 (1895).
Schumann, Gesamtb. Kakt. 112 (1897).—*Veg.*
Rep. Missouri Bot. Gard. xvi. t. 7 (1905).—*Fr.*
Schelle, Handb. Kakteenkult. 77 (1907).
Contrib. U.S. Nat. Herb. xii. t. 61 (1909).
Smithson. Misc. Coll. lxvi. No. 3, p. 58 (1916).—*Hab.*
!Monatsschr. Kakt. xxvi. 181 (1916).
Britton & Rose, Cactac. ii. 8 (1920).—*Hab.*
Jusbertii Reb. (23?)
Schumann, Gesamtb. Kakt. 138 (1897).—*Veg.*
*Schumann, Blüh. Kakt. t. 78 (1906).
Möllers Deutsche Gärtn.-Zeit. xxvi. 305 (1911).
laevigatus guatemalensis Eichlam (27)
Monatsschr. Kakt. xxii. 183 (1912).—*Hab.*
lamprochlorus C. Lem. (49)
Monatsschr. Kakt. xxv. 61 (1915).
Landbeckii Phil. (9)
*Gartenfl. xxiv. t. 832 (1875).
Förster, Handb. Cacteenk. Ed. 2, p. 207 (1885).
lanuginosus Mill. (8)
Rep. Missouri Bot. Gard. xvi. t. 4 (1905).—*Fr.*

CEREUS
latifrons Zucc. (18)
*Bot. Mag. lxvii. t. 3813 (1840).
*Pfeiffer & Otto, Blüh. Cact. i. t. 10 (1843).
Gard. Chron. 1849, p. 788.
Flora, lxxx. 104 (1895).
Leeanus Hook. (15)
*Bot. Mag. lxxv. t. 4417 (1849).
Ann. Hort. v. 81 (1850).
*Moore & Ayres, Mag. Bot. ii. 81 (1850).
Lemairii Hook. (25)
*Bot. Mag. lxxx. t. 4814 (1854).
*Garden, xli. 102 (1892).
lepidanthus Eichlam (41)
Monatsschr. Kakt. xxiii. 53 (1913).—*Hab.*
lepidotus Salm-Dyck (9)
Smithson. Misc. Coll. lxiii. No. 8, p. 38 (1914).—*Hab.*
Estac. Exp. Agronom. Cuba, Bol. No. 22, 1914, Ed. 2, t. 23 (1916).—*Hab.*
leptacanthus DC. (15)
*Rev. Hort. 1865, p. 171.
Nicholson, Illustr. Dict. Gard. iv. Suppl. 512 [1884–88]; '1900' Suppl. 218 (1900).
Garden, xxviii. 613 (1885).
leptophis DC. (2)
De Candolle, Mém. qu. Esp. Cactées (Coll. Mém. viii), t. 12 (1834).
*Journ. Jard. 1839, p. 343.
Förster, Handb. Cacteenk. Ed. 2, p. 746 (1886).
Rümpler & Schumann, Sukkulenten, 127 (1892).
leucanthus Pfeiff. (16)
*Bot. Reg. xxvi. t. 13 (1840).
lividus Pfeiff. (9)
*Bot. Mag. xcv. t. 5775 (1869).
longisetus Engelm. (15)
Engelman, Boundary Surv., Cactac. t. 45 (1858).—*Veg.*
lormata Maas (9?)
*Wien. Ill. Gart.-Zeit. xi. t. 3 (1886).
Macdonaldiae Hook. (46)
*Bot. Mag. lxxix. t. 4707 (1853).
*Fl. des Serres, Ser. I. ix. t. 896, 897 (1853–54).
Cactus Journ. ii. 135 (1899).—*Hab.*
Monatsschr. Kakt. xiv. 57 (1904); xxx. 107 (1920).
macrogonus Salm-Dyck (8)
Garten-Zeit. Berlin, iv. 182, fig. 8 (1885).—*Hab.*
Mart. Fl. Bras. iv. II. t. 40 (1890).
Mallisonii Link & Otto (2)
*Verh. Ver. Beford. Gartenb. xii. t. 1 (1837).
*Hort. Belge Journ. Jard. & Amat. iv. t. 93 (1837).
Favart, Flowers & Pl. t. 41 (1880).
mamillatus Engelm. (15)
Schelle, Handb. Kakteenkult. 97 (1907).
marginatus DC. (41)
Schumann, Gesamtb. Kakt. 91 (1897).
Contrib. U.S. Nat. Herb. v. t. 59 (1899).—*Hab.*
Orcutt, Rev. Cactac. iii (West Amer. Scient. xiii), 6 (1902).—*Hab.*
Bull. Soc. Acclim. liii. 28 (1906).—*Hab.*
Amer. Nat. xlii. 86 (1908).
U.S. Dep. Agric. Bur. Pl. Indust. Bull. No. 262, t. 6 (1912).—*Hab.*
Möllers Deutsche Gärtn.-Zeit. xxix. 355 (1914).—*Hab.*
—— **gemmatus** DC. (41)
Schelle, Handb. Kakteenkult. 72 (1907).
—— **gibbosus** J. A. Purpus (41)
Monatsschr. Kakt. xxiii. 149 (1913).
—— **monstrosus** Hort. (41)
!Monatsschr. Kakt. xix. 62 (1909).
Martianus Zucc. (2)
*Bot. Mag. lxvi. t. 3768 (1840).
Monatsschr. Kakt. ix. 105 (1899).
Rep. Missouri Bot. Gard. xvi. t. 12 (1905).—*Fl.*
*Schumann, Blüh. Kakt. t. 65 (1905).
Martinii Labouret (23)
Rev. Hort. Ser. IV. ix. 658, 659 (1860).
L. H. Bailey, Cycl. Amer. Hort. 204 (1900).—*Fr.*
Rep. Missouri Bot. Gard. xvi. t. 10 (1905).—*Fr.*
megalanthus K. Schum. (35)
Karsten & Schenck, Veg. Bild. ii. t. 5 (1904).—*Hab.*
melanurus K. Schum. (28)
Mart. Fl. Bras. iv. II. t. 39 (1890).

CEREUS
mixtecensis J. A. Purpus (27)
Monatsschr. Kakt. xix. 53 (1909).—*Hab.*
mojavensis Engelm. & Bigel. (15)
Rep. Expl. & Surv. Railr. Mississippi, 1853–54, iv. t. 4 (1856) in textu; *C. Bigelovii* in ic.—*Veg.*
*Bot. Mag. cxxvi. t. 7705 (1900).
—— **zuniensis** Engelm. & Bigel. (15)
Rep. Expl. & Surv. Railr. Mississippi, 1853–54, iv. t. 4 (1856) in textu; *C. Bigelovii zuniensis* in ic.—*Veg.*
multiplex Pfeiff. (16)
*Bot. Mag. lxvi. t. 3789 (1840).
Nicholson, Illustr. Dict. Gard. iv. Suppl. 512 [1884–88].—*Hab.*
Bellair & St.-Léger, Pl. Serre, 503 (1900).—*Hab.*
—— **cristatus** Hort. (16)
!Nicholson, Illustr. Dict. Gard. iv. Suppl. 512 [1884–88].—*Hab.*
!Bellair & St.-Léger, Pl. Serre, 503 (1900).—*Hab.*
Napoleonis Grah. (25)
*Bot. Mag. lxiii. t. 3458 (1836).
*Hartinger, Parad. Vindob. t. 72 (1844–60).
Journ. Linn. Soc., Bot. xxii. 371 (1886).—*Fr.*
nesioticus K. Schum. (6)
Proc. California Acad. Ser. IV. i. t. 5 (1911).
nigripilis Phil. (49)
Monatsschr. Kakt. xi. 27 (1901).—*Hab.*
Schumann, Gesamtb. Kakt. Nachtr. 1898–1902, p. 21 (1903).—*Hab.*
Engler & Drude, Veget. Erde, viii. t. 16 (1907).—*Hab.*
nudiflorus Engelm. (13)
Journ. New York Bot. Gard. x. 106 (1909).—*Hab.*
Contrib. U.S. Nat. Herb. xii. t. 49–51 (1909).
nycticallus Link (46)
*Verh. Ver. Beford. Gartenb. x. t. 4 (1834).
Garden, xiii. 291 (1878).—*Hab.*
Nicholson, Illustr. Dict. Gard. i. 298 [1884–88].—*Hab.*
*Kerner, Pflanzenleben, i. 601 (1887).—*Hab.*
Gartenfl. xli. 92, 93 (1892).
Rümpler & Schumann, Sukkulenten, 130, 131 (1892).
*Kerner & Oliv. Nat. Hist. Pl. i. t. 7 (1894).—*Hab.*
Schumann, Gesamtb. Kakt. 146 (1897).
Journ. Hort. Ser. III. xliii. 515 (1901).
Rother, Prakt. Leitf. Kakt. 69 (1910).
Goebel, Organogr. Pfl. Ed. 2, i. 478 (1913).—*Veg*
Francé, Leben Pflanze, vi. 333 (1913).
obtusangulus K. Schum. (17)
Schumann, Gesamtb. Kakt. 128 (1897).
obtusus Haw. (9)
Britton & Rose, Cactac. ii. 16 (1920).—*Hab.*
Ocamponis Salm-Dyck (25)
Bull. Uff. Ass. Ort. Prof. Ital. i. 61 (1913).
Monatsschr. Kakt. xxiii. 29 (1913).
Olfersii Salm-Dyck (8)
Rev. Hort. 1885, p. 279.—*Fl.*
Orcuttii Brandegee (41)
Amer. Plants, ii. 385, 408 (1908).
oxypetalus DC. (18)
Mém. Mus. Hist. Nat. Paris, xvii. 120, t. 14 (1828).
paniculatus DC. (30?)
Plumier, Pl. Amer. Ed. Burm. t. 192 (1758); fide Urban, Fedde Repert. Beih. v. 82.
paradisiacus Vaupel (46)
*Schumann, Blüh. Kakt. t. 153, 154 (1913).
paraguayensis K. Schum. (9)
Bull. Soc. Bot. Genève, Ser. II. viii. 226 (1916).—*Hab.*
Chodat, Vég. Parag. i. 119 (1916).—*Hab.*
parasiticus Haw. (44)
Buchoz, Hist. Règne Vég. xi. Dec. 8, t. 8 (1776).
pasacana Web. (49)
Nova Acta Soc. Sc. Upsal. Ser. IV. i. t. 4 (1905).—*Hab.*
paucispinus Engelm. (15)
Engelman, Boundary Surv., Cactac. t. 56 (1858).
*Bot. Mag. cx. t. 6774 (1884).
—— **fulvispinus** Hort. (15)
Journ. Roy. Hort. Soc. London, xxxiv. 28, fig. 9 (1908).—*Hab.*
Paxtonianus Monv. (36)
*Bot. Mag. cxxv. t. 7648 (1899).

CEREUS
pecten-aboriginum Engelm. (41)
Gard. & Forest, vii. 335 (1894).—*Hab.*
Contrib. U.S. Nat. Herb. v. t. 58, p. 254 (1899). —*Hab.*
Nicholson, '1900' Suppl. Dict. Gard. 218 (1900).
Karsten & Schenck, Veg.-Bild. i. t. 48 (1903).—*Hab.*
Engler & Drude, Veget. Erde, xiii. 297 (1911). —*Hab.*
pectinatus Engelm. (15)
Gartenfl. xxiii. t. 813 (1874).—*Hab.*
Orcutt in W. Amer. Scient. vii. 237 (1891).—*Hab.*
Orcutt, Rev. Cactac. iii (West Amer. Scient. xiii), 14 (1902).—*Hab.*
pentagonus Haw. (1)
Martius, Pfl. & Thiere Trop. Amer. t. II. fig. vi. 5 (1831).—*Hab.*
pentalophus DC. (15)
*Neubert's Deutsch. Gart. Mag. xxi. 8 (1868).
*Bois, Dict. Hort. 280 (1893–99).
—— **subarticulatus** DC. (15)
*Bot. Mag. lxv. t. 3651 (1838).
Pentlandii longispinus Bellair & St.-Léger (30 a)
Bellair & St.-Léger, Pl. Serre, 504 (1900).—*Hab.*
—— **Scheerii** Bellair & St.-Léger (30 a)
Bellair & St.-Léger, Pl. Serre, 504 (1900).—*Hab.*
pernambucensis C. Lem. (9)
Britton & Rose, Cactac. ii. 14 (1920).—*Hab.*
peruvianus Mill. (9)
*Verh. Ver. Beford. Gartenb. xiv. t. 1 (1839).
Harting in Tijdschr. Nat. Gesch. ix. t. 3, fig. 10 (1842).—*Veg.*
*Pfeiffer, Blüh. Cact. ii. t. 5 (1846–50).
Journ. Hort. Ser. III. viii. 405 (1884).—*Hab.*
Castle, Cactac. Pl. 41 (1884).
!Goebel, Pflanzenbiol. Schild. i. 14, 98 (1889).
Blanc, Hints Cacti, 35 (1891).
Rep. Missouri Bot. Gard. v. 12 (1894).—*Hab.*
Cactus Journ. ii. 25 (1899).—*Hab.*
Monatsschr. Kakt. x. 7 (1900).—*Hab.*
Preuss, Exped. Centr. & Südamer. 134 (1901). —*Hab.*
Karsten & Schenck, Veg.-Bild. i. t. 39–42 (1903); vii. t. 41 (1909).—*Hab.*
*Wettstein, Veg. Südbras. t. 4, 59, 60 (1904).—*Hab.*
Arechavaleta in An. Mus. Nac. Montevideo, v. 166, 256, 258, 260 (1905).
Gubb, Fl. Algeria, t. 45 (1909).—*Hab.*
Rother, Prakt. Leitf. Kakt. 26 (1910).
Wettstein, Handb. Syst. Bot. Ed. 2, p. 541 (1911). —*Hab.*
*Schumann, Blüh. Kakt. t. 131 (1911).
Neger, Biol. Pflanz. 212 (1913).—*Hab.*
Jardin, xxviii. 233 (1914).—*Hab.*
L. H. Bailey, Stand. Cycl. Hort. 722 (1914).
*Britton & Rose, Cactac. ii. 13, t. 2 (1920).
!—— **monstrosus** DC. (9)
Mém. Mus. Hist. Nat. Paris, xvii. 120, t. 11 (1828).
Gard. Chron. 1873, p. 145; Ser. III. xxiv. 175 (1898).
Blanc, Hints Cacti, 22 (1888); 36 (1891).
Daul, Kakteenk. 53 (1890).
Neubert's Deutsch. Gart. Mag. xlvii. 721 (1894). —*Hab.*
Pérot in Bull. Soc. Hist. Nat. Autun, x. II. t. A (1897).
Cactus Journ. i. 79, 136 (1898).—*Hab.*
Quintus in Tijdschr. Tuinb. Ed. Bos, v. fig. 52–55 (1900).—*Hab.*
Schelle, Handb. Kakteenkult. 77 (1907).
Journ. Hort. Ser. III. lx. 145 (1910).—*Hab.*
Bull. Soc. Tosc. Ortic. xxxvii. 160, t. 8 (1912). —*Hab.*
Philippii Regel & Schmidt (19)
Gartenfl. xxxi. t. 1079 (1882).
phoeniceus Engelm. (15)
Rep. Expl. & Surv. Railr. Mississippi, 1853–54, iv. t. 4 (1856).
phyllanthoides DC. (38)
Goebel, Pflanzenbiol. Schild. 39, 95, 99 (1889).

CEREUS
phyllanthoides
Flora, lxxx. 103 (1895).
phyllanthus DC. (18)
*Pfeiffer & Otto, Blüh. Cact. i. t. 10 (1843).
pitajaya DC. (9)
*Bot. Mag. lxx. t. 4084 (1844).
Baillon, Hist. Pl. ix. 32 (1886).
Wettstein, Veg. Südbras. t. 15 (1904).—*Hab.*
Rep. Missouri Bot. Gard. xvi. t. 7 (1905).—*Fr.*
Schelle, Handb. Kakteenkult. 78 (1907).
—— **monstrosus** Hort. (9)
!Schelle, Handb. Kakteenkult. 79 (1907).
plagiostoma Vaupel (5)
Monatsschr. Kakt. xxiv. 165, 167 (1914).
platygonus Otto (23)
Schumann, Gesamtb. Kakt. 99 (1897).—*Veg.*
pleiogonus Labour. (15)
Nicholson, Illustr. Dict. Gard. i. 299 [1884–88]. —*Hab.*
Plumieri Roland-Goss. (25)
Plumier, Pl. Amer. Ed. Burm. t. 199, fig. 2 (1758); fide Urban, Fedde Repert. Beih. v. 84.
polyacanthus Engelm. (15)
Engelman, Boundary Surv., Cactac. t. 54, 55 (1858).
Förster, Handb. Cacteenk. Ed. 2, p. 212 (1885).
polylophus DC. (8)
Schimper, Pflanzen-Geogr. 298 (1898).
pomanensis Web. (23)
Rep. Missouri Bot. Gard. xvi. t. 7 (1905).—*Fr.*
Pringlei Wats. (41)
Gard. & Forest, ii. 65 (1889).—*Hab.*
Bull. Soc. Acclim. xxxvii. 392 (1890).—*Hab.*
Brehm, Merv. Nat. Monde des Pl. ii. 76 (1894–96). —*Hab.*
Ann. Rep. Smithson. Inst. (Rep. U.S. Nat. Mus. 1895), t. 6, p. 988 (1897).—*Hab.*
Schumann, Gesamtb. Kakt. 72 (1897).
Coville & MacDougal in Carnegie Inst. Washington, Publ. No. 6, t. 22 (1903).—*Hab.*
Rep. Missouri Bot. Gard. xvi. t. 1 (1905).—*Fl.*
Schelle, Handb. Kakteenkult. 67 (1907).
D. T. MacDougal in Carnegie Inst. Washington, Publ. No. 99, t. 13 (1908).—*Hab.*
Monatsschr. Kakt. xviii. 119 (1908).—*Hab.*
procumbens Engelm. (15)
Engelman, Boundary Surv., Cactac. t. 59 (1858).
Nicholson, Illustr. Gard. Dict. iv. Suppl. 513 [1884–88]; '1900' Suppl. 219 (1900).
*Bot. Mag. cxvii. t. 7205 (1891).
Bellair & St.-Léger, Pl. Serre, 500 (1900).
pruinosus Otto (27)
Bull. Soc. Acclim. liii. 17 (1906).—*Hab.*
pterogonus C. Lem. (12)
*Bot. Mag. lxxxix. t. 5360 (1863).
*Schumann, Blüh. Kakt. t. 150 (1913).
pugionifer C. Lem. (37)
Blanc, Hints Cacti, 22 (1888); 36 (1891).
Daul, Kakteenk. 53 (1890).
Cactus Journ. ii. 141 (1899).—*Hab.*
—— **geometricans** Hort. (37)
Cactus Journ. ii. 136 (1899).—*Hab.*
Purpusii Weing. (25)
Monatsschr. Kakt. xxii. 27 (1912).
quadrangularis Haw. (1)
Plumier, Pl. Amer. Ed. Burm. t. 199, fig. 1 (1758); fide Urban, Fedde Repert. Beih. v. 84.
queretarensis Web. (27)
Bull. Soc. Acclim. liii. 18 (1906); lxiii. 128, 177, 179, 184 (1916).
quisco C. Gay (49)
Alvarez, Fl. & Fauna Prov. Santiago del Estero, 65 (1919).—*Hab.*
reductus Link (22)
*Bot. Mag. lxxv. t. 4443 (1849).
repandus Haw. (23)
Mém. Mus. Hist. Nat. Paris, xvii. 120, t. 13 (1828).
Förster, Handb. Cacteenk. Ed. 2, p. 1008 (1886).
Nicholson, '1900' Suppl. Dict. Gard. 220 (1900).
*Schumann, Blüh. Kakt. t. 84 (1906).
repandus Mill. (9)
Britton & Rose, Cactac. ii. 18 (1920).

CEREUS
resupinatus Salm-Dyck (27)
Förster, Handb. Cacteenk. Ed. 2, p. 709 (1886).
rhodoleucanthus K. Schum. (36)
Monatsschr. Kakt. xiii. 12 (1903).
Roemeri Engelm. (15)
*Horticulteur Franç. 1865, t. 23.
Garden, xiii. 291 (1878).—*Hab.*
Roetteri Engelm. (15)
Engelman, Boundary Surv., Cactac. t. 41 (1858).
Roezlii Haage (?)
Schumann, Gesamtb. Kakt. 64 (1897).
rostratus C. Lem. (46)
Möllers Deutsche Gärtn.-Zeit. xiv. 340 (1899).
Tribune Hort. iv. t. 140 (1909).
Rev. Hort. Belge, xl. 184, 185 (1914).
Royenii Haw. (8)
*Bot. Mag. lix. t. 3125 (1832).
ruficeps Web. (41)
Bull. Soc. Acclim. liii. 58 (1906).—*Hab.*
Russelianus C. Lem. (45)
*Horticulteur Univ. i. 31 (1839).
Sargentianus Orcutt (31)
Gard. & Forest, iv. 437 (1891).—*Hab.*
Amer. Gard. 1900, p. 553.
Orcutt, Rev. Cactac. iii (West Amer. Scient. xiii), 16 (1902).—*Hab.*
saxicola Morong. (36)
Monatsschr. Kakt. xix. 77 (1909).
Scheerii Salm-Dyck (15)
*Bot. Mag. cxxxii. t. 8096 (1906).
Schenckii J. A. Purpus (37)
Monatsschr. Kakt. xix. 39 (1909).—*Hab.*
Schottii Engelm. (31)
Engelman, Boundary Surv., Cactac. t. 74, fig. 16 (1858).—*Fr.*
Coville & MacDougal in Carnegie Inst. Washington, Publ. No. 6, t. 15 (1903).—*Hab.*
Nat. Geogr. Mag. Washington, xv. 157 (1904). —*Hab.*
Rep. Missouri Bot. Gard. xvi. t. 8 (1905).—*Fl.*
D. T. MacDougal in Carnegie Inst. Washington, Publ. No. 99, t. 8 (1908).—*Hab.*
Schrankii Zucc. (24)
*Pfeiffer & Otto, Blüh. Cact. i. t. 27 (1843).
sclerocarpus K. Schum. (26)
Proc. California Acad. Ser. IV. i. t. 6 (1911).—*Hab.*
scopa Salm-Dyck (33)
Martius, Pfl. & Thiere Trop. Amer. t. II. fig. vi. 1 (1831).—*Hab.*
senilis Salm-Dyck (8)
Orcutt, Rev. Cactac. iii (West Amer. Scient. xiii), 16, 18 (1902).—*Hab.*
Gard. Chron. Ser. III. xxxii. 35 (1902).—*Hab.*
Garden, lxxi. 228 (1907).—*Hab.*
Journ. Hort. Ser. III. lix. 625 (1909); lxviii. 183 (1914).—*Hab.*
serpens DC. (5?)
*Gleichen, Entdeckungen, t. 29, 30 (1777).
serpentinus DC. (39)
Mém. Mus. Hist. Nat. Paris, xvii. 120, t. 12 (1828).
*Bot. Mag. lxiv. t. 3566 (1837).
Zuccarini in Abh. Akad. Wiss. München, iv. I. t. 2 (1844).
Garden, xiv. 134 (1878).—*Hab.*
Gartenfl. xxxi. t. 1079 (1882).
Nicholson, Illustr. Dict. Gard. i. 299 [1884–88]. —*Hab.*
Förster, Handb. Cacteenk. Ed. 2, p. 739 (1886).
Rümpler & Schumann, Sukkulenten, 124 (1892).
Cactus Journ. i. 59 (1898).—*Hab.*
Rep. Missouri Bot. Gard. xvi. t. 11 (1905).—*Fl.*
Tribune Hort. i. t. 4 (1906).
—— **albicaulis** P. DC. (39)
Bol. Direc. Estud. Biol. Mexico, i. II. 135 (1915).
setaceus Salm-Dyck (35)
*Pfeiffer & Otto, Blüh. Cact. i. t. 16 (1843).
setosus Lodd. (29)
*Lodd. Bot. Cab. xix. t. 1887 (1832).
setosus Gürke (8)
Monatsschr. Kakt. xviii. 21 (1908).—*Hab.*
Silvestrii Spegazz. (10)
Möllers Deutsche Gärtn.-Zeit. xxvii. 337 (1912). —*Hab.*

CEREUS
Silvestrii
*Bot. Mag. cxxxviii. t. 8426 (1912).
smaragdiflorus Web. (11)
Monatsschr. Kakt. xv. 123 (1905).
*Schumann, Blüh. Kakt. t. 87 (1906).
×**Smithii** Hort. (?)
*Journ. Jard. 1838, p. 283.
Förster, Handb. Cacteenk. Ed. 2, p. 1009 (1886).
sonorensis Runge (43)
Monatsschr. Kakt. xi. 135 (1901).
Rep. Missouri Bot. Gard. xvi. t. 3 (1905).—*Fl.*
*Schumann, Blüh. Kakt. t. 122 (1910).
Spachianus C. Lem. (49)
Blanc, Hints Cacti, 23 (1888); 36 (1891).
Daul, Kakteenk. 54 (1890).
Schweiz. Gartenbau, ix. 17 (1896).
Cactus Journ. ii. 141 (1899).—*Hab.*
Monatsschr. Kakt. x. 93 (1900).
Rep. Missouri Bot. Gard. xvi. t. 8 (1905).—*Fr.*
Schelle, Handb. Kakteenkult. 65 (1907).
Journ. Roy. Hort. Soc. London, xxxiii. 472, fig. 86 (1908).
speciosissimus DC. (24)
*Joh. Kerner, Hort. Sempervir. t. 613 (1821).
*Bot. Mag. lxvii. t. 3822 (1840).
*Jacquin, Ecl. Pl. ii. t. 141 (1844) in textu; *Cactus speciosus* in ic.
Lindley, Veg. Kingd. 746 (1846).
Karsten, Anat. Physiol. Pfl. t. 22, fig. 13, 15–17 (1865).—*Fl.*
*Réveil, Règne Vég. xiv. t. 29 (1870).
!Gard. Chron. xix. 253 (1883).
Garden, liii. 153 (1898).—*Hab.*
Schelle, Handb. Kakteenkult. 92 (1907).
Bull. Soc. Acclim. lxiii. 186 (1916).—*Hab.*
—— **lateritius** Lindl. (24)
*Bot. Reg. xix. t. 1596 (1833).
—— **Quillardetii** Hort. (24)
*Journ. Jard. 1832, p. 98.
speciosus Sweet (24)
Zuccarini in Abh. Akad. Wiss. München, ii. t. 3, fig. 5 (1837).—*Veg.*
*Schnizlein, Iconogr. iii. t. 204 (1854).—*Fr.*
Berge, Pflanzenphysiogn. 192 (1880).
Baillon, Hist. Pl. ix. 33 (1886).—*Fl.*
Schumann, Gesamtb. Kakt. 153 (1897).
*Schumann, Blüh. Kakt. t. 17 (1901).
Spegazzinii Web. (36)
Monatsschr. Kakt. xii. 193 (1902).
Kertészeti Lapok (Hungarian Journ. Horticult.), xviii. 256 (1903).
Schumann, Gesamtb. Kakt. Nachtr. 1898–1902, p. 43 (1903).
Schelle, Handb. Kakteenkult. 84 (1907).
Rev. Hort. Belge, xl. 184, 185 (1914).
spinulosus DC. (46)
Clos in Mém. Acad. Sc. Toulouse, Ser. VIII. v. II. 278, fig. 22 (1883).—*Veg.*
*Schumann, Blüh. Kakt. t. 53 (1904).
stellatus K. Schum. (43)
Schumann, Gesamtb. Kakt. Nachtr. 1898–1902, p. 26 (1903).
stellatus Pfeiff. (27)
Rep. Missouri Bot. Gard. xvi. t. 3 (1905).—*Fl.*
Contrib. U.S. Nat. Herb. x. t. 20 (1906).—*Hab.*
U.S. Dep. Agric. Bur. Pl. Indust. Bull. No. 262, t. 12 (1912).—*Hab.*
stenogonus K. Schum. (9)
Britton & Rose, Cactac. ii. 10 (1920).—*Hab.*
stramineus Engelm. (15)
Engelman, Boundary Surv., Cactac. t. 46–48 (1858).
strictus P. DC. (8)
Rep. Missouri Bot. Gard. xvi. t. 4 (1905).—*Fl.*
strigosus Salm-Dyck (49)
Rep. Missouri Bot. Gard. xvi. t. 8 (1905).—*Fl.*
subrepandus Haw. (23)
Zuccarini in Abh. Akad. Wiss. München, ii. t. 1, fig. iv. 2, 3 (1837).—*Fr.*
Schnizlein, Iconogr. iii. t. 204 (1854).—*Fr.*
Swartzii Griseb. (8)
Gard. Chron. x. 185 (1878).—*Hab.*
Möllers Deutsche Gärtn.-Zeit. xviii. 342 (1909).
tephracanthus Labouret (33)
Schumann, Gesamtb. Kakt. 80 (1897).

CEREUS
testudo Karw. (12)
Goebel, Organogr. Pfl. Ed. 2, i. 481 (1913).—*Veg.*
tetezo Coult. (9)
Bull. Soc. Acclim. liii. 55 (1906).—*Hab.*
tetragonus Mill. (9)
Britton & Rose, Cactac. ii. 7 (1920).
thelegonus Web. (49)
Schumann, Gesamtb. Kakt. 78 (1897).—*Veg.*
Thurberi Engelm. (27)
Engelman, Boundary Surv., Cactac. t. 74, fig. 15 (1858).—*Fr.*
Coville & MacDougal in Carnegie Inst. Washington, Publ. No. 6, t. 15 (1903).—*Hab.*
Nat. Geogr. Mag. Washington, xv. 157 (1904).—*Hab.*
Möllers Deutsche Gärtn.-Zeit. xx. 480 (1905).
Bull. Soc. Acclim. liii. 21 (1906).—*Hab.*
Monatsschr. Kakt. xvii. 105 (1907).—*Hab.*
D. T. MacDougal in Carnegie Inst. Washington, Publ. No. 99, t. 8 (1908).—*Hab.*
Nature, lxxx. 280 (1909).—*Hab.*
tortuosus Forbes (23)
Monatsschr. Kakt. xiv. 89 (1904).
Rep. Missouri Bot. Gard. xvi. t. 9 (1905).—*Fl.*
Rev. Gén. Bot. xxi. 455 (1910).—*Veg.*
U.S. Dep. Agric. Bur. Pl. Indust. Bull. No. 262, t. 7 (1912).
triangularis Haw. (25)
Plumier, Pl. Amer. Ed. Burm. t. 200, fig. 1 (1758); fide Urban, Fedde Repert. Beih. v. 84.
*Joh. Kerner, Hort. Sempervir. t. 673 (1824).
Turpin, Obs. Fam. Cactées (Ann. Inst. Hort. Fromont, ii), t. 1 (1831).—*Veg.*
*Bot. Reg. xxi. t. 1807 (1835).
*Florist's Journ. 1841, t. 22.
Mart. Fl. Bras. iv. II. t. 42 (1890).
Blanc, Hints Cacti, 37 (1891).
Pflanzenfam. iii. VI. A. 170 (1894).—*Fr.*
Cactus Journ. ii. 141 (1899).—*Hab.*
Garden, lviii. 349 (1900).
Jardin, xv. 5 (1901).
Orcutt, Rev. Cactac. iii (West Amer. Scient. xiii), 5 (1902).—*Hab.*
Gartenwelt, ix. 63 (1904).
Gartenfl. lv. 34 (1906).
Tribune Hort. iv. t. 140 (1909).
Rev. Hort. Belge, xl. 184, 185 (1914).
Bryan, Nat. Hist. Hawaii, t. 67, fig. 2 (1915).
tricostatus Roland-Goss. (25)
Rev. Hort. 1910, p. 29.
Bull. Soc. Acclim. lxiii. 128, 181, 185 (1916).
triglochidiatus Engelm. (15)
Rep. Expl. Surv. Railr. Mississippi, 1853–54, iv. t. 4 (1856).
trigonodendron K. Schum. (9?)
Engl. Jahrb. xl. t. 10 (1908).—*Hab.*
trigonus Haw. (25)
Plumier, Pl. Amer. Ed. Burm. t. 200, fig. 2 (1758); fide Urban, Fedde Repert. Beih. v. 84.
—— **guatemalensis** Engelm. (25)
Monatsschr. Kakt. xxiii. 155 (1913).—*Hab.*
truncatus DC. (52)
*Nees & Sinning, Sammlung schönblüh. Gew. t. 57 (1831).
tuberosus Poselger (51)
Engelman, Boundary Surv., Cactac. t. 59 (1858).—*Fr.*
Garten-Zeit. Berlin, v. 103 (1886).
Blanc, Hints Cacti, 23 (1888); 38 (1891).
Goebel, Pflanzenbiol. Schild. i. t. 4, fig. 1 (1889).
Daul, Kakteenk. 55 (1890).
tubiflorus Endl. (16)
*Hartinger, Parad. Vindob. t. 71 (1844–60) in ic.; *Echinopsis Zuccariniana* in textu.
tunilla Web. (50)
*Bot. Mag. cxliv. t. 8779 (1918).
Tweediei Hook. (11)
*Bot. Mag. lxxvi. t. 4498 (1850).
*Fl. des Serres, Ser. I. vi. t. 559 (1850–51).
*Neubert's Deutsch. Gart. Mag. iv. 47 (1851).
undatus Link & Otto (23)
*Pfeiffer & Otto, Blüh. Cact. i. t. 23 (1843).
undulosus P. DC. (1)
Plumier, Pl. Amer. Ed. Burm. t. 194 (1758); fide Urban, Fedde Repert. Beih. v. 82.

CEREUS
Urbanianus Gürke & Weing. (8)
Monatsschr. Kakt. xvi. 137 (1906).
validus Haw. (9)
Cactus Journ. ii. 141 (1899).—*Hab.*
Rep. Missouri Bot. Gard. xvi. t. 5, 6 (1905).
*Britton & Rose, Cactac. ii. 7, t. 3 (1920).
variabilis Pfeiff. (9)
*Pfeiffer, Blüh. Cact. ii. t. 15 (1846–50).
variabilis Engelm. (1)
Engelman, Boundary Surv., Cactac. t. 60 (1858).
Blanc, Hints Cacti, 24 (1888); 38 (1891).
Daul, Kakteenk. 56 (1890).
Cactus Journ. i. 125 (1898); ii. 135 (1899).—*Hab.*
viridiflorus Engelm. (15)
Engelman, Boundary Surv., Cactac. t. 36 (1858).
*Bot. Mag. cxxv. t. 7688 (1899).
×**Vulcan** Hort. (2)
Rümpler & Schumann, Sukkulenten, 126 (1892).
Semaine Hort. 1899, p. 285, 287.
Weberi Coulter (27)
Contrib. U.S. Nat. Herb. x. t. 21 (1906).—*Hab.*
D. T. MacDougal in Carnegie Inst. Washington, Publ. No. 99, t. 21 (1908).—*Hab.*
Nat. Geogr. Mag. Washington, xxi. 705 (1910).—*Hab.*
Monatsschr. Kakt. xxi. 86 (1911).—*Hab.*
U.S. Dep. Agric. Bur. Pl. Indust. Bull. No. 262, t. 11 (1912).—*Hab.*
Weingartianus E. Hartm. (30)
Monatsschr. Kakt. xiv. 155 (1904).
Wittii K. Schum. (48)
Monatsschr. Kakt. x. 155 (1900); xii. 139 (1902); xv. 25 (1905).
Journ. Roy. Hort. Soc. London, xxvi. Proc. p. xxiv (1901).
Gard. Chron. Ser. III. xxix. 38 (1901).—*Hab.*
Schumann, Gesamtb. Kakt. Nachtr. 1898–1902, p. 51 (1903).

CERINTHE Linn.
alpina Kit.
Reichenbach, Pl. Crit. v. t. 466 (1827).
*Sturm, Deutschl. Fl. xvi. LXVIII [t. 1074] (1835).
*Weber, Alp.-Pfl. Ed. 3, iii. t. 299 (1872).
*Cusin, Herb. Fl. Franç. xvi (Borraginées), t. 2 (1875).
Wagner, Ill. Deutsche Fl. Ed. 2, p. 545 (1882).
Willkomm, Führ. Reich Pflanzen, 509 (1882).—*Fl.*
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xix. t. 1906 (1884).
*Hartinger, Atlas Alpenfl. iv. t. 357 (1897).
Knuth, Handb. Blütenbiol. ii. II. 113 (1899).—*Fl.*
Coste, Fl. France, ii. 579 (1903).
*Sturm, Fl. Deutschl. Ed. 2, xi. t. 12 (1903).
Flahault, Nouv. Fl. Alpes & Pyrén. i. 103 (1906).
Senn, Alpen-Flora, ii. 103 (1906).
*Hulme, Familiar Swiss Fl. t. 34 (1908).
*Hegi & Dunz. Alp. Fl. t. 24 (1913).
aperta Lojac.-Poj.
Lojacono-Pojero, Fl. Sic. ii. II. t. 19 (1907).
aspera Roth
*Jaume St.-Hilaire, Pl. France, iii [t. 27] (1809).
*Sibthorp & Sm. Fl. Graeca, ii. t. 170 (1813).
Trattinick, Fl. Oesterr. Kaiserth. i. t. 63 (1816).
Reichenbach, Pl. Crit. viii. t. 740 (1830).
Mutel, Fl. Française, t. 37 (1834).
*Cassone, Fl. Med.-Farm. iv. t. 372 (1850).
Reichenbach, Ic. Fl. Germ. xviii. t. 1296 (1857).
*Cusin, Herb. Fl. Franç. xvi (Borraginées), t. 1 (1875).
*Bicknell, Fl. Pl. Riviera, t. 39 (1885).
Battandier in Assoc. Franç. Avanc. Sc. 1887, Toulouse, Pt. 2, t. 18 (1888).—*Fl.*
Acloque, Fl. France, 471 (1894).
*H. S. Thompson, Fl. Pl. Riviera, t. 22 (1914).
Glück, Blatt- & Blütenmorph. Stud. 361 (1919).—*Fl.*
auriculata Ten.
*Tenore, Fl. Nap., Atlas, v. t. 21 (1811–38).
cleiostoma Boiss.
Reichenbach, Ic. Fl. Germ. xviii. t. 1295 (1857).
echioides Linn.
*Kniphof, Herb. Viv. i. t. 238 (1758).
glabra Mill.
Reichenbach, Ic. Fl. Germ. xviii. t. 1295 (1857).

CERINTHE
glabra
Le Maout & Decaisne, Traité Gén. Bot. 178 (1868).
Fiori & Paol. Ic. Fl. Ital. 328 (1901).
glauca Moench
*Masclef, Pl. Eur. t. 61 (1905).
gymnandra Gasp.
Reichenbach, Ic. Fl. Germ. xviii. t. 1297 (1857).
*Bot. Mag. c. t. 6130 (1874).
Warming in Dansk. Vid. Selsk. Skrift. Ser. V. x. t. 8, fig. 10–13 (1875).—*Veg.*
Battandier in Assoc. Franç. Avanc. Sc. 1887, Toulouse, Pt. 2, t. 18 (1888).—*Fl.*
maculata Linn.
Reichenbach, Pl. Crit. iv. t. 309 (1826).
Mutel, Fl. Française, t. 37 (1834).—*Fl.*
Reichenbach, Ic. Fl. Germ. xviii. t. 1295 (1857).
Cesati, Passer. & Gibelli, Comp. Fl. Ital. t. 57 (1867–86).—*Fl.*
maior Linn.
*Kniphof, Herb. Viv. i. t. 237 (1758).
Gaertner, Fruct. i. t. 67 (1788).—*Fr.*
Lamarck, Ill. i. t. 93 (1791).
*Bot. Mag. x. t. 333 (1796).
*Sturm, Deutschl. Fl. iii. XII [t. 178] (1802).
*McDonald, Dict. Pract. Gard. i. t. 16 (1807).
*Schkuhr, Bot. Handb. Ed. 2, t. 30 (1808).
*S. Edwards, New Bot. Gard. i. t. 16 (1812).
Trattinick, Fl. Oesterr. Kaiserth. i. t. 64 (1816).
*Joh. Kerner, Gen. Pl. Ill. iii. t. 50 (1820).
*Géel, Sert. Bot. Cl. 5 (1828).
Reichenbach, Pl. Crit. viii. t. 739 (1830).
Mutel, Fl. Française, t. 37 (1834).
Meigen, Deutschl. Fl. i. t. 37 (1836).—*Fl.*
Nees, Gen. Pl., Gamop. ii. t. 66 (1839).—*Fr.*
*J.W. Loudon, Ladies' Fl.-Gard. Ornam. Annuals, t. 38 (1844).
*Petermann, Deutschl. Fl. t. 62, fig. 490 (1849).
*Schubert, Naturg., Pflanzenreich, Ed. 2, t. 9, fig. 10 [1865].
Cesati, Passer. & Gibelli, Comp. Fl. Ital. t. 57 (1867–86).—*Fl.*
*Weber, Alp.-Pfl. Ed. 3, iii. t. 298 (1872).
H. Müller, Alpenblumen, 265 (1881).—*Fl.*
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xix. t. 1904 (1884).
Fiori & Paol. Ic. Fl. Ital. 328 (1901).
Coste, Fl. France, ii. 579 (1903).
*Kirby, Brit. Fl. Pl. t. 62 (1906).
Merino, Fl. Galicia, ii. 174 (1906).
—— **aspera** Koch
Nees, Gen. Pl., Dicot. ii [t. 422] (1843).—*Fl.*
Fiori & Paol. Ic. Fl. Ital. 328 (1901).
minor Linn.
*Jacquin, Fl. Austr. ii. t. 124 (1774).
Hoppe, Ect. Pl. Ratisb. t. 258 (1788).
*Schrank, Fl. Monac. i. t. 90 (1811).
*Vietz, Ic. Pl. Med.-oec.-techn. v. t. 403 c (1817).
Reichenbach, Pl. Crit. iv. t. 308 (1826).
Mutel, Fl. Française, t. 37 (1834).—*Fl.*
*Sturm, Deutschl. Fl. xvi. LXVIII [t. 1073] (1835).
*Zenker, Fl. Thüringen, vii. t. 764 (1836–55).
Nees, Gen. Pl., Gamop. ii. t. 66 (1839).
Reichenbach, Ic. Fl. Germ. xviii. t. 1295 (1857).
Cesati, Passer. & Gibelli, Comp. Fl. Ital. t. 57 (1867).—*Fl.*
*Cusin, Herb. Fl. Franç. xvi (Borraginées), t. 3 (1875).
De Silvestri, Piante Prat. 214 (1879).
*C. Hoffmann, Pflanzenatlas, t. 18, fig. 101 (1881).
Müller in Verh. Naturh. Ver. Preuss. Rheinl. & Westfalens, xxxix. I. t. 1 (1882).—*Fl.*
Willkomm, Führ. Reich Pflanzen, 509 (1882).—*Fl.*
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xix. t. 1905 (1884).
*Bicknell, Fl. Pl. Riviera, t. 39 (1885).
*Bot. Mag. cxii. t. 6890 (1886).
Pflanzenfam. iv. III. A. 126 (1893).—*Fl.*
Garcke, Ill. Fl. Deutschl. 426 (1895).
Taliew in Trav. Soc. Nat. Univ. Kharkow, xxx. t. 2 (1896).—*Fl.*
Fiori & Paol. Ic. Fl. Ital. 328 (1901).
Coste, Fl. France, ii. 579 (1903).
*Sturm, Fl. Deutschl. Ed. 2, xi. t. 11 (1903).

CERINTHE
minor
*Flahault, Nouv. Fl. Alpes & Pyrén. i. t. 103 (1906).
*Senn, Alpen-Flora, ii. t. 103 (1906).
Wagner, Magyar. Gyomnöv. (Weeds of Hungary), 183 (1908).—*Hab.*
Heukels, Fl. Nederl. iii. 85 (1909).
Fedtschenko & Fler. Fl. Eur. Russia, 794 (1910).
—— **campanulata** E. Lundstr.
*Act. Hort. Berg. v. No. 3, t. 5 (1914).
—— **maculata** M. Bieb.
Fiori & Paol. Ic. Fl. Ital. 328 (1901).
oranensis Battand.
Battandier in Assoc. Franç. Avanc. Sc. 1887, Toulouse, Pt. 2, t. 18 (1888).—*Fl.*
purpurea Vis.
Visiani, Fl. Dalmat. ii. t. 21 (1847) in ic.; *C. retorta* in textu, p. 242.
retorta Sibth. & Sm.
*Sibthorp & Sm. Fl. Graeca, ii. t. 171 (1813).
Reichenbach, Pl. Crit. viii. t. 738 (1830).
Visiani, Fl. Dalmat. ii. 242 (1847) in textu; *C. purpurea* in ic. t. 21.
Reichenbach, Ic. Fl. Germ. xviii. t. 1296 (1857).
*Bot. Mag. lxxxvii. t. 5264 (1861).
*Garden, xli. 212 (1892).
L. H. Bailey, Cycl. Amer. Hort. 284 (1900); Stand. Cycl. Hort. 724 (1914).
strigosa Reichb.
Reichenbach, Pl. Crit. viii. t. 741 (1830).
Reichenbach, Ic. Fl. Germ. xviii. t. 1297 (1857).
tenuiflora Bertol.
*Cusin, Herb. Fl. Franç. xvi (Borraginées), t. 4 (1875).

CERIOPS Arn.
Boiviniana Tul.
Grandidier, Hist. Madag. [Plantes] Atlas, t. 321 (1894).
Candolleana Arn.
Wight, Ic. Pl. Ind. Or. i. t. 240 (1839).
Beddome, Fl. Sylv. Anal. Gen. t. 13 (1872).
Vidal, Sin. Fam. & Gen. Pl. Leñ. Filip. (Introd. Fl. For. Filip.), Atlas, 47, fig. c (1883).—*Fl.*
Schimper, Bot. Mitt. Tropen, Heft iii. t. 5 (1891).—*Fr.*
Bibl. Bot. v. No. 22, t. 3, fig. 2 (1891).
Pflanzenfam. iii. VII. 51 (1893).—*Fl.*
Banks & Soland. Bot. Cook's Voy. i. t. 97 (1900).
Bot. Tidsskr. xxvi. 44, 45, 48, 97 (1904).
Haug in Naturwiss. Zeitschr. Forst- & Landwirtsch. vii. 419 (1909).
Sim, For. Fl. Portug. E. Africa, t. 66 (1909).
F. M. Bailey, Compr. Cat. Queensl. Pl. 182 (1909–13).
Engler & Drude, Veget. Erde, ix. 1. 1. 234 (1910).
Talbot, For. Fl. Bombay, ii. 11 (1911).—*Veg.*
Neger, Biol. Pflanz. 701 (1913).—*Veg.*
Koorders & Val. Atlas Baumarten Java, t. 107 (1913).
Basu, Ind. Med. Pl. t. 409 (1918).
Glück, Blatt- & Blütenmorph. Stud. 136 (1919).—*Fl.*
Lecomte, Fl. Gén. Indo-Chine, ii. 723 (1920).—*Fl.*
—— **Sasakii** Hayata
Hayata, Ic. Pl. Formosan. iii. t. 20 (1913).
Roxburghiana Arn.
Bibl. Bot. v. No. 22, t. 3, fig. 1 (1891).
Neger, Biol. Pflanz. 701 (1913).—*Fr.*
Koorders & Val. Atlas Baumarten Java, t. 106 (1913).
W. H. Brown & A. F. Fischer in Bull. Philip. Isl. Dep. Agric. Bur. Forestry, No. 17, t. 25, 26 (1918); No. 22, t. 25, 26 (1920).
Lecomte, Fl. Gén. Indo-Chine, ii. 723 (1920).—*Fl.*

CERISCUS Gaertn.: *Randia*
malabaricus Gaertn.
Gaertner, Fruct. i. t. 28 (1788) in ic.; *Gardenia dumetorum* in textu.—*Fr.*

CEROPEGIA Linn.
acuminata Roxb.
*Roxburgh, Pl. Coromandel, i. t. 8 (1795).
africana R. Br.
*Bot. Reg. viii. t. 626 (1822).

CEROPEGIA
africana
*Lodd. Bot. Cab. x. t. 906 (1824).
aphylla Haw.
*Link & Otto, Ic. Pl. Select. t. 18 (1820–28).
attenuata Hook
Hook. Ic. Pl. ix. t. 867 (1852).
Barklyi Hook. f.
*Bot. Mag. ciii. t. 6315 (1877).
boussingaultiifolia Dinter
Dinter, Neue Pfl. Deutsch-S.W. Afr. fig. 9 (1914).
Bowkeri Harv.
Harvey, Thes. Cap. i. t. 14 (1859).
Nat. Hist. Rev. vi. t. 27 (1859).
Proc. Dublin Univ. Zool. & Bot. Assoc. i. II. t. 27 (1859).
*Bot. Mag. lxxxix. t. 5407 (1863).
Pflanzenfam. iv. II. 271 (1895).
brevitubulata Bedd.
Beddome, Ic. Pl. Ind. Or. t. 174 (1874).
bulbosa Roxb.
*Roxburgh, Pl. Coromandel, i. t. 7 (1795).
*Joh. Kerner, Hort. Sempervir. ii. t. 50 (1800).
*Hooker, Bot. Misc. ii. 99 (1831).
Wight, Ic. Pl. Ind. Or. iii. t. 845 (1843–45).
Basu, Ind. Med. Pl. t. 630 (1918).
caffrorum Schlechter
Wood, Natal Pl. vi. IV. t. 592 (1912).
cancellata Reichb.
Reichenbach, Hort. Bot. t. 207 (1827–30).
candelabrum Linn.
Rheede, Hort. Mal. ix. t. 16 (1689); fide Fl. Brit. Ind. iv. 70.
*Hill, Decade Curious Trees & Pl. t. 7 (1773).
Buchoz, Hist. Règne Vég. xi. Dec. 6, t. 8 (1776).
Pflanzenfam. iv. II. 271 (1895).
ciliata Wight
Wight, Ic. Pl. Ind. Or. iv. t. 1262 (1848).
*Wight, Spicil. Neilgherr. ii. t. 154 (1851).
Fyson, Fl. Nilgiri & Pulney Hill-tops, iii. 427 (1920).
Cumingiana Decne.
*Bot. Mag. lxxiv. t. 4349 (1848).
*Fl. des Serres, Ser. I. iv. t. 315 (1848).
*Blanco, Fl. Filip. t. 313 (1878–80).
Rümpler & Schumann, Sukkulenten, 237 (1892).
debilis N. E. Br.
Gard. Chron. Ser. III. xxix. 238 (1901).
Decaisneana Wight
Wight, Ic. Pl. Ind. Or. iv. t. 1259 (1848).
*Wight, Spicil. Neilgherr. ii. t. 152 (1851).
denticulata K. Schum.
Pflanzenfam. iv. II. 272 (1895).—*Fl.*
Engler, Pflanzenw. Ost-Afr. Teil C, t. 40 (1895).—*Fl.*
dichotoma Haw.
Journ. Roy. Hort. Soc. London, xxxiii. 454, fig. 72 (1908).
Berger, Stapel. u. Klein. 364 (1910).
Glück, Blatt- & Blütenmorph. Stud. t. 1 (1919).—*Veg.*
elegans Wall.
*Bot. Mag. lvii. t. 3015 (1830).
*Bot. Reg. xx. t. 1706 (1835).
Wight, Ic. Pl. Ind. Or. iv. t. 1265 (1848).
*Wight, Spicil. Neilgherr. ii. t. 155 (1851).
Schnizlein, Iconogr. ii. t. 133 a (1854).—*Fl.*
Garden, xviii. 95 (1880); xxx. 393 (1886).
Nicholson, Illustr. Dict. Gard. i. 300 [1884–88].
Baillon, Hist. Pl. x. 234 (1891).—*Fl.*
Gartenwelt, iv. 147 (1899).
Monatsschr. Kakt. ix. 71 (1900).
De Wildeman, Ic. Sel. Hort. Then. vi. t. 237 (1909).
Fyson, Fl. Nilgiri & Pulney Hill-tops, iii. 425 (1920).
Ellenbeckii K. Schum.
Engler & Drude, Veget. Erde, ix. 1. 1. 150 (1910).
ensifolia Bedd.
Beddome, Ic. Pl. Ind. Or. t. 173 (1874).
filipendula K. Schum.
Pflanzenfam. iv. II. 272 (1895).—*Fl.*
fimbriifera Bedd.
Beddome, Ic. Pl. Ind. Or. t. 172 (1874).
fusca C. Bolle
*Bot. Mag. cxxxii. t. 8066 (1906).

CEROPEGIA
Gardneri Thw.
*Bot. Mag. lxxxviii. t. 5306 (1862).
*Ill. Hort. xi. t. 396 (1864).
Rev. Hort. 1875, p. 169; 1901, p. 110.
Journ. Hort. Ser. III. iv. 191 (1882); xliii. 541 (1901).
Nicholson, Illustr. Dict. Gard. i. 301 [1884–88].
*Bois, Dict. Hort. 285 (1893–99).
Bellair & St.-Léger, Pl. Serre, 507 (1900).
gymnopoda Schlechter
Dinter, Neue Pfl. Deutsch-S.W. Afr. fig. 10 (1914) in ic.; *Dichaelia forcipata* in textu.
Haygarthii Schlechter
Engl. Jahrb. xxxviii. 47 (1905).
×**hybrida** N. E. Br.
Gard. Chron. Ser. III. xl. 384 (1906).
intermedia Wight
Wight, Ic. Pl. Ind. Or. iv. t. 1263 (1848).
juncea Roxb.
*Roxburgh, Pl. Coromandel, i. t. 10 (1795).
Wight, Ic. Pl. Ind. Or. iv. t. 1260 (1848).
kachinensis Prain
Ann. Bot. Gard. Calcutta, ix. t. 65 (1901).
leucotaenia K. Schum.
Pflanzenfam. iv. II. 272 (1895).—*Fl.*
longifolia Wall.
*Wallich, Pl. Asiat. Rar. i. t. 73 (1830).
lucida Wall.
*Wallich, Pl. Asiat. Rar. ii. t. 139 (1831).
Lushii Grah.
*Bot. Mag. lxi. t. 3300 (1834).
Meyeri-Johannis Engl.
Engler, Pflanzenw. Ost-Afr. Teil C, t. 40 (1895).
Pflanzenfam. iv. II. 272 (1895).—*Fl.*
Monteiroae Hook. f.
*Bot. Mag. cxiii. t. 6927 (1887).
multiflora Baker
*Saunders, Ref. Bot. i. t. 10 (1869).
Munronii Wight
Wight, Ic. Pl. Ind. Or. iv. t. 1264 (1848).
mysorensis Wight
Wight, Ic. Pl. Ind. Or. iii. t. 846 (1843–45).
nana Coll. & Hemsl.
Journ. Linn. Soc., Bot. xxviii. t. 13 (1890).
oculata Hook.
*Bot. Mag. lxx. t. 4093 (1844).
papuana Schlechter
Engl. Jahrb. l. 163 (1913).
parviflora Trim.
*Trimen, Handb. Fl. Ceylon, Atlas, iii. t. 63 (1895).
pubescens Wall.
*Wallich, Pl. Asiat. Rar. ii. t. 187 (1831).
pusilla Wight & Arn.
Wight, Ic. Pl. Ind. Or. iv. t. 1261 (1848).
*Wight, Spicil. Neilgherr. ii. t. 153 (1851).
Fyson, Fl. Nilgiri & Pulney Hill-tops, ii. 191 (1915).
pygmaea Schinz
Dinter, Neue Pfl. Deutsch-S.W. Afr. fig. 11 (1914).
ringens A. Rich.
Pflanzenfam. iv. II. 272 (1895).—*Fl.*
rupicola Defl.
Monatsschr. Kakt. ix. 169 (1899).
sagittata Linn.
*Jacquin, Hort. Schoenbr. i. t. 38 (1797).
Lamarck, Ill. i. t. 179, fig. 1 (1797).
Sandersonii Decne.
*Bot. Mag. xcv. t. 5792 (1869).
Ill. Hort. xvi. Misc. 82 (1869).—*Fl.*
Gard. Chron. 1870, p. 173; Ser. III. xl. 383 (1906).
*Baillon, Dict. Bot. iv. t. [10] (1886).
Pflanzenfam. iv. II. 271 (1895).
Gartenwelt, iv. 147 (1899).
Monatsschr. Kakt. x. 73 (1900).
Rev. Hort. 1901, p. 111.
Velenovsky, Vergl. Morphol. Pfl. ii. t. 5 (1907).—*Veg.*
De Wildeman, Ic. Sel. Hort. Then. vi. t. 237 (1909).
Wettstein, Handb. Syst. Bot. Ed. 2, p. 751 (1911).—*Fl.*
Ber. Deutsch. Bot. Ges. xxxi. t. 19, fig. 4 (1913).

CEROPEGIA
Sandersonii
Glück, Blatt.- & Blütenmorph. Stud. 46, t. 3 (1919).
similis N. E. Br.
Gard. Chron. Ser. III. xl. 384 (1906).
sororia Harv.
*Bot. Mag. xcii. t. 5578 (1866).
spiralis Wight
Wight, Ic. Pl. Ind. Or. iv. t. 1267 (1848).
squamulata Decne.
Ann. Sc. Nat. Paris, ix. t. 9 (1838).—*Fl.*
stapeliiformis Haw.
*Bot. Mag. lxiv. t. 3567 (1837).
*Maund, Botanist, iv. t. 154 (1840).
*Fl. des Serres, Ser. I. ii. t. 4 (Juin, 1846).
Lemaire, Pl. Grasses, 36 [1869].
Rev. Hort. 1869, p. 25.
Rümpler & Schumann, Sukkulenten, 238 (1892).
Pflanzenfam. iv. II. 271 (1895).
Bellair & St.-Léger, Pl. Serre, 508 (1900).
Rev. Hort. 1901, p. 109.—*Fl.*
De Wildeman, Ic. Sel. Hort. Then. vi. t. 237, p. 136 (1909).—*Fl.*
Berger, Stapel. u. Klein. 364 (1910).—*Fl.*
Monatsschr. Kakt. xxiv. 94 (1914).
tenuifolia Linn.
Lamarck, Ill. i. t. 179, fig. 2 (1797).
Thorncroftii N. E. Br.
*Bot. Mag. cxxxviii. t. 8458 (1912).
Thwaitesii Hook.
*Bot. Mag. lxxx. t. 4758 (1854).
Cottage Gard. xi. 413 (1854).
Gard. Chron. Ser. III. xl. 384 (1906).
Fyson, Fl. Nilgiri & Pulney Hill-tops, iii. 426 (1920).
tuberosa Roxb.
*Roxburgh, Pl. Coromandel, i. t. 9 (1795).
*Joh. Kerner, Hort. Sempervir. ii. t. 63 (1800).
Wight, Ic. Pl. Ind. Or. ii. t. 353 (1840–43).
Basu, Ind. Med. Pl. t. 631 (1918).
tubulifera Defl.
*Deflers, Asclep. Arab. Trop. (Mém. Inst. Égypt. iii. II), t. 1 (1896).
umbraticola K. Schum.
Pflanzenfam. iv. II. 272 (1895).—*Fl.*
variegata Decne.
Ann. Sc. Nat. Paris, Ser. II. ix. t. 9 (1838).—*Fl.*
Vignaldiana A. Rich.
Pflanzenfam. iv. II. 271 (1895).
Engler & Drude, Veget. Erde, ix. I. 1. 99 (1910).
vincifolia Hook.
*Bot. Mag. lxvi. t. 3740 (1839).
Walkeriae Wight
Wight, Ic. Pl. Ind. Or. iv. t. 1266 (1848).
Wallichii Royle
*Royle, Illustr. Bot. Himal. t. 66 (1839).
Wightii Grah.
*Bot. Mag. lx. t. 3267 (1833).
Woodii Schlechter
Gard. Chron. Ser. III. xxii. 358 (1897); xxxvii. 244 (1905).
*Bot. Mag. cxxvi. t. 7704 (1900).
*Gartenfl. l. t. 1486 (1901).
Gartenwelt, vii. 127 (1902).
Garden, lxii. 90 (1902).
Wood, Natal Pl. iv. III. t. 357 (1905).
Rep. Missouri Bot. Gard. xvi. 26 (1905).
Velenovsky, Vergl. Morphol. Pfl. ii. 667 (1907); iii. t. 9 (1910).
Flora, xcix. 189 (1908).—*Veg.*
Francé, Leben Pflanze, vi. 363 (1913).
Goebel, Entfaltungsb. Pfl. 40 (1920).—*Fl.*
yorubana Schlechter
Engl. Jahrb. xxxviii. 47 (1905).

CEROPTERIS Link.—Vide *Neurogramme*
calomelanos Underw.
L. H. Bailey, Stand. Cycl. Hort. 726 (1914).—*Hab.*
Sim, Ferns S. Africa, Ed. 2, t. 73 (1915).
monosticha Fée
Fée, Mém. Foug. vii. t. 22 (1854–57); et in Mém. Soc. Sc. Nat. Strasbourg, v. I. t. 22 (1858).
Stuebelii Hieron.
Hedwigia, xlviii. t. 10 (1909).
thalictroides Brongn.
Sim, Ferns S. Africa, Ed. 2, t. 109 (1915).

CEROPTERIS
triangularis Underw.
Amer. Fern Journ. iv. t. 17 (1914).
L. H. Bailey, Stand. Cycl. Hort. 725 (1914).

CEROXYLON Humb. & Bonpl.—Vide *Beethovenia, Klopstockia*
andicola Humb. & Bonpl.
Humboldt & Bonpl. Pl. Aeq. t. 1, 1 b (1805).
Lamarck. Ill. vi. t. 996 (1823).
Journ. Hort. xxxiii. 343 (1865).
*Ill. Hort. xxi. t. 157 (1874); xxv. 174 (1878).
Charton, Tour du Monde, xxxv. 223 (1878).—*Hab.*
*Kerchove, Palm. t. 18 (1878).—*Hab.*
Baillon, Dict. Bot. i. 711, 712 (1878).—*Hab.*
Pflanzenfam. ii. III. 4, 61 (1889).
Monde des Pl. i. 151 (1892).—*Hab.*
Brehm, Merv. Nat. Monde des Pl. ii. 621 (1894–96).—*Hab.*
Baillon, Hist. Pl. xiii. 268 (1895).—*Fl.*
Kronfeld, Atlas Pflanzengeogr. 179 (1899).—*Hab.*
Gatin, Palm. 82, 281 (1912).
Tschirch, Handb. Pharmakog. ii. 737 (1912).—*Hab.*
ceriferum Karst.
Pflanzenfam. ii. III. 4 (1889).—*Hab.*
ferrugineum Wallis
Gartenfl. xxviii. t. 977 (1879).
Klopstockia Mart.
Rhein. Jahrb. Gartenk. & Bot. i. t. 4 a (1884).
niveum Hort.
Rev. Hort. 1876, p. 235.—*Hab.*

CERQUEIRIA Berg: *Gomidesia*
Sellowiana Berg
Mart. Fl. Bras. xiv. I. t. 10 (1857–59).

CERVANTESIA Ruiz & Pav.
bicolor Cav.
Cavanilles, Ic. v. t. 475 (1799).
Kunthiana Baill.
Journ. Linn. Soc., Bot. xvii. t. 3 (1878).
tomentosa Ruiz & Pav.
Ruiz & Pavon, Prod. Fl. Peruv. & Chil. t. 7 (1794); et Fl. Peruv. & Chil. iii. t. 241 (1802).
*Joh. Kerner, Gen. Pl. Ill. iii. t. 49 (1820).

CERVARIA Gaertn.: *Peucedanum*
oreoselinum Gaud.
Gaudin, Fl. Helv. ii. t. 4 (1828).—*Fr.*
Rivinii Gaertn.
Gaertner, Fruct. i. t. 21 (1788).—*Fr.*

CERVICINA Del.: *Wahlenbergia*
campanuloides Del.
Delile, Fl. Égypte, t. 5 (1812).
gracilis Britten
Banks & Soland. Bot. Cook's Voy. ii. t. 182 (1901).

CESTICHIS Thou.: *Stichorchis*
benguetensis Ames
Ames, Orchidac. i. t. 3 (1905).
caespitosa Ames
Ames, Orchidac. ii. 133 (1908).
compressa Ames
Ames, Orchidac. i. 76 (1905).
Elmeri Ames
Ames, Orchidac. i. t. 3 (1905).
gracilis Ames
Ames, Orchidac. ii. 136 (1908).—*Fl.*
halconensis Ames
Ames, Orchidac. iii. t. 47 (1908).
Merrilli Ames
Ames, Orchidac. i. t. 3 (1905).
pendula Pfitz.
Pflanzenfam. ii. IV. 129 (1889).—*Hab.*
Kerchove, Livre Orch. 88 (1894).
philippinensis Ames
Ames, Orchidac. i. t. 2 (1905).
trichoglottis Ames
Ames, Orchidac. ii. 139 (1908).—*Fl.*

CESTRUM Linn.—Vide *Habrothamnus*
alaternoides Buch.-Ham.
*Bot. Mag. lvi. t. 2929 (1829).

CESTRUM
alternifolium O. E. Schulz
Plumier, Pl. Amer. Ed. Burm. t. 157, fig. 1 (1758); fide Urban, Fedde Repert. Beih. v. 72.
angustifolium Lodd.
*Lodd. Bot. Cab. vii. t. 618 (1822).
arvense Vell.
Vellozo, Fl. Flum. iii. t. 7 (1827).
aurantiacum Lindl.
*Bot. Reg. xxxi. t. 22 (1845).
*Fl. des Serres, Ser. I. i. 80 (1845).
*J.W. Loudon, Ladies' Fl.-Gard. Ornam. Greenh. Pl. t. 40 (1848).
*Paxt. Mag. xiv. 77 (1848).
Lem. Jard. Fl. iii. Misc. 73 (1853).
*Sweet, Ornamental Fl. Gard. ii. t. 85 (1854).
Rev. Hort. Ser. IV. vii. 238 (1858).
Journ. Hort. Ser. III. viii. 489 (1884); xlviii. 427 (1904).
Baillon, Hist. Pl. ix. 315 (1888).—*Fl.*
Bellair & St.-Léger, Pl. Serre, 510 (1900).
Gubb, Fl. Algeria, t. 32 (1909).
Eden Philpotts, My Shrubs, 30 (1915).
A. S. & P. P. Calvert, A Year of Costa Rican Nat. Hist. 88 (1917).
Sim, Flowering Trees & Shrubs, 67 (1919).
auriculatum L'Hér.
*L'Héritier, Stirp. t. 35 (1786).
Ruiz & Pavon, Fl. Peruv. & Chil. ii. t. 155 (1799).
axillare Vell.
Vellozo, Fl. Flum. iii. t. 6 (1827).
bracteatum Link & Otto
*Link & Otto, Ic. Pl. Rar. t. 6 (1828–31).
*Bot. Mag. lvii. t. 2974 (1830).
Paxt. Fl. Gard. iii. 58 (1852–53).
calycinum Willd.
Paxt. Fl. Gard. i. 153 (1850–51).
cauliflorum Jacq.
*Jacquin, Hort. Schoenbr. iii. t. 325 (1798).
confertum Ruiz & Pav.
Ruiz & Pavon, Fl. Peruv. & Chil. ii. t. 153 (1799).
conglomeratum Ruiz & Pav.
Ruiz & Pavon, Fl. Peruv. & Chil. ii. t. 156 (1799).
diurnum Linn.
Dillenius, Hort. Eltham. Add. Denom. Linn. t. 154 (1774).
*Mordant de Launay, Herb. Amat. ii. t. 94 (1817).
*Drapiez, Herb. Amat. Fl. iv. t. 248 (1830).
elegans Schlechtd.
*Bot. Mag. xciii. t. 5659 (1867).
L. H. Bailey, Cycl. Amer. Hort. 285 (1900); Stand. Cycl. Hort. 726 (1914).
Sim, Flowering Trees & Shrubs, 68 (1919).
fasciculatum Miers
Gard. Chron. xxiii. 185 (1885); Ser. III. lix. 340 (1916).
Gartenfl. xxxvii. 34 (1888).
Pflanzenfam. iv. III. B. 31 (1891).—*Fl.*
*Rev. Hort. Belge, xxvi. 121 (1900).
Flora & Sylva, i. 289 (1903).
fastigiatum Jacq.
*Jacquin, Hort. Schoenbr. iii. t. 330 (1798).
*Bot. Mag. xlii. t. 1729 (1815).
foetidissimum Jacq.
*Jacquin, Hort. Schoenbr. iii. t. 329 (1798).
*Jacquin, Fragm. t. 42 (1809).—*Fr.*
Pflanzenfam. iv. III. B. 31 (1891).
hirsutum Jacq.
*Jacquin, Hort. Schoenbr. iii. t. 324 (1798).
lanuginosum Ruiz & Pav.
Ruiz & Pavon, Fl. Peruv. & Chil. ii. t. 157 (1799).
latifolium Lam.
Vahl, Eclogae Amer. i. t. 10 (1796).—*Fl.*
laurifolium L'Hér.
*L'Héritier, Stirp. t. 34 (1786).
*J. E. Smith, Spicil. Bot. t. 2 (1791–92).
*Joh. Kerner, Hort. Sempervir. t. 110 (1803).
*Lodd. Bot. Cab. xvii. t. 1688 (1830).
longiflorum Ruiz & Pav.
Ruiz & Pavon, Fl. Peruv. & Chil. ii. t. 154 (1799).
macrophyllum Vent.
Ventenat, Choix Pl. t. 18 (1803).
*Mordant de Launay, Herb. Amat. v. t. 337 (1821).
*Descourtilz, Fl. Pitt. & Méd. Antilles, iii. t. 166 (1827).
*Drapiez, Herb. Amat. Fl. iii. t. 189 (1829).

CESTRUM
nocturnum Linn.
Dillenius, Hort. Eltham. Add. Denom. Linn. t. 153 (1774).
Gaertner, Fruct. i. t. 77 (1788).—*Fr.*
*Plantes & Arbust. d'Agrément, [t. 16] (1791).
Lamarck, Ill. i. t. 112, fig. 1 (1797).
*Descourtilz, Fl. Pitt. & Méd. Antilles, iii. t. 160 (1827).
J. C. Loudon, Arbor. & Frutic. Brit. iii. 1275 (1838).
Pinto, Diccion. Bot. Brasil. fig. 17 (1873).
*Blanco, Fl. Filip. t. 151 (1878–80).
Gard. Chron. xx. 757 (1883).
Bull. Agric. Congo Belge, iii. 362 (1912).
Lecomte, Fl. Gén. Indo-Chine, iv. 332 (1915).
odontospermum Jacq.
*Jacquin, Hort. Schoenbr. iii. t. 331 (1798).
oppositifolium Lam.
Lamarck, Ill. i. t. 112, fig. 2 (1797).
organense Miers
Miers, Ill. S. Amer. Pl. i. t. 16 (1850).
parqui L'Hér.
*L'Héritier, Stirp. t. 36 (1786).
*Schmidt, Oest. Allgem. Baumzucht, t. 133 (1792–1822).
*Duhamel, Arbres & Arbustes, Ed. 2, ii. t. 60 (1804).
*Bot. Mag. xlii. t. 1770 (1815).
Berchtold & J. S. Presl, Rostlin. i. t. [46] (1823).
*Mordant de Launay, Herb. Amat. viii. t. 552 (1827).
*Drapiez, Herb. Amat. Fl. viii. t. 590 (1835).
J. C. Loudon, Arbor. & Frutic. Brit. iii. 1275 (1838).
Le Maout & Decaisne, Traité Gén. Bot. 186 (1868).
Nicholson, Illustr. Dict. Gard. i. 302 [1884–88].
Baillon, Hist. Pl. ix. 315 (1888).—*Fl.*
Pflanzenfam. iv. III. B. 31 (1891).—*Fl.*
Lubbock, Seedlings, ii. 298 (1892).—*Veg.*
*Bettfreund, Fl. Argentina, i. t. 9 (1898).
Bellair & St.-Léger, Pl. Serre, 511 (1900).
Fiori & Paol. Ic. Fl. Ital. 339 (1902).
Schneider, Ill. Handb. Laubh. ii. 613 (1911).
Silva Tarouca, Freiland-Laubgehölze, 176 (1913).—*Hab.*
pendulinum Jacq.
*Jacquin, Hort. Schoenbr. iii. t. 327 (1798).
*Joh. Kerner, Hort. Sempervir. t. 172 (1805).
racemosum Ruiz & Pav.
Ruiz & Pavon, Fl. Peruv. & Chil. ii. t. 154 (1799).
Regelii Planch.
*Fl. des Serres, Ser. I. ix. t. 946 (1853–54) in textu; *Habrothamnus aurantiacus* in ic.
roseum H. B. K.
H. B. K. Nov. Gen. iii. t. 197 (1818).
*Joh. Kerner, Hort. Sempervir. t. 543 (1819).
*Horticulteur Univ. v. 102 (1844).
Gard. Chron. xxiii. 184 (1885).
salicifolium Jacq.
*Jacquin, Hort. Schoenbr. iii. t. 326 (1798).
*Joh. Kerner, Hort. Sempervir. t. 144 (1803).
stipulatum Vell.
Vellozo, Fl. Flum. iii. t. 5 (1827).
strigillatum Ruiz & Pav.
Ruiz & Pavon, Fl. Peruv. & Chil. ii. t. 156 (1799).
suberosum Jacq.
*Jacquin, Hort. Schoenbr. iv. t. 452 (1804).
subsessile Vell.
Vellozo, Fl. Flum. iii. t. 8 (1827).
tinctorium Jacq.
*Jacquin, Hort. Schoenbr. iii. t. 332 (1798).
undulatum Ruiz & Pav.
Ruiz & Pavon, Fl. Peruv. & Chil. ii. t. 155 (1799).
vespertinum Linn.
Murray in Nov. Comm. Soc. Sc. Göttingen, v. t. 8 (1774).
*Jacquin, Hort. Schoenbr. iii. t. 328 (1798).
vestitum Hook.
Hook. Ic. Pl. iv. t. 381 (1841).
viridiflorum Hook.
*Bot. Mag. lxix. t. 4022 (1843).

CETERACH Lam.—Vide *Hemidictyum* (2), *Notolepeum*
alternans Kuhn
Pflanzenfam. i. IV. 243 (1899).

CETERACH
aspidioides Willd.
Raddi, Pl. Bras. Nov. Gen. Pars I (Filices), t. 21 (1825).
capensis Kunze
Kunze, Anal. Pteridogr. t. 8 (1837).
Fée, Mém. Foug. v. t. 30 (1850–52).
Ettingshausen in Denkschr. Akad. Wiss. Wien, xxiii. t. 9 (1864).—*Veg.*
Ettingshausen, Farnkr. t. 68 (1865).
Ceterach Newm.
Karsten, Deutsche Fl. Pharm.-medic. Bot. 277 (1880–83).
Karsten, Fl. Deutschl. i. 270 (1895).
cordatum Desv.
Fée, Mém. Foug. v. t. 30 (1850–52).
Pflanzenfam. i. IV. 243 (1899).
Christ, Geogr. Farne, 161 (1910).
Sim, Ferns S. Africa, Ed. 2, t. 73 (1915).
—— **namaquense** Sim
Sim, Ferns S. Africa, Ed. 2, t. 73 (1915).
—— **pinnatifidum** Sim
Sim, Ferns S. Africa, Ed. 2, t. 141 (1915).
hispanicum Mett. f.
Rouy, Illustr. Pl. Eur. Rar. fasc. 12, t. 300 (1899).
latifolium Fée
Fée, Mém. Foug. v. t. 30 (1850–52).
officinarum DC.
*Hill, Family Herbal, t. 46 (1812); fide Ed.
*Hayne, Getreue Darst. Arzn. Gewächse, viii. t. 48 (1822).
Newman, Hist. Brit. Ferns, 85, 87 (1840); Ed. 2, p. 293, 301, 304 (1844).
*Hooker, Gen. Fil. t. 113 (1842).
Deakin, Florigr. Brit. iv. fig. 1599 (1848).
T. Moore, Handb. Brit. Ferns, 120 (1848); Ed. 2, p. 182, 184 (1853); Ed. 3, p. 214, 216 (1857).
Fée, Mém. Foug. v. t. 30 (1850–52).
Moore & Ayres, Mag. Bot. iii. 263 (1851).
*Johnson & Sowerby, Ferns Gr. Brit. t. 36 (1855).
Mettenius, Fil. t. 13, fig. 13 (1856).
Cottage Gard. xv. 355 (1856).
T. Moore, Index Fil. Gen. & Spec. t. 39 [1857–62].
*Lowe, Ferns, v. t. 54 (1858).
Berg, Charakt. t. 4, fig. 51 (1861).
Johnson & Sowerby, Brit. Wild Fl. Suppl. fig. 1749 (1863).
Ettingshausen, Farnkr. 153 (1865).
Bentham, Handb. Brit. Fl. fig. 1286 (1865).
Beddome, Ferns Brit. Ind. t. 71 (1865–70).
*T. Moore, Brit. Ferns & their Allies, t. 6 (1866).
J. Smith, Ferns Brit. & Foreign, 229 (1866); Ed. 2, p. 229 (1879).
G. W. Johnson, Brit. Ferns, 90 (1867).
*Lowe, Native Ferns, ii. 371, t. 57 (1867).
Cesati, Passer. & Gibelli, Comp. Fl. Ital. t. 1 (1867–86).
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, vi. t. 301 [1873].
Courtauld, Ferns Brit. Isles, t. 7 (1877).
*Lesacher & Mareschal, Nouv. Bot. Méd. ii [t. 51] (1878).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, i. t. 16 (1880).
*Britten, Eur. Ferns, 89 [1880–82].
Wagner, Ill. Deutsche Fl. Ed. 2, p. 886 (1882).
Waldner, Deutschl. Farne, t. 21 (1883).
*Baillon, Ic. Fl. Franç. i. t. 38 [1885–94].
Rec. Mém. & Trav. Soc. Bot. Luxembourg, xi. 1885–86, t. 7 (1886).
*Syme, Engl. Bot. xii. t. 1883 (1886).
*Thomé, Fl. Deutschl. i. t. 5 (1886).
Druery, Choice Brit. Ferns, 84 (1888).
Rey-Pailhade, Fougères France, t. 22, 23 (1893).
Acloque, Fl. France, 726 (1894).
Fiori & Paol. Ic. Fl. Ital. 1 (1895).
Garcke, Ill. Fl. Deutschl. 715 (1895).
Post, Fl. Syria, Palestine & Sinai, 906 [1896].
*Siélain, Atlas Poche Pl. Champs, Prair. & Bois, Ser. II. t. 123 (1896).
Pflanzenfam. i. IV. 243 (1899).
*Masclef, Pl. Eur. t. 6 (1905).
Coste, Fl. France, iii. 681 (1906).
Lazaro, Comp. Fl. Españ. i. 563 (1906).

CETERACH
officinarum
Merino, Fl. Galicia, iii. 453 (1909).
Fedtschenko & Fler. Fl. Eur. Russia, 14 (1910).
*Correvon, Fl. Champs & Bois, t. 79 (1911).
Adamović, Pflanzenw. Dalm. t. 28 (1911).
Warburg, Pflanzenwelt, i. 263 (1913).
!Allg. Bot. Zeitschr. xix. t. 2 (1913).
Fitch & Smith, Ill. Brit. Fl. Ed. rev. 4, Iss. 2, fig. 1306 (1919).
—— **imbricato-lobatum** Berger
Allg. Bot. Zeitschr. xix. 178 (1913).—*Hab.*
—— **kalon** Lowe
Lowe, Native Ferns, ii. 375 (1867).
—— **minimum** Lowe
Lowe, Native Ferns, ii. 374 (1867).
—— **ramo-cristatum** Lowe
Lowe, Native Ferns, ii. 375 (1867).
—— **variabile** Lowe
Lowe, Native Ferns, ii. 374 (1867).
papaverifolium Mett.
Mettenius, Fil. t. 13, fig. 14 (1856).
pedunculatum Hook. & Grev.
Hooker & Grev. Ic. Fil. i. t. 5 (1831).
polypodioides Raddi
Raddi, Pl. Bras. Nov. Gen. Pars I (Filices), t. 22 (1825).

CEVALLIA Lag.
sinuata Lag.
Lagasca, Gen. & Sp. Pl. t. 1 (1816).
Hook. Ic. Pl. iii. t. 252 (1840).
Denkschr. Bot. Ges. Regensburg, iii. t. 4 (1841).
Pflanzenfam. iii. VI. A. 108 (1894).
Nov. Act. Acad. Nat. Cur. lxxvi. t. 1 (1900).—*Fl.*

CHABRAEA DC.: *Leuceria*
abbreviata Bertol.
Colla in Mem. Accad. Sc. Torino, xxxviii. 42, t. 27 (1835).
glabra DC.
Delessert, Ic. Pl. iv. t. 89 (1839).
glacialis DC.
Delessert, Ic. Pl. iv. t. 91 (1839).
laciniata Wedd.
Weddell, Chloris Andina (Castelnau Expéd., Bot.), i. t. 10 (1855–57).
purpurea DC.
Ann. Mus. Hist. Nat. Paris, xix. 71 (1812) in textu; *Bertolonia purpurea* in ic.
rosea DC.
Delessert, Ic. Pl. iv. t. 90 (1839).
runcinata Hook.
*Bot. Mag. lxx. t. 4116 (1844).
salina Remy
*C. Gay, Hist. Chile, Atlas, t. 41 (1854).
suaveolens DC.
Hook. Ic. Pl. v. t. 496 (1842).
Hooker f., Fl. Antarct. ii. t. 111 (1846).

CHADSIA Boj.
Grandidieri Baill.
Grandidier, Hist. Madag. [Plantes] Atlas, t. 38 (1886).
granitica Baill.
Grandidier, Hist. Madag. [Plantes] Atlas, t. 39 (1886).
Jullyana Dubard & Dop
Ann. Mus. Col. Marseille, Ser. II. v. 31–33 (1907).
Perrieri Dubard & Dop
Ann. Mus. Col. Marseille, Ser. II. v. 36–37 (1907).

CHAENACTIS DC.—Vide *Acarphaea*
achilleifolia Hook. & Arn.
Stansbury, Exped. Valley Gt. Salt Lake Utah, 391, t. 6 (1852).
Douglasii Hook. & Arn.
M. Armstrong, Field Book West. Wild Fl. 549 (1915).
lanosa DC.
M. Armstrong, Field Book West. Wild Fl. 549 (1915).
macrantha D. C. Eaton
King U.S. Geol. Expl. v (Bot.), t. 18 (1871).
tenuifolia Nutt.
*Gartenfl. xxxvii. t. 1275 (1888).

CHAENANTHE Lindl.
Barkeri Lindl.
Pflanzenfam. ii. VI. 193 (1889).—*Fl.*
Kerchove, Livre Orch. 151 (1894).—*Fl.*

CHAENESTHES Miers: *Jochroma*
gesnerioides Miers
*Gartenfl. xi. t. 358 (1862).
Trans. Russ. Hort. Soc. 1862, t. 84.—*Fl.*
lanceolata Miers
*Bot. Mag. lxxiii. t. 4338 (1847).
*Fl. des Serres, Ser. I. iv. t. 309 (1848).
*W. Thompson, Engl. Fl. Gard. ii. 81 (1853).

CHAENOMELES Lindl.—Vide *Cydonia* (1), *Pirus* (2)
alba grandiflora Carr.
*Rev. Hort. 1876, p. 410.
cathayensis C. K. Schneider
Schneider, Ill. Handb. Laubh. i. 729, 730 (1906).
L. H. Bailey, Stand. Cycl. Hort. 2865 (1916).—*Fr.*
citripoma Carr.
*Rev. Hort. 1876, p. 330; 1891, p. 41.
japonica Lindl.
*Belg. Hort. i. t. 29, p. 263 (1851).
Decaisne & Naud. Amat. Jard. iii. 58 [1862–66].
*Réveil, Règne Vég. xiv. t. 35 (1870).
!Ill. Hort. xix. 216 (1872).
Rev. Hort. 1874, p. 295; 1876, p. 410.—*Fr.*
Schneider, Dendrol. Winterst. 125 (1903).—*Veg.*
Schneider, Ill. Handb. Laubh. i. 729, 730 (1906).
Bull. Soc. Dendr. France, 1913, p. 170.—*Veg.*
L. H. Bailey, Stand. Cycl. Hort. 728 (1914).
—— **alba** Hort.
*A Kert (The Garden), x. 661 (1904).
—— **Belzii** Späth
*A Kert (The Garden), x. 661 (1904).
—— **cardinalis** Späth
*Rev. Hort. 1872, p. 331.
*A Kert (The Garden), x. 661 (1904).
—— **dolichocarpa** Depken
Mitt. Deutsch. Dendr. Ges. 1913, p. 321.—*Fr.*
—— **eburnea** Hort.
*Rev. Hort. 1872, p. 331.
—— **extus-coccinea** Hort.
*Rev. Hort. 1872, p. 331.
—— **Mallardii** Hort.
*Rev. Hort. 1872, p. 331.
—— **pedunculata** Carr.
Rev. Hort. 1877, p. 192.
—— **rosea** Hort.
*A Kert (The Garden), x. 661 (1904).
—— **serotina** André
Rev. Hort. 1894, p. 424, 425.
—— **umbilicata** Sieb. & De Vriese
*Jaarb. Tuinbouw, 18 (1848).
*Fl. des Serres, Ser. I. v. t. 510–12 (1849).
*Belg. Hort. i. t. 29, fig. 6 (1851).—*Fr.*
Maulei C. K. Schneider
Schneider, Ill. Handb. Laubh. i. 729, 730 (1906).
L. H. Bailey, Stand. Cycl. Hort. 2865, 2866 (1916).—*Fr.*
—— **alpina** C. K. Schneider
Schneider, Ill. Handb. Laubh. i. 730 (1906).—*Veg.*
Silva Tarouca, Freiland-Laubgehölze, 176 (1913).—*Hab.*
—— **Sargentii** Mottet
*Rev. Hort. 1911, p. 204.
sinensis Koehne
Schneider, Dendrol. Winterst. 125 (1903).—*Veg.*
Schneider, Ill. Handb. Laubh. i. 729, 730 (1906).
trichogyna Nakai
Nakai, Fl. Sylv. Koreana, Pt. 6, t. 15 (1916).

CHAENORRHINUM Reichb.
crassifolium Lange
*Willkomm, Ill. Fl. Hispan. Balear. ii. t. 106, fig. B (1886).
—— **capitatum** Willk.
*Willkomm, Ill. Fl. Hispan. Balear. ii. t. 107, fig. A (1886).
exile hispanicum Willk.
*Willkomm, Ill. Fl. Hispan. Balear. ii. t. 106, fig. A (1886).

CHAENORRHINUM
glareosum Lange
*Willkomm, Ill. Fl. Hispan. Balear. ii. t. 107, fig. B (1886).
macropodum Lange
*Willkomm, Ill. Fl. Hispan. Balear. i. t. 72 (1881–85).
Pflanzenfam. iv. III. B. 58 (1891).—*Fr.*
minus Lange
Fedtschenko & Fler. Fl. Eur. Russia, 853 (1910).
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, iii. 176 (1913).
*Hegi, Ill. Fl. Mittel-Eur. vi. I. t. 235 (1915).
Lindman, Svensk Fanerogamfl. 484 (1918).
origanifolium Lange
Pflanzenfam. iv. III. B. 58 (1891).—*Fl.*
robustum Losc.
*Willkomm, Ill. Fl. Hispan. Balear. i. t. 73 (1881–85).
rubrifolium Lange
*Willkomm, Ill. Fl. Hispan. Balear. ii. t. 105 (1886).

CHAENOSTOMA Benth.—Vide *Lyperia*
Burkeanum Wettst.
Thonner, Blütenpfl. Afr. t. 137 (1908).
fastigiatum Benth.
W. Robinson, Engl. Fl. Gard. t. 63 (1883).—*Hab.*
hispidum Benth.
*Gartenfl. xiii. t. 448 (1864).
Journ. Hort. Ser. III. iii. 443 (1882); xxxiii. 636 (1896).
American Garden, v. 9 (1884).
—— **album** Hort.
*Trans. Russ. Hort. Soc. 1864, t. 156.
—— **persicina** Hort.
*Trans. Russ. Hort. Soc. 1864, t. 156.
linifolium Benth.
Lem. Jard. Fl. ii. Misc. 153 (1852).
Paxt. Fl. Gard. iii. 7 (1852–53).
microphyllum Wettst.
Pflanzenfam. iv. III. B. 68 (1891).—*Fl.*
oxypetalum Wagn. & Vierh.
Vierhapper in Denkschr. Akad. Wiss. Wien, lxxi. t. 14 (1907).
polyanthum Benth.
*Floricult. Cab. xiii. 241 (1845).
*Bot. Reg. xxxiii. t. 32 (1847).
*Paxt. Mag. xiii. 31 (1847).
*J.W. Loudon, Ladies' Fl.-Gard. Ornam. Greenh. Pl. t. 40 (1848).
Baillon, Hist. Pl. ix. 391 (1888).—*Fl.*

CHAEREFOLIUM = *Chaerophyllum*

CHAEROPHYLLUM Linn.
angulatum Kit.
Sprengel in Comm. Soc. Sc. Rec. Göttingen, ii. tab. fig. 6 (1813).—*Fr.*
Anthriscus Lam.
*Syme, Engl. Bot. iv. t. 622 (1865).
Bentham, Handb. Brit. Fl. fig. 439 (1865).
Fitch & Smith, Ill. Brit. Fl. Ed. rev. 4, Iss. 2, fig. 446 (1919).
arborescens Linn.
Hill, Veget. Syst. vi. t. 53 (1764).
aromaticum Linn.
Hill, Veget. Syst. vi. t. 53 (1764).
*Jacquin, Fl. Austr. ii. t. 150 (1774).
*Schkuhr, Bot. Handb. Ed. 2, t. 80 (1808).
Reichenbach, Pl. Crit. vi. t. 514 (1828).
*Sowerby & Sm. Engl. Bot. Suppl. i. t. 2636 (1831).
*Deakin, Florigr. Brit. i. fig. 470 (1841).
*Lorek, Fl. Pruss. Ed. 3, t. 73, fig. 400 (1848).
*Petermann, Deutschl. Fl. t. 39, fig. 305 (1849).—*Fl.*
Johnson & Sowerby, Brit. Wild Fl. fig. 570 (1858–60).
Reichenbach, Ic. Fl. Germ. xxi. t. 2017, 2022 (1866); t. 2051 (1867).—*Fl.*
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, iii. t. 93 [1873].
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xxvii. t. 2850 (1886).
Kerner, Pflanzenleben, ii. 318 (1891).—*Fl.*
Brehm, Merv. Nat. Monde des Pl. ii. 83 (1894–96).—*Fl.*
Kerner & Oliv. Nat. Hist. Pl. ii. 320 (1895).—*Fl.*
Knuth, Handb. Blütenbiol. i. 52; ii. I. 465 (1898).—*Fl.*

CHAEROPHYLLUM
aromaticum
Fiori & Paol. Ic. Fl. Ital. 281 (1901).
Suireishchikov, Ill. Fl. Mosc. Gov. ii. 426 (1907).
Journ. Russe Bot. 1915, p. 16.—*Fr.*
aureum Linn.
*Jacquin, Fl. Austr. i. t. 64 (1773).
Lamarck, Ill. i. t. 201, fig. 4 (1797).—*Fr.*
Rousseau, Bot. t. 31 (1805).
*Sowerby & Sm. Engl. Bot. xxx. t. 2103 (1810).
G. F. Hoffmann, Gen. Umbell. t. 1 B, fig. 29 (1814); Ed. 2, t. 1 B, fig. 29 (1816).—*Fr.*
*Deakin, Florigr. Brit. i. fig. 469 (1841).
Agardh, Theor. Syst. Pl. t. 20 (1858).—*Fl.*
Johnson & Sowerby, Brit. Wild Fl. fig. 569 (1858–60).
Reichenbach, Ic. Fl. Germ. xxi. 2018 (1866).
Cesati, Passer. & Gibelli, Comp. Fl. Ital. t. 95 (1867–86).—*Fl.*
*Cusin & Ansberque, Herb. Fl. Franç. x (Ombellifères), t. 167 (1869).
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, iii. t. 93 [1873].
Warming in Dansk. Vid. Selsk. Skrift. Ser. V. x. t. 4, fig. 7, 8 (1875).—*Fl.*
Harz, Samenkunde, ii. 1059 (1885).—*Fr.*
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xxvii. t. 2849 (1886).
G. Beck, Fl. Nied.-Oesterr. ii. 1. 607 (1892).—*Fr.*
Fiori & Paol. Ic. Fl. Ital. 282 (1901).
Coste, Fl. France, ii. 222 (1903).
Cadevall & Sallent, Fl. Catalunya, iii. 102 (1917).
azoricum Trel.
Rep. Missouri Bot. Gard. viii. t. 26 (1897).
bulbosum Linn.
*Kniphof, Herb. Viv. i. t. 239 (1758).
Hill, Veget. Syst. vi. t. 52 (1764).
*Jacquin, Fl. Austr. i. t. 63 (1773).
*Zorn, Ic. Pl. Med. v. t. 409 (1784).
Hoppe, Ect. Pl. Ratisb. t. 291 (1788).
*Joh. Kerner, Abbild. Oek. Pfl. (Fig. Pl. Écon.), iii. t. 299 (1789).
*Plenck, Ic. Pl. Med. iii. t. 207 (1790).
*Oskamp, Afb. Artseny-Gewass. v. t. 474 (1800).
*Londes, Diss. Chaerophyllo Bulboso, tab. (1801).
*Hayne, Getreue Darst. Arzn. Gewächse, i. t. 32 (1805).
*Schkuhr, Bot. Handb. Ed. 2, t. 80 (1808).—*Fr.*
*Vietz, Ic. Pl. Med.-oec.-techn. v. t. 397 (1817).
*Mann, Deutschl. Wildwachs. Arzney-Pfl. [t. 44] (1823–28).
Nov. Act. Acad. Nat. Cur. xii. 1. t. 10 (1824).—*Fr.*
*Nees, Pl. Offic., Suppl. t. 67 (1833).
Mutel, Fl. Française, t. 20 (1834).—*Fr.*
*Dietrich, Fl. Boruss. x. t. 714 (1842).
*Lorek, Fl. Pruss. Ed. 3, t. 73, fig. 401 (1848).
*G. F. W. Meyer, Fl. Hannover, t. 17 (1850).
Irmisch in Abh. Nat. Ges. Halle, ii. t. 3, fig. 27–38, 40 (1855).—*Veg.*
Rev. Hort. Ser. IV. v. 411 (1856); 1862, p. 350; 1894, p. 332, 333.—*Veg.*
Neubert's Deutsch. Gart. Mag. x. 369 (1857).
Berg, Charakt. t. 58, fig. 449 (1861).
Decaisne & Naud. Amat. Jard. iv. 133, 134 [1862–66].—*Hab.*
Reichenbach, Ic. Fl. Germ. xxi. t. 2017 (1866).
*Cusin & Ansberque, Herb. Fl. Franç. x (Ombellifères), t. 166 (1869).
Garden, viii. 247 (1875).
Karsten, Deutsche Fl. Pharm.-medic. Bot. 857 (1880–83).—*Fr.*
Vilmorin-Andrieux, Pl. Potag. 80 (1883).—*Veg.*
Nicholson, Illustr. Dict. Gard. i. 313 [1884–88].
Harz, Samenkunde, ii. 1059 (1885).—*Fr.*
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xxvii. t. 2851 (1886).
Garcke, Ill. Fl. Deutschl. 270 (1895).
Karsten, Fl. Deutschl. ii. 423 (1895).—*Fr.*
*Köhler, Med. Pfl. iii [t. 225] (1898).
Fiori & Paol. Ic. Fl. Ital. 281 (1901).
Coste, Fl. France, ii. 221 (1903).
Raunkiær, Oversigt Forh. Danske Vidensk. Selsk. 408 (1905).—*Veg.*
Suireishchikov, Ill. Fl. Mosc. Gov. ii. 425 (1907).
Heukels, Fl. Nederl. ii. 462 (1908).
Fedtschenko & Fler. Fl. Eur. Russia, 675 (1910).

CHAEROPHYLLUM
bulbosum
Wettstein, Handb. Syst. Bot. Ed. 2, p. 692 (1911).—*Fr.*
Bull. Angew. Bot. vii. t. 111 (1914).—*Fr.*
Bornemann, Landwirtsch. Unkräuter, fig. 15 (1920).
byzantinum Boiss.
Rouy, Illustr. Pl. Eur. Rar. fasc. 9, t. 203 (1898).
calabricum Guss.
Bull. Herb. Boiss. Ser. II. ii. 723 (1902).—*Veg.*
cerefolium Crantz
*Heger, Herb. Pharm. [t. 106] (1822–25).
*Syme, Engl. Bot. iv. t. 623 (1865) in ic.; *C. sativum* in textu.
Baillon, Hist. Pl. vii. 137 (1880).—*Fr.*
Baillon, Traité Bot. Méd. Phan. ii. 1055 (1884).—*Fr.*
Potonié, Ill. Fl. Nord- u. Mittel-Deutschl. Ed. 4, fig. 368 (1889).
Cicutaria Vill.
Bull. Herb. Boiss. Ser. II. ii. 711, 716, 722 (1902).
Coste, Fl. France, ii. 222 (1903).
Hayek, Fl. Steierm. i. 1139 (1910).—*Fr.*
Cadevall & Sallent, Fl. Catalunya, iii. 101 (1917).
—— **calabricum** Beauverd
Bull. Herb. Boiss. Ser. II. ii. 716 (1902).—*Fl.*
—— **sabaudum** Beauverd
Bull. Herb. Boiss. Ser. II. ii. 716, 725 (1902).
—— **umbrosum** G. Beck
Bull. Herb. Boiss. Ser. II. ii. 716 (1902).—*Fl.*
—— **virosum** Behrens
*Behrens, Blattformen, t. 27, fig. a (1900).—*Veg.*
coloratum Linn.
*Jacquin, Hort. Vind. i. t. 51 (1770).
Reichenbach, Ic. Fl. Germ. xxi. t. 2023 (1866).
elegans Gaud.
Reichenbach, Ic. Fl. Germ. xxi. t. 2019 (1866).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xxvii. t. 2852 (1886).
Bull. Herb. Boiss. Ser. II. ii. 711, 717, 726 (1902).
gracillimum Klotzsch
Klotzsch & Garcke, Bot. Ergebn. Reise Pr. Waldemar, t. 46 (1862).
hirsutum Linn.
Hill, Veget. Syst. vi. t. 53 (1764).
*Jacquin, Fl. Austr. ii. t. 148 (1774).
*Schkuhr, Bot. Handb. Ed. 2, t. 80 (1808).—*Fr.*
G. F. Hoffmann, Gen. Umbell. t. 1 B, fig. 34 (1814); Ed. 2, fig. 34 (1816).—*Fl.*
Reichenbach, Ic. Fl. Germ. xxi. t. 2021 (1866).
*Cusin & Ansberque, Herb. Fl. Franç. x (Ombellifères), t. 169 (1869).
Willkomm, Führ. Reich Pflanzen, 595 (1882).—*Fr.*
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xxvii. t. 2854 (1886).
Fiori & Paol. Ic. Fl. Ital. 282 (1901).
*Hulme, Familiar Swiss Fl. t. 39 (1908).
—— **alpinum** Cusin & Ansb.
Cusin & Ansberque, Herb. Fl. Franç. x (Ombellifères), t. 171 (1869).
—— **rubriflorum** DC.
*Cusin & Ansberque, Herb. Fl. Franç. x (Ombellifères), t. 170 (1869).
hybridum Ten.
*Tenore, Fl. Nap., Atlas, iii. t. 129 (1811–38) in ic.; *Myrrhis hybrida* in textu, iii. 321.
laevigatum Vis.
Reichenbach, Ic. Fl. Germ. xxi. t. 2051 (1867).
libanoticum Boiss. & Kotschy
Post, Fl. Syria, Palestine & Sinai, 352 [1896].—*Fr.*
maculatum Willd.
*Willdenow, Hort. Berol. ii. t. 107 (1816).
magellense Ten.
*Tenore, Fl. Nap., Atlas, iii. t. 130 (1811–38).
Meyeri Boiss. & Buhse
Buhse, Fl. Alburs & Kaspisch. Südküste, t. 5 (1899).
millefolium Klotzsch
Klotzsch & Garcke, Bot. Ergebn. Reise Pr. Waldemar, t. 45 (1862).
neglectum Zing.
Bull. Soc. Nat. Mosc. lvi. No. 2, t. 2 (1881).

CHAEROPHYLLUM
nitidum apricum Asch.
Ascherson in Verh. Bot. Ver. Brandenb. vi. t. 1, 2 (1864).
nodosum Lam.
*Cusin & Ansberque, Herb. Fl. Franç. x (Ombellifères), t. 173 (1869).
odoratum Crantz
Lamarck, Ill. i. t. 201, fig. 3 (1797).—*Fr.*
Prescottii DC.
Neubert's Deutsch. Gart. Mag. x. 371 (1857).
Horticulteur Franç. 1859, p. 171.—*Veg.*
Suireishchikov, Ill. Fl. Mosc. Gov. ii. 426 (1907). (1920).—*Fr.*
Fedtschenko, Fl. Aziat. Ross. fasc. xv. 30 (1920).—*Fr.*
procumbens Crantz
Bot. Gaz. xii. 159, fig. 79 (1887).—*Fr.*
Britton & Brown, Ill. Fl. N. States & Canada, ii. 529 (1897); Ed. 2, ii. 629 (1913).
—— **Shortii** Torr. & Gray
Bot. Gaz. xii. 159, fig. 81 (1887).—*Fr.*
—— **Tainturieri** Coulter & Rose
Bot. Gaz. xii. 159, fig. 82 (1887).—*Fr.*
reflexum orientale C. B. Clarke
Journ. Linn. Soc., Bot. xxv. t. 16 (1889).
roseum M. Bieb.
G. F. Hoffmann, Gen. Umbell. t. 1 B, fig. 33 (1814); Ed. 2, t. 1 B, fig. 33 (1816).—*Fl.*
*Gartenfl. xxvi. t. 915 (1877).
rostratum Lam.
Lamarck, Ill. i. t. 201, fig. 6 (1797).
sativum Lam.
Gaertner, Fruct. i. t. 23 (1788).—*Fr.*
Lamarck, Ill. i. t. 201, fig. 1 (1797).
*Fl. Dan. x. t. 1640 (1819).
*Kops, Fl. Batava, v. t. 392 (1828).
[M. E.] Jackson, Pict. Fl. fig. 428 (1840).
*Syme, Engl. Bot. iv. t. 623 (1865) in textu; *C. Cerefolium* in ic.
silvestre Linn.
Hill, Veget. Syst. vi. t. 52 (1764).
Hill, Herb. Brit. i. t. 88 (1769).
*Jacquin, Fl. Austr. ii. t. 149 (1774).
*Zorn, Ic. Pl. Med. v. t. 412 (1784).
Hoppe, Ect. Pl. Ratisb. t. 209 (1788).
*Plenck, Ic. Pl. Med. iii. t. 208 (1790).
*Martyn, Fl. Rustica, iii. t. 96 (1792).
*Joh. Kerner, Abbild. Oek. Pfl. (Fig. Pl. Écon.), vi. t. 545 (1793).
C. K. Sprengel, Entd. Geheimn. Natur, t. 9, fig. 46, 47, 49 (1793).—*Fl.*
Lamarck, Ill. i. t. 201, fig. 2 (1797).
*Curtis, Fl. Londin. ii. fasc. IV. t. 25 (1798); Ed. 2, ii. fasc. IV. t. 25 (1821).
*Oskamp, Afb. Artseny-Gewass. v. t. 475 (1800).
*Sowerby & Sm. Engl. Bot. xi. t. 752 (1800).
*Svensk Bot. ii. t. 124 (1803).
*Hayne, Getreue Darst. Arzn. Gewächse, i. t. 33 (1805).
*Schkuhr, Bot. Handb. Ed. 2, t. 73 (1808).
*Vietz, Ic. Pl. Med.-oec.-techn. v. t. 398 (1817).
*Mann, Deutschl. Wildwachs. Arzney-Pfl. [t. 45] (1823–28).
*Kops, Fl. Batava, v. t. 393 (1828).
*Heger, Danske Oec. Pl. ii. t. 113 (1831).
*Fl. Dan. xii. t. 2050 (1832).
Mutel, Fl. Française, t. 20 (1834).—*Fr.*
*Zenker, Fl. Thüringen, vii. t. 722 (1836–55).
*Schlechtendal & Guimpel, Abb. Pharm. Boruss. Gew. iii. t. 202 (1837).
[M. E.] Jackson, Pict. Fl. fig. 429 (1840).
Bentham, Handb. Brit. Fl. fig. 438 (1865).
Schnizlein, Iconogr. iii. t. 162 a (1865).—*Fr.*
*Schubert, Naturg., Pflanzenreich, Ed. 2, t. 15, fig. 11 [1865].
*Syme, Engl. Bot. iv. t. 624 (1865).
Album Natuur, 1871, p. 322, fig. 9 l.—*Veg.*
Lubbock, Brit. Fl. Relat. Insects, 103, 104 (1875).
De Silvestre, Piante Prat. 294 (1879).
Baillon, Hist. Pl. vii. 136, 137 (1880).
Nature, xxvii. 465 (1883).
Avebury, Notes Life Hist. Brit. Fl. Pl. 204, 205 (1905).
*Perrin & Boulger, Brit. Flower. Pl. iii. t. 192 (1914).

CHAEROPHYLLUM
silvestre
Fitch & Smith, Ill. Brit. Fl. Ed. rev. 4, Iss. 2, fig. 445 (1919).
Tainturieri Hook.
Britton & Brown, Ill. Fl. N. States & Canada, ii. 530 (1897); Ed. 2, ii. 630 (1913).
Velenovsky, Vergl. Morphol. Pfl. iii. 808 (1910).
—— **dasycarpum** S. Wats.
Contrib. U.S. Nat. Herb. vii. 58 (1900).—*Fr.*
temulentum Linn.
*Sowerby & Sm. Engl. Bot. xxii. t. 1521 (1806).
*Schkuhr, Bot. Handb. Ed. 2, t. 80 (1808).—*Fr.*
Leighton, Fl. Shropshire, 133 [t. 8] (1841).—*Fr.*
*Deakin, Florigr. Brit. i. fig. 468 (1841).
*Baxter, Brit. Bot. Ed. 2, vi. t. 483 (1843).
Johnson & Sowerby, Brit. Wild Fl. fig. 568 (1858–60).
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, iii. t. 93 [1873].
temulum Linn.
Hill, Veget. Syst. vi. t. 52 (1764).
Hill, Herb. Brit. i. t. 88 (1769).
*Jacquin, Fl. Austr. i. t. 65 (1773).
*Fl. Dan. vi. t. 918 (1787).
*Joh. Kerner, Abbild. Oek. Pfl. (Fig. Pl. Écon.), vi. t. 546 (1793).
Lamarck, Ill. i. t. 201, fig. 5 (1797).—*Fr.*
*Curtis, Fl. Londin. ii. fasc. IV. t. 24 (1798); Ed. 2, iii. fasc. IV. t. 24 (1826).
*Hayne, Getreue Darst. Arzn. Gewächse, i. t. 34 (1805).
G. F. Hoffmann, Gen. Umbell. t. I A, fig. 20, t. I B, fig. 28 (1814); Ed. 2, t. I A, fig. 20, t. I B, fig. 28 (1816).—*Fl.*
*Vietz, Ic. Pl. Med.-oec.-techn. v. t. 399 (1817).
Nov. Act. Acad. Nat. Cur. xii. I. t. 10 (1824).—*Fr.*
Gaudin, Fl. Helv. ii. t. 6 (1828).—*Fr.*
*Kops, Fl. Batava, vi. t. 472 (1832).
Mutel, Fl. Française, t. 20 (1834).—*Fr.*
*Dietrich, Fl. Boruss. x. t. 713 (1842).
*Lorek, Fl. Pruss. Ed. 3, t. 73, fig. 402 (1848).
*Syme, Engl. Bot. iv. t. 625 (1865).
Bentham, Handb. Brit. Fl. fig. 437 (1865).
Reichenbach, Ic. Fl. Germ. xxi. t. 2016 (1866).
*Cusin & Ansberque, Herb. Fl. Franç. x (Ombellifères), t. 172 (1869).
*Hogg & Johnson, Wild Fl. Gr. Brit. ix. t. 688 (1876).
Karsten, Deutsche Fl. Pharm.-medic. Bot. 857 (1880–83).—*Fr.*
*C. Hoffmann, Pflanzenatlas, t. 21, fig. 122 (1881).
Wagner, Ill. Deutsche Fl. Ed. 2, p. 345 (1882).
Harz, Samenkunde, ii. 1059 (1885).—*Fr.*
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xxvii. t. 2848 (1886).
*Thomé, Fl. Deutschl. iii. t. 384 (1888).
*Masclef, Atlas Pl. France, t. 142 (1893).
Acloque, Fl. France, 321 (1894).
Karsten, Fl. Deutschl. ii. 423, 424 (1895).
Fiori & Paol. Ic. Fl. Ital. 282 (1901).
C. T. Green, Fl. Liverpool Distr. fig. 258 (1902).
Coste, Fl. France, ii. 221 (1903).
*Sturm, Fl. Deutschl. Ed. 2, xii. t. 37 (1904).
Merino, Fl. Galicia, i. 602 (1905).
Suireishchikov, Ill. Fl. Mosc. Gov. ii. 425 (1907).
Heukels, Fl. Nederl. ii. 462 (1908).
*Esser, Giftpfl. Deutschl. t. 74 (1910).
*Klein, Unsere Unkräuter, t. 71 (1913).
*Gadeceau, Fl. Moiss. t. 71 (1914).
Cadevall & Sallent, Fl. Catalunya, iii. 102 (1917).
Lindman, Svensk Fanerogamfl. 428, 430 (1918).
Fitch & Smith, Ill. Brit. Fl. Ed. rev. 4, Iss. 2, fig. 444 (1919).
Villarsii Koch
Reichenbach, Ic. Fl. Germ. xxi. t. 2020 (1866).
*Cusin & Ansberque, Herb. Fl. Franç. x (Ombellifères), t. 168 (1869).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xxvii. t. 2853 (1886).
Bull. Herb. Boiss. Ser. II. ii. 711, 717, 728 (1902).
Coste, Fl. France, ii. 222 (1903).
—— **alpestre** Gren. & Godr.
Bull. Herb. Boiss. Ser. II. ii. 711, 717, 728 (1902).
—— **cicutariiforme** Beauverd
Bull. Herb. Boiss. Ser. II. ii. 717, 730 (1902).

CHAEROPHYLLUM
Villarsii magellense Ten.
Bull. Herb. Boiss. Ser. II. ii. 717, 728 (1902).

CHAETACANTHUS Nees
Burchellii Nees
Wood, Natal Pl. iii. I. t. 213 (1900); *Calophanes Burkei* in errore, vide Notes & Corrections, vol. vi.

CHAETACME Planch.
aristata Planch.
Sim, For. Fl. Cape Colony, t. 160 (1907).
Engler & Drude, Veget. Erde, ix. I. 2, p. 626 (1910); ix. III. I. p. 16 (1915).
nitida Planch. & Harv.
Harvey, Thes. Cap. i. t. 25 (1859).

CHAETADELPHA A. Gray
Wheeleri A. Gray
Rep. U.S. Geogr. Surv. vi. Bot. t. 15 (1878).
*Wild Fl. Canada, t. 144 (1894).

CHAETANTHERA Ruiz & Pav.—Vide *Aldunatea, Carmelita, Chondrochilus, Egania, Elachia, Oriastrum, Tylloma*
acerosa Haum.
Hauman in An. Soc. Cient. Arg. Buenos Aires, lxxxvi. v, vi. t. 25 (1918).
Berteriana Less.
Colla in Mem. Accad. Sc. Torino, xxxviii. 42, t. 27 (1835).
chilensis DC.
Ann. Mus. Hist. Nat. Paris, xix. 59 (1812).
glandulosa Remy
*C. Gay, Hist. Chile, Atlas, t. 35 (1854).
linearis Poepp.
Delessert, Ic. Pl. iv. t. 80 (1839).
Schnizlein, Iconogr. ii. t. 120 a (1866–70).—*Fl.*
multiflora Humb. & Bonpl.
Humboldt & Bonpl. Pl. Aeq. t. 135 (1813).
pentacaenoides Haum.
Hauman in An. Soc. Cient. Arg. Buenos Aires, lxxxvi. v, vi. t. 25 (1918).
pinnatifida Humb. & Bonpl.
Humboldt & Bonpl. Pl. Aeq. t. 136 (1813).
pungens Humb. & Bonpl.
Humboldt & Bonpl. Pl. Aeq. t. 127 (1813).
Lamarck, Ill. vi. t. 983 (1823).
pusilla Hook. & Arn.
Pflanzenfam. iv. v. 348 (1893).—*Fl.*
serrata Ruiz & Pav.
*Sweet, Brit. Fl. Gard. vi. t. 214 (1833).
*J. W. Loudon, Ladies' Fl.-Gard. Ornam. Perenn. ii. t. 59 (1844).
spathulata Poepp.
Lessing, Syn. Compos. tab. fig. 5 (1832).—*Fl.*
tenella DC.
Delessert, Ic. Pl. iv. t. 82 (1839).
tenuifolia D. Don
Delessert, Ic. Pl. iv. t. 81 (1839).
villosa D. Don
Fielding & Gardn. Sert. Pl. ii. t. 12 (1849).

CHAETANTHUS R. Br.
leptocarpoides R. Br.
A. & C. De Candolle, Monogr. Phan. i. t. 3, 5, fig. 12 (1878).—*Fl.*

CHAETARIA P. Beauv.: *Aristida*
adscensionis P. Beauv.
Cesati, Passer. & Gibelli, Comp. Fl. Ital. t. 7 (1867–86).—*Fl.*
capillaris Nees
P. Beauvais, Agrost. t. 8, fig. 6 (1812).—*Fl.*
curvata Nees
*D. Dietrich, Fl. Univ. Abt. i. t. 879 (1847–52).
Forskalii Nees
*D. Dietrich, Fl. Univ. Abt. i. t. 883 (1852–55); N. Folge, t. 63 (1849).
stricta P. Beauv.
P. Beauvais, Agrost. t. 8, fig. 5 (1812).—*Fl.*

CHAETHYMENIA Hook. & Arn.: *Jaumea*
peduncularis Hook. & Arn.
Hooker & Arn. Bot. Beechey Voy. t. 62 (1841).

CHAETIUM Nees—Vide *Berchtoldia*
festucoides Nees
Proc. Biol. Soc. Washington, xxiv. 156 (1911).—*Fr.*

CHAETOCALYX DC.—Vide *Planarium*
brasiliensis Benth.
Mart. Fl. Bras. xv. I. t. 18 (1859).
Glaziovii Taub.
Pflanzenfam. iii. III. 312 (1894).—*Fl.*
scandens Urb.
Plumier, Pl. Amer. Ed. Burm. t. 107, fig. 3 (1757); fide Urban, Fedde Repert. Beih. v. 60.
Schottii Torr.
Torrey, Bot. U.S. & Mexic. Bound. Surv. t. 18 (1858).
Wislizenii A. Gray
Torrey, Bot. U.S. & Mexic. Bound. Surv. t. 18 (1858).—*Fr.*

CHAETOCARPUS Thw.—Vide *Regnaldia*
africanus Pax
Pflanzenreich, Euphorb.-Gelon. 11 (1912).
Blanchetii Müll.-Arg.
Mart. Fl. Bras. xi. II. t. 100 (1874).
Pflanzenfam. iii. v. 9, 90 (1890).—*Fl.*
castanocarpus Thw.
Beddome, Fl. Sylv. t. 284 (1872).
Pflanzenfam. iii. v. 90 (1890).—*Fr.*
Pflanzenreich, Euphorb.-Gelon. 9 (1912).
—— **pubescens** Thw.
Beddome, Fl. Sylv. t. 284 (1872).
coriaceus Thw.
Beddome, Fl. Sylv. t. 284 (1872).—*Fr.*
globosus Fawc. & Rendle
Fawcett & Rendle, Fl. Jamaica, iv. II. 319 (1920).
myrsinites Baill.
Pflanzenreich, Euphorb.-Gelon. 9 (1912).—*Fl.*
Pohlii Müll.-Arg.
Mart. Fl. Bras. xi. II. t. 100 (1874).
Pflanzenfam. iii. v. 90 (1890).—*Fl.*
Pflanzenreich, Euphorb.-Gelon. 9 (1912).—*Fl.*
pungens Thw.
Hooker's Journ. Bot. & Kew Misc. vi. t. 10 (1854).

CHAETOCHLOA Scribner: *Setaria*
ambigua Scribn. & Merrill
U.S. Dep. Agric. Div. Agrost. Bull. No. 21, p. 18 (1900).
barbata Hitchc. & Chase
Contrib. U.S. Nat. Herb. xxii. 159 (1920).
brevispica Scribn. & Merrill
U.S. Dep. Agric. Div. Agrost. Bull. No. 21, p. 15 (1900).
caudata Scribn.
U.S. Dep. Agric. Div. Agrost. Bull. No. 21, p. 38 (1900).
composita Scribn.
U.S. Dep. Agric. Div. Agrost. Bull. No. 7, p. 85 (1897); No. 21, p. 28 (1900).
corrugata Scribn.
U.S. Dep. Agric. Div. Agrost. Bull. No. 7, p. 84 (1897); No. 21, p. 23 (1900).
Contrib. U.S. Nat. Herb. xxii. 192 (1920).
—— **parviflora** Scribn. & Merrill
U.S. Dep. Agric. Div. Agrost. Bull. No. 21, p. 24 (1900).
geniculata Scribn. & Merrill
Publ. Field Columbian Mus., Bot. Ser. iii. I. 38 (1903).—*Fl.*
geniculata Millsp. & Chase
Britton, Fl. Bermuda, 23 (1918).
Contrib. U.S. Nat. Herb. xxii. 172 (1920).
glauca Scribn.
U.S. Dep. Agric. Div. Agrost. Bull. No. 14, p. 27 (1898); No. 17, p. 105 (1899); No. 20, p. 39, No. 21, p. 9 (1900).
Selby & Hicks in Bull. Ohio Agric. St. No. 142, t. I (1903); No. 175, t. I (1906).—*Fr.*
U.S. Dep. Agric. Farm. Bull. No. 260, p. 24 (1906).—*Fr.*
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, i. 165 (1913).
gracilis Scribn. & Merrill
U.S. Dep. Agric. Div. Agrost. Bull. No. 21, p. 14 (1900).

CHAETOCHLOA
Grisebachii Scribn.
U.S. Dep. Agric. Div. Agrost. Bull. No. 21, p. 35 (1900).
Contrib. U.S. Nat. Herb. xxii. 184 (1920).
—— **ampla** Scribn. & Merrill
U.S. Dep. Agric. Div. Agrost. Bull. No. 21, p. 36 (1900).
hispida Scribn. & Merrill
U.S. Dep. Agric. Div. Agrost. Bull. No. 21, p. 25 (1900).
imberbis Scribn.
Stone, Pl. Southern New Jersey (Ann. Rep. New Jersey State Mus. 1910), t. 11 (1911).
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, i. 165 (1913).
—— **penicillata** Scribn. & Merrill
U.S. Dep. Agric. Div. Agrost. Bull. No. 21, p. 12 (1900).
italica Scribn.
U.S. Dep. Agric. Div. Agrost. Bull. No. 7, p. 86 (1897); No. 14, p. 28 (1898); No. 21, p. 20, No. 22, t. 7 (1900).
Yearb. Dep. Agric. Washington, 1898, p. 272, t. 16, 17 (1899).
Transvaal Agric. Journ. ii. No. 5, t. 6 (1903).
Selby in Bull. Ohio Agric. St. No. 175, t. 1 (1906).
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, i. 166 (1913).
Williams & Welton in Bull. Ohio Agric. St. No. 269, p. 180, 181, 184 (1914).
Hitchcock, Text-Book Grasses, 185 (1914).
Contrib. U.S. Nat. Herb. xxii. 190 (1920).
—— **germanica** Scribn.
U.S. Dep. Agric. Div. Agrost. Bull. No. 14, p. 28 (1898); No. 22, t. 7 (1900).
Yearb. Dep. Agric. Washington, 1898, p. 272, t. 16 (1899).
U.S. Dep. Agric. Farm. Bull. No. 101, p. 10 (1899).
latifolia Scribn.
U.S. Dep. Agric. Div. Agrost. Bull. No. 11, t. 3 (1898); No. 21, p. 32 (1900).
Contrib. U.S. Nat. Herb. xxii. 195 (1920).
leucopila Scribn. & Merrill
U.S. Dep. Agric. Div. Agrost. Bull. No. 21, p. 26 (1900).
Liebmannii Scribn. & Merrill
Contrib. U.S. Nat. Herb. xxii. 193 (1920).
longipila Scribn. & Merrill
Contrib. U.S. Nat. Herb. xxii. 191 (1920).
lutescens Stuntz
Hitchcock, Text-Book Grasses, 184 (1914).
U.S. Dep. Agric. Bull. No. 461, p. 22 (1917); No. 772, p. 244 (1920).
Contrib. U.S. Nat. Herb. xxii. 167 (1920).
macrosperma Scribn. & Merrill
U.S. Dep. Agric. Div. Agrost. Bull. No. 21, p. 33 (1900).
Contrib. U.S. Nat. Herb. xxii. 196 (1920).
macrostachya Scribn. & Merrill
U.S. Dep. Agric. Div. Agrost. Bull. No. 21, p. 29 (1900).
Contrib. U.S. Nat. Herb. xxii. 204, 205 (1920).
magna Scribn.
U.S. Dep. Agric. Div. Agrost. Bull. No. 14, t. 2 (1898); No. 17, p. 106 (1899); No. 21, p. 21 (1900).
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, i. 166 (1913).
Contrib. U.S. Nat. Herb. xxii. 185 (1920).
palmifolia Hitchc. & Chase
Contrib. U.S. Nat. Herb. xxii. 162 (1920).
Poiretiana Hitchc.
Contrib. U.S. Nat. Herb. xxii. 160 (1920).
polystachya Scribn. & Merrill
U.S. Dep. Agric. Div. Agrost. Bull. No. 21, p. 37 (1900).
Publ. Field Columbian Mus., Bot. Ser. iii. 1. 38 (1903).—*Fl.*
purpurascens Scribn. & Merrill
U.S. Dep. Agric. Div. Agrost. Bull. No. 21, p. 13 (1900).
rariflora Hitchc. & Chase
Contrib. U.S. Nat. Herb. xxii. 201 (1920).
scandens Scribn.
Contrib. U.S. Nat. Herb. xxii. 181 (1920).

CHAETOCHLOA
Scheelei Hitchc.
Contrib. U.S. Nat. Herb. xxii. 208 (1920).
setosa Scribn.
U.S. Dep. Agric. Div. Agrost. Bull. No. 21, p. 39 (1900).
Contrib. U.S. Nat. Herb. xxii. 199 (1920).
sulcata Hitchc.
Contrib. U.S. Nat. Herb. xxii. 164 (1920).
tenacissima Hitchc. & Chase
Contrib. U.S. Nat. Herb. xxii. 182 (1920).
tenax Hitchc.
Contrib. U.S. Nat. Herb. xxii. 177 (1920).
versicolor Bicknell
Bull. Torr. Bot. Club, xxv. t. 329 (1898).
verticillata Scribn.
U.S. Dep. Agric. Div. Agrost. Bull. No. 17, p. 107 (1899); No. 21, p. 16 (1900).
Transvaal Agric. Journ. ii. No. 7, t. 72 (1904).
Selby in Bull. Ohio Agric. St. No. 175, t. 1 (1906).—*Fr.*
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, i. 164 (1913).
Britton, Fl. Bermuda, 22 (1918).
Contrib. U.S. Nat. Herb. xxii. 179 (1920).
villosissima Scribn. & Merrill
U.S. Dep. Agric. Div. Agrost. Bull. No. 21, p. 34 (1900).
Contrib. U.S. Nat. Herb. xxii. 197 (1920).
viridis Scribn.
U.S. Dep. Agric. Div. Agrost. Bull. No. 7, p. 83 (1897); No. 21, p. 19 (1900).
Selby & Hicks in Bull. Ohio Agric. St. No. 142, t. 1 (1903); No. 175, t. 1 (1906).—*Fr.*
U.S. Dep. Agric. Farm. Bull. No. 260, p. 23 (1906).—*Fr.*
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, i. 165 (1913).
U.S. Dep. Agric. Bull. No. 461, p. 26 (1917).
Britton, Fl. Bermuda, 22 (1918).
Contrib. U.S. Nat. Herb. xxii. 187 (1920).
vulpiseta Hitchc. & Chase
Contrib. U.S. Nat. Herb. xxii. 202 (1920).

CHAETOCRATER Ruiz & Pav.: *Casearia*
capitatus Ruiz & Pav.
Ruiz & Pavon, Fl. Peruv. & Chil. Ic. Ined. iv. t. 396 (1802).
fasciculatus Ruiz & Pav.
Ruiz & Pavon, Fl. Peruv. & Chil. Ic. Ined. iv. t. 396 (1802).

CHAETOGASTRA DC.: *Tibouchina*
alpestris Mart.
*Martius, Nov. Gen. & Sp. Pl. Bras. iii. t. 247 (1829).
bicolor Naud.
Ann. Sc. Nat. Paris, Ser. III. xiv. t. 4 (1850).—*Fl.*
Bonplandiana Naud.
Ann. Sc. Nat. Paris, Ser. III. xiv. t. 4 (1850).—*Fl.*
canescens DC.
De Candolle in Mém. Soc. Phys. & Hist. Nat. Genève, iv. t. 2, fig. 1 (1828).—*Fl.*
gracilis DC.
*Bot. Mag. lxiii. t. 3481 (1836).
havanensis DC.
De Candolle in Mém. Soc. Phys. & Hist. Nat. Genève, iv. t. 2, fig. 5; t. 3, fig. 11 (1828).
De Candolle, Mém. Fam. Melast. (Coll. Mém. i), t. 8 (1828).
hermannioides Naud.
Ann. Sc. Nat. Paris, Ser. III. xiv. t. 4 (1850).—*Fl.*
lanceolata DC.
*Bot. Mag. lv. t. 2836 (1828).
Lindeniana Planch.
*Fl. des Serres, Ser. I. x. t. 1011–12 (1854–55).
*Floricult. Cab. 1855, p. 249.
lychnitoides DC.
Martius, Nov. Gen. & Sp. Pl. Bras. iii. t. 247 (1829).—*Fl.*
muricata DC.
De Candolle in Mém. Soc. Phys. & Hist. Nat. Genève, iv. t. 2, fig. 13; t. 3, fig. 18 (1828).

CHAETOGASTRA
nigritella Naud.
Ann. Sc. Nat. Paris, Ser. III. xiv. t. 4 (1850).—*Fl.*
repanda Mart.
*Martius, Nov. Gen. & Sp. Pl. Bras. iii. t. 246 (1829).
reticulata DC.
De Candolle in Mém. Soc. Phys. & Hist. Nat. Genève, iv. t. 2, fig. 14 (1828).—*Fl.*
speciosa DC.
De Candolle in Mém. Soc. Phys. & Hist. Nat. Genève, iv. t. 2, fig. 9 (1828).—*Fl.*
stricta DC.
Ann. Sc. Nat. Paris, Ser. III. xiv. t. 4 (1850).—*Fl.*
strigillosa DC.
*Martius, Nov. Gen. & Sp. Pl. Bras. iii. t. 245, 247 (1829).
strigosa DC.
De Candolle in Mém. Soc. Phys. & Hist. Nat. Genève, iv. t. 4, fig. 3 (1828).—*Veg.*
*Journ. Hort. Prat. Belg. vi. 321 (1849).
*Paxt. Mag. xv. 265 (1849).
Ann. Hort. v. 175 (1850).
striphnocalyx Mart.
Martius, Nov. Gen. & Sp. Pl. Bras. iii. t. 246 (1829).—*Fl.*

CHAETOLEPIS Miq.—Vide *Haplodesmium*, *Trimeranthus*
alpestris Triana
Trans. Linn. Soc. London, xxviii. t. 3, fig. 35 e (1871).—*Fl.*
alpina Naud.
Ann. Sc. Nat. Paris, Ser. III. xiv. t. 5 (1850).—*Fl.*
Trans. Linn. Soc. London, xxviii. t. 3, fig. 35 a (1871).—*Fl.*
ericoides Triana
Trans. Linn. Soc. London, xxviii. t. 3, fig. 35 g (1871).—*Fl.*
Lindeniana Triana
Trans. Linn. Soc. London, xxviii. t. 3, fig. 35 d (1871).—*Fl.*
loricarella Triana
Trans. Linn. Soc. London, xxviii. t. 3, fig. 35 f (1871).—*Fl.*
Hook. Ic. Pl. xi. t. 1087 (1871).
microphylla Miq.
Trans. Linn. Soc. London, xxviii. t. 3, fig. 35 b (1871).—*Fl.*
thymifolia Triana
Trans. Linn. Soc. London, xxviii. t. 3, fig. 35 b (1871).—*Fl.*

CHAETONYCHIA DC.: *Paronychia*
cymosa Sweet
Merino, Fl. Galicia, i. 509 (1905).

CHAETOPAPPA DC.
asteroides DC.
Pflanzenfam. iv. v. 158 (1890).—*Fr.*
Britton & Brown, Ill. Fl. N. States & Canada, iii. 351 (1898); Ed. 2, iii. 403 (1913).

CHAETOSCIADIUM Boiss.
trichospermum Boiss.
Post, Fl. Syria, Palestine & Sinai, 373 [1896].—*Fr.*

CHAETOSPERMUM Swingle
glutinosum Swingle
Swingle in Journ. Washington Acad. Sc. iii. No. 4, p. 100 (1913).—*Fr.*
L. H. Bailey, Stand. Cycl. Hort. 729 (1914).—*Veg.*

CHAETOSPORA R. Br.: *Schoenus*
antarctica Hook. f.
Hooker f., Fl. Antarct. ii. t. 147 (1846).
axillaris R. Br.
Hooker f., Fl. Nov.-Zel. i. t. 62 (1853).
Ann. Rep. Agric. Victoria, ii. t. 20 (1874).
Burmannii Schrad.
Schrader in Comm. Soc. Sc. Rec. Göttingen, vii. t. 3 (1832).
capillacea Hook. f.
*Hooker f., Fl. Tasman. ii. t. 141 (1860).

CHAETOSPORA
circinalis Schrad.
Schrader in Comm. Soc. Sc. Rec. Göttingen, vii. t. 3 (1832).
concinna Hook. f.
Hooker f., Fl. Nov.-Zel. i. t. 62 (1853).
ferruginea Reichb.
*Reichenbach, Ic. Fl. Germ. viii. t. 285 (1846).
flexuosa Schrad.
Schrader in Comm. Soc. Sc. Rec. Göttingen, vii. t. 3 (1832).—*Fl.*
*D. Dietrich, Fl. Univ. Abt. i. t. 875 (1847–52).
laxa Hook. f.
Hooker f., Fl. Antarct. ii. t. 146 (1846).
tenuissima Hook. f.
*Hooker f., Fl. Tasman. ii. t. 140 (1860).

CHAETOSTACHYS Benth.: *Lavandula*
Versteegii Val.
Nova Guinea, viii. t. 74 (1911).

CHAETOSTOMA DC.
castratum Cogn.
Mart. Fl. Bras. xiv. III. t. 8 (1883).
Gardneri Triana
Trans. Linn. Soc. London, xxviii. t. 1, fig. 8 c (1871).—*Fl.*
Pflanzenfam. iii. VII. 160 (1893).—*Fl.*
Glaziovii Cogn.
Mart. Fl. Bras. xiv. III. t. 7 (1883).
oxyantherum Triana
Trans. Linn. Soc. London, xxviii. t. 1, fig. 8 b (1871).—*Fl.*
Pflanzenfam. iii. VII. 160 (1893).—*Fl.*
Petronianum Sald. & Cogn.
Saldanha da Gama & Cogn. Bouq. Melast. Brésil. t. 1 (1887).
Mart. Fl. Bras. xiv. IV. t. 127 (1888).
pungens DC.
*Martius, Nov. Gen. & Sp. Pl. Bras. iii. t. 264 (1829).
Trans. Linn. Soc. London, xxviii. t. 1, fig. 8 a (1871).—*Fl.*
Pflanzenfam. iii. VII. 160 (1893).—*Fl.*
Riedelianum Cogn.
Mart. Fl. Bras. xiv. III. t. 7 (1883).
tetrastichum cupressinum Mart.
*Martius, Nov. Gen. & Sp. Pl. Bras. iii. t. 264 (1829).
—— **scoparium** Mart.
*Martius, Nov. Gen. & Sp. Pl. Bras. iii. t. 264 (1829).

CHAETOSUS Benth.
volubilis Benth.
Bentham, Bot. Voy. Sulphur, t. 57 (1844).

CHAETOTHYLAX Nees—Vide *Chaetothylopsis*, *Heinzelia*
tocantinus Nees
Mart. Fl. Bras. ix. t. 26 (1847).
Pflanzenfam. iv. III. B. 279, 352 (1895).—*Fl.*

CHAETOTHYLOPSIS Oerst.: *Chaetothylax*
micrantha Oerst.
Vidensk. Meddel. Kjöbenhavn, 1854, t. 5, fig. 5–9 (1855).—*Fl.*

CHAETOTROPIS Kunth
chilensis Kunth
*Kunth, Rév. Gram. i. t. 47 (1829).

CHAETURUS Link
fasciculatus Link
P. Beauvais, Agrost. t. 5, fig. 7 (1812).—*Fl.*
*Kunth, Rév. Gram. ii. t. 214 (1829).
Cesati, Passer. & Gibelli, Comp. Fl. Ital. t. 7 (1867–86).—*Fl.*
Willkomm, Ill. Fl. Hispan. Balear. i. t. 77, fig. c (1881–85).
Fiori & Paol. Ic. Fl. Ital. 23 (1895).
Merino, Fl. Galicia, iii. 262 (1909).
prostratus Hack. & Lange
*Willkomm, Ill. Fl. Hispan. Balear. i. t. 77, fig. B (1881–85).

CHAILLETIA DC.: *Dichapetalum*
cymosa Hook.
Hook. Ic. Pl. vi. t. 591 (1843).
Schnizlein, Iconogr. iv. t. 240 (1866–70).—*Fl.*

CHAILLETIA
deflexa Klotzsch
Peters, Reise Mossamb., Bot. t. 20 (1861).
Schnizlein, Iconogr. iv. t. 240 (1866–70).
floribunda Planch.
Hook. Ic. Pl. viii. t. 792 (1848).
Hooker, Niger Fl. t. 30 (1849).
gelonioides Hook. f.
Beddome, Fl. Sylv. Anal. Gen. t. 9 (1871).—*Fl.*
Talbot, For. Fl. Bombay, i. 253 (1909).
mossambicensis Klotzsch
Peters, Reise Mossamb., Bot. t. 19 (1861).
Schnizlein, Iconogr. iv. t. 240 (1866–70).
pedunculata DC.
Ann. Mus. Hist. Nat. Paris, xvii. 159 (1811).
Dict. Sc. Nat., Planch. Bot. Dicot. t. 247 (1816–29).
Lindley, Veg. Kingd. 583 (1846).
Schnizlein, Iconogr. iv. t. 240 (1866–70).—*Fl.*
sessiliflora DC.
Ann. Mus. Hist. Nat. Paris, xvii. 159 (1811).
vestita Benth.
Schnizlein, Iconogr. iv. t. 240 (1866–70).—*Fl.*

CHAITURUS Willd.: *Leonurus*
Marrubiastrum Spenn.
*Zenker, Fl. Thüringen, xii. t. 1364 (1836–55).
Nees, Gen. Pl., Gamop. ii. t. 31 (1839).
*Sturm, Deutschl. Fl. xix. LXXXIV [t. 1296] (1841).
*Petermann, Deutschl. Fl. t. 71, fig. 557 (1849).
Reichenbach, Ic. Fl. Germ. xviii. t. 1233 (1856).
Karsten, Deutsche Fl. Pharm.-medic. Bot. 1004 (1880–83).—*Fl.*
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xviii. t. 1850 (1884).
Garcke, Ill. Fl. Deutschl. 484 (1895).
Karsten, Fl. Deutschl. ii. 580 (1895).—*Fl.*
Suireishchikov, Ill. Fl. Mosc. Gov. iii. 108 (1910).

CHALCAS Linn.: *Murraya*
exotica Millsp.
U.S. Dep. Agric. Bur. Pl. Indust. Invent. Seeds & Pl. Import. No. 43, t. 1 (1918).—*Hab.*
paniculata Linn.
*Houttuyn, Handl. Pl. & Kruidk. v. t. 24, fig. 2 (1776).

CHALEPOA Hook. f.: *Tribeles*
magellanica Hook. f.
Hook. Ic. Pl. xi. t. 1082 (1871).

CHALEPOPHYLLUM Hook. f.
guianense Hook. f.
Hook. Ic. Pl. xii. t. 1148 (1873).
Mart. Fl. Bras. vi. VI. t. 111 (1889).—*Fl.*
Pflanzenfam. iv. IV. 36 (1891).—*Fl.*
speciosum N. E. Br.
Trans. Linn. Soc. London, Ser. II. Bot. vi. t. 5 (1901).

CHALYBEA Naud.: *Pachyanthus*
corymbifera Naud.
Ann. Sc. Nat. Paris, Ser. III. xviii. t. 3 (1852).—*Fl.*

CHAMABAINIA Wight
cuspidata Wight
Wight, Ic. Pl. Ind. Or. vi. t. 1981 (1853).
Arch. Mus. Hist. Nat. Paris, ix. t. 12 (1856–57).

CHAMAEALOË Berger
africana Berger
Pflanzenreich, Liliac.-Asphod.-Al. 121 (1908).

CHAMAEANTHUS Schlechter
brachystachys Schlechter
J. J. Smith, Orch. Java, Fig.-Atlas, v. fig. 418 (1912).—*Fl.*
paniculatus J. J. Sm.
Nova Guinea, viii. t. 110 (1911).—*Fl.*

CHAMAEBATIA Benth.
foliolosa Benth.
Torrey in Smiths. Contrib. Knowl. vi. t. 6 (1854).
*Bot. Mag. lxxxvi. t. 5171 (1860).
*Journ. Hort. Prat. Belg. N. Ser. iv. t. 17 (1860).
Belg. Hort. x. 295, fig. 39 (1860).
*Horticulteur Franç. 1861, t. 2.
Garden, iii. 27 (1873).
Nicholson, Illustr. Dict. Gard. i. 302 [1884–88].

CHAMAEBATIA
foliolosa
Pflanzenfam. iii. III. 40 (1888).
Dippel, Handb. Laubholzk. iii. 550 (1893).
Schneider, Ill. Handb. Laubh. i. 533 (1905).
M. Armstrong, Field Book West. Wild Fl. 223 (1915).

CHAMAEBATIARIA Porter: *Spiraea*
Millefolium Maxim.
Mitt. Deutsch. Dendr. Ges. 1905, t. 11.—*Hab.*
Schneider, Ill. Handb. Laubh. i. 487, 491 (1905).—*Fl.*
Jardin, xxi. 84 (1907).
Möllers Deutsche Gärtn.-Zeit. xxiii. 208 (1908).
Silva Tarouca, Freiland-Laubgehölze, 177 (1913).—*Hab.*
M. Armstrong, Field Book West. Wild Fl. 231 (1915).

CHAMAEBUXUS Spach: *Polygala*
alpestris Spach
*Willkomm, Ill. Fl. Hispan. Balear. i. t. 23, fig. l–o (1881–85).—*Fl.*
Willkomm, Führ. Reich Pflanzen, 754 (1882).—*Fl.*
Fiori & Paol. Ic. Fl. Ital. 290 (1901).
Vayredae Willk.
*Willkomm, Ill. Fl. Hispan. Balear. i. t. 23 (1881–85).
Cadevall & Sallent, Fl. Catalunya, i. 236 (1915).

CHAMAECERASUS Medic.: *Lonicera*
Standishii Lescuyer
*Horticulteur Franç. 1862, t. 10.

CHAMAECEREUS Britton & Rose—Vide *Cereus* (10)

CHAMAECISTUS Regel: *Rhododendron*
austriacus Regel
Gartenfl. xxiii. 60 (1874).
Lauche, Deutsche Dendrol. Ed. 2, p. 249 (1883).

CHAMAECISTUS S. F. Gray: *Loiseleuria*
procumbens O. Kuntze
Britton & Brown, Ill. Fl. N. States & Canada, ii. 563 (1897); Ed. 2, ii. 683 (1913).

CHAMAECLADON Miq.
angustifolium Schott
Engler, Ic. Autog. 103 (1884).
consobrinum Schott
Engler, Ic. Autog. 98 (1884).
Griffithii Schott
Engler, Ic. Autog. 113 (1884).
humile Miq.
Engler, Ic. Autog. 104 (1884).
lanceolatum Miq.
Miquel, Fl. Ned. Ind. iii. t. 40 (1855).
Schott, Gen. Aroid. t. 60 (1858).—*Fl.*
Journ. Linn. Soc., Bot. xxxiii. 267 (1897).—*Veg.*
metallicum N. E. Br.
*Ill. Hort. xxxi. t. 539 (1884).
Gard. Chron. xxiv. 749 (1885).—*Hab.*
Rhein. Jahrb. Gartenkunde & Botanik, iii. 124 (1886).
Garten-Zeit. Berlin, v. 598 (1886).—*Veg.*
pygmaeum Engl.
Engler, Ic. Autog. 96 (1884).—*Fl.*
rubescens Schott
Schott, Gen. Aroid. t. 60 (1858).—*Fl.*

CHAMAECRISTA Moench: *Cassia*
Deeringiana Small & Pennell
*Addisonia, iv. t. 121 (1919).
fasciculata Greene
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, ii. 337 (1913).
*House, Wild Fl. New York (Mem. No. 15, N.Y. State Mus.), i. t. 105 (1918).
nictitans Moench
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, ii. 337 (1913).
*House, Wild Fl. New York (Mem. No. 15, N.Y. State Mus.), i. t. 105 (1918).

CHAMAECYPARIS Spach—Vide *Retinispora*
andelyensis Carr.
Rev. Hort. 1869, p. 32.

CHAMAECYPARIS
Boursieri Carr.
*Bull. Arboricult. Belg. 1872, p. 153; 1890, t. 4.
—— **filiformis** Hort.
Rev. Hort. Belge, iii. 219 (1877).—*Hab.*
Neubert's Deutsch. Gart. Mag. 1878, p. 120.
filifera aurea Hort.
Eden Phillpotts, My Shrubs, 62 (1915).—*Hab.*
formosensis Matsum.
Miyoshi, Atlas Jap. Veg. t. 84 (1908).—*Hab.*
Bot. Congr. Bruxelles, ii. t. 28, 29 (1910).
Seiroku Honda in Journ. Coll. Agric. Tokio, vi. No. 1, t. 4 (1915).—*Hab.*
Nihon-zyûyô-mokuchiku-zuhyô (Tabl. Japan. Trees & Bamb. Forest Bur.), fig. 80 (1916).
Kanehira, Formosan Trees, 597 (1917).
Rev. Hort. 1919, p. 343.—*Hab.*
Nat. Geogr. Mag. Washington, xxxv. 257 (1920).
Lawsoniana Parl.
Vidensk. Meddel. Kjöbenhavn, 1865, t. 1–2, fig. 31–34.
Parlatore in Ann. Mus. Fis. Stor. Nat. Firenze, 1865, N. Ser. i. t. 3 (1866).—*Fl.*
Hochstetter, Conifer. Mitt. Europa, fig. 29 (1882).
Nicholson, Illustr. Dict. Gard. i. 303 [1884–88].—*Hab.*
Sempervirens, xvii. 140 (1888).—*Hab.*
Hempel & Wilhelm, Bäume u. Sträuch. i. 197 (1889).
California Board Forest. Rep. No. 3, 1889–90, p. 176 (1890).
Beissner, Handb. Nadelholzk. 71, 72 (1891); p. 541, 542 (1919).
Neubert's Deutsch. Gart. Mag. xlvi. 313 (1893).—*Hab.*
Gartenfl. xlii. 85 (1893).—*Hab.*
Tubeuf, Nadelhölzer, 133, 135 (1897).
Semaine Hort. 1898, p. 49.—*Hab.*
Rev. Hort. 1901, p. 233.—*Fr.*
Mottet, Conif. & Taxac. 100 (1902).
Eastwood, Handb. Trees California (Occ. Papers California Acad. Sc. ix), t. 4 (1905).
Rogers, Tree Book, 99 (1905).
Sargent, Man. Trees N. Amer. 84 (1905).
Jardin, xx. 375 (1906).—*Hab.*
Pardé, Arbor. Nat. Barres, t. 5 (1906).—*Hab.*
Vilmorin, Hort. Vilm. (Bull. Soc. Bot. France, 1904, li. App.), t. 1 (1906).—*Hab.*
Britton, N. Amer. Trees, 106 (1908).
Sudworth, Forest Trees Pac. Slope, 173, 174 (1908).
Groom, Trees & Life Hist. t. 157–59 (1909).
Apgar, Orn. Shrubs U.S. 327, fig. 591 (1910).
Mitt. Deutsch. Dendr. Ges. 1910, p. 163; 1915, t. 22; 1916, t. 21; 1917, t. 39.
Deutsche Bot. Monatsschr. xxii. 178 (1911).—*Veg.*
Leland Stanford Junr. Univ. Publ. Dudley Mem. Vol. 108 (1913).
Silva Tarouca, Freiland-Nadelhölzer, 59, 94, 164, 287 (1913).
Naturwiss. Zeitschr. Land- & Forst. xii. 482 (1914).—*Veg.*
*Pardé, Ic. Conif. v. t. 132 (1914).
Mathews, Field Book Amer. Trees & Shrubs, 51 (1915).
Neger, Nadelhölzer, Ed. 2, p. 130, 132 (1919).
Gartenschönheit, i. 197 a (1920).—*Veg.*
—— **Alumii** Hort.
Möllers Deutsche Gärtn.-Zeit. xxvi. 451 (1911).—*Hab.*
Journ. New York Bot. Gard. xvi. t. 154 (1915).—*Hab.*
—— **argenteo-variegata** Hort.
Silva Tarouca, Freiland-Nadelhölzer, 117 (1913).—*Hab.*
—— **aurea** Hort.
Mitt. Deutsch. Dendr. Ges. 1910, p. 237.—*Hab.*
—— **bremensis** Hort.
Mitt. Deutsch. Dendr. Ges. 1917, t. 22.—*Hab.*
—— **conica** Beissn.
Silva Tarouca, Freiland-Nadelhölzer, 116 (1913).—*Hab.*
—— **erecta glauca** Hort.
Möllers Deutsche Gärtn.-Zeit. xxvi. 450 (1911).—*Hab.*

CHAMAECYPARIS
Lawsoniana fastigiata Hort.
Mottet, Conif. & Taxac. 101 (1902).—*Hab.*
—— **filiformis compacta** Hort.
Silva Tarouca, Freiland-Nadelhölzer, 168 (1913).—*Hab.*
—— **Forsteckiana** Hort.
Oesterr. Gart.-Zeit. ix. 92 (1914).—*Hab.*
—— **intertexta** Hort.
Beissner, Handb. Nadelholzk. Ed. 2, p. 550 (1909).—*Hab.*
—— **laxa** Hort.
Mitt. Deutsch. Dendr. Ges. 1909, p. 245.—*Hab.*
—— **lutea** Hort.
*Silva Tarouca, Freiland-Nadelhölzer, t. 5 (1913).—*Hab.*
Oesterr. Gart.-Zeit. ix. 89 (1914).—*Hab.*
—— **minima** Hort.
Silva Tarouca, Freiland-Nadelhölzer, 168 (1913).—*Hab.*
Oesterr. Gart.-Zeit. ix. 90 (1914).—*Hab.*
—— —— **glauca** Hort.
Silva Tarouca, Freiland-Nadelhölzer, 138 (1913).—*Hab.*
—— **nana** Hort.
Beissner, Handb. Nadelholzk. Ed. 2, p. 553 (1909).—*Hab.*
—— —— **Forsteckiana** Hort.
Silva Tarouca, Freiland-Nadelhölzer, 133 (1913).—*Hab.*
—— **nidiformis** Hort.
Oesterr. Gart.-Zeit. ix. 91 (1914).—*Hab.*
—— **pendula vera** Hesse
Gartenfl. xxxix. 449 (1890).—*Hab.*
Bull. Arboricult. Belg. 1891, p. 17.—*Hab.*
—— **pyramidalis** P. Sm.
Mitt. Deutsch. Dendr. Ges. 1909, p. 245.—*Hab.*
—— —— **erecta viridis** Hort.
Silva Tarouca, Freiland-Nadelhölzer, 167 (1913).—*Hab.*
—— **Rosenthalii** P. Sm.
*Wien. Ill. Gart.-Zeit. x. t. 4 (1885).—*Hab.*
—— **versicolor** J. Coninck
Silva Tarouca, Freiland-Nadelhölzer, 169 (1913).—*Hab.*
—— **Weisseana** Hort.
Semaine Hort. 1897, p. 214.—*Hab.*
—— **Westermannii** Hort.
Semaine Hort. 1899, p. 165.—*Hab.*
leptoclada Henk. & Hochst.
Neubert's Deutsch. Gart. Mag. xlvii. 189 (1894).—*Hab.*
lycopodioides [Makino]
*Useful Pl. Jap. iii. t. 698 (1895).
nutkatensis Spach
!Mém. Acad. Sc. Pétersb. Ser. VII. xiii. No. 6, t. 7, fig. 198–200 (1869).—*Fr.*
Rev. Hort. 1869, p. 48; 1901, p. 233.
Nicholson, Illustr. Dict. Gard. i. 304 [1884–88].
Beissner, Handb. Nadelholzk. 81 (1891); Ed. 2, p. 535 (1909).
Schwarz, Forstl. Bot. 265 (1892).
Tubeuf, Nadelhölzer, 141 (1897).—*Veg.*
Gartenfl. liii. 542 (1904).—*Hab.*
Rogers, Tree Book, 99 (1905).—*Veg.*
Sargent, Man. Trees N. Amer. 83 (1905).
Pardé, Arbor. Nat. Barres, t. 6 (1906).—*Hab.*
Britton, N. Amer. Trees, 104 (1908).
Sudworth, Forest Trees Pac. Slope, 169 (1908).
Mitt. Deutsch. Dendr. Ges. 1909, p. 245; 1913, p. 51; 1914, p. 165; 1917, t. 40.
Silva Tarouca, Freiland-Nadelhölzer, 34, 106, 164 (1913).
Naturwiss. Zeitschr. Land- & Forst. xii. 226, 227, 481 (1914).
Oesterr. Gart.-Zeit. ix. 88 (1914).—*Hab.*
Mathews, Field Book Amer. Trees & Shrubs, 51 (1915).
Morton & Lewis, Native Trees Canada (Dept. Int. Canada, Forest. Branch Bull. No. 61), 160 (1917).
Neger, Nadelhölzer, Ed. 2, p. 131, 132 (1919).
—— **ericoides** Hort.
Beissner, Handb. Nadelholzk. Ed. 2, p. 537 (1909).—*Veg.*

CHAMAECYPARIS
nutkatensis glauca Hort.
Oesterr. Gart.-Zeit. ix. 89 (1914).—*Hab.*
—— **lutea** Hort.
Nicholson, '1900' Suppl. Dict. Gard. 222 (1900).
—— **nana compacta** Hort.
Silva Tarouca, Freiland-Nadelhölzer, 165 (1913).—*Hab.*
—— **pendula** Hort.
Beissner, Handb. Nadelholzk. 80 (1891); Ed. 2, p. 539 (1909).—*Hab.*
Silva Tarouca, Freiland-Nadelhölzer, 166 (1913).—*Hab.*
obtusa Sieb. & Zucc.
Rev. Hort. 1869, p. 97.
Garden, vi. 427 (1874).
Dai-Nihon Ju-moku Shi-ri-yaku (Jap. Trees Fig. & Expl.), t. 1 (1878).—*Veg.*
Pflanzenfam. ii. 1. 100 (1889).
Beissner, Handb. Nadelholzk. 93 (1891); Ed. 2, p. 555 (1909).
*Useful Pl. Jap. iii. t. 693, 694, 695 (1895) in ic.; *Thuya obtusa* in textu, p. 169.
Tubeuf, Nadelhölzer, 137, 138 (1897).
*Shirasawa, Ic. Ess. Forest. Jap. i. t. 10 (1900).
Jardin, xvi. 200 (1902).
Mottet, Conif. & Taxac. 103 (1902).
Pardé, Arbor. Nat. Barres, t. 7 (1906).—*Hab.*
Forestry Jap. 34 (1910).—*Hab.*
Mitt. Deutsch. Dendr. Ges. 1910, p. 265.—*Hab.*
*Pardé, Ic. Conif. iv. t. 134 (1913).
Silva Tarouca, Freiland-Nadelhölzer, 164 (1913).
Naturwiss. Zeitschr. Land- & Forst. xii. 481 (1914).—*Veg.*
Nihon-zyûyô-mokuchiku-zuhyô (Tabl. Japan. Trees & Bamb. Forest Bur.), fig. 18 (1916).
Wilson, Conif. & Taxads Jap. t. 54, 55 (1916).—*Hab.*
Neger, Nadelhölzer, Ed. 2, p. 132, 134 (1919).
—— **aurea** Hort.
*Silva Tarouca, Freiland-Nadelhölzer, 168, t. 6 (1913).—*Hab.*
—— **ericoides** Hort.
Rev. Hort. 1903, p. 399.—*Hab.*
Beissner, Handb. Nadelholzk. Ed. 2, p. 556 (1909).—*Veg.*
Apgar, Orn. Shrubs U.S. 334, fig. 605 (1910).—*Veg.*
—— **filicoides** Hort.
Apgar, Orn. Shrubs U.S. 334, fig. 604 (1910).
—— —— **aurea** Hort.
!Rev. Hort. Belge, xxviii. 271 (1902).—*Hab.*
—— **formosana** Hayata
Journ. Coll.!Sc. Tokyo, xxv. Art. 19, p. 209 (1908).
Nihon-zyûyô-mokuchiku-zuhyô (Tabl. Japan. Trees & Bamb. Forest Bur.), fig. 79 (1916).
—— **lutescens** Hort.
Gartenschönheit, i. 197 a (1920).—*Veg.*
—— **lycopodioides aurea** Hort.
Silva Tarouca, Freiland-Nadelhölzer, 114 (1913).—*Hab.*
—— **pygmaea** Carr.
Apgar, Orn. Shrubs U.S. 334, fig. 603 (1910).—*Veg.*
pisifera Sieb. & Zucc.
Dai-Nihon Ju-moku Shi-ri-yaku (Jap. Trees Fig. & Expl.), t. 4 (1878).—*Veg.*
Beissner, Handb. Nadelholzk. 84 (1891); Ed. 2, p. 565 (1909).
*Useful Pl. Jap. 143 (1895) in textu; *Thuya pisifera* in ic. ii. t. 576.
Tubeuf, Nadelholzer, 139, 140 (1897).
L. H. Bailey, Cycl. Amer. Hort. 286 (1900); Stand. Cycl. Hort. 730 (1914).
*Shirasawa, Ic. Ess. Forest. Jap. i. t. 10 (1900).
Rev. Hort. 1901, p. 233.—*Fr.*
Diels, Jugendf. & Blütenr. 83 (1906).
Pardé, Arbor. Nat. Barres, t. 8 (1906).—*Hab.*
*Pardé, Ic. Conif. iv. t. 134 (1913).
Silva Tarouca, Freiland-Nadelhölzer, 164 (1913).
Naturwiss. Zeitschr. Land- & Forst. xii. 481 (1914).—*Veg.*
Mitt. Deutsch. Dendr. Ges. 1914, p. 176—*Hab.*
Nihon-zyûyô-mokuchiku-zuhyô (Tabl. Japan. Trees & Bamb. Forest Bur.), fig. 19 (1916).

CHAMAECYPARIS
pisifera
Wilson, Conif. & Taxads Jap. t. 56, 57 (1916).—*Hab.*
Neger, Nadelhölzer, Ed. 2, p. 62, 132, 133 (1919).
—— **filifera** Hort.
Beissner, Handb. Nadelholzk. 89, 90 (1891); Ed. 2, p. 571, 572 (1909).
*Useful Pl. Jap. iii. t. 699 (1895) in ic.; *Thuya pendula* in textu, p. 169.
Semaine Hort. 1899, p. 169.—*Hab.*
Apgar, Orn. Shrubs U.S. 334, fig. 606 (1910).—*Veg.*
Silva Tarouca, Freiland-Nadelhölzer, 70 (1913).—*Hab.*
—— **plumosa** Hort.
Beissner, Handb. Nadelholzk. 87 (1891); Ed. 2, p. 569 (1909).
Tubeuf, Nadelhölzer, 140 (1897).
L. H. Bailey, Cycl. Amer. Hort. 286 (1900); Stand. Cycl. Hort. 731 (1914).
Diels, Jugendf. & Blütenr. 83 (1906).
Apgar, Orn. Shrubs U.S. 329, fig. 598 (1910).—*Veg.*
Silva Tarouca, Freiland-Nadelhölzer, 115 (1913).—*Hab.*
Oesterr. Gart.-Zeit. ix. 9 (1914).—*Hab.*
—— —— **aurea** Hort.
Mitt. Deutsch. Dendr. Ges. 1917, t. 39.—*Hab.*
—— —— **flavescens** Hort.
Silva Tarouca, Freiland-Nadelhölzer, 171 (1913).—*Hab.*
—— —— **glaucescens** Hort.
*Silva Tarouca, Freiland-Nadelhölzer, 112, t. 4 (1913).—*Hab.*
—— **squarrosa** Beissn. & Hochst.
Beissner, Handb. Nadelholzk. 86 (1891); Ed. 2, p. 567 (1909).—*Veg.*
L. H. Bailey, Cycl. Amer. Hort. 287 (1900); Stand. Cycl. Hort. 731 (1914).
Diels, Jugendf. & Blütenr. 83 (1906).
Pardé, Arbor. Nat. Barres, t. 9 (1906).—*Hab.*
Apgar, Orn. Shrubs U.S. 328, fig. 594 (1910).
Pardé, Ic. Conif. iv. t. 134 (1913).—*Hab.*
Silva Tarouca, Freiland-Nadelhölzer, 163 (1913).—*Hab.*
Oesterr. Gart.-Zeit. ix. 49 (1914).—*Hab.*
sphaeroidea Spach
Parlatore in Ann. Mus. Fis. Stor. Nat. Firenze, N. Ser. i. t. 1 (1866).—*Fl.*
Mongredien, Trees & Shrubs for Engl. Plantat. 65 (1870).
Hochstetter, Conifer. Mitt. Europa, fig. 28 (1882).
Beissner, Handb. Nadelholzk. 65, 66 (1891); Ed. 2, p. 529, 530 (1909).
Bois, Dict. Hort. 290 (1893–99).
Pardé, Arbor. Nat. Barres, t. 10 (1906).—*Hab.*
Keeler, Our Native Trees, 491 (1912).—*Veg.*
Naturwiss. Zeitschr. Land- & Forst. xii. 483 (1914).—*Veg.*
Neger, Nadelhölzer, Ed. 2, p. 132 (1919).—*Veg.*
—— **andelyensis** Carr.
Rev. Hort. Belge, ii. 155 (1876); errore *Retinospora leptoclada.*—*Hab.*
Beissner, Handb. Nadelholzk. 67 (1891); Ed. 2, p. 532 (1909).—*Veg.*
Tubeuf, Nadelhölzer, 142 (1897).
L. H. Bailey, Cycl. Amer. Hort. 1509 (1902).—*Veg.*
Mitt. Deutsch. Dendr. Ges. 1917, t. 29.—*Hab.*
Gartenfl. lxvii. 129 (1918).—*Hab.*
—— **ericoides** Beissn. & Hochst.
Beissner, Handb. Nadelholzk. 67 (1891); Ed. 2, p. 532 (1909).—*Veg.*
L. H. Bailey, Cycl. Amer. Hort. 1509 (1902).—*Veg.*
squarrosa Sieb. & Zucc.
*Useful Pl. Jap. iii. t. 696 (1895) in ic.; *Thuya pisifera* in textu, p. 169.
Semaine Hort. 1899, p. 170.—*Hab.*
thyoides Oerst.
Vidensk. Meddel. Kjöbenhavn, 1864, p. 22 (1865).
thyoides Britton, Sterns & Pogg.
Newhall, Trees N.E. Amer. 179 (1894).
Britton & Brown, Ill. Fl. N. States & Canada, i. 59 (1896); Ed. 2, i. 65 (1913).

CHAMAECYPARIS
thyoides
Lounsberry, Guide to the Trees, Ed. 2, p. 102, 103 (1900).—*Hab.*
Lounsberry, Southern Wild Fl. & Trees, t. 6 (1901).
Parkhurst, Trees, Shrubs, Vines N.E. United States, 241, t. 15, fig. 98 (1903).—*Veg.*
Rogers, Tree Book, 99 (1905).
Sargent, Man. Trees N. Amer. 82 (1905).
Hough, Handb. Trees N. States & Canada, 42, 43 (1907).
Britton, N. Amer. Trees, 103, 104 (1908).
Emerson & Weed, Our Trees, How to Know Them, 51 (1908).
Blakeslee & Jarvis, New England Trees in Winter (Storrs Agric. Exp. St. Bull. No. 69), 375 (1911).
Collins & Preston, Key to Trees, 6 (1912).—*Veg.*
Blakeslee & Jarvis, Trees in Winter, 241 [1913].
Silva Tarouca, Freiland-Nadelhölzer, 164 (1913).
Torreya, xiii. 97 (1913).—*Hab.*
Mathews, Field Book Amer. Trees & Shrubs, 48, 51 (1915).
Illick, Pennsylvania Trees (Pennsylv. Dept. For. Bull. No. 11), t. 25 (1919).
—— **andelyensis** Silva Tarouca
Apgar, Orn. Shrubs U.S. 329, fig. 597 (1910).
Journ. New York Bot. Gard. xvi. t. 154 (1915).—*Hab.*
L. H. Bailey, Stand. Cycl. Hort. 2922 (1916).—*Veg.*
—— **ericoides** Sudw.
Apgar, Orn. Shrubs U.S. 329, fig. 595 (1910).—*Veg.*
L. H. Bailey, Stand. Cycl. Hort. 2922 (1916).—*Veg.*

CHAMAECYTISUS Vis.: *Argyrolobium*
dalmaticus Vis.
Visiani, Fl. Dalmat. iii. II. t. 55 (1852).
Reichenbach, Ic. Fl. Germ. xxii. t. 13 (1867–86).

CHAMAEDACTYLIS Th. F. Nees: *Aeluropus*
maritima Nees
Nees, Gen. Pl., Monocot. i. t. 66 (1837).

CHAMAEDAPHNE Moench—Vide *Andromeda* (2)
calyculata Moench
*Lorek, Fl. Pruss. Ed. 3, t. 103, fig. 554 (1848).
Pflanzenfam. iv. 1. 22 (1889).—*Fl.*
Britton & Brown, Ill. Fl. N. States & Canada, ii. 570 (1897); Ed. 2, ii. 687 (1913).
Semaine Hort. 1899, p. 1.
L. H. Bailey, Cycl. Amer. Hort. 287 (1900); Stand. Cycl. Hort. 732 (1914).
Keeler, Our North. Shrubs, 389 (1903); Ed. 2, p. 389 (1912).
Jones & Rand in Bull. Vermont Agric. St. No. 145, p. 166 (1909).
Apgar, Orn. Shrubs U.S. 249, fig. 418 (1910).
Schneider, Ill. Handb. Laubh. ii. 526 (1911).—*Veg.*
Stone, Pl. Southern New Jersey (Ann. Rep. New Jersey State Mus. 1910), t. 92, 100 (1911).
Clements, Rosend. & Butters, Minnesota Trees & Shrubs, 91 (1912).
Creevey, Harper's Guide Wild Flowers, 414 (1912).
Mathews, Field Book Amer. Trees & Shrubs, 357 (1915).
*House, Wild Fl. New York (Mem. No. 15, N.Y. State Mus.), ii. t. 157 (1918).
Lindman, Svensk Fanerogamfl. 442 (1918).
Schneider, Ill. Handb. Laubh. ii. 534 (1919).

CHAMAEDOREA Willd.—Vide *Dasystachys, Eleutheropetalum, Nunnezharia, Spathoscaphe, Stachyophorbe, Stephanostachys*
Arenbergiana H. Wendl.
Kerchove, Palm. 75 (1878).—*Hab.*
*Bot. Mag. cxi. t. 6838 (1885).
Dammer, Palmenzucht u. Palmenpflege, 48 (1897).
aurantiaca A. Brongn.
Decaisne & Naud. Amat. Jard. iii. 618 [1862–66].—*Hab.*
bambusoides Hort.
Rev. Hort. 1911, p. 571.—*Hab.*

CHAMAEDOREA
bambusoides graminifolia Gérôme
Rev. Hort. 1911, p. 570.—*Hab.*
—— **juncea** Gérôme
Rev. Hort. 1911, p. 571.—*Hab.*
concolor Mart.
Gartenfl. li. 71 (1902); lxii. 198 (1913).—*Hab.*
conocarpa Mart.
*D'Orbigny, Voyage Amér. Mérid. vii. III. t. 6 in textu; *Hyospathe montana* in ic.; vii. III. t. 16 (1847).
corallina Hook. f.
Gartenfl. lxii. 194 (1913).—*Hab.*
Deckeriana Hemsl.
Pflanzenfam. ii. III. 63 (1889).—*Fl.*
desmoncoides H. Wendl.
Bull. Soc. Tosc. Ortic. xxxviii. 84 (1913).—*Hab.*
elatior Mart.
*Martius, Palm. i. tab. R, fig. i. ii, t. Z, fig. v, t. Z II, fig. XII, t. Z IV, fig. VI–X; iii. t. 126 (1823–50).
Berg, Charakt. t. 7 a, fig. E (1861).
Bellair & St.-Léger, Pl. Serre, 513 (1900).—*Hab.*
Knuth, Handb. Blütenbiol. iii. 1. 56 (1904).—*Fl.*
Gartenfl. lxii. 196 (1913).—*Hab.*
elegans Mart.
*Martius, Palm. i. tab. R, fig. III (1823–50).
Allg. Gartenzeit. ii. t. 6, A (1834).—*Fl.*
*Bot. Mag. lxxxi. t. 4845 (1855).
*Fl. des Serres, Ser. II. iii. 133, t. 1362 (1858).
Garden, i. 283 (1872).—*Hab.*
Gard. Chron. 1873, p. 508.—*Hab.*
*Kerchove, Palm. 85, t. 14 (1878).—*Hab.*
Gartenfl. xxxi. 214 (1882); lxii. 197 (1913).
Garten-Zeit. Berlin, i. 179 (1882).—*Hab.*
Rev. Hort. Belge, viii. 17 (1882).—*Hab.*
Lignier in Bull. Soc. Linn. Normandie, Ser. IV. iv. 1890, t. 1 (1891).—*Fl.*
Baillon, Hist. Pl. xiii. 267 (1895).—*Fl.*
Hesdörffer, Handb. Zimmergärtn. Ed. 2, p. 376, fig. 255 (1900).
Bull. Soc. Tosc. Ortic. xxxviii. 84 (1913).—*Hab.*
Ernesti-Augusti H. Wendl.
*Bot. Mag. lxxxi. t. 4831, 4837 (1855).
*Fl. des Serres, Ser. II. iii. t. 1357 (1858).
Journ. Hort. xxxiii. 343 (1865).
Gard. Chron. 1873, p. 508.
Kerchove, Palm. 85 (1878).
Neubert's Deutsch. Gart. Mag. xlvi. 159 (1893).—*Hab.*
Schweiz. Gartenbau, ix. 207 (1896).
Dammer, Palmenzuchtu. Palmenpflege, 44 (1897).
formosa Hort.
Florist, 1876, p. 247.
Gard. Chron. v. 724 (1876).
Gard. Month. & Hort., Meehan, xix. 72 (1877).
Ill. Gartenzeit. Stuttgart, xxi. t. 27 (1877).
Gartenfl. xxvi. 55 (1877).—*Hab.*
Jardin, vii. 175 (1893).
fragrans Mart.
*Martius, Palm. ii. t. 3 (1823–50).
geonomiformis H. Wendl.
Örsted, Amer. Centr. t. 5 (1863).
Garden, x. 479 (1876); xxiv. 244 (1883).—*Hab.*
Pflanzenfam. ii. III. 63 (1889).
glaucifolia H. Wendl.
Gard. & Forest, viii. 507 (1895).
*Bot. Mag. cxxxviii. t. 8457 (1912).
L. H. Bailey, Stand. Cycl. Hort. 732 (1914).—*Hab.*
gracilis Willd.
*Joh. Kerner, Hort. Sempervir. t. 781–83 (1828).
*D'Orbigny, Voyage Amér. Mérid. vii. III. t. 6 (1847) in ic.; *C. lanceolata* in textu.—*Hab.*
Kerchove, Palm. 76 (1878).—*Fr.*
graminifolia H. Wendl.
*Kerchove, Palm. t. 13 (1878).—*Hab.*
Nicholson, '1900' Suppl. Dict. Gard. 223 (1900).
Karwinskiana Herm. & Wendl.
Rev. Hort. 1869, p. 227.—*Hab.*
Garden, v. 531 (1874); xxiv. 245 (1883).—*Hab.*
lanceolata Kunth
*D'Orbigny, Voyage Amér. Mérid. vii. III. t. 6 in textu; errore *C. gracilis* in ic.; vii. III. t. 16 (1847).
Mart. Fl. Bras. iii. II. t. 125 (1882).
Pflanzenfam. ii. III. 63 (1889).—*Fl.*

CHAMAEDOREA
latifolia Hort.
Le Maout & Decaisne, Traité Gén. Bot. 619 (1868). —*Hab.*
Martiana H. Wendl.
Velenovsky, Vergl. Morphol. Pfl. iv. Suppl. 114, 115 (1913).
nana N. E. Br.
*Bot. Mag. cxlii. t. 8652 (1916).
oblongata Mart.
*Martius, Palm. i. tab. z, fig. IV (1823–50).—*Veg.*
opaca Drude
Pflanzenfam. ii. III. 63 (1889).—*Fl.*
pauciflora Mart.
*Martius, Palm. ii. t. 3 (1823–50).
pulchella Linden
*Bot. Mag. cxxx. t. 7959 (1904).
Sartorii Liebm.
Nicholson, Illustr. Dict. Gard. i. 305; iii. 10 [1884–88].—*Hab.*
Schiedeana Mart.
*Martius, Palm. i. t. R, fig. V, v, fig. I, t. Z, fig. III, t. Z II, fig. XIII; iii. t. 138 (1823–50).
Allg. Gartenzeit. ii. t. 6, B (1834).—*Fr.*
Schnizlein, Iconogr. i. t. 75 a (1849).—*Fl.*
Kerchove, Palm. 180 (1878).
Pflanzenfam. ii. III. 10 (1889).—*Veg.*
Gatin, Palm. 64 (1912).—*Veg.*
stolonifera H. Wendl.
*Bot. Mag. cxviii. t. 7265 (1892).
tepejilote Liebm.
*Bot. Mag. xcix. t. 6030 (1873).
Verschaffeltii Hort.
Bull. Soc. Tosc. Ortic. xi. 72, t. 3 (1886).

CHAMAEDRYS Moench: *Teucrium*
cinerascens Jord. & Fourr.
*Jordan & Fourr. Ic. Fl. Eur. i. t. 59 (1867).
glauca Jord. & Fourr.
*Jordan & Fourr. Ic. Fl. Eur. i. t. 58 (1867).
ovalifolia Jord. & Fourr.
*Jordan & Fourr. Ic. Fl. Eur. i. t. 60 (1867).
pulverulenta Jord. & Fourr.
*Jordan & Fourr. Ic. Fl. Eur. i. t. 56 (1867).
virescens Jord. & Fourr.
*Jordan & Fourr. Ic. Fl. Eur. i. t. 57 (1867).

CHAMAEFISTULA G. Don: *Cassia*
corymbosa G. Don
J. C. Loudon, Arbor. & Frutic. Brit. ii. 661 (1838).

CHAMAELAUCIUM Desf.
Brownii Desf.
Mém. Mus. Hist. Nat. Paris, v. 173 (1819).
ciliatum Desf.
Mém. Mus. Hist. Nat. Paris, v. 41 (1819).
Lamarck, Ill. vi. t. 961 (1823).
Pflanzenfam. iii. VII. 102 (1893).—*Fl.*
Hallii Ewart
Proc. Roy. Soc. Victoria, xx. I. t. 9 (1907).
plumosum Desf.
Mém. Mus. Hist. Nat. Paris, v. 43 (1819).
Thomasii F. Muell.
F. Mueller, Fragm. Phyt. Austral. iv. 137 (1864).
uncinatum Schau.
Baillon, Hist. Pl. vi. 320 (1877).—*Fl.*
Pflanzenfam. iii. VII. 102 (1893).—*Fl.*
virgatum Endl.
Nov. Act. Acad. Nat. Cur. xix. Suppl. II. 272, t. 4 (1841).

CHAMAELE Miq.
decumbens Makino
Somoku Dzusetsu, Ed. Makino (Iconogr. Pl. Nippon), v. t. 15 (1907).
—— **japonica** Makino
Somoku Dzusetsu, Ed. Makino (Iconogr. Pl. Nippon), v. t. 16 (1907).
Tanakae Franch. & Sav.
Somoku Dzusetsu, Ed. 2, v. t. 16 (1874).
tenera Miq.
Somoku Dzusetsu, Ed. 2, v. t. 15 (1874).

CHAMAELEA Adans.: *Cneorum*
tricoccos Gaertn.
Gaertner, Fruct. i. t. 70 (1788).—*Fr.*

CHAMAELIRIUM Willd.—Vide *Melanthium* (4), *Ophiostachys*
carolinianum Willd.
Journ. Roy. Hort. Soc. London, xxv. Proc. p. lxxxvi (1900–1).
Garden, lxiv. 60 (1903).—*Hab.*
luteum A. Gray
*Millspaugh, Amer. Med. Pl. t. 177 (1887).
Britton & Brown, Ill. Fl. N. States & Canada, i. 402 (1896); Ed. 2, i. 489 (1913).
Lochman, Phot. Med. Pl. t. 11 (1898).
Hare, Caspari & Rusby, Nat. Stand. Dispens. 132 (1905).—*Veg.*
U.S. Dep. Agric. Bur. Pl. Indust. Bull. No. 107, t. 2 (1907).
Merck's Rep. (Pract. Journ. Pharm.), xxiii. 268 (1914).

CHAMAEMELES Lindl.
coriacea Lindl.
Trans. Linn. Soc. London, xiii. t. 11 (1822).
Pflanzenfam. iii. III. 20 (1888).—*Fr.*
Schneider, Ill. Handb. Laubh. i. 764 (1906).

CHAMAEMELUM Auct.: *Anthemis* (1), *Matricaria* (2), *Chrysanthemum* (3)
arvense Schreb. (1)
Gaertner, Fruct. ii. t. 168 (1791).—*Fr.*
*Sturm, Fl. Deutschl. Ed. 2, xiii. t. 43 (1905).
austriacum J. & C. Presl (1)
*Sturm, Fl. Deutschl. Ed. 2, xiii. t. 42 (1905).
Balsamita E. H. L. Krause (3)
Sturm, Fl. Deutschl. Ed. 2, xiii. 209 (1905).
Chamomilla E. H. L. Krause (2)
*Sturm, Fl. Deutschl. Ed. 2, xiii. t. 45 (1905).
coronarium E. H. L. Krause (3)
*Sturm, Fl. Deutschl. Ed. 2, xiii. t. 49 (1905).
corymbosum E. H. L. Krause (3)
*Sturm, Fl. Deutschl. Ed. 2, xiii. t. 48 (1905).
hygrophilum Bornm. (1)
Mitt. Thüring. Bot. Vereins, N. Ser. xxiv. tab. (1908).
inodorum Vis. (2)
Reichenbach, Ic. Fl. Germ. xvi. t. 985 (1853).
Bot. Zeit. xxii. t. 10, fig. 1 (1864).—*Fr.*
*Sturm, Fl. Deutschl. Ed. 2, xiii. t. 46 (1905).
Merino, Fl. Galicia, ii. 373 (1906).
—— **maritimum** Reichb. f. (2)
Reichenbach, Ic. Fl. Germ. xvi. t. 985 (1853).
—— **salinum** Reichb. f. (2)
Reichenbach, Ic. Fl. Germ. xvi. t. 985 (1853).
Kotschyi Boiss. (2)
Bot. Zeit. xxii. t. 10, fig. 3 (1864).—*Fr.*
Leucanthemum E. H. L. Krause (3)
*Sturm, Fl. Deutschl. Ed. 2, xiii. t. 50 (1905).
maritimum Boiss. (2)
Bot. Zeit. xxii. t. 10, fig. 2 (1864).—*Fr.*
nobile All. (1)
*Sturm, Fl. Deutschl. Ed. 2, xiii. t. 44 (1905).
Parthenium E. H. L. Krause (3)
Sturm, Fl. Deutschl. Ed. 2, xiii. 205 (1905).
segetum E. H. L. Krause (3)
*Sturm, Fl. Deutschl. Ed. 2, xiii. t. 49 (1905).
suaveolens E. H. L. Krause (2)
Sturm, Fl. Deutschl. Ed. 2, xiii. 202 (1905).
Tanacetum E. H. L. Krause (3)
Sturm, Fl. Deutschl. Ed. 2, xiii. t. 47 (1905).
tinctorium Schreb. (1)
*Sturm, Fl. Deutschl. Ed. 2, xiii. t. 41 (1905).
uniglandulosum Vis. (2)
Visiani, Fl. Dalmat. ii. t. 51 (1847).
Reichenbach, Ic. Fl. Germ. xvi. t. 985 (1853).

CHAMAENERIUM Adans.
angustifolium Scop.
Pflanzenfam. iii. VII. 209 (1893).—*Fl.*
Britton & Brown, Ill. Fl. N. States & Canada, ii. 481 (1897); Ed. 2, ii. 590 (1913).
*Blanchan, Nat. Gard. 132 (1900).
S. Brown, Alp. Fl. Rocky Mts. 196, t. 53 (1907).
Lazaro, Comp. Fl. Españ. ii. 465 (1907).
Fedtschenko & Fler. Fl. Eur. Russia, 661 (1910).
Wettstein, Handb. Syst. Bot. Ed. 2, p. 679 (1911). —*Fl.*
*F. E. & E. S. Clements, Rocky Mt. Fl. t. 32 (1914).
M. Armstrong, Field Book West. Wild Fl. 315 (1915).

CHAMAENERIUM
angustifolium
*Nat. Geogr. Mag. Washington, xxix. 604 (1916).
Lindman, Svensk Fanerogamfl. 17 (1918).—*Fl.*
*House, Wild Fl. New York (Mem. No. 15, N.Y. State Mus.), ii. t. 144 (1918).
*Weaver in Carnegie Inst. Washington, Publ. No. 286, p. 111, t. C (1919).—*Veg.*
Bot. Tidsskr. xxxv. 443 (1919).—*Hab.*
Pammel & Cratty in Proc. Iowa Acad. Sc. xxvii. 61 (1920).—*Hab.*
halimifolium Salisb.
*Salisbury, Parad. London, i. II. t. 58 (1806).
latifolium Sweet
Britton & Brown, Ill. Fl. N. States & Canada, ii. 481 (1897); Ed. 2, ii. 590 (1913).
*S. Brown, Alp. Fl. Rocky Mts. 194, t. 52 (1907).
Kruuse in Meddel. Groenl. xlix. 147 (1912).—*Hab.*
M. Armstrong, Field Book West. Wild Fl. 315 (1915).
—— **ambiguum** Fries & Lange
*Fl. Dan. xvii. t. 2901 (1877).
—— **tenuiflorum** Fries & Lange
*Fl. Dan. xvii. t. 2902 (1877).
palustre Schreb.
G. Beck, Fl. Nied.-Oesterr. ii. I. 685 (1892).—*Fl.*

CHAMAEORCHIS L. C. Rich.—Vide *Chamaerepes*
alpina L. C. Rich.
*Petermann, Deutschl. Fl. t. 85, fig. 675 (1849) —*Fl.*
*Froelich, Alpenpfl. Schweiz, vii & viii. t. 3 (1856).
Cesati, Passer. & Gibelli, Comp. Fl. Ital. t. 23 (1867–86).—*Fl.*
*Barla, Fl. Illustr. Nice & Alpes-Marit., Orchid. t. 23 (1868).
*Weber, Alp.-Pfl. Ed. 3, iv. t. 379 (1872).
*Cusin, Herb. Fl. Franç. xxii (Orchidées), t. 33 (1876).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, iv. t. 363 (1880).
*Seboth & A. W. Bennett, Alpine Pl. iii. t. 12 (1880).
H. Müller, Alpenblumen, 74 (1881).—*Fl.*
Pflanzenfam. ii. VI. 90 (1889).—*Fl.*
Kerchove, Livre Orch. 134 (1894).—*Fl.*
*Schulze, Orchidac. t. 40 (1894).
Garcke, Ill. Fl. Deutschl. 580 (1895).
*Hartinger, Atlas Alpenfl. i. t. 67 (1897).
Knuth, Handb. Blütenbiol. i. 146 (1898); ii. II. 443 (1899).—*Fl.*
*G. Beck, Alpenblum. Semmering, t. I, fig. 10 (1898).—*Fl.*
*Correvon, Alb. Orch. t. 7 (1899).
Lindman, Bild. Nord. Fl. t. 409 (1901–5).
*Müller & Kränzl. Abbild. Deutsch. Orch. t. 6 (1904).
Blytt, Haandb. Norg. Fl. Ed. Dahl, 229 (1906).
Diels in Natur, iv. 79 [1907].
E. G. Camus, Orchid. t. 15, fig. 429–34 (1908).
Schroeter, Pflanzenleb. Alp. 362 (1908).
Fedtschenko & Fler. Fl. Eur. Russia, 276 (1910).
*H. S. Thompson, Alp. Pl. Europe, t. 62 (1911).
*Hegi & Dunz. Alp. Fl. t. 4 (1913).
Pantu, Orchid. Romania, t. 24 (1915).
Lindman, Svensk Fanerogamfl. 172, 176 (1918). —*Fl.*

CHAMAEPERICLYMENUM Graebn.: *Cornus*
canadense Aschers. & Graebn.
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, ii. 664 (1913).
suecicum Aschers. & Graebn.
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, ii. 665 (1913).

CHAMAEPEUCE DC.: *Cirsium*
afra DC.
Ill. Hort. xli. 100 (1894).—*Hab.*
Bull. Soc. Tosc. Ortic. xix. 42 (1894).—*Hab.*
Engler & Drude, Veget. Erde, xi. t. 17 (1909).—*Hab.*
Alpinii Jaub. & Spach
Jaubert & Spach, Illustr. Pl. Or. v. t. 425 (1853–57).
Casabonae DC.
Moris, Fl. Sard. t. 88 (1840–43).

CHAMAEPEUCE
Casabonae
Cesati, Passer. & Gibelli, Comp. Fl. Ital. t. 75 (1867–86).—*Fl.*
*Cusin, Herb. Fl. Franç. xiii (Composées), t. 383 (1874).
Coste, Fl. France, ii. 403 (1903).
diacantha DC.
W. Robinson, Engl. Fl. Gard. t. 66 (1883).—*Hab.*
Wien. Ill. Gart.-Zeit. viii. 295 (1883).
*Behrens, Blattformen, t. 36, fig. c (1900).—*Veg.*
Rev. Hort. 1902, p. 430.—*Hab.*
Journ. Hort. Ser. III. lxvii. 207 (1913).—*Hab.*
hispanica DC.
Boissier, Voy. Bot. Espagne, i. t. 107 (1839–45).
nivea DC.
Lojacono-Pojero, Fl. Sic. ii. 1. t. 16 (1902).
Sprengeri Wittm.
Garten-Zeit. Berlin, i. 440 (1882).—*Fl.*

CHAMAEPITYS Nees.: *Ajuga*
vulgaris Link
Nees, Gen. Pl., Gamop. ii. t. 48 (1839).

CHAMAERANTHEMUM Nees—Vide *Eranthemum* (3)
Beyrichii Nees
Mart. Fl. Bras. ix. t. 28 (1847).
—— **variegata** Hook. f.
*Bot. Mag. xcii. t. 5557 (1866).
*Horticulteur Franç. 1867, t. 11.
Gaudichaudii Nees
*Fl. des Serres, Ser. II. vii. t. 1767 (1867–68).—*Veg.*
igneum Regel
*Gartenfl. xvii. t. 598 (1868).

CHAMAERAPHIS R. Br.
gracilis Hack.
Engler, Bot. Ergebn. Exped. Gazelle, t. 2 [1890].
hordeacea R. Br.
*Kunth, Rév. Gram. i. t. 36 (1829).
paradoxa Poir.
Agric. Gaz. N. S. Wales, viii. 521 (1897).
Maiden, Grasses N. S. Wales, 59 (1898).
spinescens Poir.
Agric. Gaz. N. S. Wales, xi. 721 (1900).
viridis Porter
!Bull. Torr. Bot. Club. xxvii. 85 (1900).—*Fl.*

CHAMAEREPES Spreng.: *Chamaeorchis*
alpina Spreng.
Nees, Gen. Pl., Monocot. iii. t. 27 (1836).
Meigen, Deutschl. Fl. iii. t. 135 (1842).—*Fl.*

CHAMAERHODOS Bunge
erecta Bunge
Mem. Columbia Univ. ii. t. 112 (1898).
grandiflora Ledeb.
*Ledebour, Ic. Pl. Ross. iii. t. 271 (1831).
Nuttallii Pickering
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, ii. 263 (1913).
sabulosa Bunge
*Ledebour, Ic. Pl. Ross. iii. t. 257 (1831).

CHAMAERIPHES Pontedera ex Gaertn.: *Chamaerops*
maior Gaertn.
Gaertner, Fruct. i. t. 9 (1788).—*Fr.*
minor Gaertn.
Gaertner, Fruct. i. t. 9 (1788).—*Fr.*

CHAMAEROPS Linn.—Vide *Chamaeriphes*
Antillarum Desc.
*Descourtilz, Fl. Pitt. & Méd. Antilles, i. t. 28 (1821).
arborescens Steud.
Journ. Hort. xlix. 101 (1873).
biroo Sieb.
Gard. Chron. Ser. III. xxx. 371 (1901).—*Hab.*
elegans Hort.
Gubb, Fl. Algeria, t. 10 (1909).—*Hab.*
excelsa Thunb.
*Martius, Palm. iii. t. 125 (1823–50).
*Rev. Hort. 1868, p. 370; 1870, p. 329; 1904, p. 471.
Bull. Arboricult. Belg. 1872, p. 264.—*Hab.*
Floral World, 1872, p. 164.—*Hab.*

CHAMAEROPS
excelsa
Garden, i. 479 (1872); vi. 517 (1874); xii. 352 (1877).—*Hab.*
Neubert's Deutsch. Gart. Mag. 1873, p. 73.
Florist, 1875, p. 124.—*Hab.*
Dai-Nihon Ju-moku Shi-ri-yaku (Jap. Trees Fig. & Expl.), t. 90 (1878).—*Veg.*
Gartenfl. xxvii. 117 (1878).—*Hab.*
Favart, Flowers & Pl. t. 31 (1880).—*Veg.*
W. Robinson, Engl. Fl. Gard. t. 65 (1883).—*Hab.*
Brehm, Merv. Nat. Monde des Pl. ii. 635, 637 (1894–96).—*Hab.*
*Useful Pl. Jap. iii. t. 711 (1895).
Witte in Tijdschr. Tuinb. Ed. Bos, i. fig. 50 (1896).—*Hab.*
Gard. Chron. Ser. III. xxiv. 420 (1898); xxix. 310 (1901).—*Hab.*
Goebel, Organogr. Pfl. 523 (1900); Ed. Angl. ii. 327 (1905); Ed. 2, i. 69 (1913).—*Veg.*
Gubb, Fl. Algeria, t. 8 (1909).—*Hab.*
Chabaud, Palm. Côte d'Azur, 50 [1915].—*Hab.*
Möllers Deutsche Gärtn.-Zeit. xxxi. 87 (1916).—*Hab.*
Mitt. Deutsch. Dendr. Ges. 1916, t. 63.—*Hab.*
Fortunei Hook.
*Bot. Mag. lxxxvi. t. 5221 (1860).
*Fl. des Serres, Ser. II. xii. t. 2368 (1876) in ic.; *Trachycarpus excelsus* in textu.
*Kerchove, Palm. t. 25 (1878) in ic.; *Trachycarpus Fortunei* in textu.—*Hab.*
Garden, xix. 47 (1881); xxxiii. 551 (1888); lxxx. 191 (1916).—*Hab.*
W. Robinson, Engl. Fl. Gard. t. 65 (1883).—*Hab.*
Brehm, Merv. Nat. Monde des Pl. ii. 637 (1894–96).—*Hab.*
U.S. Dep. Agric. Fiber Invest. Rep. No. 9, t. 6 (1897).—*Hab.*
Griffithii Lodd.
Rev. Hort. 1870, p. 276.—*Hab.*
Florist, 1875, p. 103.—*Hab.*
humilis Linn.
Desfontaines in Mém. Instit. Nat. Sc. & Arts, Paris, i. 502, t. 3 (1797).—*Veg.*
Lamarck, Ill. v. t. 900 (1797–1819).
*Duhamel, Arbres & Arbustes, Ed. 2, vii. t. 58 (1801–19).
*Andrews, Bot. Rep. ix. t. 599 (1810).
Trans. Linn. Soc. London, x. t. 8 (1811).
Mirbel, Élém. Phys. Vég. Bot. iii. t. 3, fig. 3 (1815).—*Hab.*
*Bot. Mag. xlvii. t. 2152 (1820).
!Martius, Palm. i. tab. x, fig. iv, z, ii, fig. 1, z, xx; iii. t. 120, 124 (1823–50).
Verh. Ver. Beförd. Gartenb. i. t. 2 (1824).
Joh. Kerner, Gen. Pl. Ill. t. 198–201 (1825–28).
Nees, Gen. Pl., Monocot. iii. t. 36 (1836).
Meigen, Deutschl. Fl. ii. t. 74 (1837).
J. C. Loudon, Arbor. & Frutic. Brit. iv. 2530 (1838).
Risso, Fl. Nice, [t. 18] (1844).
Lindley, Veg. Kingd. 134 (1846).
*Schnizlein, Iconogr. i. t. 75 a, 75 b (1849).
Berg, Charakt. t. 7 a (1861).
Cesati, Passer. & Gibelli, Comp. Fl. Ital. t. 28 (1867–86).
Le Maout & Decaisne, Traité Gén. Bot. 615, 616 (1868).—*Fl.*
*Réveil, Règne Vég. iii. t. 16 (1870).
Journ. Hort. xlix. 81 (1873).
Garden, v. 367 (1874); xxxix. 141 (1891).—*Hab.*
Kerchove, Palm. 161, 164–66, 206, 218, 219, 225, 275 (1878).
Berge, Pflanzenphysiogn. 180 (1880).—*Hab.*
Karsten, Deutsche Fl. Pharm.-medic. Bot. 410 (1880–83).
W. Robinson, Engl. Fl. Gard. t. 64 (1883).—*Hab.*
Baillon, Traité Bot. Méd. Phan. ii. 1410 (1884).
Bull. Soc. Acclim. Ser. IV. iv. 557 (1887).—*Hab.*
Jardin, ii. 211 (1888); xxiii. 312 (1909).—*Hab.*
Pflanzenfam. ii. III. 32 (1889).—*Fl.*
*Rev. Hort. 1892, p. 84.
Bois, Dict. Hort. 291 (1893–99).—*Hab.*
Baillon, Hist. Pl. xiii. 245, 246 (1895).
Karsten, Fl. Deutschl. i. 418 (1895).
Fiori & Paol. Ic. Fl. Ital. 61 (1896).

CHAMAEROPS
humilis
Journ. Roy. Hort. Soc. London, xxii. 479 (1898–99).—*Hab.*
Malpighia, xiv. t. 10, 12 (1900).—*Fr.*
L. H. Bailey, Cycl. Amer. Hort. 288 (1900); 1192, t. 24 (1901); Stand. Cycl. Hort. 733 (1914).
Penzig, Fl. Litt. Méditerr. t. 142 (1902).—*Hab.*
Bull. Trav. Soc. Bot. Genève, xi. 28 (1905).—*Hab.*
Lazaro, Comp. Fl. Españ. i. 727 (1906).—*Hab.*
Bull. Soc. Bot. France, 1906, liii. t. 16 (1907).—*Hab.*
Gard. Chron. Ser. III. xli. 214 (1907).—*Hab.*
Karsten & Schenck, Veg.-Bild. v. t. 38 (1907); x. t. 2, 10 (1912).—*Hab.*
Gubb, Fl. Algeria, t. 9 (1909).
Bol. de Fomento, Costa Rica, i. v. 364, 365 (1911).
Journ. Bombay Nat. Hist. Soc. xx. 699, 700 (1911).
Möllers Deutsche Gärtn.-Zeit. xxvi. 133 (1911).
Wettstein, Handb. Syst. Bot. Ed. 2, p. 844 (1911).—*Fl.*
Gatin, Palm. 78, 248, 250 (1912).
Rikli, Lebensb. Veget. Mittelmeerl. Atlant. Inseln, t. 11 (1912).—*Hab.*
Queensland Agric. Journ. xxxi. t. 104 (1913).—*Hab.*
Trotter, Fl. Econ. della Libia, t. 53 (1915).—*Hab.*
—— **arborescens** Pears.
Malpighia, xiv. t. 10 (1900).—*Fr.*
—— **bicolor** Hort.
*Rev. Hort. 1892, p. 84.—*Fr.*
—— **dactylocarpa** Becc.
Bull. Soc. Tosc. Ortic. xiv. 80, t. 3 (1889).
Malpighia, xiv. t. 13 (1900).—*Fr.*
—— **depressa** Mart.
Chabaud, Palm. Côte d'Azur, 54 [1915].—*Hab.*
—— **elegans** Hort.
Florist, 1872, p. 236.
Nicholson, '1900' Suppl. Dict. Gard. 223 (1900).
Gubb, Fl. Algeria, t. 9 (1909).—*Hab.*
—— **elliptica** Hort.
*Rev. Hort. 1892, p. 84.—*Fr.*
—— **elongata** Hort.
*Rev. Hort. 1892, p. 84.—*Fr.*
—— **gracilis** Hort.
Malpighia, xiv. t. 11 (1900).—*Fr.*
—— **lanceolata** Hort.
Malpighia, xiv. t. 10 (1900).—*Fr.*
—— **macrocarpa** Ten.
*Rev. Hort. 1892, p. 84.—*Fr.*
Malpighia, xiv. t. 11 (1900).—*Fr.*
—— **microcarpa** Hort.
*Rev. Hort. 1892, p. 84.—*Fr.*
—— **obscura** Hort.
*Rev. Hort. 1892, p. 84.—*Fr.*
—— **oliviformis** Hort.
*Rev. Hort. 1892, p. 84.—*Fr.*
—— **palumbina** Hort.
*Rev. Hort. 1892, p. 84.—*Fr.*
—— **punctulata** Hort.
*Rev. Hort. 1892, p. 84.—*Fr.*
—— **rubicunda** Hort.
*Rev. Hort. 1892, p. 84.—*Fr.*
—— **rutilans** Hort.
*Rev. Hort. 1892, p. 84.—*Fr.*
—— **serrulata** Hort.
Malpighia, xiv. t. 10 (1900).—*Fr.*
hystrix Fraser
*Martius, Palm. iii. t. 125 (1823–50).
*Ill. Hort. xxx. t. 486 (1883).
Chabaud, Palm. Côte d'Azur, 40 [1915].—*Hab.*
khasyana Griff.
*Griffith, Palms Brit. Ind. t. 227, B (1850).
Martiana Wall.
*Wallich, Pl. Asiat. Rar. iii. t. 211 (1832).
*Griffith, Palms Brit. Ind. t. 227, A (1850) in textu; *C. khasyana* in ic.
palmetto Michx.
*Michaux, Arb. Amer. Sept. ii. t. 10, p. 186 (1812).
*Joh. Kerner, Hort. Sempervir. t. 517 (1818).
*Michaux, N. Amer. Sylva, ii. t. 101 (1819).
stauracantha Hort.
Journ. Hort. xxxiii. 343 (1865).

CHAMAEROPS
takil Becc.
Chabaud, Palm. Côte d'Azur, 64 [1915].—*Hab.*
tomentosa Morr.
Ann. Gand, i. 488 (1845).

CHAMAESARACHA A. Gray
conioides Britton
Britton & Brown, Ill. Fl. N. States & Canada, iii. 133 (1898); Ed. 2, iii. 163 (1913).
Coronopus A. Gray
Britton & Brown, Ill. Fl. N. States & Canada, iii. 134 (1898); Ed. 2, iii. 164 (1913).
echinata Yatabe
Bot. Mag. Tokyo, v. t. 30 (1891).
Yatabe, Ic. Fl. Jap. i. II. t. 33 (1892).
japonica Franch. & Sav.
Somoku Dzusetsu, Ed. Makino (Iconogr. Pl. Nippon), iii. t. 45 (1907).
Savatieri Makino
Makino, Ill. Fl. Jap. i. t. 65 (1891).
sordida A. Gray
Hitchcock & Norton in Bull. Kansas Agric. St. No. 57, t. 11, fig. 124 (1896); No. 66, t. 10, fig. 124 (1897).
Watanabei Yatabe
Bot. Mag. Tokyo, v. t. 29 (1891).
Yatabe, Ic. Fl. Jap. i. II. t. 32 (1892).

CHAMAESCILLA F. Muell.
corymbosa F. Muell.
Rodway, Tasman. Fl. [t. 41] (1903).
New Phytologist, xiii. 116 (1914).
spiralis F. Muell.
Journ. Linn. Soc. Bot. xli. t. 13 (1912).

CHAMAESPHACOS Schrenk
afghanicus Aitch. & Hemsl.
Trans. Linn. Soc. London, Ser. II. Bot. iii. t. 42 (1888).
ilicifolius Schrenk
Trans. Linn. Soc. London, Ser. II. Bot. iii. t. 42 (1888).
Pflanzenfam. iv. III. A. 250 (1896).—*Fl.*
persicus Aitch. & Hemsl.
Trans. Linn. Soc. London, Ser. II. Bot. iii. t. 42 (1888).

CHAMAESYCE S. F. Gray
albicaulis Rydb.
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, ii. 466 (1913).
Blodgettii Small
Britton, Fl. Bermuda, 213 (1918).
buxifolia Small
Britton, Fl. Bermuda, 213 (1918).
Fendleri Small
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, ii. 465 (1913).
Geyeri Small
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, ii. 463 (1913).
glyptosperma Small
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, ii. 466 (1913).
hirta Millsp.
Britton, Fl. Bermuda, 216 (1918).
humistrata Small
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, ii. 467 (1913).
hypericifolia Millsp.
Britton, Fl. Bermuda, 214 (1918).
hyssopifolia Small
Britton, Fl. Bermuda, 215 (1918).
lata Small
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, ii. 465 (1913).
maculata Small
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, ii. 467 (1913).
Britton, Fl. Bermuda, 216 (1918).
petaloidea Small
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, ii. 464 (1913).
polygonifolia Small
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, ii. 463 (1913).

CHAMAESYCE
Preslii Arthur
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, ii. 468 (1913).
Britton, Fl. Bermuda, 214 (1918).
prostrata Small
Britton, Fl. Bermuda, 215 (1918).
Rafinesquei Small
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, ii. 467 (1913).
serpens Small
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, ii. 464 (1913).
serpyllifolia Small
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, ii. 465 (1913).
stictospora Small
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, ii. 466 (1913).
zygophylloides Small
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, ii. 464 (1913).

CHAMAGROSTIS Borkh.: *Mibora*
minima Borkh.
*Sturm, Deutschl. Fl. ii. VII [t. 97] (1799); vide xvii. LXXVI. Übers. 50 (1839).
Kunth, Enum. Pl. i. II. t. 5 (1835).
Nees, Gen. Pl., Monocot. i. t. 6 (1836).
Hegetschweiler, Fl. Schweiz, t. I (1840).—*Fl.*
*Fl. Dan. xiv. t. 2404 (1845).
*Petermann, Deutschl. Fl. t. 95, fig. 755 (1849).
Jessen, Deutschl. Gräs. 239, 263, 268 (1863).
Bentham, Handb. Brit. Fl. fig. 1161 (1865).
Migout, Fl. Dépt. Allier, t. 22 (1866).
*Plues, Brit. Grasses, 143, t. 4 (1867).
*Syme, Engl. Bot. xi. t. 1689 (1872).
Karsten, Deutsche Fl. Pharm.-medic. Bot. 373 (1880–83).—*Fl.*
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, vii. t. 598 (1881).
Wagner, Ill. Deutsche Fl. Ed. 2, p. 822 (1882).
*Thomé, Fl. Deutschl. i. t. 75 (1886).
Garcke, Ill. Fl. Deutschl. 661 (1895).
Karsten, Fl. Deutschl. i. 377 (1895).
Rev. Hort. 1895, p. 44.—*Hab.*
Heukels, Fl. Nederl. i. 468 (1910).

CHAMELUM Phil.
luteum Phil.
*Gartenfl. xxxii. t. 1129 (1883).

CHAMIRA Thunb.
cornuta Thunb.
Sonder, Rev. Helioph. (Abh. Ges. Naturw. Hamburg, i), t. 29 [1846].

CHAMISSOA H. B. K.—Vide *Banalia*
acuminata Mart.
Pflanzenfam. iii. I. A. 94, 102 (1893).
albida Mart.
Wight, Ic. Pl. Ind. Or. v. t. 1769 (1852).
altissima H. B. K.
H. B. K. Nov. Gen. ii. t. 125 (1817).
Fawcett & Rendle, Fl. Jamaica, iii. I. 129 (1914).
aspera Wight
Wight, Ic. Pl. Ind. Or. v. t. 1772 (1852).
Blanchetii Moq.
Mart. Fl. Bras. v. I. t. 74 (1875).—*Fl.*
dichotoma Moq.
Wight, Ic. Pl. Ind. Or. v. t. 1771 (1852).
Maximiliana Mart.
Mart. Fl. Bras. v. I. t. 74 (1875).
nodiflora Mart.
Wight, Ic. Pl. Ind. Or. v. t. 1770 (1852).

CHAMISSONIA Endl.—Vide *Sphaerostigma*
alyssoides Raim.
Pflanzenfam. iii. VII. 216 (1893).—*Fl.*

CHAMITEA Kern.: *Salix*
reticulata Kern.
Pokorny, Oesterr. Holzpfl. 58, t. 24 (1864).—*Veg.*
Dippel, Handb. Laubholzk. ii. 212 (1892).
vestita Kern.
Dippel, Handb. Laubholzk. ii. 213 (1892).

CHAMITIS Banks: *Azorella*
integrifolia Gaertn.
Gaertner, Fruct. i. t. 22 (1788).—*Fr.*
tricuspidata Gaertn.
Gaertner, Fruct. i. t. 22 (1788) in ic.; *C. trifurcata* in textu.
trifurcata Gaertn.
Gaertner, Fruct. i. t. 22 (1788) in textu; *C. tricuspidata* in ic.

CHAMOMILLA Godr.: *Anthemis*
fuscata Gren. & Godr.
*Cusin & Ansberque, Herb. Fl. Franç. xii (Composées), t. 136 (1873).
Acloque, Fl. France, 372 (1894).
mixta Gren. & Godr.
*Cusin & Ansberque, Herb. Fl. Franç. xii (Composées), t. 135 (1873).
nobilis Godr.
*Cusin & Ansberque, Herb. Fl. Franç. xii (Composées), t. 134 (1873).
Acloque, Fl. France, 372 (1894).
romana Vietz
*Vietz, Ic. Pl. Med.-oec.-techn. i. t. 54 (1800).

CHAMORCHIS = *Chamaeorchis*

CHAMPEREIA Griff.
Griffithiana Planch.
Vidal, Sin. Fam. & Gen. Pl. Leñ. Filip. (Introd. Fl. For. Filip.), Atlas, t. 81, fig. D (1883).
manillana Merr.
Kanehira, Formosan Trees, 467 (1917).

CHAMPIONIA Gardn.
reticulata Gardn.
A. & C. De Candolle, Monogr. Phan. v. I. t. 15 (1883).

CHAMPIONIA C. B. Clarke: *Leptoboca*
multiflora C. B. Clarke
C. B. Clarke, Comm. & Cyrt. Beng. t. 68 (1874).

CHAPELIERA A. Rich.—Vide *Tamatavia*
madagascariensis A. Rich.
Grandidier, Hist. Madag. [Plantes] Atlas, t. 443 (1897).
Melleri K. Schum.
Grandidier, Hist. Madag. [Plantes] Atlas, t. 443 (1897).

CHAPTALIA Vent.—Vide *Leria, Loxodon*
albicans Vent.
Publ. Field Columbian Mus., Bot. Ser. iii. II. 148 (1904).—*Fl.*
Arechavaletai Hieron.
Arechavaleta in An. Mus. Nac. Montevideo, v. Ser. II. i. t. 6 (1904); vi. 434 (1908).
dentata Cass.
Plumier, Pl. Amer. Ed. Burm. t. 40, fig. 2 (1756); fide Urban, Fedde Repert. Beih. v. 43.
integrifolia Baker
Mart. Fl. Bras. vi. III. t. 102 (1884).
nutans Hemsl.
Pflanzenfam. iv. v. 341 (1893).—*Fl.*
nutans Polak.
Plumier, Pl. Amer. Ed. Burm. t. 41, fig. 1 (1756); fide Urban, Fedde Repert. Beih. v. 44.
runcinata H. B. K.
H. B. K. Nov. Gen. iv. t. 303 (1820).
Lamarck, Ill. vi. t. 986 (1823).
similis Fries
Nova Acta Soc. Sc. Upsal. Ser. IV. i. t. 7 (1905).
tomentosa Vent.
Ventenat, Jard. Cels, t. 61 [1800].
Sprengel, Anleit. Kenntn. Gewächse, Ed. 2, ii. t. 12, fig. 17 (1818).—*Fl.*
*Bot. Mag. xlviii. t. 2257 (1821).

CHAPTALIA Royle: *Gerbera*
gossypina Royle
*Royle, Illustr. Bot. Himal. t. 59 (1839).

CHARADROPHILA Marloth
capensis Marloth
Engl. Jahrb. xxvi. t. 8 (1899).

CHARDINIA Desf.
macrocarpa K. Koch
Béguinot & Diratz. Contr. Fl. Armenia, t. 11 (1912).

CHARDINIA
xeranthemoides Desf.
Mém. Mus. Hist. Nat. Paris, iii. 457 (1817).
Mém. Soc. Hist. Nat. Paris, iii. t. 8 (1827).—*Fl.*
Fischer & Meyer in Mem. Soc. Nat. Mosc. x. t. 13 (1835).—*Fl.*
Pflanzenfam. iv. v. 114 (1889).—*Fr.*
Ann. Bot. Roma, viii. t. 11 (1910).—*Fr.*
Béguinot & Diratz. Contr. Fl. Armenia, t. 11 (1912).

CHARIEIS Cass.—Vide *Kaulfussia* Nees
heterophylla Cass.
*Journ. Jard. 1845, p. 187.
*Rev. Hort. Ser. II. iv. 24–25 (1845); 1908, p. 237.
*Gartenfl. xviii. t. 602 (1869); xxx. 155 (1881).
L. H. Bailey, Cycl. Amer. Hort. 855, 856 (1900); Stand. Cycl. Hort. 734 (1914).

CHARIESSA Miq.—Vide *Pleuropetalum* Bl.
Smythii Becc.
Pflanzenfam. iii. v. 244 (1893).—*Fl.*

CHARIOMMA Miers: *Echites*
surrecta Miers
Miers, Apocynac. S. Amer. t. 15 (1878).

CHARLWOODIA Sweet: *Cordyline*
congesta Sweet
*Sweet, Fl. Austral. t. 18 (1827).
Payer, Organog. Comp. Fl. t. 135 (1857).
fragrantissima C. Lem.
*Lem. Jard. Fl. iv. t. 399 (1853).

CHARPENTIERA Gaudich.
obovata Gaudich.
Freycinet, Voyage, t. 48 (1826).
Pflanzenfam. iii. 1. a. 101 (1893).
Urban & Graebn. Festschr. Aschers. 416 (1904).—*Fl.*
Rock, Indig. Trees Hawaiian Isl. t. 46–48 (1913).
ovata Gaudich.
Freycinet, Voyage, t. 47 (1826).
*Sinclair, Indig. Fl. Hawaiian Isl. t. 44 (1885).

CHARTOLEPIS Cass.: *Centaurea*
Biebersteinii Jaub. & Spach
Jaubert & Spach, Illustr. Pl. Or. iii. t. 208 (1847–50).
cappadocica Jaub. & Spach
Jaubert & Spach, Illustr. Pl. Or. iii. t. 291 (1847–50).
Tournefortii Jaub. & Spach
Jaubert & Spach, Illustr. Pl. Or. iii. t. 207 (1847–50).

CHARTOLOMA Bunge
platycarpum Bunge
Bunge, Ic. Pl. Nov. Lehm. t. 3 (1849?).

CHASALIA Comm. ex Poir.
borbonica A. Rich.
Mém. Soc. Hist. Nat. Paris, v. t. 16 (1834).—*Fl.*
Schnizlein, Iconogr. ii. t. 127 b (1854).—*Fl.*
coffeoides DC.
Velenovsky, Vergl. Morphol. Pfl. ii. 430 (1907).—*Veg.*
curviflora Thw.
Talbot, For. Fl. Bombay, ii. 130 (1911).
lurida megacoma Miq.
Ann. Jard. Bot. Buitenzorg, iv. t. 4, fig. 3, 4 (1884).—*Fl.*
umbraticola Vatke
Engler & Drude, Veget. Erde, ix. 1. 1. 247 (1910).

CHASCANUM E. Mey.: *Bouchea*
cuneifolium E. Mey.
*Maund & Henslow, Bot. Souv. [t. 39, 1838–40].
*Maund, Botanist, iv. t. 196 (1840).

CHASCOLYTRUM Desv.: *Briza*
erectum Desv.
*Kunth, Rév. Gram. i. t. 86 (1829).
rotundatum Kunth
Kunth, Enum. Pl. i. 11. t. 26 (1835).
spicigerum Presl
Rep. Missouri Bot. Gard. x. t. 49 (1899).
subaristatum Desv.
*Kunth, Rév. Gram. i. t. 87 (1829).

CHASMANTHERA Hochst.
Columba Baill.
Baillon, Hist. Pl. iii. 12, 13 (1872).

CHASMANTHERA
dependens Hochst.
Miers, Contrib. Bot. iii. t. 92 (1864–71).
Fiori, Boschi e Piante Legn. Eritrea, 134 (1909–12).
Engler & Drude, Veget. Erde, ix. 1. 1. 134 (1910); ix. 111. 1. 183 (1915).
Pflanzenreich, Menispermac. 151 (1910).
Agric. Colon., Ital. v. 45 (1911).
palmata Baill.
Baillon, Dict. Bot. ii. 136 (1880).
Baillon, Traité Bot. Méd. Phan. i. 704 (1883).
Dujard.-Beaumetz & Égasse, Pl. Méd. 199 (1889).
strigosa Welw.
Pflanzenreich, Menispermac. 151 (1910).—*Fr.*
Engler & Drude, Veget. Erde, ix. 111. 1. 183 (1915).—*Fl.*

CHASMONIA Presl: *Moluccella*
incisa Presl
*Bot. Reg. xv. t. 1244 (1829).

CHASTENAEA DC.: *Axinaea*
coriacea Naud.
Ann. Sc. Nat. Paris, Ser. III. iv. t. 3, fig. v (1845).—*Fl.*
Merianiae DC.
Delessert, Ic. Pl. v. t. 2 (1846).

CHAUNOCHITON Benth.
loranthoides Benth.
Hook. Ic. Pl. xi. t. 1005 (1867).
Mart. Fl. Bras. xii. 11. t. 3 (1872).

CHAUNOSTOMA Donnell Smith: *Satureia*
mecistandrum Donnell Smith
Bot. Gaz. xx. t. 3 (1895).

CHAVANNESIA A. DC.: *Urceola*
esculenta A. DC.
Strettell, Note Caoutc. Rangoon, frontisp. (1874).

CHAVICA Miq.
Arnottiana Miq.
Nov. Act. Acad. Nat. Cur. xxi. Suppl. t. 40 (1846).
Betle Miq.
Wight, Ic. Pl. Ind. Or. vi. t. 1926 (1853).
Lucardie in Bull. Kol. Mus. Haarlem, No. 32, p. 159, 160 (1905); No. 34, p. 104 (1906).
*Kloppenburg-Versteegh, Pl. Atlas, t. 17 [1907].
boehmeriifolia Miq.
Nov. Act. Acad. Nat. Cur. xxi. Suppl. t. 37 (1846).
celebica Miq.
Nov. Act. Acad. Nat. Cur. xxi. Suppl. t. 41 (1846).
chaba Miq.
Nov. Act. Acad. Nat. Cur. xxi. Suppl. t. 31 (1846).
chuvya Miq.
Nov. Act. Acad. Nat. Cur. xxi. Suppl. t. 39 (1846).
densa Miq.
Nov. Act. Acad. Nat. Cur. xxi. Suppl. t. 32 (1846).
Miquel, Fl. Ned. Ind. i. t. 27 (1859).
lanceolata Miq.
Nov. Act. Acad. Nat. Cur. xxi. Suppl. t. 36 (1846).
macrostachya Miq.
Nov. Act. Acad. Nat. Cur. xxi. Suppl. t. 29 (1846).
maritima Miq.
Nov. Act. Acad. Nat. Cur. xxi. Suppl. t. 35 (1846).
melamiris Miq.
Lucardie in Bull. Kol. Mus. Haarlem, No. 32, p. 162 (1905).
miniata Miq.
Nov. Act. Acad. Nat. Cur. xxi. Suppl. t. 28 (1846).
officinarum Miq.
*Hayne, Getreue Darst. Arzn. Gewächse, xiv. t. 21 (1843).
Nov. Act. Acad. Nat. Cur. xxi. Suppl. t. 34 (1846).
Lindley, Med. & Oecon. Bot. 131 (1849).
Berg, Charakt. t. 7, fig. 93 (1861).
peepuloides Miq.
Wight, Ic. Pl. Ind. Or. vi. t. 1927 (1853).
penangensis Miq.
Nov. Act. Acad. Nat. Cur. xxi. Suppl. t. 44 (1846).
pothoides Miq.
Nov. Act. Acad. Nat. Cur. xxi. Suppl. t. 38 (1846).
Roxburghii Miq.
*Hayne, Getreue Darst. Arzn. Gewächse, xiv. t. 20 (1843).
Nov. Act. Acad. Nat. Cur. xxi. Suppl. t. 30 (1846).

CHAVICA
Roxburghii
Lindley, Med. & Oecon. Bot. 131 (1849).
Wight, Ic. Pl. Ind. Or. vi. t. 1928 (1853).
sarmentosa Miq.
Wight, Ic. Pl. Ind. Or. vi. t. 1929 (1853).
silvatica Miq.
Wight, Ic. Pl. Ind. Or. vi. t. 1930 (1853).
sphaerostachya Miq.
Nov. Act. Acad. Nat. Cur. xxi. Suppl. t. 42, 43 (1846).
Wight, Ic. Pl. Ind. Or. vi. t. 1931 (1853).
Miquel, Fl. Ned. Ind. i. t. 27 (1859).
Wallichii Miq.
Nov. Act. Acad. Nat. Cur. xxi. Suppl. t. 33 (1846).

CHAYDAIA Pitard
tonkinensis Pitard
Lecomte, Fl. Gén. Indo-Chine, i. 924 (1912).—*Fl.*

CHAYOTA Jacq.: *Sechium*
edulis Jacq.
*Jacquin, Sel. Stirp. Amer. Hist. Picta, t. 245 [1780].
U.S. Dep. Agric. Bur. Pl. Indust. Bull. Foreign Seed & Pl. Introduct. No. 163, t. 249, 250 (1919).—*Fr.*
Amer. Journ. Bot. vi. 384, 385 (1919).
Amer. Journ. Pharm. xci. 504, 505 (1919).—*Fr.*

CHEILANTHES Sw.—Vide *Aleuritopteris*, *Myriopteris*
alabamensis Kunze
Hooker, Sp. Fil. ii. t. 103 (1858).
*Hooker, Fil. Exot. t. 90 (1859).
*Lowe, Ferns, iv. t. 17 (1859).
*D. C. Eaton, Ferns N. Amer. ii. t. 57 (1880).
Britton & Brown, Ill. Fl. N. States & Canada, i. 30 (1896); Ed. 2, i. 34 (1913).
Weaver in Proc. Iowa Acad. Sc. iii. t. 7, fig. 16 (1896).
Clute, Our Ferns in their Haunts, 242 (1901).
albo-marginata C. B. Clarke
Trans. Linn. Soc. London, Ser. II. Bot. i. t. 52 (1880).
Journ. Bombay Nat. Hist. Soc. xii. 530, t. 3 (1899).
amoena A. A. Eaton
Fern Bull. v. 44 (1897).
aquilinaris Fée
Fée, Crypt. Vasc. Brésil, ii. t. 91 (1872–73).
argentea Kunze
*Hooker, Fil. Exot. t. 95 (1859).
Belg. Hort. ix. 144, fig. 12 (1859).
*Lowe, Ferns, iv. t. 12 (1859).
Beddome, Ferns Brit. Ind. t. 143 (1865–70).
*D. C. Eaton, Ferns N. Amer. ii. t. 49 (1880).
Britten, Eur. Ferns, 55 [1880–82].
Beddome, Handb. Ferns Brit. Ind. 95 (1883).
Schneider, Book Choice Ferns, ii. 33 (1893).
*Fedtschenko & Fler. Fl. Sibirica, i. t. 1 (1909).
Warburg, Pflanzenwelt, i. 266 (1913).
—— **chrysophylla** Hook.
*Hooker, Fil. Exot. t. 95 (1859).
—— **sulphurea** Hook.
*Hooker, Fil. Exot. t. 95 (1859).
aspera Hook.
Hooker, Sp. Fil. ii. t. 108 (1858).
aurea Baker
Hemsley, Biol. Centr. Amer. v. t. 106 (1885).
Hook. Ic. Pl. xvii. t. 1637 (1886).
auriculata Link
Mettenius, Fil. t. 16, fig. 9 (1856).
Bergiana Schlechtd.
Ettingshausen in Denkschr. Akad. Wiss. Wien, xxiii. t. 1 (1864).
Ettingshausen, Farnkr. t. 47 (1865).
Bolusii Baker
Hook. Ic. Pl. xvii. t. 1636 (1886).
Sim, Ferns S. Africa, t. 25 (1892); Ed. 2, t. 106 (1915).
Bonatiana Brause
Hedwigia, liv. t. 4 (1913).
Borsigiana Reichb. f.
*Lowe, New Ferns, t. 16 (1862).
brachypus Kunze
Gard. Chron. 1857, p. 772.

CHEILANTHES
Bradburyi Hook.
Hooker, Sp. Fil. ii. t. 109 (1858).
Brandegei D. C. Eaton
Bull. Torr. Bot. Club, xvii. t. 104 (1890).
brasiliensis Raddi
Raddi, Pl. Bras. Nov. Gen. Pars I (Filices), t. 75 (1825).
Brownii Dom.
Domin in Bibl. Bot. xx. 133 (1914).
bullosa Kunze
Hooker, Sp. Fil. ii. t. 96 (1858).
Beddome, Ferns S. Ind. t. 192 (1863).
californica Mett.
*J. Robinson, Ferns, t. 12 (1878).
*D. C. Eaton, Ferns N. Amer. i. t. 6 (1879).
*Meehan, Native Fl. & Ferns, U.S. Ser. II. ii. t. 28 (1880).
candida Mart. & Gal.
Martens & Gal. Mém. Foug. Mexiq. (Nouv. Mém. Acad. Sc. Bruxelles, xv), t. 20 (1842).
canescens Kunze
*Kunze, Farnkr. t. 35 (1840–47).
capensis Sw.
Schlechtendal, Adumbr. Pl. (Fil. Prom. Bonae Spei), t. 28 (1825–32).
Presl, Tent. Pteridogr. t. 6 (1836).
*Lowe, New Ferns, t. 26 (1862).
Ettingshausen in Denkschr. Akad. Wiss. Wien, xxiii. t. 1 (1864).
Ettingshausen, Farnkr. t. 48 (1865).
J. Smith, Ferns Brit. & Foreign, 175 (1866); Ed. 2, p. 175 (1879).
Sim, Ferns S. Africa, t. 25 (1892).
caudata R. Br.
Dep. Agric. Queensland, Bot. Bull. No. 4, t. [3] (1891).
F. M. Bailey, Lithogr. Ferns Queensland (Dept. Agric. Brisbane), t. 67 (1892).
F. M. Bailey, Compr. Cat. Queensl. Pl. 643 (1909–13).
chilensis Fée
Fée, Mém. Foug. vii. t. 18 (1854–57); et in Mém. Soc. Sc. Nat. Strasbourg, v. I. t. 18 (1858).
chlorophylla Sw.
Ettingshausen, Farnkr. t. 48 (1865).
Mart. Fl. Bras. i. II. t. 23 (1870).
Usteri, Fl. São Paulo, 132 (1911).
Bull. Soc. Bot. Genève, Ser. II. viii. 207 (1916). —*Hab.*
chrysophylla Hook.
Hook. Ic. Pl. x. t. 901 (1854).
*Hooker, Cent. Ferns, t. 1 (1854).
chusana Hook.
Hooker, Sp. Fil. ii. t. 106 (1858).
Clevelandii D. C. Eaton
*D. C. Eaton, Ferns N. Amer. i. t. 12 (1879).
Nicholson, Illustr. Dict. Gard. i. 308 [1884–88]. —*Hab.*
Schneider, Book Choice Ferns, ii. 37 (1893).—*Hab.*
commutata Kunze
*Hooker, Gen. Fil. t. 67 (1842).
Cooperae D. C. Eaton
*J. Robinson, Ferns, t. 6 (1878).
*D. C. Eaton, Ferns N. Amer. i. t. 2 (1879).
cucullans Fée
Fée, Mém. Foug. vii. t. 25 (1854–57); et in Mém. Soc. Sc. Nat. Strasbourg, v. I. t. 25 (1858).
cuneata Link
*Kunze, Farnkr. t. 36 (1840–47).
*Lowe, Ferns, iv. t. 27 (1859).
Dalhousiae Hook.
Beddome, Ferns S. Ind. t. 193 (1863).
dealbata D. Don
Hooker, Sp. Fil. ii. t. 78 (1858).
depauperata Baker
Sim, Ferns S. Africa, t. 26 (1892); Ed. 2, t. 94 (1915).
dichotoma Sw.
Swartz, Syn. Fil. t. 3 (1806).
Hooker, Sp. Fil. ii. t. 102 (1858).
dicksonioides Endl.
*Kunze, Farnkr. t. 8 (1840–47).
distans Mett.
Ettingshausen, Farnkr. t. 49 (1865).

CHEILANTHES
distans
F. Mueller, Key Syst. Victorian Pl. ii. fig. 143 (1885).
dubia Hope
Journ. Bombay Nat. Hist. Soc. xii. 528, t. 2 (1899).
Duthiei Baker
Journ. Bombay Nat. Hist. Soc. xiii. 242 (1900).
Eatonii Baker
*D. C. Eaton, Ferns N. Amer. i. t. 45 (1879).
Amer. Fern Journ. v. t. 5 (1915).—*Hab.*
elegans Desv.
Journ. de Bot. Appl. (Desvaux), ii. t. 13 (1813).—*Fr.*
Hooker, Sp. Fil. ii. t. 105 (1858).
*Lowe, Ferns, iv. t. 20 (1859).
B. S. Williams, Select Ferns & Lycopods, Brit. & Exotic, 89 (1868); Ed. 2, p. 92 (1873).—*Hab.*
farinosa Kaulf.
Hooker & Grev. Ic. Fil. ii. t. 134 (1831).
*Bot. Mag. lxxx. t. 4765 (1854).
T. Moore, Index Fil. Gen. & Spec. t. 26 [1857–62].
*Lowe, Ferns, iv. t. 13 (1859).
Beddome, Ferns S. Ind. t. 191 (1863).
Ettingshausen, Farnkr. t. 48 (1865).
*Baynes, Indian Ferns, t. 6 (1887).
Schneider, Book Choice Ferns, ii. 240 (1893).—*Hab.*
Pflanzenfam. i. IV. 276 (1899).
Nicholson, '1900' Suppl. Dict. Gard. 224 (1900). —*Hab.*
Conzatti in Mem. Soc. Cient. 'Antonio Alzate', xxv. 141 (1907).
Engler & Drude, Veget. Erde, ix. II. 39 (1908).
Hayata, Ic. Pl. Formosan. v. 263 (1915).
Sim, Ferns S. Africa, Ed. 2, t. 114 (1915).
—— **Dalhousiae** C. B. Clarke
Trans. Linn. Soc. London, Ser. II. Bot. i. t. 51 (1880).
Féei T. Moore
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, i. 34 (1913).
Amer. Fern Journ. iv. t. 17 (1914).
Fendleri Hook.
Hooker, Sp. Fil. ii. t. 107 (1858).
*D. C. Eaton, Ferns N. Amer. ii. t. 79 (1880).
fimbriata Vis.
Visiani, Fl. Dalmat. i. t. 1 (1842).
flexuosa Kunze
Mart. Fl. Bras. i. t. 57 (1870).
fragilis Hook.
*Hooker, Fil. Exot. t. 96 (1859).
Beddome, Ferns Brit. Ind. t. 223 (1865–70).
fragrans Sw.
Swartz, Syn. Fil. t. 3 (1806).
fragrans Webb & Berth.
*Lowe, Ferns, iv. t. 17 (1859).
Mettenius in Abh. Senckenb. Nat. Ges. iii. t. 3 (1859–61).
Beddome, Ferns Brit. Ind. t. 338 (1865–70).
Cesati, Passer. & Gibelli, Comp. Fl. Ital. t. 2 (1867–86).
J. Smith, Hist. Fil. t. 20 (1875).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, i. 17 (1880).
*Britten, Eur. Ferns, 52 [1880–82].
*Thomé, Fl. Deutschl. i. t. 3 (1886).
Schneider, Book Choice Ferns, ii. 43 (1893).
Fiori & Paol. Ic. Fl. Ital. 5 (1895).
Post, Fl. Syria, Palestine & Sinai, 907 [1896].
Pflanzenfam. i. IV. 276 (1899).
Engler & Drude, Veget. Erde, ix. II. 39 (1908).
Gubb, Fl. Sahar. t. 31 (1913).
glaberrima Fée
Fée, Crypt. Vasc. Brésil, i. t. 13 (1869).
glandulifera Fée
Fée, Crypt. Vasc. Brésil, ii. t. 88 (1872–73).
glandulosa Sw.
Mettenius in Abh. Senckenb. Nat. Ges. iii. t. 3 (1859–61).
glauca Mett.
Mettenius in Abh. Senckenb. Nat. Ges. iii. t. 3 (1859–61).
gracilis Mett.
Britton & Brown, Ill. Fl. N. States & Canada, i. 31 (1896).

CHEILANTHES
gracillima D. C. Eaton
*D. C. Eaton, Ferns N. Amer. ii. t. 79 (1880).
H. M. & C. C. Hall, Yosemite Fl. 31 (1912).
Amer. Fern Journ. iv. t. 17 (1914).
grevilleoides Christ
Lecomte, Not. Syst. i. 52 (1909).
hirta Sw.
Schlechtendal, Adumbr. Pl. (Fil. Prom. Bonae Spei), t. 30 (1825–32).
Hooker, Sp. Fil. ii. t. 101 (1858).
*Lowe, Ferns, iv. t. 18 (1859).
Ettingshausen in Denkschr. Akad. Wiss. Wien, xiii. t. 1 (1864).
Ettingshausen, Farnkr. t. 47, 50 (1865).
Sim, Ferns S. Africa, t. 27 (1892); Ed. 2, t. 110 (1915).
Schneider, Book Choice Ferns, ii. 45 (1893).
Nicholson, '1900' Suppl. Dict. Gard. 224 (1900).
—— **contracta** Kunze
Sim, Ferns S. Africa, t. 28 (1892); Ed. 2, t. 111 (1915).
—— **intermedia** Sim
Sim, Handb. Ferns Kaffraria, t. 13 (1891).
—— **olivacea** Sim
Sim, Handb. Ferns Kaffraria, t. 13 (1891).
—— **parviloba** Sim
Sim, Handb. Ferns Kaffraria, t. 14 (1891).
—— **serrata** Mett.
Mettenius in Abh. Senckenb. Nat. Ges. iii. t. 3 (1859–61).
hispanica Mett.
Coincy, Eclog. Pl. Hispan. i. t. 10 (1893).
hispidula Kunze
Mettenius in Abh. Senckenb. Nat. Ges. iii. t. 3 (1859–61).
hypoleuca Mett.
Ettingshausen, Farnkr. t. 49 (1865).
inaequalis Mett.
Mettenius in Abh. Senckenb. Nat. Ges. iii. t. 3 (1859–61).
incisa Kunze
Mettenius in Abh. Senckenb. Nat. Ges. iii. t. 3 (1859–61).
induta Kunze
Hooker, Sp. Fil. ii. t. 102 (1858).
Sim, Ferns S. Africa, t. 31 (1892); Ed. 2, t. 91 (1915).
intramarginalis Hook.
*Hooker, Second Cent. Ferns, t. 72 (1861).
Kirkii Hook.
*Hooker, Second Cent. Ferns, t. 81 (1861).
Kunzei Mett.
Mettenius in Abh. Senckenb. Nat. Ges. iii. t. 3 (1859–61).
lanosa Watt
Britton & Brown, Ill. Fl. N. States & Canada, i. 31 (1896); Ed. 2, i. 34 (1913).
L. H. Bailey, Cycl. Amer. Hort. 289 (1900); Stand. Cycl. Hort. 735 (1914).—*Hab.*
Tidestrom, Elys. Mar. Ferns & Fern Allies, Ed. 2, t. 2 (1907).
lanuginosa Mart. & Gal.
Martens & Gal. Mém. Foug. Mexiq. (Nouv. Mém. Acad. Sc. Bruxelles, xv), t. 20 (1842).
lanuginosa Nutt.
*J. Robinson, Ferns, t. 10 (1878).
*D. C. Eaton, Ferns N. Amer. i. t. 6 (1879).
Weaver in Proc. Iowa Acad. Sc. iii. t. 7, fig. 18 (1896).
Clute, Our Ferns in their Haunts, 241 (1901).
lendigera Sw.
Presl, Tent. Pteridogr. t. 6 (1836).
T. Moore, Index Fil. Gen. & Spec. t. 26 [1857–62].
Hooker, Sp. Fil. ii. t. 104, 106 (1858).
*Lowe, Ferns, iv. t. 24 (1859).
Mettenius in Abh. Senckenb. Nat. Ges. iii. t. 3 (1859–61).
Ettingshausen in Denkschr. Akad. Wiss. Wien, xxiii. t. 1 (1864).
Ettingshausen, Farnkr. t. 48, 50 (1865).
*Act. Hort. Berg. i. No. 8, t. 5 (1891).
leucopoda Link
*D. C. Eaton, Ferns N. Amer. ii. t. 49 (1880).
Publ. Field Columbian Mus., Bot. Ser. iii. I. 7 (1903).

CHEILANTHES
Lidgatii Baker
Hook. Ic. Pl. xvii. t. 1635 (1886).
Lindheimeri Hook.
Hooker, Sp. Fil. ii. t. 107 (1858).
*D. C. Eaton, Ferns N. Amer. i. t. 74 (1880).
Amer. Fern Journ. v. t. 6 (1915).—*Hab.*
MacLeanii Hook.
Hooker, Sp. Fil. ii. t. 110 (1858).
maderensis Lowe
*Penfold, Madeira Fl. Fr. & Ferns, t. 20 (1845).
Mettenius in Abh. Senckenb. Nat. Ges. iii. t. 3 (1859–61).
Mairei Brause
Hedwigia, liv. t. 4 (1913).
marginata H. B. K.
H. B. K. Nov. Gen. vii. t. 669 (1825).
Ettingshausen, Farnkr. t. 49 (1865).
Mathewsii Kunze
*Kunze, Farnkr. t. 25 (1840–47).
Goebel, Pflanzenbiol. Schild. ii. t. 13, fig. 4 (1891).
micromera Link
*Lowe, Ferns, iv. t. 16 (1859).
microphylla Sw.
Fée in Mém. Soc. Sc. Nat. Strasbourg, v. 1. t. 9 (1858).
Hooker, Sp. Fil. ii. t. 98 (1858).
Mettenius in Abh. Senckenb. Nat. Ges. iii. t. 3 (1859–61).
Mart. Fl. Bras. i. II. t. 42 (1870).
*D. C. Eaton, Ferns N. Amer. ii. t. 57 (1880).
Weaver in Proc. Iowa Acad. Sc. iii. t. 7, fig. 15 (1896).
Publ. Field Columbian Mus., Bot. Ser. iii. 1. 6 (1903).
—— **aspidioides** Fée
Fée, Mém. Foug. vii. t. 9 (1854–57).
micropteris Sw.
Swartz, Syn. Fil. t. 3 (1806).
Christ, Geogr. Farne, 287 (1910).
minor Mart. & Gal.
Martens & Gal. Mém. Foug. Mexiq. (Nouv. Mém. Acad. Sc. Bruxelles, xv), t. 21 (1842).
monticola Gardn.
Hook. Ic. Pl. v. t. 487 (1842).
Moritziana Kunze
Hooker, Sp. Fil. ii. t. 99 (1858).
Ettingshausen, Farnkr. t. 48 (1865).
multifida Sw.
Schlechtendal, Adumbr. Pl. (Fil. Prom. Bonae Spei), t. 29 (1825–32).
Hooker, Sp. Fil. ii. t. 100 (1858).
*Lowe, Ferns, iv. t. 26 (1859).
Mettenius in Abh. Senckenb. Nat. Ges. iii. t. 3 (1859–61).
*Hooker, Garden Ferns, t. 39 (1862).
Sim, Handb. Ferns Kaffraria, t. 66 (1891).
Sim, Ferns S. Africa, t. 30, 31 (1892); Ed. 2, t. 91, 113 (1915).
myriophylla Desv.
Journ. de Bot. Appl. (Desvaux), ii. t. 13 (1813).
Hooker, Sp. Fil. ii. t. 105 (1858).
*D. C. Eaton, Ferns N. Amer. ii. t. 79 (1880).
Pflanzenfam. i. IV. 276 (1899).
H. M. & C. C. Hall, Yosemite Fl. 31 (1912).
mysurensis Wall.
Hooker, Sp. Fil. ii. t. 100 (1858).
Beddome, Ferns S. Ind. t. 190 (1863).
Beddome, Handb. Ferns Brit. Ind. 90 (1883).
*Baynes, Indian Ferns, t. 7 (1887).
nitidula Hook.
Hook. Ic. Pl. x. t. 912 (1854).
*Hooker, Cent. Ferns, t. 12 (1854).
Beddome, Ferns Brit. Ind. t. 222 (1865–70).
obtusata Presl
Presl, Reliq. Haenk. t. 11, fig. 1 (1825).
Presl, Tent. Pteridogr. t. 6 (1836).
ochracea Hook.
*Hooker, Cent. Ferns, t. 4 (1854).
Hook. Ic. Pl. x. t. 904 (1854).
odora Sw.
*Schkuhr, Krypt. Gewächse, t. 123 (18[06]–09).
Schnizlein, Iconogr. i. t. 26 b (1844); sphalm. *Cheilanthes odorata.*
Visiani in Atti Istit. Veneto, Ser. III. xii. 1. t. 11 (1866–67).

CHEILANTHES
odora
Le Maout & Decaisne, Traité Gén. Bot. 652 (1868). —*Veg.*
*Moggridge, Fl. Mentone, t. 50 (1871).
Rey-Pailhade, Fougères France, t. 24 (1893).
Coste, Fl. France, iii. 699 (1906).
Lazaro, Comp. Fl. Españ. i. 559 (1906).
Adamović, Pflanzenw. Dalmat. t. 30 (1911).—*Hab.*
paleacea Mart. & Gal.
Martens & Gal. Mém. Foug. Mexiq. (Nouv. Mém. Acad. Sc. Bruxelles, xv), t. 21 (1842).
Parishii Davenp.
Bull. Torr. Bot. Club, viii. t. 8 (1881).
parviloba Sw.
Sim, Ferns S. Africa, t. 28, 29 (1892); Ed. 2, t. 111, 112 (1915).
Pohliana Mett.
Ettingshausen, Farnkr. t. 49 (1865).
Preissiana Kunze
*Lowe, Ferns, iv. t. 29 (1859).
Pringlei Davenp.
Bull. Torr. Bot. Club, x. t. 34 (1883).
profusa Kunze
*Kunze, Farnkr. t. 17 (1840–47).
pteroides Sw.
Mettenius, Fil. t. 16, fig. 10 (1856).
Hooker, Sp. Fil. ii. t. 101 (1858).
*Lowe, Ferns, iv. t. 21 (1859).
Mettenius in Abh. Senckenb. Nat. Ges. iii. t. 3 (1859–61).
Ettingshausen, Farnkr. t. 50, 51 (1865).
J. Smith, Ferns Brit. & Foreign, 175 (1866); Ed. 2, p. 175 (1879).
Sim, Ferns S. Africa, t. 24 (1892).
pulchella Bory
Webb & Berth. Hist. Nat. Iles Canar. iii. Phytogr. III. t. 252 (1836–50).
Hooker, Sp. Fil. ii. t. 94 (1858).
Ettingshausen in Denkschr. Akad. Wiss. Wien, xxiii. t. 1 (1864).
Ettingshausen, Farnkr. t. 49 (1865).
Deutsch. Tiefsee-Exped. 1898–99, ii. 1. 335 (1907).
pulveracea Presl
*Lowe, Ferns, iv. t. 28 (1859).
pyramidalis Fée
Fée, Mém. Foug. vii. t. 25 (1854–57); et in Mém. Soc. Sc. Nat. Strasbourg, v. 1. t. 25 (1858).
—— **arizonica** Maxon
Amer. Fern Journ. viii. t. 6 (1918).
queenslandica Dom.
Domin in Bibl. Bot. xx. 141 (1914).
radiata R. Br.
*Lowe, Ferns, iv. t. 14 (1859).
Mettenius in Abh. Senckenb. Nat. Ges. iii. t. 3 (1859–61).
Ettingshausen in Denkschr. Akad. Wiss. Wien, xxiii. t. 1 (1864).
Ettingshausen, Farnkr. t. 48 (1865).
Mart. Fl. Bras. i. II. t. 23, 42 (1870).
J. Smith, Hist. Fil. t. 20 (1875).
Nicholson, '1900' Suppl. Dict. Gard. 225 (1900). —*Hab.*
Conzatti in Mem. Soc. Cient. 'Antonio Alzate', xxv. 141 (1907).
Rovirosa, Pteridogr. Mexico, t. 12 (1909).
Regnelliana Mett.
Mart. Fl. Bras. i. II. t. 43 (1870).
Pflanzenfam. i. IV. 276 (1899).
regularis Mett.
Mettenius in Abh. Senckenb. Nat. Ges. iii. t. 3 (1859–61).
Mart. Fl. Bras. i. II. t. 56 (1870).
rigida T. Moore
Mettenius in Abh. Senckenb. Nat. Ges. iii. t. 3 (1859–61).
rufa D. Don
Hooker, Sp. Fil. ii. t. 99 (1858).
Beddome, Ferns Brit. Ind. t. 144 (1865–70).
Schneider, Book Choice Ferns, ii. 56 (1893).
Journ. Bombay Nat. Hist. Soc. xii. 530, t. 3 (1899).
scabra Karst.
Ettingshausen in Denkschr. Akad. Wiss. Wien, xxiii. t. 1 (1864).—*Veg.*

CHEILANTHES
scabra
Ettingshausen, Farnkr. t. 50 (1865).
scariosa Presl
Hooker, Sp. Fil. ii. t. 104 (1858).
Schimperi Kunze
*Kunze, Farnkr. t. 26 (1840–47).
Mettenius in Abh. Senckenb. Nat. Ges. iii. t. 3 (1859–61).
sciadioides Dom.
Domin in Bibl. Bot. xx. t. 5 (1914).
Seemannii Hook.
Hooker, Sp. Fil. ii. t. 97 (1858).
Shirleyana Dom.
Domin in Bibl. Bot. xx. 141 (1914).
Sieberi Kunze
Hooker, Sp. Fil. ii. t. 97 (1858).
*Lowe, Ferns, iv. t. 22 (1859).
Dobbie, New Zealand Ferns, 40 (1880).
Field, Ferns New Zealand, t. 21 (1890).
speciosissima A. Br.
Kunze, Anal. Pteridogr. t. 23 (1837).
spectabilis Kaulf.
*Lowe, Ferns, iv. t. 15 (1859).
squamosa Gill.
Hooker & Grev. Ic. Fil. ii. t. 151 (1831).
stolonifera Fée
Fée, Crypt. Vasc. Brésil, ii. t. 91 (1872–73) in ic.; *Hypolepis stolonifera* in textu.
straminea Brause
Hedwigia, liv. t. 4 (1913).
suaveolens Sw.
*Schkuhr, Krypt. Gewächse, t. 19 (18[06–]09) in textu; *Adiantum fragrans* in ic.
*Sibthorp & Sm. Fl. Graeca, x. t. 966 (1840).
*Hooker, Gen. Fil. t. 106 (1842).
subvillosa Hook.
Hooker, Sp. Fil. ii. t. 98 (1858).
Beddome, Ferns Brit. Ind. t. 142 (1865–70).
Szovitzii Fisch. & Mey.
Hooker, Sp. Fil. ii. t. 94 (1858).
Beddome, Ferns Brit. Ind. t. 145 (1865–70).
Visiani in Atti Istit. Veneto, Ser. III. xii. 1. t. 10, 11 (1866–67).
*Britten, Eur. Ferns, 52 [1880–82].
Schneider, Book Choice Ferns, ii. 60 (1893).
Fiori & Paol. Ic. Fl. Ital. 6 (1895).
tenuifolia Sw.
Rumphius, Herb. Amboin. vi. t. 34, fig. 2 (1750); fide Merrill, Interpret. Rumph. Herb. Amboin.
*Schkuhr, Krypt. Gewächse, t. 125 (18[06–]09).
Hooker, Sp. Fil. ii. t. 87 (1858).
*Lowe, Ferns, iv. t. 19 (1859).
Mettenius in Abh. Senckenb. Nat. Ges. iii. t. 3 (1859–61).
Beddome, Ferns S. Ind. t. 188 (1863).
Ettingshausen, Farnkr. t. 48, 49 (1865).
Dobbie, New Zealand Ferns, 40 (1880).
G. M. Thomson, Ferns & Fern Allies New Zealand, t. 2 (1882).
F. Mueller, Key Syst. Victorian Pl. ii. fig. 144 (1885).
*Baynes, Indian Ferns, t. 6 (1887).
Field, Ferns New Zealand, t. 21 (1890).
F. M. Bailey, Lithogr. Ferns Queensland (Dept. Agric. Brisbane), t. 65 (1892).
Basu, Ind. Med. Pl. t. 1026 (1918).
—— **nudiuscula** F. M. Bailey
F. M. Bailey, Lithogr. Ferns Queensland (Dept. Agric. Brisbane), t. 66 (1892).
—— —— **pumilio** Dom.
Domin in Bibl. Bot. xx. t. 5 (1914).
—— **Sieberi** Hook. f.
F. M. Bailey, Lithogr. Ferns Queensland (Dept. Agric. Brisbane), t. 66 (1892).
tenuis Lowe
*Lowe, Ferns, iv. t. 23 (1859).
tenuissima F. M. Bailey
Queensland Agric. Journ. xvii. t. 3 (1906).
F. M. Bailey, Compr. Cat. Queensland Pl. 643 (1909–13).
tomentosa Link
Hooker, Sp. Fil. ii. t. 109 (1858).
J. Williamson, Ferns Kentucky, t. 11 (1878).
*D. C. Eaton, Ferns N. Amer. i. t. 45 (1879).
Britton & Brown, Ill. Fl. N. States & Canada, i. 31 (1896); Ed. 2, i. 35 (1913).

CHEILANTHES
tomentosa
Clute, Our Ferns in their Haunts, 240 (1901).
Tweediana Hook.
Hooker, Sp. Fil. ii. t. 96 (1858).
varians Hook.
Fée, Mém. Foug. vii. t. 11 (1854–57); et in Mém. Soc. Sc. Nat. Strasbourg, v. I. t. 11 (1858).
Hooker, Sp. Fil. ii. t. 103 (1858).
Beddome, Ferns S. Ind. t. 189 (1863).
Beddome, Handb. Ferns Brit. Ind. 91 (1883).
*Baynes, Indian Ferns, t. 8 (1887).
Goebel, Organogr. Pfl. Ed. 2, ii. 1079 (1915–18).
vestita Sw.
*Schkuhr, Krypt. Gewächse, t. 124 (18[06]–09).
A. Gray, Man. Bot. N. U. States, Ed. 2, t. 10 (1856).
Hooker, Sp. Fil. ii. t. 108 (1858).
J. Williamson, Ferns Kentucky, t. 10 (1878).
*Meehan, Native Fl. & Ferns U.S. Ser. II. i. t. 24 (1879).
*D. C. Eaton, Ferns N. Amer. i. t. 2 (1879).
Clute, Our Ferns in their Haunts, 238 (1901).
viscida Davenp.
*D. C. Eaton, Ferns N. Amer. i. t. 12 (1879).
Weaver in Proc. Iowa Acad. Sc. iii. t. 7, fig. 17 (1896).
viscosa Link
Presl, Tent. Pteridogr. t. 12 (1836).
Moore & Ayres, Mag. Bot. iii. 164 (1851).
Hooker, Sp. Fil. ii. t. 93 (1858).
*Lowe, Ferns, iv. t. 25 (1859).
Ettingshausen in Denkschr. Akad. Wiss. Wien, xxiii. t. 1 (1864).
Ettingshausen, Farnkr. t. 49 (1865).
Wrightii Hook.
Hooker, Sp. Fil. ii. t. 110 (1858).
*D. C. Eaton, Ferns N. Amer. ii. t. 57 (1880).
yunnanensis Brause
Hedwigia, liv. t. 4 (1913).
—— **dilatata** Brause
Hedwigia, liv. t. 4 (1913).

CHEILOCLINIUM Miers: *Salacia*
anomalum Miers
Trans. Linn. Soc. London, xxviii. t. 31 (1872).

CHEILOGLOTTIS Griff.
diphylla Griff.
Griffith, Ic. Pl. Asiat. t. 283 A, fig. 8 (1851).—*Fl.*

CHEILOLEPTON Fée: *Leptochilus*
Blumeanum Fée
Fée, Mém. Foug. ii. t. 51 (1845); v. t. 3 (1850–52).

CHEILOPLECTON Fée: *Doryopteris*
rigidum Fée
Fée, Mém. Foug. vii. t. 20 (1854–57); et in Mém. Soc. Sc. Nat. Strasbourg, v. I. t. 20 (1858).

CHEILOSA Bl.
montana Bl.
Pflanzenreich, Euphorb.-Gelon. 13 (1912).

CHEILOTHECA Hook. f.
malayana Scort.
Hook. Ic. Pl. xvi. t. 1564 (1887).

CHEIRADENIA Lindl.
cuspidata Lindl.
Mart. Fl. Bras. iii. VI. t. 96 (1904–6).
Imthurnii Cogn.
Mart. Fl. Bras. iii. VI. t. 96 (1904–6).

CHEIRANTHERA Brongn.
cyanea Brongn.
Duperrey, Voy. Coquille, Bot. Atlas, Phan. t. 77 (1826).
linearis A. Cunn.
Hook. Ic. Pl. i. t. 47 (1837).
Lindley, Veg. Kingd. 441 (1846).
*Gartenfl. i. t. 22 (1852).
*Fl. des Serres, Ser. I. viii. t. 856 (1852–53).
*Belg. Hort. iv. t. 26 (1854).
Rev. Hort. Ser. IV. vi. 368 (1857).
parviflora Benth.
*Bot. Mag. cxviii. t. 7261 (1892).

CHEIRANTHUS Linn.—Vide *Dichroanthus*
alpinus Jacq.
*Jacquin, Fl. Austr. i. t. 75 (1773).
alpinus All.
Allioni, Fl. Pedem. iii. t. 20, fig. 2 (1785).
alpinus Linn.
Haller, Ic. Pl. Helvet. t. 14 (1795).
Wahlenberg, Fl. Lapp. t. 12 (1812).—*Fr.*
*Wooster, Alp. Pl. Ed. 2, t. 24 (1874).
*Hulme & Hibberd, Familiar Gard. Fl. iv. 117 [1879–87].
*Gard. Album, t. 9 (1906).
annuus Linn.
*Kniphof, Herb. Viv. i. t. 240 (1758).
*Schkuhr, Bot. Handb. Ed. 2, t. 184 (1808).—*Fl.*
*Journ. Jard. 1845, p. 265.
Rev. Hort. 1887, p. 548.
Ill. Hort. xliii. 333 (1896).—*Fl.*
Neubert's Deutsch. Gart. Mag. i. 28 (1897).
Semaine Hort. 1898, p. 283.
*Villard, Fleurs, t. 9 (1900).
—— **grandiflorus** Hort.
W. Robinson, Engl. Fl. Gard. t. 66 (1883).—*Fl.*
Rev. Hort. 1890, p. 304.—*Hab.*
armeniacus Sims
*Bot. Mag. xxii. t. 835 (1805).
Boccone All.
Allioni, Fl. Pedem. iii. t. 58, fig. 2 (1785).
canus Piller
Piller & Mitterpacher, Iter Poseg. Slav. t. 15 (1783).
Cheiri Linn.
*Kniphof, Herb. Viv. i. t. 242 (1758).
Hill, Herb. Brit. ii. t. 176 (1770).
*Regnault, Bot. i. 138 (1774).
Walcott, Fl. Brit. Indig. [t. 104] (1778).
*Zorn, Ic. Pl. Med. vi. t. 516 (1790).
*Plenck, Ic. Pl. Med. vi. t. 523 (1794).
Lamarck, Ill. iii. t. 564, fig. 1 (1797).
*Oskamp, Afb. Artseny-Gewass. vi. t. 542 (1800).
Rousseau, Bot. t. 8 (1805).
*Schkuhr, Bot. Handb. Ed. 2, t. 184 (1808).—*Fr.*
*Jaume St.-Hilaire, Pl. France, ii [t. 76] (1808).
Dict. Sc. Nat., Planch. Bot. Dicot. t. 182 (1816–29).
*Bot. Reg. iii. t. 219 (1817).
*Vietz, Ic. Pl. Med.-oec.-techn. v. t. 400 (1817).
Mém. Mus. Hist. Nat. Paris, vii. 248, t. 7 (1821).—*Fl.*
*Kops, Fl. Batava, iv. t. 295 (1822).
*Ann. Blumisterei, i. t. 5 (1825).
*Sturm, Deutschl. Fl. xii. XLV [t. 705] (1826).
*Mordant de Launay, Herb. Amat. viii. t. 511 (1827).
*Curtis, Fl. Londin. Ed. 2, v. t. 147 (1828).
Mirbel in Mém. Acad. Sc. Instit. France, ix. 684, t. 9 (1830).—*Veg.*
*Drapiez, Herb. Amat. Fl. viii. t. 580 (1835).
Webb & Berth. Hist. Nat. Iles Canar. iii. Phytogr. II. t. 8 A (1836–40).—*Fr.*
*Baxter, Brit. Bot. Ed. 2, iii. 237 (1837).
Reichenbach, Ic. Fl. Germ. ii. t. 45 (1837–38).
!A. P. & A. De Candolle in Neue Denkschr. Allg. Schweiz. Ges. ges. Naturw. v. 8, 5 (1841).
*C. E. Sowerby, Ill. Cat. Brit. Pl. fig. 62 (1841).
Meigen, Deutschl. Fl. iii. t. 113 (1842).—*Fl.*
*J. W. Loudon, Ladies' Fl.-Gard. Ornam. Perenn. i. t. 19 (1843).
*Dietrich, Fl. Boruss. xii. t. 853 (1844).
*Deakin, Florigr. Brit. ii. fig. 1038 (1845).
Seringe, Fl. Jard. i. t. 10 (1845).—*Fr.*
Lindley, Veg. Kingd. 352 (1846).
*Cassone, Fl. Med.-Farm. i. t. 60 (1847).
*Petermann, Deutschl. Fl. t. 5, fig. 34 (1849).—*Fl.*
Payer, Organog. Comp. Fl. t. 44 (1857).—*Fl.*
Schnizlein, Iconogr. iii. t. 181 a (1857–65).—*Fl.*
Johnson & Sowerby, Brit. Wild Fl. fig. 118 (1858–60).
Steiger, Fl. Kantons Luzern, Rigi & Pilatus, 366 (1860).—*Fr.*
Album Natuur, 1861, p. 154.—*Fl.*
Berg, Charakt. t. 83, fig. 593 (1861).
Decaisne & Naud. Amat. Jard. ii. 385 [1862–66].
*T. Moore, Field Bot. Comp. t. 1 (1862).
*Syme, Engl. Bot. i. t. 106 (1863).
Pokorny, Oesterr. Holzpfl. 450, t. 41 (1864).—*Veg.*

CHEIRANTHUS
Cheiri
Bentham, Handb. Brit. Fl. fig. 49 (1865).
*Hogg & Johnson, Wild Fl. Gr. Brit. iii. t. 162 (1866).
Migout, Fl. Dépt. Allier, t. 2 (1866).—*Fl.*
*Cusin & Ansberque, Herb. Fl. Franç. ii. t. 231 (1868).
Le Maout & Decaisne, Traité Gén. Bot. 416 (1868).
Marchand, Élém. Bot. 9 (1869).—*Fl.*
*Rev. Hort. 1869, p. 311; 1899, p. 315.
*Belg. Hort. xx. 137 (1870).
*Réveil, Règne Vég. iv. t. 24; ix. t. 11; xiv. t. 7 (1870).
!Ann. Sc. Nat. Paris, Ser. V. xiii. t. 1 (1870–71).—*Fl.*
Baillon, Hist. Pl. iii. 181–83 (1872).
Decaisne, Naud. & Hemsl. Handb. Trees, Shrubs & Herb. Pl. 45 (1873).
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, i. t. 27 [1873].
*Hulme & Hibberd, Familiar Gard. Fl. i. 9 [1879–87].
*C. Hoffmann, Pflanzenatlas, t. 55, fig. 342 (1881).
Wagner, Ill. Deutsche Fl. Ed. 2, p. 43 (1882).
*M'Alpine, Bot. Atlas, i. t. 14 (1883).
W. Robinson, Engl. Fl. Gard. t. 66 (1883).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xiv. t. 1324 (1883).
Baillon, Traité Bot. Méd. Phan. ii. 746 (1884).
Nicholson, Illustr. Dict. Gard. i. 309 [1884–88].
Journ. Linn. Soc., Bot. xxii. 375, 381 (1886).
*Thomé, Fl. Deutschl. ii. t. 266 (1886).
Baillon, Dict. Bot. ii. 703 (1886).
Gerardin, Herb. t. 17 (1888).
Paolucci, Fl. Marchig. t. 40 (1890).—*Fr.*
*Hulme, Familiar Wild Fl. (5 vol. Ed.), iii. 17 [1892?]; (Pop. Ed.), ii. 45 [1897?].
Lubbock, Seedlings, i. 44, 147 (1892).—*Veg.*
*Masclef, Atlas Pl. France, t. 30 (1893).
*Siélain, Atlas Poche Pl. Champs, Prair. & Bois, t. 12 [1894].
Acloque, Fl. France, 88 (1894).
Brehm, Merv. Nat. Monde des Pl. i. 133, 134 (1894–96).
*Step, Wayside & Woodl. Bloss. t. 12 (1895); New Ed. i. t. 32 (1905).
Garcke, Ill. Fl. Deutschl. 32 (1895).
*Bois, Atlas Pl. Jard. t. 25 (1896).
*Step, Fav. Fl. Gard. & Greenh. i. t. 23 (1896).
Edmonds & Marloth, Elem. Bot. S. Africa, 137 (1897).—*Fr.*
Semaine Hort. 1898, p. 283.
Fiori & Paol. Ic. Fl. Ital. 152 (1899).
L. H. Bailey, Cycl. Amer. Hort. 290 (1900), 1726 (1902); Stand. Cycl. Hort. 735 (1914).
Coste, Fl. France, i. 85 (1901).
Malpighia, xvi. t. 7 (1902).—*Fl.*
Warming, Handb. Syst. Bot. Ed. Möbius, 299 (1902).—*Fr.*
Merino, Fl. Galicia, i. 130 (1905).
Lazaro, Comp. Fl. Españ. ii. 137, 170 (1907).
Heukels, Fl. Nederl. ii. 250 (1908).
*Bonnier, Fl. Compl. France, Suisse & Belge, i. t. 35 [1911].
*Lindman, Vi och våra blomm. t. 50 (1911–13).
*Hegi, Ill. Fl. Mittel-Eur. iv. I. t. 125, 137, 443, 444 (1913).
*Perrin & Boulger, Brit. Flower. Pl. ii. t. 99, 100 [I], fig. 1–5 (1914).
Cadevall & Sallent, Fl. Catalunya, i. 109 (1915).
*Bonnier, Name This Flower, t. 6 (1917).
Basu, Ind. Med. Pl. t. 60 (1918).
Lindman, Svensk Fanerogamfl. 273 (1918).—*Fl.*
Fitch & Smith, Ill. Brit. Fl. Ed. rev. 4, Iss. 2, fig. 50 (1919).
*Horwood, Brit. Wild Fl. v. t. 60, p. 138 (1919).
—— **Fries-Morelii** Utinet
*Journ. Jard. 1839, p. 220.
chius Linn.
Dillenius, Hort. Eltham. Add. Denom. Linn. t. 148 (1774).
cinereus Webb & Berth.
Webb & Berth. Hist. Nat. Iles Canar. iii. Phytogr. II. t. 5 (1836–40).

CHEIRANTHUS
cuspidatus M. Bieb.
*Waldstein & Kit. Pl. Rar. Hung. iii. t. 231 (1812).
Delileanus A. Gouault
*Rev. Hort. Ser. IV. i. 401 (1852).
*Horticulteur Franç. 1852, t. 13.
erysimoides Linn.
*Jacquin, Fl. Austr. i. t. 74 (1773).
Hoppe, Ect. Pl. Ratisb. t. 175 (1788).
Farsetia Linn.
Desfontaines, Fl. Atlant. ii. t. 160 (1798).
fenestralis Linn.
*Jacquin, Hort. Vind. i. t. 179 (1772).
Buchoz, Hist. Règne Vég. ix. Dec. 9, t. 10 (1775).
*Vietz, Ic. Pl. Med.-oec.-techn. v. t. 400 b (1817).
flavus Hort.
*Redouté, Choix Fl. [t. 46] (1827).
fruticulosus Linn.
*Sowerby & Sm. Engl. Bot. xxvii. t. 1934 (1808).
[M. E.] Jackson, Pict. Fl. fig. 996 (1840).
Cottage Gard. x. 373 (1853).
helveticus Jacq.
*Jacquin, Hort. Vind. iii. t. 9 (1776).
himalayensis Camb.
Jacquemont, Voy. Inde, t. 13 (1844).
incanus Linn.
*J. Miller, Illustr. Syst. Sex. Linn. t. 55 (1773).
Martyn, Pl. Expl. Linn. Syst. Veg. t. 2 (1788).—*Fl.*
*Joh. Kerner, Abbild. Oek. Pfl. (Fig. Pl. Écon.), vi. t. 519 (1793).
C. K. Sprengel, Entd. Geheimn. Natur, t. 17, fig. 34, 35, 37, 39, 46, 47 (1793).—*Fl.*
Barton, Elem. Bot. t. 19, fig. 3 (1804).—*Fl.*
*Sowerby & Sm. Engl. Bot. xxvii. t. 1935 (1808).
*Vietz, Ic. Pl. Med.-oec.-techn. v. t. 401 (1817).
*Targioni-Tozzetti, Racc. Fiori Frutti & Agrumi, [t. 15] (1825).
*Piccioli, Antotr. Colt. Fiori, ii. t. 43 (1834).
Jacomellii Clem.
Clementi in Mem. Accad. Sc. Torino, Ser. II. xvi. 338, t. 4 (1857).
junceus Waldst. & Kit.
*Waldstein & Kit. Pl. Rar. Hung. iii. t. 234 (1812).
×**kewensis** Hort.
Garden, lxv. 89 (1904).
Gard. Chron. Ser. III. xxxv. 123 (1904).
Jardin, xxi. 29 (1907).—*Fl.*
leptophyllus M. Bieb.
Delessert, Ic. Pl. ii. t. 13 (1823).
linifolius Pers.
Gard. Chron. Ser. III. lvi. 186 (1914).—*Hab.*
longifolius Vent.
*Ventenat, Jard. Malm. t. 83 (1803).
—— **rubro-violacea** Hort.
*Journ. Jard. 1844, p. 312.
longipetalus Vent.
Ventenat, Jard. Cels, t. 93 [1800].
luteus Dulac
Dulac, Fl. Dépt. Hautes-Pyrén. 184 (1867).—*Fl.*
maritimus Linn.
*Bot. Mag. v. t. 166 (1791).
*Allg. Teutsch. Gart.-Mag. v. t. 14, fig. 1 (1808).
W. Robinson, Engl. Fl. Gard. t. 66 (1883).
×**Marshallii** Stark
*Floricult. Cab. xviii. 265 (1849).
*Moore & Ayres, Mag. Bot. i. 289 (1850) in textu; *C. ochroleucus* var. *Marshallii* in ic.
mutabilis L'Hér.
*Bot. Mag. vi. t. 195 (1792).
Hoffmann in Comm. Soc. Sc. Göttingen, xii. t. 4 (1796).
*Bot. Reg. xvii. t. 1431 (1831).
Bull. Soc. Bot. Ital. 1910, p. 166.—*Fl.*
ochroleucus Hall. f.
*Knowles & Westc. Floral Cab. iii. t. 120 (1840).
odoratissimus Pall.
*Jacquin, Hort. Schoenbr. iv. t. 479 (1804).
quadrangulus L'Hér.
*L'Héritier, Stirp. t. 44 (1786).
roseus Maxim.
Maximowicz, Fl. Tangut. t. 21 (1889).
scapigerus Willd.
Willdenow, Fl. Berol. Prodr. t. 5 (1787).

CHEIRANTHUS
scoparius Brouss. ex Willd.
Webb & Berth. Hist. Nat. Iles Canar. iii. Phytogr. ii. t. 6 (1836–40).
semperflorens Schousb.
Cosson, Ill. Fl. Atlant. i. t. 11 (1882).
Rev. Hort. 1907, p. 427.
Senoneri Heldr. & Sart.
Rouy, Illustr. Pl. Eur. Rar. i [t. 28] (1895); fasc. 6, t. 128 (1896).
sinuatus Pall.
Pallas, Voyages, ii. t. 12 (1789).
sinuatus Linn.
*Sowerby & Sm. Engl. Bot. vii. t. 462 (1798).
*Roemer, Fl. Eur. x [t. 7] (1805).
tauricus Lepech.
Lepechin in Nov. Act. Acad. Sc. Pétersb. xiii. t. 9 (1802).
tricuspidatus Linn.
*Kniphof, Herb. Viv. i. t. 241 (1758).
Hill, Herb. Brit. ii. t. 176 (1770).
Gaertner, Fruct. ii. t. 143 (1791).—*Fr.*
*Schkuhr, Bot. Handb. Ed. 2, t. 184 (1808).
tristis Linn.
*Bot. Mag. xix. t. 729 (1804).
*Sturm, Deutschl. Fl. vi. xxii [t. 351] (1806).
turritioides Lam.
Lamarck, Ill. iii. t. 564, fig. 2 (1797).

CHEIRINIA Link: *Erysimum*
aspera Britton
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, ii. 173 (1913).
cheiranthoides Link
*Dietrich, Fl. Boruss. vi. t. 426 (1838).
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, ii. 172 (1913).
crepidifolia Dietr.
*Dietrich, Fl. Boruss. vii. t. 449 (1839).
hieracifolia Link
*Dietrich, Fl. Boruss. vi. t. 427 (1838).
inconspicua Britton
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, ii. 172 (1913).
repanda Link
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, ii. 173 (1913).

CHEIRODENDRON Nutt.
Gaudichaudii Seem.
Rock, Indig. Trees Hawaiian Isl. t. 146, 147 (1913).
platyphyllum Seem.
Pflanzenfam. iii. viii. 9 (1894).—*Fl.*
Rock, Indig. Trees Hawaiian Isl. t. 148 (1913).
Bryan, Nat. Hist. Hawaii, t. 62, fig. 2 (1915).

CHEIROGLOSSA Presl: *Ophioglossum*
palmata Presl
J. K. Small, Ferns Trop. Florida, 3 (1918).

CHEIROPLEURIA Presl
bicuspis Presl
Pflanzenfam. i. iv. 337 (1900).
Christ, Geogr. Farne, 18 (1910).
Ann. Bot. xxix. t. 24 (1915).

CHEIROPSIS Bercht. & Presl: *Clematis*
calycina Ser.
Rev. Hort. Ser. IV. viii. 191 (1859).

CHEIROPTERIS Christ: *Neocheiropteris*
palmatopedata Christ
Pflanzenfam. i. iv. 188 (1899).
Bull. Herb. Boiss. vii. t. 1 (1899).

CHEIROSTEMON Humb. & Bonpl.: *Chirantho-dendron*
platanoides Humb. & Bonpl.
Humboldt & Bonpl. Pl. Aeq. t. 24 (1805).
Tilesius in Mém. Acad. Sc. Pétersb. v. t. 9 (1815).
Dict. Sc. Nat., Planch. Bot. Dicot. t. 139 (1816–29).
Lamarck, Ill. vi. t. 976 (1823).
*Drapiez, Herb. Amat. Fl. v. t. 330 (1831).
*Fl. des Serres, Ser. I. vii. 5, t. 649 (1851–52).
Journ. Hort. Prat. Belg. x. 146 (1852).
Paxt. Fl. Gard. iii. 23 (1852–53).

CHEIROSTEMON
platanoides
Lem. Jard. Fl. iii. Misc. 15 (1853).
*Schnizlein, Iconogr. iii. t. 210 a (1857–65).—*Fl.*
*Bot. Mag. lxxxv. t. 5135 (1859).
Belg. Hort. x. 78, fig. 8 (1860).
*Schubert, Naturg., Pflanzenreich, Ed. 2, t. 35, fig. [1865].
Garden, xix. 123 (1881).—*Fl.*
Brehm, Merv. Nat. Monde des Pl. i. 265 (1894–96).
Borzi, Contrib. Biol. Veg. i. t. 6, fig. 1–5 (1894).—*Fl.*

CHEIROSTYLIS Bl.
cochinchinensis Bl.
Blume, Coll. Orchidées, t. 39 (1858).
flabellata Wight
Wight, Ic. Pl. Ind. Or. v. t. 1727 (1851) in textu; *Monochilus flabellatus* in ic.
Blume, Coll. Orchidées, t. 39 (1858).
Fyson, Fl. Nilgiri & Pulney Hill-tops, iii. 517 (1920).
Goldschmidtiana Schlechter
Orchis, ix. 4, t. 1 (1915).—*Fl.*
grandiflora Bl.
*Blume, Coll. Orchidées, t. 13, 17 (1858).
*Belg. Hort. xi. 369 (1861).
Griffithii Lindl.
*Ann. Bot. Gard. Calcutta, viii. t. 397 (1898).
gymnochiloides Reichb. f.
Ann. Mus. Col. Marseille, Ser. III. i. 192, t. 6 (1913).
Inabai Hayata
Hayata, Ic. Pl. Formosan. iv. 108 (1914).—*Fl.*
marmorata Lindl.
*Fl. des Serres, Ser. I. iv. t. 370 (1848).
montana Bl.
Blume, Tab. Orch. Jav. t. 16 (1825).—*Fl.*
*Blume, Coll. Orchidées, t. 13 (1858).
J. J. Smith, Orch. Java, Fig.-Atlas, i. fig. 72 (1908).—*Fl.*
octodactyla Ames
Ames, Orchidac. iii. t. 40 (1908).
philippinensis Ames
Ames, Orchidac. ii. 60 (1908).—*Fl.*

CHELIDONIUM Linn.
corniculatum Linn.
Lamarck, Ill. iii. t. 450, fig. 2 (1797).—*Fr.*
*Schkuhr, Bot. Handb. Ed. 2, t. 140 (1808).—*Fr.*
dicranostigma Prain
Ann. Bot. Gard. Calcutta, ix. t. 9 (1901).
Glaucium Linn.
*Kniphof, Herb. Viv. i. t. 244 (1758).
*Fl. Dan. iv. t. 585 (1771).
*Regnault, Bot. ii. 11 (1774).
Buchoz, Hist. Règne Vég. ix. Dec. 7, t. 4 (1775).
*Sowerby & Sm. Engl. Bot. i. t. 8 (1790).
*Svensk Bot. iii. t. 171 (1804).
*McDonald, Dict. Pract. Gard. i. t. 17 (1807).
*Schkuhr, Bot. Handb. Ed. 2, t. 140 (1808).—*Fr.*
*S. Edwards, New Bot. Gard. i. t. 17 (1812).
*Vietz, Ic. Pl. Med.-oec.-techn. v. t. 402 (1817).
*Roques, Phytogr. Médic. ii. t. 138 (1821); Nouv. Ed. Atlas, t. 112 (1835).
*Cassone, Fl. Med.-Farm. i. t. 45 (1847).
hybridum Linn.
*Kniphof, Herb. Viv. i. t. 243 (1758).
Hill, Herb. Brit. ii. t. 157 (1770).
*Sowerby & Sm. Engl. Bot. iii. t. 201 (1794).
japonicum Thunb.
*Siebold & De Vries, Fl. Jard. ii. 113 (1859).
laciniatum Mill.
*Fl. Dan. xii. t. 2054 (1832).
*Reichenbach, Ic. Fl. Germ. iii. t. 10 (1838–39).
C. E. Sowerby, Ill. Cat. Brit. Pl. fig. 53 (1841).
De Vries, Mutationsth. i. 134 (1901); ii. 156 (1903).
*Bonnier, Fl. Compl. France, Suisse & Belge, i. t. 26 [1911].
Friedmann in Öfvers. Finska Vet.-Soc. Forh. 1911–12, liv. 10 (1912).
lasiocarpum Oliv.
Hook. Ic. Pl. xviii. t. 1739 (1888).
maius Linn.
*Kniphof, Herb. Viv. i. t. 245, 246 (1758).

CHELIDONIUM
maius
Garsault, Descr. Pl. & Anim. ii. t. 219 (1767); fide Thellung.
Hill, Herb. Brit. ii. t. 156 (1770).
*Fl. Dan. iv. t. 542 (1771).
*Regnault, Bot. i. 148 (1774).
Walcott, Fl. Brit. Indig. [t. 79] (1778).
*Zorn, Ic. Pl. Med. i. t. 22 (1779).
*Joh. Kerner, Abbild. Oek. Pfl. (Fig. Pl. Écon.), i. t. 58 (1786).
*Baylis, Bot. Phys. t. 37, p. 437 (1791).
Gaertner, Fruct. ii. t. 115 (1791).—*Fr.*
*Plenck, Ic. Pl. Med. v. t. 419 (1792).
*Dreves, Bot. Bilderbuch, i. t. 18 (1794).
*Woodville, Med. Bot. Suppl. t. 263 (1794); Ed. 3, ii. t. 240 (1832).
*Oskamp, Afb. Artseny-Gewass. i. t. 22 (1796).
Lamarck, Ill. iii. t. 450, fig. 1 (1797).
*Vietz, Ic. Pl. Med.-oec.-techn. i. t. 56 (1800).
*Dreves & Hayne, Choix de Pl. t. 18 (1802).
*Svensk Bot. i. t. 67 (1803).
Boissieu, Fl. Eur. ii. t. 360 (1805).
*Sowerby & Sm. Engl. Bot. xxii. t. 1581 (1806).
*Roques, Pl. Usuell. Indig. & Exot. i. t. 34 (1807).
*Schkuhr, Bot. Handb. Ed. 2, t. 140 (1808).
*Jaume St.-Hilaire, Pl. France, i [t. 85] (1808).
*A. & F. Plée, Herbor. Paris, [t. 71] (1811).
*Hill, Family Herbal, t. 9 (1812).
Thornton, Brit. Fl. iv. 64 (1812).
*Vigneux, Fl. Pitt. Envir. Paris, t. 32 (1812).
*Kops, Fl. Batava, iii. t. 238 (1814).
*Schrank, Fl. Monac. ii. t. 120 (1814).
*Chaumeton, Fl. Méd. ii. t. 113 (1815).
*Hayne, Getreue Darst. Arzn. Gewächse, iv. t. 6 (1816).
*Sterler, Eur. Med. Fl. t. 60 (1820).
De Candolle in Mém. Soc. Phys. & Hist. Nat. Genève, i. t. 2, fig. 14 (1821).—*Fr.*
*Roques, Phytogr. Médic. ii. t. 137 (1821); Nouv. Ed. Atlas, t. 111 (1835).
*Waller, New Brit. Domest. Herb. t. 8 (1822).
*Heger, Herb. Pharm. [t. 7] (1822–25).
Berchtold & J. S. Presl, Rostlin. i. t. [40] (1823).
*Mann, Deutschl. Wildwachs. Arzney-Pfl. [t. 46] (1823–28).
*Heger, Giftpl. 31 (1827).
*Nees, Pl. Offic. ii. t. 408 (1828).
*Schlechtendal & Guimpel, Abb. Pharm. Boruss. Gew. i. t. 92 (1830).
*Heger, Danske Oec. Pl. ii. t. 185 (1831).
*Baxter, Brit. Bot. Ed. 2, i. t. 51 (1834).
*Dietrich, Fl. Boruss. iii. t. 184 (1835).
*Stephenson & Churchill, Med. Bot. New Ed. ii. t. 86 (1835).
*A. Henry, Giftpfl. Deutschl. [t. 2] (1836).
*Miquel, Noord-Nederl. Vergift Gewas. t. 25 (1836).
*Spratt, Med.-Bot. Pocket Book, 18 [1836].
*Zenker, Fl. Thüringen, i. t. 44 (1836–55).
*Reichenbach, Ic. Fl. Germ. iii. t. 10 (1838–39).
[M. E.] Jackson, Pict. Fl. fig. 802 (1840).
*C. E. Sowerby, Ill. Cat. Brit. Pl. fig. 53 (1841).
*Plée, Types chq. Famille Pl. France, t. 56 (1844).
*Deakin, Florigr. Brit. ii. fig. 860 (1845).
Seringe, Fl. Jard. i. t. 11 (1845).
Lindley, Veg. Kingd. 430 (1846).—*Fl.*
*J. W. Loudon, Brit. Wild Fl. Ed. 2, t. 7 [1846].
*Cassone, Fl. Med.-Farm. i. t. 44 (1847).
*Lorek, Fl. Pruss. Ed. 3, t. 129, fig. 687 (1848).
Lindley, Med. & Oecon. Bot. 153 (1849).
*Petermann, Deutschl. Fl. t. 4, fig. 29 (1849).—*Fl.*
*Berge & Riecke, Giftgewächse, t. 26 (1850).
*Burnett, Pl. Util. iv. t. 107, a (1850).
Cottage Gard. ix. 473 (1853).
Nees, Gen. Pl. fasc. xxvii. t. 18 (1853).
Schnizlein, Iconogr. ii. t. 180 (1855).—*Fr.*
*C. Johnson, Brit. Poison. Pl. t. 4 (1856).
Payer, Organog. Comp. Fl. t. 45 (1857).—*Fl.*
Seringe, Leçons Bot. [t. 1], Papaverac. [1857?].
Johnson & Sowerby, Brit. Wild Fl. fig. 54 (1858–60).
*Berg & Schmidt, Darst. u. Beschr. Offiz. Gewächse, ii. t. 16, a (1859).

CHELIDONIUM
maius
Berg, Charakt. t. 85, fig. 611 (1861).
*Johnson & Sowerby, Useful Pl. Gr. Brit. t. 1, fig. 8 (1861[–62]).
*Argenta, Album Fl. Med.-Farm. i. t. 31 (1862).
*Artus, Atlas Pharm. Deutschl. Aufg. Offic. Gew. t. 12 [1862–74].
*Hogg & Johnson, Wild Fl. Gr. Brit. ii. t. 160 (1864).
Wretschko in Sitzb. Akad. Wiss. Wien, I. i. t. 1, fig. 1–9; t. 2, fig. 19–21 (1864).—*Veg.*
Bentham, Handb. Brit. Fl. fig. 41 (1865).
*Schubert, Naturg., Pflanzenreich, Ed. 2, t. 26, fig. 9 [1865].
Migout, Fl. Dépt. Allier, t. 1 (1866).—*Fr.*
*Cusin & Ansberque, Herb. Fl. Franç. i. t. 173 (1867).
Le Maout & Decaisne, Traité Gén. Bot. 409 (1868).
*Réveil, Règne Vég. iv. t. 20; viii. t. 31 (1870).
Baillon, Hist. Pl. iii. 117 (1872).—*Fl.*
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, i. t. 12 [1873].
Somoku Dzusetsu, Ed. 2, x. t. 3 (1874).
*Lesacher & Mareschal, Nouv. Bot. Méd. i [t. 37] (1876).
Clos in Mém. Acad. Sc. Toulouse, Ser. VIII. ii. 224, t. 1 (1880).—*Veg.*
Karsten, Deutsche Fl. Pharm.-medic. Bot. 644 (1880–83).
*C. Hoffmann, Pflanzenatlas, t. 44, fig. 272 (1881).
Wagner, Ill. Deutsche Fl. Ed. 2, p. 35 (1882).
W. Robinson, Engl. Fl. Gard. t. 67 (1883).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xiii. t. 1303 (1883).
Baillon, Traité Bot. Méd. Phan. ii. 737 (1884).
Johnson, Manual Med. Bot. N. Amer. 88 (1884).
*Baillon, Ic. Fl. Franç. v. t. 428 [1885–94].
*Sterne, Herbst- & Winterblumen, t. 9, fig. a (1886).—*Hab.*
*Thomé, Fl. Deutschl. ii. t. 262 (1886).
Hager, Handb. Pharm. Prax. Ed. Nov. i. 820 (1887).
*Köhler, Med. Pfl. i [t. 41] (1887).
*Millspaugh, Amer. Med. Pl. t. 21 (1887).
Rep. Comm. Agric. Washington, 1896, p. 92, t. 20 (1887).
Dujard.-Beaumetz & Égasse, Pl. Méd. 173 (1889).
Potonié, Ill. Fl. Nord- u. Mittel-Deutschl. Ed. 4, fig. 269 (1889).
Paolucci, Fl. Marchig. t. 43 (1890).
G. Beck, Fl. Nied.-Oesterr. ii. 1. 433 (1892).—*Fr.*
*Hulme, Familiar Wild Fl. (5 vol. Ed.), ii. 109 [1892?]; (Pop. Ed.), v. 77 [1897?].
*Leclerc du Sablon, Nos Fleurs, 7, t. 1 [1892].
*Masclef, Atlas Pl. France, t. 23 (1893).
Acloque, Fl. France, 76 (1894).
Brehm, Merv. Nat. Monde des Pl. i. 121 (1894–96).
*Siélain, Atlas Poche Pl. Champs, Prair. & Bois, t. 65 [1894].
*Wild Fl. Canada, t. 44 (1894).
Garcke, Ill. Fl. Deutschl. 28 (1895).
Karsten, Fl. Deutschl. ii. 188 (1895).
Miller & Whiting, Wild Fl. N.E. States, 44 (1895).
*Step, Wayside & Woodl. Bloss. t. 65 (1895); New Ed. i. t. 10 (1905).
*Useful Pl. Jap. ii. t. 486 (1895).
Nuov. Giorn. Bot. Ital. N. Ser. iii. t. 4, fig. 4 (1896).—*Veg.*
Britton & Brown, Ill. Fl. N. States & Canada, ii. 103 (1897); Ed. 2, ii. 141 (1913).
Goebel, Organogr. Pfl. 107 (1898); Ed. Angl. i. 123 (1900).—*Veg.*
Knuth, Handb. Blütenbiol. ii. 1. 67 (1898).—*Fl.*
Lochman, Phot. Med. Pl. t. 76 (1898).
Fiori & Paol. Ic. Fl. Ital. 175 (1899).
*Warlich, Russk. Lekarst. Rast. (Russ. Med. Pl.), i. t. 7 (1899).
Kronfeld, Atlas Pflanzengeogr. 95 (1899).—*Veg.*
Journ. Roy. Agric. Soc. England, Ser. III. x. 679 (1899); lxviii. t. 4 (1907).
*Behrens, Blattformen, t. 49, fig. b (1900).—*Veg.*
Pharm. Journ. Ser. IV. xiii. 317–19 (1901).
Coste, Fl. France, i. 63 (1901).

CHELIDONIUM
maius
De Vries, Mutationsth. i. 134, 135, 470, 639 (1901); ii. 156 (1903).
Lindman, Bild. Nord. Fl. t. 184 (1901–5).
C. T. Green, Fl. Liverpool Distr. fig. 25 (1902).
Amer. Nat. xxxvi. t. 2, fig. 1–3, p. 879 (1902); xli. 707 (1907); xlv. 658 (1911).
*Losch, Kräuterbuch, t. 23 (1903).
Schiller in Sitzb. Akad. Wiss. Wien, cxii. 1. t. 3, fig. 83–85 (1903).
Hare, Caspari & Rusby, Nat. Stand. Dispens. 400 (1905).
Merino, Fl. Galicia, i. 97 (1905).
Blytt, Haandb. Norg. Fl. Ed. Dahl, 356 (1906).
Lazaro, Comp. Fl. Españ. ii. 185 (1907).—*Fl.*
Velenovsky, Vergl. Morphol. Pfl. ii. 298 (1907).—*Veg.*
De Vries, Pl.-Breeding, 251 (1907).
Heukels, Fl. Nederl. ii. 233 (1908).
*Hulme, Familiar Swiss Fl. t. 82 (1908).
Beille, Bot. Pharm. ii. 371 (1909).
Fitzgerald in Nature Book, iv. 701 (1909).
Pflanzenreich, Papaverac. 213 (1909).
*Esser, Giftpfl. Deutschl. t. 48 (1910).
Miyoshi, Pl. World Jap. 166 (1910).
Rev. Gén. Bot. xxi. t. 10 (1910).—*Fr.*
Somoku Dzusetsu, Ed. Makino (Iconogr. Pl. Nippon), x. t. 3 (1910).
Beal, Michigan Weeds (Bull. Michigan Agric. Exp. St. No. 267), 341 (1911); Ann. Rep. xxv. 330 (1912).
*Bonnier, Fl. Compl. France, Suisse & Belge, i. t. 26 [1911].
Wettstein, Handb. Syst. Bot. Ed. 2, p. 462, 572, 573 (1911).—*Fl.*
Pammel, Man. Poison. Pl. 485 (1911).
U.S. Dep. Agric. Bur. Pl. Indust. Bull. No. 219, p. 11 (1911).
*Correvon, Fl. Champs & Bois, t. 16 (1911).
Friedmann in Öfvers. Finska Vet-Soc. Forhandl. liv. 10 (1912).
Morton in Mitt. Nat. Ver. Univ. Wien, x. t. 1, fig. 3 (1912).—*Fr.*
*Pokorny-Schoenichen, Pflanzenkunde, t. 5, fig. 1 (1912).
Busch in Fl. Sib. & Or. Extr. (Mus. Bot. Acad. Petrop.), i. 12 (1913).
Goebel, Organogr. Pfl. Ed. 2, i. 267 (1913).—*Veg.*
*Klein, Unsere Unkräuter, t. 67 (1913).
*Hegi, Ill. Fl. Mittel-Eur. iv. 1. t. 122, p. 22 (1913).
Kerner, Pflanzenleben, Ed. 3, i. 420 (1913).—*Hab.*
Warburg, Pflanzenwelt, i. 315 (1913).—*Fr.*
*Gadeceau, Fl. Moiss. t. 67 (1914).
A. Georgia, Manual Weeds, t. 116 (1914).
*Perrin & Boulger, Brit. Flower. Pl. ii. t. 84, 90 [B], fig. 1–5 (1914).
Cadevall & Sallent, Fl. Catalunya, i. 70 (1915).
*C. A. Hall, Plant-Life, t. 23 (1915).
*Bonnier, Name This Flower, t. 5 (1917).
Findeis in Sitzb. Akad. Wiss. Wien, cxxvi. 1. t. 2, fig. 11–15 (1917).—*Fr.*
Komarow, Sbor, Suschka i Razvod. Lekarst. Rast. Ross. (Coll. Dry. & Cult. Med. Pl. Russia), Ed. 3, t. 73 (1917).
Lindman, Svensk Fanerogamfl. 22 (1918).
Mayevsky, Fl. Central Russia, 29 (1918).
*Horwood, Brit. Wild Fl. iv. t. 45, p. 170 (1919).
Fitch & Smith, Ill. Brit. Fl. Ed. rev. 4, Iss. 2, fig. 42 (1919).
Fyles in Canada Dep. Agric. Exp. Farms, Ser. II. Bull. No. 39, t. 21 (1920).
Moss, Cambridge Brit. Fl. iii. t. 167 (1920).
—— **fumariifolium** Rouy & Fouc.
Rouy, Illustr. Pl. Eur. Rar. i [t. 23]; fasc. 4, t. 78 (1895).
—— **grandiflorum** DC.
Pflanzenreich, Papaverac. 213 (1909).
—— **laciniatum** Koch
*Fl. Dan. iv. t. 676 (1777); fide Lange, Nomencl. Fl. Dan. 22 (1887).
Syme, Engl. Bot. i. t. 67, B (1863).
De Vries, Pl.-Breeding, 251 (1907).
Suireishchikov, Ill. Fl. Mosc. Gov. ii. 166 (1907).

CHELIDONIUM
maius laciniatum
Pflanzenreich, Papaverac. 213 (1909).
—— —— **fumariifolium** Hus
Amer. Nat. xlv. 659 (1911).
—— **latipetalum** Moll
De Vries, Mutationsth. i. 470 (1901).
—— **vulgare** Kauffm.
*Syme, Engl. Bot. i. t. 67, A (1863).
Suireishchikov, Ill. Fl. Mosc. Gov. ii. 166 (1907).
uniflorum Sieb. & Zucc.
*Gartenfl. xi. t. 355 (1862).
*Trans. Russ. Hort. Soc. 1862, t. 81.

CHELONANTHERA Bl.: *Coelogyne* (1), *Pholidota* (2)
gibbosa Bl. (2)
*Siebold & De Vriese, Fl. Jard. 149 (1860).
longifolia Bl. (1)
Blume, Tab. Jav. Orch. t. 51 (1825).—*Fl.*
speciosa Bl. (1)
Blume, Tab. Jav. Orch. t. 51 (1825).—*Fl.*
ventricosa Bl. (2)
Blume, Tab. Jav. Orch. t. 51 (1825).—*Fl.*

CHELONANTHUS Gilg
candidus Malme
Arkiv Bot. Stockholm, iii. No. 12, t. 2 (1904).—*Fl.*
chelonoides Gilg
Arkiv Bot. Stockholm, iii. No. 12, t. 2 (1904).—*Fl.*
uliginosus Gilg
Pflanzenfam. iv. II. 100 (1895).—*Fl.*

CHELONE Linn.
angustifolia H. B. K.
H. B. K. Nov. Gen. ii. t. 173 (1817).
atropurpurea Sweet
*Sweet, Brit. Fl. Gard. iii. t. 235 (1828).
barbata Cav.
Cavanilles, Ic. iii. t. 242 (1794).
*Joh. Kerner, Hort. Sempervir. i. t. 39 (1797).
*Jaume St.-Hilaire, Pl. France, ii [t. 57] (1808).
*Allg. Teutsch. Gart. Mag. vii. t. 19 (1810).
*Bot. Reg. ii. t. 116 (1816).
*Morris, Fl. Conspic. t. 18 [1825–30].
*J. W. Loudon, Ladies' Fl.-Gard. Ornam. Perenn. ii. t. 88 (1844) in ic.; *Pentstemon barbatum* in textu, p. 137.
W. Robinson, Engl. Fl. Gard. t. 67 (1883).—*Hab.*
—— **alba** Hort.
*Marnock, Floricult. Mag. iii. t. 28 (1838).
campanulata Cav.
Cavanilles, Ic. i. t. 29 (1791).
*Jaume St.-Hilaire, Pl. France, ii [t. 58] (1808).
*Mordant de Launay, Herb. Amat. v. t. 338 (1821).
*Drapiez, Herb. Amat. Fl. v. t. 354 (1831).
campanuloides Andr.
*Andrews, Bot. Rep. i. t. 40 (1798).
centranthifolia Benth.
*Bot. Reg. xx. t. 1737 (1835).
*Paxt. Mag. ii. 50 (1836) in textu; *C. cheilanthifolia* in ic.
cheilanthifolia Paxt.
Paxt. Mag. ii. 50 (1836) in ic.; *C. centranthifolia* in textu.
diffusa Jaume St.-Hil.
*Jaume St.-Hilaire, Fl. & Pom. Franç. v. t. 465 (1832).
Digitalis Sweet
*Sweet, Brit. Fl. Gard. ii. t. 120 (1825).
gentianoides H. B. K.
H. B. K. Nov. Gen. ii. t. 172 (1817).
glabra Linn.
Gaertner, Fruct. i. t. 54 (1788).—*Fr.*
*Barton, Fl. N. Amer. iii. t. 76 (1823).
Rafinesque, Med. Fl. ii. t. 97 (1830).
*Audubon, Birds Amer. ii. t. 75 (1841).
*Strong, American Fl. i. 111 (1848).
*Good, Family Flora, ii. t. 80 (1854).
*Meehan, Native Fl. & Ferns U.S. Ser. II. i. t. 46 (1879).
*Millspaugh, American Med. Pl. t. 113 (1887).
Pringsh. Jahrb. Bot. xxii. t. 16, fig. 49–53 (1891).—*Fl.*
Dana, How to Know the Wild Fl. t. 30 (1894).
*Wild Fl. Canada, t. 87 (1894).

CHELONE
glabra
Miller & Whiting, Wild Fl. N.E. States, 482 (1895).
Lochman, Phot. Med. Pl. t. 193 (1898).
Mathews, Wayside Flowers, Ser. III. 19 (1898).
Britton & Brown, Ill. Fl. N. States & Canada, iii. 149 (1898); Ed. 2, iii. 181 (1913).
Oesterr. Bot. Zeitschr. l. t. 3, fig. 23 (1900).—*Fl.*
*Blanchan, Nat. Gard. 92 (1900).
*Parsons, According to Season, t. 26 (1902).
Stone, Pl. Southern New Jersey (Ann. Rep. New Jersey State Mus. 1910), t. 111 (1911).
U.S. Dep. Agric. Bur. Pl. Indust. Bull. No. 219, p. 31 (1911).
Creevey, Harper's Guide Wild Flowers, 126 (1912).
L. H. Bailey, Stand. Cycl. Hort. 736 (1914).
*House, Wild Fl. New York (Mem. No. 15, N.Y. State Mus.), ii. t. 197 (1918).
Lovell, Flower & Bee, 82 (1919).
laevigata Pers.
*Jaume St.-Hilaire, Fl. & Pom. Franç. v. t. 466 (1832).
Lyonii Pursh
*Sweet, Brit. Fl. Gard. iii. t. 293 (1829).
*Paxt. Mag. vii. 269 (1840).
*J. W. Loudon, Ladies' Fl.-Gard. Ornam. Perenn. ii. t. 88 (1844).
Nicholson, Illustr. Dict. Gard. i. 310 [1884–88].—*Hab.*
Britton & Brown, Ill. Fl. N. States & Canada, iii. 150 (1898); Ed. 2, iii. 181 (1913).
maior Sims
*Bot. Mag. xliv. t. 1864 (1816).
*Journ. Jard. 1833, p. 243.
nemorosa Dougl.
*Bot. Reg. xiv. t. 1211 (1829).
obliqua Linn.
*McDonald, Dict. Pract. Gard. i. t. 15 (1807).
*Schkuhr, Bot. Handb. Ed. 2, t. 172 (1808).
*S. Edwards, New Bot. Gard. i. t. 15 (1812).
*Bot. Reg. ii. t. 175 (1817).
*Lodd. Bot. Cab. ix. t. 813 (1824).
*Jaume St.-Hilaire, Fl. & Pom. Franç. v. t. 467 (1832).
*Paxt. Mag. vii. 149 (1840).
*Strong, American Fl. iv. 79 (1850).
Journ. Hort. Ser. III. iii. 243 (1882); xlix. 202 (1904); lvii. 133 (1908).
W. Robinson, Engl. Fl. Gard. t. 67 (1883).—*Hab.*
Britton & Brown, Ill. Fl. N. States & Canada, iii. 150 (1898); Ed. 2, iii. 181 (1913).
Pentstemon Linn.
Lamarck, Ill. iii. t. 528 (1797).
*Jaume St.-Hilaire, Pl. France, ii [t. 59] (1808).
rosea Cerv.
*Sweet, Brit. Fl. Gard. iii. t. 230 (1827).
ruelloides Andr.
*Andrews, Bot. Rep. i. t. 34 (1798).
speciosa Lodd.
*Ann. Blumisterei, vii. 297 [t. 21] (1832).
*Hort. Belge Journ. Jard. & Amat. i. t. 5 (1833).
*Journ. Jard. 1835, p. 29.

CHELONESPERMUM Hemsl.
fijiense Hemsl.
Ann. Bot. vi. t. 13, fig. 6–9 (1892).—*Fr.*
maius Hemsl.
Ann. Bot. vi. t. 11, 12 (1892).
minus Hemsl.
Ann. Bot. vi. t. 13, fig. 1–5 (1892).—*Fr.*
unguiculatum Hemsl.
Ann. Bot. vi. t. 14, fig. 5–8 (1892).—*Fr.*

CHELONISTELE Pfitz.
sulphurea Pfitz.
Pflanzenreich, Orch.-Coel. 137, 138 (1907).

CHELONOPSIS Miq.
moschata Miq.
Kwa-wi [transl. Savatier], Herb. iii. t. 17 (1759).
Somoku Dzusetsu, Ed. 2, xi. t. 53 (1874).
Pflanzenfam. iv. III. A. 243 (1896).—*Fl.*
*Bot. Mag. cxxvii. t. 7783 (1901).
*Miyoshi & Makino, Pocket-Atlas, Alp. Pl. Jap. i. t. 9, fig. 51 (1906).

CHELONOPSIS
moschata
Somoku Dzusetsu, Ed. Makino (Iconogr. Pl. Nippon), xi. t. 53 (1912).

CHENOLEA Thunb.
arabica Boiss.
Pflanzenfam. iii. I. A. 69 (1893).—*Fl.*
canariensis Moq.
Webb & Berth. Hist. Nat. Iles Canar. iii. Phytogr. III. t. 200 (1836–50).
Dallachyana Benth.
F. Turner, Forage Pl. Austral., Dep. Agric. N. S. Wales, 81 (1891).
diffusa Thunb.
L. Schultze, Namaland & Kalahari, 97 (1907).
Journ. Ecol. ii. t. 22 (1914).—*Hab.*
incana Jacq.
*Jacquin, Fragm. t. 120 (1809).
salsuginosa F. Muell.
F. Mueller, Key Syst. Victorian Pl. ii. fig. 36 (1885).

CHENOPODINA Moq.: *Suaeda*
indica Wight
Wight, Ic. Pl. Ind. Or. v. t. 1793 (1852).
maritima Moq.
Wagner, Ill. Deutsche Fl. Ed. 2, p. 630 (1882).
G. Beck, Fl. Nied.-Oesterr. i. 327 (1890).—*Fr.*

CHENOPODIUM Linn.—Vide *Agathophytum, Blitum, Botrys, Orthosporum, Roubeva, Teloxys*
acuminatum Willd.
Willdenow in Neue Schrift. Ges. Naturf. Freunde Berlin, ii. t. 5, fig. 2 (1799).
*Ledebour, Ic. Pl. Ross. ii. t. 168 (1830).
*Useful Pl. Jap. i. t. 72 (1895).
acutifolium Kit.
*Sowerby & Sm. Engl. Bot. xxi. t. 1481 (1805).
*Sturm, Deutschl. Fl. xvii. LXXV [t. 1197] (1839).
[M. E.] Jackson, Pict. Fl. fig. 396 (1840).
Johnson & Sowerby, Brit. Wild Fl. fig. 1023 (1858–60).
agreste E. H. L. Krause
. *Sturm, Fl. Deutschl. Ed. 2, v. t. 27 (1901).
—— **viride** E. H. L. Krause
Sturm, Fl. Deutschl. Ed. 2, v. 153 (1901).
album Linn.
*Curtis, Fl. Londin. i. fasc. II. t. 15 (1777); Ed. 2, i. fasc. II. t. 15 (1817).
Hoppe, Ect. Pl. Ratisb. t. 259 (1788).
*Joh. Kerner, Abbild. Oek. Pfl. (Fig. Pl. Écon.), vi. t. 547 (1793).
*Sowerby & Sm. Engl. Bot. xxiv. t. 1723 (1807).
*Vietz, Ic. Pl. Med.-oec.-techn. v. t. 403 d (1817).
Nouv. Mém. Acad. Sc. Bruxelles, ix. t. 1 (1835).—*Fr.*
Nees, Gen. Pl., Monochlam. i. t. 56 (1835).
*Zenker, Fl. Thüringen, ix. t. 1034 (1836–55).
*Dietrich, Fl. Boruss. v. t. 297 (1837).
*Sturm, Deutschl. Fl. xvii. LXXV [t. 1190] (1839).
[M. E.] Jackson, Pict. Fl. fig. 391 (1840).
*Deakin, Florigr. Brit. i. fig. 489 (1841).
Lindley, Veg. Kingd. 512 (1846).—*Fl.*
*Lorek, Fl. Pruss. Ed. 3, t. 65, fig. 363 (1848).
*Schnizlein, Iconogr. ii. t. 101 (1852).
Johnson & Sowerby, Brit. Wild Fl. fig. 1030 (1858–60).
*Johnson & Sowerby, Useful Pl. Gr. Brit. t. 16, fig. 183 (1861[–62]).
Provancher, Fl. Canad. ii. 480, fig. 235–37 (1862).—*Fl.*
Bentham, Handb. Brit. Fl. fig. 837 (1865).
Heer, Pfl. Pfahlbauten, tab. fig. 40 (1865).—*Fr.*
Cesati, Passer. & Gibelli, Comp. Fl. Ital. t. 39 (1867–86).—*Fl.*
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, iv. t. 176 [1873].
Somoku Dzusetsu, Ed. 2, iv. t. 40 (1874).
*Cusin, Herb. Fl. Franç. xix (Salsolacées), t. 26 (1876).
Nobbe, Handb. Samenkunde, 90 (1876).—*Fr.*
Journ. Agric. Soc. England, Ser. II. xiii. 443 (1877).—*Fr.*
*Hogg & Johnson, Wild Fl. Gr. Brit. xi. t. 801 (1880).
*C. Hoffmann, Pflanzenatlas, t. 18, fig. 104 (1881).
Pharm. Journ. Ser. III. xii. 137 (1881).—*Fr.*

CHENOPODIUM
album
Wagner, Ill. Deutsche Fl. Ed. 2, p. 633 (1882).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, ix. t. 873 (1882).
Schilling, Grundr. Naturg. ii. Pflanzenr. Ausgb. B, p. 168 (1884).
Winkler in Verh. Bot. Ver. Brandenb. xxix. 112 (1888); xxx. 73 (1889).—*Veg.*
Paolucci, Fl. Marchig. t. 14 (1890).—*Fl.*
Halsted in Rep. New Jersey Agric. St. No. 1, t. 21 (1890).
Stewart in Bull. Iowa Agric. St. No. 21, p. 814 (1893).—*Fr.*
*Wild Fl. Canada, t. 286 (1894).
Acloque, Fl. France, 542 (1894).
Hitchcock & Norton in Bull. Kansas Agric. St. No. 50, t. 7, fig. 107 (1895); No. 57, t. 15, fig. 157 (1896); No. 66, t. 13, fig. 157 (1897).
Yearb. Dep. Agric. Washington, 1895, p. 210 (1896).
Britton & Brown, Ill. Fl. N. States & Canada, i. 570 (1896); Ed. 2, ii. 10 (1913).
Rep. Commissioner Agric. Washington, 1886, p. 92, t. 16 (1897).
Selby in Bull. Ohio Agric. St. No. 83, p. 279 (1897); No. 142, t. 2 (1903); No. 175, t. 2, p. 318 (1906).
Fiori & Paol. Ic. Fl. Ital. 117 (1899).
Oesterr. Bot. Zeitschr. l. t. 5 (1900).—*Veg.*
Lindman, Bild. Nord. Fl. t. 351 (1901–5).
C. T. Green, Fl. Liverpool Distr. fig. 531 (1902).
*Bettfreund, Fl. Argentina, iii. t. 146 (1902).
Magyar Bot. Lap. ii. t. 7 (1903).—*Veg.*
Pammel in Bull. Iowa Agric. St. No. 70, p. 418, 489 (1903); No. 105, p. 274 (1909).—*Fr.*
Amer. Nat. xxxviii. 828 (1904).—*Veg.*
Bull. Herb. Boiss. Ser. II. iv. t. 5, fig. 14; t. 6, fig. 15 (1904).—*Veg.*
Agric. Gaz. N. S. Wales, xvi. 474 (1905).—*Hab.*
U.S. Dep. Agric. Bur. Pl. Indust. Bull. No. 84, p. 35 (1905).—*Fr.*
U.S. Dep. Agric. Farm. Bull. No. 260, p. 21 (1906).—*Fr.*
Blytt, Haandb. Norg. Fl. Ed. Dahl, 295 (1906).
Coste, Fl. France, iii. 186 (1906).
F. M. Bailey, Weeds & Poison. Pl. Queensland, 160 (1906).
*Clark & Fletcher, Farm Weeds Canada, t. 40, 54, fig. 35 (1906); Ed. 2, t. 13, 72, fig. 12 (1909).
Suireishchikov, Ill. Fl. Mosc. Gov. ii. 85 (1907).
Lazaro, Comp. Fl. Españ. ii. 29 (1907).
Reichenbach, Ic. Fl. Germ. xxiv. 108, t. 240 (1907).
Somoku Dzusetsu, Ed. Makino (Iconogr. Pl. Nippon), iv. t. 40 (1907).
Hayek, Fl. Steierm. i. 233 (1908).—*Fr.*
Heukels, Fl. Nederl. ii. 103 (1908).
*Hegi, Ill. Fl. Mittel-Eur. iii. t. 95, p. 214, 225 (1909).
Journ. Board Agric. xvi. 208 (1909).
Wilcox & Stevenson in Bull. Agric. St. Nebraska, xxi. No. 110, p. 24 (1909).—*Fr.*
Fedtschenko & Fler. Fl. Eur. Russia, 342 (1910).
Pammel & King in Proc. Iowa Acad. Sc. xvii. 32 (1910).
Long, Common Weeds Farm & Garden, 120, 121, t. 3 (1910).
Board Agric. & Fish. Leaflet No. 184, p. 6 (1907); No. 251, p. 6 (1911).
Ontario Dep. Agric. Bull. No. 188, p. 17, 43 (1911).
Beal in Bull. Michigan Agric. Exp. St. No. 267, p. 318 (1911); et in Ann. Rep. xxv. 307 (1912).
!Beih. Bot. Centralbl. xxviii. II. 321 (1911).—*Veg.*
Pammel, Man. Poison. Pl. 426 (1911).
Pammel, Weeds Farm & Gard. 169 (1911).
Pammel in Iowa Geol. Surv. Bull. No. 4, p. 108, 432, 695 (1913).
*Klein, Unsere Unkräuter, t. 32 (1913).
Bull. Angew. Bot. vii. t. 108, 114 (1914).—*Fr.*
*Gadeceau, Fl. Moiss. t. 32 (1914).
A. Georgia, Manual Weeds, t. 69 (1914).
Canada Dep. Agric. (Seed Branch), Bull. No. S-8, p. 36 (1914).
Coe in Bull. S. Dakota Agric. St. No. 150, p. 411 (1914).

CHENOPODIUM
album
Journ. New Zeal. Dep. Agric. xi. 56 (1915).—*Hab.*
Journ. Dep. Agric. Victoria, xiii. 45 (1915).
*Bonnier, Name This Flower, t. 46 (1917).
Safford in Journ. Washington Acad. Sc. viii. No. 15, p. 526 (1918).—*Fr.*
Lindman, Svensk Fanerogamfl. 221 (1918).—*Fr.*
Mayevsky, Fl. Central Russia, 520 (1918).—*Hab.*
Britton, Fl. Bermuda, 115 (1918).
Basu, Ind. Med. Pl. t. 795 (1918).
M. T. Cook, Applied Econ. Bot. 155 (1919).—*Fr.*
*Horwood, Brit. Wild Fl. i. 113; iv. t. 49, p. 228 (1919).
Fitch & Smith, Ill. Brit. Fl. Ed. rev. 4, Iss. 2, fig. 845 (1919).
Bose, Man. Ind. Bot. 261 (1920).
Brenchley, Weeds Farm Land, 13 (1920).
—— **bernburgense** Murr
Hegi, Ill. Fl. Mittel-Eur. iii. 225 (1909).—*Veg.*
—— **candicans** Moq.
*Syme, Engl. Bot. viii. t. 1188 (1868).
—— **Collinsii** Murr
Bull. Herb. Boiss. Ser. II. iv. t. 5, fig. 1 (1904).—*Veg.*
—— **cymigerum** Koch
*Deakin, Florigr. Brit. i. fig. 490 (1841).
—— **integerrimum** Gray
Moss, Cambridge Brit. Fl. ii. t. 159 (1914).
—— **lanceolatum** Chevall.
Cusin, Herb. Fl. Franç. xix (Salsolacées), t. 28 (1876).
Reichenbach, Ic. Fl. Germ. xxiv. 108, t. 240 (1907).
—— **microphyllum** Coss. & Germ.
Winkler in Verh. Bot. Ver. Brandenb. xxx. 73 (1889).—*Veg.*
Reichenbach, Ic. Fl. Germ. xxiv. 108, t. 240 (1907).
—— **paganum** Syme
*Syme, Engl. Bot. viii. t. 1190 (1868).
—— **platanoides** Scholz
Hegi, Ill. Fl. Mittel-Eur. iii. 225 (1909).—*Veg.*
—— **preacutum** Murr
Reichenbach, Ic. Fl. Germ. xxiv. 108, t. 240 (1907).—*Veg.*
—— **striatum** Kras.
Reichenbach, Ic. Fl. Germ. xxiv. 108, t. 241 (1907).
—— —— **interjectum** Murr
Reichenbach, Ic. Fl. Germ. xxiv. 108, t. 241 (1907).—*Veg.*
—— —— **Krasanii** G. Beck
Reichenbach, Ic. Fl. Germ. xxiv. 108, t. 241 (1907).—*Veg.*
—— —— **pseudo-Borbasii** Murr
Reichenbach, Ic. Fl. Germ. xxiv. 108, t. 241 (1907).
—— **virescens** Wahlenb.
Moss, Cambridge Brit. Fl. ii. t. 158 (1914).
—— **viride** Sw.
*Svensk Bot. vi. t. 411 (1809).
*Syme, Engl. Bot. viii. t. 1189 (1868).
Cusin, Herb. Fl. Franç. xix (Salsolacées), t. 27 (1876).
Reichenbach, Ic. Fl. Germ. xxiv. 108, t. 242 (1907).
Suireishchikov, Ill. Fl. Mosc. Gov. ii. 85 (1907).
—— —— **hastatum** Klinggr.
Reichenbach, Ic. Fl. Germ. xxiv. 108, t. 241 (1907).—*Veg.*
—— —— **paganum** Reichb.
Reichenbach, Ic. Fl. Germ. xxiv. 108, t. 242 (1907).
—— —— **rhombeum** Peterm.
Reichenbach, Ic. Fl. Germ. xxiv. 108, t. 242 (1907).—*Veg.*
altissimum Linn.
Schrader's Neues Journ. f. die Bot. iii. III. & IV. t. 3 (1809).—*Fl.*
Schrader in Comm. Soc. Sc. Rec. Göttingen, i. t. 1 (1811).

CHENOPODIUM
amaranticolor Coste & Reyn.
Rev. Hort. 1909, p. 445.—*Hab.*
Bull. Soc. Acclim. France, lvii. 162 (1910).
*Jardin, xxiv. 72 (1910); xxxi. 141 (1917).
Rev. Hort. Belge, xxxviii. 28–29 (1912).—*Hab.*
ambrosioides Linn.
*Regnault, Bot. iii. 7 (1774).
*Plenck, Ic. Pl. Med. ii. t. 168 (1789).
*Vietz, Ic. Pl. Med.-oec.-techn. ii. t. 222 (1803).
*Descourtilz, Fl. Pitt. & Méd. Antilles, i. t. 58 (1821).
*Nees, Pl. Offic. i. t. 122 (1828).
*Wagner, Pharm.-Med. Bot. ii. t. 130 (1829).
*Hayne, Getreue Darst. Arzn. Gewächse, xiii. t. 15 (1837).
*Schlechtendal & Guimpel, Abb. Pharm. Boruss. Gew. iii. t. 269 (1837).
*Sturm, Deutschl. Fl. xvii. LXXV [t. 1195] (1839).
Petermann, Deutschl. Fl. t. 75, fig. 595, i–k (1849).—*Fl.*
Wight, Ic. Pl. Ind. Or. v. t. 1786 (1852).
*Berg & Schmidt, Darst. u. Beschr. Offiz. Gewächse, i. t. 2, c (1858).
Berg, Charakt. t. 27, fig. 222, R, S (1861).
*Artus, Atlas Pharm. Deutschl. Offic. Gew. t. 214 [1862–74].
Somoku Dzusetsu, Ed. 2, iv. t. 42 (1874).
*Cusin, Herb. Fl. Franç. xix (Salsolacées), t. 20 (1876).
*Blanco, Fl. Filip. t. 69 (1878–80).
Karsten, Deutsche Fl. Pharm.-medic. Bot. 514 (1880–83).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, ix. t. 870 (1882).
Nicholson, Illustr. Dict. Gard. i. 310 [1884–88].
Hager, Handb. Pharm. Prax. Ed. Nov. i. 822 (1887).
Pflanzenfam. iii. 1. A. 58 (1893).—*Fl.*
Karsten, Fl. Deutschl. ii. 46 (1895).
Britton & Brown, Ill. Fl. N. States & Canada, i. 575 (1896); Ed. 2, ii. 14 (1913).
Lochman, Phot. Med. Pl. t. 48 (1898).
Knuth, Handb. Blütenbiol. ii. II. 341 (1899).—*Fl.*
Fiori & Paol. Ic. Fl. Ital. 117 (1899).
Pharm. Journ. Ser. IV. xiii. 714 (1901).
*Sturm, Fl. Deutschl. Ed. 2, v. 163 (1901).
*Bettfreund, Fl. Argentina, iii. t. 147 (1902).
Selby & Hicks in Bull. Ohio Agric. St. No. 142, t. 2 (1903); No. 175, t. 2 (1906).—*Fr.*
U.S. Dep. Agric. Farm. Bull. No. 188, p. 41 (1904).—*Hab.*
Hare, Caspari & Rusby, Nat. Stand. Dispens. 402 (1905).
Coste, Fl. France, iii. 183 (1906).
F. M. Bailey, Weeds & Poison. Pl. Queensland, 160 (1906).
Lazaro, Comp. Fl. Españ. ii. 29 (1907).
Somoku Dzusetsu, Ed. Makino (Iconogr. Pl. Nippon), iv. t. 42 (1907).
Bull. Soc. Bot. France, liv. t. 10 (1907).
Heukels, Fl. Nederl. ii. 99 (1908).
Hegi, Ill. Fl. Mittel-Eur. iii. 234, 257 (1909).
Pammel, Man. Poison. Pl. 428 (1911).
Beal in Bull. Michigan Agric. Exp. St. No. 267, p. 318 (1911); et in Ann. Rep. xxv. 307 (1912).
Merck's Rep. (Pract. Journ. Pharm.), xxi. 178 (1912).
Pammel in Iowa Geol. Surv. Bull. No. 4, p. 104 (1913).
A. Georgia, Manual Weeds, t. 66 (1914).
Fawcett & Rendle, Fl. Jamaica, iii. 1. 123 (1914).
Lindman, Svensk Fanerogamfl. 223 (1918).—*Veg.*
Britton, Fl. Bermuda, 116 (1918).
Basu, Ind. Med. Pl. t. 796 (1918).
—— **anthelminticum** Gray
A. Georgia, Manual Weeds, t. 67 (1914).
angustanum Allioni
Allioni, Fl. Pedem. iii. t. 38, fig. 4 (1785).
angustifolium Gilib.
Sturm, Fl. Deutschl. Ed. 2, v. 176 (1901).
anthelminticum Linn.
Dillenius, Hort. Eltham. Add. Denom. Linn. t. 66 (1774).
*Plenck, Ic. Pl. Med. ii. t. 166 (1789).

CHENOPODIUM
anthelminticum
*Oskamp, Afb. Artseny-Gewass. vii. t. 61 (1813).
*Chaumeton, Fl. Méd. i. t. 31 (1815).
*Vietz, Ic. Pl. Med.-oec.-techn. v. t. 404 b (1817).
*Barton, Med. Bot. ii. t. 44 (1818).
*Descourtilz, Fl. Pitt. & Méd. Antilles, i. t. 57 (1821).
Rafinesque, Med. Fl. i. t. 21 (1828).
*Cassone, Fl. Med.-Farm. v. t. 452 (1850).
Mart. Fl. Bras. v. 1. t. 47 (1864).
*Bentley & Trim. Med. Pl. iii. t. 216 (1877).
*Millspaugh, American Med. Pl. t. 140 (1887).
Britton & Brown, Ill. Fl. N. States & Canada, i. 575 (1896).
Lochman, Phot. Med. Pl. t. 49 (1898).
Coste, Fl. France, iii. 184 (1906).
Bull. Soc. Bot. France, liv. t. 10 (1907); lix. 626 (1913).
Merck's Rep. (Pract. Journ. Pharm.), xxi. 178 (1912).
U.S. Dep. Agric. Bull. No. 26, p. 4 (1913).
aristatum Linn.
*Kniphof, Herb. Viv. i. t. 247 (1758).
J. G. Gmelin, Fl. Sibir. iii. t. 15, fig. 1 (1768); fide Ledebour, Comm. 88.
Baillon, Hist. Pl. ix. 131 (1887).
Pflanzenfam. iii. 1. A. 58 (1893).
Fiori & Paol. Ic. Fl. Ital. 117 (1899).
Reichenbach, Ic. Fl. Germ. xxiv. t. 252 (1908).
atripliciforme Murr
Magyar Bot. Lap. i. t. 5 (1902).—*Veg.*
atriplicinum F. Muell.
F. Mueller, Ic. Austral. Salsolac. t. 30 (1890).
F. Turner, Forage Pl. Austral., Dep. Agric. N. S. Wales, 55 (1891).
Atriplicis Victoria Hort.
Gartenfl. xxxvi. 640 (1887).
auricomiforme Murr & Thell.
Hayward & Druce, Advent. Fl. Tweedside, 201 (1919).—*Veg.*
auricomum Lindl.
F. Mueller, Ic. Austral. Salsolac. t. 29 (1890).
F. Turner, Forage Pl. Austral., Dep. Agric. N. S. Wales, 52 (1891).
Austral. Assoc. Sc. Rep. vii. t. 20 (1898).—*Hab.*
Bull. Herb. Boiss. Ser. II. iv. t. 5, fig. 10 (1904).—*Veg.*
Agric. Gaz. N. S. Wales, xv. 218 (1904).—*Hab.*
F. M. Bailey, Compr. Cat. Queensl. Pl. 406 (1909–13).
baccatum Labill.
Labillardière, Nov. Holl. Pl. t. 96 (1804).
Berlandieri Moq.
Britton & Brown, Ill. Fl. N. States & Canada, i. 572 (1896).
×**bernburgense** Murr
Deutsche Bot. Monatsschr. xix. t. 1 (1901).—*Veg.*
Magyar Bot. Lap. i. t. 3 (1902).—*Veg.*
×**betulifolium** Murr
Deutsche Bot. Monatsschr. xix. t. 1 (1901).—*Veg.*
blitoides Lej.
*Sturm, Deutschl. Fl. xvii. LXXIV [t. 1183] (1838).
bolivianum Murr
Magyar Bot. Lap. i. t. 5 (1902).—*Veg.*
Bonus-Henricus Linn.
*Fl. Dan. iv. t. 579 (1771).
*Regnault, Bot. iii. 8 (1774).
*Curtis, Fl. Londin. i. fasc. III. t. 17 (1777); Ed. 2, ii. fasc. III. t. 17 (1821).
*Zorn, Ic. Pl. Med. i. t. 90 (1779).
Hoppe, Ect. Pl. Ratisb. t. 252 (1788).
*Plenck, Ic. Pl. Med. ii. t. 164 (1789).
*Joh. Kerner, Abbild. Oek. Pfl. (Fig. Pl. Écon.), v. t. 443 (1792).
*Oskamp, Afb. Artseny-Gewass. i. t. 90 (1796).
Lamarck, Ill. i. t. 181, fig. 1 (1797).
*Sowerby & Sm. Engl. Bot. xv. t. 1033 (1802).
*Schkuhr, Bot. Handb. Ed. 2, t. 56 (1808).
*Hill, Family Herbal, t. 27 (1812); fide Ed. Thornton, Brit. Fl. ii. 86 (1812).
*Vigneux, Fl. Pitt. Envir. Paris, t. 18 (1812).
*Vietz, Ic. Pl. Med.-oec.-techn. v. t. 404 a (1817).
*Schrank, Fl. Monac. iv. t. 382 (1818).

CHENOPODIUM
Bonus-Henricus
[M. E.] Jackson, Pict. Fl. fig. 385 (1840).
*Deakin, Florigr. Brit. i. fig. 481 (1841).
*Lorek, Fl. Pruss. Ed. 3, t. 65, fig. 359 (1848).
*Cassone, Fl. Med.-Farm. v. t. 456 (1850).
Flora, xxxvi. t. 7, fig. 12–14 (1853).—*Veg.*
Johnson & Sowerby, Brit. Wild Fl. fig. 1024 (1858–60).
*Johnson & Sowerby, Useful Pl. Gr. Brit. t. 16, fig. 182 (1861[–62]).
Bentham, Handb. Brit. Fl. fig. 843 (1865).
*Schubert, Naturg., Pflanzenreich, Ed. 2, t. 14, fig. 1 [1865].
*Hogg & Johnson, Wild Fl. Gr. Brit. iv. t. 320 (1868).
*Syme, Engl. Bot. viii. t. 1199 (1868).
*Réveil, Règne Vég. iii. t. 17, 37 (1870).
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, iv. t. 177 [1873].
Lubbock, Brit. Fl. Relat. Insects, 157 (1875).
*Lesacher & Mareschal, Nouv. Bot. Méd. i [t. 15] (1876).
*Cusin, Herb. Fl. Franç. xix (Salsolacées), t. 37 (1876).
Wagner, Ill. Deutsche Fl. Ed. 2, p. 636 (1882).
*Schlechtendal, Lang & Schenk, Fl. Deutschl. Ed. 5, ix. t. 874 (1882).
Baillon, Traité Bot. Méd. Phan. ii. 1182 (1884).
*Baillon, Ic. Fl. Franç. iv. t. 381 [1885–94].
American Garden, vii. 269 (1886).
Journ. Linn. Soc., Bot. xxii. 351, 361 (1886).
*Thomé, Fl. Deutschl. ii. t. 196 (1886).
Baillon, Hist. Pl. ix. 130 (1887).
Dujard.-Beaumetz & Égasse, Pl. Méd. 177 (1889).
Potonié, Ill. Fl. Nord- u. Mittel-Deutschl. Ed. 4, fig. 208 (1889).
Paolucci, Fl. Marchig. t. 14 (1890).
Lubbock, Seedlings, i. 11, 22; ii. 422 (1892).
*Masclef, Atlas Pl. France, t. 277 (1893).
Pflanzenfam. iii. 1. A. 60 (1893).—*Fl.*
Garcke, Ill. Fl. Deutschl. 511 (1895).
Ann. Sc. Nat. Paris, Ser. VII. xx. t. 14 (1895).—*Hab.*
*Step, Wayside & Woodl. Bloss. t. 86 (1895); New Ed. ii. t. 75 (1905).
Britton & Brown, Ill. Fl. N. States & Canada, i. 574 (1896); Ed. 2, ii. 14 (1913).
Fiori & Paol. Ic. Fl. Ital. 116 (1899).
Sturm, Fl. Deutschl. Ed. 2, v. 168 (1901).
C. T. Green, Fl. Liverpool Distr. fig. 534 (1902).
Warming, Handb. Syst. Bot. Ed. Möbius, 275 (1902).—*Fl.*
*Masclef, Pl. Eur. t. 28 (1905).
*Kirby, Brit. Fl. Pl. t. 80 (1906).
Coste, Fl. France, iii. 184 (1906).
Lazaro, Comp. Fl. Españ. ii. 29 (1907).
Suireishchikov, Ill. Fl. Mosc. Gov. ii. 88 (1907).
Hayek, Fl. Steierm. 233 (1908).—*Fl.*
Heukels, Fl. Nederl. ii. 107 (1908).
*Hegi, Ill. Fl. Mittel-Eur. iii. t. 95, p. 220 (1909).
Fedtschenko & Fler. Fl. Eur. Russia, 345 (1910).
Pammel, Man. Poison. Pl. 427 (1911).
*Klein, Unsere Unkräuter, t. 80 (1913).
*Gadeceau, Fl. Moiss. t. 80 (1914).
Moss, Cambridge Brit. Fl. ii. t. 155 (1914).
*Bonnier, Name This Flower, t. 46 (1917).
Lindman, Svensk Fanerogamfl. 221, 223 (1918).
Safford in Journ. Washington Acad. Sc. viii. No. 15, p. 525, 526 (1918).
*Horwood, Brit. Wild Fl. iv. t. 49, p. 230 (1919).
Fitch & Smith, Ill. Brit. Fl. Ed. rev. 4, Iss. 2, fig. 851 (1919).
×**Borbasii** Murr
Deutsche Bot. Monatsschr. xiv. 32 (1896); xix. t. 1 (1901).—*Veg.*
Magyar Bot. Lap. i. t. 3 (1902).—*Veg.*
Reichenbach, Ic. Fl. Germ. xxiv. 110, t. 244 (1907).—*Veg.*
Boscianum Moq.
Britton & Brown, Ill. Fl. N. States & Canada, i. 572 (1896); Ed. 2, ii. 12 (1913).
botryodes Sm.
*Sowerby & Sm. Engl. Bot. xxxii. t. 2247 (1811).
*Sturm, Deutschl. Fl. xvii. LXXIV [t. 1184] (1838).

CHENOPODIUM
botryodes
[M. E.] Jackson, Pict. Fl. fig. 388 (1840).
*Deakin, Florigr. Brit. i. fig. 486 (1841).
Johnson & Sowerby, Brit. Wild Fl. fig. 1027 (1858–60).
*Syme, Engl. Bot. viii. t. 1195 (1868).
Moss, Cambridge Brit. Fl. ii. t. 169 (1914).
Lindman, Svensk Fanerogamfl. 223 (1918).—*Veg.*
Botrys Linn.
*Kniphof, Herb. Viv. i. t. 250 (1758).
Buchoz, Hist. Règne Vég. xi. Dec. 4, t. 4 (1776).
*Bergius, Mat. Med. i. 176, t. 225 (1778).
*Zorn, Ic. Pl. Med. iii. t. 225 (1781).
*Plenck, Ic. Pl. Med. ii. t. 165 (1789).
Hoppe, Ect. Pl. Ratisb. t. 767 (1793).
*Oskamp, Afb. Artseny-Gewass. iii. t. 289 (1796).
*Chaumeton, Fl. Méd. ii. t. 73 (1815).
*Vietz, Ic. Pl. Med.-oec.-techn. v. t. 405 (1817).
*Sibthorp & Sm. Fl. Graeca, iii. t. 253 (1819).
*Nees, Pl. Offic. i. t. 123 (1828).
Nees, Gen. Pl., Monochlam. i. t. 56 (1835).
*Hayne, Getreue Darst. Arzn. Gewächse, xiii. t. 14 (1837).
*Schlechtendal & Guimpel, Abb. Pharm. Boruss. Gew. iii. t. 270 (1837).
*Sturm, Deutschl. Fl. xvii. LXXV [t. 1199–1200] (1839).
*Lorek, Fl. Pruss. Ed. 3, t. 66, fig. 369 (1848).
Lindley, Med. & Oecon. Bot. 129 (1849).
*Cassone, Fl. Med.-Farm. v. t. 451 (1850).
Schnizlein, Iconogr. ii. t. 101 (1852).
Berg, Charakt. t. 27, fig. 222, A–Q (1861).
*Argenta, Album Fl. Med.-Farm. iii. t. 256 (1864).
*Cusin, Herb. Fl. Franç. xix (Salsolacées), t. 21 (1876).
Karsten, Deutsche Fl. Pharm.-medic. Bot. 514 (1880–83).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, ix. t. 871 (1882).
Pflanzenfam. iii. 1. A. 58 (1893).—*Fl.*
Karsten, Fl. Deutschl. ii. 46 (1895).
Britton & Brown, Ill. Fl. N. States & Canada, i. 574 (1896); Ed. 2, ii. 14 (1913).
Lochman, Phot. Med. Pl. t. 50 (1898).
Fiori & Paol. Ic. Fl. Ital. 117 (1899).
*Sturm, Fl. Deutschl. Ed. 2, v. 161 (1901).
Collett, Fl. Siml. 417 (1902).
Coste, Fl. France, iii. 183 (1906).
Heukels, Fl. Nederl. ii. 99 (1908).
Reichenbach, Ic. Fl. Germ. xxiv. t. 250 (1908).
Hegi, Ill. Fl. Mittel-Eur. iii. 223 (1909).
Beal in Bull. Michigan Agric. Exp. St. No. 267, p. 319 (1911); et in Ann. Rep. xxv. 308 (1912).
Basu, Ind. Med. Pl. t. 795 (1918).
Buchananii T. Kirk
Trans. & Proc. New Zeal. Inst. xxii. t. 32* (1890).
californicum S. Wats.
Hilgard & Loughridge, Rep. Agr. St. California, t. 4 (1900).—*Veg.*
capitatum Aschers.
Pflanzenfam. iii. 1. A. 60 (1893).
Fiori & Paol. Ic. Fl. Ital. 116 (1899).
Sturm, Fl. Deutschl. Ed. 2, v. 171 (1901).
Heukels, Fl. Nederl. ii. 106 (1908).
Hegi, Ill. Fl. Mittel-Eur. iii. 230 (1909).
*F. E. & E. S. Clements, Rocky Mt. Fl. t. 8 (1914).
A. Georgia, Manual Weeds, t. 68 (1914).
Lindman, Svensk Fanerogamfl. 223 (1918).—*Veg.*
carinatum R. Br.
F. Mueller, Ic. Austral. Salsolac. t. 32 (1890).
F. Turner, Forage Pl. Austral., Dep. Agric. N. S. Wales, 54 (1891).
F. M. Bailey, Weeds & Poison. Pl. Queensland, 160 (1906).
Hayward & Druce, Advent. Fl. Tweedside, 198 (1919).
caudatum Jacq.
*Jacquin, Ic. Pl. Rar. ii. t. 344 (1786–93).
concatenatum Thuill.
*Sturm, Deutschl. Fl. xvii. LXXV [t. 1192] (1839); vide xviii. LXXVI. Übers. 36.
Magyar Bot. Lap. i. t. 6 (1902).—*Veg.*

CHENOPODIUM
concatenatum pseud-opuliforme Murr
Magyar Bot. Lap. i. t. 6 (1902).—*Veg.*
crassifolium Hort.
*Dietrich, Fl. Boruss. v. t. 300 (1837).
cristatum F. Muell.
F. Mueller, Ic. Austral. Salsolac. t. 31 (1890).
Dethardingianum E. H. L. Krause
Sturm, Fl. Deutschl. Ed. 2, v. 179 (1901).
dubium nitens E. H. L. Krause
*Sturm, Fl. Deutschl. Ed. 2, v. 29 (1901).
—— **rhombifolium** E. H. L. Krause
Sturm, Fl. Deutschl. Ed. 2, v. 311 (1901).
×**Duererianum** Murr
Magyar Bot. Lap. i. t. 2 (1902).—*Veg.*
Reichenbach, Ic. Fl. Germ. xxiv. 111, t. 245 (1907).—*Veg.*
ficifolium Sm.
*Sowerby & Sm. Engl. Bot. xxiv. t. 1724 (1807).
*Curtis, Fl. Londin. Ed. 2, i. fasc. II. t. 16 (1817).
*Dietrich, Fl. Boruss. v. t. 298 (1837).
*Sturm, Deutschl. Fl. xvii. LXXV [t. 1194] (1839).
[M. E.] Jackson, Pict. Fl. fig. 392 (1840).
*Deakin, Florigr. Brit. i. fig. 491 (1841).
Johnson & Sowerby, Brit. Wild Fl. fig. 1031 (1858–60).
*Syme, Engl. Bot. viii. t. 1191 (1868).
*Fl. Dan. xvi. t. 2768 (1869).
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, iv. t. 177 [1873].
*Cusin, Herb. Fl. Franç. xix (Salsolacées), t. 25 (1876).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, ix. t. 881 (1882).
Winkler in Verh. Bot. Ver. Brandenb. xxix. 112 (1888).—*Veg.*
Garcke, Ill. Fl. Deutschl. 511 (1895).
Deutsche Bot. Monatsschr. xiv. 32 (1896).—*Veg.*
*Sturm, Fl. Deutschl. Ed. 2, v. 155 (1901).
Magyar Bot. Lap. ii. t. 7 (1903).—*Veg.*
Coste, Fl. France, iii. 186 (1906).
Reichenbach, Ic. Fl. Germ. xxiv. 101, t. 238 (1907).
Heukels, Fl. Nederl. ii. 104 (1908).
Fedtschenko & Fler. Fl. Eur. Russia, 341 (1910).
Moss, Cambridge Brit. Fl. ii. t. 161 (1914).
—— **dolichophyllum** Murr
Magyar Bot. Lap. i. t. 1 (1902).—*Veg.*
—— **formosanum** Murr
Magyar Bot. Lap. i. t. 1 (1902).—*Veg.*
—— **humuliforme** Murr
Magyar Bot. Lap. i. t. 1 (1902).—*Veg.*
Reichenbach, Ic. Fl. Germ. xxiv. t. 238, fig. 4; vide p. 101 (1907).
—— **indicola** Murr
Magyar Bot. Lap. i. t. 1 (1902).—*Veg.*
foetidum Schrad.
Ramirez, Dat. Mat. Med. Mexic. ii. 174 (1898).
Bull. Herb. Boiss. Ser. II. iv. t. 6, fig. 2 (1904).—*Veg.*
Reichenbach, Ic. Fl. Germ. xxiv. t. 251 (1908).—*Fr.*
—— **tibetanum** Murr
Bull. Herb. Boiss. Ser. II. iv. t. 6, fig. 5 (1904).—*Veg.*
foliosum Aschers.
Pflanzenfam. iii. 1. A. 60 (1893).—*Fr.*
Sturm, Fl. Deutschl. Ed. 2, v. 170 (1901).
Suireishchikov, Ill. Fl. Mosc. Gov. ii. 87 (1907).
Heukels, Fl. Nederl. ii. 106 (1908).
Fedtschenko & Fler. Fl. Eur. Russia, 344 (1910).
Lindman, Svensk Fanerogamfl. 2, *C. virgatum* in errore, vide Emendanda 223, 225 (1918).
Fremontii S. Wats.
Britton & Brown, Ill. Fl. N. States & Canada, i. 572 (1896); Ed. 2, ii. 12 (1913).
frutescens C. A. Mey
*Ledebour, Ic. Pl. Ross. i. t. 10 (1829).
fruticosum Linn.
*Kniphof, Herb. Viv. i. t. 248 (1758).
Schrader in Comm. Soc. Sc. Rec. Göttingen, i. t. 1 (1811).
J. C. Loudon, Arbor. & Frutic. Brit. iii. 1289 (1838).
*Deakin, Florigr. Brit. i. fig. 477 (1841).

CHENOPODIUM
fruticosum
Johnson & Sowerby, Brit. Wild Fl. fig. 1019 (1858–60).
glaucum Linn.
Hoppe, Ect. Pl. Ratisb. t. 524 (1790).
*Fl. Dan. vii. t. 1151 (1797).
*Sowerby & Sm. Engl. Bot. xxi. t. 1454 (1805).
*Kops, Fl. Batava, v. t. 337 (1828).
[M. E.] Jackson, Pict. Fl. fig. 393 (1840).
*Deakin, Florigr. Brit. i. fig. 485 (1841).
*Lorek, Fl. Pruss. Ed. 3, t. 66, fig. 365 (1848).
Johnson & Sowerby, Brit. Wild Fl. fig. 1032 (1858–60).
Bentham, Handb. Brit. Fl. fig. 838 (1865).
Migout, Fl. Dépt. Allier, t. 18 (1866).—*Veg.*
*Syme, Engl. Bot. viii. t. 1198 (1868).
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, iv. t. 177 [1873].
*Cusin, Herb. Fl. Franç. xix (Salsolacées), t. 34 (1876).
*Hogg & Johnson, Wild Fl. Gr. Brit. xi. t. 815 (1880).
Wagner, Ill. Deutsche Fl. Ed. 2, p. 635 (1882).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, ix. t. 882 (1882).
Pflanzenfam. iii. 1. A. 60 (1893).—*Fr.*
Britton & Brown, Ill. Fl. N. States & Canada, i. 571 (1896); Ed. 2, ii. 10 (1913).
Fiori & Paol. Ic. Fl. Ital. 117 (1899).
Sturm, Fl. Deutschl. Ed. 2, v. 167 (1901).
Coste, Fl. France, iii. 186 (1906).
Suireishchikov, Ill. Fl. Mosc. Gov. ii. 86 (1907).
Heukels, Fl. Nederl. ii. 104 (1908).
Reichenbach, Ic. Fl. Germ. xxiv. t. 248 (1908).
Hegi, Ill. Fl. Mittel-Eur. iii. 229 (1909).
Beal in Bull. Michigan Agric. Exp. St. No. 267, p. 320 (1911); et in Ann. Rep. xxv. 309 (1912).
Bull. Angew. Bot. vii. t. 108 (1914).—*Fr.*
Moss, Cambridge Brit. Fl. ii. t. 170 (1914).
Lindman, Svensk Fanerogamfl. 225 (1918).
Fitch & Smith, Ill. Brit. Fl. Ed. rev. 4, Iss. 2, fig. 846 (1919).
graveolens Lag.
*Jacquin, Ecl. Pl. i. t. 67 (1811–16).
guineense Jacq.
*Jacquin, Ic. Pl. Rar. ii. t. 345 (1786–93).
hastatum Philipp.
Magyar Bot. Lap. i. t. 5 (1902).—*Veg.*
U.S. Dep. Agric. Bur. Pl. Indust. Invent. Seeds & Pl. Import. No. 45, t. 4 (1918).
×**Haywardiae** Murr
Bot. Exchange Club Rep. 1914, t. 2, 3 (1915).
Hayward & Druce, Advent. Fl. Tweedside, 194, 196 (1919).
hircinum Schrad.
Mart. Fl. Bras. v. 1. t. 45 (1864).
Bull. Herb. Boiss. Ser. II. iv. t. 6, fig. 18 (1904).—*Veg.*
hirsutum Linn.
*Kops, Fl. Batava, v. t. 351 (1828).
hortense E. H. L. Krause
*Sturm, Fl. Deutschl. Ed. 2, v. t. 29 (1901).
×**hungaricum** Borb.
Magyar Bot. Lap. i. t. 4 (1902).—*Veg.*
hybridum Linn.
Hoppe, Ect. Pl. Ratisb. t. 496 (1789).
*Joh. Kerner, Abbild. Oek. Pfl. (Fig. Pl. Écon.), vi. t. 549 (1793).
*Curtis, Fl. Londin. ii. fasc. IV. t. 23 (1798); Ed. 2, ii. fasc. IV. t. 23 (1821).
*Sowerby & Sm. Engl. Bot. xxvii. t. 1919 (1808).
*Vietz, Ic. Pl. Med.-oec.-techn. v. t. 406 (1817).
*Kops, Fl. Batava, v. t. 332 (1828).
*Fl. Dan. xii. t. 2049 (1832).
*Zenker, Fl. Thüringen, viii. t. 954 (1836–55).
*Sturm, Deutschl. Fl. xvii. LXXV [t. 1186] (1839).
*Baxter, Brit. Bot. Ed. 2, v. t. 352 (1840).
[M. E.] Jackson, Pict. Fl. fig. 390 (1840).
*Deakin, Florigr. Brit. i. fig. 488 (1841).
*Lorek, Fl. Pruss. Ed. 3, t. 65, fig. 364 (1848).
Johnson & Sowerby, Brit. Wild Fl. fig. 1029 (1858–60).
Bentham, Handb. Brit. Fl. fig. 842 (1865).
Migout, Fl. Dépt. Allier, t. 18 (1866).—*Veg.*
*Syme, Engl. Bot. viii. t. 1193 (1868).

CHENOPODIUM
hybridum
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, iv. t. 176 [1873].
*Cusin, Herb. Fl. Franç. xix (Salsolacées), t. 30 (1876).
*Hogg & Johnson, Wild Fl. Gr. Brit. xi. t. 817 (1880).
Wagner, Ill. Deutsche Fl. Ed. 2, p. 634 (1882).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, ix. t. 878 (1882).
G. Beck, Fl. Nied.-Oesterr. i. 327 (1890).—*Fr.*
Pflanzenfam. iii. 1. A. 60 (1893).—*Fl.*
Hitchcock & Norton in Bull. Kansas Agric. St. No. 50, t. 7, fig. 106 (1895); No. 57, t. 15, fig. 158 (1896); No. 66, t. 13, fig. 158 (1897).
Britton & Brown, Ill. Fl. N. States & Canada, i. 573 (1896); Ed. 2, ii. 13 (1913).
Fiori & Paol. Ic. Fl. Ital. 117 (1899).
Coste, Fl. France, iii. 185 (1906).
Suireishchikov, Ill. Fl. Mosc. Gov. ii. 84 (1907).
Heukels, Fl. Nederl. ii. 101 (1908).
Hegi, Ill. Fl. Mittel-Eur. iii. 223 (1909).
Beal in Bull. Michigan Agric. Exp. St. No. 267, p. 320 (1911); et in Ann. Rep. xxv. 309 (1912).
Pammel in Iowa Geol. Surv. Bull. No. 4, p. 106, 432 (1913).
Bull. Angew. Bot. vii. t. 108 (1914).—*Fr.*
Moss, Cambridge Brit. Fl. ii. t. 165 (1914).
Palmer in Proc. Iowa Acad. Sc. xxiii. t. 9 (1916).—*Fr.*
Lindman, Svensk Fanerogamfl. 223 (1918).—*Veg.*
Fitch & Smith, Ill. Brit. Fl. Ed. rev. 4, Iss. 2, fig. 850 (1919).
—— **calothecum** E. H. L. Krause
Sturm, Fl. Deutschl. Ed. 2, v. 189 (1901).
—— **cymigerum** G. Beck
Reichenbach, Ic. Fl. Germ. xxiv. t. 243 (1907).
—— **spicatum** G. Beck
Reichenbach, Ic. Fl. Germ. xxiv. t. 244 (1907).
ilicifolium Griff.
Griffith, Ic. Pl. Asiat. t. 521 (1854).
incanum Heller
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, ii. 10 (1913).
incisum Bangii Murr
Bull. Herb. Boiss. Ser. II. iv. t. 6, fig. 6, 7 (1904).—*Veg.*
interjectum Murr
Deutsche Bot. Monatsschr. xix. t. 2 (1901).—*Veg.*
intermedium Mert. & Koch
*Sturm, Deutschl. Fl. xvii. LXXV [t. 1188] (1839).
Migout, Fl. Dépt. Allier, t. 18 (1866).—*Veg.*
laciniatum Murr
Magyar Bot. Lap. ii. t. 8 (1903).
latifolium E. H. L. Krause
Sturm, Fl. Deutschl. Ed. 2, v. 175 (1901).
leptophyllum Nutt.
U.S. Dep. Agric. Div. Agrost. Bull. No. 2, p. 14 (1896).
Britton & Brown, Ill. Fl. N. States & Canada, i. 571 (1896); Ed. 2, ii. 11 (1913).
Journ. Dep. Agric. W. Australia, July 1900, p. 23 (1900).
Lindman, Svensk Fanerogamfl. 225 (1918).
linciense Murr
Deutsche Bot. Monatsschr. xix. t. 1 (1901).—*Veg.*
maritimum Linn.
*Fl. Dan. iii. t. 489 (1770).
*Sowerby & Sm. Engl. Bot. ix. t. 633 (1799).
*Kops, Fl. Batava, v. t. 388 (1828).
*Zenker, Fl. Thüringen, ii. t. 191 (1836–55).
[M. E.] Jackson, Pict. Fl. fig. 397 (1840).
*Deakin, Florigr. Brit. i. fig. 478 (1841).
*Lorek, Fl. Pruss. Ed. 3, t. 66, fig. 366 (1848).
Johnson & Sowerby, Brit. Wild Fl. fig. 1020 (1858–60).
*Johnson & Sowerby, Useful Pl. Gr. Brit. t. 16, fig. 181 (1861[–62]).
Provancher, Fl. Canad. ii. 480, fig. 480 (1862).
melanospermum Wallr.
*Zenker, Fl. Thüringen, xii. t. 1395 (1836–55).

CHENOPODIUM
microphyllum F. Muell.
F. Mueller, Ic. Austral. Salsolac. t. 27 (1890).
F. Turner, Forage Pl. Austral., Dep. Agric. N. S. Wales, 53 (1891).
multifidum Linn.
Dillenius, Hort. Eltham. Add. Denom. Linn. t. 66 (1774).
Gil & Xuarez, Osserv. t. 3 (1792).
Pflanzenfam. iii. 1. A. 60 (1893).—*Fl.*
Coste, Fl. France, iii. 183 (1906).
murale Linn.
*Bergeret, Phyt. Univ. i. 137 (1783).
*Curtis, Fl. Londin. ii. fasc. VI. t. 20 (1798); Ed. 2, iii. fasc. VI. t. 20 (1826).
*Mirbel, Hist. Nat. Pl. xi. t. 54 [1802–6].
*Sowerby & Sm. Engl. Bot. xxiv. t. 1722 (1807).
*Fl. Dan. xii. t. 2048 (1832).
*Zenker, Fl. Thüringen, ix. t. 1035 (1836–55).
*Sturm, Deutschl. Fl. xvii. LXXV [t. 1189] (1839). [M. E.] Jackson, Pict. Fl. fig. 389 (1840).
*Deakin, Florigr. Brit. i. fig. 487 (1841).
*Dietrich, Fl. Boruss. xii. t. 848 (1844).
*Lorek, Fl. Pruss. Ed. 3, t. 65, fig. 362 (1848).
Johnson & Sowerby, Brit. Wild Fl. fig. 1028 (1858–60).
Bentham, Handb. Brit. Fl. fig. 841 (1865).
*Syme, Engl. Bot. viii. t. 1192 (1868).
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, iv. t. 176 [1873].
*Cusin, Herb. Fl. Franç. xix (Salsolacées), t. 33 (1876).
*Hogg & Johnson, Wild Fl. Gr. Brit. xi. t. 817 (1880).
Wagner, Ill. Deutsche Fl. Ed. 2, p. 634 (1882).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, ix. t. 879 (1882).
Pflanzenfam. iii. 1. A. 60 (1893).—*Fr.*
Britton & Brown, Ill. Fl. N. States & Canada, i. 573 (1896); Ed. 2, ii. 13 (1913).
Fiori & Paol. Ic. Fl. Ital. 117 (1899).
*Sturm, Fl. Deutschl. Ed. 2, v. 160 (1901).
C. T. Green, Fl. Liverpool Distr. fig. 532 (1902).
F. M. Bailey, Weeds & Poison. Pl. Queensland, 160 (1906).
Coste, Fl. France, iii. 185 (1906).
Reichenbach, Ic. Fl. Germ. xxiv. t. 245 (1907).
Heukels, Fl. Nederl. ii. 101 (1908).
Black, Nat. Fl. S. Australia, 130 (1909).
Hegi, Ill. Fl. Mittel-Eur. iii. 225 (1909).
Fedtschenko & Fler. Fl. Eur. Russia, 342 (1910).
Beal in Bull. Michigan Agric. Exp. St. No. 267, p. 321 (1911); et in Ann. Rep. xxv. 310 (1912).
Pammel & King in Iowa Geol. Surv. Bull. No. 4, p. 432 (1913).—*Fr.*
Moss, Cambridge Brit. Fl. ii. t. 162 (1914).
Lindman, Svensk Fanerogamfl. 223 (1918).—*Veg.*
Britton, Fl. Bermuda, 116 (1918).
Fitch & Smith, Ill. Brit. Fl. Ed. rev. 4, Iss. 2, fig. 849 (1919).
—— **sinuosifrons** Murr
Bull. Herb. Boiss. Ser. II. iv. t. 6, fig. 17 (1904).—*Veg.*
—— **spissidentatum** Murr
Magyar Bot. Lap. ii. t. 8 (1903).—*Veg.*
×**Neumanii** Murr
Magyar Bot. Lap. i. t. 4 (1902).—*Veg.*
nitrariaceum F. Muell.
F. Mueller, Ic. Austral. Salsolac. t. 28 (1890).
F. Turner, Forage Pl. Austral., Dep. Agric. N. S. Wales, 51 (1891).
Journ. Dep. Agric. W. Australia, July 1900, p. 22 (1900).
De Wildeman, Ic. Sel. Hort. Then. iv. t. 155 (1903).
Nuttalliae Safford
Safford in Journ. Washington Acad. Sc. viii. No. 15, p. 522, 525, 526 (1918).
oblongifolium E. H. L. Krause
Sturm, Fl. Deutschl. Ed. 2, v. 178 (1901).
olidum Curt.
*Curtis, Fl. Londin. ii. fasc. v. t. 20 (1798); Ed. 2, iii. fasc. v. t. 20 (1826).
*Sowerby & Sm. Engl. Bot. xv. t. 1034 (1802).

CHENOPODIUM
olidum
*Stephenson & Churchill, Med. Bot. New Ed. iii. t. 176 (1836).
*Zenker, Fl. Thüringen, ix. t. 1036 (1836–55). [M. E.] Jackson, Pict. Fl. fig. 394 (1840).
*Deakin, Florigr. Brit. i. fig. 479 (1841).
*Lorek, Fl. Pruss. Ed. 3, t. 66, fig. 367 (1848).
Johnson & Sowerby, Brit. Wild Fl. fig. 1021 (1858–60).
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, iv. t. 175 [1873].
olukondae Murr
Bull. Herb. Boiss. Ser. II. iv. t. 5, fig. 8 (1904).—*Veg.*
opulifolium Schrad.
*Zenker, Fl. Thüringen, iv. t. 367 (1836–55).
*Dietrich, Fl. Boruss. v. t. 296 (1837).
*Sturm, Deutschl. Fl. xvii. LXXV [t. 1193] (1839).
*Cusin, Herb. Fl. Franç. xix (Salsolacées), t. 29 (1876).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, ix. t. 880 (1882).
Winkler in Verh. Bot. Ver. Brandenb. xxix. 112 (1888).—*Veg.*
Deutsche Bot. Monatsschr. xiv. 32 (1896).—*Veg.*
Oesterr. Bot. Zeitschr. i. t. 4 (1900).
*Sturm, Fl. Deutschl. Ed. 2, v. 157 (1901).
Magyar Bot. Lap. ii. t. 7 (1903).—*Veg.*
Coste, Fl. France, iii. 186 (1906).
Merino, Fl. Galicia, ii. 584 (1906).
Reichenbach, Ic. Fl. Germ. xxiv. 103, t. 239 (1907).
Heukels, Fl. Nederl. ii. 103 (1908).
Hegi, Ill. Fl. Mittel-Eur. iii. 225 (1909).
Moss, Cambridge Brit. Fl. ii. t. 160 (1914).
Lindman, Svensk Fanerogamfl. 223 (1918).—*Veg.*
—— **amboanum** Murr
Bull. Herb. Boiss. Ser. II. iv. t. 5, fig. 11 (1904).—*Veg.*
—— **bernburgense** G. Beck
Reichenbach, Ic. Fl. Germ. xxiv. 103, t. 239 (1907).—*Veg.*
—— **betulifolium** Murr
Deutsche Bot. Monatsschr. xiv. 32 (1896).—*Veg.*
—— **hederiforme** Murr
Bull. Herb. Boiss. Ser. II. iv. t. 5, fig. 12 (1904).—*Veg.*
—— **lutetianum** Murr
Bull. Herb. Boiss. Ser. II. iv. t. 5, fig. 13 (1904).—*Veg.*
—— **mucronulatum** G. Beck
Reichenbach, Ic. Fl. Germ. xxiv. 103, t. 239 (1907).
—— **obtusatum** G. Beck
Deutsche Bot. Monatsschr. xiv. 32 (1896).—*Veg.*
Reichenbach, Ic. Fl. Germ. xxiv. 103, t. 239 (1907).—*Veg.*
Hegi, Ill. Fl. Mittel-Eur. iii. 225 (1909).—*Veg.*
—— **olukondae** Murr
Magyar Bot. Lap. i. t. 2 (1902).—*Veg.*
—— **orientale** Murr
Magyar Bot. Lap. i. t. 1 (1902).—*Veg.*
—— **platanoides** Scholz
Oesterr. Bot. Zeitschr. [illegible]. t. 4, fig. 7 (1900).—*Veg.*
Reichenbach, Ic. Fl. Germ. xxiv. 103, t. 239 (1907).—*Veg.*
opuliformе Murr
Deutsche Bot. Monatsschr. xix. t. 2 (1901).—*Veg.*
orphanidis Murr
Magyar Bot. Lap. iii. t. 1 (1904).—*Veg.*
paniculatum Hook.
Engler & Drude, Veget. Erde, xii. 135 (1911).
—— **reniforme** Murr
Bull. Herb. Boiss. Ser. II. iv. t. 6, fig. 16 (1904).—*Veg.*
pedunculatum E. H. L. Krause
Sturm, Fl. Deutschl. Ed. 2, v. 185 (1901).
petiolare H. B. K.
Magyar Bot. Lap. ii. t. 7 (1903).—*Veg.*
—— **leptophylloides** Murr
Bull. Herb. Boiss. Ser. II. iv. t. 5, fig. 19 (1904).—*Veg.*

CHENOPODIUM
platyphyllum Issl.
Oesterr. Bot. Zeitschr. lvi. 476 (1906).—*Veg.*
polyspermum Linn.
*Curtis, Fl. Londin. i. fasc. II. t. 17 (1777); Ed. 2, i. fasc. II. t. 17 (1817).
Hoppe, Ect. Pl. Ratisb. t. 395 (1789).
*Joh. Kerner, Abbild. Oek. Pfl. (Fig. Pl. Écon.), vi. t. 550 (1793).
*Fl. Dan. vii. t. 1153 (1797).
*Sowerby & Sm. Engl. Bot. xxi. t. 1480 (1805).
*Vietz, Ic. Pl. Med.-oec.-techn. v. t. 407 (1817).
*Kops, Fl. Batava, iv. t. 317 (1822).
*Zenker, Fl. Thüringen, vii. t. 744 (1836–55).
*Sturm, Deutschl. Fl. xvii. LXXV [t. 1196] (1839). [M. E.] Jackson, Pict. Fl. fig. 395 (1840).
Leighton, Fl. Shropshire, 122 [t. 5] (1841).
*Deakin, Florigr. Brit. i. fig. 480 (1841).
*Dietrich, Fl. Boruss. xi. t. 780 (1843).
*Lorek, Fl. Pruss. Ed. 3, t. 66, fig. 368 (1848).
*Petermann, Deutschl. Fl. t. 75, fig. 595, a–h (1849).
Johnson & Sowerby, Brit. Wild Fl. fig. 1022 (1858–60).
*T. Moore, Field Bot. Comp. t. 23 (1862).
Bentham, Handb. Brit. Fl. fig. 836 (1865).
*Syme, Engl. Bot. viii. t. 1185 (1868).
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, iv. t. 175 [1873].
*Cusin, Herb. Fl. Franç. xix (Salsolacées), t. 22 (1876).
*Hogg & Johnson, Wild Fl. Gr. Brit. x. t. 791 (1878).
Wagner, Ill. Deutsche Fl. Ed. 2, p. 633 (1882).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, ix. t. 875 (1882).
Acloque, Fl. France, 542 (1894).
Britton & Brown, Ill. Fl. N. States & Canada, i. 571 (1896); Ed. 2, ii. 11 (1913).
Fiori & Paol. Ic. Fl. Ital. 116 (1899).
*Sturm, Fl. Deutschl. Ed. 2, v. t. 28 (1901).
Blytt, Haandb. Norg. Fl. Ed. Dahl, 294 (1906).
Coste, Fl. France, iii. 185 (1906).
Reichenbach, Ic. Fl. Germ. xxiv. 99, t. 236 (1907).
Suireishchikov, Ill. Fl. Mosc. Gov. ii. 83 (1907).
Heukels, Fl. Nederl. ii. 100 (1908).
Hegi, Ill. Fl. Mittel-Eur. iii. 223 (1909).
Fedtschenko & Fler. Fl. Eur. Russia, 341 (1910).
Beal in Bull. Michigan Agric. Exp. St. No. 267, p. 321 (1911); et in Ann. Rep. xxv. 310 (1912).
Bull. Angew. Bot. vii. t. 108 (1914).—*Fr.*
Moss, Cambridge Brit. Fl. ii. t. 156 (1914).
Lindman, Svensk Fanerogamfl. 225 (1918).
Fitch & Smith, Ill. Brit. Fl. Ed. rev. 4, Iss. 2, fig. 844 (1919).
Bornemann, Landwirtsch. Unkräuter, fig. 27 (1920).
—— **acutifolium** G. Beck
*Syme, Engl. Bot. viii. t. 1186 (1868).
Reichenbach, Ic. Fl. Germ. xxiv. 99, t. 236 (1907).
—— **bosniacum** G. Beck
Reichenbach, Ic. Fl. Germ. xxiv. 99, t. 236 (1907).—*Veg.*
—— **cymosum** Chevall.
Cusin, Herb. Fl. Franç. xix (Salsolacées), t. 23 (1876).
—— **obtusifolium** Schübl.
Reichenbach, Ic. Fl. Germ. xxiv. 99, t. 236 (1907).—*Veg.*
populifolium Hort.
Deutsche Bot. Monatsschr. xix. t. 1 (1901).—*Veg.*
portulacoides Thunb.
Sturm, Fl. Deutschl. Ed. 2, v. 184 (1901).
praeacutum Murr
Deutsche Bot. Monatsschr. xix. t. 2 (1901).—*Veg.*
—— **vivax** Sandor
Magyar Bot. Lap. ii. t. 8 (1903).—*Veg.*
×**Preissmannii** Murr
Deutsche Bot. Monatsschr. xix. t. 1 (1901).—*Veg.*
Magyar Bot. Lap. i. t. 3 (1902).—*Veg.*

CHENOPODIUM
×Preissmannii
Reichenbach, Ic. Fl. Germ. xxiv. 109, t. 244 (1907).—*Veg.*
procerum Hochst.
Bull. Herb. Boiss. Ser. II. iv. t. 6, fig. 3 (1904). —*Veg.*
pseud-auricomum Murr
Bull. Herb. Boiss. Ser. II. iv. t. 5, fig. 9 (1904). —*Veg.*
pseudo-Borbasii Murr
Deutsche Bot. Monatsschr. xix. t. 2 (1901).—*Veg.*
Magyar Bot. Lap. ii. t. 7 (1903).—*Veg.*
×pseudo-punctulatum Murr
Magyar Bot. Lap. iii. t. 1 (1904).—*Veg.*
punctulatum Scop.
Scopoli, Del. Fl. & Faun. Insubr. i. t. 11 (1786).
purpurascens Jacq.
*Jacquin, Hort. Vind. iii. t. 80 (1776).
*Bot. Mag. lxxxvii. t. 5231 (1861).
querciforme Murr
Magyar Bot. Lap. iii. t. 1 (1904).—*Veg.*
—— **minus** Murr
Magyar Bot. Lap. iii. t. 1 (1904).—*Veg.*
quinoa Willd.
*Bot. Mag. lxv. t. 3641 (1838).
A. H. Church, Food-Grains India, 111 (1886).
Pflanzenfam. iii. 1. a. 59 (1893).
Warburg, Pflanzenwelt, i. 541 (1913).
Safford in Journ. Washington Acad. Sc. viii. No. 15, p. 525, 526 (1918).
U.S. Dep. Agric. Bur. Pl. Indust. Invent. Seeds & Pl. Import. No. 45, t. 5 (1918).
—— **laciniatum** Moq.
Magyar Bot. Lap. iii. t. 1 (1904).—*Veg.*
—— **orbicans** Murr
Magyar Bot. Lap. iii. t. 1 (1904).—*Veg.*
radiatum Schrad.
Schrader's Neues Journ. f. die Bot. iii. 11. t. 3 (1809).—*Fl.*
Schrader in Comm. Soc. Sc. Rec. Göttingen, i. t. 1 (1811).
retusum Juss.
Mart. Fl. Bras. v. 1. t. 46 (1864).
rhadinostachyum F. Muell.
F. Mueller, Ic. Austral. Salsolac. t. 33 (1890).
rhombifolium Mühlenb.
*Zenker, Fl. Thüringen, xii. t. 1395 (1836–55).
roseum E. H. L. Krause
*Sturm, Fl. Deutschl. Ed. 2, v. 30 (1901).
rubrum Linn.
Gaertner, Fruct. i. t. 75 (1788).—*Fr.*
Usteri, Ann. Bot. v. t. 5 (1793).—*Fl.*
Lamarck, Ill. i. t. 181, fig. 2 (1797).
*Fl. Dan. vii. t. 1149 (1797).
*Curtis, Fl. Londin. ii. fasc. vi. t. 21 (1798); Ed. 2, iii. fasc. vi. t. 21 (1826).
*Kops, Fl. Batava, i. t. 54 (1800); vi. t. 441 (1832).
*Sowerby & Sm. Engl. Bot. xxiv. t. 1721 (1807).
*Dietrich, Fl. Boruss. v. t. 299 (1837).
[M. E.] Jackson, Pict. Fl. fig. 387 (1840).
*Deakin, Florigr. Brit. i. fig. 484 (1841).
*Lorek, Fl. Pruss. Ed. 3, t. 65, fig. 361 (1848).
*Cassone, Fl. Med.-Farm. v. t. 454 (1850).
Johnson & Sowerby, Brit. Wild Fl. fig. 1026 (1858–60).
Bentham, Handb. Brit. Fl. fig. 839 (1865).
*Syme, Engl. Bot. viii. t. 1196 (1868).
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, iv. t. 177 [1873].
*Cusin, Herb. Fl. Franç. xix (Salsolacées), t. 35 (1876).
*Hogg & Johnson, Wild Fl. Gr. Brit. xi. t. 815 (1880).
Wagner, Ill. Deutsche Fl. Ed. 2, p. 635 (1882).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, ix. t. 876 (1882).
Pflanzenfam. iii. 1. a. 60 (1893).
Acloque, Fl. France, 542 (1894).
Britton & Brown, Ill. Fl. N. States & Canada, i. 574 (1896); Ed. 2, ii. 13 (1913).
Fiori & Paol. Ic. Fl. Ital. 117 (1899).
Sturm, Fl. Deutschl. Ed. 2, v. 165 (1901).
C. T. Green, Fl. Liverpool Distr. fig. 533 (1902).
Coste, Fl. France, iii. 184 (1906).

CHENOPODIUM
rubrum
Suireishchikov, Ill. Fl. Mosc. Gov. ii. 87 (1907).
Heukels, Fl. Nederl. ii. 105 (1908).
Hegi, Ill. Fl. Mittel-Eur. iii. 230 (1909).
Woycicki, Obrazy Roslinnosci Krol. Polsk. i. t. 10 (1912).—*Hab.*
Bull. Angew. Bot. vii. t. 108 (1914).—*Fr.*
Horwood, Pl. Life Brit. Isles, iii. 192 (1915).
Lindman, Svensk Fanerogamfl. 4, 6, 223 (1918).
Fitch & Smith, Ill. Brit. Fl. Ed. rev. 4, Iss. 2, fig. 847 (1919).
—— **blitoides** Wallr.
Moss, Cambridge Brit. Fl. ii. t. 166 (1914).
—— **crassifolium** Moq.
Cusin, Herb. Fl. Franç. xix (Salsolacées), t. 36 (1876).
—— **humile** Moq.
Hegi, Ill. Fl. Mittel-Eur. iii. 225 (1909).
—— **pseudo-botryoides** Wats.
*Syme, Engl. Bot. viii. t. 1197 (1868).
Moss, Cambridge Brit. Fl. ii. t. 168 (1914).
—— **spathulatum** Rouy
Moss, Cambridge Brit. Fl. ii. t. 167 (1914).
Sancta-Maria Vell.
Vellozo, Fl. Flum. iii. t. 104 (1827).
scoparium Linn.
Bull. Arboricult. Belg. 1905, p. 62.
serotinum Linn.
Hegi, Ill. Fl. Mittel-Eur. iii. 229 (1909).
Lindman, Svensk Fanerogamfl. 223 (1918).—*Veg.*
solitarium Murr
Deutsche Bot. Monatsschr. xix. t. 2 (1901).—*Veg.*
spathulatum Sieber
Mart. Fl. Bras. v. 1. t. 46 (1864).
stramoniifolium Chevall.
*Sturm, Fl. Deutschl. Ed. 2, v. t. 26 (1901).
striatiforme Murr
Deutsche Bot. Monatsschr. xix. t. 2 (1901).—*Veg.*
Magyar Bot. Lap. i. t. 6 (1902).—*Veg.*
—— **grossidentatum** Murr
Magyar Bot. Lap. i. t. 6 (1902).—*Veg.*
—— **microphyllum** Murr
Magyar Bot. Lap. i. t. 6 (1902).—*Veg.*
×striatum Murr
Deutsche Bot. Monatsschr. xiv. 32 (1896); xix. t. 2 (1901).—*Veg.*
Allg. Bot. Zeitschr. vii. 166 (1901).—*Veg.*
Magyar Bot. Lap. i. t. 4 (1902).—*Veg.*
—— **erosum** Murr
Deutsche Bot. Monatsschr. xix. t. 2 (1901).—*Veg.*
Magyar Bot. Lap. i. t. 6 (1902).—*Veg.*
—— **elegans** Murr
Magyar Bot. Lap. i. t. 6 (1902).—*Veg.*
—— **microphylla** Murr
Magyar Bot. Lap. i. t. 6 (1902).—*Veg.*
suberifolium Murr
Bull. Herb. Boiss. Ser. II. iv. t. 6, fig. 4 (1904). —*Veg.*
×subopulifolium Murr
Magyar Bot. Lap. i. t. 2 (1902).—*Veg.*
—— **ovoideum** Murr
Bull. Herb. Boiss. Ser. II. iv. t. 5, fig. 20 (1904). —*Veg.*
×suecicum Murr
Magyar Bot. Lap. i. t. 3 (1902).—*Veg.*
×Tanakae Murr
Magyar Bot. Lap. iii. t. 1 (1904).—*Veg.*
tataricum E. H. L. Krause
Sturm, Fl. Deutschl. Ed. 2, v. 181 (1901).
tenue Colla
Colla in Mem. Accad. Sc. Torino, xxxix. 56, t. 50 (1836).
texanum Murr
Magyar Bot. Lap. ii. t. 7 (1903).—*Veg.*
tomentosum Thou.
Hemsley, Bot. Challenger Exp. i. 11. t. 28 (1884).
tonkinense Courchet
Lecomte, Fl. Gén. Indo-Chine, v. 6 (1910).
triandrum Forst.
Cheeseman, Ill. New Zeal. Fl. t. 164 (1914).

CHENOPODIUM
triangulare R. Br.
F. Mueller, Ic. Austral. Salsolac. t. 26 (1890).
Bull. Herb. Boiss. Ser. II. iv. t. 6, fig. 21 (1904). —*Veg.*
F. M. Bailey, Weeds & Poison. Pl. Queensland, 160 (1906).
—— **polygonoides** Murr
Bull. Herb. Boiss. Ser. II. iv. t. 6, fig. 22 (1904). —*Veg.*
tridentinum Murr
Deutsche Bot. Monatsschr. xix. t. 1 (1901).—*Veg.*
urbanicum Linn.
Coste, Fl. France, iii. 185 (1906).
urbicum Linn.
*Kniphof, Herb. Viv. i. t. 249 (1758).
*Fl. Dan. vii. t. 1148 (1797).
*Sowerby & Sm. Engl. Bot. x. t. 717 (1800).
*Svensk Bot. vii. t. 459 (1812).
*Heger, Danske Oec. Pl. ii. t. 102 (1831).
Zenker, Fl. Thüringen, xii. t. 1395 (1836–55).
*Sturm, Deutschl. Fl. xvii. lxxv [t. 1187] (1839).
[M. E.] Jackson, Pict. Fl. fig. 386 (1840).
*Deakin, Florigr. Brit. i. fig. 482 (1841).
*Dietrich, Fl. Boruss. xii. t. 849 (1844).
*Lorek, Fl. Pruss. Ed. 3, t. 65, fig. 360 (1848).
Johnson & Sowerby, Brit. Wild Fl. fig. 1025 (1858–60).
Bentham, Handb. Brit. Fl. fig. 840 (1865).
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, iv. t. 176 [1873].
*Cusin, Herb. Fl. Franç. xix (Salsolacées), t. 31 (1876).
*Hogg & Johnson, Wild Fl. Gr. Brit. x. t. 801 (1880).
Wagner, Ill. Deutsche Fl. Ed. 2, p. 634 (1882).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, ix. t. 877 (1882).
Britton & Brown, Ill. Fl. N. States & Canada, i. 573 (1896); Ed. 2, ii. 12 (1913).
Fiori & Paol. Ic. Fl. Ital. 117 (1899).
Reichenau, Mainzer Flora, fig. 60 (1900).
*Sturm, Fl. Deutschl. Ed. 2, v. t. 26 (1901).
Suireishchikov, Ill. Fl. Mosc. Gov. ii. 84 (1907).
Reichenbach, Ic. Fl. Germ. xxiv. t. 246 (1907).
Heukels, Fl. Nederl. ii. 102 (1908).
Hegi, Ill. Fl. Mittel-Eur. iii. 225 (1909).
Fedtschenko & Fler. Fl. Eur. Russia, 343 (1910).
Beal in Bull. Michigan Agric. Exp. St. No. 267, p. 322 (1911); et in Ann. Rep. xxv. 311 (1912).
Bull. Angew. Bot. vii. t. 108 (1914).—*Fr.*
Lindman, Svensk Fanerogamfl. 223 (1918).—*Veg.*
Fitch & Smith, Ill. Brit. Fl. Ed. rev. 4, Iss. 2, fig. 848 (1919).
—— **deltoideum** Neilr.
Moss, Cambridge Brit. Fl. ii. t. 163 (1914).
—— **intermedium** Koch
*Deakin, Florigr. Brit. i. fig. 483 (1841).
*Syme, Engl. Bot. viii. t. 1194 (1868), vide p. 286.
Cusin, Herb. Fl. Franç. xix (Salsolacées), t. 32 (1876).
Reichenbach, Ic. Fl. Germ. xxiv. t. 247 (1908).
Moss, Cambridge Brit. Fl. ii. t. 164 (1914).
—— **rhombifolium** Lorek
*Lorek, Fl. Pruss. Ed. 3, t. 241, fig. 1266 (1848).
virgatum Jess.
*Hegi, Ill. Fl. Mittel-Eur. iii. t. 95 (1909).
Crisp, Guide Friar Park, 123 (1914).
viride Linn.
*Curtis, Fl. Londin. i. fasc. ii. t. 16 (1777).
Hoppe, Ect. Pl. Ratisb. t. 706 (1793).
*Joh. Kerner, Abbild. Oek. Pfl. (Fig. Pl. Écon.), vi. t. 548 (1793).
*Fl. Dan. vii. t. 1150 (1797).
*Vietz, Ic. Pl. Med.-oec.-techn. v. t. 408 (1817).
*Sturm, Deutschl. Fl. xvii. lxxv [t. 1191] (1839).
Le Maout & Decaisne, Traité Gén. Bot. 447 (1868).
Brehm, Merv. Nat. Monde des Pl. ii. 373 (1894–96).
viridescens Murr
Magyar Bot. Lap. ii. t. 8 (1903).—*Veg.*
Vulvaria Linn.
*Regnault, Bot. iii. 9 (1774).
Hoppe, Ect. Pl. Ratisb. t. 454 (1789).
*Plenck, Ic. Pl. Med. ii. t. 167 (1789).
*Zorn, Ic. Pl. Med. vi. t. 508 (1790).

CHENOPODIUM
Vulvaria
*Woodville, Med. Bot. iii. t. 145 (1792); Ed. 3, iv. t. 228 (1832).
*Oskamp, Afb. Artseny-Gewass. iii. t. 290 (1796).
*Fl. Dan. vii. t. 1152 (1797).
*Roques, Pl. Usuell. Indig. & Exot. i. t. 19 (1807).
*Vietz, Ic. Pl. Med.-oec.-techn. v. t. 409 (1817).
*Nees, Pl. Offic. i. t. 124 (1828).
*Sturm, Deutschl. Fl. xvii. LXXV [t. 1198] (1839).
*Dietrich, Fl. Boruss. xii. t. 847 (1844).
*Cassone, Fl. Med.-Farm. v. t. 455 (1850).
Bentham, Handb. Brit. Fl. fig. 835 (1865).
*Syme, Engl. Bot. viii. t. 1187 (1868).
*Réveil, Règne Vég. iii. t. 37 (1870).—*Veg.*
*Cusin, Herb. Fl. Franç. xix (Salsolacées), t. 24 (1876).
*Lesacher & Mareschal, Nouv. Bot. Méd. ii [t. 47] (1878).
*Hogg & Johnson, Wild Fl. Gr. Brit. x. t. 791 (1878).
Wagner, Ill. Deutsche Fl. Ed. 2, p. 632 (1882).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, ix. t. 872 (1882).
Dujard.-Beaumetz & Égasse, Pl. Méd. 177 (1889).
Fiori & Paol. Ic. Fl. Ital. 116 (1899).
*Sturm, Fl. Deutschl. Ed. 2, v. 159 (1901).
C. T. Green, Fl. Liverpool Distr. fig. 530 (1902).
Magyar Bot. Lap. ii. t. 8 (1903).—*Veg.*
Coste, Fl. France, iii. 184 (1906).
Reichenbach, Ic. Fl. Germ. xxiv. 100, t. 237 (1907).
Heukels, Fl. Nederl. ii. 100 (1908).
*Hegi, Ill. Fl. Mittel-Eur. iii. t. 95 (1909).
Beille, Bot. Pharm. ii. 248 (1909).
Fedtschenko & Fler. Fl. Eur. Russia, 341 (1910).
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, ii. 11 (1913).
Moss, Cambridge Brit. Fl. ii. t. 157 (1914).
Lindman, Svensk Fanerogamfl. 225 (1918).—*Veg.*
Fitch & Smith, Ill. Brit. Fl. Ed. rev. 4, Iss. 2, fig. 843 (1919).
—— **microphyllum** Moq.
Reichenbach, Ic. Fl. Germ. xxiv. 100, t. 237 (1907).
—— **rhombicum** Murr
Reichenbach, Ic. Fl. Germ. xxiv. 100, t. 237 (1907).
Wolffii Simonk.
Reichenbach, Ic. Fl. Germ. xxiv. t. 249 (1908).
Hayek, Pflanzend. Oesterr.-Ung. i. 466 (1916).
×**Zschackei** Murr
Deutsche Bot. Monatsschr. xix. t. 1 (1901).—*Veg.*
Magyar Bot. Lap. ii. t. 7 (1905).—*Veg.*

CHEOBULA Vell.: *Cleobula*
pinnata Vell.
Vellozo, Fl. Flum. iv. t. 146 (1827).

CHERLERIA Linn.: *Alsine*
sedoides Linn.
*Jacquin, Fl. Austr. iii. t. 284 (1775).
Haller, Ic. Pl. Helvet. t. 21 (1795).
Lamarck, Ill. ii. t. 379 (1797).
*Sowerby & Sm. Engl. Bot. xvii. t. 1212 (1803).
Boissieu, Fl. Eur. ii. t. 319 (1805).
*Schkuhr, Bot. Handb. Ed. 2, t. 123 (1808).
Thornton, Brit. Fl. iv. 20 (1812).
Meigen, Deutschl. Fl. ii. t. 87 (1837).—*Fl.*
*Baxter, Brit. Bot. Ed. 2, iv. t. 316 (1839).
[M. E.] Jackson, Pict. Fl. fig. 693 (1840).
*Reichenbach, Ic. Fl. Germ. v. t. 204 (1841).
*C. E. Sowerby, Ill. Cat. Brit. Pl. fig. 197 (1841).
*Deakin, Florigr. Brit. ii. fig. 725 (1845).
Johnson & Sowerby, Brit. Wild Fl. fig. 225 (1858–60).
Bentham, Handb. Brit. Fl. fig. 147 (1865).
*Weber, Alp.-Pfl. Ed. 3, i. t. 97 (1872).
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, i. t. 45 [1873].
*Seboth & A. W. Bennett, Alpine Pl. iii. t. 13 (1880).
H. Müller, Alpenblumen, 185 (1881).—*Fl.*
Wagner, Ill. Deutsche Fl. Ed. 2, p. 110 (1882).
Willkomm, Führ. Reich Pflanzen, 773 (1882).—*Fl.*

CHERLERIA
sedoides
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xii. t. 1195 (1883).
Knuth, Handb. Blütenbiol. ii. 1. 185 (1898).—*Fl.*
*G. Beck, Alpenblum. Semmering, t. 3, fig. 11 (1898).
*Jul. Hoffmann, Alpine Fl. t. 10 (1903).
*L. & C. Schroeter, Col. Vade-Mecum Alp. Fl. Ed. 16 & 17, t. 4 (1904).—*Hab.*
*Oehninger, Alpenfl. t. 12, fig. 6 (1908).
*H. S. Thompson, Alp. Pl. Europe, t. 14 (1911).—*Hab.*
*Bonnier, Fl. Compl. France, Suisse & Belge, ii. t. 87 [1912].
*Hegi & Dunz. Alp. Fl. t. 8 (1913).
*Penzig, Fl. Alpi Illustr. Ed. 2, t. 10 (1915).

CHERSODOMA Phil.
candida Phil.
Philippi, Verz. Hocheb. Prov. Antofagasta & Tarapaca Pfl. (An. Mus. Nac. Chile), t. 1 (1891).

CHESNEYA Bertol.: *Pimpinella*
daucoides Bertol.
*Bertoloni in Novi Comm. Bonon. v. t. 41 (1842).
*Bertoloni, Misc. Bot. i. t. 2 (1842).

CHESNEYA Lindl.: *Calophaca*
euphratensis Lindl.
Chesney, Narr. Euphr. Exped. Appendix, 439 (1868).
ferganensis Korjinsky
Korjinsky in Mém. Acad. Sc. Pétersb. Ser. VIII. iv. t. 2 (1896).
rhytidosperma Jaub. & Spach
Jaubert & Spach, Illustr. Pl. Or. i. t. 47 (1842–43).
vaginalis Jaub. & Spach
Jaubert & Spach, Illustr. Pl. Or. i. t. 48 (1842–43).

CHEVALIERA Gaudich.
armata Lindman
Svenska Vet. Akad. Handl. xxiv. No. 8, t. 7, fig. 1–13 (1891).
comata Mez
Ber. Deutsch. Bot. Ges. xvi. t. 22, fig. 27, 28 (1898).—*Fl.*
Germinyana Carr.
*Rev. Hort. 1881, p. 230; 1888, p. 371.
Bellair & St.-Léger, Pl. Serre, 520 (1900).—*Hab.*
gigantea Maury
Maury in Assoc. Franç. Avanc. Sc. 1887, Toulouse, Pt. 2, t. 17 (1888).
Jardin, ii. 9 (1888).—*Hab.*
Rev. Hort. 1888, p. 370.—*Hab.*
Magdalenae André
André, Bromel. t. 3 (1889).
ornata Gaudich.
Gaudichaud, Voy. Bonite, Bot. Atlas, t. 62 (1844–66).
sphaerocephala Gaudich.
Gaudichaud, Voy. Bonite, Bot. Atlas, t. 61 (1844–66).
Ber. Deutsch. Bot. Ges. xvi. t. 22, fig. 20–26 (1898).—*Fl.*
Veitchii Morr.
*Belg. Hort. xxviii. 177 (1878).
*Garden, xix. 654 (1881).
—— **superba** Carr.
*Rev. Hort. 1880, p. 450.

CHEVREULIA Cass.
acuminata Less.
Mart. Fl. Bras. vi. III. t. 40 (1882).
stolonifera Cass.
Pflanzenfam. iv. v. 184 (1890).—*Fl.*
Arechavaleta, Fl. Urug. (An. Mus. Nac. Montevideo, vi), iii. 280 (1908).
Thouarsii Remy
*C. Gay, Hist. Chile, Atlas, t. 37 (1854).

CHIASTOPHYLLUM Stapf—Vide *Cotyledon* (2)

CHIAZOSPERMUM Bernh.: *Hypecoum*
erectum Bernh.
Fl. Sib. & Or. Extr. (Mus. Bot. Acad. Petrop.), i. 4 (1913).

CHIBACA Bertol. f.
salutaris Bertol. f.
Bertoloni in Mem. Accad. Sc. Istit. Bologna, iv. t. 23 (1853).

CHICKRASSIA Wight & Arn.: *Chukrasia*
tabularis A. Juss.
*Wight, Illustr. Ind. Bot. i. t. 56 (1840).
Beddome, Fl. Sylv. t. 9 (1869).
Talbot, For. Fl. Bombay, i. 247 (1909).
Basu, Ind. Med. Pl. t. 229 (1918).

CHICORIUM = *Cichorium*

CHILERANTHEMUM Örst.
trifidum Örst.
Vidensk. Meddel. Kjöbenhavn, 1854, t. 5, fig. 30–33 (1855).—*Fl.*
Hemsley, Biol. Centr. Amer. v. t. 67 (1882).

CHILIANDRA Griff.: *Rhynchotechum*
obovata Griff.
Griffith, Ic. Pl. Asiat. t. 438 (1854).—*Fl.*

CHILIANTHUS Burch.
arboreus Benth.
Pflanzenfam. iv. II. 45 (1892).
oleaceus Burch.
Sim, For. Fl. Cape Colony, t. 113 (1907).

CHILIOCEPHALUM Benth.
Schimperi Benth.
Hook. Ic. Pl. xii. t. 1137 (1873).
Beauverd in Bull. Soc. Bot. Genève, Ser. II. iii. 136 (1911).

CHILIOPHYLLUM Phil.
fuegianum O. Hoffm.
Schwed. Exped. Magell. iii. No. 5, p. 96, t. 4, fig. 2–6; t. 12, fig. 1 (1900).
W. B. Scott, Rep. Princeton Univ. Exped. Patag. 1896–99, viii. II. 787 (1905).—*Fl.*

CHILIOTRICHUM Cass.
amelloides Cass.
Hook. Ic. Pl. v. t. 485 (1842).
diffusum Dusén
De Wildeman in Voy. Belgica, Bot. 1897–99, t. 12, fig. 1–11 (1905).
Skottsberg, Feuerländ. Bl. (Schwed. Südpol.-Exped. 1901–3, iv. II), 38 (1905).—*Fl.*
Svenska Vet. Akad. Handl. l. No. 3, t. 7, fig. 1 (1913).—*Hab.*
Feliciae Hombr. & Jacquinot
D'Urville, Voy. Pôle Sud & Océanie, Atlas, Dicot. t. 28 [1852].
ovatifolium Hombr. & Jacquinot
D'Urville, Voy. Pôle Sud & Océanie, Atlas, Dicot. t. 28 [1852].
—— **retortum** Decne.
D'Urville, Voy. Pôle Sud & Océanie, Atlas, Dicot. t. 28 [1852].
rosmarinifolium Less.
Weddell, Chloris Andina (Castelnau Expéd., Bot.), i. t. 35 (1855–57).

CHILOBLECHUM Örst.: *Blechum*
mexicanum Örst.
Vidensk. Meddel. Kjöbenhavn, 1854, t. 5, fig. 1–4 (1855).—*Fl.*

CHILOCALYX Klotzsch
tenuifolius Klotzsch
Peters, Reise Mossamb., Bot. t. 28 (1861).

CHILOCARPUS Bl.
anguineus Stapf
Hook. Ic. Pl. xxx. t. 2993 (1913).
ceylanicus Wight
Wight, Ic. Pl. Ind. Or. iv. t. 1288 (1848).
*Wight, Illustr. Ind. Bot. ii. t. 154 bis (1850).—*Fl.*
malabaricus Bedd.
Beddome, Ic. Pl. Ind. Or. t. 175 (1874).
suaveolens Bl.
Blume, Mus. Bot. Lugd.-Bat. i. fig. 53 (1850).—*Fl.*

CHILOCHLOA P. Beauv.: *Phleum*
arenaria P. Beauv.
Nees, Gen. Pl., Monocot. i. t. 9 (1836).

CHILOCHLOA
aspera P. Beauv.
Reichenbach, Ic. Fl. Germ. i. t. 51 (1834).
Nees, Gen. Pl., Monocot. i. t. 9 (1836).—*Fl.*
Boehmeri P. Beauv.
Reichenbach, Ic. Fl. Germ. i. t. 51 (1834).
Nees, Gen. Pl., Monocot. i. t. 9 (1836).—*Fl.*
cuspidata P. Beauv.
Reichenbach, Ic. Fl. Germ. i. t. 51 (1834).
dentata Trin.
Trinius, Sp. Gram. i. t. 73 (1828).
Michelii Trin.
P. Beauvais, Agrost. t. 7, fig. 3 (1812).—*Fl.*
Reichenbach, Ic. Fl. Germ. i. t. 51 (1834).

CHILODIA R. Br.: *Prostanthera*
scutellarioides R. Br.
*Bot. Mag. lxii. t. 3405 (1835).
*Paxt. Mag. v. 195 (1838).
*Floricult. Cab. vii. 72 (1839).

CHILOGLOSSA Örst.: *Justicia*
secunda Örst.
Vidensk. Meddel. Kjöbenhavn, 1854, t. 5, fig. 29; *C. glabra* in textu, p. 161 (1855).—*Fl.*

CHILOGLOTTIS R. Br.—Vide *Epipactis* (2)
cornuta Hook. f.
Cheeseman, Ill. New Zeal. Fl. t. 198 (1914).
diphylla R. Br.
*Bauer, Illustr. Fl. Nov. Holl. t. 8 (1813).
Sprengel, Anleit. Gewächse, Ed. 2, ii. t. 8, fig. B (1817).
*R. D. Fitzgerald, Austral. Orch. ii [t. 12] (1875–95).
Rodway, Tasman. Fl. [t. 35] (1903).
F. Sulman, Wild Fl. N. S. Wales, ii. t. 65 (1914).
formicifera R. D. Fitzgerald
*R. D. Fitzgerald, Austral. Orch. i [t. 15] (1875–95).
Gunnii Lindl.
*Hooker f., Fl. Tasman. ii. t. 108 (1860).
*R. D. Fitzgerald, Austral. Orch. ii [t. 11] (1875–95).
Rodway, Tasman. Fl. [t. 35] (1903).
Muelleri R. D. Fitzgerald
*R. D. Fitzgerald, Austral. Orch. ii [t. 11] (1875–95).
Pescottiana R. S. Rogers
Proc. Roy. Soc. Victoria, N. Ser. xxx. II. t. 25 (1918).
trapeziformis R. D. Fitzgerald
*R. D. Fitzgerald, Austral. Orch. i [t. 15] (1875–95).
trilabra R. D. Fitzgerald
*R. D. Fitzgerald, Austral. Orch. ii [t. 12] (1875–95).

CHILOPOGON Schlechter
kinabaluensis Ames & Schweinf.
Ames, Orchidac. vi, t. 93 (1920).

CHILOPORUS Naud.: *Miconia*
andinus Naud.
Ann. Sc. Nat. Paris, Ser. III. iv. t. 3, fig. VII (1845).—*Fl.*

CHILOPSIS D. Don—Vide *Bignonia* (8)
linearis Sweet
Pflanzenfam. iv. III. B. 237 (1894).
Sargent, Silva N. Amer. vi. t. 292 (1894).
Lester in Bull. New Mexico Agric. St. No. 40, p. 11 (1902).—*Hab.*
Sargent, Man. Trees N. Amer. 792 (1905).
Sudworth, Forest Trees Pac. Slope, 430 (1908).
Britton, N. Amer. Trees, 835 (1908).
Apgar, Orn. Shrubs U.S. 283, fig. 493 (1910).
Schneider, Ill. Handb. Laubh. ii. 620 (1911).—*Veg.*
saligna D. Don
*Journ. Jard. 1836, p. 213.
Eastwood, Handb. Trees California (Occ. Papers California Acad. Sc. ix), t. 55 (1905).

CHILOSCHISTA Lindl.
lunifera J. J. Sm.
J. J. Smith, Orch. Java, Fig.-Atlas, v. fig. 419 (1912).—*Fl.*
usneoides Lindl.
*Lindley, Sertum Orch. frontisp. p. a, fig. 4 (1840).
Gard. Chron. 1846, p. 135.—*Hab.*
Wight, Ic. Pl. Ind. Or. v. t. 1741 (1851).

CHIMAPHILA Pursh—Vide *Pseva*
corymbosa Pursh
*Bentley & Trim. Med. Pl. iii. t. 165 (1876) in textu; *C. umbellata* in ic.
Suireishchikov, Ill. Fl. Mosc. Gov. iii. 9 (1910).
Canada Dep. Agric. Exper. Farms, Bull. No. 23, Ser. II. 41 (1915).
japonica Miq.
*Somoku Dzusetsu, Ed. 2, viii. t. 7 (1874).
*Useful Pl. Jap. iii. t. 869 (1895).
Schneider, Ill. Handb. Laubh. ii. 463, 465 (1909).
Somoku Dzusetsu, Ed. Makino (Iconogr. Pl. Nippon), viii. t. 7 (1910).
maculata Pursh
Radius, Diss. Pyrola & Chimophila, t. 5 (1821).
*Barton, Fl. N. Amer. i. t. 11 (1821).
*Torrey, Fl. State New York, i. t. 70 (1843).
Lindley, Med. & Oecon. Bot. 105 (1849).—*Veg.*
Miller & Whiting, Wild Fl. N.E. States, 400 (1895).
Britton & Brown, Ill. Fl. N. States & Canada, ii. 553 (1897); Ed. 2, ii. 672 (1913).
Lochman, Phot. Med. Pl. t. 148 (1898).
Bot. Gaz. xxv. t. 17, fig. 4, 5 (1898).—*Veg.*
L. H. Bailey, Cycl. Amer. Hort. 298 (1900); Stand. Cycl. Hort. 747 (1914).
Gard. Chron. Ser. III. xxxii. 318 (1902).
Schneider, Ill. Handb. Laubh. ii. 463, 465 (1909).
Apgar, Orn. Shrubs U.S. 265, fig. 454 (1910).
Stone, Pl. Southern New Jersey (Ann. Rep. New Jersey State Mus. 1910), t. 91 (1911).—*Hab.*
U.S. Dep. Agric. Bur. Pl. Indust. Bull. No. 219, p. 16 (1911).
Creevey, Harper's Guide Wild Flowers, 275 (1912).
Menziesii Spreng.
Hooker, Fl. Bor.-Amer. t. 138 (1840).
Pflanzenfam. iv. 1. 8 (1889).
Parsons, Wild Fl. California, 105 (1897).
Schneider, Ill. Handb. Laubh. ii. 465 (1909).
M. Armstrong, Field Book West. Wild Fl. 357 (1915).
rhombifolia Hayata
Hayata, Ic. Pl. Formosan. ii. t. 16 (1912).
umbellata Nutt.
*Barton, Med. Bot. i. t. 1 (1817).
*Dietrich, Fl. Boruss. iv. t. 237 (1836).
*Carson, Ill. Med. Bot. i. t. 53 (1847).
*Lorek, Fl. Pruss. Ed. 3, t. 104, fig. 561 (1848).
Lindley, Med. & Oecon. Bot. 105 (1849).—*Veg.*
*Good, Family Flora, i. t. 10 (1854).
Nees, Gen. Pl., Gamop. iii. t. 19 (1854).
*Schnizlein, Iconogr. ii. t. 161 (1856).
Bot. Tidsskr. iv. t. 1, fig. 9 (1870–71).—*Fr.*
*Bentley & Trim. Med. Pl. iii. t. 165 (1876) in ic.; *C. corymbosa* in textu.
Lauche, Deutsche Dendrol. Ed. 2, p. 265 (1883).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xx. t. 2044 (1885).
*Millspaugh, American Med. Pl. t. 194 (1887).
Dippel, Handb. Laubholzk. i. 438 (1889).
*Wild Fl. Canada, t. 89 (1894).
Acloque, Fl. France, 130 (1894).
Dana, How to Know the Wild Fl. t. 19 (1894).
Garcke, Ill. Fl. Deutschl. 402 (1895).
Miller & Whiting, Wild Fl. N.E. States, 398 (1895).
Britton & Brown, Ill. Fl. N. States & Canada, ii. 554 (1897); Ed. 2, ii. 672 (1913).
Lochman, Phot. Med. Pl. t. 148 (1898).
Plant World, iii. 143 (1900).
Blanchan, Nat. Gard. 120 (1900).
Hare, Caspari & Rusby, Nat. Stand. Dispens. 403 (1905).—*Veg.*
Blytt, Haandb. Norg. Fl. Ed. Dahl, 552 (1906).
*Miyoshi & Makino, Pocket-Atlas, Alp. Pl. Jap. ii. t. 52, fig. 298 (1907).
S. Brown, Alp. Fl. Rocky Mts. 210, t. 57 (1907).
Merck's Rep. (Pract. Journ. Pharm.), xviii. 143 (1909).
Schneider, Ill. Handb. Laubh. ii. 463, 465 (1909).
Apgar, Orn. Shrubs U.S. 265, fig. 455 (1910).
Fedtschenko & Fler. Fl. Eur. Russia, 718 (1910).
U.S. Dep. Agric. Bur. Pl. Indust. Bull. No. 219, p. 16 (1911).

CHIMAPHILA
umbellata
Clements, Rosend. & Butters, Minnesota Trees & Shrubs 87 (1912).—*Hab.*
F. E. & E. S. Clements, Rocky Mt. Fl. t. 14 (1914).
Amer. Mus. Journ. xvii. 312 (1917).
Warming in Dansk. Vid. Selsk. Skrift. Ser. VIII. ii. 327 (1918).—*Veg.*
Lindman, Svensk Fanerogamfl. 441 (1918).
*House, Wild Fl. New York (Mem. No. 15, N.Y. State Mus.), ii. t. 152 (1918).

CHIMARRHIS Jacq.
cymosa Jacq.
Pflanzenfam. iv. IV. 17 (1891).—*Fl.*

CHIMONANTHUS Lindl.: *Calycanthus*
fragrans Lindl.
Kwa-wi [transl. Savatier], Arbor. iii. t. 7 (1759).
Dict. Sc. Nat., Planch. Bot. Dicot. t. 235 (1816–29).
*Drapiez, Herb. Amat. Fl. iv. t. 251 (1830).
*Jaume St.-Hilaire, Fl. & Pom. Franç. iii. t. 274 (1830).
J. C. Loudon, Arbor. & Frutic. Brit. ii. 938 (1838).
*Spach, Hist. Nat. Vég. Phan. Atlas, t. 31 (1846).—*Fl.*
*Schnizlein, Iconogr. iv. t. 271 (1857–65).
Nature, i. 12 (1869).—*Fl.*
Gard. Chron. ix. 72 (1878); Ser. III. xi. 213 (1892); xliv. 250, 251 (1908).
Garden, xxi. 113 (1882); xlii. 50 (1892); xlvii. 301 (1895); xlix. 142 (1896); lxxviii. 59 (1914).
*Ito & Kaku, Fig. & Descr. Pl. Koishikawa Bot. Gard. t. 3–5 (1884).
*Piggott, Gard. Jap. [t. 1] (1892).—*Fl.*
*Useful Pl. Jap. ii. t. 389 (1895).
*Hoare, Calendar Fl. Trees & Shrubs, 6 [1901?].
Journ. Hort. Ser. III. l. 239 (1905).—*Fl.*
Vilmorin, Hort. Vilm. (Bull. Soc. Bot. France, 1904, li. App.), t. 3 (1906).—*Hab.*
—— **grandiflorus** Lindl.
*Bot. Reg. vi. t. 451 (1820).
J. C. Loudon, Arbor. & Frutic. Brit. ii. 938 (1838).
Gard. Chron. Ser. III. v. 236 (1889).
Lignier in Bull. Soc. Linn. Normandie, Ser. IV. v. t. 1 (1891).—*Fr.*
*Garden, lvi. 122 (1899).—*Fl.*
nitens Oliv.
Hook. Ic. Pl. xvi. t. 1600 (1887).
praecox Link
Baillon, Dict. Bot. i. 556 (1877); 784 (1879).
Lauche, Deutsche Dendrol. Ed. 2, p. 384 (1883).
Dippel, Handb. Laubholzk. iii. 140 (1893).
Gartenwelt, ii. 333 (1898).
Schneider, Ill. Handb. Laubh. i. 342, 344, 345 (1905).

CHIMONOBAMBUSA Makino
marmorea Makino
*Tsuboi, Ill. Jap. Sp. Bamboo, Ed. 2, t. 42, 79, 103 (1916).
quadrangularis Makino
*Tsuboi, Ill. Jap. Sp. Bamboo, Ed. 2, t. 43, 79 (1916).—*Veg.*

CHIOCOCCA Linn.
alba Hitchc.
Plumier, Pl. Amer. Ed. Burm. t. 217, fig. 2 (1759); fide Urban, Fedde Repert. Beih. v. 88.
anguifuga Mart.
Martius in Denkschr. Akad. Wiss. München, ix. t. 5, 9 (1825).
*Nees, Pl. Offic. Suppl. t. 60 (1833).
*Guimpel & Klotzsch, Pfl.-Abbild. & Beschr. Erkenntn. Offic. Gew. i. t. 5 (1838).
Ann. Nat. Hist. London, Ser. II. xi. t. 2, fig. 4 (1853).—*Fl.*
*Artus, Atlas Pharm. Deutschl. Aufg. Offic. Gew. t. 135 [1862–74].
Pinto, Diccion. Bot. Brasil. fig. 13 (1873).
Dujard.-Beaumetz & Égasse, Pl. Méd. 125 (1889).—*Veg.*
barbata Forst.
Hooker & Arn. Bot. Beechey Voy. t. 14 (1841).

CHIOCOCCA
bermudiana S. Brown
Britton, Fl. Bermuda, 362 (1918).
brachiata Ruiz & Pav.
Ruiz & Pavon, Fl. Peruv. & Chil. ii. t. 219 (1799).
Glück, Blatt- & Blütenmorph. Stud. 107, 171 (1919).—*Veg.*
—— **acutifolia** Müll.-Arg.
Mart. Fl. Bras. vi. v. t. 7 (1881).
De Wildeman, Ic. Sel. Hort. Then. iv. t. 149 (1903).
densifolia Mart.
Martius in Denkschr. Akad. Wiss. München, ix. t. 6 (1825).
*Guimpel & Klotzsch, Pfl.-Abbild. & Beschr. Erkenntn. Offic. Gew. i. t. 4 (1838).
Lindley, Med. & Oecon. Bot. 239 (1849).
micrantha J. R. Johnston
Proc. Boston Soc. Nat. Hist. xxxiv. t. 29, fig. 3 (1909).
racemosa Linn.
Dillenius, Hort. Eltham. Add. Denom. Linn. t. 228 (1774).
*Jacquin, Sel. Stirp. Amer. Hist. Picta, t. 69 [1780].
Gaertner, Fruct. i. t. 26 (1788).—*Fr.*
Lamarck, Ill. i. t. 160 (1797).
Andrews, Bot. Rep. iv. t. 284 (1803).
Trattinick, Ausw. Gartenpfl. i. t. 62 (1821).
*Hooker, Exot. Fl. ii. t. 93 (1825).
*Descourtilz, Fl. Pitt. & Méd. Antilles, iv. t. 292 * (1827).
Vellozo, Fl. Flum. ii. t. 81 (1827).
*Nees, Pl. Offic. Suppl. t. 59 (1833).
*Guimpel & Klotzsch, Pfl.-Abbild. & Beschr. Erkenntn. Offic. Gew. i. t. 3 (1838).
*Hayne, Getreue Darst. Arzn. Gewächse, xiv. t. 7 (1843).
Berg, Charakt. t. 44, fig. 343 (1861).
Baillon, Hist. Pl. vii. 297 (1880).—*Fl.*
Baillon, Traité Bot. Méd. Phan. ii. 1089 (1884).—*Fl.*
Pflanzenfam. iv. IV. 100 (1891).
trisperma Hook. f.
N. J. Andersson in Sv. Freg. Eugenies Resa, t. 9 (1857–1910).

CHIOGENES Salisb.
hispidula Torr. & Gray
*Torrey, Fl. State New York, i. t. 68 (1843).
Dippel, Handb. Laubholzk. i. 340 (1889).
Dieck, Nat. Arb. Zoesch. 14 (1892).
Britton & Brown, Ill. Fl. N. States & Canada, ii. 581 (1897); Ed. 2, ii. 704 (1913).
Keeler, Our North. Shrubs, 341 (1903); Ed. 2, p. 341 (1912).
Jones & Rand in Bull. Vermont Agric. St. No. 145, p. 155 (1909).
Somoku Dzusetsu, Ed. Makino (Iconogr. Pl. Nippon), vii. t. 15 (1910).
Schneider, Ill. Handb. Laubh. ii. 539 (1911).
Clements, Rosend. & Butters, Minnesota Trees & Shrubs, 96 (1912).
—— **japonica** Makino
*Miyoshi & Makino, Pocket-Atlas, Alp. Pl. Jap. ii. t. 52, fig. 301 (1907).
japonica A. Gray
Matsumura, Ic. Pl. Koisikav. i. t. 7 (1911).
serpyllifolia Salisb.
Parkhurst, Trees, Shrubs, Vines N.E. United States, 319, t. 3, fig. 15 (1903).—*Veg.*

CHIONANTHUS Gaertn.: *Linociera*
caribea Jacq.
Jacquin, Collect. ii. t. 6, fig. 1 (1788).
ceylanica Lam.
*Houttuyn, Handl. Pl. & Kruidk. ii. t. 5, fig. 1 (1774).
Gaertner, Fruct. i. t. 39 (1788).—*Fr.*
Lamarck, Ill. i. t. 9, fig. 2 (1791).
Ghaeri Gaertn.
Rheede, Hort. Mal. v. t. 55 (1685); fide Hasskarl, Hort. Mal. Rheed. Clavis, 45.
Gaertner, Fruct. i. t. 39 (1788).—*Fr.*
Lamarck, Ill. i. t. 9, fig. 3 (1791).—*Fr.*
Journ. Linn. Soc., Bot. xxxi. 247 (1895).—*Fr.*
intermedia Bedd.
Beddome, Fl. Sylv. t. 239 (1872).

CHIONANTHUS
malabarica Bedd.
Beddome, Fl. Sylv. t. 239 (1872).
picrophloia F. Muell.
F. Mueller, Fragm. Phyt. Austral. iii. 139 (1863).
ramiflora Roxb.
Wight, Ic. Pl. Ind. Or. ii. t. 734 (1840–43).
Guilfoyle, Austral. Pl. 434 [1911].—*Hab.*
zeylanica = *ceylanica*

CHIONANTHUS Linn.
chinensis Maxim.
Bot. Mag. Tokyo, viii. t. 3 (1894).
Duclouxii Hickel
Bull. Soc. Dendr. France, 1914, p. 72.—*Veg.*
retusa Paxt.
Paxt. Fl. Gard. iii. 85 (1852–53).
Lem. Jard. Fl. iii. Misc. 116 (1853).
Gard. Chron. xxiii. 821 (1885); Ser. III. xlvii. 328, 329 (1910).
Gartenfl. xxxv. 666 (1886).
Dippel, Handb. Laubholzk. i. 144 (1889).
Meehan's Monthly, ii. 157 (1892).
Gard. & Forest, vii. 325, 327 (1894).—*Hab.*
Bull. Coll. Agric. Tokyo, ii. t. 15, fig. 14 (1895).—*Veg.*
American Garden, xx. 107 (1899).
Nicholson, Century Suppl. Dict. Gard. 710 (1901).
Rhodora, vi. 19 (1904).—*Fl.*
Apgar, Orn. Shrubs U.S. 284, fig. 495 (1910).
Schneider, Ill. Handb. Laubh. ii. 791, 796 (1911).
Silva Tarouca, Freiland-Laubgehölze, 178 (1913).
Bean, Trees & Shrubs, i. 339, 340 (1914).
serrulata Hayata
Hayata, Ic. Pl. Formosan. iii. t. 28 (1913).
virginica Linn.
Lamarck, Ill. i. t. 9, fig. 1 (1791).
*F. J. Schultz, Abb. Bäume, Staud. Sträuch. Oesterr. i. t. 99 (1792).
*Joh. Kerner, Abbild. Oek. Pfl. (Fig. Pl. Écon.), vii. t. 677 (1794).
*Abbot & Smith, Nat. Hist. Lepidopt. Insects Georgia, i. t. 34; ii. t. 98 (1797).
*Guimpel, Otto & Hayne, Abbild. Fremd. Holzart. i. t. 73 (1825).
*Lodd. Bot. Cab. xiii. t. 1264 (1827).
*Jaume St.-Hilaire, Fl. & Pom. Franç. v. t. 416 (1832).
J. C. Loudon, Arbor. & Frutic. Brit. ii. 1206 (1838).
Agardh, Theor. Syst. Pl. t. 15 (1858).—*Fl.*
*Nuttall, N. Amer. Sylva, ii. t. 98 (1865).
Garden, xiii. 603 (1878); xviii. 577 (1880); lxxviii. 364 (1914); lxxix. 100 (1915); lxxxi. 507 (1917).
Lauche, Deutsche Dendrol. Ed. 2, p. 166 (1883).
*Millspaugh, Amer. Med. Pl. t. 136 (1887).
Baillon, Hist. Pl. xi. 233 (1891).
Meehan's Monthly, ii. 154 (1892).
Newhall, Shrubs N.E. Amer. 191 (1893).
Newhall, Trees N.E. Amer. 139 (1894).—*Veg.*
Sargent, Silva N. Amer. vi. t. 277, 278 (1894).
Britton & Brown, Ill. Fl. N. States & Canada, ii. 603 (1897); Ed. 2, ii. 728 (1913).
*A Kert (The Garden), v. 624 (1899); x. 405, 411 (1904).
*Lounsberry, Guide to the Trees, Ed. 2, t. 31, p. 82 (1900).—*Hab.*
L. H. Bailey, Cycl. Amer. Hort. 299 (1900); Stand. Cycl. Hort. 748 (1914).
Schneider, Dendrol. Winterst. 202 (1903).—*Veg.*
Rhodora, vi. 19 (1904).—*Fl.*
Rogers, Tree Book, 443 (1905).
Sargent, Man. Trees N. Amer. 778 (1905).
Horticulture (Boston), iii. 813 (1906).—*Hab.*
Möllers Deutsche Gärtn.-Zeit. xxii. 337, 338 (1907).
Hough, Handb. Trees N. States & Canada, 400, 401 (1907).
Britton, N. Amer. Trees, 813 (1908).
U.S. Dep. Agric. Bur. Pl. Indust. Bull. No. 139, p. 45 (1909).
Apgar, Orn. Shrubs U.S. 284, fig. 494 (1910).
Mitt. Deutsch. Dendr. Ges. 1911, p. 388.—*Hab.*
Schneider, Ill. Handb. Laubh. ii. 791, 796 (1911).
Clements, Rosend. & Butters, Minnesota Trees & Shrubs, 114 (1912).

CHIONANTHUS
virginica
Collins & Preston, Key to Trees, 21 (1912).—*Veg.*
Keeler, Our Native Trees, 223, 224 (1912).
Bull. Soc. Dendr. France, 1913, p. 107.—*Fr.*
Silva Tarouca, Freiland-Laubgehölze, 178 (1913).—*Hab.*
Mathews, Field Book Amer. Trees & Shrubs, 381 (1915).
Illick, Pennsylvania Trees (Pennsylv. Dept. For. Bull. No. 11), t. 127 (1919).
—— **angustifolia** P. W. Wats.
*P. W. Watson, Dendr. Brit. i. t. 1 (1825).
—— **maritima** Pursh
Gartenfl. xvi. t. 564 (1867).

CHIONE DC.—Vide *Crusea* A. Rich.
glabra DC.
Pflanzenfam. iv. IV. 100 (1891).—*Fl.*

CHIONODOXA Boiss.
cretica Boiss. & Heldr.
Jaubert & Spach, Illustr. Pl. Or. v. t. 443 (1853–57).
Forbesii Baker
Gard. Chron. xi. 469 (1879).
gigantea Hort.
*Garden, xlii. 210 (1892) in ic.; *C. Luciliae grandiflora* in textu.—*Hab.*
Luciliae Boiss.
*Bot. Mag. cv. t. 6433 (1879).
*Garden, xv. 463 (1879); xviii. 12 (1880).
Journ. Hort. Ser. III. ii. 249 (1881).
Belg. Hort. xxxiii. 38 (1883).
Bull. Soc. Tosc. Ortic. viii. 14 (1883); ix. 302 (1884).
*Gartenfl. xxxii. 21 (1883); xxxvi. t. 1255 (1887).
Garten-Zeit. Berlin, ii. 29 (1883).
W. Robinson, Engl. Fl. Gard. t. 67 (1883).
Nicholson, Illustr. Dict. Gard. i. 315 [1884–88].
*Neubert's Deutsch. Gart. Mag. xxxviii. t. 10 (1885).
American Garden, vii. 359 (1886).
Wien. Ill. Gart.-Zeit. xii. 432 (1887).—*Hab.*
Jardin, iii. 4 (1889); iv. 51 (1890); xxiii. 108 (1909).—*Hab.*
*Bois, Dict. Hort. 308 (1893–99).
*Florileg. Harlem. t. 18 (1898).
L. H. Bailey, Cycl. Amer. Hort. 299 (1900); Stand. Cycl. Hort. 749 (1914).—*Hab.*
Bull. Arboricult. Belg. 1903, p. 360.
Gard. Chron. Ser. III. lxv. 164 (1919).
—— **gigantea** Hort.
*Addisonia, i. t. 33 (1916).
—— **grandiflora** Hort.
*Garden, xlii. 210 (1892) in textu; *C. gigantea* in ic.—*Hab.*
—— **sardensis** Hort.
Garden, lxxv. 153 (1911).
nana Boiss. & Heldr.
*Bot. Mag. cv. t. 6453 (1879).
Pflanzenfam. ii. v. 64 (1888).—*Fl.*
sardensis Hort.
*Garden, xxviii. 178 (1885).—*Hab.*
*Gartenfl. xxxvi. t. 1255 (1887).
*Florileg. Harlem. t. 18 (1898).
Flora & Sylva, ii. 119 (1904).—*Hab.*

CHIONOGRAPHIS Maxim.—Vide *Melanthium* (5)
japonica Maxim.
*Somoku Dzusetsu, Ed. 2, v. t. 46 (1874).
*Bot. Mag. cvi. t. 6510 (1880).
Gard. Chron. xv. 721 (1881).
Pflanzenfam. ii. v. 21 (1888).
Yatabe, Ic. Fl. Jap. i. III. t. 59 (1893).
Somoku Dzusetsu, Ed. Makino (Iconogr. Pl. Nippon), v. t. 46 (1907).

CHIONOLAENA DC.
corymbosa Hemsl.
Hemsley, Biol. Centr. Amer. v. t. 40 (1881).
Isabellae Baker
Mart. Fl. Bras. vi. III. t. 44 (1882).
Wettstein, Veg. Südbras. t. 49 (1904).—*Hab.*
latifolia Baker
Mart. Fl. Bras. vi. III. t. 43 (1882).

CHIONOLAENA
latifolia
Hansgirg, Phyllobiol. 118 (1903).
lavandulacea Hemsl.
A. S. & P. P. Calvert, A Year of Costa Rican Nat. Hist. 120 (1917).
lychnophorioides Sch.-Bip.
Mart. Fl. Bras. vi. III. t. 43 (1882).
Hansgirg, Phyllobiol. 118 (1903).

CHIONOPHILA Benth.
Jamesii Benth.
Gard. & Forest, i. 80 (1888).
F. E. & E. S. Clements, Rocky Mt. Fl. t. 20 (1914).

CHIONOPTERA DC.: *Pachylaena*
gayophyta DC.
Delessert, Ic. Pl. iv. t. 75 (1839).

CHIONOSCILLA Auct.: *Scilla*
×Allenii Hort.
Gard. Chron. Ser. III. xxi. 191 (1897).

CHIONOTHRIX Hook. f.
somalensis Hook. f.
Hook. Ic. Pl. xxiii. t. 2226 (1892).

CHIOVENDAEA Spegazz.
hypoleuca Spegazz.
Spegazzini in An. Soc. Cient. Arg. Buenos Aires, lxxxii. v. 221 (1916).

CHIRANTHODENDRON Cerv.—Vide *Cheirostemon*
pentadactylon Larréat.
*Larréategui, Descr. Bot. Chiranthodendron, t. 1, 2 (1805).
platanoides Baill.
Baillon, Hist. Pl. iv. 69 (1873).—*Fl.*
Pflanzenfam. iii. 75 (1890).—*Fl.*
L. H. Bailey, Stand. Cycl. Hort. 749 (1914).

CHIRITA Buch.-Ham. ex D. Don: *Didymocarpus*
acuminata R. Br.
C. B. Clarke, Comm. & Cyrt. Beng. t. 81 (1874).
barbata Sprague
*Bot. Mag. cxxxiv. t. 8200 (1908).
bifolia D. Don
*Royle, Illustr. Bot. Himal. t. 70 (1839).
C. B. Clarke, Comm. & Cyrt. Beng. t. 77 (1874).
Collett, Fl. Siml. 366 (1902).
Bilabium C. B. Clarke
A. & C. De Candolle, Monogr. Phan. v. 1. t. 13 (1883).
ceylanica Hook.
*Bot. Mag. lxxi. t. 4182 (1845).
*Fl. des Serres, Ser. I. ii. t. 3 (Avril, 1846).
*Paxt. Mag. xiii. 265 (1847).
*Schnizlein, Iconogr. ii. 152 b (1856–65).
communis Gardn.
*Belg. Hort. iii. t. 36 (1853) in textu; *C. vulgaris* in ic.
depressa Hook. f.
*Bot. Mag. cxviii. t. 7213 (1892).
glabra C. B. Clarke
C. B. Clarke, Comm. & Cyrt. Beng. t. 73 (1874).
grandiflora Wall.
*Wallich, Pl. Asiat. Rar. i. t. 50 (1830).
Griffith, Ic. Pl. Asiat. t. 440 (1854); sphalm. *Clinta grandiflora.*
hamosa R. Br.
C. B. Clarke, Comm. & Cyrt. Beng. t. 78 (1874).
*Rev. Hort. 1895, p. 492; 1896, p. 184.
Velenovsky, Vergl. Morphol. Pfl. ii. 335 (1907).
Notes Roy. Bot. Gard. Edinb. viii. t. 147 (1914).
Sarawak Mus. Journ. ii. II. t. 3 (1915).
Hookeri C. B. Clarke
C. B. Clarke, Comm. & Cyrt. Beng. t. 70 (1874).
Horsfieldii R. Br.
*Siebold & De Vriese, Fl. Jard. v. 113 (1862).
lilacina C. Lem.
*Ill. Hort. xvi. t. 608 (1869).
macrophylla Wall.
*Wallich, Pl. Asiat. Rar. i. t. 72 (1830).
C. B. Clarke, Comm. & Cyrt. Beng. t. 71 (1874).
minuteserrulata Hayata
Hayata, Ic. Pl. Formosan. v. 134, t. 12 (1915).
Moonii Gardn.
*Bot. Mag. lxxiv. t. 4405 (1848).

CHIRITA
Moonii
*Fl. des Serres, Ser. I. iv. t. 407, 408 (1848).
*Floricult. Cab. xvi. 193 (1848).
*Paxt. Mag. xvi. 33 & tab. (1849).
polyneura Miq.
C. B. Clarke, Comm. & Cyrt. Beng. t. 72 (1874).
—— **amabilis** C. B. Clarke
*C. B. Clarke, Comm. & Cyrt. Beng. t. 76 (1874).
—— **Thomsonii** C. B. Clarke
*C. B. Clarke, Comm. & Cyrt. Beng. t. 75 (1874).
primulacea C. B. Clarke
C. B. Clarke, Comm. & Cyrt. Beng. t. 82 (1874).
pumila D. Don
C. B. Clarke, Comm. & Cyrt. Beng. t. 74 (1874).
rupestris Ridl.
*Bot. Mag. cxxxvi. t. 8333 (1910).
sinensis Lindl.
*Bot. Reg. xxx. t. 59 (1844).
*Fl. des Serres, Ser. I. i. t. 57 (1845).
*Bot. Mag. lxxiii. t. 4284 (1847).
*Journ. Hort. Prat. Bruxelles, v. 1 (1847).
*Rev. Hort. Ser. III. i. 61 (1847); Ser. IV. vii. 379 (1858).
*Paxt. Mag. xiv. 243 (1848).
!Hooker's Journ. Bot. & Kew Misc. i. t. 5 A (1849). —*Veg.*
Schnizlein, Iconogr. ii. t. 152 b (1856–65).—*Fl.*
Garden, xii. 519 (1877).—*Hab.*
Nicholson, Illustr. Dict. Gard. i. 315 [1884–88]. —*Hab.*
*Bois, Dict. Hort. 308 (1893–99).
Bellair & St.-Léger, Pl. Serre, 521 (1900).—*Hab.*
Goebel, Organogr. Pfl. Ed. 2, i. 369 (1913).—*Veg.*
speciosa Kurz
C. B. Clarke, Comm. & Cyrt. Beng. t. 79, 80 (1874).
Trailliana Forrest & W. W. Sm.
*Bot. Mag. cxliii. t. 8706 (1917).
urticifolia Buch.-Ham.
C. B. Clarke, Comm. & Cyrt. Beng. t. 69 (1874).
vulgaris Hort.
*Belg. Hort. iii. t. 36 (1853) in ic.; *C. communis* in textu.
Walkeri Gardn.
*Bot. Mag. lxxiii. t. 4327 (1847).
*Fl. des Serres, Ser. I. iii. t. 285 (1847).
zeylanica = *ceylanica*

CHIROCALYX Meissn.: *Erythrina*
abyssinicus Hochst.
Kotschy & Peyritsch, Pl. Tinneanae, t. 3 (1867).
tomentosus Hochst.
Schweinfurth, Reliq. Kotsch. t. 17, 18 (1868).

CHIRONIA Linn.
angustifolia Sims
*Bot. Mag. xxi. t. 818 (1805).
*Trattinick, Ausw. Gartenpfl. ii. t. 107 (1821).
arenaria E. Mey.
Beih. Bot. Centralbl. xiv. t. 15, fig. 10 (1903).—*Fl.*
baccifera Linn.
Gaertner, Fruct. ii. t. 114 (1791).—*Fr.*
*Bot. Mag. vii. t. 233 (1793).
*Trattinick, Ausw. Gartenpfl. ii. t. 109 (1821).
Lindley, Veg. Kingd. 612 (1846).—*Fr.*
Jardin, iii. 11 (1889).
Beih. Bot. Centralbl. xiv. t. 16, fig. 1 (1903).
Centaurium Schmidt.
*Woodville, Med. Bot. iii. t. 157 (1793); Ed. 3, ii. t. 96 (1832).
*Sowerby & Sm. Engl. Bot. vi. t. 417 (1797).
*Curtis, Fl. Londin. ii. fasc. IV. t. 22 (1798); Ed. 2, ii. fasc. IV. t. 22 (1821).
*Sturm, Deutschl. Fl. iii. XII [t. 179] (1802).
*Svensk Bot. iv. t. 219 (1805).
*Hayne, Getreue Darst. Arzn. Gewächse, i. t. 29 (1805).
*Vigneux, Fl. Pitt. Envir. Paris, t. 16 (1812).
*Oskamp, Afb. Artseny-Gewass. vii. t. 97 (1813).
*Kops, Fl. Batava, iv. t. 276 (1822).
*Waller, New Brit. Domest. Herb. t. 8 (1822).
*Fl. Med. [Spratt], ii. 68 (1830).
decussata Vent.
Ventenat, Jard. Cels, t. 31 [1800.]
*Bot. Mag. xix. t. 707 (1803).

CHIRONIA
decussata
*Joh. Kerner, Hort. Sempervir. t. 173 (1805).
*Moriarty, Viridarium, Col. Plates Greenh. Pl. t. 15 (1806).
Savi, Fl. Ital. i. t. 22 (1818).
*Trattinick, Ausw. Gartenpfl. ii. t. 106 (1821).
Reichenbach, Hort. Bot. t. 244 (1827–30).
*Mag. Bot. & Gard. iii. t. 5 (1835).
*J. W. Loudon, Ladies' Fl.-Gard. Ornam. Greenh. Pl. t. 39 (1848).
*Réveil, Règne Vég. xiv. t. 15 (1870).
densiflora Scott-Elliot
Beih. Bot. Centralbl. xiv. t. 16, fig. 6 (1903).
exigua Oliv.
Hook. Ic. Pl. xiii. t. 1229 (1877).
floribunda Paxt.
*Paxt. Mag. xii. 123 (1846).
*Gartenfl. viii. t. 263 (1859).
*Belg. Hort. x. 65 [t. 5] (1860).
*Rev. Hort. Belge, xxiii. 3 (1897).
frutescens Linn.
Buchoz, Hist. Règne Vég. xii. Dec. 9, t. 6 (1776).
*Bot. Mag. ii. t. 37 (1788).
Lamarck, Ill. i. t. 108, fig. 1 (1797).
*Joh. Kerner, Hort. Sempervir. t. 122 (1803).
Mém. Mus. Hist. Nat. Paris, v. 488 (1819).—*Fl.*
*Trattinick, Ausw. Gartenpfl. ii. t. 105 (1821).
Berchtold & J. S. Presl, Rostlin. i. t. [68] (1823).
*Ann. Blumisterei, iii. 184 [t. 15] (1827).
Baillon, Hist. Pl. x. 115 (1891).—*Fl.*
—— **latifolia** Wendl.
*Wendland, Coll. Pl. i. 1. t. 4 (1805).
glutinosa Paxt.
*Paxt. Mag. xv. 245 (1849).
inaperta Willd.
*Hayne, Getreue Darst. Arzn. Gewächse, i. t. 30 (1805).
jasminoides Lam.
Lamarck, Ill. i. t. 108, fig. 2 (1797).
jasminoides Linn.
*Bot. Reg. iii. t. 197 (1817).
*Lodd. Bot. Cab. i. t. 27 (1818).
***lanosanthera** Blanco
*Blanco, Fl. Filip. t. 261 (1878–80).
laxa Gilg
*Bot. Mag. cxxxviii. t. 8455 (1912).
linoides Linn.
*Bot. Mag. xv. t. 511 (1801).
*Mordant de Launay, Herb. Amat. iv. t. 269 (1820).
*Trattinick, Ausw. Gartenpfl. ii. t. 108 (1821).
*Drapiez, Herb. Amat. Fl. vi. t. 429 (1833).
*Mag. Bot. & Gard. iv. t. 45 (1836).
Beih. Bot. Centralbl. xiv. t. 15, fig. 8, 11, 14; t. 16, fig. 4 (1903).
—— **longifolia** Griseb.
Burmann, Rar. Afr. Pl. t. 74, fig. 2 (1739); fide DC.
litoralis Turn.
*Sowerby & Sm. Engl. Bot. xxxiii. t. 2305 (1812).
lychnoides Berg.
Beih. Bot. Centralbl. xiv. t. 15, fig. 9 (1903).—*Fl.*
maritima Willd.
*Sibthorp & Sm. Fl. Graeca, iii. t. 237 (1819).
maritima Eckl.
Beih. Bot. Centralbl. xiv. t. 16, fig. 5 (1903).
nudicaulis Linn. f.
Trans. Linn. Soc. London, vii. t. 12 (1804).
Pflanzenfam. iv. II. 77 (1895).—*Fl.*
Beih. Bot. Centralbl. xiv. t. 15, fig. 12; t. 16, fig. 3 (1903).
orthostylis Reichb.
Reichenbach, Hort. Bot. t. 245 (1827–30).
palustris Burch.
*Bot. Mag. cxvi. t. 7101 (1890).
—— **foliata** Prain
Journ. Roy. Hort. Soc. London, xxxix. 12, fig. 13 (1913).
peduncularis Lindl.
*Bot. Reg. xxi. t. 1803 (1835).
Gard. Chron. Ser. III. iv. 325 (1888).
*Bot. Mag. cxv. t. 7047 (1889).
*Garden, xliv. 212 (1893).
pulchella Linn.
*Sowerby & Sm. Engl. Bot. vii. t. 458 (1798).

CHIRONIA
purpurascens Benth. & Hook.
Wood, Natal Pl. iii. iv. t. 288 (1902).
spicata Willd.
*Sibthorp & Sm. Fl. Graeca, iii. t. 238 (1819).
tetragona Linn. f.
Trans. Linn. Soc. London, vii. t. 12 (1804).
Beih. Bot. Centralbl. xiv. t. 15, fig. 15, 16; t. 16, fig. 2 (1903).
transvaalensis Gilg
Beih. Bot. Centralbl. xiv. t. 15, fig. 13 (1903).—*Fl.*
Thonner, Blütenpfl. Afr. t. 129 (1908).
trinervis Hort.
*Journ. Jard. 1834, p. 158.
*Paxt. Mag. iii. 149 (1837).
uliginosa Waldst. & Kit.
*Waldstein & Kit. Pl. Rar. Hung. iii. t. 259 (1812).
uniflora Lam.
Lamarck, Ill. i. t. 108, fig. 3 (1797).

CHIROPETALUM A. Juss.—Vide *Desfontaina*
molle Klotzsch
Pflanzenreich, Euphorb.-Acal.-Chroz. 88 (1912).
peruvianum A. Juss.
Baillon, Euphorb. t. 15, fig. 38, 39, 41 (1858).

CHISOCHETON Bl.—Vide *Dasycoleum*
Balansae C. DC.
Lecomte, Fl. Gén. Indo-Chine, i. 738 (1911).—*Fl.*
cochinchinensis Pierre
Pierre, Fl. For. Cochinch. v. t. 346 (1896).
coriaceus Pierre
Pierre, Fl. For. Cochinch. v. t. 346 (1896).
Cumingianus Harms
A. P. West & W. H. Brown in Bull. Philip. Isl. Dep. Agric. Bur. Forestry, No. 20, p. 117 (1920).
divergens Bl.
Pflanzenfam. iii. iv. 292 (1896).—*Fl.*
Koorders & Val. Atlas Baumart. Java, t. 165 (1913).
globosus Pierre
Pierre, Fl. For. Cochinch. v. t. 347 (1896).
kusukusense Hayata
Hayata, Ic. Pl. Formosan. iii. t. 7 (1913).
Kanehira, Formosan Trees, 116 (1917).—*Fr.*
macrophyllus King
Koorders & Val. Atlas Baumart. Java, t. 166 (1913).
patens Bl.
A. & C. De Candolle, Monogr. Phan. i. t. 7, fig. 5 (1878).—*Fl.*
penduliflorus Planch.
A. & C. De Candolle, Monogr. Phan. i. t. 7, fig. 4 (1878).—*Fl.*
Pflanzenfam. iii. iv. 292 (1896).—*Fl.*
pentandrus Merr.
A. P. West & W. H. Brown in Bull. Philip. Isl. Dep. Agric. Bur. Forestry, No. 20, p. 119 (1920).
princeps Hemsl.
Hook. Ic. Pl. xix. t. 1844 (1889).

CHITONANTHERA Schlechter
angustifolia Schlechter
Schumann & Lauterb. Fl. Deutsch. Schutzg. Südsee, Nachtr. t. 10 (1905).
Pflanzenreich, Orch.-Dendr. ii. 175 (1911).
falcifolia Schlechter
Schumann & Lauterb. Fl. Deutsch. Schutzg. Südsee, Nachtr. t. 10 (1905).
Pflanzenreich, Orch.-Dendr. ii. 175 (1911).

CHITONIA D. Don: *Miconia*
albicans D. Don
Ann. Sc. Nat. Paris, Ser. III. xvi. t. 25 (1851).—*Fl.*

CHITONIA Moc. & Sessé
mexicana Moc. & Sessé
Zuccarini in Abh. Akad. Wiss. München, i. t. 17 (1832).
A. De Candolle, Calq. Dess. Fl. Mex. Moc. & Sessé, t. xxiv, c (1874).
Pflanzenfam. iii. iv. 89 (1890).—*Fl.*

CHITONOCHILUS Schlechter
papuanus Schlechter
Schumann & Lauterb. Fl. Deutsch. Schutzg. Südsee, Nachtr. t. 8 (1905).

CHLAENANDRA Miq.
ovata Miq.
Hemsley, Bot. Challenger Exp. i. III. t. 64 (1884).—*Fr.*
Pflanzenreich, Menispermac. 132 (1910).

CHLAINANTHUS Briq.
platycalyx Briq.
Fedtschenko, Veg. Turkest. 679 (1915).

CHLAMYDACANTHUS Lindau
euphorbioides Lindau
Pflanzenfam. iv. III. B. 343 (1895).

CHLAMYDIA Gaertn.
tenacissima Gaertn.
Gaertner, Fruct. i. t. 18 (1788).—*Fr.*

CHLAMYDOCARDIA Lindau
lanciformis Lindau
Mildbraed, Deutsch. Zentral-Afr. Exped. ii. iv. t. 32 (1911).

CHLAMYDOCARYA Baill.
Staudtii Engl.
Engl. Jahrb. xxiv. t. 8 (1898).
Thomsoniana Baill.
Baillon, Hist. Pl. v. 285 (1874).—*Fr.*
Pflanzenfam. iii. v. 256 (1893).—*Fr.*
Malpighia, xviii. t. 3 (sphalm. 2) (1904).—*Fr.*
Engler & Drude, Veget. Erde, ix. I. 2, p. 725 (1910).—*Fr.*

CHLAMYDOPHORA Ehrenb.: *Cotula*
pubescens Coss. & Dur.
Trotter, Fl. Econ. della Libia, t. 139 (1915).
tridentata Ehrenb.
Holmboe, Veg. Cyprus, 209 (1914).

CHLAMYSPERMA Less.: *Villanova*
arenarioides Hook. & Arn.
Hooker & Arn. Bot. Beechey Voy. t. 64 (1841).

CHLAMYSPORUM Salisb.: *Thysanotus*
Banksii Britten
Banks & Soland. Bot. Cook's Voy. iii. t. 309 (1905).
juncifolium Salisb.
*Salisbury, Parad. Londin. ii. I. t. 103 (1807).

CHLIDANTHUS Herb.
fragrans Herb.
*Lindley, Coll. t. 34 (1821).
*Bot. Reg. viii. t. 640 (1822).
*Fortsetz. Allg. Teutsch. Gart. Mag. viii. t. 21 (1824).
*Géel, Sert. Bot. Cl. 6 (1832).
*Reichenbach, Fl. Exot. i. t. 45 (1834).
Herbert, Amar. t. 27, fig. 2 (1837).
*J. W. Loudon, Ladies' Fl.-Gard. Ornam. Bulb. Pl. t. 36 (1841).
*Fl. des Serres, Ser. I. iv. t. 326 (1848).

CHLOACHNE Stapf
secunda Stapf
Hook. Ic. Pl. xxxi. t. 3072 (1916).

CHLOANTHES R. Br.
Stoechadis R. Br.
*Bauer, Illustr. Fl. Nov. Holl. t. 4 (1813).
Bocquillon, Rev. Verbenac, t. 3 (1861–63).—*Fl.*
Pflanzenfam. iv. III. A. 163 (1895).—*Fl.*

CHLOIDIA Lindl.: *Corymborchis*
confusa Ames
Ames, Orchidac. ii. 67 (1908).—*Fl.*

CHLORA Adans.—Vide *Blackstonia*
acuminata Koch & Ziz.
Reichenbach, Pl. Crit. iii. t. 207 (1825).
Mutel, Fl. Française, t. 36 (1834).
dubia Lam.
Lamarck, Ill. ii. t. 296, fig. 2 (1797).
grandiflora Viv.
Mutel, Fl. Française, t. 36 (1834).—*Fl.*
*Gartenfl. xiv. t. 469 (1865).
*Trans. Russ. Hort. Soc. 1865, t. 167.
Coste, Fl. France, ii. 556 (1903).

CHLORA
hybrida Tratt.
*Trattinick, Ausg. Taf. Arch. iii. t. 229 (1814).
imperfoliata Linn. f.
Reichenbach, Pl. Crit. v. t. 412 (1827).
*Cusin, Herb. Fl. Franç. xvi (Gentianacées), t. 13 (1875).
Fiori & Paol. Ic. Fl. Ital. 327 (1901).
Coste, Fl. France, ii. 557 (1903).
lanceolata Koch & Ziz.
Reichenbach, Pl. Crit. iii. t. 209 (1825).
Mutel, Fl. Française, t. 36 (1834).
longifolia Lam.
Lamarck, Ill. ii. t. 296, fig. 3 (1797).
perfoliata Linn.
Walcott, Fl. Brit. Indig. [t. 48] (1778).
*Sowerby & Sm. Engl. Bot. i. t. 60 (1790).
Lamarck, Ill. ii. t. 296, fig. 1 (1797).
*Roemer, Fl. Eur. iv [t. 3] (1799).
Boissieu, Fl. Eur. ii. t. 281 (1805).
Not. Trav. Soc. Amat. Phys. & Nat. Paris, i. t. 3 (1807).
*Schkuhr, Bot. Handb. Ed. 2, t. 106 (1808).
*Jaume St.-Hilaire, Pl. France, i [t. 88] (1808).
A. & F. Plée, Herbor. Paris, [t. 47] (1811).
Thornton, Brit. Fl. iii. 109 (1812).
*Trattinick, Ausg. Taf. Arch. iii. t. 228 (1814).
*Curtis, Fl. Londin. Ed. 2, iv. t. 2 (1819–21).
Berchtold & J. S. Presl, Rostlin. i. t. [66] (1823).
Reichenbach, Pl. Crit. iii. t. 206 (1825).
Loudon, Mag. Nat. Hist. iii. 138 (1830).
Mutel, Fl. Française, t. 36 (1834).
*Baxter, Brit. Bot. Ed. 2, i. t. 69 (1834).
[M. E.] Jackson, Pict. Fl. fig. 595 (1840).
*J. W. Loudon, Ladies' Fl.-Gard. Ornam. Annuals, t. 48 (1844).
*Deakin, Florigr. Brit. ii. fig. 641 (1845).
Nees, Gen. Pl., Gamop. iii. t. 6 (1849).
*Petermann, Deutschl. Fl. t. 60, fig. 471 (1849).—*Fl.*
Reichenbach, Ic. Fl. Germ. xvii. t. 1060 (1854).
Schnizlein, Iconogr. ii. t. 134 (1856–65).—*Fl.*
Johnson & Sowerby, Brit. Wild Fl. fig. 819 (1858–60).
*Hogg & Johnson, Wild Fl. Gr. Brit. ii. t. 146 (1864).
Bentham, Handb. Brit. Fl. fig. 675 (1865).
*Syme, Engl. Bot. vi. t. 913 (1866).
Cesati, Passer. & Gibelli, Comp. Fl. Ital. t. 59 (1867–86).—*Fl.*
*Weber, Alp.-Pfl. Ed. 3, iii. t. 271 (1872).
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, iv. t. 139 [1873].
*Cusin, Herb. Fl. Franç. xvi (Gentianacées), t. 11 (1875).
Wagner, Ill. Deutsche Fl. Ed. 2, p. 530 (1882).
Schilling, Grundr. Naturg. ii. Pflanzenr. Ausgb. A, p. 40 (1882); Ausgb. B, p. 49 (1884).
W. Robinson, Engl. Fl. Gard. t. 67 (1883).—*Hab.*
*Schlechtendal, Lang. & Schenk. Fl. Deutschl. Ed. 5, xvi. t. 1538 (1884).
*Baillon, Ic. Fl. Franç. ii. t. 133 [1885–94].
Potonié, Ill. Fl. Nord- u. Mittel-Deutschl. Ed. 4, fig. 470 (1889).
Paolucci, Fl. Marchig. t. 20 (1890).—*Fl.*
Tripet in Rameau de Sapin, xxvii. 3 (1893).
Acloque, Fl. France, 463 (1894).
Garcke, Ill. Fl. Deutschl. 408 (1895).
*Siélain, Atlas Poche Pl. Champs, Prair. & Bois, Ser. II. t. 54 (1896).
Reichenau, Mainzer Flora, fig. 15 (1900).
Fiori & Paol. Ic. Fl. Ital. 327 (1901).
Coste, Fl. France, ii. 556 (1903).
Heukels, Fl. Nederl. iii. 54 (1909).
Fedtschenko & Fler. Fl. Eur. Russia, 751 (1910).
Horwood, Plant Life Brit. Isles, iii. 106 (1915).
Fitch & Smith, Ill. Brit. Fl. Ed. rev. 4, Iss. 2, fig. 682 (1919).
—— **gracilis** Deysson
Act. Soc. Linn. Bordeaux, lxii. t. 1, fig. 5 (1907).
serotina Koch
Reichenbach, Pl. Crit. iii. t. 208 (1825).
Mutel, Fl. Française, t. 36 (1834).
Reichenbach, Ic. Fl. Germ. xvii. t. 1060 (1854).

CHLORA
serotina
*Cusin, Herb. Fl. Franç. xvi (Gentianacées), t. 12 (1875).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xvi. t. 1539 (1884).
Coste, Fl. France, ii. 556 (1903).
Heukels, Fl. Nederl. iii. 54 (1909).
sessilifolia Gaertn.
Gaertner f., Fruct. iii. t. 198 (1805).—*Fr.*
Not. Trav. Soc. Amat. Phys. & Nat. Paris, i. t. 3 (1807).

CHLORADENIA Baill.: *Adenogynum*
discolor Baill.
Baillon, Euphorb. t. 19, fig. 24, 25 (1858).—*Fl.*
Pflanzenfam. iii. v. 50 (1890).—*Fl.*

CHLORAEA Lindl.
affinis Lindl.
Kränzlin, Orch. Gen. & Sp. ii. 1. t. 5 (1904).—*Fl.*
alaris Lindl.
Kränzlin, Orch. Gen. & Sp. ii. 1. t. 6 (1904).—*Fl.*
alpina Poepp. & Endl.
Poeppig & Endl. Nov. Gen. & Sp. Pl. i. t. 53 (1835).
Kränzlin, Orch. Gen. & Sp. ii. 1. t. 8 (1904).—*Fl.*
Svenska Vet. Akad. Handl. lvi. No. 5, t. 21, fig. 1–3 (1916).—*Fl.*
Arechavaletae Kränzl.
Mart. Fl. Bras. iii. iv. t. 20 (1893).
Kränzlin, Orch. Gen. & Sp. ii. 1. t. 4 (1904).—*Fl.*
aurantiaca Lindl.
Kränzlin, Orch. Gen. & Sp. ii. 1. t. 12 (1904).—*Fl.*
aurea Phil.
Kränzlin, Orch. Gen. & Sp. ii. 1. t. 13 (1904).—*Fl.*
barbata Lindl.
Kränzlin, Orch. Gen. & Sp. ii. 1. t. 13 (1904).—*Fl.*
bella Haum.
Hauman in An. Soc. Cient. Arg. Buenos Aires, xc. 1–vi. 99 (1920).—*Fl.*
Bergii Hieron.
Kränzlin, Orch. Gen. & Sp. ii. 1. t. 4 (1904).—*Fl.*
Hauman in An. Soc. Cient. Arg. Buenos Aires, xc. 1–vi. 100 (1920).—*Fl.*
Berteroana Kränzl.
Kränzlin, Orch. Gen. & Sp. ii. 1. t. 7 (1904).—*Fl.*
bicallosa Phil.
Kränzlin, Orch. Gen. & Sp. ii. 1. t. 7 (1904).—*Fl.*
Reiche in An. Mus. Nac. Chile, Seg. Sec. Bot. No. 18, p. 26 (1910).—*Fl.*
biserialis Griseb.
Mart. Fl. Bras. iii. iv. t. 19 (1893).
Kränzlin, Orch. Gen. & Sp. ii. 1. t. 10 (1904).—*Fl.*
Hauman in An. Soc. Cient. Arg. Buenos Aires, xc. 1–vi. 101 (1920).—*Fl.*
boliviana Kränzl.
Kränzlin, Orch. Gen. & Sp. ii. 1. t. 16 (1904).—*Fl.*
calopogon Phil.
Kränzlin, Orch. Gen. & Sp. ii. 1. t. 11 (1904).—*Fl.*
campestris Poepp.
Poeppig & Endl. Nov. Gen. & Sp. Pl. i. t. 49 (1835).
Kränzlin, Orch. Gen. & Sp. ii. 1. t. 13 (1904).—*Fl.*
Castillonii Haum.
Hauman in An. Soc. Cient. Arg. Buenos Aires, xc. 1–vi. 102 (1920).—*Fl.*
chica Spegazz. & Kränzl.
Kränzlin, Orch. Gen. & Sp. ii. 1. t. 15 (1904).—*Fl.*
Svenska Vet. Akad. Handl. lvi. No. 5, t. 21, fig. 4 (1916).—*Fl.*
Hauman in An. Soc. Cient. Arg. Buenos Aires, xc. 1–vi. 103 (1920).—*Fl.*
chlorosticta Phil.
Kränzlin, Orch. Gen. & Sp. ii. 1. t. 13 (1904).—*Fl.*
cholilensis Spegazz. & Kränzl.
Kränzlin, Orch. Gen. & Sp. ii. 1. t. 8 (1904).—*Fl.*
chrysantha Poepp.
Kränzlin, Orch. Gen. & Sp. ii. 1. t. 13 (1904).—*Fl.*
*Reiche in An. Mus. Nac. Chile, Seg. Sec. Bot. No. 18, t. 2, fig. 4 (1910).—*Fl.*
chrysochlora Phil.
Kränzlin, Orch. Gen. & Sp. ii. 1. t. 10 (1904).—*Fl.*
Cogniauxii Haum.
Hauman in An. Soc. Cient. Arg. Buenos Aires, xc. 1–vi. 103 (1920).—*Fl.*

CHLORAEA
collicensis Kränzl.
Kränzlin, Orch. Gen. & Sp. ii. 1. t. 14 (1904).—*Fl.*
collina Phil.
Kränzlin, Orch. Gen. & Sp. ii. 1. t. 12 (1904).—*Fl.*
Commersonii Brongn.
Duperrey, Voy. Coquille, Bot. Atlas, Phan. t. 44 (1826).
De Wildeman in Voy. Belgica, Bot. 1897–99, t. 21 (1905).
crispa Lindl.
Garden, lxiii. 411 (1903).—*Fl.*
Kränzlin, Orch. Gen. & Sp. ii. 1. t. 15 (1904).—*Fl.*
*Bot. Mag. cxxx. t. 7955 (1904).
*Reiche in An. Mus. Nac. Chile, Seg. Sec. Bot. No. 18, t. 2, fig. 1 (1910).—*Fl.*
cristata Lindl.
Kränzlin, Orch. Gen. & Sp. ii. 1. t. 12 (1904).—*Fl.*
*Reiche in An. Mus. Nac. Chile, Seg. Sec. Bot. No. 18, t. 2, fig. 2 (1910).—*Fl.*
crocata Phil.
Kränzlin, Orch. Gen. & Sp. ii. 1. t. 13 (1904).—*Fl.*
cuneata Lindl.
Kränzlin, Orch. Gen. & Sp. ii. 1. t. 7 (1904).—*Fl.*
cygnaea Phil.
*Philippi in An. Mus. Nac. Chile, Seg. Sec. Bot. No. 18, p. 45, t. 2, fig. 3 (1910).—*Fl.*
cylindrostachya Poepp.
Poeppig & Endl. Nov. Gen. & Sp. Pl. i. t. 50 (1835).
Kränzlin, Orch. Gen. & Sp. ii. 1. t. 9 (1904).—*Fl.*
*Reiche in An. Mus. Nac. Chile, Seg. Sec. Bot. No. 18, t. 1, fig. 6 (1910).—*Fl.*
Svenska Vet. Akad. Handl. lvi. No. 5, t. 21, fig. 5–7 (1916).—*Fl.*
—— **leptopetala** Skottsb.
Svenska Vet. Akad. Handl. lvi. No. 5, t. 21, fig. 6 (1916).—*Fl.*
—— —— **maior** Dusen
Svenska Vet. Akad. Handl. lvi. No. 5, t. 21, fig. 7 (1916).—*Fl.*
dasypogon Phil.
Reiche in An. Mus. Nac. Chile, Seg. Sec. Bot. No. 18, p. 51 (1910).—*Fl.*
decipiens Poepp. & Endl.
Poeppig & Endl. Nov. Gen. & Sp. Pl. i. t. 55 (1835).
densa A. Rich.
*C. Gay, Hist. Chile, Atlas, t. 64 (1854).
disoides Lindl.
Kränzlin, Orch. Gen. & Sp. ii. 1. t. 8 (1904).—*Fl.*
*Reiche in An. Mus. Nac. Chile, Seg. Sec. Bot. No. 18, t. 1, fig. 8 (1910).—*Fl.*
ferruginea Spegazz. & Kränzl.
Kränzlin, Orch. Gen. & Sp. ii. 1. t. 8 (1904).—*Fl.*
fimbriata Poepp.
Poeppig & Endl. Nov. Gen. & Sp. Pl. i. t. 51 (1835).
Fonkii Phil.
Kränzlin, Orch. Gen. & Sp. ii. 1. t. 9, 10 (1904).—*Fl.*
*Reiche in An. Mus. Nac. Chile, Seg. Sec. Bot. No. 18, t. 1, fig. 7 (1910).—*Fl.*
galeata Lindl.
Kränzlin, Orch. Gen. & Sp. ii. 1. t. 6 (1904).—*Fl.*
*Reiche in An. Mus. Nac. Chile, Seg. Sec. Bot. No. 18, t. 1, fig. 4 (1910).—*Fl.*
Gaudichaudii Brongn.
Duperrey, Voy. Coquille, Bot. Atlas, Phan. t. 44 (1826).
Svenska Vet. Akad. Handl. l. No. 3, t. 1, fig. 7–10 (1913).—*Fl.*
Gayana A. Rich.
*C. Gay, Hist. Chile, Atlas, t. 63 (1854).
grandiflora Poepp.
Poeppig & Endl. Nov. Gen. & Sp. Pl. i. t. 48 (1835).
Kränzlin, Orch. Gen. & Sp. ii. 1. t. 9 (1904).—*Fl.*
*Reiche in An. Mus. Nac. Chile, Seg. Sec. Bot. No. 18, t. 1, fig. 9 (1910).—*Fl.*
grandis Kränzl.
Kränzlin, Orch. Gen. & Sp. ii. 1. t. 5 (1904).—*Fl.*
hemichloris Kränzl.
Kränzlin, Orch. Gen. & Sp. ii. 1. t. 10 (1904).—*Fl.*
heteroglossa Reichb. f.
Kränzlin, Orch. Gen. & Sp. ii. 1. t. 16 (1904).—*Fl.*

CHLORAEA
heteroglossa
Reiche in An. Mus. Nac. Chile, Seg. Sec. Bot. No. 18, p. 58 (1910).—*Fl.*
homopetala Phil.
Kränzlin, Orch. Gen. & Sp. ii. 1. t. 4 (1904).—*Fl.*
Hookeriana Spegazz. & Kränzl.
Kränzlin, Orch. Gen. & Sp. ii. 1. t. 8 (1904).—*Fl.*
Reiche in An. Mus. Nac. Chile, Seg. Sec. Bot. No. 18, p. 31 (1910).—*Fl.*
Svenska Vet. Akad. Handl. lvi. No. 5, t. 21, fig. 3 (1916).—*Fl.*
hystrix Spegazz. & Kränzl.
Kränzlin, Orch. Gen. & Sp. ii. 1. t. 9 (1904).—*Fl.*
incisa Poepp.
Poeppig & Endl. Nov. Gen. & Sp. Pl. i. t. 54 (1835).
Kränzlin, Orch. Gen. & Sp. ii. 1. t. 14 (1904).—*Fl.*
inconspicua Phil.
Kränzlin, Orch. Gen. & Sp. ii. 1. t. 9 (1904).—*Fl.*
Johowiana Kränzl.
Kränzlin, Orch. Gen. & Sp. ii. 1. t. 14 (1904).—*Fl.*
Kruegeri Phil.
Kränzlin, Orch. Gen. & Sp. ii. 1. t. 15 (1904).—*Fl.*
lagunae-pacis Kränzl.
Kränzlin, Orch. Gen. & Sp. ii. 1. t. 12 (1904).—*Fl.*
lamellata Lindl.
Kränzlin, Orch. Gen. & Sp. ii. 1. t. 15 (1904).—*Fl.*
laxiflora Haum.
Hauman in An. Soc. Cient. Arg. Buenos Aires, xc. 1–vi. 104 (1920).—*Fl.*
Lechleri Lindl.
Kränzlin, Orch. Gen. & Sp. ii. 1. t. 10 (1904).—*Fl.*
leontoglossa Kränzl.
Kränzlin, Orch. Gen. & Sp. ii. 1. t. 9 (1904).—*Fl.*
leptopetala Reiche
Reiche in An. Mus. Nac. Chile, Seg. Sec. Bot. No. 18, p. 37 (1910).
leucoiiflora Kränzl.
Kränzlin, Orch. Gen. & Sp. ii. 1. t. 6 (1904).—*Fl.*
liliacea Kränzl.
Kränzlin, Orch. Gen. & Sp. ii. 1. t. 5 (1904).—*Fl.*
lineata Phil.
Kränzlin, Orch. Gen. & Sp. ii. 1. t. 8 (1904).—*Fl.*
longibracteata Lindl.
*Maund, Botanist, ii. t. 94 (1838).
*Bot. Mag. cxxix. t. 7909 (1903).
Svenska Vet. Akad. Handl. lvi. No. 5, t. 21, fig. 12 (1916).—*Fl.*
longipetala Lindl.
Kränzlin, Orch. Gen. & Sp. ii. 1. t. 4 (1904).—*Fl.*
magellanica Hook. f.
Kränzlin, Orch. Gen. & Sp. ii. 1. t. 10 (1904).—*Fl.*
membranacea Lindl.
Mart. Fl. Bras. iii. iv. t. 20 (1893).
Kränzlin, Orch. Gen. & Sp. ii. 1. t. 10 (1904).—*Fl.*
modesta Phil.
Kränzlin, Orch. Gen. & Sp. ii. 1. t. 12 (1904).—*Fl.*
multiflora Lindl.
Kränzlin, Orch. Gen. & Sp. ii. 1. t. 14 (1904).—*Fl.*
*Reiche in An. Mus. Nac. Chile, Seg. Sec. Bot. No. 18, t. 1, fig. 5 (1910).—*Fl.*
multilamellata Phil.
Kränzlin, Orch. Gen. & Sp. ii. 1. t. 5 (1904).—*Fl.*
nervosa Phil.
Kränzlin, Orch. Gen. & Sp. ii. 1. t. 4 (1904).—*Fl.*
nudilabia Poepp.
Poeppig & Endl. Nov. Gen. & Sp. Pl. i. t. 52 (1835).
Kränzlin, Orch. Gen. & Sp. ii. 1. t. 4 (1904).—*Fl.*
*Reiche in An. Mus. Nac. Chile, Seg. Sec. Bot. No. 18, p. 21, t. 1, fig. 10 (1910).—*Fl.*
odontoglossa A. Rich.
C. Gay, Hist. Chile, Atlas, t. 65 (1854).
panduriformis Phil.
Kränzlin, Orch. Gen. & Sp. ii. 1. t. 6 (1904).—*Fl.*
Pavonii Lindl.
Kränzlin, Orch. Gen. & Sp. ii. 1. t. 11 (1904).—*Fl.*
penicillata Reichb. f.
Reichenbach f., Xenia Orch. iii. t. 229 (1883).
Philippii Reichb. f.
Kränzlin, Orch. Gen. & Sp. ii. 1. t. 10 (1904).—*Fl.*
phoenicea Spegazz.
Kränzlin, Orch. Gen. & Sp. ii. 1. t. 8 (1904).—*Fl.*
picta Phil.
Kränzlin, Orch. Gen. & Sp. ii. 1. t. 6 (1904).—*Fl.*

CHLORAEA
piquichen Lindl.
Kränzlin, Orch. Gen. & Sp. ii. 1. t. 16 (1904).—*Fl.*
pogonata Phil.
Kränzlin, Orch. Gen. & Sp. ii. 1. t. 12 (1904).—*Fl.*
praecincta Spegazz. & Kränzl.
Kränzlin, Orch. Gen. & Sp. ii. 1. t. 12 (1904).—*Fl.*
Hauman in An. Soc. Cient. Arg. Buenos Aires, xc. i–vi. 107 (1920).—*Fl.*
—— **intermedia** Haum.
Hauman in An. Soc. Cient. Arg. Buenos Aires, xc. i–vi. 107 (1920).—*Fl.*
prodigiosa Reichb. f.
Kränzlin, Orch. Gen. & Sp. ii. 1. t. 16 (1904).—*Fl.*
pseudo-campestris Kränzl.
Kränzlin, Orch. Gen. & Sp. ii. 1. t. 15 (1904).—*Fl.*
reflexa Phil.
Kränzlin, Orch. Gen. & Sp. ii. 1. t. 7 (1904).—*Fl.*
Reicheana Kränzl.
Kränzlin, Orch. Gen. & Sp. ii. 1. t. 9 (1904).—*Fl.*
reticulata Schlechter
Hauman in An. Soc. Cient. Arg. Buenos. Aires, xc. i–vi. 107 (1920).—*Fl.*
rhypaloglossa A. Rich.
Kränzlin, Orch. Gen. & Sp. ii. 1. t. 8 (1904).—*Fl.*
sceptrum Reichb. f.
Kränzlin, Orch. Gen. & Sp. ii. 1. t. 12 (1904).—*Fl.*
semibarbata Lindl.
Kränzlin, Orch. Gen. & Sp. ii. 1. t. 11 (1904).—*Fl.*
semitensis Phil.
Kränzlin, Orch. Gen. & Sp. ii. 1. t. 11 (1904).—*Fl.*
speciosa Poepp.
Poeppig & Endl. Nov. Gen. & Sp. Pl. i. t. 46 (1835).
Kränzlin, Orch. Gen. & Sp. ii. 1. t. 10 (1904).—*Fl.*
stenantha Kränzl.
Kränzlin, Orch. Gen. & Sp. ii. 1. t. 10 (1904).—*Fl.*
suaveolens Phil.
Kränzlin, Orch. Gen. & Sp. ii. 1. t. 6, 7 (1904).—*Fl.*
subpandurata Haum.
Hauman in An. Soc. Cient. Arg. Buenos Aires, xc. i–vi. 108 (1920).—*Fl.*
teixeirana Cogn.
Mart. Fl. Bras. iii. iv. t. 18 (1893).
Kränzlin, Orch. Gen. & Sp. ii. 1. t. 4 (1904).—*Fl.*
trachysepala Kränzl.
Kränzlin, Orch. Gen. & Sp. ii. 1. t. 15 (1904).—*Fl.*
ulantha Rolfe
Kränzlin, Orch. Gen. & Sp. ii. 1. t. 55 (1904).—*Fl.*
*Costantin, Atlas Orch. Cult. t. 27 (1913).—*Fl.*
ulanthoides Lindl.
Kränzlin, Orch. Gen. & Sp. ii. 1. t. 5, 6 (1904).—*Fl.*
*Reiche in An. Mus. Nac. Chile, Seg. Sec. Bot. No. 18, t. 1, fig. 2 (1910).—*Fl.*
unguis-cati Reichb. f.
Kränzlin, Orch. Gen. & Sp. ii. 1. t. 14 (1904).—*Fl.*
venosa Reichb. f.
Mart. Fl. Bras. iii. iv. t. 19 (1893).
Kränzlin, Orch. Gen. & Sp. ii. 1. t. 7 (1904).—*Fl.*
verrucosa Phil.
Kränzlin, Orch. Gen. & Sp. ii. 1. t. 9 (1904).—*Fl.*
virescens Lindl.
*Bot. Reg. xxxi. t. 49 (1845).
*T. Moore, Illustr. Orchidac. Pl., Chloraea, t. 1 (1857).
Kränzlin, Orch. Gen. & Sp. ii. 1. t. 11 (1904).—*Fl.*
*Bot. Mag. cxxxii. t. 8100 (1906).
*Costantin, Atlas Orch. Cult. t. 27 (1913).—*Fl.*
viridiflora Poepp.
Poeppig & Endl. Nov. Gen. & Sp. Pl. i. t. 47 (1835).
Kränzlin, Orch. Gen. & Sp. ii. 1. t. 9 (1904).—*Fl.*
Volkmannii Phil.
Kränzlin, Orch. Gen. & Sp. ii. 1. t. 13 (1904).—*Fl.*
volucris Lindl.
Kraenzlin, Orch. Gen. & Sp. ii. 1. t. 7 (1904).
xerophila Kränzl.
Svenska Vet. Akad. Handl. lvi. No. 5, t. 21, fig. 2 (1916).—*Fl.*

CHLORANTHUS Swartz—Vide *Sarcanthidion*
angustifolius Oliv.
Hook. Ic. Pl. xvi. t. 1580 (1887).
brachystachys Bl.
Kwa-wi [transl. Savatier], Arb. i. t. 20 (1759).
*Blume, Fl. Jav., Chloranth. t. 2 (1828).

CHLORANTHUS
brachystachys
Schnizlein, Iconogr. ii. t. 80 (1849).
*Useful Pl. Jap. iii. t. 870 (1895).
Lecomte, Fl. Gén. Indo-Chine, v. 94 (1910).—*Fl.*
Nouv. Arch. Mus. Hist. Nat. Paris, Ser. V. ii. 134 (1910).—*Veg.*
Koorders, Exkursionsfl. Java, ii. 41 (1912).
erectus Sweet
Gartenfl. xxx. 24 (1881).
hupehensis Pampan.
Nuov. Giorn. Bot. Ital. N. Ser. xxii. 273 (1915).
inconspicuus Sw.
Kwa-wi [transl. Savatier], Herb. iv. t. 4 (1759).
L'Héritier, Sertum Angl. t. 2 (1788).
*Schnizlein, Iconogr. ii. t. 80 (1849).
Ann. Nat. Hist. London, Ser. II. xi. t. 14, fig. 5 (1853); Ser. III. i. t. 6, fig. 14, 15 (1858).—*Fl.*
Payer, Organog. Comp. Fl. t. 90 (1857).—*Fl.*
Agardh, Theor. Syst. Pl. t. 20 (1858).—*Fl.*
Le Maout & Decaisne, Traité Gén. Bot. 504 (1868).
Baillon, Hist. Pl. iii. 475 (1872).
*Somoku Dzusetsu, Ed. 2, ii. t. 47 (1874).
Pflanzenfam. iii. 1. 12, 13 (1887).
De Wildeman, Ic. Sel. Hort. Then. iii. t. 110 (1902).
Lecomte, Fl. Gén. Indo-Chine, v. 94 (1910).—*Fl.*
Warburg, Pflanzenwelt, i. 425 (1913).
indicus Wight
Wight, Ic. Pl. Ind. Or. vi. t. 1945 (1853).
japonicus Sieb.
*Somoku Dzusetsu, Ed. 2, ii. t. 49 (1874).
Somoku Dzusetsu, Ed. Makino (Iconogr. Pl. Nippon), ii. t. 49 (1907).
Lecomte, Fl. Gén. Indo-Chine, v. 94 (1910).—*Fl.*
mandshuricus Rupr.
Ruprecht, Dec. Pl. Amur. t. 2 (1859).
monostachys R. Br.
*Bot. Mag. xlviii. t. 2190 (1820).
*Lindley, Coll. t. 17 (1821).
*Joh. Kerner, Gen. Pl. Ill. vii. t. 136 (1823).
*Fortsetz. Allg. Teutsch. Gart. Mag. viii. t. 8 (1824).
Lindley, Veg. Kingd. 519 (1846).
Schnizlein, Iconogr. ii. t. 80 (1849).—*Fr.*
officinalis Bl.
*Blume, Fl. Jav., Chloranth. t. 1 (1828).
Schnizlein, Iconogr. ii. t. 80 (1849).
Koorders, Exkursionsfl. Java, ii. 40 (1912).
serratus Roem. & Schult.
Kwa-wi [transl. Savatier], Herb. i. t. 6 (1759).
*Somoku Dzusetsu, Ed. 2, ii. t. 48 (1874).
Somoku Dzusetsu, Ed. Makino (Iconogr. Pl. Nippon), ii. t. 48 (1907).
spicatus Makino
Somoku Dzusetsu, Ed. Makino (Iconogr. Pl. Nippon), ii. t. 47 (1907).

CHLORIDION Stapf
Cameronii Stapf
Hook. Ic. Pl. xxvii. t. 2640 (1900).

CHLORIS Auct.: *Chloris* Sw. (1), *Ctenium* (2), *Diplachne* (3), *Eustachys* (4), *Gymnopogon* (5), *Tetrapogon* (6)

CHLORIS Sw. (1)—Vide *Biatherium*
acicularis Lindl. (1)
Agric. Gaz. N. S. Wales, iii. 147 (1892).
F. Turner, Austral. Grasses, i. 16 (1895).
acuminata Trin. (4)
Trinius, Sp. Gram. iii. t. 305 (1836).
Ettingshausen in Sitzb. Akad. Wiss. Wien, lii. 1. t. 4 (1866).—*Veg.*
alba J. & C. Presl (1)
Rep. Commissioner Agric. Washington, 1883, p. 96, t. 18.
U.S. Dep. Agric. Div. Bot. Bull. No. 6, t. 15 (1888).
Vasey, Agric. Grasses U.S.A. (U.S. Dep. Agric.), t. 76 (1884); et Agric. Grasses & Forage Pl. U.S.A. (U.S. Dep. Agric. Bot. Div. Spec. Bull.), t. 108 (1889).
Vasey, Ill. N. Amer. Grasses (U.S. Dep. Agric. Div. Bot. Bull. No. 12, 1), i. t. 29 (1890).
bahiensis Steud. (4)
Mart. Fl. Bras. ii. III. t. 19 (1878).

CHLORIS
barbata Sw. (1)
Rheede, Hort. Mal. xii. t. 51 (1703); fide Fl. Brit. Ind. vii. 292.
*Schkuhr, Bot. Handb. Ed. 2, t. 343 (1808).
*Jacquin, Ecl. Gram. t. 8 (1813).
Panzer in Denkschr. Akad. Wiss. München, 1813, t. 10, fig. 2 (1814).—*Fl.*
Trinius, Sp. Gram. iii. t. 306 (1836).
Duthie, Illustr. Fodder Grasses, t. 34 (1886).
Symonds, Ind. Grasses, Ed. 2, t. 4 (1886).
Pflanzenfam. ii. II. 58 (1887).
Coldstream, Grasses Punjab, t. 28 (1889).
Lisboa, Bombay Grasses, 108 (1896).
Queensland Agric. Journ. xxviii. t. 64 (1912).—*Hab.*
Crevost & Lemarié, Cat. Prod. Indochine, i. 365 (1917).
Berroi Arech. (1)
Arechavaleta, Gram. Urug. (An. Mus. Nac. Montevideo, v), 390 (1896).
Beyrichiana Kunth (1)
*Kunth, Rév. Gram. i. t. 56 (1829).
Castilloniana Lillo & L. R. Parodi (1)
Physis, iv. 177 (1918).
ciliata Sw. (1)
Swartz, Fl. Ind. Occ. i. t. 3 (1797).
*Jacquin, Fragm. t. 121 (1809).
P. Beauvais, Agrost. t. 16, fig. 6 (1812).—*Fl.*
Trinius, Sp. Gram. iii. t. 307 (1836).
Publ. Field Columbian Mus., Bot. Ser. iii. 1. 51 (1903).—*Fl.*
Journ. Dep. Agric. W. Austral. xvii. 564 (1908).—*Hab.*
Jahrb. Hamburg. Wiss. Anstalt. 1911, xxix. Beih. 3, p. 10 (1912).—*Fr.*
—— **texana** Vasey (1)
Vasey, Ill. N. Amer. Grasses (U.S. Dep. Agric. Div. Bot. Bull. No. 12, 1), i. t. 30 (1890).
compressa DC. (?)
*Dietrich, Fl. Univ. N. Ser. t. 60 (1849); Abt. i. t. 884 (1852–55).
cruciata Sw. (1)
Swartz, Fl. Ind. Occ. i. t. 3 (1797).—*Fl.*
cucullata Bisch. (4)
Vasey, Ill. N. Amer. Grasses (U.S. Dep. Agric. Div. Bot. Bull. No. 12, 1), i. t. 31 (1890).
Wien. Ill. Gart.-Zeit. xv. 81 (1890).
U.S. Dep. Agric. Div. Agrost. Bull. No. 7, p. 202 (1897).
distachya Kunth (1)
*Kunth, Rév. Gram. i. t. 57 (1829).
distichophylla Lag. (4)
Trinius, Sp. Gram. iii. t. 308 (1836).
divaricata R. Br. (1)
Ann. Rep. Agric. Victoria, ii. t. 32 (1874).
Agric. Gaz. N. S. Wales, xix. 682 (1908).
—— **minor** J. M. Black (1)
Trans. & Proc. Roy. Soc. S. Australia, xxxvii. t. 5 (1913).
dubia H. B. K. (3)
H. B. K. Nov. Gen. vii. t. 694 (1825).
Dusenii Ekman (4)
Arkiv Bot. Stockholm, x. No. 17, t. 4, 6 (1911).
elegans H. B. K. (1)
H. B. K. Nov. Gen. i. t. 49 (1815).
U.S. Dep. Agric. Div. Agrost. Bull. No. 7, p. 204 (1897); No. 20, p. 102 (1900).
L. H. Bailey, Cycl. Amer. Hort. 300 (1900); Stand. Cycl. Hort. 750 (1914).
Publ. Field Columbian Mus., Bot. Ser. iii. 1. 52 (1903).—*Fl.*
U.S. Dep. Agric. Bur. Pl. Indust. Bull. Foreign Pl. Introduct. No. 94, p. 749 (1914).—*Hab.*
U.S. Dep. Agric. Bull. No. 201, t. 5 (1915).—*Hab.*
U.S. Dep. Agric. Bur. Pl. Indust. Invent. Seeds & Pl. Import. No. 39, t. 8 (1917).—*Hab.*
eleusinoides vestita Greenm. (1)
Trans. Acad. Sc. St. Louis, vii. t. 39 (1897).
equitans Trin. (4)
Trinius, Sp. Gram. iii. t. 309 (1836).
falcata Sw. (2)
Swartz in Neue Schrift. Ges. Naturf. Freunde Berlin, iii. t. 1 (1801).
Trinius, Sp. Gram. iii. t. 310 (1836).

CHLORIS
floridana Vasey (4)
U.S. Dep. Agric. Div. Agrost. Bull. No. 7, p. 201 (1897).
foliosa Willd. (5)
*Kunth, Rév. Gram. i. t. 55 (1829).
Trinius, Sp. Gram. iii. t. 311 (1836).
Gabrielae Dom. (1)
Domin in Bibl. Bot. xx. 369 (1915).
Gayana Kunth (1)
*Kunth, Rév. Gram. i. t. 58 (1829).
Murbeck, Contr. Fl. N.-Ouest Afriq. iv. t. 13 (1900).
Transvaal Agric. Journ. iv. No. 13, t. 8 (1905); v. No. 19, t. 186 (1907).
Wood, Natal Pl. v. II. t. 437 (1905).
Agric. Gaz. N. S. Wales, xvii. 1206, 1208, 1210 (1906); xxvi. 1033 (1915).
Journ. Dep. Agric. S. Australia, x. 844 (1907).
Thonner, Blütenpfl. Afr. t. 8 (1908).
Black, Nat. Fl. S. Australia, 161 (1909).
Trotter, Fl. Econ. della Libia, 72 (1915).
Kisérl. Közl. (Rep. Hung. Agric. Exp. St.), xix. 36 d (1916).—*Hab.*
Bull. Soc. Acclim. lxvi. t. 3 (1919).—*Hab.*
U.S. Dep. Agric. Farm. Bull. No. 1048, p. 4, 13 (1919).
—— **oligostachys** Barr. & Murb. (1)
Murbeck, Contr. Fl. N.-Ouest Afriq. iv. 9, t. 13 (1900).
glauca Vasey (4)
Vasey, Ill. N. Amer. Grasses (U.S. Dep. Agric. Div. Bot. Bull. No. 12, I), i. t. 32 (1890).
U.S. Dep. Agric. Div. Agrost. Bull. No. 3, p. 35 (1896); No. 7, p. 198 (1897); No. 14, p. 29 (1898).
Ann. Rep. Smithson. Inst. 1917, t. 6, p. 434 (1918).
gracilis Durand (1)
*Jacquin, Ecl. Gram. t. 10 (1813).
humilis Kunth (1)
*Kunth, Rév. Gram. ii. t. 180 (1829).
longifolia Vasey (1)
Contrib. U.S. Nat. Herb. i. t. 19 (1893).
macrantha Jaub. & Spach (6)
Jaubert & Spach, Illustr. Pl. Or. iv. t. 328 (1850–53).
montana Roxb. (1)
Lisboa, Bombay Grasses, 108 (1896).
myriostachya Hochst. (1)
Engler & Drude, Veget. Erde, ix. II. 146 (1908).
neglecta Nash (4)
U.S. Dep. Agric. Div. Agrost. Bull. No. 7, p. 199 (1897).
pallida Willd. (1)
Ettingshausen in Sitzb. Akad. Wiss. Wien, lii. I. t. 4 (1866).—*Veg.*
pectinata typica Dom. (1)
Domin in Bibl. Bot. xx. 367 (1915).
petraea Sw. (4)
Swartz, Fl. Ind. Occ. i. t. 3 (1797).—*Fl.*
*Schkuhr, Bot. Handb. Ed. 2, t. 343 (1808).
*Jacquin, Ecl. Gram. t. 11 (1813).
Elliott, Bot. S. Carolina & Georgia, ii. t. 11 (1824).
U.S. Dep. Agric. Div. Agrost. Bull. No. 7, p. 200 (1897).
Publ. Field Columbian Mus., Bot. Ser. iii. I. 51 (1903).—*Fl.*
petraea Thunb. (4)
Wood, Natal Pl. v. II. t. 438 (1905).
Marloth, Fl. S. Africa, iv. t. 7 (1915).—*Fl.*
polydactyla Sw. (1)
*Jacquin, Ecl. Gram. t. 9 (1813).
U.S. Dep. Agric. Div. Agrost. Bull. No. 7, p. 205 (1897).
L. H. Bailey, Stand. Cycl. Hort. 750 (1914).
Prieurii Kunth (1)
*Kunth, Rév. Gram. ii. t. 134 (1829).
pumilio R. Br. (1)
F. M. Bailey, Grasses Queensland, i. t. [15] (1878).
F. M. Bailey, Compr. Cat. Queensl. Pl. 630 (1909–13).
pycnothrix Trin. (1)
Trinius, Sp. Gram. iii. t. 312 (1836).
Wood, Natal Pl. v. II. t. 435 (1905).
quinquesetica Bhide (1)
Journ. & Proc. Asiat. Soc. Bengal, N. Ser. viii. t. 24 (1912).

CHLORIS
radiata Sw. (1)
*Schkuhr, Bot. Handb. Ed. 2, t. 343 (1808).
Panzer in Denkschr. Akad. Wiss. München, 1813, t. 10, fig. 3 (1814).—*Fl.*
*Kunth, Rév. Gram. ii. t. 179 (1829).
Pflanzer, x. Beih. No. 2, t. 18 (1914).
Bryan, Nat. Hist. Hawaii, t. 53, fig. 20 (1915).
Roxburghii Edgew. (1)
Duthie, Illustr. Fodder Grasses, t. 65 (1887).
scariosa F. Muell. (1)
F. M. Bailey, Grasses Queensland, i. t. [11] (1878).
F. M. Bailey, Compr. Cat. Queensl. Pl. 630 (1909–13).
submutica H. B. K. (4)
H. B. K. Nov. Gen. i. t. 50 (1815).
Swartziana Doell (4)
Vasey, Ill. N. Amer. Grasses (U.S. Dep. Agric. Div. Bot. Bull. No. 12, II), i. t. 23 (1891).
tenella Kön. (1)
Duthie, Illustr. Fodder Grasses, t. 66 (1887).
Coldstream, Grasses Punjab, t. 29 (1889).
texensis Nash (1)
U.S. Dep. Agric. Div. Agrost. Bull. No. 7, p. 206 (1897).
truncata R. Br. (1)
*Kunth, Rév. Gram. ii. t. 178 (1829).
Schnizlein, Iconogr. i. t. 42 c (1845).
Ann. Rep. Agric. Victoria, ii. t. 12 (1874).
Agric. Gaz. N. S. Wales, ii. 24 (1891).
F. Turner, Austral. Grasses, i. 17 (1895).
Rep. Missouri Bot. Gard. x. t. 41 (1899).
L. H. Bailey, Cycl. Amer. Hort. 300 (1900).
unispicea F. Muell. (1)
Domin in Bibl. Bot. xx. 371 (1915).
ventricosa R. Br. (1)
F. M. Bailey, Grasses Queensland, i. t. [12], [21] (1878).
Agric. Gaz. N. S. Wales, xi. 1007 (1900).
verticillata Nutt. (1)
Scribner in Trans. Kansas Acad. Sc. 1883–84, ix. 120, t. 1 (1885).
Vasey, Ill. N. Amer. Grasses (U.S. Dep. Agric. Div. Bot. Bull. No. 12, I), i. t. 33 (1890).
Britton & Brown, Ill. Fl. N. States & Canada, i. 178 (1896); Ed. 2, i. 225 (1913).
U.S. Dep. Agric. Div. Agrost. Bull. No. 7, p. 203 (1897).
Hitchcock & Clothier in Bull. Kansas Agric. St. No. 87, p. 21 (1899).
villosa Pers. (6)
Kunth, Enum. Pl. i. II. t. 16 (1835).
Jaubert & Spach, Illustr. Pl. Or. iv. t. 327 (1850–53).
virgata Sw. (1)
Mart. Fl. Bras. ii. III. t. 18 (1878).
Transvaal Agric. Journ. iv. No. 13, t. 9 (1905).
Wood, Natal Pl. v. II. t. 436 (1905).
Agric. Gaz. N. S. Wales, xvi. 1032 (1905); xvii. 1208 (1906).
Journ. Dep. Agric. W. Australia, xiv. 174 (1906); xvii. 564 (1908).
Engler & Drude, Veget. Erde, ix. II. 181 (1908).
Notizbl. Bot. Gart. Berlin, v. 144 (1910).
Witt, For. Fl. Berar Circ. Ill. Grasses, t. 31 (1911).
Bol. Agric. São Paulo, Ser. 16 A, 1915, p. 573.
Fedtschenko, Veg. Turkest. 110 (1915).
U.S. Dep. Agric. Bull. No. 772, p. 190 (1920).

CHLOROCODON Hook. f.
Whitei Hook. f.
*Bot. Mag. xcvii. t. 5898 (1871).
Gard. Chron. Ser. III. xviii. 243 (1895).
Pflanzenfam. iv. II. 217 (1895).—*Fl.*
Wood & Evans, Natal Pl. i. I. t. 31 (1898).
Glück, Blatt- & Blütenmorph. Stud. 153 (1919).—*Veg.*

CHLOROCREPIS Griseb.: *Hieracium*
staticifolia Griseb.
Reichenbach, Ic. Fl. Germ. xix. t. 1466 (1859).

CHLOROCYATHUS Oliv.
Monteiroae Oliv.
Hook. Ic. Pl. xvi. t. 1557 (1887).

CHLOROCYPERUS Rikli: *Cyperus*
Franchetii Palla
Oesterr. Bot. Zeitschr. lix. t. 3, fig. 6 a (1909).
iria Rikli
Oesterr. Bot. Zeitschr. lix. t. 3, fig. 6 b (1909).—*Veg.*

CHLOROGALUM Kunth—Vide *Anthericum* (7)
angustifolium Kellogg
Hesperian (San Francisco), vi. 34 (1861).
Proc. California Acad. ii. 105 (1863).
pomeridianum Kunth
Torrey, Bot. U.S. & Mexic. Bound. Surv. t. 60 (1858).
Parsons, Wild Fl. California, 83 (1897).
Bot. Gaz. xxxiii. t. 14, fig. 8–10 (1902).—*Veg.*
Contrib. U.S. Nat. Herb. vii. t. 15 (1902).
M. Armstrong, Field Book West. Wild Fl. 13 (1915).—*Fl.*

CHLOROPATANE Engl.
africana Engl.
Pflanzenreich, Monimiac. 22 (1901).—*Fl.*

CHLOROPHORA Gaudich.
excelsa Benth. & Hook. f.
Tropenpfl. x. Beih. 7, p. 221 (1906); xiii. Beih. 10, p. 227 (1909); Beih. 12, t. 7 (1911).
Beih. Bot. Centralbl. xxiii. II. t. 9 (1908).—*Hab.*
Karsten & Schenck, Veg.-Bild. vi. t. 41 (1908).—*Hab.*
Notizbl. Bot. Gart. Berlin, App. xxii. 4 (1909).
Thompson, Rep. For. Gold Coast, t. 23 (1910).
Engler & Drude, Veget. Erde, ix. I. 1. 280 (1910).
Warburg, Pflanzenwelt, i. 474, 475 (1913).
Pflanzer, ix. t. 13 (1913).—*Hab.*
Chevalier, Vég. Util. Afr. fasc. 9, p. 315 (1917).
Bertin, Mission Forest. Col. ii. t. 11 (1918); iii. t. 17, 19 (1919); iv. t. 5 (1920).—*Hab.*
Unwin, W. Afr. Forests & Forestry, 126, 184, 294, 320, 428, 496 (1920).
regia A. Chev.
Chevalier, Vég. Util. Afr. fasc. 9, p. 315 (1917).
tinctoria Gaudich.
Plumier, Pl. Amer. Ed. Burm. t. 204 (1759); fide Urban, Fedde Repert. Beih. v. 85.
Warburg, Pflanzenwelt, i. 474 (1913).
Fawcett & Rendle, Fl. Jamaica, iii. I. 42 (1914).
—— **ovata** Bureau
Pflanzenfam. iii. I. 74 (1888).
—— **xanthoxylon** Bureau
Pflanzenfam. iii. I. 74 (1888).

CHLOROPHYTUM Ker-Gawl.—Vide *Anthericum* (8), *Dasystachys* Baker
affine Baker
Trans. Linn. Soc. London, xxix. t. 104 (1875).
alismatifolium Baker
Engler & Drude, Veget. Erde, ix. II. 308 (1908).
amaniense Engl.
Engler & Drude, Veget. Erde, ix. II. 308 (1908).
Bowkeri Baker
*Saunders, Ref. Bot. v. t. 352 [1880].
Gard. Chron. Ser. III. lviii. 141 (1915).—*Hab.*
comosum Baker
Wood, Natal Pl. iii. IV. t. 279 (1902).
Flora, xcvii. t. 9 (1907).—*Veg.*
elatum R. Br.
*Saunders, Ref. Bot. iii. t. 216 (1870).
*Fl. des Serres, Ser. II. xi. t. 2240, 2241 (1875).—*Veg.*
Gager, Fundam. Bot. 351 (1916).
—— **argenteo-lineare** Hort.
Florist, 1876, p. 115.
—— **variegatum** Hort.
Jardin, xv. 4 (1901).
falcatum Baker
*Saunders, Ref. Bot. v. t. 333 (1872).
Fuchsianum De Wild.
De Wildeman, Miss. É. Laurent, ii. t. 16 (1905).—*Hab.*
De Wildeman, Études Fl. Bas- et Moyen-Congo (Ann. Mus. Congo), iii. t. 1 (1909).
Haygarthii Wood & Evans
Wood & Evans, Natal Pl. i. II. t. 98 (1899).
Homblei De Wild.
De Wildeman, Études Fl. Katanga (Ann. Mus. Congo), ii. t. 3 (1913).

CHLOROPHYTUM
Huyghei De Wild.
De Wildeman, Études Fl. Bas- et Moyen-Congo (Ann. Mus. Congo), iii. t. 1 (1909).
inornatum Ker-Gawl.
*Bot. Mag. xxvii. t. 1071 (1807).
Pflanzenfam. ii. v. 33 (1888).—*Hab.*
Krookianum A. Zahlbr.
Ann. Nat. Hofm. Wien, xv. 20 (1900).—*Fl.*
macrophyllum Aschers.
Engler & Drude, Veget. Erde, ix. II. 308 (1908).
malabaricum Baker
Fyson, Fl. Nilgiri & Pulney Hill-tops, ii. 263 (1915).
orchidastrum Lindl.
*Bot. Reg. x. t. 813 (1824).
Schimperi Engl.
Engler & Drude, Veget. Erde, ix. II. 308 (1908).
Seretii De Wild.
De Wildeman, Études Fl. Bas- et Moyen-Congo (Ann. Mus. Congo), iii. t. 2, 3 (1909).
stamineum A. Zahlbr.
Ann. Nat. Hofm. Wien, xv. 18 (1900).—*Fl.*
Sternbergianum Steud.
Gartenfl. xxxii. 344 (1883).
tordense Chiov.
Chiovenda, Miss. Stefan.-Paoli Somal. Ital. t. 19 (1916).
tuberosum Baker
Engler & Drude, Veget. Erde, ix. II. 309 (1908).

CHLOROPSIS Hack.: *Trichloris*
Blanchardiana J. Gay
Wien. Ill. Gart.-Zeit. xv. 81 (1890).

CHLOROSA Bl.
Clemensii Ames & Schweinf.
Ames, Orchidac. vi. t. 80 (1920).
latifolia Bl.
Blume, Tab. Jav. Orch. t. 31 (1825).—*Fl.*
*Blume, Coll. Orchidées, t. 44 (1858).
J. J. Smith, Orch. Java, Fig.-Atlas, i. fig. 38 (1908).—*Fl.*

CHLOROSPATHA Engl.
Kolbii Engl.
*Gartenfl. xxvii. t. 933 (1878).
Pflanzenreich, Arac.-Colocas. 24 (1920).

CHLOROXYLON Scop.
Swietenia DC.
Mém. Mus. Hist. Nat. Paris, xix. 304, t. 23 (1830).—*Fl.*
*Wight, Illustr. Ind. Bot. i. t. 56 b (1840).
Beddome, Fl. Sylv. t. 11 (1869).
A. & C. De Candolle, Monogr. Phan. i. t. 9, fig. 7 (1878).—*Fl.*
Pflanzenfam. iii. IV. 171 (1896).
Talbot, For. Fl. Bombay, i. 251 (1909).
Basu, Ind. Med. Pl. t. 231 (1918).

CHNOOPHORA Kaulf.: *Alsophila*
excelsa Mart.
*Martius, Crypt. Bras. t. 27, 37 (1828–34).

CHODANTHUS Hassl.
splendens Hassl.
Chodat in Bull. Soc. Bot. Genève, Ser. II. ix. 233, 237 (1917).
Chodat, Vég. Parag. ii. 277, 279, 283 (1917).

CHODAPHYTON Minod
ericifolium Minod
Minod in Bull. Soc. Bot. Genève, Ser. II. x. 237 (1918).—*Fl.*

CHOENAMELES = *Chaenomeles*

CHOERADOPLECTRON Schau.: *Habenaria*
Spiranthes Schau.
Nov. Act. Acad. Nat. Cur. xix. Suppl. I. t. 13 (1843).

CHOISYA H. B. K.—Vide *Juliana*
grandiflora Regel
*Gartenfl. xxv. t. 876 (1876).
ternata H. B. K.
H. B. K. Nov. Gen. vi. t. 513 (1823).
*Rev. Hort. 1869, p. 332; 1907, p. 370, 371.
*Garden, xii. 232 (1877); lxxviii. 540 (1914).
*Rev. Hort. Belge, v. 145 (1879).

CHOISYA
ternata
Gard. Chron. xiii. 625 (1880); Ser. III. vii. 645 (1890); xli. 53, 382, 387 (1907).
*Belg. Hort. xxx. 314 (1880).
*Monatsschr. Gartenb. Berlin, xxiv. t. 4 (1881).
Bois, Dict. Hort. 310 (1893–99).
Pflanzenfam. iii. IV. 126 (1896).—*Fl.*
Journ. Hort. Ser. III. xxxiv. 253 (1897).
Wien. Ill. Gart.-Zeit. xxix. 357 (1904).
Flora & Sylva, ii. 135 (1904).
Schneider, Ill. Handb. Laubh. ii. 122, 124 (1907).
Univ. California Publ. Bot. iv. t. 10 (1910).—*Hab.*
Journ. Roy. Hort. Soc. London, xl. 24, fig. 3 (1914).—*Hab.*
Bean, Trees & Shrubs, i. 341 (1914).

CHOMELIA Jacq.—Vide *Anisomeris*
longifolia De Wild.
De Wildeman, Études Fl. Bas- et Moyen-Congo (Ann. Mus. Congo), i. t. 37 (1904).
obtusa Cham. & Schlechtd.
Wawra, Bot. Ergebn. Reise Bras. t. 74 (1866).
Pohliana Müll.-Arg.
Mart. Fl. Bras. vi. v. t. 4 (1881).
ribesioides tomentosa Müll.-Arg.
Mart. Fl. Bras. vi. v. t. 5 (1881).
spinosa Jacq.
Jacquin, Sel. Stirp. Amer. Hist. t. 13 (1763).
*Jacquin, Sel. Stirp. Amer. Hist. Picta, t. 17 [1780].
*Plantarum Indig. & Exot. Ic. ii [t. 70] (1789).
tenuiflora Benth.
Miquel, Stirp. Surinam. (Nat. Verh. Holl. Maatsch. Wet. Haarlem, Ser. II. vii), t. 50 (1850).

CHOMELIA Vell.: *Ilex*
amara Vell.
Vellozo, Fl. Flum. i. t. 106 (1827).

CHONDODENDRON Ruiz & Pav.—Vide *Botryopsis, Cocculus* (2)
convolvulaceum Poepp. & Endl.
Poeppig & Endl. Nov. Gen. & Sp. Pl. ii. t. 190 (1838).
obscurum Miers
Miers, Contrib. Bot. iii. t. 132 (1864–71).
platyphyllum Miers
Pflanzenreich, Menispermac. 80 (1910).
tomentosum Ruiz & Pav.
Mart. Fl. Bras. xiii. I. t. 36 (1864).—*Fl.*
Pharm. Journ. Ser. III. iv. 83 (1873) .—*Fr.*
*Bentley & Trim. Med. Pl. i. t. 11 (1876).
Baillon, Traité Bot. Méd. Phan. i. 707 (1883).—*Fl.*
Hager, Handb. Pharm. Prax. Ed. Nov. ii. 634 (1887).—*Veg.*

CHONDRILLA Linn.
acanthophylla Borkh.
*Lorek, Fl. Pruss. Ed. 3, t. 181, fig. 971 (1848).
gibbirostris Popow
Semikhatov, Nikitin, Sprygin & Popow, Geol. Soil. & Pl. Geogr. Obs. Amu-Darya & Syr-Darya, fasc. i. t. 26 (1916).
graminea M. Bieb.
*Ledebour, Ic. Pl. Ross. ii. t. 177 (1830).
juncea Linn.
Hill, Veget. Syst. iii. t. 137 (1762).
*Jacquin, Fl. Austr. v. t. 427 (1778).
Gaertner, Fruct. ii. t. 158 (1791).—*Fr.*
Hoppe, Ect. Pl. Ratisb. t. 769 (1793).
C. K. Sprengel, Entd. Geheimn. Natur, t. 5, fig. 15 (1793).—*Fl.*
Lamarck, Ill. iv. t. 650, fig. 1, 2 (1797).
*Schkuhr, Bot. Handb. Ed. 2, t. 218 (1808).
*Fl. Dan. x. t. 1652 (1819).
*Jaume St.-Hilaire, Fl. & Pom. Franç. iv. t. 397 (1831).
*Zenker, Fl. Thüringen, xi. t. 1309 (1836–55).
*Dietrich, Fl. Boruss. ix. t. 619 (1841).
*Lorek, Fl. Pruss. Ed. 3, t. 181, fig. 970 (1848).
*Petermann, Deutschl. Fl. t. 54, fig. 424, a–k (1849).—*Fl.*
Reichenbach, Ic. Fl. Germ. xix. t. 1400 (1858).
*Schubert, Naturg., Pflanzenreich, Ed. 2, t. 41, fig. 2 [1865].
Migout, Fl. Dépt. Allier, t. 12 (1866).—*Fl.*

CHONDRILLA
juncea
Schnizlein, Iconogr. ii. t. 120 b (1866–70).—*Fr.*
Cesati, Passer. & Gibelli, Comp. Fl. Ital. t. 71 (1867–86).—*Fl.*
*Cusin, Herb. Fl. Franç. xiv (Composées), t. 474 (1874).
Wagner, Ill. Deutsche Fl. Ed. 2, p. 459 (1882).
Rep. Commissioner Agric. Washington, 1887, p. 320, t. 9 (1888).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xxx. t. 3203 (1888).
Paolucci, Fl. Marchig. t. 23 (1890).—*Fl.*
G. Beck, Fl. Nied.-Oesterr. ii. II. 1153 (1893).—*Fr.*
Pflanzenfam. iv. v. 367 (1893).—*Fr.*
Acloque, Fl. France, 419 (1894).—*Fl.*
Garcke, Ill. Fl. Deutschl. 356 (1895).
U.S. Dep. Agric. Farm. Bull. No. 28, p. 19 (1895).
Britton & Brown, Ill. Fl. N. States & Canada, iii. 270 (1898); Ed. 2, iii. 314 (1913).
Coste, Fl. France, ii. 427 (1903).
Fiori & Paol. Ic. Fl. Ital. 464 (1904).
*Sturm, Fl. Deutschl. Ed. 2, xiv. t. 42 (1906).
Merino, Fl. Galicia, ii. 464 (1906).
Fedtschenko & Fler. Fl. Eur. Russia, 1047 (1910).
Heukels, Fl. Nederl. iii. 445 (1910).
A. Georgia, Manual Weeds, t. 369 (1914).
Cadevall & Sallent, Fl. Catalunya, iii. 440 (1917).
—— **latifolia** Koch
Reichenbach, Ic. Fl. Germ. xix. t. 1401 (1858).
Cusin, Herb. Fl. Franç. xiv (Composées), t. 475 (1874).
muralis Lam.
Gaertner, Fruct. ii. t. 158 (1791) in textu: *Lactuca muralis* in ic.—*Fr.*
*Jaume St.-Hilaire, Fl. & Pom. Franç. iv. t. 397 (1831).
nudicaulis Linn.
Novi Comm. Soc. Sc. Göttingen, iii (1772), t. 4 (1773).
pauciflora Ledeb.
*Ledebour, Ic. Pl. Ross. ii. t. 198 (1830).
prenanthoides Vill.
Villars, Lauth & Nestler, Précis, Voy. Bot. t. 1 (1812).
Petermann, Deutschl. Fl. t. 54, fig. 424, l (1849).—*Fr.*
Reichenbach, Ic. Fl. Germ. xix. t. 1401 (1858).
Cesati, Passer. & Gibelli, Comp. Fl. Ital. t. 71 (1867–86).—*Fr.*
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xxx. t. 3204 (1888).
Coste, Fl. France, ii. 427 (1903).
Fiori & Paol. Ic. Fl. Ital. 464 (1904).
purpurea Lam.
Lamarck, Ill. iv. t. 650, fig. 3 (1797).—*Fl.*
ramosissima Sibth.
*Sibthorp & Sm. Fl. Graeca, viii. t. 795 (1833).
stipitata Sch.-Bip.
Reichenbach, Ic. Fl. Germ. xix. t. 1399 (1858).
stricta Ledeb.
*Ledebour, Ic. Pl. Ross. i. t. 37 (1829).
viminea Lam.
Lamarck, Ill. iv. t. 650, fig. 4 (1797).

CHONDROCHILUS Phil.: *Chaetanthera*
involucratus Phil.
Philippi, Reise Wüste Atacama, Fl. Atac. t. 3 (1860).

CHONDRODENDRON = *Chondodendron*

CHONDROPETALUM Rottb.: *Elegia*
deustum Rottb.
Rottboell, Descr. Ic. Nov. Pl. t. 3 (1773).
×**Fletcheri** Hort.
Orch. Rev. xvi. 56 (1908); xx. 73 (1912).
Möllers Deutsche Gärtn.-Zeit. xxiv. 61, 62 (1909).
Gard. Chron. Ser. III. xlv. 9 (1909).
nudum Rottb.
Rottboell, Descr. Ic. Nov. Pl. t. 3 (1773).

CHONDROPHORA Rafin.: *Bigelowia*
nudata Britton
Britton & Brown, Ill. Fl. N. States & Canada, iii. 325 (1898); Ed. 2, iii. 375 (1913).

CHONDRORRHYNCHA Lindl.
Chestertonii Reichb. f.
*Lindenia, ix. t. 405 (1893).
Orch. Rev. xi. 305 (1903); xvi. 57 (1908).
*Costantin, Atlas Orch. Cult. t. 14 (1913).—*Fl.*
Orchis, vii. 87 (1913).—*Fl.*
—— **maior** Hort.
*Cogniaux, Dict. Icon. Orch., Chondrorh. t. 1 (1901).
fimbriata Reichb. f.
*Saunders, Ref. Bot. ii. t. 107 (1878).
Horticulture (Boston), ix. 693 (1909).—*Fl.*
Schlechter, Orchideen, 427 (19[14–]15).—*Fl.*
Lipscombiae Rolfe
Orch. Rev. xxi. 88 (1913); xxiii. 17 (1915).

CHONDROSEA Haw.: *Saxifraga*
Aizoon Haw.
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, ii. 223 (1913).
aizoopsis Jord. & Fourr.
*Jordan & Fourr. Ic. Fl. Eur. ii. t. 211 (1869).
brevicaulis Jord. & Fourr.
*Jordan & Fourr. Ic. Fl. Eur. ii. t. 206 (1869).
calcarea Jord. & Fourr.
*Jordan & Fourr. Ic. Fl. Eur. ii. t. 208 (1869).
carthusiana Jord. & Fourr.
*Jordan & Fourr. Ic. Fl. Eur. ii. t. 206 (1869).
flexipes Jord. & Fourr.
*Jordan & Fourr. Ic. Fl. Eur. ii. t. 207 (1869).
glareosa Jord. & Fourr.
*Jordan & Fourr. Ic. Fl. Eur. ii. t. 209 (1869).
laevigata Jord. & Fourr.
*Jordan & Fourr. Ic. Fl. Eur. ii. t. 212 (1869).
patulipes Jord. & Fourr.
*Jordan & Fourr. Ic. Fl. Eur. ii. t. 208 (1869).
pusilla Jord. & Fourr.
*Jordan & Fourr. Ic. Fl. Eur. ii. t. 207 (1869).
refracta Jord. & Fourr
*Jordan & Fourr. Ic. Fl. Eur. ii. t. 210 (1869).
rosella Jord. & Fourr.
*Jordan & Fourr. Ic. Fl. Eur. ii. t. 209 (1869).
virgata Jord. & Fourr.
*Jordan & Fourr. Ic. Fl. Eur. ii. t. 210 (1869).

CHONDROSIUM Desv.: *Bouteloua*
foeneum Torr.
Emory, Notes, 158, t. 12 (1848).
gracile H. B. K.
H. B. K. Nov. Gen. i. t. 58 (1815).
hirtum H. B. K.
H. B. K. Nov. Gen. i. t. 59 (1815).
humile P. Beauv.
H. B. K. Nov. Gen. i. t. 56 (1815).
Kunth, Enum. Pl. i. II. t. 17 (1835).
procumbens Desv.
P. Beauvais, Agrost. t. 9, fig. 7 (1812).—*Fl.*
tenue P. Beauv.
H. B. K. Nov. Gen. i. t. 57 (1815).

CHONDROSPERMUM Wall.: *Myxopyrum*
smilacifolium Wall.
*Wight, Illustr. Ind. Bot. ii. t. 151 bis (1850).

CHONDROSTYLIS Boerl.
bancana Boerl.
Ic. Bogor. i. t. 23 (1897).
Ann. Jard. Bot. Buitenzorg, xix. 4, 5 (1904).

CHONDROSUM = *Chondrosium*

CHONEMORPHA G. Don
antidysenterica G. Don
Wight, Ic. Pl. Ind. Or. ii. t. 439 (1840–43).
elastica Merr.
A. P. West & W. H. Brown in Bull. Philip. Isl. Dep. Agric. Bur. Forestry, No. 20, p. 83, 84 (1920).
Grandieriana Pierre
Spire, Caoutch. Indo-Chine, t. 17, 18 (1906).
Griffithii Hook. f.
Spire, Caoutch. Indo-Chine, t. 22 (1906).
macrophylla G. Don
Rheede, Hort. Mal. ix. t. 5–6 (1689); fide Fl. Brit. Ind. iii. 661.
Wight, Ic. Pl. Ind. Or. ii. t. 432 (1840–43).
Vidal, Sin. Fam. & Gen. Pl. Leň. Filip. (Introd. Fl. For. Filip.), Atlas, t. 67, fig. F (1883).—*Fl.*

CHONEMORPHA
macrophylla
*Bot. Mag. cxxii. t. 7492 (1896).
Talbot, For. Fl. Bombay, ii. 226 (1911).
malabarica G. Don
Rheede, Hort. Mal. ix. t. 12 (1689); fide G. Don, Gen. Syst. iv. 76.
megacalyx Pierre
Spire, Caoutch. Indo-Chine, t. 20 (1906).
Yersinii Vernet
Bull. Écon. Indo-Chine, N. Ser. xxxv. 1198, 1200 (1904).

CHORDOSPARTIUM Cheesem.
Stevensonii Cheesem.
Cheeseman, Ill. New Zeal. Fl. t. 31 A (1914).

CHORETIS Herb.: *Hymenocallis*
galvestonensis Herb.
Herbert, Amar. t. 41, fig. 34, 35 (1837).
glauca Herb.
Herbert, Amar. t. 35, fig. 1; t. 41, fig. 32, 33; t. 44, fig. 45 (1837).—*Fr.*
*Knowles & Westc. Floral Cab. ii. t. 71 (1838).
*J. W. Loudon, Ladies' Fl.-Gard. Ornam. Bulb. Pl. t. 32 (1841).

CHORETRUM R. Br.
chrysanthum F. Muell.
F. Mueller, Key Syst. Victorian Pl. ii. fig. 64 (1885).
Ewart, Pl. Victoria, ii. t. 81 (1910) in ic.; *C. glomeratum* in textu.
glomeratum R. Br.
Endlicher, Ic. Gen. Pl. t. 45 (1838).
Pflanzenfam. iii. I. 215 (1889).—*Fl.*
Ewart, Pl. Victoria, ii. t. 81 (1910) in textu; *C. chrysanthum* in ic.
lateriflorum R. Br.
Chatin, Anat. Vég. Atlas, t. 64 (1856–91).
Baillon, Hist. Pl. xi. 423 (1892).—*Fl.*

CHORILAENA Endl.
quercifolia Endl.
Ettingshausen, Blatt-Skel. Dikot. t. 77 (1861).—*Veg.*

CHORIOPHYLLUM Benth.
malayanum Benth.
Hook. Ic. Pl. xiii. t. 1280 (1879).

CHORIPETALUM A. DC.: *Embelia*
aurantiacum A. DC.
Wight, Ic. Pl. Ind. Or. iv. t. 1210 (1848).
*Wight, Spicil. Neilgherr. ii. t. 136 (1851).

CHORISANDRA = *Chorizandra*

CHORISIA H. B. K.
crispiflora H. B. K.
H. B. K. Nov. Gen. v. t. 485 (1821).—*Fl.*
insignis H. B. K.
H. B. K. Nov. Gen. v. t. 485 (1821).
Thays, Jard. Bot. Buenos Aires, 48, 49 (1910).
Alvarez, Fl. & Fauna Prov. Santiago del Estero, 59 (1919).—*Hab.*
speciosa St.-Hil.
St.-Hilaire, Pl. Usuelles Bras. t. 63 (1824–28).
Ettingshausen in Denkschr. Akad. Wiss. Wien, xiv. t. 1 (1858).—*Veg.*
Mart. Fl. Bras. xii. III. t. 40 (1886).
Jardin, ii. 271 (1888).
Pflanzenfam. iii. VI. 61 (1890).
Borzi, Contrib. Biol. Veg. ii. II. t. 15 (1898).
ventricosa Nees & Mart.
Nov. Act. Acad. Nat. Cur. xi. t. 9 (1823).—*Fl.*

CHORISPORA R. Br.
elegans Cambess.
Jacquemont, Voy. Inde, t. 14 (1844).
Greigii Regel
*Gartenfl. xxviii. t. 984 (1879).
iberica DC.
Delessert, Ic. Pl. ii. t. 58 (1823).
sabulosa Cambess.
Jacquemont, Voy. Inde, t. 15 (1844).
Hooker's Journ. Bot. & Kew Misc. iv. t. 11 (1852).
sibirica DC.
Schnizlein, Iconogr. iii. t. 181 b (1866–70).—*Fr.*
syriaca Boiss.
Post, Fl. Syria, Palestine & Sinai, 106 [1896].—*Fr.*

CHORISPORA
tenella DC.
Pflanzenfam. iii. II. 201 (1891).—*Fr.*
Malpighia, xvi. t. 7 (1902).—*Fl.*
Suireishchikov, Ill. Fl. Mosc. Gov. ii. 209 (1907).
Heukels, Fl. Nederl. ii. 313 (1908).—*Fr.*
Bull. Soc. Bot. Ital. 1910, p. 165.—*Fl.*

CHORISTYLIS Harv.
rhamnoides Harv.
Harvey, Thes. Cap. ii. t. 123 (1863).
Sim, For. Fl. Cape Colony, t. 64 (1907).
shirensis Baker f.
Trans. Linn. Soc. London, Ser. II. Bot. iv. t. 3 (1894).

CHORITAENIA Benth.
capensis Benth.
Hook. Ic. Pl. xiii. t. 1231 (1877).

CHORIZANDRA R. Br.
Cymbaria R. Br.
C. B. Clarke, Illustr. Cyperac. t. 119 (1909).
enodis Nees
C. B. Clarke, Illustr. Cyperac. t. 119 (1909).
multiarticulata Nees
C. B. Clarke, Illustr. Cyperac. t. 119 (1909).
sphaerocephala R. Br.
C. B. Clarke, Illustr. Cyperac. t. 119 (1909).

CHORIZANDRA Wight: *Phyllanthus*
pinnata Wight
Wight, Ic. Pl. Ind. Or. vi. t. 1994 (1853).

CHORIZANTHE R. Br.—Vide *Mucronea*
brevicornu Torr.
Jepson, Fl. California, Part 4, p. 393 (1914).—*Fl.*
corrugata Torr. & Gray
Jepson, Fl. California, Part 4, p. 397 (1914).—*Fl.*
fimbriata Nutt.
Rep. Expl. & Surv. Railr. Mississippi, 1853–54, v. 370, t. 8 (1856).
M. Armstrong, Field Book West. Wild Fl. 87 (1915).
glabrescens Benth.
Pflanzenfam. iii. I. A. 12 (1892).
leptoceras S. Wats.
Jepson, Fl. California, Part 4, p. 399 (1914).—*Fl.*
membranacea Benth.
Trans. Linn. Soc. London, xvii. t. 17 (1837).—*Fl.*
Jepson, Fl. California, Part 4, p. 391 (1914).—*Fl.*
Nortonii Greene
Jepson, Fl. California, Part 4, p. 391 (1914).—*Fl.*
Parryi S. Wats.
Pflanzenfam. iii. I. A. 12 (1892).
pungens Benth.
Trans. Linn. Soc. London, xvii. t. 19 (1837).
Jepson, Fl. California, Part 4, p. 391 (1914).—*Fl.*
Thurberi S. Wats.
Jepson, Fl. California, Part 4, p. 399 (1914).—*Fl.*
vaginata Benth.
Glück, Blatt- & Blütenmorph. Stud. 214 (1919).—*Veg.*
Vaseyi Parry & Rose
Bot. Gaz. xv. 64 (1890).
virgata Benth.
Trans. Linn. Soc. London, xvii. t. 19 (1837).
Watsonii Torr. & Gray
King U.S. Geol. Expl. v (Bot.), t. 34 (1871).

CHORIZEMA Labill.
cordatum Lindl.
*Bot. Reg. xxiv. t. 10 (1838).
*Knowles & Westc. Floral Cab. ii. t. 50 (1838).
*Maund, Botanist, ii. t. 89 (1838).
*Floricult. Cab. vi. 191 (1838).
*Paxt. Mag. v. 97 (1838).
*Maund & Henslow, Bot. Souv. [t. 18, 1838–40].
*Journ. Jard. 1840, p. 123.
*Florist's Journ. 1841, t. 16.
*Horticulteur Univ. ii. 10 (1841).
Ralph, Ic. Carpolog. t. 40 (1849).—*Fr.*
Moore & Ayres, Mag. Bot. i. 284 (1850); iii. 140 (1851).
Ettingshausen in Sitzb. Akad. Wiss. Wien, xii. IV. t. 1, fig. 1 (1854).—*Veg.*
Journ. Hort. xxix. 170 (1863); Ser. III. ii. 229 (1881); xxxii. 403 (1896); xli. 425 (1900); xlii. 488 (1901).

CHORIZEMA
cordatum splendens Hort.
Gard. Chron. vii. 501 (1877).—*Hab.*
cordifolium F. Muell.
Lubbock, Seedlings, i. 400 (1892).—*Veg.*
Dicksonii R. Grah.
*Maund, Botanist, iii. t. 106 (1839).
*Paxt. Mag. viii. 173 (1841).
*Horticulteur Univ. vii. 39 (1846).
*J. W. Loudon, Ladies' Fl.-Gard. Ornam. Greenh. Pl. t. 22 (1848).
diversifolium A. DC.
A. P. & A. De Candolle in Mém. Soc. Phys. & Hist. Nat. Genève, vii. t. 8 (1836).
flavum Henfr.
*Moore & Ayres, Mag. Bot. i. 73 (1850).
*Lem. Jard. Fl. i. t. 13 (1851).
Henchmannii R. Br.
Bot. Reg. xii. t. 986 (1826).
*Lodd. Bot. Cab. xiii. t. 1233 (1827).
*Journ. Jard. 1834, p. 282.
*Ann. Blumisterei, xi. 43 [t. 20] (1835).
*Paxt. Mag. ii. 171 (1836).
*Bot. Mag. lxiv. t. 3607 (1837).
J. C. Loudon, Arbor. & Frutic. Brit. ii. 568 (1838).
*J. W. Loudon, Ladies' Fl.-Gard. Ornam. Greenh. Pl. t. 22 (1848).
Journ. Hort. lxii. 23 (1879); Ser. III. xlvi. 179 (1903).
ilicifolium Labill.
Labillardière, Relation Voy. Pérouse, t. 21 [1800].
*Bonpland, Descr. Pl. Rar. Malm. t. 35 (1813).
*Mordant de Launay, Herb. Amat. ii. t. 87 (1817).
Lamarck, Ill. vi. t. 948, fig. 2 (1819).—*Fl.*
*Joh. Kerner, Gen. Pl. Ill. vii. t. 128 (1823).
*Drapiez, Herb. Amat. Fl. ii. t. 91 (1829).
*Géel, Sert. Bot. Cl. 10 (1832).
*Reichenbach, Fl. Exot. v. t. 316 (1836).
Pflanzenfam. iii. III. 206 (1892).
L. H. Bailey, Cycl. Amer. Hort. 301 (1900); Stand. Cycl. Hort. 752 (1914).
Jardin, xxvii. 215 (1913).
—— **Pandolfinii** Hort.
*Bull. Soc. Tosc. Ortic. xl. t. 7, p. 137 (1886).
latifolia Hort.
*Floricult. Cab. ix. 145 (1841).
×**Lowii** Hort.
Journ. Roy. Hort. Soc. London, xiii, Proc. p. xx (1891).
*Rev. Hort. Belge, xx. 265 (1894).
nanum Sims
*Bot. Mag. xxvi. t. 1032 (1807).
Lamarck, Ill. vi. t. 948, fig. 1, a–e (1819).
*Reichenbach, Mag. Aesth. Bot. (Ic. & Descr. Pl.), t. 11 (1822).
*Lodd. Bot. Cab. xi. t. 1002 (1825).
*Mag. Bot. & Gard. ii. t. 20 (1834).
nervosum T. Moore
*Gard. Comp. 1852, p. 121.
*Lem. Jard. Fl. iv. t. 383 (1853).
ovatum Lindl.
*Bot. Reg. xviii. t. 1528 (1832).
*Floricult. Cab. vi. 72 (1838).
*Paxt. Mag. iv. 153 (1838).
*J. W. Loudon, Ladies' Fl.-Gard. Ornam. Greenh. Pl. t. 22 (1848).
rhombeum R. Br.
Reichenbach, Hort. Bot. t. 219 (1827–30).
*Sweet, Fl. Austral. t. 40 (1828).
*Lodd. Bot. Cab. xvii. t. 1619 (1830).
*Journ. Jard. 1834, p. 348.
ruscifolia Hort.
*Floricult. Cab. vii. 168 (1839).
spartioides Lodd.
*Lodd. Bot. Cab. xx. t. 1953 (1833).
*Floricult. Cab. ii. 95 (1834).
*Paxt. Mag. x. 127, 128 (1843).
*J. W. Loudon, Ladies' Fl.-Gard. Ornam. Greenh. Pl. t. 22 (1848).
spectabile Lindl.
*Bot. Mag. lxviii. t. 3903 (1841).
*Bot. Reg. xxvii. t. 45 (1841).
*Sweet, Ornamental Fl. Gard. i. t. 53 (1854).
superbum C. Lem.
*Ill. Hort. i. t. 29 (1854).

CHORIZEMA
triangulare Lindl.
*Bot. Reg. xviii. t. [illegible]513 (1832).
*Paxt. Mag. xiii. 73 (1847).
*Moore & Ayres, Mag. Bot. i. 73, 285 (1850).
*Lem. Jard. Fl. i. t. 27 (1851).
Journ. Hort. xxix. 260 (1863).
Schimper, Pflanzen-Geogr. 561 (1898).
varium Benth.
*Bot. Reg. xxv. t. 49 (1839).
*Floricult. Cab. vii. 143 (1839).
*Paxt. Mag. vi. 175 (1839).
*Horticulteur Univ. i. 229 (1839); iv. 291 (1843).
Marnock, Floricult. Mag. iv. t. 47 (1840).
*Knowles & Westc. Floral Cab. iii. t. 132 (1840).
*Florist's Journ. 1841, t. 16; 1847, p. 271.
*Journ. Jard. 1842, p. 220.
*Trans. Hort. Soc. London, Ser. II. ii. 1835–41, t. 12 (1842).
*J. W. Loudon, Ladies' Fl.-Gard. Ornam. Greenh. Pl. t. 22 (1848).
*Sweet, Ornamental Fl. Gard. ii. t. 90 (1854).
*Bois, Dict. Hort. 312 (1893–99).

CHOROZEMA Sm. = *Chorizema*

CHORTOLIRION A. Berger
Bergerianum Dinter
Dinter, Neue Pfl. Deutsch-Südw.-Afr. t. 12 (1914).
subspicatum Berger
Pflanzenreich, Liliac.-Asphod.-Al. 73 (1908).

CHRESTA Vell.: *Eremanthus* (1), *Vanillosmopsis* (2)
angustifolia Gardn. (1)
Hooker, London Journ. Bot. i. t. 8 (1842).
cordata Vell. (2)
Vellozo, Fl. Flum. viii. t. 150 (1827).
lanceolata Vell. (2)
Vellozo, Fl. Flum. viii. t. 151 (1827).
speciosa Gardn. (1)
Hooker, London Journ. Bot. i. t. 9 (1842).
sphaerocephala DC. (1)
Delessert, Ic. Pl. iv. t. 6 (1839).

CHRISTANNIA Presl: *Pineda*
salicifolia Presl
Presl, Reliq. Haenk. t. 67 (1835).

CHRISTENSENIA Maxon
Cumingiana Christ
Philippine Journ. Sc., Bot. iv. 65, t. 8 (1909).
Christ, Geogr. Farne, 268 (1910).

CHRISTIANA DC.
africana DC.
Baillon, Hist. Pl. iv. 163 (1873).—*Fr.*
Baillon, Dict. Bot. ii. 32 (1879).—*Fr.*
Mart. Fl. Bras. xii. III. t. 25 (1886).
Pflanzenfam. iii. vi. 16 (1890).—*Fl.*
madagascariensis Baill.
Grandidier, Hist. Madag. [Plantes] Atlas, t. 81 (1888).

CHRISTIOPTERIS Copel.
sagitta Copel.
Philippine Journ. Sc. i. Suppl. 2, t. 13 (1906).

CHRISTISONIA Gardn.—Vide *Campbellia, Oligopholis*
aurantiaca Wight
Wight, Ic. Pl. Ind. Or. iv. t. 1486 (1849).
*Wight, Spicil. Neilgherr. ii. t. 167 (1851).
bicolor Gardn.
Fyson, Fl. Nilgiri & Pulney Hill-tops, iii. 449 (1920).
calcarata Wight
Wight, Ic. Pl. Ind. Or. iv. t. 1426 (1849).
*Wight, Illustr. Ind. Bot. ii. t. 158 bis (1850).—*Fl.*
Lawii Wight
Wight, Ic. Pl. Ind. Or. iv. t. 1427 (1849).
neilgherrica Gardn.
Worsdell in Ann. Bot. ix. t. 6, fig. 25 (1895).
Stocksii Hook.
Hook. Ic. Pl. ix. t. 836 (1852).
subacaulis Gardn.
Wight, Ic. Pl. Ind. Or. iv. t. 1423 (1849).
Worsdell in Ann. Bot. ix. t. 5, 6, fig. 15–17 (1895).

CHRISTISONIA
Thwaitesii Trim.
*Trimen, Handb. Fl. Ceylon, Atlas, iii. t. 69 (1895).
tubulosa Benth.
Fyson, Fl. Nilgiri & Pulney Hill-tops, iii. 448 (1920).

CHRISTOLEA Cambess.
crassifolia Cambess.
Jacquemont, Voy. Inde, t. 17 (1844).
Pflanzenfam. iii. II. 201 (1891).—*Fr.*

CHRISTYA Ward. & Harv.: *Strophanthus*
speciosa Ward & Harv.
Hooker, Journ. Bot. iv. t. 21 (1842).

CHRITHMUM = *Crithmum*

CHROSPERMA Rafin.: *Amianthium*
muscitoxicum O. Kuntze
Britton & Brown, Ill. Fl. N. States & Canada, i. 403 (1896); Ed. 2, i. 489 (1913).

CHROZOPHORA Neck.—Vide *Croton* (9), *Ricinoides*
Brocchiana Vis.
Visiani, Pl. Aeg. t. 8 (1836).
—— **Hartmannii** Schweinf.
Schweinfurth, Pl. Nilot. t. 5 (1862).
glabrata Pax & K. Hoffm.
Pflanzenreich, Euphorb.-Acal.-Chroz. 24 (1912).
obliqua A. Juss.
Schweinfurth, Pl. Nilot. t. 3 (1862).
peltata Labill.
Labillardière, Sert. Austr.-Caled. t. 75 (1825).
plicata A. Juss.
Schweinfurth, Pl. Nilot. t. 4 (1862).
Basu, Ind. Med. Pl. t. 873 (1918).
tinctoria A. Juss.
Jussieu, Euphorb. t. 7 (1824).—*Fl.*
Nees, Gen. Pl., Monochlam. i. t. 37 (1835).
*Joly, Observ. Gen. Polyg. Tinct. t. 3–5 (1839).
*Reichenbach, Ic. Fl. Germ. v. t. 152 (1841).
Meigen, Deutschl. Fl. iii. t. 116 (1842).
Lindley, Med. & Oecon. Bot. 85 (1849).—*Veg.*
Schnizlein, Iconogr. iv. t. 243 a (1854).—*Fl.*
Payer, Organog. Comp. Fl. t. 110 (1857).—*Fl.*
Baillon, Euphorb. t. 15, fig. 13–22 (1858).—*Fl.*
Berg, Charakt. t. 24, fig. 198 (1861).
Cesati, Passer. & Gibelli, Comp. Fl. Ital. t. 35 (1867–86).—*Fl.*
*Cusin, Herb. Fl. Franç. xx (Euphorbiacées), t. 65 (1876).
Pflanzenfam. iii. v. 43, 44 (1890).
Acloque, Fl. France, 564 (1894).
Fiori & Paol. Ic. Fl. Ital. 308 (1901).
*Penzig, Fl. Litt. Méditerr. t. 87 (1902).
Coste, Fl. France, iii. 243 (1906).
Adamović, Pflanzenw. Dalmat. t. 58 (1911).
Pflanzenreich, Euphorb. - Acal. - Chroz. 4, 22 (1912).
Trotter, Fl. Econ. della Libia, 240 (1915).
Basu, Ind. Med. Pl. t. 873 (1918).
verbascifolia A. Juss.
Holmboe, Veg. Cyprus, 224 (1914).

CHRYSACTINIA A. Gray
mexicana A. Gray
Ramirez, Dat. Mat. Med. Mexic. iv. 38 (1907).

CHRYSACTINIUM H. B. K.: *Liabum*
acaule Wedd.
Weddell, Chloris Andina (Castelnau Expéd., Bot.), i. t. 39 (1855–57).

CHRYSALIDOCARPUS H. Wendl.: *Hyophorbe*
Baronii Becc.
Beccari, Palme Madag. 40, t. 37 (1912).
—— **litoralis** Jum. & Perrier
Ann. Mus. Col. Marseille, Ser. III. i. 36 (1913).
canescens Jum. & Perrier
Ann. Mus. Col. Marseille, Ser. III. i. 39, t. 19 (1913).
Humblotiana Becc.
Beccari, Palme Madag. 40, t. 38 (1912).
lanceolata Becc.
Beccari, Palme Madag. 41, t. 39 (1912).
lucubensis Becc.
Beccari, Palme Madag. 44, t. 43 (1912).

CHRYSALIDOCARPUS
lutescens H. Wendl.
Jackson in Mem. Boston Soc. Nat. Hist. v. t. 23 (1899).—*Veg.*
Nicholson, '1900' Suppl. Dict. Gard. 228 (1900).
L. H. Bailey, Cycl. Amer. Hort. 301, 302 (1900); 1196 (1901); Stand. Cycl. Hort. 753 (1914); 2441 (1916).
Knuth, Handb. Blütenbiol. iii. 1. 61 (1904).—*Fl.*
Trop. Agric. xxvi. No. 1, frontisp., 80 (1906).—*Hab.*
Ann. Bot. xxi. t. 35 (1907).
Beccari, Palme Madag. 39, t. 36 (1912).
Queensland Agric. Journ. xxx. t. 48 (1913).—*Hab.*
Journ. Bombay Nat. Hist. Soc. xxii. 667 (1914).
Rev. Hort. 1915, p. 539.—*Hab.*
madagascariensis Becc.
Beccari, Palme Madag. 43, t. 41, 42 (1912).
Journ. Bombay Nat. Hist. Soc. xxii. 669 (1914).—*Hab.*
mananjarensis Jum. & Perrier
Ann. Mus. Col. Marseille, Ser. III. i. 34, t. 17 (1913).
nossibensis Becc.
Beccari, Palme Madag. 42, t. 40 (1912).
oleraceus Jum. & Perrier
Ann. Mus. Col. Marseille, Ser. III. i. 42, t. 21, 22 (1913); 218 (1920).
oligostachya Becc.
Beccari, Palme Madag. 45, t. 44 (1912).
onilahensis Jum. & Perrier
Ann. Mus. Col. Marseille, Ser. III. i. 37, t. 17 (1913).
pilulifera Becc.
Beccari, Palme Madag. 46, t. 45 (1912).
Ann. Mus. Col. Marseille, Ser. III. i. 44, 46, t. 23, 24 (1913).
rivularis Jum. & Perrier
Ann. Mus. Col. Marseille, Ser. III. i. 41, t. 20 (1913).

CHRYSAMPHORA Greene: *Darlingtonia*
californica Greene
Plant World, v. 181 (1902).

CHRYSANTHELLUM L. C. Rich.—Vide *Hinterhubera*
americanum Vatke
Plumier, Pl. Amer. Ed. Burm. t. 86, fig. 2 (1756); fide Urban, Fedde Repert. Beih. v. 54.
indicum DC.
Delessert, Ic. Pl. iv. t. 39 (1839).
Pflanzenfam. iv. v. 240 (1890).—*Fl.*
procumbens A. Rich.
Reichenbach, Hort. Bot. t. 66 (1825).
Mart. Fl. Bras. vi. III. t. 70 (1884).
pusillum Hook. f.
N. J. Andersson in Svensk Freg. Eugenies Resa, t. 6 (1857–1910).

CHRYSANTHEMUM Linn.—Vide *Ammanthus, Argyranthemum, Balsamita, Centrachaena, Centrospermum* Spreng., *Chamaemelum* (3), *Coleostephus, Glossopappus, Hymenostemma, Ismelia, Matricaria* (4), *Pinardia* Cass., *Plagius, Preauxia, Prolongoa, Pyrethrum, Stigmatotheca, Tanacetum, Zanthophthalmum*
acrocliniiflorum Hort.
Semaine Hort. 1897, p. 450.
Möllers Deutsche Gärtn.-Zeit. xxiii. 25 (1908).
alpinum Linn.
Hill, Veget. Syst. ii. t. 45 (1761).
*Weber, Alp.-Pfl. Ed. 3, iii. t. 223 (1872).
*Seboth & A. W. Bennett, Alpine Pl. iii. t. 14 (1880).
H. Müller, Alpenblumen, 431 (1881).—*Fl.*
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xxix. t. 3043 (1887).
*L. & C. Schroeter, Taschenfl. Alp.-Wand. t. 9 (1889).—*Hab.*
*Hartinger, Atlas Alpenfl. v. t. 454 (1897).
Knuth, Handb. Blütenbiol. i. 138 (1898).—*Fl.*
Flora, lxxxix. t. 4, fig. 4 (1901).—*Fr.*
*Jul. Hoffmann, Alpine Fl. t. 21 (1903).
Fiori & Paol. Ic. Fl. Ital. 420 (1904).
*Oehninger, Alpenfl. t. 6, fig. 2 (1908).

CHRYSANTHEMUM
alpinum
Schroeter, Pflanzenleb. Alp. 389 (1908).—*Hab.*
*H. S. Thompson, Alp. Pl. Europe, t. 34 (1911).—*Hab.*
*H. S. Thompson, Sub-Alp. Pl. t. 21 (1912).
*Hegi & Dunz. Alp. Fl. t. 28 (1913).
*Penzig, Fl. Alpi Illustr. Ed. 2, t. 21 (1915).
—— **cuneifolium** Vierh.
Magyar Bot. Lap. xiii. t. 1 (1914).
—— **hutchinsiifolium** Vierh.
Magyar Bot. Lap. xiii. t. 1 (1914).
—— **minimum** Vierh.
Magyar Bot. Lap. xiii. t. 1 (1914).
—— **pseudo-tomentosum** Vierh.
Magyar Bot. Lap. xiii. t. 1 (1914).
—— **pyrenaicum** Vierh.
Magyar Bot. Lap. xiii. t. 1 (1914).
—— **tatrae** Vierh.
Magyar Bot. Lap. xiii. t. 1 (1914).
—— **tomentosum** Lois.
Fiori & Paol. Ic. Fl. Ital. 420 (1904).
anethifolium Brouss. ex Willd.
L. H. Bailey, Cycl. Amer. Hort. 312 (1900); Stand. Cycl. Hort. 757 (1914).—*Veg.*
aragonense Asso
Asso, Mant. Stirp. Arag. t. 9 (1781).
arcticum Linn.
J. G. Gmelin, Fl. Sibir. ii. t. 84 (1749); fide Ledebour, Comm. 81.
Hill, Veget. Syst. ii. t. 45 (1761).
*Willdenow, Hort. Berol. i. t. 33 (1804).
*Lodd. Bot. Cab. viii. t. 785 (1823).
Britton & Brown, Ill. Fl. N. States & Canada, iii. 457 (1898); Ed. 2, iii. 518 (1913).
Fedtschenko & Fler. Fl. Eur. Russia, 975 (1910).
Garden, lxxix. 545 (1915).—*Hab.*
arisanense Hayata
Hayata, Ic. Pl. Formosan. vi. t. 6 (1916).
atlanticum Ball
Journ. Linn. Soc., Bot. xvi. t. 26 (1878).
atratum Linn.
*Houttuyn, Handl. Pl. & Kruidk. x. t. 69, fig. 3 (1779).
*Sturm, Deutschl. Fl. v. XIX [t. 302] (1806) in ic.; *Pyrethrum alpinum* in textu.
*Jacquin, Fragm. t. 44 (1809).
G. Beck, Fl. Nied.-Oesterr. ii. II. 1158 (1893).—*Fl.*
*G. Beck, Alpenblum. Semmering, t. 18, fig. 3 (1898).—*Fl.*
Balsamita Linn.
Jacquin, Obs. Bot. t. 89 (1771).
*Cassone, Fl. Med.-Farm. iv. t. 322 (1850).
Baillon, Traité Bot. Méd. Phan. ii. 1137 (1884).
Baillon, Hist. Pl. viii. 62 (1886).
Britton & Brown, Ill. Fl. N. States & Canada, iii. 458 (1898); Ed. 2, iii. 519 (1913).
Suireishchikov, Ill. Fl. Mosc. Gov. iii. 267 (1910).
—— **tanacetoides** Boiss.
L. H. Bailey, Cycl. Amer. Hort. 312 (1900); Stand. Cycl. Hort. 757 (1914).
Fiori & Paol. Ic. Fl. Ital. 420 (1904).
bipinnatum Linn.
Hill, Veget. Syst. ii. 46 (1761).
Burridgeanum Hort.
W. Robinson, Engl. Fl. Gard. t. 68 (1883).—*Hab.*
L. H. Bailey, Cycl. Amer. Hort. 311 (1900).
carinatum Schousb.
*Joh. Kerner, Hort. Sempervir. i. t. 48 (1797).
*Mirbel, Hist. Nat. Pl. xiii. t. 80 [1802–6].
Redouté, Choix Fl. [t. 21] (1827).
*Fritzsche in Mém. Acad. Sc. Pétersb. Div. Sav. iii. t. 10, fig. 7, 9 (1837).—*Fl.*
*Fl. des Serres, Ser. II. i. t. 1099 (1856).
*Horticulteur Franç. 1859, t. 7.
Decaisne & Naud. Amat. Jard. ii. 348 [1862–66].
*Gartenfl. xiii. t. 427 (1864).
*Trans. Russ. Hort. Soc. 1864, t. 150.
Decaisne, Naud. & Hemsl. Trees, Shrubs & Herb. Pl. 255 (1873).
*Rev. Hort. 1874, p. 411, 412.
Schousboe, Obs. Règ. Vég. Maroc, t. 6 (1874).
W. Robinson, Engl. Gard. Fl. t. 68 (1883).
Nicholson, Illustr. Dict. Gard. i. 321 [1884–88].

CHRYSANTHEMUM
carinatum
!Journ. Hort. Ser. III. xxi. 139 (1890).
Lubbock, Seedlings, ii. 132 (1892).—*Veg.*
Gard. Chron. Ser. III. xii. 669 (1892).—*Fl.*
*Bois, Dict. Hort. 316 (1893–99).
*Bois, Atlas Pl. Jard. t. 151 (1896).
*Step, Fav. Fl. Gard. & Greenh. ii. t. 146 (1897).
L. H. Bailey, Stand. Cycl. Hort. 754 (1914).
—— **album** Hort.
*Rev. Hort. 1869, p. 450.
—— **annulatum** Hort.
*Rev. Hort. 1869, p. 450.
× —— **Burridgeanum hybridum** Hort.
*Rev. Hort. 1869, p. 450.
Nicholson, Illustr. Dict. Gard. i. 322 [1884–88].—*Hab.*
Wien. Ill. Gart.-Zeit. xii. 210 (1887).—*Fl.*
Jardin, xxvi. 360 (1912).—*Hab.*
Gard. Chron. Ser. III. lvii. 176 (1915).—*Hab.*
—— **Dunettii** Hort.
Gartenfl. xxix. 343 (1880).
Wien. Ill. Gart.-Zeit. xii. 211 (1887).
—— **pictum** Hook.
*Journ. Hort. Prat. Belg. N. Ser. iii. t. 9 (1859).
*Bot. Mag. lxxxv. t. 5095 (1859).
—— **tricolor** Hort.
*Rev. Hort. 1869, p. 450.
Catananche Ball
*Bot. Mag. c. t. 6107 (1874).
ceratophylloides All.
Allioni, Fl. Pedem. iii. t. 37, fig. 1 (1785).
Willkomm, Führ. Reich Pflanzen, 375 (1882).—*Fr.*
Fiori & Paol. Ic. Fl. Ital. 420 (1904).
—— **coronopifolium** Vill.
Fiori & Paol. Ic. Fl. Ital. 420 (1904).
—— **tridactylites** Fiori & Paol.
Fiori & Paol. Ic. Fl. Ital. 420 (1904).
Chamomilla Bernh.
*Syme, Engl. Bot. v. t. 719 (1866).
cinerariifolium Vis.
*Bot. Mag. cx. t. 6781 (1884).
Amer. Journ. Pharm. lxi. 2, 3 (1889).—*Fl.*
*Köhler, Med. Pfl. iii. t. [226] (1898).
Pharm. Journ. Ser. IV. xii. 831; xiii. 474, 475 (1901).
Collin in Journ. Pharm. & Chim. Ser. VI. xv. 411 (1902).—*Fl.*
coccineum Willd.
*Bot. Mag. xxvii. t. 1080 (1808).
*J. W. Loudon, Ladies' Fl.-Gard. Ornam. Perenn. ii. 17 (1844) in textu; *Pyrethrum carneum* in ic. t. 52.
L. H. Bailey, Cycl. Amer. Hort. 312 (1900); Stand. Cycl. Hort. 757 (1914).
comoleta Hort.
Horticulture (Boston), iv. 444 (1906).
coronarium Linn.
*Kniphof, Herb. Viv. i. t. 254 (1758).
Hill, Veget. Syst. ii. t. 46 (1761).
Gaertner, Fruct. ii. t. 168 (1791).—*Fr.*
*Schkuhr, Bot. Handb. Ed. 2, t. 253a (1808).—*Fr.*
*Jaume St.-Hilaire, Pl. France, i. [t. 91] (1808).
*Mag. Bot. & Gard. ii. t. 49 (1834).
*Sibthorp & Sm. Fl. Graeca, ix. t. 877 (1837).
*Cassone, Fl. Med. Farm. iv. t. 339 (1850).
Decaisne & Naud. Amat. Jard. ii. 348 [1862–66].
Cesati, Passer. & Gibelli, Comp. Fl. Ital. t. 80 (1867–86).—*Fl.*
Decaisne, Naud. & Hemsl. Trees, Shrubs & Herb. Pl. 254 (1873).
*Somoku Dzusetsu, Ed. 2, xvii. t. 11 (1874).
*Hulme & Hibberd, Familiar Gard. Fl. i. 117 [1879–87].
*Garden, xxi. 22 (1882); xxvi. 440 (1884); xliv. 345 (1893).
Willkomm, Führ. Reich Pflanzen, 374 (1882).—*Fr.*
Gard. Chron. xix. 541 (1883).
Nicholson, Illustr. Dict. Gard. i. 322 [1884–88].
Lubbock, Seedlings, ii. 94 (1892).—*Fl.*
Pflanzenfam. iv. v. 275 (1892).—*Fr.*
Acloque, Fl. France, 369 (1894).
*Useful Pl. Jap. i. t. 62 (1895).
De Vries, Mutationsth. i. 548 (1901).

CHRYSANTHEMUM
coronarium
Coste, Fl. France, ii. 338 (1903).
Fiori & Paol. Ic. Fl. Ital. 419 (1904).
Black, Nat. Fl. S. Australia, 86 (1909).
Heukels, Fl. Nederl. iii. 391 (1910).
Scient. Proc. Roy. Dublin Soc. N. Ser. xii. t. 23 (1910).—*Fr.*
Somoku Dzusetsu, Ed. Makino (Iconogr. Pl. Nippon), xvii. t. 11 (1912).
Boeufin in Assoc. Franç. Avanc. Sc. 1913, Tunis, Pt. 2, p. 294 (1914).—*Fl.*
Trotter, Fl. Econ. della Libia, 292 (1915).
Crevost & Lemarié, Cat. Prod. Indochine, i. 165 (1917).
Basu, Ind. Med. Pl. t. 536 (1918).
L. H. Bailey, Gentes Herb. i. 1. 48 (1920).—*Veg.*
—— **nanum** Hort.
Bull. Arboricult. Belg. 1899, p. 113.
—— **spatiosum** L. H. Bailey
L. H. Bailey, Gentes Herb. i. 1. 48 (1920).—*Veg.*
coronopifolium Vill.
*Weber, Alp.-Pfl. Ed. 3, iii. t. 222 (1872).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xxix. t. 3042 (1887).
corymbiferum Linn.
*Schkuhr, Bot. Handb. Ed. 2, t. 253 a (1808).—*Fr.*
corymbosum Linn.
*Kniphof, Herb. Viv. i. t. 255 (1758).
Hill, Veget. Syst. ii. t. 46 (1761).
*Jacquin, Fl. Austr. iv. t. 379 (1776).
Hoppe, Ect. Pl. Ratisb. t. 75 (1793).
Ettingshausen in Sitzb. Akad. Wiss. Wien, xx. 440 (1856).—*Veg.*
Gard. Chron. xx. 201 (1883).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xxix. t. 3045 (1887).
Fiori & Paol. Ic. Fl. Ital. 420 (1904).
Heukels, Fl. Nederl. iii. 395 (1910).
Suireishchikov, Ill. Fl. Mosc. Gov. iii. 268 (1910).
Beih. Bot. Centralbl. xxvi. II. t. 7 (1910).—*Hab.*
Lindman, Svensk Fanerogamfl. 539 (1918).—*Veg.*
—— **radio-flavum** Tratt.
Trattinick, Arch. i. t. 49 (1812).
*Trattinick, Ausg. Taf. Arch. i. 5 (1813).
Cullingfordii Hort.
Rev. Hort. Belge, xiii. 268 (1887).—*Fl.*
Decaisneanum Matsum.
Somoku Dzusetsu, Ed. Makino (Iconogr. Pl. Nippon), xvii. t. 14 (1912).
—— **discoideum** Makino
Bot. Mag. Tokyo, xxvi. 399, fig. 28 (1912).
—— **hortense** Makino
Bot. Mag. Tokyo, xxvi. 398, 399, fig. 26, 27 (1912).
—— **incompletum** Makino
Bot. Mag. Tokyo, xxvi. 398, fig. 23 (1912).
—— **modestum** Makino
Bot. Mag. Tokyo, xxvi. 398, fig. 24 (1912).
—— **satsumense** Makino
Bot. Mag. Tokyo, xxvi. 398, fig. 25 (1912).
diffusum Vell.
Vellozo, Fl. Flum. viii. t. 128 (1827).
discoideum All.
Allioni, Fl. Pedem. iii. t. 11, fig. 1 (1785).
Fiori & Paol. Ic. Fl. Ital. 419 (1904).
elegans Steud.
Pollini, Fl. Veronensis, ii. t. 6 (1822).
fimbriatum Hort.
Wien. Ill. Gart.-Zeit. vii. 452 (1882).—*Fl.*
flosculosum Linn.
*Kniphof, Herb. Viv. i. t. 251 (1758).
Hill, Veget. Syst. ii. t. 46 (1761).
Fiori & Paol. Ic. Fl. Ital. 419 (1904).
foeniculaceum Brouss.
*Bot. Mag. cxlii. t. 8644 (1916).
frutescens Linn.
*Kniphof, Herb. Viv. i. t. 252 (1758).
Hill, Veget. Syst. ii. t. 44 (1761).
Usteri, Ann. Bot. xvi. t. 1 (1795).—*Fl.*
*Mordant de Launay, Herb. Amat. iii. t. 167 (1819).
*Drapiez, Herb. Amat. Fl. iv. t. 286 (1830).
*Rev. Hort. Ser. II. iv. 60–61 (1845).
*Cassone, Fl. Med.-Farm. iv. t. 340 (1850).

CHRYSANTHEMUM
frutescens
Garden, xviii. 466 (1880); xxvi. 445 (1884).
*Belg. Hort. xxx. 225 (1880).
Gard. Chron. xiii. 561 (1880); Ser. III. xxxv. 216 (1904).—*Hab.*
W. Robinson, Engl. Fl. Gard. t. 69 (1883).
Nicholson, Illustr. Dict. Gard. i. 322 [1884–88].
Sauvaigo, Cult. Littor. Méditerr. 33 (1894).
*Bois, Atlas Pl. Jard. t. 152 (1896).
*Step, Fav. Fl. Gard. & Greenh. ii. t. 147 (1897).
Bellair & St.-Léger, Pl. Serre, 527 (1900).
*Behrens, Blattformen, t. 32, fig. e, f, g (1900).—*Veg.*
L. H. Bailey, Cycl. Amer. Hort. 311, 312 (1900); Stand. Cycl. Hort. 756, 757 (1914).
Deutsche Tiefsee-Exped. 1898–99, ii. 1. 294 (1907).
Beih. Bot. Centralbl. xxix. 1. 91 (1912).—*Fr.*
Möllers Deutsche Gärtn.-Zeit. xxviii. 485, 486 (1913).
Goebel, Entfaltungsb. Pfl. 441 (1920).—*Fl.*
—— **chrysaster** Hort.
*Step, Fav. Fl. Gard. & Greenh. ii. t. 147 (1897).
fruticosum Vell.
Vellozo, Fl. Flum. viii. t. 130 (1827).
fruticulosum Ledeb.
*Ledebour, Ic. Pl. Ross. v. t. 495 (1834).
fuscatum Desf.
Desfontaines, Fl. Atlant. ii. t. 237 (1798).
Garza Hort.
Horticulture (Boston), ii. 707 (1905).—*Hab.*
graminifolium Linn.
Hill, Veget. Syst. ii. t. 44 (1761).
Jacquin, Obs. Bot. t. 92 (1771).
grande Hook. f.
*Bot. Mag. cxxix. t. 7886 (1903).
grandiflorum Willd.
Decaisne & Naud. Amat. Jard. i. 60 [1862–66].—*Fl.*
hakusanense Makino
Bot. Mag. Tokyo, xxiv. 303 (1910).
Somoku Dzusetsu, Ed. Makino (Iconogr. Pl. Nippon), xvii. t. 21 (1912).
Herminii Hoffm. & Link
*Hoffmannsegg & Link, Fl. Portug. ii. t. 102 (1820).
indicum Linn.
Rheede, Hort. Mal. x. t. 44 (1690); fide Hasskarl, Hort. Mal. Rheed. Clavis, 84.
Rumphius, Herb. Amboin. v. t. 91, fig. 1 (1747); fide Merrill, Interpret. Rumph. Herb. Amboin.
Hill, Veget. Syst. ii. t. 45 (1761).
*Bot. Mag. x. t. 327 (1796); xlvi. t. 2042 (1819); sed vide t. 7874.
*Joh. Kerner, Hort. Sempervir. ii. t. 66 (1800).
*Moriarty, Viridarium, Col. Plates Greenh. Pl. t. 19 (1806).
Jaume St.-Hilaire, Pl. France, i [t. 89] (1808).
*Bot. Reg. i. t. 4 (1815); viii. t. 616 (1822); xv. t. 1287 (1829).
Dict. Sc. Nat., Planch. Bot. Dicot. t. 88 (1816–29).
Savi, Fl. Ital. i. t. 11 (1818).
Trans. Hort. Soc. London, iv. t. 12, 13 (1822).
Fortsetz. Allg. Teutsch. Gart. Mag. vii. t. 8 (1823).
Cassini, Opusc. Phyt. i. t. 11 (1826).
*M. Roscoe, Fl. Illustr. Seasons, t. 49, 50 [1829–31].
*Mag. Bot. & Gard. iii. t. 21 (1835).
*Drapiez, Herb. Amat. Fl. viii. t. 552 (1835).
*J. W. Loudon, Ladies' Fl.-Gard. Ornam. Perenn. ii. t. 53 (1844).
*Strong, American Fl. iii. 17 (1849).
*Cassone, Fl. Med.-Farm. iv. t. 338 (1850).
*Belg. Hort. x. 257 [t. 17, 18] (1860).
*Fl. des Serres, Ser. II. v. t. 1574 (1862–65).
*Réveil, Règne Vég. xiv. t. 18 (1870).
*Hulme & Hibberd, Familiar Gard. Fl. v. 105 [1879–87].
W. Robinson, Engl. Fl. Gard. t. 68 (1883).
Neubert's Deutsch. Gart. Mag. Ill. Mon. 1889, p. 130–32.
Gard. Chron. Ser. III. viii. 565 (1890); xxviii. 342 (1900); xxxi. 303 (1902).

CHRYSANTHEMUM
indicum
Jardin, vi. 29 (1892); xxiii. 77 (1909); xxiv. 331 (1910).
*Behrens, Blattformen, t. 72, fig. a–c (1900).—*Veg.*
Plemper v. Balan in Tijdschr. Tuinb. Ed. Bos, v. fig. 5 (1900).
Journ. Roy. Hort. Soc. London, xxv. Proc. p. ccv–ccvii (1900–1).
*Bot. Mag. cxxix. t. 7874 (1903).
Schneider, Dendrol. Winterst. 76 (1903).—*Veg.*
Fiori & Paol. Ic. Fl. Ital. 420 (1904).
Miyoshi, Pl. World Jap. 602 (1910).
Möllers Deutsche Gärtn.-Zeit. xxviii. 211 (1913).
L. H. Bailey, Stand. Cycl. Hort. 755 (1914).
Basu, Ind. Med. Pl. t. 535 (1918).
—— **album tubulosum** Savi
Savi, Fl. Ital. ii. t. 53 (1822).
—— **armeniacum** Savi
Savi, Fl. Ital. ii. t. 53 (1822).
—— **flavum aureum** Savi
Savi, Fl. Ital. ii. t. 54 (1822).
—— —— **sulphureum** Savi
Savi, Fl. Ital. ii. t. 53 (1822).
—— **granatinum** Savi
Savi, Fl. Ital. ii. t. 54 (1822).
—— **hibernum** Makino
Somoku Dzusetsu, Ed. Makino (Iconogr. Pl. Nippon), xvii. t. 18 (1912).
—— **luteo-ochraceum** Savi
Savi, Fl. Ital. ii. t. 54 (1822).
—— **minimum** Hort.
*Journ. Hort. Prat. Belg. x. 161 (1852)
—— **plenum** Lindl.
*Bot. Reg. xviii. t. 1502 (1832).
—— **sanguineum** Hort.
*Floricult. Cab. iv. 24 (1836).
Jardin, xxiv. 330 (1910).
—— **sulphureum** Hort.
*Floricult. Cab. iv. 24 (1836).
—— **superbum** Sab.
*Bot. Reg. vi. t. 455 (1820).
×**indicum** Thunb.
*Neubert's Deutsch. Gart. Mag. 1891, t. 3.
*Gartenwelt, iii. 312 (1899).
inodorum Linn.
*Fl. Dan. iv. t. 696 (1777).
*Dreves & Hayne, Bot. Bilderbuch, iv. t. 23 (1801).
*Dreves & Hayne, Choix de Pl. t. 125 (1802).
*Hayne, Getreue Darst. Arzn. Gewächse, i. t. 4 (1805).
*Schkuhr, Bot. Handb. Ed. 2, t. 253 a (1808).
*Mann, Deutschl. Wildwachs. Arzney-Pfl. [t. 47] (1823–28).
*Nees, Pl. Offic. ii. t. 242 (1828).
*Jaume St.-Hilaire, Fl. & Pom. Franç. ii. t. 152 (1829).
*Deakin, Florigr. Brit. iii. fig. 1299 (1847).
Bentham, Handb. Brit. Fl. fig. 508 (1865).
*Syme, Engl. Bot. v. t. 717 (1866).
Gartenfl. xxvi. 283, 284 (1877); xxx. t. 1055 (1881).
Wagner, Ill. Deutsche Fl. Ed. 2, p. 400 (1882).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xxix. t. 3047 (1887).
*Köhler, Med. Pfl. iii [t. 227] (1898).
*Behrens, Blattformen, t. 40, fig. a (1900).—*Veg.*
Bull. Angew. Bot. v. t. 70 (1912).—*Veg.*
—— **maritimum** Koch
*Deakin, Florigr. Brit. iii. fig. 1300 (1847).
*Syme, Engl. Bot. v. t. 718 (1866).
—— **plenissimum** Hort.
Gartenfl. xxviii. 24 (1879).—*Fl.*
W. Robinson, Engl. Fl. Gard. t. 69 (1883).—*Hab.*
De Vries, Mutationsth. i. 524, 540 (1901).
integrifolium Richards.
Hooker, Fl. Bor.-Amer. t. 109 (1833).
japonicum Makino
Miyoshi, Pl. World Jap. 602 (1910).
*Jardin, xxvi. 168 (1912).
Somoku Dzusetsu, Ed. Makino (Iconogr. Pl. Nippon), xvii. t. 16 (1912).
—— **grandiflorum** Hort.
*Jardin, xxvi. 168 (1912).

CHRYSANTHEMUM
japonicum laciniatum Hort.
*Jardin, xxvi. 168 (1912).
—— **roseum punctatum** Hort.
*Jardin, xxvi. 168 (1912).
—— **striatum** Hort.
*Jardin, xxvi. 168 (1912).
lacustre Brot.
Rev. Hort. Ser. IV. vi. 456 (1857).
Garden, xviii. 592 (1880).—*Fl.*
Gard. Chron. Ser. III. v. 589 (1889).
L. H. Bailey, Cycl. Amer. Hort. 313 (1900); Stand. Cycl. Hort. 758 (1914).
larvatum Griseb.
Visiani in Mem. Istit. Veneto, xxi. t. 11 (1879).
lavandulifolium Makino
Somoku Dzusetsu, Ed. Makino (Iconogr. Pl. Nippon), xvii. t. 19, 1 (1912).
—— **seticuspe** Makino
Somoku Dzusetsu, Ed. Makino (Iconogr. Pl. Nippon), xvii. t. 19, II (1912).
Leucanthemum Linn.
*Kniphof, Herb. Viv. i. t. 253 (1758).
Hill, Veget. Syst. ii. t. 44 (1761).
Hill, Herb. Brit. i. t. 9 (1769).
Hill, Brit. Herbs, t. 7 (1771).
Walcott, Fl. Brit. Indig. [t. 135] (1778).
*Zorn, Ic. Pl. Med. v. t. 483 (1784).
Hoppe, Ect. Pl. Ratisb. t. 423 (1789).
*Fl. Dan. vi. t. 994 (1790).
*Joh. Kerner, Abbild. Oek. Pfl. (Fig. Pl. Écon.), vi. t. 551 (1793).
*Martyn, Fl. Rustica, iv. t. 109 (1794).
*Sturm, Deutschl. Fl. i. II [t. 27] (1797).
*Curtis, Fl. Londin. ii. fasc. v. t. 62 (1798); Ed. 2, iii. fasc. v. t. 62 (1826).
*Sowerby & Sm. Engl. Bot. ix. t. 601 (1799).
*Kops, Fl. Batava, i. t. 50 (1800).
*Oskamp, Afb. Artseny-Gewass. vi. t. 518 (1800).
*Plenck, Ic. Pl. Med. vii. t. 616 (1803).
*Svensk Bot. v. t. 346 (1807).
*Schkuhr, Bot. Handb. Ed. 2, t. 253 a (1808).—*Fr.*
*Liboschitz & Trinius, Fl. Pétersb. & Mosc. 33 (1811).
*Hill, Family Herbal, t. 38 (1812); fide Ed. Thornton, Brit. Fl. iii. 36 (1812).
*Schrank, Fl. Monac. ii. t. 194 (1814).
*Vietz, Ic. Pl. Med.-oec.-techn. v. t. 410 (1817).
!Hopkirk, Fl. Anom. t. 6, fig. 2 (1817).—*Fl.*
*Jaume St.-Hilaire, Fl. & Pom. Franç. ii. t. 150 (1829).
*Heger, Danske Oec. Pl. iii. t. 262 (1835).
*Zenker, Fl. Thüringen, i. t. 58 (1836–55).
[M. E.] Jackson, Pict. Fl. fig. 1238 (1840).
Meigen, Deutschl. Fl. iii. t. 132 (1842).—*Fr.*
Lindley, Veg. Kingd. 706 (1846).
*J. W. Loudon, Brit. Wild Fl. Ed. 2, t. 42 [1846].
*Deakin, Florigr. Brit. iii. fig. 1297 (1847).
*Lorek, Fl. Pruss. Ed. 3, t. 195, fig. 1032 (1848).
*Petermann, Deutschl. Fl. t. 48, fig. 375, a–n (1849).—*Fl.*
Johnson & Sowerby, Brit. Wild Fl. fig. 741 (1858–60).
Berg, Charakt. t. 51, fig. 393, A–O (1861).
*Hogg & Johnson, Wild Fl. Gr. Brit. i. t. 58 (1863).
*Schubert, Naturg., Pflanzenreich, Ed. 2, t. 43, fig. 8 [1865].
Bentham, Handb. Brit. Fl. fig. 505 (1865).
*Syme, Engl. Bot. v. t. 714 (1866).
*Hulme, Plant Form, t. 52 (1868).
Marchand, Élém. Bot. 83 (1869).—*Fl.*
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, iii. t. 128 [1873].
Warming in Dansk. Vid. Selsk. Skrift. Ser. V. x. t. 2, fig. 14 (1875).—*Fl.*
Nobbe, Handb. Samenkunde, 447 (1876).—*Fr.*
Journ. Roy. Agric. Soc. England, Ser. II. xiii. 442 (1877).—*Fr.*
Karsten, Deutsche Fl. Pharm.-medic. Bot. 1094 (1880–83).—*Fr.*
Album Natuur, 307, 309 (1881).—*Fl.*
C. Hoffmann, Pflanzenatlas, t. 67, fig. 417 (1881).
*Wagner, Ill. Deutsche Fl. Ed. 2, p. 398 (1882).
Baillon, Ic. Fl. Franç. iii. t. 248 [1885–94].

CHRYSANTHEMUM
Leucanthemum
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xxix. t. 3040 (1887).
Rep. Commissioner Agric. Washington, 1886, p. 92, t. 10 (1887).
Thomé, Fl. Deutschl. iv. t. 584 (1889).
*Halsted in Rep. New Jersey Agric. St. No. 1, t. 12 (1890).
*Hulme, Familiar Wild Fl. (5 vol. Ed.), i. 85 [1892?]; (Pop. Ed.), iii. 73 [1897?].
Pflanzenfam. iv. v. 275 (1892).—*Fr.*
Stewart in Bull. Iowa Agric. St. No. 21, p. 814 (1893).—*Fr.*
Bessey in Rep. Nebraska State Board Agric. N. Ser. v. 206 (1893); et in Contrib. Bot. Dept. Univ. Nebraska, N. Ser. v. 206 (1893).
Monde des Pl. ii. 352 (1893).
!Bull. Torr. Bot. Club, xx. t. 136 (1893).
Wild Fl. Canada, t. 86 (1894).
*Step, Wayside & Woodl. Bloss. t. 53 (1895); New Ed. i. t. 115 (1905).
Karsten, Fl. Deutschl. ii. 674 (1895).—*Fr.*
Miller & Whiting, Wild Fl. N.E. States, 262 (1895).
New Zealand Dep. Agric. Rep. No. 3, p. 119 (1895).
Hitchcock & Norton in Bull. Kansas Agric. St. No. 57, t. 8, fig. 93 (1896); No. 66, t. 5, fig. 93 (1897); No. 76, t. 6, fig. 34 (1898).
Selby in Bull. Ohio Agric. St. No. 83, p. 358 (1897); No. 175, t. 4, p. 370 (1906).
Knuth, Handb. Blütenbiol. ii. 1. 609 (1898).—*Fl.*
Britton & Brown, Ill. Fl. N. States & Canada, iii. 457 (1898); Ed. 2, iii. 518 (1913).
Reichenau, Mainzer Flora, fig. 7 (1900).
L. H. Bailey, Cycl. Amer. Hort. 314, 452 (1900); Stand. Cycl. Hort. 758 (1914).
Lindman, Bild. Nord. Fl. t. 10 (1901–5).
C. T. Green, Fl. Liverpool Distr. fig. 326 (1902).
Pammel in Bull. Iowa Agric. St. No. 70, p. 382 (1903).
Rhodora, v. 180 (1903).—*Veg.*
Fiori & Paol. Ic. Fl. Ital. 419 (1904).
Blytt, Haandb. Norg. Fl. Ed. Dahl, 695 (1906).
*Clark & Fletcher, Farm Weeds Canada, t. 26 (1906).
Henshaw, Mount. Wild Fl. Amer. t. 24 (1906).
Kirby, Brit. Fl. Pl. t. 50 (1906).
*U.S. Dep. Agric. Farm. Bull. No. 260, p. 18 (1906).—*Fr.*
*Wagner, Magyar. gyomnöv. (Weeds of Hungary), t. 5 (1908).
Fitzgerald in Nature Book, vi. 985 (1909).
Fedtschenko & Fler. Fl. Eur. Russia, 974 (1910).
Heukels, Fl. Nederl. iii. 392 (1910).
Long, Common Weeds Farm & Garden, t. 2 (1910).—*Fr.*
*Milner, Life Oberammergau, t. 21 (1910).
Suireishchikov, Ill. Fl. Mosc. Gov. iii. 266 (1910).
Ontario Dep. Agric. Bull. No. 188, p. 21, 115 (1911).
*Correvon, Fl. Champs & Bois, t. 44 & (1911).
Pammel, Weeds Farm & Gard. 244 (1911).
Wrigley, Stud. Trees & Fl. 58 [1911].
Journ. New Zeal. Dep. Agric. vi. 267, 270 (1912); viii. 635 (1914); xi. 32 (1915).
*H. S. Thompson, Sub-Alp. Pl. t. 21 (1912).
Iowa Geol. Surv. Bull. No. 4, p. 492 (1913).—*Fr.*
Horwood, Plant Life Brit. Isles, i. t. 134 (1914).—*Fl.*
*Perrin & Boulger, Brit. Flower. Pl. iv. t. 288, 300 [D], fig. 1–6 (1914).
Palmer in Proc. Iowa Acad. Sc. xxiii. t. 11 (1916).—*Fr.*
S. F. Armstrong, Brit. Grasses, 144 (1917).—*Fr.*
*Nat. Geogr. Mag. Washington, xxxi. 512 (1917).
*Bonnier, Name This Flower, t. 30 (1917).
Britton, Fl. Bermuda, 405 (1918).
Board. Agric. & Fish. Leaflet No. 184, p. 6 (1918).—*Fr.*
M. T. Cook, Applied Econ. Bot. 155 (1919).—*Fr.*
Fitch & Smith, Ill. Brit. Fl. Ed. rev. 4, Iss. 2, fig. 523 (1919).

CHRYSANTHEMUM
Leucanthemum
*Horwood, Brit. Wild Fl. ii. t. 5, p. 56 (1919).
!Garden, lxxxiii. 398 (1919).—*Fl.*
Krafft & Fruwirth, Pflanzenb. 215 (1920).—*Fr.*
—— **affine** Peterm.
Petermann, Deutschl. Fl. t. 48, fig. 375, n (1849).—*Fr.*
—— **auriculatum** Peterm.
Petermann, Deutschl. Fl. t. 48, fig. 375, m (1849).—*Fr.*
—— **coronulatum** Peterm.
Petermann, Deutschl. Fl. t. 48, fig. 375, o (1849).—*Fr.*
—— **heterophyllum** Willd.
Fiori & Paol. Ic. Fl. Ital. 419 (1904).
—— **pinnatifidum** Lecoq & Lamotte
*Clark & Fletcher, Farm Weeds Canada, Ed. 2, t. 60, 76, fig. 84 (1909).
Beal in Bull. Michigan Agric. Exp. St. No. 267, p. 422 (1911); et in Ann. Rep. xxv. 411 (1912).
Pammel in Iowa Geol. Surv. Bull. No. 4, p. 363 (1913).
A. Georgia, Manual Weeds, t. 343 (1914).
Canada Dep. Agric. (Seed Branch) Bull. No. S-8, p. 27 (1914).
—— **secundum** Hort.
Tribune Hort. vii. 677 (1912).—*Fl.*
—— **subpinnatifidum** Fernald
Rhodora, v. 181 (1903).—*Veg.*
lineare Matsum.
Bot. Mag. Tokyo, xiii. t. 6 (1899).
Somoku Dzusetsu, Ed. Makino (Iconogr. Pl. Nippon), xvii. t. 12 (1912).
—— **manshuricum** Kom.
Act. Hort. Petrop. xxv. t. 10 (1907).
macrocephalum Viv.
Viviani, Fl. Lib. Sp. t. 10, fig. 4 (1824).
macrophyllum Waldst. & Kit.
*Waldstein & Kit. Pl. Rar. Hung. i. t. 94 (1802).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xxix. t. 3046 (1887).
Rev. Hort. 1896, p. 565.—*Hab.*
Fiori & Paol. Ic. Fl. Ital. 421 (1904).
Silva Tarouca, Freiland-Stauden, 58 (1910).—*Hab.*
marginatum Raffill
Gard. Chron. Ser. III. xxxv. 51 (1904).—*Hab.*
Marschallii Aschers.
*Köhler, Med. Pfl. iii [t. 228] (1898).
matricarioides Hort.
*Rev. Hort. Ser. III. iv. 301 (1850) in textu, p. 303; *Pyrethrum indicum* in ic.
Mawii Hook. f.
*Bot. Mag. xcviii. t. 5997 (1872).
maximum Ramond
*Trattinick, Ausg. Taf. Arch. ii. 143 a, 143 b (1813).
Trattinick, Arch. ii. t. 180 (2 fol.) (1814).
Journ. Hort. Ser. III. v. 251 (1883).
Garden, xxvi. 437 (1884); lxx. 54 (1906).
Gard. Chron. xxvi. 273 (1886); Ser. III. v. 585 (1889); xxviii. 454 (1900).
Neubert's Deutsch. Gart. Mag. xlviii. 763 (1895).—*Fl.*
*Gartenwelt, ii. t. 1 (1897).
L. H. Bailey, Cycl. Amer. Hort. 313 (1900); Stand. Cycl. Hort. 758 (1914).
Jardin, xxv. 101 (1911).—*Hab.*
—— **elegans** Hort.
Canada Dep. Agric. Exper. Farms, Ser. II. Bull. No. 5, p. 32 (1908).—*Hab.*
—— **filiferum** Hort.
Wien. Ill. Gart.-Zeit. xxiv. 58 (1899).—*Fl.*
—— **filiforme** Hort.
Semaine Hort. 1899, p. 62.—*Fl.*
monspeliense Linn.
Hill, Veget. Syst. ii. t. 45 (1761).
Jacquin, Obs. Bot. t. 93 (1771).
*Schkuhr, Bot. Handb. Ed. 2, t. 253 a (1808).
montanum Linn.
Hill, Veget. Syst. ii. t. 44 (1761).
Jacquin, Obs. Bot. t. 91 (1771).
Allioni, Fl. Pedem. iii. t. 37, fig. 2 (1785).
*Jaume St.-Hilaire, Fl. & Pom. Franç. ii. t. 151 (1829).

CHRYSANTHEMUM
montanum
*Weber, Alp.-Pfl. Ed. 3, iii. t. 221 (1872).
Willkomm, Führ. Reich Pflanzen, 375 (1882).—*Fr.*
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xxix. t. 3041 (1887).
Flora, lxxix. 275 (1894).—*Veg.*
morifolium Ramond
*Bot. Mag. x. t. 327 (1796); xlvi. t. 2042 (1819); errore *C. indicum*, fide Hooker, ad t. 7874.
L. H. Bailey, Cycl. Amer. Hort. 314 (1900); Stand. Cycl. Hort. 755 (1914).
Gard. Chron. Ser. III. xxxi. 302 (1902).
—— **chinense** Makino
Somoku Dzusetsu, Ed. Makino (Iconogr. Pl. Nippon), xvii. t. 15 (1912).
—— **japonense** Makino
Bot. Mag. Tokyo, xxvi. 217 (1912).
multicaule Desf.
Desfontaines, Fl. Atlant. ii. t. 236 (1798).
*Bot. Mag. cxiii. t. 6930 (1887).
Myconis Linn.
Jacquin, Obs. Bot. t. 94 (1771).
*Jaume St.-Hilaire, Fl. & Pom. Franç. ii. t. 155 (1829).
*Jacquin, Ecl. Pl. ii. t. 147 (1844) in ic.; *Pyrethrum myconis* in textu.
*Cusin & Ansberque, Herb. Fl. Franç. xii (Composées), t. 128 (1873).
*Bicknell, Fl. Pl. Riviera, t. 30 (1885).
Rep. Missouri Bot. Gard. viii. t. 31 (1897).
*Penzig, Fl. Litt. Méditerr. t. 58 (1902).
Coste, Fl. France, ii. 338 (1903).
Fiori & Paol. Ic. Fl. Ital. 419 (1904).
naktongense Nakai
Journ. Coll. Sc. Tokyo, xxxi. t. 8 (1911).
nipponicum Matsum.
Wien. Ill. Gart.-Zeit. xx. 12 (1895).
Gard. Chron. Ser. III. xxiv. 349 (1898).
*Bot. Mag. cxxv. t. 7660 (1899).
Rev. Hort. 1905, p. 47.—*Hab.*
Somoku Dzusetsu, Ed. Makino (Iconogr. Pl. Nippon), xvii. t. 13 (1912).
norma Hort.
Horticulture (Boston), ii. 683 (1905).
ochroleucum Masf.
Möllers Deutsche Gärtn.-Zeit. xxvii. 338 (1912).—*Hab.*
oltense Sosnowsky
Monit. Jard. Bot. Tiflis, Livr. 27, t. 3 (1913).
ornatum Hemsl.
*Bot. Mag. cxxx. t. 7965 (1904).
Garden, lxxiii. 90 (1909).—*Hab.*
osmitoides Harv.
Harvey, Thes. Cap. ii. t. 152 (1863).
oxystegium Sosnowsky
Monit. Jard. Bot. Tiflis, Livr. 27, t. 4 (1913).
pallens J. Gay
Pharm. Journ. Ser. IV. xiii. 604 (1901).—*Fl.*
paludosum Poir.
Desfontaines, Fl. Atlant. ii. t. 238 (1798).
pamiricum Hoffm.
Bull. Herb. Boiss. Ser. II. v. t. 4 (1905).
Paulsen, Stud. Veg. Pamir (Second Dan. Pamir Exp.), 47 (1920).
parthenioides Hort.
*Jaume St.-Hilaire, Fl. & Pom. Franç. ii. t. 154 (1829).
Parthenium Bernh.
*Deakin, Florigr. Brit. iii. fig. 1298 (1847).
*Artus, Atlas Pharm. Deutschl. Aufg. Offic. Gew. t. 148 [1862–74] in ic.; *Pyrethrum Parthenium* in textu, p. 202.
Bentham, Handb. Brit. Fl. fig. 507 (1865).
*Syme, Engl. Bot. v. t. 715 (1866).
*Hulme, Plant Form, t. 39 (1868).
Nature, x. 422, fig. 15–17 (1874).—*Fl.*
Lubbock, Brit. Fl. Relat. Insects, 113, 114 (1875).
Karsten, Deutsche Fl. Pharm.-medic. Bot. 1093, 1094 (1880–83).
Wagner, Ill. Deutsche Fl. Ed. 2, p. 399 (1882).
*Baillon, Ic. Fl. Franç. v. t. 429 [1885–94].
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xxix. t. 3044 (1887).
Karsten, Fl. Deutschl. ii. 673, 674 (1895).
*Köhler, Med. Pfl. iii [t. 229] (1898).

CHRYSANTHEMUM
Parthenium
Britton & Brown, Ill. Fl. N. States & Canada, iii. 458 (1898); Ed. 2, iii. 519 (1913).
L. H. Bailey, Cycl. Amer. Hort. 310 (1900); Stand. Cycl. Hort. 756 (1914).
C. T. Green, Fl. Liverpool Distr. fig. 327 (1902).
Fiori & Paol. Ic. Fl. Ital. 420 (1904).
Avebury, Notes Life Hist. Brit. Fl. Pl. 231, 233 (1905).
Fedtschenko & Fler. Fl. Eur. Russia, 975 (1910).
Heukels, Fl. Nederl. iii. 394 (1910).
*Ellis, Herbs, 9 (1917).
Lindman, Svensk Fanerogamfl. 539 (1918).—*Veg.*
Britton, Fl. Bermuda, 405 (1918).
Fitch & Smith, Ill. Brit. Fl. Ed. rev. 4, Iss. 2, fig. 525 (1919).
perpusillum Loisel.
Loiseleur in Journ. de Bot. ii. t. 13 (1809).
Loiseleur, Notice Pl. Fr. t. 6 (1810).
Loiseleur, Fl. Gall. Ed. 2, t. 27 (1828).
praealtum Vent.
Ventenat, Jard. Cels, t. 43 [1800].
*Chaumeton, Fl. Méd. vii. II. t. 51 (1820).
pusillum Viv.
Viviani, Fl. Lib. Sp. t. 13, fig. 3 (1824).
regalium bicolor Hort.
*Ill. Gartenzeit. Stuttgart, ii. t. 5 (1858).
Robinsonii Hort.
Rev. Hort. 1904, p. 515.
Jardin, xxv. 183 (1911).—*Fl.*
×**Rohlenae** Dom.
Domin in Sitzb. Böhm. Ges. Wiss. 1905, tab. (1905).
roseum Adam
Decaisne & Naud. Amat. Jard. ii. 350 [1862–66].
Decaisne, Naud. & Hemsl. Trees, Shrubs & Herb. Pl. 254 (1873).
*Köhler, Med. Pfl. iii [t. 230] (1898).
Pharm. Journ. Ser. IV. xiii. 601 (1901).—*Fl.*
rotundifolium Waldst. & Kit.
*Waldstein & Kit. Pl. Rar. Hung. iii. t. 236 (1812).
*Bot. Mag. cxviii. t. 7225 (1892).
scandens Vell.
Vellozo, Fl. Flum. viii. t. 129 (1827).
segetum Linn.
Hill, Veget. Syst. ii. t. 46 (1761).
Hill, Herb. Brit. i. t. 9 (1769).
Hill, Brit. Herbs, Ed. 4, t. 7 (1771).
*Joh. Kerner, Abbild. Oek. Pfl. (Fig. Pl. Écon.), iii. t. 241 (1789).
*Fl. Dan. vi. t. 995 (1790).
*Martyn, Fl. Rustica, iv. t. 110 (1794).
*Curtis, Fl. Londin. ii. fasc. vi. t. 60 (1798); Ed. 2, iii. fasc. vi. t. 60 (1826).
*Dreves & Hayne, Bot. Bilderbuch, iii. t. 30 (1798).
*Sowerby & Sm. Engl. Bot. viii. t. 540 (1799).
*Dreves & Hayne, Choix de Pl. t. 102 (1802).
*Schkuhr, Bot. Handb. Ed. 2, t. 253a (1808).—*Fr.*
*Jaume St.-Hilaire, Pl. France, i [t. 90] (1808).
*Svensk Bot. vii. t. 496 (1812).
*Hill, Family Herbal, t. 12 (1812).
*Vietz, Ic. Pl. Med.-oec.-techn. v. t. 411 (1817).
*Kops, Fl. Batava, vi. t. 425 (1832).
*Heger, Danske Oec. Pl. iii. t. 263 (1835).
*Zenker, Fl. Thüringen, iii. t. 311 (1836–55).
*Baxter, Brit. Bot. Ed. 2, iv. t. 306 (1839).
[M. E.] Jackson, Pict. Fl. fig. 1239 (1840).
*Dietrich, Fl. Boruss. ix. t. 632 (1841).
Meigen, Deutschl. Fl. iii. t. 132 (1842).—*Fl.*
*Deakin, Florigr. Brit. iii. fig. 1301 (1847).
*Lorek, Fl. Pruss. Ed. 3, t. 195, fig. 1033 (1848).
*Cassone, Fl. Med.-Farm. iv. t. 337 (1850).
Reichenbach, Ic. Fl. Germ. xvi. t. 986 (1853).
Johnson & Sowerby, Brit. Wild Fl. fig. 742 (1858–60).
Berg, Charakt. t. 51, fig. 393, p–v (1861).—*Fr.*
*Hogg & Johnson, Wild Fl. Gr. Brit. i. t. 80 (1863).
Bentham, Handb. Brit. Fl. fig. 506 (1865).
*Syme, Engl. Bot. v. t. 713 (1866).
*Hulme, Plant Form, t. 28 (1868).

CHRYSANTHEMUM
segetum
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, iii. t. 128 [1873].
*Cusin & Ansberque, Herb. Fl. Franç. xii (Composées), t. 127 (1873).
Nobbe, Handb. Samenkunde, 447 (1876).—*Fr.*
Wagner, Ill. Deutsche Fl. Ed. 2, p. 400 (1882).
Willkomm, Führ. Reich Pflanzen, 374 (1882).—*Fr.*
*Baillon, Ic. Fl. Franç. iii. t. 281 [1885–94].
*Sterne, Herbst & Winterbl. t. 7, fig. b (1886).—*Hab.*
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xxix. t. 3048 (1887).
*Hulme, Familiar Wild Fl. (5 vol. Ed.), iv. 77 (1892); Pop. Ed. iv. 1 [1897?].
Acloque, Fl. France, 369 (1894).
Garcke, Ill. Fl. Deutschl. 322 (1895).
Rev. Hort. 1895, p. 448, 449.
Knuth, Handb. Blütenbiol. ii. 1. 569, 623 (1898).—*Fl.*
*De Vries, Mutationsth. i. 525, 539, t. 8 (1901).
Lindman, Bild. Nord. Fl. t. 11 (1901–5).
C. T. Green, Fl. Liverpool Distr. fig. 325 (1902).
Coste, Fl. France, ii. 338 (1903).
Fiori & Paol. Ic. Fl. Ital. 419 (1904).
Merino, Fl. Galicia, ii. 384 (1906).
De Vries, Plant-Breeding, 13 (1907).
Fitzgerald in Nature Book, vi. 984 (1909).
Fedtschenko & Fler. Fl. Eur. Russia, 974 (1910).
Heukels, Fl. Nederl. iii. 390, 391 (1910).
Long, Common Weeds Farm & Garden, 91, t. 2 (1910).
Board Agric. & Fish. Leaflet No. 251, p. 2 (1911).
Wrigley, Stud. Trees & Fl. 59 [1911].
*Klein, Unsere Unkräuter, t. 14 (1913).
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, iii. 519 (1913).
*Gadeceau, Fl. Moiss. t. 14 (1914).
Cadevall & Sallent, Fl. Catalunya, iii. 267 (1917).
Lindman, Svensk Fanerogamfl. 539 (1918).—*Veg.*
*Horwood, Brit. Wild Fl. ii. t. 11, p. 134 (1919).
Fitch & Smith, Ill. Brit. Fl. Ed. rev. 4, Iss. 2, fig. 524 (1919).
*Krafft & Fruwirth, Pflanzenb. 17, t. 7 (1920).
Bornemann, Landwirtsch. Unkräuter, fig. 22 (1920).
Brenchley, Weeds Farm Land, 145 (1920).
—— **fistulosum** De Vries
De Vries, Mutationsth. ii. 384 (1903).
—— **grandiflorum** Linn.
Nicholson, Illustr. Dict. Gard. i. 323 [1884–88].
Beih. Bot. Centralbl. xxix. 1. 82 (1912).—*Fr.*
—— **pumilum** Hort.
Gartenfl. li. 555 (1902).
Jardin, xvii. 92 (1903).—*Hab.*
Rev. Hort. Belge, xxix. 55 (1903).
sericeum Hoffm. & Link
*Hoffmannsegg & Link, Fl. Portug. ii. t. 101 (1820).
serotinum Linn.
Hill, Veget. Syst. ii. t. 44 (1761).
Jacquin, Obs. Bot. t. 90 (1771).
sinense Sab.
*Fortsetz. Allg. Teutsch. Gart. Mag. vii. t. 7 (1823).
*Joh. Kerner, Hort. Sempervir. t. 693, 694 (1824).
*Bot. Mag. lii. t. 2556 (1825).
*C. McIntosh, Fl. & Pom. t. 6 (1829).
*Floral Mag. ii. t. 84 (1862).
Decaisne, Naud. & Hemsl. Trees, Shrubs & Herb. Pl. 253 (1873).
*Rev. Hort. Belge, ii. 3 (1876).
W. Robinson, Engl. Fl. Gard. t. 69 (1883).
Wien. Ill. Gart.-Zeit. xvi. 270 (1891).
*Bois, Dict. Hort. 317 (1893–99).
*Step, Fav. Fl. Gard. & Greenh. ii. t. 148, 149 (1897).
Jardin, xxiii. 77 (1909).
—— **fasciculatum** Sweet
*Sweet, Brit. Fl. Gard. i. t. 14 (1823).
—— **involutum** Sweet
*Sweet, Brit. Fl. Gard. i. t. 7 (1823).
—— **japonense** Hort.
*Belg. Hort. xiii. 225 (1863).
*Ill. Gartenzeit. Stuttgart, viii. t. 9 (1864).

CHRYSANTHEMUM
sinense satsumense Yat.
Yatabe, Ic. Fl. Jap. i. 1. t. 11 (1891).
Bot. Mag. Tokyo, v. t. 20 (1891).
—— **sinense** Maxim.
Makino, Ill. Fl. Jap. i. t. 48 (1891).
—— **spontaneum** Miyoshi
Miyoshi, Pl. World Jap. 602 (1910).
sinuatum Ledeb.
*Ledebour, Ic. Pl. Ross. v. t. 494 (1834).
speciosum Brouss.
Amer. Nat. xxxvii. 257 (1903).—*Veg.*
striatum Hort.
*Floral Mag. iii. t. 143 (1864).
suaveolens Aschers.
*Jaume St.-Hilaire, Fl. & Pom. Franç. ii. t. 153 (1829).
tamrutense Sosnowsky
Monit. Jard. Bot. Tiflis, Livr. 27, t. 2 (1913).
Tanacetum Vis.
*Syme, Engl. Bot. v. t. 716 (1866).
Baillon, Traité Bot. Méd. Phan. ii. 1137 (1884).—*Fl.*
*Baillon, Ic. Fl. Franç. i. t. 6 [1885–94].
Baillon, Hist. Pl. viii. 62 (1886).—*Fl.*
Pflanzenfam. iv. v. 101 (1889).—*Fl.*
Reichenau, Mainzer Flora, fig. 6 (1900).
*Behrens, Blattformen, t. 28, fig. g, h (1900).—*Veg.*
tomentosum Loisel.
Loiseleur, Fl. Gall. t. 18 (1806).
*Jaume St.-Hilaire, Fl. & Pom. Franç. ii. t. 152 (1829).
trapezuntinum Hand.-Mazz.
Ann. Nat. Hofm. Wien, xxiii. t. 9, fig. 1, 4 (1909).
tricolor Andr.
*Andrews, Bot. Rep. ii. t. 109 (1800).
*Bot. Mag. xv. t. 508 (1801).
*J. W. Loudon, Ladies' Fl.-Gard. Ornam. Annuals, t. 32 (1844).
W. Robinson, Engl. Fl. Gard. t. 68 (1883).
—— **aureum** Hort.
*J. W. Loudon, Ladies' Fl.-Gard. Ornam. Annuals, t. 32 (1844).
—— **Burridgeanum** Hort.
*Fl. des Serres, Ser. II. iii. t. 1313 (1858).
—— **venustum** Hort.
*Fl. des Serres, Ser. II. iii. t. 1313 (1858).
trifurcatum Desf.
Desfontaines, Fl. Atlant. ii. t. 235 (1798).
tripartitum Sweet
*Sweet, Brit. Fl. Gard. ii. t. 193 (1827).
troianum Chaub.
Bory & Chaub. Nouv. Fl. Pélop. t. 24 (1838).
Turreanum Vis.
Visiani, Stirp. Dalmat. t. 8 (1826).
uliginosum Pers.
*J. W. Loudon, Ladies' Fl.-Gard. Ornam. Perenn. ii. 17 (1844) in textu; *Pyrethrum uliginosum* in ic. t. 52.
Gard. Chron. x. 493 (1878); xxvi. 265 (1886); Ser. III. v. 661 (1889).
Möllers Deutsche Gärtn.-Zeit. ix. 393 (1894).
Jardin, viii. 274 (1894).—*Hab.*
Rev. Hort. 1894, p. 82.
*A Kert (The Garden), xv. 209 (1909).
umbellatum Vell.
Vellozo, Fl. Flum. viii. t. 127 (1827).
viscosum Desf.
*Jacquin, Ecl. Pl. ii. t. 146 (1844) in textu; *Centrospermum chrysanthemum* in ic.
Wien. Ill. Gart.-Zeit. xxv. 19 (1900).—*Hab.*
Beih. Bot. Centralbl. xxix. 1. 87 (1912).—*Fr.*
vulgare Bernh.
Fiori & Paol. Ic. Fl. Ital. 421 (1904).
Blytt, Haandb. Norg. Fl. Ed. Dahl, 694 (1906).
Fedtschenko & Fler. Fl. Eur. Russia, 976 (1910).
Heukels, Fl. Nederl. iii. 393 (1910).
Suireishchikov, Ill. Fl. Mosc. Gov. iii. 267 (1910).
—— **Audibertii** Fiori & Paol.
Fiori & Paol. Ic. Fl. Ital. 421 (1904).
—— **tenuifolium** Maxim.
Suireishchikov, Ill. Fl. Mosc. Gov. iii. 267 (1910).
Walteri Winkl.
Act. Hort. Petrop. xi. t. 3 (1889).

CHRYSANTHEMUM
Zawadzkii Herbich
Herbich, Additam. Fl. Galic. tab. (1831).
Engler & Drude, Veget. Erde, x. II. 146 (1908).
Hayek, Pflanzend. Oesterr.-Ung. i. 383 (1915).

CHRYSEIS Lindl.: *Eschscholzia*
compacta Lindl.
*Bot. Reg. xxiii. t. 1948 (1837).

CHRYSIPHIALA Ker-Gawl.: *Stenomesson*
flava Ker-Gawl.
*Bot. Reg. x. t. 778 (1824).
pauciflora Hook.
*Hooker, Exot. Fl. ii. t. 132 (1825).

CHRYSITHRIX Linn.
capensis Linn. f.
Lamarck, Ill. v. t. 842 (1797–1819).—*Fl.*
C. B. Clarke, Illustr. Cyperac. t. 120 (1909).
*Marloth, Fl. S. Africa, iv. 41, t. 10 (1915).—*Fl.*
distigmatosa C. B. Clarke
Engl. Jahrb. xxxv. 82 (1904).—*Fl.*
junciformis Nees
C. B. Clarke, Illustr. Cyperac. t. 120 (1909).

CHRYSOBACTRON Hook. f.: *Bulbinella*
Hookeri Colenso
D. Dietrich, Fl. Univ. Abt. i. t. 862 (1847–52).
*Bot. Mag. lxxvii. t. 4602 (1851).
Hook. Ic. Pl. ix. t. 817 (1852).
*Lem. Jard. Fl. ii. t. 185 (1852).
Cottage Gard. vii. 252 (1852).
Journ. New Zeal. Dep. Agric. xx. 214 (1920).—*Hab.*
—— **angustifolium** Cockayne
Cockayne, New Zeal. Pl. Ed. 2, fig. 83 (1919).—*Hab.*
Rossii Hook. f.
Hooker f., Fl. Antarct. i. t. 44, 45 (1844).
Ann. Hort. ii. 505 (1846).

CHRYSOBALANUS Linn.
ellipticus Soland.
Bull. Ort. Bot. Napoli, i. 288 (1902).
Engler & Drude, Veget. Erde, ix. 1. 2, t. 44 (1910).—*Hab.*
Icaco Linn.
Plumier, Pl. Amer. Ed. Burm. t. 158 (1758); fide Urban, Fedde Repert. Beih. v. 72.
Jacquin, Sel. Stirp. Amer. Hist. t. 94 (1763).
*Houttuyn, Handl. Pl. & Kruidk. ii. t. 11, fig. 2 (1774).
*Jacquin, Sel. Stirp. Amer. Hist. Picta, t. 141 [1780].
Browne, Hist. Jamaica, Ed. 2, t. 17 (1789).
Lamarck, Ill. iii. t. 428 (1797).
Dict. Sc. Nat., Planch. Bot. Dicot. t. 236 (1816–29.
*Descourtilz, Fl. Pitt. & Méd. Antilles, ii. t. 84 (1822).
*Tussac, Fl. Antilles, iv. t. 31 (1827).
*Spach, Hist. Nat. Vég. Phan. Atlas, t. 5 (1846).
*Schnizlein, Iconogr. iv. t. 274 (1851).
Ettingshausen, Blatt-Skel. Dikot. t. 87 (1861).—*Veg.*
*Schubert, Naturg., Pflanzenreich, Ed. 2, t. 25, fig. 5 [1865].
Baillon, Hist. Pl. i. 426, 427 (1867–69).
Gard. Chron. 1871, p. 586.
Saldanha da Gama, Config. & Estudo Bot. Veg. Janeiro, ii. t. 10 (1872).
Baillon, Dict. Bot. ii. t. 35 (1879).
Pflanzenfam. iii. III. 57 (1888); ii. 1. 157 (1889).—*Fl.*
Sargent, Silva N. Amer. iv. t. 148 (1892).
Brehm, Merv. Nat. Monde des Pl. i. 601 (1894–96).
Rochebrune, Toxicolog. Afric. i. 919 (1897).
Rochebrune in Bull. Soc. Hist. Nat. Autun, xii. 1. 151 (1899).
Bull. Ort. Bot. Napoli, i. 287 (1902).
Contrib. U.S. Nat. Herb. viii. t. 26 (1903).
Sargent, Man. Trees N. Amer. 533 (1905).
Trop. Agric. xxv. No. 3, p. 490 (1905).—*Fr.*
Britton, N. Amer. Trees, 484 (1908).
Beille, Bot. Pharm. ii. 812 (1909).
Fawcett & Rendle, Fl. Jamaica, iii. 1. 254 (1914).

CHRYSOBALANUS
Icaco
Engler & Drude, Veget. Erde, ix. III. 1, p. 303 (1915).
Agric. Colon., Ital. ix. 182 (1915).
pellocarpus G. F. W. Mey.
Ann. Rep. Smithson. Inst. 1917, p. 428 (1918).

CHRYSOBAPHUS Wall.: *Anoectochilus*
Roxburghii Wall.
Wallich, Tent. Fl. Nap. t. 27 (1826).

CHRYSOBOTRYA Spach: *Ribes*
intermedia Spach
*Ann. Sc. Nat. Paris, Ser. II. iv. t. 1 (1835).
Spach, Hist. Nat. Vég. Phan. Atlas, t. 47 (1846).—*Fl.*
Lindleyana Spach
*Ann. Sc. Nat. Paris, Ser. II. iv. t. 1 (1835).
revoluta Spach
*Ann. Sc. Nat. Paris, Ser. II. iv. t. 1 (1835).
*Spach, Hist. Nat. Vég. Phan. Atlas, t. 47 (1846).—*Fr.*

CHRYSOCALYX Guill. & Perr.: *Crotalaria*
ebenoides Guill. & Perr.
*Guillemin, Perrottet & Richard, Fl. Seneg. Tent. t. 43 (1830–33).
Perrottetii Guill. & Perr.
*Guillemin, Perrottet & Richard, Fl. Seneg. Tent. t. 43 (1830–33).—*Fl.*

CHRYSOCEPHALUM Walp.: *Helichrysum*
apiculatum Steetz
W. Robinson, Engl. Fl. Gard. t. 69 (1883).—*Hab.*

CHRYSOCHLAMYS Poepp. & Endl.—Vide *Commirrhaea*
multiflora Poepp. & Endl.
Poeppig & Endl. Nov. Gen. & Sp. Pl. iii. t. 211 (1845).

CHRYSOCOMA Linn.
adpressa Vell.
Vellozo, Fl. Flum. viii. t. 35 (1827).
alata Vell.
Vellozo, Fl. Flum. viii. t. 48 (1827).
albida Vell.
Vellozo, Fl. Flum. viii. t. 42 (1827).
alterna Vell.
Vellozo, Fl. Flum. viii. t. 40 (1827).
aphylla Vell.
Vellozo, Fl. Flum. viii. t. 1 (1827).
arborea Vell.
Vellozo, Fl. Flum. viii. t. 11 (1827).
aurea Thunb.
Lamarck, Ill. iv. t. 698, fig. 3 (1797).
biflora Linn.
Hill, Veget. Syst. iii. t. 94 (1762).
candicans Del.
Delile, Fl. Égypte, t. 46 (1812).
cernua Linn.
Hill, Veget. Syst. iii. t. 94 (1762).
ciliata Linn.
Hill, Veget. Syst. iii. t. 94 (1762).
cinerea Labill.
Labillardière, Nov. Holl. Pl. t. 182 (1806).
coma-aurea Linn.
Hill, Veget. Syst. iii. t. 94 (1762).
*Bot. Mag. xlv. t. 1972 (1818).
*Lodd. Bot. Cab. ix. t. 833 (1824).
J. C. Loudon, Arbor. & Frutic. Brit. ii. 1073 (1838).
W. Robinson, Engl. Fl. Gard. t. 70 (1883).—*Hab.*
Nicholson, Illustr. Dict. Gard. i. 325 [1884–88].—*Hab.*
Hayward & Druce, Advent. Fl. Tweedside, 91 (1919).
crassa Vell.
Vellozo, Fl. Flum. viii. t. 8 (1827).
cruciata Vell.
Vellozo, Fl. Flum. viii. t. 10 (1827).
cuneifolia Jacq.
Jacquin, Collect. iii. t. 22, fig. 2 (1789).
cymosa Vell.
Vellozo, Fl. Flum. viii. t. 16 (1827).
decussata Vell.
Vellozo, Fl. Flum. viii. t. 9 (1827).

CHRYSOCOMA
dentata Vell.
Vellozo, Fl. Flum. viii. t. 47 (1827).
denticulata Jacq.
*Jacquin, Hort. Schoenbr. iii. t. 368 (1798).
dichotoma Linn.
*Jacquin, Ic. Pl. Rar. i. t. 171 (1781–86).
florida Vell.
Vellozo, Fl. Flum. viii. t. 44 (1827).
graminifolia Linn.
Hill, Veget. Syst. iii. t. 94 (1762).
*Schkuhr, Bot. Handb. Ed. 2, t. 238 (1808).—*Fr.*
herbacea Vell.
Vellozo, Fl. Flum. viii. t. 29 (1827).
hirsuta Vell.
Vellozo, Fl. Flum. viii. t. 41 (1827).
horizontalis Vell.
Vellozo, Fl. Flum. viii. t. 28 (1827).
imberbis Vell.
Vellozo, Fl. Flum. viii. t. 34 (1827).
indivisa Vell.
Vellozo, Fl. Flum. viii. t. 12 (1827).
integerrima Vell.
Vellozo, Fl. Flum. viii. t. 19 (1827).
lateralis Vell.
Vellozo, Fl. Flum. viii. t. 21 (1827).
linearis Vell.
Vellozo, Fl. Flum. viii. t. 27 (1827).
Linosyris Linn.
*Kniphof, Herb. Viv. i. t. 256 (1758).
Hill, Veget. Syst. iii. t. 94 (1762).
Allioni, Fl. Pedem. iii. t. 11, fig. 2 (1785).
Hoppe, Ect. Pl. Ratisb. t. 539 (1790).
Gaertner, Fruct. ii. t. 166 (1791).—*Fr.*
Usteri, Ann. Bot. xvi. t. 1 (1795).—*Fl.*
Lamarck, Ill. iv. t. 698, fig. 1 (1797).
Boissieu, Fl. Eur. iii. t. 541 (1806).
*Schkuhr, Bot. Handb. Ed. 2, t. 238 (1808).—*Fl.*
*Jaume St.-Hilaire, Pl. France, ii [t. 18] (1808).
*Sowerby & Sm. Engl. Bot. xxxv. t. 2505 (1813).
Withering, Syst. Arrang. Brit. Pl. Ed. 7, iii. t. 35 (1830).
*Zenker, Fl. Thüringen, ii. t. 203 (1836–55).
*Sibthorp & Sm. Fl. Graeca, ix. t. 849 (1837).
*Baxter, Brit. Bot. Ed. 2, iii. t. 233 (1837).
[M. E.] Jackson, Pict. Fl. fig. 1192 (1840).
Meigen, Deutschl. Fl. iii. t. 128 (1842).—*Fl.*
*Deakin, Florigr. Brit. iii. fig. 1252 (1847).
Flora, xxxv. t. 2, fig. 6 (1852).
Johnson & Sowerby, Brit. Wild Fl. fig. 695 (1858–60).
Journ. Hort. Ser. III. iii. 309 (1882).
Knuth, Handb. Blütenbiol. ii. 1. 586 (1898).—*Fl.*
maculata Vell.
Vellozo, Fl. Flum. viii. t. 6 (1827).
maritima Vell.
Vellozo, Fl. Flum. viii. t. 22 (1827).
medio-serrata Vell.
Vellozo, Fl. Flum. viii. t. 15 (1827).
monantha Vell.
Vellozo, Fl. Flum. viii. t. 33 (1827).
nuda Vell.
Vellozo, Fl. Flum. viii. t. 50 (1827).
obscura Vell.
Vellozo, Fl. Flum. viii. t. 30 (1827).
oligophylla Vell.
Vellozo, Fl. Flum. viii. t. 2 (1827).
opposita Vell.
Vellozo, Fl. Flum. viii. t. 46 (1827).
oppositifolia Vell.
Vellozo, Fl. Flum. viii. t. 18 (1827).
paniculata Vell.
Vellozo, Fl. Flum. viii. t. 14 (1827).
pauciflora Vell.
Vellozo, Fl. Flum. viii. t. 5 (1827).
pedunculata Vell.
Vellozo, Fl. Flum. viii. t. 37 (1827).
phosphorica Vell.
Vellozo, Fl. Flum. viii. t. 4 (1827).
pilosa Vell.
Vellozo, Fl. Flum. viii. t. 17 (1827).
preacaa Vell.
Vellozo, Fl. Flum. viii. t. 39 (1827).
pumila Vell.
Vellozo, Fl. Flum. viii. t. 32 (1827).

CHRYSOCOMA
punctulata Vell.
Vellozo, Fl. Flum. viii. t. 49 (1827).
purpurascens Vell.
Vellozo, Fl. Flum. viii. t. 31 (1827).
purpurea Vell.
Vellozo, Fl. Flum. viii. t. 45 (1827).
quadrangularis Vell.
Vellozo, Fl. Flum. viii. t. 25 (1827).
repanda Vell.
Vellozo, Fl. Flum. viii. t. 13 (1827).
reticulata Labill.
Labillardière, Nov. Holl. Pl. t. 183 (1806).
rupestris Schmidel
Buchoz, Hist. Règne Vég. xii. Dec. 6, t. 10 (1776).
sancta Vell.
Vellozo, Fl. Flum. viii. t. 3 (1827).
scabra Linn.
Dillenius, Hort. Eltham. Add. Denom. Linn. t. 88 (1774).
serrata Vell.
Vellozo, Fl. Flum. viii. t. 23 (1827).
sessilis Vell.
Vellozo, Fl. Flum. viii. t. 20 (1827).
singularis Vell.
Vellozo, Fl. Flum. viii. t. 7 (1827).
spinosa Del.
Delile, Fl. Égypte, t. 46 (1812).
squamata Labill.
Labillardière, Nov. Holl. Pl. t. 184 (1806).
*Bot. Mag. lxiv. t. 3625 (1837).
tenuifolia Berg.
Karsten & Schenck, Veg.-Bild. ix. t. 26 (1911).—*Hab.*
tomentosa Linn.
*Jacquin, Hort. Schoenbr. ii. t. 147 (1797).
tomentosa Vell.
Vellozo, Fl. Flum. viii. t. 38 (1827).
trinervis Vell.
Vellozo, Fl. Flum. viii. t. 43 (1827).
tuberosa Vell.
Vellozo, Fl. Flum. viii. t. 36 (1827).
verticillata Vell.
Vellozo, Fl. Flum. viii. t. 26 (1827).
villosa Linn.
Hill, Veget. Syst. iii. t. 94 (1762).
Gaertner, Fruct. ii. t. 166 (1791).—*Fr.*
Lamarck, Ill. iv. t. 698, fig. 2 (1797).—*Fr.*
*Waldstein & Kit. Pl. Rar. Hung. i. t. 58 (1802).
Boissieu, Fl. Eur. iii. t. 541 (1806).
volubilis Vell.
Vellozo, Fl. Flum. viii. t. 24 (1827).

CHRYSOCOPTIS Nutt.: *Coptis*
occidentalis Nutt.
Journ. Acad. Nat. Sc. Philadelphia, vii. 1. t. 1 (1834).

CHRYSOCYCNIS Linden & Reichb. f.
Schlimii Linden & Reichb. f.
*Reichenbach f., Xenia Orch. i. t. 55 (1856).

CHRYSODIUM Fée: *Acrostichum* (1), *Leptochilus* (2)
alienum Mett. (2)
Mettenius, Fil. Hort. Bot. Lips. t. 10, fig. 5 (1856).
Ettingshausen in Denkschr. Akad. Wiss. Wien, xxii. t. 9 (1864).—*Veg.*
Ettingshausen, Farnkr. t. 14 (1865).
aureum Mett. (1)
New Phytologist, iv. 43 (1905).—*Hab.*
Francé, Leben Pflanze, vi. 456 (1913).—*Hab.*
cayennense Fée (1)
Fée, Mém. Foug. ii. t. 59 (1845).
diversifolium Ettingsh. (2)
Ettingshausen in Denkschr. Akad. Wiss. Wien, xxii. t. 9 (1864).—*Veg.*
Ettingshausen, Farnkr. t. 15 (1865).
flagelliferum Mett. (2)
Mettenius, Fil. Hort. Bot. Lips. t. 20, fig. 11, 12 (1856).
Ettingshausen in Denkschr. Akad. Wiss. Wien, xxii. t. 8 (1864).—*Veg.*
Ettingshausen, Farnkr. t. 15 (1865).
fraxinifolium Fée (1)
Fée, Mém. Foug. ii. t. 62 (1845).

CHRYSODIUM
hirsutum Fée (1)
Fée, Mém. Foug. ii. t. 62 (1845).
lomarioides Jenm. (1)
Wettstein, Veg. Südbras. t. 16 (1904).—*Hab.*
maracaybense Karst. (2)
Karsten, Fl. Columbiae, i. t. 57 (1858–61).
punctatum Mett. (2)
Ettingshausen in Denkschr. Akad. Wiss. Wien, xxii. t. 7, 8 (1864).—*Veg.*
Ettingshausen, Farnkr. t. 9, 14, 15 (1865).
Quoyanum Ettingsh. (2)
Ettingshausen in Denkschr. Akad. Wiss. Wien, xxii. t. 8 (1864).—*Veg.*
Ettingshausen, Farnkr. t. 14 (1865).
scalpturatum Fée (1)
Fée, Mém. Foug. ii. t. 61 (1845).
Ettingshausen in Denkschr. Akad. Wiss. Wien, xxii. t. 10 (1864).—*Veg.*
Ettingshausen, Farnkr. t. 12, 13 (1865).
serratifolium Ettingsh. (2)
Ettingshausen in Denkschr. Akad. Wiss. Wien, xxii. t. 8, 10 (1864).—*Veg.*
Ettingshausen, Farnkr. t. 8, 12–14 (1865).
Urvillei Fée (1)
Fée, Mém. Foug. ii. t. 60 (1845).
vulgare Fée (1)
Ettingshausen in Denkschr. Akad. Wiss. Wien, xxii. t. 10 (1864).—*Veg.*
Ettingshausen, Farnkr. t. 11–13 (1865).
—— **inaequale** Fée (1)
Fée, Mém. Foug. i. t. 2, fig. 3 (1844).—*Veg.*

CHRYSOGLOSSUM Bl.
assamicum Hook. f.
Hook. Ic. Pl. xxi. t. 2063 (1891).
erraticum Hook. f.
Hook. Ic. Pl. xxi. t. 2062 (1891).
*Ann. Bot. Gard. Calcutta, viii. t. 135 (1898).
maculatum Hook. f.
Hook. Ic. Pl. xxi. t. 2064 (1891).
nebulosum J. J. Sm.
J. J. Smith, Orch. Java, Fig.-Atlas, ii. fig. 133 (1909).—*Fl.*
ornatum Bl.
*Blume, Coll. Orchidées, t. 46 (1858).
!Ann. Jard. Bot. Buitenzorg, xix. t. 10, fig. 22–24 (1904).—*Fl.*
J. J. Smith, Orch. Java, Fig.-Atlas, ii. fig. 132 (1909).—*Fl.*
papuanum J. J. Sm.
Nova Guinea, viii. t. 77 (1911).—*Fl.*
simplex J. J. Sm.
J. J. Smith, Orch. Java, Fig.-Atlas, ii. fig. 134 (1909).—*Fl.*
villosum Bl.
Blume, Tab. Jav. Orch. t. 7 (1825).—*Fl.*
*De Vriese, Illustr. Orchid. t. 9 (1854).
*Blume, Coll. Orchidées, t. 47 (1858).
Pflanzenfam. ii. VI. 124 (1889).
Kerchove, Livre Orch. 89 (1894).
J. J. Smith, Orch. Java, Fig.-Atlas, ii. fig. 131 (1909).—*Fl.*

CHRYSOGONUM Linn.
heterophyllum Benth.
Fyson, Fl. Nilgiri & Pulney Hill-tops, iii. 388 (1920).
peruvianum Linn.
Hill, Veget. Syst. ii. t. 21 (1761).
virginianum Linn.
Hill, Veget. Syst. ii. t. 21 (1761).
Gaertner, Fruct. ii. t. 174 (1791).—*Fr.*
Lamarck, Ill. iv. t. 713, A (1797–1819).
Gard. Chron. xxvi. 681 (1886).
Britton & Brown, Ill. Fl. N. States & Canada, iii. 409 (1898); Ed. 2, iii. 463 (1913).

CHRYSOPHAË Koso-Polj.
colorata Koso-Polj.
Journ. Russe Bot. 1915, p. 16.—*Fr.*

CHRYSOPHYLLUM Linn. — Vide *Cainito, Nycterisition, Scleroxylon*
africanum A. DC.
Engler, Monogr. Afr. Pfl.-Fam. viii. Sapotac. t. 15 (1904).

CHRYSOPHYLLUM
albidum G. Don
Engler, Monogr. Afr. Pfl.-Fam. viii. Sapotac. t. 15 (1904).—*Veg.*
amplifolium A. DC.
Mart. Fl. Bras. vii. t. 40 (1863).
argenteum Jacq.
Jacquin, Sel. Stirp. Amer. Hist. t. 38 (1763).
*Jacquin, Sel. Stirp. Amer. Hist. Picta, t. 54 [1780].
Ettingshausen in Denkschr. Akad. Wiss. Wien, xxxvii. t. 23, fig. 12 (1877).—*Veg.*
argyrophyllum Hiern
Engler, Monogr. Afr. Pfl.-Fam. viii. Sapotac. t. 16 (1904).
Autranianum A. Chev.
Chevalier, Vég. Util. Afr. fasc. 9, p. 269 (1917).—*Fr.*
bangweolense R. E. Fries
R. E. Fries, Schwed. Rhod.-Kong.-Exped. 1911–12, Bot. i. 11. 255 (1916).
brasiliense A. DC.
Mart. Fl. Bras. vii. t. 44 (1863).
Buchholzii Engl.
Engler, Monogr. Afr. Pfl.-Fam. viii. Sapotac. t. 13 (1904).
buranhem Riedel
Pinto, Diccion. Bot. Brasil. fig. 11 (1873).
caeruleum Jacq.
Jacquin, Sel. Stirp. Amer. Hist. t. 37* (1763).
Cainito Linn.
Jacquin, Sel. Stirp. Amer. Hist. t. 37 (1763).
*Jacquin, Sel. Stirp. Amer. Hist. Picta, t. 51 [1780].
Browne, Hist. Jamaica, Ed. 2, t. 14 (1789).
*Plantarum Indig. & Exot. Ic. ii [t. 71] (1789).
Lamarck, Ill. i. t. 120 (1797).
Gaertner f., Fruct. iii. t. 201 (1805).—*Fr.*
Descourtilz, Voy. Naturaliste, ii. t. 8 (1809).
*Descourtilz, Fl. Pitt. & Méd. Antilles, ii. t. 70 (1822).
*Bot. Mag. lviii. t. 3072 (1831).
Paxt. Mag. xv. 184 (1849).
Ettingshausen, Blatt-Skel. Dikot. 88 (1861).—*Veg.*
*Ill. Hort. xxxii. t. 567 (1885).—*Fr.*
Rhein. Jahrb. Gartenk. & Bot. iii. 43 (1886).
Jardin, iv. 31 (1890).
Baillon, Hist. Pl. xi. 261 (1891).—*Fl.*
Pflanzenfam. iv. 1. 148 (1891).
L. H. Bailey, Cycl. Amer. Hort. 315 (1900); Stand. Cycl. Hort. 767 (1914).
Engler, Monogr. Afr. Pfl.-Fam. viii. Sapotac. 40 (1904).
Beille, Bot. Pharm. 905 (1909).
Koorders & Val. Atlas Baumart. Java, t. 617 (1916).
Brotéria, Ser. Vulg. Sc. xvi. 263 (1918).
W. Popenoe, Man. Trop. & Subtrop. Fr. 345 (1920).—*Fr.*
—— **caeruleum** Jacq.
*Jacquin, Sel. Stirp. Amer. Hist. Picta, t. 52 [1780].
—— **microphyllum** Jacq.
*Jacquin, Sel. Stirp. Amer. Hist. Picta, t. 53 [1780].
carolinense Jacq.
Jacquin, Obs. Bot. t. 54 (1768).
castanospermum White
Dep. Agric. Queensland Bot. Bull. No. 21, p. 13 (1919).
ebenaceum Mart.
Mart. Fl. Bras. vii. t. 42 (1863).
—— **latifolium** Miq.
Mart. Fl. Bras. vii. t. 43 (1863).
—— **longifolium** Miq.
Mart. Fl. Bras. vii. t. 43 (1863).
—— **obversum** Miq.
Mart. Fl. Bras. vii. t. 43 (1863).
—— **pedunculatum** Miq.
Mart. Fl. Bras. vii. t. 43 (1863).
—— **tomentosum** Miq.
Mart. Fl. Bras. vii. t. 43 (1863).
excelsum Huber
Bol. Mus. Para. iii. 58 (1900).
ferrugineum Gaertn.
Gaertner f., Fruct. iii. t. 202 (1805).—*Fr.*
flexuosum Mart.
Mart. Fl. Bras. vii. t. 39 (1863).
fulvum Sp. Moore
Journ. Linn. Soc. London, Bot. xl. t. 1 (1911).—*Hab.*

CHRYSOPHYLLUM
glabrum Jacq.
Jacquin, Sel. Stirp. Amer. Hist. t. 38 (1763).
*Jacquin, Sel. Stirp. Amer. Hist. Picta, t. 55 [1780].
gorungosanum Engl.
Engler, Monogr. Afr. Pfl.-Fam. viii. Sapotac. t. 15 (1904).—*Veg.*
Holtzii Engl.
Ber. Land- & Forstw. Deutsch-Ostafr. iii. v. t. 9, fig. 1 a, 2 d (1911).—*Hab.*
imperiale Benth.
*Bot. Mag. cxi. t. 6823 (1885).
iturense Engl.
Mildbraed, Deutsch. Zentral-Afr. Exped. ii. vi. t. 71 (1913).
Klainei Engl.
Engler, Monogr. Afr. Pfl.-Fam. viii. Sapotac. t. 14 (1904).
Lacourtianum De Wild.
De Wildeman, Miss. É. Laurent, i. 426–28; ii. t. 138–40 (1907).
Laurentii De Wild.
De Wildeman, Miss. É. Laurent, ii. t. 133 (1907).
longepedicellatum De Wild.
De Wildeman, Miss. É. Laurent, ii. t. 134 (1907).
macoucou Aubl.
Aublet, Hist. Pl. Guiane Franç. iii. t. 92 (1775).
macrophyllum Gaertn.
Gaertner f., Fruct. iii. t. 202 (1805).—*Fr.*
magalismontanum Sond.
Engler, Monogr. Afr. Pfl.-Fam. viii. Sapotac. t. 16 (1904).
marginatum Radlk.
Lindman, Veget. Rio Grande do Sul, 83 (1900).—*Veg.*
maytenoides Mart.
Mart. Fl. Bras. vii. t. 43 (1863).
Arechavaleta, Fl. Urug. iv (An. Mus. Nac. Montevideo, vii), t. 11 (1909).
michino H. B. K.
Paxt. Mag. xv. 184 (1849).
microcarpum Sw.
Paxt. Mag. xv. 184 (1849).
microphyllum Jacq.
Jacquin, Sel. Stirp. Amer. Hist. t. 37 (1763).
monopyrenum Sw.
*Bot. Mag. lxi. t. 3303 (1834).
Paxt. Mag. xv. 184 (1849).
Jardin, iv. 80 (1890).—*Fr.*
Baillon, Hist. Pl. xi. 261 (1891).
msolo Engl.
Engler, Pflanzenw. Ost-Afr. Teil C, t. 37 (1895).
muerense Engl.
Mildbraed, Deutsch. Zentral-Afr. Exped. ii. vi. t. 71 (1913).
natalense Sond.
Engler, Monogr. Afr. Pfl.-Fam. viii. Sapotac. t. 34 (1904).
Wood, Natal Pl. iv. iv. t. 378 (1906).
Sim, For. Fl. Cape Colony, t. 94 (1907).
Sim, For. Fl. Portug. E. Africa, t. 74 (1909).
ogowense A. Chev.
Chevalier, Vég. Util. Afr. fasc. 9, t. 21 (1917).
oleifolium Spruce
Mart. Fl. Bras. vii. t. 46 (1863).
oliviforme Lam.
Plumier, Pl. Amer. Ed. Burm. t. 69 (1756); fide Urban, Fedde Repert. Beih. v. 51.
Baillon, Dict. Bot. ii. 37 (1879).
Britton, N. Amer. Trees, 773 (1908).
*Descourtilz, Fl. Pitt. & Méd. Antilles, ii. t. 71 (1822).
Sargent, Silva N. Amer. v. t. 243 (1893).
Sargent, Man. Trees N. Amer. 745 (1905).
Ann. Rep. Smithson. Inst. 1917, t. 14, p. 434 (1918).
panamense Pittier
Contrib. U.S. Nat. Herb. xviii. 165 (1916).—*Fl.*
pentagonocarpum Engl. & Krause
Engl. Jahrb. xlix. 388 (1913).
pruniforme Engl.
Engler, Monogr. Afr. Pfl.-Fam. viii. Sapotac. t. 14 (1904).
psilophyllum A. DC.
Delessert, Ic. Pl. v. t. 36 (1846).

CHRYSOPHYLLUM
Roxburghii G. Don
Beddome, Fl. Sylv. t. 236 (1872).
Talbot, For. Fl. Bombay, ii. 153 (1911).
Koorders & Val. Atlas Baumart. Java, t. 616 (1916).
rufum acutifolium Mart.
Mart. Fl. Bras. vii. t. 45 (1863).
sericeum A. DC.
Mart. Fl. Bras. vii. t. 41 (1863).
subnudum Baker
Engler, Monogr. Afr. Pfl.-Fam. viii. Sapotac. t. 15 (1904).—*Fl.*
viridifolium Wood & Franks
Wood, Natal Pl. vi. iii. t. 569 (1911).
Welwitschii Engl.
Engler, Monogr. Afr. Pfl.-Fam. viii. Sapotac. t. 13 (1904).
Wilmsii Engl.
Engler, Monogr. Afr. Pfl.-Fam. viii. Sapotac. t. 16 (1904).—*Fl.*
Zimmermannii Engl.
Engler, Monogr. Afr. Pfl.-Fam. viii. Sapotac. t. 15 (1904).—*Fr.*

CHRYSOPIA Thou.: *Symphonia*
fasciculata Noronha ex Thou.
Petit-Thouars, Hist. Vég. Isles Austral. Afr. Ed. 2, t. 24 (1806).
*Allg. Teutsch. Gart. Mag. viii. t. 18 (1811).
macrophylla Cambess.
Ann. Mus. Col. Marseille, Ser. II. viii. 214–15 (1910).
microphylla Cambess. & Boj.
Mém. Mus. Hist. Nat. Paris, xvi. 472, t. 19 (1828).
urophylla Decne.
La Maout & Decaisne, Traité Gén. Bot. 335 (1868).—*Fl.*

CHRYSOPOGON Trin.—Vide *Andropogon* (6), *Centrophorum*, *Rhaphis*
aciculatus Trin.
Queensland Agric. Journ. N. Ser. vii. t. 14 (1917).—*Hab.*
avenaceus Benth.
Britton & Brown, Ill. Fl. N. States & Canada, i. 104 (1896).
caeruleus Nees
Duthie, Illustr. Fodder Grasses, t. 60 (1887).
ceylanicus Thw.
Fyson, Fl. Nilgiri & Pulney Hill-tops, iii. 563 (1920).
Gryllus Trin.
Nees, Gen. Pl., Monocot. i. t. 93 (1837).—*Fl.*
Cesati, Passer. & Gibelli, Comp. Fl. Ital. t. 6 (1867–86).—*Fl.*
De Silvestri, Piante Prat. 56 (1879).
Duthie, Fodder Grasses, t. D (1888).
Fiori & Paol. Ic. Fl. Ital. 14 (1895).
Post, Fl. Syria, Palestine & Sinai, 854 [1896].
Husnot, Gram. t. 6 (1896–99).
Agric. Gaz. N. S. Wales, xi. 852 (1900).
nutans Benth.
Vasey, Agric. Grasses U.S.A. (U.S. Dep. Agric.), t. 28 (1884); et Agric. Grasses & Forage Pl. U.S.A. (U.S. Dep. Agric. Bot. Div. Spec. Bull.), t. 30 (1889).
U.S. Dep. Agric. Div. Bot. Bull. No. 1, t. 7 (1886); No. 6, t. 9 (1888).
Bessey in Ann. Rep. Nebraska Agric. Soc. 1886, t. 6 (1887); 1888, t. 5.
Rep. Secretary Agric. Washington, 1892, p. 208, t. 4 (1893).
Hitchcock & Clothier in Bull. Kansas Agric. St. No. 87, p. 13 (1899).
Silva Tarouca, Freiland-Stauden, 59 (1910).—*Hab.*
F. E. & E. S. Clements, Rocky Mt. Fl. t. 46 (1914).
parviflorus Benth.
Agric. Gaz. N. S. Wales, vi. 734 (1895).
Maiden, Grasses N. S. Wales, 85 (1898).
serrulatus Trin.
Trinius, Sp. Gram. iii. t. 331 (1836).
verticillatus Trin.
Bryan, Nat. Hist. Hawaii, t. 53, fig. 12 (1915).
zeylanicus = *ceylanicus*

CHRYSOPSIS Ell.—Vide *Ammodia*
acaulis Nutt.
Journ. Acad. Nat. Sc. Philadelphia, vii. 1. t. 3 (1834).
alpina Nutt.
Journ. Acad. Nat. Sc. Philadelphia, vii. 1. t. 3 (1834).
camporum Greene
Britton & Brown, Ill. Fl. N. States & Canada, iii. 324 (1898).
falcata Ell.
*Torrey, Fl. State New York, i. t. 56 (1843).
Mathews, Wayside Flowers, Ser. III. 7 (1898).
Britton & Brown, Ill. Fl. N. States & Canada, iii. 323 (1898); Ed. 2, iii. 373 (1913).
Creevey, Harper's Guide Wild Flowers, 211 (1912).
gossypina Ell.
*Bertoloni, Misc. Bot. vii. t. 1 (1848).
*Bertoloni in Novi Comm. Acad. Sc. Bonon. ix. t. 10 (1849).
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, iii. 373 (1913).
graminifolia Ell.
*Bertoloni, Misc. Bot. vii. t. 3 (1848).
*Bertoloni in Novi Comm. Acad. Sc. Bonon. ix. t. 12 (1849).
Britton & Brown, Ill. Fl. N. States & Canada, iii. 322 (1898); Ed. 2, iii. 373 (1913).
hispida Nutt.
Britton & Brown, Ill. Fl. N. States & Canada, iii. 325 (1898); Ed. 2, iii. 375 (1913).
Weaver in Carnegie Inst. Washington, Publ. No. 292, p. 62 (1920).—*Veg.*
Mariana Ell.
*Bertoloni, Misc. Bot. vii. t. 2 (1848).
*Bertoloni in Novi Comm. Acad. Sc. Bonon. ix. t. 11 (1849).
*Meehan, Fl. & Ferns U.S. i. t. 47 (1878).
*Meehan, Wayside Fl. t. 47 (1881).
Britton & Brown, Ill. Fl. N. States & Canada, iii. 323 (1898); Ed. 2, iii. 374 (1913).
Blanchan, Nat. Gard. 346 (1900).
Creevey, Harper's Guide Wild Flowers, 213 (1912).
A. Georgia, Manual Weeds, 422 (1914).
*House, Wild Fl. New York (Mem. No. 15, N.Y. State Mus.), ii. t. 233 (1918).
Nuttallii Britton
Britton & Brown, Ill. Fl. N. States & Canada, iii. 325 (1898).
pilosa Nutt.
Britton & Brown, Ill. Fl. N. States & Canada, iii. 323 (1898); Ed. 2, iii. 375 (1913).
scabra Ell.
*Bertoloni, Misc. Bot. vii. t. 4 (1848).
*Bertoloni in Novi Comm. Acad. Sc. Bonon. ix. t. 13 (1849).
stenophylla Greene
Britton & Brown, Ill. Fl. N. States & Canada, iii. 324 (1898); Ed. 2, iii. 374 (1913).
villosa Nutt.
Pflanzenfam. iv. v. 147 (1890).—*Fl.*
Britton & Brown, Ill. Fl. N. States & Canada, iii. 324 (1898); Ed. 2, iii. 374 (1913).
*F. E. & E. S. Clements, Rocky Mt. Fl. t. 38 (1914).
M. Armstrong, Field Book West. Wild Fl. 531 (1915).
Weaver in Carnegie Inst. Washington, Publ. No. 286, t. A, 30, p. 118 (1919).—*Veg.*
—— **Rutteri** Roth
Möllers Deutsche Gärtn.-Zeit. xxii. 139 (1907).
Silva Tarouca, Freiland-Stauden, 60 (1910).—*Hab.*

CHRYSORRHOË Lindl.: *Verticordia*
nitens Lindl.
*Lindley, Sketch Veg. Swan River Col. (App. Bot. Reg. i–xxiii), t. 1 (1839).
serrata Lindl.
Hooker, Journ. Bot. ii. t. 13 (1840).

CHRYSOSCIAS E. Mey.: *Rhynchosia*
floribunda C. Lem.
*Ill. Hort. ii. t. 47, sub. t. 47 (1855).

CHRYSOSPLENIUM Linn.—Vide *Saxifraga* (4)
album Maxim.
Nouv. Arch. Mus. Hist. Nat. Paris, Ser. III. iii. t. 7 (1891).
alternifolium Linn.
*Fl. Dan. iii. t. 366 (1768).
Buchoz, Hist. Règne Vég. xii. Dec. 10, t. 6 (1776).
Walcott, Fl. Brit. Indig. [t. 56] (1778).
*Bergeret, Phyt. Univ. i. 57 (1783).
Hoppe, Ect. Pl. Ratisb. t. 126 (1788).
Gaertner, Fruct. i. t. 44 (1788).—*Fr.*
*Sowerby & Sm. Engl. Bot. i. t. 54 (1790).
*Krocker, Fl. Siles. ii. 1. t. 2 (1790).
*Dreves, Bot. Bilderbuch, ii. t. 72 (1795).
Lamarck, Ill. ii. t. 374 (1797).
*Dreves & Hayne, Choix de Pl. t. 72 (1802).
*Sturm, Deutschl. Fl. iii. XII [t. 184] (1802).
Boissieu, Fl. Eur. ii. t. 309 (1805).
*Schkuhr, Bot. Handb. Ed. 2, t. 108 (1808).
*Jaume St.-Hilaire, Pl. France, ii [t. 33] (1808).
*Schrank, Fl. Monac. ii. t. 166 (1814).
*Dietrich, Fl. Boruss. iv. t. 241 (1836).
*Zenker, Fl. Thüringen, ii. t. 127 (1836–55).
Meigen, Deutschl. Fl. ii. t. 80 (1837).—*Fl.*
[M. E.] Jackson, Pict. Fl. fig. 635 (1840).
*Deakin, Florigr. Brit. ii. fig. 677 (1845).
*Lorek, Fl. Pruss. Ed. 3, t. 105, fig. 564 (1848).
*Petermann, Deutschl. Fl. t. 32, fig. 245 (1849).
Johnson & Sowerby, Brit. Wild Fl. fig. 508 (1858–60).
Nees, Gen. Pl. fasc. xxxi. t. 16 (1860).
Berg, Charakt. t. 60, fig. 458 (1861).
*Schubert, Naturg., Pflanzenreich, Ed. 2, t. 21, fig. 7 [1865].
*Syme, Engl. Bot. iv. t. 564 (1865).
Bentham, Handb. Brit. Fl. fig. 386 (1865).
*Cusin & Ansberque, Herb. Fl. Franç. ix (Saxifragées), t. 57 (1868).
*Hogg & Johnson, Wild Fl. Gr. Brit. iv. t. 266 (1868).
Baillon, Hist. Pl. iii. 329 (1872).—*Fl.*
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, ii. t. 83 [1873].
Karsten, Deutsche Fl. Pharm.-medic. Bot. 884 (1880–83).
*C. Hoffmann, Pflanzenatlas, t. 35, fig. 215 (1881).
Wagner, Ill. Deutsche Fl. Ed. 2, p. 297 (1882).
Willkomm, Führ. Reich Pflanzen, 607 (1882).—*Fl.*
Svenska Vet. Akad. Handl. xxi. No. 4, t. 3 (1884).—*Fl.*
Bih. Svenska Vet. Akad. Handl. xii. III. No. 2, p. 7 (1886).—*Fl.*
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xxvi. t. 2702 (1886).
*Thomé, Fl. Deutschl. iii. t. 352 (1888).
Potonié, Ill. Fl. Nord- u. Mittel-Deutschl. Ed. 4, fig. 381 (1889).
Pflanzenfam. iii. II. A. 64 (1890).
*Heathcote, Fl. Engadine, t. 95 (1891).
G. Beck, Fl. Nied.-Oesterr. ii. 1. 671 (1892).—*Fl.*
Flora, lxxix. 275 (1894).—*Veg.*
Garcke, Ill. Fl. Deutschl. 236 (1895).
Karsten, Fl. Deutschl. ii. 453 (1895).
Reichenbach, Ic. Fl. Germ. xxiii. t. 129 (1896–99).
Mönkemeyer, Sumpf- und Wasserpfl. 136 (1897).
Britton & Brown, Ill. Fl. N. States & Canada, ii. 181 (1897).
Knuth, Handb. Blütenbiol. ii. 1. 454 (1898).—*Fl.*
Fiori & Paol. Ic. Fl. Ital. 194 (1899).
Reichenau, Mainzer Flora, fig. 81 (1900).
Gradmann, Pflanzenl. Schwäb. Alb, Ed. 2, i. 39 (1900).
Lindman, Bild. Nord. Fl. t. 277 (1901–5).
C. T. Green, Fl. Liverpool Distr. fig. 208 (1902).
*Sturm, Fl. Deutschl. Ed. 2, vii. t. 62 (1902).
Coste, Fl. France, ii. 144 (1903).
Blytt, Haandb. Norg. Fl. Ed. Dahl, 411 (1906).
Suireishchikov, Ill. Fl. Mosc. Gov. ii. 219 (1907).
Heukels, Fl. Nederl. ii. 482 (1908).
Warming in Arbejd. Bot. Have Kjöbenhavn, No. 1, p. 229 (1909); et in Meddel. Groenl. xxxvi. 229 (1912).—*Fl.*
Fedtschenko & Fler. Fl. Eur. Russia, 502 (1910).

CHRYSOSPLENIUM
alternifolium
*Milner, Life Oberammergau, t. 4 (1910).
Wettstein, Handb. Syst. Bot. Ed. 2, p. 645 (1911)
*Gatin, Fl. des Bois, t. 8 (1913).
Fedtschenko, Fl. Aziat. Ross. fasc. 7, p. 23 (1915).
Cadevall & Sallent, Fl. Catalunya, ii. 447 (1916).
Lindman, Bild. Nord. Fl. Ed. 2 & 3, t. 277 (1917–20).
Lindman, Svensk Fanerogamfl. 17 (1918).—*Fl.*
Mayevsky, Fl. Central Russia, 221 (1918).
Fitch & Smith, Ill. Brit. Fl. Ed. rev. 4, Iss. 2, fig. 390 (1919).
—— **tetrandrum** Lund
Warming in Arbejd. Bot. Have Kjöbenhavn, No. 1, p. 226, 228 (1909); et in Meddel. Groenl. xxxvi. 226, 228 (1912).
americanum Schwein.
Nouv. Arch. Mus. Hist. Nat. Paris, Ser. III. iii. t. 1 (1891).
Britton & Brown, Ill. Fl. N. States & Canada, ii. 181 (1897); Ed. 2, ii. 230 (1913).
aomorense Franch.
Nouv. Arch. Mus. Hist. Nat. Paris, Ser. III. iii. t. 3 (1891).
axillare Maxim.
Nouv. Arch. Mus. Hist. Nat. Paris, Ser. III. ii. t. 4 (1890).
baicalense Maxim.
Nouv. Arch. Mus. Hist. Nat. Paris, Ser. III. iii. t. 2 (1891).
Fedtschenko, Fl. Aziat. Ross. fasc. 7, p. 42 (1915).
Barbeyi Terrac.
Terracciano in Bull. Soc. Bot. Genève, Ser. II. vii. 151 (1915).
Beauverdii Terracc.
Terracciano in Bull. Soc. Bot. Genève, Ser. II. vii. 158 (1915).
beringianum Rose
Macoun, Pl. Pribilof Isl. (Fur Seals & Fur Seal Isl. N. Pacific, iii), t. 91 (1899).
Briquetii Terracc.
Terracciano in Bull. Soc. Bot. Genève, Ser. II. vii. 153 (1915).
Calcitrapa Franch.
Nouv. Arch. Mus. Hist. Nat. Paris, Ser. III. iii. t. 4 (1891).
carnosum Hook. f. & Thoms.
Nouv. Arch. Mus. Hist. Nat. Paris, Ser. III. ii. t. 4 (1890).
ciliatum Franch.
Nouv. Arch. Mus. Hist. Nat. Paris, Ser. III. ii. t. 5 (1890).
costulatum Franch.
Nouv. Arch. Mus. Hist. Nat. Paris, Ser. III. iii. t. 3 (1891).
crenulatum Franch.
Nouv. Arch. Mus. Hist. Nat. Paris, Ser. III. iii. t. 3 (1891).
Davidianum Decne.
Nouv. Arch. Mus. Hist. Nat. Paris, Ser. III. ii. t. 5 (1890).
Delavayi Franch.
Nouv. Arch. Mus. Hist. Nat. Paris, Ser. III. iii. t. 1 (1891).
discolor Franch. & Sav.
Nouv. Arch. Mus. Hist. Nat. Paris, Ser. III. iii. t. 4 (1891).
dubium Gay
Nouv. Arch. Mus. Hist. Nat. Paris, Ser. III. iii. t. 2 (1891).
Dunnianum Léveillé
Léveillé, Cat. Ill. Pl. Seu Tchouen, t. 61 (1918).
echinulatum Franch. & Sav.
Nouv. Arch. Mus. Hist. Nat. Paris, Ser. III. iii. t. 6 (1891).
Echinus Maxim.
Nouv. Arch. Mus. Hist. Nat. Paris, Ser. III. iii. t. 6 (1891).
Fauriei Franch.
Nouv. Arch. Mus. Hist. Nat. Paris, Ser. III. iii. t. 5 (1891).
filipes Kom.
Fedtschenko, Fl. Aziat. Ross. fasc. 7, p. 31 (1915).

CHRYSOSPLENIUM
flabellatum Terracc.
Terracciano in Bull. Soc. Bot. Genève, Ser. II. vii. 155 (1915).
flagelliferum Fr. Schmidt
Nouv. Arch. Mus. Hist. Nat. Paris, Ser. III. ii. t. 3 (1890).
Fedtschenko, Fl. Aziat. Ross. fasc. 7, p. 33 (1915).
—— **tosaënse** Makino
Makino, Phan. & Pterid. Jap. Ic. ii. t. 78 (1902).
formosanum Hayata
Hayata, Ic. Pl. Formosan. iii. t. 18 (1913).
fulvum Terracc.
Terracciano in Bull. Soc. Bot. Genève, Ser. II. vii. 156 (1915).
glechomifolium Nutt. ex Torr. & Gray
Nouv. Arch. Mus. Hist. Nat. Paris, Ser. III. ii. t. 6 (1890).
gracile Franch.
Nouv. Arch. Mus. Hist. Nat. Paris, Ser. III. ii. t. 3 (1890).
Grayanum Maxim.
Nouv. Arch. Mus. Hist. Nat. Paris, Ser. III. iii. t. 2 (1891).
Somoku Dzusetsu, Ed. Makino (Iconogr. Pl. Nippon), ii. t. 69 (1907).
Griffithii Hook. f. & Thoms.
Nouv. Arch. Mus. Hist. Nat. Paris, Ser. III. ii. t. 5 (1890).
Henryi Franch.
Nouv. Arch. Mus. Hist. Nat. Paris, Ser. III. ii. t. 4 (1890).
iowense Rydb.
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, ii. 230 (1913).
kamtschaticum Fisch.
Nouv. Arch. Mus. Hist. Nat. Paris, Ser. III. iii. t. 2 (1891).
*Miyoshi & Makino, Pocket-Atlas, Alp. Pl. Jap. ii. t. 58, fig. 335 (1907).
Fedtschenko, Fl. Aziat. Ross. fasc. 7, p. 44 (1915).
macranthum Hook.
Hooker, London Journ. Bot. i. t. 16 (1842).
macrocarpum Cham.
*Somoku Dzusetsu, Ed. 2, ii. t. 69 (1874).
Fiori & Paol. Ic. Fl. Ital. 194 (1899).
macrophyllum Oliv.
Hook. Ic. Pl. xviii. t. 1744 (1888).
macrostemon Maxim.
Nouv. Arch. Mus. Hist. Nat. Paris, Ser. III. iii. t. 4 (1891).
Maximowiczii Franch. & Sav.
Nouv. Arch. Mus. Hist. Nat. Paris, Ser. III. iii. t. 7 (1891).
microspermum Franch.
Nouv. Arch. Mus. Hist. Nat. Paris, Ser. III. ii. t. 3 (1890).
nepalense D. Don
Nouv. Arch. Mus. Hist. Nat. Paris, Ser. III. ii. t. 6 (1890).
nudicaule Bunge
*Ledebour, Ic. Pl. Ross. v. t. 405 (1834).
Fedtschenko, Fl. Aziat. Ross. fasc. 7, p. 14 (1915).
oppositifolium Linn.
*Fl. Dan. iii. t. 365 (1768).
Buchoz, Hist. Règne Vég. xii. Dec. 10, t. 6 (1776).
*Curtis, Fl. Londin. i. fasc. II. t. 27 (1777); Ed. 2, i. fasc. II. t. 27 (1817).
*Dreves & Hayne, Bot. Bilderbuch, iii. t. 4 (1798).
*Sowerby & Sm. Engl. Bot. vii. t. 490 (1798).
*Sturm, Deutschl. Fl. i. IV [t. 54] (1798).
*Dreves & Hayne, Choix de Pl. t. 76 (1802).
*Baxter, Brit. Bot. Ed. 2, ii. t. 140 (1835).
*Dietrich, Fl. Boruss. iv. t. 242 (1836).
*Zenker, Fl. Thüringen, viii. t. 893 (1836–55).
[M. E.] Jackson, Pict. Fl. fig. 636 (1840).
*Deakin, Florigr. Brit. ii. fig. 678 (1845).
Catlow, Pop. Field Bot. t. 9 (1848).
Johnson & Sowerby, Brit. Wild Fl. fig. 509 (1858–60).
*Hogg & Johnson, Wild Fl. Gr. Brit. ii. t. 159 (1864).
Bentham, Handb. Brit. Fl. fig. 385 (1865).
*Syme, Engl. Bot. iv. t. 563 (1865).
*Cusin & Ansberque, Herb. Fl. Franç. ix (Saxifragées), t. 58 (1868).

CHRYSOSPLENIUM
oppositifolium
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, ii. t. 83 [1873].
Wagner, Ill. Deutsche Fl. Ed. 2, p. 298 (1882).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xxvi. t. 2703 (1886).
Garcke, Ill. Fl. Deutschl. 236 (1895).
Reichenbach, Ic. Fl. Germ. xxiii. t. 130 (1896–99).
Fiori & Paol. Ic. Fl. Ital. 194 (1899).
C. T. Green, Fl. Liverpool Distr. fig. 207 (1902).
*Sturm, Fl. Deutschl. Ed. 2, vii. t. 63 (1902).
Coste, Fl. France, ii. 144 (1903).
Merino, Fl. Galicia, i. 541 (1905).
*Step, Wayside & Woodl. Bloss. New Ed. i. t. 66 (1905).
Blytt, Haandb. Norg. Fl. Ed. Dahl, 411 (1906).
Heukels, Fl. Nederl. ii. 483 (1908).
*Perrin & Boulger, Brit. Flower. Pl. ii. t. 109 (1914).
Cadevall & Sallent, Fl. Catalunya, ii. 448 (1916).
Fitch & Smith, Ill. Brit. Fl. Ed. rev. 4, Iss. 2, fig. 389 (1919).
ovalifolium M. Bieb.
*Ledebour, Ic. Pl. Ross. v. t. 404 (1834).
Nouv. Arch. Mus. Hist. Nat. Paris, Ser. III. iii. t. 6 (1891).
Fedtschenko, Fl. Aziat. Ross. fasc. 7, p. 19 (1915).
peltatum Turcz.
Nouv. Arch. Mus. Hist. Nat. Paris, Ser. III. ii. t. 4 (1890).
Fedtschenko, Fl. Aziat. Ross. fasc. 7, p. 21 (1915).
pilosum Maxim.
Nouv. Arch. Mus. Hist. Nat. Paris, Ser. III. iii. t. 3 (1891).
Fedtschenko, Fl. Aziat. Ross. fasc. 7, p. 47 (1915).
pumilum Franch.
Nouv. Arch. Mus. Hist. Nat. Paris, Ser. III. iii. t. 5 (1891).
ramosum Maxim.
Nouv. Arch. Mus. Hist. Nat. Paris, Ser. III. ii. t. 6 (1890).
Fedtschenko, Fl. Aziat. Ross. fasc. 7, p. 36 (1915).
rhabdospermum Maxim.
Nouv. Arch. Mus. Hist. Nat. Paris, Ser. III. iii. t. 4 (1891).
Sedakowii Turcz.
Nouv. Arch. Mus. Hist. Nat. Paris, Ser. III. iii. t. 6 (1891).
Fedtschenko, Fl. Aziat. Ross. fasc. 7, p. 29 (1915).
shiobarense Franch.
Nouv. Arch. Mus. Hist. Nat. Paris, Ser. III. iii. t. 5 (1891).
sinicum Maxim.
Nouv. Arch. Mus. Hist. Nat. Paris, Ser. III. iii. t. 6 (1891).
Fedtschenko, Fl. Aziat. Ross. fasc. 7, p. 50 (1915).
sphaerocarpum Maxim.
Nouv. Arch. Mus. Hist. Nat. Paris, Ser. III. iii. t. 7 (1891).
stamineum Franch.
Nouv. Arch. Mus. Hist. Nat. Paris, Ser. III. iii. t. 7 (1891).
tenellum Hook. f. & Thoms.
Nouv. Arch. Mus. Hist. Nat. Paris, Ser. III. ii. t. 3 (1890).
tetrandrum Fries
Bih. Svenska Vet. Akad. Handl. xii. III. No. 2, p. 6 (1886).—*Fl.*
Knuth, Handb. Blütenbiol. ii. I. 456 (1898).—*Fl.*
tianschanicum Krassn.
Fedtschenko, Fl. Aziat. Ross. fasc. 7, p. 17 (1915).
trachyspermum Maxim.
Nouv. Arch. Mus. Hist. Nat. Paris, Ser. III. iii. t. 1 (1891).
Fedtschenko, Fl. Aziat. Ross. fasc. 7, p. 39 (1915).
trichospermum Edgew.
Nouv. Arch. Mus. Hist. Nat. Paris, Ser. III. ii. t. 6 (1890).
uniflorum Maxim.
Nouv. Arch. Mus. Hist. Nat. Paris, Ser. III. iii. t. 7 (1891).
valdivicum Hook.
Hooker, London Journ. Bot. i. t. 17 (1842).

CHRYSOSPLENIUM
Vidalii Franch. & Sav.
Nouv. Arch. Mus. Hist. Nat. Paris, Ser. III. iii. t. 7 (1891).
villosum Franch.
Nouv. Arch. Mus. Hist. Nat. Paris, Ser. III. iii. t. 1 (1891).
Wrightii Franch. & Sav.
Nouv. Arch. Mus. Hist. Nat. Paris, Ser. III. ii. t. 5 (1890).
Fedtschenko, Fl. Aziat. Ross. fasc. 7, p. 27 (1915).

CHRYSOSTACHYS Pohl: *Combretum*
ovatifolia Pohl
Pohl, Pl. Bras. ii. t. 143 (1831).

CHRYSOSTEMMA Less.: *Coreopsis*
Tripteris Less.
*Bot. Mag. lxiv. t. 3583 (1837).
*J. W. Loudon, Ladies' Fl.-Gard. Ornam. Perenn. i. t. 44 (1843).

CHRYSOTHAMNUS Nutt.: *Bigelowia*
graveolens Greene
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, iii. 376 (1913).
Howardii Greene
Britton & Brown, Ill. Fl. N. States & Canada, iii. 326 (1898); Ed. 2, iii. 376 (1913).
monocephalus A. Nels. & Kennedy
Muhlenbergia, viii. No. 6, frontisp. p. 72 (1912).—*Hab.*
nauseosus Britton
Britton & Brown, Ill. Fl. N. States & Canada, iii. 326 (1898).
—— **consimilis** Hall & Goodspeed
Univ. California Publ. Bot. vii. 203 (1919).
teretifolius Hall
Univ. California Publ. Bot. vii. 266 (1919).—*Hab.*
—— **viridulus** Hall & Goodspeed
Univ. California Publ. Bot. vii. 195, 199, 219, 237, t. 20 (1919).

CHRYSOTHEMIS Decne.: *Tussacia*
aurantiaca Decne.
*Rev. Hort. Ser. III. iv. 381 (1850).

CHRYSOTHRIX = *Chrysithrix*

CHRYSURUS Pers.: *Lamarckia*
aureus P. Beauv.
Reichenbach, Ic. Fl. Germ. i. t. 58 (1834).
cynosuroides Pers.
P. Beauvais, Agrost. t. 22, fig. 5 (1812).—*Fl.*
Cottage Gard. xviii. 1 (1857).
Journ. Hort. xlviii. 128 (1872).
giganteus Ten.
*Tenore, Fl. Nap., Atlas, v. t. 210 (1811–38).

CHTHAMALIA Decne.
humifusa Fourn.
Mart. Fl. Bras. vi. IV. t. 92 (1885).
Nummularia Decne.
Pflanzenfam. iv. II. 301 (1895).—*Fl.*

CHUKRASIA A. Juss.—Vide *Chickrassia*
tabularis A. Juss.
Mém. Mus. Hist. Nat. Paris, xix. 304, t. 22 (1830).—*Fl.*
A. & C. De Candolle, Monogr. Phan. i. t. 8, fig. 9 (1878).—*Fl.*
Pflanzenfam. iii. IV. 271 (1896).—*Fl.*
Lecomte, Fl. Gén. Indo-Chine, i. 778 (1911).—*Fl.*
—— **attopeuensis** Pierre
Pierre, Fl. For. Cochinch. v. t. 357 (1897).
velutina Wight & Arn.
Pierre, Fl. For. Cochinch. v. t. 357 (1897).
—— **dongnaiensis** Pierre
Pierre, Fl. For. Cochinch. v. t. 357 (1897).—*Veg.*
—— **microcarpa** Pierre
Pierre, Fl. For. Cochinch. v. t. 357 (1897).

CHUQUIRAGA Juss.—Vide *Dasyphyllum, Flotovia, Johannia*
alpestris Barb. Rodr.
Barbosa Rodrigues, Pl. Nov. Jard. Bot. Rio de Janeiro, iv. t. 5 (1894).
anomala D. Don
Fielding & Gardn. Sert. Pl. ii. t. 10 (1849).

CHUQUIRAGA
Avellanedae Lorentz
Roca, Exped. Rio Negro, ii. t. 6 (1881).
Hauman in An. Soc. Cient. Arg. Buenos Aires, lxxxix. 202 (1920).
chrysantha Field. & Gardn.
Fielding & Gardn. Sert. Pl. i. t. 42 (1844).
Dusenii O. Hoffm.
Schwed. Exped. Magell. iii. No. 5, t. 7, fig. 11–13; t. 14, fig. 1 (1900).
W. B. Scott, Rep. Princeton Univ. Exped. Patag. 1896–99, viii. II. Bot. 864 (1906).—*Fl.*
erinacea D. Don
Pflanzenfam. iv. v. 335 (1893).
Hauman-Merck in An. Mus. Nac. Hist. Nat. Buenos Aires, xxiv. 323 (1913).
huamanpinta Hieron
Engler & Drude, Veget. Erde, xii. 211 (1911).
hystrix D. Don
W. B. Scott, Rep. Princeton Univ. Exped. Patag. 1896–99, viii. Suppl. Bot. t. 1 (1914).
insignis Humb. & Bonpl.
Lamarck, Ill. iv. t. 691 (1797).
Linnaea, t. 3, fig. 84, 86 (1830).—*Fl.*
juniperina Decne.
D'Orbigny, Voyage Amér. Mérid. vii. I. t. 11 (1839).
microphylla Humb. & Bonpl.
Humboldt & Bonpl. Pl. Aeq. t. 43 (1805).
oppositifolia D. Don
Hauman in An. Soc. Cient. Arg. Buenos Aires, lxxxvi. v, vi. t. 23 (1918).
rotundifolia Wedd.
Weddell, Chloris Andina (Castelnau Expéd., Bot.), i. t. 4 (1855–57).
ruscifolia D. Don
Fielding & Gardn. Sert. Pl. i. t. 43 (1844).
spinescens Baker
Mart. Fl. Bras. vi. III. t. 97 (1884).
velutina Baker
Mart. Fl. Bras. vi. III. t. 96 (1884).

CHUSQUEA Kunth—Vide *Rettbergia*
abietifolia Griseb.
*Bot. Mag. cxi. t. 6811 (1885).
Amer. Journ. Bot. vii. 84–91 (1920).
affinis Munro
E. G. Camus, Bambus. Atlas, t. 60 (1913).—*Veg.*
anelytra Nees
Mém. Acad. Sc. Pétersb. Ser. VI. v. II. 166, t. 6 (1840).—*Fl.*
E. G. Camus, Bambus. Atlas, t. 52 (1913).
anelytroides Rupr.
E. G. Camus, Bambus. Atlas, t. 52 (1913).
baculifera Silveira
Silveira in Arch. Mus. Nac. Rio Janeiro, xxii. 100 (1919).
Bilimeki Fourn.
E. G. Camus, Bambus. Atlas, t. 59 (1913).
capitata Nees
Mém. Acad. Sc. Pétersb. Ser. VI. v. II. 166, t. 8 (1840).
E. G. Camus, Bambus. Atlas, t. 47 (1913).
capituliflora Trin.
Trinius, Sp. Gram. iii. t. 339 (1836).
Mém. Acad. Sc. Pétersb. Ser. VI. v. II. 166, t. 9 (1840).—*Fl.*
Arechavaleta, Gram. Urug. (An. Mus. Nac. Montevideo, vi), 545 (1897).
E. G. Camus, Bambus. Atlas, t. 47 (1913).
culeou Desv.
*C. Gay, Hist. Chile, Atlas, t. 83 (1854).
E. G. Camus, Bambus. Atlas, t. 56 (1913).
Cumingii Nees
Mém. Acad. Sc. Pétersb. Ser. VI. v. II. 166, t. 7, 9 (1840).
*C. Gay, Hist. Chile, Atlas, t. 83 (1854).
E. G. Camus, Bambus. Atlas, t. 55 (1913).
discolor Hack.
E. G. Camus, Bambus. Atlas, t. 58 (1913).
Dombeyana Kunth
*Kunth, Rév. Gram. ii. t. 191 (1829).
Mém. Acad. Sc. Pétersb. Ser. VI. v. II. 166, t. 6 (1840).—*Fl.*
E. G. Camus, Bambus. Atlas, t. 51 (1913).

CHUSQUEA
fasciculata Doell
Mart. Fl. Bras. ii. III. t. 54 (1880).
E. G. Camus, Bambus. Atlas, t. 60 (1913).
Fendleri Munro
E. G. Camus, Bambus. Atlas, t. 52 (1913).
Galeottiana Rupr.
E. G. Camus, Bambus. Atlas, t. 57 (1913).
Gaudichaudii Kunth
*Kunth, Rév. Gram. i. t. 78 (1829).
Mém. Acad. Sc. Pétersb. Ser. VI. v. II. 166, t. 9 (1840).—*Fl.*
E. G. Camus, Bambus. Atlas, t. 62 (1913).
heterophylla Nees
E. G. Camus, Bambus. Atlas, t. 54 (1913).
leptophylla Nees
E. G. Camus, Bambus. Atlas, t. 49 (1913).—*Veg.*
mauro-fernandeziana Pit. & Hack.
E. G. Camus, Bambus. Atlas, t. 56 (1913).
Meyeriana Rupr.
Svenska Vet. Akad. Handl. xxxiv. No. 6, t. 13 (1900).
E. G. Camus, Bambus. Atlas, t. 50 (1913).
nigricans Phil.
E. G. Camus, Bambus. Atlas, t. 53 (1913).
oligophylla Rupr.
Mém. Acad. Sc. Pétersb. Ser. VI. v. II. 166, t. 7 (1840).—*Fl.*
E. G. Camus, Bambus. Atlas, t. 58 (1913).
oxylepis Ekman
Arkiv Bot. Stockholm, xiii. No. 10, t. 4 (1913).
pinifolia Nees
Trinius, Sp. Gram. iii. t. 340 (1836).
Mém. Acad. Sc. Pétersb. Ser. VI. v. II. 166, t. 9 (1840).—*Fl.*
Wettstein, Veg. Südbras. t. 50 (1904).—*Hab.*
E. G. Camus, Bambus. Atlas, t. 55 (1913).
polyclados Pilger
Engler & Drude, Veget. Erde, xii. t. 24 (1911).—*Hab.*
Purdieana Munro
E. G. Camus, Bambus. Atlas, t. 59 (1913).
quila Kunth
*Kunth, Rév. Gram. i. t. 77 (1829).
Mém. Acad. Sc. Pétersb. Ser. VI. v. II. 166, t. 9 (1840).—*Fr.*
E. G. Camus, Bambus. Atlas, t. 49 (1913).
—— **longipila** E. G. Camus
E. G. Camus, Bambus. Texte, p. 198; Atlas, t. 61 (1913).
ramosissima Lindm.
Svenska Vet. Akad. Handl. xxxiv. No. 6, t. 14 (1900).
E. G. Camus, Bambus. Atlas, t. 53 (1913).
scandens Kunth
Mém. Acad. Sc. Pétersb. Ser. VI. v. II. 166, t. 6 (1840).—*Fr.*
Ettingshausen in Sitzb. Akad. Wiss. Wien, lii. I. t. 6 (1866).—*Veg.*
E. G. Camus, Bambus. Atlas, t. 50 (1913).
sclerophylla Doell
E. G. Camus, Bambus. Atlas, t. 57 (1913).
Sellowii Rupr.
Mém. Acad. Sc. Pétersb. Ser. VI. v. II. 166, t. 9 (1840).—*Fl.*
E. G. Camus, Bambus. Atlas, t. 61 (1913).
simpliciflora Munro
Trans. Linn. Soc. London, xxvi. t. 2 (1868).
E. G. Camus, Bambus. Atlas, t. 60 (1913); errore *C. simplicifolia.*
tenella Nees
Mém. Acad. Sc. Pétersb. Ser. VI. v. II. 166, t. 6 (1840).
E. G. Camus, Bambus. Atlas, t. 48 (1913).
tenuiflora Phil.
E. G. Camus, Bambus. Atlas, t. 49 (1913).
tenuiglumis Doell
E. G. Camus, Bambus. Atlas, t. 48 (1913).
tenuis Glaz.
E. G. Camus, Bambus. Atlas, t. 53 (1913).
uniflora Steud.
E. G. Camus, Bambus. Atlas, t. 56 (1913).
urelytra Hack.
E. G. Camus, Bambus. Atlas, t. 54 (1913).
venezuelae Steud.
E. G. Camus, Bambus. Atlas, t. 59 (1913).

CHUSQUEA
Wettsteinii Hack.
Arkiv Bot. Stockholm, xiii. No. 10, t. 4 (1913).

CHYDENANTHUS Miers
excelsus Miers
Trans. Linn. Soc. London, Ser. II. Bot. i. t. 17 (1875).

CHYLISMIA Nutt.
scapoides Nutt.
Pflanzenfam. iii. VII. 216 (1893).
—— **claviformis** Nutt.
M. Armstrong, Field Book West. Wild Fl. 327 (1915).

CHYLOCALYX Hassk.: *Polygonum*
perfoliatus Hassk.
Somoku Dzusetsu, Ed. 2, vii. t. 49 (1874).
senticosus Meissn.
Somoku Dzusetsu, Ed. 2, vii. t. 36 (1874).

CHYMOCARPUS D. Don: *Tropaeolum*
pentaphyllus D. Don
*Sweet, Brit. Fl. Gard. vi. t. 245 (1834).
Lindley, Veg. Kingd. 366 (1846).
*Sweet, Ornam. Fl. Gard. iii. t. 150 (1854).
Mart. Fl. Bras. xiv. II. t. 53 (1872).

CHYMOCOCCA Meissn.
empetroides Meissn.
Hook. Ic. Pl. xiii. t. 1264 (1878).
Deutsche Tiefsee-Exped. 1898–99, ii. III. 74 (1908).

CHYSIS Lindl.
aurea Lindl.
*Bot. Reg. xxiii. t. 1937 (1837).
*Bot. Mag. lxiv. t. 3617 (1837).
*Hooker, Cent. Orch. Pl. t. 73 (1849).
Pfitzer, Grundz. Vergl. Morph. Orchideen, 50 (1882).—*Hab.*
*Lindenia, vi. t. 260 (1890).
Semaine Hort. iv. 137 (1900).
Diels in Natur, iv. 39 [1907].—*Fl.*
Bol. de Fomento, Costa Rica, ii. XI. 801 (1912).
*Costantin, Atlas Orch. Cult. t. 24 (1913).—*Fl.*
—— **Limminghei** Hook.
*Bot. Mag. lxxxvii. t. 5265 (1861).
—— **maculata** Hook.
*Bot. Mag. lxxvii. t. 4576 (1851).
Cottage Gard. vi. 315 (1851).
*Lem. Jard. Fl. ii. t. 121 (1851).
*Fl. des Serres, Ser. I. vii. t. 671 (1851–52).
Möllers Deutsche Gärtn.-Zeit. xv. 39 (1900).
bractescens Lindl.
*Bot. Reg. xxvii. t. 23 (1841).
*Fl. des Serres, Ser. I. vii. t. 675 (1851–52).
Rev. Hort. Ser. IV. viii. 294, 295 (1859).
*Bot. Mag. lxxxvi. t. 5186 (1860).
Decaisne & Naud. Amat. Jard. iii. 543 [1862–66].—*Hab.*
*Beer, Beitr. Morph. u. Biol. Orch. t. 5, fig. 20 (1863).—*Fr.*
*Bateman, Second Cent. Orch. Pl. t. 138 (1867).
Le Maout & Decaisne, Traité Gén. Bot. 548 (1868).—*Hab.*
*Ill. Hort. xxvii. t. 398 (1880).
De Puydt, Orchidées, 181 (1880).—*Hab.*
Nicholson, Illustr. Dict. Gard. i. 325 [1884–88].—*Hab.*
Garten-Zeit. Berlin, v. 82 (1886).
*Sander, Reichenbachia, i. 41, t. 18 (1888).
Pflanzenfam. ii. VI. 154 (1889).
Delchevalerie, Orch. Ed. 3, p. 72, 73 (1889).
*Lindenia, viii. t. 383 (1892).
Stein, Orchideenbuch, 142 (1892).—*Hab.*
*Warner & Will. Orch. Album, x. t. 446 (1893).
Journ. Hort. Ser. III. xxviii. 263 (1894); lxii. 257 (1911).—*Hab.*
Kerchove, Livre Orch. 180 (1894).
Linden, Orchid. Exot. 646 (1894).
Rep. Missouri Bot. Gard. vii. t. 23 (1896).—*Hab.*
Bellair & St.-Léger, Pl. Serre, 530 (1900).—*Hab.*
Semaine Hort. iv. 139 (1900).
Möllers Deutsche Gärtn.-Zeit. xv. 39 (1900).
*Cogniaux, Dict. Icon. Orch., Chysis, t. 1 (1900).
Gartenwelt, v. 197 (1901); xiii. 54 (1909).

CHYSIS
bractescens
Orch. Rev. ix. 177 (1901); xiii. 236 (1905); xix. 201 (1911).
C. H. Curtis, Orchids for Everyone, 46 (1910).—*Hab.*
Horticulture (Boston), xvi. 894 (1912).—*Hab.*
*Costantin, Atlas Orch. Cult. t. 24 (1913).—*Fl.*
L. H. Bailey, Stand. Cycl. Hort. 768 (1914).
Schlechter, Orchideen, 319 (19[14–]15).—*Hab.*
×**Chelsonii** Reichb. f.
*Floral Mag. N. Ser. 1878, t. 297.
Garden, xv. 481 (1879).
Gartenfl. xxix. 153 (1880).
Ill. Gartenzeit. Stuttgart, xxiv. t. 9 (1880).
Gard. Chron. xiii. 717 (1880).
Sempervirens, x. 364 (1881).
Gard. Month. & Hort., Meehan, xxiv. 185 (1882).
Orchidophile, 1883, p. 479.
Nicholson, Illustr. Dict. Gard. i. 326 [1884–88].
Veitch, Man. Orch. Pl. Pt. 6, p. 27 (1890).—*Fl.*
Stein, Orchideenbuch, 143 (1892).
Kerchove, Livre Orch. 351 (1894).
B. S. Williams, Orchid-Grower's Man. Ed. 7, p. 194 (1894).
laevis Lindl.
*Bateman, Orchidac. Mex. & Guatem. t. 31 (1837–43).
*Ill. Hort. x. t. 365 (1863).
*Beer, Beitr. Morph. u. Biol. Orch. t. 5, fig. 16 (1863).—*Fr.*
*Warner, Select. Orch. Pl. Ser. II. t. 14 (1865–75).
*Warner & Will. Orch. Album, xi. t. 482 (1897).
*Lindenia, xvi. t. 726 (1901).
*Cogniaux, Dict. Icon. Orch., Chysis, t. 2, (1901).—*Fl.*
*Costantin, Atlas Orch. Cult. t. 24 (1913).—*Fl.*
Limminghei Reichb. f. & Lind.
*Ill. Hort. vii. t. 240 (1860).
*Warner, Select. Orch. Pl. Ser. I. t. 34 (1862–65).
*Cogniaux, Dict. Icon. Orch., Chysis, t. 3 (1901).—*Fl.*
*Costantin, Atlas Orch. Cult. t. 24 (1913).—*Fl.*

CHYTRA Gaertn.: *Buchnera*
anomala Gaertn.
Gaertner f., Fruct. iii. t. 214 (1807).—*Fr.*

CHYTRACULIA O. Kuntze: *Calyptranthes*
Chytraculia Sudw.
Sargent, Man. Trees N. Amer. 700 (1905).

CHYTRANTHUS Hook. f.
Laurentii De Wild.
De Wildeman, Miss. É. Laurent, ii. t. 33 (1905).

CHYTROGLOSSA Reichb. f.
aurata Reichb. f.
Journ. Roy. Hort. Soc. London, N. Ser. i. t. 3 (1866).
Reichenbach f., Xenia Orch. ii. t. 148 (1867).
Marileoniae Reichb. f.
Journ. Roy. Hort. Soc. London, N. Ser. i. t. 4 (1866).
Reichenbach f., Xenia Orch. ii. t. 148 (1867).—*Fl.*
paulensis Edwall
Edwall, Revista Centro Sc. Campiras, ii. t. 3 (1903).—*Fl.*
Mart. Fl. Bras. iii. VI. t. 93 (1904–6).

CHYTROMA Miers: *Eschweilera*
amara Miers
Trans. Linn. Soc. London, xxx. t. 58 (1874).—*Fr.*
basilaris Miers
Trans. Linn. Soc. London, xxx. t. 58 (1874).—*Fr.*
cincturata Miers
Trans. Linn. Soc. London, xxx. t. 59 (1874).—*Fr.*
cistella Miers
Trans. Linn. Soc. London, xxx. t. 58 (1874).—*Fr.*
grandifolia Miers
Trans. Linn. Soc. London, xxx. t. 59 (1874).—*Fr.*
ibiriba Miers
Trans. Linn. Soc. London, xxx. t. 59 (1874).—*Fr.*
idatimon Miers
Trans. Linn. Soc. London, xxx. t. 59 (1874).—*Fr.*
incarcerata Miers
Trans. Linn. Soc. London, xxx. t. 58 (1874).—*Fr.*

CHYTROMA
monosperma Miers
Trans. Linn. Soc. London, xxx. t. 58 (1874).—*Fr.*
pilocarpa Miers
Trans. Linn. Soc. London, xxx. t. 58 (1874).—*Fr.*
Schomburgkiana Miers
Trans. Linn. Soc. London, xxx. t. 58 (1874).—*Fr.*
Spruceana Miers
Trans. Linn. Soc. London, xxx. t. 59 (1874).—*Fr.*
turbinata Miers
Trans. Linn. Soc. London, xxx. t. 59 (1874).—*Fr.*
urceolata Miers
Trans. Linn. Soc. London, xxx. t. 59 (1874).—*Fr.*

CIBOTIUM Kaulf.—Vide *Pinonia*
assamicum Hook.
Hooker, Sp. Fil. i. t. 29 (1846).
barometz J. Sm.
Paxt. Mag. xvi. 118 (1849).
Moore & Ayres, Mag. Bot. iii. 329 (1851).
T. Moore, Index Fil. Gen. & Spec. t. 78 [1857–62].
*Artus, Atlas Pharm. Deutschl. Aufg. Offic. Gew. t. 295 [1862–74].
Beddome, Ferns Brit. Ind. t. 83 (1865–70); vide Correct. Nomencl.
Beddome, Handb. Ferns Brit. Ind. 27 (1883).
Pflanzenfam. i. IV. 120 (1899).
Karsten & Schenck, Veg.-Bild. iii. t. 43 (1906).—*Hab.*
Conzatti in Mem. y Rev. Soc. 'Antonio Alzate', xxv. 114 (1907).
Journ. New York Bot. Gard. x. t. 71 (1909).
Warburg, Pflanzenwelt, i. 253 (1913).
Chamissoi Kaulf.
Kaulfuss, Enum. Fil. t. 1, fig. 14 (1824).
Presl, Tent. Pteridogr. t. 11 (1836).
Gard. Chron. xi. 495 (1879).
Rock, Indig. Trees Hawaiian Isl. t. 9, 30 (1913).—*Hab.*
Hawaii Div. Forestry, Bot. Bull. No. 4, t. 6, 8, 9 (1917).—*Hab.*
Cumingii Kunze
Miquel in Verh. Kl. I. Nederl. Inst. Wet. Amsterdam, Ser. III. iv. t. 5 (1851).
Philippine Journ. Sc., Bot. iv. 65, t. 21 (1909).
glaucescens Kunze
*Kunze, Farnkr. t. 31 (1840–47).
*Lowe, Ferns, viii. t. 36 (1860).
glaucum Hook. & Arn.
Hooker, Sp. Fil. i. t. 29 (1846).
Beddome, Ferns Brit. Ind. t. 83 (1865–70); sphalm. *C. Barometz.*
Gard. Chron. xi. 495 (1879).
guatemalense Reichb.
Contrib. U.S. Nat. Herb. xvi. t. 32 (1912).
macrocarpum Payer
Payer, Bot. Crypt. 200 (1850).—*Fr.*
Baillon, Dict. Bot. ii. 41 (1879).
Menziesii Hook.
Hooker, Sp. Fil. i. t. 29 (1846).
Gard. Chron. xi. 431 (1879).
Rock, Indig. Trees Hawaiian Isl. t. 9, 28, 29 (1913).—*Hab.*
Bryan, Nat. Hist. Hawaii, t. 50, fig. 3 (1915).
Smithson. Misc. Coll. lxvi. No. 17, p. 70 (1916).—*Hab.*
Amer. Bot. xxii. 1 (1916).—*Hab.*
Hawaii Div. Forestry, Bot. Bull. No. 4, t. 6, 8, 9 (1917).—*Hab.*
Menzies, Hawaii, 190 (1920).—*Hab.*
proliferum Presl
Presl, Tent. Pteridogr. t. 11 (1836).
pruinatum Mett.
Gard. Chron. xi. 431 (1879).
regale A. Versch. & C. Lem.
*Ill. Hort. xv. t. 548 (1868).
Journ. New York Bot. Gard. vii. t. 36 (1906).
Contrib. U.S. Nat. Herb. xvi. t. 31 (1912).
Gadeau & Kerville in Bull. Soc. Sc. Nat. Rouen, Ser. V & VI. 1 & li. 1914–15, t. 10 (1917).
regale Linden
Möllers Deutsche Gärtn.-Zeit. xxix. 148 (1914).
Schiedei Schlechtd. & Cham.
Presl, Tent. Pteridogr. t. 11 (1836).
*Hooker, Gen. Fil. t. 25 (1842).

CIBOTIUM
Schiedei
Hooker, Sp. Fil. i. t. 30 (1846).
Mettenius, Fil. t. 28, fig. 8, 9, 10 (1856).
*Lowe, Ferns, viii. t. 35 (1860).
Bull. Soc. Bot. Belg. v. t. 3, fig. 4 (1866).
J. Smith, Hist. Fil. t. 16 (1875).
Horticulture (Boston), i. 132 (1904).—*Hab.*
Ann. Rep. Smithson. Inst. 1911, t. 13, 15, p. 492 (1912).
Contrib. U.S. Nat. Herb. xvi. t. 30 (1912).
Flora, cv. 45 (1912).
Goebel, Organogr. Pfl. Ed. 2, ii. 1140 (1915–18).
Wendlandii Mett.
Contrib. U.S. Nat. Herb. xvi. t. 32 (1912).

CICCA Linn.: *Phyllanthus*
acida Merr.
Rumphius, Herb. Amboin. vii. Auctuar. t. 17, fig. 2 (1755); fide Merrill, Interpret. Rumph. Herb. Amboin.
W. H. Brown in Bull. Philip. Isl. Dep. Agric. Bur. Forestry, No. 21, p. 89 (1920).—*Fr.*
acidissima Blanco
*Blanco, Fl. Filip. t. 303 (1878–80).
antillana A. Juss.
Jussieu, Euphorb. t. 4 (1824).—*Fl.*
chinensis Baill.
Baillon, Euphorb. t. 24, fig. 28–31 (1858).—*Fl.*
decandra Blanco
*Blanco, Fl. Filip. t. 239 (1878–80).
disticha Linn.
Lamarck, Ill. v. t. 757, fig. 1 (1797–1819).
Jussieu, Euphorb. t. 4 (1824).—*Fl.*
Philippine Journ. Sc., Chem. & Geol. viii. 80, t. 11 (1913).—*Fr.*
nodiflora Lam.
Lamarck, Ill. v. t. 757, fig. 2 (1797–1819).

CICENDIA Adans.
exaltata Griseb.
Hooker, Fl. Bor.-Amer. t. 157 (1840).
fastigiata Griseb.
*Wight, Illustr. Ind. Bot. ii. t. 157 bis (1850).—*Fl.*
filiformis Delarb.
*Petermann, Deutschl. Fl. t. 60, fig. 475 (1849).
Bentham, Handb. Brit. Fl. fig. 667 (1865).
Migout, Fl. Dépt. Allier, t. 14 (1866).
*Syme, Engl. Bot. vi. t. 912 (1866).
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, iv. t. 137 [1873].
*Cusin, Herb. Fl. Franç. xvi (Gentianacées), t. 9 (1875).
*Hogg & Johnson, Wild Fl. Gr. Brit. x. t. 739 (1878).
Wagner, Ill. Deutsche Fl. Ed. 2, p. 523 (1882).
Willkomm, Führ. Reich Pflanzen, 558 (1882).—*Fl.*
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xvi. t. 1569 (1884) in textu; *Gentiana filiformis* in ic.
Potonié, Ill. Fl. Nord- u. Mittel-Deutschl. Ed. 4, fig. 473 (1889).
Acloque, Fl. France, 463 (1894).
Garcke, Ill. Fl. Deutschl. 413 (1895).
Fiori & Paol. Ic. Fl. Ital. 327 (1901).
Coste, Fl. France, ii. 555 (1903).
Merino, Fl. Galicia, ii. 17 (1906).
Heukels, Fl. Nederl. iii. 60 (1909).
Fitch & Smith, Ill. Brit. Fl. Ed. rev. 4, Iss. 2, fig. 674 (1919).
hyssopifolia Wight & Arn.
*Hooker, Comp. Bot. Mag. ii. t. 28 (1836).
pusilla Griseb.
Johnson & Sowerby, Brit. Wild Fl. Suppl. fig. 1642 (1863).
*Sowerby & Sm. Engl. Bot. Suppl. v. t. 2994 (1865).
Bentham, Handb. Brit. Fl. fig. 668 (1865).
*Syme, Engl. Bot. vi. t. 911 (1866).
*Cusin, Herb. Fl. Franç. xvi (Gentianacées), t. 10 (1875).
*Hogg & Johnson, Wild Fl. Gr. Brit. x. t. 739 (1878).
Pflanzenfam. iv. II. 71 (1895).
Fiori & Paol. Ic. Fl. Ital. 326 (1901)

CICENDIA
pusilla
Coste, Fl. France, ii. 555 (1903).
Fitch & Smith, Ill. Brit. Fl. Ed. rev. 4, Iss. 2, fig. 675 (1919).
—— **submersa** Glück
Glück, Biol. u. Morph. Wasser- u. Sumpfgew. iii. 24 (1911).
Roxburghii Griseb.
Hooker, London Journ. Bot. iv. t. 22 (1845).

CICER Linn.—Vide *Nochotta*
arietinum Linn.
*Kniphof, Herb. Viv. i. t. 257 (1758).
*Regnault, Bot. ii. 95 (1774).
*Bergius, Mat. Med. ii. 614, t. 146 (1778).
*Zorn, Ic. Pl. Med. ii. t. 146 (1780).
Gaertner, Fruct. ii. t. 151 (1791).—*Fr.*
*Joh. Kerner, Abbild. Oek. Pfl. (Fig. Pl. Écon.), iv. t. 317 (1791).
*Plenck, Ic. Pl. Med. vi. t. 564 (1794).
*Oskamp, Afb. Artseny-Gewass. ii. t. 173 (1796).
Lamarck, Ill. iii. t. 632 (1797).
*Schkuhr, Bot. Handb. Ed. 2, t. 202 (1808).
*Vigneux, Fl. Pitt. Envir. Paris, t. 47 (1812).
*Vietz, Ic. Pl. Med.-oec.-techn. v. t. 412 (1817).
*Bot. Mag. xlix. t. 2274 (1821).
De Candolle, Mém. Légum. t. 54 (1825).—*Fl.*
Mirbel in Mém. Acad. Sc. Instit. France, ix. 684, t. 10 (1830).—*Veg.*
*Sibthorp & Sm. Fl. Graeca, viii. t. 703 (1833).
Wight, Ic. Pl. Ind. Or. i. t. 20 (1838).
*Petermann, Deutschl. Fl. t. 23, fig. 174 (1849).
Ralph, Ic. Carpolog. t. 37 (1849).—*Fr.*
Nees, Gen. Pl. fasc. xxx. t. 5 (1859).
Berg, Charakt. t. 68, fig. 515 (1861).
Baillon, Hist. Pl. ii. 203 (1870).
*Réveil, Règne Vég. iii. t. 40; xii. t. 23 (1870).
*Cusin & Ansberque, Herb. Fl. Franç. vii. t. 1258 (1871).
Baillon, Dict. Bot. ii. 42 (1879).
Karsten, Deutsche Fl. Pharm.-medic. Bot. 703 (1880–83).
*C. Hoffmann, Pflanzenatlas, t. 58, fig. 360 (1881).
Duthie & Fuller, Field & Gard. Crops, t. 8 (1882).
Willkomm, Führ. Reich Pflanzen, 720 (1882).—*Fr.*
Baillon, Traité Bot. Méd. Phan. i. 628 (1883).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xxiv. t. 2472 (1886).
A. H. Church, Food-Grains India, 129 (1886).
Agric. Gaz. N. S. Wales, ii. 442 (1891).
Pflanzenfam. iii. III. 349 (1894).
Karsten, Fl. Deutschl. ii. 257 (1895).
U.S. Dep. Agric. Div. Agrost. Bull. No. 2, p. 14 (1896); Circ. No. 7, p. 1 (1898).
Fiori & Paol. Ic. Fl. Ital. 250 (1899).
Reichenbach, Ic. Fl. Germ. xxii. t. 267 (1900).
Coste, Fl. France, i. 392 (1901).
Hitchcock in Bull. Kansas Agric. St. No. 102, p. 189 (1901).
*Josef v. Oesterreich & Marg. v. Thurn und Taxis, Atlas Heilpfl. t. 41 (1903).
Merino, Fl. Galicia, i. 316 (1905).
Lazaro, Comp. Fl. Españ. ii. 216 (1907).—*Fr.*
Rec. Instit. Bot. Errera, iii. t. 1 (1908).—*Veg.*
Heukels, Fl. Nederl. ii. 659 (1909).
Journ. Dep. Agric. W. Australia, xviii. 270 (1909).
Scient. Proc. Roy. Dublin Soc. N. Ser. xii. t. 22 (1910).—*Fr.*
U.S. Dep. Agric. Bur. Pl. Indust. Bull. No. 180, p. 29 (1910).
Pammel, Man. Poison. Pl. 119, 573 (1911).
Pflanzer, vii. t. 8, fig. 14 (1911).—*Fr.*
Möller, Lignum Nephriticum, 52 (1912).—*Veg.*
Kärnbach & Habersang, Lathyrism. b. Pferden (Monatsch. Prakt. Tierheilkunde, xxv), t. 3, fig. d (1914).
*Mem. Dep. Agric. Ind. Bot. Ser. VII. No. 6, t. 2, 3 (1915).
Trotter, Fl. Econ. della Libia, 187 (1915).
Cadevall & Sallent, Fl. Catalunya, ii. 195 (1916).
De Sornay, Green Manures in Tropics, 95 (1916).

CICER
arietinum
*Hendry in Bull. California Agric. St. No. 294, t. 1, p. 294 (1918).—*Fr.*
Basu, Ind. Med. Pl. t. 313 (1918).
Glück, Blatt- & Blütenmorph. Stud. 60 (1919).—*Veg.*
Bot. Gaz. lxx. 452 (1920).
Bose, Man. Ind. Bot. 8 (1920).—*Fr.*
Krafft & Fruwirth, Pflanzenb. 78 (1920).
ervoides Fenzl
Bull. Herb. Boiss. Ser. II. v. t. 6 (1905).
floribundum Fenzl
Russegger, Reisen Eur. As. & Afr. Atlas, iii. t. 9 (1843).
Montbrettii Jaub. & Spach
Jaubert & Spach, Illustr. Pl. Or. i. t. 43 (1842–43).
Rouy, Illustr. Pl. Eur. Rar. fasc. 13, t. 304 (1900)
pimpinellifolium Jaub. & Spach
Jaubert & Spach, Illustr. Pl. Or. i. t. 42 (1842–43).
pinnatifidum Jaub. & Spach
Jaubert & Spach, Illustr. Pl. Or. i. t. 42 (1842–43).
songaricum Steph.
De Candolle, Mém. Légum. t. 54 (1825).
Jaubert & Spach, Illustr. Pl. Or. i. t. 43 (1842–43).
—— **imparipinnatum** Regel & Herder
Bull. Soc. Nat. Mosc. xxxix. No. 2, t. 12 (1866).
spiroceras Jaub. & Spach
Jaubert & Spach, Illustr. Pl. Or. i. t. 44 (1842–43).
tragacanthoides Jaub. & Spach
Jaubert & Spach, Illustr. Pl. Or. i. t. 45 (1842–43).
trifoliolatum Bornm.
Bull. Herb. Boiss. Ser. II. v. t. 6 (1905).

CICERBITA Wallr.: *Lactuca*
adenophora Beauverd
Beauverd in Bull. Soc. Bot. Genève, Ser. II. ii. 125 (1910).—*Fr.*
Aitchisoniana Beauverd
Beauverd in Bull. Soc. Bot. Genève, Ser. II. ii. 138 (1910).
Beauverd in Bull. La Murith. xxxvi. 105 (1911).
Beauverd, Distr. Geogr. Leontopod. & Cicerb. 29 (1911).
alpina Wallr.
Beauverd in Bull. Soc. Bot. Genève, Ser. II. ii. 117 (1910).—*Fr.*
azurea Beauverd
Beauverd in Bull. Soc. Bot. Genève, Ser. II. ii. 117 (1910).—*Fr.*
Bonati Beauverd
Beauverd in Bull. Soc. Bot. Genève, Ser. II. ii. 126 (1910).
Bourgaei Beauverd
Beauverd in Bull. Soc. Bot. Genève, Ser. II. ii. 117 (1910).—*Fr.*
brassicifolia Beauverd
Beauverd in Bull. Soc. Bot. Genève, Ser. II. ii. 117 (1910).—*Fr.*
Candolleana Beauverd
Beauverd in Bull. Soc. Bot. Genève, Ser. II. ii. 141 (1910).—*Fr.*
Beauverd in Bull. La Murith. xxxvi. 106 (1911).—*Fr.*
Beauverd, Distr. Geogr. Leontopod. & Cicerb. 30 (1911).
cataonica Beauverd
Beauverd in Bull. Soc. Bot. Genève, Ser. II. ii. 125 (1910).—*Fr.*
Chaffanjonii Beauverd
Beauverd in Bull. Soc. Bot. Genève, Ser. II. ii. 144 (1910).
crambifolia Beauverd
Beauverd in Bull. Soc. Bot. Genève, Ser. II. ii. 142 (1910).
Beauverd in Bull. La Murith. xxxvi. 108 (1911).—*Fr.*
Beauverd, Distr. Geogr. Leontopod. & Cicerb. 32 (1911).
cyanea Beauverd
Beauverd in Bull. Soc. Bot. Genève, Ser. II. ii. 125 (1910).—*Fr.*
—— **Teniana** Beauverd
Beauverd in Bull. Soc. Bot. Genève, Ser. II. ii. 133 (1910).

CICERBITA
deltoidea Beauverd
Beauverd in Bull. Soc. Bot. Genève, Ser. II. ii. 125 (1910).—*Fr.*
Duthieana Beauverd
Beauverd in Bull. Soc. Bot. Genève, Ser. II. ii. 119 (1910).
Beauverd in Bull. La Murith. xxxvi. 100 (1911).
Beauverd, Distr. Geogr. Leontopod. & Cicerb. 24 (1911).
glandulosa Beauverd
Beauverd in Bull. Soc. Bot. Genève, Ser. II. ii. 141 (1910).
Beauverd in Bull. La Murith. xxxvi. 106 (1911).
Beauverd, Distr. Geogr. Leontopod. & Cicerb. 30 (1911).
grandiflora Beauverd
Beauverd in Bull. Soc. Bot. Genève, Ser. II. ii. 128 (1910).
hispida Beauverd
Beauverd in Bull. Soc. Bot. Genève, Ser. II. ii. 141 (1910).—*Fr.*
Beauverd in Bull. La Murith. xxxvi. 107 (1911).—*Fr.*
Beauverd, Distr. Geogr. Leontopod. & Cicerb. 30 (1911).
Kotschyi Beauverd
Beauverd in Bull. Soc. Bot. Genève, Ser. II. ii. 125 (1910).—*Fr.*
laevigata Beauverd
Beauverd in Bull. Soc. Bot. Genève, Ser. II. ii. 119 (1910).
Beauverd in Bull. La Murith. xxxvi. 100 (1911).
Beauverd, Distr. Geogr. Leontopod. & Cicerb. 24 (1911).
macrophylla Wallr.
Beauverd in Bull. Soc. Bot. Genève, Ser. II. ii. 117 (1910).—*Fr.*
macrorrhiza Beauverd
Beauverd in Bull. Soc. Bot. Genève, Ser. II. ii. 119 (1910).—*Veg.*
Beauverd in Bull. La Murith. xxxvi. 100 (1911).
Beauverd, Distr. Geogr. Leontopod. & Cicerb. 24 (1911).
mulgedioides Beauverd
Beauverd in Bull. Soc. Bot. Genève, Ser. II. ii. 125 (1910).—*Fr.*
muralis Wallr.
Beauverd in Bull. Soc. Bot. Genève, Ser. II. ii. 138 (1910).
Beauverd in Bull. La Murith. xxxvi. 105 (1911).
Beauverd, Distr. Geogr. Leontopod. & Cicerb. 29 (1911).
persica Beauverd
Beauverd in Bull. Soc. Bot. Genève, Ser. II. ii. 142 (1910).
Beauverd in Bull. La Murith. xxxvi. 108 (1911).
Beauverd, Distr. Geogr. Leontopod. & Cicerb. 32 (1911).
Plumieri Kirschl.
*Kirschleger in Mém. Soc. Mus. Hist. Nat. Strasbourg, iv. II & III. tab. (1853) in ic.; *Sonchus Plumieri* in textu, p. 1.
Beauverd in Bull. Soc. Bot. Genève, Ser. II. ii. 117 (1910).—*Fr.*
prenanthoides Beauverd
Beauverd in Bull. Soc. Bot. Genève, Ser. II. ii. 117 (1910).—*Fr.*
racemosa Beauverd
Beauverd in Bull. Soc. Bot. Genève, Ser. II. ii. 117 (1910).—*Fr.*
rapunculoides Beauverd
Beauverd in Bull. Soc. Bot. Genève, Ser. II. ii. 138 (1910).
Beauverd in Bull. La Murith. xxxvi. 105 (1911).
Beauverd, Distr. Geogr. Leontopod. & Cicerb. 29 (1911).
Roborowskii Beauverd
Beauverd in Bull. Soc. Bot. Genève, Ser. II. ii. 136 (1910).
Beauverd in Bull. La Murith. xxxvi. 104 (1911).
Beauverd, Distr. Geogr. Leontopod. & Cicerb. 28 (1911).
sonchifolia Beauverd
Beauverd in Bull. Soc. Bot. Genève, Ser. II. ii. 125 (1910).—*Fr.*

CICERBITA

sonchioides Beauverd
Beauverd in Bull. Soc. Bot. Genève, Ser. II. ii. 125 (1910).—*Fr.*

tenerrima Beauverd
Beauverd in Bull. Soc. Bot. Genève, Ser. II. ii. 136 (1910).—*Fr.*
Beauverd in Bull. La Murith. xxxvi. 104 (1911).—*Fr.*
Beauverd, Distr. Geogr. Leontopod. & Cicerb. 28 (1911).

thianshanica Beauverd
Beauverd in Bull. Soc. Bot. Genève, Ser. II. ii. 117 (1910).—*Fr.*

CICHORIUM Linn.

byzantinum Clem.
Clementi in Mem. Accad. Sc. Torino, Ser. II. xvi. 338, t. 6 (1857).

divaricatum Schousb.
Reichenbach, Ic. Fl. Germ. xix. t. 1357 (1858).
*Cusin, Herb. Fl. Franç. xiv (Composées), t. 405 (1874).

dubium Endivia E. H. L. Krause
*Sturm, Fl. Deutschl. Ed. 2, xiv. t. 31 (1906).

Endivia Linn.
Hill, Veget. Syst. iii. t. 125 (1762).
*Regnault, Bot. ii. 144 (1774).
*Joh. Kerner, Abbild. Oek. Pfl. (Fig. Pl. Écon.), ii. t. 134 (1788).
*Plenck, Ic. Pl. Med. vi. t. 587 (1794).
*Oskamp, Afb. Artseny-Gewass. vi. t. 572 (1800).
*Vietz, Ic. Pl. Med.-oec.-techn. v. t. 413 (1817).
*Cassone, Fl. Med.-Farm. iii. t. 293 (1848).
Reichenbach, Ic. Fl. Germ. xix. t. 1358 (1858).
*Réveil, Règne Vég. xii. t. 19 (1870).—*Veg.*
*Somoku Dzusetsu, Ed. 2, xv. t. 2 (1874).
Nicholson, Illustr. Dict. Gard. i. 509 [1884–88].
Harz, Samenkunde, ii. 861 (1885).—*Fr.*
Jardin, ix. 22 (1895).
*Useful Pl. Jap. i. t. 64 (1895).
L. H. Bailey, Cycl. Amer. Hort. 530 (1900); Stand. Cycl. Hort. 1114 (1914).—*Hab.*
Fiori & Paol. Ic. Fl. Ital. 456 (1904).
Suireishchikov, Ill. Fl. Mosc. Gov. iii. 319 (1910).
Journ. Roy. Hort. Soc. London, xxxvii. 316, fig. 94 (1911).—*Veg.*
Somoku Dzusetsu, Ed. Makino (Iconogr. Pl. Nippon), xv. t. 2 (1912).

—— **crispum** Chevall.
*Réveil, Règne Vég. xii. t. 19 (1870).—*Veg.*
Brehm, Merv. Nat. Monde des Pl. ii. 151 (1894–96).

—— **kosnia** Iinuma
Somoku Dzusetsu, Ed. 2, xv. t. 3 (1874).

—— **latifolia** Chevall.
*Réveil, Règne Vég. xii. t. 17 (1870).—*Veg.*

glaucum Hoffmgg. & Link
*Hoffmannsegg & Link, Fl. Portug. ii. t. 95 (1820).

Intybus Linn.
Kwa-wi [transl. Savatier], Herb. i. t. 14 (1759).
Hill, Veget. Syst. iii. t. 125 (1762).
Hill, Herb. Brit. i. t. 48 (1769).
Walcott, Fl. Brit. Indig. [t. 129] (1778).
*Zorn, Ic. Pl. Med. i. t. 37 (1779).
*Fl. Dan. vi. t. 907 (1787).
Gaertner, Fruct. ii. t. 157 (1791).—*Fr.*
*Joh. Kerner, Abbild. Oek. Pfl. (Fig. Pl. Écon.), v. t. 426 (1792).
*Martyn, Fl. Rustica, iv. t. 144 (1794).
*Plenck, Ic. Pl. Med. vi. t. 586 (1794).
*Woodville, Med. Bot. Suppl. t. 248 (1794); Ed. 3, i. t. 29 (1832).
*Oskamp, Afb. Artseny-Gewass. i. t. 37 (1796).
Lamarck, Ill. iv. t. 658, fig. 3 (1797).—*Fl.*
*Curtis, Fl. Londin. ii. fasc. iv. t. 56 (1798); Ed. 2, ii. fasc. vi. t. 56 (1821).
*Sowerby & Sm. Engl. Bot. viii. t. 539 (1799).
*Sturm, Deutschl. Fl. ii. vi [t. 95] (1799).
*Vietz, Ic. Pl. Med.-oec.-techn. i. t. 58 (1800).
*Svensk Bot. i. t. 56 (1803).
Rousseau, Bot. t. 36 (1805).
*Roques, Pl. Usuell. Indig. & Exot. i. t. 35 (1807).
*Jaume St.-Hilaire, Pl. France, i [t. 87] (1808).
*Schkuhr, Bot. Handb. Ed. 2, t. 226 (1808).

CICHORIUM

Intybus
*Hayne, Getreue Darst. Arzn. Gewächse, ii. t. 24 (1809).
Thornton, Brit. Fl. iii. 10 (1812).
*Vigneux, Fl. Pitt. Envir. Paris, t. 51 (1812).
*Schrank, Fl. Monac. ii. t. 102 (1814).
*Chaumeton, Fl. Méd. iii. t. 117 (1816).
*Sterler, Eur. Med. Fl. t. 31 (1820).
*Heger, Herb. Pharm. [t. 46] (1822–25).
*Mann, Deutschl. Wildwachs. Arzney-Pfl. [t. 48] (1823–28).
*Nees, Pl. Offic. ii. t. 248 (1828).
*Wagner, Pharm.-Med. Bot. ii. t. 139, 140 (1829).
*Zenker, Fl. Thüringen, i. t. 29 (1836–55).
*Dietrich, Fl. Boruss. viii. t. 559 (1840).
[M. E.] Jackson, Pict. Fl. fig. 1170 (1840).
Meigen, Deutschl. Fl. iii. t. 126 (1842).—*Fl.*
*Baxter, Brit. Bot. Ed. 2, vi. t. 417 (1843).
*Török, Magyar rétfüvek és takarmánynövények (Hungarian Grasses & Food-Pl.), t. 35 (1844).
*J. W. Loudon, Brit. Wild Fl. Ed. 2, t. 42 [1846].
*Spach, Hist. Nat. Vég. Phan. Atlas, t. 81 (1846).
*Deakin, Florigr. Brit. iii. fig. 1230 (1847).
*Strong, American Fl. i. 93 (1848).
*Lorek, Fl. Pruss. Ed. 3, t. 183, fig. 980 (1848).
*Cassone, Fl. Med.-Farm. iii. t. 291 (1848).
Lindley, Med. & Oecon. Bot. 235 (1849).
*Petermann, Deutschl. Fl. t. 52, fig. 409 (1849).—*Fl.*
*Calwer, Landwirthsch. Pflanzenk. iii. t. 3, fig. 1 (1854).
Payer, Organog. Comp. Fl. t. 133 (1857).—*Fl.*
Johnson & Sowerby, Brit. Wild Fl. fig. 673 (1858–60).
Irvine, Illustr. Handb. Brit. Pl. 501 (1858).—*Fl.*
Reichenbach, Ic. Fl. Germ. xix. t. 1357 (1858).
Berg, Charakt. t. 47, fig. 368 (1861).
*Johnson & Sowerby, Useful Pl. Gr. Brit. t. 11, fig. 127 (1861[–62]).
*Argenta, Album Fl. Med.-Farm. ii. t. 189 (1863).
Bentham, Handb. Brit. Fl. fig. 601 (1865).
*Schubert, Naturg., Pflanzenreich, Ed. 2, t. 41, fig. 3 [1865].
Migout, Fl. Dépt. Allier, t. 12 (1866).—*Fl.*
*Syme, Engl. Bot. v. t. 786 (1866).
Cesati, Passer & Gibelli, Comp. Fl. Ital. t. 74 (1867–86).—*Fl.*
Dulac, Fl. Dépt. Hautes-Pyrén. 478 (1867).—*Fl.*
Nov. Act. Acad. Nat. Cur. xxxv. Art. iv. t. 1 (1869).—*Fl.*
Marchand, Élém. Bot. 84 (1869).
*Réveil, Règne Vég. iii. t. 38; xii. t. 17 (1870).—*Veg.*
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, iii. t. 114 [1873].
*Cusin, Herb. Fl. Franç. xiv (Composées), t. 403 (1874).
*Hogg & Johnson, Wild Fl. Gr. Brit. viii. t. 614 (1874).
Nobbe, Handb. Samenkunde, 37, 189 (1876).
Journ. Hort. lv. 67 (1876).
Békétoff in Trud. Petersburg Obshch. Est. viii. 68, 69, tabs. (1877).
!Békétoff in Mém. Soc. Sc. Nat. & Math. Cherbourg, xxi. t. 1, 2 (1877–78).
De Silvestri, Piante Prat. 241 (1879).
Baillon, Dict. Bot. i. 780 (1879).
*Lesacher & Mareschal, Nouv. Bot. Méd. iii [t. 19] (1880).
Karsten, Deutsche Fl. Pharm.-medic. Bot. 1130 (1880–83).
*C. Hoffmann, Pflanzenatlas, t. 64, fig. 397 (1881).
Wagner, Ill. Deutsche Fl. Ed. 2, p. 477 (1882).
W. Robinson, Engl. Fl. Gard. t. 69 (1883).
Vilmorin-Andr. Pl. Potag. 98 (1883).—*Veg.*
L. Johnson, Manual Med. Bot. N. Amer. 186 (1884).
Baillon, Traité Bot. Méd. Phan. ii. 1121 (1884).
Harz, Samenkunde, ii. 861 (1885).—*Fr.*
*Baillon, Ic. Fl. Franç. ii. t. 146 [1885–94].
Baillon, Hist. Pl. viii. 18 (1886).
*Millspaugh, Amer. Med. Pl. t. 93 (1887).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xxx. t. 3173 (1888).

CICHORIUM

Intybus
Potonié, Ill. Fl. Nord- u. Mittel-Deutschl. Ed. 4, fig. 583 (1889).
Dujard.-Beaumetz & Égasse, Pl. Méd. 178 (1889).
*Thomé, Fl. Deutschl. iv. t. 603 (1889).
Paolucci, Fl. Marchig. t. 24 (1890).
*Hulme, Familiar Wild Fl. (5 vol. Ed.), ii. 49 [1892?]; (Pop. Ed.), iv. 81 [1897?].
*Leclerc du Sablon, Nos Fleurs, 53, t. 7 [1892].
Pflanzenfam. iv. v. 355 (1893).—*Fl.*
*Masclef, Atlas Pl. France, t. 189 (1893).
Duthie & Fuller, Field & Gard. Crops, t. 79 (1893).
*Schimpfky, Uns. Heilpfl. ii. t. 48 [1893–94].
Acloque, Fl. France, 406 (1894).—*Fl.*
Dana, How to Know the Wild Fl. t. 98 (1894).
*Wild Fl. Canada, t. 13 (1894).
*Siélain, Atlas Poche Pl. Champs, Prair. & Bois, t. 69 [1894].
Garcke, Ill. Fl. Deutschl. 348 (1895).
Karsten, Fl. Deutschl. ii. 709 (1895).
Miller & Whiting, Wild Fl. N.E. States, 296 (1895).
*Step, Wayside & Woodl. Bloss. t. 69 (1895); New Ed. i. t. 118 (1905).
Yearb. Dep. Agric. Washington, 1895, p. 207 (1896).
Selby in Bull. Ohio Agric. St. No. 83, p. 363 (1897); No. 175, t. 4, p. 360 (1906).
U.S. Dep. Agric. Div. Bot. Bull. No. 19, p. 8, 9, 27 (1898).
Lochman, Phot. Med. Pl. t. 235 (1898).
Britton & Brown, Ill. Fl. N. States & Canada, iii. 262 (1898); Ed. 2, iii. 305 (1913).
*Warlich, Russk. Lekarst. Rast. (Russ. Med. Pl.), iii. t. 65 (1899).
L. H. Bailey, Cycl. Amer. Hort. 297 (1900); Stand. Cycl. Hort. 769 (1914).
*Blanchan, Nat. Gard. 68 (1900).
*Behrens, Blattformen, t. 29, fig. e; t. 30, fig. d, e, f (1900).—*Veg.*
Reichenau, Mainzer Flora, fig. 1 (1900).
Lindman, Bild. Nord. Fl. t. 49 (1901–5).
C. T. Green, Fl. Liverpool Distr. fig. 359 (1902).
!Apert in Assoc. Franç. Avanc. Sc. 1902, Montauban, Pt. 2, p. 658 (1903).—*Veg.*
Coste, Fl. France, ii. 409 (1903).
*Losch, Kräuterb. t. 85 (1903).
*Josef v. Oesterreich & Marg. v. Thurn und Taxis, Atlas Heilpfl. t. 42 (1903).
Pammel in Bull. Iowa Agric. St. No. 70, p. 520 (1903); No. 88, p. 65 (1907).—*Fl.*
Fiori & Paol. Ic. Fl. Ital. 456 (1904).
Blytt, Haandb. Norg. Fl. Ed. Dahl, 716 (1906).
*Sturm, Fl. Deutschl. Ed. 2, xiv. t. 30 (1906).
*Clark & Fletcher, Farm Weeds Canada, t. 30, 54, fig. 21 (1906); Ed. 2, t. 64, 76, fig. 91 (1909).
U.S. Dep. Agric. Farm. Bull. No. 260, p. 17 (1906).—*Fr.*
Lazaro, Comp. Fl. Españ. ii. 749 (1907).
Gregory in Bull. Iowa Agric. St. No. 99, p. 11 (1908).—*Fr.*
Beille, Bot. Pharm. ii. 1170 (1909).
Black, Nat. Fl. S. Australia, 97 (1909).
Merino, Fl. Galicia, iii. 607 (1909).
New Zealand Dep. Agric. Rep. No. 17, p. 272 (1909).—*Fr.*
*Dinand, Taschenb. Heilpfl. t. 42 (1910).
Fedtschenko & Fler. Fl. Eur. Russia, 1035 (1910).
Heukels, Fl. Nederl. iii. 442 (1910).
Long, Common Weeds Farm & Garden, t. 2 (1910).—*Fr.*
Suireishchikov, Ill. Fl. Mosc. Gov. iii. 319 (1910).
Velenovsky, Vergl. Morphol. Pfl. iii. 956 (1910).—*Fl.*
Beal, Michigan Weeds (Bull. Mich. Agric. Exp. St. No. 267), 423 (1911); et in Ann. Rep. xxv. 412 (1912).
*Correvon, Fl. Champs & Bois, t. 59 (1911).
Journ. Roy. Hort. Soc. London, xxxvii. 315, fig. 93 (1911).
Ontario Dep. Agric. Bull. No. 188, p. 21, 123 (1911).
Pammel, Man. Poison. Pl. 760 (1911).

CICHORIUM
Intybus
Pammel, Weeds Farm & Gard. 36 (1911).—*Fr.*
Creevey, Harper's Guide Wild Flowers, 369 (1912).
Somoku Dzusetsu, Ed. Makino (Iconogr. Pl. Nippon), xv. t. 3 (1912).
Gatin, Fl. des Bois, 69, fig. 31 (1913).—*Fl.*
Pammel in Bull. Iowa Geol. Surv. No. 4, p. 385, 496, 688, 711 (1913).
*Klein, Unsere Unkräuter, t. 48 (1913).
Bull. Angew. Bot. vii. t. 112, App. 9, p. 172 (1914).—*Fl.*
Canada Dep. Agric. (Seed Branch) Bull. No. S-8, p. 28 (1914).
*Gadeceau, Fl. Moiss. t. 48 (1914).
A. Georgia, Manual Weeds, t. 362 (1914).
*Perrin & Boulger, Brit. Flower. Pl. iv. t. 297, 300 [F], fig. 1–5 (1914).
*C. A. Hall, Plant-Life, t. 34 (1915).
*Gehe, Arzneipflanzenkarten, Folge VII (1915).
Journ. New Zealand Dep. Agric. xi. 475 (1915).—*Fr.*
Queensland Agric. Journ. N. Ser. iii. t. 26, 27 (1915).
*Nat. Geogr. Mag. Washington, xxix. 599 (1916).
Palmer in Proc. Iowa Acad. Sc. xxiii. t. 9 (1916).—*Fr.*
Gager, Fundam. Bot. 487 (1916).
Wellington in Bull. New York Agric. St. No. 418, t. 1–3 (1916).—*Veg.*
*Bonnier, Name This Flower, t. 33 (1917).
Cadevall & Sallent, Fl. Catalunya, iii. 410 (1917).
Lindman, Svensk Fanerogamfl. 527 (1918).—*Fr.*
Youngken, Pharm. Bot. Ed. 2, p. 354 (1918).
Britton, Fl. Bermuda, 379 (1918).
Stout & Boas in Mem. Torr. Bot. Club, xvii. 407, t. 10–13 (1918).
Mayevsky, Fl. Central Russia, 345 (1918).
Basu, Ind. Med. Pl. t. 557 (1918).
Journ. Dep. Agric. Victoria, xvii. 114, 115 (1919).
*Horwood, Brit. Wild Fl. iv. t. 47, p. 201 (1919).
Fitch & Smith, Ill. Brit. Fl. Ed. rev. 4, Iss. 2, fig. 609 (1919).
Krafft & Fruwirth, Pflanzenb. 198 (1920).
—— **crispum** Makino
Somoku Dzusetsu, Ed. Makino (Iconogr. Pl. Nippon), xv. t. 4 (1912).
—— **leucophaeum** Gren. & Godr.
Cusin, Herb. Fl. Franç. xiv (Composées), t. 404 (1874).
—— **pumilum** Jacq.
Fiori & Paol. Ic. Fl. Ital. 456 (1904).
latifolium Sauvaigo
Sauvaigo, Cult. Littor. Méditerr. 185 (1894).—*Veg.*
minimum Portenschl.
Portenschlag-Ledermayer, Enum. Pl. Dalmat. t. 12 (1824).
officinale Gueldenst.
*Cassone, Fl. Med.-Farm. iii. t. 292 (1848).
pumilum Jacq.
Jacquin, Obs. Bot. t. 80 (1771).
*Sibthorp & Sm. Fl. Graeca, ix. t. 822 (1837).
spinosum Linn.
*Kniphof, Herb. Viv. i. t. 258 (1758).
Hill, Veget. Syst. iii. t. 125 (1762).
Lamarck, Ill. iv. t. 658, fig. 2 (1797).
*Sibthorp & Sm. Fl. Graeca, ix. t. 823 (1837).
Reichenbach, Ic. Fl. Germ. xix. t. 1357 (1858).
Cesati, Passer. & Gibelli, Comp. Fl. Ital. t. 74 (1867–86).—*Fl.*
Fiori & Paol. Ic. Fl. Ital. 456 (1904).

CICONIUM Colvill ex Sweet: *Pelargonium*
Bentinckianum Sweet
*Sweet, Geran. iv. t. 350 (1827).
*Burnett, Pl. Util. iii. 86, b (1847).
cerinum Sweet
*Sweet, Geran. ii. t. 176 (1823).
crenatum Sweet
*Sweet, Geran. iv. t. 345 (1827).
Fothergillii coccineum Sweet
*Sweet, Geran. iii. t. 226 (1824).
—— **purpureum** Sweet
*Sweet, Geran. iii. t. 226 (1824).—*Fl.*

CICONIUM
×**fulgens** Sweet
*Sweet, Geran. iv. t. 339 (1827).
×**glabrifolium** Sweet
*Sweet, Geran. iv. t. 363 (1827).
micranthum Sweet
*Sweet, Geran. iii. t. 295 (1826).
×**reticulatum** Sweet
*Sweet, Geran. ii. t. 143 (1822).

CICUTA Linn.—Vide *Cicutaria*
africana Lam.
Lamarck, Ill. i. t. 195, fig. 2 (1797).
bulbifera Linn.
Hill, Veget. Syst. vi. t. 47 (1764).
Bot. Gaz. xii. 264, fig. 99 (1887).—*Fr.*
Britton & Brown, Ill. Fl. N. States & Canada, ii. 536 (1897); Ed. 2, ii. 658 (1913).
Whitson, Sandsten, Haskins & Ramsay in Bull. Wisconsin Agric. St. No. 119, p. 74 (1905).
Pammel, Man. Poison. Pl. 658 (1911).
Pammel, Weeds Farm & Gard. 207 (1911).
Fyles in Canada Dep. Agric. Exp. Farms, Ser. II. Bull. No. 39, t. 28 (1920).
Douglasii Coult. & Rose
Pammel, Man. Poison. Pl. 655 (1911).
maculata Linn.
Hill, Veget. Syst. vi. t. 47 (1764).
Gaertner, Fruct. i. t. 22 (1788).—*Fr.*
*Bigelow, Amer. Med. Bot. i. t. 12 (1818).
Rafinesque, Med. Fl. i. t. 22 (1828).
Amer. Nat. vii. 10 (1873); xli. 705 (1907).
Rep. Commissioner Agric. Washington, 1884, p. 128, t. 19.
*Millspaugh, Amer. Med. Pl. t. 67 (1887).
Bot. Gaz. xii. 264, fig. 97 (1887).—*Fr.*
Halsted in Rep. New Jersey Agric. St. No. 5, p. 412 (1895); No. 6, p. 351 (1896); Bull. No. 135, t. 1 (1899).—*Veg.*
Pammel in Bull. Iowa Agric. St. No. 28, p. 216, 219 (1895); No. 70, p. 424, 429 (1903).
Selby in Bull. Ohio Agric. St. No. 83, p. 316 (1897); No. 175, p. 343 (1906).
Britton & Brown, Ill. Fl. N. States & Canada, ii. 536 (1897); Ed. 2, ii. 658 (1913).
Lochman, Phot. Med. Pl. t. 144 (1898).
U.S. Dep. Agric. Div. Bot. Bull. No. 20, p. 40 (1898).
U.S. Dep. Agric. Farm. Bull. No. 86, p. 23 (1898).
Contrib. U.S. Nat. Herb. vii. 94 (1900).—*Fr.*
Pammel & Weems in Iowa Geol. Surv. Bull. No. 1, p. 460 (1901); No. 4, p. 231–33, 461 (1913).
Contrib. Bot. Dept. Univ. Nebraska, N. Ser. xviii. 122 (1902).
Hare, Caspari & Rusby, Nat. Stand. Dispens. 486 (1905).
*Clark & Fletcher, Farm Weeds Canada, t. 20, 55, fig. 52 (1906); Ed. 2, t. 43, 74, fig. 53 (1909).
Merck's Rep. (Pract. Journ. Pharm.), xviii. 36 (1909).
Ontario Dep. Agric. Bull. No. 188, p. 87 (1911).
Beal, Michigan Weeds (Bull. Mich. Agric. Exp. St. No. 267), 384 (1911); et in Ann. Rep. xxv. 373 (1912).
Pammel, Man. Poison. Pl. 652 (1911).
Pammel, Weeds Farm & Gard. 206 (1911).
Canada Dep. Agric. (Seed Branch) Bull. No. S-8, p. 50 (1914).
A. Georgia, Manual Weeds, t. 210 (1914).
Coe in Bull. S. Dakota Agric. St. No. 150, p. 433 (1914).—*Veg.*
F. E. & E. S. Clements, Rocky Mt. Fl. t. 35 (1914).—*Fr.*
Fyles in Canada Dep. Agric. Exp. Farms, Ser. II. Bull. No. 39, t. 27 (1920).
maior Lam.
Lamarck, Ill. i. t. 195, fig. 1 (1797).
*Jaume St.-Hilaire, Pl. France, i [t. 92] (1808).
*Roques, Phytogr. Médic. ii. t. 107 (1821).
occidentalis Greene
U.S. Dep. Agric. Div. Bot. Bull. No. 26, t. 7, 8 (1901).
Pammel, Man. Poison. Pl. 48, 153 (1911).

CICUTA
occidentalis
Glover & Robbins, Colorado Pl. Injurious to Livestock (Bull. Colorado Agric. Exp. St. No. 211), 50, 51 (1915).
Bull. California Agric. St. No. 249, p. 223 (1915).
orientalis Degen & Bald.
Degen in Pótfüz. a Természett. Közl. (Journ. Nat. Sc.), xxviii. 40 (1896).—*Fr.*
tenuifolia Schrank
Schrank in Denkschr. Akad. Wiss. München, vii. t. 4 (1821).
vagans Greene
U.S. Dep. Agric. Div. Bot. Bull. No. 20, p. 41 (1898).
U.S. Dep. Agric. Farm. Bull. No. 86, p. 24 (1898).
Pammel, Man. Poison. Pl. 657 (1911).
U.S. Dep. Agric. Bull. No. 69, t. 1, 2 (1914).
Fyles in Canada Dep. Agric. Exp. Farms, Ser. II. Bull. No. 39, t. 29 (1920).—*Veg.*
virosa Linn.
Hill, Veget. Syst. vi. t. 47 (1764).
*Fl. Dan. ii. t. 208 (1765).
Gunner, Flora Norv. i. t. 2 (1766).
Hill, Herb. Brit. i. t. 86 (1769).
*Zorn, Ic. Pl. Med. v. t. 466 (1784).
Hoppe, Ect. Pl. Ratisb. t. 150 (1788).
*Plenck, Ic. Pl. Med. iii. t. 213 (1790).
*Woodville, Med. Bot. Suppl. t. 268 (1794); Ed. 3, i. t. 39 (1832).
*Sowerby & Sm. Engl. Bot. vii. t. 479 (1798).
*Oskamp, Afb. Artseny-Gewass. vi. t. 510 (1800).
*Svensk Bot. ii. t. 134 (1803).
*Hayne, Getreue Darst. Arzn. Gewächse, i. t. 37 (1805).
*Schkuhr, Bot. Handb. Ed. 2, t. 71, 80 (1808).
*Schrank, Fl. Monac. i. t. 19 (1811).
Thornton, Brit. Fl. ii. 115 (1812).
*Chaumeton, Fl. Méd. iii. t. 120 bis (1816).
*Vietz, Ic. Pl. Med.-oec.-techn. v. t. 414 (1817).
*Kops, Fl. Batava, iv. t. 252 (1822).
*Heger, Herb. Pharm. [t. 34] (1822–25).
*Mann, Deutschl. Wildwachs. Arzney-Pfl. [t. 49] (1823–28).
Nov. Act. Acad. Nat. Cur. xii. 1. t. 10, 11 (1824).—*Fl.*
*Heger, Giftpl. 3 (1827).
Gaudin, Fl. Helv. ii. t. 7 (1828).—*Fr.*
*Nees, Pl. Offic. ii. t. 285 (1828).
*Mann, Deutschl. Giftpfl. t. 10 (1829).
*Graves, Hort. Med. t. 19 (1834).
Mutel, Fl. Française, t. 20 (1834).—*Fr.*
*Roques, Phytogr. Médic. Nouv. Ed. Atlas, t. 78 (1835).
*Stephenson & Churchill, Med. Bot. New Ed. ii. t. 89 (1835).
*A. Henry, Giftpfl. Deutschl. [t. 20] (1836).
*Miquel, Noord-Nederl. Vergift. Gewass. t. 21 (1836).
*Spratt, Med.-Bot. Pocket Book, 48 [1836].
*Zenker, Fl. Thüringen, iv. t. 472 (1836–55).
Meigen, Deutschl. Fl. ii. t. 55 (1837).—*Fl.*
*Brandt & Ratzeb. Deutschl. Phanerog. Giftgew. t. 29 (1838).
*Baxter, Brit. Bot. Ed. 2, v. t. 395 (1840).
[M. E.] Jackson, Pict. Fl. fig. 443 (1840).
*Deakin, Florigr. Brit. i. fig. 433 (1841).
Leighton, Fl. Shropshire, 128 [t. 7] (1841).—*Fr.*
Cosson & Germ. Fl. Paris, Atlas, t. 13 (1845).—*Fr.*
*Cassone, Fl. Med.-Farm. iii. t. 207 (1848).
*Lorek, Fl. Pruss. Ed. 3, t. 73, fig. 403 (1848).
Lindley, Med. & Oecon. Bot. 246 (1849).—*Fr.*
Nees, Gen. Pl. fasc. xxvi. t. 6 (1849).
*Petermann, Deutschl. Fl. t. 32, fig. 251 (1849).—*Fl.*
*Berge & Riecke, Giftgewächse, t. 38 (1850).
*Burnett, Pl. Util. iv. t. 105, a (1850).
Flora, xxxiv. t. 12 (1851).—*Veg.*
*E. Hamilton, Fl. Homoeopath. i. t. 19 (1852).
*C. Johnson, Brit. Poison. Pl. t. 9 (1856).
Johnson & Sowerby, Brit. Wild Fl. fig. 514 (1858–60).
*Pecirka Giftgew. Oesterr. Deutschl. [t. 16] (1859).
Berg, Charakt. t. 54, fig. 413 (1861).

CICUTA
virosa
Reichenbach, Ic. Fl. Germ. xxi. t. 1853 (1863).
Bentham, Handb. Brit. Fl. fig. 396 (1865).
*Syme, Engl. Bot. iv. t. 571 (1865).
*Schubert, Naturg., Pflanzenreich, Ed. 2, t. 15, fig. 10 [1865].
Cesati, Passer. & Gibelli, Comp. Fl. Ital. t. 92 (1867–86).—*Fl.*
*Cusin & Ansberque, Herb. Fl. Franç. x (Ombellifères), t. 157 (1869).
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, iii. t. 84 [1873].
*Hogg & Johnson, Wild Fl. Gr. Brit. viii. t. 608 (1874).
*Somoku Dzusetsu, Ed. 2, v. t. 21 (1874).
*Bentley & Trim. Med. Pl. ii. t. 119 (1877).
De Silvestri, Piante Prat. 296 (1879).
Baillon, Dict. Bot. ii. 43 (1879).—*Fr.*
Baillon, Hist. Pl. vii. 123 (1880).—*Fr.*
Karsten, Deutsche Fl. Pharm.-medic. Bot. 835 (1880–83).—*Fr.*
*C. Hoffmann, Pflanzenatlas, t. 20, fig. 118 (1881).
Schilling, Grundr. Naturg. ii. Pflanzenr. Ausgb. A, p. 102 (1882); Augsb. B, p. 217 (1884).
Wagner, Ill. Deutsche Fl. Ed. 2, p. 308 (1882).
Baillon, Traité Bot. Méd. Phan. ii. 1056 (1884).—*Fr.*
Harz, Samenkunde, ii. 1044 (1885).—*Fr.*
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xxvii. t. 2719 (1886).
Cornevin, Pl. Vénén. 375 (1887).
Hager, Handb. Pharm. Prax. Ed. Nov. ii. 660 (1887).—*Fr.*
*Thomé, Fl. Deutschl. iii. t. 372 (1888).
Potonié, Ill. Fl. Nord- u. Mittel-Deutschl. Ed. 4, fig. 346 (1889).
G. Beck, Fl. Nied.-Oesterr. ii. 1. 607 (1892).—*Fr.*
*Masclef, Atlas Pl. France, t. 139 (1893).
Acloque, Fl. France, 321 (1894).—*Fl.*
Brehm, Merv. Nat. Monde des Pl. ii. 90 (1894–96).
Garcke, Ill. Fl. Deutschl. 240 (1895).
Karsten, Fl. Deutschl. ii. 400, 401 (1895).
*Useful Pl. Jap. ii. t. 490 (1895).
*Köhler, Med. Pfl. iii [t. 231] (1898).
Reichenau, Mainzer Flora, fig. 36 (1900).
Fiori & Paol. Ic. Fl. Ital. 269 (1901).
Lindman, Bild. Nord. Fl. t. 256 (1901–5).
C. T. Green, Fl. Liverpool Distr. fig. 249 (1902).
Coste, Fl. France, ii. 216 (1903).
*Losch, Kräuterb. t. 48 (1903).
*Sturm, Fl. Deutschl. Ed. 2, xii. t. 6 (1904).
Blytt, Haandb. Norg. Fl. Ed. Dahl, 530 (1906).
Journ. Roy. Agric. Soc. England, lxviii. t. 5 (1907).
Karsten & Schenck, Veg.-Bild. iv. t. 44 (1907).—*Hab.*
Lazaro, Comp. Fl. Españ. ii. 434, 435 (1907).
*Miyoshi & Makino, Pocket-Atlas, Alp. Pl. Jap. ii. t. 59, fig. 338 (1907).
Somoku Dzusetsu, Ed. Makino (Iconogr. Pl. Nippon), v. t. 20 (1907).
Suireishchikov, Ill. Fl. Mosc. Gov. ii. 398 (1907).
Heukels, Fl. Nederl. ii. 426 (1908).
Rec. Instit. Bot. Errera vii. Annexe, 121, fig. 151 (1908).—*Hab.*
Beille, Bot. Pharm. ii. 698 (1909).
Graebner, Pflanzenw. Deutschl. 245 (1909).—*Veg.*
*Esser, Giftpfl. Deutschl. t. 68 (1910).
Fedtschenko & Fler. Fl. Eur. Russia, 687 (1910).
Hayek, Fl. Steierm. i. 1149 (1910).—*Fr.*
Glück, Biol. u. Morph. Wasser- u. Sumpfgew. iii. 105 (1911).
Pammel, Man. Poison. Pl. 653 (1911).
Strasburger, Text-Book Botany, Ed. Angl. 4, p. 637 (1912).
Lindman, Svensk Fanerogamfl. 428, 434 (1918).
Fitch & Smith, Ill. Brit. Fl. Ed. rev. 4, Iss. 2, fig. 403 (1919).
*Krafft & Fruwirth, Pflanzenb. t. 7 (1920).
Fedtschenko, Fl. Aziat. Ross. fasc. 15, p. 3 (1920).—*Fr.*
—— **submersa** Glück
Glück, Biol. u. Morph. Wasser- u. Sumpfgew. iii. 104 (1911).—*Veg.*

CICUTA
vulgaris Vietz
*Vietz, Ic. Pl. Med.-oec.-techn. i. t. 59 (1800).

CICUTARIA Lam.: *Cicuta*
aquatica Lam.
Lamarck, Ill. i. t. 195, fig. 1 (1797).
*Roques, Phytogr. Médic. ii. t. 102 (1821).
*Jaume St.-Hilaire, Fl. & Pom. Franç. iii. t. 235 (1830).
maculata Lam.
Lamarck, Ill. i. t. 195, fig. 2 (1797).

CIENFUEGOSIA Cav.—Vide *Fugosia, Redoutea*
argentina Gürke
Mart. Fl. Bras. xii. III. t. 113 (1892).—*Fl.*
digitata Cav.
Cavanilles, Diss. t. 72, fig. 2, f–m (1787).
Lamarck, Ill. iii. t. 577 (1797).
Ellenbeckii Gürke
Engler & Drude, Veget. Erde, ix. 1. 1. 185 (1910).
heterophylla Garcke
Mart. Fl. Bras. xii. III. t. 112 (1892).—*Fl.*
phlomidifolia Garcke
Pflanzenfam. iii. VI. 48 (1890).—*Fr.*
Mart. Fl. Bras. xii. III. t. 112 (1892).
Riedelii Gürke
Mart. Fl. Bras. xii. III. t. 113 (1892).

CIENKOWSKYA Solms: *Kaempfera*
aethiopica Solms
Schweinfurth, Beitr. Fl. Aethiop. t. 1 (1867).
Kirkii Hook. f.
*Bot. Mag. xcviii. t. 5994 (1872).
*Garden, xx. 504 (1881).
*Ill. Hort. xxx. t. 495 (1883).
*Rev. Hort. 1899, p. 160.
Velenovsky, Vergl. Morphol. Pfl. iii. t. 7 (1910).—*Fl.*

CIMICIFUGA Linn.: *Actaea*
americana Michx.
Lloyd, Drugs & Med. N. Amer. i. 254 (1884–85).—*Fr.*
Engl. Jahrb. xvi. t. 4 (1892).—*Fl.*
Britton & Brown, Ill. Fl. N. States & Canada, ii. 57 (1897); Ed. 2, ii. 92 (1913).
Canada Dep. Agric. Exper. Farms Bull. Ser. II. No. 5, p. 32 (1908).—*Hab.*
biternata Miq.
Kwa-wi [transl. Savatier], Herb. iv. t. 13 (1759).
Somoku Dzusetsu, Ed. Makino (Iconogr. Pl. Nippon), x. t. 13, 14 (1910).
calthifolia Maxim.
Hook. Ic. Pl. xviii. t. 1746 (1888).
cordifolia Pursh
*Bot. Mag. xlvi. t. 2069 (1819).
Engl. Jahrb. xvi. t. 4 (1892).—*Fr.*
Britton & Brown, Ill. Fl. N. States & Canada, ii. 57 (1897); Ed. 2, ii. 91 (1913).
Jardin, xxiii. 116, 117 (1909).
Silva Tarouca, Freiland-Stauden, 61 (1910).—*Hab.*
dahurica Huth
Engl. Jahrb. xvi. t. 4 (1892).—*Fl.*
elata Nutt.
Engl. Jahrb. xvi. t. 4 (1892).—*Fl.*
foetida Linn.
Linnaeus, Amoenit. vii. t. 6 (1769); Ed. Schreb. viii. t. 4 (1785).
J. G. Gmelin, Fl. Sibir. iv. t. 70 (1769); fide Ledebour, Comm. 131.
*Buchoz, Grand Jard. Univ. t. 83 (1785).
Gaertner, Fruct. ii. t. 140 (1791).—*Fr.*
Lamarck, Ill. iii. t. 487 (1797).
*Oskamp, Afb. Artseny-Gewass. vii. t. 99 (1813).
*Vietz, Ic. Pl. Med.-oec.-techn. Suppl. t. 21 (1822).
Berchtold & J. S. Presl, Rostlin. i. t. [34] (1823).
*Reichenbach, Ic. Fl. Germ. iv. t. 121 (1840).
*Lorek, Fl. Pruss. Ed. 3, t. 129, fig. 686 (1848).
*Petermann, Deutschl. Fl. t. 3, fig. 21 (1849).—*Fl.*
Schnizlein, Iconogr. iii. t. 178 b (1866–70).—*Fr.*
*Réveil, Règne Vég. iv. t. 36; viii. t. 32 (1870).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xi. t. 1088 (1882).

CIMICIFUGA
foetida
Engl. Jahrb. xvi. t. 4 (1892).—*Fl.*
Garcke, Ill. Fl. Deutschl. 19 (1895).
Hegi, Ill. Fl. Mittel-Eur. iii. 479 (1909).
Basu, Ind. Med. Pl. t. 22 (1918).
—— **intermedia** Regel
Somoku Dzusetsu, Ed. Makino (Iconogr. Pl. Nippon), x. t. 12 (1910).
—— **simplex** Regel
*Miyoshi & Makino, Pocket-Atlas, Alp. Pl. Jap. ii. t. 49, fig. 283 (1907).
Miyoshi, Atlas Jap. Veg. t. 59 (1907).—*Hab.*
frigida Royle
*Royle, Illustr. Bot. Himal. t. 14 (1839).
heracleifolia bifida Nakai
Journ. Coll. Sc. Tokyo, xxvi. Art. 1, t. 4 (1909).
japonica Spreng.
Somoku Dzusetsu, Ed. 2, x. t. 13, 14 (1874).
*Fl. des Serres, Ser. II. xii. t. 2363 (1876).
Engl. Jahrb. xvi. t. 4 (1892).—*Fl.*
Garden, lxii. 426 (1902).—*Fl.*
Journ. Roy. Hort. Soc. London, xxvii. Proc. p. ccxxx (1902).
Miyoshi, Pl. World Jap. 455 (1910).
Somoku Dzusetsu, Ed. Makino (Iconogr. Pl. Nippon), x. t. 15 (1910).
—— **obtusiloba** Yat.
Somoku Dzusetsu, Ed. 2, x. t. 14 (1874).
Yatabe, Ic. Fl. Jap. i. II. t. 21 (1892).
Miyoshi, Atlas Jap. Veg. t. 48 (1907).—*Hab.*
obtusiloba Miq.
Somoku Dzusetsu, Ed. 2, x. t. 15 (1874).
palmata Michx.
Lamarck, Ill. iii. t. 500 (1797); vide textum iii. 34.
*Bot. Mag. xxxix. t. 1630 (1814).
racemosa Nutt.
*Torrey, Fl. State New York, i. t. 4 (1843).
*Carson, Ill. Med. Bot. i. t. 3 (1847).
Gray & Sprague, Gen. Fl. Amer. i. t. 20 (1848).
*Good, Family Flora, ii. t. 79 (1854).
*Bentley & Trim. Med. Pl. i. t. 8 (1877).
Gard. Chron. x. 557 (1878); Ser. III. xlviii. 218 (1910).
Lloyd, Drugs & Med. N. Amer. i. 245, 250, t. 21, 23 (1884–85).
Rep. Commissioner Agric. Washington, 1884, p. 128, t. 18.
Wien. Ill. Gart.-Zeit. xi. 465 (1886).
*Millspaugh, Amer. Med. Pl. t. 11 (1887).
Neubert's Deutsch. Gart. Mag. 1888, p. 358.
Engl. Jahrb. xvi. t. 4 (1892).—*Fl.*
Garden, xlvi. 269 (1894); lxxxiv. 488 (1920).
Dana, How to Know the Wild Fl. t. 22 (1894).
Britton & Brown, Ill. Fl. N. States & Canada, ii. 56 (1897); Ed. 2, ii. 91 (1913).
Lochman, Phot. Med. Pl. t. 59 (1898).
Sterckx in Mém. Soc. Sc. Liége, Ser. III. ii. t. 23 (1900).—*Veg.*
*Blanchan, Nat. Gard. 154 (1900).
L. H. Bailey, Cycl. Amer. Hort. 317 (1900); Stand. Cycl. Hort. 770 (1914).
Hare, Caspari & Rusby, Nat. Stand. Dispens. 421 (1905).—*Veg.*
Vilmorin, Hort. Vilm. (Bull. Soc. Bot. France, 1904, li. App.), t. 14 (1906).—*Hab.*
U.S. Dep. Agric. Bur. Pl. Indust. Bull. No. 107, p. 35 (1907).
Merck's Rep. (Pract. Journ. Pharm.), xvii. 263 (1908); xx. 6 (1911).
Silva Tarouca, Freiland-Stauden, 62 (1910).—*Hab.*
Youngken, Pharm. Bot. Ed. 2, p. 274 (1918).
*House, Wild Fl. New York (Mem. No. 15, N.Y. State Mus.), i. t. 64 (1918).
simplex Wormsk.
Garden, lxvii. 8 (1905).—*Hab.*
*Addisonia, ii. t. 58 (1917).
—— **racemosa** Maxim.
Somoku Dzusetsu, Ed. 2, x. t. 12 (1874).
spicata Hort.
Journ. Hort. Ser. III. iii. 239 (1882); xxv. 391 (1892); xxxiii. 381 (1896).

CIMICIFUGA
ussuriensis Oett.
Act. Hort. Jurjev. vi. t. 1 (1906).

CIMINALIS Adans.: *Gentiana*
acaulis Borckh.
Berchtold & J. S. Presl, Rostlin. i. t. [62] (1823).
grandiflora Mayrh.
*Schrank, Fl. Monac. i. t. 37 (1811).
vulgaris Bercht. & Presl
Berchtold & J. S. Presl, Rostlin. i. t. [62] (1823).

CINCHONA Linn.—Vide *Calisaya*
acutifolia Ruiz & Pav.
Ruiz & Pavon, Fl. Peruv. & Chil. iii. t. 225 (1802).
amygdalifolia Wedd.
Weddell, Hist. Nat. Quinquin. t. 1, 6, 28 (1849).
angustifolia Sw.
Svenska Vet. Akad. Handl. viii. t. 3 (1787).
Lamarck, Ill. i. t. 164, fig. 3 (1797).
Lambert, Descr. Cinchona, t. 9 (1797).
*Schlechtendal & Guimpel, Abb. Pharm. Boruss. Gew. iii. t. 209 (1837).
*Cassone, Fl. Med.-Farm. iii. t. 236 (1848).
asperifolia Wedd.
Weddell, Hist. Nat. Quinquin. t. 20 (1849).
australis Wedd.
Weddell, Hist. Nat. Quinquin. t. 8 (1849).
barbacoënsis Karst.
Karsten, Fl. Columbiae, i. t. 23 (1858–61).
bogotensis Karst.
Karsten, Fl. Columbiae, i. t. 41 (1858–61).
boliviana Wedd.
Weddell, Hist. Nat. Quinquin. t. 9, 30 (1849).
brachycarpa Sw.
Lindsay in Trans. Roy. Soc. Edinb. iii [t. 7] (1794).
Lambert, Descr. Cinchona, t. 8 (1797).
caduciflora Humb. & Bonpl.
*Trattinick, Ausg. Taf. Arch. iv. 319 (1814).
Calisaya Wedd.
Weddell, Hist. Nat. Quinquin. t. 1, 3, 28 (1849).
Pharm. Journ. ix. 367 (1850).
*Paxt. Fl. Gard. iii. t. 107 (1852–53).
Cottage Gard. ix. 493 (1853).
*Lem. Jard. Fl. iv. t. 367 (1853).
De Vriese in Versl. & Med. Akad. Wet. Amsterdam, Afd. Natuurk. vi. 190 (1857).
Siebold & De Vriese, Fl. Jard. i. 81, t. 14 (1858).
*Réveil, Règne Vég. x. t. 17 (1870).
Rev. Hort. 1873, p. 113.
*Bentley & Trim. Med. Pl. ii. t. 141 (1879).
Baillon, Dict. Bot. ii. 49 (1879); iii. 674 (1891).
Baillon, Hist. Pl. vii. 338, 339 (1880).
Moens, Kinacult. t. 2, 14, 25 (1882).
Baillon, Traité Bot. Méd. Phan. ii. 1096, 1097 (1884).
Journ. Hort. Ser. III. xii. 384 (1886).
*Köhler, Med. Pfl. i [t. 43] (1887).
*Dujard.-Beaumetz & Égasse, Pl. Méd. 572, t. 30 (1889).
Warming, Handb. Syst. Bot. Ed. Möbius, 427 (1902).
Charabot, Prod. Vég. Col. Franç. 241 (1908).
—— **Josephiana** Wedd.
Weddell, Hist. Nat. Quinquin. t. 3 bis (1849).
*Berg & Schmidt, Darst. u. Beschr. Offiz. Gewächse, ii. t. 14, d (1859).
*Bot. Mag. xcix. t. 6052 (1873).
*Zippel, Ausländ. Kulturpfl. Atlas; Ed. 4, Abt. 1, t. 17 (1899).
Beille, Bot. Pharm. ii. 1102, 1103 (1909).
—— **Ledgeriana** Howard
*Howard, Quinol. E. Ind. Pl. 85, t. 4–6 (1876).
Bidie, Cinchona Cult. Brit. Ind. 12 (1879).
Flückiger, Chinarind. t. 2, 3 (1883).
Teysmannia, xxii. 219 (1911).—*Hab.*
—— **microcarpa** Wedd.
Ann. Sc. Nat. Paris, Ser. V. xi. t. 5 (1869).
Howard, Quinol. E. Ind. Pl. t. 15 (1876).
—— **vera** Wedd.
*Bot. Mag. cv. t. 6434 (1879).
caloptera Miq.
Moens, Kinacult. t. 10, 21, 30 (1882).
carabayensis Wedd.
Weddell, Hist. Nat. Quinquin. t. 19 (1849).
Mart. Fl. Bras. vi. VI. t. 97 (1889).

CINCHONA
carabayensis
Pflanzenfam. iv. IV. 43 (1891).—*Fl.*
caribaea Jacq.
Jacquin, Sel. Stirp. Amer. Hist. t. 179 (1763).—*Fr.*
Jacquin, Obs. Bot. t. 47 (1767).
*Jacquin, Sel. Stirp. Amer. Hist. Picta, t. 63 [1780].
Gaertner, Fruct. i. t. 33 (1788).—*Fr.*
*Plantarum Indig. & Exot. Ic. ii [t. 72] (1789).
*Plenck, Ic. Pl. Med. ii. t. 132 (1789).
Lambert, Descr. Cinchona, t. 4 (1797).
Lamarck, Ill. i. t. 164, fig. 4 (1797).—*Fr.*
Vellozo, Quinogr. Portugueza, t. 3 (1799).
*Andrews, Bot. Rep. vii. t. 481 (1807).
*Vietz, Ic. Pl. Med.-oec.-techn. v. t. 415 (1817).
cattukambar Koenig
Svenska Vet. Akad. Handl. t. 3 (1814).
chahuarguera Pav.
*Berg & Schmidt, Darst. u. Beschr. Offiz. Gewächse, ii. t. 15, a (1859).
*Howard, Ill. Nueva Quinol. Pav. t. 1 (1862).
Chomeliana Wedd.
Weddell, Hist. Nat. Quinquin. t. 13 (1849).
coccinea Pav.
*Howard, Ill. Nueva Quinol. Pav. t. 3 (1862).
Condaminea Humb. & Bonpl.
Humboldt & Bonpl. Pl. Aeq. t. 10 (1805).
*Trattinick, Ausg. Taf. Arch. i. 66a, 66b (1813).
Trattinick, Arch. ii. t. 108 (2 fol.) (1814).
*Chaumeton, Fl. Méd. v. t. 288 (1818).
Sprengel, Anleit. Kenntn. Gewächse, Ed. 2, ii. t. 13, fig. 7–13 (1818).
*Hayne, Getreue Darst. Arzn. Gewächse, vii. t. 37 (1821).
*Roques, Phytogr. Médic. ii. t. 92 (1821); Nouv. Ed. Atlas, t. 70 (1835).
*Vietz, Ic. Pl. Med.-oec.-techn. Suppl. t. 22 (1822).
*Nees, Pl. Offic. ii. t. 260 (1828).
*Wagner, Pharm.-Med. Bot. ii. t. 245 (1829).
Delle Chiaje, Fl. Med. ii. tab. (1832).
*Stephenson & Churchill, Med. Bot. New Ed. iii. t. 183 (1836).
*Schlechtendal & Guimpel, Abb. Pharm. Boruss. Gew. iii. t. 208 (1837).
*Burnett, Pl. Util. i. 22, a (1842).
*Carson, Ill. Med. Bot. i. t. 45 (1847).
Lindley, Med. & Oecon. Bot. 237 (1849).
Weddell, Hist. Nat. Quinquin. t. 4 (1849).
*Artus, Atlas Pharm. Deutschl. Aufg. Offic. Gew. t. 136 [1862–74].
*Argenta, Album Fl. Med.-Farm. ii. t. 163 (1863).
*Belg. Hort. xix. 207 (1869).
*Réveil, Règne Vég. x. t. 16 (1870).
—— **Candollei** Wedd.
Weddell, Hist. Nat. Quinquin. t. 4 bis (1849).
—— **lancifolia** Wedd.
Weddell, Hist. Nat. Quinquin. 38 (1849) in textu; *C. lancifolia* in ic. t. 5
—— **lucumifolia** Wedd.
Weddell, Hist. Nat. Quinquin. t. 4 bis (1849).
conglomerata Pav.
*Howard, Ill. Nueva Quinol. Pav. t. 15 (1862).
cordifolia Mutis
*Hayne, Getreue Darst. Arzn. Gewächse, vii. t. 40 (1821).
*Fl. Med. [Spratt], ii. 283 (1830).
*Woodville, Med. Bot. Ed. 3, v. t. 8 (1832).
*Stephenson & Churchill, Med. Bot. New Ed. iii. t. 185 (1836).
*Schlechtendal & Guimpel, Abb. Pharm. Boruss. Gew. iii. t. 212 (1837).
*Carson, Ill. Med. Bot. i. t. 43 (1847).
Weddell, Hist. Nat. Quinquin. t. 17, 30 (1849).
Karsten, Fl. Columbiae, i. t. 8 (1858–61).
Triana, Nouv. Études Quinquin. t. 16–20 (1870).
Pouchet, The Universe, Ed. 5, p. 318 (1877).
*Bentley & Trim. Med. Pl. ii. t. 143 (1879).
Moens, Kinacult. t. 11, 22, 30 (1882).
Rev. Hort. 1897, p. 321.—*Hab.*
corymbifera Forst.
Lambert, Descr. Cinchona, t. 5 (1797).
corymbosa Karst.
Karsten, Fl. Columbiae, i. t. 10 (1858–61).

CINCHONA
crispa Tafalla
*Howard, Ill. Nueva Quinol. Pav. t. 2 (1862).
decurrentifolia Pav.
*Howard, Ill. Nueva Quinol. Pav. t. 23 (1862).
dichotoma Ruiz & Pav.
Ruiz & Pavon, Fl. Peruv. & Chil. ii. t. 197 (1799).
dissimiliflora Mutis
Triana, Nouv. Études Quinquin. t. 30 (1870).
erythrantha Pav.
*Howard, Ill. Nueva Quinol. Pav. t. 12 (1862).
excelsa Roxb.
*Roxburgh, Pl. Coromandel, ii. t. 106 (1798).
*Trattinick, Ausg. Taf. Arch. ii. 131 (1813).
Trattinick, Arch. ii. t. 170 (1814).
*Hayne, Getreue Darst. Arzn. Gewächse, vii. t. 43 (1821).
ferruginea St.-Hil.
St.-Hilaire, Pl. Usuelles Bras. t. 2 (1824–28).
floribunda Sw.
Lambert, Descr. Cinchona, t. 7 (1797).
Lamarck, Ill. i. t. 164, fig. 2 (1797).
*Chaumeton, Fl. Méd. v. t. 291 (1818).
Delle Chiaje, Fl. Med. ii. tab. (1832).
*Cassone, Fl. Med.-Farm. iii. t. 238 (1848).
Gammiana King
Sc. Mem. Med. Off. Ind. viii. t. 1 (1894).
glandulifera Ruiz & Pav.
Ruiz & Pavon, Fl. Peruv. & Chil. iii. t. 224 (1802).
Weddell, Hist. Nat. Quinquin. t. 21 (1849).
*Howard, Ill. Nueva Quinol. Pav. t. 26 (1862).
grandiflora Ruiz & Pav.
Ruiz & Pavon, Fl. Peruv. & Chil. ii. t. 198 (1799).
*Howard, Quinol. E. Ind. Pl. t. 13 (1876).
grandifolia Poir.
*Roques, Pl. Usuell. Indig. & Exot. ii. t. 21 (1808).
gratissima Wall.
*Wallich, Tent. Fl. Nap. t. 21 (1826).
Hasskarliana Miq.
Moens, Kinacult. t. 4, 16, 26 (1882).
Henleana Karst.
Karsten, Fl. Columbiae, i. t. 27 (1858–61).
heterocarpa Karst.
Karsten, Fl. Columbiae, i. t. 6 (1858–61).
Flückiger, Chinarind. t. 5 (1883); errore *Cascarilla.*—*Fr.*
heterophylla Pav.
*Howard, Ill. Nueva Quinol. Pav. t. 18 (1862).
hirsuta Ruiz & Pav.
Ruiz & Pavon, Fl. Peruv. & Chil. ii. t. 192 (1799).
Weddell, Hist. Nat. Quinquin. t. 21 (1849).
Howardiana O. Kuntze
O. Kuntze, Cinchona, 124, fig. 3 (1878).
Humboldtiana Lamb.
Weddell, Hist. Nat. Quinquin. t. 10 (1849).
jamaicensis W. Wright
W. Wright in Phil. Trans. London, lxvii. II. t. 10 (1778).
*Titford, Sketches Hort. Bot. Amer. t. 10 (1812).
Josephiana Wedd.
Moens, Kinacult. t. 3, 15, 26 (1882).
—— **glabra** Wedd.
*Howard, Quinol. E. Ind. Pl. t. 9 (1876).
lanceolata Ruiz & Pav.
Ruiz & Pavon, Fl. Peruv. & Chil. iii. t. 223 (1802).
*Wagner, Pharm.-Med. Bot. ii. t. 247 (1829).
Howard, Ill. Nueva Quinol. Pav. t. 29 (1862).
lancifolia Mutis
*Hayne, Getreue Darst. Arzn. Gewächse, vii. t. 38 (1821).
*Roques, Phytogr. Médic. ii. t. 93 (1821); Nouv. Ed. Atlas, t. 71 (1835).
*Nees, Pl. Offic. ii. t. 261 (1828).
*Fl. Med. [Spratt], ii. 281 (1830).
Delle Chiaje, Fl. Med. ii. tab. (1832).
Weddell, Hist. Nat. Quinquin. t. 5 (1849) in ic.; *C. Condaminea lancifolia* in textu, p. 38.
Schnizlein, Iconogr. ii. t. 127 c (1854).
Karsten, Fl. Columbiae, i. t. 11 (1858–61).
Triana, Nouv. Études Quinquin. t. 2, 15 (1870).
Karsten, Deutsche Fl. Pharm.-medic. Bot. 1204 (1880–83).
Moens, Kinacult. t. 7, 18, 28 (1882).
Flückiger, Chinarind. t. 4 (1883).

CINCHONA
lancifolia
Karsten, Fl. Deutschl. ii. 786 (1895).
Pammel, Man. Poison. Pl. 742 (1911).
—— **discolor** Karsten
Karsten, Fl. Columbiae, i. t. 12 (1858–61).
—— **lalisaya** Wedd.
Bull. Soc. Bot. France, xxii. t. 1 (1875).
Howard, Quinol. E. Ind. Pl. t. 14 (1876).
—— **oblonga** Howard
Bull. Soc. Bot. France, xx. t. 2 (1873).
Ledgeriana Moens
Gard. Chron. xii. 457 (1879).—*Veg.*
*Journ. of Bot. xix. t. 222, 223 (1881).
Kew Rep. 1880, p. 13 (1881); 1881, p. 26 (1882).
Moens, Kinacult. t. 1, 12, 13, 23 (1882).
Ann. Jard. Bot. Buitenzorg, iv. t. 6, fig. 39, 40 (1884).—*Fl.*
Pflanzenfam. iv. 41 (1891).
Tschirch, Ind. Heil- & Nutzpfl. t. 3, 7 (1892).—*Hab.*
*Kohl, Off. Pfl. Pharm. Germ. t. 146 (1895).
Tropenpfl. x. 27 (1906).—*Hab.*
Tschirch, Handb. Pharmakog. i. 44 (1908).—*Hab.*
Van Gorkom, Oost-Ind. Cult. Ed. 2, iii. 170 (1919).—*Hab.*
—— **chinidinifera** Moens
Moens, Kinacult. t. 24 (1882).
—— **cinchonidinifera** Moens
Moens, Kinacult. t. 12 (1882).
lineata Vahl
Skrivt. Nat. Selsk. Kjöbenhavn, Atlas, i. 1. t. 4 (1790).
Lambert, Descr. Cinchona, t. 6 (1797).
longiflora Lamb.
Lambert, Descr. Cinchona, t. 12 (1797).
longiflora Mutis
Triana, Nouv. Études Quinquin. t. 29 (1870).
lutea Pav.
*Howard, Ill. Nueva Quinol. Pav. t. 4 (1862).
macrocalyx Pav.
*Howard, Ill. Nueva Quinol. Pav. t. 7 (1862).
macrocarpa Vahl
Skrivt. Nat. Selsk. Kjöbenhavn, Atlas, i. 1. t. 3 (1790).
Lambert, Descr. Cinchona, t. 3 (1797).
*Joh. Kerner, Hort. Sempervir. t. 91 (1800).
*Roques, Pl. Usuell. Indig. & Exot. ii. t. 21 (1808).
Karsten, Fl. Columbiae, i. t. 21 (1858–61).
macrophylla Karst.
Karsten, Fl. Columbiae, i. t. 35 (1858–61).
Karsten, Fl. Deutschl. ii. 790 (1895).
magnifolia Ruiz & Pav.
Ruiz & Pavon, Fl. Peruv. & Chil. ii. t. 196 (1799).
*Wagner, Pharm.-Med. Bot. ii. t. 249 (1829).
*Schlechtendal & Guimpel, Abb. Pharm. Boruss. Gew. iii. t. 213 (1837).
*Howard, Ill. Nueva Quinol. Pav. t. 10 (1862).
magnifolia Humb. & Bonpl.
Humboldt & Bonpl. Pl. Aeq. t. 39 (1805).
*Chaumeton, Fl. Méd. v. t. 290 (1818).
micrantha Ruiz & Pav.
Ruiz & Pavon, Fl. Peruv. & Chil. ii. t. 194 (1799).
*Carson, Ill. Med. Bot. i. t. 44 (1847).
Weddell, Hist. Nat. Quinquin. t. 14, 30 (1849).
*Berg & Schmidt, Darst. u. Beschr. Offiz. Gewächse, ii. t. 14, f (1859).
Berg, Charakt. t. 43, fig. 336 (1861).
*Howard, Ill. Nueva Quinol. Pav. t. 5 (1862).
Moens, Kinacult. t. 9, 20, 29 (1882).
—— **alpestris** Howard
*Howard, Ill. Nueva Quinol. Pav. t. 5 (1862) in ic.; *C. Reicheliana* in textu.
—— **oblongifolia** Wedd.
Weddell, Hist. Nat. Quinquin. t. 15 (1849).
microphylla Howard
*Howard, Ill. Nueva Quinol. Pav. t. 17 (1862).
×**mixtissima** O. Kuntze
O. Kuntze, Cinchona, 124, fig. 6 (1878).
montana Badier
Roemer & Usteri, Mag. Bot. ii. vi. t. 3 (1789).
Vellozo, Quinogr. Portugeza, t. 4 (1799).
*Descourtilz, Fl. Pitt. & Méd. Antilles, i. t. 13 (1821).

CINCHONA
Moritziana Karst.
Karsten, Fl. Columbiae, i. t. 66 (1858–61).
Mutisii Lamb.
*Hayne, Getreue Darst. Arzn. Gewächse, xiv. t. 15 (1843).
—— **crispa** Wedd.
Weddell, Hist. Nat. Quinquin. t. 22 (1849).
—— **microphylla** Wedd.
Weddell, Hist. Nat. Quinquin. t. 22 B (1849).
nitida Ruiz & Pav.
Ruiz & Pavon, Fl. Peruv. & Chil. ii. t. 191 (1799).
*Descourtilz, Fl. Pitt. & Méd. Antilles, vii. t. 495 (1829).
Weddell, Hist. Nat. Quinquin. t. 10 (1849).
*Howard, Ill. Nueva Quinol. Pav. t. 20 (1862).
oblongifolia Mutis
*Hayne, Getreue Darst. Arzn. Gewächse, vii. t. 41 (1821).
*Roques, Phytogr. Médic. ii. t. 95 (1821); Nouv. Ed. Atlas, t. 73 (1835).
*Nees, Pl. Offic. ii. t. 263 (1828).
*Fl. Med. [Spratt], ii. 283 (1830).
Delle Chiaje, Fl. Med. ii. tab. (1832).
*Woodville, Med. Bot. Ed. 3, v. t. 9 (1832).
*Stephenson & Churchill, Med. Bot. New Ed. iii. t. 184 (1836).
*Strong, American Fl. ii. 27 (1848).
*Cassone, Fl. Med.-Farm. iii. t. 235 (1848).
Triana, Nouv. Études Quinquin. t. 21–24 (1870).
obovata Pav.
*Howard, Ill. Nueva Quinol. Pav. t. 24 (1862).
officinalis Linn.
*Houttuyn, Handl. Pl. & Kruidk. ii. t. 6, fig. 1 (1774).
*Bergius, Mat. Med. i. p. 104, t. 292 (1778).
*Zorn, Ic. Pl. Med. iii. t. 292 (1781).
Gaertner, Fruct. i. t. 33 (1788).—*Fr.*
*Plenck, Ic. Pl. Med. ii. t. 131 (1789).
Skrivt. Nat. Selsk. Kjöbenhavn, Atlas, i. 1. t. 1 (1790).
Bordiga, Storia Piante Forast. i. t. 5 (1791).
*Woodville, Med. Bot. iii. t. 200 (1793); Ed. 3, ii. t. 91 (1832).
Lambert, Descr. Cinchona, t. 1 (1797).
Lamarck, Ill. i. t. 164, fig. 1 (1797).
Trans. Linn. Soc. London, iii. t. 12 (1797).
Vellozo, Quinogr. Portugueza, t. 1 (1799).
*Vietz, Ic. Pl. Med.-oec.-techn. i. t. 69 (1800).
*Oskamp, Afb. Artseny-Gewass. iv. t. 375 (1800).
*Roques, Pl. Usuell. Indig. & Exot. ii. t. 21 (1808).
Nouv. Mém. Acad. Sc. Bruxelles, ix. t. 2 (1835).—*Fr.*
*Cassone, Fl. Med.-Farm. iii. t. 234 (1848).
*E. Hamilton, Fl. Homoeopath. i. t. 18 (1852).
*Bot. Mag. lxxxix. t. 5364 (1863).
*Howard, Quinol. E. Ind. Pl. t. 3 (1869).
*Bentley & Trim. Med. Pl. ii. 140 (1879).
Baillon, Hist. Pl. vii. 340, 341 (1880).
Moens, Kinacult. t. 6, 17, 27 (1882).
Flückiger, Chinarind. t. 5 (1883).
Baillon, Traité Bot. Méd. Phan. ii. 1092, 1093 (1884).
*Zippel, Ausländ. Handels- & Nährpfl. t. 27 (1885).
*Köhler, Med. Pfl. i [t. 44] (1887).
Baillon, Dict. Bot. ii. 49 (1879), iii. 673 (1891).
Kronfeld, Atlas Pflanzengeogr. 186 (1899).
*De Janville, Pl. Utiles Pays Chauds, t. 32 (1902).
Bull. Missouri Bot. Gard. vi. t. 4 (1918).
—— **Bonplandiana** Howard
Gard. Chron. xiii. 429 (1880).
—— —— **lutea** Howard
*Howard, Quinol. E. Ind. Pl. t. 11 (1876).
—— **uritusinga** Howard
Gard. Chron. xiii. 428 (1880).
ovalifolia Humb. & Bonpl.
Humboldt & Bonpl. Pl. Aeq. t. 19 (1805).
*Trattinick, Ausg. Taf. Arch. ii. 195 (1813).
Trattinick, Arch. iii. t. 225 (1817).
*Chaumeton, Fl. Méd. v. t. 289 (1818).
*Hayne, Getreue Darst. Arzn. Gewächse, vii. t. 42 (1821).
Triana, Nouv. Études Quinquin. t. 25–28 (1870).

CINCHONA
ovata Ruiz & Pav.
Ruiz & Pavon, Fl. Peruv. & Chil. ii. t. 195 (1799).
*Nees, Pl. Offic. ii. t. 262 (1828).
*Wagner, Pharm.-Med. Bot. ii. t. 248 (1829).
*Schlechtendal & Guimpel, Abb. Pharm. Boruss. Gew. iii. t. 211 (1837).
Weddell, Hist. Nat. Quinquin. t. 11, 29 (1849).
*Howard, Ill. Nueva Quinol. Pav. t. 9 (1862).
—— **rufinervis** Wedd.
Weddell, Hist. Nat. Quinquin. 60 (1849) in textu; *C. rufinervis* in ic. t. 12.
Pahudiana Howard
*Howard, Ill. Nueva Quinol. Pav. t. 21 (1862).
O. Kuntze, Cinchona, 124, fig. 4 (1878).
Moens, Kinacult. t. 5, 16, 28 (1882).
palalba Pav.
*Howard, Ill. Nueva Quinol. Pav. t. 4 (1862).
palton Pav.
*Howard, Ill. Nueva Quinol. Pav. t. 13 (1862).
parabolica Pav.
*Howard, Ill. Nueva Quinol. Pav. t. 16 (1862).
parviflora Mutis
Triana, Nouv. Études Quinquin. t. 31 (1870).
Pavoniana O. Kuntze
O. Kuntze, Cinchona, 124, fig. 2 (1878).
×**Pavoniani-Weddelliana** O. Kuntze
O. Kuntze, Cinchona, 124, fig. 5 (1878).
pedunculata Karst.
Karsten, Fl. Columbiae, i. t. 26 (1858–61).
Karsten, Deutsche Fl. Pharm.-medic. Bot. 1206 (1880–83).
Osorio, Supl. Estud. Quinas, Bogota, 8 (1883).
Karsten, Fl. Deutschl. ii. 788 (1895).
peruviana Howard
*Howard, Ill. Nueva Quinol. Pav. t. 27 (1862).
philippica Cav.
Cavanilles, Ic. iv. t. 329 (1797).
pitayensis Wedd.
Pharm. Journ. Ser. II. vi. 49 (1864).
*Howard, Quinol. E. Ind. Pl. t. 12 (1876).
prismatostylis Karst.
Karsten, Fl. Columbiae, i. t. 7 (1858–61).
pubescens Vahl
Skrivt. Nat. Selsk. Kjöbenhavn, Atlas, i. 1. t. 2 (1790).
Lambert, Descr. Cinchona, t. 2 (1797).
*Roques, Pl. Usuell. Indig. & Exot. ii. t. 21 (1808).
*Roques, Phytogr. Médic. ii. t. 94 (1821); Nouv. Ed. Atlas, t. 72 (1835).
Delle Chiaje, Fl. Med. ii. tab. (1832).
*Cassone, Fl. Med.-Farm. iii. t. 237 (1848).
Weddell, Hist. Nat. Quinquin. t. 16, 29 (1849).
Bidie, Cinchona Cult. Brit. Ind. frontisp. (1879).
purpurascens Wedd.
Weddell, Hist. Nat. Quinquin. t. 18 (1849).
purpurea Ruiz & Pav.
Ruiz & Pavon, Fl. Peruv. & Chil. ii. t. 193 (1799).
*Wagner, Pharm.-Med. Bot. ii. t. 246 (1829).
*Hayne, Getreue Darst. Arzn. Gewächse, xiv. t. 14 (1843).
*Howard, Ill. Nueva Quinol. Pav. t. 11 (1862).
Reicheliana Howard
*Howard, Ill. Nueva Quinol. Pav. t. 5 (1862) in textu; *C. micrantha alpestris* in ic.
robusta Howard
Teysmannia, xxiii. 612 (1912).—*Veg.*
rosea Ruiz & Pav.
Ruiz & Pavon, Fl. Peruv. & Chil. ii. t. 199 (1799).
*Hayne, Getreue Darst. Arzn. Gewächse, vii. t. 39 (1821).
rosulenta Howard
Bull. Soc. Bot. France, xvii. t. 3 (1870).
rubra Woodv.
Vellozo, Quinogr. Portuguesa, t. 2 (1799).
rufinervis Wedd.
Weddell, Hist. Nat. Quinquin. t. 12 (1849) in ic.; *C. ovata rufinervis* in textu, p. 60.
rugosa Pav.
*Howard, Ill. Nueva Quinol. Pav. t. 17 (1862).
scrobiculata Humb. & Bonpl.
Humboldt & Bonpl. Pl. Aeq. t. 47 (1805).
*Trattinick, Ausg. Taf. Arch. iii. 237 (1814).
*Nees, Pl. Offic. Suppl. t. 61 (1833).
*Schlechtendal & Guimpel, Abb. Pharm. Boruss. Gew. iii. t. 210 (1837).

CINCHONA
scrobiculata
Weddell, Hist. Nat. Quinquin. t. 7, 28 (1849) in ic.; *C. scrobiculata Delondriana* in textu, p. 42.
*Artus, Atlas Pharm. Deutschl. Aufg. Offic. Gew. t. 137 [1862–74].
—— **Delondriana** Wedd.
Weddell, Hist. Nat. Quinquin. 42 (1849) in textu; *C. scrobiculata* in ic. t. 7.
spinosa Vavass.
Lambert, Descr. Cinchona, t. 13 (1797).
Vellozo, Quinogr. Portugueza, t. 5 (1799).
stupea Pav.
*Howard, Ill. Nueva Quinol. Pav. t. 25 (1862).
succirubra Pav.
*Howard, Ill. Nueva Quinol. Pav. t. 8 (1862).
*Howard, Quinol. E. Ind. Pl. t. 1–3 (1869); p. 74 (1876).
*Réveil, Règne Vég. x. t. 18 (1870).
*Bentley & Trim. Med. Pl. ii. t. 142 (1879).
Baillon, Dict. Bot. ii. 49 (1879); iii. 676 (1891).
Baillon, Hist. Pl. vii. 342 (1880).
Moens, Kinacult. t. 8, 19, 29 (1882).
Flückiger, Chinarind. t. 1 (1883).
Baillon, Traité Bot. Méd. Phan. ii. 1094, 1095 (1884).
*Köhler, Med. Pfl. i [t. 45] (1887).
Pflanzenfam. iv. IV. 44 (1891).—*Hab.*
Tschirch, Ind. Heil- & Nutzpfl. t. 4–6, 8–10 (1892).—*Hab.*
Brehm, Merv. Nat. Monde des Pl. ii. 119 (1894–96).
*Kohl, Off. Pfl. Pharm. Germ. t. 145 (1895).
Goebel, Organogr. Pfl. 560 (1900); Ed. Angl. ii. 370 (1905).—*Veg.*
Tropenpfl. x. 26 (1906).—*Hab.*
Tschirch, Handb. Pharmakog. i. 43, 44, 48 (1908); 370, 371 (1909).—*Hab.*
L. Reinhardt, Kulturgesch. Nutzpfl. (Erde und Kultur), iv. II. t. 132 (1911).
Capus & Bois, Prod. Colon. 523 (1912).
Warburg, Pflanzenwelt, i. 315 (1913).—*Fr.*
Van Gorkom, Oost-Ind. Cult. Ed. 2, iii. 188 (1919).—*Hab.*
Agron. Colon. iv. XXIX. 148; v. 148 (1920).
Prudhomme, Pl. Utiles Pays Chauds, t. 56 (1920).
Thwaitesii King
Sc. Mem. Med. Off. Ind. viii. t. 2 (1894).
Trianae Karst.
Karsten, Fl. Columbiae, i. t. 22 (1858–61).
tucujensis Karst.
Karsten, Fl. Columbiae, i. t. 9 (1858–61).
umbellulifera Pav.
*Howard, Ill. Nueva Quinol. Pav. t. 22 (1862).
undata Karst.
Karsten, Fl. Columbiae, i. t. 65 (1858–61).
uritusinga Pav.
*Berg & Schmidt, Darst. u. Beschr. Offiz. Gew. ii. t. 14, e (1859).
*Howard, Ill. Nueva Quinol. Pav. t. 19 (1862).
villosa Pav.
*Howard, Ill. Nueva Quinol. Pav. t. 6 (1862).
Weddelliana O. Kuntze
O. Kuntze, Cinchona, 124, fig. 1 (1878).

CINCINALIS Desv.: *Pellaea*
flavens Desv.
Fée, Mém. Foug. v. t. 30 (1850–52).
Hookeri J. Sm.
Garden, xxxii. 196 (1887).
tenera Fée
J. Smith, Ferns, Brit. & Foreign, 178 (1866); Ed. 2, p. 178 (1879).

CINCINNOBOTRYS Gilg
oreophila Gilg
Engler, Monogr. Afr. Pfl.-fam. ii. Melast. t. 6 (1898).
Seretii De Wild.
De Wildeman Études Fl. Bas- et Moyen-Congo (Ann. Mus. Congo), ii. t. 89 (1908).

CINERARIA Auct.: *Aster* (1), *Cineraria* Linn. emend. Less. (2), *Doronicum* (3), *Euryops* (4), *Senecio* (5)
acanthifolia Reichb. (5)
Reichenbach, Hort. Bot. t. 24 (1824).

CINERARIA
alchemilloides DC. (2)
*Saunders, Ref. Bot. v. t. 344 (1880).
alpestris Hoppe (5)
Reichenbach, Pl. Crit. ii. t. 110 (1824).
*Weber, Alp.-Pfl. Ed. 3, iii. t. 229 (1872).
*Seboth & A. W. Bennett, Alpine Pl. iii. t. 79 (1880).
Willkomm, Führ. Reich Pflanzen, 383 (1882).—*Fr.*
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xxix. t. 3078 (1887).
*H. S. Thompson, Alp. Pl. Europe, t. 37 (1911).
alpina Linn. (5)
*Jacquin, Misc. i. t. 17 (1778).
Relhan, Fl. Cantabrig. 320 (1785).
Allioni, Fl. Pedem. iii. t. 38, fig. 2 (1785).
amelloides Linn. (1)
*Bot. Mag. vii. t. 249 (1793).
*Duhamel, Arbres & Arbustes, Ed. 2, iv. t. 13 (1809).
*Mordant de Launay, Herb. Amat. vii. t. 468 (1824).
anomala Sibth. (5)
*Sibthorp & Sm. Fl. Graeca, ix. t. 872 (1837).
argentea Hort. (5)
*Neubert's Deutsch. Gart. Mag. 1876, p. 306.—*Veg.*
aurantiaca Hoppe (5)
*Lodd. Bot. Cab. iv. t. 325 (1819).
*Bot. Mag. xlviii. t. 2262 (1821).
Reichenbach, Pl. Crit. ii. t. 127 (1824).
*Sweet, Brit. Fl. Gard. iii. t. 256 (1828).
Loudon, Mag. Nat. Hist. i. 168 (1828).
Mutel, Fl. Française, t. 28 (1834).
*J. W. Loudon, Ladies' Fl.-Gard. Ornam. Perenn. ii. t. 54 (1844).
*Weber, Alp.-Pfl. Ed. 3, iii. t. 230 (1872).
*Seboth & A. W. Bennett, Alpine Pl. iv. t. 14 (1880).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xxix. t. 3082 (1887).
*H. S. Thompson, Alp. Pl. Europe, t. 37 (1911).
aurita L'Hér. (3)
L'Héritier, Sertum Angl. t. 31 (1788).
*Bot. Mag. xliii. t. 1786 (1815).
*Garden, xxxviii. 252 (1890).
aurita Andr. (3)
*Andrews, Bot. Rep. i. t. 24 (1798).
bicolor Victoria Hort. (5)
*Marnock, Floricult. Mag. iii. t. 28 (1838).
campestris Retz. (5)
*Fl. Dan. vii. t. 1177 (1797).
*Curtis, Fl. Londin. Ed. 2, iv. t. 75 (1819–21).
*Zenker, Fl. Thüringen, iv. t. 379 (1836–55).
*Baxter, Brit. Bot. Ed. 2, iii. t. 206 (1837).
*Deakin, Florigr. Brit. iii. fig. 1282 (1847).
Johnson & Sowerby, Brit. Wild Fl. fig. 737 (1858–60).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xxix. t. 3081 (1887).
—— **dentata** Reichb. (5)
Reichenbach, Pl. Crit. ii. t. 133 (1824).
Mutel, Fl. Française, t. 28 (1834).—*Veg.*
—— **humilis** Reichb. (5)
Reichenbach, Pl. Crit. ii. t. 131 (1824).
—— **integrifolia** Mutel (5)
Mutel, Fl. Française, t. 28 (1834).—*Veg.*
—— **procera** Reichb. (5)
Reichenbach, Pl. Crit. ii. t. 132 (1824).
—— **vulgaris** Mutel (5)
Mutel, Fl. Française, t. 28 (1834).—*Fl.*
capitata discoidea Reichb. (5)
Reichenbach, Pl. Crit. ii. t. 128 (1824).
—— **radiata** Reichb. (5)
Reichenbach, Pl. Crit. ii. t. 128 (1824).
chamaedrifolia Lam. (2)
Lamarck, Ill. iv. t. 675, fig. 2 (1797).
Chandleri Hort. (5)
*Journ. Jard. 1839, p. 153.
cordifolia Gouan (5)
*Jacquin, Fl. Austr. ii. 176 (1774).
—— **auriculata** Jacq. (5)
*Jacquin, Fl. Austr. ii. t. 177 (1774).
crassiflora Poir (5)
Lamarck, Ill. iv. t. 675, fig. 4 (1797).

CINERARIA
crassifolia Kit. (5)
Reichenbach, Pl. Crit. ii. t. 107 (1824).
crispa Jacq. (5)
*Jacquin, Fl. Austr. ii. t. 178 (1774).
Reichenbach, Pl. Crit. ii. t. 104 (1824).
*Petermann, Deutschl. Fl. t. 49, fig. 381 (1849).—*Fl.*
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xxix. t. 3076 (1887).
—— **Schkuhrii** Reichb. (5)
*Zenker, Fl. Thüringen, xii. t. 1428 (1836–55).
crocea Tratt. (5)
Trattinick, Arch. i. t. 48 (1812).
*Trattinick, Ausg. Taf. Arch. i. 4 (1813).
Reichenbach, Pl. Crit. ii. t. 103 (1824).
cruenta Mass. (3)
L'Héritier, Sertum Angl. t. 33 (1788).
*Bot. Mag. xii. t. 406 (1798).
*Ventenat, Jard. Malm. t. 99 (1803).
*Dietrich, Darst. Vorz. Zierpfl. i. t. 4 (1803).
*Mag. Bot. & Gard. iii. t. 26 (1835).
J. C. Loudon, Arbor. & Frutic. Brit. ii. 1071 (1838).
*J. W. Loudon, Ladies' Fl.-Gard. Ornam. Greenh. Pl. t. 36 (1848).
Decaisne & Naud. Amat. Jard. ii. 724 [1862–66].
*Réveil, Règne Vég. xiv. t. 16 (1870).
*Hulme & Hibberd, Familiar Gard. Fl. ii. 145 [1879–87].
*Ill. Hort. xxxii. t. 556 (1885).
L. H. Bailey, Cycl. Amer. Hort. 318 (1900).
Bellair & St.-Léger, Pl. Serre, 532, 533 (1900).—*Hab.*
×—— **hybrida** Hort. (3)
Rev. Hort. 1886, p. 41.—*Hab.*
—— **regina** Hort. (3)
*Journ. Jard. 1838, p. 29.
×—— **Webberiana** Hort. (3)
Nicholson, Illustr. Dict. Gard. i. 328 [1884–88].
Garden, xxxvii. 207 (1890).
deltoidea Sond. (2)
*Dietrich, Fl. Univ. N. Folge, t. 75 (1849).
discolor Sw. (5)
*Bot. Mag. liii. t. 2647 (1826).
elegans Hort. (5)
*Floricult. Cab. viii. 112 (1840) in textu; *C. splendens*, in ic.
×**flavescens** Hort. (5)
Garden, lxxiii. 252 (1909).
Gard. Chron. Ser. III. xlv. 322 (1909).
geifolia Linn. (2)
J. C. Loudon, Arbor. & Frutic. Brit. ii. 1071 (1838).
gigantea Sm. (5)
*J. E. Smith, Exot. Bot. ii. t. 65 [1805–07].
glabrata Ledeb. (5)
*Ledebour, Ic. Pl. Ross. i. t. 94 (1829).
grandiflora Hort. (5)
Horticulture (Boston), iii. 615 (1906).—*Hab.*
grandis Hort (5)
*Journ. Jard. 1842, p. 17.
heterophylla Orteg. (5)
Ortega, Nov. Rar. Pl. Hort. Reg. Bot. Matrit. Dec. Sex. t. 10 (1798).
hinniculus Hort. (5)
*Marnock, Floricult. Mag. iv. t. 39 (1839).
hirsuta Vent. (1)
*Ventenat, Jard. Malm. t. 95 (1803).
×**hybrida** Hort. (3)
Rev. Hort. 1874, p. 47; 1886, p. 41.
Gartenfl. xxiv. 307 (1875); xxxiii. 366, 367 (1884).
Fl. des Serres, Ser. II. xi. 140 (1875); xii. t. 2347 (1877).
Bull. Soc. Tosc. Ortic. iii. 88 (1878).—*Hab.*
Journ. Roy. Hort. Soc. London, xxxviii. Proc. p. lxv. fig. 46 (1913).
—— **grandiflora** Hort. (3)
Gartenfl. xxxiii. 367 (1884).—*Fl.*
—— —— **kermesina** Hort. (3)
Gartenfl. xxxix. 614 (1890).—*Fl.*
—— —— **stella** Hort. (3)
Wien. Ill. Gart.-Zeit. xxv. 367 (1900).—*Fl.*
—— —— **striata** Hort. (3)
Gartenfl. xlv. 164 (1896).

CINERARIA
×hybrida nana Hort. (3)
Gart.- u. Blumenzeit. Hamburg, xxxiii. 123 (1877).—*Hab.*
Gartenfl. xxxiii. 367 (1884).—*Hab.*
—— **polyantha** Hort. (3)
*Rev. Hort. 1902, p. 281[1], 432.
—— **pyramidalis** Vilm. (3)
Bull. Soc. Tosc. Ortic. xiv. 105 (1889).—*Hab.*
integrifolia With. (5)
*Sowerby & Sm. Engl. Bot. iii. t. 152 (1794).
Loudon, Mag. Nat. Hist. v. 88 (1832).
[M. E.] Jackson, Pict. Fl. fig. 1235 (1840).
integrifolia Schkuhr (5)
*Schkuhr, Bot. Handb. Ed. 2, t. 246 b (1808).
—— **alpina** Jacq. (5)
*Jacquin, Fl. austr. ii. t. 179 (1774).
—— **pratensis** Linn. (5)
*Jacquin, Fl. Austr. ii. t. 180 (1774).
lactea Willd. (5)
*Knowles & Westc. Floral Cab. i. t. 35 (1837).
Velenovsky, Vergl. Morphol. Pfl. iv. Suppl. 66 (1913).—*Veg.*
lactea Jacq. (5)
*Jacquin, Ecl. Pl. ii. t. 105 (1844) in ic.; *Senecio cruentus lacteus*, in textu.
lanata L'Hér. (5)
*Bot. Mag. ii. t. 53 (1788).
L'Héritier, Sertum Angl. t. 30 (1788).
*Jacquin, Collect. iii. t. 19, fig. 1 (1789).
Lamarck, Ill. iv. t. 675, fig. 1 (1797).—*Fl.*
J. C. Loudon, Arbor. & Frutic. Brit. ii. 1071 (1838).
Meigen, Deutschl. Fl. iii. t. 130 (1842).—*Fl.*
*J. W. Loudon, Ladies' Fl.-Gard. Ornam. Greenh. Pl. t. 36 (1848).
linifolia Linn. (4)
*Meerburg, Afb. Zeld. Gewassen, t. 48 (1785).
*Meerburg, Pl. Rar. t. 48 (1789).
*Jacquin, Hort. Schoenbr. iii. t. 308 (1798).
lobata L'Hér. (2)
L'Héritier, Sertum Angl. t. 34 (1788).
Pflanzenfam. iv. v. 104, 109 (1889).—*Fl.*
longifolia Jacq. (5)
*Jacquin, Fl. Austr. ii. t. 181 (1774).
*Sturm, Deutschl. Fl. x. XL [t. 638] (1817).
Reichenbach, Pl. Crit. ii. t. 125 (1824).
Mutel, Fl. Française, t. 28 (1834).—*Fl.*
*Seboth & A. W. Bennett, Alpine Pl. iii. t. 80 (1880).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xxix. t. 3079 (1887).
×Lynchei W. Wats. (5)
*Garden, lii. 42 (1897).
lyrata Ledeb. (5)
Reichenbach, Pl. Crit. ii. t. 101 (1824).
macrophylla Ledeb. (5)
*Ledebour, Ic. Pl. Ross. iv. t. 367 (1833).
malvifolia L'Hér. (5)
L'Héritier, Sertum Angl. t. 32 (1788).
maritima Linn. (5)
*Jaume St.-Hilaire, Pl. France, i [t. 93] (1808).
*Sibthorp & Sm. Fl. Graeca, ix. t. 871 (1837).
W. Robinson, Engl. Fl. Gard. t. 70 (1883).—*Hab.*
Nicholson, Illustr. Dict. Gard. i. 328 [1884–88].—*Hab.*
Journ. Hort. Ser. III. xxvi. 438 (1893).—*Veg.*
*Penzig, Fl. Litt. Méditerr. t. 53 (1902).
Rikli, Bot. Reisestud. Korsika, t. 10 (1903).—*Hab.*
*Strasburger, Rambles Riviera, 77 (1906).
—— **aureo-marginata** Hort. (5)
*Floral Mag. N. Ser. 1873, t. 52 (1873).—*Veg.*
—— **Fairbairnianum** Hort. (5)
*Hibberd, Beautiful-leaved Pl. t. 46 (1870).—*Veg.*
—— **variegata** Hort. (5)
Journ. Hort. Ser. III. xxvi. 438 (1893).
minuta Cav. (5)
Cavanilles, Ic. i. t. 33 (1791).
nobilis Hort. (5)
*Florist's Journ. 1845, t. 73.
palmensis Nees (5)
Buch, Fl. Canar. Inseln, t. 24 (1819).
Nees, Horae Berol. t. 24 (1820).
palustris Linn. (5)
*Fl. Dan. iv. t. 573 (1771).
Gaertner, Fruct. ii. t. 170 (1791).—*Fr.*

CINERARIA
palustris
*Sowerby & Sm. Engl. Bot. iii. t. 151 (1794).
*Kops, Fl. Batava, ii. t. 119 (1807).
*Schkuhr, Bot. Handb. Ed. 2, t. 246 a (1808).
Thornton, Brit. Fl. iii. 39 (1812).
*Zenker, Fl. Thüringen, x. t. 1141 (1836–55).
[M. E.] Jackson, Pict. Fl. fig. 1234 (1840).
*Svensk Bot. xi. t. 737 (1843).
*Deakin, Florigr. Brit. iii. fig. 1283 (1847).
*Lorek, Fl. Pruss. Ed. 3, t. 199, fig. 1059 (1848).
Johnson & Sowerby, Brit. Wild Fl. fig. 736 (1858–60).
*Schubert, Naturg., Pflanzenreich, Ed. 2, t. 43, fig. 3 [1865].
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xxix. t. 3083 (1887).
Lindman, Bild. Nord. Fl. t. 26 (1901–5).
—— **hollandica** Miq. (5)
*Kops, Fl. Batava, viii. t. 608 (1844).
papposa Reichb. (5)
Reichenbach, Pl. Crit. ii. t. 124 (1824).
parviflora R. Br. (5)
*Bot. Mag. xlv. t. 1990 (1818).
pentactina Hook. f. (2)
*Bot. Mag. cxxvii. t. 7799 (1901).
perfecta Hort. (5)
*Florist's Journ. 1845, t. 73.
Petasitis Sims (5)
*Bot. Mag. xxxvii. t. 1536 (1813).
platanifolia Schrank (5)
*Schrank, Pl. Rar. Hort. Acad. Monac. ii. t. 95 (1819).
*Mordant de Launay, Herb. Amat. iv. t. 259 (1820).
Colla in Mem. Accad. Sc. Torino, xxxi. 338, t. 12 (1827).
*Drapiez, Herb. Amat. Fl. viii. t. 591 (1835).
polyantha Hort. (5)
Bull. Soc. Tosc. Ortic. xxviii. 39 (1903).
—— **hybrida** Hort.
*Jardin, xvi. 168 (1902).
—— **radiata nana** Hort. (5)
Möllers Deutsche Gärtn.-Zeit. xxvii. 301, 302 (1912).
populifolia L'Hér. (5)
*Ventenat, Jard. Malm. t. 100 (1803).
*J. W. Loudon, Ladies' Fl.-Gard. Ornam. Greenh. Pl. t. 36 (1848).
praecox Cav. (5)
Cavanilles, Ic. iii. t. 244 (1794).
*De Candolle, Pl. Rares Genève, t. 7 (1829).
pratensis Hoppe (5)
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xxix. t. 3077 (1887).
—— **discoidea** Reichb. (5)
Reichenbach, Pl. Crit. ii. t. 109 (1824).
Mutel, Fl. Française, t. 28 (1834).
—— **radiata** Reichb. (5)
Reichenbach, Pl. Crit. ii. t. 108 (1824).
Mutel, Fl. Française, t. 28 (1834).—*Fl.*
pyramidata Hort. (5)
Wien. Ill. Gart.-Zeit. xiv. 291 (1889).
×radiata Hort. (5)
Jardin, xx. 29 (1906).
ramentosa L'Hér. (5)
*Ventenat, Jard. Malm. t. 101 (1803).
rivularis Waldst. & Kit. (5)
*Waldstein & Kit. Pl. Rar. Hung. iii. t. 239 (1812).
Reichenbach, Pl. Crit. ii. t. 105 (1824).
robusta Ledeb. (5)
*Ledebour, Ic. Pl. Ross. iv. t. 354 (1833).
Saxifraga DC. (2)
Garten-Zeit. Berlin, ii. 53 (1883).
Schkuhrii Reichb. (5)
Reichenbach, Pl. Crit. ii. t. 106 (1824).
sibirica Linn. (5)
*Lapeyrouse, Fig. Pl. Pyrén. i. t. 5 (1795).
*Waldstein & Kit. Pl. Rar. Hung. i. t. 16 (1802).
*Bot. Mag. xliv. t. 1869 (1816).
spathulifolia C. C. Gmel. (5)
*Sturm, Deutschl. Fl. x. XL [t. 638] (1817); fide xvii. LXXVI. Übers. 24 (1839).
Reichenbach, Pl. Crit. ii. t. 126 (1824).
Mutel, Fl. Française, t. 28 (1834).
*Zenker, Fl. Thüringen, vi. t. 664 (1836–55).
Willkomm, Führ. Reich Pflanzen, 385 (1882).—*Fr.*

CINERARIA
spathulifolia
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xxix. t. 3080 (1887).
Merino, Fl. Galicia, ii. 391 (1906).
speciosa Schrad. (5)
*Bot. Reg. x. t. 812 (1824).
*J. W. Loudon, Ladies' Fl.-Gard. Ornam. Perenn. ii. t. 54 (1844).
spinulosa Lam. (2)
Lamarck, Ill. iv. t. 675, fig. 3 (1797).
splendens Hort. (5)
*Floricult. Cab. viii. 112 (1840) in ic.; *C. elegans* in textu.
×stellata Hort. (5)
*Garden, liv. 304 (1898).
Journ. Roy. Hort. Soc. London, xxvi. 591 (1901).—*Hab.*
Gard. Chron. Ser. III. xxxii. 248 (1902).—*Hab.*
Journ. Roy. Hort. Soc. London, xxviii. Proc. p. cxii (1903–4).
Tribune Hort. iv. t. 153 (1909).—*Fl.*
Horticulture (Boston), ix. 521 (1909); xii. 663 (1910); xxxi. 429 (1920).—*Hab.*
L. H. Bailey, Stand. Cycl. Hort. 772 (1914).
sudetica Koch (5)
Reichenbach, Pl. Crit. ii. t. 102 (1824).
thyrsoidea Ledeb. (5)
*Ledebour, Ic. Pl. Ross. ii. t. 157 (1830).
Tussilaginis L'Hér. (5)
*Bot. Mag. lx. t. 3215 (1833).
viscosa L'Hér. (2)
*Jacquin, Fragm. t. 7 (1809).
×Waterhousiana Paxt. (5)
*Paxt. Mag. iv. 219 (1838).
*Journ. Jard. 1839, p. 57.
×Webberiana Paxt. (5)
*Paxt. Mag. ix. 125 (1842).
Webbii Hort. (5)
Neubert's Deutsch. Gart. Mag. 1861, p. 256.
×—— hybrida Hort. (5)
*Neubert's Deutsch. Gart. Mag. 1861, p. 225.

CINNA Linn.
arundinacea Linn.
*Schreber, Beschr. Gräser, ii. t. 49 (1810).
P. Beauvais, Agrost. t. 7, fig. 12 (1812).—*Fl.*
Trans. Wisconsin State Agric. Soc. 1853, iii. t. 1 (1854).—*Fl.*
A. Gray, Man. Bot. N.U. States, Ed. 4, t. 2 (1862).
Rep. Commissioner Agric. Washington, 1879, p. 358, t. 24, 27 (1880).
Vasey, Agric. Grasses U.S.A. (U.S. Dep. Agric.), t. 58 (1884); et Agric. Grasses & Forage Pl. U.S.A. (U.S. Dep. Agric. Bot. Div. Spec. Bull.), t. 50 (1889).
Lamson-Scribner in Bull. Tennessee Agric. Exp. St. vii. No. 1, t. 24 (1894).
Britton & Brown, Ill. Fl. N. States & Canada, i. 158 (1896); Ed. 2, i. 202 (1913).
U.S. Dep. Agric. Div. Agrost. Bull. No. 7, p. 152 (1897); No. 20, p. 79 (1900).
Pammel & Ball in Iowa Geol. Surv. Suppl. Rep. 1903, p. 165 (1904).
Stone, Pl. Southern New Jersey (Ann. Rep. New Jersey State Mus. 1910), t. 12 (1911).
Rhodora, xiii. t. 85 (1911).
Wilcox, Link & Pool in Bull. Agric. St. Nebraska, xxvii. No. 148, p. 29 (1915).—*Fl.*
U.S. Dep. Agric. Bull. No. 772, p. 134 (1920).
Bolanderi Scribn.
U.S. Dep. Agric. Div. Agrost. Bull. No. 17, p. 180 (1899).
latifolia Griseb.
Britton & Brown, Ill. Fl. N. States & Canada, i. 158 (1896); Ed. 2, i. 202 (1913).
U.S. Dep. Agric. Div. Agrost. Bull. No. 17, p. 181 (1899).
Wilcox, Link & Pool in Bull. Agric. St. Nebraska, xxvii. No. 148, p. 29 (1915).—*Fl.*
mexicana P. Beauv.
Ettingshausen in Sitzb. Akad. Wiss. Wien, lii. 1. t. 1 (1866).—*Veg.*
Flora, lxxvi. t. 2, fig. 33 (1892).—*Fr.*
ovata Kunth
Kunth, Enum. Pl. i. II. t. 13 (1835).

CINNA
ovata
Ann. Rep. Agric. Victoria, ii. t. 15 (1874).
pendula Trin.
Lamson-Scribner in Bull. Tennessee Agric. Exp. St. vii. No. 1, t. 24 (1894).
Pammel & Ball in Iowa Geol. Surv. Suppl. Rep. 1903, p. 167 (1904).
Blytt, Haandb. Norg. Fl. Ed. Dahl, 75 (1906).
Fedtschenko & Fler. Fl. Eur. Russia, 91 (1910).
racemosa Kunth
Ettingshausen in Sitzb. Akad. Wiss. Wien, lii. 1. t. 3 (1866).—*Veg.*
sobolifera Link
Husnot, Gram. t. 10 (1896–99).

CINNAGROSTIS Griseb.
polygama Griseb.
Grisebach Pl. Lorent. (Abh. Ges. Wiss. Göttingen, xix) tab. fig. 7 (1874).—*Fl.*

CINNAMODENDRON Endl.
axillare Endl.
Miers, Contrib. Bot. i. t. 24 (1851–61).
Mart. Fl. Bras. xiii. 1. t. 105 (1871).
corticosum Miers
Miers, Contrib. Bot. i. t. 24 (1851–61).
*Schnizlein, Iconogr. iii. t. 216 (1866–70).
Mart. Fl. Bras. xiii. 1. t. 105 (1871).—*Fr.*
*Bot. Mag. c. t. 6120 (1874).
*Bentley & Trim., Med. Pl. i. t. 27 (1876).
Baillon, Traité Bot. Méd. Phan. i. 510 (1883).
Baillon, Dict. Bot. iv. 285 (1891).
Dinisii Schwacke
Schwacke, Pl. Nov. Mineiras, i. t. 1 (1898).
macranthum Baill.
Pflanzenfam. iii. VI. 318 (1895).—*Fl.*

CINNAMOMUM Bl.—Vide *Camphora*
acuminatifolium Hayata
Hayata, Ic. Pl. Formosan. v. 153 (1915).—*Veg.*
acuminatissimum Hayata
Hayata, Ic. Pl. Formosan. v. 153 (1915).—*Veg.*
africanum Lukm.
Lukmanoff, Nomenc. Ic. Cannell. & Camphr. t. 6, fig. 46 (1889).—*Veg.*
alatum Lukm.
Lukmanoff, Nomenc. Ic. Cannell. & Camphr. t. 12, fig. 120 (1889).—*Veg.*
albiflorum Nees
Blume, Rumphia, i. t. 14 (1835).
Wight, Ic. Pl. Ind. Or. i. t. 140 (1839).
Lukmanoff, Nomenc. Ic. Cannell. & Camphr. t. 7, fig. 62 (1889).—*Veg.*
Lecomte, Fl. Gén. Indo-Chine, v. 114 (1914).—*Fl.*
Alibertii Lukm.
Lukmanoff, Nomenc. Ic. Cannell. & Camphr. t. 14, fig. 147 (1889).—*Veg.*
Ammannii Lukm.
Lukmanoff, Nomenc. Ic. Cannell. & Camphr. t. 5, fig. 43 (1889).—*Veg.*
Andersonii Lukm.
Lukmanoff, Nomenc. Ic. Cannell. & Camphr. t. 10, fig. 90 (1889).—*Veg.*
angustifolium Lukm.
Lukmanoff, Nomenc. Ic. Cannell. & Camphr. t. 13, fig. 133 (1889).—*Veg.*
arenosum Nees
Nees, Cinnam. Disput. t. 6, fig. 4 (1823).—*Veg.*
aromaticum Nees
Wight, Ic. Pl. Ind. Or. i. t. 136 (1839).
*Berg & Schmidt, Darst. u. Beschr. Offiz. Gew. i. t. 5, d (1858).
Berg, Charakt. t. 26, fig. 210 (1861) in ic.; *C. Cassia* in textu.—*Fl.*
Lukmanoff, Nomenc. Ic. Cannell. & Camphr. t. 8, fig. 76 (1889).—*Veg.*
Asa-Grayi Lukm.
Lukmanoff, Nomenc. Ic. Cannell. & Camphr. t. 7, fig. 56 (1889).—*Veg.*
assamicum Lukm.
Lukmanoff, Nomenc. Ic. Cannell. & Camphr. t. 9, fig. 80 (1889).—*Veg.*
Aubletii Lukm.
Lukmanoff, Nomenc. Ic. Cannell. & Camphr. t. 13, fig. 129 (1889).—*Veg.*

CINNAMOMUM
Bahianum Lukm.
Lukmanoff, Nomenc. Ic. Cannell. & Camphr. t. 4, fig. 32 (1889).—*Veg.*
Baillonii Lukm.
Lukmanoff, Nomenc. Ic. Cannell. & Camphr. t. 8, fig. 72 (1889).—*Veg.*
bamoënse Lukm.
Lukmanoff, Nomenc. Ic. Cannell. & Camphr. t. 11, fig. 105 (1889).—*Veg.*
Barlowii Lukm.
Lukmanoff, Nomenc. Ic. Cannell. & Camphr. t. 13, fig. 124 (1889).—*Veg.*
bartheifolium Hayata
Hayata, Ic. Pl. Formosan. v. 156 (1915).—*Veg.*
Beccarii Lukm.
Lukmanoff, Nomenc. Ic. Cannell. & Camphr. t. 14, fig. 150 (1889).—*Veg.*
Blumei Lukm.
Lukmanoff, Nomenc. Ic. Cannell. & Camphr. t. 5, fig. 37 (1889).—*Veg.*
Bodinieri Léveillé
Léveillé, Cat, Ill. Pl. Seu Tchouen, t. 45 (1918).
Bonii Lecomte
Lecomte, Fl. Gén. Indo-Chine, v. 114 (1914).—*Fr.*
borneense Lukm.
Lukmanoff, Nomenc. Ic. Cannell. & Camphr. t. 7, fig. 58 (1889).—*Veg.*
Brongniartii Lukm.
Lukmanoff, Nomenc. Ic. Cannell. & Camphr. t. 6, fig. 54 (1889).—*Veg.*
Brownei Lukm.
Lukmanoff, Nomenc. Ic. Cannell. & Camphr. t. 7, fig. 68 (1889).—*Veg.*
Bureaui Lukm.
Lukmanoff, Nomenc. Ic. Cannell. & Camphr. t. 9, fig. 82 (1889).—*Veg.*
Burmannii Bl.
Lukmanoff, Nomenc. Ic. Cannell. & Camphr. t. 10, fig. 88 (1889).—*Veg.*
Proc. Linn. Soc. N. S. Wales, xxv. IV. t. 37 (1901).—*Veg.*
Staub, Gesch. Gen. Cinnamom. t. 1, 2 (1905).—*Veg.*
Koorders & Val. Atlas Baumart. Java, t. 206 (1913).
—— **chinense** DC.
*Blanco, Fl. Filip. t. 115 (1878–80).
Calleryi Lukm.
Lukmanoff, Nomenc. Ic. Cannell. & Camphr. t. 12, fig. 122 (1889).—*Veg.*
Camphora Nees & Eberm.
Berchtold & J. S. Presl, Rostlin. ii. t. 8 (1825).
J. C. Loudon, Arbor. & Frutic. Brit. iii. 1305 (1838).
Paxt. Mag. xvi. 244 (1849).
Ettingshausen, Blatt-Skel. Dikot. t. 17, 18 (1861).—*Veg.*
Baillon, Hist. Pl. ii. 432 (1870).
Ettingshausen in Denkschr. Akad. Wiss. Wien, xxxvii. t. 22, fig. 1, 2 (1877).—*Veg.*
*Bentley & Trim. Med. Pl. iii. t. 222 (1878).
Dai-Nihon Ju-moku Shi-riyaku (Jap. Trees Fig. & Expl.), t. 49 (1878).—*Veg.*
Baillon, Dict. Bot. i. 595 (1878).—*Hab.*
Gartenfl. xxix. 52 (1880).
Baillon, Traité Bot. Méd. Phan. i. 688 (1883).
*Köhler, Med. Pfl. i [t. 46] (1887).
Dujard.-Beaumetz & Egasse, Pl. Med. 191 (1889).
Pflanzenfam. iii. II. 113 (1889).—*Fl.*
*Useful Pl. Jap. ii. t. 553 (1895).
U.S. Dep. Agric. Div. Bot. Circ. No. 12, p. 1 (1897).
Amer. Journ. Pharm. lxix. 507 (1897).
Tropenpfl. ii. 88 (1898).
Bellair & St.-Léger, Pl. Serre, 535 (1900).
*Shirasawa, Ic. Ess. Forest. Jap. i. t. 43 (1900).
*De Janville, Pl. Utiles Pays Chauds, t. 37 (1902).
!Staub, Gesch. Gen. Cinnamom. t. 1, 3, 4, 5 (1905).—*Veg.*
Sim, Tree Planting Natal, fig. 43, 83 (1905).—*Hab.*
Miyoshi, Atlas Jap. Veg. t. 80 (1908).—*Hab.*

CINNAMOMUM
Camphora
Rhodesian Agric. Journ. vi. III. 258 (1909).—*Hab.*
Beille, Bot. Pharm. ii. 328, 329 (1909).
Forest. Jap. 56 (1910).—*Hab.*
L. Reinhardt, Kulturgesch. Nutzpfl. (Erde und Kultur), iv. t. 130 (1911).—*Hab.*
Wilson, Veg. West. China (Publ. Arn. Arb. No. 2), p. 164, 165 (1911).—*Hab.*
Miyabe-Festschrift, t. 28, fig. 3 (1911).—*Veg.*
Wilson, Arn. Arb. Exped. China, 1910–11, t. 0229 (1912).—*Hab.*
*Strasburger, Text-Book Botany, Ed. Angl. 4, p. 585 (1912).
Lecomte, Fl. Gén. Indo-Chine, v. 114 (1914).
Pflanzer, x. Beih. No. 3, t. 6 (1914).—*Hab.*
Tschirch, Handb. Pharmakog. ii. 1111 (1914); ii. 1263 (1917).
Longo, Ort. Bot. Siena, 23 (1915).—*Hab.*
Seiroku Honda, Journ. Coll. Agric. Tokio, vi. No. 1, t. 1, 2 (1915).—*Hab.*
Nihon-zyûyô-mokuchiku-zuhyô (Tabl. Japan. Trees & Bamb. Forest Bur.), fig. 39 (1916).
Prudhomme, Pl. Utiles Pays Chauds, t. 62, 63 (1920).—*Hab.*
camphoratum Bl.
Nees, Cinnam. Disput. t. 6, fig. 3 (1823).—*Veg.*
Blume, Rumphia, i. t. 14 (1835).—*Veg.*
Lukmanoff, Nomenc. Ic. Cannell. & Camphr. t. 13, fig. 125 (1889).—*Veg.*
Staub, Gesch. Gen. Cinnamom. t. 3 (1905).—*Fl.*
capparu-coronde Bl.
Blume, Rumphia, i. t. 9 (1835).—*Veg.*
Carrierii Lukm.
Lukmanoff, Nomenc. Ic. Cannell. & Camphr. t. 11, fig. 106 (1899).—*Veg.*
Cassia Bl.
Berchtold & J. S. Presl, Rostlin. ii. t. 6 (1825).
*Hayne, Getreue Darst. Arzn. Gewächse, xii. t. 23 (1833).
Paxt. Mag. xvi. 244 (1849).
Berg, Charakt. t. 26, fig. 210 (1861) in textu; *C. aromaticum* in ic.—*Fl.*
*Bentley & Trim. Med. Pl. iii. t. 223 (1879).
*Köhler, Med. Pfl. i. [t. 47] (1887).
Lukmanoff, Nomenc. Ic. Cannell. & Camphr. t. 8, fig. 74 (1889).—*Veg.*
Tschirch, Ind. Heil- & Nutzpfl. t. 59 (1892).—*Hab.*
*Kohl, Off. Pfl. Pharm. Germ. t. 36 (1895).
Sim, Tree Planting Natal, fig. 69 (1905).—*Hab.*
Staub, Gesch. Gen. Cinnamom. t. 1 (1905).—*Veg.*
Lecomte, Fl. Gén. Indo-Chine, v. 114 (1914).—*Veg.*
caudatifolium Hayata
Hayata, Ic. Pl. Formosan. v. 156 (1915).—*Veg.*
caudatum Nees
Lukmanoff, Nomenc. Ic. Cannell. & Camphr. t. 11, fig. 101 (1889).—*Veg.*
Cecidodaphne Meissn.
Staub, Gesch. Gen. Cinnamom. t. 2, 3 (1905).—*Veg.*
ceylanicum Breyn.
Rheede, Hort. Mal. i. t. 57 (1678); fide Hasskarl, Hort. Mal. Rheed. Clavis, 16.
Wight, Ic. Pl. Ind. Or. i. t. 123, 134 (1839).
*Carson, Ill. Med. Bot. ii. t. 75 (1847).
*Archer, Pop. Econ. Bot. et Profitable Pl. t. 3, fig. 13 (1853).
*Berg & Schmidt, Darst. u. Beschr. Offiz. Gew. i. t. 5, c (1858).
Ettingshausen in Denkschr. Akad. Wiss. Wien, xv. t. 30, fig. 11 (1858).—*Veg.*
Ettingshausen, Blatt-Skel. Dikot. t. 18 (1861).—*Veg.*
*Artus, Atlas Pharm. Deutschl. Aufg. Offic. Gew. t. 218 [1862–74].
*Schubert, Naturg., Pflanzenreich, Ed. 2, t. 20, fig. 10 [1865].
Baillon, Hist. Pl. ii. 429, 430 (1870).
Rep. Commissioner Agric. Washington, 1870, p. 200, t. 6 (1871).
*Bentley & Trim. Med. Pl. iii. t. 224 (1875).

CINNAMOMUM
ceylanicum
Baillon, Dict. Bot. i. 210 (1877); ii. 51 (1879).
Baillon, Traité Bot. Méd. Phan. i. 680, 681 (1883).
Schilling, Grundr. Naturg. ii. Pflanzenr. Ausgb. B, p. 171 (1884).
*Köhler, Med. Pfl. i [t. 48] (1887).
Dujard.-Beaumetz & Égasse, Pl. Méd. 146 (1889).
Pflanzenfam. iii. 11. 108, 113 (1889).
Kerner, Pflanzenleben, ii. 703 (1891).—*Fl.*
Tschirch, Ind. Heil- & Nutzpfl. t. 51 (1892).—*Hab.*
Karsten, Fl. Deutschl. ii. 33 (1895).
*Kohl, Off. Pfl. Pharm. Germ. t. 35 (1895).
Kerner & Oliv. Nat. Hist. Pl. ii. 753 (1895).—*Fl.*
Sadebeck, Kulturg. Deutsch. Kolon. Erzeugn. 192 (1899).—*Fl.*
*Zippel, Ausländ. Kulturpfl. Atl. Ed. 4, Abt. 1, t. 10 (1899).
Bellair & St. Léger, Pl. Serre, 536 (1900).
*De Janville, Pl. Utiles Pays Chauds, t. 16 (1902).
Warming, Handb. Syst. Bot. Ed. Möbius, 292 (1902).—*Fl.*
Pharm. Journ. Ser. IV. xviii. 263 (1904).
Flora, xcv. 70, t. 1 (1905).—*Veg.*
Staub, Gesch. Gen. Cinnamom. t. 3 (1905).
Velenovsky, Vergl. Morphol. Pfl. ii. 293 (1907).—*Veg.*
Charabot, Prod. Vég. Col. Franç. 133 (1908).
Beille, Bot. Pharm. ii. 332 (1909).
H. F. Macmillan, Handb. Trop. Garden. & Plant. 233 (1910).—*Hab.*
Journ. Roy. Hort. Soc. London, xxxv. 376, fig. 133 (1910).
Pammel, Man. Poison. Pl. 477 (1911).
Talbot, For. Fl. Bombay, ii. 388 (1911).
Tribune Hort. vi. t. 226 (1911).—*Hab.*
L. Reinhardt, Kulturgesch. Nutzpfl. (Erde und Kultur), iv. 1. 565, t. 75 (1911).
Capus & Bois, Prod. Colon. 260 (1912).
Bull. Agric. Congo Belge, iv. 194 (1913).—*Hab.*
Tschirch, Handb. Pharmakog. ii. 1278 (1917).—*Veg.*
Youngken, Pharm. Bot. Ed. 2, p. 279 (1918).
Basu Ind. Med. Pl. t. 830 (1918).
Van Gorkom, Oost- Ind. Cult. Ed. 2, iii. 401–3 (1919).
Prudhomme, Pl. Utiles Pays Chauds, t. 18, 19 (1920).

—— **antillarum** Lukm.
Lukmanoff, Nomenc. Ic. Cannell. & Camphr. t. 3, fig. 20 (1889).—*Veg.*

—— **Barthii** Lukm.
Lukmanoff, Nomenc. Ic. Cannell. & Camphr. t. 3, fig. 13 (1889).—*Veg.*

—— **bengalense** Lukm.
Lukmanoff, Nomenc. Ic. Cannell. & Camphr. t. 3, fig. 21 (1889).—*Veg.*

—— **biafranum** Lukm.
Lukmanoff, Nomenc. Ic. Cannell. & Camphr. t. 3, fig. 19 (1889).—*Veg.*

—— **Bonplandii** Lukm.
Lukmanoff, Nomenc. Ic. Cannell. & Camphr. t. 4, fig. 24 (1889).—*Veg.*

—— **Boutonii** Lukm.
Lukmanoff, Nomenc. Ic. Cannell. & Camphr. t. 2, fig. 3 (1889).—*Veg.*

—— **capense** Lukm.
Lukmanoff, Nomenc. Ic. Cannell. & Camphr. t. 3, fig. 16 (1889).—*Veg.*

—— **Cassia** Nees
*Nees, Pl. Offic. Suppl. t. 24 (1833).

—— **cayennense** Lukm.
Lukmanoff, Nomenc. Ic. Cannell. & Camphr. t. 2, fig. 10 (1889).—*Veg.*

—— **Commersonii** Lukm.
Lukmanoff, Nomenc. Ic. Cannell. & Camphr. t. 2, fig. 12 (1889).—*Veg.*

—— **cordifolium** Hayne
*Hayne, Getreue Darst. Arzn. Gewächse, xii. t. 21 (1833).
Lukmanoff, Nomenc. Ic. Cannell. & Camphr. t. 2, fig. 7 (1889).—*Veg.*

CINNAMOMUM
ceylanicum De Candollei Lukm.
Lukmanoff, Nomenc. Ic. Cannell. & Camphr. t. 3, fig. 18 (1889).—*Veg.*

—— **Delessertii** Lukm.
Lukmanoff, Nomenc. Ic. Cannell. & Camphr. t. 2, fig. 9 (1889).—*Veg.*

—— **ellipticum** Lukm.
Lukmanoff, Nomenc. Ic. Cannell. & Camphr. t. 3, fig. 22 (1889).—*Veg.*

—— **erectum** Lukm.
Lukmanoff, Nomenc. Ic. Cannell. & Camphr. t. 4, fig. 25 (1889).—*Veg.*

—— **Humboldtii** Lukm.
Lukmanoff, Nomenc. Ic. Cannell. & Camphr. t. 4, fig. 29 (1889).—*Veg.*

—— **Leschenaultii** Lukm.
Lukmanoff, Nomenc. Ic. Cannell. & Camphr. t. 4, fig. 31 (1889).—*Veg.*

—— **madrassicum** Lukm.
Lukmanoff, Nomenc. Ic. Cannell. & Camphr. t. 4, fig. 26 (1889).—*Veg.*

—— **mauritianum** Lukm.
Lukmanoff, Nomenc. Ic. Cannell. & Camphr. t. 2, fig. 2 (1889).—*Veg.*

—— **Meissneri** Lukm.
Lukmanoff, Nomenc. Ic. Cannell. & Camphr. t. 3, fig. 17 (1889).—*Veg.*

—— **ovatum** Lukm.
Lukmanoff, Nomenc. Ic. Cannell. & Camphr. t. 2, fig. 4 (1889).—*Veg.*

—— **Pallasii** Lukm.
Lukmanoff, Nomenc. Ic. Cannell. & Camphr. t. 4, fig. 28 (1889).—*Veg.*

—— **Pléei** Lukm.
Lukmanoff, Nomenc. Ic. Cannell. & Camphr. t. 3, fig. 15 (1889).—*Veg.*

—— **Pourretii** Lukm.
Lukmanoff, Nomenc. Ic. Cannell. & Camphr. t. 3, fig. 14 (1889).—*Veg.*

—— **Regelii** Lukm.
Lukmanoff, Nomenc. Ic. Cannell. & Camphr. t. 4, fig. 23 (1889).—*Veg.*

—— **Roxburghii** Lukm.
Lukmanoff, Nomenc. Ic. Cannell. & Camphr. t. 4, fig. 30 (1889).—*Veg.*

—— **Sieberi** Lukm.
Lukmanoff, Nomenc. Ic. Cannell. & Camphr. t. 2, fig. 5 (1889).—*Veg.*

—— **Sonneratii** Lukm.
Lukmanoff, Nomenc. Ic. Cannell. & Camphr. t. 2, fig. 11 (1889).—*Veg.*

—— **Vaillantii** Lukm.
Lukmanoff, Nomenc. Ic. Cannell. & Camphr. t. 2, fig. 8 (1889).—*Veg.*

—— **variabile** Lukm.
Lukmanoff, Nomenc. Ic. Cannell. & Camphr. t. 2, fig. 6 (1889).—*Veg.*

—— **vulgare** Hayne
*Hayne, Getreue Darst. Arzn. Gewächse, xii. t. 20 (1833).

—— **Wightii** DC.
Beddome, Fl. Sylv. t. 262 (1872).

—— **Wolkensteinii** Lukm.
Lukmanoff, Nomenc. Ic. Cannell. & Camphr. t. 4, fig. 27 (1889).—*Veg.*

—— **Zollingeri** Lukm.
Lukmanoff, Nomenc. Ic. Cannell. & Camphr. t. 2, fig. 1 (1889).—*Veg.*

Chantinii Lukm.
Lukmanoff, Nomenc. Ic. Cannell. & Camphr. t. 13, fig. 132 (1889).—*Veg.*

Cinnamomum Karst.
Karsten, Deutsche Fl. Pharm.-medic. Bot. 503 (1880–83).—*Fl.*
Karsten, Fl. Deutschl. i. 32, 33 (1895).

citriodorum Thw.
Staub, Gesch. Gen. Cinnamom. t. 2, 3 (1905).

culilawan Bl.
Rumphius, Herb. Amboin. ii. t. 14 (1743); fide Merrill, Interpret. Rumph. Herb. Amboin.
*Nees, Pl. Offic. Suppl. t. 26 (1833).
*Hayne, Getreue Darst. Arzn. Gewächse, xii. t. 25 (1833).
Blume, Rumphia, i. t. 9, 10, 20 (1835).
Wight, Ic. Pl. Ind. Or. i. t. 137 (1839).

CINNAMOMUM
culilawan
Lukmanoff, Nomenc. Ic. Cannell. & Camphr. t. 7, fig. 71 (1889).—*Veg.*

culitlawan = *culilawan*

Curtisii Lukm.
Lukmanoff, Nomenc. Ic. Cannell. & Camphr. t. 14, fig. 149 (1889).—*Veg.*

daphnoides Sieb. & Zucc.
Lukmanoff, Nomenc. Ic. Cannell. & Camphr. t. 14, fig. 140 (1889).—*Veg.*

Decaisnei Lukm.
Lukmanoff, Nomenc. Ic. Cannell. & Camphr. t. 5, fig. 36 (1889).—*Veg.*

Decourtilzii Lukm.
Lukmanoff, Nomenc. Ic. Cannell. & Camphr. t. 14, fig. 146 (1889).—*Veg.*

Donii Lukm.
Lukmanoff, Nomenc. Ic. Cannell. & Camphr. t. 12, fig. 110 (1889).—*Veg.*

dubium Nees
Wight, Ic. Pl. Ind. Or. i. t. 135 (1839).

dulce Nees
Wight, Ic. Pl. Ind. Or. i. t. 138 (1839).
*Schnizlein, Iconogr. ii. t. 106 (1849).
Lukmanoff, Nomenc. Ic. Cannell. & Camphr. t. 5, fig. 40 (1889).—*Veg.*

eucalyptoides Nees
*Nees, Pl. Offic. Suppl. t. 27 (1833).

Fargesii Lecomte
Nouv. Arch. Mus. Hist. Nat. Paris, Ser. V. v. t. 3 (1913).

Fischeri Lukm.
Lukmanoff, Nomenc. Ic. Cannell. & Camphr. t. 12, fig. 115 (1889).—*Veg.*

floridum Nees
Nees, Cinnam. Disput. t. 6, fig. 9 (1823).—*Veg.*

Gaudichaudii Lukm.
Lukmanoff, Nomenc. Ic. Cannell. & Camphr. t. 13, fig. 136 (1889).—*Veg.*

glabrum Hort.
Ettingshausen in Denkschr. Akad. Wiss. Wien, xv. t. 30, fig. 8 (1858).—*Veg.*
Ettingshausen, Blatt-Skel. Dikot. t. 18 (1861).—*Veg.*

glanduliferum Meissn.
Staub, Gesch. Gen. Cinnamom. t. 2 (1905).—*Veg.*
Basu, Ind. Med. Pl. t. 830 (1918).

Goeringii Lukm.
Lukmanoff, Nomenc. Ic. Cannell. & Camphr. t. 12, fig. 119 (1889).—*Veg.*

Griffithii Meissn.
Lukmanoff, Nomenc. Ic. Cannell. & Camphr. t. 13, fig. 130 (1889).—*Veg.*

guianense Lukm.
Lukmanoff, Nomenc. Ic. Cannell. & Camphr. t. 8, fig. 73 (1889).—*Veg.*

Helferi Lukm.
Lukmanoff, Nomenc. Ic. Cannell. & Camphr. t. 12, fig. 111 (1889).—*Veg.*

Heudelotii Lukm.
Lukmanoff, Nomenc. Ic. Cannell. & Camphr. t. 5, fig. 44 (1889).—*Veg.*

Hookeri Lukm.
Lukmanoff, Nomenc. Ic. Cannell. & Camphr. t. 7, fig. 69 (1889).—*Veg.*

Houlttii Lukm.
Lukmanoff, Nomenc. Ic. Cannell. & Camphr. t. 7, fig. 59 (1889).—*Veg.*

iners Reinw.
*Blume, Rumphia, i. t. 17, 18 (1835).
Wight, Ic. Pl. Ind. Or. i. t. 122, 122 bis, 130 (1839).
Schnizlein, Iconogr. ii. t. 106 (1849).—*Fr.*
Lukmanoff, Nomenc. Ic. Cannell. & Camphr. t. 13, fig. 131 (1889).—*Veg.*
Staub, Gesch. Gen. Cinnamom. t. 15 (1905).—*Veg.*
Koorders & Val. Atlas Baumart. Java, t. 207 (1913).
Basu, Ind. Med. Pl. t. 828, 829 (1918).
A. P. West & W. H. Brown in Bull. Philip. Isl. Dep. Agric. Bur. Forestry, No. 20, p. 197 (1920).

CINNAMOMUM
iners subvenosum Meissn.
Vidal, Sin. Fam. & Gen. Pl. Leñ. Filip. (Introd. Fl. For. Filip.), Atlas, t. 78, fig. A (1883).
Staub, Gesch. Gen. Cinnamom. t. 1 (1905).—*Veg.*
insulari-montanum Hayata
Hayata, Ic. Pl. Formosan. v. 156 (1915).—*Veg.*
Jacquei Lukm.
Lukmanoff, Nomenc. Ic. Cannell. & Camphr. t. 12, fig. 116 (1889).—*Veg.*
Jacquemontii Lukm.
Lukmanoff, Nomenc. Ic. Cannell. & Camphr. t. 10, fig. 91 (1889).—*Veg.*
javanicum Bl.
Lukmanoff, Nomenc. Ic. Cannell. & Camphr. t. 11, fig. 107 (1889).—*Veg.*
Koorders & Val. Atlas Baumart. Java, t. 208 (1913).
Jussieui Lukm.
Lukmanoff, Nomenc. Ic. Cannell. & Camphr. t. 7, fig. 66 (1889).—*Veg.*
Kanahirai Hayata
Hayata, Ic. Pl. Formosan. v. 156 (1915).—*Veg.*
Kanehira, Formosan Trees, 424 (1917).
karrouwa Lukm.
Lukmanoff, Nomenc. Ic. Cannell. & Camphr. t. 6, fig. 53 (1889).—*Veg.*
khasianum Lukm.
Lukmanoff, Nomenc. Ic. Cannell. & Camphr. t. 11, fig. 96 (1889).—*Veg.*
kiamis Nees
Lukmanoff, Nomenc. Ic. Cannell. & Camphr. t. 12, fig. 121 (1889).—*Veg.*
ligneum Lukm.
Lukmanoff, Nomenc. Ic. Cannell. & Camphr. t. 9, fig. 83 (1889).—*Veg.*
Lindenii Lukm.
Lukmanoff, Nomenc. Ic. Cannell. & Camphr. t. 11, fig. 102 (1889).—*Veg.*
Lindleyi Lukm.
Lukmanoff, Nomenc. Ic. Cannell. & Camphr. t. 7, fig. 64 (1889).—*Veg.*
Linnéi Lukm.
Lukmanoff, Nomenc. Ic. Cannell. & Camphr. t. 12, fig. 113 (1889).—*Veg.*
litseifolium Thw.
Lukmanoff, Nomenc. Ic. Cannell. & Camphr. t. 12, fig. 108 (1889).—*Veg.*
Nouv. Arch. Mus. Hist. Nat. Paris, Ser. V. v. t. 4 (1910).
Lecomte, Fl. Gén. Indo-Chine, v. 114, t. 3 (1914).
longicarpum Kanehira
Kanehira, Formosan Trees, 425 (1917).
longifolium Lukm.
Lukmanoff, Nomenc. Ic. Cannell. & Camphr. t. 8, fig. 77 (1889).—*Veg.*
Loureiroi Nees
Kwa-wi [transl. Savatier], Arbor. ii. t. 25 (1759).
Lukmanoff, Nomenc. Ic. Cannell. & Camphr. t. 5, fig. 39 (1889).—*Veg.*
*Useful Pl. Jap. ii. t. 454 (1895).
Lowii Lukm.
Lukmanoff, Nomenc. Ic. Cannell. & Camphr. t. 12, fig. 112 (1889).—*Veg.*
Lucienii Lukm.
Lukmanoff, Nomenc. Ic. Cannell. & Camphr. t. 13, fig. 134 (1889).—*Veg.*
Luddemannii Lukm.
Lukmanoff, Nomenc. Ic. Cannell. & Camphr. t. 9, fig. 84 (1889).—*Veg.*
Luebersii Lukm.
Lukmanoff, Nomenc. Ic. Cannell. & Camphr. t. 14, fig. 137 (1889).—*Veg.*
lunatum Lukm.
Lukmanoff, Nomenc. Ic. Cannell. & Camphr. t. 8, fig. 78 (1889).—*Veg.*
macrostemon Hayata
Hayata, Ic. Pl. Formosan. v. 153 (1915).—*Veg.*
maheanum Lukm.
Lukmanoff, Nomenc. Ic. Cannell. & Camphr. t. 6, fig. 52 (1889).—*Veg.*
Mairei Léveillé
Léveillé, Cat. Ill. Pl. Seu Tchouen, t. 46 (1918).
malabathrum Batka
Rheede, Hort. Mal. v. t. 53 (1685); fide Hasskarl, Hort. Mal. Rheed. Clavis, 45.

CINNAMOMUM
malabathrum
Blume, Rumphia, i. t. 13 (1835).—*Veg.*
Nov. Act. Acad. Nat. Cur. xvii. II. t. 45 (1835).
Ettingshausen in Denkschr. Akad. Wiss. Wien, xv. t. 30, fig. 4 (1858).—*Veg.*
malabatricum Lukm.
Lukmanoff, Nomenc. Ic. Cannell. & Camphr. t. 6, fig. 48 (1889).—*Veg.*
manillarum Lukm.
Lukmanoff, Nomenc. Ic. Cannell. & Camphr. t. 7, fig. 55 (1889).—*Veg.*
martiniquense Lukm.
Lukmanoff, Nomenc. Ic. Cannell. & Camphr. t. 10, fig. 92 (1889).—*Veg.*
Maximowiczii Lukm.
Lukmanoff, Nomenc. Ic. Cannell. & Camphr. t. 14, fig. 145 (1889).—*Veg.*
medium Lukm.
Lukmanoff, Nomenc. Ic. Cannell. & Camphr. t. 8, fig. 75 (1889).—*Veg.*
Mercadoi Vidal
A. P. West & W. H. Brown in Bull. Philip. Isl. Dep. Agric. Bur. Forestry, No. 20, p. 199 (1920).
micranthum Hayata
Hayata, Ic. Pl. Formosan. v. 156, 158 (1915).
Kanehira, Formosan Trees, 427 (1917).—*Veg.*
mindanaënse Elm.
A. P. West & W. H. Brown in Bull. Philip. Isl. Dep. Agric. Bur. Forestry, No. 20, p. 201 (1920).
Morrenii Lukm.
Lukmanoff, Nomenc. Ic. Cannell. & Camphr. t. 13, fig. 128 (1889).—*Veg.*
mucilaginosum Nees
Nees, Cinnam. Disput. t. 6, fig. 5 (1823).—*Veg.*
multiflorum Wight
Wight, Ic. Pl. Ind. Or. i. t. 126 (1839).
mutabile Bl.
Lukmanoff, Nomenc. Ic. Cannell. & Camphr. t. 10, fig. 89 (1889).—*Veg.*
Neesii Lukm.
Lukmanoff, Nomenc. Ic. Cannell. & Camphr. t. 10, fig. 95 (1889).—*Veg.*
neglectum Bl.
Blume, Rumphia, i. t. 11 (1835).—*Veg.*
Lukmanoff, Nomenc. Ic. Cannell. & Camphr. t. 14, fig. 138 (1889).—*Veg.*
Neumannii Lukm.
Lukmanoff, Nomenc. Ic. Cannell. & Camphr. t. 11, fig. 99 (1889).—*Veg.*
nitidum Hook.
*Hooker, Exot. Fl. iii. t. 176 (1827).
*Hayne, Getreue Darst. Arzn. Gewächse, xii. t. 22 (1833).
*Blume, Rumphia, i. t. 15 (1835).
Lukmanoff, Nomenc. Ic. Cannell. & Camphr. t. 14, fig. 148 (1889).—*Veg.*
—— **oblongifolium** Bl.
Blume, Rumphia, i. t. 16 (1835).—*Veg.*
—— **spurium** Bl.
Blume, Rumphia, i. t. 16 (1835).—*Veg.*
—— **subcuneatum** Bl.
Blume, Rumphia, i. t. 13 (1835).—*Veg.*
nitidum Nees
*Nees, Pl. Offic. Suppl. t. 28 (1833).
Wight, Ic. Pl. Ind. Or. i. t. 124 (1839).
oblongifolium Lukm.
Lukmanoff, Nomenc. Ic. Cannell. & Camphr. t. 7, fig. 67 (1889).—*Veg.*
obovatifolium Hayata
Hayata, Ic. Pl. Formosan. v. 156 (1915).—*Veg.*
obtusifolium Nees
Wight, Ic. Pl. Ind. Or. i. t. 139 (1839).
Lukmanoff, Nomenc. Ic. Cannell. & Camphr. t. 9, fig. 85 (1889).—*Veg.*
Basu, Ind. Med. Pl. t. 827 (1918).
ochraceum Bl.
Blume, Rumphia, i. t. 10 (1835).—*Veg.*
odoratum Lukm.
Lukmanoff, Nomenc. Ic. Cannell. & Camphr. t. 7, fig. 70 (1889).—*Veg.*
Oliveri F. M. Bailey
Proc. Linn. Soc. N. S. Wales, xxii. II. t. 12 (1897); xxv. IV. t. 37 (1901).—*Veg.*

CINNAMOMUM
Oliveri
F. M. Bailey, Compr. Cat. Queensl. Pl. 434 (1909–13).
Maiden, For. Fl. N. S. Wales, v. t. 158 (1911).
orbiculatum Lukm.
Lukmanoff, Nomenc. Ic. Cannell. & Camphr. t. 5, fig. 35 (1889).—*Veg.*
osmophloeum Kanehira
Kanehira, Formosan Trees, 428 (1917).
ovalifolium Wight
Wight, Ic. Pl. Ind. Or. i. t. 125 (1839).
Lukmanoff, Nomenc. Ic. Cannell. & Camphr. t. 14, fig. 141 (1889).—*Veg.*
De Wildeman, Ic. Sel. Hort. Then. v. t. 189 (1905).
Parthenoxylum Meissn.
Wilson, Veg. West. China (Publ. Arn. Arb. No. 2), 166 (1911).—*Hab.*
Koorders & Val. Atlas Baumart. Java, t. 209 (1913).
Basu, Ind. Med. Pl. t. 831 (1918).
pauciflorum Nees
Lukmanoff, Nomenc. Ic. Cannell. & Camphr. t. 12, fig. 114 (1889).—*Veg.*
Paxtonii Lukm.
Lukmanoff, Nomenc. Ic. Cannell. & Camphr. t. 12, fig. 118 (1889).—*Veg.*
pedatinervium Meissn.
*Seemann, Fl. Vit. t. 48 (1865–73).
pedunculatum Nees
Kaempfer, Ic. Sel. Pl. Jap. t. 51, ex Franch. & Sav. (1791).
Dai-Nihon Ju-moku Shi-ri-yaku (Jap. Trees Fig. & Expl.), t. 50 (1878).
Lukmanoff, Nomenc. Ic. Cannell. & Camphr. t. 12, fig. 123 (1889).—*Veg.*
*Useful Pl. Jap. i. t. 318 (1895).
*Shirasawa, Ic. Ess. Forest. Jap. i. t. 45 (1900).
De Wildeman, Ic. Sel. Hort. Then. ii. t. 64 (1901).
!Staub, Gesch. Gen. Cinnamom. t. 10, 11 (1905).
Kanehira, Formosan Trees, 429 (1917).
perpetuo-florens Burm.
Wight, Ic. Pl. Ind. Or. i. t. 141 (1839).
Perrottetii Meissn.
Lukmanoff, Nomenc. Ic. Cannell. & Camphr. t. 11, fig. 98 (1889).—*Veg.*
Poissonii Lukm.
Lukmanoff, Nomenc. Ic. Cannell. & Camphr. t. 10, fig. 93 (1889).—*Veg.*
propinquum F. M. Bailey
F. M. Bailey, Compr. Cat. Queensl. Pl. 435 (1909–13).
pseudo-Loureirii Hayata
Hayata, Ic. Pl. Formosan. v. 156 (1915).—*Veg.*
Kanehira, Formosan Trees, 430 (1917).
pseudo-Sassafras Meissn.
Staub, Gesch. Gen. Cinnamom. t. 2 (1905).—*Veg.*
randaiense Hayata
Hayata, Ic. Pl. Formosan. v. 153 (1915).—*Veg.*
Kanehira, Formosan Trees, 431 (1917).—*Veg.*
Rauwolffii Bl.
Blume, Rumphia, i. t. 9 (1835).—*Veg.*
Reichenbachii Lukm.
Lukmanoff, Nomenc. Ic. Cannell. & Camphr. t. 44, fig. 144 (1889).—*Veg.*
Reinwardtii Lukm.
Lukmanoff, Nomenc. Ic. Cannell. & Camphr. t. 14, fig. 151 (1889).—*Veg.*
reticulatum Hayata
Hayata, Ic. Pl. Formosan. v. 153 (1915).—*Veg.*
Kanehira, Formosan Trees, 432 (1917).—*Veg.*
Rheedei Lukm.
Lukmanoff, Nomenc. Ic. Cannell. & Camphr. t. 6, fig. 49 (1889).—*Veg.*
Riedelii Lukm.
Lukmanoff, Nomenc. Ic. Cannell. & Camphr. t. 4, fig. 34 (1889).—*Veg.*
Rougieri Lukm.
Lukmanoff, Nomenc. Ic. Cannell. & Camphr. t. 5, fig. 38 (1889).—*Veg.*
rubrum Bl.
Blume, Rumphia, i. t. 11 (1835).

CINNAMOMUM
Rumphii Lukm.
Lukmanoff, Nomenc. Ic. Cannell. & Camphr. t. 9, fig. 81 (1889).—*Veg.*
scabridum Bl.
Lukmanoff, Nomenc. Ic. Cannell. & Camphr. t. 11, fig. 100 (1889).—*Veg.*
sericeum Sieb.
Lukmanoff, Nomenc. Ic. Cannell. & Camphr. t. 14, fig. 143 (1889).—*Veg.*
*Shirasawa, Ic. Ess. Forest. Jap. ii. t. 22 (1908).
Sieboldii Lukm.
Lukmanoff, Nomenc. Ic. Cannell. & Camphr. t. 5, fig. 41 (1889).—*Veg.*
sikkimense Lukm.
Lukmanoff, Nomenc. Ic. Cannell. & Camphr. t. 10, fig. 87 (1889).—*Veg.*
sintok Bl.
*Hayne, Getreue Darst. Arzn. Gewächse, xii. t. 24 (1833).
*Spach, Hist. Nat. Vég. Phan. Atlas, t. 126 (1846).
Lukmanoff, Nomenc. Ic. Cannell. & Camphr. t. 11, fig. 97 (1889).—*Veg.*
Koorders & Val. Atlas Baumart. Java, t. 210 (1913).
—— **javanicum** Bl.
*Blume, Rumphia, i. t. 19 (1835).
—— **spurium** Bl.
*Blume, Rumphia, i. t. 12 (1835).
Smithii Lukm.
Lukmanoff, Nomenc. Ic. Cannell. & Camphr. t. 6, fig. 50 (1889).—*Veg.*
spinosum Nees
Nees, Cinnam. Disput. t. 6, fig. 8 (1823).—*Veg.*
spurium Bl.
Schnizlein, Iconogr. ii. t. 106 (1849).—*Fr.*
Lukmanoff, Nomenc. Ic. Cannell. & Camphr. t. 11, fig. 104 (1889).—*Veg.*
Stracheyi Lukm.
Lukmanoff, Nomenc. Ic. Cannell. & Camphr. t. 6, fig. 47 (1889).—*Veg.*
suaveolens Lukm.
Lukmanoff, Nomenc. Ic. Cannell. & Camphr. t. 7, fig. 61 (1889).—*Veg.*
sulphuratum Nees
Lukmanoff, Nomenc. Ic. Cannell. & Camphr. t. 13, fig. 126 (1889).—*Veg.*
Tamala Nees & Eberm.
*Nees, Pl. Offic. Suppl. t. 25 (1833).
*Hayne, Getreue Darst. Arzn. Gewächse, xii. t. 26 (1833).
Blume, Rumphia, i. t. 14 (1835).—*Veg.*
Proc. Linn. Soc. N. S. Wales, xxv. iv. t. 37 (1901).—*Veg.*
Staub, Gesch. Gen. Cinnamom. t. 17 (1905).—*Veg.*
Basu, Ind. Med. Pl. t. 826 (1918).
Thomsonii Lukm.
Lukmanoff, Nomenc. Ic. Cannell. & Camphr. t. 7, fig. 57 (1889).—*Veg.*
Thunbergii Lukm.
Lukmanoff, Nomenc. Ic. Cannell. & Camphr. t. 5, fig. 42 (1889).—*Veg.*
Thwaitesii Lukm.
Lukmanoff, Nomenc. Ic. Cannell. & Camphr. t. 11, fig. 103 (1889).—*Veg.*
Tournefortii Lukm.
Lukmanoff, Nomenc. Ic. Cannell. & Camphr. t. 4, fig. 33 (1889).—*Veg.*
Van Houttei Lukm.
Lukmanoff, Nomenc. Ic. Cannell. & Camphr. t. 10, fig. 86 (1889).—*Veg.*
Veitchii Lukm.
Lukmanoff, Nomenc. Ic. Cannell. & Camphr. t. 7, fig. 65 (1889).—*Veg.*
Verlotii Lukm.
Lukmanoff, Nomenc. Ic. Cannell. & Camphr. t. 14, fig. 142 (1889).—*Veg.*
Verschaffeltii Lukm.
Lukmanoff, Nomenc. Ic. Cannell. & Camphr. t. 12, fig. 117 (1889).—*Veg.*
verum Presl
Berchtold & J. S. Presl, Rostlin. ii. t. 7 (1825).
J. C. Loudon, Arbor. & Frutic. Brit. iii. 1305 (1838).
Paxt. Mag. i. 147 (1841).

CINNAMOMUM
verum
Payer, Organog. Comp. Fl. t. 96 (1857).—*Fl.*
villosum Wight
Wight, Ic. Pl. Ind. Or. i. t. 127 (1839).
Lukmanoff, Nomenc. Ic. Cannell. & Camphr. t. 7, fig. 60 (1889).—*Veg.*
virens R. T. Baker
Proc. Linn. Soc. N. S. Wales, xxii. ii. t. 13 (1897).
Maiden, For. Fl. N. S. Wales, v. t. 162 (1911).
Wagneri Lukm.
Lukmanoff, Nomenc. Ic. Cannell. & Camphr. t. 13, fig. 127 (1889).—*Veg.*
Wallichii Lukm.
Lukmanoff, Nomenc. Ic. Cannell. & Camphr. t. 9, fig. 79 (1889).—*Veg.*
Walteri Lukm.
Lukmanoff, Nomenc. Ic. Cannell. & Camphr. t. 13, fig. 135 (1889).—*Veg.*
Wightii Meissn.
Lukmanoff, Nomenc. Ic. Cannell. & Camphr. t. 5, fig. 45 (1889).—*Veg.*
Fyson, Fl. Nilgiri & Pulney Hill-tops, iii. 476 (1920).
Willdenowii Lukm.
Lukmanoff, Nomenc. Ic. Cannell. & Camphr. t. 12, fig. 109 (1889).—*Veg.*
Williamsii Lukm.
Lukmanoff, Nomenc. Ic. Cannell. & Camphr. t. 14, fig. 139 (1889).—*Veg.*
Wrightii Lukm.
Lukmanoff, Nomenc. Ic. Cannell. & Camphr. t. 6, fig. 51 (1889).—*Veg.*
xanthoneurum Bl.
Blume, Rumphia, i. t. 13 (1835).—*Veg.*
Lukmanoff, Nomenc. Ic. Cannell. & Camphr. t. 10, fig. 94 (1889).—*Veg.*
zeylanicum = *ceylanicum*
Zwartzii Lukm.
Lukmanoff, Nomenc. Ic. Cannell. & Camphr. t. 7, fig. 63 (1889).—*Veg.*

CINNAMOSMA Baill.
fragrans Baill.
Baillon, Adans. vii. t. 5 (1867).
Baillon, Hist. Pl. i. 168 (1867–9).
Baillon, Traité Bot. Méd. Phan. i. 511 (1883).—*Fl.*
Pflanzenfam. iii. vi. 318 (1895).—*Fl.*
Rochebrune in Bull. Soc. Hist. Nat. Autun, ix. 186 (1896).
Rochebrune, Toxicolog. Afric. i. 378 (1897).
Ann. Inst. Col. Marseille, Ser. II. iv. 129–45 (1906).
—— **Perrieri** Heckel
Ann. Mus. Col. Marseille, Ser. II. viii. 144 (1910).
madagascariensis Danguy
Lecomte, Not. Syst. i. 238 (1910).

CIONIDIUM T. Moore: *Aspidium*
Moorei T. Moore
T. Moore, Index Fil. Gen. & Spec. t. 80 [1857–62].
Bull. Soc. Bot. Belg. v. t. 3, fig. 2 (1866).

CIONISACCUS Breda: *Goodyera*
lanceolatus Breda
*Breda, Orch. Jav. [t. 8] (1827).

CIPADESSA Bl.—Vide *Mallea*
Boiviniana Baill.
Grandidier, Hist. Madag. [Plantes] Atlas, t. 250 (1893).
fruticosa Bl.
A. & C. De Candolle, Monogr. Phan. i. t. 6, fig. 1 (1878).—*Fl.*
Pflanzenfam. iii. iv. 281 (1896).—*Fl.*
Talbot, For. Fl. Bombay, i. 228 (1909).
Lecomte, Fl. Gén. Indo-Chine, i. 783 (1911).—*Fl.*
Koorders & Val. Atlas Baumart. Java, t. 167 (1913).

CIPONIMA Aubl.: *Symplocos*
guianensis Aubl.
Aublet, Hist. Pl. Guiane Franç. iv. t. 226 (1775).
Cavanilles, Diss. t. 217 (1789).
Gaertner f., Fruct. iii. t. 209 (1807).—*Fr.*

CIPURA Aubl.
martinicensis H. B. K.
*Saunders, Ref. Bot. v. t. 310 (1872).
Northiana Endl.
*Hartinger, Parad. Vindob. t. 6 (1844–60).
—— **caelestis** Morr.
*Ann. Gand, v. t. 258 (1849) in textu; *Marica Northiana caelestis* in ic.
paludosa Aubl.
Aublet, Hist. Pl. Guiane Franç. iii. t. 13 (1775).
Lamarck, Ill. i. t. 30 (1791).
Mart. Fl. Bras. iii. i. t. 64 (1871).

CIRCAEA Linn.
alpina Linn.
*Fl. Dan. ii. t. 256 (1766); viii. t. 1321 (1808).
Hill, Herb. Brit. ii. t. 136 (1770).
*Bergeret, Phyt. Univ. ii. 157 (1784).
*Krocker, Fl. Siles. i. t. 1 (1787).
Hoppe, Ect. Pl. Ratisb. t. 604 (1791).
Lamarck, Ill. i. t. 16, fig. 2 (1791).
*Sowerby & Sm. Engl. Bot. xv. t. 1057 (1802).
*Sturm, Deutschl. Fl. vi. xxiii [t. 354] (1807).
*Svensk Bot. viii. t. 567 (1819).
*Trattinick, Thes. Bot. t. 33 (1819).
*Zenker, Fl. Thüringen, iv. t. 423 (1836–55).
*Dietrich, Fl. Boruss. viii. t. 530 (1840).
[M. E.] Jackson, Pict. Fl. fig. 19 (1840).
*Deakin, Florigr. Brit. i. fig. 38 (1841).
*Lorek, Fl. Pruss. Ed. 3, t. 2, fig. 15 (1848).
*Wight, Illustr. Ind. Bot. ii. t. 101 bis (1850).
Ann. Nat. Hist. London, Ser. II. xi. t. 15, fig. 10, 11 (1853).—*Fl.*
Johnson & Sowerby, Brit. Wild Fl. fig. 449 (1858–60).
*Syme, Engl. Bot. iv. t. 512 (1865).
Bentham, Handb. Brit. Fl. fig. 348 (1865).
*Cusin & Ansberque, Herb. Fl. Franç. ix (Onagrariées), t. 26 (1868).
*Hogg & Johnson, Wild Fl. Gr. Brit. v. t. 390 (1869).
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, ii. t. 75 [1873].
Somoku Dzusetsu, Ed. 2, i. t. 39 (1874).
Bot. Tidsskr. Ser. III. ii. 88 (1877–79); xxxv. 330 (1918).—*Veg.*
Wagner, Ill. Deutsche Fl. Ed. 2, p. 268 (1882).
Willkomm, Führ. Reich Pflanzen, t. 3, fig. 81 (1882).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xxii. t. 2272 (1885).
Festskr. Nat. Foren. Best. Kjöbenhavn, 1833–83, p. 83 (1890).—*Veg.*
Kerner, Pflanzenleben, ii. 234, 341, 724 (1891).
*Wild Fl. Canada, t. 111 (1894).
Brehm, Merv. Nat. Monde des Pl. ii. 42 (1894–96).
Kerner & Oliv. Nat. Hist. Pl. ii. 236, 343, 796 (1895).
Miller & Whiting, Wild Fl. N.E. States, 202 (1895).
Bibl. Bot. vi. No. 32, t. 3, fig. 12 (1895).—*Veg.*
Reichenbach, Ic. Fl. Germ. xxiii. t. 25 (1896–99).
Britton & Brown, Ill. Fl. N. States & Canada, ii. 500 (1897); Ed. 2, ii. 611 (1913).
Fiori & Paol. Ic. Fl. Ital. 262 (1899).
Warming in Overs. Danske Vid. Selsk. Forh. No. 1, p. 17 (1901).—*Veg.*
*Sturm, Fl. Deutschl. Ed. 2, ix. 187 (1901).
Coste, Fl. France, ii. 84 (1903).
Senn, Alpen-Flora, ii. 48 (1906).
Flahault, Nouv. Fl. Alpes & Pyrén. i. 48 (1906).
Blytt, Haandb. Norg. Fl. Ed. Dahl, 520 (1906).
*Miyoshi & Makino, Pocket-Atlas, Alp. Pl. Jap. i. t. 35, fig. 198 (1906).
Somoku Dzusetsu, Ed. Makino (Iconogr. Pl. Nippon), i. t. 39 (1907).
Suireishchikov, Ill. Fl. Mosc. Gov. ii. 388 (1907).
Velenovsky, Vergl. Morphol. Pfl. ii. 656 (1907).—*Veg.*
Fedtschenko & Fler. Fl. Eur. Russia, 662 (1910).
Cadevall & Sallent, Fl. Catalunya, ii. 345 (1916).
Fitch & Smith, Ill. Brit. Fl. Ed. rev. 4, Iss. 2, fig. 354 (1919).
Fyson, Fl. Nilgiri & Pulney Hill-tops, iii. 342 (1920).

CIRCAEA
cardiophylla Makino
Somoku Dzusetsu, Ed. Makino (Iconogr. Pl. Nippon), i. t. 37 (1907).
cordata Royle
*Royle, Illustr. Bot. Himal. t. 43 (1839).
erubescens Franch & Sav.
*Somoku Dzusetsu, Ed. 2, i. t. 38 (1874).
Somoku Dzusetsu, Ed. Makino (Iconogr. Pl. Nippon), i. t. 38 (1907).
×**intermedia** Ehrh.
*Svensk Bot. x. t. 703 (1826–29).
*Zenker, Fl. Thüringen, xi. t. 1277 (1836–55).
Agardh, Theor. Syst. Pl. t. 6 (1858).—*Fl.*
*Cusin & Ansberque, Herb. Fl. Franç. ix (Onagrariées), t. 25 (1868).
Bot. Tidsskr. Ser. III. ii. 88 (1877–79); xxxv. 330 (1918).—*Veg.*
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xxii. t. 2271 (1885).
Reichenbach, Ic. Fl. Germ. xxiii. t. 24 (1896–99).
Goebel, Organogr. Pfl. 645 (1900); Ed. Angl. ii. 464 (1905).—*Veg.*
Warming in Overs. Danske Vid. Selsk. Forh. No. 1, p. 17 (1901).—*Veg.*
Coste, Fl. France, ii. 84 (1903).
Heukels, Fl. Nederl. ii. 503 (1908).
Wóycicki, Obrazy Roślinności Król. Polsk. ii. t. 10 (1912).—*Hab.*
Kawakamii Hayata
Hayata, Ic. Pl. Formosan. v. 71 (1915).
lutetiana Linn.
*Kniphof, Herb. Viv. i. t. 259 (1758).
*Fl. Dan. ii. t. 210 (1765).
Hill, Herb. Brit. ii. t. 136 (1770).
*Regnault, Bot. ii. 41 (1774).
*Curtis, Fl. Londin. i. fasc. III. t. 3 (1777); Ed. 2, ii. fasc. III. t. 3 (1821).
*Bergeret, Phyt. Univ. ii. 155 (1784).
Gaertner, Fruct. i. t. 24 (1788).—*Fr.*
Hoppe, Ect. Pl. Ratisb. t. 501 (1790).
Lamarck, Ill. i. t. 16, fig. 1 (1791).
*Dreves, Bot. Bilderbuch, ii. t. 37 (1795).
*Dreves & Hayne, Choix de Pl. t. 37 (1802).
*Sowerby & Sm. Engl. Bot. xv. t. 1056 (1802).
*Sturm, Deutschl. Fl. vi. XXIII [t. 353] (1807).
*Schkuhr. Bot. Handb. Ed. 2, t. 2 a (1808).
*A. & F. Plée, Herbor. Paris, [t. 94] (1811).
Thornton, Brit. Fl. i. 29 (1812).
Poiteau & Turpin, Fl. Par. t. 7 (1813).
*Schrank, Fl. Monac. iv. t. 344 (1818).
*Kops, Fl. Batava, iv. t. 291 (1822).
*Svensk Bot. ix. t. 586 (1823–25).
*Baxter, Brit. Bot. Ed. 2, i. t. 9 (1834).
*Dietrich, Fl. Boruss. iii. t. 198 (1835).
Meigen, Deutschl. Fl. i. t. 4 (1836).—*Fl.*
*Zenker, Fl. Thüringen, iv. t. 428 (1836–55).
[M. E.] Jackson, Pict. Fl. fig. 18 (1840).
*Deakin, Florigr. Brit. i. fig. 37 (1841).
Duchesne, Pl. Util. t. 98 (1846).
*Lorek, Fl. Pruss. Ed. 3, t. 2, fig. 14 (1848).
Catlow, Popular Field Bot. t. 12 (1848).
*Petermann, Deutschl. Fl. t. 27, fig. 209 (1849).—*Fl.*
Schnizlein, Iconogr. iv. t. 265 (1857–65).—*Fl.*
Johnson & Sowerby, Brit. Wild Fl. fig. 448 (1858–60).
*Argenta, Album Fl. Med.-Farm. ii. t. 119 (1863).
Bentham, Handb. Brit. Fl. fig. 347 (1865).
*Syme, Engl. Bot. iv. t. 511 (1865).
*Schubert, Naturg., Pflanzenreich, Ed. 2, t. 2, fig. 8 [1865].
Migout, Fl. Dépt. Allier, t. 7 (1866).—*Fl.*
*Cusin & Ansberque, Herb. Fl. Franç. ix (Onagrariées), t. 24 (1868).
Le Maout & Decaisne, Traité Gén. Bot. 282 (1868).—*Fl.*
*Hogg & Johnson, Wild Fl. Gr. Brit. v. t. 349 (1869).
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, ii. t. 75 [1873].
Baillon, Hist. Pl. vi. 471 (1877).—*Fl.*
Bot. Tidsskr. Ser. III. ii. 88 (1877–79); xxxv. 330 (1918).
*Lesacher & Mareschal, Nouv. Bot. Méd. ii [t. 22] (1878).

CIRCAEA
lutetiana
*Trans. Linn. Soc. London, Ser. II. Bot. i. t. 44 (1879).—*Fl.*
Baillon, Dict. Bot. ii. 53 (1879).
Karsten, Deutsche Fl. Pharm.-medic. Bot. 817 (1880–83).—*Fl.*
*C. Hoffman, Pflanzenatlas, t. 4, fig. 16 (1881).
Wagner, Ill. Deutsche Fl. Ed. 2, 268 (1882).
Willkomm, Führ. Reich Pflanzen, 620(1882).—*Fl.*
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xxii. t. 2270 (1885).
*Thomé, Fl. Deutschl. iii. t. 343 (1888).
Potonié, Ill. Fl. Nord- u. Mittel-Deutschl. Ed. 4, fig. 390 (1889).
Paolucci, Fl. Marchig. t. 32 (1890).
Kerner, Pflanzenleben, ii. 806 (1891).—*Fr.*
G. Beck, Fl. Nied.-Oesterr. ii. 1. 685 (1892).—*Fl.*
Pflanzenfam. iii. VII. 222 (1893).
*Masclef, Atlas Pl. France, t. 117 (1893).
Acloque, Fl. France, 268 (1894).
Garcke, Ill. Fl. Deutschl. 213 (1895).
Karsten, Fl. Deutschl. ii. 379 (1895).—*Fl.*
Kerner & Oliv. Nat. Hist. Pl. ii. 871 (1895).—*Fr.*
Reichenbach, Ic. Fl. Germ. xxiii. t. 23 (1896–99).
*Hulme, Familiar Wild Fl. (Pop. Ed.), vi. 137 [1897?].
Britton & Brown, Ill. Fl. N. States & Canada, ii. 499 (1897); Ed. 2, ii. 611 (1913).
Knuth, Handb. Blütenbiol. i. 163; ii. 1. 406 (1898).—*Fl.*
Fiori & Paol. Ic. Fl. Ital. 262 (1899).
Warming in Overs. Danske Vid. Selsk. Forh. No. 1, p. 17, 19, 29 (1901).—*Veg.*
*Sturm, Fl. Deutschl. Ed. 2, ix. t. 43 (1901).
Lindman, Bild. Nord. Fl. t. 336 (1901–5).
C. T. Green, Fl. Liverpool Distr. fig. 237 (1902).
Coste, Fl. France, ii. 84 (1903).
*Step, Wayside & Woodl. Bloss. New Ed. ii. t. 33 (1905).
Merino, Fl. Galicia, i. 480 (1905).
Lazaro, Comp. Fl. Españ. ii. 467 (1907).
Suireishchikov, Ill. Fl. Mosc. Gov. ii. 388 (1907).
Heukels, Fl. Nederl. ii. 502 (1908).
Hayek, Fl. Steierm. i. 1105 (1910).—*Fl.*
Wettstein, Handb. Syst. Bot. Ed. 2, p. 679 (1911).—*Fl.*
*Gatin, Fl. des Bois, t. 44 (1913).
Goebel, Organogr. Pfl. Ed. 2, i. 99 (1913).
Horwood, Plant Life Brit. Isles, ii. 252 (1914).
*Perrin & Boulger, Brit. Flower. Pl. iii. t. 181, t. 184 [H], fig. 1–7 (1914).
Cadevall & Sallent, Fl. Catalunya, ii. 344 (1916).
Warming in Dansk. Vid. Selsk. Skrift. Ser. VIII. ii. 309 (1918).—*Veg.*
Lindman, Svensk Fanerogamfl. 4 (1918).—*Fl.*
*Horwood, Brit. Wild Fl. iii. t. 20, p. 49 (1919).
Fitch & Smith, Ill. Brit. Fl. Ed. rev. 4, Iss. 2, fig. 353 (1919).
mollis Sieb. & Zucc.
*Somoku Dzusetsu, Ed. 2, i. t. 37 (1874).
pacifica Aschers. & Magnus
H. M. & C. C. Hall, Yosemite Fl. 163 (1912).
quadrisulcata Maxim.
*Somoku Dzusetsu, Ed. 2, i. t. 36 (1874).
Somoku Dzusetsu, Ed. Makino (Iconogr. Pl. Nippon), i. t. 36 (1907).

CIRCAEASTER Maxim.
agrestis Maxim.
Hook. Ic. Pl. xxiv. t. 2366 (1895).

CIRCINUS Medic.: *Hymenocarpos*
circinatus O. Kuntze
Pflanzenfam. iii. III. 257 (1894).—*Fr.*
Fiori & Paol. Ic. Fl. Ital. 240 (1899).

CIRCIUM = *Cirsium*

CIRRHAEA Lindl.—Vide *Sarcoglossum*
dependens Reichb. f.
Pflanzenfam. ii. VI. 169 (1889).—*Fl.*
Kerchove, Livre Orch. 128 (1894).—*Fl.*
*Wettstein in Denkschr. Akad. Wiss. Wien, lxxix. t. 14 (1908).—*Fl.*
—— **concolor** Porsch
*Wettstein in Denkschr. Akad. Wiss. Wien, lxxix. t. 14 (1908).—*Fl.*

CIRRHAEA
dependens tigrina Porsch
*Wettstein in Denkschr. Akad. Wiss. Wien, lxxix. t. 15 (1908).—*Fl.*
fusco-lutea Lindl.
*Bot. Mag. lxvi. t. 3726 (1839).
Loddigesii Lindl.
*Bot. Reg. xviii. t. 1538 (1832).
Mart. Fl. Bras. iii. v. t. 102 (1898–1902).
obtusata Lindl.
*Bot. Reg. xxiii. t. 2005 (1837).
pallida Lindl.
*Beer, Beitr. Morph. u. Biol. Orch. t. 8, fig. 2 (1863).—*Fr.*
saccata Lindl.
Mart. Fl. Bras. iii. v. t. 102 (1898–1902).
tristis Lindl.
*Bot. Reg. xxii. t. 1889 (1836).
Journ. Hort. xxxvi. 429 (1866).—*Fl.*
Barbosa Rodrigues, Struct. Orch. t. 12, fig. 8 (1883).—*Fr.*
Norton, Brazil. Fl. t. 15 (1893).
viridi-purpurea Lodd.
*Lodd. Bot. Cab. xx. t. 1967 (1833).
—— **Fryana** Knowles & Westc.
*Knowles & Westc. Floral Cab. iii. t. 94 (1840).
viridi-purpurea Lindl.
*Beer, Beitr. Morph. u. Biol. Orch. t. 3, fig. 52 (1863).—*Fl.*
Warreana Lindl.
*Lodd. Bot. Cab. xx. t. 1999 (1833).

CIRROPETALUM Lindl.—Vide *Ephippium*
albidum Wight
Wight, Ic. Pl. Ind. Or. v. t. 1653 (1851).
Amesianum Rolfe
*Lindenia, vii. t. 314 (1891).
amplifolium Rolfe
Notes, Roy. Bot. Gard. Edinb. viii. t. 10 (1913).
Andersonii Hook. f.
Hook. Ic. Pl. xxi. 2055 (1891).
*Ann. Bot. Gard. Calcutta, viii. t. 124 (1898).
appendiculatum Rolfe
Gard. Chron. Ser. III. xxiv. 415 (1898).
Journ. Roy. Hort. Soc. London, xxii. Proc. p. ccxxii (1898–9).
auratum Lindl.
*Bot. Reg. xxix. t. 61 (1843).
*T. Moore, Illustr. Orch. Pl., Cirrhop. t. 4 (1857).
aureum Hook. f.
Hook. Ic. Pl. xxi. t. 2057 (1891).
biflorum J. J. Sm.
Ic. Bogor. ii. t. 120 (1903).—*Fl.*
*Bot. Mag. cxxxvi. t. 8321 (1910).
blepharistes Reichb. f.
*Ann. Bot. Gard. Calcutta, v. t. 25 (1895).
bootanensis Griff.
Griffith, Ic. Pl. Asiat. t. 299 (1851).
*Ann. Bot. Gard. Calcutta, viii. t. 123 (1898).
brevipes Hook. f.
Hook. Ic. Pl. xxi. t. 2056 (1891).
*Ann. Bot. Gard. Calcutta, viii. t. 122 (1898).
breviscapum Rolfe
*Bot. Mag. cxxxi. t. 8033 (1905).
caespitosum Wall.
*Ann. Bot. Gard. Calcutta, v. t. 27 (1895); viii. t. 127 (1898).
campanulatum Rolfe
Orch. Rev. xviii. 73 (1910); xxi. 211 (1913).—*Hab.*
Oesterr. Gart.-Zeit. ix. 106 (1914).
caudatum Wight
Wight, Ic. Pl. Ind. Or. v. t. 1658 (1851).
caudatum King & Pantling
*Ann. Bot. Gard. Calcutta, viii. t. 129 (1898).
chinense Lindl.
*Bot. Reg. xxix. t. 49 (1843).
*T. Moore, Illustr. Orch. Pl., Cirrhop. t. 2 (1857).
ciliatum Klinge
Act. Hort. Petrop. xvii. 1. 136, t. 2, fig. 15, 16 (1898).—*Fl.*
clavigerum R. D. Fitzg.
*R. D. Fitzgerald, Austral. Orch. ii. [t. 13] (1875–95).

CIRROPETALUM
Collettii Hemsl.
Journ. Linn. Soc., Bot. xxviii. t. 20 (1890) sphalm.; *C. Collettianum* in ic.
*Bot. Mag. cxvii. t. 7198 (1891).
concinnum Hook. f.
Hook. Ic. Pl. xxi. t. 2060 (1891).
—— **purpureum** Ridl.
*Bot. Mag. cxlii. t. 8668 (1916).
cornutum Lindl.
*Bot. Mag. lxxix. t. 4753 (1853).
*Ann. Bot. Gard. Calcutta, viii. t. 120 (1898).
Cumingii Lindl.
*Bot. Mag. lxxxiii. t. 4996 (1857).
Journ. Hort. Ser. III. xviii. 128 (1889); xliii. 75 (1901).—*Hab.*
Pflanzenfam. ii. vi. 176 (1889).
Kerchove, Livre Orch. 90 (1894).
*Costantin, Atlas Orch. Cult. t. 25 (1913).—*Fl.*
Curtisii Hook. f.
*Bot. Mag. cxxiii. t. 7554 (1897).
delitescens Rolfe
*Reichenbach f., Xenia Orch. iii. t. 273 (1894).
elatum Hook. f.
Hook. Ic. Pl. xxi. t. 2052 (1891).
*Ann. Bot. Gard. Calcutta, viii. t. 130 (1898).
Elisae F. Muell.
F. Mueller, Fragm. Phyt. Austral. vi. t. 57 (1868).
emarginatum Finet
Bull. Soc. Bot. France, xliv. t. 8 (1897).
fimbriatum Lindl.
*Bot. Mag. lxxiv. t. 4391 (1848).
Wight, Ic. Pl. Ind. Or. v. t. 1655 (1851).
Journ. Roy. Hort. Soc. London, xxvi. 140 (1901).—*Hab.*
Orch. Rev. ix. 360 (1901).—*Hab.*
Fletcherianum Rolfe
*Bot. Mag. cxli. t. 8600 (1915).
Gamblei Hook. f.
Hook. Ic. Pl. xxi. t. 2058 (1891).
gamosepalum Griff.
*Ann. Bot. Gard. Calcutta, v. t. 26 (1895).
grandiflorum Wight
Wight, Ic. Pl. Ind. Or. v. t. 1656 (1851).
guttulatum Hook. f.
*Ann. Bot. Gard. Calcutta, viii. t. 131 (1898).
*Cogniaux, Dict. Icon. Orch., Cirrhop. t. 2 (1898).
Hookeri Duthie
*Bot. Mag. cxxviii. t. 7869 (1902).
*Ann. Bot. Gard. Calcutta, ix. t. 101 (1906).
japonicum Makino
Makino, Fl. Jap. i. t. 42 (1891).
longissimum Ridl.
Journ. Roy. Hort. Soc. London, xxxv. Proc. p. cclxxiii. fig. 160 (1910).
Orch. World, i. 15 (1910).—*Fl.*
*Bot. Mag. cxxxvii. t. 8366 (1911).
Macraei Lindl.
*Bot. Mag. lxxv. t. 4422 (1849).
Wight, Ic. Pl. Ind. Or. v. t. 1652 (1851).
maculosum Lindl.
*Ann. Bot. Gard. Calcutta, viii. t. 132 (1898).
Makoyanum Reichb. f.
*Bot. Mag. cxviii. t. 7259 (1892).
Schlechter, Orchideen, 333 (19[14–]15).—*Hab.*
Mastersianum Rolfe
*Lindenia, vi. t. 255 (1890).
*Cogniaux, Dict. Icon. Orch., Cirrhop. t. 3 (1902).
*Bot. Mag. cxxxix. t. 8531 (1913).
Gard. Chron. Ser. III. lv. 122 (1914).
Medusae Lindl.
*Bot. Reg. xxviii. t. 12 (1842).
*Hartinger, Parad. Vindob. t. 18 (1844–60).
*De Vriese, Illustr. Orchid. t. 9 (1854).
*Bot. Mag. lxxxiii. t. 4977 (1857).
*T. Moore, Illustr. Orch. Pl., Cirrhop. t. 1 (1857).
Belg. Hort. viii. 38, fig. 12 (1858).
*Bateman, Second Cent. Orch. Pl. t. 148 (1867).
Stein, Orchideenbuch, 146 (1892).
*Ill. Hort. xxxix. t. 154 (1892).
Gard. Chron. Ser. III. xxi. 25 (1897).—*Hab.*
Gartenwelt, xv. 85 (1911).
Schlechter, Orchideen, 334 (19[14–]15).—*Hab.*
neilgherrense Wight
Wight, Ic. Pl. Ind. Or. v. t. 1654 (1851).

CIRROPETALUM
nutans Lindl.
*Bot. Mag. lxxv. t. 4418 (1849).
ornatissimum Reichb. f.
*Warner & Will. Orch. Album, viii. t. 369 (1889).
*Bot. Mag. cxviii. t. 7229 (1892).
Gard. Chron. Ser. III. xiv. 553 (1893); lxiv. 131 (1918).
Journ. Orch. iv. 313 (1894).—*Hab.*
Linden, Orchid. Exot. 649 (1894).—*Hab.*
B. S. Williams, Orchid-Grower's Man. Ed. 7, p. 196, 197 (1894).
Semaine Hort. 1898, p. 295.—*Hab.*
*Ann. Bot. Gard. Calcutta, viii. t. 133 (1898).
*Cogniaux, Dict. Icon. Orch., Cirrop. t. 1 (1898).—*Fl.*
ornithorrhynchus J. J. Sm.
Ic. Bogor. ii. t. 121 (1903).
Pahudii De Vriese
*De Vriese, Illustr. Orchid. t. 1, 11 (1854).
*Neerl. Plantentuin, Ed. Oudemans, ii. t. 4–5 (1866).
parvulum Hook. f.
Hook. Ic. Pl. xxi. t. 2060 (1891).
*Ann. Bot. Gard. Calcutta, viii. t. 128 (1898).
picturatum Lodd.
*Hartinger, Parad. Vindob. t. 19 (1844–60).
*Bot. Mag. cxi. t. 6802 (1885).
Journ. Hort. Ser. III. xxvi. 253 (1893); xlix. 235 (1904).
*Lindenia, xiii. t. 622 (1897).
Nicholson, '1900' Suppl. Dict. Gard. 241 (1900).—*Hab.*
pileolatum Klinge
Act. Hort. Petrop. xvii. 1. 137, t. 1, fig. 9, 10 (1898).—*Fl.*
planibulbe Ridl.
Trans. Linn. Soc. London, Ser. II. Bot. iii. t. 64 (1893).
psittacoides Ridl.
Schlechter, Orchideen, 335 (19[14–]15).—*Fl.*
pulchrum N. E. Br.
*Ill. Hort. xxxiii. t. 608 (1886).
*Lindenia, iv. t. 165 (1888).
Journ. Hort. Ser. III. lix. 219 (1909).—*Fl.*
—— **Cliftonii** Hort.
Orch. Rev. xvii. 328 (1909); xxvi. 193 (1918).—*Fl.*
Journ. Roy. Hort. Soc. London, xxxv. Proc. p. clxxv. fig. 112 (1910).—*Fl.*
Orch. World, ii. 32 (1911).—*Fl.*
refractum Zoll.
*Ann. Bot. Gard. Calcutta, v. t. 28 (1895); viii. t. 119 (1898).
robustum Rolfe
Gard. Chron. Ser. III. xvii. 771 (1895).
*Bot. Mag. cxxiii. t. 7557 (1897).
Queensland Agric. Journ. iv. t. 80 (1899).
Orch. World, v. 235 (1915).
Rothschildianum O'Brien
Gard. Chron. Ser. III. xviii. 609 (1895); lx. 188 (1916).
Journ. Roy. Hort. Soc. London, xix. Proc. p. ccx. (1896).—*Fl.*
Roxburghii Lindl.
Hook. Ic. Pl. xxi. t. 2057 (1891).
Journ. Roy. Hort. Soc. London, xxvi. 139 (1901).—*Hab.*
sarcophyllum King & Pantling
*Ann. Bot. Gard. Calcutta, viii. t. 126 (1898).
sikkimense King & Pantling
*Ann. Bot. Gard. Calcutta, viii. t. 125 (1898).
Thomsonii Hook. f.
Hook. Ic. Pl. xxi. t. 2059 (1891).
Thouarsii Lindl.
*Bot. Reg. xxiv. t. 11 (1838).
*Bot. Mag. lxxii. t. 4237 (1846).
*T. Moore, Illustr. Orch. Pl., Cirrhop. t. 3 (1857).
Veitch, Man. Orch. Pl. Pt. 3, p. 102 (1888).
Teysmannia, v. 396, t. 6 (1894).—*Fl.*
Gartenwelt, iv. 510 (1900).
Thouarsii Hook. f.
*Bot. Mag. cxviii. t. 7214 (1892).
vaginatum Lindl.
Griffith, Ic. Pl. Asiat. t. 298 (1851).

CIRROPETALUM
viridiflorum Hook. f.
Hook. Ic. Pl. xxi. t. 2061 (1891).
*Ann. Bot. Gard. Calcutta, viii. t. 118 (1898).
Walkerianum Wight
Wight, Ic. Pl. Ind. Or. v. t. 1657 (1851).
Wallichii Lindl.
*Wallich, Pl. Asiat. Rar. i. t. 67 (1830).
*Ann. Bot. Gard. Calcutta, viii. t. 121 (1898).
Wendlandianum Kränzl.
*Reichenbach f., Xenia Orch. iii. t. 243 (1892).
Orchis, ii. 17 (1907).
Glück, Blatt- u. Blütenmorph. Stud. 613 (1919).—*Fl.*

CIRSELLIUM Gaertn.: *Atractylis*
cancellatum Gaertn.
Gaertner, Fruct. ii. t. 163 (1791).—*Fr.*
Lamarck, Ill. iv. t. 662, fig. 1 (1797).
gummiferum Brot.
Lamarck, Ill. iv. t. 662, fig. 2 (1797).

CIRSIUM Adans.—Vide *Acarna* Hill, *Ancathia, Chamaepeuce, Cnicus* Linn., *Echenais, Erythrolaena, Notobasis, Picnomon*
Acarna Moench
*Jaume St.-Hilaire, Fl. & Pom. Franç. ii. t. 134 (1829).
Reichenbach, Ic. Fl. Germ. xv. t. 820 (1853).
Fiori & Paol. Ic. Fl. Ital. 452 (1904).
acaule All.
*Jaume St.-Hilaire, Fl. & Pom. Franç. ii. t. 137 (1829).
*Zenker, Fl. Thüringen, vii. t. 795 (1836–55).
*Dietrich, Fl. Boruss. viii. t. 553 (1840).
*Deakin, Florigr. Brit. iii. fig. 1246 (1847).
*Lorek, Fl. Pruss. Ed. 3, t. 189, fig. 1009 (1848).
Reichenbach, Ic. Fl. Germ. xv. t. 840 (1853).
Migout, Fl. Dépt. Allier, t. 11 (1866).—*Fr.*
*Cusin, Herb. Fl. Franç. xiii (Composées), t. 279 (1874).
Schilling, Grundr. Naturg. ii. Pflanzenr. Ausgb. A, p. 182 (1882); Ausgb. B, p. 181 (1884).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xxx. t. 3123 (1888).
Acloque, Fl. France, 391 (1894).
Journ. Agric. S. Australia, i. 99 (1897).
Gradmann, Pflanzenl. Schwäb. Alb, Ed. 2, ii. 353 (1900).
Coste, Fl. France, ii. 375 (1903).
Fiori & Paol. Ic. Fl. Ital. 453 (1904).
Fedtschenko & Fler. Fl. Eur. Russia, 1012 (1910).
Heukels, Fl. Nederl. iii. 427 (1910).
*Correvon, Fl. Champs & Bois, t. 90 (1911).
Cadevall & Sallent, Fl. Catalunya, iii. 346 (1917).
Lindman, Svensk Fanerogamfl. 547 (1918).—*Veg.*
—— **caulescens** DC.
J. G. Gmelin, Fl. Sibir. ii. t. 25 (1749); fide Ledebour, Comm. 69.
*Fl. Dan. xi. t. 1884 (1827); fide Lange, Nomencl. Fl. Dan. 66 (1887).
Reichenbach, Ic. Fl. Germ. xv. t. 840 (1853).
×**acauli-canum** Wimm.
Reichenbach, Ic. Fl. Germ. xv. t. 854 (1853).
×**acauli-oleraceum** Naeg.
Reichenbach, Ic. Fl. Germ. xv. t. 858 (1853).
×**acauli-spinosissimum** Naeg.
Reichenbach, Ic. Fl. Germ. xv. t. 862 (1853).
afrum niveum Spreng.
Fiori & Paol. Ic. Fl. Ital. 452 (1904).
Albanum Wettst.
Bibl. Bot. v. No. 26, t. 5, fig. 24 (1892).—*Veg.*
Albertii Regel & Schmalh.
Oesterr. Bot. Zeitschr. lxi. 322 (1911).
albidum Vel.
Bibl. Bot. xviii. No. 78, t. 2 (1912).
altissimum Spreng.
Gartenfl. xxviii. 88 (1879).
Pammel & King in Bull. Iowa Agric. St. No. 105, p. 274 (1909).—*Fr.*
Pammel, Man. Poison. Pl. 754 (1911).
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, iii. 549 (1913).
Pammel in Iowa Geol. Surv. Bull. No. 4, p. 495 (1913).—*Fr.*

CIRSIUM
anglicum DC.
*Kops, Fl. Batava, vi. t. 438 (1832).
*Deakin, Florigr. Brit. iii. fig. 1245 (1847).
Reichenbach, Ic. Fl. Germ. xv. t. 839 (1853).
*Cusin, Herb. Fl. Franç. xiii (Composées), t. 268 (1874).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xxx. t. 3121 (1888).
Coste, Fl. France, ii. 376 (1903).
Heukels, Fl. Nederl. iii. 428 (1910).
Glück, Biol. u. Morph. Wasser u. Sumpfgew. iii. 16 (1911).
A. Arber, Water Pl. 199 (1920).
antarcticum Jaume St.-Hil.
*Jaume St.-Hilaire, Fl. & Pom. Franç. ii. t. 136 (1829).
appendiculatum Griseb.
Visiani in Mem. Istit. Veneto, xxi. t. 10 (1879).
Engler & Drude, Veget. Erde, xi. t. 38 (1909).—*Hab.*
arachnoideum M. Bieb.
Reichenbach, Pl. Crit. iv. t. 359 (1826).
arctioides Scop.
Scopoli, Fl. Carn. Ed. 2, ii. t. 53 (1772).
argyracanthum DC.
Wight, Ic. Pl. Ind. Or. iii. t. 1137, 1138 (1846).
*Wight, Spicil. Neilgherr. ii. t. 116, 117 (1851).
arvense Scop.
*Jaume St.-Hilaire, Fl. & Pom. Franç. ii. t. 140 (1829).
*Zenker, Fl. Thüringen, ii. t. 197 (1836–55).
*Dietrich, Fl. Boruss. viii. t. 554 (1840).
*Torrey, Fl. State New York, i. t. 61 (1843).
*Deakin, Florigr Brit. iii. fig. 1241 (1847).
*Lorek, Fl. Pruss. Ed. 3, t. 190, fig. 1010 (1848).
Reichenbach, Ic. Fl. Germ. xv. t. 842, 888 (1853).
Juratzka in Verh. Zool.-Bot. Ver. Wien, vii. t. 1 (1857).
Berg, Charakt. t. 49, fig. 374, A–J (1861).
*Cusin, Herb. Fl. Franç. xiii (Composées), t. 283 (1874).
Nobbe, Handb. Samenkunde, 350 (1876).—*Fr.*
De Silvestri, Piante Prat. 252 (1879).
Karsten, Deutsche Fl. Pharm.-medic. Bot. 1111 (1880–83).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xxx. t. 3124 (1888).
Potonié, Ill. Fl. Nord- u. Mittel-Deutschl. Ed. 4, fig. 575 (1889).
*Thomé, Fl. Deutschl. iv. t. 600 (1889).
Bot. Jaarb., Gent, v. 406 (1893).—*Fl.*
*Masclef, Atlas Pl. France, t. 161 (1893).
Acloque, Fl. France, 393 (1894).
Karsten, Fl. Deutschl. ii. 692 (1895).
Knuth, Handb. Blütenbiol. ii. 1. 638 (1898).—*Fl.*
Lund & Rostrup in Dansk. Vid. Selsk. Skrift. Ser. VI. x. 176, 188, 197, 221–23, 225, 235, 250, 253, 254, 256, 259, 260, 263; t. 1–4 (1901).
Warming, Handb. Syst. Bot. Ed. Möbius, 440 (1902).—*Fl.*
Coste, Fl. France, ii. 374 (1903).
Fiori & Paol. Ic. Fl. Ital. 453 (1904).
Blytt, Haandb. Norg. Fl. Ed. Dahl, 708 (1907).
*Wagner, Magyar. Gyomnöv. (Weeds of Hungary), t. 6 (1908).
Pammel & King in Bull. Iowa Agric. St. No. 105, p. 274 (1909).—*Fr.*
Fedtschenko & Fler. Fl. Eur. Russia, 1013 (1910).
Heukels, Fl. Nederl. iii. 430 (1910).
Suireishchikov, Ill. Fl. Mosc. Gov. iii. 305 (1910).
Beal, Michigan Weeds (Bull. Mich. Agric. Exp. St. No. 267), p. 424 (1911); et in Ann. Rep. xxv. 413 (1912).
Ontario Dep. Agric. Bull. No. 188, p. 21, 121 (1911).
Pammel & Fogel in Proc. Iowa Acad. Sc. xvi. No. 31, t. 1 (1911).
Pammel, Man. Poison. Pl. 799 (1911).
Pammel, Weeds Farm & Gard. 7, 26, 34, 249 (1911).
Bull. Angew. Bot. v. t. 69 (1912); vii. t. 112, 116 (1914).
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, iii. 553 (1913).

CIRSIUM
arvense
Pammel & Fogel in Iowa Geol. Surv. Bull. No. 4, p. 380, 494 (1913).
*Klein, Unsere Unkräuter, t. 89 (1913).
U.S. Dep. Agric. Farm. Bull. No. 545, p. 5, 7 (1913).
L. H. Bailey, Stand. Cycl. Hort. 662 (1914).—*Veg.*
Canada Dep. Agric. (Seed Branch) Bull. No. S–8, p. 28 (1914).
Coe in Bull. S. Dakota Agric. St. No. 150, p. 452 (1914).
*Gadeceau, Fl. Moiss. t. 89 (1914).
A. Georgia, Manual Weeds, t. 356 (1914).
Bull. Appl. Bot. viii. t. 138 (1915); ix. App. 7, p. 21 (1917).—*Fr.*
Palmer in Proc. Iowa Acad. Sc. xxiii. t. 9 (1916).—*Fr.*
*Bonnier, Name This Flower, t. 29 (1917).
Cadevall & Sallent, Fl. Catalunya, iii. 344 (1917).
Monthly Bull. Hort. California, vi. 48, 50 (1917); viii. 597, 599 (1919); ix. 343 (1920).
Lindman, Svensk Fanerogamfl. 547 (1918).—*Fl.*
U.S. Dep. Agric. Farm. Bull. No. 1002, p. 4 (1918).
Bornemann, Landwirtsch. Unkräuter, fig. 7 (1920).
Brenchley, Weeds Farm Land, 24, 30, 82 (1920).
Krafft & Fruwirth, Pflanzenb. 16 (1920).—*Fr.*
—— **horridum** Wimm. & Grab.
Oesterr. Bot. Zeitschr. lvii. 109 (1907).
—— **integrifolium** Wimm. & Grab.
*Lorek, Fl. Pruss. Ed. 3, t. 190, fig. 1011 (1848).
Reichenbach, Ic. Fl. Germ. xv. 68. t. 842 (1853).
—— **mite** Wimm. & Grab.
Oesterr. Bot. Zeitschr. lvii. 109 (1907).
—— **vestitum** Wimm. & Grab.
Reichenbach, Ic. Fl. Germ. xv. t. 842 (1853).
austriacum Khek.
Oesterr. Bot. Zeitschr. lxviii. t. 3 (1919).
×**autareticum** Mutel
Reichenbach, Ic. Fl. Germ. xv. t. 851 (1853).
Babingtonii Rouy
Rouy, Illustr. Pl. Eur. Rar. Fasc. 15, t. 362 (1901).
Bourgaeanum Willk.
Rouy, Illustr. Pl. Eur. Rar. fasc. 5, t. 117 (1896).
×**bulboso-acaule** Naeg.
*Cusin, Herb. Fl. Franç. xiii (Composées), t. 280 (1874).
×**bulboso-oleraceum** Naeg.
Reichenbach, Ic. Fl. Germ. xv. t. 855 (1853).
*Cusin, Herb. Fl. Franç. xiii (Composées), t. 266 (1874).
×**bulboso-palustre** Naeg.
Reichenbach, Ic. Fl. Germ. xv. t. 888 (1853).
bulbosum DC.
*Deakin, Florigr. Brit. iii. fig. 1243 (1847).
*Petermann, Deutschl. Fl. t. 49, fig. 386 (1849).—*Fl.*
Reichenbach, Ic. Fl. Germ. xv. t. 839 (1853).
*Cusin, Herb. Fl. Franç. xiii (Composées), t. 267 (1874).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xxx. t. 3122 (1888).
candelabrum Griseb.
Engler & Drude, Veget. Erde, xi. t. 46 (1909).—*Hab.*
×**Candolleanum** Naeg.
Reichenbach, Ic. Fl. Germ. xv. t. 860 (1853).
canescens Nutt
Pammel in Proc. Iowa Acad. Sc. xv. No. 44, p. 36 (1910).—*Hab.*
Pammel & Fogel in Proc. Iowa Acad. Sc. xvi. No. 31, t. 1 (1911).—*Veg.*
Pammel, Man. Poison. Pl. 798 (1911).
Pammel, Weeds Farm & Garden, 8 (1911).—*Veg.*
Pammel & Fogel in Iowa Geol. Surv. Bull. No. 4, p. 374, 375, 749 (1913).
canum M. Bieb.
Reichenbach, Ic. Fl. Germ. xv. t. 828, 829, 888 (1853).
Juratzka in Verh. Zool.-Bot. Ver. Wien, vii. Abh. 121 (1857).—*Veg.*
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xxx. t. 3112 (1888).

CIRSIUM
canum
*Behrens, Blattformen, t. 38, fig. c (1900).—*Veg.*
Fiori & Paol. Ic. Fl. Ital. 453 (1904).
Bot. Közl. (Bot. Communic.), viii. 280, 281 (1910).
—— **pinnatifidum** Reichb. f.
Reichenbach, Ic. Fl. Germ. xv. t. 830 (1853).
×**canum-palustre** Wimm.
Reichenbach, Ic. Fl. Germ. xv. t. 863 (1853).
caput-medusae Somm. & Lev.
Act. Hort. Petrop. xvi. t. 24 (1900).
Act. Hort. Jurjev. v. 77 (1904).—*Hab.*
×**carinthiacum** Fleischm.
Ann. Nat. Hofm. Wien, xxvii. t. 7, 8 (1913).
carniolicum Scop.
Scopoli, Fl. Carn. Ed. 2, ii. t. 54 (1772).
Reichenbach, Ic. Fl. Germ. xv. t. 832 (1853).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xxx. t. 3114 (1888).
Rouy, Illustr. Pl. Eur. Rar. fasc. 12, t. 287 (1899).
Coste, Fl. France, ii. 374 (1903).
Fiori & Paol. Ic. Fl. Ital. 454 (1904).
Casabonae DC.
Pflanzenfam. iv. v. 319 (1892).—*Fl.*
Fiori & Paol. Ic. Fl. Ital. 451 (1904).
×**Cervinii** Koch
Reichenbach, Ic. Fl. Germ. xv. t. 853 (1853).
Chailletii Gaud.
Naegeli in Neue Denkschr. Allg. Schweiz. Ges. ges. Naturw. v. t. 11 (1841).
Chailletii Koch
Juratzka in Verh. Zool.-Bot. Ver. Wien, vii. t. 1 (1857).
Chatenieri Le Grand
Coste, Fl. France, ii. 372 (1903).
chlorocomos Somm. & Lev.
Act. Hort. Petrop. xvi. t. 25 (1900).
Chodatii Barbey-Gampert
Barbey-Gampert in Bull. Soc. Bot. Genève, Ser. II. xii. 235 (1920).
Costae Petrak
Petrak in Bibl. Bot. xviii. No. 78, t. 6, b (1912).
crinitum Boiss.
*Boissier, Voy. Bot. Espagne, i. t. 111 (1839–45).
decussatum Janka
Visiani in Mem. Istit. Veneto, xxi. t. 9 (1879).
desertorum Fisch.
Reichenbach, Pl. Crit. x. t. 986 (1832).
discolor Spreng.
Pammel & King in Bull. Iowa Agric. St. No. 105, p. 274 (1909).—*Fr.*
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, iii. 549 (1913).
Iowa Geol. Surv. Bull. No. 4, p. 376, 495 (1913).
Drejeri Reichb. f.
Reichenbach, Ic. Fl. Germ. xv. t. 827 (1853).
echinatum DC.
Reichenbach, Ic. Fl. Germ. xv. t. 823 (1853).
*Cusin, Herb. Fl. Franç. xiii (Composées), t. 246 (1874).
Coste, Fl. France, ii. 373 (1903).
Fiori & Paol. Ic. Fl. Ital. 453 (1904).
Cadevall & Sallent, Fl. Catalunya, iii. 341 (1917).
elatum Tod.
Lojacono-Pojero, Fl. Sic. ii. 1. t. 13 (1902).
eriocephalum A. Gray
Pammel & Cratty in Proc. Iowa Acad. Sc. xxvii. 63 (1920).—*Hab.*
eriophorum Scop.
*Jaume St.-Hilaire, Fl. & Pom. Franç. ii. t. 133 (1829).
*Zenker, Fl. Thüringen, xii. t. 1438 (1836–55).
*Dietrich, Fl. Boruss. xii. t. 801 (1844).
*Deakin, Florigr. Brit. iii. fig. 1242 (1847).
Reichenbach, Ic. Fl. Germ. xv. t. 822 (1853).
Cesati, Passer. & Gibelli, Comp. Fl. Ital. t. 75 (1867–86).—*Fl.*
*Cusin, Herb. Fl. Franç. xiii (Composées), t. 249 (1874).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xxx. t. 3110 (1888).
*Heathcote, Fl. Engadine, t. 126 (1891).
Acloque, Fl. France, 389 (1894).
*Hartinger, Atlas Alpenfl. v. t. 476 (1897).
Oesterr. Bot. Zeitschr. xlviii. 370 (1898).—*Veg.*

CIRSIUM
eriophorum
*Behrens, Blattformen, t. 38, fig. d (1900).—*Veg.*
Gradmann, Pflanzenl. Schwäb. Alb. Ed. 2, ii. 352 (1900).
Coste, Fl. France, ii. 372 (1903).
Fiori & Paol. Ic. Fl. Ital. 452 (1904).
Fedtschenko & Fler. Fl. Eur. Russia, 1009 (1910).
Heukels, Fl. Nederl. 427 (1910).
Rec. Instit. Bot., Errera, vii. bis Annexe, fig. 458 (1910).—*Hab.*
*Klein, Unsere Unkräuter, t. 91 (1913).
*Gadeceau, Fl. Moiss. t. 91 (1914).
Cadevall & Sallent, Fl. Catalunya, iii. 342 (1917).
—— **dinaricum** Vand.
Bibl. Bot. xviii. No. 78, t. 3, b (1912).
—— **ferox** DC.
Fiori & Paol. Ic. Fl. Ital. 452 (1904).
—— **Lobelii** Ten.
Fiori & Paol. Ic. Fl. Ital. 452 (1904).
—— **platyonychium** Wallr.
Suireishchikov, Ill. Fl. Mosc. Gov. iii. 299 (1910).
—— **spurium** DC.
Nuov. Giorn. Bot. Ital. N. Ser. xxv. t. 6 (1918).
erisithales Scop.
Reichenbach, Ic. Fl. Germ. xv. t. 837 (1853).
*Cusin, Herb. Fl. Franç. xiii (Composées), t. 265 (1874).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xxx. t. 3116 (1888).
*Hartinger, Atlas Alpenfl. v. t. 478 (1897).
*G. Beck, Alpenblum. Semmering, t. 17, fig. 5 (1898).—*Fl.*
Coste, Fl. France, ii. 374 (1903).
Fiori & Paol. Ic. Fl. Ital. 454 (1904).
Cadevall & Sallent, Fl. Catalunya, iii. 344 (1917).
×**erisithali-acaule** Sch.-Bip.
Reichenbach, Ic. Fl. Germ. xv. t. 859 (1853).
×**erisithali-heterophyllum** Naeg.
Reichenbach, Ic. Fl. Germ. xv. t. 844 (1853).
×—— **Hausmannii** Reichb. f.
Reichenbach, Ic. Fl. Germ. xv. t. 850 (1853).
×—— **Tappeineri** Reichb. f.
Reichenbach, Ic. Fl. Germ. xv. t. 850 (1853).
×**erisithali-rivulare** Reichb. f.
Reichenbach, Ic. Fl. Germ. xv. t. 862, 889 (1853).
ferox DC.
Reichenbach, Ic. Fl. Germ. xv. t. 824 (1853).
*Cusin, Herb. Fl. Franç. xiii (Composées), t. 247 (1874).
Coste, Fl. France, ii. 373 (1903).
—— **Lobelii** DC.
Nuov. Giorn. Bot. Ital. N. Ser. xxv. t. 6 (1918).
filipendulum Lange
*Lange, Pl. Hispan. t. 20 (1864–66).
Coste, Fl. France, ii. 377 (1903).
Merino, Fl. Galicia, ii. 431 (1906).
×**flavescens** Koch
Reichenbach, Ic. Fl. Germ. xv. t. 859 (1853).
flavispina Boiss.
*Boissier, Voy. Bot. Espagne, i. t. 112 (1839–45).
Flodmanii Britton
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, iii. 551 (1913).
×**Gerhardtii** Sch.-Bip.
Reichenbach, Ic. Fl. Germ. xv. t. 861 (1853).
Giraudiasii Senn. & Pau
Bibl. Bot. xviii. No. 78, t. 4 (1912).
×**glabrifolium** Petrak
Oesterr. Bot. Zeitschr. lxi. 324 (1911).
glabrum DC.
*Cusin, Herb. Fl. Franç. xiii (Composées), t. 272 (1874).
Coste, Fl. France, ii. 375 (1903).
*Flahault, Nouv. Fl. Alpes & Pyrén. iii. t. 49 (1912).
Cadevall & Sallent, Fl. Catalunya, iii. 345 (1917).
gnaphaloides Spreng.
Fiori & Paol. Ic. Fl. Ital. 451 (1904).
Grahamii A. Gray
*Bot. Mag. xcvii. t. 5885 (1871).
Grecescui Rouy
Rouy, Illustr. Pl. Eur. Rar. fasc. 9, t. 206 (1898).
Hallerianum Hill
Hill, Veget. Syst. iv. t. 24 (1762).

CIRSIUM
Heldreichii Hal.
Bibl. Bot. xviii. No. 78, t. 5 (1912).
helenioides Hill
Hill, Herb. Brit. i. t. 57 (1769).
helenioides All.
Allioni, Fl. Pedem. iii. t. 13 (1785).
×**heterophyllo-acaule** Naeg.
Reichenbach, Ic. Fl. Germ. xv. t. 854 (1853).
×**heterophyllo-erisithales** Reichb. f.
Reichenbach, Ic. Fl. Germ. xv. t. 847 (1853).
×**heterophyllo-oleraceum** Naeg.
Reichenbach, Ic. Fl. Germ. xv. t. 857 (1853).
heterophyllum All.
Allioni, Fl. Pedem. iii. t. 34 (1785).
*Zenker, Fl. Thüringen, xii. t. 1432 (1836–55).
*Deakin, Florigr. Brit. iii. fig. 1244 (1847).
Reichenbach, Ic. Fl. Germ. xv. t. 838 (1853).
*Cusin, Herb. Fl. Franç. xiii (Composées), t. 276 (1874).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xxx. t. 3120 (1888).
*Hartinger, Atlas Alpenfl. v. t. 479 (1897).
Coste, Fl. France, ii. 376 (1903).
Fiori & Paol. Ic. Fl. Ital. 454 (1904).
Blytt, Haandb. Norg. Fl. Ed. Dahl, 707 (1906).
*Flahault, Nouv. Fl. Alpes & Pyrén. ii. t. 71 (1908).
Suireishchikov, Ill. Fl. Mosc. Gov. iii. 301 (1910).
Cadevall & Sallent, Fl. Catalunya, iii. 347 (1917).
—— **helenioides** Rouy
Cusin, Herb. Fl. Franç. xiii (Composées), t. 277 (1874).
Hilgendorfii Franch. & Sav.
Somoku Dzusetsu, Ed. Makino (Iconogr. Pl. Nippon), xv. t. 42 (1912).
Hillii Fernald
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, iii. 552 (1913).
horridulum Michx.
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, iii. 553 (1913).
horridum isophyllum Petrak
Petrak in Bull. Mus. Cauc. viii. t. 3 (1914).
×**hybridum** Koch
Reichenbach, Ic. Fl. Germ. xv. t. 847 (1853).
hypoleucum DC.
Meyer in Sertum Petrop. t. 24 (1869) in textu; *C. Wiedemanni* in ic.
igniarium Spreng.
*Ledebour, Ic. Pl. Ross. v. t. 477 (1834).
iowense Fernald
Pammel & King in Bull. Iowa Agric. St. No. 105, p. 274 (1909).—*Fr.*
Pammel in Iowa Geol. Surv. Bull. No. 4, p. 378, 495 (1913).
italicum DC.
Moris, Fl. Sard. t. 87 (1840–43).
Reichenbach, Ic. Fl. Germ. xv. t. 827 (1853).
*Cusin, Herb. Fl. Franç. xiii (Composées), t. 242 (1874).
Coste, Fl. France, ii. 371 (1903).
Fiori & Paol. Ic. Fl. Ital. 452 (1904).
japonicum DC.
Somoku Dzusetsu, Ed. Makino (Iconogr. Pl. Nippon), xv. t. 35 (1912).
—— **horridum** Nakai
Matsumura, Ic. Pl. Koisikav. i. t. 20 (1912).
—— **nikkoënse** Nakai
Matsumura, Ic. Pl. Koisikav. i. t. 23 (1912).
—— **yesoënse** Maxim.
Matsumura, Ic. Pl. Koisikav. i. t. 21 (1912).
—— —— **nipponense** Nakai
Matsumura, Ic. Pl. Koisikav. i. t. 22 (1912).
kamtschaticum Ledeb.
J. G. Gmelin, Fl. Sibir. ii. t. 24 (1749); fide Ledebour, Comm. 69.
Kawakamii Hayata
Hayata, Ic. Pl. Formosan. ii. t. 9 (1912).
×**Kornhuberi** Heimerl
Heimerl in Verh. Zool.-Bot. Ges. Wien, xxxiv. t. 4 (1885).
Kusnezowianum Somm. & Lev.
Act. Hort. Petrop. xvi. t. 27 (1900).
Lachenalii Koch
*Zenker, Fl. Thüringen, ii. t. 230 (1836–55).

CIRSIUM
Lachenalii
Reichenbach, Ic. Fl. Germ. xv. t. 855 (1853).
×**lanceolato-palustre** Naeg.
Naegeli in Neue Denkschr. Allg. Schweiz. Ges. ges. Naturw. v. t. 8 (1841).
Reichenbach, Ic. Fl. Germ. xv. t. 862 (1853).
lanceolatum Hill
Hill, Herb. Brit. i. t. 56 (1769).
*Zenker, Fl. Thüringen, v. t. 587 (1836–55).
*Dietrich, Fl. Boruss. vii. t. 499 (1839).
Meigen, Deutschl. Fl. iii. t. 127 (1842).—*Fl.*
*Deakin, Florigr. Brit. iii. fig. 1239 (1847).
*Lorek, Fl. Pruss. Ed. 3, t. 189, fig. 1005 (1848).
Reichenbach, Ic. Fl. Germ. xv. t. 826 (1853).
Flora, xliii. t. 7, fig. 6 (1860).
Cesati, Passer. & Gibelli, Comp. Fl. Ital. t. 75 (1867–86).—*Fr.*
*Cusin, Herb. Fl. Franç. xiii (Composées), t. 243 (1874).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xxx. t. 3109 (1888).
Pflanzenfam. iv. v. 114 (1889).—*Fr.*
Garcke, Ill. Fl. Deutschl. 332 (1895).
*Siélain, Atlas Poche Pl. Champs Prair. & Bois, Ser. II. t. 69 (1896).
Lindman, Bild. Nord. Fl. t. 1 (1901–5).
Coste, Fl. France, ii. 371 (1903).
Fiori & Paol. Ic. Fl. Ital. 452 (1904).
Blytt, Haandb. Norg. Fl. Ed. Dahl, 706 (1906).
*Clark & Fletcher, Farm Weeds Canada, Ed. 2, t. 76, fig. 88 (1909).—*Fr.*
Black, Nat. Fl. S. Australia, 93 (1909).
Heukels, Fl. Nederl. iii. 426 (1910).
Fedtschenko & Fler. Fl. Eur. Russia, 1010 (1910).
Pammel & King in Proc. Iowa Acad. Sc. xv. No. 45, p. 32 (1910).—*Veg.*
Suireishchikov, Ill. Fl. Mosc. Gov. iii. 297 (1910).
Beal, Michigan Weeds (Bull. Mich. Agric. Exp. St. No. 267), 425 (1911); et in Ann. Rep. xxv. 414 (1912).
Pammel, Man. Poison. Pl. 142, 800 (1911).
Pammel, Weeds Farm & Gard. 16, 248 (1911).
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, iii. 549 (1913).
Iowa Geol. Surv. Bull. No. 4, p. 373, 494, 650 (1913).
*Klein, Unsere Unkräuter, t. 90 (1913).
Bull. Angew. Bot. vii. t. 116 (1914).—*Fr.*
*Gadeceau, Fl. Moiss. t. 90 (1914).
L. H. Bailey, Stand. Cycl. Hort. 774 (1914).
Canada Dep. Agric. (Seed Branch) Bull. No. S–8, p. 59 (1914).—*Fr.*
A. Georgia, Manual Weeds, t. 354 (1914).
Palmer in Proc. Iowa Acad. Sc. xxiii. t. 10 (1916).—*Fr.*
*Bonnier, Name This Flower, t. 29 (1917).
Cadevall & Sallent, Fl. Catalunya, iii. 340 (1917).
Lindman, Svensk Fanerogamfl. 518 (1918).—*Fr.*
—— **hypoleucum** DC.
Cusin, Herb. Fl. Franç. xiii (Composées), t. 244 (1874).
lanigerum silvestre Naeg.
Naegeli in Neue Denkschr. Allg. Schweiz. Ges. ges. Naturw. v. t. 3 (1841).
Liebmannii Sch.-Bip.
Beih. Bot. Centralbl. xxvii. II. t. 1 (1910).
ligulare Boiss.
Bibl. Bot. v. No. 26, t. 5, fig. 23 (1892).—*Veg.*
Rouy, Illustr. Pl. Eur. Rar. fasc. 2, t. 36 (1895).
—— **armatum** Petrak
Bibl. Bot. xviii. No. 78, t. 3, a (1912).
×**Linkianum** Löhr
Oesterr. Bot. Zeitschr. lxviii. t. 4 (1919).
Lobelii Ten.
*Tenore, Fl. Nap., Atlas, iv. t. 189 (1811–38).
Bull. Ort. Bot. Napoli, iv. t. 7 (1914).—*Hab.*
Nuov. Giorn. Bot. Ital. N. Ser. xxv. t. 2 (1918).
Lojkae Somm. & Lev.
Act. Hort. Petrop. xvi. t. 26 (1900).
Déchy, Kaukasus, iii. t. 24, fig. 1–13 (1907).
Mamiyanum Koidz.
Journ. Coll. Sc. Tokyo, xxvii. Art. 13, t. 3 (1910).
maritimum Makino
Somoku Dzusetsu, Ed. Makino (Iconogr. Pl. Nippon), xv. t. 38 (1912).

CIRSIUM
medium All.
Allioni, Fl. Pedem. iii. t. 49, fig. 2 (1785).
Reichenbach, Ic. Fl. Germ. xv. t. 849 (1853).
microcephalum Moris
Fiori & Paol. Ic. Fl. Ital. 452 (1904).
misilmerense Ces. Passer. & Gib.
Lojacono-Pojero, Fl. Sic. ii. 1. t. 15 (1902).
monspessulanum All.
Reichenbach, Ic. Fl. Germ. xv. t. 830 (1853).
*Cusin, Herb. Fl. Franç. xiii (Composées), t. 254 (1874).
Coste, Fl. France, ii. 374 (1903).
Fiori & Paol. Ic. Fl. Ital. 453 (1904).
Cadevall & Sallent, Fl. Catalunya, iii. 343 (1917).
—— **pyrenaicum** Cusin
Cusin, Herb. Fl. Franç. xiii (Composées), t. 255 (1874).
montanum Hill
Hill, Herb. Brit. i. t. 57 (1769).
Coste, Fl. France, ii. 376 (1903).
Morisianum Reichb. f.
Reichenbach, Ic. Fl. Germ. xv. t. 825 (1853).
Nuov. Giorn. Bot. Ital. N. Ser. xxv. t. 3 (1918).
muticum Michx.
Pammel in Rep. Iowa Geol. Surv. xix. 772 (1911).
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, iii. 553 (1913).
L. H. Bailey, Stand. Cycl. Hort. 775 (1914).
*House, Wild Fl. New York (Mem. No. 15 N.Y. State Mus.), ii. t. 264 (1918).
narbonense Rouy
Rouy, Illustr. Pl. Eur. Rar. fasc. 14, t. 340 (1900).
nebraskense Britton
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, iii. 552 (1913).
neglectum Fisch.
Reichenbach, Pl. Crit. x. t. 987 (1832).
nemorale Reichb. f.
Reichenbach, Ic. Fl. Germ. xv. t. 826 (1853).
Kerner, Pflanzenleben, i. 406 (1887); ii. 797 (1891); Ed. 3, i. 123 (1913).
Kerner & Oliv. Nat. Hist. Pl. i. 436 (1894); ii. 860 (1895).
Brehm, Merv. Nat. Monde des Pl. ii. 162 (1894–96).—*Hab.*
nipponicum Makino
Somoku Dzusetsu, Ed. Makino (Iconogr. Pl. Nippon), xv. t. 40 (1912).
obvallatum M. Bieb.
Karsten & Schenck, Veg.-Bild. xi. t. 40 (1913).—*Hab.*
ochrocentrum A. Gray
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, iii. 551 (1913).
ochroleucum All.
De Silvestri, Piante Prat. 251 (1879).
odontolepis Boiss.
*Boissier, Voy. Bot. Espagne, i. t. 110 (1839–45).
Coste, Fl. France, ii. 372 (1903).
odoratum Britton
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, iii. 552 (1913).
×**oleraceo-acaule** Hampe
Reichenbach, Ic. Fl. Germ. xv. t. 858 (1853).
*Cusin, Herb. Fl. Franç. xiii (Composées), t. 281 (1874).
*Fl. Dan. xvii. t. 2969 (1880).
×**oleraceo-arvense** Naeg.
Naegeli in Neue Denkschr. Allg. Schweiz. Ges. ges. Naturw. v. t. 4 (1841).
Reichenbach, Ic. Fl. Germ. xv. t. 862 (1853).
×**oleraceo-bulbosum** Naeg.
Reichenbach, Ic. Fl. Germ. xv. t. 853, 855 (1853).
×**oleraceo-erisithales** Mich.
*Cusin, Herb. Fl. Franç. xiii (Composées), t. 264 (1874).
×**oleraceo-heterophyllum** Naeg.
Reichenbach, Ic. Fl. Germ. xv. t. 857 (1853).
*Fl. Dan. xvii. t. 3043 (1883).
×**oleraceo-lanceolatum** Vahl
*Fl. Dan. xvii. t. 2968 (1880).
×**oleraceo-palustre frigido-glomeratum** Naeg.
Naegeli in Neue Denkschr. Allg. Schweiz. Ges. ges. Naturw. v. t. 6 (1841).

CIRSIUM
×**oleraceo-rivulare** Naeg.
*Cusin, Herb. Fl. Franç. xiii (Composées), t. 263 (1874).
oleraceum Scop.
*Zenker, Fl. Thüringen, iii. t. 357 (1836–55).
*Dietrich, Fl. Boruss. viii. t. 552 (1840).
*Lorek, Fl. Pruss. Ed. 3, t. 189, fig. 1008 (1848).
Reichenbach, Ic. Fl. Germ. xv. t. 834 (1853).
Berg, Charakt. t. 49, fig. 374, K–O (1861).—*Fr.*
*Cusin, Herb. Fl. Franç. xiii (Composées), t. 260 (1874).
Nobbe, Handb. Samenkunde, 37, 350 (1876).—*Fr.*
Willkomm, Führ. Reich. Pflanzen, 385 (1882).—*Fl.*
Vilmorin-Andrieux, Pl. Potag. 157 (1883).—*Hab.*
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xxx. t. 3118 (1888).
Acloque, Fl. France, 391 (1894).
Lindman, Bild. Nord. Fl. t. 3 (1901–5).
Coste, Fl. France, ii. 375 (1903).
Fiori & Paol. Ic. Fl. Ital. 454 (1904).
*Hulme, Familiar Swiss Fl. t. 69 (1908).
Bot. Közl. (Bot. Communic.), viii. 280, 281 (1910).
Heukels, Fl. Nederl. iii. 428 (1910).
Suireishchikov, Ill. Fl. Mosc. Gov. iii. 299 (1910).
Mayevsky, Fl. Central Russia, 334 (1918).
—— **atrisanguineum** Mort.
*Fl. Dan. xvii. t. 3042 (1883).
—— **pinnatifidum** Cusin
Cusin, Herb. Fl. Franç. xiii (Composées), t. 261 (1874).
orizabense Sch.-Bip.
Beih. Bot. Centralbl. xxvii. II. t. 2 (1910).
palustre Scop.
J. G. Gmelin, Fl. Sibir. ii. t. 23, fig. 2 (1749); fide Ledebour, Comm. 68.
*Jaume St.-Hilaire, Fl. & Pom. Franç. ii. t. 135 (1829).
*Zenker, Fl. Thüringen, viii. t. 956 (1836–55).
*Dietrich, Fl. Boruss. x. t. 716 (1842).
*Deakin, Florigr. Brit. iii. fig. 1240 (1847).
*Lorek, Fl. Pruss. Ed. 3, t. 189, fig. 1006 (1848).
Reichenbach, Ic. Fl. Germ. xv. t. 831 (1853).
Ettingshausen in Sitzb. Akad. Wiss. Wien, xx. II. t. 9 (1856).—*Veg.*
Juratzka in Verh. Zool.-Bot. Ver. Wien, vii. t. 1 (1857).
Cesati, Passer. & Gibelli, Comp. Fl. Ital. t. 75 (1867–86).—*Fl.*
*Cusin, Herb. Fl. Franç. xiii (Composées), t. 251 (1874).
Willkomm, Führ. Reich Pflanzen, t. 4, fig. 104 (1882).—*Fl.*
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xxx. t. 3111 (1888).
Paolucci, Fl. Marchig. t. 24 (1890).
Bot. Jaarb., Gent, v. 406 (1893).—*Fl.*
Acloque, Fl. France, 391 (1894).
Lindman, Bild. Nord. Fl. t. 2 (1901–5).
Coste, Fl. France, ii. 373 (1903).
Fiori & Paol. Ic. Fl. Ital. 453 (1904).
Lazaro, Comp. Fl. Españ. ii. 668 (1907).
Fedtschenko & Fler. Fl. Eur. Russia, 1010 (1910).
Heukels, Fl. Nederl. iii. 429 (1910).
Suireishchikov, Ill. Fl. Mosc. Gov. iii. 304 (1910).
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, iii. 554 (1913).
Cadevall & Sallent, Fl. Catalunya, iii. 343 (1917).
Lindman, Svensk Fanerogamfl. 547 (1918).—*Fl.*
—— **glomeratum putatum** Naeg.
Naegeli in Neue Denkschr. Allg. Schweiz. Ges. ges. Naturw. v. t. 11 (1841).
—— **torphaceum** Gren. & Godr.
Cusin, Herb. Fl. Franç. xiii (Composées), t. 252 (1874).
—— **umbrosum** Kauffm.
Suireishchikov, Ill. Fl. Mosc. Gov. iii. 304 (1910).
×**palustri-erisithales** Naeg.
Reichenbach, Ic. Fl. Germ. xv. t. 845, 887 (1853).
×**palustri-heterophyllum** Wimm.
Reichenbach, Ic. Fl. Germ. xv. t. 852 (1853).
×**palustri-lanceolatum** Reichb. f.
Reichenbach, Ic. Fl. Germ. xv. t. 843 (1853).

CIRSIUM
×**palustri-oleraceum** Naeg.
Reichenbach, Ic. Fl. Germ. xv. t. 846 (1853).
*Fl. Dan. xvii. t. 2967 (1880).
×**palustri-rivulare** Naeg.
Reichenbach, Ic. Fl. Germ. xv. t. 888 (1853).
×**pannonico-erisithales** Naeg.
Reichenbach, Ic. Fl. Germ. xv. t. 845 (1853).
pannonicum Gaud.
Reichenbach, Ic. Fl. Germ. xv. t. 829, 888 (1853).
Juratzka in Verh. Zool.-Bot. Ver. Wien, vii. Abh. 121 (1857).—*Veg.*
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xxx. t. 3113 (1888).
Fiori & Paol. Ic. Fl. Ital. 453 (1904).
Suireishchikov, Ill. Fl. Mosc. Gov. iii. 303 (1910).
pauciflorum Spreng.
Reichenbach, Ic. Fl. Germ. xv. t. 833 (1853).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xxx. t. 3115 (1888).
Hayek, Pflanzend. Oesterr.-Ung. i. 439 (1915).—*Hab.*
pisidium Wettst.
Wettstein in Sitzb. Akad. Wiss. Wien, xcviii. t. 3, fig. 9–12 (1890).—*Fl.*
Pitcheri Torr. & Gray
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, iii. 550 (1913).
plattense Britton
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, iii. 551 (1913).
polyanthemum DC.
Coste, Fl. France, ii. 373 (1903).
Fiori & Paol. Ic. Fl. Ital. 453 (1904).
polycephalum DC.
Rouy, Illustr. Pl. Eur. Rar. fasc. 13, t. 314 (1900).
×**praemorsum** Reichb. f.
Reichenbach, Ic. Fl. Germ. xv. t. 856 (1853).
pubigerum DC.
Petrak in Bull. Mus. Cauc. viii. t. 4 (1914).
pumilum Spreng.
A. Georgia, Manual Weeds, t. 355 (1914).
purpuratum Matsum.
Miyoshi, Atlas Jap. Veg. t. 61 (1907).—*Hab.*
purpureum All.
Allioni, Fl. Pedem. iii. t. 36 (1785).
pyrenaicum All.
Allioni, Fl. Pedem. iii. t. 12 (1785).
*Jaume St.-Hilaire, Fl. & Pom. Franç. ii. t. 139 (1829).
×**rigens** Wallr.
Reichenbach, Ic. Fl. Germ. xv. t. 858 (1853).
rivulare Link
*Lorek, Fl. Pruss. Ed. 3, t. 189, fig. 1007 (1848).
Reichenbach, Ic. Fl. Germ. xv. t. 835 (1853).
*Cusin, Herb. Fl. Franç. xiii (Composées), t. 269 (1874).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xxx. t. 3119 (1888).
Coste, Fl. France, ii. 376 (1903).
Cadevall & Sallent, Fl. Catalunya, iii. 346 (1917).
—— **pinnatifidum** Cusin
Cusin, Herb. Fl. Franç. xiii (Composées), t. 270 (1874).
×**rivulari-oleraceum** Naeg.
*Cusin, Herb. Fl. Franç. xiii (Composées), t. 262 (1874).
×**rivulari-palustre** Naeg.
Reichenbach, Ic. Fl. Germ. xv. t. 888 (1853).
×**rivulari-pauciflorum** Reichb. f.
Reichenbach, Ic. Fl. Germ. xv. t. 862, 889 (1853).
Rosanii Ten.
*Tenore, Fl. Nap., Atlas, iv. t. 189 (1811–38).
scabrum Bonnet & Barr
Fiori & Paol. Ic. Fl. Ital. 453 (1904).
Schelkovnikovii Petrak
Petrak in Bull. Mus. Cauc. viii. t. 2 (1914).
Semenowii Regel & Schmalh.
Oesterr. Bot. Zeitschr. lxi. 322 (1911).
—— **sairamense** Petrak
Oesterr. Bot. Zeitschr. lxi. 323 (1911).
semidecurrens Richt.
Reichenbach, Ic. Fl. Germ. xv. t. 843 (1853).

CIRSIUM
serratuloides Scop.
J. G. Gmelin, Fl. Sibir. ii. t. 23, fig. 1 (1749); fide Ledebour, Comm. 68.
*Ledebour, Ic. Pl. Ross. iv. t. 375 (1833).
serrulatum M. Bieb.
*Behrens, Blattformen, t. 38, fig. e (1900).—*Veg.*
setigerum Ledeb.
*Ledebour, Ic. Pl. Ross. i. t. 35 (1829).
setosum M. Bieb.
J. G. Gmelin, Fl. Sibir. ii. t. 22 (1749); fide Ledebour, Comm. 68.
*Cusin, Herb. Fl. Franç. xiii (Composées), t. 284 (1874).
siculum Spreng.
*Visiani, Fl. Dalmat. Suppl. (Mem. Istit. Veneto, xvi), t. 10 (1872).
×**Sieversii** Petrak
Oesterr. Bot. Zeitschr. lxi. 325 (1911).
spathulatum Gaud.
Reichenbach, Ic. Fl. Germ. xv. t. 821 (1853).
spectabile DC.
Belanger, Voyage Ind. Or., Bot. Phan. t. 11 (1831–46).
spicatum Matsum.
Somoku Dzusetsu, Ed. Makino (Iconogr. Pl. Nippon), xv. t. 36 (1912).
×**spinosissimo-acaule** Naeg.
Naegeli in Neue Denkschr. Allg. Schweiz. Ges. ges. Naturw. v. t. 5 (1841).
×**spinosissimo-heterophyllum** Gren. & Godr.
*Cusin, Herb. Fl. Franç. xiii (Composées), t. 274 (1874).
×**spinosissimo-rivulare** Naeg.
Naegeli in Neue Denkschr. Allg. Schweiz. Ges. ges. Naturw. v. t. 7 (1841).
Reichenbach, Ic. Fl. Germ. xv. t. 863 (1853).
spinosissimum Scop.
Reichenbach, Ic. Fl. Germ. xv. t. 836 (1853).
*Cusin, Herb. Fl. Franç. xiii (Composées), t. 271 (1874).
*Seboth & A. W. Bennett, Alpine Pl. iii. t. 81 (1880).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xxx. t. 3117 (1888).
*Hartinger, Atlas Alpenfl. v. t. 477 (1897).
*Behrens, Blattformen, t. 30, fig. i, k (1900).—*Veg.*
Flora, lxxxix. t. 4, fig. 14 (1901).—*Fr.*
Coste, Fl. France, ii. 375 (1903).
Fiori & Paol. Ic. Fl. Ital. 454 (1904).
Bot. Kongr. Wien, iii. Exk. t. 39 (1905).—*Hab.*
Flahault, Nouv. Fl. Alpes & Pyrén. ii. 71 (1908).
Schroeter, Pflanzenleb. Alp. 393 (1908).—*Hab.*
Bot. Congr. Bruxelles, ii. t. 39 (1910).—*Hab.*
*Hastings, Summer Fl. High Alps, frontisp. (1910).—*Hab.*
Silva Tarouca, Freiland-Stauden, 63 (1910).—*Hab.*
*H. S. Thompson, Alp. Pl. Europe, t. 37 (1911).
spurium Lacaita
Nuov. Giorn. Bot. Ital. N. Ser. xxv. t. 1 (1918).
stabianum Lacaita
Nuov. Giorn. Bot. Ital. N. Ser. xxv. t. 4 (1918).
stellatum All.
Reichenbach, Ic. Fl. Germ. xv. t. 841 (1853).
Fiori & Paol. Ic. Fl. Ital. 451 (1904).
strictum Spreng.
Fiori & Paol. Ic. Fl. Ital. 451 (1904).
subalpinum Schleich.
Reichenbach, Ic. Fl. Germ. xv. t. 844 (1853).
syriacum Gaertn.
Gaertner, Fruct. ii. t. 163 (1791).—*Fr.*
Fiori & Paol. Ic. Fl. Ital. 452 (1904).
×**tataricum** Wimm. & Grab.
Reichenbach, Ic. Fl. Germ. xv. t. 848 (1853).
tricephalodes DC.
*Jaume St.-Hilaire, Fl. & Pom. Franç. ii. t. 138 (1829).
Fiori & Paol. Ic. Fl. Ital. 454 (1904).
trispinosum Moench
Jahandiez, Cat. Pl. Dépt. Var, t. 7 (1908).
tuberosum All.
*Zenker, Fl. Thüringen, ii. t. 239 (1836–55).
Coste, Fl. France, ii. 377 (1903).

CIRSIUM
tuberosum
Fiori & Paol. Ic. Fl. Ital. 454 (1904).
Cadevall & Sallent, Fl. Catalunya, iii. 348 (1917).
—— **anglicum** DC.
Fiori & Paol. Ic. Fl. Ital. 454 (1904).
turbinatum Gillot
Coste, Fl. France, ii. 372 (1903).
×**uliginosum** Delastre
Delastre, Fl. Dépt. Vienne, t. 3 (1842).
undulatum Spreng.
Pammel & King in Bull. Iowa Agric. St. No. 105, p. 274 (1909).—*Fr.*
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, iii. 550 (1913).
Pammel, Iowa Geol. Surv. Bull. No. 4, p. 495 (1913).—*Fr.*
vallis-demonii Lojac.-Poj.
Lojacono-Pojero, Fl. Sic. ii. 1. t. 12 (1902).
—— **calabrum** Fiori
Nouv. Giorn. Bot. Ital. N. Ser. xxv. t. 5 (1918).
Vandasii Petrak
Bibl. Bot. xviii. No. 78, t. 1 (1912).
Velenovskyi Vand.
Wien, Ill. Gart.-Zeit. xxi. 76 (1896).
virginianum Michx.
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, iii. 550 (1913).
×**Wankelii** Reichardt
Suireishchikov, Ill. Fl. Mosc. Gov. iii. 302 (1910).
Wiedemannii Fisch. & Mey.
Meyer in Sertum Petrop. t. 24 (1869) in ic.; *C. hypoleucum* in textu.
Willkommianum Porta & Rigo
*Willkomm, Ill. Fl. Hispan. Balear. ii. t. 102 (1886).
yezoënse Nakai
Somoku Dzusetsu, Ed. Makino (Iconogr. Pl. Nippon), xv. t. 41 (1912).

CISSAMPELOS, Linn.—Vide *Dissopetalum*
Abutua Vell.
Vellozo, Fl. Flum. x. t. 140 (1827).
andromorpha DC.
Delessert, Ic. Pl. i. t. 99 (1820).
Mart. Fl. Bras. xiii. 1. t. 44 (1864).
Caapeba Vell.
Vellozo, Fl. Flum. x. t. 139 (1827).
canescens Miq.
Miquel, Sert. Exot. t. 4 (1842).
capensis Thunb.
*Marloth, Fl. S. Africa, i. t. 62 (1913).
communis St.-Hil.
St.-Hilaire, Fl. Bras. Merid. i. t. 11 (1825).
convexa Vell.
Vellozo, Fl. Flum. x. t. 142 (1827).
convolvulacea Willd.
Griffith, Ic. Pl. Asiat. t. 496 (1854).—*Fl.*
ebracteata St.-Hil.
St.-Hilaire, Pl. Usuelles Bras. t. 35 (1824–28).
fasciculata Benth.
Mart. Fl. Bras. xiii. 1. t. 46 (1864).
Beille, Bot. Pharm. ii. 361 (1909).—*Fr.*
fluminensis Eichl.
Mart. Fl. Bras. xiii. 1. t. 44 (1864).
galapagensis Stewart
Proc. California Acad. Ser. IV. i. t. 3 (1911).
glaberrima St.-Hil.
Mart. Fl. Bras. xiii. 1. t. 45 (1864).
Hernandia Vell.
Vellozo, Fl. Flum. x. t. 136 (1827).
mauritiana Thou.
Journ. de Bot. Appl. (Desvaux), ii. t. 3, 4 (1809).
microcarpa DC.
Miers, Contrib. Bot. iii. t. 115 (1864–71).
ovalifolia DC.
St.-Hilaire, Pl. Usuelles Bras. t. 34 (1824–28).
Mart. Fl. Bras. xiii. 1. t. 43 (1864).
Pflanzenreich, Menispermac. 288 (1910).
Engler & Drude, Veget. Erde, ix. III. 1, p. 192 (1915).
ovata Vell.
Vellozo, Fl. Flum. x. t. 141 (1827).
pareira Linn.
Rheede, Hort. Mal. xi. t. 62 (1692); fide Diels in Pflanzenreich, Menisp. 289.
Swartz Observ. Bot. t. 10 (1791).—*Fl.*

CISSAMPELOS
pareira
*Woodville, Med. Bot. ii. t. 82 (1792), Ed. 3, i. t. 65 (1832).
Lamarck, Ill. v. t. 830 (1797–1819).
*Roques, Pl. Usuell. Indig. & Exot. ii. t. 5 (1808).
*Plenck, Ic. Pl. Med. viii. t. 723 (1812).
*Titford, Sketches Hort. Bot. Amer. t. 12 (1812).
*Chaumeton, Fl. Méd. v. t. 262 (1818).
Berlin Jahrb. Pharm. t. xxiii (1822).
*Descourtilz, Fl. Pitt. & Méd. Antilles, iii. t. 201 (1827).
*Nees, Pl. Offic. ii. t. 367 (1828).
Lindley, Veg. Kingd. 309 (1846).
*Spach, Hist. Nat. Vég. Phan. Atlas, t. 62 (1846).
*Carson, Ill. Med. Bot. i. t. 8 (1847).
*Cassone, Fl. Med.-Farm. i. t. 37 (1847).
Lindley, Med. & Oecon. Bot. 87 (1849).
*Good, Family Flora, ii. t. 93 (1854).
*Argenta, Album Fl. Med.-Farm. i. t. 24 (1862).
*Réveil, Règne Vég. iv. t. 38; x. t. 1 (1870).
Scheffer, Observ. Phytogr. (Natuurk. Tijdschr. Nederl. Ind. xxxii), t. 14 (1872).—*Fl.*
Baillon, Hist. Pl. iii. 17, 18 (1872).
*Bentley & Trim. Med. Pl. i. t. 15 (1876).
Baillon, Dict. Bot. i. 559 (1877).—*Fl.*
*Blanco, Fl. Filip. t. 432 (1878–80).
Baillon, Traité Bot. Méd. Phan. i. 708 (1883).
Vidal, Sin. Fam. & Gen. Pl. Leñ. Filip. (Introd. Fl. For. Filip.), Atlas, t. 1, fig. c (1883).
Pflanzenfam. iii. II. 85 (1888).
Dujard.-Beaumetz & Égasse, Pl. Méd. 519 (1889).—*Fl.*
Engler, Pflanzenw. Ost-Afr. Teil B, p. 507 (1895).
Collett, Fl. Siml. 19 (1902).
Lecomte, Fl. Gén. Indo-Chine, i. 145 (1908).—*Fl.*
Beille, Bot. Pharm. ii. 359 (1909).
Engler & Drude, Veget. Erde, ix. 1. 1, p. 267 (1910); ix. III. i. 192 (1915).
Pflanzenreich, Menispermac. 20, 21, 288 (1910).
Fawcett & Rendle, Fl. Jamaica, iii. 1. 193 (1914).
Basu, Ind. Med. Pl. t. 42 (1918).
Merck's Rep. (Pract. Journ. Pharm.) xxvii. 7 (1918).
—— **Caapeba** Griseb.
Plumier, Pl. Amer. Ed. Burm. t. 67, fig. 2 (1756); fide Urban, Fedde Repert. Beih. v. 50.
parriera Vell.
Vellozo, Fl. Flum. x. t. 138 (1827).—*Veg.*
smilacina Linn.
*Jacquin, Ic. Pl. Rar. iii. t. 629 (1786–93).
Schnizlein, Iconogr. iii. t. 172 (1852).
sympodialis Eichl.
Mart. Fl. Bras. xiii. 1. t. 44 (1864).
tamoides Willd.
Mart. Fl. Bras. xiii. 1. t. 44 (1864).
tomentosa Vell.
Vellozo, Fl. Flum. x. t. 143 (1827).
tropaeolifolia DC.
Delessert, Ic. Pl. i. t. 98 (1820).
Lindley, Veg. Kingd. 307 (1846).
truncata Engl.
Pflanzenreich, Menispermac. 288 (1910).—*Fl.*
Engler & Drude, Veget. Erde, ix. III. 1, p. 192 (1915).—*Fl.*
Vitis Vell.
Vellozo, Fl. Flum. x. t. 137 (1827).
Wildemaniana Bossche
De Wildeman, Pl. Nov. Herb. Hort. Then. i. t. 2 (1904).

CISSAROBRYON Poepp.: *Viviania*
elegans Kunze
*C. Gay, Hist. Chile, Atlas, t. 13 (1854).

CISSUS Auct.: *Ampelopsis* (1), *Cissus* Linn. (2), *Parthenocissus* (3), *Rhoicissus* (4), *Tetrastigma* (5).

CISSUS Linn. (2)—Vide *Ampelopsis* (1), *Cayratia*, *Malacoxylum*, *Saelanthus*, *Vitis* (3)
acida Linn. (2)
*Jacquin, Hort. Schoenbr. i. t. 33 (1797).
*Blanco, Fl. Filip. t. 24 (1878–80).
adenocaulis Steud. (2)
Fiori, Boschi e Piante Legn. Eritrea, 243 (1909–12).
Agric. Colon., Ital. v. Suppl. 20 (1911).

CISSUS

adenopodus Sprague (2)
*Bot. Mag. cxxxv. t. 8278 (1909).
Engl. Jahrb. xlvi. 539 (1912).
adnata Roxb. (2)
Wight, Ic. Pl. Ind. Or. i. t. 144 (1839).
alata Jacq. (2)
Plumier, Pl. Amer. Ed. Burm. t. 259, fig. 4 (1760); fide Urban, Fedde Repert. Beih. v. 99.
Jacquin, Sel. Stirp. Amer. Hist. t. 182 (1763).—*Veg.*
amoena Gilg & Brandt (2)
Engl. Jahrb. xlvi. 468 (1912).
Ampelopsis Pers. (1)
Trans. Acad. Sc. St. Louis, vi. 143, fig. 21 (1893).—*Veg.*
antarctica Vent. (2)
Ventenat, Choix Pl. t. 21 (1803).
*Bot. Mag. li. t. 2488 (1824).
J. C. Loudon, Arbor. & Frutic. Brit. i. 483 (1838).
Ettingshausen, Blatt-Skel. Dikot. t. 45 (1861).—*Veg.*
*Neubert's Deutsch. Gart. Mag. xiv. 65 (1861).
aphyllantha Gilg (2)
Engler & Drude, Veget. Erde, ix. 1. 1, p. 259 (1910).
aristata Bl. (2)
Rumphius, Herb. Amboin. v. t. 178, fig. 1 (1747); fide Merrill, Interpret. Rumph. Herb. Amboin.
auriculata Roxb. (2)
Wight, Ic. Pl. Ind. Or. i. t. 145 (1839).
Baudiniana Brouss. (2)
Rev. Hort. 1881, p. 353.—*Fr.*
Borzi, Contrib. Biol. Veg. i. t. 5, fig. 1–5 (1894).—*Veg.*
De Wildeman, Ic. Sel. Hort. Then. i. t. 9 (1899).
bryonifolia Regel (1)
Mém. Acad. Sc. Pétersb. Ser. VII. iv. No. 4, t. 3 (1861).
cactiformis Gilg (2)
Pflanzenfam. iii. v. 451 (1896).
Engl. Jahrb. xlvi. 483 (1912).
capensis Willd. (4)
Deutsch. Tiefsee-Exped. 1898–99, ii. III. 194, t. 13 (1908).—*Hab.*
capriolata Royle (5)
*Royle, Illustr. Bot. Himal. t. 26 (1839).
caustica Tuss. (2)
*Tussac, Fl. Antilles, i. t. 16 (1808).
Dict. Sc. Nat. Planch. Bot. Dicot. t. 161 (1816–29).
*Descourtilz, Fl. Pitt. & Méd. Antilles, iii. t. 167 (1827).
cirrosa Thunb. (2)
Thonner, Blütenpfl. Afr. t. 90 (1908).
Deutsch. Tiefsee-Exped. 1898–99, ii. III. 315 (1908).
compressicaulis Ruiz & Pav. (2)
Ruiz & Pavon, Fl. Peruv. & Chil. i. t. 100 (1798).
cordifolia Linn. (2)
Plumier, Pl. Amer. Ed. Burm. t. 259, fig. 3 (1760); fide Urban, Fedde Repert. Beih. v. 99.
*Descourtilz, Fl. Pitt. & Méd. Antilles, v. 309 (1827).
Crameriana Schinz (2)
Engler & Drude, Veget. Erde, ix. 1. 2, p. 531 (1910).—*Hab.*
Engl. Jahrb. xlvi. 514 (1912).—*Hab.*
Dinter, Neue Pfl. Deutsch-Südw.-Afr. t. 13 (1914).
crinita Planch. (2)
Pflanzenfam. iii. v. 451 (1896).
Engl. Jahrb. xlvi. 483 (1912).
Currorii Hook. f. (2)
Pflanzenfam. iii. v. 453 (1896).
Velenovsky, Vergl. Morphol. Pfl. ii. 674 (1907).—*Hab.*
Engl. Jahrb. xlvi. 512 (1912).
Davidiana Carr. (1)
Rev. Hort. 1868, p. 30.—*Veg.*
Garden, vii. 199 (1875).—*Veg.*
debilis Planch. (2)
Pflanzenfam. iii. v. 451 (1896).—*Fl.*
Engl. Jahrb. xlvi. p. 483, 488 (1912).—*Fl.*
digitata Lam. (2)
MacDougal & Cannon in Carnegie Inst. Washington, Publ. No. 129, t. 5 (1910).—*Hab.*

CISSUS

dimidiata Eckl. & Zeyh. (4)
Ettingshausen, Blatt-Skel. Dikot. t. 41 (1861).—*Veg.*
discolor Bl. (2)
Gard. Comp. 1852, p. 100.
*Fl. des Serres, Ser. I. viii. t. 804, 805 (1852–53).
*Bot. Mag. lxxx. t. 4763 (1854).
Cottage Gard. xxvi. 342 (1861).
Journ. Hort. xxviii. 11 (1862); Ser. III. liii. 283 (1906).
*Lowe, Beautiful-leaved Pl. 27, t. 13 (1868).
Garden, xxxvii. 27 (1890).—*Hab.*
Mönkemeyer, Sumpf- u. Wasserpfl. 106 (1897).—*Hab.*
*Behrens, Blattformen, t. 55, fig. f (1900).—*Veg.*
L. H. Bailey, Cycl. Amer. Hort. 320 (1900); Stand. Cycl. Hort. 776 (1914).—*Veg.*
Jardin, xxv. 376 (1911).
Rev. Hort. 1912, p. 499.—*Hab.*
Duarteana Cambess. (2)
St.-Hilaire, Fl. Bras. Merid. i. t. 71 (1827).
Endresii Hort. (?)
Ill. Gartenzeit. Stuttgart, xxi. t. 35 (1877).
Gard. Month. & Hort., Meehan, xxi. 233 (1879).
Engleri Gilg (2)
Engler & Drude, Veget. Erde, ix. 1. 1, p. 259 (1910).
enneaphylla Vell. (2)
Vellozo, Fl. Flum. i. t. 103 (1827).
epidendrica Vell. (2)
Vellozo, Fl. Flum. i. t. 98 (1827).
furcifera Chiov. (2)
Chiovenda, Result. Sc. Miss. Stefan.-Paoli Somal. Ital. t. 6 (1916).
gongyloides Burch. (2)
Pflanzenfam. iii. v. 452 (1896).
Rev. Gén. Bot. ix. 131 (1897).—*Veg.*
Wettstein, Handb. Syst. Bot. Ed. 2, p. 640 (1911).—*Veg.*
gracilis Guill. & Perr. (2)
Engl. Jahrb. xlvi. 488 (1912).
grandistipulata Gilg & Brandt (2)
Engl. Jahrb. xlvi. 492 (1912).
granulosa Ruiz & Pav. (2)
Ruiz & Pavon, Fl. Peruv. & Chil. i. t. 101 (1798).
Hasslerianus Chod. (2)
Bih. Svenska Vet. Akad. Handl. xxvii. III. No. 11, p. 14 (1901).
hastata Planch. (2)
Lecomte, Fl. Gén. Indo-Chine, i. 968 (1912).—*Fl.*
Haullevilleana De Wild. & Durand (2)
De Wildeman, Études Fl. Bas- et Moyen-Congo (Ann. Mus. Congo), i. t. 13 (1903).
hederacea Pers. (3)
*Schubert, Naturg., Pflanzenreich, Ed. 2, t. 8, fig. 6 [1865].
hereroënsis Schinz (2)
Engl. Jahrb. xlvi. 497 (1912).
Hildebrandtii Gilg (2)
Engler, Pflanzenw. Ost-Afr. Teil C, t. 27 (1895).
Hochstetteri Planch. (2)
Fiori, Boschi e Piante Legn. Eritrea, 243 (1909–12).—*Veg.*
Agric. Colon., Ital. v. Suppl. 20 (1911).—*Veg.*
humulifolia Regel (1)
Mém. Acad. Sc. Pétersb. Ser. VII. iv. No. 4, t. 3 (1861).
hydrophora Gaudich. (2)
Gaudichaud, Bot. Voy. Bonite, Atlas, t. 131, 132 (1844–66).
*Réveil, Règne Vég. iii. t. 52 (1870).—*Veg.*
hypoglauca A. Gray (2)
F. Mueller, Pl. Victoria, i. Suppl. t. 10 (1860–62).
incisa Des Moulins (2)
Rev. Hort. 1884, p. 272.—*Fr.*
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, ii. 510 (1913).
—— **Rocheana** Carr. (2)
Rev. Hort. 1885, p. 272, 273.
japonica Willd. (2)
Somoku Dzusetsu, Ed. Makino (Iconogr. Pl. Nippon), ii. t. 57 (1907).
juncea Webb (2)
Pflanzenfam. iii. v. 451 (1896).
Engl. Jahrb. xlvi. 483 (1912).

CISSUS

Juttae Dint. & Gilg. (2)
Engl. Jahrb. xlvi. 510, 511 (1912).
laciniata MacDoug. & Cann. (2)
MacDougal & Cannon in Carnegie Inst. Washington, Publ. No. 129, t. 6 (1910); errore *C. digitata* in ic.—*Hab.*
Gager, Fundam. Bot. 343 (1916).
lanceolata Malme (2)
Bih. Svenska Vet. Akad. Handl. xxvii. III. No. 11, p. 16 (1901).
lanigera Harv. (2)
Harvey, Thes. Cap. i. t. 65 (1859).
latifolia Desc. (2)
*Descourtilz, Fl. Pitt. & Méd. Antilles, v. t. 311 (1827).
Laurentii De Wild. (2)
De Wildeman, Miss. É. Laurent, ii. t. 21 (1905).
Lindenii André (2)
*Ill. Hort. xvii. t. 2, p. 13 (1870).
mexicana Moc. & Sessé ex DC. (2)
Bull. Soc. Tosc. Ortic. xiii. 299 (1888).—*Veg.*
Wien. Ill. Gart.-Zeit. xiv. 9 (1889).
modeccoides subintegra Gagnep. (2)
Lecomte, Fl. Gén. Indo-Chine, i. 968 (1912).—*Veg.*
mollis Steud. (2)
Fiori, Boschi e Piante Legn. Eritrea, 243 (1909–12).—*Veg.*
Agric. Colon., Ital. v. Suppl. 20 (1911).—*Veg.*
nanella Gilg & R. E. Fries (2)
R. E. Fries in Schwed. Rhod.-Kong.-Exped. 1911–12, Bot. i. 1. t. 10 (1914).
nitida Vell. (2)
Vellozo, Fl. Flum. i. t. 100 (1827).
nivea Hochst. (2)
Fiori, Boschi e Piante Legn. Eritrea, 243 (1909–12).—*Veg.*
Agric. Colon., Ital. v. Suppl. 20 (1911).—*Veg.*
obliqua Ruiz & Pav. (2)
Ruiz & Pavon, Fl. Peruv. & Chil. i. t. 101 (1798).
oblonga Planch. (2)
Borzi, Contrib. Biol. Veg. i. t. 5, fig. 6–8 (1894).—*Veg.*
odondo Gilg & Brandt (2)
Engl. Jahrb. xlvi. 503 (1912).
orientalis Lam. (1)
Lamarck, Ill. i. t. 84, fig. 2 (1791).
*P. W. Watson, Dendr. Brit. ii. t. 113 (1825).
Schnizlein, Iconogr. iii. t. 164 (1856–65).
Gard. Chron. 1871, p. 1615.
palmata Poir. (2)
St.-Hilaire, Fl. Bras. Merid. i. t. 72 (1827).
*Bettfreund, Fl. Argentina, i. t. 36 (1898).
pannosa Planch. (2)
Bih. Svenska Vet. Akad. Handl. xxvii. III. No. 11, p. 12 (1901).—*Veg.*
paraguayensis Planch. (2)
Bih. Svenska Vet. Akad. Handl. xxvii. III. No. 11, p. 18, 19 (1901).
Pauli-Guilielmi Schweinf. (?)
Schweinfurth, Reliq. Kotsch. t. 31 (1868).
paulliniifolia Vell. (2)
Vellozo, Fl. Flum. i. t. 102 (1827).
pedata Blanco (5)
*Blanco, Fl. Filip. t. 398 (1878–80).
pentaphylla Willd. (2)
Ettingshausen, Blatt-Skel. Dikot. t. 41 (1861).—*Veg.*
porphyrophylla Lindl. (?)
*Fl. des Serres, Ser. II. iv. t. 1491 (1861).—*Veg.*
Rev. Hort. 1862, p. 90; 1883, p. 560.—*Veg.*
*Lowe, Beautiful-leaved Pl. t. 59 (1868).
Garden, xii. 441 (1877).—*Veg.*
Journ. Hort. Ser. III. liii. 283 (1906).—*Veg.*
pseudonjegerre Gilg & Brandt (2)
Engl. Jahrb. xlvi. 545 (1912).
pteroclada Hayata (2)
Hayata, Ic. Pl. Formosan. iii. t. 12 (1913).
pulcherrima Vell. (2)
Vellozo, Fl. Flum. i. t. 101 (1827).
quadrangularis Linn. (2)
Rumphius, Herb. Amboin. v. t. 44, fig. 2 (1747); fide Merrill, Interpret. Rumph. Herb. Amboin.
Foureau, Miss. Sahar. 517 (1905).—*Hab.*

CISSUS
quadrangularis
Fiori, Boschi e Piante Legn. Eritrea, 68, 243 (1909–12).
Engler & Drude, Veget. Erde, ix. 1. 1, p. 68 (1910).
Agric. Colon., Ital. iv. 92 (1910); v. Suppl. 20 (1911).
quinquefolia Soland. (2)
*Bot. Mag. li. t. 2443 (1823).
quinquefolia Schult. (3)
J. C. Loudon, Arbor. & Frutic. Brit. i. 483 (1838).
*Petermann, Deutschl. Fl. t. 17, fig. 129 (1849). —*Fl.*
Ettingshausen, Blatt-Skel. Dikot. t. 43 (1861). —*Veg.*
*Réveil, Règne Vég. iii. t. 46 (1870).—*Veg.*
repens Lam. (2)
Rumphius, Herb. Amboin, v. t. 164, fig. 1 (1747); fide Merrill, Interpret. Rumph. Herb. Amboin.
Lecomte, Fl. Gén. Indo-Chine, i. 968 (1912). —*Fl.*
rosea Royle (2)
*Royle, Illustr. Bot. Himal. t. 26 (1839).
rotundifolia Vahl (2)
Garten-Zeit. Berlin, iii. 213 (1884).
Gartenfl. xxxiv. 58 (1885).
Wien. Ill. Gart.-Zeit. x. 164 (1885).
rubiginosa Planch. (2)
Pflanzenfam. iii. v. 451 (1896).—*Fl.*
Engl. Jahrb. xlvi. 483 (1912).—*Fl.*
saxicola Gilg & R. E. Fries (2)
R. E. Fries in Schwed. Rhod.-Kong.-Exped. 1911–12, Bot. i. 1. 138 (1914).
Seitziana Gilg & Brandt (2)
Engl. Jahrb. xlvi. 515 (1912).
serratifolia Rottl. (2)
*Hooker, Bot. Misc. ii. 104, Suppl. tab. 6 (1831).
sicyoides Linn. (2)
Plumier, Pl. Amer. Ed. Burm. t. 259, fig. 2 (1760); fide Urban, Fedde Repert. Beih. v. 99. —*Veg.*
Jacquin, Sel. Stirp. Amer. Hist. t. 15 (1763).
*Jacquin, Sel. Stirp. Amer. Hist. Picta, t. 20 [1780].
Browne, Hist. Jamaica, Ed. 2, t. 4 (1789).
Lamarck, Ill. i. t. 84, fig. 1 (1791).
*Descourtilz, Fl. Pitt. & Méd. Antilles, vii. t. 481 (1829).
Britton, Fl. Bermuda, 229 (1918).
stipulata Vell. (2)
Vellozo, Fl. Flum. i. t. 99 (1827).
striata Ruiz & Pav. (2)
Ruiz & Pavon, Fl. Peruv. & Chil. i. t. 100 (1798).
tenuissima Gilg & R. E. Fries (2)
R. E. Fries in Schwed. Rhod.-Kong.-Exped. 1911–12, Bot. i. 1. t. 10 (1914).
tridentata Eckl. & Zeyh. (4)
Ettingshausen, Blatt-Skel. Dikot. t. 40, 41 (1861).—*Veg.*
trifoliata Linn. (2)
Plumier, Pl. Amer. Ed. Burm. t. 259, fig. 5 (1760); fide Urban, Fedde Repert. Beih. v. 100.
*Jacquin, Sel. Stirp. Amer. Hist. Picta, t. 259, fig. 8 [1780].—*Veg.*
*Descourtilz, Fl. Pitt. & Méd. Antilles, t. 348 (1827).
tuberculata Jacq. (2)
*Jacquin, Hort. Schoenbr. i. t. 32 (1797).
ukerewensis Gilg (2)
Engler, Pflanzenw. Ost-Afr. Teil C, t. 27 (1895).
Pflanzenfam. iii. v. 451 (1896).—*Fl.*
Engl. Jahrb. xlvi. 483 (1912).—*Fl.*
Veitchii Carr. (2)
Rev. Hort. 1877, p. 176.
velutinus Linden (2)
*Bot. Mag. lxxxvi. t. 5207 (1860).
venatorum Desc. (2)
*Descourtilz, Fl. Pitt. & Méd. Antilles, v. t. 309 (1827).
vesicatoria Blanco (2)
*Blanco, Fl. Filip. t. 318 (1878–80).
violaceo-glandulosa Gilg (2)
Engl. Jahrb. xlvi. 509 (1912).
vitiginea Linn. (2)
J. C. Loudon, Arbor. & Frutic. Brit. i. 483 (1838).

CISSUS
vitiginea Roxb.
Ettingshausen, Blatt-Skel. Dikot. t. 45 (1861). —*Veg.*

CISTANCHE Hoffmgg.
laxiflora Aitch. & Hemsl.
Trans. Linn. Soc. London, Ser. II. Bot. iii. t. 40 (1888).
lutea Hoffmgg. & Link
*Hoffmannsegg & Link, Fl. Portug. i. t. 63 (1809).
Reichenbach, Pl. Crit. vii. t. 700 (1829).
Wight, Ic. Pl. Ind. Or. iv. t. 1420 (1849).
Wight, Ic. Pl. Ind. Or. iv. t. 1420 bis (1849); errore, *C. tubulosa.*
*Wight, Illustr. Ind. Bot. ii. t. 158 bis (1850).—*Fl.*
Thonner, Blütenpfl. Afr. t. 140 (1908).
Ridgewayana Aitch. & Hemsl.
Trans. Linn. Soc. London, Ser. II. Bot. iii. t. 39 (1888).
rosea Baker
Hook. Ic. Pl. xxiv. t. 2363 (1895).
salsa G. Beck
Bull. Jard. Bot. Pétersb. vi. 42 (1906).—*Hab.*
Jardin, xx. 149 (1906).—*Hab.*
Fedtschenko & Fler. Fl. Eur. Russia, 887 (1910).
tinctoria G. Beck
Holmboe, Veg. Cyprus, 254 (1914).
violacea Hook. f.
*Bot. Mag. cxxix. t. 7911 (1903).

CISTANTHERA K. Schum.
Dewevrei De Wild. & Dur.
De Wildeman & Durand, Ill. Fl. Congo (Ann. Mus. Congo), i. t. 87 (1902).
Fouassieri A. Chev.
Chevalier, Vég. Util. Afr. fasc. 9, t. 3 (1917).
Holtzii Engl.
Engl. Jahrb. xxxix. 578 (1907).
Engler & Drude, Veget. Erde, ix. 1. 348 (1910).

CISTELLA Bl.: *Geodorum*
cernua Bl.
Blume, Tab. Jav. Orch. t. 55 (1825).—*Fl.*

CISTUS Auct.: *Cistus* Linn. (1), *Fumana* (2), *Halimium* (3), *Helianthemum* (4), *Tuberaria* (5)

CISTUS Linn. (1)—Vide *Ladanium, Ledonia, Rhodocistus, Stephanocarpus*
acuminatus Viv. (5)
Viviani in Ann. Bot. i. 11. t. 25, fig. 1 (1804).
Viviani, Fl. Ital. Fragm. t. 14 [1808].
acutifolius Sweet (1)
*Sweet, Cistin. t. 78 (1828).
aegyptiacus Linn. (4)
Jacquin, Obs. Bot. t. 68 (1768).
albido-crispus Del. (1)
*Cusin & Ansberque, Herb. Fl. Franç. iii. t. 437 (1869).
albidus Linn. (1)
*F. J. Schultz, Abb. Bäume, Staud. Sträuch. Oesterr. ii. t. 108 (1792).
*Jaume St.-Hilaire, Pl. France, i [t. 94] (1808).
*Jaume St.-Hilaire, Traité Arbr. & Arbust. i. t. 55 (1825).
*Sweet, Cistin. t. 31 (1826).
*Reichenbach, Ic. Fl. Germ. iii. t. 39 (1838–39).
*Willkomm, Ic. & Descr. Pl. Hispan. ii. t. 77 (1856).
Pokorny, Oesterr. Holzpfl. 473, t. 41 (1864).—*Veg.*
*Cusin & Ansberque, Herb. Fl. Franç. iii. t. 436 (1869).
*Bicknell, Fl. Pl. Riviera, t. 6 (1885).
*Laguna, Fl. For. Español. t. 53 (1890).
Ann. Fac. Sc. Marseille, ix. 11. t. 3 (1899), xiii. 11. t. 1, 2 (1903).
Fiori & Paol. Ic. Fl. Ital. 148 (1899).
Coste, Fl. France, i. 144 (1901).
*Penzig, Fl. Litt. Méditerr. t. 13 (1902).
Pflanzenreich, Cistac. 11 (1903).—*Fl.*
*Strasburger, Rambles Riviera, 83 (1906).
Gard. Chron. Ser. III. xlv. 117 (1909).—*Hab.*
Schneider, Ill. Handb. Laubh. ii. 346, 347 (1909).
*Bonnier, Fl. Compl. France, Suisse & Belge, i. t. 60 [1911].
*Guinier, Atlas Arbres. & Arbriss. t. 110, 110 bis (1912).
*H. S. Thompson, Fl. Pl. Riviera, t. 6 (1914).
Cadeval & Sallent, Fl. Catalunya, i. 196 (1915).

CISTUS
albidus
Eden Phillpotts, My Shrubs, 28 (1915).—*Hab.*
algarvensis Sims (3)
*Bot. Mag. xvii. t. 627 (1803).
*Schrank, Pl. Rar. Hort. Monac. i. t. 36 (1819).
*Ann. Blumisterei, v. 26 [t. 3] (1829).
*J. W. Loudon, Ladies' Fl.-Gard. Ornam. Greenh. Pl. t. 2 (1848) in ic.; *Helianthemum algarvense* in textu, p. 13.
alpestris Jacq. (4)
Crantz, Stirp. Austriac. fasc. ii. t. 6, fig. 1 (1763).
Scopoli, Fl. Carn. Ed. 2, i. t. 23 (1772).
*Lodd. Bot. Cab. ii. t. 131 (1818).
*Mag. Bot. & Gard. iv. t. 40 (1836).
alyssoides Lam. (3)
*Cusin & Ansberque, Herb. Fl. Franç. iii. t. 429 (1869).
angustifolius Jacq. (4)
*Jacquin, Hort. Vind. iii. t. 53 (1776).
arabicus Linn. (2)
Vahl, Symb. Bot. ii. t. 35 (1791).
*Sibthorp & Sm. Fl. Graeca, vi. t. 503 (1827).
asperifolius Sweet (1)
*Sweet, Cistin. t. 87 (1829).
Barrelieri Sims (4)
*Bot. Mag. l. t. 2371 (1823).
Berthelotianus Spach (1)
Lindley, Veg. Kingd. 349 (1846).
Pitard & Proust, Iles Canar. t. 15 (1908).—*Hab.*
Bourgaeanus Coss. (1)
*Willkomm, Ic. & Descr. Pl. Hispan. ii. t. 99 (1856).
canariensis Jacq. (4)
*Jacquin, Ic. Pl. Rar. i. t. 97 (1781–86).
candidissimus Dun. (1)
*Sweet, Cistin. t. 3 (1825).
*Mag. Bot. & Gard. iv. t. 40 (1836).
*Willkomm, Ic. & Descr. Pl. Hispan. ii. t. 76 (1856).
×**canescens** Sweet (1)
*Sweet, Cistin. t. 45 (1827).
canus Linn. (4)
*Jacquin, Fl. Austr. iii. t. 277 (1775).
Allioni, Fl. Pedem. iii. t. 45, fig. 3 (1785).
*F. J. Schultz, Abb. Bäume, Staud. Sträuch. Oesterr. ii. t. 112 (1792).
Oesterr. Bot. Zeitschr. lix. 225 (1909).
carolinianus Walt. (3)
Ventenat, Jard. Cels, t. 74 [1800].
ciliatus Desf. (4)
Desfontaines, Fl. Atlant. i. t. 109 (1798).
cinereus Cav. (4)
Cavanilles, Ic. ii. t. 141 (1793).
Clusii Dun. (1)
*Sweet, Cistin. t. 32 (1826).
Dunal in Mém. Acad. Sc. Lett. Montpellier, Sect. Sc. i. 1847, t. 3 (1847–50).
*Willkomm, Ic. & Descr. Pl. Hispan. ii. t. 98 (1856).
*Laguna, Fl. For. Español. t. 78 (1890).
Fiori & Paol. Ic. Fl. Ital. 147 (1899).
Cadevall & Sallent, Fl. Catalunya, i. 198 (1915).
×**corbariensis** Pourr. (1)
*Sweet, Cistin. t. 8 (1825).
*Reichenbach, Ic. Fl. Germ. iii. t. 36 (1838–39).
*Willkomm, Ic. & Descr. Pl. Hispan. ii. t. 93 (1856).
*Cusin & Ansberque, Herb. Fl. Franç. iii. t. 441 (1869).
cretensis Jacq. (1)
*Jacquin, Ic. Pl. Rar. i. t. 95 (1781–86).
*F. J. Schultz, Abb. Bäume, Staud. Sträuch. Oesterr. ii. t. 101 (1792).
creticus Linn. (1)
*Regnault, Bot. ii. 17 (1774).
*Jacquin, Collect. iv. t. 2, fig. 7 (1790).—*Fr.*
*Plenck, Ic. Pl. Med. v. t. 423 (1792).
*Woodville, Med. Bot. ii. t. 91 (1792); Ed. 3, iii. t. 207 (1832).
*Roques, Pl. Usuell. Indig. & Exot. i. t. 58 (1807).
*Oskamp, Afb. Artseny-Gewass. vii. t. 100 (1813).
*Chaumeton, Fl. Méd. iv. t. 212 (1817).
*Vietz, Ic. Pl. Med.-oec.-techn. v. t. 416 a (1817).
*Sibthorp & Sm. Fl. Graeca, v. t. 495 (1825).

CISTUS
creticus
*Nees, Pl. Offic. ii. t. 432 (1828).
*Sweet, Cistin. t. 112 (1830).
*Hayne, Getreue Darst. Arzn. Gewächse, xiii. t. 33 (1837).
J. C. Loudon, Arbor. & Frutic. Brit. i. 320 (1838).
*Reichenbach, Ic. Fl. Germ. iii. t. 40 (1838–39).
*Spach, Hist. Nat. Vég. Phan. Atlas, t. 43 (1846).
*Strong, American Fl. i. 73 (1848).
Petermann, Deutschl. Fl. t. 11, fig. 85, o, p (1849).
*Willkomm, Ic. & Descr. Pl. Hispan. ii. t. 83 (1856).
Agardh, Theor. Syst. Pl. t. 16 (1858).—*Fl.*
Irvine, Illustr. Handb. Brit. Pl. 689, 690 (1858).
Berg, Charakt. t. 82, fig. 586 (1861).
Pokorny, Oesterr. Holzpfl. 450, t. 41 (1864).—*Veg.*
*Réveil, Règne Vég. viii. t. 33 (1870).
Baillon, Hist. Pl. iv. 323 (1873).
*Bentley & Trim. Med. Pl. i. t. 24 (1876).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xiii. t. 1254 (1883).
Baillon, Traité Bot. Méd. Phan. ii. 835 (1884).
*Thomé, Fl. Deutschl. ii. t. 307 (1886).
Garden, xxxiii. 490 (1888).
Brehm, Merv. Nat. Monde des Pl. i. 169 (1894–96).
*Haynald, Pl. Gommes & Résines dans Livres Saints [t. 1] (1894).
Temple, Fl. & Trees Palestine, t. 12 (1907).—*Hab.*
Beille, Bot. Pharm. ii. 408 (1909).
crispus Linn. (1)
*Kniphof, Herb. Viv. i. t. 262 (1758).
*F. J. Schultz, Abb. Bäume, Staud. Sträuch. Oesterr. ii. t. 109 (1792).
Cavanilles, Ic. ii. t. 174 (1793).
*Sweet, Cistin. t. 22 (1826).
*Reichenbach, Ic. Fl. Germ. iii. t. 38 (1838–39).
*Willkomm, Ic. & Descr. Pl. Hispan. ii. t. 78 (1856).
*Cusin & Ansberque, Herb. Fl. Franç. iii. t. 438 (1869).
Coutinho, Curso Silvicult. i. 165 (1886); ii. 254 (1887).—*Fr.*
*Garden, xxxiv. 252 (1888).
*Laguna, Fl. For. Españ. t. 54 (1890).
Schimper, Pflanzen-Geogr. 551 (1898).
Fiori & Paol. Ic. Fl. Ital. 148 (1899).
Coste, Fl. France, i. 144 (1901).
Apgar, Orn. Shrubs U.S. 70, fig. 29 (1910).
*Bonnier, Fl. Compl. France, Suisse & Belge, i. t. 60 [1911].
Cadevall & Sallent, Fl. Catalunya, i. 195 (1915).
croceus Desf. (4)
Desfontaines, Fl. Atlant. i. t. 110 (1798).
Cupanianus Presl. (1)
*Sweet, Cistin. t. 70 (1828).
Presl, Symbolae Bot. t. 22 (1830–32).
×**cymosus** Dun. (1)
*Sweet, Cistin. t. 90 (1829).
Garden, lxxxiii. 313 (1919).—*Hab.*
cyprius Lam. (1)
*Sweet, Cistin. t. 39 (1827).
*Nees, Pl. Offic. ii. t. 430 (1828).
*Hayne, Getreue Darst. Arzn. Gewächse, xiii. t. 35 (1837).
Garden, ii. 171 (1872); lxxvi. 438 (1912); lxxxiii. 389 (1919); lxxxiv. 433 (1920).
Journ. Linn. Soc., Bot. xxviii. 222 (1891).—*Veg.*
Avebury, Buds & Stipules, 37 (1908).—*Veg.*
Apgar, Orn. Shrubs U.S. 70, fig. 30 (1910).
Rev. Hort. 1917, p. 327, 329.
—— **angustifolius** Willk.
*Willkomm, Ic. & Descr. Pl. Hispan. ii. t. 96, fig. B (1856).
dichotomus Cav. (4)
Cavanilles, Ic. iii. t. 263 (1794).
ellipticus Desf. (4)
Desfontaines, Fl. Atlant. i. t. 107 (1798).
*Sibthorp & Sm. Fl. Graeca, vi. t. 502 (1827).

CISTUS
ericoides Cav. (2)
Cavanilles, Ic. ii. t. 172 (1793).
×**florentinus** Lam. (1)
*Sweet, Cistin. t. 59 (1827).
*Garden, xxvii. 570 (1885); xxxviii. 177 (1890).—*Hab.*
Lojacono-Pojero, Fl. Sic. i. 1. t. 15 (1888).
Flora & Sylva, ii. 43 (1904).
foetidus Jacq. (4)
*Jacquin, Ic. Pl. Rar. i. t. 98 (1781–86).
formosissimus Schneev. (?)
*Schneevogt, Ic. Pl. Rar. t. 47 [1793–95].
formosus Curt. (3)
*Bot. Mag. viii. t. 264 (1794).
*Joh. Kerner, Hort. Sempervir. t. 90 (1800).
*J. W. Loudon, Ladies' Fl.-Gard. Ornam. Greenh. Pl. t. 2 (1848) in ic.; *Helianthemum formosum* in textu, p. 13.
Garden, xliv. 233 (1893); liii. 131 (1898).
Fumana Linn. (2)
*Kniphof, Herb. Viv. i. t. 263 (1758).
*Jacquin, Fl. Austr. iii. t. 252 (1775).
*F. J. Schultz, Abb. Bäume, Staud. Sträuch. Oesterr. ii. t. 113 (1792).
Desfontaines, Fl. Atlant. i. t. 105 (1798).
galactites Schmidel (4)
*Schmidel, Ic. Pl. Ed. 2, iii. t. 65 (1797).
garganicus Ten. (1)
*Tenore, Fl. Nap., Atlas, v. t. 235 (1811–38).
glaucus Cav. (4)
Cavanilles, Ic. iii. t. 261 (1794).
glutinosus Linn. (2)
Cavanilles, Ic. ii. t. 145 (1793).
grandiflorus Scop. (4)
Scopoli, Fl. Carn. Ed. 2, i. t. 25 (1772).
guttatus Linn. (1)
*Curtis, Fl. Londin. ii. fasc. vi. t. 33 (1798); Ed. 2, iii. fasc. vi. t. 33 (1826).
*Sowerby & Sm. Engl. Bot. viii. t. 544 (1799).
*Roemer, Fl. Eur. xi [t. 2] (1806).
*Schkuhr, Bot. Handb. Ed. 2, t. 143 (1808).
*Sibthorp & Sm. Fl. Graeca, v. t. 498 (1825).
[M. E.] Jackson, Pict. Fl. fig. 819 (1840).
Duchesne, Pl. Util. t. 89 (1846).
halimifolius Linn. (2)
*F. J. Schultz, Abb. Bäume, Staud. Sträuch. Oesterr. ii. t. 110 (1792).
Cavanilles, Ic. ii. t. 138 (1793).
*Cusin & Ansberque, Herb. Fl. Franç. iii. t. 430 (1869).
helianthemoides Crantz (4)
Crantz, Stirp. Austriac. fasc. ii. t. 6, fig. 2 (1763).
Helianthemum Linn. (4)
*Kniphof, Herb. Viv. i. t. 260 (1758).
*Fl. Dan. i. t. 101 (1763).
*Regnault, Bot. ii. 7 (1774).
Walcott, Fl. Brit. Indig. [t. 80] (1778).
Lamarck, Ill. iii. t. 477, fig. 1 (1797).
*Curtis, Fl. Londin. ii. fasc. vi. t. 36 (1798); Ed. 2, iii. fasc. v. t. 36 (1826).
*Sowerby & Sm. Engl. Bot. xix. t. 1321 (1804).
*A. & F. Plée, Herbor. Paris, [t. 83] (1811).
*Heger, Danske Oec. Pl. ii. t. 192 (1831).
[M. E.] Jackson, Pict. Fl. fig. 822 (1840).
*Cassone, Fl. Med.-Farm. i. t. 76 (1847).
*Schubert, Naturg., Pflanzenreich, Ed. 2, t. 27, fig. 7 [1865].
*Sturm, Fl. Deutschl. Ed. 2, vi. t. 51 (1902).
—— **fulgens** Lodd.
*Lodd. Bot. Cab. iii. t. 202 (1818).
heterophyllus Desf. (1)
Desfontaines, Fl. Atlant. i. t. 104 (1798).
*Sweet, Cistin. t. 6 (1825).
J. C. Loudon, Arbor. & Frutic. Brit. i. 318 (1838).
*Willkomm, Ic. & Descr. Pl. Hispan. ii. t. 84 (1856).
Thonner, Blütenpfl. Afr. t. 103 (1908).
hirsutus Lam. (1)
*Sweet, Cistin. t. 19 (1826).
*Willkomm, Ic. & Descr. Pl. Hispan. ii. t. 90 (1856).
*Cusin & Ansberque, Herb. Fl. Franç. iii. t. 443 (1869).
*Laguna, Fl. For. Españ. t. 78 (1890).

CISTUS
hirsutus
Coste, Fl. France, i. 145 (1901).
*Bonnier, Fl. Compl. France, Suisse & Belge, ii. t. 61 [1912].
hirtus Linn. (4)
*Kniphof, Herb. Viv. i. t. 261 (1758).
Dillenius, Hort. Eltham. Add. Denom. Linn. t. 145 (1774).
Cavanilles, Ic. ii. t. 146 (1793).
hirtus Sibth. & Sm. (4)
*Sibthorp & Sm. Fl. Graeca, vi. t. 501 (1827).
incano-albidus Cus. & Ansb. (1)
*Cusin & Ansberque, Herb. Fl. Franç. iii. t. 435 (1869).
incanus Linn. (1)
*Bot. Mag. ii. t. 43 (1788).
*F. J. Schultz, Abb. Bäume, Staud. Sträuch. Oesterr. ii. t. 103 (1792).
*Sibthorp & Sm. Fl. Graeca, v. t. 494 (1825).
*Sweet, Cistin. t. 44 (1827).
J. C. Loudon, Arbor. & Frutic. Brit. i. 320 (1838).
*Reichenbach, Ic. Fl. Germ. iii. t. 39 (1838–39).
*J. W. Loudon, Ladies' Fl.-Gard. Ornam. Greenh. Pl. t. 2 (1848).
Pokorny, Oesterr. Holzpfl. 450, t. 41 (1864).—*Veg.*
*Cusin & Ansberque, Herb. Fl. Franç. iii. t. 433 (1869).
Bot. Congr. Florence, 372, t. 4, 5 (1876).—*Fl.*
Acloque, Fl. France, 118 (1894).—*Fl.*
Fiori & Paol. Ic. Fl. Ital. 148 (1899).
Coste, Fl. France, i. 144 (1901).
—— **corsicus** Gren. & Godr.
Cusin & Ansberque, Herb. Fl. Franç. iii. t. 434 (1869).
ladaniferus Linn. (1)
*Bot. Mag. iv. t. 112 (1790).
*F. J. Schultz, Abb. Bäume, Staud. Sträuch. Oesterr. ii. t. 107 (1792).
*Oskamp, Afb. Artseny-Gewass. vi. t. 584 (1800).
*Allg. Teutsch. Gart. Mag. i. t. 28 (1804).
*McDonald, Dict. Pract. Gard. i. t. 17 (1807).
*Joh. Kerner, Hort. Sempervir. t. 292 (1811).
*S. Edwards, New Bot. Gard. i. t. 17 (1812).
*Vietz, Ic. Pl. Med.-oec.-techn. v. t. 416 b (1817).
*Mordant de Launay, Herb. Amat. iv. t. 265 (1820).
*Jaume St.-Hilaire, Traité Arbriss. & Arbust. i. t. 57 (1825).
*Nees, Pl. Offic. ii. t. 431 (1828).
*Géel, Sert. Bot. Cl. 13 (1832).
*Drapiez, Herb. Amat. Fl. vi. t. 410 (1833).
*Hayne, Getreue Darst. Arzn. Gewächse, xiii. t. 36 (1837).
*Cassone, Fl. Med.-Farm. i. t. 75 (1847).
Strong, American Fl. ii. 172 (1848).
Schnizlein, Iconogr. iii. t. 188 (1854).
Rev. Hort. Ser. IV. vi. 21 (1857).
*Argenta, Album Fl. Med.-Farm. i. t. 47 (1862).
Decaisne & Naud. Amat. Jard. iii. 20 [1862–66].
*Cusin & Ansberque, Herb. Fl. Franç. iii. t. 432 (1869).
Decaisne, Naud. & Hemsl. Handb. Trees, Shrubs & Herb. Pl. 56 (1873).
Florist, 1874, p. 160.
Jardin, iii. 40 (1889).
*Laguna, Fl. For. Españ. t. 56 (1890).
Brehm, Merv. Nat. Monde des Pl. i. 169 (1894–96).
Garden, lviii. 171 (1900); lxxviii. 616 (1914).—*Hab.*
Coste, Fl. France, i. 145 (1901).
Pharm. Journ. Ser. IV. xvii. 801 (1903); xviii. 262 (1904).
Flora & Sylva, ii. 44 (1904).—*Hab.*
Lazaro, Comp. Fl. Españ. ii. 370 (1907).
Schneider, Ill. Handb. Laubh. ii. 347 (1909).—*Veg.*
Apgar, Orn. Shrubs U.S. 70, fig. 31 (1910).
*Bonnier, Fl. Compl. France, Suisse & Belge, i. t. 60 [1911].
Cadevall & Sallent, Fl. Catalunya, i. 197 (1915).
—— **albiflorus** Sweet
Sweet, Cistin. t. 84 (1828).
—— **maculatus** Sweet
*Sweet, Cistin. t. 1 (1825).

CISTUS
ladaniferus maculatus
*Willkomm, Ic. & Descr. Pl. Hispan. ii. t. 96, fig. A (1856).
Nicholson, Illustr. Dict. Gard. i. 332 [1884–88].
*Garden, xxx. 30 (1886); xxxiii. 490 (1888).
Pflanzenfam. iii. VI. 304 (1895).
Engler & Drude, Veget. Erde, i. 141 (1896).
Pflanzenreich, Cistac. 23 (1903).
Schneider, Ill. Handb. Laubh. ii. 349 (1909).—*Fl.*
Ladanum Le Maout & Decne. (1)
Le Maout & Decaisne, Traité Gén. Bot. 429 (1868).—*Fr.*
laevipes Linn. (2)
*Jacquin, Hort. Vind. i. t. 158 (1772).
Cavanilles, Ic. ii. t. 173 (1793).
*Bot. Mag. xliii. t. 1782 (1815).
laevis Cav. (2)
Cavanilles, Ic. ii. t. 145 (1793).
lanuginosus Viv. (4)
Viviani, Fl. Lib. Sp. t. 14, fig. 3 (1824).
latifolius Sweet (1)
*Sweet, Cistin. t. 15 (1826).
laurifolius Linn. (1)
*F. J. Schultz, Abb. Bäume, Staud. Sträuch. Oesterr. ii. t. 106 (1792).
*Jaume St.-Hilaire, Traité Arbriss. & Arbust. i. t. 56 (1825).
*Sweet, Cistin. t. 52 (1827).
*Reichenbach, Ic. Fl. Germ. iii. t. 37 (1838–39).
*Willkomm, Ic. & Descr. Pl. Hispan. ii. t. 95 (1856).
Pokorny, Oesterr. Holzpfl. 473, t. 41 (1864).—*Veg.*
*Cusin & Ansberque, Herb. Fl. Franç. iii. t. 431 (1869).
*Laguna, Fl. For. Españ. t. 55 (1890).
Lubbock, Seedlings, i. 190 (1892).—*Veg.*
Acloque, Fl. France, 118 (1894).
Coste, Fl. France, i. 145 (1901).
Pflanzenreich, Cistac. 18 (1903).—*Fl.*
Fiori & Paol. Ic. Fl. Ital. 481 (1904).
Jardin, xxiii. 21 (1909).—*Hab.*
Schneider, Ill. Handb. Laubh. ii. 347, 349 (1909).
Apgar, Orn. Shrubs U.S. 71, fig. 32 (1910).
*Bonnier, Fl. Compl. France, Suisse & Belge, i. t. 60 [1911].
L. H. Bailey, Stand. Cycl. Hort. 777 (1914).
Cadevall & Sallent, Fl. Catalunya, i. 196 (1915).
lavandulifolius Lam. (4)
*Jacquin, Collect. v. t. 10, fig. 2 (1796).
laxus Brot. (1)
Brotero, Phytogr. t. 75 (1816).
×**laxus** Dryand. in Ait. (1)
*Sweet, Cistin. t. 12 (1825).
ledifolius Linn. (4)
*Sowerby & Sm. Engl. Bot. xxxiv. t. 2414 (1812).
[M. E.] Jackson, Pict. Fl. fig. 820 (1840).
Ledon Lam. (1)
*Hayne, Getreue Darst. Arzn. Gewächse, xiii. t. 34 (1837).
*Willkomm, Ic. & Descr. Pl. Hispan. ii. t. 88 (1856).
*Cusin & Ansberque, Herb. Fl. Franç. iii. t. 445 (1869).
Libanotis Linn. (1)
Oesterr. Bot. Zeitschr. lix. 197 (1909).
linearis Cav. (4)
Cavanilles, Ic. iii. t. 216 (1794).
×**longifolius** Lam. (1)
*Willkomm, Ic. & Descr. Pl. Hispan. ii. t. 89 (1856).
*Cusin & Ansberque, Herb. Fl. Franç. iii. t. 444 (1869).
Acloque, Fl. France, 118 (1894).
Pflanzenfam. iii. VI. 302 (1895).
×**Loretii** Rouy & Fouc. (1)
Garden, lxxv. 633 (1911); lxxvi. 439 (1912); lxxviii. 539 (1914); lxxx. 415 (1916); lxxxiii. 304 (1919); lxxxiv. 367 (1920).
*Bot. Mag. cxxxix. t. 8490 (1913).
Bean, Trees & Shrubs, i. 347 (1914).—*Hab.*
Gard. Chron. Ser. III. lxvi. 25 (1919).—*Hab.*
lunulatus All. (4)
Allioni, Auct. Fl. Pedem. t. 2, fig. 3 (1789).

CISTUS
marifolius Linn. (4)
Cavanilles, Ic. ii. t. 143 (1793).
*Sowerby & Sm. Engl. Bot. vi. t. 396 (1797).
Thornton, Brit. Fl. iv. 68 (1812).
*Lodd. Bot. Cab. vii. t. 670 (1822).
*Curtis, Fl. Londin. Ed. 2, v. t. 171 (1828).
[M. E.] Jackson, Pict. Fl. fig. 818 (1840).
micranthus Viv. (4)
Viviani, Fl. Lib. Sp. t. 14, fig. 4 (1824).
mollis Cav. (4)
Cavanilles, Ic. iii. t. 262 (1794).
monspeliensis Linn. (1)
Gaertner, Fruct. i. t. 76 (1788).—*Fr.*
*F. J. Schultz, Abb. Bäume, Staud. Sträuch. Oesterr. ii. t. 102 (1792).
Lamarck, Ill. iii. t. 477, fig. 4 (1797).—*Fl.*
*Sibthorp & Sm. Fl. Graeca, v. t. 493 (1825).
*Sweet, Cistin. t. 27 (1826).
*Reichenbach, Ic. Fl. Germ. iii. t. 37 (1838–39).
*Petermann, Deutschl. Fl. t. 11, fig. 85, a–l (1849).
*Willkomm, Ic. & Descr. Pl. Hispan. ii. t. 86 (1856).
Pokorny, Oesterr. Holzpfl. 473, t. 41 (1864).—*Veg.*
*Cusin & Ansberque, Herb. Fl. Franç. iii. t. 446 (1869).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xiii. t. 1252 (1883).
*Bicknell, Fl. Pl. Riviera, t. 6 (1885).
Coutinho, Curso Silvicult. i. 167 (1886).—*Fr.*
*Thomé, Fl. Deutschl. ii. t. 309 (1886).
*Laguna, Fl. For. Españ. t. 53 (1890).
Acloque, Fl. France, 118 (1894).
Fiori & Paol. Ic. Fl. Ital. 148 (1899).
Coste, Fl. France, i. 146 (1901).
*Penzig, Fl. Litt. Méditerr. t. 14 (1902).
Rikli, Bot. Reisestud. Korsika, t. 6 (1903).—*Hab.*
Pflanzenreich, Cistac. 18 (1903).—*Fl.*
*Strasburger, Rambles Riviera, 89 (1906).
Schneider, Ill. Handb. Laubh. ii. 346, 347 (1909).
Adamović, Pflanzenw. Dalmat. t. 8 (1911).—*Hab.*
Karsten & Schenck, Veg.-Bild. x. t. 2 (1912); t. 43 (1913).—*Hab.*
Rev. Gén. Bot. xxiv. 283 (1912).—*Veg.*
Rikli, Lebensb. Veget. Mittelmeerl. Atlant. Inseln, 44 (1912).—*Hab.*
*Bonnier, Fl. Compl. France, Suisse & Belge, ii. t. 61 [1912].
*H. S. Thompson, Fl. Pl. Riviera, t. 6 (1914).
Cadevall & Sallent, Fl. Catalunya, i. 198 (1915).
mutabilis Jacq. (4)
*Jacquin, Ic. Pl. Rar. i. t. 99 (1781–86).
nummularius Linn. (4)
Oesterr. Bot. Zeitschr. lviii. 410 (1908).
nummularius Cav. (4)
Cavanilles, Ic. ii. t. 142 (1793).
×**oblongifolius** Sweet (1)
*Sweet, Cistin. t. 67 (1828).
×**obtusifolius** Sweet (1)
*Sweet, Cistin. t. 42 (1827).
oelandicus Jacq. (4)
*Jacquin, Fl. Austr. iv. t. 399 (1776).
*F. J. Schultz, Abb. Bäume, Staud. Sträuch. Oesterr. ii. t. 114 (1792).
oelandicus Roem. (2)
Roemer, Script. t. 1 (1796).
origanifolius Lam. (4)
Cavanilles, Ic. iii. t. 262 (1794).
ovatus Viv. (4)
Viviani, Ann. Bot. i. II. t. 25, fig. 2 (1804).
Viviani, Fl. Ital. Fragm. t. 8 [1808].
parviflorus Lam. (1)
Reichenbach, Hort. Bot. t. 22 (1824).
*Sibthorp & Sm. Fl. Graeca, v. t. 496 (1825).
*Sweet, Cistin. t. 14 (1826).
*Spach, Hist. Nat. Vég. Phan. Atlas, t. 43 (1846).—*Fl.*
*Willkomm, Ic. & Descr. Pl. Hispan. ii. t. 85 (1856).
Fiori & Paol. Ic. Fl. Ital. 148 (1899).
Pflanzenreich, Cistac. 11 (1903).—*Fl.*
pilosus Linn. (4)
Allioni, Fl. Pedem. iii. t. 45, fig. 1, 2 (1785).

CISTUS
platysepalus Sweet (1)
*Sweet, Cistin. t. 47 (1827).
polifolius Linn. (4)
Dillenius, Hort. Eltham. Add. Denom. Linn. t. 145 (1774).
*Sowerby & Sm. Engl. Bot. xix. t. 1322 (1804).
[M. E.] Jackson, Pict. Fl. fig. 824 (1840).
polyanthos Desf. (4)
Desfontaines, Fl. Atlant. i. t. 108 (1798).
polymorphus Willk. (1)
Pflanzenfam. iii. VI. 301 (1895).—*Fl.*
—— **corsicus** Willk.
*Willkomm, Ic. & Descr. Pl. Hispan. ii. t. 82, fig. A (1856) in ic.; *C. polymorphus villosus corsicus* in textu, p. 24.
—— **incanus** Willk.
*Willkomm, Ic. & Descr. Pl. Hispan. ii. t. 79, fig. A (1856) in ic.; *C. polymorphus incanus occidentalis* in textu, p. 20.
—— —— **crispatus** Willk.
*Willkomm, Ic. & Descr. Pl. Hispan. ii. 21 (1856) in textu; *C. polymorphus undulatus* in ic. ii. t. 79, fig. C.
—— —— **heterophyllus** Willk.
*Willkomm, Ic. & Descr. Pl. Hispan. ii. 22 (1856) in textu; *C. polymorphus tauricus* in ic. ii. t. 80, fig. A.
—— —— **occidentalis** Willk.
*Willkomm, Ic. & Descr. Pl. Hispan. ii. 20 (1856) in textu; *C. polymorphus incanus* in ic. ii. t. 79, fig. A.
—— —— **rotundifolius** Willk.
*Willkomm, Ic. & Descr. Pl. Hispan. ii. 21 (1856) in textu; *C. polymorphus rotundifolius* in ic. ii. t. 79, fig. B.
—— —— **spathuliformis** Willk.
*Willkomm, Ic. & Descr. Pl. Hispan. ii. 22 (1856) in textu; *C. polymorphus orientalis* in ic. ii. t. 80, fig. B.
—— —— **undulatus** Willk.
Willkomm, Ic. & Descr. Pl. Hispan. ii. t. 74 (1856).—*Fl.*
—— **orientalis** Willk.
*Willkomm, Ic. & Descr. Pl. Hispan. ii. t. 80, fig. B (1856) in ic.; *C. polymorphus incanus spathuliformis* in textu, p. 22.
—— **rotundifolius** Willk.
*Willkomm, Ic. & Descr. Pl. Hispan. ii. t. 79, fig. B (1856) in ic.; *C. polymorphus incanus rotundifolius* in textu, p. 21.
—— **rumelicus** Willk.
Willkomm, Ic. & Descr. Pl. Hispan. ii. t. 82, fig. B (1856) in ic.; *C. polymorphus villosus rumelicus* in textu, p. 24.
—— **tauricus** Presl
*Willkomm, Ic. & Descr. Pl. Hispan. ii. t. 80, fig. A (1856) in ic.; *C. polymorphus incanus heterophyllus* in textu, p. 22.
—— **undulatus** Dun.
*Willkomm, Ic. & Descr. Pl. Hispan. ii. t. 79, fig. C (1856) in ic.; *C. polymorphus incanus crispatus* in textu, p. 21.
—— **villosus** Willk.
*Willkomm, Ic. & Descr. Pl. Hispan. ii. t. 81, (1856) in ic.; *C. polymorphus villosus vulgaris* in textu, p. 22.
—— —— **corsicus** Willk.
*Willkomm, Ic. & Descr. Pl. Hispan. ii. 24 (1856) in textu; *C. polymorphus corsicus* in ic. ii. t. 82.
—— —— **rumelicus** Willk.
Willkomm, Ic. & Descr. Pl. Hispan. ii. 24 (1856) in textu; *C. polymorphus rumelicus* in ic. ii. t. 82, fig. B.
—— —— **vulgaris** Willk.
*Willkomm, Ic. & Descr. Pl. Hispan. ii. 22 (1856) in textu; *C. polymorphus villosus* in ic. ii. t. 81.
populifolius Linn. (1)
*F. J. Schultz, Abb. Bäume, Staud. Sträuch. Oesterr. ii. t. 105 (1792).
Cavanilles, Ic. iii. t. 215 (1794).
*Sweet, Cistin. t. 23 (1826).
*Willkomm, Ic. & Descr. Pl. Hispan. ii. t. 94 (1856).
Payer, Organog. Comp. Fl. t. 3 (1857).—*Fl.*

CISTUS
populifolius
*Cusin & Ansberque, Herb. Fl. Franç. iii. t. 442 (1869).
*Laguna, Fl. For. Españ. t. 54 (1890).
Coste, Fl. France, i. 145 (1901).
Goebel, Organogr. Pfl. 741 (1901); Ed. Angl. ii. 565 (1905).—*Fl.*
*Bonnier, Fl. Compl. France, Suisse & Belge, ii. t. 61 [1912].
Pouzolzii Del. (1)
*Willkomm, Ic. & Descr. Pl. Hispan. ii. t. 87 (1856).
Pouzolz, Fl. Dépt. Gard. i. t. 1 (1862).
*Cusin & Ansberque, Herb. Fl. Franç. iii. t. 439 (1869).
Coste, Fl. France, i. 146 (1901).
Cadevall & Sallent, Fl. Catalunya, i. 196 (1915).
psilosepalus Sweet (1)
*Sweet, Cistin. t. 33 (1826).
×**purpureus** Lam. (1)
*Joh. Kerner, Hort. Sempervir. t. 180 (1805).
*Bot. Reg. v. t. 408 (1819).
*Sweet, Cistin. t. 17 (1826).
J. C. Loudon, Arbor. & Frutic. Brit. i. 318 (1838).
*J. W. Loudon, Ladies' Fl.-Gard. Ornam. Greenh. Pl. t. 2 (1848).
Decaisne & Naud. Amat. Jard. i. 67 [1862–66].—*Fl.*
*Garden, xxxi. 326 (1887); xlv. 33 (1894); liii. 134 (1898).
Gard. Chron. Ser. III. xlviii. 118, 119 (1910).
Journ. Roy. Hort. Soc. London, xlii. 273 (1917).—*Hab.*
racemosus Linn. (4)
*F. J. Schultz, Abb. Bäume, Staud. Sträuch. Oesterr. ii. t. 111 (1792).
Cavanilles, Ic. ii. t. 140 (1793).
roseus Jacq. (4)
*Jacquin, Hort. Vind. iii. t. 65 (1776).
Allioni, Fl. Pedem. iii. t. 45, fig. 4 (1785).
*Tausch, Hort. Canal. i. 1 [t. 8] (1823).
rotundifolius Sweet (1)
*Sweet, Cistin. t. 75 (1828).
ruficomus Viv. (4)
Viviani, Fl. Lib. Sp. t. 14, fig. 5 (1824).
salicifolius Linn. (4)
Cavanilles, Ic. ii. t. 144 (1793).
*Sibthorp & Sm. Fl. Graeca, v. t. 499 (1825).
×**salviifolio-monspeliensis** Req. (1)
*Cusin & Ansberque, Herb. Fl. Franç. iii. t. 447 (1869).
salviifolius Linn. (1)
*Jacquin, Collect. ii. t. 8 (1788).
*F. J. Schultz, Abb. Bäume, Staud. Sträuch. Oesterr. i. t. 100 (1792).
Cavanilles, Ic. ii. t. 137 (1793).
*Sibthorp & Sm. Fl. Graeca, v. t. 497 (1825).
*Sweet, Cistin. t. 54 (1827).
*Reichenbach, Ic. Fl. Germ. iii. t. 36 (1838–39).
Seringe, Fl. Jard. i. t. 7 (1845).—*Fl.*
Petermann, Deutschl. Fl. t. 11, fig. 85, m–n (1849).—*Fr.*
Chiaje in Mem. Postume di F. Cavolini, t. 18 (1853).
Seringe, Leçons Bot. [t. 1] Cistac. [1857?].—*Fl.*
Pokorny, Oesterr. Holzpfl. 450, t. 41 (1864).—*Veg.*
*Cusin & Ansberque, Herb. Fl. Franç. iii. t. 440 (1869).
*Zeller, Wild Fl. Holy Land, Ed. 2, t. 43 (1876).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xiii. t. 1253 (1883).
Coutinho, Curso Silvicult. 167 (1886).—*Fr.*
*Thomé, Fl. Deutschl. ii. t. 309 (1886).
*Laguna, Fl. For. Españ. t. 55 (1890).
Dippel, Handb. Laubholzk. iii. 19 (1893).
Ann. Fac. Sc. Marseille, ix. II. t. 3 (1899); xiii. II. t. 3 (1903).
Fiori & Paol. Ic. Fl. Ital. 148 (1899).
Coste, Fl. France, i. 146 (1901).
Pflanzenreich, Cistac. 18 (1903).—*Fl.*
*Strasburger, Rambles Riviera, 95 (1906).
Schneider, Ill. Handb. Laubh. ii. 347, 349 (1909).

CISTUS
salviifolius
Adamović, Pflanzenw. Dalmat. t. 9 (1911).—*Hab.*
*Bonnier, Fl. Compl. France, Suisse & Belge, ii. t. 61 [1912].
*Guinier, Atlas Arbres & Arbriss. t. 110, 110 bis (1912).
Karsten & Schenck, Veg.-Bild. xii. t. 24 (1914).—*Hab.*
Pringsh. Jahrb. Bot. liv. 503–22 (1914).—*Fl.*
*H. S. Thompson, Fl. Pl. Riviera, t. 6 (1914).
Cadevall & Sallent, Fl. Catalunya, i. 199 (1915).
Trotter, Fl. Econ. della Libia, 159 (1915).
—— **biflorus** Willk.
*Willkomm, Ic. & Descr. Pl. Hispan. ii. t. 92 (1856).
—— **cymosus** Willk.
*Willkomm, Ic. & Descr. Pl. Hispan. ii. t. 92 (1856).
—— **grandifolius** Willk.
Willkomm, Ic. & Descr. Pl. Hispan. ii. t. 91 (1856).
—— **macrocalyx** Willk.
*Willkomm, Ic. & Descr. Pl. Hispan. ii. t. 92 (1856).
—— **vulgaris** Willk.
*Willkomm, Ic. & Descr. Pl. Hispan. ii. t. 91 (1856).
Merino, Fl. Galicia, i. 169 (1905).
sampsucifolius Cav. (4)
Cavanilles, Ic. i. t. 96 (1791).
sampsucifolius Sims (5)
*Bot. Mag. xliii. t. 1803 (1816).
sericeus Munby (1)
*Willkomm, Ic. & Descr. Pl. Hispan. ii. t. 97 (1856).
Pflanzenreich, Cistac. 26 (1903).
serpillifolius Crantz (4)
Crantz, Stirp. Austriac. fasc. ii. t. 6, fig. 3 (1763).
serratus Cav. (5)
Cavanilles, Ic. ii. t. 175 (1793).
sessiliflorus Desf. (4)
Desfontaines, Fl. Atlant. i. t. 106 (1798).
×**Skanbergii** Lojac.-Poj. (1)
Lojacono-Pojero, Fl. Sic. i. 1. t. 18, bis (1888).
squamatus Linn. (4)
Cavanilles, Ic. ii. t. 139 (1793).
strictus Cav. (4)
Cavanilles, Ic. iii. t. 263 (1794).
surreyanus Linn. (4)
Dillenius, Hort. Eltham. Add. Denom. Linn. t. 145 (1774).
*Sowerby & Sm. Engl. Bot. xxxi. t. 2207 (1810).
[M. E.] Jackson, Pict. Fl. fig. 821 (1840).
symphytifolius Lam. (1)
Dict. Sc. Nat., Planch. Bot. Dicot. t. 190 (1816–29).
Pflanzenreich, Cistac. 11 (1903).—*Fl.*
syriacus Jacq. (4)
*Jacquin, Ic. Pl. Rar. i. t. 96 (1781–86).
syrticus Viv. (2)
Viviani, Fl. Lib. Sp. t. 14, fig. 2 (1824).
thymifolius Linn. (2)
*Sibthorp & Sm. Fl. Graeca, v. t. 500 (1825).
tomentosus Scop. (4)
Scopoli, Fl. Carn. Ed. 2, i. t. 24 (1772).
*Sowerby & Sm. Engl. Bot. xxxi. t. 2208 (1810).
[M. E.] Jackson, Pict. Fl. fig. 823 (1840).
Tuberaria Linn. (5)
Cavanilles, Ic. i. t. 97 (1791).
umbellatus Linn. (3)
*Cusin & Ansberque, Herb. Fl. Franç. iii. t. 428 (1869).
Rev. Gén. Bot. xxiv. 281, 282 (1912).—*Veg.*
undulatus Dun. (1)
*Sweet, Cistin. t. 63 (1828).
*Reichenbach, Ic. Fl. Germ. iii. t. 38 (1838–39).
vaginatus Ait. (1)
*Jacquin, Hort. Schoenbr. iii. t. 282 (1798).
*Bot. Reg. iii. t. 225 (1817).
*Sweet, Cistin. t. 9 (1825).
*J. W. Loudon, Ladies' Fl.-Gard. Ornam. Greenh. Pl. t. 2 (1848).
*Willkomm, Ic. & Descr. Pl. Hispan. ii. t. 75 (1856).
*Bot. Mag. lxxxvii. t. 5241 (1861).
*Fl. des Serres, Ser. II. v. t. 1501 (1862–65).
Journ. Linn. Soc., Bot. xxxiii. 204 (1897).—*Veg.*

CISTUS
vaginatus
Avebury, Buds & Stipules, 38 (1908).—*Veg.*
villosus Linn. (1)
*F. J. Schultz, Abb. Bäume, Staud. Sträuch. Oesterr. ii. t. 104 (1792).
Lamarck, Ill. iii. t. 477, fig. 3 (1797).
*Sweet, Cistin. t. 35 (1826).
*Reichenbach, Ic. Fl. Germ. iii. t. 40 (1838–39).
Dippel, Handb. Laubholzk. iii. 18 (1893).
E. T. Cook, Trees & Shrubs for Engl. Gard. 354 (1902).—*Hab.*
Pflanzenreich, Cistac. 4 (1903).—*Fl.*
Schneider, Ill. Handb. Laubh. ii. 346, 347 (1909).
Apgar, Orn. Shrubs U.S. 71, fig. 33 (1910).
Bean, Trees & Shrubs, i. 344 (1914).
—— **dalmaticus** H. Lindb. (1)
H. Lindberg in Ofvers. Finska Vet.-Soc. Förh. 1905–6, xlviii. No. 13, p. 74 (1906).—*Fl.*
—— **eriocephalus** H. Lindb. (1)
H. Lindberg in Ofvers. Finska Vet.-Soc. Förh. 1905–6, xlviii. No. 13, p. 74 (1906).—*Fl.*
violaceus Cav. (4)
Cavanilles, Ic. ii. t. 147 (1793).

CITHARELOMA Bunge
Lehmannii Bunge
Bunge, Ic. Pl. Nov. Lehm. t. 5 (1849?).
vernum Bunge
Bunge, Ic. Pl. Nov. Lehm. t. 5 (1849?).

CITHAREXYLUM Mill.—Vide *Rauwolfia* Ruiz & Pav.
barbinerve Cham. & Schlechtd.
Arechavaleta in An. Mus. Nac. Montevideo, iv. 151 (1903).
caudatum Linn.
Plumier, Pl. Amer. Ed. Burm. t. 157, fig. 2 (1758); fide Urban, Fedde Repert. Beih. v. 72.
Browne, Hist. Jamaica, Ed. 2, t. 28 (1789).
Lamarck, Ill. iii. t. 545, fig. a–f (1797).
cinereum Linn.
*Jacquin, Sel. Stirp. Amer. Hist. Picta, t. 178 [1780].
*Mordant de Launay, Herb. Amat. vii. t. 493 (1824).
*Drapiez, Herb. Amat. Fl. iv. t. 269 (1830).
Bot. Tidsskr. xxii. 79 (1898).—*Veg.*
Rev. Gén. Bot. xii. 443 (1900).—*Veg.*
Britton, N. Amer. Trees, 825 (1908).
coriaceum Desf.
Ettingshausen, Blatt-Skel. Dikot. 78 (1861).—*Veg.*
cyanocarpum H. B. K.
Hooker & Arn. Bot. Beechey Voy. t. 11 (1841).
erectum Sw.
*Jacquin, Ic. Pl. Rar. iii. t. 501 (1786–93).
fruticosum Linn.
Ann. Rep. Smithson. Inst. 1917, p. 383 (1918).
ilicifolium H. B. K.
Agardh, Theor. Syst. Pl. t. 22 (1858).—*Fl.*
molle Jacq.
*Jacquin, Hort. Schoenbr. iv. t. 417 (1804).
paniculatum Gaertn.
Gaertner, Fruct. i. t. 56 (1788).—*Fr.*
paniculatum Poir.
Lamarck, Ill. iii. t. 545, fig. 2, g–o (1797).—*Fr.*
pentandrum Vent.
Ventenat, Jard. Cels, t. 47 [1800].
quadrangulare Jacq.
*Jacquin, Hort. Vind. i. t. 22 (1770).
Journ. Linn. Soc., Bot. xxxiii. 231 (1897).—*Veg.*
Contrib. U.S. Nat. Herb. viii. t. 27 (1903).
Avebury, Buds & Stipules, 76 (1908).—*Veg.*
Sessaei D. Don
Velenovsky, Vergl. Morphol. Pfl. ii. 492 (1907).—*Veg.*
spinosum Linn.
Britton, Fl. Bermuda, 316 (1918).
teres Jacq.
Jacquin, Sel. Stirp. Amer. Hist. t. 118 (1763).
villosum Jacq.
*Jacquin, Ic. Pl. Rar. i. t. 118 (1781–86).
Agardh, Theor. Syst. Pl. t. 22 (1858).—*Fl.*
Bocquillon, Rev. Verbénac. t. 13 (1861–63).—*Fl.*
Sargent, Silva N. Amer. vi. t. 295 (1894).
Pflanzenfam. iv. III. A. 157 (1895).—*Fl.*
Sargent, Man. Trees N. Amer. 788 (1905).

CITINUS = *Cytinus*

CITRIOBATUS A. Cunn.
javanicus Boerl. & Koord.
Ic. Bogor. i. t. 77 (1901).
lanceolatus F. M. Bailey
F. M. Bailey, Compr. Cat. Queensl. Pl. 45 (1909–13).
multiflorus A. Cunn.
Pflanzenfam. iii. II. A. 114 (1891).
Guilfoyle, Austral. Pl. 232 [1911].—*Hab.*
Queensland Agric. Journ. xxx. t. 64 (1913).
A. E. Sulman, Some Familiar Wild Fl. t. 61 [1913].
—— **intermedius** F. M. Bailey
Queensland Agric. Journ. xxx. t. 65 (1913).
—— **linearis** F. M. Bailey
Queensland Agric. Journ. xxx. t. 66 (1913).
pauciflorus A. Cunn.
Ettingshausen, Blatt-Skel. Dikot. t. 61 (1861).—*Veg.*
Queensland Agric. Journ. xxx. t. 67 (1913).
—— **Kennyi** F. M. Bailey
Queensland Agric. Journ. xxx. t. 68 (1913).

CITRIOSMA = *Citrosma*

CITROPSIS Engl.: *Limonia*
articulata Swingle & Kellerm.
Engler & Drude, Veget. Erde, ix. III. 1, p. 759 (1915).
gabonensis Swingle & Kellerm.
Journ. Agric. Research, i. 425 (1914).—*Fl.*
Engler & Drude, Veget. Erde, ix. III. 1, p. 759 (1915).
mirabilis Swingle & Kellerm.
Journ. Agric. Research, i. 425 (1914).—*Fl.*
Engler & Drude, Veget. Erde, ix. III. 1, p. 759 (1915).—*Fl.*
Preussii Swingle & Kellerm.
Journ. Agric. Research, i. t. 422, 424, 425 (1914).
Schweinfurthii Swingle & Kellerm.
L. H. Bailey, Stand. Cycl. Hort. 780 (1914).—*Veg.*
Journ. Agric. Research, i. 419, 422, 425, 427, 429, 430, t. 49 (1914).
Engler & Drude, Veget. Erde, ix. III. 1, p. 759 (1915).—*Fl.*
Zenkeri Engl.
Engler & Drude Veget. Erde, ix. III. 1, p. 759 (1915).

CITROSMA Ruiz & Pav.: *Siparuna*
Apiosyce Mart.
Arch. Mus. Hist. Nat. Paris, viii. t. 28 (1855–56).
Trans. Linn. Soc. London, xxii. t. 19 (1856).—*Fr.*
Mart. Fl. Bras. iv. 1. t. 82 (1857).
cristatum Poepp. & Endl.
Poeppig & Endl. Nov. Gen. & Sp. Pl. ii. t. 164 (1838).
mollis H. B. K.
Arch. Mus. Hist. Nat. Paris, viii. t. 29 (1855–56).
Mart. Fl. Bras. iv. 1. t. 83 (1857).
oligandra Tul.
Arch. Mus. Hist. Nat. Paris, viii. t. 28 (1855–56).—*Fl.*
Mart. Fl. Bras. iv. 1. t. 82 (1857).—*Fr.*
reginae Tul.
Arch. Mus. Hist. Nat. Paris, viii. t. 30 (1855–56).
Mart. Fl. Bras. iv. 1. t. 83 (1857).

CITRULLUS Forsk.
Colocynthis Schrad.
Wight, Ic. Pl. Ind. Or. ii. t. 498 (1840–43).
*Carson, Ill. Med. Bot. i. t. 39 (1847).
*Artus, Atlas Pharm. Deutschl. Aufg. Offic. Gew. t. 110 [1862–74].
*Berg & Schmidt, Darst. u. Beschr. Offiz. Gew. iv. t. 25, b (1863).
*Bentley & Trim. Med. Pl. ii. t. 114 (1878).
Baillon, Dict. Bot. ii. 137 (1880).
Karsten, Deutsche Fl. Pharm.-medic. Bot. 890 (1880–83).
Duthie & Fuller, Field & Gard. Crops, t. 57 (1883).
Baillon, Traité Bot. Méd. Phan. ii. 1162, 1163 (1884).
Baillon, Hist. Pl. viii. 400–2 (1886).

CITRULLUS
Colocynthis
Hager, Handb. Pharm. Prax. Ed. Nov. i. 931 (1887).—*Fr.*
*Köhler, Med. Pfl. i [t. 51] (1887).
*Dujard.-Beaumetz & Égasse, Pl. Méd. 200, t. 14 (1889).
Pflanzenfam. iv. v. 27 (1889).
Baillon, Dict. Bot. iv. 273 (1891).
Lubbock, Seedlings, i. 604 (1892).—*Veg.*
Brehm, Merv. Nat. Monde des Pl. ii. 58 (1894–96).
Karsten, Fl. Deutschl. ii. 459 (1895).
*Kohl, Off. Pfl. Pharm. Germ. t. 142 (1895).
Cuoco, Fauna & Flora Eritrea, 72 (1897).
Pharm. Journ. Ser. IV. xi. 290 (1900).—*Fr.*
Warming, Handb. Syst. Bot. Ed. Möbius, 367 (1902).—*Fl.*
Hare, Caspari & Rusby, Nat. Stand. Dispens. 465 (1905).—*Fr.*
Beille, Bot. Pharm. ii. 730, 731 (1909).
Pammel, Man. Poison. Pl. 750 (1911).
*Strasburger, Text-Book Botany, Ed. Angl. 4, p. 674 (1912).
Gubb, Fl. Sahar. t. 34 (1913).
Cannon in Carnegie Inst. Washington, Publ. No. 178, t. 16 (1913).—*Hab.*
Crowfoot, Desert Fl. t. 30 [1914?].—*Hab.*
Trotter, Fl. Econ. della Libia, 282 (1915).
Youngken, Pharm. Bot. Ed. 2, p. 348 (1918).
Basu, Ind. Med. Pl. t. 460 (1918).
edulis Spach
Somoku Dzusetsu, Ed. 2, xx. t. 42 (1874).
*Useful Pl. Jap. i. t. 245, 246 (1895).
fistulosus Stocks
Hooker's Journ. Bot. & Kew Misc. iii. t. 3 (1851).
Duthie & Fuller, Field & Gard. Crops, t. 47 (1883).
moschatus Hort.
Woodrow, Gardening Tropics, 318 [1910].—*Fr.*
vulgaris Schrad.
Rumphius, Herb. Amboin. v. t. 146, fig. 1 (1747); fide Merrill, Interpret. Rumph. Herb. Amboin.
Decaisne & Naud. Amat. Jard. iv. 281, 282 [1862–66].
Duthie & Fuller, Field & Gard. Crops, t. 55, 56 (1883).
Nicholson, Illustr. Dict. Gard. i. 333 [1884–88].
Harz, Samenkunde, ii. 790 (1885).—*Fr.*
Pammel & Beach in Proc. Iowa Acad. Sc. 1894, ii. t. 13 (1895).
Bull. Acad. Pétersb. Ser. V. vi. 324 (1897).—*Veg.*
Starnes in Bull. Georgia Agric. St. No. 38, t. 1–3 (1897).—*Fr.*
*Behrens, Blattformen, t. 59, fig. a (1900).—*Veg.*
U.S. Dep. Agric. Div. Agrost. Bull. No. 22, p. 86 (1900).
Delpino in Mem. Accad. Sc. Istit. Bologna, Ser. V. ix. 182, t. 3 (1901–2).
L. H. Bailey, Cycl. Amer. Hort. 1969, 1970, t. 49 (1902).—*Fr.*
Bull. Écon. Indo-Chine, N. Ser. xlviii. 1212 (1905).
Black, Nat. Fl. S. Australia, 65 (1909).
Pammel, Man. Poison. Pl. 748 (1911).
Somoku Dzusetsu, Ed. Makino (Iconogr. Pl. Nippon), xx. t. 42 (1912).
Philippine Journ. Sc., Chem. & Geol. viii. 80, t. 8 (1913).—*Fr.*
!Torreya, xv. 45 (1915).—*Fr.*
Basu, Ind. Med. Pl. t. 461 (1918).
—— **fistulosus** Hort.
Woodrow, Gardening Ind. 326 (1889).—*Fr.*
Woodrow, Gardening Tropics, 318 [1910].—*Fr.*

CITRUS Linn.—Vide *Aurantium*, *Poncirus*, *Sarcodactylis*
aurantiifolia Swingle
Rumphius, Herb. Amboin. ii. t. 29 (1743); fide Merrill, Interpret. Rumph. Herb. Amboin.
L. H. Bailey, Stand. Cycl. Hort. 1880 (1916).
Aurantium Linn.
Rumphius, Herb. Amboin. ii. t. 33 (1743); fide Merrill, Interpret. Rumph. Herb. Amboin.
*Kniphof, Herb. Viv. i. t. 264 (1758).
J. Miller, Illustr. Syst. Sex. Linn. [t. 64] (1773).
*Regnault, Bot. iii. 105 (1774).

CITRUS
Aurantium
*Bergius, Mat. Med. ii. 636, t. 495 (1778).
*Zorn, Ic. Pl. Med. v. t. 495 (1784).
*Woodville, Med. Bot. iii. t. 183 (1793); Ed. 3, iii. t. 188 (1832).
*Plenck, Ic. Pl. Med. vi. t. 580 (1794).
Lamarck, Ill. iii. t. 639, fig. 1 (1797).
*Vietz, Ic. Pl. Med.-oec.-techn. i. t. 26 (1800).
*Oskamp, Afb. Artseny-Gewass. vi. t. 526 (1800).
*Duhamel, Arbres & Arbustes, Ed. 2, vii. t. 35, fig. 3 (1801–19).—*Fr.*
*Mirbel, Hist. Nat. Pl. xviii. t. 139 (1806).
*Roques, Pl. Usuell. Indig. & Exot. ii. t. 1 (1808).
*Jaume St.-Hilaire, Pl. France, iii [t. 73] (1809).
Ann. Mus. Hist. Nat. Paris, xx. 212, t. 3, fig. 2 (1813).
Dict. Sc. Nat., Planch. Bot. Dicot. t. 159 (1816–29).
*Chaumeton, Fl. Méd. v. t. 255 (1818).
Mém. Mus. Hist. Nat. Paris, v. 488 (1819).—*Fl.*
*Joh. Kerner, Gen. Pl. Ill. iii. t. 60 (1820).
*Sterler, Eur. Med. Fl. t. 17 (1820).
*Descourtilz, Fl. Pitt. & Méd. Antilles, i. t. 38 (1821).
*Tussac, Fl. Antilles, iii. t. 14 (1824).
Berchtold & J. S. Presl, Rostlin. ii. t. 53 (1825).
*Jaume St.-Hilaire, Traité Arbr. & Arbust. ii. t. 117 (1825).
*Redouté, Choix Fl. [t. 91] (1827).
*Nees, Pl. Offic. ii. t. 425 (1828).
*Wagner, Pharm.-Med. Bot. i. t. 49, 50 (1828).
*Fl. Med. [Spratt], i. 53 (1829).
*Schlechtendal & Guimpel, Abb. Pharm. Boruss. Gew. i. t. 71 (1830).
*Hayne, Getreue Darst. Arzn. Gewächse, xi. t. 28 (1830).
*Stephenson & Churchill, Med. Bot. New Ed. i. t. 14 (1834).
*Santagata in Novi Comm. Accad. Sc. Bonon. iii. t. 10 (1839).—*Fr.*
Paxt. Mag. i. 89 (1841).
*Burnett, Pl. Util. i. t. 3, a (1842).
*Audubon, Birds Amer. iv. t. 283 (1842).
Zuccarini in Abh. Akad. Wiss. München, iv. II. t. 6 (1845).—*Fr.*
*Cassone, Fl. Med.-Farm. ii. t. 169, 171 (1847).
*Strong, American Fl. i. 131 (1848).
Lindley, Med. & Oecon. Bot. 109 (1849).
Gemmellaro in Atti Accad. Gioen. Catania, Ser. II. vi. t. 1 (1850).—*Fr.*
Payer, Organog. Comp. Fl. t. 25 (1857).—*Fl.*
Schnizlein, Iconogr. iii. t. 224 (1857–65).
*Artus, Atlas Pharm. Deutschl. Aufg. Offic. Gew. t. 46 [1862–74].
Decaisne & Naud. Amat. Jard. iii. 34; iv. 569 [1862–66].
Pokorny, Oesterr. Holzpfl. 454, t. 47 (1864).—*Veg.*
Le Maout & Decaisne, Traité Gén. Bot. 317 (1868).
*Réveil, Règne Vég. xii. t. 52 (1870).—*Fr.*
Baillon, Hist. Pl. iv. 401, 402 (1873).—*Fl.*
Decaisne, Naud. & Hemsl. Handb. Trees, Shrubs, & Herb. Pl. 97 (1873).
*Bentley & Trim. Med. Pl. i. t. 51 (1875).
Baillon, Dict. Bot. ii. 82 (1879).—*Fl.*
Berge, Pflanzenphysiogn. 74 (1880).
Karsten, Deutsche Fl. Pharm.-medic. Bot. 624 (1880–83).
Baillon, Traité Bot. Méd. Phan. ii. 864 (1884).—*Fl.*
Nicholson, Illustr. Dict. Gard. i. 333; ii. 506 [1884–88].
Coutinho, Curso Silvicult. i. 145, 148, 151 (1886).—*Fl.*
Penzig, Stud. Bot. Agrumi (Ann. Agric. Roma, 1887), Atlas, t. 2, fig. 15, 18; t. 8, fig. 9, 10 (1887).
Schwarz, Forstl. Bot. 323 (1892).
Mouillefert, Traité Arbres & Arbriss. Atlas, t. 7 (1892–98).—*Hab.*
*Bois, Dict. Hort. 324 (1893–99).
Bull. Soc. Bot. Belg. xxxiii. 182 (1894).—*Veg.*

CITRUS
Aurantium
Brehm, Merv. Nat. Monde des Pl. i. 329, 330 (1894–96).
Karsten, Fl. Deutschl. ii. 165 (1895).
*Useful Pl. Jap. 43 (1895) in textu; *C. decumana* in ic. i. t. 164.
*Useful Pl. Jap. i. t. 232 (1895) in ic.; *C. Aurantium sinense* in textu, p. 63.
*Bois, Atlas Pl. Jard. t. 65 (1896).
*Step, Fav. Fl. Gard. & Greenh. i. t. 62 (1896).
Pflanzenfam. iii. IV. 197, 199, 201 (1896).
Bellair & St.-Léger, Pl. Serre, 540 (1900).
Fiori & Paol. Ic. Fl. Ital. 298 (1901).
*Penzig, Fl. Litt. Méditerr. t. 132 (1902).
!Rev. Gén. Bot. xiv. 97, 99 (1902).—*Fr.*
*Josef v. Oesterreich & Marg. v. Thurn und Taxis, Atlas Heilpfl. t. 44 (1903).
*Losch, Kräuterb. t. 38 (1903).
Knuth, Handb. Blütenbiol. iii. 1. 444 (1904).—*Fl.*
Trop. Agric. xxv. No. 3, p. 490 (1905).—*Fr.*
Pharm. Journ. Ser. IV. xxiii. 717–19 (1906).
Lazaro, Comp. Fl. Españ. ii. 129 (1907).
Britton, N. Amer. Trees, 579 (1908).
Rec. Instit. Bot. Errera, iii. 278 (1908).—*Veg.*
Gubb, Fl. Algeria, t. 37 (1909).
Lecomte in Bull. Soc. Hist. Nat. Autun, xxiii. 278 (1910).
Nouv. Arch. Mus. Hist. Nat. Paris, Ser. V. ii. 180 (1910).
Wilson, Veg. West. China (Publ. Arn. Arb. No. 2), 167 (1911).—*Hab.*
E. H. Wilson in Nat. Geogr. Mag. Washington, xxii. 1011 (1911).—*Hab.*
Pammel, Man. Poison. Pl. 582 (1911).
Wettstein, Handb. Syst. Bot. Ed. 2, p. 622 (1911).—*Fl.*
Teysmannia, xxii. 529 (1911).—*Fr.*
Capus & Bois, Prod. Colon. 125 (1912).
Hubert, Fruits Pays Chauds, 73, 77, 80, 81 (1912).
*Bonnier, Fl. Compl. France, Suisse & Belge, ii. t. 111 [1912].
L. H. Bailey, Stand. Cycl. Hort. 782 (1914).—*Veg.*
Bull. Appl. Bot. viii. App. 13, p. 118, 125 (1915).—*Fl.*
Cadevall & Sallent, Fl. Catalunya, i. 398 (1915).
Bull. Soc. Bot. Ital. 1916, p. 73, fig. 2, 3.
Crevost & Lemarié, Cat. Prod. Indochine, i. 209 (1917).
Basu, Ind. Med. Pl. t. 199 (1918).
Youngken, Pharm. Bot. Ed. 2, p. 297 (1918).
M. T. Cook, Applied Econ. Bot. 195 (1919).—*Fr.*
Fawcett & Rendle, Fl. Jamaica, iv. II. 184 (1920).
—— **amara** Engl.
Schneider, Ill. Handb. Laubh. ii. 128 (1907).
Tschirch, Handb. Pharmakog. ii. 856 (1912).—*Fl.*
—— **angustifolia** Risso & Poit.
*Risso & Poiteau, Orangers, t. 22 (1818); Nouv. Ed. t. 22 (1872).
—— **balearica** Risso
*Risso & Poiteau, Orangers, t. 14 (1818); Nouv. Ed. t. 14 (1872).
—— **Bergamia** Risso
*Duhamel, Arbres & Arbustes, Ed. 2, vii. t. 26, fig. 3 (1801–19).—*Fr.*
*Bot. Mag. cxvii. t. 7194 (1891).
—— **conifera** Risso & Poit.
*Risso & Poiteau, Orangers, t. 25 (1818); Nouv. Ed. t. 25 (1872).
—— **corniculata** Risso
*Risso & Poiteau, Orangers, t. 12 (1818); Nouv. Ed. t. 12 (1872).
—— **crassa** Risso
*Duhamel, Arbres & Arbustes, Ed. 2, vii. t. 33, fig. 4 (1801–19).—*Fr.*
—— **depressa** Risso & Poit.
*Risso & Poiteau, Orangers, t. 5 (1818); Nouv. Ed. t. 5 (1872).
—— **dulcis** Schnizl.
Schnizlein, Iconogr. iii. 224 (1857–65).—*Fr.*
—— **elliptica** Risso & Poit.
*Risso & Poiteau, Orangers, t. 17 (1818); Nouv. Ed. t. 17 (1872).
—— **foetifera** Ten.
!*Mem. Fis. Soc. Ital. Sc. Modena, xxiii. 194, t. 1 a, 2 a (1844).

CITRUS
Aurantium genuensis Risso
*Risso & Poiteau, Orangers, t. 8 (1818); Nouv. Ed. t. 8 (1872).
—— **gibbosa** Risso
*Risso & Poiteau, Orangers, t. 11 (1818); Nouv. Ed. t. 11 (1872).
—— **grassense** Risso
*Duhamel, Arbres & Arbustes, Ed. 2, vii. t. 33, fig. 1 (1801–19).—*Fr.*
*Risso & Poiteau, Orangers, t. 24 (1818); Nouv. Ed. t. 24 (1872).
—— **hierochuntica** Risso
*Duhamel, Arbres & Arbustes, Ed. 2, vii. t. 37, fig. 1 (1801–19).
—— **ilicifolia** Risso
*Risso & Poiteau, Orangers, t. 6 (1818); Nouv. Ed. t. 6 (1872).
—— **japonica** Hook. f.
*Bot. Mag. c. t. 6128 (1874).
×—— **limo-citratra** Targ.-Tozz.
*Targioni-Tozzetti, Racc. Fiori Frutti & Agrumi, [t. 32] (1825).
—— **limoniformis rugosa** Risso
*Duhamel, Arbres & Arbustes, Ed. 2, vii. t. 26, fig. 4 (1801–19).—*Fr.*
—— **longifolia** Risso & Poit.
*Risso & Poiteau, Orangers, t. 21 (1818); Nouv. Ed. t. 21 (1872).
—— **lunata** Desf.
*Risso & Poiteau, Orangers, t. 29 (1818); Nouv. Ed. t. 29 (1872).
—— **lusitanica** Risso
*Risso & Poiteau, Orangers, t. 26 (1818); Nouv. Ed. t. 26 (1872).
—— **mammifera** Risso & Poit.
*Risso & Poiteau, Orangers, t. 15 (1818); Nouv. Ed. t. 15 (1872).
—— **melitensis** Risso & Poit.
*Risso & Poiteau, Orangers, t. 13 (1818); Nouv. Ed. t. 13 (1872).
*Mordant de Launay, Herb. Amat. vii. t. 453 (1824).
*Drapiez, Herb. Amat. Fl. iv. t. 242 (1830).
—— **microcarpa** Risso
*Risso & Poiteau, Orangers, t. 10 (1818); Nouv. Ed. t. 10 (1872).
—— **mutabilis** Risso & Poit.
*Risso & Poiteau, Orangers, t. 28 (1818); Nouv. Ed. t. 28 (1872).
—— **myrtifolia** Sims
*Bot. Reg. iv. t. 346 (1819).
—— **nicensis** Risso
*Duhamel, Arbres & Arbustes, Ed. 2, vii. t. 33, fig. 2 (1801–19).—*Fr.*
Ann. Mus. Hist. Nat. Paris, xx. 212, t. 3, fig. 1 (1813).
*Risso & Poiteau, Orangers, t. 9 (1818); Nouv. Ed. t. 9 (1872).
—— **nobilis** Risso
Bellair & St.-Léger, Pl. Serre, 541 (1900).
Gubb, Fl. Algeria, t. 37 (1909).
—— **oblonga** Risso & Poit.
*Risso & Poiteau, Orangers, t. 16 (1818); Nouv. Ed. t. 16 (1872).
—— **olysiponensis** Desf.
*Targioni-Tozzetti, Racc. Fiori Frutti & Agrumi, [t. 1] (1825).
—— **otaitensis** Risso & Poit.
*Risso & Poiteau, Orangers, t. 27 (1818); Nouv. Ed. t. 27 (1872).
—— **piriformis** Risso & Poit.
*Risso & Poiteau, Orangers, t. 7 (1818); Nouv. Ed. t. 7 (1872).
—— **Pomelanus** Willd.
Mills in Bull. Agric. St. California, No. 138, t. 2, 5 (1902).—*Veg.*
—— **pomum-Adami** Risso & Poit.
*Risso & Poiteau, Orangers, t. 20 (1818); Nouv. Ed. t. 20 (1872).
—— **rugosa** Risso & Poit.
*Risso & Poiteau, Orangers, t. 19 (1818); Nouv. Ed. t. 19 (1872).
—— **sinensis** Risso
*Duhamel, Arbres & Arbustes, Ed. 2, vii. t. 35, fig. 5 (1801–19).—*Fr.*

CITRUS
Aurantium sinensis
*Risso & Poiteau, Orangers, t. 4 (1818); Nouv. Ed. t. 4 (1872).
*Mag. Bot. & Gard. iii. t. 25 (1835).
Useful Pl. Jap. i. 63 (1895) in textu; *C. Aurantium* in ic. i. t. 232.
—— **striata** Targ.-Tozz.
*Targioni-Tozzetti, Racc. Fiori Frutti & Agrumi, [t. 20] (1825).
—— **tarda** Risso & Poit.
*Risso & Poiteau, Orangers, t. 23 (1818); Nouv. Ed. t. 23 (1872).
—— **torulosa** Risso & Poit.
*Risso & Poiteau, Orangers, t. 18 (1818); Nouv. Ed. t. 18 (1872).
—— **virgata** Targ.-Tozz.
*Targioni-Tozzetti, Racc. Fiori Frutti & Agrumi, [t. 26] (1825).
—— **vulgaris** Risso
*Risso & Poiteau, Orangers, t. 1 (1818); Nouv. Ed. t. 3 (1872).
aurata alicia Risso
Risso, Hist. Nat. Eur. Mérid. ii [t. 3] (1826).
australasica F. Muell.
F. M. Bailey, Compr. Cat. Queensl. Pl. 84 (1909–13).
U.S. Dep. Agric. Bur. Pl. Indust. Bull. No. 202, t. 1 (1911).
australis Planch.
Agric. Gaz. N. S. Wales, x. 1168 (1899).
F. M. Bailey, Compr. Cat. Queensl. Pl. 84 (1909–13).
Guilfoyle, Austral. Pl. 123 [1911].—*Hab.*
Bergamia Risso & Poit.
*Bentley & Trim. Med. Pl. t. 52 (1878).
Brehm, Merv. Nat. Monde des Pl. i. 336 (1894–96).
*Köhler, Med. Pfl. iii [t. 232] (1898).
Hubert, Fruits Pays Chauds, 170 (1912).
—— **mellarosa** Risso & Poit.
*Risso & Poiteau, Orangers, t. 55, 56 (1818); Nouv. Ed. t. 55, 56 (1872).
—— **torulosa** Risso & Poit.
*Risso & Poiteau, Orangers, t. 54 (1818); Nouv. Ed. t. 54 (1872).
—— **vulgaris** Risso & Poit.
*Risso & Poiteau, Orangers, t. 53 (1818); Nouv. Ed. t. 53 (1872).
Bigaradia Risso
*Risso & Poiteau, Orangers, t. 30 (1818); Nouv. Ed. t. 30 (1872).
*Tussac, Fl. Antilles, iii. t. 15 (1824).
*Joh. Kerner, Hort. Sempervir. t. 766 (1827).
*Cassone, Fl. Med.-Farm. ii. t. 170 (1847).
Baillon, Traité Bot. Méd. Phan. ii. 865, 866 (1884).
Dujard.-Beaumetz & Égasse, Pl. Méd. 497, 498 (1889).
Brehm, Merv. Nat. Monde des Pl. i. 333 (1894–96).
*Useful Pl. Jap. i. t. 235 (1895).
—— **acuminata** Risso
*Duhamel, Arbres & Arbustes, Ed. 2, vii. t. 24, fig. 3 (1801–19).—*Fr.*
—— **asperma** Risso & Poit.
*Risso & Poiteau, Orangers, t. 41 (1818); Nouv. Ed. t. 41 (1872).
—— **Bizarria** Risso
*Duhamel, Arbres & Arbustes, Ed. 2, vii. t. 36, 37, fig. 2 (1801–19).
*Risso & Poiteau, Orangers, t. 52 (1818); Nouv. Ed. t. 52 (1872).
—— **callosa** Risso
*Duhamel, Arbres & Arbustes, Ed. 2, vii. t. 32, fig. 3 (1801–19).—*Fr.*
—— **corniculata** Risso
*Duhamel, Arbres & Arbustes, Ed. 2, vii. t. 30, fig. 4, 5 (1801–19).—*Fr.*
*Risso & Poiteau, Orangers, t. 32 (1818); Nouv. Ed. t. 32 (1872).
—— **coronata** Risso & Poit.
*Risso & Poiteau, Orangers, t. 46 (1818); Nouv. Ed. t. 46 (1872).
—— **crispa** Risso
*Duhamel, Arbres & Arbustes, Ed. 2, vii. t. 32, fig. 1 (1801–19).

CITRUS

Bigaradia crispifolia Risso & Poit.
*Risso & Poiteau, Orangers, t. 35 (1818); Nouv. Ed. t. 35 (1872).
—— **cyathifera** Risso & Poit.
*Risso & Poiteau, Orangers, t. 34 (1818); Nouv. Ed. t. 34 (1872).
—— **dulcis** Risso & Poit.
*Risso & Poiteau, Orangers, t. 47 (1818); Nouv. Ed. t. 47 (1872).
—— **fasciata** Risso & Poit.
*Risso & Poiteau, Orangers, t. 51 (1818); Nouv. Ed. t. 51 (1872).
—— **fetifera** Risso & Poit.
*Risso & Poiteau, Orangers, t. 33 (1818); Nouv. Ed. t. 33 (1872).
—— **florentina** Risso & Poit.
*Risso & Poiteau, Orangers, t. 45 (1818); Nouv. Ed. t. 45 (1872).
—— **gallesiana** Risso & Poit.
*Risso & Poiteau, Orangers, t. 42 (1818); Nouv. Ed. t. 42 (1872).
—— **hispanica** Risso
*Duhamel, Arbres & Arbustes, Ed. 2, vii. t. 30, fig. 3 (1801–19).—*Fr.*
*Risso & Poiteau, Orangers, t. 44 (1818); Nouv. Ed. t. 44 (1872).
—— **longifolia** Risso & Poit.
*Risso & Poiteau, Orangers, t. 39 (1818); Nouv. Ed. t. 39 (1872).
—— **macrocarpa** Risso & Poit.
*Risso & Poiteau, Orangers, t. 43 (1818); Nouv. Ed. t. 43 (1872).
—— **mamillata** Risso
*Duhamel, Arbres & Arbustes, Ed. 2, vii. t. 35, fig. 4 (1801–19).—*Fr.*
*Risso & Poiteau, Orangers, t. 38 (1818); Nouv. Ed. t. 38 (1872).
—— **myrtifolia** Risso
*Risso & Poiteau, Orangers, t. 50 (1818); Nouv. Ed. t. 50 (1872).
*Spach, Hist. Nat. Vég. Phan. Atlas, t. 12 (1846).
—— **prolifera** Risso
*Duhamel, Arbres & Arbustes, Ed. 2, vii. t. 32, fig. 2 (1801–19).—*Fr.*
—— **rosea** Risso
*Duhamel, Arbres & Arbustes, Ed. 2, vii. t. 31, fig. 2 (1801–19).
—— **salicifolia** Risso & Poit.
*Risso & Poiteau, Orangers, t. 48 (1818); Nouv. Ed. t. 48 (1872).
—— **sinensis** Risso
*Duhamel, Arbres & Arbustes, Ed. 2, vii. t. 25 (1801–19).
*Risso & Poiteau, Orangers, t. 49 (1818); Nouv. Ed. t. 49 (1872).
—— **spatafora** Risso & Poit.
*Risso & Poiteau, Orangers, t. 37 (1818); Nouv. Ed. t. 37 (1872).
—— **sulcata** Risso
*Duhamel, Arbres & Arbustes, Ed. 2, vii. t. 33, fig. 3 (1801–19).—*Fr.*
—— **violacea** Risso
*Duhamel, Arbres & Arbustes, Ed. 2, vii. t. 34 (1801–19).
*Risso & Poiteau, Orangers, t. 36 (1818); Nouv. Ed. t. 36 (1872).
*Mordant de Launay, Herb. Amat. vii. t. 454 (1824).
Berchtold & J. S. Presl, Rostlin. ii. t. 54 (1825).
*Drapiez, Herb. Amat. Fl. i. t. 56 (1828).
—— **Volcameriana** Risso & Poit.
*Risso & Poiteau, Orangers, t. 40 (1818); Nouv. Ed. t. 40 (1872).
citrea Targ.-Tozz.
*Targioni-Tozzetti, Racc. Fiori Frutti & Agrumi, [t. 35] (1825).
Daidai Hayata
Hayata, Ic. Pl. Formosan. viii. 28 (1919).—*Fl.*
decumana Murr
*Duhamel, Arbres & Arbustes, Ed. 2, vii. t. 38, 42 (1801–19).
*Tussac, Fl. Antilles, iii. t. 17, 18 (1824).
*Descourtilz, Fl. Pitt. & Méd. Antilles, iii. t. 220 (1827).
*Table Fr. Ind. (Calcutta), [t. 10] (1842).

CITRUS

decumana
Decaisne & Naud. Amat. Jard. iv. 581 [1862–66].
*Nooten, Fl. Fr. Java, [t. 3] (1863).
*Blanco, Fl. Filip. t. 304 (1878–80).
Nicholson, Illustr. Dict. Gard. i. 334 [1884–88].
*Useful Pl. Jap. i. t. 164 (1895) in ic.; *C. Aurantium* in textu, p. 43.
*Useful Pl. Jap. i. t. 233, 239 (1895).
*Useful Pl. Jap. 65 (1895) in textu; *C. pompelinus* in ic. i. t. 238.—*Fr.*
Amer. Journ. Pharm. lxviii. 128, 129 (1896).
Bellair & St.-Léger, Pl. Serre, 542 (1900).
L. H. Bailey, Cycl. Amer. Hort. 1397 (1901); Stand. Cycl. Hort. 2858 (1916).
Hume in Bull. Florida Agric. St. No. 58, frontisp. p. 391, 392, 398, 401, t. 1–7 (1901).
Trop. Agric. xxv. No. 3, p. 490 (1905).—*Fr.*
Pharm. Journ. Ser. IV. xxiii. 717–19 (1906).
Hubert, Fruits Pays Chauds, 175, 177 (1912).—*Fr.*
Philippine Journ. Sc., Chem. & Geol. viii. 80, t. 6 (1913).—*Fr.*
Philippine Agric. Rev. vi. 626, t. 10 (1913); viii. 16, t. 2 (1915); x. 16, t. 8 (1917).—*Fr.*
Queensland Agric. Journ. xxx. t. 12 (1913).
Crevost & Lemarié, Cat. Prod. Indochine, i. 212 (1917).
Pammel & King in Proc. Iowa Acad. Sc. xxvii. 76 (1920).—*Veg.*
deliciosa Ten.
Tenore in Atti Istit. Incorragg. Napoli, vii. 11 (1847).
Decaisne & Naud. Amat. Jard. iv. 574 [1862–66].
Crevost & Lemarié, Cat. Prod. Indochine, i. 206 (1917).
dulcimedulla Pritz.
*Descourtilz, Fl. Pitt. & Méd. Antilles, v. t. 339 (1827).
excelsa Wester
Philippine Agric. Rev. x. 114, t. 5 (1917).—*Fr.*
—— **davaoënsis** Wester
Philippine Agric. Rev. x. 114, t. 5 (1917).—*Fr.*
Garrawayi F. M. Bailey
F. M. Bailey, Compr. Cat. Queensl. Pl. 84 (1909–13).
Gordonii Risso
*Horticulteur Univ. i. 352 (1839).
Risso, Fl. Nice, [t. 7] (1844).
grandis Osbeck
L. H. Bailey, Stand. Cycl. Hort. 782 (1914); 1392, t. 50 (1915).
Hayata, Ic. Pl. Formosan. viii. 29 (1919).—*Fl.*
—— **butan** Hayata
Hayata, Ic. Pl. Formosan. viii. 17, 18 (1919).—*Fr.*
hystrix DC.
Rumphius, Herb. Amboin. ii. t. 26, fig. 1, t. 27 (1743); fide Merrill, Interpret. Rumph. Herb. Amboin.
*Duhamel, Arbres & Arbustes, Ed. 2, vii. t. 39, fig. 1 (1801–19).
Savi in Cont. Atti Accad. Econ.-Agrar. Georgof. Firenze, xv. t. 1 (1837).
Vidal, Sin. Fam. Gen. Pl. Leñ. Filip. (Introd. Fl. For. Filip.), Atlas, t. 25, fig. F (1883).
Penzig, Stud. Bot. Agrumi (Ann. Agric. Roma, 1887), Atlas, t. 10, fig. 12 (1887).—*Fr.*
*Agric. Journ. Ind. v. 299, 332, 333 (1910).
Philippine Agric. Rev. x. 114, t. 7 (1917); xi. 206, t. 9 (1918).
A. P. West & W. H. Brown in Bull. Philip. Isl. Dep. Agric. Bur. Forestry, No. 20, p. 209 (1920).
—— **boholensis** Wester
Philippine Agric. Rev. viii. 16, t. 4, 5 (1915).—*Fr.*
—— **torosa** Blanco
Philippine Agric. Rev. x. 114, t. 7 (1917).—*Fr.*
ichangensis Swingle
Journ. Agric. Research, i. 1–7, t. 1 (1913).
L. H. Bailey, Stand. Cycl. Hort. 784 (1914).—*Veg.*
inodora F. M. Bailey
F. M. Bailey, Queensland Fl. t. 10 (1899).
F. M. Bailey, Compr. Cat. Queensl. Pl. 84 (1909–13).
japonica Thunb.
Thunberg, Ic. Pl. Jap. ii [t. 5] (1800).

CITRUS

japonica
Siebold & Zucc. Fl. Jap. t. 15 (1835).
Journ. Roy. Hort. Soc. London, iii. 240 (1848); xxxii. Proc. p. cxxxvi, fig. 58 (1908).
Cottage Gard. xix. 280 (1858).
Garden, v. 501 (1874).
Florist, 1874, p. 241.
Gard. Chron. ii. 337 (1874); Ser. III. vii. 393 (1890); xxxviii. 445 (1905); xxxix. 59 (1906).
Rev. Hort. 1875, p. 209; 1912, p. 566; 1913, p. 254, 255.
Gartenfl. xxxi. t. 1097 (1882).
Nicholson, Illustr. Dict. Gard. i. 334 [1884–88].
*Useful Pl. Jap. i. t. 236 (1895).
L. H. Bailey, Cycl. Amer. Hort. 325, 862 (1900).—*Fr.*
Bellair & St.-Léger, Pl. Serre, 543 (1900).
—— **elliptica** Makino (?)
*Useful Pl. Jap. i. t. 237 (1895).
kotokan Hayata
Hayata, Ic. Pl. Formosan. viii. 30, 31 (1919).
limao Wester
Philippine Agric. Rev. viii. 16, t. 3 (1915).
limetta Risso
*Duhamel, Arbres & Arbustes, Ed. 2, vii. t. 26, fig. 2 (1801–19).—*Fr.*
Ann. Mus. Hist. Nat. Paris, xx. 212, t. 4 (1813).
Berchtold & J. S. Presl, Rostlin. ii. t. 51 (1825).
Wight, Ic. Pl. Ind. Or. iii. t. 958 (1843–45) in textu; *C. Limonum* in ic.
*Wight, Spicil. Neilgherr. i. t. 26 [1846] in textu; *C. Limonum* in ic.
Journ. Hort. Ser. III. xiv. 425 (1887).
Trop. Agric. xxv. No. 3, p. 490 (1905).—*Fr.*
Estac. Exper. Agronom. Cuba, Bol. No. 32, p. 30 (1916).
—— **auraria** Risso & Poit.
*Risso & Poiteau, Orangers, t. 59 (1818); Nouv. Ed. t. 59 (1872).
—— **Bergamia-Peretta** Risso
Duhamel, Arbres & Arbustes, Ed. 2, vii. t. 24, fig. 2 (1801–19); errore *C. Bergamia-Peretta* in textu, p. 76.—*Fr.*
—— **Bergamia-stellata** Risso
*Duhamel, Arbres & Arbustes, Ed. 2, vii. t. 31, fig. 1 (1801–19).
—— **mela-rosa** Risso
*Duhamel, Arbres & Arbustes, Ed. 2, vii. t. 35, fig. 1 (1801–19).—*Fr.*
—— **parva** Risso & Poit.
*Risso & Poiteau, Orangers, t. 58 (1818); Nouv. Ed. t. 58 (1872).
—— **pomum-Adami** Risso
*Risso & Poiteau, Orangers, t. 60 (1818); Nouv. Ed. t. 60 (1872).
—— **vulgaris** Risso & Poit.
*Risso & Poiteau, Orangers, t. 57 (1818); Nouv. Ed. t. 57 (1872).
Limonum Risso
*Vietz, Ic. Pl. Med.-oec.-techn. i. t. 62 (1800).
*Duhamel, Arbres & Arbustes, Ed. 2, vii. t. 28 (1801–19).
Berchtold & J. S. Presl, Rostlin. ii. t. 52 (1825).
*Descourtilz, Fl. Pitt. & Méd. Antilles, v. t. 337 (1827).
Orbigny, Dict. Hist. Nat. Atlas, iii. t. 299 [1839–49].
*Burnett, Pl. Util. i. 8, a (1842).
Wight, Ic. Pl. Ind. Or. iii. t. 958 (1843–45) in ic.; *C. limetta* in textu.
*Wight, Spicil. Neilgherr. i. t. 26 [1846] in ic.; *C. limetta* in textu.
*Cassone, Fl. Med.-Farm. ii. t. 173 (1847).
*Schnizlein, Iconogr. iii. t. 224 (1857–65).—*Fr.*
*Berg & Schmidt, Darst. u. Beschr. Offiz. Gew. iv. t. 31, f (1863).
*Réveil, Règne Vég. xii. t. 52 (1870).—*Fr.*
*Bentley & Trim. Med. Pl. i. t. 54 (1876).
Zippel, Ausländ. Handels & Nährpfl. t. 22 (1885).
Penzig, Stud. Bot. Agrumi (Ann. Agric. Roma, 1887), Atlas, t. 1, fig. 1 (1887).—*Veg.*
*Köhler, Med. Pfl. i [t. 49] (1887).
Dujard.-Beaumetz & Egasse, Pl. Méd. 185 (1889).—*Fr.*

CITRUS
Limonum
Bot. Gaz. xv. 266 (1890).
!Nuov. Giorn. Bot. Ital. xxii. t. 1, fig. 14 (1890); N. Ser. iii. t. 5 (1896).
Mouillefert, Traité Arbres & Arbriss. Atlas, t. 8 (1892–98).
Brehm, Merv. Nat. Monde des Pl. i. 335 (1894–96).
Sauvaigo, Cult. Littor. Méditerr. 263 (1894).
*Kohl, Off. Pfl. Pharm. Germ. t. 60 (1895).
*Zippel, Ausländ. Kulturpfl. Atlas, Ed. 4, Abt. 1, t. 8 (1899).
*Penzig, Fl. Litt. Méditerr. t. 133 (1902).
*Josef v. Oesterreich & Marg. v. Thurn und Taxis, Atlas Heilpfl. t. 43 (1903).
*Losch, Kräuterb. t. 38 (1903).
Merino, Fl. Galicia, i. 263 (1905).
Britton, N. Amer. Trees, 581 (1908).
Gubb, Fl. Algeria, t. 38 (1909).
Wettstein, Handb. Syst. Bot. Ed. 2, p. 622 (1911). —*Fl.*
*Bonnier, Fl. Compl. France, Suisse & Belge, ii. t. 111 [1912].
L. H. Bailey, Stand. Cycl. Hort. 781 (1914).
Basu, Ind. Med. Pl. t. 199 (1918).
Britton, Fl. Bermuda, 201 (1918).
U.S. Dep. Agric. Bull. No. 815, p. 6–8, t. 1–8 (1920).
—— **amalphitana** Risso
*Risso & Poiteau, Orangers, t. 93 (1818); Nouv. Ed. t. 93 (1872).
—— **balotina** Risso
*Risso & Poiteau, Orangers, t. 79, 80 (1818); Nouv. Ed. t. 79, 80 (1872).
—— **bignetta** Risso
*Duhamel, Arbres & Arbustes, Ed. 2, vii. t. 23, fig. 3–5 (1801–19).—*Fr.*
*Risso & Poiteau, Orangers, t. 73 (1818); Nouv. Ed. t. 73 (1872).
—— —— **magna** Risso & Poit.
*Risso & Poiteau, Orangers, t. 74 (1818); Nouv. Ed. t. 74 (1872).
—— **bimamillata** Risso
*Duhamel, Arbres & Arbustes, Ed. 2, vii. t. 27, fig. 1 (1801–19).—*Fr.*
*Risso & Poiteau, Orangers, t. 94 (1818); Nouv. Ed. t. 94 (1872).
—— **cajetana** Risso
*Risso & Poiteau, Orangers, t. 86 (1818); Nouv. Ed. t. 86 (1872).—*Fr.*
—— **ceriesca** Risso
*Duhamel, Arbres & Arbustes, Ed. 2, vii. t. 27, fig. 2 (1801–19).—*Fr.*
*Risso & Poiteau, Orangers, t. 85 (1818); Nouv. Ed. t. 85 (1872).
—— **digitata** Risso & Poit.
*Risso & Poiteau, Orangers, t. 95 (1818); Nouv. Ed. t. 95 (1872).
—— **dulcis** Risso
*Duhamel, Arbres & Arbustes, Ed. 2, vii. t. 35, fig. 6 (1801–19).—*Fr.*
—— **Ferrarii** Risso
*Risso & Poiteau, Orangers, t. 92 (1818); Nouv. Ed. t. 92 (1872).
—— **fusiformis** Risso & Poit.
*Risso & Poiteau, Orangers, t. 87 (1818); Nouv. Ed. t. 87 (1872).
—— **globosa** Risso & Poit.
*Risso & Poiteau, Orangers, t. 78 (1818); Nouv. Ed. t. 78 (1872).
—— **imperialis** Risso
*Risso & Poiteau, Orangers, t. 89 (1818); Nouv. Ed. t. 89 (1872).
—— **incomparabilis** Risso
*Risso & Poiteau, Orangers, t. 71 (1818); Nouv. Ed. t. 71 (1872).
—— **mellarosa** Risso & Poit.
*Risso & Poiteau, Orangers, t. 81 (1818); Nouv. Ed. t. 81 (1872).
—— **nicensis** Risso & Poit.
*Risso & Poiteau, Orangers, t. 91 (1818); Nouv. Ed. t. 91 (1872).
—— **oblonga** Risso & Poit.
*Risso & Poiteau, Orangers, t. 88 (1818); Nouv. Ed. t. 88 (1872).

CITRUS
Limonum olluliformis Risso
*Duhamel, Arbres & Arbustes, Ed. 2, vii. t. 38 (1801–19).—*Fr.*
—— **Peretta** Drap.
*Drapiez, Herb. Amat. Fl. vii. t. 509 (1834).
*Piccioli, Antotr. Colt. Fiori, ii. t. 49 (1834).
—— —— **domingensis** Risso & Poit.
*Risso & Poiteau, Orangers, t. 82 (1818); Nouv. Ed. t. 82 (1872).
*Mordant de Launay, Herb. Amat. vii. t. 456 (1824).
—— —— **florentina** Risso & Poit.
*Risso & Poiteau, Orangers, t. 83 (1818); Nouv. Ed. t. 83 (1872).
—— **pomum-Adami** Risso
*Duhamel, Arbres & Arbustes, Ed. 2, vii. t. 29, 40 (1801–19).
—— **ponzina** Risso
*Risso & Poiteau, Orangers, t. 77 (1818); Nouv. Ed. t. 77 (1872).
—— **racemosa** Risso
*Duhamel, Arbres & Arbustes, Ed. 2, vii. t. 41 (1801–19).
*Risso & Poiteau, Orangers, t. 90 (1818); Nouv. Ed. t. 90 (1872).
—— **rosea** Risso
*Duhamel, Arbres & Arbustes, Ed. 2, vii. t. 26, fig. 5 (1801–19).—*Fr.*
—— **rosolina** Risso
*Risso & Poiteau, Orangers, t. 76 (1818); Nouv. Ed. t. 76 (1872).
—— **sbardonia** Risso
*Risso & Poiteau, Orangers, t. 75 (1818); Nouv. Ed. t. 75 (1872).
—— **silvatica** Risso
*Risso & Poiteau, Orangers, t. 70 (1818); Nouv. Ed. t. 70 (1872).
*Mag. Bot. & Gard. iii. t. 25 (1835).
—— **striata** Risso
*Risso & Poiteau, Orangers, t. 72 (1818); Nouv. Ed. t. 72 (1872).
—— **vulgaris** Risso
*Risso & Poiteau, Orangers, t. 84 (1818); Nouv. Ed. t. 84 (1872).
longispina Wester
Philippine Agric. Rev. viii. 16, t. 2, 3 (1915); x. 114, t. 2 (1917).
lumia Risso
*Cassone, Fl. Med.-Farm. ii. t. 174 (1847).
Capus & Bois, Prod. Colon. 126 (1912).
—— **limetta** Risso & Poit.
*Risso & Poiteau, Orangers, t. 69 (1818); Nouv. Ed. t. 69 (1872).
—— **piriformis** Risso & Poit.
*Risso & Poiteau, Orangers, t. 67 (1818); Nouv. Ed. t. 67 (1872).
*Mordant de Launay, Herb. Amat. vii. t. 457 (1824).
*Drapiez, Herb. Amat. Fl. v. t. 366 (1831).
—— **rubescens** Risso & Poit.
*Risso & Poiteau, Orangers, t. 68 (1818); Nouv. Ed. t. 68 (1872).
macrophylla Wester
Philippine Agric. Rev. viii. 16, t. 3, 6 (1915).
madurensis Lour.
*Risso & Poiteau, Orangers, Nouv. Ed. t. 29 bis (1872).
Hubert, Fruits Pays Chauds, 121 (1912).
Crevost & Lemarié, Cat. Prod. Indochine, i. 208 (1917).
Margarita Lour.
Bol. Ort. Bot. Palermo, vi. t. 1 (1907).
maxima Merr.
Rumphius, Herb. Amboin. ii. t. 24, fig. 2 (1743); fide Merrill, Interpret. Rumph. Herb. Amboin.
media Risso
*Useful Pl. Jap. i. t. 241 (1895).
—— **chirocarpus** Jap.
*Useful Pl. Jap. i. t. 240 (1895).
medica Linn.
*Regnault, Bot. iii. 106 (1774).
*Bergius, Mat. Med. ii. 630, t. 496 (1778).
*Zorn, Ic. Pl. Med. v. t. 496 (1784).
Gaertner, Fruct. ii. t. 121 (1791).—*Fr.*

CITRUS
medica
C. K. Sprengel, Entd. Geheimn. Natur, t. 21, fig. 22, 28, 30 (1793).—*Fl.*
*Woodville, Med. Bot. iii. t. 184 (1793); Ed. 3, iii. t. 189 (1832).
*Plenck, Ic. Pl. Med. vi. t. 579 (1794).
Lamarck, Ill. iii. t. 639, fig. 2 (1797).
*Vietz, Ic. Pl. Med.-oec.-techn. i. t. 62 (1800).
*Oskamp, Afb. Artseny-Gewass. vi. t. 527 (1800).
*Duhamel, Arbres & Arbustes, Ed. 2, vii. t. 22 (1801–19).
*Mirbel, Hist. Nat. Pl. xviii. t. 139 (1806).
*Roques, Pl. Usuell. Indig. & Exot. i. t. 37 (1807).
*Chaumeton, Fl. Méd. iii. t. 122 (1816).
*Sterler, Eur. Med. Fl. t. 28 (1820).
*Descourtilz, Fl. Pitt. & Méd. Antilles, i. t. 7 (1821).
Berchtold & J. S. Presl, Rostlin. ii. t. 50 (1825).
*Targioni-Tozzetti, Racc. Fiori Frutti & Agrumi, [t. 4, 8, 11, 14, 17, 23, 29, 38, 41] (1825).
*Nees, Pl. Offic. ii. t. 424 (1828).
*Wagner, Pharm.-Med. Bot. i. t. 47, 48 (1828).
*Fl. Med. [Spratt], i. 187 (1829).
*Schlechtendal & Guimpel, Abb. Pharm. Boruss. Gew. i. t. 70 (1830).
*Hayne, Getreue Darst. Arzn. Gewächse, xi. t. 27 (1830).
*Mag. Bot. & Gard. ii. t. 36 (1834).
*Stephenson & Churchill, Med. Bot. New Ed. ii. t. 92 (1835).
Meigen, Deutschl. Fl. iii. t. 124 (1842).—*Fl.*
*Cassone, Fl. Med.-Farm. ii. t. 172, 175 (1847).
*Argenta, Album Fl. Med.-Farm. i. t. 67 (1862).
*Artus, Atlas Pharm. Deutschl. Aufg. Offic. Gew. t. 45 [1862–74].
Decaisne & Naud. Amat. Jard. iv. 578 [1862–66].
Pokorny, Oesterr. Holzpfl. 454, t. 47 (1864).—*Veg.*
*Schubert, Naturg., Pflanzenreich, Ed. 2, t. 27, fig. 8 [1865].
Caruel in Ann. Mus. Fis. Stor. Nat. Firenze, N. Ser. i. 196, t. 1, fig. 8–11 (1866).—*Fr.*
*Réveil, Règne Vég. xii. t. 52 (1870).—*Fr.*
*Bentley & Trim. Med. Pl. i. t. 53 (1878).
Nicholson, Illustr. Dict. Gard. i. 335 [1884–88].
Pflanzenfam. iii. iv. 201 (1896).—*Fr.*
L. H. Bailey, Cycl. Amer. Hort. 321 (1900); Stand. Cycl. Hort. 779 (1914).
Bellair & St.-Léger, Pl. Serre, 544 (1900).
Fiori & Paol. Ic. Fl. Ital. 298 (1901).
*Josef v. Oesterreich & Marg. v. Thurn und Taxis, Atlas Heilpfl. t. 43 (1903).
Gard. Chron. Ser. III. xxxv. 101 (1904); l. 459 (1911).—*Fr.*
Trop. Agric. xxv. No. 3, p. 490 (1905).—*Fr.*
Pharm. Journ. Ser. IV. xxiii. 717–19 (1906).
Britton, N. Amer. Trees, 582 (1908).
Gubb, Fl. Algeria, t. 41 (1909).
*Pokorny-Schoenichen, Pflanzenkunde, t. 10, fig. 2 (1912).
Hubert, Fruits Pays Chauds, 123, 127 (1912).
Capus & Bois, Prod. Colon. 126 (1912).
*Bonnier, Fl. Compl. France, Suisse & Belge, ii. t. 111 [1912].
Cadevall & Sallent, Fl. Catalunya, i. 397 (1915).
Crevost & Lemarié, Cat. Prod. Indochine, i. 202 (1917).
Basu, Ind. Med. Pl. t. 198 (1918).
Reed & Halma in Univ. California Publ. Agric. Sc. iv. No. 3, t. 4 (1919).—*Veg.*
—— **acida** Desf.
*Tussac, Fl. Antilles, iii. t. 19 (1824).
*Bot. Mag. cx. t. 6745 (1884).
Kew Bull. 1894, p. 116.
L. H. Bailey, Cycl. Amer. Hort. 924 (1900).
Hubert, Fruits Pays Chauds, 159 (1912).
Agric. Prat. Pays Chauds, xiii. 1. 182, 185 (1913).
Crevost & Lemarié, Cat. Prod. Indochine, i. 204 (1917).
—— **cedrata** Rafin.
Gartenwelt, v. 145 (1900).
—— **conifera** Risso
*Duhamel, Arbres & Arbustes, Ed. 2, vii. t. 23, fig. 1, 2 (1801–19).—*Fr.*

CITRUS
Medica costata Risso & Poit.
*Risso & Poiteau, Orangers, t. 105, 106 (1818); Nouv. Ed. t. 105, 106 (1872).
—— **digitata** Risso
L. H. Bailey, Cycl. Amer. Hort. 325 (1900).—*Fr.*
Gard. Chron. Ser. III. xxxii. 71 (1902).—*Hab.*
Crevost & Lemarié, Cat. Prod. Indochine, i. 203 (1917).
—— **florentina** Risso
*Duhamel, Arbres & Arbustes, Ed. 2, vii. t. 24, fig. 1 (1801–19).—*Fr.*
*Risso & Poiteau, Orangers, t. 102 (1818); Nouv. Ed. t. 102 (1872).
—— **limetta** Hook. f.
Vidal, Sin. Fam. & Gen. Pl. Leñ. Filip. (Introd. Fl. For. Filip.), Atlas, t. 25, fig. E (1883).—*Fl.*
—— **limoniformis** Risso
*Risso & Poiteau, Orangers, t. 107 (1818); Nouv. Ed. t. 107 (1872).
—— **Limonum** Hook. f.
Pflanzenfam. iii. IV. 197 (1896).
Fiori & Paol. Ic. Fl. Ital. 298 (1901).
Pharm. Journ. Ser. IV. xxiii. 717–19 (1906).
Beille, Bot. Pharm. ii. 585 (1909).
—— —— **digitata** Risso
Pflanzenfam. iii. IV. 199 (1896).—*Fl.*
Ann. Jard. Bot. Buitenzorg, xxxi. t. 7, 8 (1920).
—— **maxima** Risso & Poit.
*Risso & Poiteau, Orangers, t. 99, 100 (1818); Nouv. Ed. t. 99, 100 (1872).
—— **odorata** Wester
Philippine Agric. Rev. viii. 16, t. 6 (1915).—*Fr.*
—— **odoratissima** Andr.
*Andrews, Bot. Rep. x. t. 609 (1810).
—— **Riversii** Hook. f.
*Bot. Mag. cxi. t. 6807 (1885).
—— **romana** Risso & Poit.
*Risso & Poiteau, Orangers, t. 104 (1818); Nouv. Ed. t. 104 (1872).
*Mordant de Launay, Herb. Amat. vii. t. 455 (1824).
*Drapiez, Herb. Amat. Fl. vii. t. 491 (1834).
—— **rugosa** Risso & Poit.
*Risso & Poiteau, Orangers, t. 103 (1818); Nouv. Ed. t. 103 (1872).
—— **Salodiana** Risso
*Duhamel, Arbres & Arbustes, Ed. 2, vii. t. 24, fig. 4 (1801–19).—*Fr.*
*Risso & Poiteau, Orangers, t. 101 (1818); Nouv. Ed. t. 101 (1872).
—— **sarcodactylis** Swingle
L. H. Bailey, Stand. Cycl. Hort. 781 (1914).—*Fr.*
—— **tuberosa** Risso
*Risso & Poiteau, Orangers, t. 98 (1818); Nouv. Ed. t. 98 (1872).—*Fr.*
—— **vulgaris** Risso & Poit.
*Risso & Poiteau, Orangers, t. 96, 97 (1818); Nouv. Ed. t. 96, 97 (1872).
micrantha Wester
Philippine Agric. Rev. viii. 16, t. 5, 6 (1915); x. 114, t. 7 (1917).—*Fr.*
—— **microcarpa** Wester
Philippine Agric. Rev. viii. 16, t. 5 (1915).—*Veg.*
A. P. West & W. H. Brown in Bull. Philip. Isl. Dep. Agric. Bur. Forestry, No. 20, p. 211 (1920).
mitis Blanco
*Blanco, Fl. Filip. t. 185 (1878–80).
Philippine Agric. Rev. x. 114, t. 6 (1917).—*Fr.*
Hayata, Ic. Pl. Formosan. viii. 20 (1919).—*Fr.*
myrtifolia Nois.
*Ann. Blumisterei, i. 34 [t. 4] (1825).
Natsudaidai Hayata
Hayata, Ic. Pl. Formosan. viii. 29 (1919).—*Fl.*
nobilis Lour.
Rumphius, Herb. Amboin. ii. t. 34 (1743); fide Merrill, Interpret. Rumph. Herb. Amboin.
*Andrews, Bot. Rep. ix. t. 608 (1810).
*Joh. Kerner, Hort. Sempervir. t. 670 (1823).
Nicholson, Illustr. Dict. Gard. i. 335 [1884–88].
*Useful Pl. Jap. i. t. 230, 231, 234, 242 (1895).
*De Janville, Pl. Utiles Pays Chauds, t. 27 (1902).
Trop. Agric. xxv. No. 3, p. 490 (1905).—*Fr.*
Hubert, Fruits Pays Chauds, 115, 117, 119 (1912).
Philipp. Agric. Rev. v. 366, t. 2 (1912); xi. 206, t. 10, 13 (1918).—*Hab.*

CITRUS
nobilis deliciosa Swingle
L. H. Bailey, Cycl. Amer. Hort. 1157 (1901); Stand. Cycl. Hort. 2369 (1916).—*Fr.*
Hayata, Ic. Pl. Formosan. viii. 22 (1919).—*Fr.*
—— **minor** Ker-Gawl.
*Bot. Reg. iii. t. 211 (1817).
—— **papillaris** Blanco
Philippine Agric. Rev. viii. 16, t. 2 (1915); x. 114, t. 5 (1917).—*Fr.*
—— **ponki** Hayata
Hayata, Ic. Pl. Formosan. viii. 21 (1919).—*Fr.*
—— **poonensis** Hayata
Hayata, Ic. Pl. Formosan. viii. 23, 24 (1919).—*Fr.*
—— **Unshu** Swingle
Hayata, Ic. Pl. Formosan. viii. 22 (1918).—*Fr.*
obversa Hassk.
Rumphius, Herb. Amboin. ii. t. 26, fig. 3, t. 28 (1743); fide Merrill, Interpret. Rumph. Herb. Amboin.
Peretta domingensis Tussac
*Tussac, Fl. Antilles, iii. t. 16 (1824).
pompelinus Makino?
*Useful Pl. Jap. i. t. 238 (1895) in ic.; *C. decumana* var. in textu, p. 65.—*Fr.*
pompelmos chadock Risso & Poit.
*Risso & Poiteau, Orangers, t. 65, 66 (1818); Nouv. Ed. t. 65, 66 (1872).
—— **crispatus** Risso & Poit.
*Risso & Poiteau, Orangers, t. 64 (1818); Nouv. Ed. t. 64 (1872).
—— **decumanus** Risso
*Risso & Poiteau, Orangers, t. 61 (1818); Nouv. Ed. t. 61 (1872).—*Fr.*
Rev. Hort. Ser. IV. viii. 462, 463 (1859).
—— **vulgaris** Risso & Poit.
*Risso & Poiteau, Orangers, t. 62, 63 (1818); Nouv. Ed. t. 62, 63 (1872).
pseudolimonum Wester
Philippine Agric. Rev. viii. 16, t. 7 (1915).—*Veg.*
Rissoi Risso
*Horticulteur Univ. i. 200 (1839).
Risso, Fl. Nice, [t. 6] (1844).
Sabon Sekitoyu Hayata
Hayata, Ic. Pl. Formosan. viii. 19 (1919).—*Fr.*
salicifolia Savi
Savi in Cont. Atti Accad. Econ.-Agrar. Georgof. Firenze, xv. t. 1 (1837).
sarcodactylis Nooten
*Nooten, Fl. Fr. Java, [t. 29] (1863).
Rev. Hort. 1889, p. 440.
scandens Griff.
Griffith, Ic. Pl. Asiat. t. 587 (1854).
sinensis Osbeck
*Descourtilz, Fl. Pitt. & Méd. Antilles, v. t. 338 (1827).
Wien. Ill. Gart.-Zeit. viii. 267 (1883); xv. 115 (1890).—*Hab.*
Gartenfl. xlvii. 484 (1898).—*Hab.*
*Rev. Hort. Belge, xxvii. 193 (1901).
Rev. Hort. 1904, p. 81.—*Hab.*
L. H. Bailey, Stand. Cycl. Hort. 783 (1914).
U.S. Dep. Agric. Bur. Pl. Indust. Invent. Seeds & Pl. Import. No. 37, t. 5 (1916).—*Hab.*
*Nat. Geogr. Mag. Washington, xxxi. 504 (1917).
—— **Sekkan** Hayata
Hayata, Ic. Pl. Formosan. viii. 25, 28 (1919).—*Fl.*
Southwickii Wester
Philippine Agric. Rev. viii. 16, t. 4 (1915).—*Fr.*
spinosa S. G. Gmel.
S. G. Gmelin, Reise, iii. t. 22 (1774).
spinosissima Mey.
Britton, N. Amer. Trees, 581 (1908).
taitensis Risso
Risso, Fl. Nice, [t. 5] (1844).
L. H. Bailey, Cycl. Amer. Hort. 1154 (1901); Stand. Cycl. Hort. 2371 (1916).—*Hab.*
tankan Hayata
Hayata, Ic. Pl. Formosan. viii. 27, 28 (1919).—*Fl.*
torosa Blanco
*Blanco, Fl. Filip. t. 408 (1878–80).
trifoliata Linn.
*Bot. Mag. cvi. t. 6513 (1880).
*Rev. Hort. Belge, xii. 121 (1886).
American Garden, xii. 525 (1891).
Dippel, Handb. Laubholzk. ii. 246 (1892).

CITRUS
trifoliata
Gard. Chron. Ser. III. xiv. 625 (1893); lxiv. 157, 161 (1918).
Meehan's Monthly, iii. 101 (1893).
Pflanzenfam. iii. IV. 196 (1896).
Möllers Deutsche Gärtn.-Zeit. xv. 161 (1900).
L. H. Bailey, Cycl. Amer. Hort. 323, 324 (1900).
Parkhurst, Trees, Shrubs, Vines N.E. United States, 369, t. 3, fig. 19 (1903).—*Veg.*
Schneider, Dendrol. Winterst. 84 (1903).—*Veg.*
Schneider, Ill. Handb. Laubh. ii. 128 (1907).
Apgar, Orn. Shrubs U.S. 85, fig. 63 (1910).
Silva Tarouca, Freiland-Laubgehölze, 179 (1913).
Naturwiss. Zeitschr. Land- & Forstw. xii. 456 (1914).—*Hab.*
Mitt. Deutsch. Dendr. Ges. 1914, p. 283.—*Hab.*
Bull. Appl. Bot. viii. App. 13, p. 128 (1915).—*Fr.*
triptera Desf.
Rev. Hort. 1869, p. 15; 1885, p. 516; 1886, p. 533.
*Garden, xxxv. 311 (1889); xlvi. 272, 273 (1894).
Bull. Soc. Dendr. France, 1913, p. 197.—*Veg.*
—— **microcarpa** Hort.
Rev. Hort. 1877, p. 73; 1885, p. 516.
—— **punctata** Hort.
Rev. Hort. 1877, p. 73; 1885, p. 516.—*Veg.*
tuberoides J. W. Bennett
*J. W. Bennett, Ceylon, 142 (1843).
*J. W. Bennett, Ceylon Fruits, t. 1 (1850?).
vulgaris Risso
Wight, Ic. Pl. Ind. Or. iii. t. 957 (1843–45).
*Wight, Spicil. Neilgherr. i. t. 25 [1846].
Schacht in Abh. Senckenb. Nat. Ges. i. t. 7 (1854).—*Veg.*
Berg, Charakt. t. 78, fig. 564; t. 93, fig. 645, D (1861).
*Berg & Schmidt, Darst. u. Beschr. Offiz. Gew. iv. t. 31, e (1863).
*Nuttall, Sylva, ii. t. 76 (1865).
*Réveil, Règne Vég. xii. t. 52 (1870).—*Fr.*
*Bentley & Trim. Med. Pl. i. t. 50 (1878).
Coutinho, Curso Silvicult. i. 83 (1886); ii. 247 (1887).
Penzig, Stud. Bot. Agrumi (Ann. Agric. Roma, 1887), 37 (1887).—*Veg.*
*Köhler, Med. Pfl. i [t. 50] (1887).
Pflanzenfam. ii. 1. 133 (1889).—*Fl.*
*Kohl, Off. Pfl. Pharm. Germ. t. 61 (1895).
Warming, Handb. Syst. Bot. Ed. Möbius, 332 (1902).
*Josef v. Oesterreich & Marg. v. Thurn und Taxis, Atlas Heilpfl. t. 44 (1903).
Britton, N. Amer. Trees, 579 (1908).
Beille, Bot. Pharm. ii. 583, 584 (1909).
*Bonnier, Fl. Compl. France, Suisse & Belge, ii. t. 111 [1912].
Strasburger, Text-Book Botany, Ed. Angl. 4, p. 602 (1912).
Britton, Fl. Bermuda, 201 (1918).
—— **Bigaradia** Risso
Mills in Bull. Agric. St. California, No. 138, t. 2, 7 (1902).—*Veg.*
Webberi Wester
Philippine Agric. Rev. ix. 226, t. 10 (1916); x. 114, t. 6 (1917); xiii. 146, t. 6 (1920).
—— **montana** Wester
Philippine Agric. Rev. x. 114, t. 6 (1917).—*Fr.*

CLADANTHUS Cass.
arabicus Cass.
Dict. Sc. Nat., Planch. Bot. Dicot. t. 87 (1816–29).
Cassini, Opusc. Phyt. i. t. 9 (1826).
*J. W. Loudon, Ladies' Fl.-Gard. Ornam. Annuals, t. 31 (1844).
Pflanzenfam. iv. v. 109 (1889); 269 (1890).
Trotter, Fl. Econ. della Libia, t. 140 (1915).
proliferus DC.
Linnaeus, Hort. Cliff. t. 24 (1737); fide DC.

CLADERIA Hook. f.
viridiflora Hook. f.
Hook. Ic. Pl. xxi. t. 2083 (1892).

CLADIUM Schrad.
anceps Hook. f.
C. B. Clarke, Illustr. Cyperac. t. 85 (1909).
articulatum R. Br.
Domin in Bibl. Bot. xx. 475 (1915).

CLADIUM
complanatum Berggr.
Berggren, Några nya ofullst. kända arter Ny-Zeel. Fanerog. (Minneskr. Fysiogr. Sällsk. Lund, viii. 1), t. 6 (1877).
Cheeseman, Ill. New Zeal. Fl. t. 210 (1914).
Deplanchei C. B. Clarke
C. B. Clarke, Illustr. Cyperac. t. 85 (1909).
ensifolium Benth.
C. B. Clarke, Illustr. Cyperac. t. 84 (1909).
ficticium Hemsl.
Hemsley, Bot. Challenger Exp. i. III. t. 60 (1884).
germanicum Schrad.
Schrader, Fl. Germ. t. 5 (1806).
*Sturm, Deutschl. Fl. xi. XLIV [t. 696] (1825).
*Heger, Danske Oec. Pl. i. t. 8 (1828).
Nees, Gen. Pl., Monocot. ii. t. 8 (1836).
*Zenker, Fl. Thüringen, xi. t. 1284 (1836–55).
Gunnii Hook. f.
*Hooker f., Fl. Tasman. ii. t. 148 (1860).
Berggren, Några nya ofullst. kända arter Ny-Zeel. Fanerog. (Minneskr. Fysiogr. Sällsk. Lund, viii. 1), t. 6 (1877).
jamaicense Crantz
C. B. Clarke, Illustr. Cyperac. t. 82 (1909).—*Fl.*
Lecomte, Fl. Gén. Indo-Chine, vii. 152 (1912).—*Fl.*
Hayata, Ic. Pl. Formosan. vi. 117 (1916).—*Fl.*
junceum R. Br.
Proc. Linn. Soc. N. S. Wales, xliv. III. t. 17, 30 (1919).
laxiflorum Hook. f.
*Hooker f., Fl. Tasman. ii. t. 148 (1860).
Maingayi C. B. Clarke
C. B. Clarke, Illustr. Cyperac. t. 83 (1909).
mariscoides Torr.
A. Gray, Man. Bot. N.U.S. Ed. 5, t. 5 (1867).
Britton & Brown, Ill. Fl. N. States & Canada, i. 281 (1896).
Stone, Pl. Southern New Jersey (Ann. Rep. New Jersey State Mus. 1910), t. 19 (1911).
Mariscus R. Br.
[M. E.] Jackson, Pict. Fl. fig. 51 (1840).
*Deakin, Florigr. Brit. i. fig. 44 (1841).
Leighton, Fl. Shropshire, t. 3 (1841).—*Fr.*
*Baxter, Brit. Bot. Ed. 2, vi. t. 500 (1843).
*Reichenbach, Ic. Fl. Germ. viii. t. 287 (1846).
*Lorek, Fl. Pruss. Ed. 3, t. 11, fig. 61 (1848).
Andersson, Cyperac. Scand. t. 1, fig. 5 (1849).
*Petermann, Deutschl. Fl. t. 93, fig. 732 (1849).
Johnson & Sowerby, Brit. Wild Fl. fig. 1380 (1858–60).
Bentham, Handb. Brit. Fl. fig. 1070 (1865).
Cesati, Passer. & Gibelli, Comp. Fl. Ital. t. 12 (1867–86).—*Fl.*
*Syme, Engl. Bot. x. t. 1580 (1870).
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, vi. t. 239 [1873].
De Silvestri, Piante Prat. 19 (1879).
*Hogg & Johnson, Wild Fl. Gr. Brit. xi. t. 868 (1880).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, v. t. 402 (1881).
Wagner, Ill. Deutsche Fl. Ed. 2, p. 774 (1882).
*Baillon, Ic. Fl. Franç. iv. t. 358 [1885–94].
*Thomé, Fl. Deutschl. i. t. 101 (1886).
Pflanzenfam. ii. II. 114 (1887).
Potonié, Ill. Fl. Nord- u. Mittel-Deutschl. Ed. 4, fig. 105 (1889).
Paolucci, Fl. Marchig. t. 6 (1890).
*Masclef, Atlas Pl. France, t. 358 (1893).
Acloque, Fl. France, 653 (1894).
Garcke, Ill. Fl. Deutschl. 624 (1895).
Raunkiær, Danske Blomsterpl. Naturhist. i. 423 (1895–99).—*Veg.*
Fiori & Paol. Ic. Fl. Ital. 52 (1896).
Vidensk. Meddel. Kjöbenhavn, 1897, p. 190.
*Sturm, Fl. Deutschl. Ed. 2, ii. t. 19 (1900).
Lindman, Bild. Nord. Fl. t. 427 (1901–5).
Publ. Field Columbian Mus., Bot. Ser. III. i. 83 (1903).—*Fr.*
Husnot, Cypérac. t. 22 (1905–6).
Blytt, Haandb. Norg. Fl. Ed. Dahl, 171 (1906).
Coste, Fl. France, iii. 465 (1906).
Lazaro, Comp. Fl. Españ. i. 646 (1906).

CLADIUM
Mariscus
Velenovsky, Vergl. Morphol. Pfl. ii. 324 (1907).—*Veg.*
New Phytologist, vii. 73 (1908).
Clarke in Nature Book, iv. 667, t. 2 (1909).
Merino, Fl. Galicia, iii. 214 (1909).
West in Proc. Roy. Soc. Edinb. xxx. No. 2, t. 32 (1910).—*Hab.*
Heukels, Fl. Nederl. i. 416 (1910).
Ann. Jard. Bot. Buitenzorg, xxiv. t. 25, fig. 9 (1911).—*Veg.*
Marloth, Fl. S. Africa, i. 217 (1913).—*Hab.*
Fedtschenko, Veg. Turkest. 167 (1915).
Trotter, Fl. Econ. della Libia, 95 (1915).
Lindman, Svensk Fanerogamfl. 109, 110 (1918).
*Horwood, Brit. Wild Fl. v. t. 54, p. 56 (1919).
Fitch & Smith, Ill. Brit. Fl. Ed. rev. 4, Iss. 2, fig. 1087 (1919).
Meyenii Benth.
Bryan, Nat. Hist. Hawaii, t. 57, fig. 9; t. 62, fig. 5 (1915).
restioides Benth.
C. B. Clarke, Illustr. Cyperac. t. 83 (1909).—*Fr.*
riparium crassa C. B. Clarke
C. B. Clarke, Illustr. Cyperac. t. 85 (1909).
scirpoideum Benth. & Hook. f.
Hemsley, Bot. Challenger Exp. i. III. t. 60 (1884).
Sinclairii Hook. f.
C. B. Clarke, Illustr. Cyperac. t. 84 (1909).
Cheeseman, Ill. New Zeal. Fl. t. 211 (1914).
teretifolium Dom.
Domin in Bibl. Bot. xx. 474 (1915).
tetraquetrum Hook. f.
*Hooker f., Fl. Tasman. ii. t. 149 (1860).
triglomeratum Nees
C. B. Clarke, Illustr. Cyperac. t. 82 (1909).
undulatum Thw.
C. B. Clarke, Illustr. Cyperac. t. 83 (1909).
Lecomte, Fl. Gén. Indo-Chine, vii. 152 (1912).—*Fl.*
Vincentia C. B. Clarke
C. B. Clarke, Illustr. Cyperac. t. 84 (1909).

CLADOCAULON Gardn.: *Paepalanthus*
brasiliense Gardn.
Hook. Ic. Pl. vi. t. 528 (1843).

CLADOGYNOS Zipp.
orientalis genuina Pax & K. Hoffm.
Pflanzenreich, Euphorb.-Acal.-Mercurial. 265 (1914).—*Fl.*
—— **grossidentata** Pax & K. Hoffm.
Pflanzenreich, Euphorb.-Acal.-Mercurial. 265 (1914).

CLADOPUS Möll.
Nymanii Möll.
Warming in Dansk. Vid. Selsk. Skrift. Ser. VI. xi. 9–11 (1903).
Went in Verh. Akad. Wet. Amsterdam, sect. 2, xvii. t. 2, fig. 12 (1913).—*Fr.*

CLADOSTEMON A. Br. & Vatke
paradoxus A. Br. & Vatke
Engler & Drude, Veget. Erde, ix. III. 1, p. 233 (1915).

CLADOSTIGMA Radlk.
dioicum Radlk.
Fiori, Boschi e Piante Legn. Eritrea, 313 (1909–12).
Agric. Colon., Ital. v. Suppl. 90 (1911).
hildebrandtioides Hallier f.
Engl. Jahrb. xxxiv. 155 (1904).
Engler & Drude, Veget. Erde, ix. I. 1, p. 186 (1910).

CLADOSTYLES Humb. & Bonpl.: *Evolvulus*
paniculata Humb. & Bonpl.
Humboldt & Bonpl. Pl. Aeq. t. 57 (1805).
Lamarck, Ill. vi. t. 933 (1819).

CLADOTHAMNUS Brongn.
piroliflorus Bong.
Bongard in Mém. Acad. Sc. Pétersb. Ser. VI. ii. t. 1 (1832).
Koehne, Dendrol. 447 (1893).
Gard. & Forest, x. 215 (1897).

CLADOTHAMNUS
piroliflorus
Schneider, Ill. Handb. Laubh. ii. 468, 469 (1909).
*Bot. Mag. cxxxvii. t. 8353 (1911).

CLADOTHRIX Nutt.
lanuginosa Nutt.
Britton & Brown, Ill. Fl. N. States & Canada, i. 592 (1896); Ed. 2, ii. 7 (1913).
Hitchcock & Norton in Bull. Kansas Agric. St. No. 57, t. 15, fig. 155 (1896); No. 66, t. 13, fig. 155 (1897).
Cannon in Carnegie Inst. Washington, Publ. No. 131, t. 3 (1911).—*Veg.*

CLADRASTIS Rafin.—Vide *Maackia*
amurensis Benth.
*Bot. Mag. cvii. t. 6551 (1881).
Garden, xxiv. 265 (1883); xxxiii. 444 (1888); xliv. 60 (1893).
Nicholson, Woods & Forests, i. 381 (1884).
Flora & Sylva, iii. 23 (1905).
Elwes & Henry, Trees Gr. Brit. & Ireland, ii. t. 125, 126 (1907).—*Veg.*
—— **floribunda** Max.
Bull. Coll. Agric. Tokyo, ii. t. 8, fig. 7 (1895).—*Veg.*
*Shirasawa, Ic. Ess. Forest. Jap. i. t. 50 (1900).
Kawakami, Hokkaidô-shinrin-shokubutsu-zusetsu (Forestry Pl. Hokkaido), t. 18 (1902).
Miyoshi, Pl. World Jap. 22 (1910).—*Hab.*
lutea Koch
Ettingshausen in Sitzb. Akad. Wiss. Wien, xii. IV. t. 17, fig. 7 (1854).—*Veg.*
Decaisne & Naud. Amat. Jard. iii. 272 [1862–66].
Decaisne, Naud. & Hemsl. Trees, Shrubs & Herb. Pl. 135 (1873).
Garden, v. 382 (1874).
Sargent, Silva N. Amer. iii. t. 119, 120 (1892).
Britton & Brown, Ill. Fl. N. States & Canada, ii. 264 (1897); Ed. 2, ii. 343 (1913).
*Lounsberry, Guide to the Trees, Ed. 2, t. 112, p. 211 (1900).—*Hab.*
Schneider, Dendrol. Winterst. 8, 57, 69 (1903).
Rogers, Tree Book, 343 (1905).
Flora & Sylva, iii. 21 (1905).
Sargent, Man. Trees N. Amer. 568 (1905).
Schneider, Ill. Handb. Laubh. ii. 17, 20 (1907).
Emerson & Weed, Our Trees, How to Know Them, 211 (1908).
Britton, N. Amer. Trees, 552 (1908).
Blakeslee & Jarvis, New England Trees in Winter (Storrs Agric. Exper. St. Bull. No. 69), 521 (1911).
Keeler, Our Native Trees, 117 (1912).—*Veg.*
Collins & Preston, Key to Trees, 38, 39 (1912).—*Veg.*
Silva Tarouca, Freiland-Laubgehölze, 180 (1913).—*Hab.*
Blakeslee & Jarvis, Trees in Winter, 387 [1913].
*Mathews, Field Book Amer. Trees & Shrubs, 271, 272 (1915).
Pellett, Amer. Honey Pl. 285 (1920).
platycarpa Makino
Schneider, Ill. Handb. Laubh. ii. 15, 18 (1907).
Notes Bot. Gard. Edinb. viii. t. 26 (1913).
shikokiana Makino
Notes Bot. Gard. Edinb. viii. t. 26 (1913).
sinensis Hemsl.
Wilson, Veg. West. China (Publ. Arn. Arb. No. 2), 168 (1911).—*Hab.*
Silva Tarouca, Freiland-Laubgehölze, 181 (1913).—*Hab.*
Kew Bull. 1913, p. 165.—*Hab.*
Notes Bot. Gard. Edinb. viii. t. 26 (1913).
Tashiroi Yatabe
Bot. Mag. Tokyo, vi. t. 10 (1892).
tinctoria Rafin.
*Réveil, Règne Vég. xiv. t. 32 (1870).
Garden, xxiv. 96, 97 (1883).
Gard. & Forest, i. 92 (1888).—*Hab.*
*Bot. Mag. cxxvii. t. 7767 (1901).
Parkhurst, Trees, Shrubs, Vines N.E. United States, 227, t. 11, fig. 73 (1903).—*Veg.*
Bull. Soc. Linn. Normandie, Ser. V. 1905, ix. t. 1 (1906).—*Veg.*

CLADRASTIS
tinctoria
Elwes & Henry, Trees Gr. Brit. & Ireland, ii. t. 124–26 (1907).
Gard. Chron. Ser. III. xlii. 186, 187 (1907).
Bull. Soc. Dendr. France, 1913, p. 189.—*Veg.*
Bean, Trees & Shrubs, i. 351 (1914).

CLAMBUS Miers
araneosus Miers
Miers, Contrib. Bot. iii. t. 120 (1864–71).

CLANDESTINA Adans.: *Lathraea*
rectiflora Lam.
Chatin, Anat. Vég. Atlas, t. 21 (1856–91).
Reichenbach, Ic. Fl. Germ. xx. t. 1765, 1826 (1862).
*Cusin, Herb. Fl. Franç. xvii (Orobanchacées), t. 37 (1875).
Baillon, Hist. Pl. x. 72 (1891).—*Fl.*
Acloque, Fl. France, 504 (1894).—*Fl.*
Lazaro, Comp. Fl. Españ. ii. 609 (1907).—*Fl.*

CLAOXYLON A. Juss.—Vide *Discoclaoxylon*
angustifolium Müll.-Arg.
F. M. Bailey & Gordon, Pl. Poison. 83 (1887).
cuneatum J. J. Sm.
Nova Guinea, viii. t. 58 (1910).
digynum Wight
Wight, Ic. Pl. Ind. Or. v. t. 1884 (1852).
grandifolium Müll.-Arg.
Pflanzenreich, Euphorb.-Acal.-Mercurial. 123 (1914).
Hillii Benth.
Banks & Soland. Bot. Cook's Voy. iii. t. 290 (1905).
hirtellum Baill.
Grandidier, Hist. Madag. [Plantes] Atlas, t. 184 (1891).
indicum Hassk.
Beddome, Ic. Pl. Ind. Or. t. 231 (1874).
Vidal, Sin. Fam. & Gen. Pl. Leñ. Filip. (Introd. Fl. For. Filip.), Atlas, t. 83, fig. D (1883).
—— **genuinum** J. J. Sm.
Pflanzenreich, Euphorb.-Acal.-Mercurial. 109 (1914).
monoicum Baill.
Grandidier, Hist. Madag. [Plantes] Atlas, t. 183 (1891).
muricatum Wight
Wight, Ic. Pl. Ind. Or. v. t. 1886 (1852).
parviflorum A. Juss.
Jussieu, Euphorb. t. 14 (1824).—*Fl.*
racemiflorum Baill.
Pflanzenreich, Euphorb.-Acal.-Mercurial. 123 (1914).
sandwicense Müll.-Arg.
Rock, Indig. Trees Hawaiian Isl. t. 98 (1913).
spiciflorum A. Juss.
Baillon, Euphorb. t. 20, fig. 20–23 (1858).—*Fl.*
tumidum J. J. Sm.
Nova Guinea, viii. t. 59 (1910).
velutinum J. J. Sm.
Bull. Jard. Bot. Buitenzorg, Ser. III. i. t. 44 (1920).

CLAPPERTONIA Meissn.: *Honckenya*
ficifolia Decne.
Delessert, Ic. Pl. v. t. 1 (1846).

CLAPPIA A. Gray
aurantiaca Benth.
Hook. Ic. Pl. xi. t. 1104 (1872).
suaedifolia A. Gray
Hook. Ic. Pl. xi. t. 1105 (1872).

CLARIONEA Lag.: *Perezia*
carthamoides Don
Delessert, Ic. Pl. iv. t. 93 (1839).
magellanica DC.
Ann. Mus. Hist. Nat. Paris, xix. 59 (1812).—*Fl.*
Sprengel, Anleit. Kenntn. Gewächse, Ed. 2, ii. t. 12, fig. 16 (1818).—*Fl.*
Hooker f., Fl. Antarct. ii. t. 111 (1846).
pedicularifolia DC.
Delessert, Ic. Pl. iv. t. 92 (1839).

CLARIONELLA DC. ex Steud: *Perezia*
magellanica DC.
D'Urville, Voy. Pôle Sud & Océanie, Atlas, Dicot. t. 10 [1852].
Schnizlein, Iconogr. ii. t. 120 a (1866–70).—*Fr.*

CLARKIA Pursh
concinna Greene
Parsons, Wild Fl. California, 237 (1897).
elegans Dougl.
*Bot. Reg. xix. t. 1575 (1833).
*Sweet, Brit. Fl. Gard. vi. t. 209 (1833).
*Journ. Jard. 1836, p. 111.
*Bot. Mag. lxiv. t. 3592 (1837).
*Fritzsche in Mém. Acad. Sc. Pétersb. Div. Sav. iii. t. 12, fig. 13, 14 (1837).—*Fl.*
*J. W. Loudon, Ladies' Fl.-Gard. Ornam. Annuals, t. 9 (1844).
*Rev. Hort. Ser. II. iv. 385 (1846).
Decaisne & Naud. Amat. Jard. ii. 352 [1862–66].
W. Robinson, Engl. Fl. Gard. t. 70 (1883).—*Hab.*
Rev. Hort. Belge, x. 80 (1884).
Rattan, Pop. California Fl. Ed. Rev. 8, p. 6 (1888).
*Garden, xxxv. 556 (1889); lxxvii. 183 (1913).—*Fl.*
Meehan's Monthly, i. 22 (1891).
Pflanzenfam. iii. VII. 212 (1893).—*Fl.*
Neubert's Deutsch. Gart. Mag. xlvii. 775 (1894).—*Hab.*
Brehm, Merv. Nat. Monde des Pl. ii. 37 (1894–96).
L. H. Bailey, Cycl. Amer. Hort. 326 (1900); Stand. Cycl. Hort. 785 (1914).
Nicholson, '1900' Suppl. Dict. Gard. 243 (1900).
Bull. Arboricult. Belg. 1903, p. 151.
Jardin, xviii. 60 (1904); xxvii. 52, 53 (1913).
M. Armstrong, Field Book West. Wild Fl. 321 (1915).
—— **alba** Hort.
W. Robinson, Engl. Fl. Gard. t. 70 (1883).—*Hab.*
—— **nana** Hort.
Gartenfl. xliv. 75 (1895).—*Hab.*
—— **rosea** Hort.
*J. W. Loudon, Ladies' Fl.-Gard. Ornam. Annuals, t. 9 (1844).
gauroides Dougl.
*Sweet, Brit. Fl. Gard. vii. t. 379 (1837).
Journ. Linn. Soc., Bot. xxiv. 69, 70 (1887).—*Veg.*
integripetala Hort.
*Floral Mag. iv. t. 244 (1865).
Lubbock, Seedlings, i. 565 (1892).—*Veg.*
pulchella Pursh
*Pursh, Fl. Amer. Sept. i. 260, t. 11 (1814).
Lamarck, Ill. vi. t. 942 (1819).
*Bot. Reg. xiii. t. 1100 (1827).
Reichenbach, Hort. Bot. t. 211 (1827–30).
*Bot. Mag. lvi. t. 2918 (1829).
*C. McIntosh, Fl. & Pom. t. 9 (1829).
*M. Roscoe, Fl. Illustr. Seasons, t. 23 [1829–31].
*Ann. Blumisterei, vi [t. 14] (1830).
*Jaume St.-Hilaire, Fl. & Pom. Franç. iii. t. 296 (1830).
*Nees & Sinning, Sammlung schönblüh. Gew. t. 69 (1831).
*Géel, Sert. Bot. Cl. 8 (1832).
*Sweet, Brit. Fl. Gard. v. t. 157 (1832).
*J. W. Loudon, Ladies' Fl.-Gard. Ornam. Annuals, t. 9 (1844).
*Spach, Hist. Nat. Vég. Phan. Atlas, t. 35 (1846).
*Rev. Hort. Ser. II. iv. 385 (1846); 1864, p. 151; 1886, p. 557.
*Schnizlein, Iconogr. iv. t. 265 (1857–65).—*Fl.*
*Floral Mag. ii. t. 91 (1862).
*Réveil, Règne Vég. xiv. t. 7 (1870).
Decaisne, Naud. & Hemsl. Trees, Shrubs & Herb. Pl. 198 (1873).
Baillon, Hist. Pl. vi. 464 (1877).—*Fl.*
*Hulme & Hibberd, Familiar Gard. Fl. iv. 157 [1879–87].
Nicholson, Illustr. Dict. Gard. i. 336 [1884–88].
Pringsh. Jahrb. Bot. xvii. t. 17, fig. 1 (1886).—*Fl.*
Gartenfl. xxxvi. 103 (1887).
Journ. Linn. Soc., Bot. xxiv. 65 (1887).—*Veg.*
Lubbock, Seedlings, i. 63, 563 (1892).—*Veg.*
*Bois, Dict. Hort. 325 (1893–99).
Pflanzenfam. iii. VII. 212 (1893).
Brehm, Merv. Nat. Monde des Pl. ii. 37 (1894–96).
*Bois, Atlas Pl. Jard. t. 107 (1896).
*Step, Fav. Fl. Gard. & Greenh. ii. t. 103 (1897).
Semaine Hort. 1898, p. 176.—*Fl.*

CLARKIA
pulchella
L. H. Bailey, Cycl. Amer. Hort. 327 (1900); Stand. Cycl. Hort. 786 (1914).
De Vries, Mutationsth. i. 512 (1901).—*Fl.*
Heukels, Fl. Nederl. ii. 498 (1908).
Velenovsky, Vergl. Morphol. Pfl. iii. 897 (1910).—*Fl.*
Wettstein, Handb. Syst. Bot. Ed. 2, p. 679 (1911).—*Fl.*
Jardin, xxvii. 20, 21 (1913).
M. Armstrong, Field Book West. Wild Fl. 323 (1915).
—— **alba** Hort.
*J. W. Loudon, Ladies' Fl.-Gard. Ornam. Annuals, t. 9 (1844).
*Hulme, Plant Form, t. 16 (1868).
De Vries, Mutationsth. ii. 274 (1903).
—— **bicolor** Hort.
*Gartenfl. xxx. t. 1042 (1881).
—— **integripetala** Hort.
*Florist, 1860, t. 161.
*Belg. Hort. x. 257 [t. 17, 18] (1860).
*Floral Mag. i. t. 46 (1861).
—— —— **marginata** Hort.
*Floral Mag. ii. t. 122 (1862).
—— **marginata** Hort.
*Ill. Gartenzeit. Stuttgart, ii. t. 4 (1858).
*Ill. Hort. v. t. 159 (1858).
*Floricult. Cab. 1858, p. 137.
*Floral Mag. i. t. 46 (1861).
Jardin, xxvii. 20 (1913).—*Hab.*
—— **pulcherrima** Hort.
*Floral Mag. i. t. 46 (1861).
—— **striata** Hort.
*Floral Mag. i. t. 46 (1861).
—— **Suttonii** Hort.
Jardin, xxvii. 21 (1913).—*Hab.*
pulcherrima Hort.
*Horticulteur Franç. 1861, t. 7.
rhomboidea Dougl.
*Bot. Reg. xxiii. t. 1981 (1837).
*J. W. Loudon, Ladies' Fl.-Gard. Ornam. Annuals, t. 9 (1844).
Journ. Linn. Soc., Bot. xxiv. 67 (1887).—*Veg.*
Lubbock, Seedlings, i. 562 (1892).—*Veg.*
H. M. & C. C. Hall, Yosemite Fl. 169 (1912).
M. Armstrong, Field Book West. Wild Fl. 323 (1915).

CLATHROSPERMUM Planch.: *Popowia*
Barteri Planch.
Baillon, Dict. Bot. ii. 89 (1880).—*Fl.*
Pflanzenfam. iii. II. 29 (1888).—*Fl.*
Heudelotii S. Elliot
Baillon, Dict. Bot. ii. 89 (1880).—*Fl.*
Vogelii Planch.
Baillon, Dict. Bot. ii. 89 (1880).—*Fl.*

CLAUSENA N. L. Burm.—Vide *Coockia, Cookia, Piptostylis*
anisata Oliver
De Wildeman, Études Fl. Bas- et Moyen-Congo (Ann. Mus. Congo), ii. t. 52, 53 (1907).
anisum-olens Merr.
A. P. West & W. H. Brown in Bull. Philip. Isl. Dep. Agric. Bur. Forestry, No. 20, p. 213 (1920).
excavata N. L. Burm.
N. L. Burman, Fl. Ind. t. 29 (1768).
Lamarck, Ill. ii. t. 310 (1797).
Pflanzenfam. iii. IV. 187 (1896).—*Fl.*
Lecomte, Fl. Gén. Indo-Chine, i. 664 (1911).—*Fl.*
Harmandiana Pierre
Lecomte, Fl. Gén. Indo-Chine, i. 664 (1911).—*Fl.*
heptaphylla Wight & Arn.
Lecomte, Fl. Gén. Indo-Chine, i. 664 (1911).—*Fl.*
inaequalis Benth.
Wood & Evans, Natal Pl. i. II. t. 66 (1899).
Sim, For. Fl. Cape Colony, t. 26 (1907).
indica Oliv.
Vidal, Sin. Fam. & Gen. Pl. Leñ. Filip. (Introd. Fl. For. Filip.), Atlas, t. 25, fig. H (1883).—*Fl.*
Pflanzenfam. iii. IV. 187 (1896).—*Fl.*

CLAUSENA
indica
Talbot, For. Fl. Bombay, i. 195 (1909).
laevis Drake
Lecomte, Fl. Gén. Indo-Chine, i. 664 (1911).—*Fl.*
pubescens Wight & Arn.
Brotéria, Ser. Vulg. Sc. xii. 261, 262 (1914).
Wampii Oliv.
Vidal, Sin. Fam. & Gen. Pl. Leñ. Filip. (Introd. Fl. For. Filip.), Atlas, t. 25, fig. 1 (1883).—*Fr.*
De Wildeman, Ic. Sel. Hort. Then. vi. t. 226 (1908).
Lecomte, Fl. Gén. Indo-Chine, i. 664 (1911).—*Fl.*
Kanehira, Formosan Trees, 97 (1917).
Willdenowii Wight & Arn.
Wight, Ic. Pl. Ind. Or. i. t. 14 (1838).
Beddome, Fl. Sylv. Anal. Gen. t. 7 (1871).—*Fl.*
Brandis, Indian Trees, 115 (1906).

CLAVAPETALUM Pulle
surinamense Pulle
Rev. Trav. Bot. Néerl. ix. t. 2 (1912).

CLAVIGERA DC.: *Brickellia*
scoparia DC.
Delessert, Ic. Pl. iv. t. 12 (1839).

CLAVIJA Ruiz & Pav.—Vide *Horta*, *Zacintha* Vell.
caloneura Mart.
Mart. Fl. Bras. x. t. 25 (1856).
Ernstii Hook. f.
*Bot. Mag. cxiii. t. 6928 (1887).
fulgens Hook. f.
*Bot. Mag. xciii. t. 5626 (1867).
grandis Decne.
*Gartenfl. lxi. t. 1594 (1912).
integrifolia Mart. & Miq.
Mart. Fl. Bras. x. t. 26 (1856).
lancifolia Desf.
Nouv. Ann. Mus. Hist. Nat. Paris, i. 402 (1832).
longifolia Mez
Pflanzenreich, Theophrastac. 2 (1903).—*Hab.*
macrophylla Miq.
Mart. Fl. Bras. x. t. 24 (1856).
*Bot. Mag. xcvi. t. 5829 (1870).
Pflanzenfam. iv. 1. 88 (1889).—*Fl.*
Baillon, Hist. Pl. xi. 308 (1892).—*Fl.*
ornata D. Don
*Bot. Reg. xxi. t. 1764 (1835).
Ann. Sc. Nat. Paris, Ser. II. xvi. t. 9, D (1841).—*Fr.*
*Bot. Mag. lxxxii. t. 4922 (1856).
Mart. Fl. Bras. x. t. 24 (1856).—*Fr.*
*Fl. des Serres, Ser. II. iv. t. 1417 (1861).
Ettingshausen, Blatt-Skel. Dikot. 85 (1861).—*Veg.*
Pflanzenfam. iv. 1. 89 (1889).—*Hab.*
Baillon, Hist. Pl. xi. 307, 308 (1892).
pungens Radlk.
Pflanzenreich, Theophrastac. 20 (1903).
Riedeliana Regel
Gartenfl. xix. t. 663 (1870).
Rodekiana Linden & André
*Ill. Hort. xxi. t. 188 (1874).
spatulata Ruiz & Pav.
Hook. Ic. Pl. ii. t. 140 (1837).
umbrosa Regel
Gartenfl. xviii. t. 609 (1869).

CLAVIMYRTUS Niedenzu: *Jambosa*
lineata Bl.
Blume, Mus. Bot. Lugd.-Bat. i. 49 (1849).—*Fl.*

CLAVISTYLUS J. J. Sm.
peltatus J. J. Sm.
Pflanzenreich, Euphorb.-Pluk.-Ric. 103 (1919).—*Veg.*

CLAYTONIA Linn.
acutifolia Pall.
*Ledebour, Ic. Pl. Ross. iii. t. 272 (1831).
alsinoides Sims
*Bot. Mag. xxxii. t. 1309 (1810).
*Trattinick, Ausw. Gartenpfl. ii. t. 197 (1821).
*Baxter, Brit. Bot. Ed. 2, iv. t. 253 (1839).
Paxt. Fl. Gard. iii. 91 (1852–53).

CLAYTONIA
alsinoides
Ann. Bot. vi. 382 (1892).—*Fr.*
Journ. Linn. Soc., Bot. xxx. t. 3 (1895).—*Fl.*
Moss, Cambridge Brit. Fl. iii. t. 1 (1920).
—— **rosea** DC.
A. De Candolle, Calq. Dess. Fl. Mex. Moc. & Sessé, t. 382 (1874).
australasica Hook. f.
Hook. Ic. Pl. iii. t. 293 (1840).
*E. H. & S. Featon, Art Album, i. t. 6 (1889).—*Hab.*
caroliniana Michx.
*Sweet, Brit. Fl. Gard. iii. t. 208 (1827).
*J. W. Loudon, Ladies' Fl.-Gard. Ornam. Perenn. i. t. 40 (1843).
*Wild Fl. Canada, t. 63 (1894).—*Hab.*
Britton & Brown, Ill. Fl. N. States & Canada, ii. 3 (1897); Ed. 2, ii. 38 (1913).
*House, Wild Fl. New York (Mem. No. 15, N.Y. State Mus.), i. t. 69 (1918).—*Hab.*
Chamissoi Ledeb.
Britton & Brown, Ill. Fl. N. States & Canada, ii. 3 (1897).
Plant World, iv. 42 (1901).
F. E. & E. S. Clements, Rocky Mt. Fl. t. 9 (1914).
cubensis Humb. & Bonpl.
Humboldt & Bonpl. Pl. Aeq. t. 26 (1805).
Ann. Mus. Hist. Nat. Paris, vii. 84 (1806).
Sempervirens, xiii. 392 (1884).
exigua Torr.
Rattan, Pop. California Fl. Ed. Rev. 8, p. 9 (1888).
filicaulis Dougl.
Hooker, Fl. Bor.-Amer. t. 72 (1833).
grandiflora Sweet
*Sweet, Brit. Fl. Gard. iii. t. 216 (1827).
gypsophiloides Fisch. & Mey.
*Sweet, Brit. Fl. Gard. vii. t. 375 (1837).
Meyer in Sert. Petrop. 1869, t. 34.
lanceolata Pursh
*Pursh, Fl. Amer. Sept. i. 175, t. 3 (1814).
S. Brown, Alp. Fl. Rocky Mts. 80, t. 17 (1907).
Brit. Columbia Bot. Office Ann. Rep. I. 1913, p. 18, fig. 13 (1914).—*Hab.*
Journ. Agric. Research, iii. t. 14 (1914).—*Hab.*
M. Armstrong, Field Book West. Wild Fl. 123 (1915).
Journ. Ecol. iii. t. 16 (1915).—*Hab.*
linearis Dougl.
Hooker, Fl. Bor.-Amer. t. 71 (1833).
megarrhiza Parry
Holm in Ottawa Naturalist, xxii. No. 11, t. 7 (1909).—*Veg.*
F. E. & E. S. Clements, Rocky Mt. Fl. t. 9 (1914).
parviflora Dougl.
Hooker, Fl. Bor.-Amer. t. 73 (1833).
parvifolia Moc.
A. De Candolle, Calq. Dess. Fl. Mex. Moc. & Sessé, t. 383 (1874).
S. Brown, Alp. Fl. Rocky Mts. 80, t. 17 (1907).
perfoliata Donn.
*Jacquin, Fragm. t. 51 (1809).
*Bot. Mag. xxxiii. t. 1336 (1810).
Mém. Mus. Hist. Nat. Paris, ii. 57 (1815).—*Fr.*
Belg. Hort. i. t. 58 (1851).
*Syme, Engl. Bot. ii. t. 260 (1864).
Bentham, Handb. Brit. Fl. fig. 171 (1865).
*Réveil, Règne Vég. xii. t. 16 (1870).—*Veg.*
Baillon, Dict. Bot. ii. 92 (1880).—*Fl.*
W. Robinson, Engl. Fl. Gard. t. 71 (1883).—*Hab.*
Vilmorin-Andrieux, Pl. Potag. 158 (1883).—*Hab.*
Baillon, Hist. Pl. ix. 55 (1886).—*Fl.*
Journ. Linn. Soc., Bot. xxiv. 80 (1887).—*Fr.*
Rattan, Pop. California Fl. Ed. Rev. 8, p. 9 (1888).
Dyer in Rep. Agric. St. California, 256 (1891).—*Fr.*
Lubbock, Seedlings, i. 69, 228 (1892).—*Veg.*
Paillieux & Bois, Potager Curieux, Ed. 2, p. 87 (1892).
Garcke, Ill. Fl. Deutschl. 221 (1895).
Yearb. Dep. Agric. Washington, 1895, p. 213 (1896).
Britton & Brown, Ill. Fl. N. States & Canada, ii. 4 (1897).

CLAYTONIA
perfoliata
Rev. Hort. 1897, p. 159.
C. T. Green, Fl. Liverpool Distr. fig. 102 (1902).
Coste, Fl. France, ii. 96 (1903).
Rev. Cult. Colon. xiv. 9 (1904).—*Hab.*
Engl. Jahrb. xlii. Beibl. 97, p. 6, 8, 10 (1908).
Heukels, Fl. Nederl. ii. 176 (1908).
Hegi, Ill. Fl. Mittel-Eur. iii. 268, 270 (1909).
Warburg, Pflanzenwelt, i. 557 (1913).
*Perrin & Boulger, Brit. Flower. Pl. i. t. 59, 66 [A], fig. 1–5 (1914).
Fitch & Smith, Ill. Brit. Fl. Ed. rev. 4, Iss. 2, fig. 174 (1919).
Moss, Cambridge Brit. Fl. iii. t. 2 (1920).
Portulacaria Linn.
Lamarck, Ill. i. t. 144, fig. 2 (1797).
pygmaea F. Muell.
F. Mueller, Key Syst. Victorian Pl. ii. fig. 31 a, b (1885).
sarmentosa C. A. Mey.
C. A. Meyer in Mém. Soc. Nat. Mosc. vii. t. 3 (1829).
Seemann, Bot. Voy. Herald, Pt. 1, t. 5 (1852).
sessilifolia Henshaw
Henshaw, Mount. Wild Fl. Amer. t. 8 (1906).
sibirica Linn.
Linnaeus in Svenska Vet. Acad. Handl. vii. t. 5 (1746) sub *Linnea*; fide Linn. Spec. Pl. Ed. 1, p. 204.
*Kniphof, Herb. Viv. i. t. 265 (1758).
Gaertner, Fruct. ii. t. 129 (1791).—*Fr.*
*Bot. Mag. xlviii. t. 2243 (1821).
*Sweet, Brit. Fl. Gard. i. t. 16 (1823).
Nicholson, Illustr. Dict. Gard. i. 336 [1884–88].—*Hab.*
*Syme, Engl. Bot. Suppl. (Ed. N. E. Br.), t. 260 a (1891).
spatulifolia Salisb.
*Salisbury, Parad. Londin. ii. 1. t. 71 (1807).
*Mag. Bot. & Gard. iii. t. 26 (1835).
spatulata Dougl.
Hooker, Fl. Bor.-Amer. t. 74 (1833).
stolonifera C. A. Mey.
C. A. Meyer in Mém. Soc. Nat. Mosc. vii. t. 3 (1829).
umbellata S. Wats.
King U.S. Geol. Expl. v (Bot.), t. 6 (1871).
*Wild Fl. Canada, t. 220 (1894).
virginica Linn.
Lamarck, Ill. i. t. 144, fig. 1 (1797).
*De Candolle, Hist. Pl. Grasses, 131 (1799–1829).
*Bot. Mag. xxiv. 941 (1806).
*Schkuhr, Bot. Handb. Ed. 2, t. 50 (1808).
Dict. Sc. Nat., Planch. Bot. Dicot. t. 195 (1816–29).
*Trattinick, Thes. Bot. t. 17 (1819).
*Trattinick, Ausw. Gartenpfl. ii. t. 196 (1821).
*Barton, Fl. N. Amer. ii. t. 51 (1822).
*Lodd. Bot. Cab. vii. t. 643 (1822).
*Sweet, Brit. Fl. Gard. v. t. 163 (1832).
*J. W. Loudon, Ladies' Fl.-Gard. Ornam. Perenn. i. t. 40 (1843).
*Spach, Hist. Nat. Vég. Phan. Atlas, t. 37 (1846).—*Fl.*
Gray & Sprague, Gen. Fl. Amer. i. t. 97 (1848).
Provancher, Fl. Canad. i. 86 (1862).
Journ. Hort. lviii. 116 (1877).
*Meehan, Fl. & Ferns U.S. i. t. 40 (1878).
Amer. Nat. xvii. 1108 (1883).—*Veg.*
Garten-Zeit. Berlin, v. 473 (1886).
Brehm, Merv. Nat. Monde des Pl. i. 207 (1894–96).
Dana, How to Know the Wild Fl. t. 5 (1894).
*FitzGibbon & Traill, Canad. Wild Fl. Ed. 4, t. 1, p. 9 (1895).
Britton & Brown, Ill. Fl. N. States & Canada, ii. 3 (1897); Ed. 2, ii. 37 (1913).
Blanchan, Nat. Gard. 170 (1900).
Holm in Ottawa Naturalist, xxii. No. 11, t. 8 (1909).—*Veg.*
Silva Tarouca, Freiland-Stauden, 64 (1910).—*Hab.*
Stone, Pl. Southern New Jersey (Ann. Rep. New Jersey State Mus. 1910), t. 84 (1911).—*Hab.*
Creevey, Harper's Guide Wild Flowers, 259 (1912).
*Journ. New York Bot. Gard. xiii. t. 95 (1912)

CLAYTONIA
virginica
*House, Wild Fl. New York (Mem. No. 15, N.Y. State Mus.), i. t. 51 (1918).—*Hab.*
Contrib. U.S. Nat. Herb. xxi. t. 17 (1919).—*Hab.*

CLEANTHE Salisb.
bicolor Salisb.
*Marloth, Fl. S. Africa, iv. t. 40 (1915).—*Fl.*

CLEANTHES D. Don
hieracioides D. Don
*Bettfreund, Fl. Argentina, iii. t. 112 (1902).
trixioides P. Br.
*Bettfreund, Fl. Argentina, ii. t. 67 (1900) in ic.; *Trixis ochroleuca* in textu.

CLEGHORNIA Wight
acuminata Wight
Wight, Ic. Pl. Ind. Or. iv. t. 1310 (1848).
cymosa Wight
Wight, Ic. Pl. Ind. Or. iv. t. 1312 (1848).

CLEIDION Bl.—Vide *Redia*
javanicum Bl.
Baillon, Euphorb. t. 9, fig. 3, 4 (1858).—*Fl.*
Beddome, Fl. Sylv. t. 272 (1872).
Vidal, Sin. Fam. & Gen. Pl. Leñ. Filip. (Introd. Fl. For. Filip.), Atlas, t. 84, fig. B (1883).—*Fr.*
Talbot, For. Fl. Bombay, ii. 488 (1911).
Pflanzenreich, Euphorb.-Acal.-Mercurial. 291 (1914).
tricoccum Baill.
Mart. Fl. Bras. xi. II. t. 59 (1874).
Pflanzenfam. iii. v. 9, 58 (1890).—*Fl.*
Pflanzenreich, Euphorb.-Acal.-Mercurial. 289 (1914).—*Fl.*
ulmifolium Müll.-Arg.
Journ. Coll. Sc. Tokyo, xx. Art. 3, t. 4, fig. B (1904).

CLEISOCRATERA Korth.: *Psychotria*
elegans Korth.
*Korthals, Kruidk. (Verhandl. Nat. Geschied. Neder.), t. 62 (1839–42).

CLEISOSTOMA Bl.—Vide *Pomatocalpa*
andamanicum Hook. f.
Hook. Ic. Pl. xxii. t. 2140 (1893).
*Ann. Bot. Gard. Calcutta, v. t. 80 (1895).
armigerum King & Pantl.
*Ann. Bot. Gard. Calcutta, viii. t. 308 (1898).
bambusarum King & Pantl.
*Ann. Bot. Gard. Calcutta, viii. t. 310 (1898).
Beckleri F. Muell.
*R. D. Fitzgerald, Austral. Orch. ii [t. 14] (1875–95).
bicolor Lindl. & Paxt.
Paxt. Fl. Gard. ii. 100 (1851–52).—*Fl.*
bicuspidatum Hook. f.
Hook. Ic. Pl. xxii. t. 2144 (1893).
*Ann. Bot. Gard. Calcutta, v. t. 87 (1895).
bipunctatum Hook. f.
Hook. Ic. Pl. xxii. t. 2141 (1893).
brachybotrya Hayata
Hayata, Ic. Pl. Formosan. iv. 96 (1914).—*Fl.*
brevipes Hook. f.
Hook. Ic. Pl. xxii. t. 2142 (1893).
*Ann. Bot. Gard. Calcutta, v. t. 82 (1895); viii. t. 307 (1898).
crassifolium Lindl.
*Paxt. Fl. Gard. iii. t. 99 (1852–53).
*Lem. Jard. Fl. iv. t. 397 (1853).
*Lindenia, iii. t. 139 (1887).
*Costantin, Atlas Orch. Cult. t. 8 (1913).—*Fl.*
erecta R. D. Fitzg.
*R. D. Fitzgerald, Austral. Orch. i [t. 16] (1875–95).
gemmatum King & Pantl.
*Ann. Bot. Gard. Calcutta, viii. t. 313 (1898).
Guibertii Linden & Reichb. f.
*Reichenbach f., Xenia Orch. ii. t. 142 (1867).
*Lindenia, i. t. 9 (1885).
ionosmum Lindl.
*Bot. Reg. xxxiii. t. 41 (1847).
*Useful Pl. Jap. iii. t. 921 (1895).
Somoku Dzusetsu, Ed. Makino (Iconogr. Pl. Nippon), xviii. t. 23 (1912).
*Costantin, Atlas Orch. Cult. t. 8 (1913).—*Fl.*

CLEISOSTOMA
Keffordii F. M. Bailey
*R. D. Fitzgerald, Austral. Orch. ii [t. 14] (1875–95).
Kunstleri Hook. f.
Hook. Ic. Pl. xxiv. t. 2335 (1894).
lanatum Lindl.
Reichenbach f., Xenia Orch. iii. t. 249 (1892).
Mannii Reichb. f.
Hook. Ic. Pl. xxii. t. 2143 (1893).
*Ann. Bot. Gard. Calcutta, v. t. 86 (1895).
micranthum King & Pantl.
*Ann. Bot. Gard. Calcutta, viii. t. 312 (1898).
oblongisepala Hayata
Hayata, Ic. Pl. Formosan. iv. 97 (1914).—*Fl.*
ramosum Hook. f.
*Ann. Bot. Gard. Calcutta, v. t. 81 (1895).
sagittata Bl.
Blume, Tab. Jav. Orch. t. 27 (1825).—*Fl.*
spicatum Lindl.
*Ann. Bot. Gard. Calcutta, v. t. 83 (1895); viii. t. 311 (1898).
taiwanianum Hayata
Hayata, Ic. Pl. Formosan. iv. 98 (1914).—*Fl.*
tenerum Hook. f.
Fyson, Fl. Nilgiri & Pulney Hill-tops, iii. 615 (1920).
tridentatum Lindl.
*R. D. Fitzgerald, Austral. Orch. i [t. 17] (1875–95).
uteriferum Hook. f.
*Ann. Bot. Gard. Calcutta, v. t. 84 (1895).
Wendlandorum Reichb. f.
*Ann. Bot. Gard. Calcutta, v. t. 85 (1895); viii. 309 (1898).

CLEISTACHNE Benth.
sorghoides Benth.
Hook. Ic. Pl. xiv. t. 1379 (1882).

CLEISTANTHUS Hook. f.—Vide *Lebidiera*
acuminatus Müll.-Arg.
Pflanzenreich, Euphorb.-Phyllanth.-Bridel. 20 (1915).
bipindensis Pax
Pflanzenreich, Euphorb.-Phyllanth.-Bridel. 49 (1915).
chartaceus Müll.-Arg.
Pflanzenreich, Euphorb.-Phyllanth.-Bridel. 31 (1915).
collinus Benth. & Hook.
Basu, Ind. Med. Pl. t. 856 (1918).
decurrens Hook. f.
Pflanzenfam. iii. v. 34 (1890).
Pflanzenreich, Euphorb.-Phyllanth.-Bridel. 4 (1915).
dichotomus J. J. Sm.
Nova Guinea, viii. t. 136 (1912).
ferrugineus Müll.-Arg.
Vidal, Sin. Fam. & Gen. Pl. Leñ. Filip. (Introd. Fl. For. Filip.), Atlas, t. 82, fig. C (1883).—*Fl.*
Pflanzenfam. iii. v. 34 (1890).—*Fl.*
Pflanzenreich, Euphorb.-Phyllanth.-Bridel. 4 (1915).—*Fl.*
Helferi Hook. f.
Pflanzenreich, Euphorb.-Phyllanth.-Bridel. 20 (1915).
Holtzii Pax
Pflanzenreich, Euphorb.-Phyllanth.-Bridel. 47 (1915).
integer Robins.
Pflanzenreich, Euphorb.-Phyllanth.-Bridel. 36 (1915).
lanuginosus Jabl.
Pflanzenreich, Euphorb.-Phyllanth.-Bridel. 20 (1915).—*Fl.*
Meeboldii Jabl.
Pflanzenreich, Euphorb.-Phyllanth.-Bridel. 20 (1915).
myrianthus Kurz
Pflanzenreich, Euphorb.-Phyllanth.-Bridel. 38 (1915).
—— **attenuatus** Jabl.
Pflanzenreich, Euphorb.-Phyllanth.-Bridel. 38 (1915).—*Fl.*
pallidus Müll.-Arg.
Beddome, Fl. Sylv. Anal. Gen. t. 23 (1873).—*Fl.*

CLEISTANTHUS
papuanus Jabl.
Pflanzenreich, Euphorb.-Phyllanth.-Bridel. 43 (1915).
patulus Müll.-Arg.
Beddome, Fl. Sylv. Anal. Gen. t. 23 (1873).—*Fl.*
Paxii Jabl.
Pflanzenreich, Euphorb.-Phyllanth.-Bridel. 27 (1915).
polystachyus Hook. f.
Hook. Ic. Pl. viii. t. 779 (1848).
Hooker, Niger Fl. t. 36 (1849).
Pflanzenreich, Euphorb.-Phyllanth.-Bridel. 47 (1915).—*Fl.*
semiopacus F. Muell.
Pflanzenreich, Euphorb.-Phyllanth.-Bridel. 14 (1915).
stenonia Jabl.
Pflanzenreich, Euphorb.-Phyllanth.-Bridel. 4 (1915).—*Fr.*
stipitatus hypoleucus Müll.-Arg.
Pflanzenreich, Euphorb.-Phyllanth.-Bridel. 36 (1915).
sumatranus Müll.-Arg.
Pflanzenreich, Euphorb.-Phyllanth.-Bridel. 14 (1915).
Zenkeri Jabl.
Pflanzenreich, Euphorb.-Phyllanth.-Bridel. 47 (1915).—*Fl.*

CLEISTES L. C. Rich.
speciosa Gardn.
Hook. Ic. Pl. v. t. 473, 474 (1842).

CLEISTOCACTUS C. Lem.—Vide *Cereus* (11)
Baumannii C. Lem.
*Britton & Rose, Cactac. ii. t. 27 (1920).
smaragdiflorus Britton & Rose
Britton & Rose, Cactac. ii. 174 (1920).—*Hab.*

CLEISTOCALYX Bl.: *Jambosa*
nitidus Bl.
Blume, Mus. Bot. Lugd.-Bat. i. fig. 56 (1849).

CLEISTOCHLAMYS Oliv.
Kirkii Oliv.
Engler, Monogr. Afr. Pfl.-Fam. vi. Anonac. t. 13 (1901).

CLEISTOPHOLIS Pierre
albida Engl. & Diels
Engler, Monogr. Afr. Pfl.-Fam. vi. Anonac. t. 12 (1901).
glauca Pierre
Engler, Monogr. Afr. Pfl.-Fam. vi. Anonac. t. 12 (1901).—*Fl.*
grandiflora De Wild.
De Wildeman, Études Fl. Bas- et Moyen-Congo (Ann. Mus. Congo), i. t. 21 (1903).
Klaineana Pierre
Engler, Monogr. Afr. Pfl.-Fam. vi. Anonac. t. 13 (1901).
patens Engl. & Diels
Engler, Monogr. Afr. Pfl.-Fam. vi. Anonac. t. 12 (1901).
Engler & Drude, Veget. Erde, ix. III. 1, p. 203 (1915).
Staudtii Engl. & Diels
Engler, Monogr. Afr. Pfl.-Fam. vi. Anonac. t. 12 (1901).

CLEISTOYUCCA Engelm.: *Yucca*
arborescens Trel.
Rep. Missouri Bot. Gard. xiii. t. 6–7, 85, 87 (1902).
Eastwood, Handb. Trees California (Occ. Papers California Acad. Sc. ix), t. 19 (1905).—*Hab.*
Britton, N. Amer. Trees, 150 (1908).
Bull. New York Bot. Gard. vi. t. 1 (1910).—*Hab.*
Molon, Yucche, 19 (1914).—*Hab.*

CLEMATIS Linn.—Vide *Atragene*, *Cheiropsis*, *Viorna*, *Viticella* Moench
acuminata sikkimensis Andersonii Brühl
Brühl in Ann. Bot. Gard. Calcutta, v. II. t. 104, fig. 7 (1896).—*Fl.*
—— —— **Clarkei** Kuntze
Brühl in Ann. Bot. Gard. Calcutta, v. II. t. 104, fig. 6 (1896).—*Fl.*

CLEMATIS
acuminata sikkimensis Hookeri Brühl
Brühl in Ann. Bot. Gard. Calcutta, v. II. t. 104, fig. 4, 5 (1896).
—— **Wallichii** Hook. f. & Thoms.
Brühl in Ann. Bot. Gard. Calcutta, v. II. t. 104, fig. 1–3 (1896).
Addisonii Britton
Mem. Torr. Bot. Club, ii. II. t. 3 (1890).
Gard. & Forest, ix. 325 (1896).
Britton & Brown, Ill. Fl. N. States & Canada, ii. 69 (1897).
aethusifolia Turcz.
Gartenfl. x. t. 342 (1861).
Trans. Russ. Hort. Soc. 1861, t. 68.
Rev. Hort. 1869, p. 10.
Garden, vi. 423 (1874); xxxi. 186 (1887); xlv. 241 (1894).
Schneider, Ill. Handb. Laubh. i. 282 (1904).—*Veg.*
—— **latisecta** Maxim.
*Bot. Mag. cvii. t. 6542 (1881).
Schneider, Ill. Handb. Laubh. i. 282 (1904).—*Veg.*
—— **violacea** C. K. Schneider
Schneider, Ill. Handb. Laubh. i. 275 (1904).—*Fl.*
afoliata J. Buch.
Cockayne, New Zeal. Pl. 161 (1910).
Goebel, Organogr. Pfl. Ed. 2, i. 320 (1913).—*Veg.*
*Bot. Mag. cxlii. t. 8686 (1916).
akoensis Hayata
Hayata, Ic. Pl. Formosan. i. t. 2 (1911).
alba magna Jackman
Gard. Chron. iii. 685 (1875).
albida Klotzsch
Klotzsch & Garcke, Bot. Ergebn. Reise Pr. Waldemar, t. 40 (1862).
alpina Mill.
*Jaume St.-Hilaire, Fl. & Pom. Franç. iv. t. 389 (1831).
Baillon, Hist. Pl. i. 55 (1867–69).—*Fl.*
*Weber, Alp.-Pfl. Ed. 3, i. t. 1 (1872).
Baillon, Dict. Bot. ii. 94 (1880).—*Fl.*
*Baillon, Ic. Fl. Franç. ii. t. 152 [1885–94].
Hempel & Wilhelm, Bäume u. Sträuch. iii. 16 [1889?].
Garcke, Ill. Fl. Deutschl. 2 (1895).
*Hartinger, Atlas Alpenfl. ii. t. 128 (1897).
*Beck, Alpenblum. Semmering, t. 6, fig. 7 (1898).—*Fl.*
Fiori & Paol. Ic. Fl. Ital. 176 (1899).
Coste, Fl. France, i. 35 (1901).
Schneider, Ill. Handb. Laubh. i. 275, 284 (1904).
*Senn, Alpen-Flora, ii. t. 10 (1906).
*Flahault, Nouv. Fl. Alpes & Pyrén. i. t. 10 (1906).
*Miyoshi & Makino, Pocket-Atlas, Alp. Pl. Jap. ii. t. 52, fig. 296 (1907).
*Oehninger, Alpenfl. t. 4, fig. 4 (1908).
*Hegi, Ill. Fl. Mittel-Eur. iii. t. 114, p. 508, 510 (1909).
Arber, Pl. Life Alp. Switz. t. 43 (1910).—*Fl.*
Wettstein, Handb. Syst. Bot. Ed. 2, p. 562 (1911).—*Fl.*
Marret, Ic. Fl. Alp. Pl. Fasc. 1, t. 1, 1 c [1911].
Silva Tarouca, Freiland-Laubgehölze, 57 (1913).—*Hab.*
*Hegi & Dunz. Alp. Fl. t. 9 (1913).
*F. E. & E. S. Clements, Rocky Mt. Fl. t. 3 (1914).
Schröter in Jahrb. Schweiz. Alpenclub, lii. 185 (1917).
Gartenschönheit, i. 29 a (1920).—*Hab.*
—— **carunculosa** Gagnep.
Rev. Hort. 1915, p. 535.
—— **macropetala** Ledeb.
Marret, Ic. Fl. Alp. Pl. Fasc. 1, t. 1 a, 1 b [1911].
—— **occidentalis** A. Gray
Schneider, Ill. Handb. Laubh. i. 275, 282 (1904).
—— **ochotensis** Regel & Til.
Marret, Ic. Fl. Alp. Pl. Fasc. 1, t. 1, 1 c [1911].—*Fl.*
—— **platysepala** Trautv.
Marret, Ic. Fl. Alp. Pl. Fasc. 1, t. 1 b [1911].
—— **sibirica** Linn.
Koehne, Dendrol. 153 (1893).
Schneider, Ill. Handb. Laubh. i. 275 (1904).—*Fl.*
Marret, Ic. Fl. Alp. Pl. Fasc. 1, t. 1 a, 1 c [1911].

CLEMATIS
anethifolia Hook.
Hook. Ic. Pl. i. t. 78 (1837).
angustifolia Jacq.
*Jacquin, Ic. Pl. Rar. i. t. 104 (1781–86).
*Lodd. Bot. Cab. x. t. 918 (1824).
*P. W. Watson, Dendr. Brit. ii. t. 112 (1825).
*Jaume St.-Hilaire, Fl. & Pom. Franç. iv. t. 390 (1831).
*Reichenbach, Ic. Fl. Germ. iv. t. 62 (1840).
*Spach, Hist. Nat. Vég. Phan. Atlas, t. 57 (1846).—*Fl.*
Cottage Gard. xvii. 1 (1857).
apiifolia DC.
Schneider, Ill. Handb. Laubh. i. 275, 282 (1904).
aristata R. Br.
*Bot. Reg. iii. t. 238 (1817).
*Lodd. Bot. Cab. vii. t. 620 (1822).
Gard. Chron. Ser. III. xxxii. 55 (1902).
A. E. Sulman, Austral. Wild Fl. Ser. II. t. 27 [1913].
F. Sulman, Wild Fl. N. S. Wales, ii. t. 1 (1914).
—— **Dennisae** W. R. Guilf.
*Bot. Mag. cxxxvii. t. 8367 (1911).
—— **longiseta** F. M. Bailey
F. M. Bailey, Compr. Cat. Queensl. Pl. 16 (1909–13).
Armandii Franch.
Nouv. Arch. Mus. Hist. Nat. Paris, Ser. II. viii. t. 2 (1885).
Journ. Roy. Hort. Soc. London, xxvii. 59, fig. 14 (1903–4); xl. Proc. p. lxiv, fig. 35 (1915).
Gard. Chron. Ser. III. xxxviii. 30 (1905); liii. 322 (1913); lv. 259 (1914).
Rev. Hort. Belge, xxxv. 281 (1909).
Horticulture (Boston), xi. 368 (1910); xxii. 473 (1915).
Schneider, Ill. Handb. Laubh. ii. 908 (1912).
Rev. Hort. 1913, p. 65.
Garden, lxxviii. 204 (1914).
*Bot. Mag. cxl. t. 8587 (1914).
—— **Farquhariana** Rehd. & Wils.
Horticulture (Boston), xv. 512 (1912).
aromatica Lenné & C. Koch
Lavallée, Clémat. t. 9 (1884).
Nicholson, Illustr. Dict. Gard. i. 337 [1884–88].
×**atroviolacea** Carr.
*Rev. Hort. 1879, p. 350.
Aureliana Hort.
*Step, Fav. Fl. Gard. & Greenh. i. t. 1 (1896).
azurea Hort.
*Floricult. Cab. iv. 298 (1836).
*Maund, Botanist, iii. t. 126 (1839) in ic.; *C. caerulea* in textu.
Decaisne, Naud. & Hemsl. Handb. Trees, Shrubs & Herb. Pl. 4 (1873).
—— **grandiflora** Hort.
*Journ. Jard. 1838, p. 281.
balearica Rich.
Buchoz, Pl. Nouv. Decouv. t. 3 (1779).
*Buchoz, Grand. Jard. Univ. t. 12 (1785).
J. C. Loudon, Arbor. & Frutic. Brit. iv. 2535 (1838).
Rev. Hort. 1874, p. 289.
Gard. Chron. ix. 501 (1878).
*Willkomm, Ill. Fl. Hispan. Balear. ii. t. 122 (1888).
bannatica Wierzb.
*Reichenbach, Ic. Fl. Germ. iv. t. 64 (1840).
barbellata Edgew.
*Fl. des Serres, Ser. I. ix. t. 956 (1853–54).
*Bot. Mag. lxxx. t. 4794 (1854).
Rev. Hort. Ser. IV. vii. 407 (1858).
Bergeronii Lavallée
Lavallée, Clémat. t. 10 (1884).
Bojeri Hook.
Hook. Ic. Pl. i. t. 10 (1837).
brachiata Thunb.
*Bot. Reg. ii. t. 97 (1816).
Gard. Chron. Ser. III. xxx. 367 (1901).
*Marloth, Fl. S. Africa, i. t. 59 (1913).
brachyura Maxim.
Bull. Soc. Bot. France, 1903, l. t. 16 (1904).—*Fr.*
brasiliana DC.
Delessert, Ic. Pl. i. t. 1 (1820).

CLEMATIS
brevicaudata DC.
Gard. & Forest, v. 139 (1892).
Schneider, Ill. Handb. Laubh. i. 280, 293 (1904).
Buchaniana DC.
Journ. Soc. Hort. France, Ser. IV. i. 867 (1900).
Collett, Fl. Siml. 3 (1902).
Schneider, Ill. Handb. Laubh. i. 275, 282 (1904).
—— **vitifolia** Hook. & Thoms.
Rev. Hort. 1905, p. 439.
caerulea Lindl.
*Bot. Reg. xxiii. t. 1955 (1837).
*Hort. Belge Journ. Jard. & Amat. iv. t. 78 (1837).
J. C. Loudon, Arbor. & Frutic. Brit. iv. 2535 (1838).
*Paxt. Mag. iv. 193 (1838).
*Maund, Botanist, iii. t. 126 (1839) in textu; *C. azurea* in ic.
*Orbigny, Dict. Hist. Nat. Atlas, iii. t. 291 [1839–49].
*J. W. Loudon, Ladies' Fl.-Gard. Ornam. Greenh. Pl. t. 1 (1848).
*W. Thompson, Engl. Fl. Gard. i. 33 (1852).
Nicholson, Illustr. Dict. Gard. i. 338 [1884–88].
—— **azurea** Endl.
*Hartinger, Parad. Vindob. t. 69 (1844–60).
—— **grandiflora** Hook.
*Bot. Mag. lxix. t. 3983 (1843).
—— **odorata** Hort.
Garden, xii. 403 (1877).
Rev. Hort. 1877, p. 15.
W. Robinson, Engl. Fl. Gard. t. 74 (1883).
caespitosa Scop.
*Reichenbach, Ic. Fl. Germ. iv. t. 63 (1840).
calycina Ait.
*Bot. Mag. xxiv. t. 959 (1806).
*Jaume St.-Hilaire, Pl. France, ii [t. 3] (1808).
*Schrank, Pl. Rar. Hort. Monac. i. t. 15 (1819).
*Lodd. Bot. Cab. viii. t. 720 (1823).
*Jaume St.-Hilaire, Traité Arbr. & Arbust. i. t. 59 (1825).
*Sweet, Brit. Fl. Gard. vii. t. 335 (1836).
Payer, Organog. Comp. Fl. t. 58 (1857).—*Fl.*
campaniflora Brot.
Brotero, Phytogr. t. 81 (1816).
*Lodd. Bot. Cab. x. t. 987 (1824).
*Sweet, Brit. Fl. Gard. vi. t. 217 (1833).
J. C. Loudon, Arbor. & Frutic. Brit. i. 242 (1838).
*Ill. Hort. ii. t. 78 (1855).
Lavallée, Clémat. t. 8 (1884).
Garden, xxxi. 187 (1887).
Dippel, Handb. Laubholzk. iii. 172 (1893).
Schneider, Ill. Handb. Laubh. i. 275 (1904).—*Fl.*
Bull. Ort. Bot. Napoli, iii. t. 4 (1913).
campanile Hort.
Jardin, xxvii. 357 (1913); xxx. 45 (1916).—*Hab.*
Bull. Soc. Tosc. Ortic. xxxix. 114 (1914).—*Hab.*
campestris St.-Hil.
Mart. Fl. Bras. xiii. 1. t. 33 (1864).
chiisanensis Nakai
Matsumura, Ic. Pl. Koisikav. ii. t. 107 (1914).
chinensis Retz.
Retzius, Observ. Bot. Fasc. 2, t. 2 (1781).
chlorantha Lindl.
*Bot. Reg. xv. t. 1234 (1829).
chrysocarpa Welw.
Trans. Linn. Soc. London, xxix. t. 1 (1873).
Rochebrune in Bull. Soc. Hist. Nat. Autun, ix. 98 (1896).
Rochebrune, Toxicolog. Afric. i. 290 (1897).
chrysocoma Franch.
Journ. Soc. Hort. France, Ser. IV. i. 188 (1900).
Bull. Soc. Acclim. lvii. 474 (1910).
*Bot. Mag. cxxxvii. t. 8395 (1911).
Schneider, Ill. Handb. Laubh. ii. 910 (1912).
Garden, lxxxiv. 491 (1920).
cirrosa Linn.
*Kniphof, Herb. Viv. i. t. 268 (1758).
*F. J. Schultz, Abb. Bäume, Staud. Sträuch. Oesterr. ii. t. 124 (1792).
*Bot. Mag. xxvii. t. 1070 (1807).
*Sibthorp & Sm. Fl. Graeca, vi. t. 517 (1827).
*Lodd. Bot. Cab. xix. t. 1806 (1832).
J. C. Loudon, Arbor. & Frutic. Brit. i. 244 (1838).
*Cusin & Ansberque, Herb. Fl. Franç. i. t. 5 (1867).

CLEMATIS
cirrosa
Garden, vi. 425 (1874); xxxi. 187 (1887); xlv. 240 (1894); lxxx. 594 (1916).
Rev. Hort. 1883, p. 394.
Journ. Hort. Ser. III. vi. 308 (1883).
W. Robinson, Engl. Fl. Gard. t. 73 (1883).
Nicholson, Illustr. Dict. Gard. i. 338 [1884–88].
Rouy, Ic. Pl. Gall. Rar. i. t. 1 (1897).
Boucher & Mottet, Clématites, 47 (1898).
Fiori & Paol. Ic. Fl. Ital. 177 (1899).
Coste, Fl. France, i. 35 (1901).
Jardin, xxii. 29 (1908); xxv. 229 (1911).
Schneider, Ill. Handb. Laubh. ii. 908 (1912).
!Quer in Butll. Instit. Catalana Hist. Nat. xvi. 88, 89 (1916).—*Veg.*
—— **balearica** Rich. & Juss.
Cusin & Ansberque, Herb. Fl. Franç. i. t. 5, 5 bis (1867).
—— **dentata** Cusin & Ansb.
Cusin & Ansberque, Herb. Fl. Franç. i. t. 5 (1867).
—— **grandiflora** Cusin & Ansb.
Cusin & Ansberque, Herb. Fl. Franç. i. t. 5 bis (1867).
—— **purpurascens** Willk.
*Willkomm, Ill. Fl. Hispan. Balear. ii. t. 121 (1888).
—— **semitriloba** Rouy & Fouc.
Rouy, Ic. Pl. Gall. Rar. i. t. 2 (1897).
Clarkeana Lévl. & Vant.
Léveillé, Cat. Pl. Yun-Nan, 221 (1915–16).
coccinea Engelm.
Florist, 1880, p. 115.
*Bot. Mag. cvii. t. 6594 (1881).
*Garden, xix. 284 (1881); lxiv. 90 (1903).
Gard. Chron. xv. 405 (1881).
Ill. Gartenzeit. Stuttgart, xxv. 187 (1881).
Wien. Ill. Gart.-Zeit. vi. 28 (1881).
Sempervirens, xi. 373 (1882).
*Garten-Zeit. Berlin, ii. 111 (1883).
*Rev. Hort. 1888, p. 348.
Koehne, Dendrol. 153 (1893).—*Fl.*
Schneider, Ill. Handb. Laubh. i. 275, 278 (1904).
—— **luteola** André
*Rev. Hort. 1888, p. 348.—*Fl.*
Colensoi Hook. f.
Hooker, Fl. Nov.-Zel. i. t. 1 (1853).
Columbiana Torr. & Gray
Henshaw, Mount. Wild Fl. Amer. t. 53 (1906).
connata DC.
Gard. & Forest, iv. 235 (1891).
×**contorta** Carr.
*Rev. Hort. 1879, p. 350.
cordata Sims
*Bot. Mag. xliii. t. 1816 (1816).
Dippel, Handb. Laubholzk. iii. 182 (1893).
Schneider, Ill. Handb. Laubh. i. 280, 282 (1904).
—— **ligusticifolia** Nutt.
Schneider, Ill. Handb. Laubh. i. 282 (1904).—*Veg.*
coriacea Korth.
*Meredith, Bush Friends Tasmania, t. 1 (1860).
crenata Jord.
*Bonnier, Fl. Compl. France, Suisse & Belge, i. t. 1 [1911].—*Veg.*
crispa Linn.
Dillenius, Hort. Eltham. Add. Denom. Linn. t. 73 (1774).
*F. J. Schultz, Abb. Bäume, Staud. Sträuch. Oesterr. ii. t. 121 (1792).
*Bot. Mag. xliv. t. 1892 (1817).
*Mordant de Launay, Herb. Amat. vi. t. 396 (1822).
*Géel, Sert. Bot. Cl. 13 (1832).
*Drapiez, Herb. Amat. Fl. vii. t. 503 (1834).
*Bot. Reg. xxxii. t. 60 (1846).
Gray & Sprague, Gen. Fl. Amer. i. t. 2 (1848).
Lavallée, Clémat. t. 14 (1884).
Lloyd, Drugs & Med. N. Amer. i. 6 (1884–85).
Wien. Ill. Gart.-Zeit. x. 166 (1885).
Dippel, Handb. Laubholzk. iii. 180 (1893).
Britton & Brown, Ill. Fl. N. States & Canada, ii. 68 (1897).
Schneider, Ill. Handb. Laubh. i. 275, 278 (1904).

CLEMATIS
crispa Walteri A. Gray
Schneider, Ill. Handb. Laubh. i. 278 (1904).—*Veg.*
cylindrica Sims
*Bot. Mag. xxix. t. 1160 (1808).
*Journ. Jard. 1832, p. 33.
J. C. Loudon, Arbor. & Frutic. Brit. i. 239 (1838).
Lavallée, Clémat. t. 13 (1884).
Schneider, Ill. Handb. Laubh. i. 293 (1904).—*Fl.*
Beih. Bot. Centralbl. xxviii. 1. 271 (1912).
—— **Camuzetii** Hort.
*Journ. Jard. 1839, p. 374.
Davidiana Decne.
Rev. Hort. 1867, p. 90.—*Hab.*
Nouv. Arch. Mus. Hist. Nat. Paris, Ser. II. iv. t. 10 (1881).
W. Robinson, Engl. Fl. Gard. t. 74 (1883).—*Hab.*
Gard. Chron. xxiv. 529 (1885); Ser. III. lxvi. 234 (1919).
Garden, xxxi. 145 (1887); xlv. 241 (1894).
Jardin, viii. 7 (1894); xii. 277 (1898); xix. 340 (1905).
Boucher & Mottet, Clématites, 53 (1898).—*Hab.*
Schneider, Ill. Handb. Laubh. i. 278, 280 (1904).
Horticulture (Boston), iii. 485 (1906).—*Hab.*
Tribune Hort. iv. 162 (1909).
Delavayi Franch.
Bull. Soc. Acclim. lvii. 472 (1910).
denticulata Vell.
Vellozo, Fl. Flum. v. t. 134 (1827).
dioica Linn.
Fawcett & Rendle, Fl. Jamaica, iii. 1. 189 (1914).
—— **brasiliana** Eichl.
Mart. Fl. Bras. xiii. 1. t. 33 (1864).—*Fl.*
distorta Lavallée
Lavallée, Clémat. t. 11 (1884).
divaricata Jacq.
*Jacquin, Ecl. Pl. i. t. 33 (1811–16).
*Rev. Hort. Ser. IV. v. 341 (1856).
diversifolia DC.
Delessert, Ic. Pl. i. t. 4 (1820).
Douglasii Hook.
Hooker, Fl. Bor.-Amer. t. 1 (1833).
×**Durandii** Kuntze
*Garden, lxxiii. 302 (1909).
elongata Tratt.
*Trattinick, Ausg. Taf. Arch. ii. t. 149 (1813).
Trattinick, Arch. ii. t. 178 (1814).
erecta Linn.
*Jacquin, Fl. Austr. iii. t. 291 (1775).
*Zorn, Ic. Pl. Med. v. t. 441 (1784).
Hoppe, Ect. Pl. Ratisb. t. 99 (1787).
*Batsch, Anal. Fl. i. t. 12, fig. 23 a–23 i (1790).—*Fl.*
*Plenck, Ic. Pl. Med. v. t. 441 (1792).
*F. J. Schultz, Abb. Bäume, Staud. Sträuch. Oesterr. ii. t. 116 (1792).
*Oskamp, Afb. Artseny-Gewass. v. t. 490 (1800).
*Sturm, Deutschl. Fl. ii. VIII [t. 120] (1800).
*Schkuhr, Bot. Handb. Ed. 2, t. 151 (1808).—*Fr.*
*Roques, Phytogr. Médic. ii. t. 111 (1821); Nouv. Ed. Atlas, t. 96 (1835).
*Heger, Herb. Pharm. [t. 128] (1822–25).
Berchtold & J. S. Presl, Rostlin. i. t. [9] (1823).
*Heger, Giftpl. 40 (1827).
*Nees, Pl. Offic. ii. t. 390 (1828).
*Schlechtendal & Guimpel, Abb. Pharm. Boruss. Gew. i. t. 24 (1830).
*Reichenbach, Ic. Fl. Germ. iv. t. 61 (1840).
*Lorek, Fl. Pruss. Ed. 3, t. 135, fig. 714 (1848).
*E. Hamilton, Fl. Homoeopath. i. t. 21 (1852).
*Horticulteur Franç. 1860, t. 13.
Rev. Hort. Ser. IV. ix. 512, 513 (1860).
*Argenta, Album Fl. Med.-Farm. i. t. 2 (1862).
Garden, xii. 401 (1877).
W. Robinson, Engl. Fl. Gard. t. 74 (1883).
Acloque, Fl. France, 50 (1894).—*Fr.*
Brehm, Merv. Nat. Monde des Pl. i. 15 (1894–96).
—— **compacta** Hort.
Jardin, xvii. 125 (1903).
—— **umbellata** Reichb.
*Reichenbach, Ic. Fl. Germ. iv. t. 61 (1840).
eriopoda Maxim.
Maximowicz in Bull. Acad. Pétersb. xxii. 263, fig. 1, 2 (1877).

CLEMATIS
eriostemon Decne.
*Rev. Hort. Ser. IV. i. 341 (1852).
Lavallée, Clémat. t. 12 (1884).
Boucher & Mottet, Clématites, 24 (1898).
L. H. Bailey, Stand. Cycl. Hort. 793 (1914).
×**excelsior** Cripps
*Fl. des Serres, Ser. II. x. t. 2054, 2055 (1874).
Fargesii Franch.
Garden, lxxxiii. 574 (1919).
—— **Souliei** Finet & Gagnep.
*Bot. Mag. cxliii. t. 8702 (1917).
Flammula Linn.
*F. J. Schultz, Abb. Bäume, Staud. Sträuch. Oesterr. ii. t. 126 (1792).
*Jaume St.-Hilaire, Fl. & Pom. Franç. iv. t. 392 (1831).
*Hayne, Getreue Darst. Arzn. Gewächse, xii. t. 31 (1833).
J. C. Loudon, Arbor. & Frutic. Brit. i. 234 (1838).
Lindley, Med. & Oecon. Bot. 145 (1849).
Pokorny, Oesterr. Holzpfl. 486, t. 40 (1864).—*Veg.*
*Cusin & Ansberque, Herb. Fl. Franç. i. t. 2 (1867).
*Hulme & Hibberd, Familiar Gard. Fl. ii. 9 [1879–87].
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xi. t. 986 (1882).
Hempel & Wilhelm, Bäume u. Sträuch. iii. 14 [1889?].
Rev. Gén. Bot. i. 332 (1889).
Kerner, Pflanzenleben, ii. 795 (1891).—*Fr.*
Acloque, Fl. France, 50 (1894).—*Fl.*
Kerner & Oliv. Nat. Hist. Pl. ii. 858 (1895).—*Fr.*
Rochebrune in Bull. Soc. Hist. Nat. Autun, ix. 86 (1896).
Rochebrune, Toxicolog. Afric. i. 278 (1897).
Mém. Soc. Sc. Liége, Ser. II. xx. t. 27 (1898).—*Veg.*
Boucher & Mottet, Clématites, 39 (1898).
Fiori & Paol. Ic. Fl. Ital. 177 (1899).
*Villard, Fleurs, t. 6 (1900).
Coste, Fl. France, i. 35 (1901).
Goffart in Mém. Soc. Sc. Liége, Ser. III. iv. t. 11 (1902).—*Veg.*
*Penzig, Fl. Litt. Méditerr. t. 1 (1902).
Pammel in Bull. Iowa Agric. St. No. 70, p. 462 (1903).—*Fr.*
Schneider, Ill. Handb. Laubh. i. 289 (1904).
Heukels, Fl. Nederl. ii. 185 (1908).
Hegi, Ill. Fl. Mittel-Eur. iii. 513 (1909).
*Bonnier, Fl. Compl. France, Suisse & Belgique, i. t. 1 [1911].
*H. S. Thompson, Fl. Pl. Riviera, t. 4 (1914).
Cadevall & Sallent, Fl. Catalunya, i. 10 (1915).
—— **maritima** Koch
Cusin & Ansberque, Herb. Fl. Franç. i. t. 3 (1867).
—— **robusta** Hort.
Rev. Hort. 1874, p. 465; 1899, p. 527.
—— **rotundifolia** Reichb.
*Reichenbach, Ic. Fl. Germ. iv. t. 62 (1840).
—— **serotina** Terracc.
Terracciano in Atti Istit. Incorragg. Napoli, Ser. III. iv. t. 2 (1885).
—— **vulgaris** Reichb.
*Reichenbach, Ic. Fl. Germ. iv. t. 63 (1840).
florida Thunb.
*Jacquin, Hort. Schoenbr. iii. t. 357 (1798).
*Andrews, Bot. Rep. vi. t. 402 (1804).
*Bot. Mag. xxii. t. 834 (1805).
*Drapiez, Herb. Amat. Fl. iv. t. 241 (1830).
J. C. Loudon, Arbor. & Frutic. Brit. i. 241 (1838).
*Burnett, Pl. Util. ii. 47, b (1845).
*Rev. Hort. Ser. IV. v. 41 (1856).
Lavallée, Clémat. t. 5 (1884).
Wien. Ill. Gart.-Zeit. x. 336 (1885).
Dippel, Handb. Laubholzk. iii. 176 (1893).
*Useful Pl. Jap. iii. t. 735 (1895).
Boucher & Mottet, Clématites, 18 (1898).
Gard. Chron. Ser. III. xxxii. 51 (1902).
Journ. Hort. Ser. III. xliv. 321 (1902).
Bull. Soc. Bot. France, 1903, l. t. 16 (1904).—*Fr.*
Schneider, Ill. Handb. Laubh. i. 287 (1904).—*Fl.*

CLEMATIS
florida bicolor Lindl.
*Bot. Reg. xxiv. t. 25 (1838).
*Journ. Jard. 1838, p. 282.
L. H. Bailey, Cycl. Amer. Hort. 332 (1900); Stand. Cycl. Hort. 793 (1914).
Rev. Hort. 1915, p. 552.—*Hab.*
—— **Sieboldiana** C. Morren
*Hort. Belge Journ. Jard. & Amat. ii. t. 38 (1834).
*Sweet, Brit. Fl. Gard. vii. t. 396 (1837).
*Floricult. Cab. vi. 72 (1838).
*Maund, Botanist, v. t. 241 (1841).
*J. W. Loudon, Ladies' Fl.-Gard. Ornam. Greenh. Pl. t. 1 (1848).
*Fl. des Serres, Ser. I. v. t. 487 (1849).
*Rev. Hort. Ser. IV. v. 401 (1856).
—— **Standishii** Hort.
*Belg. Hort. xiv. 33 (1864).
*Floral Mag. iii. t. 153 (1864).
—— **venosa** Lavallée
Lavallée, Clémat. t. 6 (1884).
fluminensis Vell.
Vellozo, Fl. Flum. v. t. 133 (1827).
foetida Decne.
Raoul, Choix Pl. Nouv.-Zél. t. 22 (1846).
Baillon, Hist. Pl. i. 54 (1867–69).—*Fl.*
Baillon, Dict. Bot. ii. 93 (1880).—*Fl.*
formosana Kuntze
Hook. Ic. Pl. xx. t. 1945 (1890).
Fortunei T. Moore
*Fl. des Serres, Ser. II. v. t. 1553 (1862–65).
Gard. Chron. 1863, p. 676.
Ill. Hort. x. Misc. 86 (1863).
*Belg. Hort. xiv. 33 (1864).
*Floral Mag. iii. t. 153 (1864).
*Florist, 1863, p. 169 (1864).
W. Robinson, Engl. Fl. Gard. t. 75 (1883).
Nicholson, Illustr. Dict. Gard. i. 338 [1884–88].
Dippel, Handb. Laubholzk. iii. 178 (1893).
fragrans Ten.
*Tenore, Fl. Nap., Atlas, i. t. 48 (1811–38).
*Reichenbach, Ic. Fl. Germ. iv. t. 62 (1840).
Fremontii S. Wats.
Gard. & Forest, iii. 381 (1890).
Britton & Brown, Ill. Fl. N. States & Canada, ii. 70 (1897).
L. H. Bailey, Stand. Cycl. Hort. 788 (1914).
fusca Turcz.
Lavallée, Clémat. t. 20 (1884).
Dippel, Handb. Laubholzk. iii. 179 (1893).
Schneider, Ill. Handb. Laubh. i. 275 (1904).—*Fl.*
—— **mandschurica** Regel
Mém. Acad. Sc. Pétersb. Ser. VII. iv. No. 4, t. 2 (1861).
*Gartenfl. xiii. t. 455 (1864).
*Trans. Russ. Hort. Soc. 1864, t. 155.—*Fl.*
—— **violacea** Maxim.
*Gartenfl. xiii. t. 455 (1864).
*Trans. Russ. Hort. Soc. 1864, t. 155.
Schneider, Ill. Handb. Laubh. i. 278 (1904).—*Veg.*
Gebleriana Bong.
Mém. Acad. Sc. Pétersb. Ser. VI. vi. II. 246, t. 1 (1841).
gentianoides DC.
Delessert, Ic. Pl. i. t. 5 (1820).
*Meredith, Bush Friends Tasmania, t. 9 (1860).
glandulosa Bl.
Journ. Linn. Soc., Bot. ix. 26 (1867).—*Veg.*
glauca Willd.
Willdenow, Berl. Baumz. t. 4 (1796).
*P. W. Watson, Dendr. Brit. i. t. 73 (1825).
J. C. Loudon, Arbor. & Frutic. Brit. i. 235 (1838).
Schneider, Ill. Handb. Laubh. i. 293 (1904).—*Veg.*
×**globulosa** Hort.
Garden, lxxv. 472 (1911).
Gouriana Roxb.
Wight, Ic. Pl. Ind. Or. iii. t. 933, 934 (1843–45).
*Wight, Spicil. Neilgherr. i. t. 1, 2 [1846].
Vidal, Sin. Fam. & Gen. Pl. Leñ. Filip. (Introd. Fl. For. Filip.), Atlas, t. 1, fig. B (1883).—*Fl.*
Talbot, For. Fl. Bombay, i. 4 (1909).
Basu, Ind. Med. Pl. t. 3, 3 A (1918).
Grahamii Benth.
Journ. Hort. Soc. London, ii. 315 (1847).
Fl. des Serres, Ser. I. iv. t. 376 (1848).

CLEMATIS
Grahamii
Cottage Gard. xix. 39 (1858).
grata Wall.
*Wallich, Pl. Asiat. Rar. i. t. 98 (1830).
Garden, lxvi. 365 (1904).
Journ. Hort. Ser. III. xlix. 333 (1904).
Schneider, Ill. Handb. Laubh. i. 280, 282 (1904).
Journ. Roy. Hort. Soc. London, xxix. Proc. p. cxcvii, fig. 221 (1905).
—— **grandidentata** Rehd. & Wils.
Garden, lxxviii. 392 (1914).
graveolens Lindl.
Journ. Hort. Soc. London, i. 307 (1846).
*Fl. des Serres, Ser. I. iv. t. 376 (1848); vi. t. 548 (1850–51).
*Bot. Mag. lxxvi. t. 4495 (1850).
*Lem. Jard. Fl. ii. t. 128 (1851).
Paxt. Fl. Gard. ii. 67 (1851–52).
*Garden, xx. 461 (1881); xxi. 186 (1887); xlv. 240 (1894).
W. Robinson, Engl. Fl. Gard. t. 72 (1883).
Schneider, Ill. Handb. Laubh. i. 280, 293 (1904).—*Fl.*
—— **orientalis** Hort.
Lubbock, Seedlings, i. 82 (1892).—*Veg.*
grewiiflora DC.
*Bot. Mag. civ. t. 6369 (1878).
×**Guascoi** Lem. & Versch.
*Belg. Hort. vii. t. 37 (1857).
*Journ. Hort. Prat. Belg. N. Ser. i. t. 18 (1857).
*Ill. Hort. iv. t. 117 (1857).
hakonensis Franch. & Sav.
Lavallée, Clémat. t. 4 (1884).
Boucher & Mottet, Clématites, 15 (1898).
hastata Finet & Gagnep.
Bull. Soc. Bot. France, 1903, l. t. 16, fig. a–d (1904).
havanensis H. B. K.
Ramon de la Sagra, Fl. Cubana, iv. Atlas, Pl. Vasc. t. 1 (1853); et Ic. Pl. Cub. Pl. Vasc. t. 1 (1863).
hedysarifolia DC.
*Bot. Reg. vii. t. 599 (1822).
Talbot, For. Fl. Bombay, i. 5 (1909).
Henryi Oliv.
Hook. Ic. Pl. xix. t. 1819 (1889).
L. H. Bailey, Cycl. Amer. Hort. 330 (1900).
Gard. Chron. Ser. III. lviii. 112 (1915).
heracleifolia DC.
Horticulture (Boston), iv. 339 (1906).—*Hab.*
—— **Davidiana** Hemsl.
Flora & Sylva, iii. 256 (1905).
hexapetala Pall.
Pallas, Reise Russ. iii. II. t. Q (1776).
Pallas, Voyages, iv. t. 14 (1793).
hexasepala DC.
*Bot. Reg. xxxii. t. 44 (1846).
*E. H. & S. Featon, Art Album, i. t. 2 (1889).
Hilarii Spreng.
*Bettfreund, Fl. Argentina, ii. t. 93 (1900).
hispanica Mill.
*F. J. Schultz, Abb. Bäume, Staud. Sträuch. Oesterr. ii. t. 117 (1792).
Hookeri Decne.
Nouv. Arch. Mus. Hist. Nat. Paris, Ser. II. iv. t. 11 (1881).
×**hybrida splendida** Hort.
*Rev. Hort. 1865, p. 70.
inciso-dentata A. Rich.
A. Richard, Tentam. Fl. Abyssin. Atlas, t. 1 [1847].
indivisa Willd.
*Ann. Gand, iv. t. 230 (1848).
Ann. Hort. v. 227 (1850).
Journ. Hort. Ser. III. vi. 239 (1883); lxii. 387 (1911).
*Hetley, Nat. Flowers New Zeal. t. 1, Part 1, pl. 1 (1888).
*E. H. & S. Featon, Art Album, i. t. 1 (1889).
Gard. & Forest, vi. 167 (1893).
*Harris, New Zeal. Flowers, [t. 6, 1894].
Garden, liii. 546, 547 (1898); lxxiv. 527 (1910).
Gard. Chron. Ser. III. xxix. 215 (1901); xxxviii. 135 (1905).
Laing & Blackwell, Pl. New Zeal. Ed. 2, p. 161, 163, 165 (1907).

CLEMATIS
indivisa
Cheeseman, Ill. New Zeal. Fl. t. 1 (1914).
Trans. & Proc. New Zeal. Inst. 1915, xlviii. 335 (1916).—*Veg.*
Cockayne, New Zeal. Pl. Ed. 2, p. 8 (1919).
—— **floribunda** Hort.
Rev. Hort. Belge, xxxiii. 9 (1907).
—— **lobata** Hook.
*Bot. Mag. lxxiv. t. 4398 (1848).
*Fl. des Serres, Ser. I. iv. t. 402 (1848).
Paxt. Fl. Gard. i. 27 (1850–51).
*Horticulteur Franç. 1853, t. 11; 1865, p. 147.
*Journ. Hort. Prat. Belg. xi. 193 (1853).
*Rev. Hort. Ser. IV. ii. 241 (1853).
*W. Thompson, Engl. Fl. Gard. iii. 1 (1855).
*Garden, xii. 400 (1877); xxxviii. 557 (1890).
Journ. Hort. lx. 50 (1878).
Gard. Chron. Ser. III. liv. 199 (1913).—*Hab.*
insulari-alpina Hayata
Hayata, Ic. Pl. Formosan. iii. 3 (1913).
integra Vell.
Vellozo, Fl. Flum. v. t. 135 (1827).
integrifolia Linn.
*Kniphof, Herb. Viv. i. t. 267 (1758).
*Jacquin, Fl. Austr. iv. t. 363 (1776).
*Bot. Mag. ii. t. 65 (1788).
*F. J. Schultz, Abb. Bäume, Staud. Sträuch. Oesterr. ii. t. 115 (1792).
Boissieu, Fl. Eur. ii. t. 377 (1805).
*Trattinick, Ausg. Taf. Arch. ii. t. 150 (1813).
Trattinick, Arch. ii. t. 179 (1814).
Berchtold & J. S. Presl, Rostlin. i. t. [11] (1823).
*Jaume St.-Hilaire, Fl. & Pom. Franç. iv. t. 388 (1831).
*Reichenbach, Ic. Fl. Germ. iv. t. 60 (1840).
*J. W. Loudon, Ladies' Fl.-Gard. Ornam. Perenn. i. t. 1 (1843).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xi. t. 984 (1882).
W. Robinson, Engl. Fl. Gard. t. 74 (1883).—*Hab.*
Brehm, Merv. Nat. Monde des Pl. i. 15 (1894–96).
Boucher & Mottet, Clématites, 28 (1898).—*Hab.*
Mém. Soc. Sc. Liége, Ser. II. xx. t. 26 (1898).—*Veg.*
Fiori & Paol. Ic. Fl. Ital. 176 (1899).
Goffert in Mém. Soc. Sc. Liége, Ser. III. iv. t. 11 (1902).—*Veg.*
Schneider, Ill. Handb. Laubh. i. 275, 278 (1904).
Hegi, Ill. Fl. Mittel-Eur. iii. 514 (1909).
Fedtschenko & Fler. Fl. Eur. Russia, 425 (1910).
Silva Tarouca, Freiland-Stauden, 65 (1910).—*Hab.*
Hayek, Pflanzend. Oesterr.-Ung. i. 288 (1914).
—— **Durandii** Hort.
*Garden, xlix. 98 (1896).
italica Schnizl.
Schnizlein, Iconogr. iii. t. 178 (1866–70).
×**Jackmannii** Hort.
Gard. Chron. 1864, p. 823; xxvi. 498 (1886).
*Ill. Hort. xi. t. 414 (1864).
*Floral Mag. iv. t. 226 (1865).
*Florist, 1864, p. 193 (1865); 1867, p. 245.
*Fl. des Serres, Ser. II. vi. t. 1628, 1629 (1865–67); vii. 124 (1867–68).
*Ill. Gartenzeit. Stuttgart, ix. t. 7 (1865).
*Rev. Hort. 1868, p. 392; 1869, p. 211.
Journ. Hort. xlviii. 329, 382 (1872).—*Hab.*
*Belg. Hort. xxvii. 257 (1877).
*Garden, xxii. 142 (1882).
W. Robinson, Engl. Fl. Gard. t. 73, 75 (1883).—*Hab.*
Wien. Ill. Gart.-Zeit. x. 336 (1885).
*Mouillefert, Traité Arbres & Arbriss. Atlas, t. 1 (1892–98).
*Bois, Dict. Hort. 329 (1893–99).
*Villard, Fleurs, t. 6 (1900).
Halsted in Bull. New Jersey Agric. St. No. 144, t. 9 (1900).—*Hab.*
!Bot. Gaz. xxxii. 353 (1901).—*Fl.*
Knight & Step, Living Plant, t. 18 (1905).—*Hab.*
*Lindman, Vi och våra blomm. t. 57 (1911–13).
*Silva Tarouca, Freiland-Laubgehölze, t. 10 (1913).—*Hab.*

CLEMATIS
Jackmannii
L. H. Bailey, Stand. Cycl. Hort. 794 (1914).—*Hab.*
—— **alba** Hort.
*Florist, 1884, t. 605.
*Garden, xxv. 126 (1884).
L. H. Bailey, Cycl. Amer. Hort. 331 (1900).—*Hab.*
—— **atrorubra** Hort.
Neubert's Deutsch. Gart. Mag. xlviii. 278 (1895).
japonica Thunb.
Bull. Coll. Agric. Tokyo, ii. t. 16, fig. 23 (1895).—*Veg.*
×**Jouiniana** C. K. Schneider
Schneider, Ill. Handb. Laubh. i. 280 (1904).—*Fl.*
Gard. Chron. Ser. III. li. 34 (1912).
Bean, Trees & Shrubs, i. 362 (1914).
jubata Bisch.
Garden, lxxvii. 549 (1913).—*Hab.*
koreana Kom.
Act. Hort. Petrop. xxii. t. 6 (1904).
kousabotan Decne.
Nouv. Arch. Mus. Hist. Nat. Paris, Ser. II. iv. t. 13 (1881).
lanuginosa Lindl. & Paxt.
*Fl. des Serres, Ser. I. viii. t. 811 (1852–53).
*Paxt. Fl. Gard. iii. t. 94 (1852–53).
*Lem. Jard. Fl. iv. t. 363 (1853).
*Florist, 1854, t. 90.
*Ill. Hort. i. t. 14 (1854).
*Horticulteur Franç. 1855, t. 1.
Rev. Hort. Ser. IV. vi. 542 (1857).
Mongredien, Trees & Shrubs for Engl. Plantat. 69 (1870).
Garden, ii. 447 (1872); xliv. 253 (1893); lviii. 448 (1900).
Lavallée, Clémat. t. 1 (1884).
Rev. Hort. Belge, xi. 65 (1885).—*Hab.*
Wien. Ill. Gart.-Zeit. x. 336 (1885).
Dippel, Handb. Laubholzk. iii. 175 (1893).
*Villard, Fleurs, t. 6 (1900).
*Behrens, Blattformen, t. 61, fig. i (1900).—*Veg.*
Gard. Chron. Ser. III. xxix. 23 (1901).—*Hab.*
Schneider, Ill. Handb. Laubh. i. 287 (1904).—*Fl.*
Glück, Blatt- & Blütenmorph. Stud. 384 (1919).—*Veg.*
—— **candida** Lemoine
*Floral Mag. v. t. 311 (1866).
—— **nivea** Lemoine
*Ill. Gartenzeit. Stuttgart, vii. t. 11 (1863).
—— **pallida** Hort.
*Fl. des Serres, Ser. II. i. t. 1176, 1177 (1856).
*Floricult. Cab. 1857, p. 49.
×—— **purpurea** Hort.
*Rev. Hort. 1877, p. 150.
—— **violacea** Noble
*Floral Mag. N. Ser. 1876, t. 217.
lasiandra Maxim.
Crisp, Guide Friar Park, 172 (1914).—*Fl.*
lasiantha Nutt.
Torrey, Bot. U.S. & Mexic. Bound. Surv. t. 1 (1858).
M. Armstrong, Field Book West. Wild Fl. 149 (1915).
lathyrifolia Bess.
*Bot. Reg. xxv. t. 61 (1839).
Lavallei Decne.
Nouv. Arch. Mus. Hist. Nat. Paris, Ser. II. iv. t. 14 (1881).
—— **foliosa** Decne.
Nouv. Arch. Mus. Hist. Nat. Paris, Ser. II. iv. t. 15 (1881).
×**Lawsoniana** Anderson-Henry
Rev. Hort. Belge, xxxiii. 10 (1907).
L. H. Bailey, Stand. Cycl. Hort. 796 (1914).
—— **Henryi** Anderson-Henry
L. H. Bailey, Stand. Cycl. Hort. 795 (1914).
leiocarpa Oliv.
Hook. Ic. Pl. xvi. t. 1533 (1886).
Leschenaultiana DC.
Lecomte, Fl. Gén. Indo-Chine, i. 6 (1907).—*Fl.*
—— **fulva** O. Kuntze
Ann. Jard. Bot. Buitenzorg, xiv. t. 20 (1897).
ligusticifolia Nutt.
Britton & Brown, Ill. Fl. N. States & Canada, ii. 68 (1897); Ed. 2, ii. 122 (1913).

CLEMATIS
ligusticifolia
Nelson in Bull. Wyoming Agric. St. No. 50, t. 4, 5, 7; p. 10 (1902).
linearifolia Steud.
*Hooker f., Fl. Tasman. i. t. 1 (1860).
linearifloba DC.
Delessert, Ic. Pl. i. t. 3 (1820).
longipes Engl.
Engler & Drude, Veget. Erde, ix. 1. 1, p. 298 (1910); ix. III. 1. 171 (1915).
Engl. Jahrb. xlv. 271 (1910).
macropetala Ledeb.
*Ledebour, Ic. Pl. Ross. i. t. 11 (1829).
×**magnifica** Hort.
*Floral Mag. viii. t. 453 (1869).
mandshurica Rupr.
Rev. Hort. 1909, p. 423.—*Hab.*
maritima Linn.
*F. J. Schultz, Abb. Bäume, Staud. Sträuch. Oesterr. ii. t. 118 (1792).
Reichenbach, Ic. Fl. Germ. iv. t. 63 (1840).—*Veg.*
*Bonnier, Fl. Compl. France, Suisse & Belge, i. t. 1 [1911].
×**marmorata** Hort.
*Florist, 1872, p. 265.
*Fl. des Serres, Ser. II. x. t. 2050, 2051 (1874).
mauritiana Lam.
Delessert, Ic. Pl. i. t. 2 (1820).
mendocina Phil.
Schneider, Ill. Handb. Laubh. i. 280, 282 (1904).
Meyeniana Walp.
*Bot. Mag. cxxix. t. 7897 (1903).
—— **heterophylla** Gagnep.
Vilmorin & Bois, Frutic. Vilmor. 3 (1904).
microphylla DC.
*Charsley, Wild Fl. Melbourne, t. 8 (1867).
montana Buch.-Ham.
*Wallich, Pl. Asiat. Rar. iii. t. 217 (1832).
*Sweet, Brit. Fl. Gard. vi. t. 253 (1834).
J. C. Loudon, Arbor. & Frutic. Brit. i. 245 (1838).
*Bot. Reg. xxvi. t. 53 (1840).
*Rev. Hort. Ser. IV. v. 161 (1856); 1899, p. 529.
Baillon, Hist. Pl. i. 53 (1867–69).—*Fl.*
Gard. Chron. 1872, p. 1424; iii. 665 (1875); Ser. III. xx. 589 (1896).
*Hulme & Hibberd, Familiar Gard. Fl. iii. 129 [1879–87].
Baillon, Dict. Bot. ii. 93 (1880).—*Fl.*
W. Robinson, Engl. Fl. Gard. t. 71 (1883).—*Hab.*
Lavallée, Clémat. t. 22 (1884).
Svenska Vet. Akad. Handl. xxi. No. 4, t. 2 (1884).—*Fl.*
Garden, xxx. 309 (1886).—*Hab.*
Dippel, Handb. Laubholzk. iii. 167 (1893).
Boucher & Mottet, Clématites, 43 (1898).
Nicholson, '1900' Suppl. Dict. Gard. 245 (1900).—*Hab.*
E. T. Cook, Trees & Shrubs for Engl. Gard. 286, 287 (1902).—*Hab.*
Schneider, Ill. Handb. Laubh. i. 282, 287 (1904).—*Veg.*
Journ. Hort. Ser. III. xlix. 533 (1904); lix. 325 (1909).
Möllers Deutsche Gärtn.-Zeit. xxvi. 340 (1911).—*Hab.*
Silva Tarouca, Freiland-Laubgehölze, 28 (1913).—*Hab.*
Gartenfl. lxii. 145 (1913).—*Hab.*
Bose, Man. Ind. Bot. 174 (1920).
—— **anemoniflora** O. Kuntze
Brühl in Ann. Bot. Gard. Calcutta, v. II. t. 103, fig. 4 (1896).—*Fl.*
—— **chumbuca** Brühl
Brühl in Ann. Bot. Gard. Calcutta, v. II. t. 103, fig. 7 (1896).—*Fl.*
—— **edentata** O. Kuntze
Brühl in Ann. Bot. Gard. Calcutta, v. II. t. 103, fig. 5 (1896).—*Veg.*
—— **glabra** Hort.
*Horticulteur Univ. iv. 232 (1843).
—— **grandiflora** Hook.
*Bot. Mag. lxx. t. 4061 (1844).
Rev. Hort. Belge, xxxiii. 25 (1907).—*Hab.*

CLEMATIS
montana incisa O. Kuntze
Brühl in Ann. Bot. Gard. Calcutta, v. II. t. 103, fig. 6 (1896).—*Veg.*
—— **khasiana** Brühl
Brühl in Ann. Bot. Gard. Calcutta, v. II. t. 103, fig. 2 (1896).—*Fl.*
—— **manipurensis** Brühl
Brühl in Ann. Bot. Gard. Calcutta, v. II. t. 103, fig. 3 (1896).—*Fl.*
—— **perfecta** Lemoine
Gartenschönheit, i. 3 (1920).—*Hab.*
—— **rubens** O. Kuntze
*Flora & Sylva, iii. 252 (1905).
*Jardin, xx. 360 (1906).
Veitch, Hortus Veitchii, 360 (1906).
Rev. Hort. Belge, xxxiii. 232 (1907).—*Hab.*
Tribune Hort. ii. 774 (1907).
*Rev. Hort. 1909, p. 36; 1914, p. 245; 1919, p. 359.
Horticulture (Boston), xi. 367 (1910); xiv. 721 (1911); xxii. 473 (1915).—*Hab.*
Möllers Deutsche Gärtn.-Zeit. xxvi. 220 (1911).
*Silva Tarouca, Freiland-Laubgehölze, t. 10 (1913).—*Hab.*
Bean, Trees & Shrubs, i. 363, 364 (1914).
—— **superba** Hort.
Gard. Chron. Ser. III. lv. 287 (1914).—*Hab.*
Journ. Roy. Hort. Soc. London, xl. Proc. p. lxviii (1915).—*Hab.*
—— **tongluensis** Brühl
Brühl in Ann. Bot. Gard. Calcutta, v. II. t. 103, fig. 1, 8–11 (1896).
—— **Wilsonii** Sprague
Horticulture (Boston), xi. 367 (1910); xxii. 473 (1915).
*Bot. Mag. cxxxvii. t. 8365 (1911).
Möllers Deutsche Gärtn.-Zeit. xxvii. 26 (1912).—*Hab.*
Schneider, Ill. Handb. Laubh. ii. 910 (1912).
Rev. Hort. 1913, p. 323.—*Hab.*
Garden, lxxxii. 287 (1918); lxxxiii. 362 (1919).
Morii Hayata
Hayata, Ic. Pl. Formosan, i. t. 1 (1911).
Munroiana Wight
*Wight, Illustr. Ind. Bot. i. t. 1 (1840).
nannophylla Maxim.
Maximowicz, Fl. Tangut. t. 1 (1889).
nepalensis DC.
Basu, Ind. Med. Pl. t. 1 (1918).
nobilis Nakai
Matsumura, Ic. Pl. Koisikav. iii. t. 156 (1916).
nutans Royle
Gard. Chron. Ser. III. xlviii. 310 (1910).—*Hab.*
Garden, lxxv. 557 (1911).
Silva Tarouca, Freiland-Laubgehölze, 182 (1913).
occidentalis DC.
Dippel, Handb. Laubholzk. iii. 186 (1893).
ochroleuca Soland. in Aiton
Trattinick, Arch. i. t. 64 (1812).
*Trattinick, Ausg. Taf. Arch. iii. t. 209 (1814).
*Lodd. Bot. Cab. vii. t. 661 (1822).
*Torrey, Fl. State New York, i. t. 1 (1843).
Britton & Brown, Ill. Fl. N. States & Canada, ii. 69 (1897).
oligantha Nakai
Matsumura, Ic. Pl. Koisikav. i. t. 48 (1912).
oligophylla Hook.
Hook. Ic. Pl. i. t. 80 (1837).
orientalis Linn.
Dillenius, Hort. Eltham. Add. Denom. Linn. t. 119 (1774).
*F. J. Schultz, Abb. Bäume, Staud. Sträuch. Oesterr. ii. t. 123 (1792).
*Jaume St.-Hilaire, Pl. France, ii [t. 5] (1808).
*Joh. Kerner, Hort. Sempervir. t. 691 (1824).
*Jaume St.-Hilaire, Traité Arbr. & Arbust. i. t. 61 (1825).
J. C. Loudon, Arbor. & Frutic. Brit. i. 234 (1838).
Lavallée, Clémat. t. 21 (1884).
Lavallée, Arb. & Frutic. Hort. Segrez. t. 29 (1885).
Boucher & Mottet, Clématites, 45 (1898).
Rev. Hort. 1899, p. 530.
Schneider, Ill. Handb. Laubh. i. 280, 293 (1904).
Flora & Sylva, iii. 253 (1905).
Wilson, Arn. Arb. Exped. China, 1910–11, t. 0320 (1912).—*Hab.*

CLEMATIS
orientalis glauca Maxim.
Rev. Hort. 1890, p. 561.
—— **tangutica** Maxim.
*Bot. Mag. cxxvi. t. 7710 (1900).
otophora Franch.
Bull. Soc. Bot. France, 1903, l. t. 17 (1904).
ovata Pursh
Britton & Brown, Ill. Fl. N. States & Canada, ii. 70 (1897).
Oweniae Harv.
Harvey, Thes. Cap. i. t. 9 (1859).
Pallasii J. F. Gmel.
Silva Tarouca, Freiland-Stauden, 66 (1910).
paniculata Thunb.
Gard. & Forest, iii. 621 (1890); v. 91 (1892); ix. 75, 185 (1896).
Dippel, Handb. Laubholzk. iii. 166 (1893).
*Useful Pl. Jap. ii. t. 478 (1895).
American Garden, xx. 847 (1899).
L. H. Bailey, Cycl. Amer. Hort. 328, 329 (1900); Stand. Cycl. Hort. 797 (1914).
Halsted in Bull. New Jersey Agric. St. No. 144, t. 8 (1900).—*Hab.*
Rev. Hort. 1902, p. 87; 1917, p. 280, 281.
Parkhurst, Trees, Shrubs, Vines N.E. United States, 409, t. 1, fig. 5 (1903).—*Veg.*
Schneider, Ill. Handb. Laubh. i. 275 (1904).—*Fl.*
Vilmorin, Hort. Vilm. (Bull. Soc. Bot. France, 1904, li. App.), 3 (1906).
Oesterr. Gart.-Zeit. ii. 90 (1907).—*Hab.*
Clements, Rosend. & Butters, Minnesota Trees & Shrubs, 47 (1912).
Möllers Deutsche Gärtn.-Zeit. xxvii. 520 (1912).—*Hab.*
Silva Tarouca, Freiland-Laubgehölze, 183 (1913).—*Hab.*
Gartenschönheit, i. 183 (1920).
parviflora DC.
*De Candolle, Pl. Rares Genève, t. 12 (1829).
parviflora A. Cunn.
Laing & Blackwell, Pl. New Zeal. Ed. 2, p. 167 (1907).
Cheeseman, Ill. New Zeal. Fl. t. 2 (1914).
patens Morr. & Decne.
*Rev. Hort. Ser. IV. v. 261 (1856).
Decaisne & Naud. Amat. Jard. ii. 554 [1862–66].
*Fl. des Serres, Ser. II. viii. t. 1875, 1876 (1869–70); xii. t. 2341, 2342 (1876).
Favart, Flowers & Pl. t. 35 (1880).
W. Robinson, Engl. Fl. Gard. t. 71 (1883).—*Fl.*
Lavallée, Clémat. t. 1, 3 (1884).
Wien. Ill. Gart.-Zeit. x. 336 (1885).
*Useful Pl. Jap. iii. t. 734 (1895).
Schneider, Ill. Handb. Laubh. i. 287 (1904).—*Fl.*
Silva Tarouca, Freiland-Laubgehölze, 184 (1913).—*Hab.*
—— **Amalia** Sieb.
*Fl. des Serres, Ser. I. x. t. 1051 (1854–55).
—— **atropurpurea** Hort.
*Ill. Hort. vii. t. 254 (1860).
—— **Aureliana** Hort.
*Bois, Atlas Pl. Jard. t. 1 (1896).
—— **Gablenzii** Hort.
*Ill. Gartenzeit. Stuttgart, xiv. t. 6 (1870).
—— **Helena** Sieb.
*Ill. Hort. i. t. 21 (1854).
*Fl. des Serres, Ser. II. i. t. 1117 (1856).
*Rev. Hort. Ser. IV. iv. 341 (1856).
—— **Louisa** Sieb.
*Fl. des Serres, Ser. I. x. t. 1052 (1854–55).
—— **monstrosa** Planch.
*Fl. des Serres, Ser. I. ix. t. 960 (1853–54).
*Rev. Hort. Ser. IV. v. 9 (1856).
—— **Sophia** Sieb.
*Fl. des Serres, Ser. I. viii. t. 852 (1852–53).
*Ill. Hort. i. t. 21 (1854); v. t. 184 (1858).
*Rev. Hort. Ser. IV. iv. 461 (1855).
*Ill. Gartenzeit. Stuttgart, iii. t. 4 (1859).
—— **Sophiae** Morr.
*Belg. Hort. iv. t. 16 (1854) in textu; *Atragene patens Sophiae* in ic.
—— **Uranus** Hort.
Boucher & Mottet, Clématites, 60 (1898).
—— **Vesta** Endl.
*Rev. Hort. Belge, vi. 193 (1880).

CLEMATIS
patens Vesta
*Gartenfl. xxxix. t. 1333, p. 571 (1890).
—— **violacea** Lem.
*Ill. Hort. vii. t. 254 (1860).
Pavoliniana Pampan.
*Bot. Mag. cxlii. t. 8655 (1916).
Gard. Chron. Ser. III. lxvii. 177 (1920).
pedicellata Lindl.
*Bot. Reg. xxxiii. t. 21 (1847).
×**Pellieri** Carr.
Rev. Hort. 1880, p. 228.
pimpinellifolia Hook.
Hook. Ic. Pl. i. t. 77 (1837).
Pitcheri Torr. & Gray
*Rev. Hort. 1878, p. 10.
Boucher & Mottet, Clématites, 32 (1898).
Pammel, Man. Poison. Pl. 457 (1911).
Pammel, Poison. & Med. Pl. Missouri (Missouri State Board Hort. Bull. No. 14), 21 (1911).
—— **coloradensis** Lavallée
Lavallée, Clémat. t. 15 (1884).
pseudo-pogonandra paucidentata Finet & Gagnep.
Bull. Soc. Bot. France, 1903, l. t. 17 (1904).
pterantha Dunn
Hook. Ic. Pl. xxviii. t. 2713 (1901).
recta Linn.
*Joh. Kerner, Abbild. Oek. Pfl. (Fig. Pl. Écon.), ii. t. 184 (1788).
*Woodville, Med. Bot. i. t. 62 (1790), Ed. 3, iii. t. 171 (1832).
*Vietz, Ic. Pl. Med.-oec.-techn. i. t. 85 (1800).
*Jaume St.-Hilaire, Fl. & Pom. Franç. iv. t. 391 (1831).
*Hayne, Getreue Darst. Arzn. Gewächse, xii. t. 30 (1833).
Nouv. Mém. Acad. Sc. Bruxelles, ix. t. 1 (1835).—*Fr.*
Schnizlein, Iconogr. iii. t. 178 a (1843–70).—*Fl.*
*Petermann, Deutschl. Fl. t. 1, fig. 1 a–g (1849).—*Fl.*
*Artus, Atlas Pharm. Deutschl. Aufg. Offic. Gew. t. 1 [1862–74].
*Cusin & Ansberque, Herb. Fl. Franç. i. t. 1 (1867).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xi. t. 985 (1882).
Schilling, Grundr. Naturg. ii. Pflanzenr. Ausgb. B, p. 226 (1884).—*Fr.*
Beck, Fl. Nied.-Oesterr. i. 391 (1890).—*Fr.*
*Schimpfky, Uns. Heilpfl. ii. t. 9 [1893–94].
Garden, lii. 510 (1897); liii. 547 (1898).—*Fl.*
Boucher & Mottet, Clématites, 41 (1898).
Fiori & Paol. Ic. Fl. Ital. 177 (1899).
Rev. Hort. 1899, p. 528.
*Behrens, Blattformen, t. 64, fig. a, b (1900).—*Veg.*
Coste, Fl. France, i. 35 (1901).
*Losch, Kräuterb. t. 22 (1903).
Lazaro, Comp. Fl. Españ. ii. 342 (1907).
Suireishchikov, Ill. Fl. Mosc. Gov. ii. 143 (1907).
Cent. Exper. Farm. Ottawa, Bull. No. 5, Ser. II. 16 (1908).—*Hab.*
Heukels, Fl. Nederl. ii. 184 (1908).
Hegi, Ill. Fl. Mittel-Eur. iii. 514, 515 (1909).
*Esser, Giftpfl. Deutschl. t. 37 (1910).
*Bonnier, Fl. Compl. France, Suisse & Belge, i. t. 1 [1911].
Horticulture (Boston), xx. 609 (1914).—*Hab.*
Cadevall & Sallent, Fl. Catalunya, i. 9 (1915).
—— **lathyrifolia** Bess.
Lubbock, Seedlings, i. 80 (1892).—*Veg.*
reginae Hort.
*Floral Mag. iii. t. 175 (1864).
repens Finet & Gagnep.
Bull. Soc. Bot. France, 1903, l. t. 16, fig. e–i (1904).
Tribune Hort. iii. 801 (1908).
Rev. Hort. Belge, xxxv. 109 (1909).
Schneider, Ill. Handb. Laubh. ii. 908 (1912).
reticulata Walt.
*P. W. Watson, Dendr. Brit. i. t. 72 (1825).
J. C. Loudon, Arbor. & Frutic. Brit. i. 240 (1838).
*Bot. Mag. cvii. t. 6574 (1881).
Lavallée, Clémat. t. 16 (1884).

CLEMATIS
reticulata
Bull. Torr. Bot. Club, xix. t. 133 (1892).—*Veg.*
*Wild Fl. Canada, t. 210 (1894).
Schneider, Ill. Handb. Laubh. i. 275, 278 (1904).
Robertsiana Aitch. & Hemsl.
Journ. Linn. Soc., Bot. xix. t. 2 (1882).
rosea Sm.
*Abbot & Smith, Nat. Hist. Lepidopt. Insects Georgia, ii. t. 101 (1797).
rubella Pers.
*Floral Mag. v. t. 310 (1866).
*Fl. des Serres, Ser. II. x. t. 2050, 2051 (1874).
×**rubro-violacea** Van Houtte
*Florist, 1864, p. 265 (1865).
*Floral Mag. iv. t. 215 (1865).
*Fl. des Serres, Ser. II. vi. t. 1630, 1631 (1865–67).
*Belg. Hort. xxvii. 257 (1877).
*Hulme & Hibberd, Familiar Gard. Fl. ii. 121 [1879–87].
Sargentii Lavallée
Lavallée, Clémat. t. 18 (1884).
Savatieri Decne.
Nouv. Arch. Mus. Hist. Nat. Paris, Ser. II. iv. t. 16 (1881).
Scottii Porter
Britton & Brown, Ill. Fl. N. States & Canada, ii. 70 (1897).
sibirica Mill.
Fedtschenko & Fler. Fl. Eur. Russia, 425 (1910).
Sieboldii D. Don
*Paxt. Mag. iv. 147 (1838).
*Marnock, Floricult. Mag. iv. t. 40 (1839).
Florist, 1872, p. 200.
Gard. Chron. 1872, p. 1425; Ser. III. lv. 404 (1914); lxviii. 109 (1920).
*Garden, xxii. 142 (1882).
Journ. Roy. Hort. Soc. London, xl. Proc. p. cxxxiv, fig. 64 (1915).—*Hab.*
sigensis Engl.
Engl. Jahrb. xlv. 271 (1910).
Engler & Drude, Veget. Erde, ix. 1. 1. 298 (1910); ix. III. 1, p. 171 (1915).
Simsii Sweet
J. C. Loudon, Arbor. & Frutic. Brit. i. 240 (1838).
Britton & Brown, Ill. Fl. N. States & Canada, ii. 68 (1897).
smilacifolia Wall.
*Bot. Mag. lxxii. t. 4259 (1846).
*Fl. des Serres, Ser. I. ii. t. 175 (1846).
Gard. Chron. Ser. III. xxx. 466 (1901).
Bull. Soc. Bot. France, 1903, l. t. 16 (1904).—*Fl.*
Talbot, For. Fl. Bombay, i. 2 (1909).
—— **coriacea** O. Kuntze
Ann. Jard. Bot. Buitenzorg, xiv. t. 18 (1897).
—— **glandulosa** O. Kuntze
Ann. Jard. Bot. Buitenzorg, xiv. t. 19 (1897).—*Veg.*
—— **picta** H. Hall.
Ann. Jard. Bot. Buitenzorg, xiv. t. 19 (1897).—*Veg.*
songarica Bunge
Koehne, Dendrol. 153 (1893).—*Fl.*
—— **gebleriana** O. Kuntze
Schneider, Ill. Handb. Laubh. i. 275, 282 (1904).
Standishii Van Houtte
Gart.- u. Blumenzeit. Hamburg, xxxii. 197 (1876).—*Fl.*
Stanleyi Hook.
Hook. Ic. Pl. vi. t. 589 (1843).
Gard. & Forest, iii. 513 (1890).
Gard. Chron. Ser. III. viii. 327 (1890).
Journ. Hort. Ser. III. xxi. 295 (1890).
*Bot. Mag. cxvii. t. 7166 (1891).
*Garden, xxxix. 76 (1891).
Marloth, Fl. S. Africa, i. 222 (1913).—*Hab.*
L. H. Bailey, Stand. Cycl. Hort. 792 (1914).—*Fl.*
stans Sieb. & Zucc.
Gartenfl. xix. t. 657 (1870).
Nouv. Arch. Mus. Hist. Nat. Paris, Ser. II. iv. t. 12 (1881).
*Bot. Mag. cxi. t. 6810 (1885).
Schneider, Ill. Handb. Laubh. i. 278, 280 (1904).

CLEMATIS
stans kousabotan C. K. Schneider
Schneider, Ill. Handb. Laubh. i. 278 (1904).—*Veg.*
—— **Lavallei** C. K. Schneider
Schneider, Ill. Handb. Laubh. i. 280 (1904).—*Fl.*
subpeltata Wall.
*Wallich, Pl. Asiat. Rar. i. t. 20 (1830).
Suksdorfii Robinson
Gard. & Forest, ix. 255 (1896).
taiwaniana Hayata
Hayata, Ic. Pl. Formosan. i. t. 4 (1911).
tangutica Korsh.
*Rev. Hort. 1902, p. 528.
Schneider, Ill. Handb. Laubh. i. 280, 293 (1904).
Jardin, xx. 308 (1906).
Wilson, Arn. Arb. Exped. China, 1910–11, t. 0290 (1912).—*Hab.*
texensis Buckl.
Lavallée, Clémat. t. 19 (1884).
Boucher & Mottet, Clématites, 33 (1898).
—— **parviflora** Lavallée
Lavallée, Clémat. t. 19 (1884).—*Fl.*
Thunbergii Steud.
Harvey, Thes. Cap. i. t. 8 (1859).
Gard. Chron. Ser. III. l. 253 (1911).
tosaënsis Makino
*Miyoshi & Makino, Pocket-Atlas, Alp. Pl. Jap. i. t. 34, fig. 194 (1906).
tozanensis Hayata
Hayata, Ic. Pl. Formosan. i. t. 3 (1911).
trifida Hook.
Hook. Ic. Pl. i. t. 79 (1837).
triloba Heyne
Beddome, Ic. Pl. Ind. Or. t. 278 (1874).
Talbot, For. Fl. Bombay, i. 3 (1909).
Basu, Ind. Med. Pl. t. 2 (1918).
tubulosa Turcz.
*Bot. Mag. lxxii. t. 4269 (1846).
*Ann. Gand, iii. t. 135 (1847).
*Fl. des Serres, Ser. I. iii. t. 195 (1847).
Journ. Hort. Soc. London, iii. 79 (1848).
*Paxt. Mag. xiv. 31, 32 (1848).
Ann. Hort. iv. 93 (1849).
Cottage Gard. xviii. 330 (1857).
Rev. Hort. Ser. IV. vii. 42 (1858).
Nouv. Arch. Mus. Hist. Nat. Paris, Ser. II. iv. t. 9 (1881).
Boucher & Mottet, Clématites, 52 (1898).
Schneider, Ill. Handb. Laubh. i. 278, 280 (1904).
—— **floribunda** Hort.
Vilmorin, Hort. Vilm. (Bull. Soc. Bot. France, 1904, li. App.), 73, t. 14 (1906).
—— **Hookeri** Hook.
*Bot. Mag. cxi. t. 6801 (1885).
uncinata Champ.
Bull. Soc. Bot. France, 1903, l. t. 16 (1904).—*Fr.*
—— **retusa** Sprague
*Bot. Mag. cxli. t. 8633 (1915).
uruguayensis Arech.
Arechavaleta in An. Mus. Nac. Montevideo, Ser. II. i. 19, 20 (1905).
Veitchii Hort.
Wien. Ill. Gart.-Zeit. v. 466 (1880).
verrieriensis Hort.
Gard. Chron. Ser. III. lv. 393 (1914); lxi. 94 (1917).
verticillaris DC.
*Nees & Sinning, Sammlung schönblüh. Gew. t. 92 (1831).
Miller & Whiting, Wild Fl. N.E. States, 28 (1895).
L. H. Bailey, Cycl. Amer. Hort. 333 (1900); Stand. Cycl. Hort. 792 (1914).—*Fr.*
Clements, Rosend. & Butters, Minnesota Trees & Shrubs, 45 (1912).
violacea A. DC.
*Ann. Gand, i. t. 45 (1845).
*A. De Candolle in Mém. Soc. Phys. & Hist. Nat. Genève, xi. t. 1 (1846).
Viorna Andr.
*Andrews, Bot. Rep. i. t. 71 (1799).
Viorna Linn.
Dillenius, Hort. Eltham. Add. Denom. Linn. t. 118 (1774).

CLEMATIS
Viorna
*F. J. Schultz, Abb. Bäume, Staud. Sträuch. Oesterr. ii. t. 127 (1792).
*Jacquin, Ecl. Pl. i. t. 32 (1811–16).
*Jaume St.-Hilaire, Fl. & Pom. Franç. iv. t. 387 (1831).
J. C. Loudon, Arbor. & Frutic. Brit. i. 238 (1838).
Decaisne & Naud. Amat. Jard. ii. 552 [1862–66].
Decaisne, Naud. & Hemsl. Handb. Trees, Shrubs & Herb. Pl. 3 (1873).
W. Robinson, Engl. Fl. Gard. t. 73 (1883).
Lavallée, Clémat. t. 17 (1884).
Nicholson, Illustr. Dict. Gard. i. 339 [1884–88].
Amer. Nat. xix. 398 (1885).—*Fl.*
Dippel, Handb. Laubholzk. iii. 183 (1893).
Garden, xlv. 240 (1894).
Britton & Brown, Ill. Fl. N. States & Canada, ii. 69 (1897).
L. H. Bailey, Cycl. Amer. Hort. 332 (1900); Stand. Cycl. Hort. 791 (1914).
Lounsberry, Southern Wild Fl. & Trees, t. 57 (1901).
Parkhurst, Trees, Shrubs, Vines N.E. United States, 337, t. 7, fig. 41 (1903).—*Veg.*
Schneider, Ill. Handb. Laubh. i. 275, 278 (1904).
—— **coccinea** A. Gray
Gartenfl. xxxii. 86 (1883).
Dippel, Handb. Laubholzk. iii. 184 (1893).
virginiana Linn.
*F. J. Schultz, Abb. Bäume, Staud. Sträuch. Oesterr. ii. t. 125 (1792).
*P. W. Watson, Dendr. Brit. i. t. 74 (1825).
J. C. Loudon, Arbor. & Frutic. Brit. i. 237 (1838).
*Goodale & I. Sprague, Wild Fl. Amer. t. 12 (1882).
Johnson, Manual Med. Bot. N. Amer. 58 (1884).
Lloyd, Drugs & Med. N. Amer. i. t. 1, p. 7 (1884–85).
Dana, How to Know the Wild Fl. t. 31 (1894).
*Wild Fl. Canada, t. 192 (1894).
Miller & Whiting, Wild Fl. N.E. States, 30 (1895).
Britton & Brown, Ill. Fl. N. States & Canada, ii. 67 (1897); Ed. 2, ii. 122 (1913).
Lochman, Phot. Med. Pl. t. 64 (1898).
Going, Field, Forest & Wayside Fl. 24 (1899).—*Veg.*
L. H. Bailey, Cycl. Amer. Hort. 329 (1900); Stand. Cycl. Hort. 797 (1914).—*Veg.*
Halsted in Bull. New Jersey Agric. St. No. 144, t. 7, p. 16 (1900).
Parkhurst, Trees, Shrubs, Vines N.E. United States, 337, t. 7, fig. 40 (1903).—*Veg.*
Schneider, Ill. Handb. Laubh. i. 280, 282 (1904).
Hare, Caspari & Rusby, Nat. Stand. Dispens. 1305 (1905).
Amer. Nat. xli. 703 (1907).—*Veg.*
Jones & Rand in Bull. Vermont Agric. St. No. 145, p. 80 (1909).
Pammel, Man. Poison. Pl. 457 (1911).
Creevey, Harper's Guide Wild Flowers, 393 (1912).
Clements, Rosend. & Butters, Minnesota Trees & Shrubs, 47 (1912).
*House, Wild Fl. New York (Mem. No. 15, N.Y. State Mus.), i. t. 73, p. 111 (1918).
viridiflora Bertol.
Bertoloni, Misc. Bot. xix. t. 3 (1858).
Bertoloni in Mem. Accad. Sc. Istit. Bologna, ix. ii. t. 8 (1859).
vitalba Linn.
*Regnault, Bot. ii. 34 (1774).
Buchoz, Hist. Règne Vég. vii. Dec. 1, t. 2 (1775).
*Jacquin, Fl. Austr. iv. t. 308 (1776).
Gaertner, Fruct. i. t. 47 (1788).—*Fr.*
Hoppe, Ect. Pl. Ratisb. t. 331 (1789).
*Reitter & Abel, Holz-Art. t. 72 (1790).
*F. J. Schultz, Abb. Bäume, Staud. Sträuch. Oesterr. ii. t. 122 (1792).
*Joh. Kerner, Abbild. Oek. Pfl. (Fig. Pl. Écon.), v. t. 494 (1792).
*Joh. Kerner, Beschr. u. Abbild. Bäume u. Gestr. Wirtemberg. t. 71 (1792).
*Plenck, Ic. Pl. Med. v. t. 442 (1792).
Lamarck, Ill. iii. t. 497, fig. 1, 2 (1797).

CLEMATIS
vitalba
*Curtis, Fl. Londin. ii. fasc IV. t. 37 (1798); Ed. 2, ii. fasc. IV. t. 37 (1821).
*Sowerby & Sm. Engl. Bot. ix. t. 612 (1799).
Boissieu, Fl. Eur. ii. t. 377 (1805).—*Fr.*
*Roques, Pl. Usuell. Indig. & Exot. i. t. 37 (1807).
*Schkuhr, Bot. Handb. Ed. 2, t. 151 (1808).
*Jaume St.-Hilaire, Pl. France, ii [t. 4] (1808).
Thornton, Brit. Fl. iv. 79 (1812).
*Vigneux, Fl. Pitt. Envir. Paris, t. 33 (1812).
*Schrank, Fl. Monac. ii. t. 108 (1814).
*Chaumeton, Fl. Méd. iii. t. 124 (1816).
*Vietz, Ic. Pl. Med.-oec.-techn. v. t. 419 (1817).
*Guimpel, Willd. & Hayne, Abb. Deutsch. Holz. ii. t. 113 (1820).
*Roques, Phytogr. Médic. ii. t. 110 (1821); Nouv. Ed. Atlas, t. 95 (1835).
Berchtold & J. S. Presl, Rostlin. i. t. [10] (1823).
*Jaume St.-Hilaire, Traité Arbr. & Arbust. i. t. 60 (1825).
*Krebs, Holzarten, t. 17, 143 (1826).
*Hayne, Getreue Darst. Arzn. Gewächse, xii. t. 32 (1833).
*Baxter, Brit. Bot. Ed. 2, ii. t. 129 (1835).
*Zenker, Fl. Thüringen, i. t. 67 (1836–55).
J. C. Loudon, Arbor. & Frutic. Brit. i. 236 (1838).
[M. E.] Jackson, Pict. Fl. fig. 834 (1840).
*Reichenbach, Ic. Fl. Germ. iv. t. 64 (1840).
*C. E. Sowerby, Ill. Cat. Brit. Pl. fig. 1 (1841).
Meigen, Deutschl. Fl. iii. t. 101 (1842).—*Fl.*
*Deakin, Florigr. Brit. ii. fig. 887 (1845).
Ann. Hort. ii. 271 (1846).
*J. W. Loudon, Brit. Wild Fl. Ed. 2, t. 1 [1846].
*Cassone, Fl. Med.-Farm. i. t. 1 (1847).
Lindley, Med. & Oecon. Bot. 145 (1849).
Cottage Gard. vii. 209 (1852).
Johnson & Sowerby, Brit. Wild Fl. fig. 1 (1858–60).
Willkomm, Deutsch. Laubhölzer im Winter, 55, fig. 103 (1859).—*Veg.*
Berg, Charakt. t. 86, fig. 616, t. 93, fig. 644 F (1861).
*Johnson & Sowerby, Useful Pl. Gr. Brit. t. 1, fig. 1 (1861[–62]).
*Argenta, Album Fl. Med.-Farm. i. t. 1 (1862).
*Syme, Engl. Bot. i. t. 1 (1863).
*Hogg & Johnson, Wild Fl. Gr. Brit. ii. t. 96 (1864).
Pokorny, Oesterr. Holzpfl. 486, t. 40 (1864).—*Veg.*
*Schubert, Naturg., Pflanzenreich, Ed. 2, t. 28, fig. 5 [1865].
Bentham, Handb. Brit. Fl. fig. 1 (1865).
Schnizlein, Iconogr. iii. t. 178 a (1866–70).—*Fr.*
*Cusin & Ansberque, Herb. Fl. Franç. i. t. 4 (1867).
Baillon, Hist. Pl. i. 54 (1867–69).—*Fr.*
Le Maout & Decaisne, Traité Gén. Bot. 388 (1868).—*Fl.*
*Réveil, Règne Vég. iv. t. 35; viii. t. 34 (1870).
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, i. t. 2 [1873].
*Lesacher & Mareschal, Nouv. Bot. Méd. ii. [t. 33] (1878).
Berge, Pflanzenphysiogn. 207 (1880).
*C. Hoffmann, Pflanzenatlas, t. 46, fig. 283 (1881).
Schilling, Grundr. Naturg. ii. Pflanzenr. Ausgb. A, p. 152 (1882).—*Fr.*
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xi. t. 987 (1882).
Wagner, Ill. Deutsche Fl. Ed. 2, p. 3 (1882).
Willkomm, Führ. Reich Pflanzen, 853 (1882).—*Fr.*
Baillon, Traité Bot. Méd. Phan. i. 492 (1883).—*Fr.*
W. Robinson, Engl. Fl. Gard. t. 72 (1883).—*Fr.*
Nicholson, Illustr. Dict. Gard. i. 339 [1884–88].
Garden, xxviii. 274 (1885).
*Baillon, Ic. Fl. Franç. i. t. 36 [1885–94].
*Thomé, Fl. Deutschl. ii. t. 231 (1886).
Potonié, Ill. Fl. Nord- u. Mittel-Deutschl. Ed. 4, fig. 240 (1889).
Dujard.-Beaumetz & Égasse, Pl. Méd. 187 (1889).

CLEMATIS
vitalba
Hempel & Wilhelm, Bäume u. Sträuch. iii [1889?].
Paolucci, Fl. Marchig. t. 43 (1890).
*Leclerc du Sablon, Nos Fleurs, 3, 4, t. 1 [1892].
Schwarz, Forstl. Bot. 316 (1892).
*Masclef, Atlas Pl. France, t. 1 (1893).
Acloque, Fl. France, 50 (1894).
Brehm, Merv. Nat. Monde des Pl. i. 15 (1894–96).
*Siélain, Atlas Poche Pl. Champs, Prair. & Bois, t. 82 [1894].
*Step, Wayside & Woodl. Bloss. t. 82 (1895); New Ed. i. t. 5 (1905).
Garcke, Ill. Fl. Deutschl. 2 (1895).
Gallardo in An. Soc. Cient. Arg. Buenos Aires, xlii. III. 226 (1896).—*Fr.*
*Hulme, Familiar Wild Fl. (Pop. Ed.), vi. 29 [1897?].
Mém. Soc. Sc. Liége, Ser. II. xx. t. 17, 18, 21, 24 (1898).—*Veg.*
Boucher & Mottet, Clématites, 36 (1898).
Semaine Hort. 1898, p. 540.—*Hab.*
Fiori & Paol. Ic. Fl. Ital. 177 (1899).
Gradmann, Pflanzenl. Schwäb. Alb, Ed. 2, i. 43, 91 (1900).
Reichenau, Mainzer Flora, fig. 91 (1900).
Coste, Fl. France, i. 36 (1901).
C. T. Green, Fl. Liverpool Distr. fig. 1 (1902).
Schneider, Dendrol. Winterst. 119 (1903).—*Veg.*
Bull. Soc. Bot. France, 1903, l. t. 16 (1904).—*Fr.*
Schneider, Ill. Handb. Laubh. i. 273, 284, 291 (1904).
Flora & Sylva, iii. 259 (1905).
Merino, Fl. Galicia, i. 65 (1905).
*Boulger, Familiar Trees, Rev. Ed. i. 120, 124, 126, 127 [1906–7].
*Kirby, Brit. Fl. Pl. t. 1 (1906).
Jardin, xxi. 20 (1907).—*Hab.*
Journ. Hort. Ser. III. liv. 441 (1907).
Journ. Agric. Soc. England, lxviii. t. 1 (1907).
Heukels, Fl. Nederl. 184 (1908).
Beille, Bot. Pharm. ii. 287 (1909).
Cooper & Westell, Trees & Shrubs Brit. Isl. i. t. 2, fig. b; t. 4 (1909).
Fitzgerald in Nature Book, iii. 537, 538 (1909).
Gubb, Fl. Algeria, t. 54 (1909).
*Hegi, Ill. Fl. Mittel-Eur. iii. 508, 512, 516, t. 117 (1909).
Bot. Congr. Bruxelles, ii. t. 44 (1910).—*Hab.*
*Esser, Giftpfl. Deutschl. t. 38 (1910).
Wettstein, Handb. Syst. Bot. Ed. 2, p. 562 (1911).—*Fl.*
*Correvon, Fl. Champs & Bois, t. 52 (1911).
*Bonnier, Fl. Compl. France, Suisse & Belge, i. t. 1 [1911].
Wrigley, Stud. Trees & Fl. 1 [1911].
Bull. Soc. Dendr. France, 1912, p. 153; 1913, p. 156.
*Guinier, Atlas Arb. t. 55, 55 bis (1912).
Feucht, Wuerttemb. Pflanzenw. t. 80 (1912).—*Hab.*
*Gatin, Arbres, Arbustes, t. 49 (1913).
Silva Tarouca, Freiland-Laubgehölze, 182, 183 (1913).—*Hab.*
Horwood, Pl. Life Brit. Isles, ii. 72 (1914).
*Perrin & Boulger, Brit. Flower. Pl. ii. t. 76, 82 [c], fig. 1–5 (1914).
Cadevall & Sallent, Fl. Catalunya, i. 10 (1915).
Findeis in Sitzb. Akad. Wiss. Wien, cxxvi. 1. t. 1, fig. 11–16 (1917).—*Fr.*
*Bonnier, Name This Flower, t. 1 (1917).
*Horwood, Brit. Wild Fl. iii. t. 25, p. 129 (1919).
Fitch & Smith, Ill. Brit. Fl. Ed. rev. 4, Iss. 2, fig. 1 (1919).
Moss, Cambridge Brit. Fl. iii. t. 111 (1920).
—— **integrata** DC.
Cusin & Ansberque, Herb. Fl. Franç. i. t. 4 (1867).
—— **normalis** O. Kuntze
Schneider, Ill. Handb. Laubh. i. 282 (1904).—*Veg.*

CLEMATIS
Viticella Linn.
*Kniphof, Herb. Viv. i. t. 266 (1758).
*Gleichen, Entdeckungen, t. 53, 54 (1777).
*F. J. Schultz, Abb. Bäume, Staud. Sträuch. Oesterr. ii. t. 119, 120 (1792).
*Duhamel, Arbres & Arbustes, Ed. 2, vi. t. 29 (1801–19).
*Bot. Mag. xvi. t. 565 (1802).
*Jaume St.-Hilaire, Pl. France, ii [t. 2] (1808).
*Jaume St.-Hilaire, Traité Arbr. & Arbust. i. t. 58 (1825).
*Redouté, Choix Fl. [t. 22] (1827).
*Sibthorp & Sm. Fl. Graeca, vi. t. 516 (1827).
!Nov. Act. Acad. Nat. Cur. xiv. II. t. 37 (1829).—*Fl.*
J. C. Loudon, Arbor. & Frutic. Brit. i. 242 (1838).
*Reichenbach, Ic. Fl. Germ. iv. t. 65 (1840).
Petermann, Deutschl. Fl. t. 1, fig. h–i (1849).—*Fr.*
*Argenta, Album Fl. Med.-Farm. i. t. 3 (1862).
Decaisne & Naud. Amat. Jard. ii. 553 [1862–66].
Pokorny, Oesterr. Holzpfl. 486, t. 40 (1864).—*Veg.*
Baillon, Hist. Pl. i. 54 (1867–69).—*Fr.*
Journ. Linn. Soc., Bot. ix. 31 (1867).—*Veg.*
*Réveil, Règne Vég. xiv. t. 26 (1870).
Decaisne, Naud. & Hemsl. Handb. Trees, Shrubs & Herb. Pl. 3 (1873).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xi. t. 988 (1882).
Willkomm, Führ. Reich Pflanzen, 853 (1882).—*Fr.*
Lauche, Deutsche Dendrol. Ed. 2, p. 389 (1883).
W. Robinson, Engl. Fl. Gard. t. 72, 73 (1883).
Lavallée, Clémat. t. 7 (1884).
Nicholson, Illustr. Dict. Gard. i. 339 [1884–88].
Hempel & Wilhelm, Bäume u. Sträuch. iii. 15 [1889?].
*Garden, xxxix. 30 (1891).
Mém. Soc. Sc. Liége, Ser. II. xx. t. 27 (1898).—*Veg.*
Boucher & Mottet, Clématites, 8, 22 (1898).
Fiori & Paol. Ic. Fl. Ital. 177 (1899).
Heukels, Fl. Nederl. ii. 185 (1908).
Hegi, Ill. Fl. Mittel-Eur. iii. 516 (1909).
*Esser, Giftpfl. Deutschl. t. 39 (1910).
Deutsche Bot. Monatsschr. xxii. 146 (1911).—*Veg.*
Bull. Soc. Dendr. France, 1912, p. 153.—*Fr.*
—— **alba** Hort.
*Rev. Hort. 1879, p. 350.
×—— **magnifica** Hort.
*Rev. Hort. 1876, p. 110.
—— **rubra grandiflora** Jackm.
*Florist, 1872, p. 265.
*Fl. des Serres, Ser. II. x. t. 2052, 2053 (1874).
—— **venosa** Hort.
*Fl. des Serres, Ser. II. iii. t. 1364 (1858).
*Henderson, Ill. Bouquet, ii. t. 39 (1859–61).
Rev. Hort. Ser. IV. ix. 183 (1860).
*Ill. Gartenzeit. Stuttgart, vi. t. 11 (1862).
Garden, xii. 400 (1877).
Boucher & Mottet, Clématites, 19 (1898).
×**viticello-lanuginosa** Hort.
*Belg. Hort. xiv. 321 (1864).
Wightiana Wall.
Wight, Ic. Pl. Ind. Or. iii. t. 935 (1843–45).
*Wight, Spicil. Neilgherr. i. t. 3 [1846].
Talbot, For. Fl. Bombay, i. 6 (1909).
Fyson, Fl. Nilgiri & Pulney Hill-tops, ii. 1 (1915).

CLEMATOCLETHRA Maxim.
Hemsleyi Baill.
Hook. Ic. Pl. xxix. t. 2808 (1906).
Schneider, Ill. Handb. Laubh. ii. 1034 (1912).
Prattii Kom.
Act. Hort. Petrop. xxix. t. 1 (1908).
tiliacea Kom.
Act. Hort. Petrop. xxix. t. 1 (1908).

CLEMATOPSIS Boj.
anethifolia Boj.
Kew Bull. 1920, p. 15.
oligophylla Hutchinson
Kew Bull. 1920, p. 15.

CLEMATOPSIS
speciosa Hutchinson
Kew Bull. 1920, p. 15.—*Fl.*
Stanleyi Hutchinson
Kew Bull. 1920, p. 15.
trifida Hutchinson
Kew Bull. 1920, p. 15.

CLEMENTEA Cav.: *Canavalia*
nitida Cav.
An. Cienc. Nat. Madrid, vii. t. 47 (1804).

CLEMENTSIA Rose: *Sedum*
rhodantha Rose
*F. E. & E. S. Clements, Rocky Mt. Fl. t. 30 (1914).

CLEOBULIA Mart.
multiflora Mart.
Mart. Fl. Bras. xv. 1. t. 45 (1859).

CLEOCHROMA Miers: *Iochroma*
grandiflora Miers
Miers, Ill. S. Amer. Pl. i. t. 32 (1850).

CLEOME Linn.—Vide *Buhsea, Siliquaria*
aculeata Linn.
Mart. Fl. Bras. xiii. 1. t. 58 (1865).
alliodora Blanco
*Blanco, Fl. Filip. t. 233 (1878–80).
amblyocarpa Barr. & Murb.
Murbeck, Contr. Fl. N.-Ouest Afriq. Ser. II. t. 2 (1905).
arabica Linn.
Linnaeus f., Pl. Rar. Hort. Ups. Fasc. i. t. 8 (1767).
Post, Fl. Syria, Palestine & Sinai, 108 [1896].—*Fr.*
Murbeck, Contr. Fl. N.-Ouest Afriq. Ser. II. t. 2 (1905).
Gubb, Fl. Sahar. t. 32, 33 (1913).
Crowfoot, Desert Fl. t. 6 [1914?].
arborea Humb. & Bonpl.
Journ. Jard. 1836, p. 314 in textu; *C. speciosa* in ic.
Schacht, Lehrb. Anat. Phys. Gew. ii. 608, t. 9 (1860).—*Fl.*
aspera Koenig ex DC.
Wight, Ic. Pl. Ind. Or. i. t. 287 (1840).
Presid. Coll. Bot. Bull. Madras, No. 35, t. 35 (1915).
brachystyla Deflers
Journ. de Bot. i. 39 (1887).—*Fl.*
Candelabrum Sims
*Bot. Mag. liii. t. 2656 (1826).
Pringsh. Jahrb. Bot. xvii. t. 16, fig. 19 (1886).—*Fl.*
cardinalis DC.
A. De Candolle, Calq. Dess. Fl. Mex. Moc. & Sessé, t. 20 (1874).
chilensis glabra DC.
Delessert, Ic. Pl. iii. t. 2 (1837).
chrysantha Decne.
Journ. de Bot. i. 38 (1887).—*Fl.*
crenopetala DC.
A. P. & A. De Candolle in Mém. Soc. Phys. & Hist. Nat. Genève, vi. t. 2 (1833).
dendroidea Schult.
*Bot. Mag. lxi. t. 3296 (1834).
diffusa DC.
Mart. Fl. Bras. xiii. 1. t. 58 (1865).
dodecandra Linn.
*Houttuyn, Handl. Pl. & Kruidk. ix. t. 60, fig. 3 (1778).
*Barton, Fl. N. Amer. i. t. 22 (1821).
dodecaphylla Vell.
Vellozo, Fl. Flum. vi. t. 110 (1827).
droserifolia Del.
Delile, Fl. Égypte, t. 36 (1812).
Journ. de Bot. i. 40 (1887).—*Fl.*
fruticosa Linn.
N. L. Burman, Fl. Ind. t. 46 (1768).
gigantea Linn.
Jacquin, Obs. Bot. t. 76 (1771).
*Bot. Mag. lix. t. 3137 (1832).
Baillon, Dict. Bot. ii. 95 (1880).—*Fr.*
Ber. Deutsch. Bot. Ges. iv. t. 19, fig. 8–15 (1886).
gigantea Blanco
*Blanco, Fl. Filip. t. 234 (1878–80).
glauca DC.
Delessert, Ic. Pl. iii. t. 4 (1837).

CLEOME
glaucescens DC.
Delessert, Ic. Pl. iii. t. 5 (1837).
Gordjaginii Popow
Semikhatov, Nikitin, Sprygin & Popow, Geol. Soil & Pl. Geogr. Obs. Amu-Darya & Syr-Darya, fasc. ii. t. 7 (1916).—*Hab.*
guianensis Aubl.
Aublet, Hist. Pl. Guiane Franç. iv. t. 273 (1775).
gynandra Linn.
*Kniphof, Herb. Viv. i. t. 269 (1758).
Britton, Fl. Bermuda, 156 (1918).
heptaphylla Linn.
*Audubon, Birds Amer. iv. 254 (1842).
Journ. Hort. Ser. III. xxii. 5 (1891); xxx. 79 (1895).
hirta Oliv.
Trans. Linn. Soc. London, xxix. t. 4 (1873).
Hulletii King
Ann. Bot. Gard. Calcutta, v. t. 133 (1896).
integrifolia Torr. & Gray
Gray & Sprague, Gen. Fl. Amer. i. t. 76 (1848).
Hitchcock & Norton in Bull. Kansas Agric. St. No. 57, t. 2, fig. 17 (1896); No. 66, t. 2, fig. 17 (1897).
*Clark & Fletcher, Farm Weeds Canada, t. 55, fig. 47 (1906).—*Fr.*
Pellett, Amer. Honey Pl. 224 (1920).
Lipskyi Popow
Semikhatov, Nikitin, Sprygin & Popow, Geol. Soil & Pl. Geogr. Obs. Amu-Darya & Syr-Darya, fasc. ii. t. 9 (1916).—*Hab.*
lutea Hook.
Hooker, Fl. Bor.-Amer. t. 25 (1833).
*Bot. Reg. xxvii. t. 67 (1841).
Britton & Brown, Ill. Fl. N. States & Canada, ii. 156 (1897); Ed. 2, ii. 197 (1913).
Pammel, Man. Poison. Pl. 496 (1911).
monandra DC.
*De Candolle, Pl. Rares Genève, t. 15 (1829).
monophylla Linn.
Trans. Linn. Soc. London, xxix. t. 5 (1873).
multicaulis Moc. & Sessé
A. De Candolle, Calq. Dess. Fl. Mex. Moc. & Sessé, t. 21 (1874).
Noëana Boiss.
Semikhatov, Nikitin, Sprygin & Popow, Geol. Soil & Pl. Geogr. Obs. Amu-Darya & Syr-Darya, fasc. ii. t. 10 (1916).—*Hab.*
nummularia DC.
Delessert, Ic. Pl. iii. t. 3 (1837).
ornithopoides Linn.
Dillenius, Hort. Eltham. Add. Denom. Linn. t. 266 (1774).
*Sibthorp & Sm. Fl. Graeca, vii. t. 650 (1830).
ovalifolia Costantin
Journ. de Bot. i. 40 (1887).—*Fl.*
pallida Kotschy
Kotschy in Sitzb. Akad. Wiss. Wien, lii. 1. t. 6 (1865).
paludosa Willd.
Mart. Fl. Bras. xiii. 1. t. 56 (1865).
pedunculata Vell.
Vellozo, Fl. Flum. vi. t. 112 (1827).
pentaphylla Linn.
*Jacquin, Hort. Vind. i. t. 24 (1770).
Lamarck, Ill. iii. t. 567, fig. 1 (1797).
Barton, Elem. Bot. t. 26 (1804).
*Bot. Mag. xl. t. 1681 (1814).
*Descourtilz, Fl. Pitt. & Méd. Antilles, vii. t. 509 (1829).
*J. W. Loudon, Ladies' Fl.-Gard. Ornam. Annuals, t. 15 (1844).
Honigberger, Thirty-five Years East, ii. t. 4 (1852).
Baillon, Hist. Pl. iii. 149 (1872).—*Fl.*
Baillon, Dict. Bot. ii. 95 (1880).—*Fl.*
Pringsh. Jahrb. Bot. xvii. t. 16, fig. 20 (1886).—*Fl.*
Post, Fl. Syria, Palestine & Sinai, 107 [1896].
pentaphylla Vell.
Vellozo, Fl. Flum. vi. t. 111 (1827).
platycarpa Torr.
Torrey, Phan. Pacific Coast, Wilkes, U.S. Expl. Exp. 1838–42, t. 2 (1874).
polytricha Costantin
Journ. de Bot. i. 41 (1887).—*Fl.*

CLEOME
procumbens Linn.
Jacquin, Sel. Stirp. Amer. Hist. t. 120 (1763).
*Jacquin, Sel. Stirp. Amer. Hist. Picta, t. 181 [1780].
pruinosa T. Anders.
Journ. de Bot. i. 40 (1887).—*Fl.*
psoraleifolia DC.
Mart. Fl. Bras. xiii. 1. t. 57 (1865).
pubescens Sims
*Bot. Mag. xliii. t. 1857 (1816).
pungens Willd.
*Willdenow, Hort. Berol. i. t. 18 (1803).
Seringe, Fl. Jard. i. t. 9 (1845).
Seringe, Leçons Bot. t. 2, Capparidac. [1857?].
*Meehan, Fl. & Ferns U.S. i. t. 38 (1878).
Bello in An. Soc. Españ. Hist. Nat. x. t. 4 (1881).
Garden, xxi. 161 (1882).
W. Robinson, Engl. Fl. Gard. t. 76 (1883).—*Hab.*
Nicholson, Illustr. Dict. Gard. i. 340 [1884–88].
F. M. Bailey, Weeds & Poison. Pl. Queensl. 14 (1906).
quinquenervia DC.
Journ. de Bot. i. 39 (1887).—*Fl.*
Raddeana Trautv.
Semikhatov, Nikitin, Sprygin & Popow, Geol. Soil & Pl. Geogr. Obs. Amu-Darya & Syr-Darya, fasc. ii. t. 11 (1916).—*Hab.*
rosea Vahl
*Bot. Reg. xii. t. 960 (1826).
Mart. Fl. Bras. xiii. 1. t. 56 (1865).—*Fl.*
Ruta Cambess.
Jacquemont, Voy. Inde, t. 19 (1844).
serrata Jacq.
Plumier, Pl. Amer. Ed. Burm. t. 243, fig. 2 (1760); fide Urban, Fedde Repert. Beih. v. 94.
Jacquin, Sel. Stirp. Amer. Hist. t. 180 (1763).—*Veg.*
*Jacquin, Sel. Stirp. Amer. Hist. Picta, t. 261, fig. 73 [1780].—*Veg.*
serrulata Pursh
Britton & Brown, Ill. Fl. N. States & Canada, ii. 155 (1897); Ed. 2, ii. 197 (1913).
*Clark & Fletcher, Farm Weeds Canada, Ed. 2, t. 74, fig. 44 (1909).—*Fr.*
Pammel in Proc. Iowa Acad. Sc. xvii. 40 (1910).—*Hab.*
Pammel, Man. Poison. Pl. 496 (1911).
Pammel, Weeds Farm & Gard. 185 (1911).
Pammel in Iowa Geol. Surv. Bull. No. 4, p. 174, 175, 448 (1913).
Amer. Bot. xx. 60 (1914).—*Hab.*
*F. E. & E. S. Clements, Rocky Mt. Fl. t. 5 (1914).
A. Georgia, Manual Weeds, t. 142 (1914).
M. Armstrong, Field Book West. Wild Fl. 189 (1915).
siliculifera Eichl.
Mart. Fl. Bras. xiii. 1. t. 56 (1865).
sparsifolia S. Wats.
King U.S. Geol. Expl. v (Bot.), t. 5 (1871).
speciosa H. B. K.
H. B. K. Nov. Gen. v. t. 436 (1821).
*Journ. Jard. 1836, p. 314 in ic.; *C. arborea* in textu.
speciosissima Deppe
*Bot. Reg. xvi. t. 1312 (1830).
*Burnett, Pl. Util. iv. t. 105, b (1850).
*Bois, Dict. Hort. 333 (1893–99).
Wien. Ill. Gart.-Zeit. xviii. 65 (1893).—*Hab.*
spinosa Linn.
*Martyn, Hist. Pl. Rar. 45 (1736).
*Bot. Mag. xl. t. 1640 (1814).
*Joh. Kerner, Hort. Sempervir. t. 559 (1819).
*Fortsetz. Allg. Teutsch. Gart. Mag. v. t. 26 (1820–21).
Géel, Sert. Bot. Cl. 15 (1832).
*Reichenbach, Fl. Exot. iii. t. 154 (1835).
*J. W. Loudon, Ladies' Fl.-Gard. Ornam. Annuals, t. 15 (1844).
Payer, Organog. Comp. Fl. t. 42 (1857).—*Fl.*
Decaisne & Naud. Amat. Jard. ii. 614 [1862–66].
Flora, xlviii. t. 9 (1865).—*Fl.*
Baillon, Hist. Pl. iii. 145–47 (1872).
Decaisne, Naud. & Hemsl. Handb. Trees, Shrubs & Herb. Pl. 54 (1873).
Baillon, Dict. Bot. ii. 95 (1880).
Ber. Deutsch. Bot. Ges. iv. t. 19, fig. 1–7 (1886).
Pflanzenfam. iii. II. 221, 222 (1891).

CLEOME
spinosa
Lubbock, Seedlings, i. 181 (1892).—*Veg.*
Bot. Gaz. xx. 169 (1895).
Britton & Brown, Ill. Fl. N. States & Canada, ii. 155 (1897); Ed. 2, ii. 197 (1913).
Knuth, Handb. Blütenbiol. iii. 1. 315 (1904).
Beille, Bot. Pharm. ii. 399 (1909).—*Fl.*
Gard. Chron. Ser. III. xlv. 115 (1909).
L. H. Bailey, Stand. Cycl. Hort. 798, 799 (1914).
Fawcett & Rendle, Fl. Jamaica, iii. 1. 225 (1914).
Engler & Drude, Veget. Erde, ix. III. 1, p. 229 (1915).
tenella Linn.
Grandidier, Hist. Madag. [Plantes] Atlas, t. 53 (1888).
tomentella Popow
Semikhatov, Nikitin, Sprygin & Popow, Geol. Soil & Pl. Geogr. Obs. Amu-Darya & Syr-Darya, fasc. ii. t. 8 (1916).—*Hab.*
trachycarpa Klotzsch
Mart. Fl. Bras. xiii. 1. t. 55 (1865).
trinervia Fres.
Mus. Senckenb. i. t. 11 (1834).
triphylla Desc.
*Descourtilz, Fl. Pitt. & Méd. Antilles, i. t. 44 (1821).
triphylla Vell.
Vellozo, Fl. Flum. vi. t. 113 (1827).
uniglandulosa Cav.
Cavanilles, Ic. iv. t. 306 (1797).
violacea Linn.
Gaertner, Fruct. i. t. 76 (1788).—*Fr.*
Lamarck, Ill. iii. t. 567, fig. 2, 3 (1797).
*Schkuhr, Bot. Handb. Ed. 2, t. 189 b (1808).
*Schnizlein, Iconogr. iii. t. 182 (1866–70).—*Fl.*
Lubbock, Seedlings, i. 180 (1892).—*Veg.*
Hansgirg in Sitzb. Böhm. Ges. Wiss. 1896, t. 1, fig. 24 (1897).
—— **Ortegae** Pau & Merino
Merino, Fl. Galicia, iii. 516 (1909).
viridiflora Schreb.
Ann. Soc. Linn. Dépt. Maine & Loire, Angers, ix. 236 (1867).—*Fr.*
viscosa Linn.
Rheede, Hort. Mal. ix. t. 23 (1689); fide Fl. Brit. Ind. i. 170.
Cornuti, Hist. 131 (1735); fide Linn.
*Martyn, Hist. Pl. Rar. 25 (1736).
*Panzer, Martyn's Abbild. Beschr. Selt. Gew. t. 23 (1797).
Lecomte, Fl. Gén. Indo-Chine, i. 167 (1908).—*Fl.*
Presid. Coll. Bot. Bull. Madras, No. 4, t. 4 (1912).
Basu, Ind. Med. Pl. t. 69 (1918).
Britton, Fl. Bermuda, 157 (1918).

CLEOMELLA DC.
angustifolia Torr.
Britton & Brown, Ill. Fl. N. States & Canada, ii. 157 (1897); Ed. 2, ii. 198 (1913).
longipes Torr.
M. Armstrong, Field Book West. Wild Fl. 187 (1915).
mexicana DC.
Hook. Ic. Pl. i. t. 28 (1837).
Gray & Sprague, Gen. Fl. Amer. i. t. 75 (1848).
A. De Candolle, Calq. Dess. Fl. Mex. Moc. & Sessé, t. 19. xxxi. A (1874).
*Schnizlein, Iconogr. iii. t. 182 (1866–70).—*Fr.*

CLEONIA Linn.
lusitanica Linn.
Cornuti, Hist. 47 (1735); fide Linn.
Gaertner, Fruct. i. t. 66 (1788).—*Fr.*
Pflanzenfam. iv. III. A. 242 (1896).—*Fl.*

CLEOPHORA Gaertn.: *Latania*
dendriformis Lodd.
Garden, ii. 503 (1872).—*Fr.*
lontaroides Gaertn.
Gaertner, Fruct. ii. t. 120 (1791).—*Fr.*

CLERCIA Vell.: *Salacia*
lanceolata Miers
Trans. Linn. Soc. London, xxviii. t. 22 (1872).
ovata Vell.
Vellozo, Fl. Flum. i. t. 73 (1827).
Passiflora Vell.
Vellozo, Fl. Flum. i. t. 74 (1827).

CLERMONTIA Gaudich.
arborescens Hillebr.
Rock, Indig. Trees Hawaiian Isl. t. 201 (1913).
Rock, Monogr. Hawaiian Lobelioid. 286, 288 (1919).
caerulea Hillebr.
Rock, Indig. Trees Hawaiian Isl. t. 203 (1913).
Rock, Monogr. Hawaiian Lobelioid. 295, 296 (1919).
drepanomorpha Rock
Rock, Indig. Trees Hawaiian Isl. t. 196 (1913).
Rock, Monogr. Hawaiian Lobelioid. 324, 325 (1919).
fulva Lévl.
Rock, Monogr. Hawaiian Lobelioid. 302 (1919).
Gaudichaudii Hillebr.
Rock, Monogr. Hawaiian Lobelioid. 309 (1919). —*Veg.*
—— **barbata** Rock
Rock, Monogr. Hawaiian Lobelioid. 290 (1919).
grandiflora Gaudich.
Freycinet, Voyage, t. 73 (1826).
Rock, Monogr. Hawaiian Lobelioid. 326, 328 (1919).
haleakalensis Rock
Rock, Indig. Trees Hawaiian Isl. t. 204, 205 (1913).
Rock, Monogr. Hawaiian Lobelioid. 17, 48, 301 (1919).
hawaiiensis Rock
Rock, Indig. Trees Hawaiian Isl. t. 199 (1913).
Rock, Monogr. Hawaiian Lobelioid. 72, 74, 83, 314, 316 (1919).
kakeana Meyen
Rock, Monogr. Hawaiian Lobelioid. 305, 309 (1919).
kohalae Rock
Rock, Monogr. Hawaiian Lobelioid. 46, 320 (1919).
—— **robusta** Rock
Rock, Monogr. Hawaiian Lobeliod. 321 (1919).
leptoclada Rock
Rock, Monogr. Hawaiian Lobelioid. 322 (1919).
macrocarpa Gaudich.
Gaudichaud, Voy. Bonite, Bot. Atlas, t. 49 (1844–66).
Bryan, Nat. Hist. Hawaii, t. 58, fig. 4 (1915).
micrantha Rock
Rock, Monogr. Hawaiian Lobelioid. 330 (1919).
montis-Loa Rock
Coll. Hawaii Publ. Bull. No. 2, t. 9 (1913).
Rock, Monogr. Hawaiian Lobelioid. 332, 333 (1919).
multiflora Hillebr.
Rock, Monogr. Hawaiian Lobelioid. 329 (1919).
oblongifolia Gaudich.
Freycinet, Voyage, t. 71 (1826).
Rock, Indig. Trees Hawaiian Isl. t. 198 (1913).
Rock, Monogr. Hawaiian Lobelioid. 309–12 (1919).
pallida Hillebr.
Rock, Monogr. Hawaiian Lobelioid. 318 (1919).
parviflora Gaudich.
Rock, Monogr. Hawaiian Lobelioid. 44, 335, 336 (1919).
—— **calycina** Rock
Rock, Monogr. Hawaiian Lobelioid. 338 (1919).
peleana Rock
Rock, Indig. Trees Hawaiian Isl. t. 200 (1913).
Rock, Monogr. Hawaiian Lobelioid. 18, 294 (1919).
persicifolia Gaudich.
Freycinet, Voyage, t. 72 (1826).
Rock, Indig. Trees Hawaiian Isl. t. 197 (1913).
Bryan, Nat. Hist. Hawaii, t. 59, fig. 14 (1915).
Rock, Monogr. Hawaiian Lobelioid. 14, 15, 306–9 (1919).
pyrularia Hillebr.
Rock, Monogr. Hawaiian Lobelioid. 300 (1919).
Samuelii Forbes
Forbes in Occasional Papers Bernice Pauahi Bishop Mus. Honol. vii. No. 3, t. 10 (1920).
singuliflora Rock
Rock, Monogr. Hawaiian Lobelioid. 292 (1919).
tuberculata Forbes
Forbes in Occasional Papers Bernice Pauahi Bishop Mus. Honol. v. No. 1, p. 9 (1912).
Rock, Indig. Trees Hawaiian Isl. t. 202 (1913).
Rock, Monogr. Hawaiian Lobelioid. 289 (1919).
waimeae Rock
Rock, Monogr. Hawaiian Lobelioid. 298 (1919).

CLERODENDRON Linn.—Vide *Cornacchinia*, *Cyclonema*, *Ovieda* Linn., *Volkameria*, Linn., *Volkmannia*
aculeatum Griseb.
Plumier, Pl. Amer. Ed. Burm. t. 164, fig. 2 (1758); fide Urban, Fedde Repert. Beih. v. 74.
Browne, Hist. Jamaica, Ed. 2, t. 30, fig. 2 (1789); fide Grisebach.
Bot. Tidsskr. xxii. 79, 81 (1898).
Rev. Gén. Bot. xii. 443, 444 (1900).—*Veg.*
Bakeri Guerke
*Bot. Mag. cxxxix. t. 8474 (1913).
Oesterr. Gart.-Zeit. viii. 279 (1913).
Balfourii Hort.
*Neubert's Deutsch. Gart. Mag. 1890, t. 3, p. 129.
Gard. Chron. Ser. III. viii. 133 (1890).—*Hab.*
Semaine Hort. 1897, p. 116.
Sempervirens, xiii. 124 (1884).
American Garden, vi. 173 (1885).
*Rev. Hort. 1902, p. 504.
Jardin, xxvii. 277 (1913).
Baronianum Oliv.
Hook. Ic. Pl. xxiii. t. 2241 (1892).
Bethuneanum Lowe
*Bot. Mag. lxxv. t. 4485 (1849).
Blancoi Naves
*Blanco, Fl. Filip. t. 223 (1878–80).
Blumeanum Schauer
Ann. Jard. Bot. Buitenzorg, xxi. t. 29, fig. 77–79 (1907).
Bungei Steud.
*Fl. des Serres, Ser. I. ix. t. 863, 864 (1853–54).
*Rev. Hort. 1866, p. 470.
Lauche, Deutsche Dendrol. Ed. 2, p. 154 (1883).
calamitosum Linn.
*Bot. Mag. lxxxviii. t. 5294 (1862).
capitatum Schum.
*Bot. Mag. lxxiv. t. 4355 (1848).
capsulare Blanco
*Blanco, Fl. Filip. t. 224 (1878–80).
castaneifolium Klotzsch
Klotzsch & Garcke, Bot. Ergebn. Reise Pr. Waldemar, t. 65 (1862).
cephalanthum Oliv.
Hook. Ic. Pl. xvi. t. 1559 (1887).
*Bot. Mag. cxxix. t. 7922 (1903).
Commersonii Spreng.
Rumphius, Herb. Amboin. v. t. 46 (1747); fide Merrill, Interpret. Rumph. Herb. Amboin.
Cunninghamii Benth.
*F. M. Bailey, Compr. Cat. Queensl. Pl. 386, t. 11 (1909–13).
deflexum Wall.
*Wallich, Pl. Asiat. Rar. iii. t. 215 (1832).
disparifolium Bl.
Koorders & Val. Atlas Baumart. Java, t. 277 (1914).
divaricatum Sieb. & Zucc.
Somoku Dzusetsu, Ed. 2, xi. t. 38 (1874).
emirnense Boj.
*Bot. Mag. lvi. t. 2925 (1829).
Schnizlein, Iconogr. ii. t. 137 (1856).
eucalycinum Oliv.
Hook. Ic. Pl. xxiii. t. 2242 (1892).
excavatum cuneatum De Wild.
De Wildeman, Études Fl. Bas- et Moyen-Congo (Ann. Mus. Congo), iii. t. 11 (1909).
—— **rotundatum** De Wild.
De Wildeman, Études Fl. Bas- et Moyen-Congo (Ann. Mus. Congo), iii. t. 11 (1909).—*Veg.*
fallax Lindl.
Ayres & Moore, Fl. Guide, 20 (1850).
Moore & Ayres, Mag. Bot. i. 100 (1850).
Journ. Hort. xxviii. 514 (1862).
Gartenwelt, x. 247 (1906).
Gard. Chron. Ser. III. xlv. 324 (1909).—*Hab.*
L. H. Bailey, Stand. Cycl. Hort. 801 (1914).
Möllers Deutsche Gärtn.-Zeit. xxxi. 128, 129 (1916).
Fargesii Dode
Bull. Soc. Dendr. France, 1907, p. 208; 1913, p. 110, 237.
Jardin, xxiii. 228 (1909).
Rev. Hort. 1911, p. 522, 523.
Silva Tarouca, Freiland-Laubgehölze, 184 (1913). —*Hab.*

CLERODENDRON
fistulosum Becc.
Beccari, Malesia, ii. t. 4 (1884).
Heim in Assoc. Franc. Avanc. Sc. Bordeaux, Pt. 1, p. 51 (1895).
Ann. Rep. Smithson. Inst. 1896, t. 18 (1898).
foetidum Bunge
*Bot. Mag. lxxxi. t. 4880 (1855).
Apgar, Orn. Shrubs U.S. 292, fig. 510 (1910).
Schneider, Ill. Handb. Laubh. ii. 592, 596 (1911).
Garden, lxxvii. 560 (1913); lxxx. 441 (1916); lxxxiii. 506 (1919); lxxxiv. 524 (1920).
formicarum Gürke
Thonner, Blütenpfl. Afr. t. 134 (1908).
fortunatum Linn.
Osbeck, Voy. China & E. Indies, i. t. 11 (1771).
fragrans Willd.
*Bot. Mag. xliii. t. 1834 (1816).
*Bot. Reg. xxiv. t. 41 (1838).
*Sweet, Ornamental Fl. Gard. iii. t. 157 (1854).
Pflanzenfam. iv. III. A. 174 (1895).
Apgar, Orn. Shrubs U.S. 292, fig. 511 (1910).
Britton, Fl. Bermuda, 318 (1918).
—— **pleniflorum** DC.
*Blanco, Fl. Filip. t. 222 (1878–80).
galeatum Balf. f.
Balfour f., Bot. Socotra (Trans. Roy. Soc. Edinb. xxxi), t. 80 (1888).
glaberrima Hayata
Hayata, Ic. Pl. Formosan. ii. t. 39 (1912).
glabrum E. Mey.
Wood & Evans, Natal Pl. i. 1. t. 45 (1898).
Sim, For. Fl. Cape Colony, t. 120 (1907).
Sim, For. Fl. Portug. E. Africa, t. 98 (1909).
glaucum Wall.
Teysmannia, xxiii. 284 (1912).
hastatum Wall.
*Bot. Reg. xvi. t. 1307 (1830).
*Bot. Mag. lxii. t. 3398 (1835).
Baillon, Adans. ii. t. 8, fig. 26–28 (1861–62).—*Fl.*
Bocquillon, Rev. Verbénac. t. 7 (1861–63).—*Fl.*
*Rev. Hort. 1893, p. 60.
imperiale Carr.
*Rev. Hort. 1874, p. 110.
inerme Gaertn.
Rheede, Hort. Mal. v. t. 49 (1685); fide Fl. Brit. Ind. iv. 589.
Gaertner, Fruct. i. t. 57 (1788).—*Fr.*
Ann. Jard. Bot. Buitenzorg, xxi. t. 24, fig. 44, 45 (1907).
Teysmannia, xxiii. 284 (1912).
Basu, Ind. Med. Pl. t. 743 (1918).
inerme R. Br.
J. C. Loudon, Arbor. & Frutic. Brit. iii. 1286 (1838).
Rechinger in Denkschr. Akad. Wiss. Wien, lxxxv. 339 (1910).—*Hab.*
infortunatum Gaertn.
Rheede, Hort. Mal. ii. t. 25 (1679); fide Fl. Brit. Ind. iv. 594.
Gaertner, Fruct. i. t. 57 (1788).—*Fr.*
Lamarck, Ill. iii. t. 544 (1797).
*Bot. Reg. xxx. t. 19 (1844).
*Paxt. Mag. xi. 169, 170 (1844).
Wight, Ic. Pl. Ind. Or. iv. t. 1471 (1849).
*Sweet, Ornamental Fl. Gard. ii. t. 97 (1854).
Beddome, Fl. Sylv. Anal. Gen. t. 22 (1872).—*Fl.*
Basu, Ind. Med. Pl. t. 746 (1918).
Bose, Man. Ind. Bot. 252 (1920).
Kaempferi Fisch.
*Ann. Gand, i. t. 3 (1845).
*Gartenfl. v. t. 178 (1856); xxix. 24 (1880).
Berge, Pflanzenphysiogn. 94 (1880).
*Garden, xlii. 562 (1892).
Lubbock, Seedlings, ii. 373 (1892).—*Veg.*
Kanichi De Wild.
De Wildeman, Études Fl. Katanga (Ann. Mus. Congo), i. t. 37 (1903).
katangensis De Wild.
De Wildeman, Études Fl. Katanga (Ann. Mus. Congo), i. t. 38 (1903).
koshunense Hayata
Hayata, Ic. Pl. Formosan. ii. t. 40 (1912).
laciniatum Balf. f.
Phil. Trans. Roy. Soc. London, clxviii. t. 32 (1879).

CLERODENDRON
lanceolatum F. Muell.
F. M. Bailey, Compr. Cat. Queensl. Pl. 389 (1909–13).
ligustrinum Dryand.
*Drapiez, Herb. Amat. Fl. v. t. 323 (1831).
Lindleyi Decne.
*Gartenfl. xi. t. 353 (1862).
*Trans. Russ. Hort. Soc. 1862, t. 79.
lividum Lindl.
*Bot. Reg. xi. t. 945 (1826).
longiflorum speciosum Blanco
*Blanco, Fl. Filip. t. 225 (1878–80).
macrophyllum Sims
*Bot. Mag. lii. t. 2536 (1824).
*Géel, Sert. Bot. Cl. 14 (1832).
*Reichenbach, Fl. Exot. iii. t. 209 (1835).
macrosiphon Hook. f.
*Bot. Mag. cix. t. 6695 (1883).
Knuth, Handb. Blütenbiol. iii. II. 77 (1905).—*Fl.*
Teysmannia, xxiii. 284 (1912).
Manettii Vis.
*Visiani in Mem. Istit. Veneto, vi. t. 3 (1856).
Minahassae Teysm. & Binn.
*Miquel in Ann. Mus. Bot. Lugd.-Bat. iii. t. 9 (1867).
Ann. Jard. Bot. Buitenzorg, xiv. t. 21 (1897).
Schimper, Pflanzen-Geogr. 359 (1898).—*Fr.*
myricoides R. Br.
Wood, Natal Pl. iii. IV. t. 282 (1902).
Fiori, Boschi e Piante Legn. Eritrea, 324 (1909–12).
Agric. Colon., Ital. v. Suppl. 101 (1911).
myrmecophilum Ridl.
*Bot. Mag. cxxix. t. 7887 (1903).
Gard. Chron. Ser. III. xxxiii. 291 (1903); xxxv. 237 (1904).
Rev. Hort. 1907, p. 443.—*Hab.*
Navesianum Vid.
Vidal, Sin. Fam. & Gen. Pl. Leñ. Filip. (Introd. Fl. For. Filip.), Atlas, t. 75, fig. D (1883).—*Fl.*
nutans Wall.
*Bot. Mag. lviii. t. 3049 (1831).
Gard. Chron. xxvi. 689 (1886).
Möllers Deutsche Gärtn.-Zeit. iii. 229 (1888).
*Garden, xxxiii. 412 (1888).
Semaine Hort. 1898, p. 423.
Teysmannia, xxiii. 284 (1912).
paniculatum Linn.
*Bot. Reg. v. t. 406 (1819).
*Géel, Sert. Bot. Cl. 14 (1832).
*Reichenbach, Fl. Exot. iii. t. 208 (1835).
Gard. Chron. 1845, p. 435.—*Hab.*
Baillon, Adans. ii. t. 8, fig. 29 (1861–62).—*Fl.*
Bocquillon, Rev. Verbénac. t. 7 (1861–63).—*Fl.*
*Bot. Mag. cxvi. t. 7141 (1890).
phlomoides Linn.
Wight, Ic. Pl. Ind. Or. iv. t. 1473 (1849).
Talbot, For. Fl. Bombay, ii. 358 (1911).
Teysmannia, xxiii. 284 (1912).
Basu, Ind. Med. Pl. t. 744 (1918).
pubescens Lindl.
*Bot. Reg. xii. t. 1035 (1827).
Pynaertii De Wild.
De Wildeman, Études Fl. Bas- et Moyen-Congo (Ann. Mus. Congo), iii. t. 23 (1909).
pyramidale Andr.
*Andrews, Bot. Rep. x. t. 628 (1810?).
rotundifolium Oliv.
Trans. Linn. Soc. London, xxix. t. 89 (1875).
Rumphianum De Vriese & Teysm.
Rumphius, Herb. Amboin. iv. t. 48 (1743); fide Merrill, Interpret. Rumph. Herb. Amboin.
scandens P. Beauv.
*P. Beauvais, Fl. Oware & Benin, t. 62 (1808).
*Géel, Sert. Bot. Cl. 13 (1832).
*Bot. Mag. lxxiv. t. 4354 (1848).
Paxt. Mag. xvi. 228 (1849).
Seretii De Wild.
De Wildeman, Études Fl. Bas- et Moyen-Congo (Ann. Mus. Congo), iii. t. 43 (1910).
serotinum Carr.
Rev. Hort. 1867, p. 351.
Journ. New York Bot. Gard. x. 235 (1909).—*Hab.*

CLERODENDRON
serratum Spreng.
Rheede, Hort. Mal. iv. t. 29 (1683); fide Hasskarl, Hort. Mal. Rheed. Clavis, 34.
Wight, Ic. Pl. Ind. Or. iv. t. 1472 (1849).
*Wight, Spicil. Neilgherr. ii. t. 192 (1851).
Talbot, For. Fl. Bombay, ii. 359 (1911).
Teysmannia, xxiii. 284 (1912).
Koorders & Val. Atlas Baumart. Java, t. 276 (1914).
Basu, Ind. Med. Pl. t. 745 (1918).
Fyson, Fl. Nilgiri & Pulney Hill-tops, iii. 458 (1920).
sinuatum Hook.
*Bot. Mag. lxxii. t. 4255 (1846).
*Fl. des Serres, Ser. I. iii. t. 224 (1847).
Siphonanthus R. Br.
[Kew MS.] Ic. Pl. China nasc. Bibl. Braam. [2] (1821).
*Wight, Illustr. Ind. Bot. ii. t. 173 (1850).
Teysmannia, xxiii. 284 (1912).
Basu, Ind. Med. Pl. t. 747 (1918).
speciosissimum Lindl.
Rumphius, Herb. Amboin. iv. t. 49 (1743); fide Merrill, Interpret. Rumph. Herb. Amboin.
*Hort. Belge Journ. Jard. & Amat. iii. t. 68 (1836).
Journ. Jard. 1837, p. 122.
*Paxt. Mag. iii. 217, 272 (1837).
×**speciosum** Hort.
*Ill. Hort. xvi. t. 593 (1869).
*Floral Mag. viii. t. 432 (1869).
*Rev. Hort. 1873, p. 471.
*Garden, xi. 404 (1877).
speciosum Teysm. & Binn.
Teysmannia, xxiii. 284 (1912).
spinosum Spreng.
Plumier, Pl. Amer. Ed. Burm. t. 256 (1760); fide Urban, Fedde Repert. Beih. v. 98.
splendens G. Don
*Bot. Reg. xxviii. t. 7 (1842).
*Floricult. Cab. x. 145 (1842).
*Paxt. Mag. ix. 103 (1842).
*Hartinger, Parad. Vindob. t. 55 (1844–60).
*Horticulteur Univ. v. 325 (1844).
*Sweet, Ornamental Fl. Gard. iii. t. 156 (1854).
Jardin, ix. 30, 31 (1895).
*Garden, liv. 222 (1898).
*Rev. Hort. 1902, p. 504.
*De Wildeman, Études Fl. Bangala & Ubangi, frontisp. (1911).
Bull. Soc. Bot. Belg. li. III. t. 31 (1913).
*Gard. Chron. Ser. III. lvi. suppl. tab. p. 34 (1914).
squamatum Vahl
Kwa-wi [transl. Savatier], Arbor. ii. t. 10 (1759).
Kaempfer, Ic. Sel. Pl. Jap. t. 58 (1791); fide Franchet & Sav.
*Bot. Reg. viii. t. 649 (1822).
*Lodd. Bot. Cab. viii. t. 796 (1823).
*Maund, Botanist, i. t. 13 (1837).
Garden, xix. 453 (1881).
Nicholson, Illustr. Dict. Gard. i. 341 [1884–88].
*Useful Pl. Jap. ii. t. 500 (1895).
*Rev. Hort. Belge, xxii. 253 (1896).
Apgar, Orn. Shrubs U.S. 291, fig. 509 (1910).
Wilson, Arn. Arb. Exped. China, 1910–11, t. 0216 (1912).—*Hab.*
subscaposum Hemsl.
Hook. Ic. Pl. xxvii. t. 2675 (1900).
Thomsonae Balf.
*Bot. Mag. lxxxviii. t. 5313 (1862).
*Fl. des Serres, Ser. II. v. t. 1534 (1862–65).
*Belg. Hort. xiii. 162 (1863).
Floral World, vi. 215 (1863).
*Ill. Hort. x. t. 358 (1863).
*Trans. Bot. Soc. Edinb. vii. t. 7, 16 (1863).
*Rev. Hort. 1867, p. 312.
*Lowis, Familiar Ind. Fl. t. 11 (1878).
*Bois, Dict. Hort. 333 (1893–99).
Siebert, Palmengart. Frankfurt a. M. t. 7 (1895).
Journ. Hort. Ser. III. xli. 135 (1900); lxv. 324 (1912).
L. H. Bailey, Cycl. Amer. Hort. 334 (1900); Stand. Cycl. Hort. 799 (1914).
Teysmannia, xxiii. 284 (1912).
Bryan, Nat. Hist. Hawaii, t. 66, fig. 6 (1915).

CLERODENDRON
Thomsonae Balfourii Hort.
*Floral Mag. iv. t. 255 (1865).
*Neubert's Deutsch. Gart. Mag. 1890, t. 3.
tomentosum R. Br.
*Andrews, Bot. Rep. ix. t. 607 (1810).
*Bot. Mag. xxxvii. t. 1518 (1813).
Proc. Linn. Soc. N. S. Wales, Ser. II. ix. 1. t. 2 (1894).—*Fl.*
Guilfoyle, Austral. Pl. 340 [1911].—*Hab.*
trichotomum Thunb.
Kaempfer, Ic. Sel. Pl. Jap. t. 22 (1791).
*Bot. Mag. cvii. t. 6561 (1881).
Gard. Chron. xxi. 313 (1884).
Journ. Hort. Ser. III. xxvii. 247 (1893); xxxix. 233 (1899); lv. 355 (1907).
*Garden, xliii. 504 (1893); lxxv. 447 (1911); lxxxiv. 524 (1920).
Bull. Coll. Agric. Tokyo, ii. t. 14, fig. 13 (1895).—*Veg.*
L. H. Bailey, Cycl. Amer. Hort. 334 (1900); Stand. Cycl. Hort. 800 (1914).
Journ. Roy. Hort. Soc. London, xxvii. 868 (1903).—*Hab.*
Schneider, Dendrol. Winterst. 188 (1903).—*Veg.*
*Shirasawa, Ic. Ess. Forest. Jap. ii. t. 70 (1908).
Apgar, Orn. Shrubs U.S. 291, fig. 508 (1910).
Schneider, Ill. Handb. Laubh. ii. 592, 596 (1911).
Bull. Soc. Dendr. France, 1913, p. 110.—*Fr.*
*Addisonia, i. t. 15 (1916).
ugandense Prain
*Bot. Mag. cxxxv. t. 8235 (1909).
Gartenwelt, xvi. 608 (1912).
Gard. Chron. Ser. III. lxiii. 219 (1918).
villosum Bl.
Baillon, Adans. ii. t. 8, fig. 1–25, 31, 32 (1861–62).—*Fl.*
Bocquillon, Rev. Verbénac. t. 7 (1861–63).—*Fl.*
Pflanzenfam. iv. III. A. 174 (1895).—*Fl.*
viscosum Vent.
*Ventenat, Jard. Malm. t. 25 (1803).
*Joh. Kerner, Hort. Sempervir. t. 148 (1805).
*Bot. Mag. xliii. t. 1805 (1816).
*Bot. Reg. viii. t. 629 (1822).
*Drapiez, Herb. Amat. Fl. i. t. 4 (1828).
Ettingshausen, Blatt-Skel. Dikot. t. 31 (1861).—*Veg.*
volubile P. Beauv.
*P. Beauvais, Fl. Oware & Benin, i. t. 32 (1805).

CLETHRA Linn.—Vide *Puellaria*, *Tinus* Linn.
acuminata Michx.
*Barton, Fl. N. Amer. iii. t. 71 (1823).
*Lodd. Bot. Cab. xv. t. 1427 (1828).
*Drapiez, Herb. Amat. Fl. iv. t. 228 (1830).
*Garden, xix. 208 (1881).
Dippel, Handb. Laubholzk. i. 434 (1889).
Koehne, Dendrol. 443 (1893).
Britton & Brown, Ill. Fl. N. States & Canada, ii. 549 (1897); Ed. 2, ii. 667 (1913).
Britton, N. Amer. Trees, 749 (1908).
Schneider, Ill. Handb. Laubh. ii. 462, 463 (1909).
Mathews, Field Book Amer. Trees & Shrubs, 341 (1915).
alnifolia Linn.
Wangenheim, Beytr. Forstwissensch. t. 22, fig. 48 (1787).
*Junghans, Ic. Pl. t. 32 (1787).
Gaertner, Fruct. i. t. 63 (1788).—*Fr.*
*F. J. Schultz, Abb. Bäume, Staud. Sträuch. Oesterr. ii. t. 130 (1792).
*Schmidt, Oest. Allgem. Baumzucht, t. 47 (1792–1822).
*Joh. Kerner, Abbild. Oek. Pfl. (Fig. Pl. Écon.), viii. t. 777 (1796).
*Joh. Kerner, Ausländ. Bäume & Gestr. t. 31 (1796).
Lamarck, Ill. ii. t. 369 (1797).
*Krauss, Afb. Fraaiste Boom. & Heest. [t. 55] (1802).
*Schkuhr, Bot. Handb. Ed. 2, t. 118 (1808).
*Vietz, Ic. Pl. Med.-oec.-techn. v. t. 420 (1817).
*Trattinick, Ausw. Gartenpfl. i. t. 46 (1821).
*Guimpel, Otto & Hayne, Abbild. Fremd. Holzart. i. t. 76 (1825).

CLETHRA
alnifolia
*Jaume St.-Hilaire, Fl. & Pom. Franç. ii. t. 166 (1829).
J. C. Loudon, Arbor. & Frutic. Brit. ii. 1128 (1838).
*Schnizlein, Iconogr. ii. t. 161 c (1856–65).—*Fl.*
Agardh, Theor. Syst. Pl. t. 9 (1858).—*Fl.*
Emerson, Trees & Shrubs Massachusetts, Ed. 2, ii. 426 (1875).
*Garden, xix. 208 (1881).
*Goodale & I. Sprague, Wild Fl. Amer. t. 22 (1882).
Lauche, Deutsche Dendrol. Ed. 2, p. 247 (1883).
Gard. Month. & Hort., Meehan, xxix. 276 (1887).
Dippel, Handb. Laubholzk. i. 433 (1889).
Pflanzenfam. iv. 1. 1 (1889).—*Fl.*
Baillon, Hist. Pl. xi. 142 (1891).—*Fl.*
Journ. Hort. Ser. III. xxv. 361 (1892); xxxi. 375 (1895).
Newhall, Shrubs N.E. Amer. 189 (1893).
Britton & Brown, Ill. Fl. N. States & Canada, ii. 548 (1897); Ed. 2, ii. 667 (1913).
Blanchan, Nat. Gard. 230 (1900).
Nicholson, Century Suppl. Dict. Gard. 711 (1901).
Keeler, Our North. Shrubs, 403 (1903); Ed. 2, p. 403 (1912).
Schneider, Dendrol. Winterst. 94 (1903).—*Veg.*
Möllers Deutsche Gärtn.-Zeit. xviii. 473, 474 (1909).
Heukels, Fl. Nederl. iii. 24 (1909).
Schneider, Ill. Handb. Laubh. ii. 462, 463 (1909).
Apgar, Orn. Shrubs U.S. 264, fig. 453 (1910).
Stone, Pl. Southern New Jersey (Ann. Rep. New Jersey State Mus. 1910), t. 92 (1911).
Creevey, Harper's Guide Wild Flowers, 409 (1912).
Silva Tarouca, Freiland-Laubgehölze, 74 (1913).—*Hab.*
Mathews, Field Book Amer. Trees & Shrubs, 341 (1915).
*Addisonia, i. t. 12 (1916).
L. H. Bailey, Stand. Cycl. Hort. 2692 (1916).
*House, Wild Fl. New York (Mem. No. 15, N.Y. State Mus.), ii. t. 147 (1918).
Pellett, Amer. Honey Pl. 190 (1920).
—— **tomentosa** Michx.
Gard. & Forest, iv. 65 (1891).
Rev. Hort. 1912, p. 519.
arborea Ait.
*Schneevogt, Ic. Pl. Rar. t. 22 [1793–95].
*Ventenat, Jard. Malm. t. 40 (1803).
*Bot. Mag. xxvi. t. 1057 (1807).
*Duhamel, Arbres & Arbustes, Ed. 2, v. t. 38 (1812).
*Trattinick, Ausw. Gartenpfl. i. t. 47, 47 a (1821).
J. C. Loudon, Arbor. & Frutic. Brit. ii. 1129 (1838).
*Penfold, Madeira Fl. Fr. & Ferns, t. 18 (1845).
Denkschr. Bot. Ges. Regensburg, iv. t. 3 (1861).
Ettingshausen, Blatt-Skel. Dikot. t. 40 (1861).—*Veg.*
Journ. Hort. lxii. 131 (1879); Ser. III. lxiv. 245 (1912); lxx. 393 (1915).
Gard. Chron. Ser. III. vi. 353 (1889); lii. 100 (1912).
Pflanzenfam. iv. 1. 1 (1889).
Flora, xcii. 316 (1903).—*Fl.*
Gartenfl. lii. 209 (1903).—*Hab.*
Schneider, Ill. Handb. Laubh. ii. 462, 463 (1909).
Garden, lxxvi. 428 (1912); lxxxiii. 565 (1919).
Journ. Roy. Hort. Soc. London, xxxviii. Proc. p. clviii, fig. 125 (1913).
—— **variegata** Hort.
*Rev. Hort. Belge, xix. 285 (1893).
barbinervis Sieb. & Zucc.
Gartenfl. xix. t. 654 (1870).
Bull. Coll. Agric. Tokyo, ii. t. 17, fig. 1, 2 (1895).—*Veg.*
*Useful Pl. Jap. i. t. 78 (1895).
*Shirasawa, Ic. Ess. Forest. Jap. i. t. 78 (1900).
Schneider, Ill. Handb. Laubh. ii. 462, 463 (1909).
Horticulture (Boston), xxi. 709 (1915).—*Hab.*
brasiliensis Cham.
Mart. Fl. Bras. vii. t. 64 (1863).

CLETHRA
canescens Reinw.
Vidal, Sin. Fam. & Gen. Pl. Leñ. Filip. (Introd. Fl. For. Filip.), Atlas, t. 60, fig. B (1883).
Ic. Bogor. iv. t. 318 (1910).
elongata J. J. Sm.
Bull. Jard. Bot. Buitenzorg, Ser. III. i. t. 47 (1920).
ferruginea Ruiz & Pav.
Ruiz & Pavon, Fl. Peruv. & Chil. Ic. Ined. iv. t. 380 (1802).
fimbriata H. B. K.
H. B. K. Nov. Gen. iii. t. 264 (1818).
javanica Turcz.
Bull. Jard. Bot. Buitenzorg, Ser. III. i. t. 10 (1919).
laevigata Meissn.
Mart. Fl. Bras. vii. t. 65 (1863).
Michauxii R. Court.
*Garden, xix. 208 (1881).
montana Loisel.
*Mordant de Launay, Herb. Amat. vii. t. 430 (1824).
obovata Ruiz & Pav.
Ruiz & Pavon, Fl. Peruv. & Chil. Ic. Ined. iv. t. 381 (1802).
occidentalis Auct.
Shreve in Carnegie Inst. Washington, Publ. No. 199, t. 16 (1914).—*Hab.*
paniculata Soland. in Ait.
*Garden, xix. 208 (1881).
papuana J. J. Sm.
Nova Guinea, xii. t. 53 (1914).
quercifolia Lindl.
*Bot. Reg. xxviii. t. 23 (1842).
revoluta Ruiz & Pav.
Ruiz & Pavon, Fl. Peruv. & Chil. Ic. Ined. iv. t. 380 (1802).
scandens Franch.
Nouv. Arch. Mus. Hist. Nat. Paris, Ser. II. x. t. 10 (1887–88).
spicigera Meissn.
Mart. Fl. Bras. vii. t. 66 (1863).
sumatrana J. J. Sm.
Ic. Bogor. iv. t. 319 (1910).
tinifolia Sw.
Pflanzenfam. iv. 1. 1 (1889).—*Fl.*
tomentosa Lam.
*Guimpel, Otto & Hayne, Abbild. Fremd. Holzart. i. t. 77 (1825).
*P. W. Watson, Dendr. Brit. i. t. 39 (1825).
J. C. Loudon, Arbor. & Frutic. Brit. ii. 1128 (1838).
*Bot. Mag. lxvi. t. 3743 (1840).
*Garden, xix. 208 (1881).
Schneider, Ill. Handb. Laubh. ii. 463 (1909).—*Veg.*
L. H. Bailey, Stand. Cycl. Hort. 801 (1914).
Bean, Trees & Shrubs, i. 373 (1914).

CLETHROPSIS Spach: *Alnus*
nitida Spach
Jacquemont, Voy. Inde, t. 159 (1844).

CLEYERA Auct.: *Adinandra* (1), *Cleyera* DC. (2), *Ternstroemia* (3)
Fortunei Hook. f. (2)
*Bot. Mag. cxxi. t. 7434 (1895).
Gard. Chron. Ser. III. xvii. 9 (1895).
gymnanthera Wight & Arn. (3)
Wight, Ic. Pl. Ind. Or. i. t. 47 (1838).
*Wight, Spicil. Neilgherr. i. t. 19 [1846].
japonica Thunb. (3)
Kaempfer, Ic. Sel. Pl. Jap. t. 33 (1791); fide Franchet & Sav.
*Ito & Kaku, Fig. & Descr. Pl. Koishikawa Bot. Gard. ii. t. 18 (1883).
*Useful Pl. Jap. iii. t. 662 (1895).
japonica Sieb. & Zucc. (3)
Siebold & Zucc. Fl. Jap. t. 81 (1835).
Milletii Hook. & Arn. (1)
Hooker & Arn. Bot. Beechey Voy. t. 33 (1841).
ochnacea Szysz. (2)
Apgar, Orn. Shrubs U.S. 81, fig. 55 (1910).
Kanehira, Formosan Trees, 56 (1917).

CLIANTHUS Banks & Soland.
Binnendijkianus Kurz
!Ann. Jard. Bot. Buitenzorg, xix. t. 22, fig. 50 (1904).—*Veg.*

CLIANTHUS
carneus Lindl.
*Bot. Reg. xxvii. t. 51 (1841).
Dampieri A. Cunn.
*Fl. des Serres, Ser. I. vi. t. 571 (1850–51); Ser. II. vi. t. 1626 (1865–67).
Moore & Ayres, Mag. Bot. ii. 132 (1850).
*Paxt. Fl. Gard. i. t. 10 (1850–51).
*Henderson, Ill. Bouquet, i. t. 27 (1857–59).
*Bot. Mag. lxxxiv. t. 5051 (1858).
*Belg. Hort. viii. t. 77 (1858).
Floral World, i. 180 (1858).
*Floricult. Cab. 1858, p. 177.
*Florist, 1858, t. 140.
*Journ. Hort. Prat. Belg. N. Ser. ii. t. 15 (1858).
*Ill. Hort. v. t. 173 (1858).
*Neubert's Deutsch. Gart. Mag. 1859, p. 204; 1875, p. 90; 1888, t. 9, p. 257.
Journ. Hort. xxvi. 160 (1861); lvii. 253 (1877); Ser. III. viii. 81 (1884); xlviii. 426 (1904).
*Rév. Hort. 1868, p. 231; 1899, p. 409.—*Hab.*
*Gartenfl. xviii. t. 616 (1869); xxiv. 57 (1875); xlviii. 272 (1899); liv. 173 (1905).
*Garden, xx. 86 (1881); xxxiv. 127 (1888); xxxvii. 299 (1890); lxxx. 245 (1916).
Wien. Ill. Gart.-Zeit. vii. 134, 183 (1882).
American Garden, iv. 107 (1883).
Bull. Soc. Tosc. Ortic. viii. t. 4, p. 293 (1883).
Nicholson, Illustr. Dict. Gard. i. 343 [1884–88].—*Hab.*
Rhein. Jahrb. Gartenk. & Bot. v. 70 (1887–88).
*Bois, Dict. Hort. 336 (1893–99).
Semaine Hort. 1899, p. 37.
L. H. Bailey, Cycl. Amer. Hort. 335 (1900); Stand. Cycl. Hort. 802 (1914).
*Jardin, xv. 200 (1901); xxvii. 376 (1913).
Journ. Soc. Hort. France, Ser. IV. i. 343 (1901).
Vilmorin, Hort. Vilm. (Bull. Soc. Bot. France, 1904, li. App.), 115 (1906).
*Lindman, Vi och våra blomm. t. 78 (1911–13).
F. Sulman, Wild Fl. N. S. Wales, i. t. 35 (1913).
Eden Phillpotts, My Shrubs, 32 (1915).
Engl. Jahrb. liii. Beibl. 116, p. 340 (1915).—*Fl.*
Gard. Chron. Ser. III. lxvii. 123 (1920).—*Hab.*
—— **marginatus** Hort.
*Floral Mag. v. t. 274 (1866).
*Garden, xxxvii. 298 (1890).
—— —— **elegans** Hort.
*Horticulteur Franç. 1866, t. 5.
magnificus Hort.
*Horticulteur Franç. 1856, t. 12.
puniceus Soland.
*Bot. Reg. xxi. t. 1775 (1835).
*Trans. Hort. Soc. London, Ser. II. i. 1830–35, t. 22 (1835).
*Marnock, Floricult. Mag. i. t. 1 (1836).
*Paxt. Mag. ii. 169 (1836).
*Bot. Mag. lxiv. t. 3584 (1837).
*Maund, Botanist, i. t. 44 (1837).
*Journ. Jard. 1837, p. 312.
*Sweet, Brit. Fl. Gard. vii. t. 397 (1837).
J. C. Loudon, Arbor. & Frutic. Brit. ii. 646 (1838).
*J. W. Loudon, Ladies' Fl.-Gard. Ornam. Greenh. Pl. t. 25 (1848).
*Sweet, Ornamental Fl. Gard. i. t. 22 (1854).
*E. H. & S. Featon, Art Album, i. t. 27 (1889).
*Harris, New Zeal. Flowers, [t. 3] [1894].
Garden, lxiii. 111 (1903); lxxiv. 364 (1910).—*Hab.*
Laing & Blackwell, Pl. New Zeal. Ed. 2, p. 209 (1907).
Illustr. New Zeal. Fl. (Educ. Dep.), t. 5 (1908).—*Hab.*
—— **albus** Hort.
Gard. Chron. Ser. III. xliv. 23 (1908).—*Hab.*
Eden Phillpotts, My Shrubs, 32 (1915).—*Hab.*
—— **magnificus** Hort.
*Fl. des Serres, Ser. I. ix. t. 879 (1853–54).

CLIBADIUM Linn.—Vide *Baillieria*
peruvianum Poepp. & Endl.
Poeppig & Endl. Nov. Gen. & Sp. Pl. iii. t. 253 (1845).

CLIBADIUM
rotundifolium DC.
Wawra, Bot. Ergebn. Reise Bras. t. 81 (1866).
Mart. Fl. Bras. vi. III. t. 50 (1884).

CLIDEMIA D. Don—Vide *Climedia*, *Staphidium*, *Stephanotrichum*
affinis Cogn.
Mart. Fl. Bras. xiv. IV. t. 104 (1888).
bullosa DC.
De Candolle in Mém. Soc. Phys. & Hist. Nat. Genève, iv. t. 4, fig. 1 (1828).—*Veg.*
Mart. Fl. Bras. xiv. IV. t. 103 (1888).
capilliflora Cogn.
Mart. Fl. Bras. xiv. IV. t. 107 (1888).
capillipes Cogn.
Mart. Fl. Bras. xiv. IV. t. 107 (1888).
chaetocalyx A. Gray
A. Gray, U.S. Expl. Exp. Bot. Atlas, i. t. 74 (1857).
conglomerata DC.
Mart. Fl. Bras. xiv. IV. t. 105 (1888).
cymbifera J. D. Sm.
Bot. Gaz. xviii. t. 21 (1893).
dispar Gardn.
Velenovsky, Vergl. Morphol. Pfl. ii. 486 (1907).
Neger, Biol. Pflanz. 109 (1913).
elegans D. Don
Martius, Nov. Gen. & Sp. Pl. Bras. iii. t. 281 (1829).—*Fr.*
Miquel, Comment. Phytogr. t. 10 (1840).—*Veg.*
erostrata DC.
Martius, Nov. Gen. & Sp. Pl. Bras. iii. t. 281 (1829).
Francavillana Cogn.
Mart. Fl. Bras. xiv. IV. t. 106 (1888).
guadalupensis Griseb.
Plumier, Fl. Amer. Ed. Burm. t. 142, fig. 2 (1757); fide Urban, Fedde Repert. Beih. v. 69.
involucrata DC.
Mart. Fl. Bras. xiv. IV. t. 104 (1888).
japurensis DC.
Mart. Fl. Bras. xiv. IV. t. 100 (1888).
lacera DC.
De Candolle in Mém. Soc. Phys. & Hist. Nat. Genève, iv. t. 3, fig. 7 (1828).—*Fl.*
neglecta D. Don
Mart. Fl. Bras. xiv. IV. t. 101 (1888).
obscura DC.
De Candolle in Mém. Soc. Phys. & Hist. Nat. Genève, iv. t. 3, fig. 4 (1828).—*Fl.*
parasitica O. Berg
Mart. Fl. Bras. xiv. IV. t. 100 (1888).
polyandra Benth.
Bentham, Bot. Voy. Sulphur, t. 34 (1844).
pustulata DC.
Mart. Fl. Bras. xiv. IV. t. 102 (1888).
rhodopogon DC.
*Martius, Nov. Gen. & Sp. Pl. Bras. iii. t. 282 (1829).
rubra Mart.
*Martius, Nov. Gen. & Sp. Pl. Bras. iii. t. 281 (1829).
salicifolia Naud.
Wawra, Bot. Ergebn. Reise Bras. t. 39 (1866).
spicata DC.
Martius, Nov. Gen. & Sp. Pl. Bras. iii. t. 281 (1829).—*Fr.*
surinamensis Miq.
Miquel, Comment. Phytogr. t. 11 (1840).
vittata Linden & André
*Ill. Hort. xxii. t. 219 (1875).—*Veg.*
Rev. Hort. 1876, p. 233.—*Hab.*
Ill. Gartenzeit. Stuttgart, xxi. t. 3 (1877).
Semaine Hort. 1897, p. 64.—*Hab.*

CLIDEMIASTRUM Naud.: *Leandra*
mexicanum Naud.
Ann. Sc. Nat. Paris, Ser. III. xviii. t. 4 (1852).—*Fl.*

CLIFFORTIA Linn.
arachnoidea Lodd.
*Lodd. Bot. Cab. iii. t. 260 (1818).
arborea Marloth
Engl. Jahrb. xxxix. 319, t. 3 (1906).

CLIFFORTIA
arborea
Engler & Drude, Veget. Erde, ix. 1. 1, p. 466 (1910).—*Hab.*
cordifolia Lam.
Lamarck, Ill. v. t. 827, fig. 2 (1797–1819).
crenata Linn. f.
Harvey, Thes. Cap. i. t. 95 (1859).
graminea Linn.
Deutsch. Tiefsee-Exped. 1898–99, ii. III. 122 (1908).
ilicifolia Linn.
Linnaeus, Hort. Cliff. t. 30 (1737); fide Linn.
Dillenius, Hort. Eltham. Add. Denom. Linn. t. 31 (1774).
*J. Miller, Illustr. Syst. Sex. Linn. t. 94 (1776).
Lamarck, Ill. v. t. 827, fig. 1 (1797–1819).
Schnizlein, Iconogr. iv. t. 272 c (1866–70).
Baillon, Hist. Pl. 364 (1867–69).—*Fl.*
Schimper, Pflanzen-Geogr. 558 (1898).—*Veg.*
linearifolia Eckl. & Zeyh.
Sim, For. Fl. Cape Colony, t. 137 (1907).
odorata Linn.
Deutsch. Tiefsee-Exped. 1898–99, ii. III. 84, 157, t. 11 (1908).—*Hab.*
Marloth, Fl. S. Africa, iv. 40 (1915).—*Hab.*
polygonifolia Linn.
Linnaeus, Hort. Cliff. t. 32 (1737); fide Linn.
ruscifolia Linn.
Linnaeus, Hort. Cliff. t. 31 (1737); fide Linn.
Lamarck, Ill. v. t. 827, fig. 3 (1797–1819).
Edmonds & Marloth, Elem. Bot. S. Africa, 146 (1897).
Deutsch. Tiefsee-Exped. 1898–99, ii. III. 101, 118, 174, 345 (1908).
Marloth, Fl. S. Africa, i. t. 22 (1913).—*Hab.*
Stoneman, Plants & their Ways S. Africa, Ed. 2, p. 153 (1915).—*Fl.*
strobilifera Sim
Sim, For. Fl. Cape Colony, t. 64 (1907).

CLIFTONIA Banks—Vide *Mylocaryum*
ligustrina Sims ex Spreng.
Schnizlein, Iconogr. iv. t. 240 (1857–65).—*Fl.*
Baillon, Adans. i. t. 4, fig. 3–6 (1860).—*Fl.*
*Nuttall, Sylva, ii. t. 73 (1865).
Baillon, Hist. Pl. xi. 211 (1891).
Pflanzenfam. iii. v. 181 (1892).
monophylla Britton
Sargent, Silva N. Amer. ii. t. 52 (1892).
Lounsberry, Southern Wild Fl. & Trees, t. 99 (1901).
Sargent, Man. Trees N. Amer. 613 (1905).
Schneider, Ill. Handb. Laubh. ii. 157 (1907).
Britton, N. Amer. Trees, 619 (1908).
nitida Gaertn.
Gaertner f., Fruct. iii. t. 225 (1807).—*Fr.*
*Schnizlein, Iconogr. iv. t. 240 (1857–65).—*Fr.*

CLIMEDIA Rafarin: *Clidemia*
crenata DC.
Ettingshausen, Blatt-Skel. Dikot. t. 84 (1861).—*Veg.*

CLINACANTHUS Nees
Burmannii Nees
Ann. Jard. Bot. Buitenzorg, xvii. 40 (1900).—*Veg.*
Crevost & Lemarié, Cat. Prod. Indochine, i. 158 (1917).

CLINANTHUS Herb.: *Stenomesson*
luteus Herb.
Herbert, Amar. t. 27, fig. 1 (1837).

CLINOGYNE Benth.
arillata K. Schum.
Pflanzenreich, Marantac. 61 (1902).—*Fl.*
Engler & Drude, Veget. Erde, ix. II. 398 (1908).—*Fr.*
Thonner, Blütenpfl. Afr. t. 25 (1908).
De Wildeman, Études Fl. Bangala & Ubangi, 13 (1911).
Bull. Soc. Bot. Belg. li. III. t. 23 (1913).
leucantha K. Schum.
Pflanzenreich, Marantac. 61 (1902).—*Fl.*
Engler & Drude, Veget. Erde, ix. II. 398 (1908).—*Fr.*

CLINOGYNE
monophylla K. Schum.
Pflanzenreich, Marantac. 47 (1902).—*Fl.*
Engler & Drude, Veget. Erde, ix. II. 398 (1908).
ramosissima K. Schum.
Chevalier, Vég. Util. Afr. fasc. 6, p. 344 (1911).
Schweinfurthiana K. Schum.
Chevalier, Vég. Util. Afr. fasc. 6, p. 336 (1911).

CLINOGYNE Salisb.: *Donax*
dichotoma Salisb.
Bose, Man. Ind. Bot. 291 (1920).
grandis Benth.
Eichler in Abh. Akad. Berlin, 1883, t. 3, fig. 27; t. 7, fig. 120, 121 (1884).

CLINOPODIUM Linn.: *Satureia*
Acinos O. Kuntze
Britton & Brown, Ill. Fl. N. States & Canada, iii. 109 (1898); Ed. 2, iii. 139 (1913).
albidum Vell.
Vellozo, Fl. Flum. vi. t. 6 (1827).
argenteum Hort.
Gartenfl. xlviii. 105 (1899).—*Hab.*
arvense Vell.
Vellozo, Fl. Flum. vi. t. 9 (1827).
brasilicum Vell.
Vellozo, Fl. Flum. vi. t. 3 (1827).
Calamintha O. Kuntze
Baillon, Hist. Pl. xi. 14 (1891).
Britton & Brown, Ill. Fl. N. States & Canada, iii. 109 (1898).
Britton, Fl. Bermuda, 328 (1918).
chinense O. Kuntze
Somoku Dzusetsu, Ed. Makino (Iconogr. Pl. Nippon), xi. t. 22 (1912).
cordatum Vell.
Vellozo, Fl. Flum. vi. t. 8 (1827).
glabellum O. Kuntze
Britton & Brown, Ill. Fl. N. States & Canada, iii. 110 (1898); Ed. 2, iii. 139 (1913).
glabrum O. Kuntze
Britton & Brown, Ill. Fl. N. States & Canada, iii. 109 (1898); Ed. 2, iii. 139 (1913).
gracile O. Kuntze
Somoku Dzusetsu, Ed. Makino (Iconogr. Pl. Nippon), xi. t. 20 (1912).
imbricatum Vell.
Vellozo, Fl. Flum. vi. t. 5 (1827).
incanum Linn.
Dillenius, Hort. Eltham. Add. Denom. Linn. t. 74 (1774).
Lamarck, Ill. iii. t. 511, fig. 2 (1797).
Ann. Mus. Hist. Nat. Paris, xv. 262, t. 20 (1810).—*Fl.*
martinicense Jacq.
Jacquin, Sel. Stirp. Amer. Hist. t. 177 (1763).—*Fl.*
*Jacquin, Sel. Stirp. Amer. Hist. Picta, t. 261, fig. 45 [1780].—*Fl.*
Nepeta O. Kuntze
Britton & Brown, Ill. Fl. N. States & Canada, iii. 108 (1898); Ed. 2, iii. 138 (1913).
Merino, Fl. Galicia, ii. 198 (1906).
origanifolium Labill.
Labillardière, Ic. Pl. Syriae, iv. t. 9 (1812).
perenne Kniphof
*Kniphof, Herb. Viv. i. t. 271 (1758).
repens Vell.
Vellozo, Fl. Flum. vi. t. 7 (1827).
rugosum Linn.
Dillenius, Hort. Eltham. Add. Denom. Linn. t. 75 (1774).
umbrosum japonicum Matsum.
Somoku Dzusetsu, Ed. Makino (Iconogr. Pl. Nippon), xi. t. 21 (1912).
verticillatum Vell.
Vellozo, Fl. Flum. vi. t. 4 (1827).
vulgare Linn.
*Kniphof, Herb. Viv. i. t. 270 (1758).
*Zorn, Ic. Pl. Med. v. t. 413 (1784).
*Fl. Dan. vi. t. 930 (1787).
Hoppe, Ect. Pl. Ratisb. t. 451 (1789).
*Baylis, Bot. Phys. t. 32, p. 334 (1791).
*Plenck, Ic. Pl. Med. v. t. 498 (1792).
Lamarck, Ill. iii. t. 511, fig. 1 (1797).

CLINOPODIUM
vulgare
*Oskamp, Afb. Artseny-Gewass. v. t. 477 (1800).
Boissieu, Fl. Eur. ii. t. 404 (1805).
*Sowerby & Sm. Engl. Bot. xx. t. 1401 (1805).
*Schkuhr, Bot. Handb. Ed. 2, t. 163 (1808).
Ann. Mus. Hist. Nat. Paris, xv. 261, t. 17 (1810).—*Fl.*
*Svensk Bot. vii. t. 441 (1812).
*Schrank, Fl. Monac. ii. t. 195 (1814).
*Vietz, Ic. Pl. Med.-oec.-techn. v. t. 421 (1817).
*Dietrich, Fl. Boruss. ii. t. 124 (1834).
*Heger, Danske Oec. Pl. iii. t. 218 (1835).
*Zenker, Fl. Thüringen, viii. t. 873 (1836–55).
Nees, Gen. Pl., Gamop. ii. t. 12 (1839).
*Baxter, Brit. Bot. Ed. 2, v. t. 346 (1840).
[M. E.] Jackson, Pict. Fl. fig. 902 (1840).
*Deakin, Florigr. Brit. ii. fig. 930 (1845).
*Lorek, Fl. Pruss. Ed. 3, t. 145, fig. 769 (1848).
*Petermann, Deutschl. Fl. t. 69, fig. 540 (1849).
Johnson & Sowerby, Brit. Wild Fl. fig. 975 (1858–60).
Berg, Charakt. t. 33, fig. 262 (1861).
*Schubert, Naturg., Pflanzenreich, Ed. 2, t. 31, fig. 10 [1865].
*C. Hoffmann, Pflanzenatlas, t. 50, fig. 307 (1881).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xviii. t. 1809 (1884).
Potonié, Ill. Fl. Nord- u. Mittel-Deutschl. Ed. 4, fig. 524 (1889).
*Schimpfky, Uns. Heilpfl. ii. t. 36 [1893–94].
Garcke, Ill. Fl. Deutschl. 473 (1895).
Britton & Brown, Ill. Fl. N. States & Canada, iii. 108 (1898); Ed. 2, iii. 138 (1913).
Heukels, Fl. Nederl. iii. 208 (1909).
*House, Wild Fl. New York (Mem. No. 15, N.Y. State Mus.), ii. t. 186 (1918).
*Horwood, Brit. Wild Fl. iii. t. 30, p. 217 (1919).

CLINOSTIGMA H. Wendl.
Harlandii Becc.
Webbia, iii. 150 (1910).—*Fr.*
Mooreanum H. Wendl. & Drude
Linnaea, xxxix. t. 2, fig. 5 (1875).—*Fr.*
Trans. & Proc. New Zeal. Inst. 1916, xlix. t. 14 (1917).—*Hab.*
onchotrhyncha Becc.
Webbia, iv. 285 (1914).—*Fr.*
Powelliana Becc.
Webbia, iv. 287 (1914).—*Fr.*
Thurstonii Becc.
Webbia, iii. 146 (1910).—*Fl.*

CLINTONIA Rafin.—Vide *Dracaena* (1)
Andrewsiana Torr.
*Bot. Mag. cxv. t. 7092 (1889).
M. Armstrong, Field Book West. Wild Fl. 51 (1915).
borealis Rafin.
*Wild Fl. Canada, t. 287 (1894).
Dana, How to Know the Wild Fl. t. 39 (1894).
Britton & Brown, Ill. Fl. N. States & Canada, i. 428 (1896); Ed. 2, i. 514 (1913).
Asa Gray Bull. vi. 42 (1898).
*Parsons, According to Season, t. 12 (1902).
Niles, Bog-trotting Orch. 116 (1904).
Peterson, How to Know Wild Fr. 256 (1914).
Bot. Gaz. lxi. 183 (1916).
*House, Wild Fl. New York (Mem. No. 15, N.Y. State Mus.), i. t. 17 (1918).
udensis Trautv. & Mey.
Middendorff, Reise Sibir. ii. t. 30 [1847].
*Miyoshi & Makino, Pocket-Atlas, Alp. Pl. Jap. ii. t. 48, fig. 278 (1907).
umbellulata Schaff.
Britton & Brown, Ill. Fl. N. States & Canada, i. 429 (1896); Ed. 2, i. 515 (1913).
Garden, lxxiii. 459 (1909).—*Hab.*
Bot. Gaz. lxi. 185 (1916).
uniflora Kunth
J. W. Henshaw, Mount. Wild Fl. Amer. t. 38 (1906).
*S. Brown, Alp. Fl. Rocky Mts. 40, t. 7 (1907).
H. M. & C. C. Hall, Yosemite Fl. 59 (1912).
M. Armstrong, Field Book West. Wild Fl. 51 (1915).—*Fl.*
Gard. Chron. Ser. III. lxviii. 275 (1920).

CLINTONIA Dougl.: *Downingia*
elegans Dougl.
*Bot. Reg. xv. t. 1241 (1829).
pulchella Lindl.
*Bot. Reg. xxii. t. 1909 (1836).
*Sweet, Brit. Fl. Gard. vii. t. 412 (1837).
*Floricult. Cab. vi. frontisp. (1838).
*Marnock, Floricult. Mag. iii. t. 29 (1838).
*Paxt. Mag. iv. 145 (1838).
*Maund, Botanist, v. t. 207 (1841).
*J. W. Loudon, Ladies' Fl.-Gard. Ornam. Annuals, t. 29 (1844).
*Sweet, Ornamental Fl. Gard. ii. t. 114 (1854).
*Fl. des Serres, Ser. II. i. t. 1092 (1856).
Gartenfl. xxx. 57 (1881).
W. Robinson, Engl. Fl. Gard. t. 76 (1883).
Rev. Hort. 1895, p. 19.—*Hab.*
—— **atropurpurea** Hort.
*Rev. Hort. 1861, p. 171.
—— **azurea grandiflora** Hort.
*Rev. Hort. 1861, p. 171.

CLIOCARPUS Miers: *Solanum*
Gardneri Miers
Miers, Ill. S. Amer. Pl. ii. t. 44 (1849–57).
megalochiton Miers
Miers, Ill. S. Amer. Pl. ii. t. 44 (1849–57).—*Fl.*

CLIOCOCCA Babington: *Linum*
tenuifolia Babington
Trans. Linn. Soc. London, xix. t. 3 (1845).

CLISTOYUCCA = *Cleistoyucca*

CLITANDRA Benth.
Arnoldiana De Wild.
*De Wildeman & Gentil, Lianes Caoutch. Congo, 77, t. 9, 10 (1904).
De Wildeman, Miss. É. Laurent, i. 496–99 (1907).
Thonner, Blütenpfl. Afr. t. 130 (1908).
Bull. Agric. Congo Belge, ii. 232, 305 (1911); iv. 168 (1913).
De Wildeman, Études Fl. Bangala & Ubangi, 52 (1911).
Bull. Soc. Bot. Belg. li. III. t. 34 (1913).
Henriquesiana K. Schum.
Tropenpfl. i. 134 (1897).
Morris in Bull. Soc. Belg. Etud. Col. 212 (1899).
De Wildeman & Gentil, Lianes Caoutch. Congo, 134 (1904).—*Hab.*
Lacourtiana De Wild.
*De Wildeman & Gentil, Lianes Caoutch. Congo, t. 24 (1904).
De Wildeman, Miss. É. Laurent, ii. t. 163 (1907).
laxiflora Hallier f.
De Wildeman, Miss. É. Laurent, i. 502 (1907).—*Fr.*
leptantha Hallier f.
Hallier f. in Jahrb. Hamburg. Wiss. Anstalt. 1899, xvii. Beih. 3, t. 4 (1900).
membranacea Stapf
H. H. Johnston, Liberia, ii. 621 (1906).
nitida Stapf
H. H. Johnston, Liberia, ii. 619 (1906).
orientalis K. Schum.
Hook. Ic. Pl. xxviii. t. 2742 (1902).
Dawe, Rep. Bot. Min. Uganda, t. 4 (1906).
viscifluа K. Schum.
Hallier f. in Jahrb. Hamburg. Wiss. Anstalt. 1899, xvii. Beih. 3, t. 4 (1900).

CLITORIA Auct.—Vide *Martia* Leandr., *Nauchea*, *Neurocarpum*
abrifolia Buchoz
Buchoz, Hist. Règne Vég. ix. Dec. 4, t. 2 (1775).
alabamensis Bertol.
Bertoloni in Mem. Accad. Sc. Istit. Bologna, ii. t. 15 (1850).
*Bertoloni, Misc. Bot. ix. t. 5 (1851).
amazonum Mart.
Mart. Fl. Bras. xv. 1. t. 33 (1859).
amoena Roth
*Roth, Catal. Bot. ii. t. 3 (1800).
arborescens Ait.
*Bot. Mag. lix. t. 3165 (1832).
brasiliana Vell.
Vellozo, Fl. Flum. vii. t. 129 (1827).

CLITORIA
brasiliana amoena Tratt.
*Trattinick, Ausw. Gartenpfl. ii. t. 126 (1821).
cajanifolia Benth.
Ber. Deutsch. Bot. Ges. xxv. t. 5, fig. 5–7 (1907).—*Fl.*
calcarigera Salisb.
*Salisbury, Parad. Londin. i. II. t. 51 (1806).
dendrina Pittier
Contrib. U.S. Nat. Herb. xx. 126 (1918).—*Fl.*
fluminensis Vell.
Vellozo, Fl. Flum. vii. t. 128 (1827).
fulgens Paxt.
*Paxt. Mag. xi. 121 (1844).
*Burnett, Pl. Util. iii. 84, b (1847).
Galactia Linn.
Scopoli, Del. Fl. & Faun. Insubr. ii. t. 3 (1786).
Browne, Hist. Jamaica, Ed. 2, t. 32 (1789).
gemina Vell.
Vellozo, Fl. Flum. vii. t. 130 (1827).
glycinoides DC.
Arkiv Bot. Stockholm, iv. No. 7, p. 16 (1905).—*Fl.*
Ber. Deutsch. Bot. Ges. xxv. t. 5, fig. 1–4 (1907).
Neger, Biol. Pflanz. 671 (1913).—*Fl.*
guadalupensis Scop.
Scopoli, Del. Fl. & Faun. Insubr. ii. t. 2 (1786).
guianensis Benth.
Mart. Fl. Bras. xv. 1. t. 31 (1859).
Ber. Deutsch. Bot. Ges. xxv. t. 5, fig. 8–10 (1907).—*Fl.*
heterophylla Lam.
Ventenat, Choix Pl. t. 26 (1803).
*Bot. Mag. xlvii. t. 2111 (1819).
Ann. Bot. v. t. 21, fig. 69 (1891).—*Fl.*
insulana Vell.
Vellozo, Fl. Flum. vii. t. 131 (1827).
linearis Gagnep.
Lecomte, Fl. Gén. Indo-Chine, ii. 314 (1916).
Mariana Linn.
*Abbot & Smith, Nat. Hist. Lepidopt. Insects Georgia, i. t. 18 (1797).
*Torrey, Fl. State New York, i. t. 24 (1843).
Amer. Nat. xiii. 690 (1879).—*Fl.*
Mem. Torr. Bot. Club, ii. III. t. 9, 10 (1891).—*Veg.*
Bot. Gaz. xviii. 464, fig. 3, 4 (1893).—*Fl.*
*Wild Fl. Canada, t. 224 (1894).
Britton & Brown, Ill. Fl. N. States & Canada, ii. 333 (1897); Ed. 2, ii. 417 (1913).
Norton & Walls in Bull. Maryland Agric. St. No. 100, t. 1, fig. 29 (1905).—*Fr.*
micrantha Scop.
Scopoli, Del. Fl. & Faun. Insubr. ii. t. 1 (1786).
Plumieri Pers.
*Bot. Reg. iv. t. 268 (1818).
*Tussac, Fl. Antilles, iv. t. 27 (1827).
*Géel, Sert. Bot. Cl. 17 (1832).
*Blanco, Fl. Filip. t. 455 (1878–80).
rubiginosa Pers.
*Descourtilz, Fl. Pitt. & Méd. Antilles, viii. t. 591 (1829).
stipularis Benth.
Mart. Fl. Bras. xv. 1. t. 32 (1859).
tanganicensis M. Micheli
De Wildeman & Durand, Ill. Fl. Congo (Ann. Mus. Congo), i. t. 60 (1899).
Ternatea Linn.
Rheede, Hort. Mal. viii. t. 38 (1688); fide Hasskarl, Hort. Mal. Rheed. Clavis, 65.
Rumphius, Herb. Amboin. v. t. 31 (1747); fide Merrill, Interpret. Rumph. Herb. Amboin.
Gaertner, Fruct. ii. t. 149 (1791).—*Fr.*
Lamarck, Ill. iii. t. 609 (1797).
*Bot. Mag. xxxvii. t. 1542 (1813).
*Trattinick, Ausw. Gartenpfl. ii. t. 125 (1821).
*Joh. Kerner, Gen. Pl. Ill. vi. t. 105 (1822).
*Géel, Sert. Bot. Cl. 17 (1832).
*Reichenbach, Fl. Exot. iv. t. 226 (1835).
*Paxt. Mag. vii. 147 (1840).
*Horticulteur Univ. iv. 361 (1843).
Ralph, Ic. Carpolog. t. 36 (1849).—*Fr.*
Mart. Fl. Bras. xv. 1. t. 31 (1859).
*Somoku Dzusetsu, Ed. 2, xiii. t. 39 (1874).
*Lowis, Familiar Ind. Fl. t. 10 (1878).
*Blanco, Fl. Filip. t. 301 (1878–80).
Garden, xix. 327 (1881); xxxviii. 132 (1890).

CLITORIA
Ternatea
Wien. Ill. Gart.-Zeit. vi. 373 (1881); xi. 90 (1886).
Gartenfl. xxx. 56 (1881).
Journ. Linn. Soc., Bot. xxii. 355 (1886).—*Veg.*
Journ. Hort. Ser. III. xxi. 112 (1890); xxxi. 139 (1895); xl. 145 (1900).
Lubbock, Seedlings, i. 15, 442 (1892).—*Veg.*
Somoku Dzusetsu, Ed. Makino (Iconogr. Pl. Nippon), xiii. t. 39 (1912).
De Sornay, Green Manures in Tropics, 373 (1916).
Basu, Ind. Med. Pl. t. 326 (1918).
Glück, Blatt- & Blütenmorph. Stud. 484 (1919).
Fawcett & Rendle, Fl. Jamaica, iv. II. 47 (1920).
Goebel, Entfaltungsb. Pfl. 260 (1920).
—— **alba** Linn.
Buchoz, Hist. Règne Vég. xi. Dec. 8, t. 10 (1776).
—— **maior** Paxt.
*Paxt. Mag. xiii. 79 (1847).
*Burnett, Pl. Util. iv. t. 97, a (1850).
virginiana Linn.
Dillenius, Hort. Eltham. Add. Denom. Linn. t. 76 (1774).
*Bot. Reg. xiii. t. 1047 (1827).
*Descourtilz, Fl. Pitt. & Méd. Antilles, viii. t. 590 (1829).
viridiflora Bout.
Hook. Ic. Pl. ii. t. 152 (1837).

CLIVIA Lindl.—Vide *Himantophyllum, Imantophyllum*
×**cyrtanthiflora** Van Houtte
Rev. Hort. 1894, p. 573.—*Hab.*
*Gartenfl. liii. t. 1526 (1904).
Gardenii Hook.
*Bot. Mag. lxxxii. t. 4895 (1856).
Wood, Natal Pl. vi. iv. t. 578 (1912).
miniata Regel
*Gartenfl. xiii. t. 434 (1864); xxxv. 244, 245 (1886); liii. t. 1526 (1904).—*Fl.*
*Rev. Hort. 1869, p. 254; 1894, p. 572.—*Hab.*
Rev. Hort. Belge, vii. 36 (1881)—*Hab.*; ix. 112 (1883).—*Fl.*
*Bois, Dict. Hort. 336 (1893–99).
Wien. Ill. Gart.-Zeit. xx. 202 (1895).—*Fl.*
*Bois, Atlas Pl. Jard. t. 271 (1896).
*Step, Fav. Fl. Gard. & Greenh. iv. t. 263 (1897).
L. H. Bailey, Cycl. Amer. Hort. 336 (1900); Stand. Cycl. Hort. 804 (1914).
Bellair & St.-Léger, Pl. Serre, 553 (1900).
Gard. Chron. Ser. III. xxix. 239, xxx. 289 (1901); lxv. 207 (1919).
Wood, Natal Pl. vi. i. t. 503 (1909).
Velenovsky, Vergl. Morphol. Pfl. iii. 956, 1001 (1910).—*Fl.*
Wettstein, Handb. Syst. Bot. Ed. 2, p. 780 (1911). —*Veg.*
*Lindman, Vi och våra blomm. t. 20 (1911–13).
—— **citrina** Hort.
*Garden, lvi. 338 (1899).
—— **Lindenii** André
*Ill. Hort. xxvi. t. 343 (1879).—*Fl.*
—— **maxima** Hort.
Zeitschr. Schweiz. Gartenbauvereins, t. 9, 10 (1881).
nobilis Lindl.
*Bot. Reg. xiv. t. 1182 (1828).
*Lodd. Bot. Cab. xx. t. 1906 (1833).
*Mag. Bot. & Gard. ii. t. 46 (1834).
Herbert, Amar. t. 36, fig. 6; t. 44, fig. 29 (1837). —*Fl.*
Irmisch, Beitr. Morph. Amaryllid. t. 12 (1860).
*Gartenfl. liii. t. 1526 (1904).—*Fl.*

CLOEZIA Brongn. & Gris.
canescens Brongn. & Gris.
Nouv. Arch. Mus. Hist. Nat. Paris, iv. t. 6 (1868).

CLOISELIA Sp. Moore
carbonaria Sp. Moore
Journ. of Bot. xliv. t. 478 (1906).

CLOMENA P. Beauv.: *Muhlenbergia*
peruviana P. Beauv.
P. Beauvais, Agrost. t. 3, fig. 20; t. 7, fig. 10 (1812).—*Fl.*

CLOMENOCOMA Cass.: *Dysodia*
montana Benth.
Fielding & Gardn. Sert. Pl. i. t. 37 (1844).
*Bot. Mag. lxxxviii. t. 5310 (1862).

CLONODIA Griseb.
biglandulosa Chod.
Chodat in Bull. Soc. Bot. Genève, Ser. II. ix. 105 (1917).—*Fr.*
Chodat, Vég. Parag. ii. 208 (1917).

CLOSASCHIMA Korth.: *Haemocharis*
ovalis Korth.
*Korthals, Kruidk. (Verh. Nat. Geschied. Nederl.), t. 28 (1839–42) in textu; *Gordonia ovalis* in ic.

CLOSIA Remy
Cotula Remy
*C. Gay, Hist. Chile, Atlas, t. 46 (1854).

COSTERANDRA Boivin: *Papaver*
minor Boivin
Belanger, Voy. Ind. Or., Bot. Phan. t. 3 (1831–46).

CLOWESIA Lindl.: *Catasetum*
rosea Lindl.
*Bot. Reg. xxix. t. 39 (1843).

CLUSIA Linn.—Vide *Arrudea, Lipophyllum, Polythecandra, Quapoya, Triplandron*
alba Jacq.
Plumier, Pl. Amer. Ed. Burm. t. 87, fig. 1 (flor. excl.), 2 (1756); fide Urban, Fedde Repert. Beih. v. 55.
Jacquin, Sel. Stirp. Amer. Hist. t. 166 (1763).
*Houttuyn, Handl. Pl. & Kruidk. iii. t. 17, fig. 1 (1775).
*Jacquin, Sel. Stirp. Amer. Hist. Picta, t. 250 [1780].
*Joh. Kerner, Hort. Sempervir. t. 840 (1830).
Martius, Pfl. & Thiere Trop. Amer. t. 2, fig. XI (1831).—*Hab.*
Schnizlein, Iconogr. iii. t. 216 (1866–70).—*Fl.*
amazonica Planch. & Triana
Mart. Fl. Bras. xii. I. t. 83 (1888).
Pflanzenfam. iii. VI. 224 (1893).—*Fl.*
angularis Le Maout & Decne.
Le Maout & Decaisne, Traité Gén. Bot. 335 (1868).
Arrudea Planch. & Triana
Mart. Fl. Bras. xii. I. t. 85 (1888).
Pflanzenfam. iii. VI. 224 (1893).—*Fl.*
axillaris Engl.
Mart. Fl. Bras. xii. I. t. 84 (1888).
Brongniartiana Planch. & Triana
*Bot. Mag. lxxxviii. t. 5325 (1862).
*Schnizlein, Iconogr. iii. t. 216 (1866–70).
Cambessedesii Planch. & Triana
Mart. Fl. Bras. xii. I. 83 (1888).
columnaris Engl.
Mart. Fl. Bras. xii. I. t. 93 (1888).—*Fl.*
Pflanzenfam. iii. VI. 224 (1893).—*Fl.*
Criuva St.-Hil.
St.-Hilaire, Fl. Bras. Merid. i. t. 65 (1827).
Ettingshausen, Blatt-Skel. Dikot. t. 51 (1861).—*Veg.*
Mart. Fl. Bras. xii. I. t. 82 (1888).
eugenioides Planch. & Linden
Pflanzenfam. ii. I. 144 (1889); iii. VI. 224 (1893). —*Fl.*
Warming, Handb. Syst. Bot. Ed. Möbius, 312 (1902).—*Fl.*
Wettstein, Handb. Syst. Bot. Ed. 2, p. 600 (1911). —*Fl.*
flava Jacq.
Jacquin, Sel. Stirp. Amer. Hist. t. 167 (1763).
*Jacquin, Sel. Stirp. Amer. Hist. Picta, t. 251 [1780].
*Andrews, Bot. Rep. iv. t. 223 (1802).
*Trattinick, Ausw. Gartenpfl. i. t. 10 (1821).
*Nuttall, Sylva, ii. t. 77 (1865).
Parlatore, Coll. Bot. Mus. Phys. Nat. Florence, t. 16 (1874).—*Hab.*
Britton, N. Amer. Trees, 700 (1908).
fluminensis Planch. & Triana
Mart. Fl. Bras. xii. I. t. 91 (1888).
fragrans Gardn.
Mart. Fl. Bras. xii. I. t. 81 (1888).

CLUSIA
fragrans
Pflanzenfam. iii. VI. 224 (1893).—*Fl.*
Galactodendron Desv.
Ann. Sc. Nat. Paris, Ser. II. xviii. t. 8 (1842).
Gaudichaudii Choisy
Mart. Fl. Bras. xii. I. t. 87 (1888).—*Fl.*
grandiflora Splitg.
Miquel, Stirp. Surinam. (Nat. Verh. Holl. Maatsch. Wet. Haarlem, Ser. II. vii), t. 25, 26 (1851).
Schimper, Pflanzen-Geogr. 354 (1898).
Gard. Chron. Ser. III. xxxviii. 389 (1905); lxvii. 315 (1920).
*Bot. Mag. cxxxvii. t. 8387 (1911).
Garden, lxxx. 320 (1916).—*Fl.*
grandifolia Engl.
Mart. Fl. Bras. xii. I. t. 92 (1888).
Ildefonsiana Rich.
Mart. Fl. Bras. xii. I. t. 81 (1888).
insignis Mart.
*Martius, Nov. Gen. & Sp. Pl. Bras. iii. t. 288 (1829).
Mart. Fl. Bras. xii. I. t. 89 (1888).
Pflanzenfam. ii. I. 145 (1889); iii. VI. 224 (1893). —*Fl.*
Beille, Bot. Pharm. ii. 440 (1909).—*Fl.*
lanceolata Cambess.
Mart. Fl. Bras. xii. I. t. 87 (1888).—*Fl.*
Pflanzenfam. iii. VI. 224 (1893).—*Fl.*
leprantha Mart.
Mart. Fl. Bras. xii. I. t. 86 (1888).
Lhotzkyana Schlechtd.
Choisy in Mém. Soc. Phys. & Hist. Nat. Genève, xii. t. 1, 2 (1849).
Martiana Engl.
Mart. Fl. Bras. xii. I. t. 95 (1888).
microstemon Planch. & Triana
Mart. Fl. Bras. xii. I. t. 87 (1888).
minor Linn.
Plumier, Pl. Amer. Ed. Burm. t. 87, fig. 1, 2 (flor. excl.) (1756); fide Urban, Fedde Repert. Beih. v. 55.
*Kniphof, Herb. Viv. i. t. 272 (1758).
Pflanzenfam. ii. I. 145 (1889); iii. VI. 224 (1893). —*Fl.*
Wettstein, Handb. Syst. Bot. Ed. 2, p. 600 (1911). —*Fl.*
nemorosa G. F. W. Mey.
Mart. Fl. Bras. xii. I. t. 88 (1888).
Pflanzenfam. ii. I. 145 (1889); iii. VI. 224 (1893). —*Fl.*
Warburg, Pflanzenwelt, i. 401 (1913).—*Fl.*
odorata Seem.
*Bot. Mag. xcvi. t. 5865 (1870).
organensis Planch. & Triana
Mart. Fl. Bras. xii. I. t. 90 (1888).
Pflanzenfam. iii. VI. 224 (1983).—*Fl.*
ovigera Planch. & Triana
Baillon, Hist. Pl. vi. 394 (1877).—*Fl.*
Baillon, Dict. Bot. ii. 102 (1880).—*Fl.*
panapanari Chois.
Schnizlein, Iconogr. iii. t. 216 (1866–70).—*Fl.*
Baillon, Hist. Pl. vi. 394 (1877).—*Fr.*
Baillon, Dict. Bot. ii. 102 (1880).—*Fr.*
parviflora Engl.
Mart. Fl. Bras. xii. I. t. 82 (1888).
Pflanzenfam. iii. VI. 224 (1893).—*Fl.*
penduliflora Engl.
Mart. Fl. Bras. xii. I. t. 84 (1888).
Planchoniana Engl.
Mart. Fl. Bras. xii. I. t. 93 (1888).
Pflanzenfam. ii. I. 144 (1889); iii. VI. 224 (1893). —*Fl.*
Warming, Handb. Syst. Bot. Ed. Möbius, 312 (1902).—*Fl.*
Wettstein, Handb. Syst. Bot. Ed. 2, p. 600 (1911). —*Fl.*
Plumieri Planch. & Triana
Plumier, Pl. Amer. Ed. Burm. t. 87, fig. 1, 2 (inflor. florif. et fig. anal.) (1756); fide Urban, Fedde Repert. Beih. v. 55.
polysepala Engl.
Mart. Fl. Bras. xii. I. t. 90 (1888).—*Fl.*
purpurea Engl.
Mart. Fl. Bras. xii. I. t. 86 (1888.)

CLUSIA
renggerioides Planch. & Triana
Mart. Fl. Bras. xii. 1. t. 90 (1888).
retusa Poir.
Lamarck, Ill. v. t. 852 (1797–1819).
Riedeliana Engl.
Mart. Fl. Bras. xii. 1. t. 82 (1888).
rosea Linn.
Buchoz, Hist. Règne Vég. ix. Dec. 10, t. 2 (1775).
*Buchoz, Herb. Col. Amér. [t. 61] (1783).
Dict. Sc. Nat., Planch. Bot. Dicot. t. 155, 156 (1816–29).
*Joh. Kerner, Gen. Pl. Ill. vii. t. 134, 135 (1823).
*Tussac, Fl. Antilles, iv. t. 15 (1827).
*Descourtilz, Fl. Pitt. & Méd. Antilles, vii. t. 485 (1829).
Linnaea, viii. t. 4 (1833).
*Horticulteur Univ. iii. 33 (1842).
*Spach, Hist. Nat. Vég. Phan. Atlas, t. 40 (1846).—*Fl.*
*Schnizlein, Iconogr. iii. t. 216 (1866–70).—*Fr.*
Baillon, Hist. Pl. vi. 393 (1877).—*Fl.*
Baillon, Dict. Bot. ii. 102 (1880).—*Fl.*
Pflanzenfam. iii. VI. 226 (1893).—*Fr.*
Brehm, Merv. Nat. Monde des Pl. i. 218 (1894–96).
Rev. Gén. Bot. xii. 436 (1900).—*Veg.*
Contrib. U.S. Nat. Herb. viii. t. 28 (1903).
Beille, Bot. Pharm. ii. 440 (1909).—*Fl.*
Journ. New York Bot. Gard. xi. 34, 35 (1910).
Sellowiana Schlechtd.
Mart. Fl. Bras. xii. 1. t. 81 (1888).
Spruceana Planch. & Triana
Mart. Fl. Bras. xii. 1. t. 92 (1888).
viscida Engl.
Mart. Fl. Bras. xii. 1. t. 89 (1888).

CLUSIELLA Planch. & Triana
elegans Planch. & Triana
Schnizlein, Iconogr. iii. t. 216 (1866–70).—*Fl.*
Pflanzenfam. ii. 1. 145 (1889); iii. VI. 224 (1893).—*Fl.*

CLUTIA = *Cluytia*

CLUYTIA Linn.
abyssinica Jaub. & Spach
Jaubert & Spach, Illustr. Pl. Or. v. t. 468 (1853–57).
alaternoides Linn.
Burman, Rar. Afr. Pl. t. 43, fig. 1, 3 (1739); fide Müll.-Arg. in DC. Prod.
*Kniphof, Herb. Viv. i. t. 273 (1758).
*Willdenow, Hort. Berol. i. t. 50 (1805).
*Bot. Mag. xxxii. t. 1321 (1810).
—— **angustifolia lanceolata** Sond.
Pflanzenreich, Euphorb.-Cluyt. 69 (1911).—*Hab.*
—— **maior** Krauss
Pflanzenreich, Euphorb.-Cluyt. 69 (1911).—*Hab.*
—— **microphylla typica** Pax
Pflanzenreich, Euphorb.-Cluyt. 69 (1911).—*Hab.*
collina Roxb.
*Roxburgh, Pl. Coromandel, ii. t. 169 (1798).
*Joh. Kerner, Hort. Sempervir. t. 545 (1819).
daphnoides Willd.
*Willdenow, Hort. Berol. i. t. 52 (1805).
Eluteria Linn.
*Woodville, Med. Bot. Suppl. t. 211 (1794); Ed. 3, iv. t. 223 (1832).
ericoides Willd.
*Bot. Reg. x. t. 779 (1824).
Pflanzenfam. iii. v. 2, 83 (1890).
Notizbl. Bot. Gart. Berlin, App. xi. 20 (1903).
Engler & Drude, Veget. Erde, ix. 1. 1, p. 413 (1910).
Pflanzenreich, Euphorb.-Cluyt. 55, 82 (1911).
floribunda Baill.
Baillon, Euphorb. t. 16, fig. 1–4 (1858).—*Fl.*
hirsuta Müll.-Arg.
Pflanzenreich, Euphorb.-Cluyt. 73 (1911).
lanceolata Forsk.
Jaubert & Spach, Illustr. Pl. Or. v. t. 467 (1853–57).
montana Roxb.
*Roxburgh, Pl. Coromandel, ii. t. 171 (1798).
myricoides Jaub. & Spach
Jaubert & Spach, Illustr. Pl. Or. v. t. 465, 466 (1853–57).

CLUYTIA
myricoides
Pflanzenreich, Euphorb.-Cluyt. 62 (1911).—*Hab.*
patula Roxb.
*Roxburgh, Pl. Coromandel, ii. t. 170 (1798).
polifolia Jacq.
*Jacquin, Hort. Schoenbr. ii. t. 250 (1797).
polygonoides Linn.
*Willdenow, Hort. Berol. i. t. 51 (1805).
—— **genuina** Müll.-Arg.
Pflanzenreich, Euphorb.-Cluyt. 79 (1911).
pterogona angustifolia Pax
Pflanzenreich, Euphorb.-Cluyt. 82 (1911).—*Hab.*
pulchella Linn.
*Kniphof, Herb. Viv. i. t. 274 (1758).
*J. Miller, Illustr. Syst. Sex. Linn. t. 97 (1774).
*Houttuyn, Handl. Pl. & Kruidk. vi. t. 36 (1776).
Gaertner, Fruct. ii. t. 107 (1791).—*Fr.*
Lamarck, Ill. v. t. 835 (1797–1819).
*Bot. Mag. xlv. t. 1945 (1817).
Jussieu, Euphorb. t. 6 (1824).—*Fl.*
Agardh, Theor. Syst. Pl. t. 15 (1858).—*Fl.*
Baillon, Euphorb. t. 16, fig. 6–19 (1858).—*Fl.*
Le Maout & Decaisne, Traité Gén. Bot. 495 (1868).—*Fl.*
Baillon, Hist. Pl. v. 117 (1874).—*Fl.*
Pflanzenfam. iii. v. 83 (1890).
Wood & Evans, Natal Pl. i. II. t. 84 (1899).
Notizbl. Bot. Gart. Berlin, App. xi. 20 (1903).
Sim, For. Fl. Cape Colony, t. 137 (1907).
Engler & Drude, Veget. Erde, ix. 1. 1, p. 413 (1910).
—— **genuina** Müll.-Arg.
Pflanzenreich, Euphorb.-Cluyt. 55 (1911).
scandens Roxb.
*Roxburgh, Pl. Coromandel, ii. t. 173 (1798).
sericea Müll.-Arg.
Pflanzenreich, Euphorb.-Cluyt. 75 (1911).—*Hab.*
similis Müll.-Arg.
Pflanzenreich, Euphorb.-Cluyt. 66 (1911).—*Hab.*
spinosa Roxb.
*Roxburgh, Pl. Coromandel, ii. t. 172 (1798).
tomentosa Linn.
Baillon, Euphorb. t. 16, fig. 20, 21 (1858).—*Fr.*
—— **elliptica** Müll.-Arg.
Pflanzenreich, Euphorb.-Cluyt. 75 (1911).—*Hab.*

CLYPEA Bl.: *Stephania*
Forsteri Miers
Miers, Contrib. Bot. iii. t. 118 (1864–71).
glaucescens Decne.
Nouv. Ann. Mus. Hist. Nat. Paris, iii. 500, t. 18 (1834).
hernandifolia Wight & Arn.
Wight, Ic. Pl. Ind. Or. iii. t. 939 (1843–45).
*Wight, Spicil. Neilgherr. i. t. 7 [1846].

CLYPEOLA Linn.—Vide *Orium*
alliacea Crantz
Crantz, Crucif. t. 1, fig. 1 (1769).
*Bergeret, Phyt. Univ. iii. 155 (1784).
Lamarck, Ill. iii. t. 569, fig. 2 (1797).
chaetocarpa Jaub. & Spach
Jaubert & Spach, Illustr. Pl. Or. iii. t. 206 (1847–50).
cyclodontea Del.
Raffeneau-Delile in Bull. Soc. Agric. Dépt. Hérault, 258 (1830); et Descr. Clyp. cycl., tab. (1831).
Le Maout & Decaisne, Traité Gén. Bot. 419 (1868).—*Fr.*
Cosson, Ill. Fl. Atlant. i. t. 47 (1884).
Ionthlaspi Linn.
*Bergeret, Phyt. Univ. iii. 157 (1784).
Cavanilles, Ic. i. t. 34 (1791).
Gaertner, Fruct. ii. t. 141 (1791).—*Fr.*
Lamarck, Ill. iii. t. 560, fig. 1 (1797).
Boissieu, Fl. Eur. iii. t. 445 (1806).
Journ. de Bot. Appl. (Desvaux), iii. t. 25, fig. 7 (1814).—*Fr.*
Trattinick, Fl. Oesterr. Kaiserth. i. t. 17 (1816).
Reichenbach, Ic. Fl. Germ. ii. t. 12 (1837–38).
*Petermann, Deutschl. Fl. t. 8, fig. 58 (1849).
*Cusin & Ansberque, Herb. Fl. Franç. ii. t. 327 (1868).
Willkomm, Führ. Reich Pflanzen, 830 (1882).—*Fr.*
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xiv. t. 1395 (1883).

CLYPEOLA
Ionthlaspi
Acloque, Fl. France, 101 (1894).
Post, Fl. Syria, Palestine & Sinai, 96 [1896].—*Fr.*
Fiori & Paol. Ic. Fl. Ital. 165 (1899).
Coste, Fl. France, i. 114 (1901).
Lazaro, Comp. Fl. Españ. ii. 138 (1907).—*Fr.*
*Bonnier, Fl. Compl. France, Suisse & Belge, i. t. 48 [1911].
Adamović, Pflanzenw. Dalmat. t. 58 (1911).
Hegi, Ill. Fl. Mittel-Eur. iv. 1. 458 (1913).—*Fr.*
Cadevall & Sallent, Fl. Catalunya, i. 148 (1915).
—— **Gaudinii** Fiori
Hegi, Ill. Fl. Mittel-Eur. iv. 1. 458 (1913).
—— **macrocarpa** Fiori
Hegi, Ill. Fl. Mittel-Eur. iv. 1. 458 (1913).
—— **pyrenaica** Cusin & Ansb.
Cusin & Ansberque, Herb. Fl. Franç. ii. t. 327 (1868).
lasiocarpa Pers.
Jaubert & Spach, Illustr. Pl. Or. iii. t. 205 (1847–50).
microcarpa Moris
Fiori & Paol. Ic. Fl. Ital. 165 (1899).
Coste, Fl. France, i. 115 (1901).
*Bonnier, Fl. Compl. France, Suisse & Belge, i. t. 48 [1911].

CLYTOSTOMA Miers—Vide *Bignonia* (9)
callistegioides Bur.
Pflanzenfam. iv. III. B. 210 (1894).—*Fr.*
Mart. Fl. Bras. viii. 1. t. 81 (1896).
Wettstein, Handb. Syst. Bot. Ed. 2, p. 734 (1911).—*Fl.*
Bull. Missouri Bot. Gard. viii. t. 3 (1920).
isthmicum Pittier
Contrib. U.S. Nat. Herb. xviii. t. 106 (1917).—*Fr.*

CNEMIDARIA Presl: *Hemitelia*
horrida Presl
*Hooker, Gen. Fil. t. 4 (1842).
Payer, Bot. Crypt. 200 (1850).—*Fr.*
kohautiana Presl
Presl, Tent. Pteridogr. t. 1 (1836).
speciosa Presl
Presl, Tent. Pteridogr. t. 1 (1836).

CNEMIDOSTACHYS Mart.: *Sebastiania*
bidentata Mart.
*Martius, Nov. Gen. & Sp. Pl. Bras. i. t. 43 (1824).
marginata Mart.
*Martius, Nov. Gen. & Sp. Pl. Bras. i. t. 41 (1824).
myrtilloides Mart.
*Martius, Nov. Gen. & Sp. Pl. Bras. i. t. 40 (1824).
patula dubia Wawra
Wawra, Bot. Ergebn. Reise Bras. t. 44 (1866).
scoparia Mart.
*Martius, Nov. Gen. & Sp. Pl. Bras. i. t. 44 (1824).
serrulata Mart.
*Martius, Nov. Gen. & Sp. Pl. Bras. i. t. 42 (1824).

CNEORIDIUM Hook. f.
dumosum Hook. f.
Pflanzenfam. iii. IV. 132 (1896).

CNEORUM Linn.—Vide *Chamaelia*
pulverulentum Vent.
Ventenat, Jard. Cels, t. 77 [1800].
Webb & Berth. Hist. Nat. Iles Canar. iii. Phytogr. II. t. 66 B (1836–50).
Pflanzenfam. iii. IV. 94 (1890).
Engler & Drude, Veget. Erde, ix. 1. 2, p. 826 (1910).
tricoccon Linn.
*Kniphof, Herb. Viv. i. t. 275 (1758).
Lamarck, Ill. i. t. 27 (1791).
*F. J. Schultz, Abb. Bäume, Staud. Sträuch. Oesterr. ii. t. 131 (1792).
*Jaume St.-Hilaire, Pl. France, i [t. 68] (1808).
*Chaumeton, Fl. Méd. ii. t. 87 (1815).
*Roques, Phytogr. Médic. ii. t. 157 (1821).
*Jaume St.-Hilaire, Traité Arbriss. & Arbust. i. t. 39 (1825).
Webb & Berth. Hist. Nat. Iles Canar. iii. Phytogr. II. t. 66 B (1836–50).—*Fr.*
*Cassone, Fl. Med.-Farm. ii. t. 106 (1847).
Payer, Organog. Comp. Fl. t. 23 (1857).—*Fl.*
*Schnizlein, Iconogr. iv. t. 247 (1866–70).—*Fl.*

CNEORUM
tricoccon
Agardh, Theor. Syst. Pl. t. 18 (1858).—*Fl.*
Le Maout & Decaisne, Traité Gén. Bot. 368 (1868).
*Cusin & Ansberque, Herb. Fl. Franç. v. t. 921 (1869).
*Moggridge, Fl. Mentone, t. 7 (1871).
Baillon, Hist. Pl. iv. 414 (1873).—*Fl.*
Baillon, Dict. Bot. i. 208 (1877).—*Fl.*
Nicholson, Illustr. Dict. Gard. i. 344 [1884–88].
Pflanzenfam. iii. iv. 94 (1890).
Schimper, Pflanzen-Geogr. 546 (1898).
Coste, Fl. France, i. 276 (1901).
Fiori & Paol. Ic. Fl. Ital. 298 (1901).
*Penzig, Fl. Litt. Méditerr. t. 28 (1902).
Beih. Bot. Centralbl. xvi. t. 14, fig. 17 (1904).—*Fl.*
*Strasburger, Rambles Riviera, 107 (1906).
Lazaro, Comp. Fl. Españ. ii. 208 (1907).
Schneider, Ill. Handb. Laubh. ii. 117 (1907).
*Bonnier, Fl. Compl. France, Suisse & Belge, ii. t. 115 [1912].
*H. S. Thompson, Fl. Pl. Riviera, t. 9 (1914).
Cadevall & Sallent, Fl. Catalunya, ii. 19 (1916).

CNESMONE Bl.
javanica Bl.
Baillon, Euphorb. t. 4, fig. 14, 15, 17 (1858).—*Fl.*
Pflanzenfam. iii. v. 63 (1890).—*Fl.*
Pflanzenreich, Euphorb.-Pluk.-Ric. 4, 103 (1919).

CNESTIDIUM Planch.
lasiocarpum Baker
Mart. Fl. Bras. xiv. II. t. 47 (1871).

CNESTIS Juss.
bullata Baill.
Grandidier, Hist. Madag. [Plantes] Atlas, t. 17 (1886).
corniculata Lam.
Rochebrune in Bull. Soc. Hist. Nat. Autun, xii. II. 116 (1899).
dolichoides Boj.
Ettingshausen, Blatt-Skel. Dikot. t. 78 (1861).—*Veg.*
emarginata De Wild. & Dur.
De Wildeman & Durand, Ill. Fl. Congo (Ann. Mus. Congo), i. t. 65 (1900).
ferruginea DC.
Pflanzenfam. iii. III. 68 (1891).
Engler & Drude, Veget. Erde, ix. I. 2, p. 632 (1910).
De Wildeman, Études Fl. Bangala & Ubangi, 117 (1911).
Bull. Soc. Bot. Belg. li. III. t. 67 (1913).
glabra Lam.
Lamarck, Ill. ii. t. 387, fig. 1 (1797).
Baillon, Hist. Pl. ii. 6 (1870).—*Fl.*
*Blanco, Fl. Filip. t. 140 (1878–80).
Grandidier, Hist. Madag. [Plantes] Atlas, t. 16 a (1888).
grisea Bak.
Pflanzenfam. iii. III. 68 (1891).—*Fl.*
Engler & Drude, Veget. Erde, ix. I. 2, p. 632 (1910); ix. III. 1, p. 319 (1915).
Laurentii De Wild.
De Wildeman, Études Fl. Bas- & Moyen-Congo (Ann. Mus. Congo), iii. t. 19 (1909).
obliqua P. Beauv.
*P. Beauvais, Fl. Oware & Benin, i. t. 59 (1806).
pinnata P. Beauv.
*P. Beauvais, Fl. Oware & Benin, i. t. 60 (1806).
polyphylla Lam.
Lamarck, Ill. ii. t. 387, fig. 2 (1797).—*Fr.*
ramiflora Griff.
Vidal, Sin. Fam. & Gen. Pl. Leñ. Filip. (Introd. Fl. For. Filip.), Atlas, t. 39, fig. C (1883).—*Fl.*
Pierre, Fl. For. Cochinch. v. t. 376 (1898).
Lecomte, Fl. Gén. Indo-Chine, ii. 44 (1908).—*Fl.*
steriopetala Griff.
Griffith, Ic. Pl. Asiat. t. 611, fig. 2 (1854).—*Fl.*
urens Gilg
Pflanzenfam. iii. III. 68 (1891).—*Fr.*
Engler & Drude, Veget. Erde, ix. I. 2, p. 632 (1910).—*Fr.*

CNICUS Linn.: *Cirsium*
Acarna Linn.
Cavanilles, Ic. i. t. 53 (1791).
*Sibthorp & Sm. Fl. Graeca, ix. t. 827 (1837).
acaulis Willd.
*Schkuhr, Bot. Handb. Ed. 2, t. 229 (1808).—*Fr.*
*Sturm, Deutschl. Fl. vi. XXIV [t. 384] (1808).
[M. E.] Jackson, Pict. Fl. fig. 1186 (1840).
Johnson & Sowerby, Brit. Wild Fl. fig. 689 (1858–60).
*Schubert, Naturg., Pflanzenreich, Ed. 2, t. 41, fig. 9 [1865].
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, iii. t. 117 [1873].
*Hulme, Familiar Wild Fl. (5 vol. Ed.), v. 129 [1892?]; (Pop. Ed.), ii. 113 [1897?].
Board Agric. & Fish. Leaflet No. 166, p. 7 (1906).
Journ. Board Agric. xvii. 906 (1911).
afer Willd.
*Bot. Mag. xlix. t. 2287 (1822).
*Sibthorp & Sm. Fl. Graeca, ix. t. 829 (1837).
alsophilus Pollini
Pollini, Fl. Veronensis, ii. t. 5 (1822).
altissimus Willd.
Gard. Chron. xi. 437 (1879).
Hitchcock & Norton in Bull. Kansas Agric. St. No. 50, t. 4, fig. 54 (1895); No. 57, t. 9, fig. 98 (1896); No. 66, t. 8, fig. 28 (1897); No. 76, t. 6, fig. 33 (1898).
Pammel in Proc. Iowa Acad. Sc. 1900, viii. t. 15, 25, 26 (1901).
Pammel, Buchanan & King in Bull. Iowa Agric. St. No. 88, p. 65 (1907).—*Fr.*
—— **discolor** A. Gray
Pammel in Bull. Iowa Agric. St. No. 39, p. 49 (1898).—*Fr.*
arvensis Hoffm.
*Schrank, Fl. Monac. iii. t. 214 (1816).
*Curtis, Fl. Londin. Ed. 2, iii. fasc. VI. t. 57 (1826).
[M. E.] Jackson, Pict. Fl. fig. 1181 (1840).
Johnson & Sowerby, Brit. Wild Fl. fig. 684 (1858–60).
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, iii. t. 116 [1873].
Rep. Commissioner Agric. Washington, 1886, p. 92, t. 6 (1887).
Halsted in Rep. New Jersey Agric. St. No. 1, t. 13 (1890); No. 5, p. 315 (1895).
*Hulme, Familiar Wild Fl. (5 vol. Ed.), iii. 117 [1892?]; (Pop. Ed.), v. 25 [1897?].
Bull. Torr. Bot. Club, xx. t. 137 (1893).
Miller & Whiting, Wild Fl. N.E. States, 290 (1895).
New Zeal. Dep. Agric. Rep. No. 3, p. 127 (1895); No. 7, p. 217 (1899).
Hitchcock & Norton in Bull. Kansas Agric. St. No. 57, t. 9, fig. 99 (1896); No. 66, t. 8, fig. 99 (1897).—*Fr.*
Journ. Agric. S. Australia, i. 322 (1897).
Pammel in Bull. Iowa Agric. St. No. 39, p. 43, 49 (1898); No. 61, p. 144, 146 (1902); No. 70, p. 324 (1903); No. 88, p. 65 (1907).
Going, Field, Forest & Wayside Fl. 318 (1899).
L. H. Bailey, Cycl. Amer. Hort. 338 (1900).—*Veg.*
Pammel in Proc. Iowa Acad. Sc. 1900, viii. t. 13, 24 (1901).
C. T. Green, Fl. Liverpool Distr. fig. 350 (1902).
Board Agric. & Fish. Leaflet No. 166, p. 4–6 (1906).
Journ. Board Agric. xii. 708, 712, 714 (1906).
*Clark & Fletcher, Farm Weeds Canada, t. 29, 56, fig. 64 (1906); Ed. 2, t. 63, 76, fig. 89 (1909).
Journ. Dep. Agric. S. Australia, xi. 245 (1907).
Journ. New Zeal. Dep. Agric. i. 341 (1910); iv. 348, 349, 353, 354 (1912); x. 548, 549, 551 (1915); xvi. 369, 370 (1918); xix. 345 (1919).
Long, Common Weeds Farm & Garden, 21, 181, t. 2 (1910).
Journ. Roy. Hort. Soc. London, xxxvii. 27, fig. 1 (1911).—*Veg.*
Horwood, Pl. Life Brit. Isles, i. 142 (1914).
S. F. Armstrong, Brit. Grass. 146 (1917).—*Fr.*
M. T. Cook, Applied Econ. Bot. 155 (1919).—*Fr.*
canescens Pammel
Pammel in Proc. Iowa Acad. Sc. 1900, viii. 217, t. 19, 29 (1901).

CNICUS
canescens
Pammel in Bull. Iowa Agric. St. No. 70, p. 390, 391 (1903).
carlinoides Fisch.
*Schrank, Pl. Rar. Hort. Monac. i. t. 11 (1819).
centaurioides Linn.
Cornuti, Hist. 73 (1735); fide Linn.
Hill, Veget. Syst. iv. t. 6 (1762).
cernuus Linn.
Hill, Veget. Syst. iv. t. 6 (1762).
*Pallas, Fl. Ross. t. 107 [1831].
ciliatus Roth
*Schkuhr, Bot. Handb. Ed. 2, t. 229 (1808).—*Fr.*
conspicuus Hemsl.
Vilmorin, Hort. Vilm. (Bull. Soc. Bot. France, 1904, li. App.), 183 (1906).
cynaroides Willd.
Ann. Mus. Hist. Nat. Paris, xi. 161 (1808).
Desfontaines, Choix Pl. Tournefort, t. 35 (1808).
*Sibthorp & Sm. Fl. Graeca, ix. t. 828 (1837).
Diacantha Desf.
Lubbock, Seedlings, ii. 151 (1892).—*Veg.*
discolor Muhl.
Pammel in Proc. Iowa Acad. Sc. 1900, viii. t. 14, 25, p. 217 (1901).
Iowa Geol. Surv. Bull. No. 1, p. 453 (1901).
Pammel in Bull. Iowa Agric. St. No. 70, p. 389 (1903).
dubius Willd.
Willdenow, Fl. Berol. Prodr. t. 6 (1787).
eriocephalus A. Gray
Pammel in Proc. Iowa Acad. Sc. 1902, x. t. 29 (1903).—*Hab.*
eriophorus Roth
*Schrank, Fl. Monac. iv. t. 347 (1818).
[M. E.] Jackson, Pict. Fl. fig. 1182 (1840).
Johnson & Sowerby, Brit. Wild Fl. fig. 685 (1858–60).
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, iii. t. 116 [1873].
ferox Linn.
Allioni, Fl. Pedem. iii. t. 50 (1785).
filipendulus Pammel
Pammel in Proc. Iowa Acad. Sc. 1900, viii. t. 28 (1901).
heterophyllus Willd.
*Kops, Fl. Batava, iii. t. 240 (1814).
*Curtis, Fl. Londin. Ed. 2, iv. t. [26] (1819–21).
[M. E.] Jackson, Pict. Fl. fig. 1184 (1840).
Johnson & Sowerby, Brit. Wild Fl. fig. 687 (1858–60).
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, iii. t. 116 [1873].
*Hulme, Familiar Wild Fl. (5 vol. Ed.), iii. 121 [1892?]; (Pop. Ed.), iv. 49 [1897?].
Hillii Canby
Pammel in Proc. Iowa Acad. Sc. 1900, viii. t. 21, 31, p. 236 (1901).
Proc. Davenport Acad. Sc. viii. 284, 287, t. 1, 2 (1901).
iowensis Pammel
Pammel in Proc. Iowa Acad. Sc. 1900, viii. 217, 218, t. 26, 27 (1901).
—— **Crattyi** Pammel
Pammel in Proc. Iowa Acad. Sc. 1900, viii. t. 16, 26, 27 (1901).
japonicus Maxim.
*Somoku Dzusetsu, Ed. 2, xv. t. 35 (1874).
—— **breviculmis** A. Gray
Somoku Dzusetsu, Ed. 2, xv. t. 38 (1874).
lanceolatus Willd.
*Svensk Bot. vi. t. 416 (1809).
*Schrank, Fl. Monac. iii. t. 263 (1816).
[M. E.] Jackson, Pict. Fl. fig. 1179 (1840).
*Audubon, Birds Amer. iii. t. 181 (1841).
*Baxter, Brit. Bot. Ed. 2, vi. t. 410 (1843).
Johnson & Sowerby, Brit. Wild Fl. fig. 682 (1858–60).
*Hogg & Johnson, Wild Fl. Gr. Brit. vi. t. 433 (1871).
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, iii. t. 116 [1873].
Rep. Secretary Agric. Washington, 1889, p. 396, t. 3.
*Hulme, Familiar Wild Fl. (5 vol. Ed.), ii. 105 [1892?]; (Pop. Ed.), ii. 9 [1897?].

CNICUS
lanceolatus
Pammel in Bull. Iowa Agric. St. No. 26, t. 6 (1894); No. 39, p. 26, 42, 49 (1898); No. 70, p. 408, 409 (1903); No. 88, p. 65 (1907).
Miller & Whiting, Wild Fl. N.E. States, 286 (1895).
Hitchcock & Norton in Bull. Kansas Agric. St. No. 57, t. 8, 9, fig. 95 (1896); No. 66, t. 8, fig. 95 (1897).
Going, Field, Forest & Wayside Fl. 335 (1899).
Pammel in Proc. Iowa Acad. Sc. 1900, viii. 217, t. 20, 23, 24 (1901).
Iowa Geol. Surv. Bull. No. 1, p. 454 (1901).—*Hab.*
C. T. Green, Fl. Liverpool Distr. fig. 348 (1902).
Knight & Step, Living Plant, t. 17 (1905).
*Step, Wayside & Woodl. Bloss. New Ed. i. t. 127 (1905).
F. M. Bailey, Weeds & Poison. Pl. Queensl. 93 (1906).
Board Agric. & Fish. Leaflet No. 166, p. 2, 3 (1906).
Journ. Board Agric. xii. 706, 709, 710, 715 (1906).
Gregory in Bull. Iowa Agric. St. No. 99, p. 11 (1908).—*Fr.*
Fitzgerald in Nature Book, vi. 1040 (1909).
Long, Common Weeds Farm & Garden, 179, t. 2 (1910).
Horwood, Pl. Life Brit. Isles, i. 144 (1914).
M. T. Cook, Applied Econ. Bot. 155 (1919).—*Fr.*
*Horwood, Brit. Wild Fl. iv. t. 47, p. 197 (1919).
muticus Pursh
Bull. Torr. Bot. Club, xx. t. 138 (1893).
Pammel in Proc. Iowa Acad. Sc. 1900, viii. t. 12, 31, p. 217 (1901).
Proc. Davenport Acad. Sc. x. 102 (1905).—*Hab.*
Nelsonii Pammel
Pammel in Proc. Iowa Acad. Sc. 1900, viii. t. 29 (1901).
nipponicus Maxim.
Somoku Dzusetsu, Ed. 2, xv. t. 40 (1874).
*Useful Pl. Jap. i. t. 66 (1895).
nivalis H. B. K.
Möllers Deutsche Gärtn.-Zeit. xxiii. 145 (1908).
ochrocentrus A. Gray
Hitchcock in Bull. Kansas Agric. St. No. 66, t. 8, fig. 97 (1897).—*Fr.*
Pammel in Proc. Iowa Acad. Sc. 1900, viii. t. 24 (1901).
odoratus Muhl.
Pammel in Proc. Iowa Acad. Sc. 1900, viii. 216 (1901).—*Veg.*
oleraceus Linn.
*Kniphof, Herb. Viv. i. t. 276 (1758).
Hill, Veget. Syst. iv. t. 5 (1762).
*Fl. Dan. v. t. 860 (1782).
Hoppe, Ect. Pl. Ratisb. t. 47 (1787).
*Joh. Kerner, Abbild. Oek. Pfl. (Fig. Pl. Écon.), v. t. 475 (1792).
*Schkuhr, Bot. Handb. Ed. 2, t. 229 (1808).
*Schrank, Fl. Monac. ii. t. 147 (1814).
*Vietz, Ic. Pl. Med.-oec.-techn. v. t. 422 (1817).
*Svensk Bot. x. t. 698 (1826–29).
palustris Willd.
*Schkuhr, Bot. Handb. Ed. 2, t. 229 (1808).—*Fr.*
*Svensk Bot. vi. t. 428 (1809).
*Schrank, Fl. Monac. iv. t. 375 (1818).
*Curtis, Fl. Londin. Ed. 2, iii. fasc. vi. t. 56 (1826).
[M. E.] Jackson, Pict. Fl. fig. 1180 (1840).
Johnson & Sowerby, Brit. Wild Fl. fig. 683 (1858–60).
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, iii. t. 116 [1873].
*Hulme, Familiar Wild Fl. (5 vol. Ed.), v. 113 [1892?]; (Pop. Ed.), ii. 141 [1897?].
C. T. Green, Fl. Liverpool Distr. fig. 349 (1902).
Irish Nat. xiii. t. 12 (1904).—*Hab.*
Board Agric. & Fish. Leaflet No. 166, p. 5, 6 (1906).
Journ. Board Agric. xii. 707, 711, 714 (1906).
*Horwood, Brit. Wild Fl. iv. t. 40, p. 107 (1919).
pascuarensis H. B. K.
H. B. K. Nov. Gen. iv. t. 310 (1820).
pauciflorus Waldst. & Kit.
*Waldstein & Kit. Pl. Rar. Hung. ii. t. 161 (1805).
plattensis Pammel
Pammel in Proc. Iowa Acad. Sc. 1900, viii. t. 30 (1901).

CNICUS
plattensis spinosior Pammel
Pammel in Proc. Iowa Acad. Sc. 1900, viii. t. 30 (1901).
pratensis Willd.
[M. E.] Jackson, Pict. Fl. fig. 1185 (1840).
Johnson & Sowerby, Brit. Wild Fl. fig. 688 (1858–60).
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, iii. t. 117 [1873].
pumilus Torr.
*Goodale & I. Sprague, Wild Fl. Amer. t. 32 (1822).
Miller & Whiting, Wild Fl. N.E. States, 288 (1895).
Going, Field, Forest & Wayside Fl. 343 (1899).
Pammel in Proc. Iowa Acad. Sc. 1900, viii. t. 31 (1901).
pungens Sebast.
Sebastiani, Rom. Pl. Fasc. 1, t. 2 (1813).
Sebastiani & Mauri, Fl. Rom. Prod. Cent. xii. t. 7 (1818).
radiatus Waldst. & Kit.
Nov. Act. Acad. Nat. Cur. xv. t. 29, fig. 9 (1831).
raphilepis Hemsl.
Möllers Deutsche Gärtn.-Zeit. xxvi. 559 (1911).—*Hab.*
scariosus A. Gray
Pammel in Proc. Iowa Acad. Sc. 1902, x. t. 17 (1903).—*Hab.*
spicatus Maxim.
*Somoku Dzusetsu, Ed. 2, xv. t. 36 (1874).
*Useful Pl. Jap. iii. t. 850 (1895).
spinosissimus Linn.
Hill, Veget. Syst. iv. t. 6 (1762).
Haller, Ic. Pl. Helvet. t. 5 (1795).
*Bot. Mag. xxxiii. t. 1366 (1811).
stellatus Willd.
*Sibthorp & Sm. Fl. Graeca, ix. t. 830 (1837).
strictus Ten.
*Tenore, Fl. Nap., Atlas, ii. t. 75 (1811–38).
syriacus Willd.
*Schkuhr, Bot. Handb. Ed. 2, t. 229 (1808).
Sebastiani, Rom. Pl. Fasc. 2, t. 6 (1815).
Sebastiani & Mauri, Fl. Rom. Prod. Cent. xii. t. 8 (1818).
*Sibthorp & Sm. Fl. Graeca, ix. t. 831 (1837).
tuberosus Willd.
*Sowerby & Sm. Engl. Bot. xxxvi. t. 2562 (1814).
*Schrank, Fl. Monac. iv. t. 311 (1818).
*[M. E.] Jackson, Pict. Fl. fig. 1183 (1840).
Johnson & Sowerby, Brit. Wild Fl. fig. 686 (1858–60).
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, iii. t. 117 [1873].
undulatus A. Gray
Hitchcock & Norton in Bull. Kansas Agric. St. No. 50, t. 4, fig. 57 (1895); No. 57, t. 8, fig. 96 (1896); No. 66, t. 7, fig. 96 (1897); No. 76, t. 6, fig. 30–32 (1898).
Pammel in Proc. Iowa Acad. Sc. 1900, viii. t. 17, 28 (1901).
—— **megacephalus** A. Gray
Pammel in Proc. Iowa Acad. Sc. 1900, viii. t. 18, 28, p. 221 (1901).
Wallichii Hook. f.
Fyson, Fl. Nilgiri & Pulney Hill-tops, iii. 400 (1920).

CNICUS Gaertn.—Vide *Carbenia, Polycantha*
benedictus Linn.
*Kniphof, Herb. Viv. i. t. 277 (1758).
Hill, Veget. Syst. iv. t. 5 (1762).
Gaertner, Fruct. ii. t. 162 (1791).—*Fr.*
*Nees, Pl. Offic. ii. t. 223 (1828).
*Spach, Hist. Nat. Vég. Phan. Atlas, t. 64 (1846).
Lindley, Med. & Oecon. Bot. 233 (1849).—*Veg.*
Reichenbach, Ic. Fl. Germ. xv. t. 748 (1852).
Berg, Charakt. t. 49, fig. 378 (1861).
*Berg & Schmidt, Darst. u. Beschr. Offiz. Gewächse, iii. t. 22 a (1861).
*Artus, Atlas Pharm. Deutschl. Aufg. Offic. Gew. t. 156 [1862–74].
Cesati, Passer. & Gibelli, Comp. Fl. Ital. t. 76 (1867–86).—*Fl.*
*Cusin, Herb. Fl. Franç. xiii (Composées), t. 366 (1874).

CNICUS
benedictus
Karsten, Deutsche Fl. Pharm.-medic. Bot. 1126 (1880–83).
Wagner, Ill. Deutsche Fl. Ed. 2, p. 444 (1882).
*Köhler, Med. Pfl. i [t. 53] (1887).
Pflanzenfam. ii. 1. 161 (1889); iv. v. 102 (1889); iv. v. 325, 332 (1893).
Potonié, Ill. Fl. Nord- u. Mittel-Deutschl. Ed. 4, fig. 579 (1889).
*Thomé, Fl. Deutschl. iv. t. 593 (1889).
*Schimpfky, Uns. Heilpfl. i. t. 92 [1893–94].
Acloque, Fl. France, 402 (1894).
Garcke, Ill. Fl. Deutschl. 342 (1895).
Karsten, Fl. Deutschl. ii. 705 (1895).
*Kohl, Off. Pfl. Pharm. Germ. t. 154 (1895).
Britton & Brown, Ill. Fl. N. States & Canada, iii. 493 (1898); Ed. 2, iii. 560 (1913).
Lochman, Phot. Med. Pl. t. 233 (1898).
*Warlich, Russk. Lekarst. Rast. (Russ. Med. Pl.), iii. t. 64 (1899).
Coste, Fl. France, ii. 399 (1903).
*Losch, Kräuterb. t. 79 (1903).
*Josef v. Oesterreich & Marg. v. Thurn und Taxis, Atlas Heilpfl. t. 39 (1903).
Fiori & Paol. Ic. Fl. Ital. 448 (1904).
U.S. Dep. Agric. Farm. Bull. No. 188, p. 35 (1904).
Lazaro, Comp. Fl. Españ. ii. 673 (1907).
Beille, Bot. Pharm. ii. 1144 (1909).
Heukels, Fl. Nederl. iii. 440 (1910).
*Dinand, Taschenb. Heilpfl. t. 8, fig. 2 (1910).
U.S. Dep. Agric. Bur. Pl. Indust. Bull. No. 219, p. 44 (1911).
L. H. Bailey, Stand. Cycl. Hort. 806 (1914).
A. Georgia, Manual Weeds, t. 359 (1914).
Cadevall & Sallent, Fl. Catalunya, iii. 389 (1917).

CNIDIUM Cusson
ajanense Drude
Somoku Dzusetsu, Ed. Makino (Iconogr. Pl. Nippon), v. t. 17 (1907).
—— **latisectum** Takeda
Bot. Mag. Tokyo, xxxii. 201 (1918).—*Veg.*
—— **normale** Takeda
Bot. Mag. Tokyo, xxxii. 201 (1918).—*Veg.*
—— **pectinatum** Takeda
Bot. Mag. Tokyo, xxxii. 201 (1918).—*Veg.*
alsaticum Spreng.
Sprengel in Natuurk. Verh. Holl. Maatsch. Wet.-Haarlem, vii. t. 5, fig. 8 (1814).—*Fr.*
apioides Spreng.
Nees, Gen. Pl. fasc. xxvi. t. 20 (1849).—*Fl.*
Reichenbach, Ic. Fl. Germ. xxi. t. 1922 (1864).
*Cusin & Ansberque, Herb. Fl. Franç. x (Ombellifères), t. 83 (1869).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xxvii. t. 2777 (1886).
Paolucci, Fl. Marchig. t. 30 (1890).—*Fr.*
Acloque, Fl. France, 310 (1894).
Coste, Fl. France, ii. 190 (1903).
dahuricum Fisch. & Mey.
J. G. Gmelin, Fl. Sibir. i. t. 49 (1747); fide Ledebour, Comm. 62.—*Veg.*
diffusum DC.
Wight, Ic. Pl. Ind. Or. ii. t. 569 (1840–43).
japonicum Miq.
Somoku Dzusetsu, Ed. Makino (Iconogr. Pl. Nippon), v. t. 33 (1907).
longeradiatum Yabe
*Miyoshi & Makino, Pocket-Atlas, Alp. Pl. Jap. i. t. 32, fig. 184 (1906).
Monnieri Cusson
Sprengel in Neue Schrift. Naturf. Gesellsch. Halle, ii. 1. fig. 3 (1813).
Nov. Act. Acad. Nat. Cur. xii. 1. t. 10 (1824).—*Fr.*
Mutel, Fl. Française, t. 23 (1834).—*Fr.*
*Petermann, Deutschl. Fl. t. 35, fig. 272 (1849).—*Fl.*
Cesati, Passer. & Gibelli, Comp. Fl. Ital. t. 94 (1867–86).—*Fl.*
Fiori & Paol. Ic. Fl. Ital. 272 (1901).

CNIDIUM
officinale Makino
Somoku Dzusetsu, Ed. Makino (Iconogr. Pl. Nippon), v. t. 1 (1907).
pauciradium Somm. & Lev.
Act. Hort. Petrop. xvi. t. 19 (1900).
silaifolium Fiori & Paol.
Fiori & Paol. Ic. Fl. Ital. 272 (1901).
Silaus Spreng.
Sprengel in Mag. Gesellsch. Naturf. Freunde Berlin, vi. t. 5, fig. 1 (1814).—*Fr.*
[M. E.] Jackson, Pict. Fl. fig. 468 (1840).
Tachiroei Makino
*Miyoshi & Makino, Pocket-Atlas, Alp. Pl. Jap. i. t. 29, fig. 165 (1906).
venosum Koch
*Dietrich, Fl. Boruss. x. t. 707 (1842).
*Lorek, Fl. Pruss. Ed. 3, t. 77, fig. 419 (1848).
Nees, Gen. Pl. fasc. xxvi. t. 20 (1849).
Reichenbach, Ic. Fl. Germ. xxi. t. 1921 (1864).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xxvii. t. 2778 (1886).
Garcke, Ill. Fl. Deutschl. 252 (1895).
*Sturm, Fl. Deutschl. Ed. 2, xii. t. 19 (1904).
Suireishchikov, Ill. Fl. Mosc. Gov. ii. 408 (1907).
Fedtschenko & Fler. Fl. Eur. Russia, 697 (1910).

CNIDOSCOLOS Pohl: *Iatropha*
hamosus Pohl
Pohl, Pl. Bras. i. t. 49 (1827).
Marcgravii Pohl
Pohl, Pl. Bras. i. t. 50 (1827).
Michauxii Pohl
Baillon, Euphorb. t. 19, fig. 3 (1858).—*Fl.*
napaeifolius Pohl
Baillon, Euphorb. t. 19, fig. 4–9 (1858).—*Fl.*
neglectus Pohl
Pohl, Pl. Bras. i. t. 51 (1827).
stimulosus Engelm. & A. Gray
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, ii. 462 (1913).
vitifolius Pohl
Pohl, Pl. Bras. i. t. 52 (1827).

COAXANA Coulter & Rose
purpurea Coulter & Rose
Contrib. U.S. Nat. Herb. iii. t. 5 (1895).

COBAEA Cav.—Vide *Rosenbergia*
Aschersoniana Brand
Pflanzenreich, Polemoniac. 27 (1907).
biaurita Standley
Contrib. U.S. Nat. Herb. xvii. t. 30 (1914).
gracilis Hemsl.
Contrib. U.S. Nat. Herb. xvii. t. 28 (1914).
Hookeriana Standley
Contrib. U.S. Nat. Herb. xvii. t. 26 (1914).
macrostema Pav.
*Bot. Mag. lxvi. t. 3780 (1840).
Wien. Ill. Gart.-Zeit. xix. 459 (1894).
Bull. Soc. Tosc. Ortic. xx. 89 (1895).
Schweiz. Gartenbau, ix. 104 (1896).
Semaine Hort. 1897, p. 341.
Neubert's Deutsch. Gart. Mag. li. 195 (1898).
pachysepala Standley
Contrib. U.S. Nat. Herb. xvii. t. 29 (1914).
panamensis Standley
Contrib. U.S. Nat. Herb. xvii. t. 27 (1914).
penduliflora Hook. f.
*Bot. Mag. xcv. t. 5757 (1869).
*Fl. des Serres, Ser. II. viii. t. 1821 (1869–70).
Neubert's Deutsch. Gart. Mag. xxiii. 241 (1870).
*Horticulteur Franç. 1870–71, t. 1.
Garden, xvii. 353 (1880).
Pflanzenreich, Polemoniac. 29 (1907).
Pringlei Standley
Contrib. U.S. Nat. Herb. xvii. t. 31 (1914).
scandens Cav.
Cavanilles, Ic. i. t. 16, 17 (1791); v. t. 500 bis, fig. 15 (1799).
*Andrews, Bot. Rep. v. t. 342 (1803).
*Bot. Mag. xxii. t. 851 (1805).
Seidel, Verzeichn. Glas- u. Treibhauspfl. Ed. 3, tab. (1806).
*Allg. Teutsch. Gart. Mag. vi. t. 21 (1809).
Mirbel in Mém. Instit. France, ix. t. 1 (1809).—*Fl.*

COBAEA
scandens
*Duhamel, Arbres & Arbustes, Ed. 2, iv. t. 50 (1809).
*Jacquin, Fragm. t. 87 (1809).
*Mordant de Launay, Herb. Amat. i. t. 52 (1816).
Lamarck, Ill. vi. t. 920 (1819).
*Schrank, Sammlung Zierpfl. t. 17 (1819).
*Jaume St.-Hilaire, Traité Arbriss. & Arbust. i. t. 62 (1825).
*Drapiez, Herb. Amat. Fl. iv. t. 291 (1830).
*Piccioli, Antotr. Colt. Fiori, ii. t. 50 (1834).
*Fritzsche in Mém. Acad. Sc. Pétersb. Div. Sav. iii. t. 11, fig. 6 (1837).—*Fl.*
J. C. Loudon, Arbor. & Frutic. Brit. iii. 1264 (1838).
!Bull. Acad. Sc. Bruxelles, xix. III. 332 (1852).—*Fl.*
Targioni-Tozzetti in Mem. Accad. Sc. Torino, Ser. II. xv. t. 3 (1855).—*Fl.*
Payer, Organog. Comp. Fl. t. 123 (1857).—*Fl.*
Agardh, Theor. Syst. Pl. t. 28 (1858).—*Fl.*
H. C. van Hall in Versl. & Med. Akad. Wet. Afd. Natuurk. viii. 30 (1858).—*Fl.*
*Fl. des Serres, Ser. II. iv. t. 1467 (1861).
Decaisne & Naud. Amat. Jard. ii. 523 [1862–66].
*Réveil, Règne Vég. xiv. t. 27 (1870).
Decaisne, Naud. & Hemsl. Trees, Shrubs & Herb. Pl. 311 (1873).
Baillon, Dict. Bot. ii. 107 (1880).—*Fl.*
Berge, Pflanzenphysiogn. 202 (1880).—*Hab.*
Favart, Flowers & Pl. t. 48 (1880).
Gartenfl. xxix. 318 (1880).
Sempervirens, x. 25 (1881).—*Hab.*
W. Robinson, Engl. Fl. Gard. t. 76 (1883).
Nicholson, Illustr. Dict. Gard. i. 345 [1884–88].
Svenska Vet. Akad. Handl. xxi. No. 4, t. 2 (1884).—*Fl.*
Pflanzenfam. ii. 1. 132 (1889); iv. III. A. 45 (1891).
Baillon, Hist. Pl. x. 335 (1891).—*Fl.*
Kerner, Pflanzenleb. ii. 240, 379 (1891).—*Fl.*
*Bois, Dict. Hort. 337 (1893–99).
Brehm, Merv. Nat. Monde des Pl. ii. 276 (1894–96).—*Hab.*
Sauvaigo, Cult. Littor. Méditerr. 34 (1894).
Bull. Soc. Bot. Belg. xxxiii. 183 (1894).—*Veg.*
Neubert's Deutsch. Gart. Mag. xlviii. 286 (1895).
Kerner & Oliv. Nat. Hist. Pl. ii. 240, 385 (1895).—*Fl.*
*Bois, Atlas Pl. Jard. t. 196 (1896).
*Step, Fav. Fl. Gard. & Greenh. iii. t. 190 (1897).
Kronfeld, Atlas Pflanzengeogr. 122 (1899).—*Fl.*
L. H. Bailey, Cycl. Amer. Hort. 339 (1900); Stand. Cycl. Hort. 806, 807 (1914).
*Behrens, Blattformen, t. 64, fig. d, e (1900).—*Veg.*
Goebel, Organogr. Pfl. 551, 552, 608 (1900); Ed. Angl. ii. 359, 360, 423 (1905).—*Veg.*
U.S. Dep. Agric. Farm. Bull. No. 195, p. 27 (1904).
Pflanzenreich, Polemoniac. 25 (1907).
Rec. Instit. Bot. Errera, iii. 279 (1908).—*Veg.*
Flora, cxi & cxii. 409 (1918).—*Fl.*
Goebel, Entfaltungsb. Pfl. 117 (1920).—*Hab.*
—— **variegata** Hort.
Gartenfl. lii. 407 (1903).
stipularis Benth.
*Bot. Reg. xxvii. t. 25 (1841).
Trianaei Hemsl.
Pflanzenreich, Polemoniac. 27 (1907).

COBRESIA = *Kobresia*

COBURGIA Sweet: *Stenomesson*
coccinea Herb.
*Bot. Mag. lxvii. t. 3865 (1841).
fulva Herb.
*Bot. Reg. xviii. t. 1497 (1832).
*Bot. Mag. lx. t. 3221 (1833).
*Hort. Belge Journ. Jard. & Amat. i. t. 6 (1833).
humilis Herb.
*Bot. Reg. xxviii. t. 46 (1842).
*Sweet, Ornamental Fl. Gard. iii. t. 194 (1854).
incarnata Sweet.
*Sweet, Brit. Fl. Gard. iv. t. 17 (1829).

COBURGIA
incarnata
Herbert, Amar. t. 47, fig. 5 (1837).—*Fl.*
*J. W. Loudon, Ladies' Fl.-Gard. Ornam. Bulb. Pl. t. 34 (1841).
*Sweet, Ornamental Fl. Gard. iii. t. 196 (1854).
splendens Herb.
Herbert, Amar. t. 47, fig. 6 (1837).—*Fl.*
trichroma Herb.
*Bot. Mag. lxvii. t. 3867 (1841); xciv. t. 5686 (1868).
Gard. Chron. xii. 304 (1879).—*Fl.*
*Garden, xxxvi. 30 (1889).
*Rev. Hort. 1890, p. 108.
—— **speciosa** André
*Ill. Hort. xxiv. t. 285 (1877).
versicolor Herb.
*Bot. Reg. xxviii. t. 66 (1842).
*Sweet, Ornamental Fl. Gard. iii. t. 195 (1854).

COCCINIA Wight & Arn.—Vide *Cephalandra*
cordifolia Cogn.
Rheede, Hort. Mal. viii. t. 11 (1688); fide Cogniaux, Mon. Cucurb. 529.
Rumphius, Herb. Amboin, v. t. 166, fig. 1 (1747); fide Merrill, Interpret. Rumph. Herb. Amboin.
Ann. Jard. Bot. Buitenzorg, xxi. t. 28, fig. 72 (1907).
*Kloppenburg-Versteegh, Pl. Atlas, t. 4 [1907].
Dinteri André
Kertészeti Lapok (Hungarian Journ. Hort.), xv. 233 (1900).
*Rev. Hort. 1900, p. 268.
Engleri Gilg
Engl. Jahrb. xxxiv. 355 (1904).
Engler & Drude, Veget. Erde, ix. 1, p. 322 (1910).
Francé, Leben Pflanze, vi. 467 (1913).—*Hab.*
grandis quinqueangularis Miq.
*Blanco, Fl. Filip. t. 414, bis (1878–80).
Hartmanniana Schweinf.
Schweinfurth, Reliq. Kotsch. t. 27, 28 (1868).
indica Wight & Arn.
Hook. Ic. Pl. ii. t. 138 (1837).
Wight in Madras Journ. xii. t. 4 (1840).—*Fl.*
Jacquemont, Voy. Inde, t. 72 (1844).
Lindley, Veg. Kingd. 311 (1846).—*Fl.*
*Wight, Illustr. Ind. Bot. ii. t. 105 bis (1850).—*Fl.*
moghad Aschers.
Bull. Soc. Tosc. Ortic. xix. 115 (1894).—*Hab.*
Engler & Drude, Veget. Erde, ix. 1. 1, p. 67 (1910).
palmata Cogn.
Wood, Natal Pl. iii. .IV. t. 283 (1902); errore *Cephlandra palmata*. Vide Notes & Corrections, vol. vi.
palmatisecta Kotschy
Kotschy in Sitzb. Akad. Wiss. Wien, li. 1. t. 4 (1865).

COCCOBRYON Klotzsch: *Piper*
capense Klotzsch
Nov. Act. Acad. Nat. Cur. xxi. Suppl. t. 61 (1846).

COCCOCERAS Miq.
sumatranum Miq.
Pflanzenreich, Euphorb.-Acal.-Mercurial. 210 (1914).

COCCOCYPSELUM Sw.—Vide *Condalia* Ruiz & Pav., *Tontanea*
anomalum Schum.
Mart. Fl. Bras. vi. VI. t. 135 (1889).—*Fl.*
Condalia Pers.
Mart. Fl. Bras. vi. VI. t. 135 (1889).
Pflanzenfam. iv. IV. 62 (1891).
discolor Van Houtte
*Floral Mag. iii. t. 187 (1864).
geophiloides Wawra
*Wawra, Itin. Princ. S. Coburg, i. t. 16 (1883).
herbaceum Lam.
Lamarck, Ill. i. t. 64 (1791).
hirsutum Bartl.
*Bot. Mag. cxix. t. 7278 (1893).
repens Sw.
Swartz, Fl. Ind. Occ. i. t. 5 (1797).—*Fl.*
*Henderson, Ill. Bouquet, i. t. 16 (1857–59).
*Belg. Hort. x. 193 [t. 13, 14] (1860).

COCCOCYPSELUM
Tontanea H. B. K.
Mém. Soc. Hist. Nat. Paris, v. t. 23 (1834).

COCCOLOBA Linn.—Vide *Campderia, Coccolobis*
acrostichoides Cham.
Mart. Fl. Bras. v. 1. t. 13 (1855).
acuminata pubescens Lindau
Engl. Jahrb. xiii. t. 5, fig. 43 (1890).—*Fr.*
armata Wright
Engl. Jahrb. xiii. t. 5, fig. 6 (1890).—*Fr.*
ascendens Duss.
Engl. Jahrb. xiii. t. 5, fig. 22 (1890).—*Fr.*
australis Forst.
Meissner, Monogr. Gen. Polygon. Prod. t. 2 (1826).—*Fl.*
barbadensis Jacq.
Jacquin, Obs. Bot. t. 8 (1764).
Engl. Jahrb. xiii. t. 5, fig. 16 (1890).—*Fr.*
Pflanzenfam. iii. 1. A. 32 (1892).—*Fr.*
Billbergii Lindau
Engl. Jahrb. xiii. t. 5, fig. 57 (1890).—*Fr.*
brasiliensis Nees & Mart.
Mart. Fl. Bras. v. 1. t. 13 (1855).
caracasana Meissn.
Engl. Jahrb. xiii. t. 5, fig. 52 (1890).—*Fr.*
Pflanzenfam. iii. 1. A. 32 (1892).—*Fr.*
coriacea Sagra
Engl. Jahrb. xiii. t. 5, fig. 20 (1890).—*Fr.*
coronata Jacq.
Jacquin, Sel. Stirp. Amer. Hist. t. 77 (1763).
crescentiifolia Cham.
Mart. Fl. Bras. v. 1. t. 8 (1855).
Engl. Jahrb. xiii. t. 5, fig. 31 (1890).—*Fr.*
Cruegeri Lindau
Engl. Jahrb. xiii. t. 5, fig. 51 (1890).—*Fr.*
Curtissii Lindau
Engl. Jahrb. xiii. t. 5, fig. 24 (1890).—*Fr.*
declinata Mart.
Engl. Jahrb. xiii. t. 5, fig. 27 (1890).—*Fr.*
densifrons Mart.
Mart. Fl. Bras. v. 1. t. 7 (1855).
diversifolia Jacq.
Jacquin, Sel. Stirp. Amer. Hist. t. 76 (1763).
*Jacquin, Sel. Stirp. Amer. Hist. Picta, t. 113 [1780].
*Plantarum Indig. & Exot. Ic. ii [t. 73] (1789).
*Hooker, Exot. Fl. ii. t. 102 (1825).
Ettingshausen in Denkschr. Akad. Wiss. Wien, xv. t. 21, fig. 5 (1858); xxvi. t. 23, fig. 2 (1867).—*Veg.*
emarginata Jacq.
Jacquin, Obs. Bot. t. 9 (1794).
Ernestii J. R. Johnston
Proc. Boston Soc. Nat. Hist. xxxiv. t. 27, fig. 2 (1909).
excelsa Benth.
Engl. Jahrb. xiii. t. 5, fig. 29 (1890).—*Fr.*
excoriata Linn.
*Jacquin, Sel. Stirp. Amer. Hist. Picta, t. 115 [1780].
Ettingshausen in Denkschr. Akad. Wiss. Wien, xv. t. 25, fig. 2 (1858).—*Veg.*
Engl. Jahrb. xiii. t. 5, fig. 53 (1890).—*Fr.*
fagifolia Jacq.
*Jacquin, Hort. Schoenbr. iii. t. 352 (1798).
Ettingshausen in Denkschr. Akad. Wiss. Wien, xv. t. 25, fig. 3 (1858).—*Veg.*
ferruginea Endl.
Ettingshausen in Denkschr. Akad. Wiss. Wien, xv. t. 26, fig. 2 (1858).—*Veg.*
flavescens Jacq.
Jacquin, Sel. Stirp. Amer. Hist. t. 75 (1763).
*Jacquin, Sel. Stirp. Amer. Hist. Picta, t. 112 [1780].
floribunda Lindau
Engl. Jahrb. xiii. t. 5, fig. 55 (1890).—*Fr.*
floridana Meissn.
Lecomte in Bull. Soc. Hist. Nat. Autun, xxiii. 272 (1910).—*Fl.*
Nouv. Arch. Mus. Hist. Nat. Paris, Ser. V. ii. 159 (1910).—*Fl.*
Gardneri Meissn.
Mart. Fl. Bras. v. 1. t. 15 (1855).
Goudotiana Wedd.
Mart. Fl. Bras. v. 1. t 14 (1855).

COCCOLOBA
Grisebachiana Lindau
Engl. Jahrb. xiii. t. 5, fig. 46 (1890).—*Fr.*
guianensis Meissn.
Mart. Fl. Bras. v. 1. t. 10 (1855).
Engl. Jahrb. xiii. t. 5, fig. 35 (1890).—*Fr.*
Humboldtii Meissn.
Engl. Jahrb. xiii. t. 5, fig. 42 (1890).—*Fr.*
Krugii Lindau
Engl. Jahrb. xiii. t. 5, fig. 14 (1890).—*Fr.*
Fawcett & Rendle, Fl. Jamaica, iii. 1. 114 (1914).
laevis Casar.
Engl. Jahrb. xiii. t. 5, fig. 40 (1890).—*Fr.*
latifolia Lam.
Lamarck, Ill. ii. t. 316, fig. 4 (1797).—*Veg.*
Mart. Fl. Bras. v. 1. t. 19 (1855).
Engl. Jahrb. xiii. t. 5, fig. 8 (1890).—*Fr.*
laurifolia Jacq.
*Jacquin, Hort. Schoenbr. iii. t. 267 (1798).
*Mordant de Launay, Herb. Amat. v. t. 323 (1821).
Meissner, Monogr. Gen. Polygoni Prod. t. 2 (1826).—*Fl.*
*Drapiez, Herb. Amat. Fl. v. t. 345 (1831).
Ettingshausen, Blatt-Skel. Dikot. t. 14 (1861).—*Veg.*
Engl. Jahrb. xiii. t. 5, fig. 23 (1890).—*Fr.*
Baillon, Hist. Pl. xi. 375 (1892).—*Fr.*
Sargent, Silva N. Amer. vi. t. 300 (1894).
Sargent, Man. Trees N. Amer. 313 (1905).
Shattuck, Bahama Isl. t. 41 (1905).—*Hab.*
Britton, N. Amer. Trees, 381 (1908).
leoganensis Jacq.
Jacquin, Sel. Stirp. Amer. Hist. t. 178 (1763).—*Veg.*
*Jacquin, Sel. Stirp. Amer. Hist. Picta, t. 260, fig. 30 [1780].—*Veg.*
longependula Mart.
Mart. Fl. Bras. v. 1. t. 9 (1855).
Engl. Jahrb. xiii. t. 5, fig. 34 (1890).—*Fr.*
longifolia Fisch.
Ettingshausen in Denkschr. Akad. Wiss. Wien, xv. t. 27, fig. 2 (1858).—*Veg.*
macrophylla Desf.
*Bot. Mag. lxxvi. t. 4536 (1850).
*Fl. des Serres, Ser. I. vi. t. 617 (1850–51).
Paxt. Fl. Gard. i. 141 (1850–51).
Cottage Gard. v. 317 (1851).
*Lem. Jard. Fl. i. t. 47 (1851).
Martii Meissn.
Mart. Fl. Bras. v. 1. t. 16 (1855).
microstachya ovalifolia Meissn.
Engl. Jahrb. xiii. t. 5, fig. 15 (1890).—*Fr.*
Mosenii Lindau
Engl. Jahrb. xiii. t. 5, fig. 30 (1890).—*Fr.*
nitida H. B. K.
Engl. Jahrb. xiii. t. 5, fig. 36 (1890).—*Fr.*
Pflanzenfam. iii. 1. A. 32 (1892).—*Fr.*
nivea Jacq.
Jacquin, Sel. Stirp. Amer. Hist. t. 78 (1763).
*Descourtilz, Fl. Pitt. & Méd. Antilles, v. t. 352 (1827).
obovata H. B. K.
Engl. Jahrb. xiii. t. 5, fig. 44 (1890).—*Fr.*
obtusifolia Jacq.
Jacquin, Sel. Stirp. Amer. Hist. t. 74 (1763).
*Jacquin, Sel. Stirp. Amer. Hist. Picta, t. 111 [1780].
ochreolata Wedd.
Engl. Jahrb. xiii. t. 5, fig. 28 (1890).—*Fr.*
ovata Benth.
Mart. Fl. Bras. v. 1. t. 11 (1855).
Engl. Jahrb. xiii. t. 5, fig. 54 (1890).—*Fr.*
paniculata Meissn.
Mart. Fl. Bras. v. 1. t. 20, 21 (1855).
paraënsis Meissn.
Engl. Jahrb. xiii. t. 5, fig. 11 (1890).—*Fr.*
paraguariensis Lindau
Engl. Jahrb. xiii. t. 5, fig. 56 (1890).—*Fr.*
parvifolia Nutt.
*Nuttall, N. Amer. Sylva, ii. t. 89 (1865).
parvifolia Schott
Engl. Jahrb. xiii. t. 5, fig. 32 (1890).—*Fr.*
peltigera Meissn.
Mart. Fl. Bras. v. 1. t. 17 (1855).
pipericarpa Mart.
Mart. Fl. Bras. v. 1. t. 12 (1855).

COCCOLOBA
pirifolia Desf.
Engl. Jahrb. xiii. t. 5, fig. 13 (1890).—*Fr.*
platyclada F. Muell.
*Bot. Mag. lxxxix. t. 5382 (1863).
Gubb, Fl. Algeria, t. 91 (1909).
*Bose, Man. Ind. Bot. t. 1 (1920).
Plumieri Griseb.
Engl. Jahrb. xiii. t. 5, fig. 9 (1890).—*Fr.*
polystachya Wedd.
Mart. Fl. Bras. v. 1. t. 21 (1855).
—— **pubescens** Lindau
Engl. Jahrb. xiii. t. 5, fig. 7 (1890).—*Fr.*
populifolia Wedd.
Mart. Fl. Bras. v. 1. t. 18 (1855).
Engl. Jahrb. xiii. t. 5, fig. 47 (1890).—*Fr.*
pubescens Linn.
*Bot. Mag. lix. t. 3166 (1832).
punctata Linn.
*Jacquin, Sel. Stirp. Amer. Hist. Picta, t. 114 [1780].
Ettingshausen in Denkschr. Akad. Wiss. Wien, xv. t. 27, fig. 3 (1858); xxvi. t. 24, fig. 1 (1867).—*Veg.*
Engl. Jahrb. xiii. t. 5, fig. 25 (1890).—*Fr.*
retusa acuminata Lindau
Engl. Jahrb. xiii. t. 5, fig. 17 (1890).—*Fr.*
rosea Meissn.
Mart. Fl. Bras. v. 1. t. 14 (1855).
rufescens Wright
Engl. Jahrb. xiii. t. 5, fig. 12 (1890).—*Fr.*
rugosa Desf.
Engl. Jahrb. xiii. t. 5, fig. 49 (1890).—*Fr.*
Sagotii Lindau
Engl. Jahrb. xiii. t. 5, fig. 38 (1890).—*Fr.*
salicifolia Wedd.
Engl. Jahrb. xiii. t. 5, fig. 33 (1890).—*Fr.*
Schiedeana Lindau
Engl. Jahrb. xiii. t. 5, fig. 41 (1890).—*Fr.*
Schwackeana Lindau
Engl. Jahrb. xiii. t. 5, fig. 48 (1890).—*Fr.*
sphaerococca Lindau
Engl. Jahrb. xiii. t. 5, fig. 39 (1890).—*Fr.*
sticticaulis Wedd.
Engl. Jahrb. xiii. t. 5, fig. 37 (1890).—*Fr.*
striata Benth.
Engl. Jahrb. xiii. t. 5, fig. 26 (1890).—*Fr.*
tenuifolia Linn.
Browne, Hist. Jamaica, Ed. 2, t. 14 (1789).
Lamarck, Ill. ii. t. 316, fig. 1, 3 (1797).
tiliacea Lindau
Engl. Jahrb. xiii. t. 5, fig. 45 (1890).—*Fr.*
Urbaniana Lindau
Engl. Jahrb. xiii. t. 5, fig. 21 (1890).—*Fr.*
uvifera Linn.
Plumier, Pl. Amer. Ed. Burm. t. 145 (1757); fide Urban, Fedde Repert. Beih. v. 69.
Jacquin, Sel. Stirp. Amer. Hist. t. 73 (1763).
*Jacquin, Sel. Stirp. Amer. Hist. Picta, t. 110 [1780].
Gaertner, Fruct. i. t. 45 (1788).—*Fr.*
Lamarck, Ill. ii. t. 316, fig. 2 (1797).
Dict. Sc. Nat., Planch. Bot. Dicot. t. 16 (1816–29).
*Descourtilz, Fl. Pitt. & Méd. Antilles, ii. t. 77 (1822).
*Mordant de Launay, Herb. Amat. vii. t. 500 (1824).
Meissner, Monogr. Gen. Polygoni Prod. t. 1, 2, 5 (1826).
*Hayne, Getreue Darst. Arzn. Gewächse, x. t. 4 (1827).
*Bot. Mag. lix. t. 3130 (1832).
*Drapiez, Herb. Amat. Fl. vi. t. 380 (1833).
*Nees, Pl. Offic. Suppl. t. 32 (1833).
*Carson, Ill. Med. Bot. ii. t. 68 (1847).
Schnizlein, Iconogr. ii. t. 103 (1852).—*Fr.*
Berg, Charakt. t. 26, fig. 216 (1861).
*Nuttall, N. Amer. Sylva, ii. t. 88 (1865).
Engl. Jahrb. xiii. t. 5, fig. 50 (1890).—*Fr.*
Baillon, Hist. Pl. xi. 375 (1892).
Lubbock, Seedlings, ii. 443 (1892).—*Veg.*
Pflanzenfam. iii. 1. A. 32 (1892).
Sargent, Silva N. Amer. vi. t. 298, 299 (1894).
Bot. Tidsskr. xxii. 16, 18, t. 3 (1898); xxix. 242, 243 (1909).

COCCOLOBA
uvifera
Rev. Hort. Belge, xxv. 259 (1899).—*Hab.*
L. H. Bailey, Cycl. Amer. Hort. 340 (1900); Stand. Cycl. Hort. 808 (1914).
Rev. Gén. Bot. xii. 143, 145, t. 6, 7 (1900).—*Hab.*
Journ. New York Bot. Gard. iv. 175 (1903).
Sargent, Man. Trees N. Amer. 312 (1905).
Britton, N. Amer. Trees, 379 (1908).
Warburg, Pflanzenwelt, i. 527 (1913).
Ann. Rep. Smithson. Inst. 1917, t. 57, p. 434 (1918).
Britton, Fl. Bermuda, 113 (1918).
venosa maior Lindau
Engl. Jahrb. xiii. t. 5, fig. 19 (1890).—*Fr.*
virens Lindl.
*Bot. Reg. xxi. t. 1816 (1835).
Wrightii Lindau
Engl. Jahrb. xiii. t. 5, fig. 18 (1890).—*Fr.*
zebra Griseb.
Engl. Jahrb. xiii. t. 5, fig. 10 (1890).—*Fr.*

COCCOTHRINAX Sarg.
argentea Sarg.
Britton, N. Amer. Trees, 134, 135 (1908).
Journ. New York Bot. Gard. xvii. t. 168 (1916).—*Hab.*
Rock, Orn. Trees Hawaii, t. 4 (1917).—*Hab.*
Ann. Rep. Smithson. Inst. 1917, t. 28, p. 434 (1918).—*Fr.*
crinita Becc.
Brooklyn Bot. Gard. Rec. ix. 90 (1920).
jucunda Sarg.
Sargent, Silva N. Amer. xiv. t. 737 (1902).
Sargent, Man. Trees N. Amer. 106 (1905).
Martii Becc.
Pomona Coll. Journ. Econ. Bot. iii. 411 (1913).—*Fl.*
miraguano Becc.
Pomona Coll. Journ. Econ. Bot. iii. 408, 409 (1913).—*Fl.*
L. H. Bailey, Stand. Cycl. Hort. 2438 (1916).—*Fl.*
rigida Becc.
Pomona Coll. Journ. Econ. Bot. iii. 410 (1913).—*Fl.*

COCCULUS Auct.: *Anamirta* (1), *Chondodendron* (2), *Cocculus* DC. (3), *Diploclisia* (4), *Hyperbaena* (5), *Iatrorrhiza* (6), *Pachygone* (7), *Pericampylos* (8), *Proustia* (9), *Sinomenium* (10), *Tiliacora* (11), *Tinospora* (12)

COCCULUS DC. (3)—Vide *Cebatha*, *Epibaterium*, *Holopeira*, *Nephroica*, *Selwynia*, *Tristichocalyx*
acuminatus DC. (11)
Delessert, Ic. Pl. i. t. 95 (1820).
affinis Oliv. (4)
Hook. Ic. Pl. xviii. t. 1760 (1888).
bakis A. Rich. (12)
*Guillemin, Perrottet & Richard, Fl. Seneg. Tent. t. 4 (1830–33).
Balfourii Schweinf. (3)
Balfour f., Bot. Socotra (Trans. Roy. Soc. Edinb. xxxi), t. 1 (1888).
Engler & Drude, Veget. Erde, ix. 1. 1, p. 210 (1910).
Pflanzenreich, Menispermac. 228 (1910).
carolinus DC. (3)
J. C. Loudon, Arbor. & Frutic. Brit. i. 298 (1838).
Gray & Sprague, Gen. Fl. Amer. i. t. 28 (1848).
Mart. Fl. Bras. xiii. 1. t. 42 (1864).—*Fl.*
Baillon, Hist. Pl. iii. 2 (1872).—*Fl.*
Pflanzenfam. iii. 11. 81 (1888).—*Fl.*
Silva Tarouca, Freiland-Laubgehölze, 185 (1913).—*Hab.*
cordifolius DC. (12)
Wight, Ic. Pl. Ind. Or. ii. t. 485, 486 (1840–43).
Beddome, Fl. Sylv. Anal. Gen. t. 2 (1870).—*Fl.*
Cotoneaster DC. (9)
Delessert, Ic. Pl. i. t. 92 (1820).
crispus Colebr. (12)
Trans. Linn. Soc. London, xiii. t. 6 (1822).—*Fr.*
diversifolius DC. (3)
A. De Candolle, Calq. Dess. Fl. Mex. Moc. & Sessé, t. 10 (1874).

COCCULUS
diversifolius Miq. (10)
Bull. Acad. Pétersb. xxix. 227, t. 2 (1883).
domingensis DC. (5)
Delessert, Ic. Pl. i. t. 96 (1820).
enneandrus Eichl. (3)
Mart. Fl. Bras. xiii. 1. t. 42 (1864).—*Fl.*
Ferrandianus Gaudich. (3)
Freycinet, Voyage, t. 101 (1826).
filipendulus Mart. (2)
Mart. Fl. Bras. xiii. 1. t. 42 (1864).
glaber Wight & Arn. (3)
Miers, Contrib. Bot. iii. t. 124 (1864–71).
heterophyllus Hemsl. & E. H. Wils. (10)
Schneider, Ill. Handb. Laubh. ii. 1031 (1912).—*Veg.*
incanus Colebr. (8)
Trans. Linn. Soc. London, xiii. t. 6 (1822).—*Fl.*
Nat. Tijdschr. Nederl. Ind. xxxii. t. 10 (1873).
Kunstleri King (4)
Ann. Bot. Gard. Calcutta, v. t. 131 (1896).
laurifolius DC. (3)
Delessert, Ic. Pl. i. t. 97 (1820).
Nat. Tijdschr. Nederl. Ind. xxxii. t. 12 (1873).
Mouillefert, Traité Arbres & Arbrisseaux, Atlas, t. 5 (1892–98).—*Hab.*
Beille, Bot. Pharm. ii. 351 (1909).
Pflanzenreich, Menispermac. 240 (1910).
—— **bariensis** Gagnep. (3)
Lecomte, Fl. Gén. Indo-Chine, i. 128 (1908).
leaeba DC. (3)
Pflanzenfam. iii. 11. 82 (1888).—*Fr.*
Foureau, Miss. Sahar. 506 (1905).—*Hab.*
Thonner, Blütenpfl. Afr. t. 48 (1908).
Talbot, For. Fl. Bombay, i. 43 (1909).
Engler & Drude, Veget. Erde, ix. 1. 1, p. 33 (1910).
Basu, Ind. Med. Pl. t. 38 (1918).
macranthus Hook. f. (6)
Hook. Ic. Pl. viii. t. 759 (1848).
Hooker, Niger Fl. t. 18 (1849).
macrocarpus Wight & Arn. (4)
*Wight, Illustr. Ind. Bot. i. t. 7 (1840).
Brandis, Indian Trees, 26 (1906).
Talbot, For. Fl. Bombay, i. 40 (1909).
oblongifolius DC. (3)
A. De Candolle, Calq. Dess. Fl. Mex. Moc. & Sessé, t. 11 (1874).
ovalifolius DC. (3)
Delessert, Ic. Pl. i. t. 94 (1820).
Nat. Tijdschr. Nederl. Ind. xxxii. t. 11 (1873).
palmatus DC. (6)
*Bot. Mag. lvii. t. 2970, 2971 (1830).
*Woodville, Med. Bot. Ed. 3, v. t. 7 (1832).
*Stephenson & Churchill, Med. Bot. New Ed. iii. t. 160 (1836).
*Schlechtendal & Guimpel, Abb. Pharm. Boruss. Gew. iii. t. 227, 228 (1837).
*Carson, Ill. Med. Bot. i. t. 7 (1847).
*Strong, American Fl. ii. 82 (1848).
Schnizlein, Iconogr. iii. t. 172 (1852).—*Fl.*
*Good, Family Flora, ii. t. 96 (1854).
*Berg & Schmidt, Darst. u. Beschr. Offiz. Gewächse, ii. t. 14, a (1859).
Berg, Charakt. t. 86, fig. 613, A–J (1861).
*Artus, Atlas Pharm. Deutschl. Aufg. Offic. Gew. t. 7 [1862–74].
*Réveil, Règne Vég. iv. t. 38; viii. t. 36 (1870).
*Kohl, Off. Pfl. Pharm. Germ. t. 41 (1895).
pendulus Diels (3)
Pflanzenreich, Menispermac. 228 (1910).
platyphyllus St.-Hil. (2)
St.-Hilaire, Pl. Usuelles Bras. t. 42 (1824–28).
Plukenetii DC. (7)
Wight, Ic. Pl. Ind. Or. iii. t. 824, 825 (1843–45).
Berg, Charakt. t. 86, fig. 613, i–vi (1861).—*Fr.*
sepium Colebr. (3)
Trans. Linn. Soc. London, xiii. t. 6 (1822).—*Fl.*
suberosus DC. (1)
*Argenta, Album Fl. Med.-Farm. i. t. 23 (1862).
Thunbergii DC. (3)
[Kew MS.] Ic. Pl. China nasc. Bibl. Braam. t. [2] (1821).
Bull. Coll. Agric. Tokyo, ii. t. 11, fig. 11 (1895).—*Veg.*
*Useful Pl. Jap. ii. t. 335 (1895).

COCCULUS
Thunbergii
De Wildeman, Ic. Sel. Hort. Then. vi. t. 231 (1909).
trilobus DC. (3)
Pflanzenreich, Menispermac. 228 (1910).
*Bot. Mag. cxxxix. t. 8489 (1913).
Bean, Trees & Shrubs, i. 376 (1914).
villosus DC. (3)
Talbot, For. Fl. Bombay, i. 42 (1909).
Basu, Ind. Med. Pl. t. 38 (1918).

COCHLANTHERA Choisy
lanceolata Choisy
Choisy in Mém. Soc. Phys. & Hist. Nat. Genève, xii. t. 3 (1849).

COCHLANTHUS Balf. f.
socotranus Balf. f.
Balfour f., Bot. Socotra (Trans. Roy. Soc. Edinb. xxxi), t. 49 (1888).

COCHLEARIA Linn.
acaulis Desf.
Rev. Hort. 1896, p. 351.
alpina Sweet
*Syme, Engl. Bot. i. t. 131 (1863).
anglica Linn.
*Fl. Dan. ii. t. 329 (1767).
Hill, Herb. Brit. ii. t. 169 (1770).
*Sowerby & Sm. Engl. Bot. viii. t. 552 (1799).
Reichenbach, Ic. Fl. Germ. ii. t. 16 (1837–38).
[M. E.] Jackson, Pict. Fl. fig. 969 (1840).
*C. E. Sowerby, Ill. Cat. Brit. Pl. fig. 90 (1841).
*Deakin, Florigr. Brit. ii. fig. 1030 (1845).
*Petermann, Deutschl. Fl. t. 8, fig. 61, 1–10 (1849).
Johnson & Sowerby, Brit. Wild Fl. fig. 81 (1858–60).
*Syme, Engl. Bot. i. t. 133 (1863).
*Cusin & Ansberque, Herb. Fl. Franç. ii. t. 351 (1868).
*Hogg & Johnson, Wild Fl. Gr. Brit. vi. t. 480 (1871).
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, i. t. 17 [1873].
Act. Soc. Linn. Bordeaux, xxxv. t. 13, fig. 19 (1881).—*Fr.*
Willkomm, Führ. Reich Pflanzen, 833 (1882).—*Fr.*
Clavaud, Fl. Gironde, t. 5, fig. 19 (1882).—*Fr.*
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xiv. t. 1413 (1883).
Nov. Act. Acad. Nat. Cur. lxi. t. 6 (1893).—*Fl.*
Coste, Fl. France, i. 119 (1901).
C. T. Green, Fl. Liverpool Distr. fig. 40 (1902).
Heukels, Fl. Nederl. ii. 294 (1908).
*Bonnier, Fl. Compl. France, Suisse & Belge, i. t. 50 [1911].
Hegi, Ill. Fl. Mittel-Eur. iv. 1. 140 (1913).
Focke in Sep. Schrift. Ver. Naturk. a. d. Unterweser. v. t. 1, fig. 2, t. 6, 7 (1916).
Lindman, Svensk Fanerogamfl. 277 (1918).—*Veg.*
arctica Schlechtd. ex DC.
Busch in Fl. Sib. & Or. Extr. (Mus. Bot. Acad. Sc. Petrop.), i. 123 (1913).
Armoracia Linn.
Hill, Herb. Brit. ii. t. 170 (1770).
*Regnault, Bot. i. 132 (1774).
*Zorn, Ic. Pl. Med. v. t. 457 (1784).
*Joh. Kerner, Abbild. Oek. Pfl. (Fig. Pl. Écon.), v. t. 423 (1792).
*Plenck, Ic. Pl. Med. v. t. 513 (1792).
Hoppe, Ect. Pl. Ratisb. t. 776 (1793).
*Woodville, Med. Bot. iii. t. 150 (1793); Ed. 3, iii. t. 145 (1832).
*Oskamp, Afb. Artseny-Gewass. vi. t. 501 (1800).
*Svensk Bot. iv. t. 242 (1805).
*Roques, Pl. Usuell. Indig. & Exot. ii. t. 22 (1808).
*Schkuhr, Bot. Handb. Ed. 2, t. 181 (1808).
*Sowerby & Sm. Engl. Bot. xxxiii. t. 2323 (1812).
*Vigneux, Fl. Pitt. Envir. Paris, t. 41 (1812).
*Vietz, Ic. Pl. Med.-oec.-techn. v. t. 423 (1817).
*Hayne, Getreue Darst. Arzn. Gewächse, v. t. 29 (1817).

COCHLEARIA
Armoracia
*Heger, Herb. Pharm. [t. 38] (1822–25).
*Kops, Fl. Batava, iv. t. 303 (1822).
*Nees, Pl. Offic. ii. t. 400 (1828).
*Wagner, Pharm.-Med. Bot. ii. t. 195, 196 (1829).
*Schlechtendal & Guimpel, Abb. Pharm. Boruss. Gew. i. t. 31 (1830).
*Stephenson & Churchill, Med. Bot. New Ed. ii. t. 114 (1835).
*Zenker, Fl. Thüringen, vii. t. 783 (1836–55).
Reichenbach, Ic. Fl. Germ. ii. t. 17 (1837–38).
[M. E.] Jackson, Pict. Fl. fig. 971 (1840).
*C. E. Sowerby, Ill. Cat. Brit. Pl. fig. 92 (1841).
*Burnett, Pl. Util. ii. t. 63, b (1845).
*Deakin, Florigr. Brit. ii. fig. 1032 (1845).
*Lorek, Fl. Pruss. Ed. 3, t. 154, fig. 822 (1848).
Lindley, Med. & Oecon. Bot. 140 (1849).
Petermann, Deutschl. Fl. t. 8, fig. 61, 23–30 (1849).—*Fl.*
*Calwer, Landwirthsch. Pflanzenk. i. t. 23, fig. 1 (1852).
Johnson & Sowerby, Brit. Wild Fl. fig. 83 (1858–60).
*Johnson & Sowerby, Useful Pl. Gr. Brit. t. 2, fig. 16 (1861[–62]).
*Argenta, Album Fl. Med.-Farm. i. t. 35 (1862).
*Artus, Atlas Pharm. Deutschl. Aufg. Offic. Gew. t. 15 [1862–74] in ic.; *Armoracia rusticana* in textu, p. 24.
*Syme, Engl. Bot. i. t. 129 (1863).
Bentham, Handb. Brit. Fl. fig. 83 (1865).
*Réveil, Règne Vég. xii. t. 2 (1870).—*Veg.*
Baillon, Hist. Pl. iii. 204 (1872).—*Hab.*
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, i. t. 17 [1873].
*Bentley & Trim. Med. Pl. i. t. 21 (1876).
Baillon, Dict. Bot. i. 267 (1877).
*C. Hoffmann, Pflanzenatlas, t. 52, fig. 322 (1881).
Wagner, Ill. Deutsche Fl. Ed. 2, p. 64 (1882).
*Lesacher & Mareschal, Nouv. Bot. Méd. iv [t. 34] (1883).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xiv. t. 1418 (1883).
Vilmorin-Andrieux, Pl. Potag. 537 (1883).—*Veg.*
Baillon, Traité Bot. Méd. Phan. ii. 761 (1884).
Nicholson, Illustr. Dict. Gard. i. 346; ii. 152 [1884–88].
Potonié, Ill. Fl. Nord- u. Mittel-Deutschl. Ed. 4, fig. 287 (1889).
*Schimpfky, Uns. Heilpfl. ii. t. 14 [1893–94].
Brehm, Merv. Nat. Monde des Pl. i. 145 (1894–96).
Garcke, Ill. Fl. Deutschl. 58 (1895).
*Warlich, Russk. Lekarst. Rast. (Russ. Med. Pl.), i. t. 10 (1899).
Kronfeld, Atlas Pflanzengeogr. 97 (1899).—*Hab.*
Coste, Fl. France, i. 119 (1901).
Malpighia, xvi. t. 7 (1902).—*Fl.*
*Losch, Kräuterb. t. 25 (1903).
Lazaro, Comp. Fl. Españ. ii. 144 (1907).
Suireishchikov, Ill. Fl. Mosc. Gov. ii. 202 (1907).
Heukels, Fl. Nederl. ii. 292 (1908).
Brzezinski in Bull. Internat. Acad. Sc. Cracovie, t. 12–15 (1909).
Beille, Bot. Pharm. ii. 386 (1909).
Fitch & Smith, Ill. Brit. Fl. Ed. rev. 4, Iss. 2, fig. 85 (1919).
Krafft & Fruwirth, Pflanzenb. 102, 103 (1920).
brevicaulis Facch.
Petermann, Deutschl. Fl. t. 8, fig. 61, 11–14 (1849).—*Fl.*
Flora, xxxviii. t. 6 (1855).
Willkomm, Führ. Reich Pflanzen, 834 (1882).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xiv. t. 1417 (1883).
Fiori & Paol. Ic. Fl. Ital. 169 (1899).
Coronopus Linn.
*Fl. Dan. ii. t. 202 (1765).
Hill, Herb. Brit. ii. t. 170 (1770).
*Bergeret, Phyt. Univ. iii. 63 (1784).
*Martyn, Fl. Rustica, iii. t. 92 (1792).
*Oskamp, Afb. Artseny-Gewass. vi. t. 502 (1800).
*Schkuhr, Bot. Handb. Ed. 2, t. 181 (1808).

COCHLEARIA
Coronopus
*Kops, Fl. Batava, iii. t. 227 (1814).
*Vietz, Ic. Pl. Med.-oec.-techn. v. t. 423 c (1817).
Crantzii Crantz
Crantz, Crucif. t. 2, fig. 1, 2, 3 (1769).
danica Linn.
*Fl. Dan. i. t. 100 (1763).
Hill, Herb. Brit. ii. t. 170 (1770).
*Bergeret, Phyt. Univ. iii. 67 (1784).
Lamarck, Ill. iii. t. 558, fig. 2 (1797).
*Sowerby & Sm. Engl. Bot. x. t. 696 (1800).
*Trattinick, Ausg. Taf. Arch. ii. t. 168 (1813).
Trattinick, Arch. iii. t. 237 (1817).
*Lodd. Bot. Cab. xv. t. 1482 (1828).
*Sweet, Brit. Bot. t. 2, fig. 7 (1831).
Reichenbach, Ic. Fl. Germ. ii. t. 16 (1837–38).
[M. E.] Jackson, Pict. Fl. fig. 970 (1840).
*C. E. Sowerby, Ill. Cat. Brit. Pl. fig. 91 (1841).
*Deakin, Florigr. Brit. ii. fig. 1031 (1845).
Johnson & Sowerby, Brit. Wild Fl. fig. 82 (1858–60).
*Syme, Engl. Bot. i. t. 132 (1863).
*Cusin & Ansberque, Herb. Fl. Franç. ii. t. 352 (1868).
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, i. t. 17 [1873].
Willkomm, Führ. Reich Pflanzen, 833 (1882).—*Fr.*
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xiv. t. 14, 15 (1883).
*Baillon, Ic. Fl. Franç. ii. t. 155 [1885–94].
Acloque, Fl. France, 105 (1894).
Coste, Fl. France, i. 120 (1901).
C. T. Green, Fl. Liverpool Distr. fig. 41 (1902).
Heukels, Fl. Nederl. ii. 293 (1908).
*Bonnier, Fl. Compl. France, Suisse & Belge, i. t. 50 [1911].
Hegi, Ill. Fl. Mittel-Eur. iv. 1. 140 (1913).
L. H. Bailey, Stand. Cycl. Hort. 808 (1914).
Focke in Sep. Schrift. Ver. Naturk. a. d. Unterweser. v. t. 1, fig. 1, 2, 3 (1916).
Lindman, Svensk Fanerogamfl. 274, 277 (1918).
—— **integrifolia** DC.
*Fl. Dan. xi. t. 1934 (1829).
Draba Linn.
*Jacquin, Fl. Austr. iv. t. 315 (1776).
excelsa Zahlbr.
Hayek, Pflanzend. Oesterr.-Ung. i. t. 32 (1914); i. 398 (1915).
fenestrata R. Br.
*Fl. Dan. xvii. t. 3034 (1883).
Schimper, Pflanzen-Geogr. 44 (1898).
*Rikli in Jahrb. St. Gall. Naturw. Ges. 1901–2, p. 414 (1903).
Neger, Biol. Pflanz. 31, 125 (1913).
flava Buch.-Ham.
Hook. Ic. Pl. ix. t. 805 (1852).
formosana Hayata
Hayata, Ic. Pl. Formosan. i. t. 12 (1911).
glastifolia Linn.
*Schkuhr, Bot. Handb. Ed. 2, t. 181 (1808).—*Fr.*
*Cusin & Ansberque, Herb. Fl. Franç. ii. t. 348 (1868).
Fiori & Paol. Ic. Fl. Ital. 169 (1899).
Coste, Fl. France, i. 119 (1901).
*Bonnier, Fl. Compl. France, Suisse & Belge, i. t. 49 [1911].
Cadevall & Sallent, Fl. Catalunya, i. 156 (1915).
groenlandica Linn.
Hill, Herb. Brit. ii. t. 169 (1770).
*Sowerby & Sm. Engl. Bot. xxxiv. t. 2403 (1812).
*Lodd. Bot. Cab. i. t. 45 (1818).
Reichenbach, Ic. Fl. Germ. ii. t. 16 (1837–38).
*C. E. Sowerby, Ill. Cat. Brit. Pl. fig. 89 (1841).
*Deakin, Florigr. Brit. ii. fig. 1029 (1845).
[M. E.] Jackson, Pict. Fl. fig. 968 (1850).
Johnson & Sowerby, Brit. Wild Fl. fig. 80 (1858–60).
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, i. 17 [1873].
Journ. of Bot. xxx. t. 326 (1892).
Hobsonii Pearson
Hook. Ic. Pl. xxvii. t. 2643 (1900).
japonica Franch. & Sav.
Kwa-wi [transl. Savatier], Herb. iv. t. 19 (1759).

COCHLEARIA
macrocarpa Waldst. & Kit.
*Waldstein & Kit. Pl. Rar. Hung. ii. t. 184 (1805).
Reichenbach, Ic. Fl. Germ. ii. t. 17 (1837–38).
micacea Marshall
Journ. of Bot. xxxii. t. 345, 346 (1894).
nilotica Del.
Delile, Fl. Égypte, t. 34 (1812).
officinalis Linn.
*Kniphof, Herb. Viv. i. t. 278 (1758).
*Fl. Dan. i. t. 135 (1764).
Hill, Herb. Brit. ii. t. 169 (1770).
*Regnault, Bot. i. 131 (1774).
Buchoz, Hist. Règne Vég. xi. Dec. 8, t. 2 (1776).
*Zorn, Ic. Pl. Med. i. t. 2 (1779).
*Bergeret, Phyt. Univ. iii. 69 (1784).
*Joh. Kerner, Abbild. Oek. Pfl. (Fig. Pl. Écon.), i. t. 70 (1786).
*Woodville, Med. Bot. i. t. 29 (1790); Ed. 3, iii. t. 142 (1832).
*Plenck, Ic. Pl. Med. vi. t. 512 (1794).
*Oskamp, Afb. Artseny-Gewass. i. t. 2 (1796).
Lamarck, Ill. iii. t. 558, fig. 1 (1797).
*Sowerby & Sm. Engl. Bot. viii. t. 551 (1799).
*Vietz, Ic. Pl. Med.-oec.-techn. i. t. 63 (1800).
*Svensk Bot. ii. t. 87 (1803).
Rousseau, Bot. t. 10 (1805).
Savi, Mat. Med. Veg. Toscana, t. 18 (1805).
*Roques, Pl. Usuell. Indig. & Exot. i. t. 37 (1807).
*Kops, Fl. Batava, ii. t. 108 (1807).
*Jaume St.-Hilaire, Pl. France, ii [t. 6] (1808).
*Hill, Family Herbal, t. 43 (1812); fide Ed.
*Vigneux, Fl. Pitt. Envir. Paris, t. 41 (1812).
*Trattinick, Ausg. Taf. Arch. ii. t. 167 (1813).
*Chaumeton, Fl. Méd. iii. t. 125 (1816).
Trattinick, Arch. iii. t. 236 (1817).
*Hayne, Getreue Darst. Arzn. Gewächse, v. t. 28 (1817).
*Heger, Herb. Pharm. [t. 37] (1822–25).
*Mann, Deutschl. Wildwachs. Arzney-Pfl. [t. 50] (1823–28).
*Curtis, Fl. Londin. Ed. 2, v. t. 148 (1828).
*Nees, Pl. Offic. ii. t. 399 (1828).
*Fl. Med. [Spratt], i. 226 (1829).
*Wagner, Pharm.-Med. Bot. ii. t. 176 (1829).
*Schlechtendal & Guimpel, Abb. Pharm. Boruss. Gew. i. t. 30 (1830).
Delle Chiaje, Fl. Med. ii. tab. sine num. (1832).
Reichenbach, Ic. Fl. Germ. ii. t. 16 (1837–38).
*Baxter, Brit. Bot. Ed. 2, v. t. 375 (1840).
[M. E.] Jackson, Pict. Fl. fig. 967 (1840).
*C. E. Sowerby, Ill. Cat. Brit. Pl. fig. 88 (1841).
Meigen, Deutschl. Fl. iii. t. 112 (1842).—*Fl.*
*Plée, Types chq. Famille Pl. France, t. 58 (1844).
*Deakin, Florigr. Brit. ii. fig. 1028 (1845).
*J. W. Loudon, Brit. Wild Fl. Ed. 2, t. 10 [1846].
*Cassone, Fl. Med.-Farm. i. t. 50 (1847).
Catlow, Pop. Field Bot. t. 10 (1848).
*Lorek, Fl. Pruss. Ed. 3, t. 154, fig. 821 (1848).
Lindley, Med. & Oecon. Bot. 140 (1849).
*Calwer, Landwirthsch. Pflanzenk. i. t. 30, fig. 4 (1852).
Payer, Organog. Comp. Fl. t. 44 (1857).—*Fl.*
Johnson & Sowerby, Brit. Wild Fl. fig. 79 (1858–60).
*Berg & Schmidt, Darst. u. Beschr. Offiz. Gewächse, ii. t. 11, e (1859).
Berg, Charakt. t. 83, fig. 597 (1861).
*Johnson & Sowerby, Useful Pl. Gr. Brit. t. 2, fig. 15 (1861[–62]).
*Argenta, Album Fl. Med.-Farm. i. t. 36 (1862).
*Artus, Atlas Pharm. Deutschl. Aufg. Offic. Gew. t. 14 [1862–74].
*Syme, Engl. Bot. i. t. 130 (1863).
Bentham, Handb. Brit. Fl. fig. 84 (1865).
*Schubert, Naturg., Pflanzenreich, Ed. 2, t. 33, fig. 3 [1865].
Le Maout & Decaisne, Traité Gén. Bot. 417 (1868).
*Cusin & Ansberque, Herb. Fl. Franç. ii. t. 349 (1868).
*Réveil, Règne Vég. viii. t. 35 (1870).—*Hab.*
*Hogg & Johnson, Wild Fl. Gr. Brit. vi. t. 480 (1871).
Baillon, Hist. Pl. iii. 203 (1872).

COCHLEARIA
officinalis
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, i. 17 [1873].
*Lesacher & Mareschal, Nouv. Bot. Méd. ii [t. 35] (1878).
Baillon, Dict. Bot. ii. t. 111, 112 (1880).
Karsten, Deutsche Fl. Pharm.-medic. Bot. 661 (1880–83).
Schilling, Grundr. Naturg. ii. Pflanzenr. Ausgb. A, 162 (1882).
Wagner, Ill. Deutsche Fl. Ed. 2, p. 65 (1882).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xiv. t. 1412 (1883).
Vilmorin-Andrieux, Pl. Potag. 158 (1883).—*Hab.*
Baillon, Traité Bot. Méd. Phan. ii. 759 (1884).
Nicholson, Illustr. Dict. Gard. i. 346 [1884–88].
*Baillon, Ic. Fl. Franç. iv. t. 347 [1885–94].
Harz, Samenkunde, ii. 919 (1885).—*Fr.*
*Thomé, Fl. Deutschl. ii. t. 284 (1886).
Hager, Handb. Pharm. Prax. Ed. Nov. i. 912 (1887).
*Köhler, Med. Pfl. i [t. 54] (1887).
Potonié, Ill. Fl. Nord- u. Mittel-Deutschl. Ed. 4, fig. 288 (1889).
Dujard.-Beaumetz & Égasse, Pl. Méd. 192 (1889).
*Schimpfky, Uns. Heilpfl. i. t. 32 [1893–94].
Brehm, Merv. Nat. Monde des Pl. i. 145 (1894–96).
Karsten, Fl. Deutschl. ii. 208 (1895).
*Kohl, Off. Pfl. Pharm. Germ. t. 46 (1895).
Bot. Tidsskr. xx. 146 (1896).—*Hab.*
Britton & Brown, Ill. Fl. N. States & Canada, ii. 115 (1897); Ed. 2, ii. 163 (1913).
*Warlich, Russk. Lekarst. Rast. (Russ. Med. Pl.), i. t. 9 (1899).
Fiori & Paol. Ic. Fl. Ital. 169 (1899).
Coste, Fl. France, i. 119 (1901).
Lindman, Bild. Nord. Fl. t. 204 (1901–5).
*Josef v. Oesterreich & Marg. v. Thurn und Taxis, Atlas Heilpfl. t. 45 (1903).
*Losch, Kräuterb. t. 25 (1903).
Blytt, Haandb. Norg. Fl. Ed. Dahl, 385 (1906).
Lazaro, Comp. Fl. Españ. ii. 143 (1907).
Suireishchikov, Ill. Fl. Mosc. Gov. ii. 202 (1907).
Heukels, Fl. Nederl. ii. 294 (1908).
Warming, Bot. Faeröes, iii. 904 (1908).
Beille, Bot. Pharm. ii. 387 (1909).
Fitzgerald in Nature Book, v. 876 (1909).
*Dinand, Taschenb. Heilpfl. t. 23, fig. 1 (1910).
Fedtschenko & Fler. Fl. Eur. Russia, 455 (1910).
*Bonnier, Fl. Compl. France, Suisse & Belge, i. t. 50 [1911].
*Hegi, Ill. Fl. Mittel-Eur. iv. 1. t. 125, 127 (1913).
*Perrin & Boulger, Brit. Flower. Pl. ii. t. 91, 100[A], fig. 1–9 (1914).
Cadevall & Sallent, Fl. Catalunya, i. 156 (1915).
Focke in Sep. Schrift. Ver. Naturk. a. d. Unterweser. v. t. 4, 5 (1916).
Komarow, Sbor, Suschka i Razvod. Lekarst. Rast. Ross. (Coll. Dry. & Cult. Med. Pl. Russia), Ed. 3, t. 53 (1917).
Lindman, Svensk Fanerogamfl. 277, 278 (1918).
*Horwood, Brit. Wild Fl. ii. t. 13, p. 170 (1919).
Fitch & Smith, Ill. Brit. Fl. Ed. rev. 4, Iss. 2, fig. 86 (1919).
—— **arctica** Gel.
Bih. Svenska Vet. Akad. Handl. xxvi. III. No. 1, p. 40 (1900).
—— **groenlandica** Gel.
Bih. Svenska Vet. Akad. Handl. xxvi. III. No. 1, p. 36, 37 (1900).
—— **maritima** Gren. & Godr.
Merino, Fl. Galicia, i. 152 (1905).
—— **oblongifolia** Gel.
Bih. Svenska Vet. Akad. Handl. xxvi. III. No. 1, p. 38, 39 (1900).
—— **pyrenaica** Rouy & Fouc.
Hegi, Ill. Fl. Mittel-Eur. iv. 1. 136 (1913).—*Hab.*
pusilla Brot.
Brotero, Phytogr. t. 21 (1816).
*Jacquin, Ecl. Pl. ii. t. 132 (1844) in ic.; *Ionopsidium acaule* in textu.
pyrenaica DC.
Delessert, Ic. Pl. ii. t. 48 (1823).

COCHLEARIA
pyrenaica
*Cusin & Ansberque, Herb. Fl. Franç. ii. t. 350 (1868).
*Seboth & A. W. Bennett, Alpine Pl. ii. t. 10 (1880).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xiv. t. 1414 (1883).
*Bonnier, Fl. Compl. France, Suisse & Belge, i. t. 50 [1911].
*Flahault, Nouv. Fl. Alpes & Pyrén. iii. t. 31 (1912).
rusticana Lam.
*Bergeret, Phyt. Univ. iii. 65 (1784).
Baillon, Dict. Bot. ii. 259 (1881).
saxatilis Lam.
Crantz, Crucif. t. 1, fig. 2 (1769).
Petermann, Deutschl. Fl. t. 8, fig. 61, 15–22 (1849).—*Fl.*
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xiv. t. 1416 (1883).
*Heathcote, Fl. Engadine, t. 26 (1891).
*Correvon, Fl. Col. Suisse, t. 19 (1894).
Fiori & Paol. Ic. Fl. Ital. 168 (1899).
*Gradmann, Pflanzenl. Schwäb. Alb, Ed. 2, i. t. 25 (1900).
saxifragifolia DC.
Delessert, Ic. Pl. ii. t. 50 (1823).
sisymbrioides DC.
J. G. Gmelin, Fl. Sibir. iii. t. 57 (1768); fide Ledebour, Comm. 106.
velutina DC.
Delessert, Ic. Pl. ii. t. 49 (1823).

COCHLIA Bl.: *Bulbophyllum*
violacea Bl.
Blume, Tab. Jav. Orch. t. 59 (1825).—*Fl.*

COCHLIDIUM Kaulf.: *Monogramma*
graminoides Schott
Schott, Gen. Fil. [t. 18] (1834).

COCHLIODA Lindl.
×**miniata** Linden
*Lindenia, xii. t. 562 (1896).
Noezliana Rolfe
*Lindenia, vi. t. 266 (1890).
Journ. Orch. iii. 45 (1892).
*Orchidophile, 1892, p. 272.—*Hab.*
*Rev. Hort. Belge, xviii. 49 (1892).
Gard. Chron. Ser. III. xvi. 71 (1894).—*Hab.*
*Gartenfl. xliii. t. 1403 (1894).
Linden, Orchid. Exot. 158 (1894).—*Hab.*
*Bot. Mag. cxxii. t. 7474 (1896).
*Warner & Will. Orch. Album, xi. t. 509 (1897).
*Cogniaux, Dict. Icon. Orch., Cochlioda, t. 2 (1899).
Orch. Rev. xii. 209 (1904).—*Fl.*
*C. H. Curtis, Orchids for Everyone, 123 (1910).
Schlechter, Orchideen, 463 (19[14–]15).—*Hab.*
*Costantin, Atlas Orch. Cult. t. 12 (1913).—*Fl.*
—— **superba** Linden
*Lindenia, xiv. t. 640 (1898).
rosea Benth.
*Cogniaux, Dict. Icon. Orch., Cochlioda, t. 3 (1899).—*Fl.*
*Costantin, Atlas Orch. Cult. t. 12 (1913).—*Fl.*
sanguinea Benth.
Kerchove, Livre Orch. 116 (1894).—*Fl.*
B. S. Williams, Orchid-Grower's Man. Ed. 7, p. 200 (1894).—*Hab.*
Garden, lv. 78 (1899).—*Hab.*
Mart. Fl. Bras. iii. VI. t. 44 (1904–6).
Wettstein, Handb. Syst. Bot. Ed. 2, p. 838 (1911).—*Fl.*
*Costantin, Atlas Orch. Cult. t. 12 (1913).—*Fl.*
L. H. Bailey, Stand. Cycl. Hort. 2388 (1916).—*Fl.*
vulcanica Benth.
Mart. Fl. Bras. iii. VI. t. 44 (1904–6).
—— **splendens** Froebel
*Cogniaux, Dict. Icon. Orch., Cochlioda, t. 1 (1898).—*Fl.*

COCHLIOSTEMA Lemen
Jacobianum K. Koch & Linden
*Bot. Mag. xciv. t. 5705 (1868).
Gard. Chron. 1868, p. 265, 323.

COCHLIOSTEMA
Jacobianum
Ill. Hort. xv. Misc. 44 (1868); xvi. t. 613 (1869).
*Rev. Hort. 1868, p. 71.
*Fl. des Serres, Ser. II. viii. t. 1837–39 (1869–70).
Garden, vi. 443 (1874); xxxvi. 477 (1889).—*Hab.*
Rev. Hort. Belge, iii. 127 (1877).—*Hab.*
*Garten-Zeit. Berlin, ii. 205 (1883).
Bellair & St.-Léger, Pl. Serre, 561 (1900).—*Hab.*
odoratissimum C. Lem.
*Ill. Hort. vi. t. 217, sub t. 217 (1859).
*Gartenfl. xvii. t. 590 (1868).
Rev. Hort. 1869, p. 170.—*Hab.*
*Floral Mag. N. Ser. 1874, t. 113.
Garden, vii. 175 (1875).—*Hab.*
A. & C. De Candolle, Monogr. Phan. iii. t. 5, fig. 1 (1881).—*Fr.*
Nicholson, Illustr. Dict. Gard. i. 347 [1884–88].
Pflanzenfam. ii. IV. 66 (1888); ii. 1. 145 (1889).
Gartenwelt, iii. 517 (1899).
Bellair & St.-Léger, Pl. Serre, 561 (1900).—*Hab.*
Knuth, Handb. Blütenbiol. iii. 1. 109 (1904).—*Fl.*
*Wien. Ill. Gart.-Zeit. xxix. t. 3 (1904).
Velenovsky, Vergl. Morphol. Pfl. iii. t. 6 (1910).—*Fl.*
Wettstein, Handb. Syst. Bot. Ed. 2, p. 812 (1911).—*Fl.*

COCHLOSPERMUM Kunth — Vide *Azeredia*, *Maximiliana* Mart. in Flora 1819, *Wittelsbachia*
balicum Boerl.
Rock, Orn. Trees Hawaii, t. 65 (1917).
Cadinae Eichl.
Mart. Fl. Bras. xiii. 1. t. 86 (1871).
Gossypium DC.
*Hooker, Bot. Misc. ii. 357, Suppl. tab. 18 (1831).
*Mag. Bot. & Gard. i. t. 12 (1833).
Beddome, Fl. Sylv. t. 171 (1872).
Baillon, Hist. Pl. iv. 289 (1873).—*Fl.*
Lubbock, Seedlings, i. 198 (1892).—*Veg.*
Gard. Chron. Ser. III. xxx. 447 (1901).—*Fr.*
Pharm. Journ. Ser. IV. xix. 613 (1904).
Lecomte, Fl. Gén. Indo-Chine, i. 219 (1909).—*Fl.*
Talbot, For. Fl. Bombay, i. 71 (1909).
Basu, Ind. Med. Pl. t. 82 (1918).
Gregorii F. Muell.
F. M. Bailey, Compr. Cat. Queensl. Pl. 41 (1909–13).
hibiscoides H. B. K.
*Hemsley, Biol. Centr. Amer. v. t. 2 (1879).
A. S. & P. P. Calvert, A Year of Costa Rican Nat. Hist. 376 (1917).—*Fr.*
insigne St.-Hil.
St.-Hilaire, Pl. Usuelles Bras. t. 57 (1824–28).
Mart. Fl. Bras. xiii. 1. t. 86 (1871).—*Fl.*
niloticum Oliv.
Trans. Linn. Soc. London, xxix. t. 7 (1873).
Engler & Drude, Veget. Erde, ix. 1. 2, p. 775 (1910).
serratifolium DC.
A. De Candolle, Calq. Dess. Fl. Mex. Moc. & Sessé, t. 95 (1874).
tinctorium A. Rich.
*Guillemin, Perrottet & Richard, Fl. Seneg. Tent. t. 21 (1830–33).
*Schnizlein, Iconogr. iii. t. 215 (1852).—*Fr.*
Pobéguin, Fl. Guin. Franç. t. 54 (1906).
Engler & Drude, Veget. Erde, ix. 1. 2, p. 809 (1910).
Wentii Pulle
Pulle, Vasc. Pl. Surinam, t. 13 (1906).

COCHRANEA Miers
anchusifolia Gürke
Pflanzenfam. iv. III. A. 95 (1893).—*Fr.*
conferta Miers
Miers, Contrib. Bot. ii. t. 53 (1860–69).
heliotropioides Baill.
Baillon, Hist. Pl. x. 354 (1891).—*Fl.*

COCKBURNIA Balf. f.
socotrana Balf. f.
Balfour f., Bot. Socotra (Trans. Roy. Soc. Edinb. xxxi), t. 78 (1888).
Pflanzenfam. iv. III. B. 272 (1895).
Engler & Drude, Veget. Erde, ix. 1. 1, p. 209 (1910).

COCOPS Cook
rivalis Cook
Bull. Torr. Bot. Club, xxviii. t. 47 (1901).—*Hab.*

COCOS Linn.—Vide *Aruastrum*, *Butia*, *Glaziova*, *Syagrus*
acaulis Drude
Mart. Fl. Bras. iii. II. t. 97 (1881).
—— **glauca** Drude
Bih. Svenska Vet. Akad. Handl. xxvi. III. No. 5, t. 6 (1900).
acrocomioides Drude
Mart. Fl. Bras. iii. II. t. 87 (1881).
aculeata Jacq.
Jacquin, Sel. Stirp. Amer. Hist. t. 169 (1763).—*Hab.*
*Jacquin, Sel. Stirp. Amer. Hist. Picta, t. 254 [1780].—*Hab.*
amadelpha Barb. Rodr.
*Barbosa Rodrigues, Sert. Palm. Bras. i. t. 72 (1903).
amara Jacq.
Pflanzenfam. ii. III. 77 (1889).—*Fr.*
apaënsis Barb. Rodr.
*Barbosa Rodrigues, Sert. Palm. Bras. i. t. 74 (1903).
Arechavaletana Barb. Rodr.
Barbosa Rodrigues in Contrib. Jard. Bot. Rio de Janeiro, t. 5 (1901).
*Barbosa Rodrigues, Sert. Palm. Bras. i. 109, t. 81 (1903).
arenicola Barb. Rodr.
*Barbosa Rodrigues, Sert. Palm. Bras. i. t. 75 (1903).
australis Mart.
*Martius, Palm. i. tab. Z, fig. VII (1823–50).—*Veg.*
*D'Orbigny, Voyage Amér. Mérid. vii. III. t. 1, 30 (1847).
Garden, x. 11 (1876).
Rev. Hort. 1876, p. 155; 1900, p. 236; 1910, p. 199, 200.
Kerchove, Palm. 296 (1878).—*Hab.*
Nicholson, Illustr. Dict. Gard. i. 348 [1884–88].—*Hab.*
Bull. Soc. Acclim. Ser. IV. iv. 559 (1887).—*Hab.*
Gartenfl. xxxviii. 452 (1889).—*Hab.*
Bois, Dict. Hort. 342 (1893–99).
Bull. Soc. Tosc. Ortic. xx. 176, t. 6 (1895).
Gard. Chron. Ser. III. xviii. 739 (1895).—*Fr.*
Bellair & St.-Léger, Pl. Serre, 563 (1900).
Rev. Hort. Belge, xxxv. 198–202 (1909).—*Hab.*
Thays, Jard. Bot. Buenos Aires, 160 (1910).—*Hab.*
Gatin, Palm. 298 (1912).
Chabaud, Palm. Côte d'Azur, 68 [1915].—*Hab.*
Alvarez, Fl. & Fauna Prov. Santiago del Estero, 99 (1919).—*Hab.*
Barbosii Barb. Rodr.
*Barbosa Rodrigues, Sert. Palm. Bras. i. t. 67 (1903).
botryophora Mart.
*Martius, Palm. ii. t. 73 D, 83, 84, 101 (1823–50).
*D'Orbigny, Voyage Amér. Mérid. vii. III. t. 4, 30 (1847).
*Ill. Hort. iii. Misc. 105 (1856).—*Hab.*
Bull. Soc. Acclim. Ser. IV. vi. 147 (1889).—*Hab.*
Baillon, Hist. Pl. xiii. 271 (1895).—*Fr.*
Rev. Hort. 1917, p. 332.—*Hab.*
butyracea Linn. f.
*Vietz, Ic. Pl. Med.-oec.-techn. Suppl. t. 23 (1822).
campestris Mart.
*Martius, Palm. ii. t. 87 (1823–50).
Journ. Hort. xlvii. 309 (1872).—*Hab.*
Barbosa Rodrigues, Palm. Mattogr. t. 5, 6 (1898).
Semaine Hort. iv. 567 (1900).—*Hab.*
*Barbosa Rodrigues, Sert. Palm. Bras. i. t. 64 (1903).
Knuth, Handb. Blütenbiol. iii. I. 61 (1904).—*Fl.*
Rev. Hort. 1911, p. 10, 11.
campicola Barb. Rodr.
*Barbosa Rodrigues, Sert. Palm. Bras. i. t. 71 (1903).
campylospatha Barb. Rodr.
*Barbosa Rodrigues, Sert. Palm. Bras. i. t. 73 (1903).
capitata Mart.
*Martius, Palm. ii. t. 78–80, 101 (1823–50).

COCOS
capitata
Gatin, Palm. 298 (1912).
Chabaud, Palm. Côte d'Azur, 76 [1915].—*Hab.*
—— **pulposa** Hort.
Bull. Soc. Tosc. Ortic. xxxviii. 156, t. 5 (1913).
catechucarpa Barb. Rodr.
Barbosa Rodrigues in Contrib. Jard. Bot. Rio de Janeiro, t. 2 (1901).—*Fr.*
*Barbosa Rodrigues, Sert. Palm. Bras. i. t. 80 (1903).
Chavesiana Barb. Rodr.
*Barbosa Rodrigues, Sert. Palm. Bras. i. t. 79 (1903).
chilensis umbonata Briganti
Briganti in Atti Istit. Incorragg. Napoli, v. 278 (1834).—*Fr.*
Cogniauxiana Barb. Rodr.
*Barbosa Rodrigues, Sert. Palm. Bras. i. t. 76 (1903).
comosa Mart.
*Martius, Palm. ii. t. 88 (1823–50).
Parlatore, Coll. Bot. Mus. Phys. Nat. Florence, t. 11 (1874).—*Hab.*
Barbosa Rodrigues, Palm. Mattogr. t. 7 (1898).
Bih. Svenska Vet. Akad. Handl. xxvi. III. No. 5, p. 15, t. 5 (1900).
*Barbosa Rodrigues, Sert. Palm. Bras. i. t. 64 (1903).
Zurawska in Bull. Internat. Acad. Sc. Cracovie, t. 51 (1912).—*Veg.*
coronata Mart.
*Martius, Palm. i. tab. T, ii. t. 81, 100 (1823–50).
Martius, Pfl. & Thiere Trop. Amer. t. II, fig. IV (1831).—*Hab.*
Barbosa Rodrigues, Pl. Nov. Jard. Bot. Rio de Janeiro, i. t. 8, fig. A (1891); ii. t. 3 (1901).
*Barbosa Rodrigues, Sert. Palm. Bras. i. 103, t. 69 (1903).—*Fr.*
Queensland Agric. Journ. xxx. t. 36 (1913).—*Hab.*
datil Griseb. & Drude
Mart. Fl. Bras. iii. II. t. 93 (1881).
Gatin, Palm. 292 (1912).
*Barbosa Rodrigues, Sert. Palm. Bras. i. t. 76 (1903).
edulis Barb. Rodr.
Barbosa Rodrigues, Contrib. Jard. Bot. Rio de Janeiro, t. 24 (1907).
eriospatha Mart.
Barbosa Rodrigues, Pl. Nov. Jard. Bot. Rio de Janeiro, i. t. 5, fig. B (1891).—*Hab.*
Bih. Svenska Vet. Akad. Handl. xxvi. III. No. 5, t. 1, p. 24 (1900).
Lindman, Veget. Rio Grande do Sul, 87 (1900).—*Hab.*
Barbosa Rodrigues, Contrib. Jard. Bot. Rio de Janeiro, t. 3 (1901).—*Fr.*
*Barbosa Rodrigues, Sert. Palm. Bras. i. 91, t. 68 (1903).
Wettstein, Veg. Südbras. t. 55 (1904).—*Hab.*
flexuosa Mart.
*Martius, Palm. ii. t. 64, 86, 101 (1823–50).
Martius, Pfl. & Thiere Trop. Amer. t. I, fig. IV (1831).—*Hab.*
*Griffith, Palms Brit. Ind. t. 241 (1850).
Warming in Dansk. Vid. Selsk. Skrift. Ser. VI. vi. 227 (1892).—*Hab.*
Rev. Hort. 1900, p. 235.—*Hab.*
*Barbosa Rodrigues, Sert. Palm. Bras. i. t. 61, 62, 64 (1903).
Jardin, xxiii. 313 (1909).—*Hab.*
Gaertneri Blumenau
Bull. Soc. Tosc. Ortic. vi. 279 (1881).—*Hab.*
Gartenfl. xxxi. 244 (1882).—*Hab.*
geriba Barb. Rodr.
Gard. Chron. Ser. III. xxvii. 293 (1900).—*Hab.*
graminifolia Drude
Mart. Fl. Bras. iii. II. t. 91 (1881).
—— **nana** Drude
Mart. Fl. Bras. iii. II. t. 91 (1881).
Hassleriana Barb. Rodr.
*Barbosa Rodrigues, Sert. Palm. Bras. i. t. 74 (1903).
inajai Spruce
Mart. Fl. Bras. iii. II. t. 88 (1881).

COCOS
inajai
Pflanzenfam. ii. III. 80 (1889).
Arbor. Amaz., Mus. Goeldi, Para, t. 22 (1900).—*Hab.*
*Barbosa Rodrigues, Sert. Palm. Bras. i. t. 78, 79 (1903).
insignis Wendl.
*Barbosa Rodrigues, Sert. Palm. Bras. i. t. 87 (1903).—*Fr.*
lapidea Gaertn.
Gaertner, Fruct. i. t. 6 (1788).—*Fr.*
*Martius, Palm. iii. t. 167 (1823–50).—*Fr.*
leiospatha Barb. Rodr.
Barbosa Rodrigues, Prot.-App. Enum. Palm. Nov. 44 (1879).—*Hab.*
Mart. Fl. Bras. iii. II. t. 96 (1881).
Vidensk. Meddel. Kjöbenhavn, 1882, p. 141 (1883).—*Hab.*
Pflanzenfam. ii. III. 81 (1889).—*Hab.*
Warming in Dansk. Vid. Selsk. Skrift. Ser. VI. vi. 227 (1892).—*Hab.*
*Barbosa Rodrigues, Sert. Palm. Bras. i. t. 61, 62 (1903).
—— **angustifolia** Drude
Mart. Fl. Bras. iii. II. t. 96 (1881).—*Veg.*
lilaceiflora Chab.
Chabaud, Palm. Côte d'Azur, 84 [1915].—*Hab.*
liliputiana Barb. Rodr.
*Barbosa Rodrigues, Sert. Palm. Bras. i. t. 69 (1903).
macrocarpa Barb. Rodr.
*Barbosa Rodrigues, Sert. Palm. Bras. i. t. 85, 86 (1903).
Martiana Drude & Glaz.
Mart. Fl. Bras. iii. II. t. 88, 89 (1881).
Pflanzenfam. ii. III. 80 (1889).—*Veg.*
Mikaniana Mart.
Mart. Fl. Bras. iii. II. t. 87 (1881).—*Fl.*
Indische Mercuur, xi. No. 35, fig. 11 (1888).
Pflanzenfam. ii. III. 79 (1889).—*Fl.*
nucifera Linn.
Rheede, Hort. Mal. i. t. 1–4 (1678); fide Fl. Brit. Ind. vi. 483.
Rumphius, Herb. Amboin. i. t. 1–3 (1741); fide Merrill, Interpret. Rumph. Herb. Amboin.
Jacquin, Sel. Stirp. Amer. Hist. t. 168 (1763).—*Hab.*
*Jacquin, Sel. Stirp. Amer. Hist. Picta, t. 253 [1780].—*Hab.*
*Zorn, Ic. Pl. Med. iv. t. 373 (1782).
*Buchoz, Grand Jard. Univ. t. 32 (1785).—*Hab.*
Gaertner, Fruct. i. t. 4, 5 (1788).—*Fr.*
*Plantarum Indig. & Exot. Ic. i [t. 14] (1788).
Bordiga, Storia Piante Forast. ii. t. 25 (1792).
*Roxburgh, Pl. Coromandel, i. t. 73 (1795).
Lamarck, Ill. v. t. 894 (1797–1819).
*Oskamp, Afb. Artseny-Gewass. v. t. 450 (1800).
*Mirbel, Hist. Nat. Pl. viii. t. 25 (1806).
Dict. Sc. Nat., Planch. Bot. Monocot. t. 1 (1816–29).—*Hab.*
*Vietz, Ic. Pl. Med.-oec.-techn. x. t. 927 (1819).
*Joh. Kerner, Gen. Pl. Ill. iii. t. 41–47 (1820).
*Descourtilz, Fl. Pitt. & Méd. Antilles, i. t. 21, 22 (1821).
*Martius, Palm. ii. t. 62, 75, 88, 100 (1823–50).
*Tussac, Fl. Antilles, iv. t. 34 (1827).
Ann. Inst. Hort. Fromont, i. t. 1 (1829).
*Zenker & Schenk, Merkant. Waarenk. ii. t. 43, 44 (1832).
*Spach, Hist. Nat. Vég. Phan. Atlas, t. 100 (1846).
Schnizlein, Iconogr. i. t. 75 (1849).
Lindley, Med. & Oecon. Bot. 39 (1849).—*Hab.*
*Hooker's Journ. Bot. & Kew Misc. ii. t. 1 (1850).
*Archer, Pop. Econ. Bot. et Profitable Pl. t. 9, fig. 44 (1853).—*Hab.*
Wallace, Palm Trees Amazon, t. 48 (1853).—*Hab.*
Belg. Hort. vi. 347, fig. 81 (1856).—*Hab.*
Berg, Charakt. t. 7 a, fig. A; t. 8, fig. 106 (1861).
*Artus, Atlas Pharm. Deutschl. Aufg. Offic. Gew. t. 250 [1862–74].
Ill. Hort. ix. Misc. 23 (1862).—*Hab.*
*Schubert, Naturg. Pflanzenreich, Ed. 2, t. 47, fig. 1 [1865].
Le Maout & Decaisne, Traité Gén. Bot. 616 (1868).—*Fr.*

COCOS
nucifera
Vogl in Schrift. Ver. Verbr. Naturw. Kenntn. Wien, viii. t. 1, fig. 2 (1869).—*Hab.*
!Trans. Linn. Soc. London, xxvi. 661, t. 51 (1869).
Gard. Chron. 1870, p. 1023; Ser. III. lxiii. 43 (1918).—*Hab.*
Garden, iii. 463 (1873).—*Hab.*
Williams, Choice Stove & Greenh. Ornam.-leaved Pl. Ed. 2, p. 161 (1876).—*Hab.*
M. C. Cooke, Rep. Oil-Seeds & Oils, 11 (1876).—*Fr.*
Kerchove, Palm. 224, 284 (1878).
*Blanco, Fl. Filip. t. 364 (1878–80).
Journ. of Bot. xvii. t. 202 (1879).
Baillon, Dict. Bot. ii. 113–15 (1880).
Schilling, Grundr. Naturg. ii. Pflanzenr. Ausgb. A, p. 284 (1882).—*Hab.*
Vidal, Sin. Fam. & Gen. Pl. Leñ. Filip. (Introd. Fl. For. Filip.), Atlas, t. 94, fig. D (1883).—*Fl.*
Harz, Samenkunde, ii. 1121 (1885).—*Fr.*
*Zippel, Ausländ. Handels- & Nährpfl. t. 43, 44 (1885).
Bull. Soc. Acclim. Ser. IV. iv. 567, 571 (1887).—*Fr.*
Salomon, Palmen, 61 (1887).—*Hab.*
Indische Mercuur, xi. No. 35, fig. 11 (1888).
Dujard.-Beaumetz & Égasse, Pl. Méd. 193 (1889).—*Fr.*
Pflanzenfam. ii. III. 79 (1889).
Journ. Linn. Soc., Bot. xxix. 293, 294 (1892).—*Hab.*
Monde des Pl. i. 178 (1892).—*Hab.*
Tschirch, Ind. Heil- & Nutzpfl. t. 36, 94 (1892).—*Hab.*
Brehm, Merv. Nat. Monde des Pl. ii. 613, 649 (1894–96).—*Hab.*
Jardin, ix. 135 (1895).—*Hab.*
*Kohl, Off. Pfl. Pharm. Germ. t. 10 (1895).
Rev. Hort. 1895, p. 457.—*Hab.*
U.S. Dep. Agric. Fiber Invest. Rep. No. 9, p. 121, 122, t. 4 (1897).
Hassack in Schrift. Ver. Verbr. Naturw. Kenntn. Wien, xxxviii. 122, fig. 4 (1898).—*Hab.*
*Köhler, Med. Pfl. iii [t. 233, 234] (1898).
Schimper, Pflanzen-Geogr. 249, 433 (1898).—*Hab.*
Sadebeck, Kulturg. Deutsch. Kolon. Erzeugn. 2, 26, 27, 30, 31 (1899).—*Hab.*
Kronfeld, Atlas Pflanzengeogr. 149, 164, 167 (1899).
*Zippel, Ausländ. Kulturpfl. Atlas, Ed. 4, Abt. 2, t. 4 (1899).
L. H. Bailey, Cycl. Amer. Hort. 342, 343 (1900); Stand. Cycl. Hort. 810, 811, 814, t. 27 (1914).
Bellair & St.-Léger, Pl. Serre, 564 (1900).—*Hab.*
Gartenfl. xlix. 637 (1900); lxv. 262, 263 (1916).
Semaine Hort. iv. 65 (1900).—*Hab.*
Amer. Journ. Sc. Ser. IV. xii. 266, 267 (1901).—*Fl.*
Amer. Journ. Pharm. lxxiii. 539, 540 (1901).
Bull. Torr. Bot. Club, xxix. 322–24, 350, t. 19 (1902).
Bull. Soc. Belge Études Colon. x. 369 (1903); xix. 196, 202, 204 (1912).
Bull. Écon. Indo-Chine, N. Ser. xlv. 815, 822, 823 (1904).
Natal Agric. Journ. vii. 776 (1904).—*Hab.*
Contrib. U.S. Nat. Herb. ix. t. 43, 44 (1905); xiv. t. 52–66 (1910).
Rev. Hort. Belge, xxxi. 32 (1905).
Shattuck, Bahama Isl. t. 26, 85 (1905).—*Hab.*
Wien. Ill. Gart.-Zeit. xxx. 380, 381 (1905).—*Hab.*
Agric. Prat. Pays Chauds, vi. I. 114–21, 296–99 (1906); viii. II. 404 (1908); x. I. 27, 28, 320, 321, 398–411 (1910); xii. I. 58 (1912).
H. H. Johnston, Liberia, ii. 556 (1906).—*Hab.*
Karsten & Schenck, Veg.-Bild. iii. t. 48 (1906).—*Hab.*
Prudhomme, Cocotier, frontisp., p. 2, 4–9, 95–97, 102, 105–8, 111, 121, 123, 130, 287, 289, 304, 305, 307, 392, 397, 400, 418, 437 (1906).
Teysmannia, xvii. 370 (1906); xix. 8, 10 (1908); xxiii. 100 (1912); xxx. 291, 293, 295, 296 (1919).
Ann. Bot. xxi. t. 36 (1907).
Pittier, Ensayo Pl. Usual. Costa Rica, t. 14 (1908).

COCOS
nucifera
Charabot, Prod. Vég. Col. Franç. 201, 203 (1908).
Beille, Bot. Pharm. ii. 76, 77 (1909).
Ann. Jard. Bot. Buitenzorg, Suppl. iii. 78 (1910).—*Fl.*
Bot. Congr. Bruxelles, ii. t. 15 (1910).—*Hab.*
H. F. Macmillan, Handb. Trop. Garden. & Plant. 397, 399 (1910).—*Hab.*
Miyoshi, Pl. World Jap. 676 (1910).—*Hab.*
Philippi in Journ. Sc., Chem. & Geol. vi. 205, t. 1–3 (1911); ix. 50, t. 7 (1914).—*Hab.*
Wettstein, Handb. Syst. Bot. Ed. 2, p. 846, 849 (1911).
L. Reinhardt, Kulturgesch. Nutzpfl. (Erde und Kultur), iv. I. t. 24, 26 (1911).—*Hab.*
Zurawska in Bull. Internat. Acad. Sc. Cracovie, t. 52, 53 (1912).—*Veg.*
Bol. Agric. Prov. Angola, i. 100, 101 (1912).
Capus & Bois, Prod. Colon. 281, 283 (1912).
Hubert, Fruits Pays Chauds, 46, 49 (1912).—*Hab.*
Gatin, Palm. 207 (1912).
Tschirch, Handb. Pharmakog. ii. 701, 702, 704 (1912).
Rock, Indig. Trees Hawaiian Isl. t. 3 (1913).—*Hab.*
Agric. Colon., Ital. x. t. 14 (1916).
Coll. Hawaii Publ. Bull. No. 4, t. 2–6, 13, 14 (1916).—*Hab.*
Journ. Bombay Nat. Hist. Soc. xxiv. 518 (1916).—*Hab.*
Van Gorkom, Oost-Ind. Cult. Ed. 2, ii. 636–38, 642, 643, 645, 646 (1918).
Basu, Ind. Med. Pl. t. 990 (1918).
W. H. Brown & E. D. Merrill in Bull. Philip. Isl. Dep. Agric. Bur. Forestry, No. 18, t. 1, 18–22 (1919); No. 22, p. 128, 185–87, 189, 191, t. 1, 18–22 (1920).
Correa, Fibr. Text. & Cellul. 8 (1919).—*Hab.*
Agron. Colon. iv. XXXII. 52, vi. 52 (1920).
Hunger, Cocos Nucifera, Ed. 2, t. 1, 5, 6, 9–11, 13–17, 20, 24–38, 57–66, 68, p. 19, 21, 237 (1920).
Prudhomme, Pl. Utiles Pays Chauds, t. 37–39 (1920).
A. P. West & W. H. Brown in Bull. Philip. Isl. Dep. Agric. Bur. Forestry, No. 20, p. 93 (1920).—*Hab.*
—— **aurea** Hort.
Gard. Chron. Ser. III. xliii. 279 (1908).—*Hab.*
—— **palmyrensis** Becc.
Coll. Hawaii Publ. Bull. No. 4, t. 7, 118 (1916).—*Fr.*
—— **praecociflora** Becc.
Agric. Colon., Ital. x. 586 (1916).
—— **spicata** Becc.
Agric. Colon., Ital. x. t. 15 (1916).
odorata Barb. Rodr.
Barbosa Rodrigues, Pl. Nov. Jard. Bot. Rio de Janeiro, i. t. 4, fig. A; t. 5, fig. C (1891).
Rev. Hort. 1893, p. 345.
Barbosa Rodrigues, Contrib. Jard. Bot. Rio de Janeiro, t. 3 (1901).—*Fr.*
*Barbosa Rodrigues, Sert. Palm. Bras. i. 92, 93, t. 68 (1903).
oleracea Mart.
*Martius, Palm. i. tab. Z, fig. VIII; II. fig. XIV; ii. t. 82 (1823–50).
Parlatore, Coll. Bot. Mus. Phys. Nat. Florence, t. 13 (1874).—*Hab.*
*Barbosa Rodrigues, Sert. Palm. Bras. i. 112, t. 83, 84 (1903).
paraguayensis Barb. Rodr.
Barbosa Rodrigues, Palm. Nov. Parag. t. 2 (1899).
*Barbosa Rodrigues, Sert. Palm. Bras. i. 110, t. 82 (1903).
petraea Mart.
*D'Orbigny, Voy. Amér. Mérid. vii. III. t. 9 (1847).—*Hab.*
Mart. Fl. Bras. iii. II. t. 97 (1881).
*Barbosa Rodrigues, Sert. Palm. Bras. i. t. 70 (1903).
—— **platyphylla** Drude
Barbosa Rodrigues, Palm. Mattogr. t. 8 (1898).

COCOS
petraea platyphylla
*Barbosa Rodrigues, Sert. Palm. Bras. i. t. 70 (1903).
picrophylla Barb. Rodr.
*Barbosa Rodrigues, Sert. Palm. Bras. i. 88, t. 65, 66 (1903).
pityrophylla Mart.
*D'Orbigny, Voy. Amér. Mérid. vii. III. t. 3 (1847).—*Hab.*
plumosa Hook.
*Bot. Mag. lxxxvi. t. 5180 (1860).
Gard. Chron. iv. 109 (1875).—*Hab.*
Kerchove, Palm. 96 (1878).—*Hab.*
Natal Agric. Journ. vii. 776 (1904).—*Hab.*
Gubb, Fl. Algeria, t. 4 (1909).—*Hab.*
Tribune Hort. iv. 261 (1909).—*Hab.*
Pomona Coll. Journ. Econ. Bot. i. 132 (1911).—*Hab.*
Gatin, Palm. 292 (1912).
Queensland Agric. Journ. xxx. t. 35 (1913).—*Hab.*
Journ. Bombay Nat. Hist. Soc. xxiv. 536 (1916).—*Hab.*
Rock, Orn. Trees Hawaii, t. 24 (1917).—*Hab.*
Procopiana Glaz.
Mart. Fl. Bras. iii. II. t. 87 (1881).
Indische Mercuur, xi. No. 35, fig. 11 (1888).—*Fl.*
Pflanzenfam. ii. III. 79 (1889).—*Fl.*
pulchra Baill.
Baillon, Hist. Pl. xiii. 270 (1895).—*Fl.*
pulposa Barb. Rodr.
Barbosa Rodrigues, Pl. Nov. Jard. Bot. Rio de Janeiro, i. t. 4, fig. B (1891).—*Fr.*
Barbosa Rodrigues, Contrib. Jard. Bot. Rio de Janeiro, t. 3 (1901).—*Fr.*
*Barbosa Rodrigues, Sert. Palm. Bras. i. 94, t. 68 (1903).
purusana Hub.
Bull. Herb. Boiss. Ser. II. vi. t. 13 (1906).—*Hab.*
quinquefaria Barb. Rodr.
*Barbosa Rodrigues, Sert. Palm. Bras. i. t. 87 (1903).
Romanzoffiana Cham.
Martius, Palm. ii. t. 88, fig. 7 (1823–50).—*Fr.*
Neubert's Deutsch. Gart. Mag. 1873, p. 74.
Gartenfl. xxvii. 146 (1878).—*Hab.*
Berge, Pflanzenphysiogn. 16 (1880).—*Hab.*
Mart. Fl. Bras. iii. II. t. 92 (1881).
Jardin, i. 56 (1887).—*Hab.*
Bull. Soc. Acclim. Ser. IV. vi. 137, 147 (1889).—*Hab.*
Brehm, Merv. Nat. Monde des Pl. ii. 650 (1894–96).—*Hab.*
Sauvaigo, Cult. Littor. Méditerr. 35 (1894).—*Hab.*
Barbosa Rodrigues, Palm. Mattogr. t. 4, 4 a (1898).
Bih. Svenska Vet. Akad. Handl. xxvi. III. No. 5, p. 21 (1900).—*Hab.*
Lindman, Veget. Rio Grande do Sul, 179 (1900).—*Hab.*
Barbosa Rodrigues, Contrib. Jard. Bot. Rio de Janeiro, t. 2 (1901).
*Barbosa Rodrigues, Sert. Palm. Bras. i. 83–85, t. 63, 77 (1903).
Karsten & Schenck, Veg.-Bild. i. t. 3 (1903); xi. t. 11, 19 (1913).—*Hab.*
Wettstein, Veg. Südbras. t. 32–34, 42 (1904).—*Hab.*
Möllers Deutsche Gärtn.-Zeit. xviii. 346 (1909).
Gatin, Palm. 299 (1912).—*Hab.*
Bull. Soc. Tosc. Ortic. xxxviii. 108, t. 3 (1913).—*Hab.*
Queensland Agric. Journ. xxx. t. 37 (1913).—*Hab.*
Bull. Soc. Bot. Genève, Ser. II. ix. 173 (1917).—*Hab.*
Rock, Orn. Trees Hawaii, t. 25 (1917).—*Hab.*
Chodat, Vég. Parag. ii. 219 (1917).—*Hab.*
—— **plumosa** Hort.
Bull. Soc. Tosc. Ortic. xxxviii. 132, t. 4 (1913).—*Hab.*
—— **pulposa** Barb. Rodr.
Barbosa Rodrigues, Sert. Palm. Bras. i. t. 69 (1903).—*Fr.*

COCOS
sapida Barb. Rodr.
Barbosa Rodrigues, Palm. Nov. Parag. t. 3 (1899).
*Barbosa Rodrigues, Sert. Palm. Bras. i. t. 77 (1903).
schizophylla Mart.
*Mart. Palm. i. tab. 1; ii. t. 84, 85 (1823–50).
Barbosa Rodrigues, Pl. Nov. Jard. Bot. Rio de Janeiro, i. t. 3, fig. 2 (1891).—*Fr.*
*Barbosa Rodrigues, Sert. Palm. Bras. i. t. 90 (1903).—*Fr.*
Journ. Bombay Nat. Hist. Soc. xxiv. 537 (1916).—*Hab.*
speciosa Barb. Rodr.
Barbosa Rodrigues, Contrib. Jard. Bot. Rio de Janeiro, t. 24 (1907).—*Fl.*
stolonifera Barb. Rodr.
Barbosa Rodrigues, Contrib. Jard. Bot. Rio de Janeiro, t. 4 (1901).
*Barbosa Rodrigues, Sert. Palm. Bras. i. t. 62 (1903).
Syagrus linearifolia Barb. Rodr.
*Barbosa Rodrigues, Sert. Palm. Bras. i. t. 73 (1903).—*Fr.*
vinifera Mart.
Tribune Hort. iv. t. 142 (1909).—*Hab.*
Weddelliana Wendl.
Florist, 1871, p. 115.—*Hab.*
Garden, iii. 139 (1873).—*Hab.*
*Fl. des Serres, Ser. II. ix. t. 2000 (1873).—*Hab.*
Gartenfl. xxiii. 242, 339 (1874).—*Hab.*
*Ill. Hort. xxii. t. 220 (1875).
Williams, Choice Stove & Greenh. Ornam.-leaved Pl. Ed. 2, p. 163 (1876).—*Hab.*
*Kerchove, Palm. 94, t. 40 (1878).—*Hab.*
*Neubert's Deutsch. Gart. Mag. 1879, p. 283.
Rev. Hort. 1879, p. 434; 1900, p. 237.—*Hab.*
Berge, Pflanzenphysiogn. 12 (1880).—*Hab.*
Nicholson, Illustr. Dict. Gard. i. 349; iii. 9 [1884–88].—*Hab.*
Jardin, iii. 31 (1889).
Rev. Hort. Belge, xvi. 219 (1890); xxv. 104 (1899).—*Hab.*
*Step, Fav. Fl. Gard. & Greenh. iv. t. 292 (1897).
Dammer, Palmenzucht u. Palmenpflege, 102 (1897).
Jackson in Mem. Boston Soc. Nat. Hist. v. t. 23 (1899).—*Veg.*
L. H. Bailey, Cycl. Amer. Hort. 343 (1900); 1196 (1901); Stand Cycl. Hort. 813 (1914); 2441 (1916).
Bellair & St.-Léger, Pl. Serre, 565 (1900).—*Hab.*
Nicholson, '1900' Suppl. Dict. Gard. 250 (1900).
*Barbosa Rodrigues, Sert. Palm. Bras. i. t. 87 (1903).—*Fr.*
Horticulture, vi. 210 (1907).—*Hab.*
Journ. Hort. Ser. III. lxiv. 77 (1912).—*Hab.*
Gatin, Palm. 298 (1912).
Queensland Agric. Journ. xxx. t. 39 (1913).—*Hab.*
Möllers Deutsche Gärtn.-Zeit. xxix. 280 (1914).—*Hab.*
Weddellii Drude
Mart. Fl. Bras. iii. II. t. 90 (1881).
Wildmaniana Barb. Rodr.
*Barbosa Rodrigues, Sert. Palm. Bras. i. t. 75 (1903).
yatai Mart.
*D'Orbigny, Voy. Amér. Mérid. vii. III. t. 1, 30 (1847).
*D'Orbigny, Voy. Amér. Mérid. vii. III. t. 9 (1847) in ic.; *Acrocomia totai* in textu.—*Hab.*
Mart. Fl. Bras. iii. II. t. 94, 95 (1881).
Barbosa Rodrigues, Contrib. Jard. Bot. Rio de Janeiro, t. 3 (1901).—*Fr.*
Gard. Chron. Ser. III. xxx. 370 (1901).—*Hab.*
*Barbosa Rodrigues, Sert. Palm. Bras. i. t. 69 (1903).—*Fr.*
Gartenwelt, x. 202 (1906).
Rev. Hort. 1910, p. 198, 200.
Thays, Jard. Bot. Buenos Aires, 159 (1910).—*Hab.*
Gatin, Palm. 290 (1912).
Karsten & Schenck, Veg.-Bild. xi. t. 21, 22 (1913).—*Hab.*

COCOS
yatai
Queensland Agric. Journ. xxx. t. 38 (1913).—*Hab.*
Chabaud, Palm. Côte d'Azur, 86 [1915].—*Hab.*

CODARIUM Sol.: *Dialium*
acutifolium Afzelius
Afzelius, Gen. Pl. Guin. tab. in tit. (1804).—*Fl.*
nitidum Vahl
Kunth in Abh. Akad. Berlin, 1832, t. 2 (1833).—*Fl.*

CODAZZIA Karst. & Triana: *Delostoma*
dentata Karst.
Karsten, Fl. Columbiae, ii. t. 119 (1862–69).
speciosa Karst. & Tr.
Karsten, Fl. Columbiae, i. t. 4 (1858–61).

CODIA Forst.
incrassata Pampan.
Ann. Bot. Roma, ii. t. 7 (1905).
montana Forst.
Forster, Charact. Gen. Pl. t. 30 (1776).—*Fl.*
Lamarck, Ill. ii. t. 314 (1797).—*Fl.*
Labillardière, Sert. Austr.-Caled. t. 46 (1825).
Baillon, Hist. Pl. iii. 381 (1872).—*Fl.*
Baillon, Dict. Bot. ii. 115 (1880).—*Fl.*

CODIAEUM A. Juss.—Vide *Croton* (10)
bractiferum Roxb.
Rumphius, Herb. Amboin. iv. t. 27 (1743); fide Merrill, Interpret. Rumph. Herb. Amboin.
caudatum interruptum Hort.
Crisp, Guide Friar Park, 131 (1914).—*Hab.*
—— **tortile** Hort.
Crisp, Guide Friar Park, 131 (1914).—*Hab.*
Cronstadtii Hort.
Gartenfl. xxxi. 309 (1882).—*Veg.*
cuneifolium Pax & K. Hoffm.
Pflanzenreich, Euphorb.-Cluyt. 29 (1911).
Disraelii Hort.
L. H. Bailey, Stand. Cycl. Hort. 817 (1914).—*Veg.*
elegantissimum Bull
Ill. Hort. xxix. t. 469 (1882).—*Veg.*
Hawkeri Hort.
Journ. Hort. Ser. III. lxi. 129 (1910).—*Hab.*
illustris Hort.
Nicholson, Illustr. Dict. Gard. i. 351 [1884–88].
Bellair & St.-Léger, Pl. Serre, 569 (1900).—*Hab.*
interruptum Hort.
L. H. Bailey, Cycl. Amer. Hort. 345 (1900); Stand. Cycl. Hort. 817 (1914).—*Veg.*
irregulatum Hort.
*Garten-Zeit. Berlin, ii. 1, fig. 6 (1883).—*Veg.*
lyratum Linden & André
*Ill. Hort. xxiv. t. 293 (1877).
magnificum Linden
*Ill. Hort. xxix. t. 447 (1882).
Nestor Hort.
Nicholson, Illustr. Dict. Gard. iv. Suppl. 517 [1884–88]; '1900' Suppl. 251 (1900).
Nevilleae Hort.
Nicholson, Illustr. Dict. Gard. i. 352 [1884–88].
pictum Hook.
*Bot. Mag. lviii. t. 3051 (1831).
Gartenfl. xxxiii. 276 (1884).—*Veg.*
—— **elongatum** Linden & André
*Ill. Hort. xxiv. t. 299 (1877).
—— **maximum** Hort.
*Belg. Hort. xix. 65 (1869).
—— **taeniosum** Hort.
Gartenfl. xxxiv. 24 (1885).—*Hab.*
recurvifolium Hort.
Gartenfl. xxx. 344 (1881).
Nicholson, Illustr. Dict. Gard. i. 353 [1884–88].
Bellair & St.-Léger, Pl. Serre, 571 (1900).—*Veg.*
roseo-pictum André
Ill. Hort. xliii. 159 (1896).—*Veg.*
spirale Hort.
L. H. Bailey, Cycl. Amer. Hort. 346 (1900); Stand. Cycl. Hort. 818 (1914).—*Veg.*
triumphans Harwoodianum W. Bull
Nicholson, Illustr. Dict. Gard. i. 354 [1884–88].
umbellatum Willd.
Beddome, Fl. Sylv. Anal. Gen. t. 23 (1873).—*Fl.*
undulatum Cogn. & March.
Florist, 1870, p. 207.—*Veg.*

CODIAEUM
undulatum
*Cogniaux & March. Pl. Orn. i. t. 15 (1873).—*Veg.*
van-Oosterzeei Hort.
*Ill. Hort. xxx. t. 502 (1883).
variegatum Blume
Rheede, Hort. Mal. vi. t. 61 (1686); fide Fl. Brit. Ind. v. 399.
Rumphius, Herb. Amboin. iv. t. 25 (1743); fide Merrill, Interpret. Rumph. Herb. Amboin.
Jussieu, Euphorb. t. 9 (1824).—*Fl.*
Baillon, Euphorb. t. 16, fig. 26–35 (1858).—*Fl.*
*Nooten, Fl. Fr. Java, [t. 2] (1863).
Pflanzenfam. iii. v. 85 (1890).—*Veg.*
*Bois, Dict. Hort. 344 (1893–99).
Velenovsky, Vergl. Morphol. Pfl. ii. 411 (1907).—*Veg.*
Bryan, Nat. Hist. Hawaii, t. 64, fig. 1 (1915).
Goebel, Entfaltungsb. Pfl. 193 (1920).—*Veg.*
—— **aucubifolium** Hort.
*Belg. Hort. xxi. 102 (1871).
—— **caudatum tortile** Hort.
Gartenfl. xxxiii. 19 (1884).—*Veg.*
—— **maximum** C. Lem.
*Ill. Hort. xiv. t. 534 (1867).
—— **moluccanum** Hort.
L. H. Bailey, Cycl. Amer. Hort. 345 (1900).—*Veg.*
—— **ovalifolium** Hort.
Gartenfl. xxiv. 221 (1875).—*Veg.*
—— **pictum appendiculatum** Čelak.
Pflanzenreich, Euphorb.-Cluyt. 27 (1911).—*Veg.*
—— —— **cornutum** André
Pflanzenreich, Euphorb.-Cluyt. 27 (1911).—*Veg.*
—— —— **crispum** Müll.-Arg.
Pflanzenreich, Euphorb.-Cluyt. 27 (1911).—*Veg.*
—— **picturatum** Hort.
Gartenfl. xxv. 375 (1876).—*Veg.*
—— **taeniosum** Müll.-Arg.
Rumphius, Herb. Amboin. iv. t. 26 (1743); fide Merrill, Interpret. Rumph. Herb. Amboin.
—— **volutum** Hort.
Gartenfl. xxiv. 61 (1875).—*Veg.*
Veitchianum Hort.
Florist, 1870, p. 206.—*Veg.*
Weismannii Cogn. & March.
*Cogniaux & March. Pl. Orn. i. t. 22 (1873).—*Veg.*
Florist, 1873, p. 55.—*Veg.*

CODON Linn.
aculeatum Gaertn.
Gaertner, Fruct. ii. t. 95 (1791).—*Fr.*
Royenii Linn.
*Buchoz, Herb. Col. Amér. [t. 45] (1783).
*Meerburg, Afb. Zeld. Gewass. t. 37 (1785).
*Meerburg, Pl. Rar. t. 37 (1789).
*Andrews, Bot. Rep. v. t. 325 (1803).
Pflanzenfam. iv. III. A. 66 (1893).—*Fr.*
L. Schultze, Namaland & Kalahari, 203 (1907).
Pflanzenreich, Hydrophyllac. 170, 173 (1913).
Schenkii Schinz
Pflanzenreich, Hydrophyllac. 173 (1913).

CODONACANTHUS Nees
pauciflorus Nees
Pflanzenfam. iv. III. B. 330 (1895).—*Fl.*

CODONANDRA Karst.: *Calliandra*
purpurea Karst.
Karsten, Fl. Columbiae, ii. t. 122 (1862–69).

CODONANTHE Hanst.—Vide *Orobanche* Vell. (3)
Devosiana C. Lem.
*Ill. Hort. ii. t. 56 (1855).
Mart. Fl. Bras. viii. I. t. 68 (1864).
Pflanzenfam. iv. III. B. 171 (1894).—*Fr.*
De Wildeman, Ic. Sel. Hort. Then. iii. t. 95 (1902).
florida Pampan.
Bull. Soc. Tosc. Ortic. xxxiii. 9 (1908).—*Hab.*
gracilis Mart.
Linnaea, xxvi. t. 3, fig. 60 (1853–55).—*Fl.*
Hookeri C. Lem.
Mart. Fl. Bras. viii. I. t. 18 (1864).
Pflanzenfam. iv. III. B. 138 (1893)—*Fl.*; 171 (1894).

CODONANTHE
picta C. Lem.
*Ill. Hort. iv. t. 144 (1857).
Uleana Fritsch
Karsten & Schenck, Veg.-Bild. iii. t. 3, 6 (1905).—*Hab.*

CODONANTHEMUM Klotzsch: *Simochilus*
puberulum Klotzsch
*Dietrich, Fl. Univ. Neue Folge, t. 38 (1849).

CODONANTHUS G. Don: *Coinochlamys*
alternifolius Planch.
Hook. Ic. Pl. viii. t. 796 (1848).
Hooker, Niger Fl. t. 46 (1849).

CODONEMMA Miers
calycina Miers
Miers, Apocyn. S. Amer. t. 8 (1878).

CODONIUM Rohr: *Schoepfia*
arborescens Vahl
Skrivt. Nat. Selsk. Kjöbenhavn, Atlas, ii. I. t. 6 (1792).

CODONOCARPUS A. Cunn.: *Gyrostemon*
australis A. Cunn.
Agric. Gaz. N. S. Wales, x. 1168, fig. 10 (1899).
F. M. Bailey, Compr. Cat. Queensl. Pl. 414 (1909–13).
cotinifolius F. Muell.
F. Turner, Forage Pl. Austral., Dep. Agric. N. S. Wales, 46 (1891).
F. M. Bailey, Compr. Cat. Queensl. Pl. 414 (1909–13).
Pflanzenreich, Phytolaccac. 79 (1909).

CODONOCEPHALUM Fenzl
Peacockianum Aitch. & Hemsl.
Trans. Linn. Soc. London, Ser. II. Bot. iii. t. 31, 32 (1888).

CODONOPHORA Lindl.: *Paliavana*
prasinata Lindl.
Linnaea, xxvi. t. 1, fig. 28 (1853–55).—*Fl.*
Selloana Hanst.
Mart. Fl. Bras. viii. I. t. 64 (1864).

CODONOPSIS Wall.—Vide *Glossocomia*
Bulleyana Forrest
Journ. Hort. Ser. III. lxiv. 237 (1912).—*Hab.*
clematidea C. B. Clarke
Journ. Hort. Ser. III. xxiii. 141 (1891); xxxi. 207 (1895); xli. 207 (1900).
convolvulacea Kurz
Hook. Ic. Pl. xxiv. t. 2385 (1895).
*Bot. Mag. cxxxiv. t. 8178 (1908).
Gard. Chron. Ser. III. lviii. 137 (1915); lxv. 109 (1919).
cordata Hassk.
*Bot. Mag. lxxxix. t. 5372 (1863).
Draco Pampan.
Nuov. Giorn. Bot. Ital. N. Ser. xvii. 734 (1910); xviii. t. 7 (1911).
gracilis Hook. f. & Thoms.
*Hooker f., Ill. Himal. Pl. t. 16, A (1855).
*Fl. des Serres, Ser. II. v. t. 1584 (1862–65).
graminifolia Lévl.
Léveillé, Cat. Ill. Pl. Seu Tchouen, t. 8 (1918).
Henryi Oliv.
Hook. Ic. Pl. xx. t. 1967 (1891).
inflata Hook. f. & Thoms.
*Hooker f., Ill. Himal. Pl. t. 16, C (1855).
javanica Hook. f. & Thoms.
*Hooker f., Ill. Himal. Pl. t. 16, B (1855).
lanceolata Benth. & Hook. f.
Somoku Dzusetsu, Ed. Makino (Iconogr. Pl. Nippon), iii. t. 10 (1907).
ovata Benth.
*Royle, Illustr. Bot. Himal. t. 69 (1839).
Journ. Hort. Ser. III. xiii. 136 (1886); xxvii. 273 (1893).
Gard. Chron. Ser. III. xviii. 311 (1895); xxii. 195 (1897); lxv. 108 (1919).
Pringsh. Jahrb. Bot. xlix. t. 5, fig. 18 (1911).—*Fl.*
Garden, lxxx. 329 (1916); lxxxi. 312 (1917).—*Hab.*
Basu, Ind. Med. Pl. t. 567 (1918).

CODONOPSIS
rotundifolia Royle
*Royle, Illustr. Bot. Himal. t. 62 (1839).
*Bot. Mag. lxxxii. t. 4942 (1856).
—— **grandiflora** Hook.
*Bot. Mag. lxxxiii. t. 5018 (1857).
silvestris Kom.
Act. Hort. Petrop. xxv. t. 9 (1907).
subscaposa Kom.
Act. Hort. Petrop. xxix. t. 2 (1908).
tangshen Oliv.
Hook. Ic. Pl. xx. t. 1966 (1891).
*Bot. Mag. cxxxii. t. 8090 (1906).
Kew Bull. 1907, p. 9.
Wilson, Arn. Arb. Exped. China, 1910–11, t. 0125 (1912).—*Hab.*
tubulosa Kom.
Act. Hort. Petrop. xxix. t. 2 (1908).
vinciflora Kom.
Act. Hort. Petrop. xxix. t. 2 (1908).
viridiflora Hort.
Bull. Ort. Bot. Napoli, i. 422, 423 (1903).—*Fl.*
Bull. Arboricult. Belg. 1904, p. 231.

CODONORCHIS Lindl.—Vide *Isotria*
Lessonii Lindl.
Hooker f., Fl. Antarct. ii. t. 125 (1846).
W. B. Scott, Rep. Princeton Univ. Exped. Patag. 1896–99, viii. I. Bot. 324 (1904).
De Wildeman, Voy. Belgica, Bot. 1897–99, fig. 1–10 (1905).
Poeppigii Lindl.
Hauman in An. Soc. Cient. Arg. Buenos Aires, lxxxix. 256 (1920).

COELACHNE R. Br.
africana Pilg.
R. E. Fries, Schwed. Rhod.-Kong.-Exped. 1911–12, Bot. i. II. t. 15 (1916).
perpusilla Thw.
Holtermann, Einfl. Klimas, t. 12, fig. 58 (1907).
pulchella R. Br.
*Kunth, Rév. Gram. ii. t. 143 (1829).
Endlicher, Ic. Gen. Pl. t. 2 (1838).
Fyson, Fl. Nilgiri & Pulney Hill-tops, iii. 570 (1920).

COELACHYRUM Nees
poiflorum Chiov.
Ann. Ist. Bot. Roma, vii. t. 3 (1897).

COELANDRIA R. D. Fitzg.: *Dendrobium*
Smilliae R. D. Fitzg.
*R. D. Fitzgerald, Austral. Orch. i [t. 18] (1875–95).

COELARTHRON Hook. f.: *Andropogon*
Brandisii Hook. f.
Hook. Ic. Pl. xxvi. t. 2517 (1897).

COELEBOGYNE Sm.: *Alchornea*
ilicifolia Sm.
Trans. Linn. Soc. London, xviii. t. 36 (1841).
A. Braun in Abh. Akad. Berlin, 1856, t. I (1857); 1859, t. 1, 2 (1860).
Ann. Sc. Nat. Paris, Ser. IV. vii. t. 11 (1857); xiii. t. 10 (1860).
Baillon, Euphorb. t. 8, fig. 32–36 (1858).—*Fl.*
Gartenfl. vii. t. 223 (1858).
Ann. Nat. Hist. London, Ser. III. viii. t. 10 (1861).
Karsten, Anat. Physiol. Pfl. i. 1843–63, t. 21 (1865); ii. 293 (1890).
Pflanzenreich, Euphorb.-Acal.-Mercurial. 255, 256 (1914).

COELESTINA Cass.: *Ageratum*
caerula Cass.
Dict. Sc. Nat., Planch. Bot. Dicot. t. 93 (1816–29).

COELIA Lindl.
alba Lindl.
*Beer, Beitr. Morph. u. Biol. Orch. t. 3, fig. 1; t. 5, fig. 22, 31 (1863).—*Fr.*
Baueriana Lindl.
*Bauer & Lindl. Ill. Orch. Pl. Genera, t. 3, (1830–38).—*Fl.*
*Bot. Reg. xxviii. t. 36 (1842).
*Costantin, Atlas Orch. Cult. t. 22 (1913).

COELIA
Baueriana
L. H. Bailey, Stand. Cycl. Hort. 819 (1914).—*Hab.*
bella Reichb. f.
*Bot. Mag. cviii. t. 6628 (1882).
*Warner & Will. Orch. Album, ii. t. 51 (1883).
Stein, Orchideenbuch, 149 (1892).—*Hab.*
B. S. Williams, Orchid-Grower's Man. Ed. 7, p. 201 (1894).—*Hab.*
*Costantin, Atlas Orch. Cult. t. 22 (1913).—*Fl.*
macrostachya Lindl.
Fl. des Serres, Ser. I. v. 447 b (1849).
Journ. Hort. Soc. London, iv. 115 (1849).—*Fl.*
*Bot. Mag. lxxix. t. 4712 (1853).
*Fl. des Serres, Ser. I. ix. t. 900 (1853–54).
*Lem. Jard. Fl. iv. t. 423 (1854).
Cottage Gard. xix. 149 (1858).
*Rev. Hort. 1878, p. 210.
Bellair & St.-Léger, Pl. Serre, 575 (1900).—*Hab.*
Journ. Hort. Ser. III. lxi. 315 (1910).—*Fl.*
*Costantin, Atlas Orch. Cult. t. 22 (1913).—*Fl.*
Orch. World, iii. 247 (1913).
Möllers Deutsche Gärtn.-Zeit. xxix. 365 (1914).
Gard. Chron. Ser. III. lxiv. 91 (1918).
triptera G. Don
Fawcett & Rendle, Fl. Jamaica, i. t. 13 (1910).

COELIDIUM Vog.
humile Schlecht.
Trans. S. Afr. Phil. Soc. xi. III. t. 24 (1901).

COELOCARPUS Balf. f.
socotranus Balf. f.
Balfour f., Bot. Socotra (Trans. Roy. Soc. Edinb. xxxi), t. 79 (1888).

COELOCARYON Warb.
cuneatum Warb.
Rev. Cult. Colon. xii. 130–132 (1903).
Preussii Warb.
Nov. Act. Acad. Nat. Cur. lxviii. t. 10 (1897).
Warburg, Muskatnuss, t. 4, fig. 14 (1897).—*Fr.*

COELOCLINE A. DC.: *Xylopia*
acutiflora DC.
A. De Candolle in Mém. Soc. Phys. & Hist. Nat. Genève, v. t. 5 (1832).—*Veg.*
polycarpa A. DC.
Pharm. Journ. xvi. 399 (1857).

COELOCOCCUS H. Wendl.
amicarum W. F. Wight
Contrib. U.S. Nat. Herb. ix. t. 45, 46 (1905).
caroliniensis Dingl.
Bot. Centralbl. viii. XXXII. 348, tab. (1887).—*Fr.*
Ber. Deutsch. Bot. Ges. xiv. t. 10, fig. 1–3, 10 (1896).—*Fr.*
Sadebeck, Kulturg. Deutsch. Kolon. Erzeugn. 17 (1899).—*Fr.*
Wettstein, Handb. Syst. Bot. Ed. 2, p. 846 (1911).—*Fr.*
Rock, Orn. Trees Hawaii, t. 15 (1917).—*Hab.*
salomonensis Warb.
Ber. Deutsch. Bot. Ges. xiv. t. 10, fig. 4–6, 11 (1896).—*Fr.*
Sadebeck, Kulturg. Deutsch. Kolon. Erzeugn. 17 (1899).—*Fr.*
vitiensis Wendl.
Ber. Deutsch. Bot. Ges. xiv. t. 10, fig. 7, 8, 12 (1896).—*Fr.*
Sadebeck, Kulturg. Deutsch. Kolon. Erzeugn. 17 (1899).—*Fr.*
Warburgii Heim
Bull. Soc. Bot. France, 1903, l. 572–74 (1904).—*Fr.*

COELODEPAS Hassk.
bantamense Hassk.
Pflanzenreich, Euphorb.-Acal.-Mercurial. 269 (1914).—*Fl.*
calycinum Bedd.
Beddome, Fl. Sylv. t. 320 (1873).
glanduligerum Pax & K. Hoffm.
Pflanzenreich, Euphorb.-Acal.-Mercurial. 269 (1914).—*Fl.*
Wallichianum Benth.
Hook. Ic. Pl. xiii. t. 1288 (1879).

COELOGLOSSUM Hartm.
albidum Hartm.
*Correvon, Fl. Col. Suisse, t. 135 (1894).
*L. & C. Schroeter, Col. Vade-Mecum Alp. Fl. Ed. 16 & 17, t. 18 (1904).
bracteatum Parl.
*S. Brown, Alp. Fl. Rocky Mts. 64, t. 15 (1907).
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, i. 552 (1913).
diphyllum Fiori & Paol.
Fiori & Paol. Ic. Fl. Ital. 98 (1898).
flagelliferum Maxim.
Makino, Ill. Fl. Jap. i. t. 17 (1889).
viride Hartm.
*Petermann, Deutschl. Fl. t. 85, fig. 671 (1849).—*Fl.*
Cesati, Passer. & Gibelli, Comp. Fl. Ital. t. 23 (1867–86).—*Fl.*
*Barla, Fl. Illustr. Nice & Alpes Marit., Orch. t. 13 (1868).
*Cusin, Herb. Fl. Franç. xxii (Orchidées), t. 23 (1876).
Pflanzenfam. ii. VI. 90 (1889).—*Fl.*
G. Beck, Fl. Nied.-Oesterr. i. 192, 206, 219 (1890).—*Fl.*
*Correvon, Fl. Col. Suisse, t. 135 (1894).
Kerchove, Livre Orchid. 134 (1894).—*Fl.*
*Schulze, Orchidac. t. 42 (1894).
*Hartinger, Atlas Alpenfl. i. t. 68 (1897).
*G. Beck, Alpenblum. Semmering, t. 1, fig. 11 (1898).—*Fl.*
Fiori & Paol. Ic. Fl. Ital. 98 (1898).
*Correvon, Alb. Orch. t. 8 (1899).
Lindman, Bild. Nord. Fl. t. 405 b (1901–5).
*L. & C. Schroeter, Col. Vade-Mecum Alp. Fl. Ed. 16 & 17, t. 19 (1904).
Blytt, Haandb. Norg. Fl. Ed. Dahl, 231 (1906).
*Flahault, Nouv. Fl. Alpes & Pyrén. i. t. 139 (1906).
*Senn, Alpen-Flora, ii. t. 139 (1906).
Suireishchikov, Ill. Fl. Mosc. Gov. i. 260 (1906).
*E. G. Camus, Orchid. t. 23, fig. 748–56 (1908).
Fedtschenko & Fler. Fl. Eur. Russia, 277 (1910).
Heukels, Fl. Nederl. i. 590 (1911).
*Costantin, Atlas Orch. Cult. t. 29 (1913).—*Fl.*
*Hegi & Dunz. Alp. Fl. t. 4 (1913).
Pantu, Orchid. d. Romania, t. 26 (1915).

COELOGYNE Lindl.—Vide *Chelonanthera* (1)
anceps Hook. f.
Hook. Ic. Pl. xxii. t. 2109 (1892).
Pflanzenreich, Orch.-Coel. 40 (1907).
angustifolia A. Rich.
Ann. Sc. Nat. Paris, Ser. II. xv. t. 6 (1841).
Wight, Ic. Pl. Ind. Or. v. t. 1641 (1851).
angustifolia Wight
Pflanzenreich, Orch.-Coel. 54 (1907).—*Fl.*
asperata Lindl.
*Warner & Will. Orch. Album, vii. t. 311 (1888).
*Lindenia, xiii. t. 582 (1897).
Pflanzenreich, Orch.-Coel. 74, 75 (1907).—*Fl.*
Gard. Chron. Ser. III. xlvi. 34 (1909); lxvii. 129 (1920).
H. F. Macmillan, Handb. Trop. Garden. & Plant. 319 (1910).—*Hab.*
Orch. World, i. 220 (1911).—*Hab.*
*Costantin, Atlas Orch. Cult. t. 24 (1913).—*Fl.*
assamica Linden & Reichb. f.
*Reichenbach f., Xenia Orch. ii. t. 134 (1865).—*Fl.*
barbata Griff.
Griffith, Ic. Pl. Asiat. t. 291, fig. 2; t. 351 A, fig. 23 (1851).—*Fl.*
*Warner & Will. Orch. Album, iii. t. 143 (1884).
Gard. Chron. xxv. 117 (1886).—*Fr.*
Orchidophile, 1888, p. 154.—*Hab.*
Veitch, Man. Orch. Pl. Pt. 6, p. 32 (1890).—*Fl.*
*Lindenia, xvi. t. 735 (1901).
Pflanzenreich, Orch.-Coel. 53, 81 (1907).—*Fl.*
Oesterr. Gart.-Zeit. vi. 447 (1911).—*Fl.*
*Costantin, Atlas Orch. Cult. t. 24 (1913).—*Fl.*
Orch. World, vi. 274 (1916).—*Fl.*
Beccarii Reichb. f.
Nova Guinea, viii. t. 45 (1909).—*Fl.*
Beyrodtiana Schlechter
Orchis, ix. 90, t. 6 (1915).—*Fl.*

COELOGYNE
bilamellata Lindl.
Ames, Orchidac. ii. 74 (1908).—*Fl.*
brachyptera Reichb. f.
*Bot. Mag. cxl. t. 8582 (1914).
breviscapa Lindl.
Pflanzenreich, Orch.-Coel. 53, 54 (1907).
brunnea Lindl.
Gard. Chron. 1848, p. 71.—*Fl.*
×**burfordensis** Hort.
Gard. Chron. Ser. III. xlix. 331 (1911).
Orch. World, iv. 197 (1914).
carnea Hook. f.
Hook. Ic. Pl. xxii. t. 2107 (1892).
chloroptera Reichb. f.
*Reichenbach f., Xenia Orch. iii. t. 235 (1890).
Pflanzenreich, Orch.-Coel. 54 (1907).—*Fl.*
Ames, Orchidac. ii. 72 (1908).
chrysotropis Schlechter
Orchis, v. 58, Abb. 7 (1911).—*Fl.*
cinnamomea Teysm. & Binn.
Pflanzenreich, Orch.-Coel. 48 (1907).—*Fl.*
J. J. Smith, Orch. Java, Fig.-Atlas, ii. fig. 109 (1909).—*Fl.*
×**Colmanii** Hort.
Gard. Chron. Ser. III. xli. 108 (1907).—*Hab.*
Orch. Rev. xv. 73 (1907).—*Hab.*
corrugata Wight
Wight, Ic. Pl. Ind. Or. v. t. 1639 (1851).
*Bot. Mag. xcii. t. 5601 (1866).
*Bateman, Second Cent. Orch. Pl. t. 188 (1867).
Nicholson, Illustr. Dict. Gard. i. 356 [1884–88].—*Fl.*
*Costantin, Atlas Orch. Cult. t. 25 (1913).—*Fl.*
corymbosa Lindl.
*Bot. Mag. cxiii. t. 6955 (1887).
Gard. Chron. Ser. III. ii. 73 (1887).—*Fl.*
*Ann. Bot. Gard. Calcutta, viii. t. 185 (1898).
Pflanzenreich, Orch.-Coel. 59 (1907).—*Fl.*
*Costantin, Atlas Orch. Cult. t. 24 (1913).—*Fl.*
Gard. Chron. Ser. III. lix. 159 (1916).—*Hab.*
—— **maxima** Dean
Pflanzenreich, Orch.-Coel. 59 (1907).—*Fl.*
cristata Lindl.
*Bot. Reg. xxvii. t. 57 (1841).
Paxt. Fl. Gard. iii. 171 (1852–53).—*Fl.*
*T. Moore, Illustr. Orchidac. Pl., Coelog. t. 4 (1857).
*Gartenfl. viii. t. 245 (1859).
*Linden, Pescatorea, t. 25 (1860).
*Warner, Select Orch. Pl. Ser. I. t. 35 (1862–65).
*Oudemans, Neerl. Plantentuin, ii. t. 31, 32 (1866).—*Hab.*
*Fl. des Serres, Ser. II. vii. t. 1807 (1867–68).
*Jennings, Orch. t. 7 (1875).
Gard. Chron. vii. 597 (1877); Ser. III. iii. 489 (1888); xxxvii. 101 (1905); xlvi. 75 (1909); xlvii. Suppl. tab. p. 40 (1910).
Pfitzer, Grundz. Vergl. Morph. Orchideen, t. 3, fig. 30 (1882).
Bull. Soc. Tosc. Ortic. x. 242 (1885).—*Hab.*
*Orchidophile, 1885, p. 183; 1888, p. 212.
Garden, xxx. 7 (1886); xxxiii. 265 (1888); xxxviii. 549 (1890); xli. 413 (1891).
Garten-Zeit. Berlin, v. 341 (1886).
Rhein. Jahrb. Gartenk. & Bot. v. 5 (1887–88).
Journ. Hort. Ser. III. xvi. 197 (1888); lvii. 537 (1908); lxviii. 360 (1914).—*Hab.*
Jardin, iv. 280 (1890).
*Rev. Hort. Belge, xvi. 85 (1890).
Veitch, Man. Orch. Pl. Pt. 6, p. 34, 35 (1890).
Journ. Orch. iii. 339 (1892).
Stein, Orchideenbuch, 153 (1892).—*Hab.*
*Bois, Dict. Hort. 344 (1893–99).
*Kerchove, Livre Orch. t. 19, p. 291 (1894).—*Hab.*
Linden, Orchid. Exot. 521 (1894).
B. S. Williams, Orchid-Grower's Man. Ed. 7, p. 204 (1894).—*Hab.*
*R. Nielsen, Trop. Orch. Dyrkning, Kjöbenhavn, t. 2 (1895).
*Cogniaux, Dict. Icon. Orch., Coelog. t. 1 (1897).—*Fl.*
*Warner & Will. Orch. Album, xi. t. 501 (1897).
*Ann. Bot. Gard. Calcutta, viii. t. 184 (1898).

COELOGYNE
cristata
Wien. Ill. Gart.-Zeit. xxiv. 42 (1899).
Nicholson, '1900' Suppl. Dict. Gard. 252 (1900).
Möllers Deutsche Gärtn.-Zeit. xvii. 109 (1902).
Journ. Bombay Nat. Hist. Soc. xvi. 414 (1905).—*Hab.*
Journ. New York Bot. Gard. vi. t. 26 (1905).
Diels in Natur, iv. 39 [1907].—*Fl.*
Velenovsky, Vergl. Morphol. Pfl. ii. 664 (1907).
Orchis, iii. 44 (1909).
Orch. Rev. xviii. 169 (1910).—*Hab.*
Wettstein, Handb. Syst. Bot. Ed. 2, p. 836 (1911).—*Veg.*
Neger, Biol. Pflanz. 168 (1913).—*Veg.*
*Bot. Mag. cxxxix. t. 8477 (1913).
*Costantin, Atlas Orch. Cult. t. 24 (1913).—*Fl.*
L. H. Bailey, Stand. Cycl. Hort. 710, 821, t. 24 (1914).
Orch. World, v. 63 (1914).
Schlechter, Orchideen, 136 (19[14–]15).—*Hab.*
Horticulture (Boston), xxi. 361 (1915).—*Hab.*
—— **alba** Hort.
*Warner & Will. Orch. Album, ii. t. 54 (1883).
*Lindenia, iv. t. 173 (1888).
*Cogniaux, Dict. Icon. Orch., Coelog. t. 1 A (1897).
Nicholson, '1900' Suppl. Dict. Gard. 253 (1900).—*Fl.*
Journ. Roy. Hort. Soc. London, xxxvii. 393, fig. 108 (1911).
Tribune Hort. vii. t. 328 (1912).
—— **Chatsworthii** Hort.
Horticulture (Boston), iii. 218 (1906).—*Hab.*
—— **Lemoniana** Hort.
*Orchidophile, 1888, p. 212.
—— **maxima** Reichb. f.
*Garden, xxxi. 190 (1887).
*Sander, Reichenbachia, i. 13, t. 6 (1888).
Cumingii Lindl.
*Bot. Reg. xxvii. t. 29 (1841).
*Bot. Mag. lxxviii. t. 4645 (1852).
*Fl. des Serres, Ser. I. viii. t. 764 (1852–53).
*Lem. Jard. Fl. iv. t. 337 (1853).
*T. Moore, Illustr. Orchidac. Pl., Coelog. t. 3 (1857).
Pflanzenfam. ii. VI. 125 (1889).
Kerchove, Livre Orch. 100 (1894).
Pflanzenreich, Orch.-Coel. 3, 63 (1907).
Oesterr. Gart.-Zeit. vi. 445 (1911).
*Costantin, Atlas Orch. Cult. t. 24 (1913).—*Fl.*
L. H. Bailey, Stand. Cycl. Hort. 2384 (1916).
cuprea Wendl. & Kränzl.
*Reichenbach f., Xenia Orch. iii. t. 263 (1893).
Pflanzenreich, Orch.-Coel. 27 (1907).—*Fl.*
cycnoches Parish & Reichb. f.
Pflanzenreich, Orch.-Coel. 42 (1907).—*Fl.*
Dayana Reichb. f.
Gard. Chron. xxvi. 44 (1886); Ser. III. xv. 695 (1894).
*Warner & Will. Orch. Album, vi. t. 247 (1887).
*Wawra, Itin. Princ. S. Coburg, ii. 18 (1888).—*Fl.*
Veitch, Man. Orch. Pl. Pt. 6, p. 43 (1890).—*Fl.*
Kerchove, Livre Orch. 583 (1894).
*Lindenia, xv. t. 687 (1900).
Gartenwelt, iv. 425 (1900).
Semaine Hort. iv. 483 (1900).—*Hab.*
American Garden, xxiv. 241 (1903).
Pflanzenreich, Orch.-Coel. 67 (1907).—*Fl.*
Orch. World, i. 219 (1911); iv. 108 (1914).—*Hab.*
Journ. Hort. Ser. III. lxiii. 532 (1911).—*Hab.*
Horticulture (Boston), xv. 613 (1912).—*Hab.*
Gartenwelt, xvi. 499 (1912).
*Costantin, Atlas Orch. Cult. t. 24 (1913).—*Fl.*
Orchis, vii. 84 (1913); ix. 209 (1915).—*Fl.*
Schlechter, Orchideen, 138 (19[14–]15).—*Hab.*
elata Lindl.
*Wallich, Pl. Asiat. Rar. iii. t. 218 (1832).
*Bot. Mag. lxxxiii. t. 5001 (1857).
*Ann. Bot. Gard. Calcutta, viii. t. 188 (1898).
Pflanzenreich, Orch.-Coel. 81, 82 (1907).—*Fl.*
Orchis, vii. 25 (1913).
fimbriata Lindl.
*Bot. Reg. xi. t. 868 (1825).
*Lodd. Bot. Cab. xv. t. 1425 (1828).
Griffith, Ic. Pl. Asiat. t. 291, fig. 1 (1851).—*Fl.*
Pflanzenreich, Orch.-Coel. 35, 37 (1907).

COELOGYNE
fimbriata
*Costantin, Atlas Orch. Cult. t. 24 (1913).—*Fl.*
flaccida Lindl.
*Bot. Mag. lxi. t. 3318 (1834).
*Bot. Reg. xxvii. t. 31 (1841).
*Hooker, Cent. Orch. Pl. t. 2 (1849).
*T. Moore, Illustr. Orchidac. Pl., Coelog. t. 1 (1857).
Möllers Deutsche Gärtn.-Zeit. xi. 141 (1896); xxi. 307 (1906).
*Ann. Bot. Gard. Calcutta, viii. t. 183 (1898).
Pflanzenreich, Orch.-Coel. 45 (1907).—*Fl.*
*Costantin, Atlas Orch. Cult. t. 24 (1913).—*Fl.*
Schlechter, Orchideen, 139 (19[14–]15).—*Hab.*
flavida Wall.
*Ann. Bot. Gard. Calcutta, v. t. 42 (1895); viii. t. 191 (1898).
Pflanzenreich, Orch.-Coel. 83 (1907).—*Fl.*
flexuosa Rolfe
J. J. Smith, Orch. Java, Fig.-Atlas, ii. fig. 110 (1909).—*Fl.*
Foerstermannii Reichb. f.
Pflanzenreich, Orch.-Coel. 63 (1907).—*Fl.*
Orch. World, ii. 172 (1912).—*Hab.*
formosa Schlechter
Orchis, vi. t. 25 (1912).—*Fl.*
fuliginosa Lodd.
*Bot. Mag. lxxv. t. 4440 (1849).
*Lem. Jard. Fl. i. t. 7 (1851).
*Miquel, Choix Pl. Jard. Buitenzorg, t. 25 (1863).
*Cogniaux, Dict. Icon. Orch., Coelog. t. 2 (1897).—*Fl.*
Pflanzenreich, Orch.-Coel. 35, 37 (1907).
J. J. Smith, Orch. Java, Fig.-Atlas, ii. fig. 102 (1909).—*Fl.*
Fürstenbergiana Schlechter
Orchis, viii. 134 (1914).—*Fl.*
fuscescens Lindl.
*Ann. Bot. Gard. Calcutta, viii. t. 181 (1898).
Pflanzenreich, Orch.-Coel. 42 (1907).—*Fl.*
—— **brunnea** Lindl.
*Bot. Mag. xci. t. 5494 (1865).
*Bateman, Second Cent. Orch. Pl. t. 104 (1867).
Oesterr. Gart.-Zeit. vi. 246 (1911).
Gardneriana Lindl.
*Wallich, Pl. Asiat. Rar. i. t. 38 (1830).
*Paxt. Mag. vi. 73 (1839).
*Warner & Will. Orch. Album, iv. t. 153 (1885).
Kerchove, Livre Orch. 299 (1894).
glandulosa Lindl.
Pflanzenreich, Orch.-Coel. 63 (1907).—*Fl.*
graminifolia Parish & Reichb. f.
*Bot. Mag. cxiv. t. 7006 (1888).
Pflanzenreich, Orch.-Coel. 45 (1907).—*Fl.*
*Costantin, Atlas Orch. Cult. t. 24 (1913).—*Fl.*
Griffithii Hook. f.
Hook. Ic. Pl. xxii. t. 2108 (1892).
Pflanzenreich, Orch.-Coel. 41 (1907).
Hookeriana Lindl.
*Bot. Mag. civ. t. 6388 (1878).
*Lindenia, viii. t. 363 (1892).
*Ann. Bot. Gard. Calcutta, viii. t. 193 (1898).
*Costantin, Atlas Orch. Cult. t. 25 (1913).
Huettneriana Reichb. f.
Pflanzenreich, Orch.-Coel. 45 (1907).—*Fl.*
humilis Lindl.
*Bot. Mag. xciii. t. 5674 (1867).
Veitch, Man. Orch. Pl. Pt. 6, p. 55 (1890).
*Ann. Bot. Gard. Calcutta, viii. t. 194 (1898).
*Costantin, Atlas Orch. Cult. t. 25 (1913).
incrassata Lindl.
J. J. Smith, Orch. Java, Fig.-Atlas, ii. fig. 100 (1909).—*Fl.*
integerrima Ames
*Bot. Mag. cxlvi. t. 8856 (1920).
kelamensis J. J. Sm.
Ic. Bogor. iv. t. 302 (1910).
Kingii Hook. f.
*Ann. Bot. Gard. Calcutta, v. t. 38 (1895).
Pflanzenreich, Orch.-Coel. 63 (1907).—*Fl.*
lactea Reichb. f.
*Warner & Will. Orchid. Album, x. t. 459 (1893).
*Cogniaux, Dict. Icon. Orch., Coelog. t. 5 (1902).
*Costantin, Atlas Orch. Cult. t. 25 (1913).—*Fl.*

COELOGYNE
Lagenaria Lindl.
*Bot. Mag. lxxxix. t. 5370 (1863).
*Bateman, Second Cent. Orch. Pl. t. 107 (1867).
*Ill. Hort. xiv. t. 510 (1867).
*Fl. des Serres, Ser. II. xiii. t. 2386 (1880).
Nicholson, Illustr. Dict. Gard. i. 357 [1884–88].
Veitch, Man. Orch. Pl. Pt. 6, p. 56 (1890).—*Fl.*
*Costantin, Atlas Orch. Cult. t. 25 (1913).
lamellata Rolfe
Orchis, ii. 4 (1907).—*Fl.*
Pflanzenreich, Orch.-Coel. 30 (1907).—*Fl.*
Lawrenceana Rolfe
*Bot. Mag. cxxxiii. t. 8164 (1907).
Gard. Chron. Ser. III. xlvii. 335 (1910).
Orchis, vii. 59 (1913).—*Fl.*
lentiginosa Lindl.
*Bot. Mag. xcviii. t. 5958 (1872).
*Warner & Will. Orchid. Album, x. t. 442 (1893).
Pflanzenreich, Orch.-Coel. 54 (1907).—*Fl.*
longibracteata Hook. f.
*Ann. Bot. Gard. Calcutta, v. t. 39 (1895).
Pflanzenreich, Orch.-Coel. 53 (1907).—*Fl.*
longifolia Lindl.
J. J. Smith, Orch. Java, Fig.-Atlas, ii. fig. 105 (1909).—*Fl.*
longipes Lindl.
*Ann. Bot. Gard. Calcutta, viii. t. 189 (1898).
Pflanzenreich, Orch.-Coel. 83 (1907).
Lowii Paxt.
D. Dietrich, Fl. Univ. Abt. i. t. 866 (1847–52).
*Paxt. Mag. xvi. 225 (1849).
*Linden, Pescatorea, t. 7 (1860).
lurida Linden & Cogn.
*Lindenia, xii. t. 532 (1896).
*Costantin, Atlas Orch. Cult. t. 24 (1913).—*Fl.*
lycastoides Kränzl.
Pflanzenreich, Orch.-Coel. 33 (1907).—*Fl.*
maculata Lindl.
*Wallich, Pl. Asiat. Rar. i. t. 53 (1830).
Griffith, Ic. Pl. Asiat. t. 351, A, fig. 2 (1851).—*Fl.*
*Florist, 1851, p. 97 (1852).
*Bot. Mag. lxxix. t. 4691 (1853).
*Fl. des Serres, Ser. II. iv. t. 1470 (1861).
*Ann. Bot. Gard. Calcutta, viii. t. 195 (1898).
*Costantin, Atlas Orch Cult. t. 25 (1913).
Massangeana Reichb. f.
*Floral Mag. N. Ser. 1879, t. 373.
Gard. Chron. xvii. 368, 369 (1882).
*Warner & Will. Orch. Album, i. t. 29 (1882).
*Bot. Mag. cxiv. t. 6979 (1888).
Veitch, Man. Orch. Pl. Pt. 6, p. 43 (1890).—*Fl.*
Neubert's Deutsch. Gart. Mag. xlviii. 11 (1895).—*Hab.*
*Lindenia, xii. t. 548 (1896).
*Rev. Hort. Belge, xxiv. 73 (1898).
*Cogniaux, Dict. Icon. Orch., Coelog. t. 4 (1899).—*Fl.*
Nicholson, '1900' Suppl. Dict. Gard. 253 (1900).—*Fl.*
Jardin, xix. 53 (1905).
Pflanzenreich, Orch.-Coel. 67, 75 (1907).—*Fl.*
J. J. Smith, Orch. Java, Fig.-Atlas, ii. fig. 106 (1909).—*Fl.*
*Costantin, Atlas Orch. Cult. t. 25 (1913).—*Fl.*
L. H. Bailey, Stand. Cycl. Hort. 820 (1914).—*Hab.*
Orchis, ix. 169 (1915).—*Fl.*
Micholicziana Kränzl.
Reichenbach f., Xenia Orch. iii. t. 256 (1892).
Pflanzenreich, Orch.-Coel. 33 (1907).—*Fl.*
*Costantin, Atlas Orch. Cult. t. 25 (1913).—*Fl.*
micrantha Hook. f.
Pflanzenreich, Orch.-Coel. 35 (1907).—*Fl.*
miniata Linn.
*Cogniaux, Dict. Icon. Orch., Coelog. t. 7 (1907).
J. J. Smith, Orch. Java, Fig.-Atlas, ii. fig. 111 (1909).—*Fl.*
modesta J. J. Sm.
J. J. Smith, Orch. Java, Fig.-Atlas, ii. fig. 103 (1909).—*Fl.*
Mooreana Hort.
Orch. Rev. xvi. 329 (1908); xxiii. 49 (1915).
*Bot. Mag. cxxxvi. t. 8297 (1910).
Garden, lxxv. 107 (1911).—*Hab.*

COELOGYNE
Mossiae Rolfe
Gard. Chron. Ser. III. xv. 401 (1894).
Journ. Hort. Ser. III. xxviii. 365 (1894).—*Hab.*
Rev. Hort. 1896, p. 127.—*Hab.*
Orchis, ii. 3 (1907).—*Hab.*
Pflanzenreich, Orch.-Coel. 51, 54 (1907).
Fyson, Fl. Nilgiri & Pulney Hill-tops, ii. 247 (1915).
nervosa A. Rich.
Wight, Ic. Pl. Ind. Or. v. t. 1638 (1851).
Pflanzenreich, Orch.-Coel. 63 (1907).—*Fl.*
Fyson, Fl. Nilgiri & Pulney Hill-tops, ii. 246 (1915).
nitida Lindl.
Diels in Natur, iv. t. 1 [1907].—*Hab.*
Pflanzenreich, Orch.-Coel. 59 (1907).—*Fl.*
occultata Hook. f.
Hook. Ic. Pl. xxii. t. 2104 (1892).
*Ann. Bot. Gard. Calcutta, viii. t. 186 (1898).
Pflanzenreich, Orch.-Coel. 58, 59 (1907).
ocellata Lindl.
*Bot. Mag. lxvi. t. 3767 (1839).
Journ. Hort. Ser. III. xiv. 273 (1887); lii. 25 (1906).
Oesterr. Gart.-Zeit. vi. 188 (1911).—*Hab.*
*Costantin, Atlas Orch. Cult. t. 24 (1913).—*Fl.*
—— **maxima** Reichb. f.
*Floral Mag. N. Ser. 1879, t. 365.
*Lindenia, vi. t. 243 (1890).
Veitch, Man. Orch. Pl. Pt. 6, p. 45 (1890).—*Fl.*
Kerchove, Livre Orch. 305, 337 (1894).—*Fl.*
ochracea Lindl.
*Bot. Reg. xxxii. t. 69 (1846).
*Bot. Mag. lxxviii. t. 4661 (1852).
*Lem. Jard. Fl. iv. t. 342 (1853).
*T. Moore, Illustr. Orchidac. Pl., Coelog. t. 2 (1857).
*Bateman, Second Cent. Orch. Pl. t. 145 (1867).
*Ann. Bot. Gard. Calcutta, viii. t. 182 (1898).
Journ. Bombay Nat. Hist. Soc. xvi. 414 (1905).—*Hab.*
Pflanzenreich, Orch.-Coel. 59 (1907).—*Fl.*
—— **conferta** Par. & Reichb. f.
Trans. Linn. Soc. London, xxx. t. 30 (1874).
odoratissima Lindl.
Wight, Ic. Pl. Ind. Or. v. t. 1640 (1851).
*Bot. Mag. xc. t. 5462 (1864).
Nicholson, Illustr. Dict. Gard. i. 357 [1884–88].—*Hab.*
*Trimen, Handb. Fl. Ceylon, Atlas, iv. t. 89 (1898).
Pflanzenreich, Orch.-Coel. 54 (1907).—*Fl.*
Fyson, Fl. Nilgiri & Pulney Hill-tops, ii. 245 (1915).
ovalis Lindl.
*Ann. Bot. Gard. Calcutta, v. t. 41 (1895); viii. t. 187 (1898).
Pflanzenreich, Orch.-Coel. 35, 53 (1907).
Oesterr. Gart.-Zeit. vii. 3 (1912).
pandurata Lindl.
*Bot. Mag. lxxxiv. t. 5084 (1858).
*Reichenbach f., Xenia Orch. ii. t. 121 (1863).
*Bateman, Second Cent. Orch. Pl. t. 160 (1867).
*Fl. des Serres, Ser. II. x. t. 2139 (1874).
*Warner & Will. Orch. Album, ii. t. 63 (1883).
*Lindenia, ii. t. 86 (1886).
Orchidophile, 1886, p. 363.—*Hab.*
Journ. Hort. Ser. III. xx. 425 (1890); xxx. 377 (1895); xlii. 275 (1901).—*Fl.*
Veitch, Man. Orch. Pl. Pt. 6, p. 47 (1890).—*Fl.*
*Sander, Reichenbachia, Ser. II. ii. 21, t. 58 (1894).
*Gartenfl. xlix. t. 1480 (1900).
Journ. Roy. Hort. Soc. London, xxvi. 135 (1901).—*Fl.*
*Cogniaux, Dict. Icon. Orch., Coelog. t. 6 (1903).—*Fl.*
Pflanzenreich, Orch.-Coel. 75 (1907).—*Fl.*
!Ann. Jard. Bot. Buitenzorg, xxiii. t. 2, fig. 13 (1909).—*Veg.*
*C. H. Curtis, Orchids for Everyone, 48 (1910).—*Fl.*
Oesterr. Gart.-Zeit. vi. 449 (1911).—*Fl.*
Orch. World, ii. 251 (1912); v. 207; vi. 66 (1915).
Horticulture (Boston), xvii. 501 (1913).—*Hab.*
*Costantin, Atlas Orch. Cult. t. 25 (1913).—*Fl.*
A Kert (The Garden), xxi. 492 (1915).—*Fl.*

COELOGYNE
pandurata
Gard. Mag. xxiii. No. 5, p. 302 (1916).
Parishii Hook.
*Bot. Mag. lxxxviii. t. 5323 (1862).
Pflanzenreich, Orch.-Coel. 75, 77 (1907).—*Fl.*
*Costantin, Atlas Orch. Cult. t. 24 (1913).—*Fl.*
peltastes Reichb. f.
*Lindenia, vi. t. 258 (1890).
Pflanzenreich, Orch.-Coel. 74 (1907).
Gartenwelt, xv. 86 (1911).
Oesterr. Gart.-Zeit. vii. 5 (1912).
*Costantin, Atlas Orch. Cult. t. 24 (1913).—*Fl.*
perakensis Rolfe
*Bot. Mag. cxxxiv. t. 8203 (1908).
pholidotoides J. J. Sm.
Ic. Bogor. ii. t. 106 (1903).—*Fl.*
Orchis, ix. t. 211 (1915).—*Fl.*
plantaginea Lindl.
*Beer, Beitr. Morph. u. Biol. Orch. t. 6, fig. 18, 20 (1863).—*Fr.*
Kerner, Pflanzenleben, ii. 78 (1891).—*Fr.*
Kerner & Oliv. Nat. Hist. Pl. ii. 83 (1895).—*Fr.*
praecox Lindl.
*Paxt. Mag. xiv. 7 (1848).
*Ann. Bot. Gard. Calcutta, viii. t. 196 (1898).
—— **Wallichiana** Lindl.
*Gartenfl. ix. t. 283 (1860).
*Trans. Russ. Hort. Soc. 1860, t. 9.—*Hab.*
Veitch, Man. Orch. Pl. Pt. 6, p. 58 (1890).—*Fl.*
prolifera Lindl.
*Ann. Bot. Gard. Calcutta, viii. t. 190 (1898).
Pflanzenreich, Orch.-Coel. 83 (1907).
psittacina Reichb. f.
*Reichenbach f., Xenia Orch. ii. t. 153 (1868).
pulchella Rolfe
Pflanzenreich, Orch.-Coel. 81 (1907).—*Fl.*
pulverula Teysm. & Binn.
Pflanzenreich, Orch.-Coel. 67 (1907).—*Fl.*
Orchis, ix. 169 (1915).—*Fl.*
purpurascens Hook. f.
Hook. Ic. Pl. xxii. t. 2110 (1892).
pustulosa Ridl.
Pflanzenreich, Orch.-Coel. 75 (1907).—*Fl.*
radiiferens Ames & Schweinf.
Ames, Orchidac. vi. t. 81 (1920).
Reichenbachiana T. Moore
*Bot. Mag. xcv. t. 5753 (1869).
Orchis, ii. 5 (1907).—*Hab.*
*Costantin, Atlas Orch. Cult. t. 25 (1913).
rhizomatosa J. J. Sm.
Rec. Trav. Bot. Néerl. i. 146 (1904).—*Fl.*
Rhodeana Reichb. f.
Pflanzenreich, Orch.-Coel. 48 (1907).—*Fl.*
Rochussenii De Vriese
*De Vriese, Illustr. Orchid. t. 1, 14 (1854).
*Reichenbach f., Xenia Orch. i. t. 85 (1856).
Teysmannia, v. 256, t. 5 (1894).—*Fl.*
Pflanzenreich, Orch.-Coel. 67, 69 (1907).—*Fl.*
J. J. Smith, Orch. Java, Fig.-Atlas, ii. fig. 107 (1909).
Orchis, ix. 205 (1915).—*Fl.*
Rossiana Reichb. f.
*Bot. Mag. cxvii. t. 7176 (1891).
Pflanzenreich, Orch.-Coel. 48 (1907).—*Fl.*
*Costantin, Atlas Orch. Cult. t. 24 (1913).—*Fl.*
Rumphii Lindl.
Rumphius, Herb. Amboin. vi. t. 48 (1750); fide Merrill, Interpret. Rumph. Herb. Amboin.
Sanderae Kränzl.
Journ. Hort. Ser. III. xxvi. 313 (1893); xxxv. 451 (1897).—*Fl.*
Gard. Chron. Ser. III. xiii. 361 (1893).
Journ. Roy. Hort. Soc. London, xvi. Proc. p. lxxxix (1894); xxi. Proc. p. ccxxxvi (1897–98).—*Fl.*
*Sander, Reichenbachia, Ser. II. ii. 17, t. 56 (1894).
Orchis, ii. 2 (1907).
Gartenwelt, xi. 486 (1907).
Pflanzenreich, Orch.-Coel. 80, 81 (1907).
Schlechter, Orchideen, 145 (19[14–]15).—*Hab.*
Sanderiana Reichb. f.
Journ. Hort. Ser. III. xxv. 59 (1892); xliv. 75 (1902).
Pflanzenreich, Orch.-Coel. 63 (1907).—*Fl.*
Orch. World, iii. 273 (1913).—*Hab.*

COELOGYNE
Sarrasinorum Kränzl.
Orchis, ii. 4 (1907).
Pflanzenreich, Orch.-Coel. 30 (1907).
Schilleriana Reichb. f.
*Bot. Mag. lxxxiv. t. 5072 (1858).
*Reichenbach f., Xenia Orch. ii. t. 134 (1865).
*Fl. des Serres, Ser. II. xii. t. 2302 (1876).
septemcostata J. J. Sm.
Ic. Bogor. ii. t. 106 (1903).—*Fl.*
simplex Lindl.
!Ann. Jard. Bot. Buitenzorg, xix. t. 10, fig. 25 (1904).—*Fl.*
sparsa Reichb. f.
Reichenbach f., Xenia Orch. iii. t. 235 (1890).
*Gartenfl. xlvi. t. 1442 (1897).
Pflanzenreich, Orch.-Coel. 54 (1907).—*Fl.*
Ames, Orchidac. ii. 70 (1908).—*Fl.*
speciosa Lindl.
*Bot. Reg. xxxiii. t. 23 (1847).
*De Vriese, Illustr. Orchid. t. 1, 10 (1854).
*Bot. Mag. lxxxi. t. 4889 (1855).
*T. Moore, Illustr. Orchidac. Pl., Coelog. t. 5 (1857).
Garden, xxxiii. 264 (1888).
Pflanzenfam. ii. vi. 66, 125 (1889).—*Fl.*
Kerchove, Livre Orch. 100 (1894).—*Fl.*
Teysmannia, v. 256, t. 5 (1894).
*Warner & Will. Orch. Album, xi. t. 494 (1897).
*Cogniaux, Dict. Icon. Orch., Coelog. t. 3 (1898).
L. H. Bailey, Cycl. Amer. Hort. 347 (1900); Stand. Cycl. Hort. 820 (1914); 2388 (1916).
Orchis, ii. 4 (1907).—*Fl.*
Pflanzenreich, Orch.-Coel. 3, 30 (1907).—*Fl.*
J. J. Smith, Orch. Java, Fig.-Atlas, ii. fig. 101 (1909).—*Fl.*
*Costantin, Atlas Orch. Cult. t. 24 (1913).—*Fl.*
—— **albicans** Veitch
*Cogniaux, Dict. Icon. Orch., Coelog. t. 3 A (1903).
stenochila Hook. f.
Hook. Ic. Pl. xxii. t. 2106 (1892).
suaveolens Hook. f.
*Ann. Bot. Gard. Calcutta, v. t. 40 (1895).
Pflanzenreich, Orch.-Coel. 54 (1907).—*Fl.*
sulfurea Reichb. f.
J. J. Smith, Orch. Java, Fig.-Atlas, ii. fig. 108 (1909).—*Fl.*
sumatrana J. J. Sm.
Orchis, ix. 207 (1915).—*Fl.*
Swaniana Rolfe
*Sander, Reichenbachia, Ser. II. ii. 105, t. 92 (1894).
*Bot. Mag. cxxiv. t. 7602 (1898).
Pflanzenreich, Orch.-Coel. 67 (1907).—*Fl.*
Orchis, ix. 207 (1915).—*Fl.*
testacea Lindl.
*Bot. Mag. lxxx. t. 4785 (1854).
Pflanzenreich, Orch.-Coel. 67 (1907).—*Fl.*
*Costantin, Atlas Orch. Cult. t. 25 (1913).—*Fl.*
Orchis, ix. 209 (1915).—*Fl.*
Thuniana Reichb. f.
Reichenbach f., Xenia Orch. i. t. 46 (1855).
tomentosa Lindl.
*Wawra, Itin. Princ. S. Coburg, ii. t. 17 (1888).
Veitch, Man. Orch. Pl. Pt. 6, p. 52 (1890).—*Fl.*
Pflanzenreich, Orch.-Coel. 67 (1907).—*Fl.*
Orch. World, v. 64 (1914).—*Fl.*
Orchis, ix. 167 (1915).—*Fl.*
Treutleri Hook. f.
Hook. Ic. Pl. xxii. t. 2105 (1892).
Pflanzenreich, Orch.-Coel. 35 (1907).—*Fl.*
trifida Reichb. f.
*Reichenbach f., Xenia Orch. ii. t. 155 (1868).
Pflanzenreich, Orch.-Coel. 54 (1907).—*Fl.*
trinervis Lindl.
Pflanzenreich, Orch.-Coel. 48 (1907).—*Fl.*
triplicatula Reichb. f.
Reichenbach f., Xenia Orch. ii. t. 166 (1870).
Pflanzenreich, Orch.-Coel. 35 (1907).—*Fl.*
triptera Brongn.
Duperrey, Voy. Coquille, Bot. Atlas, Phan. t. 42 (1826).
trisaccata Griff.
Griffith, Ic. Pl. Asiat. t. 351, A, fig. 30 (1851).—*Fl.*

COELOGYNE
tumida J. J. Sm.
J. J. Smith, Orch. Java, Fig.-Atlas, ii. fig. 104 (1909).—*Fl.*
uniflora Lindl.
*Ann. Bot. Gard. Calcutta, v. 43 (1895); viii. t. 192 (1898).
Veitchii Rolfe
Wien. Ill. Gart.-Zeit. xxi. 187 (1896).
Gartenfl. xlvi. 586 (1897).
*Bot. Mag. cxxvii. t. 7764 (1901).
Pflanzenreich, Orch.-Coel. 72 (1907).—*Fl.*
Orch. World, v. 81 (1915).
Orchis, ix. 167 (1915).—*Fl.*
venusta Rolfe
Pflanzenreich, Orch.-Coel. 72 (1907).—*Fl.*
*Bot. Mag. cxxxv. t. 8262 (1909).
Orchis, ix. 211 (1915).—*Fl.*
vermicularis J. J. Sm.
Ic. Bogor. iii. t. 204 (1906).
Wallichiana Lindl.
*Wallich, Pl. Asiat. Rar. i. t. 54 (1830).
*Horticulteur Univ. i. 1 (1839).
*Paxt. Mag. vi. 25 (1839).
*Bot. Reg. xxvi. t. 24 (1840).
*Bot. Mag. lxxvi. t. 4496 (1850).
Griffith, Ic. Pl. Asiat. t. 351, B, fig. 4 (1851).—*Fl.*
*Neubert's Deutsch. Gart. Mag. 1856, p. 79.
*T. Moore, Illustr. Orchidac. Pl., Coelog. t. 6 (1857).
*Costantin, Atlas Orch. Cult. t. 25 (1913).—*Fl.*

COELONEMA Maxim.
draboides Maxim.
Maximowicz, Fl. Tangut. t. 14 (1889).

COELOPLEURUM Ledeb.
actaeifolium Coult. & Rose
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, ii. 646 (1913).
Gmelinii Ledeb.
Bot. Gaz. xii. 63 (1887).—*Fr.*
Britton & Brown, Ill. Fl. N. States & Canada, ii. 520 (1897).
longipes Coult. & Rose
Contrib. U.S. Nat. Herb. vii. 141 (1900).—*Fr.*

COELOPYRENA Val.
salicifolia Val.
Ic. Bogor. iii. t. 279 (1909).

COELORRHACHIS Brongn.: *Rottboellia*
cylindrica Nash
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, i. 112 (1913).
muricata Brongn.
Duperrey, Voy. Coquille, Bot. Atlas Phan. t. 14 (1826).
rugosa Nash
Stone, Pl. Southern New Jersey (Ann. Rep. New Jersey State Mus. 1910), t. 6 (1911).
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, i. 112 (1913).

COELOSPERMUM Bl.
decipiens Baill.
Banks & Soland. Bot. Cook's Voy. ii. t. 145 (1901).
paniculatum F. Muell.
F. M. Bailey, Compr. Cat. Queensl. Pl. 251 (1909–13).
reticulatum Benth.
Pflanzenfam. iv. iv. 137 (1891).—*Fl.*

COELOSTEGIA Benth.
borneensis Becc.
Beccari, Malesia, iii. t. 29 (1887).
Griffithii Benth.
Journ. Linn. Soc., Bot. xiv. t. 16, fig. 43–50 (1875).—*Fl.*
sumatrana Becc.
Beccari, Malesia, iii. t. 27, 28 (1887).

COELOSTYLIS Torr. & Gray: *Spigelia*
loganioides Torr. & Gray
Endlicher, Ic. Gen. Pl. t. 101 (1838).

COENOLOPHIUM Reichb.: *Cenolophium*
Fischeri Koch
Reichenbach, Ic. Fl. Germ. xxi. t. 1920 (1867) in ic.; *Cenolophium* in textu, p. 45.

COFFEA Linn.—Vide *Lachnastoma*
acuminata Ruiz & Pav.
Ruiz & Pavon, Fl. Peruv. & Chil. ii. t. 214 (1799).
*Joh. Kerner, Hort. Sempervir. t. 523 (1818).
affinis De Wild.
De Wildeman, Miss. É. Laurent, ii. t. 61 (1906).
alpestris Wight
Wight, Ic. Pl. Ind. Or. iii. t. 1040 (1843–45).
*Wight, Spicil. Neilgherr. i. t. 100 [1846].
arabica Linn.
*Kniphof, Herb. Viv. i. t. 279 (1758).
Linnaeus (Diss. 1761), Amoenit. vi. t. 2 (1764).
*Regnault, Bot. iii. 135 (1774).
*J. Ellis, Coffee, tab. (1774).
*Bergius, Mat. Med. i. 111, t. 375 (1778).
*Zorn, Ic. Pl. Med. iv. t. 375 (1782).
C. J. Gentil, Diss. Caffé, frontisp. (1787).
Gaertner, Fruct. i. t. 25 (1788).—*Fr.*
*Plantarum Indig. & Exot. Ic. i [t. 15] (1788).
*Plenck, Ic. Pl. Med. ii. t. 130 (1789).
Bordiga, Storia Piante Forest. i. t. 19 (1791).
*Woodville, Med. Bot. Suppl. t. 230 (1794); Ed. 3, i. t. 70 (1832).
Lamarck, Ill. i. t. 160, fig. 1 (1797).
*Naturalist's Pocket Mag. vi [t. 17] (1800).
*Oskamp, Afb. Artseny-Gewass. v. t. 451 (1800).
*Mirbel, Hist. Nat. Pl. xiv. t. 88 [1802–6].
*Roques, Pl. Usuell. Indig. & Exot. i. t. 29 (1807).
*Tussac, Fl. Antilles, i. t. 18 (1808).
Willdenow in Mag. Gesellsch. Naturf. Freunde Berlin, iv. t. 6 (1810).
*Bot. Mag. xxxii. t. 1303 (1810).
*Trattinick, Ausg. Taf. Arch. iv. 306 (1814).
*Chaumeton, Fl. Méd. ii. t. 85 (1815).
Dict. Sc. Nat., Planch. Bot. Dicot. t. 99 (1816–29).
*Vietz, Ic. Pl. Med.-oec.-techn. v. t. 426 (1817).
*Mordant de Launay, Herb. Amat. v. t. 285 (1821).
*Roques, Phytogr. Médic. ii. t. 96 (1821); Nouv. Ed. Atlas, t. 74 (1835).
*Joh. Kerner, Gen. Pl. Ill. v. t. 94 (1822).
*Hayne, Getreue Darst. Arzn. Gewächse, ix. t. 32 (1825).
Vellozo, Fl. Flum. ii. t. 10 (1827).
*Géel, Sert. Bot. Cl. 5 (1828).
*Nees, Pl. Offic. ii. t. 257 (1828).
*Descourtilz, Fl. Pitt. & Méd. Antilles, viii. t. 564 (1829).
*Drapiez, Herb. Amat. Fl. iii. t. 206 (1829).
*Zenker & Schenk, Merkant. Waarenk. i. t. 19 (1831).
Mém. Soc. Hist. Nat. Paris, v. t. 16 (1834).—*Fl.*
*Stephenson & Churchill, Med. Bot. New Ed. iii. t. 182 (1836).
Wight, Ic. Pl. Ind. Or. i. t. 53 (1838).
*Burnett, Pl. Util. i. t. 7, a (1842).
Lindley, Veg. Kingd. 761 (1846).
*Spach, Hist. Nat. Vég. Phan. Atlas, t. 63 (1846).
*Cassone, Fl. Med.-Farm. iii. t. 239 (1848).
Lindley, Med. & Oecon. Bot. 239 (1849).
*E. Hamilton, Fl. Homoeopath. i. t. 23 (1852).
*Archer, Pop. Econ. Bot. et Profitable Pl. t. 1, fig. 2 (1853).
*Schnizlein, Iconogr. ii. t. 127 b (1854).
Schacht, Lehrb. Anat. Phys. Gew. ii. 125 (1860).—*Veg.*
Berg, Charakt. t. 44, fig. 344 (1861).
Ettingshausen, Blatt-Skel. Dikot. t. 24 (1861).—*Veg.*
*Artus, Atlas Pharm. Deutschl. Aufg. Offic. Gew. t. 133 [1862–74].
*Argenta, Album Fl. Med.-Farm. ii. t. 161 (1863).
Marchand, Coffea arabica, t. 1–4 (1864).
Baillon, Adans. v. t. 1–4 (1864–65).
*Schubert, Naturg., Pflanzenreich, Ed. 2, t. 11, fig. 4 [1865].
*Réveil, Règne Vég. iii. t. 45; viii. t. 25 (1870).
Nature, ii. 126 (1870).
Rep. Commissioner Agric. Washington, 1870, p. 192, t. 5 (1871).
Beddome, Fl. Sylv. Anal. Gen. t. 17 (1872).—*Fl.*
Nobbe, Handb. Samenkunde, 104 (1876).—*Fr.*
Gard. Chron. vi. 105 (1876).
*Blanco, Fl. Filip. t. 53 (1878–80).
*Bentley & Trim. Med. Pl. ii. t. 144 (1878).
Baillon, Dict. Bot. ii. 121, 122 (1880).

COFFEA
arabica
Baillon, Hist. Pl. vii. 275–77 (1880).
Berge, Pflanzenphysiogn. 81 (1880).
Karsten, Deutsche Fl. Pharm.-medic. Bot. 1195 (1880–83).—*Fr.*
Mart. Fl. Bras. vi. v. t. 11 (1881).
*C. Hoffmann, Pflanzenatlas, t. 12, fig. 70 (1881).
Schilling, Grundr. Naturg. ii. Pflanzenr. Ausgb. A, p. 88 (1882); Ausgb. B, p. 188 (1884).
Ann. Jard. Bot. Buitenzorg, iv. t. 6, fig. 49–51 (1884).—*Fl.*
Baillon, Traité Bot. Méd. Phan. ii. 1079, 1080 (1884).
Christy, New Commerc. Pl. & Drugs, No. 7, p. 78 (1884).—*Veg.*
Wien. Ill. Gart.-Zeit. ix. 316 (1884).
*Zippel, Ausländ. Handels- & Nährpfl. t. 1 (1885).
*Köhler, Med. Pfl. i [t. 55] (1887).
*Dujard.-Beaumetz & Égasse, Pl. Méd. 119, t. 10 (1889).
Pflanzenfam. iv. 1v. 103 (1891).
Lubbock, Seedlings, ii. 71 (1892).—*Veg.*
Tschirch, Ind. Heil- & Nutzpfl. t. 35 (1892).—*Hab.*
*Bois, Dict. Hort. 345 (1893–99).
Brehm, Merv. Nat. Monde des Pl. ii. 125 (1894–96).
Karsten, Fl. Deutschl. ii. 777 (1895).—*Fr.*
*Kohl, Off. Pfl. Pharm. Germ. t. 143 (1895).
Sadebeck, Kulturg. Deutsch. Kolon. Erzeugn. 138, 139 (1899).
*Zippel, Ausländ. Kulturpfl. Atlas, Ed. 4, Abt. 1, t. 3 (1899).
L. H. Bailey, Cycl. Amer. Hort. 348 (1900); Stand. Cycl. Hort. 823 (1914).
*Villard, Fleurs, t. 26 (1900).
Rev. Hort. 1900, p. 388.—*Hab.*
Preuss, Exped. Centr.- & Südamer. 347, 352 (1901).
Rev. Cult. Colon. viii. 2, 3, 5 (1901).
*De Janville, Pl. Utiles Pays Chauds, t. 1, 2 (1902).
Karsten & Schenck, Veg.-Bild. i. t. 15 (1903).—*Hab.*
Wettstein, Veg. Südbras. t. 40 (1904).—*Hab.*
Knuth, Handb. Blütenbiol. iii. 11. 177 (1905).—*Fl.*
Agric. Prat. Pays Chauds, vi. 1. 450, 453 (1906).
De Wildeman, Miss. É. Laurent, ii. t. 67–70 (1906).
Lazaro, Comp. Fl. Españ. ii. 643 (1907).
Agric. Colon., Ital. ii. 2 (1908).
Pittier, Ensayo Pl. Usual. Costa Rica, t. 11 (1908).—*Hab.*
Charabot, Prod. Vég. Col. Franç. 90, 91 (1908).
*Warburg, Kulturpfl. Weltwirtsch. 170, 176 (1908).
Beille, Bot. Pharm. ii. 1112, 1113 (1909).
Jaarb. Dept. Landb. Nijverh. Hand. Nederl.-Ind. 1909, p. 186 (1910).—*Hab.*
Wettstein, Handb. Syst. Bot. Ed. 2, p. 759 (1911).
McClelland in Rep. Porto Rico Agric. St. t. 3 (1911).—*Hab.*
Hartwich, Menschl. Genussmittel, 274–76 (1911).
Pammel, Man. Poison. Pl. 743 (1911).
*Pokorny-Schoenichen, Pflanzenkunde, t. 30, fig. 2 (1912).
Capus & Bois, Prod. Colon. 184, 185 (1912).
Hubert, Fruits Pays Chauds, 427, 431 (1912).
Koorders, Exkursionsfl. Java, ii. t. 11 (1912).—*Hab.*
Strasburger, Text-Book Botany, Ed. Angl. 4, p. 669 (1912).
Tropenpfl. xvi. 247 (1912).—*Hab.*
Rotschnek in Természett. Közl. (Journ. Nat. Sc.), xlv. 26 (1913).
May in Rep. Porto Rico Agric. St. t. 1 (1913).—*Hab.*
Merck's Rep. (Pract. Journ. Pharm.), xxiv. 297, 298 (1915).
Bryan, Nat. Hist. Hawaii, t. 50 (1915).
Rev. Gén. Bot. xxvii. 132 (1915).—*Fr.*
Britton, Fl. Bermuda, 364 (1918).
Van Gorkom, Oost-Ind. Cult. Ed. 2, ii. 191, 232 (1918).

COFFEA
arabica
Prudhomme, Pl. Utiles Pays Chauds, t. 4, 6 (1920).
—— **angustifolia** Miq.
Teysmannia, xviii. 224 (1907).—*Veg.*
—— **bullata** Van Gorkom
Van Gorkom, Oost-Ind. Cult. Ed. 2, ii. 199 (1918).—*Hab.*
—— **columnaris** Ottoland.
Teysmannia, xviii. 230 (1907).—*Hab.*
—— **laurina** Van Gorkom
Van Gorkom, Oost-Ind. Cult. Ed. 2, ii. 198 (1918).—*Hab.*
—— **monosperma** Cramer
Teysmannia, xviii. 221 (1907).
—— **rotundifolia** Cramer
Teysmannia, xviii. 225 (1907).—*Veg.*
Arnoldiana De Wild.
De Wildeman, Miss. É. Laurent, ii. t. 74 (1906).
aruwimiensis De Wild.
De Wildeman, Miss. É. Laurent, ii. t. 64–66 (1906).
Bull. Agric. Congo Belge, iv. 933, 938 (1913).—*Hab.*
Augagneuri Dubard
Agric. Prat. Pays Chauds, vi. 11. 520 (1906).—*Veg.*
australis Vell.
Vellozo, Fl. Flum. ii. t. 13 (1827).
bengalensis Roxb.
*Bot. Mag. lxxxii. t. 4917 (1856).
Ann. Jard. Bot. Buitenzorg, iv. t. 6, fig. 53 (1884); viii. t. 23, fig. 1 (1890).—*Fl.*
Buick in Nat. Tijdschr. Nederl. Ind. xlix. 544 (1890).—*Fl.*
Bot. Jaarb. Gent, iii. t. 3, fig. 8 (1891).—*Fl.*
—— **glabra** Val.
Ic. Bogor. ii. t. 141 (1904).
biflora Vell.
Vellozo, Fl. Flum. ii. t. 16 (1827).
Bonnieri Dubard
Agric. Prat. Pays Chauds, v. 1. 96 (1905).
canephora Pierre
Jaarb. Dept. Landb. Nijverh. Hand. Nederl.-Ind. 1909, p. 191 (1910).—*Hab.*
Pflanzer, x. Beih. No. 3, t. 11, 12 (1914).
Van Gorkom, Oost-Ind. Cult. Ed. 2, ii. 209 (1918).—*Hab.*
—— **crassifolia** É. Laurent
De Wildeman, Miss. É. Laurent, ii. t. 76 (1906).
—— **Hinaultii** Pierre
De Wildeman, Miss. É. Laurent, ii. t. 100 (1906).
—— **kouilouensis** Pierre
De Wildeman, Miss. É. Laurent, ii. t. 101 (1906).
Bol. Agric. São Paulo, Ser. XI. x. 923 (1910).
Bull. Agric. Congo Belge, vi. 37 (1915).—*Hab.*
—— **opaca** Pierre
Agric. Prat. Pays Chauds, iv. 117 (1904).—*Hab.*
Charabot, Prod. Vég. Col. Franç. 102 (1908).
—— **sankuruensis** De Wild.
De Wildeman, Miss. É. Laurent, i. 331, 332; ii. t. 77 (1906).
Bol. Agric. São Paulo, Ser. XI. x. 924, 925 (1910).
Bull. Agric. Congo Belge, iv. 931, 935, 937, 939 (1913); vi. 36 (1915).—*Hab.*
ciliata Ruiz & Pav.
Ruiz & Pavon, Fl. Peruv. & Chil. ii. t. 216 (1799).
congensis Froehn
Agric. Prat. Pays Chauds, vi. 1. 459 (1906).
Van Gorkom, Oost-Ind. Cult. Ed. 2, ii. 211 (1918).—*Hab.*
—— **Chalotii** Pierre
De Wildeman, Miss. É. Laurent, ii. t. 71, 72 (1906).
Bol. Agric. São Paulo, Ser. XI. x. 926–27 (1910).
—— **oubanghiensis** Pierre
De Wildeman, Miss. É. Laurent, ii. t. 103 (1906).
—— **subsessilis** De Wild.
De Wildeman, Miss. É. Laurent, ii. t. 73 (1906).
densiflora Bl.
Indische Mercuur, xxiii. No. 15, p. 235 (1888).
Teysmannia, xi. 29 (1900).
Dewevrei De Wild. & Dur.
De Wildeman, Miss. É. Laurent, ii. t. 75 (1906).

COFFEA
Dewevrei
Bull. Agric. Congo Belge, iv. 932, 941 (1913).—*Hab.*
divaricata K. Schum.
De Wildeman, Études Fl. Bangala & Ubangi, 44 (1911).
Bull. Soc. Bot. Belg. li. III. t. 32 (1913).
Dybowskii Pierre
De Wildeman, Miss. É. Laurent, ii. t. 105 (1906).
Engleri K. Krause
Engl. Jahrb. xxxix. 547 (1907).
excelsa A. Chev.
Chevalier, Afr. Centr. Franç. 169 (1907).
Jaarb. Dept. Landb. Nijverh. Hand. Nederl.-Ind. 1907, p. 83 (1908); 1910, p. 145 (1911); 1914, p. 90, 92 (1915).—*Hab.*
Bull. Agric. Congo Belge, iv. 931 (1913).—*Hab.*
Philippine Agric. Rev. ix. 132, t. 4 (1916).—*Hab.*
Teysmannia, xxvii. 211, 215 (1916).
Van Gorkom, Oost-Ind. Cult. Ed. 2, ii. 207 (1918).—*Hab.*
foveolata Ruiz & Pav.
Ruiz & Pavon, Fl. Peruv. & Chil. ii. t. 216 (1799).
Gallienii Dubard
Agric. Prat. Pays Chauds, v. I. 94 (1905).
grumelioides Wight
Wight, Ic. Pl. Ind. Or. iii. t. 1041 (1843–45).
*Wight, Spicil. Neilgherr. i. t. 101 [1846].
guianensis Aubl.
Aublet, Hist. Pl. Guiane Franç. iii. t. 57 (1775).
Humblotiana Baill.
Capus & Bois, Prod. Colon. 209 (1912).—*Fr.*
Klainei Pierre
De Wildeman, Miss. É. Laurent, ii. t. 102 (1906).
Laurentii De Wild.
Gard. Chron. Ser. III. xxxiii. 306 (1903).—*Hab.*
lepidophloia Miq.
Teysmannia, xi. 34 (1900).
Indische Mercuur, xxiii. No. 15, p. 236 (1900).
liberica Hiern
Gard. Chron. vi. 105 (1876).
Trans. Linn. Soc. London, Ser. II. Bot. i. t. 24 (1876).
Kew Rep. 1876, p. 10 (1877).
Christy, New Commerc. Pl. No. 1, p. 2 (1878).
*Cruewell, Liberian Coffee in Ceylon, t. 1, 2 (1878).
Sempervirens, viii. 369 (1879).
Florist, 1880, p. 50.
Gartenfl. xxix. 88 (1880).
Ann. Jard. Bot. Buitenzorg, iv. t. 6, fig. 52 (1884).—*Fl.*
Rev. Hort. 1890, p. 104, 105.
Pflanzenfam. iv. IV. 103 (1891).—*Fl.*
Tschirch, Ind. Heil- & Nutzpfl. t. 34 (1892).—*Hab.*
Sadebeck, Kulturg. Deutsch. Kolon. Erzeugn. 139 (1899).—*Fr.*
Koorders, Bot.-Syst. Opmerk. Koffievruchten, tab. (1901).
Rev. Cult. Colon. viii. 2, 3, 5 (1901).
Malpighia, xvii. t. 17 (1903).—*Veg.*
Karsten & Schenck, Veg.-Bild. i. t. 16 (1903).—*Hab.*
Meded. 's Lands Pl. Buitenzorg, xlvi. 38–41, 43, 46 (1901); lxvi. 76, 78 (1903).
Flora, xcv. 64, t. 1 (1905).—*Veg.*
Knuth, Handb. Blütenbiol. iii. II. 177 (1905).—*Fl.*
Agric. Prat. Pays Chauds, vi. II. 242, 243 (1906); viii. I. 451 (1908).
De Wildeman, Miss. É. Laurent, i. 301; ii. t. 104 (1906).
H. H. Johnston, Liberia, i. 401 (1906).—*Hab.*
Charabot, Prod. Vég. Col. Franç. 95 (1908).
Pittier, Ensayo Pl. Usual. Costa Rica, t. 12 (1908).—*Hab.*
Tschirch, Handb. Pharmakog. i. 48 (1908).—*Hab.*
Warburg, Kulturpfl. Weltwirtschaft, 168, 173, 177, 178, 180, 184, 185 (1908).
Tribune Hort. v. t. 205 (1910).
Hartwich, Menschl. Genussmittel, 276, 287, t. 10 (1911).
Philippine Journ. Sc., Chem. & Geol. vi. 329, t. 7 (1911).—*Hab.*

COFFEA
liberica
L. Reinhardt, Kulturgesch. Nutzpfl. (Erde und Kultur), iv. I. t. 59, 60 (1911).—*Hab.*
Wettstein, Handb. Syst. Bot. Ed. 2, p. 758 (1911).
Capus & Bois, Prod. Colon. 203, 228, 229, 231, 233 (1912).
Rotschnek in Természett. Közl. (Journ. Nat. Sc.), xlv. 27 (1913).
Bull. Agric. Congo Belge, iv. 941 (1913).—*Hab.*
Bull. Appl. Bot. viii. App. 13, p. 100 (1915).—*Hab.*
Philippine Agric. Rev. ix. 210, t. 7 (1916).—*Hab.*
Van Gorkom, Oost-Ind. Cult. Ed. 2, ii. 231 (1918).—*Fr.*
Prudhomme, Pl. Utiles Pays Chauds, t. 4, 6 (1920).
longifolia Ruiz & Pav.
Ruiz & Pavon, Fl. Peruv. & Chil. ii. t. 218 (1799).
madurensis Teysm. & Binn.
Indische Mercuur, xxiii. No. 15, p. 235 (1900).
Teysmannia, xi. 31 (1900).
mauritiana Lam.
Lamarck, Ill. i. t. 160, fig. 2 (1797).
Grandidier, Hist. Madag. [Plantes] Atlas, t. 415, a (1897).
meridionalis Vell.
Vellozo, Fl. Flum. ii. t. 14 (1827).
microcarpa Ruiz & Pav.
Ruiz & Pavon, Fl. Peruv. & Chil. ii. t. 218 (1799).
Mogenetii Dubard
Agric. Prat. Pays Chauds, v. I. 100 (1905).
nitida Ruiz & Pav.
Ruiz & Pav. Fl. Peruv. & Chil. ii. t. 217 (1799).
occidentalis Jacq.
Jacquin, Sel. Stirp. Amer. Hist. t. 47 (1763).
*Jacquin, Sel. Stirp. Amer. Hist. Picta, t. 68 [1780].
Browne, Hist. Jamaica, Ed. 2, t. 6 (1789).
occidentalis Vell.
Vellozo, Fl. Flum. ii. t. 12 (1827).
paniculata Aubl.
Aublet, Hist. Pl. Guiane Franç. iii. t. 58 (1775).
Pervilleana Grandid.
Grandidier, Hist. Madag. [Plantes] Atlas, t. 415 (1897).
porophylla Vell.
Vellozo, Fl. Flum. ii. t. 11 (1827).
quillou Hort.
Gorter in Jaarb. Dept. Landb. Nijverh. Hand. Nederl.-Ind. 1909, p. 189 (1910); 1910, p. 144 (1911); 1911, p. 371 (1912).—*Hab.*
Philippine Agric. Rev. ix. 132, t. 2 (1916).—*Hab.*
racemosa Ruiz & Pav.
Ruiz & Pavon, Fl. Peruv. & Chil. ii. t. 214 (1799).
*Joh. Kerner, Hort. Sempervir. t. 383 (1813).
robusta Linden
Gard. Chron. Ser. III. xxviii. 311 (1900).—*Hab.*
Dep. Landb. Suriname, Verslag, 1908, p. 43 (1909).—*Hab.*
Bull. Soc. Belge Études Colon. xviii. 109, 110, 114 (1911).
Agric. Prat. Pays Chauds, xiii. I. 445 (1913).—*Hab.*
Bull. Agric. Congo Belge, iv. 933, 939 (1913).
Trop. Agric. xlv. No. 2, p. 74, 76 (1915); li. No. 4, p. 218 (1918).
Philippine Agric. Rev. ix. 132, t. 3 (1916).—*Hab.*
Van Gorkom, Oost-Ind. Cult. Ed. 2, ii. 204 (1918).—*Hab.*
Prudhomme, Pl. Utiles Pays Chauds, t. 5 (1920).
rosea Moc. & Sessé
A. De Candolle, Calq. Dess. Fl. Mex. Moc. & Sessé, t. 479 (1874).
Royauxii De Wild.
De Wildeman, Miss. É. Laurent, ii. t. 78 (1906).
Schumanniana Busse
Tropenpfl. vi. 143 (1902).
sessilis Vell.
Vellozo, Fl. Flum. ii. t. 20 (1827).
silvestris Willd.
*Buchoz, Herb. Col. Amér. [t. 90, 91] (1783).
spicata H. B. K.
H. B. K. Nov. Gen. iii. t. 286 (1818).
stenophylla G. Don
*Bot. Mag. cxxii. t. 7475 (1896).
Kew Bull. 1896, p. 190.

COFFEA
stenophylla
De Wildeman, Miss. É. Laurent, ii. t. 62–64 (1906).
Teysmannia, xviii. 292 (1907).—*Veg.*
Bol. Agric. São Paulo, Ser. XI. x. 920 (1910).
Capus & Bois, Prod. Colon. 209 (1912).—*Fr.*
Trop. Agric. xlv. No. 2, p. 74 (1915).
stipulata Vell.
Vellozo, Fl. Flum. ii. t. 17 (1827).
subsessilis Ruiz & Pav.
Ruiz & Pavon, Fl. Peruv. & Chil. ii. t. 215 (1799).
*Joh. Kerner, Hort. Sempervir. t. 792 (1828).
travancorensis Wight & Arn.
*Bot. Mag. cx. t. 6749 (1884).
*Trimen, Handb. Fl. Ceylon, Atlas, iii. t. 53 (1895).
truncata Vell.
Vellozo, Fl. Flum. ii. t. 15 (1827).
ugandae Hort.
Gorter in Jaarb. Dept. Landb. Nijverh. Hand. Nederl.-Ind. 1909, p. 190 (1910).—*Hab.*
Cramer in Jaarb. Dept. Landb. Nijverh. Hand. Nederl.-Ind. 1914, p. 90 [b] (1915).—*Hab.*
umbellata Ruiz & Pav.
Ruiz & Pavon, Fl. Peruv. & Chil. ii. t. 215 (1799).
*Joh. Kerner, Hort. Sempervir. t. 192 (1805).
umbellata Vell.
Vellozo, Fl. Flum. ii. t. 19 (1827).
verticillata Ruiz & Pav.
Ruiz & Pavon, Fl. Peruv. & Chil. ii. t. 217 (1799).
verticillata Vell.
Vellozo, Fl. Flum. ii. t. 18 (1827).
Wightiana Wall.
Wight, Ic. Pl. Ind. Or. iv. t. 1598 (1850).

COGNIAUXIA Baill.
podolaena Baill.
De Wildeman & Durand, Ill. Fl. Congo (Ann. Mus. Congo), i. t. 6 (1898).
Bull. Ort. Bot. Napoli, 332 (1902).
trilobata Cogn.
De Wildeman & Durand, Ill. Fl. Congo (Ann. Mus. Congo), i. t. 5 (1898).

COGSWELLIA Spreng.: *Lomatium*
daucifolia M. E. Jones
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, ii. 632 (1913).
foeniculacea Coult. & Rose
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, ii. 632 (1913).
orientalis M. E. Jones
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, ii. 631 (1913).
platycarpa M. E. Jones
M. Armstrong, Field Book West. Wild Fl. 335 (1915).

COHNIA Reichb. f.: *Cohniella*
quekettioides Reichb. f.
Reichenbach f., Xenia Orch. i. t. 100 (1858).

COHNIELLA Pfitz.—Vide *Cohnia*

COINCYA Rouy: *Enarthrocarpus*
rupestris Rouy
Coincy, Eclog. Pl. Hispan. i. t. 2, 3 (1893).
Rouy, Illustr. Pl. Eur. Rar. i [t. 24] (1895); fasc. 5, t. 105 (1896).
Pflanzenreich, Crucif.-Brass. 148 (1919).

COINOCHLAMYS T. Anders.—Vide *Codonanthus*
angolana Sp. Moore
Journ. of Bot. xiv. t. 182 (1876).
hirsuta T. Anders.
Journ. of Bot. xiv. t. 182 (1876).

COINOGYNE Less.: *Jaumea*
carnosa Less.
Linnaea, vi. t. 6, fig. c, 11–14 (1831).—*Fl.*

COIX Linn.—Vide *Lithagrostis*
agrestis Lour.
*Useful Pl. Jap. i. t. 20 (1895).
exaltata Jacq.
*Jacquin, Ecl. Gram. t. 40 (1813).
lacryma Linn.
*Schkuhr, Bot. Handb. Ed. 2, t. 285 d (1808).
Jaume St.-Hilaire in Journ. de Bot. i. t. 3 (1808).

COIX

lacryma
Ann. Mus. Hist. Nat. Paris, xvii. t. 6 (1811).
P. Beauvais, Agrost. t. 24, fig. 5 (1812).—*Fl.*
*Vietz, Ic. Pl. Med.-oec.-techn. Suppl. t. 24 (1822).
*Bot. Mag. li. t. 2479 (1824).
Vellozo, Fl. Flum. x. t. 5 (1827).
Kunth, Enum. Pl. i. II. t. 3, 4 (1835).
Schnizlein, Iconogr. i. t. 42 b (1845).
Acta Univ. Lund, 1867, iv. t. 2 (1867–68).
Cesati, Passer. & Gibelli, Comp. Fl. Ital. t. 11 (1867–86).—*Fl.*
Le Maout & Decaisne, Traité Gén. Bot. 610 (1868).
Mart. Fl. Bras. ii. II. t. 10 (1871).
*Blanco, Fl. Filip. t. 188 (1878–80).
Baillon, Dict. Bot. ii. 126 (1880).
Berge, Pflanzenphysiogn. 220 (1880).—*Hab.*
Nicholson, Illustr. Dict. Gard. i. 358 [1884–88].—*Hab.*
A. H. Church, Food-Grains India, 61 (1886).
Wien. Ill. Gart.-Zeit. xi. 460 (1886).
Pflanzenfam. ii. II. 18 (1887).
Duthie, Fodder Grasses, t. A (1888).
Flora, lxxvi. t. 1, fig. 3 (1892).—*Fr.*
Baillon, Hist. Pl. xii. 185 (1894).
Fiori & Paol. Ic. Fl. Ital. 13 (1895).
*Useful Pl. Jap. i. t. 20 (1895).
Husnot, Gram. t. 33 (1896–99).
Lochman, Phot. Med. Pl. t. 7 (1898).
Bull. Écon. Indo-Chine, N. Ser. xlviii. 1142 (1905).
Coste, Fl. France, iii. 530 (1906).
Beille, Bot. Pharm. ii. 46 (1909).
Velenovsky, Vergl. Morphol. Pfl. iv. Suppl. t. 2 (1913).—*Fr.*

—— **stenocarpa** Oliv.
Hook. Ic. Pl. xviii. t. 1764 (1888).
Kew Bull. 1888, p. 144.

lachryma-Jobi Linn.
Rumphius, Herb. Amboin. v. t. 9, fig. 1; t. 75 (1747); vi. t. 1, fig. 1, t. 75 (1750); fide Merrill, Interpret. Rumph. Herb. Amboin.
*Kniphof, Herb. Viv. i. t. 280 (1758).
*Regnault, Bot. ii. 27 (1774).
Lamarck, Ill. v. t. 750 (1797–1819).
Journ. de Bot. i. t. 3, fig. 4 (1808).—*Veg.*
Webb & Berth. Hist. Nat. Iles Canar. iii. Phytogr. III. t. 242, 243 (1836–50).
Miquel, Fl. Ned. Ind. iii. t. 41 (1855).—*Fl.*
Lisboa, Bombay Grasses, 41 (1896).
Greshoff in Indische Mercuur, xx. No. 3, tab. (1897).
Greshoff, Nutt. Ind. Pl. t. 33 (1897).
Queensland Agric. Journ. iv. t. 91 (1899).—*Hab.*
L. H. Bailey, Cycl. Amer. Hort. 349 (1900); Stand. Cycl. Hort. 824 (1914).
U.S. Dep. Agric. Div. Agrost. Bull. No. 20, p. 14 (1900).
Contrib. U.S. Nat. Herb. viii. t. 29 (1903).
Publ. Field Columbian Mus., Bot. Ser. iii. I. 17 (1903).—*Fl.*
Iowa Geol. Surv. Suppl. Rep. 1903, p. 20 (1904).
Wettstein, Handb. Syst. Bot. Ed. 2, p. 823 (1911).—*Fl.*
Hitchcock, Text-Book Grasses, 162 (1914).
Bryan, Nat. Hist. Hawaii, t. 54, fig. 7 (1915).
Gager, Fundam. Bot. 446 (1916).—*Fl.*
Teysmannia, xxix. 454 (1918).
U.S. Dep. Agric. Bull. No. 772, p. 287 (1920).

—— **gigantea** Stapf
Rheede, Hort. Mal. xii. t. 70 (1703); fide Fl. Brit. Ind. vii. 100.

Ouwehandii Koord.
Bull. Jard. Bot. Buitenzorg, Ser. III. i. t. 20 (1919).

COLA Schott—Vide *Courtenia, Siphoniopsis*

acuminata R. Br.
*Bot. Mag. xciv. t. 5699 (1868).
*Christy, New Commerc. Pl. & Drugs, No. 8, p. 5 (1885).—*Fr.*

COLA

acuminata
*Heckel, Kolas Afric. (Ann. Inst. Col. Marseille, i), 22, 24, 41, 97, 103, t. 1, 2, 3 (1893).
Pflanzenfam. iii. VI. 98 (1893).
Brehm, Merv. Nat. Monde des Pl. i. 275 (1894-96).
*Köhler, Med. Pfl. iii [t. 235, 236] (1898).
Sadebeck, Kulturg. Deutsch. Kolon. Erzeugn. 151 (1899).
Engler, Monogr. Afr. Pfl.-Fam. v. Sterculiac. 125, 126 (1900).
Notizbl. Bot. Gart. Berlin, iii. t. 1 (1900).—*Fr.*
Pharm. Journ. Ser. IV. x. 665, 666 (1900).
Tropenpfl. iv. 122, 125, 221 (1900); viii. 365 (1904); x. Beih. 7, p. 223 (1906).
Flora, lxxxviii. 243 (1901); xcv. 77, 93, t. 1 (1905).
*De Janville, Pl. Utiles Pays Chauds, t. 35 (1902).
H. H. Johnston, Liberia, i. 413 (1906).
Karsten & Schenck, Veg.-Bild. iv. t. 30 (1906) in textu; *Sterculia acuminata* in ic.—*Hab.*
Pobéguin, Fl. Guin. Franç. t. 67 (1906).—*Hab.*
Charabot, Prod. Vég. Col. Franç. 243 (1908).
Beille, Bot. Pharm. ii. 470 (1909).
Engler & Drude, Veget. Erde, ix. I. 2, p. 794, 795 (1910).—*Fr.*
Gard. Chron. Ser. III. xlvii. 30 (1910).
Bull. Agric. Congo Belge, ii. 712, 713 (1911).
Chevalier, Vég. Util. Afr. fasc. 6, p. 57, 59, 131, 135, t. 14 (1911).
Capus & Bois, Prod. Colon. 528 (1912).
Van Gorkom, Oost-Ind. Cult. Ed. 2, ii. 602, 607, 608, 617 (1918).

—— **Ballayi** K. Schum.
Engler, Monogr. Afr. Pfl.-Fam. v. Sterculiac. t. 14 (1900).—*Fr.*

—— **trichandra** K. Schum.
Tropenpfl. x. Beih. 7, p. 223 (1906).—*Fl.*

Afzelii Mast.
Engler, Monogr. Afr. Pfl.-Fam. v. Sterculiac. t. 11 (1900).

angustifolia K. Schum.
Engler, Monogr. Afr. Pfl.-Fam. v. Sterculiac. t. 16 (1900).—*Fl.*

anomala K. Schum.
Engler, Monogr. Afr. Pfl.-Fam. v. Sterculiac. t. 16 (1900).

astrophora Warb.
Tropenpfl. vi. 627 (1902).
Chevalier, Vég. Util. Afr. fasc. 6, t. 9 (1911).

Ballayi Cornu
Heckel, Kolas Afric. (Ann. Inst. Col. Marseille, i), 97, 103, t. 3 (1893).
Bull. Agric. Congo Belge, ii. 708, 710 (1911).
Chevalier, Vég. Util. Afr. fasc. 6, p. 40, 41, 95, 144, t. 8, 16 (1911).
Trav. Mat. Méd. Paris (Bull. Sc. Pharm. xviii), viii. III. t. 2 (1911).—*Veg.*
Ann. Inst. Col. Marseille, Ser. II. x. 126 (1912).

chlamydantha K. Schum.
Mecklenburg, From Congo to Nile & Niger, 215 (1913).—*Hab.*

cordifolia R. Br.
Engler, Monogr. Afr. Pfl.-Fam. v. Sterculiac. t. 16, p. 133 (1900).
Notizbl. Bot. Gart. Berlin, iii. 17 (1900).—*Fr.*
Sim, For. Fl. Portug. E. Africa, t. 7 (1909).
Engler & Drude, Veget. Erde, ix. I. 2, p. 790 (1910).—*Fr.*

crispiflora K. Schum.
Engler, Monogr. Afr. Pfl.-Fam. v. Sterculiac. t. 14 (1900).

Dewevrei De Wild. & Dur.
De Wildeman, Miss. É. Laurent, ii. t. 127 (1907).

digitata Mast.
Heckel, Kolas Afric. (Ann. Inst. Col. Marseille, i), 136, 137, 141 (1893).
Engler, Monogr. Afr. Pfl.-Fam. v. Sterculiac. t. 15 (1900).—*Fr.*
De Wildeman, Études Fl. Bas- et Moyen-Congo (Ann. Mus. Congo), ii. t. 26, 27 (1907).

Flamignii De Wild.
De Wildeman, Études Fl. Bas- et Moyen-Congo (Ann. Mus. Congo), iii. t. 30 (1910).

flaviflora Engl. & Krause
Engl. Jahrb. xlv. 328 (1911).

COLA

flavo-velutina K. Schum.
Engler, Monogr. Afr. Pfl.-Fam. v. Sterculiac. t. 15 (1900).

gabonensis Mast.
Heckel, Kolas Afric. (Ann. Inst. Col. Marseille, i), 146, 147, 149 (1893).

gigas E. G. Baker
Rendle, Cat. Talbot's Nigerian Pl. t. 3 (1913).

griseiflora De Wild.
De Wildeman, Miss. É. Laurent, ii. t. 126 (1907).

hypochrysea K. Schum.
Engler, Monogr. Afr. Pfl.-Fam. v. Sterculiac. t. 15 (1900).

lateritia K. Schum.
Engler, Monogr. Afr. Pfl.-Fam. v. Sterculiac. t. 15 (1900).

Laurentii De Wild.
De Wildeman, Miss. É. Laurent, i. 404; ii. t. 135, 136 (1907).—*Veg.*

—— **integrifolia** De Wild.
De Wildeman, Miss. É. Laurent, ii. t. 137 (1907).—*Veg.*

laurifolia Mast.
Engler, Monogr. Afr. Pfl.-Fam. v. Sterculiac. t. 14 (1900).

lepidota K. Schum.
Engler, Monogr. Afr. Pfl.-Fam. v. Sterculiac. t. 13 (1900).
Talbot, In the Shadow of the Bush, 374 (1912).—*Hab.*

macrantha K. Schum.
Engler, Monogr. Afr. Pfl.-Fam. v. Sterculiac. t. 14 (1900).—*Fl.*

marsupium K. Schum.
Engler, Monogr. Afr. Pfl.-Fam. v. Sterculiac. t. 12 (1900).

micrantha K. Schum.
Engler, Monogr. Afr. Pfl.-Fam. v. Sterculiac. t. 14 (1900).—*Fl.*

nalaënis variifolia De Wild.
De Wildeman, Études Fl. Bangala & Ubangi, t. 19 (1911).

natalensis Oliv.
Hook. Ic. Pl. xiv. t. 1390 (1882).
Sim, For. Fl. Cape Colony, t. 17 (1907).

nitida A. Chev.
Chevalier, Vég. Util. Afr. fasc. 6, p. 1, 32, 56, 57, 69, 95, t. 11, 15 (1911).
Trav. Mat. Méd. Paris (Bull. Sc. Pharm. xviii), viii. III. t. 1, 2 (1911).
Van Gorkom, Oost-Ind. Cult. Ed. 2, ii. 598, 602, 604–6, 617, 620 (1918).

—— **alba** A. Chev.
Chevalier, Vég. Util. Afr. fasc. 6, p. 125 (1911).—*Fl.*

—— **mixta** A. Chev.
Chevalier, Vég. Util. Afr. fasc. 6, p. 125, 136, 137, t. 16 (1911).—*Fl.*
Trav. Mat. Méd. Paris (Bull. Sc. Pharm. xviii), viii. III. t. 3, 4 (1911).—*Fr.*

—— —— **angustifolia** A. Chev.
Chevalier, Vég. Util. Afr. fasc. 6, p. 128 (1911).

—— —— **latifolia** A. Chev.
Chevalier, Vég. Util. Afr. fasc. 6, p. 128, t. 13 (1911).

—— **pallida** A. Chev.
Chevalier, Vég. Util. Afr. fasc. 6, p. 136, t. 12 (1911).

—— **rubra** A. Chev.
Chevalier, Vég. Util. Afr. fasc. 6, t. 10 (1911).

pachycarpa K. Schum.
Engl. Jahrb. xv. t. 5, 6 (1892).
Engler, Monogr. Afr. Pfl.-Fam. v. Sterculiac. t. 12 (1900).

pallida A. Chev.
Trav. Mat. Méd. Paris (Bull. Sc. Pharm. xviii), viii. III. t. 3 (1911).—*Fr.*

proteiformis A. Chev.
Chevalier, Vég. Util. Afr. fasc. 6, p. 61 (1911).—*Veg.*
Bertin, Mission Forest. Col. iii. t. 12 (1919).—*Veg.*

pulcherrima Engl.
Engl. Jahrb. xlv. 336 (1911).

COLA
rhyncholoba K. Schum.
Engler, Monogr. Afr. Pfl.-fam. v. Sterculiac. t. 16 (1900) in ic.; *C. rhynchophylla* in textu, p. 119.—*Fl.*
rhynchophylla K. Schum.
Engler, Monogr. Afr. Pfl.-fam. v. Sterculiac. 119 (1900) in textu; *C. rhyncholoba* in ic. t. 16.—*Fl.*
schizandra E. G. Baker
Rendle, Cat. Talbot's Nigerian Pl. t. 3 (1913).—*Fl.*
semecarpophylla K. Schum.
Engler, Monogr. Afr. Pfl.-Fam. v. Sterculiac. t. 11 (1900).
sphaerocarpa A. Chev.
Chevalier, Vég. Util. Afr. fasc. 6, p. 143, t. 16 (1911).—*Fr.*
sphaerosperma Heckel
Heckel, Kolas Afric. (Ann. Inst. Col. Marseille, i), 153 (1893).
subverticillata De Wild.
De Wildeman, Études Fl. Bas- et Moyen Congo (Ann. Mus. Congo), ii. t. 31, 32 (1907).
Supfiana Busse
Tropenpfl. x. Beih. 7, p. 223 (1906).
Chevalier, Vég. Util. Afr. fasc. 6, p. 114 (1911).—*Veg.*
togoënsis Engl. & Krause
Engl. Jahrb. xlv. 332 (1911).
vera K. Schum.
Engler, Monogr. Afr. Pfl.-Fam. v. Sterculiac. 125 (1900).
Notizbl. Bot. Gart. Berlin, iii. t. 1 (1900).
Pharm. Journ. Ser. IV. x. 666 (1900).
Tropenpfl. iv. 124, 220 (1900); viii. 356, 361, 363, 364 (1904); x. Beih. 7, p. 223 (1906).
Journ. Roy. Hort. Soc. London, xxviii. 422, 423 (1903–4).—*Veg.*
Hare, Caspari & Rusby, Nat. Stand. Dispens. 458 (1905).—*Fr.*
Beille, Bot. Pharm. ii. 473 (1909).
Engler & Drude, Veget. Erde, ix. 1. 794 (1910).
Hartwich, Menschl. Genussmittel, 369–371, 385 (1911).
Unwin, W. Afr. Forests & Forestry, 16 (1920).—*Hab.*
—— **sublobata** Busse
Tropenpfl. x. Beih. 7, p. 223 (1906).—*Fl.*
verticillata Stapf
Chevalier, Vég. Util. Afr. fasc. 6, p. 43, 48 (1911).
Ann. Mus. Col. Marseille, Ser. II. x. 122 (1912).

COLAX Lindl.
Harrisoniae Lindl.
*Géel, Sert. Bot. Cl. 20 (1832).
*Reichenbach, Fl. Exot. ii. t. 112 (1834).
jugosus Lindl.
*Reichenbach f., Xenia Orch. i. t. 41 (1855).
*Bot. Mag. xciii. t. 5661 (1867).
*Ill. Hort. xix. t. 96 (1872).
Garden, xvi. 77 (1879); xxxii. 89 (1887); xlix. 294 (1896).
Orchidophile, 1881, p. 36.
Journ. Linn. Soc., Bot. xxiv. t. 4 (1887).—*Fl.*
*Lindenia, viii. t. 372 (1892).
Stein, Orchideenbuch, 161 (1892).
Veitch, Man. Orch. Pl. Pt. 9, p. 67 (1893).—*Fl.*
Journ. Orch. v. 172 (1894).—*Hab.*
Linden, Orch. Exot. 667 (1894).—*Hab.*
Semaine Hort. 1898, p. 365.—*Hab.*
*Costantin, Atlas Orch. Cult. t. 14 (1913).—*Fl.*
Puydtii Linden & André
*Ill. Hort. xxvii. t. 369 (1880).
viridis trimaculata Porsch
Wettstein in Denkschr. Akad. Wiss. Wien, lxxix. t. 14 (1908).—*Fl.*

COLCHICUM Linn.
alpinum DC.
*Redouté, Liliac. viii. t. 467 (1816), errore *C. arenarium* in ic.
*Reichenbach, Ic. Fl. Germ. x. t. 425 (1848).
Cesati, Passer. & Gibelli, Comp. Fl. Ital. t. 19 (1867–86).—*Fl.*
*Weber, Alpen-Pfl. Ed. 3, iv. t. 398 (1872).
*Cusin, Herb. Fl. Franç. xxi (Colchicacées), t. 5 (1876).

COLCHICUM
alpinum
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, ii. t. 156 (1880).
Fiori & Paol. Ic. Fl. Ital. 72 (1898).
Coste, Fl. France, iii. 299 (1906).
Bull. Soc. Bot. Genève, Ser. II. iii. 220 (1911).
—— **verna** Rossi & Chiov.
Mem. Pontif. Accad. Nuovi Lincei, vi. t. 4, fig. 1 (1890).
amabile Heldr.
Lojacono-Pojero, Fl. Sic. iii. t. 20 (1909).
arenarium Waldst. & Kit.
*Waldstein & Kit. Pl. Rar. Hung. ii. t. 179 (1805).
*Reichenbach, Ic. Fl. Germ. x. t. 425 (1848).
Bull. Soc. Bot. Genève, Ser. II. iii. 220 (1911).—*Fr.*
Garden, lxxxii. 395 (1918).—*Hab.*
—— **umbrosum** Curt.
*Bot. Reg. vii. t. 541 (1821).
autumnale Linn.
*Kniphof, Herb. Viv. i. t. 281 (1758).
*Regnault, Bot. ii. 79 (1774).
Buchoz, Hist. Règne Vég. x. Dec. 9, t. 6 (1775); xi. Dec. 6, t. 2 (1776).
*Zorn, Ic. Pl. Med. ii. t. 133 (1780).
*Bergeret, Phyt. Univ. i. 177 (1783).
Gaertner, Fruct. i. t. 18 (1788).—*Fr.*
Hoppe, Ect. Pl. Ratisb. t. 314 (1789).
*Plenck, Ic. Pl. Med. iii. t. 279 (1790).
*Joh. Kerner, Abbild. Oek. Pfl. (Fig. Pl. Écon.), iv. t. 318 (1791).
*Martyn, Fl. Rustica, ii. t. 60 (1792).
*Hedwig, Samml. t. 4 (1793).
*Sowerby & Sm. Engl. Bot. ii. t. 133 (1793); xx. t. 1432 (1805).
C. K. Sprengel, Entd. Geheimn. Natur, t. 12, fig. 25–27, 30, 33–35 (1793).—*Fl.*
*Woodville, Med. Bot. iii. t. 177 (1793); Ed. 3, iv. t. 258 (1832).
*Oskamp, Afb. Artseny-Gewass. ii. t. 153 (1796).
Lamarck, Ill. ii. t. 267 (1797).
*Sturm, Deutschl. Fl. i. III [t. 40] (1797).
*Vietz, Ic. Pl. Med.-oec.-techn. i. t. 64 (1800).
*Roemer, Archiv Bot. ii. II. t. 7 (1801).
Boissieu, Fl. Eur. ii. t. 273 (1805).
*McDonald, Dict. Pract. Gard. i. t. 15 (1807).
*Roques, Pl. Usuell. Indig. & Exot. i. t. 38 (1807).
*Redouté, Liliac. iv. t. 228 (1808).
*Schkuhr, Bot. Handb. Ed. 2, t. 101 (1808).
*Jaume St.-Hilaire, Pl. France, ii [t. 8] (1808).
Descourtilz, Voy. Naturaliste, i. t. 11 (1809).
*Joh. Kerner, Gen. Pl. Ill. i. t. 4 (1811).
*Schrank, Fl. Monac. i. t. 47 (1811).
*S. Edwards, New Bot. Gard. i. t. 15 (1812).
Thornton, Brit. Fl. iii. 71 (1812).
*Vigneux, Fl. Pitt. Envir. Paris, t. 25 (1812).
*Trattinick, Ausg. Taf. Arch. ii. t. 177 a, 177 b (1813).
*Chaumeton, Fl. Méd. iii. t. 127 (1816).
Dict. Sc. Nat., Planch. Bot. Monocot. t. 45 (1816–29).
*Hayne, Getreue Darst. Arzn. Gewächse, v. t. 45 (1817).
Trattinick, Arch. iii. t. 239 (2 fol.) (1817).
*Fl. Dan. x. t. 1642 (1819).
*Roques, Phytogr. Médic. i. t. 23 (1821); Nouv. Ed. Atlas, t. 7 (1835).
*Heger, Herb. Pharm. [t. 105] (1822–25).
*Waller, New Brit. Domest. Herb. t. 10 (1822).
*Mann, Deutschl. Wildwachs. Arzney-Pfl. [t. 51] (1823–28).
*Heger, Giftpl. 8 (1827).
*Nees, Pl. Offic. i. t. 49 (1828).
*Fl. Med. [Spratt], i. 47 (1829).
*Mann, Deutschl. Giftpfl. t. 11 (1829).
*Schlechtendal & Guimpel, Abb. Pharm. Boruss. Gew. i. t. 95 (1830).
Delle Chiaje, Fl. Med. ii. tab. (1832).
*Dietrich, Fl. Boruss, i. t. 30 (1833).
*Baxter, Brit. Bot. Ed. 2, i. t. 17 (1834).
*Graves, Hort. Med. t. 33 (1834).
*Stephenson & Churchill, Med. Bot. New Ed. ii. t. 70 (1835).
*A. Henry, Giftpfl. Deutschl. [t. 30] (1836).

COLCHICUM
autumnale
*F. A. W. Miquel, Noord-Nederl. Verg. Gewas. t. 5 (1836).
*Spratt, Med.-Bot. Pocket Book, 8 [1836].
Nees, Gen. Pl., Monocot. ii. t. 34 (1836).
*Zenker, Fl. Thüringen, iv. t. 420 (1836–55).
*Brandt & Ratzeb. Deutschl. Phanerog. Giftgew. t. 4 (1838).
[M. E.] Jackson, Pict. Fl. fig. 578 (1840).
Leighton, Fl. Shropshire, 157 [t. 11] (1841).
*Burnett, Pl. Util. i. 28, b (1842).
*G. F. W. Meyer, Fl. Hannover, t. 4 (1842).
*Plée, Types chq. Famille Pl. France, t. 36, 37 (1844).
*Deakin, Florigr. Brit. ii. fig. 610 (1845).
*Schnizlein, Iconogr. i. t. 53 (1845).—*Fr.*
Duchesne, Pl. Util. t. 15 (1846).
Lindley, Veg. Kingd. 198 (1846).
*J. W. Loudon, Brit. Wild Fl. Ed. 2, t. 58 [1846].
*Spach, Hist. Nat. Vég. Phan. Atlas, t. 112 (1846).
*Carson, Ill. Med. Bot. ii. t. 93 (1847).
*Reichenbach, Ic. Fl. Germ. x. t. 426 (1848).
*Strong, American Fl. i. 63 (1848).
Lindley, Med. & Oecon. Bot. 54 (1849).
*Petermann, Deutschl. Fl. t. 92, fig. 724 (1849).—*Fl.*
*Berge & Riecke, Giftgewächse, t. 3 (1850).
*Cassone, Fl. Med.-Farm. vi. t. 569 (1852).
*E. Hamilton, Fl. Homoeopath. i. t. 24 (1852).
*Good, Family Flora, ii. t. 92 (1854).
*C. Johnson, Brit. Poison. Pl. t. 27 (1856).
Agardh, Theor. Syst. Pl. t. 1 (1858).—*Fl.*
Cottage Gard. xx. 295 (1858).—*Veg.*
Irvine, Illustr. Handb. Brit. Pl. 294 (1858).
Johnson & Sowerby, Brit. Wild Fl. fig. 1301 (1858–60).
*Berg & Schmidt, Darst. u. Beschr. Offiz. Gewächse, ii. t. 12, a (1859).
*Pecirka, Giftgew. Oester. Deutschl. [t. 12] (1859).
Album Natuur, 1861, p. 154; 1863, p. 171.
Berg, Charakt. t. 9, fig. 109, t. 94, fig. 651 R–T (1861).
*Johnson & Sowerby, Useful Pl. Gr. Brit. t. 20, fig. 233 (1861[–62]).
*Artus, Atlas Pharm. Deutschl. Aufg. Offic. Gew. t. 265 [1862–74].
*Fleischer, Missbildung. t. 8 (1862).
*T. Moore, Field Bot. Comp. t. 24 (1862).
Irmisch in Abh. Nat. Ges. Halle, vii. t. 3, fig. 6, 7 (1863).—*Fr.*
*Argenta, Album Fl. Med.-Farm. iii. t. 291 (1864).
Bentham, Handb. Brit. Fl. fig. 1045 (1865).
*Schubert, Naturg., Pflanzenreich, Ed. 2, t. 19, fig. 4 [1865].
*Hogg & Johnson, Wild Fl. Gr. Brit. iii. t. 197 (1866).
Cesati, Passer. & Gibelli, Comp. Fl. Ital. t. 19 (1867–86).—*Fr.*
Dulac, Fl. Dépt. Hautes-Pyrén. 116 (1867).—*Fl.*
Le Maout & Decaisne, Traité Gén. Bot. 578 (1868).
*Syme, Engl. Bot. ix. t. 1544, 1545 (1869).
Marchand, Élém. Bot. 113 (1869).
*Réveil, Règne Vég. xiv. t. 21 (1870).—*Fl.*
Jourdan, Fl. Vichy, 177 (1872).
*Fl. des Serres, Ser. II. ix. t. 1936 (1873).—*Fl.*
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, v. t. 228 [1873].
*Wooster, Alp. Pl. Ed. 2, t. 18 (1874).—*Hab.*
*Cusin, Herb. Fl. Franç. xxi (Colchicacées), t. 3 (1876).
Nobbe, Handb. Samenkunde, 458 (1876).—*Fr.*
*Bentley & Trim. Med. Pl. iv. t. 288 (1877).
*Lesacher & Mareschal, Nouv. Bot. Méd. ii [t. 23] (1878).
De Silvestri, Piante Prat. 122 (1879).
Baillon, Dict. Bot. ii. 127 (1880).
Karsten, Deutsche Fl. Pharm.-medic. Bot. 421 (1880–83).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, ii. t. 155 (1880).
*C. Hoffmann, Pflanzenatlas, t. 28, fig. 171 (1881).
Schilling, Grundr. Naturg. ii. Pflanzenr. Ausgb. A, p. 117 (1882); Ausgb. B, p. 134 (1884).
Wagner, Ill. Deutsche Fl. Ed. 2, p. 761 (1882).

COLCHICUM
autumnale
Baillon, Traité Bot. Méd. Phan. ii. 1400, 1401 (1884).
Nicholson, Illustr. Dict. Gard. i. 359 [1884–88].—*Hab.*
*Baillon, Ic. Fl. Franç. iii. t. 261 [1885–94].
*Sterne, Herbst- & Winterblumen, t. 19, fig. a (1886).—*Hab.*
*Thomé, Fl. Deutschl. i. t. 115 (1886).
Cornevin, Pl. Vénén. 97 (1887).
Hager, Handb. Pharm. Prax. Ed. Nov. i. 923, 924 (1887).
*Köhler, Med. Pfl. i [t. 56] (1887).
Pflanzenfam. ii. v. 29, 30 (1888).
*Dujard.-Beaumetz & Égasse, Pl. Méd. 195, t. 13 (1889).
Jacquemet, Ipécac. t. 16 (1889).—*Veg.*
Potonié, Ill. Fl. Nord- u. Mittel-Deutschl. Ed. 4, fig. 65 (1889).
G. Beck, Fl. Nied.-Oesterr. i. 160, 173 (1890).—*Fr.*
Paolucci, Fl. Marchig. t. 9 (1890).
*Baillon, Dict. Bot. iv. [t. 11] (1891).
*Heathcote, Fl. Engadine, t. 215 (1891).
Kerner, Pflanzenleben, ii. 658 (1891).
Bot. Gaz. xvii. 4, fig. 5–13 (1892).
*Hulme, Familiar Wild Fl. (5 vol. Ed.), iv. 133 [1892]; (Pop. Ed.), v. 13 [1897?].
*Leclerc du Sablon, Nos Fleurs, 29, t. 4 [1892].
Schwarz, Forstl. Bot. 286 (1892).
*Schimpfky, Uns. Heilpfl. i. t. 12 [1893–94].
*Masclef, Atlas Pl. France, t. 312 (1893).
Acloque, Fl. France, 589 (1894).
Baillon, Hist. Pl. xii. 474–76 (1894).
Brehm, Merv. Nat. Monde des Pl. ii. 606 (1894–96).—*Hab.*
*Siélain, Atlas Poche Pl. Champs, Prair. & Bois, t. 122 [1894].
Ber. Deutsch. Bot. Ges. xiii. t. 14, fig. 10, 11 (1895); xxvi. 5 (1908).
Garcke, Ill. Fl. Deutschl. 612 (1895).
Karsten, Fl. Deutschl. i. 431 (1895).
Kerner & Oliv. Nat. Hist. Pl. ii. 729 (1895).
*Kohl, Off. Pfl. Pharm. Germ. t. 3 (1895).
Raunkiær, Danske Blomsterpl. Naturhist. i. 145 (1895–99).
*Step, Wayside & Woodl. Bloss. t. 122 (1895).
Bot. Jaarb. Gent, x. 82 (1898).—*Fl.*
Fiori & Paol. Ic. Fl. Ital. 72 (1898).
Lochman, Phot. Med. Pl. t. 20, 21 (1898).
Knuth, Handb. Blütenbiol. ii. II. 513 (1899).—*Fl.*
L. H. Bailey, Cycl. Amer. Hort. 351 (1900); Stand. Cycl. Hort. 433, 825 (1914).—*Hab.*
Rev. Hort. 1902, p. 61.—*Hab.*
Warming, Handb. Syst. Bot. Ed. Möbius, 227 (1902).
Garden, lxiv. 253 (1903); lxxxiv. 528 (1920).—*Hab.*
*Losch, Kräuterb. t. 9 (1903).
Avebury, Notes Life Hist. Brit. Fl. Pl. 425 (1905).—*Fl.*
*Masclef, Pl. Eur. t. 17 (1905).
Növ. Közl. (Bot. Communic.), iv. 68 (1905).
*Sturm, Fl. Deutschl. Ed. 2, i. t. 27 (1906).
Coste, Fl. France, iii. 300 (1906).
Lazaro, Comp. Fl. Españ. i. 733 (1906).
*Kirby, Brit. Fl. Pl. t. 106 (1906).
Journ. Agric. Soc. England, lxviii. t. 10 (1907).
Velenovsky, Vergl. Morphol. Pfl. ii. 659 (1907).—*Veg.*
*Journ. Board Agric. xv. 44 (1908).
Beille, Bot. Pharm. ii. 92 (1909).
Board Agric. & Fish. Leaflet No. 222, p. 3 (1909).
Magyar Bot. Lapok, viii. t. 3, fig. 1 (1909).—*Fl.*
Cyprus Journ. No. 16, p. 405 (1910).
*Esser, Giftpfl. Deutschl. t. 14 (1910).
Fedtschenko & Fler. Fl. Eur. Russia, 228 (1910).—*Hab.*
Heukels, Fl. Nederl. i. 280, 281 (1910).
H. Jumelle, Pl. Tuberc. Aliment. 17, 19 (1910).—*Veg.*
Long, Common Weeds Farm & Garden, 315 (1910).
*Milner, Life Oberammergau, t. 47 (1910).

COLCHICUM
autumnale
Rec. Instit. Bot. Errera, vii bis Annexe, fig. 384 (1910).—*Hab.*
Silva Tarouca, Freiland-Stauden, p. xxii (1910).—*Hab.*
*Correvon, Fl. Champs & Bois, t. 91 (1911).
Kirchner, Loew & Schröter, Blütenpfl. Mitteleur. i. Abt. III. 272, 274, 276, 279, 280, 284, 289 (1911).
Pammel, Man. Poison. Pl. 376 (1911).
Gard. Chron. Ser. III. lii. 152 (1912).—*Fl.*
Journ. Hort. Ser. III. lxv. 327 (1912).—*Hab.*
*Nathansohn, Allgem. Bot. t. 9 (1912).
*Strasburger, Text-Book Botany, Ed. Angl. 4, p. 701 (1912).
Horwood, Plant Life Brit. Isles, i. 204, 208 (1914).—*Hab.*
*Perrin & Boulger, Brit. Flower Pl. i. t. 16, 23 [B], fig. 1–6 (1914).
*Gehe, Arzneipfl.-Kart. Folge vi (1915).
Bull. Soc. Bot. Ital. Bull. No. 2, p. 19, 20 (1916).
*Bonnier, Name This Flower, t. 52 (1917).
*Komarow, Sbor, Suschka i Razvod. Lekarst. Rast. Ross. (Coll. Dry. & Cult. Med. Pl. Russia), Ed. 3, t. 21 (1917).
*Ellis, Herbs, 15 (1917).
Lindman, Svensk Fanerogamfl. 15 (1918).—*Fl.*
Fitch & Smith, Ill. Brit. Fl. Ed. rev. 4, Iss. 2, fig. 1059 (1919).
*Krafft & Fruwirth, Pflanzenb. t. 7 (1920).
Bornemann, Landwirtsch. Unkräuter, fig. 12 (1920).
Brenchley, Weeds Farm Land, 109 (1920).
—— **bulgaricum** Dom.
Magyar Bot. Lap. viii. t. 3, fig. 4 (1909).—*Fl.*
—— **latifolium** Del.
*Redouté, Liliac. viii. t. 468 (1816).
—— **pannonicum** Dom.
Magyar Bot. Lap. viii. t. 3, fig. 2 (1909).—*Fl.*
—— **transsilvanicum** Dom.
Magyar Bot. Lap. viii. t. 3 (1909).—*Fl.*
—— **vernum** Reichb.
*Reichenbach, Ic. Fl. Germ. x. t. 426 (1848).
Bertolonii Stev.
*Reichenbach, Ic. Fl. Germ. x. t. 424 (1848).
Coste, Fl. France, iii. 299 (1906).
Bivonae Guss.
*Reichenbach, Ic. Fl. Germ. x. t. 427 (1848).
Fiori & Paol. Ic. Fl. Ital. 72 (1898).
Journ. Hort. Ser. III. liii. 411 (1906).—*Fl.*
—— **superbum** Hort.
*Flora & Sylva, i. 108 (1903).
Bornmülleri Freyn.
Garden, lxvi. 362 (1904); lxxx. 571 (1916).—*Hab.*
Gard. Chron. Ser. III. lii. 157 (1912).—*Hab.*
Gartenschönheit, i. 126 (1920).—*Hab.*
bulbocodioides Brot.
Brotero, Phytogr. t. 50 (1816).
bulbocodioides M. Bieb.
Steven in Mem. Soc. Nat. Mosc. vii. t. 16 (1829).
*Zeller, Wild Fl. Holy Land, Ed. 2, t. 44 (1876).
busumbarense Lojac.-Poj.
Lojacono-Pojero, Fl. Sic. iii. t. 19 (1909).
byzantinum Ker-Gawl.
*Bot. Mag. xxviii. t. 1122 (1808).
*Trattinick, Ausw. Gartenpfl. ii. t. 101 (1821).
*M. Roscoe, Fl. Illustr. Seasons, t. 42 [1829–31].
*Eeden, Album Bulb. Pl. t. 109 (1872–81).
*Gartenfl. xxii. t. 755 (1873).
Gartenwelt, xvi. 523 (1912).
chalcedonicum Aznav.
Rouy, Illustr. Pl. Eur. Rar. fasc. 17, t. 422 (1902).
cilicicum Hayek & Siehe
Gard. Chron. Ser. III. xxiii. 35 (1898).
Ann. Nat. Hofm. Wien, xxviii. t. 12, fig. 3 (1914).
Gartenschönheit, i. 126 (1920).—*Hab.*
Clementei Graëlls
*Graëlls, Ram. Pl. Españ. (Mem. Acad. Cienc. Madrid, iv. II), t. 9 (1859).
commune Neck.
*Gleichen, Entdeckungen, t. 19, 20 (1777).
corsicum Baker
Coste, Fl. France, iii. 300 (1906).

COLCHICUM
croci florum Sims
*Bot. Mag. liii. t. 2673 (1826); cxxxii. t. 8055 (1906).
*Géel, Sert. Bot. Cl. 6 (1832).
*J. W. Loudon, Ladies' Fl.-Gard. Ornam. Bulb. Pl. t. 58 (1841).
croci florum Regel
*Gartenfl. xxx. t. 1035 (1881).
Gard. Chron. xix. 372 (1883).
Garden, lxv. 178 (1904).—*Hab.*
Cupanii Guss.
*Reichenbach, Ic. Fl. Germ. x. t. 424 (1848).
Decaisnei Boiss.
Gard. Chron. Ser. III. lx. 204 (1916).—*Hab.*
giganteum Hort.
*Flora & Sylva, i. 108 (1903).
Gartenschönheit, i. 127 (1920).—*Hab.*
hydrophilum Siehe
Gard. Chron. Ser. III. xxix. 102 (1901).—*Hab.*
Garden, lxv. 203 (1904).—*Hab.*
*Bot. Mag. cxxxi. t. 8040 (1905).
Silva Tarouca, Freiland-Stauden, 67 (1910).
laetum Stev.
Steven in Mem. Soc. Nat. Mosc. vii. t. 13 (1829).
*Gartenfl. xi. t. 379 (1862).
*Trans. Russ. Hort. Soc. 1862, t. 105.
latifolium Sibth.
*Sibthorp & Sm. Fl. Graeca, iv. t. 350 (1823).
*Reichenbach, Ic. Fl. Germ. x. t. 427 (1848).
libanoticum Ehrenb.
*Bot. Mag. cxxxi. t. 8015 (1905).
lusitanum Brot.
Brotero, Phytogr. t. 173, 174 (1827).
luteum Baker
*Bot. Mag. ci. t. 6153 (1875).
Fedtschenko, Veg. Turkest. 220 (1915).
Basu, Ind. Med. Pl. t. 978 (1918).
merenderoides Perr. & Song.
Bull. Soc. Bot. Genève, Ser. II. iii. 220 (1911).
montanum All.
Allioni, Fl. Pedem. iii. t. 74, fig. 2 (1785).
montanum Linn.
Visiani, Stirp. Dalmat. t. 6 (1826).
*Bot. Mag. cv. t. 6443 (1879).
Nicholson, Illustr. Dict. Gard. i. 359 [1884–88].—*Hab.*
—— **pusillum** Sieb.
Fiori & Paol. Ic. Fl. Ital. 71 (1898).
neapolitanum Ten.
*Tenore, Fl. Nap., Atlas, iii. t. 138 (1811–38).
Delle Chiaje, Fl. Med. ii. tab. (1832).
*Cusin, Herb. Fl. Franç. xxi (Colchicacées), t. 4 (1876).
Fiori & Paol. Ic. Fl. Ital. 72 (1898).
Coste, Fl. France, iii. 300 (1906).
obtusifolium Siehe
Ann. Nat. Hofm. Wien, xxviii. t. 14, fig. 2 (1914).
pannonicum Griseb. & Schenk
*Wagner, Magyar. gyomnöv. (Weeds of Hungary), t. 11 (1908).
Parkinsonii Hook. f.
*Bot. Mag. c. t. 6090 (1874).
Garden, x. 519 (1876).—*Hab.*
W. Robinson, Engl. Fl. Gard. t. 77 (1883).—*Hab.*
Nicholson, Illustr. Dict. Gard. i. 359 [1884–88].—*Hab.*
parvulum Ten.
*Tenore, Fl. Nap., Atlas, v. t. 221 (1811–38).
pseudo-parvulum Lojac.-Poj.
Lojacono-Pojero, Fl. Sic. iii. t. 3 (1909).
Sibthorpii Baker
*Bot. Mag. cxvii. t. 7181 (1891).
*Garden, lxi. 8 (1902); lxxxii. 453 (1918).—*Hab.*
*Flora & Sylva, i. 108 (1903).
speciosum Stev.
Steven in Mem. Soc. Nat. Mosc. vii. t. 15 (1829).
*Bot. Mag. c. t. 6078 (1874).
*Floral Mag. N. Ser. 1876, t. 235.
*Garden, xi. 548 (1877); lviii. 320 (1900); lxxiv. 525 (1910); lxxv. 509 (1911); lxxix. 447, 472 (1915).
Gartenfl. xxviii. 147 (1879).
*Fl. des Serres, Ser. II. xiii. t. 2385 (1880).
Nicholson, Illustr. Dict. Gard. i. 360 [1884–88].

COLCHICUM
speciosum
Journ. Roy. Hort. Soc. London, xxv. Proc. p. cc (1900–1); xxxiii. 564, fig. 96 (1908).
Tribune Hort. iii. 703 (1908).—*Hab.*
Jardin, xxv. 245 (1911).
Malby, Story Rock Garden, Ed. 2, p. 112 (1912).—*Hab.*
Gard. Chron. Ser. III. lii. 153 (1912).—*Fl.*
Gartenschönheit, i. 128 (1920).—*Hab.*
—— **maximum** Hort.
Garden, lxvi. 361 (1904).—*Hab.*
Stevenii Kunth
*Bot. Mag. cxxxi. t. 8025 (1905).
Szowitsii Fisch. & Mey.
Act. Hort. Jurjev. xii. 286 (1911).
Troodii Kotschy
*Bot. Mag. cxii. t. 6901 (1886).
umbrosum Stev.
Steven in Mem. Soc. Nat. Mosc. vii. t. 14 (1829).
variegatum Linn.
Cornuti, Hist. 137 (1735); fide Linn.
*Bot. Mag. xxvi. t. 1028 (1807).
*Redouté, Liliac. iv. t. 238 (1808).
*Trattinick, Ausg. Taf. Arch. ii. t. 178 (1813).
Trattinick, Arch. iii. t. 240 (1817).
*Géel, Sert. Bot. Cl. 6 (1832).
*Reichenbach, Fl. Exot. i. t. 57 (1834).
*J. W. Loudon, Ladies' Fl.-Gard. Ornam. Bulb. Pl. t. 58 (1841).
*Fl. des Serres, Ser. II. i. t. 1153 (1856).
*Wooster, Alp. Pl. Ser. II. t. 34 (1874).—*Hab.*
Berge, Pflanzenphysiogn. 269 (1880).—*Hab.*
*Bois, Dict. Hort. 348 (1893–99).
Rev. Hort. 1902, p. 61.—*Hab.*
Vilmorin, Hort. Vilm. (Bull. Soc. Bot. France, 1904, li. App.), 309 (1906).
Gartenwelt, xvi. 524 (1912).
Gartenschönheit, i. 126 (1920).—*Hab.*
veratrifolium Hort.
Gard. Chron. Ser. III. xlviii. 242 (1910).—*Hab.*
versicolor Ker-Gawl.
*Bot. Reg. vii. t. 571 (1821).

COLDENIA Linn.—Vide *Eddya, Galapagoa, Ptilocalyx, Stegnocarpus, Tiquilia*
Greggii A. Gray
Pflanzenfam. iv. III. A. 89 (1893).—*Fl.*
procumbens Linn.
Gaertner, Fruct. i. t. 68 (1788).—*Fr.*
Lamarck, Ill. i. t. 89 (1791).
Pflanzenfam. iv. III. A. 89 (1893).—*Fr.*
Lecomte, Fl. Gén. Indo-Chine, iv. 211 (1914).
Basu, Ind. Med. Pl. t. 651 (1918).

COLEA Boj.—Vide *Bignonia* (10)
coccinea S. Ell.
Journ. Linn. Soc., Bot. xxix. t. 9 (1891).
decora Boj.
Ann. Bot. v. t. 22, fig. 109–11 (1891).—*Fl.*
floribunda Boj.
*Bot. Reg. xxvii. t. 19 (1841).
Pflanzenfam. iv. III. B. 245 (1895).—*Fl.*
undulata Regel
Gartenfl. xix. t. 669 (1870).
*Todaro, Hort. Bot. Panorm. i. t. 22 76–78).

COLEANTHERA Stschegl.—Vide *Michiea*

COLEANTHUS Seidel—Vide *Schmidtia*, Tratt.
subtilis Seidel
*Sturm, Deutschl. Fl. xi. XLI [t. 641] (1821), vide xvii. LXXVI. Übers. 50.
Reichenbach, Ic. Fl. Germ. i. t. 48 (1834).
*Petermann, Deutschl. Fl. t. 96, fig. 760 (1849).
Andersson, Gram. Scand. t. 10, fig. 117 (1852).
*Fl. Dan. Suppl. t. 2 (1853).
Cesati, Passer. & Gibelli, Comp. Fl. Ital. t. 11 (1867–86).—*Fl.*
Cusin, Herb. Fl. Franç. xxiv (Graminées), t. 100 (1874).
Karsten, Deutsche Fl. Pharm.-medic. Bot. 376 (1880–83).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, vii. t. 602 (1881).
Willkomm, Führ. Reich Pflanzen, 235 (1882).—*Fl.*

COLEANTHUS
subtilis
*Thomé, Fl. Deutschl. i. t. 87 (1886).
Pflanzenfam. ii. II. 49 (1887).
G. Beck, Fl. Nied.-Oesterr. i. 27, 52 (1890).—*Fl.*
Fiori & Paol. Ic. Fl. Ital. 22 (1895).
Garcke, Ill. Fl. Deutschl. 662 (1895).
Karsten, Fl. Deutschl. i. 380 (1895).
Husnot, Gram. t. 3 (1896–99).
U.S. Dep. Agric. Div. Agrost. Bull. No. 17, p. 157 (1899).
Blytt, Haandb. Norg. Fl. Ed. Dahl, p. 67 (1906).
Coste, Fl. France, iii. 531 (1906).
Kirchner, Loew & Schröter, Blütenpfl. Mitteleur. i. Abt. II. 110–14 (1909).
Flora, c. t. 5, fig. 52 (1910).—*Fl.*
Hayek, Pflanzend. Oesterr.-Ung. i. 140 (1914).
U.S. Dep. Agric. Bull. No. 772, p. 133 (1920).

COLEBROOKEA Sm.
oppositifolia Sm.
*Smith, Exot. Bot. ii. t. 115 [1805–7].
Pflanzenfam. iv. III. A. 329 (1897).—*Fr.*
Talbot, For. Fl. Bombay, ii. 366 (1911).
Basu, Ind. Med. Pl. t. 756 (1918).
oppositifolia Lodd.
*Lodd. Bot. Cab. v. t. 487 (1820).
ternifolia Roxb.
*Roxburgh, Pl. Coromandel, iii. t. 245 (1819).

COLENSOA Hook. f.: *Pratia*
physaloides Hook. f.
*Bot. Mag. cxii. t. 6864 (1886).
Lubbock, Seedlings, ii. 165 (1892).—*Veg.*

COLEOCOMA F. Muell.
Centaurea F. Muell.
Hook. Ic. Pl. xii. t. 1136 (1873).
Pflanzenfam. iv. v. 176 (1890).—*Fl.*
F. M. Bailey, Compr. Cat. Queensl. Pl. 265 (1909–13).

COLEOGYNE Torr.
ramosissima Torr.
Torrey in Smithson. Contrib. Knowl. vi. t. 4 (1854).
Schnizlein, Iconogr. iv. t. 272 c (1866–70).—*Fl.*
Coville & Macdougal, Desert Bot. Lab. t. 28 (1903).—*Hab.*
Schneider, Ill. Handb. Laubh. i. 531 (1905).
M. Armstrong, Field Book West. Wild Fl. 231 (1915).

COLEONEMA Bartl. & Wendl.
album Bartl. & Wendl.
Bartling & Wendl. Beitr. Bot. i. t. A, fig. 3 (1824).—*Fl.*
Mém. Mus. Hist. Nat. Paris, xii. 542, t. 19 (1825).—*Fl.*
Schnizlein, Iconogr. iv. t. 251 (1866–70).—*Fr.*
Baillon, Hist. Pl. iv. 383, 384 (1873).
Pflanzenfam. iii. IV. 153 (1896).
Schimper, Pflanzen-Geogr. 557 (1898).
Notizbl. Bot. Gart. Berlin, App. xi. 21 (1903).
De Wildeman, Ic. Sel. Hort. Then. iv. t. 127 (1903).
Deutsch. Tiefsee-Exped. 1898–99, ii. III. 143, t. 8 (1908).
Engler & Drude, Veget. Erde, ix. I. 2, p. 494 (1910).
pulchrum Hook.
*Bot. Mag. lxi. t. 3340 (1834).
*Journ. Jard. 1844, p. 316.
*Rev. Hort. Ser. II. iii. 132, 133 (1844).
Baillon, Hist. Pl. iv. 384 (1873).—*Fr.*
De Wildeman, Ic. Sel. Hort. Then. iv. t. 127 (1903).

COLEOPHORA Miers: *Daphnopsis*
gemmiflora Miers
Miers, Ill. S. Amer. Pl. ii. t. 74 (1849–57).

COLEOSANTHUS Cass.: *Brickelia*
ambigens Greene
Bull. Torr. Bot. Club, xxv. t. 330 (1898).
diffusus Kuntze
Publ. Field Columbian Mus., Bot. Ser. iii. II. 97 (1904).—*Fl.*

COLEOSANTHUS
grandiflorus Kuntze
Britton & Brown, Ill. Fl. N. States & Canada, iii. 314 (1898); Ed. 2, iii. 363 (1913).
*F. E. & E. S. Clements, Rocky Mt. Fl. t. 37 (1914); errore *Coleanthus grandiflorus.*

COLEOSPADIX Becc.: *Ptychosperma*
oninensis Becc.
Knuth, Handb. Blütenbiol. iii. I. 59 (1904).—*Fl.*

COLEOSTACHYS A. Juss.
genipifolia A. Juss.
Arch. Mus. Hist. Nat. Paris, iii. t. 5 (1843).
spicata A. Juss.
Arch. Mus. Hist. Nat. Paris, iii. t. 5 (1843).—*Fl.*

COLEOSTEPHUS Cass.: *Chrysanthemum*
hybridus Lange
Bot. Zeit. xxii. t. 10, fig. 12 (1864).—*Fr.*
macrotus Durieu
*Cosson & Durieu, Expl. Scient. Algér. 1840–42, Bot. Atlas, t. 58 (1850).
multicaulis Durieu
Cosson & Durieu, Expl. Scient. Algér. 1840–42, Bot. Atlas, t. 58 (1850).—*Fl.*
Bot. Zeit. xxii. t. 10, fig. 11 (1864).—*Fl.*
myconis Cass.
Reichenbach, Ic. Fl. Germ. xvi. t. 986 (1853).
Bot. Zeit. xxii. t. 10, fig. 10 (1864).—*Fl.*
Willkomm, Ill. Fl. Hispan. Balear. i. t. 13, fig. α–δ (1881–85).—*Fl.*
Merino, Fl. Galicia, ii. 385 (1906).

COLEOTRYPE C. B. Clarke
natalensis C. B. Clarke
A. & C. De Candolle, Monogr. Phan. iii. t. 8 (1881).
Pflanzenfam. ii. IV. 67 (1888).—*Fl.*
Wood & Evans, Natal. Pl. i. I. t. 48 (1898).
Engler & Drude, Veget. Erde, ix. II. 272 (1908).—*Fl.*
Ann. Jard. Bot. Buitenzorg, xxiv. t. 30, fig. 5 (1911).—*Veg.*

COLETIA Vell.: *Mayaea*
madida Vell.
Vellozo, Fl. Flum. i. t. 79 (1827).

COLEUS Lour.
amboinicus Lour.
Rumphius, Herb. Amboin. v. t. 102, fig. 2 (1747); fide Merrill, Interpret. Rumph. Herb. Amboin.
aromaticus Benth.
Rheede, Hort. Mal. ix. t. 74 (1689); fide Hasskarl, Hort. Mal. Rheed. Clavis, 77.—*Veg.*
*Bot. Reg. xviii. t. 1520 (1832).
*Wight, Illustr. Ind. Bot. ii. t. 175 (1850).
Basu, Ind. Med. Pl. t. 753 (1918).
atropurpureus Benth.
*Kloppenburg-Versteegh, Pl. Atlas, t. 4 [1907].
barbatus Benth.
*Maund, Botanist, iv. t. 159 (1840).
*Paxt. Mag. viii. 219, 220 (1841).
*Horticulteur Univ. vi. 161 (1845).
Wight, Ic. Pl. Ind. Or. iv. t. 1432 (1849).
Fyson, Fl. Nilgiri & Pulney Hill-tops, ii. 215 (1915).
Blumei Benth.
Rumphius, Herb. Amboin. v. t. 102, fig. 3 (1747); fide Merrill, Interpret. Rumph. Herb. Amboin.
*Fl. des Serres, Ser. I. viii. t. 801 (1852–53).
*Bot. Mag. lxxix. t. 4754 (1853).
*Belg. Hort. xxx. 73 (1880).—*Veg.*
*Bois, Dict. Hort. 349 (1893–99).
Bellair & St.-Léger, Pl. Serre, 580 (1900).—*Hab.*
—— **laciniatus pictus** Hort.
Gartenfl. xxvii. 51 (1878).—*Veg.*
—— **Marshallii** Hort.
*Hibberd, Beautiful-Leaved Pl. t. 34 (1870).—*Veg.*
—— **Murrayi** Hort.
*Hibberd, Beautiful-Leaved Pl. t. 34 (1870).—*Veg.*
—— **pectinatus** Morr.
*Belg. Hort. vi. t. 18 (1856).

COLEUS
Blumei Telfordii aurea Hort.
*Hibberd, Beautiful-leaved Pl. t. 34 (1870).—*Veg.*
—— **Verschaffeltii** Lem.
*Ill. Gartenzeit. Stuttgart, vi. t. 4 (1862).
L. H. Bailey, Cycl. Amer. Hort. 352 (1900); Stand. Cycl. Hort. 828 (1914).—*Veg.*
brazzavillensis A. Chev.
Chevalier, Vég. Util. Afr. fasc. 1, t. 4 (1905).
carnosus Hassk.
*Kloppenburg-Versteegh, Pl. Atlas, t. 9 [1907].—*Veg.*
Coppinii Heckel
Ann. Mus. Col. Marseille, viii. II. 8, 10 (1901); Ser. II. iv. 26, fig. 10 (1906).
Rev. Cult. Colon. x. 130, 131 (1902); xiv. 42 (1904).
dazo A. Chev.
Chevalier, Vég. Util. Afr. fasc. 1, p. 121, 129, t. 5, 6 (1905).
H. Jumelle, Pl. Tuberc. Aliment. 265 (1910).—*Veg.*
Dupuisii Briquet
De Wildeman & Durand, Ill. Fl. Congo (Ann. Mus. Congo), i. t. 26 (1899).
Eetveldeanus Briquet
De Wildeman & Durand, Ill. Fl. Congo (Ann. Mus. Congo), i. t. 25 (1899).
elongatus Trim.
*Trimen, Handb. Fl. Ceylon, Atlas, iii. t. 74 (1895).
Gibsonii Verlot
*Floral Mag. vi. t. 338 (1867).
gracilis Gürke
Engl. Jahrb. xxxviii. 171 (1906); xli. 320 (1908).
Engler & Drude, Veget. Erde, ix. 1. 1. 149 (1910).
grandifolius Benth.
Delessert, Ic. Pl. iii. t. 85 (1837).
grandifolius Blanco
*Blanco, Fl. Filip. t. 208 (1878–80).
×**hybridus** Hort.
Flora, cvii. 434 (1915).
—— **monstrosus nanus** Hort.
Wien. Ill. Gart.-Zeit. xxix. 468 (1904).
×—— **ornatus** Hort.
Gartenfl. li. 555 (1902).—*Hab.*
Rev. Hort. Belge, xxix. 20 (1903).—*Veg.*
×—— **salicifolius** Hort.
Wien. Ill. Gart.-Zeit. xxix. 468 (1904).
inflatus Benth.
*Bot. Mag. lxxxvii. t. 5236 (1861).
*Wawra, Itin. Princ. S. Coburg, t. 15 (1883).
kasonemensis De Wild.
De Wildeman, Études Fl. Katanga (Ann. Mus. Congo), ii. t. 6 (1913).
langouassiensis A. Chev.
Chevalier, Vég. Util. Afr. fasc. 1, p. 137, t. 5 (1905).
leucophyllus Baker
Hook. Ic. Pl. xxv. t. 2475 (1896).
Macraei Benth.
*Bot. Mag. lxxix. t. 4690 (1853).
*Lem. Jard. Fl. iv. t. 354 (1853).
Marshallii Hort.
*Floral World, 1878, p. 353.—*Veg.*
mirabilis Briq.
Pflanzenfam. iv. III. A. 361 (1897).
Murrayi Hort.
*Floral World, 1878, p. 353.—*Veg.*
palustris Vatke
Pflanzenfam. iv. III. A. 355 (1897).—*Fl.*
Penzigii Schweinf.
Goebel, Organogr. Pfl. Ed. 2, i. 291 (1913).—*Fl.*
Goebel, Entfaltungsb. Pfl. 106 (1920).
personatus Lem.
*Horticulteur Univ. vi. 292 (1845).
pictus Hort.
Ill. Gartenzeit. Stuttgart, xxii. t. 23 (1878).
Rev. Hort. Belge, iv. 153 (1878).—*Veg.*
rotundifolius A. Chev. & Perrot.
Chevalier, Vég. Util. Afr. fasc. 1, p. 121, t. 1, 3 (1905).
H. Jumelle, Pl. Tuberc. Aliment. 256 (1910).—*Veg.*
—— **alba** A. Chev.
Chevalier, Vég. Util. Afr. fasc. 1, t. 2 (1905).

COLEUS
rotundifolius nigra A. Chev.
Chevalier, Vég. Util. Afr. fasc. 1, t. 2 (1905).
—— **rubra** A. Chev.
Chevalier, Vég. Util. Afr. fasc. 1, t. 2 (1905).
Saisonii Hort.
*Horticulteur Franç. 1870–71, t. 4.
scutellaroides Benth.
Rumphius, Herb. Amboin. v. t. 101 (1747); fide Merrill, Interpret. Rumph. Herb. Amboin.
*Fl. des Serres, Ser. II. v. t. 1544, 1545 (1862–65).—*Veg.*
shirensis Gürke
*Bot. Mag. cxxxi. t. 8024 (1905).
spicatus Benth.
Wight, Ic. Pl. Ind. Or. iv. t. 1431 (1849).
Jardin, vii. 215 (1893).—*Hab.*
—— **Rondinella** Hort.
Gartenfl. xlv. 359 (1896).—*Hab.*
splendidus A. Chev.
Rev. Hort. 1914, p. 82, 83.
Telfordii Hort.
*Floral World, 1878, p. 353.—*Veg.*
thyrsoideus Baker
*Bot. Mag. cxxv. t. 7672 (1899).
*Garden, lvi. 82 (1899).
Gard. Chron. Ser. III. xxix. 39 (1901); li. Suppl. tab. p. 412 (1912).
*Rev. Hort. Belge, xxvii. 204, 205 (1901).
*Jardin, xvi. 136 (1902).
*Gartenfl. lii. t. 1506 (1903).
Journ. Roy. Hort. Soc. London, xxviii. Proc. p. xlvi (1903–4).
*Rev. Hort. 1903, p. 476.
Journ. Hort. Ser. III. xlviii. 203 (1904).—*Hab.*
Tribune Hort. iii. 547 (1908).
Lindman, Vi och våra blomm. t. 72 (1911–13).
tricolor Hort.
*Floral Mag. N. Ser. 1879, t. 376.
*Ill. Gartenzeit. Stuttgart, xxiv. t. 1 (1880).
×**Tryonii** Hort.
*Floral Mag. N. Ser. 1872, t. 34.
tuberosus Benth.
Rumphius, Herb. Amboin. v. t. 132, fig. 1 (1747); fide Merrill, Interpret. Rumph. Herb. Amboin.
Bull. Écon. Indo-Chine, N. Ser. xxxii. 843 (1904).—*Hab.*
Veitchii Hort.
*Floral Mag. vi. t. 345 (1867).
Florist, 1867, p. 131.—*Veg.*
Verschaffeltii C. Lem.
*Ill. Hort. viii. t. 293 (1861).
*Floral Mag. ii. t. 96 (1862).
Neubert's Deutsch. Gart. Mag. 1869, p. 65.—*Veg.*
Wightii Benth.
Wight, Ic. Pl. Ind. Or. iv. t. 1433 (1849).

COLIGNONIA Endl.
glomerata Griseb.
Pflanzenfam. iii. 1. B. 22 (1889).—*Fl.*

COLLABIUM Bl.
nebulosum Bl.
*Miquel, Choix Pl. Jard. Buitenzorg, t. 26 (1863).
Wrayi Hook. f.
Hook. Ic. Pl. xxi. t. 2065 (1891).

COLLADOA Cav.: *Ischaemum*
distachya Cav.
Cavanilles, Ic. v. t. 460 (1799).
P. Beauvais, Agrost. t. 21, fig. 9 (1812).—*Fl.*

COLLADONIA DC.: *Prangos*
angustifolia Bert.
Fiori & Paol. Ic. Fl. Ital. 283 (1901).
crenata Boiss.
Post, Fl. Syria, Palestine & Sinai, 339 [1896].—*Fr.*
Rouy, Illustr. Pl. Eur. Rar. fasc. 4, t. 84 (1895).

COLLAEA DC.: *Galactia*
glaucescens Benth.
Ettingshausen in Sitzb. Akad. Wiss. Wien, xii. IV. t. 7, fig. 4 (1854).—*Veg.*
macrophylla Benth.
Ettingshausen in Sitzb. Akad. Wiss. Wien, xii. IV. t. 7, fig. 6 (1854).—*Veg.*
Mart. Fl. Bras. xv. 1. t. 39 (1859).

COLLAEA
Neesii Benth.
Ettingshausen in Sitzb. Akad. Wiss. Wien, xii. IV. t. 7, fig. 5 (1854).—*Veg.*
Mart. Fl. Bras. xv. 1. t. 40 (1859).
peduncularis Benth.
Ettingshausen in Sitzb. Akad. Wiss. Wien, xii. IV. t. 7, fig. 1, 2 (1854).—*Veg.*
scarlatina Mart.
Ettingshausen in Sitzb. Akad. Wiss. Wien, xii. IV. t. 8, fig. 4 (1854).—*Veg.*
speciosa DC.
De Candolle, Mém. Légum. t. 40 (1825).
trinervia DC.
De Candolle, Mém. Légum. t. 41 (1825).
velutina Benth.
Ettingshausen in Sitzb. Akad. Wiss. Wien, xii. IV. t. 8, fig. 2 (1854).—*Veg.*
*Dietrich, Fl. Univ. Neue Folge, t. 3 (1861).

COLLANDRA Lem.: *Columnea*
picta Lem.
*Lem. Jard. Fl. ii. t. 214 (1852).
Linnaea, xxvi. t. 2, fig. 52 (1853–55).—*Fl.*

COLLANIA Herb.: *Bomarea*
andinamarcana Herb.
Herbert, Amar. t. 8, fig. 1–3 (1837).
*Bot. Mag. lxxii. t. 4247 (1846).
*Ann. Gand, iii. t. 125 (1847).
dulcis Herb.
Herbert, Amar. t. 7, fig. 1–8 (1837).
*Bot. Reg. xxxiii. t. 34 (1847).
*Sweet, Ornam. Fl. Gard. iii. t. 191 (1854).
—— **parvifolia** Herb.
Herbert, Amar. t. 47, fig. 6 (1837).
glaucescens Herb.
Herbert, Amar. t. 10, fig. 1, 2 (1837).
grandiflora Jaume St.-Hil.
*Jaume St.-Hilaire, Fl. & Pom. Franç. v. t. 473 (1832).
involucrosa Herb.
Herbert, Amar. t. 9 (1837).
puberula Herb.
Herbert, Amar. t. 11, fig. 1 (1837).
—— **acicularis** Herb.
Herbert, Amar. t. 11, fig. 2 (1837).

COLLANIA Schult. f.: *Urceolina*
urceolata Schult. f.
*Fl. des Serres, Ser. II. vii. t. 1791 (1867–68).

COLLETIA Comm.
aciculata Miers
Miers, Contrib. Bot. i. t. 36 (1851–61).
armata Miers
Miers, Contrib. Bot. i. t. 35 (1851–61).
Gard. Chron. Ser. III. lx. 223 (1916).
atrox Miers
Miers, Contrib. Bot. i. t. 34 (1851–61).
bictonensis Lindl.
Journ. Hort. Soc. London, v. 31 (1850).
Journ. Hort. xxxi. 477 (1864); xlviii. 406 (1872).
cataphracta Miers
Miers, Contrib. Bot. i. t. 35 (1851–61).
cornuta Hort.
Lubbock, Seedlings, i. 346 (1892).—*Veg.*
cruciata Gill. & Hook.
Hooker, Bot. Misc. i. t. 43 (1830).
Miers, Contrib. Bot. i. t. 34 (1851–61).
*Bot. Mag. lxxxiv. t. 5033 (1858).
Cottage Gard. xix. 313 (1858).
Mart. Fl. Bras. xi. 1. t. 34 (1861).
Gartenfl. xvi. t. 543 (1867).
Journ. Hort. lii. 562 (1874).
Gard. Chron. viii. 617 (1877); ix. 243 (1878); xxv. 205 (1886); Ser. III. l. 255 (1911); lx. 109 (1916).
Baillon, Hist. Pl. vi. 62 (1877).—*Fl.*
Kerner, Pflanzenleben, i. 308 (1887); Ed. 3, i. 250 (1913).
Goebel, Pflanzenbiol. Schild. i. 17 (1889).
Brehm, Merv. Nat. Monde des Pl. i. 374, 509 (1894–96).
Kerner & Oliv. Nat. Hist. Pl. i. 335 (1894).
Pflanzenfam. iii. v. 396, 432 (1895).
Lindman, Veget. Rio Grande do Sul, 118 (1900).
Garden, lxiii. 371 (1903); lxxv. 605 (1911).

COLLETIA
cruciata
Velenovsky, Vergl. Morphol. Pfl. ii. 636 (1907).—*Veg.*
Beille, Bot. Pharm. ii. 678 (1909).
Schneider, Ill. Handb. Laubh. ii. 299 (1909).
Wettstein, Handb. Syst. Bot. Ed. 2, p. 639 (1911).
Nathansohn, Allgem. Bot. 235 (1912).—*Veg.*
Bull. Soc. Dendr. France, 1913, p. 57, 214.
Karsten & Schenck, Veg.-Bild. xi. t. 14, 15 (1913).—*Hab.*
Neger, Biol. Pflanz. 143 (1913).
Crisp, Guide Friar Park, 173 (1914).
Journ. Roy. Hort. Soc. London, xl. 24, fig. 2 (1914).—*Hab.*
Eden Phillpotts, My Shrubs, 35 (1915).
Glück, Blatt- & Blütenmorph. Stud. 536 (1919).—*Fl.*
discolor Hook.
Hook. Ic. Pl. vi. t. 538 (1843).
D'Urville, Voy. Pôle Sud & Océanie, Atlas, Dicot. t. 14 [1852].
De Wildeman, Voyage Belgica, Bot. 1897–99, t. 2 (1905).
disperma Moc. & Sessé
A. De Candolle, Calq. Dess. Fl. Mex. Moc. & Sessé, t. 173 (1874).
dumosa Miers
Miers, Contrib. Bot. i. t. 36 (1851–61).
Ephedra Vent.
Ventenat, Choix Pl. t. 16 (1803).
*Lodd. Bot. Cab. xix. t. 1830 (1832).
ferox Gill. & Hook.
Hooker, Bot. Misc. i. t. 44 (1830).—*Fl.*
Miers, Contrib. Bot. i. t. 34 (1851–61).
—— **bictoniensis** van Houtte
*Fl. des Serres, Ser. II. iv. t. 1451 (1861).
horrida Brongn.
Ann. Sc. Nat. Paris, x. Atlas, t. 14 (1827).—*Fl.*
*Bot. Reg. xxi. t. 1776 (1835).
*Bot. Mag. lxv. t. 3644 (1838).
*Schnizlein, Iconogr. iv. t. 239 (1866–70).
horrida Willd.
J. C. Loudon, Arbor. & Frutic. Brit. iv. 2548 (1838).
hystrix Clos
Miers, Contrib. Bot. i. t. 36 (1851–61).
infausta N. E. Br.
Gard. Chron. Ser. III. lx. 132 (1916).
intricata Miers
Miers, Contrib. Bot. i. t. 34 (1851–61).
Kunthiana Miers
Miers, Contrib. Bot. i. t. 35 (1851–61).
longispina Hook. & Arn.
Rev. Hort. 1901, p. 517.
multiflora Moc. & Sessé
A. De Candolle, Calq. Dess. Fl. Mex. Moc. & Sessé, t. 174 (1874).
obcordata Vent.
Ventenat, Jard. Cels, t. 92 [1800].
pungens Miers
Miers, Contrib. Bot. i. t. 35 (1851–61).
serratifolia Vent.
Ventenat, Choix Pl. t. 15 (1803).
Lamarck, Ill. vi. t. 930 (1819).
Journ. Hort. Soc. London, viii. 59 (1853).
Cottage Gard. xvi. 386 (1856).
Gard. Chron. viii. 619 (1877).
spartioides Bart.
Colla in Mem. Accad. Sc. Torino, xxxvii. 85, t. 6 (1834).
Miers, Contrib. Bot. i. t. 35 (1851–61).
spinosa Lam.
Lamarck, Ill. i. t. 129 (1797).
Hooker, Bot. Misc. i. t. 44 (1830).—*Fl.*
J. C. Loudon, Arbor. & Frutic. Brit. ii. 541 (1838).
Journ. Hort. Soc. London, v. 30 (1850).
Miers, Contrib. Bot. i. t. 34 (1851–61).
Gard. Chron. viii. 616 (1877); xxv. 205 (1886).
Garden, xxii. 333 (1882).
Wien. Ill. Gart.-Zeit. viii. 68 (1883).
Pflanzenfam. iii. v. 422 (1896).
Wettstein, Handb. Syst. Bot. Ed. 2, p. 639 (1911).
tenuicola Miers
Miers, Contrib. Bot. i. t. 35 (1851–61).

COLLETIA
tralhouen Bert.
Colla in Mem. Accad. Sc. Torino, xxxvii. 85, t. 7 (1834).
ulicina Gill. & Hook.
Hooker, Bot. Misc. i. t. 44 (1830).—*Fl.*
J. C. Loudon, Arbor. & Frutic. Brit. iv. 2548 (1838).
Miers, Contrib. Bot. i. t. 36 (1851–61).
veprecula Miers
Miers, Contrib. Bot. i. t. 36 (1851–61).
Weddeliana Miers
Miers, Contrib. Bot. i. t. 34 (1851–61).
Weddell, Chloris Andina (Castelnau Expéd., Bot.), ii. t. 65 (1857–61).

COLLIGUAYA Molina
brasiliensis Klotzsch
Ettingshausen in Sitzb. Akad. Wiss. Wien, xii. 1. t. 2, fig. 5 (1854).—*Veg.*
Mart. Fl. Bras. xi. II. t. 85 (1874).
Pflanzenfam. iii. v. 6, 100 (1890).—*Fl.*
Pflanzenreich, Euphorb.-Hippom. 60 (1912).—*Fl.*
Dombeyana C. Gay
*C. Gay, Hist. Chile, Atlas, t. 61 (1854).
integerrima Gill. & Hook.
Hooker, Bot. Misc. i. t. 39 (1830).
Schimper, Pflanzen-Geogr. 571 (1898).
Pflanzenreich, Euphorb.-Hippom. 267 (1912).
Hauman in An. Soc. Cient. Arg. Buenos Aires, lxxxix. 202 (1920).
odorifera Molina
*Hooker, Bot. Misc. i. t. 40 (1830).
Delessert, Ic. Pl. iii. t. 88 (1837).
Baillon, Euphorb. t. 7, fig. 10–14 (1858).—*Fl.*
Schimper, Pflanzen-Geogr. 571 (1898).
Pflanzenreich, Euphorb.-Hippom. 267 (1912).

COLLINSIA Nutt.
bartsiifolia Benth.
Pflanzenfam. iv. III. B. 44 (1891).—*Fl.*
bicolor Benth.
*Bot. Reg. xx. t. 1734 (1835).
*Floricult. Cab. iii. 95 (1835).
*Sweet, Brit. Fl. Gard. vii. t. 307 (1835).
*Bot. Mag. lxiii. t. 3488 (1836).
*Journ. Jard. 1837, p. 87.
*Paxt. Mag. iii. 195 (1837).
*J. W. Loudon, Ladies' Fl.-Gard. Ornam. Annuals, t. 41 (1844).
Decaisne & Naud. Amat. Jard. ii. 354 [1862–66].
Decaisne, Naud. & Hemsl. Trees, Shrubs & Herb. Pl. 342 (1873).
Gartenfl. xxix. 310 (1880).
Nicholson, Illustr. Dict. Gard. i. 361 [1884–88].
Lubbock, Seedlings, ii. 318 (1892).—*Veg.*
*Bois, Atlas Pl. Jard. t. 216 (1896).
Flora, lxxxii. 151 (1896).—*Fl.*
Parsons, Wild Fl. California, 295 (1897).
*Step, Fav. Fl. Gard. & Greenh. iii. t. 210 (1897).
L. H. Bailey, Cycl. Amer. Hort. 352 (1900); Stand. Cycl. Hort. 829 (1914).
Wien. Ill. Gart.-Zeit. xxvii. 2 (1902).—*Fl.*
Garden, lxxii. 100 (1908); lxxiv. 155 (1910).
Heukels, Fl. Nederl. iii. 146 (1909).—*Fl.*
Velenovsky, Vergl. Morphol. Pfl. iii. t. 7 (1910).—*Fl.*
Crisp, Guide Friar Park, 183 (1914).
M. Armstrong, Field Book West. Wild Fl. 489 (1915).
—— **alba** Hort.
L. H. Bailey, Cycl. Amer. Hort. 352 (1900); Stand. Cycl. Hort. 829 (1914).
corymbosa Regel
*Gartenfl. xvii. t. 568 (1868).
divaricata Kellogg
Proc. California Acad. iii. I. 37 (1863).
grandiflora Lindl.
*Bot. Reg. xiii. t. 1107 (1827).
*J. W. Loudon, Ladies' Fl.-Gard. Ornam. Annuals, t. 41 (1844) in ic.: *C. verna* in textu, p. 229.
heterophylla R. Grah.
*Bot. Mag. lxv. t. 3695 (1838).

COLLINSIA
heterophylla
*J. W. Loudon, Ladies' Fl.-Gard. Ornam. Annuals, t. 41 (1844).
hirsuta Kellogg
Proc. California Acad. (1858–62), ii. 113 (1863).
multicolor Lindl. & Paxt.
*Paxt. Fl. Gard. ii. t. 55 (1851–52).
*Lem. Jard. Fl. ii. t. 193 (1852).
*W. Thompson, Engl. Fl. Gard. ii. 1 (1853).
Journ. Hort. li. 510 (1874); Ser. III. xii. 75 (1886).
Oesterr. Bot. Zeitschr. l. t. 3, fig. 18 (1900).—*Fl.*
multiflora Howell
M. Armstrong, Field Book West. Wild Fl. 489 (1915).
parviflora Lindl.
*Bot. Reg. xiii. t. 1082 (1827).
*J. W. Loudon, Ladies' Fl.-Gard. Ornam. Annuals, t. 41 (1844).
Britton & Brown, Ill. Fl. N. States & Canada, iii. 156 (1898).
S. Brown, Alp. Fl. Rocky Mts. 248, t. 68 (1907).
*F. E. & E. S. Clements, Rocky Mt. Fl. t. 22 (1914).
septemnerva Kellogg
Proc. California Acad. (1858–62), ii. 225 (1863).
tenella Piper
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, iii. 189 (1913).
verna Nutt.
Journ. Acad. Nat. Sc. Philadelphia, i. 1. t. 9 (1817).
*Sweet, Brit. Fl. Gard. iii. t. 220 (1827).
*J. W. Loudon, Ladies' Fl.-Gard. Ornam. Annuals, 229 (1844) in textu; *C. grandiflora* in ic. t. 41.
Belg. Hort. vi. 361, fig. 88 (1856).—*Hab.*
*Bot. Mag. lxxxii. t. 4927 (1856).
*Fl. des Serres, Ser. II. i. t. 1164 (1856).
*Journ. Hort. Prat. Belg. xiv. 225 (1856).
*Bois, Dict. Hort. 352 (1893–99).
Britton & Brown, Ill. Fl. N. States & Canada, iii. 156 (1898); Ed. 2, iii. 188 (1913).
violacea Nutt.
Britton & Brown, Ill. Fl. N. States & Canada, iii. 156 (1898); Ed. 2, iii. 188 (1913).

COLLINSONIA Linn.
anisata Sims
*Bot. Mag. xxx. t. 1213 (1809).
canadensis Linn.
Linnaeus, Hort. Cliff. t. 5 (1737); fide Linn.
*Zorn, Ic. Pl. Med. v. t. 427 (1784).
*Junghans, Ic. Pl. t. 40 (1787).
Gaertner, Fruct. i. t. 66 (1788).—*Fr.*
*Plenck, Ic. Pl. Med. i. t. 24 (1788).
Lamarck, Ill. i. t. 21 (1791).
*Oskamp, Afb. Artseny-Gewass. v. t. 483 (1800).
Barton, Elem. Bot. t. 9, fig. 3 (1804).
*Schkuhr, Bot. Handb. Ed. 2, t. 2 b (1808).
*Vietz, Ic. Pl. Med.-oec.-techn. v. t. 424 (1817).
*Descourtilz, Fl. Pitt. & Méd. Antilles, iii. t. 221 (1827).
Rafinesque, Med. Fl. i. t. 23 (1828).
*Torrey, Fl. State New York, ii. t. 75 a (1843).
*Meehan, Fl. & Ferns U.S. ii. t. 42 (1879).
*Millspaugh, Amer. Med. Pl. t. 119 (1887).
Bot. Jaarb. Gent, iv. t. 14, fig. 4–6 (1892).
Pflanzenfam. iv. III. A. 308 (1896).—*Fl.*
Lochman, Phot. Med. Pl. t. 170 (1898).
Britton & Brown, Ill. Fl. N. States & Canada, iii. 123 (1898); Ed. 2, iii. 153 (1913).
Hare, Caspari & Rusby, Nat. Stand. Dispens. 850 (1905).
U.S. Dep. Agric. Bur. Pl. Indust. Bull. No. 107, t. 7 (1907).
Merck's Rep. (Pract. Journ. Pharm.), xviii. 88 (1909).
*House, Wild Fl. New York (Mem. No. 15 N.Y. State Mus.), ii. t. 192 (1918).

COLLOMIA Nutt.—Vide *Microsteris*
biflora Brand
Pflanzenreich, Polemoniac. 49 (1907).
Cavanillesii Hook. & Arn.
*Bot. Mag. lxiii. t. 3468 (1836).

COLLOMIA
coccinea Lehm.
*Bot. Reg. xix. t. 1622 (1833).
*Sweet, Brit. Fl. Gard. vi. t. 206 (1833), errore *C. laterita*, p. 220.
*Horticulteur Univ. iv. 3 (1843).
Lubbock, Seedlings, ii. 240 (1892).—*Veg.*
*Bois, Atlas Pl. Jard. t. 194 (1896).
*Step, Fav. Fl. Gard. & Greenh. iii. t. 188 (1897).
*Bettfreund, Fl. Argentina, iii. t. 141 (1902).
Coste, Fl. France, ii. 567 (1903).
gracilis Dougl.
Lindley, Veg. Kingd. 635 (1846).
*Bettfreund, Fl. Argentina, iii. t. 142 (1902).
—— **congesta** Wedd.
Weddell, Chloris Andina (Castelnau Expéd., Bot.), ii. t. 58 (1857–61).
grandiflora Dougl.
*Bot. Reg. xiv. t. 1174 (1828).
*Bot. Mag. lvi. t. 2894 (1829).
*Fritzsche in Mém. Acad. Sc. Pétersb. Div. Sav. iii. t. 7, fig. 1, 2 (1837).—*Fl.*
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xix. t. 1932 (1884).
Garcke, Ill. Fl. Deutschl. 415 (1895).
Univ. California Publ. Bot. ii. t. 1 (1904).—*Fl.*
Flora, xcviii. 196, 197 (1907).—*Fl.*
Heukels, Fl. Nederl. iii. 75 (1909).—*Fl.*
Scient. Proc. Roy. Dublin Soc. N. Ser. xii. t. 22 (1910).—*Fr.*
M. Armstrong, Field Book West. Wild Fl. 401 (1915).
heterophylla Hook.
Reichenbach, Hort. Bot. t. 208 (1827–30) in textu; *Courtoisia bipinnatifida* in ic.
*Bot. Mag. lvi. t. 2895 (1829).
*Bot. Reg. xvi. t. 1347 (1830).
Pflanzenfam. iv. III. A. 47 (1891).
Pflanzenreich, Polemoniac. 5 (1907).
leptalea A. Gray
King U.S. Geol. Expl. v (Bot.), t. 25 (1871).
linearis Nutt.
*Bot. Reg. xiv. t. 1166 (1828).
*Bot. Mag. lvi. t. 2893 (1829).
Gasparrini in Atti Accad. Sc. Fis. e Nat. Napoli, i. t. 4 (1863).
Pflanzenfam. iv. III. A. 47 (1891).—*Fl.*
Britton & Brown, Ill. Fl. N. States & Canada, iii. 42 (1898); Ed. 2, iii. 64 (1913).
Pflanzenreich, Polemoniac. 5 (1907).—*Fl.*
*F. E. & E. S. Clements, Rocky Mt. Fl. t. 19 (1914).
M. Armstrong, Field Book West. Wild Fl. 401 (1915).
mazama Coville
Mazama (Portland, Oreg.), i. t. 25 (1897).
Proc. Biol. Soc. Washington, xi. t. 1 (1897).
Pflanzenreich, Polemoniac. 53 (1907).
micrantha Kellogg
Proc. California Acad. iii. 1. 18 (1863).
patagonica Speg.
Öfv. Vet.-Akad. Forhandl. Stockholm, lviii. 241 (1901).
W. B. Scott, Rep. Princeton Univ. Exped. Patag. 1896–99, viii. II. Bot. 669 (1905).—*Fl.*
pusilla Dusén
Ergebn. Schwed. Exped. Magell. iii. No. 5, t. 11, fig. 9–11 (1900).
tinctoria Kellogg
Proc. California Acad. iii. 1. 18 (1863).
—— **subulata** Brand
Pflanzenreich, Polemoniac. 51 (1907).

COLMEIROA Reut.: *Securinega*
buxifolia Reut.
Reuter in Mém. Soc. Phys. & Hist. Nat. Genève, x. tab. (1843).
Baillon, Euphorb. t. 23, fig. 26, 27 (1858).—*Fl.*

COLOBACHNE P. Beauv.: *Alopecurus*
Gerardii Link
Reichenbach, Ic. Fl. Germ. i. t. 50 (1834).
Nees, Gen. Pl., Monocot. i. t. 8 (1836).—*Fl.*
Husnot, Gram. t. 2 (1896–99).
vaginata P. Beauv.
P. Beauvais, Agrost. t. 6, fig. 9 (1812).—*Fl.*
Nees, Gen. Pl., Monocot. i. t. 8 (1836).

COLOBANTHUS Bartl.
acicularis Hook. f.
*E. H. & S. Featon, Art Album, i. t. 6 (1889).—*Hab.*
Cheeseman, Ill. New Zeal. Fl. t. 20 (1914).
Benthamianus Fenzl
F. Mueller, Key Syst. Victoria Pl. ii. fig. 32 (1885).
brevisepalus T. Kirk
Trans. & Proc. New Zeal. Inst. 1894, xxvii. t. 27 e (1895).
Buchananii T. Kirk
Trans. & Proc. New Zeal. Inst. 1894, xxvii. t. 27 d (1895).
canaliculatus T. Kirk
Cheeseman, Ill. New Zeal. Fl. t. 20 (1914).
crassifolius Hook. f.
D'Urville, Voy. Pôle Sud & Océanie, Atlas, Dicot. t. 17 [1852].
kerguelensis Hook. f.
Hooker f., Fl. Antarct. ii. t. 92 (1845).
Deutsch. Tiefsee-Exped. 1898–99, ii. 1. 25 (1905).
*Drygalski, Deutsche Südpol.-Exped. 1901–3, viii. Bot. 244, t. 25, fig. 35–38; t. 26, fig. 6, 6 a (1911).
lycopodioides Griseb.
Hauman in An. Soc. Cient. Arg. Buenos Aires, lxxxix. 226 (1920).
muscoides Hook. f.
D'Urville, Voy. Pôle Sud & Océanie, Atlas, Dicot. t. 17 [1852].
pulvinatus F. Muell.
F. Mueller, Pl. Victoria, i. t. 11 (1860–62).
quitensis Bartl.
Presl, Reliq. Haenk. t. 49 (1831).
subulatus Hook. f.
Hooker f., Fl. Antarct. ii. t. 93 (1845) in textu; *Sagina subulata* in ic.
Svenska Vet. Akad. Handl. l. No. 3, t. 2, fig. 5–7 (1913).—*Fl.*

COLOCASIA Schott—Vide *Arum* (9), *Leucocasia*
affinis Schott
!Ann. Jard. Bot. Buitenzorg, xxiii. t. 1, fig. 2 (1909).—*Veg.*
antiquorum Schott
Rheede, Hort. Mal. xi. t. 22 (1692); fide Fl. Brit. Ind. vi. 523.
Schott, Gen. Aroid. t. 37 (1858).—*Fl.*
Somoku Dzusetsu, Ed. 2, xix. t. 5 (1874).
Baillon, Dict. Bot. ii. 135 (1880).—*Hab.*
Baillon, Traité Bot. Méd. Phan. ii. 1443 (1884).—*Fl.*
Engl. Jahrb. v. t. 5, fig. 61 (1884).—*Fl.*
Nicholson, Illustr. Dict. Gard. i. 362 [1884–88].
Engler, Ic. Autog. 251 (1888).
Kerner, Pflanzenleben, ii. 647 (1891).—*Fl.*
Duthie & Fuller, Field & Gard. Crops, t. 75 (1893).
*Bot. Mag. cxx. t. 7364 (1894).
Bot. Mag. Tokyo, viii. t. 4 (1894).
Kerner & Oliv. Nat. Hist. Pl. ii. 742 (1895).—*Fl.*
Rep. Missouri Bot. Gard. vi. 11 (1895).
*Useful Pl. Jap. i. t. 87, 114–16 (1895).
Fiori & Paol. Ic. Fl. Ital. 61 (1896).
Sadebeck, Kulturg. Deutsch. Kolon. Erzeugn. 73 (1899).
Tropenpfl. viii. Beih. 5, t. 17 (1904).—*Hab.*
Karsten & Schenck, Veg.-Bild. vi. t. 9 (1908); viii. t. 43 (1911).—*Hab.*
Somoku Dzusetsu, Ed. Makino (Iconogr. Pl. Nippon), xix. t. 5 (1912).
Journ. & Proc. Asiat. Soc. Bengal, N. Ser. ix. t. 17 (1913).
Bol. Agric. São Paulo, Ser. XVI. vii. 595 (1915).
L. H. Bailey, Stand. Cycl. Hort. 3312 (1917).
Crevost & Lemarié, Cat. Prod. Indochine, i. 146 (1917).—*Veg.*
Van Gorkom, Oost-Ind. Cult. Ed. 2, ii. 809 (1918).—*Hab.*
Basu, Ind. Med. Pl. t. 1002 (1918).
Bose, Man. Ind. Bot. 72 (1920).—*Fl.*
—— **esculenta** Schott
L. H. Bailey, Cycl. Amer. Hort. 353 (1900); Stand. Cycl. Hort. 830 (1914); 3312, 3313 (1917).

COLOCASIA
antiquorum esculenta
U.S. Dep. Agric. Bur. Pl. Indust. Bull. No. 164, t. 3–5 (1910).
—— **Fontanesii** Schott
*Bot. Mag. cxxvi. t. 7732 (1900).
—— **globulifera** Engl. & Krause
Pflanzenreich, Arac.-Colocas. 4 (1920).—*Veg.*
Boryi Kunth
Decaisne & Naud. Amat. Jard. iii. 711 [1862–66].—*Hab.*
Le Maout & Decaisne, Traité Gén. Bot. 630 (1868).—*Hab.*
Bol. Agric. São Paulo, Ser. XVI. vii. 597 (1915).
cuprea Koch
Engler, Ic. Autog. 253 (1888).
Devansayana Linden & Rodigas
*Ill. Hort. xxxiii. t. 601 (1886).
esculenta Schott
Rumphius, Herb. Amboin, v. t. 109; 110, fig. 1 (1747); fide Merrill, Interpret. Rumph. Herb. Amboin.
Rev. Hort. 1869, p. 107.—*Veg.*
Pouchet, The Universe, Ed. 5, p. 301 (1877).—*Hab.*
Berge, Pflanzenphysiogn. 260 (1880).—*Hab.*
Nicholson, Illustr. Dict. Gard. i. 362 [1884–88].—*Hab.*
Brehm, Merv. Nat. Monde des Pl. ii. 661 (1894–96).—*Hab.*
Baillon, Hist. Pl. xiii. 430 (1895).—*Fl.*
Rep. Agric. St. California, t. 17 (1898).—*Hab.*
Bellair & St.-Léger, Pl. Serre, 583 (1900).—*Hab.*
Rev. Cult. Colon. xiv. 8 (1904).—*Hab.*
Bull. Écon. Indo-Chine, N. Ser. xlviii. 1193–96 (1905).
Charabot, Prod. Vég. Col. Franç. 143 (1908).
Beille, Bot. Pharm. ii. 63 (1909).
Agric. Prat. Pays Chauds, xi. 1. 108 (1911).—*Hab.*
L. Reinhardt, Kulturgesch. Nutzpfl. (Erde und Kultur), iv. 1. t. 268 (1911).
Capus & Bois, Prod. Colon. 89 (1912).—*Hab.*
Bol. Agric. São Paulo, Ser. XVI. vii. 603 (1915).
U.S. Dep. Agric. Bur. Pl. Indust. New Pl. Introduct. [t. 6, 7] (1915–16).—*Hab.*
L. H. Bailey, Stand. Cycl. Hort. 3312 (1917).
Amer. Journ. Bot. vi. 380–82 (1919).
Amer. Journ. Pharm. xci. 499–501 (1919).
euchlora C. Koch
*Berlin. Allg. Garten-Zeit. 1858, t. 9.
formosana Hayata
Hayata, Ic. Pl. Formosan. viii. 134 (1919).
gigantea Hook. f.
Somoku Dzusetsu, Ed. Makino (Iconogr. Pl. Nippon), xix. t. 6 (1912).
indica Hassk.
Gartenfl. xxxviii. 67 (1889).
*Useful Pl. Jap. i. t. 88 (1895).
Francé, Leben Pflanze, vi. 429 (1913).—*Hab.*
Pflanzenreich, Arac.-Colocas. 70 (1920).
Rev. Hort. 1920, p. 104, 105.
neo-guineensis André
*Ill. Hort. xxvii. t. 380 (1880); xxviii. 60 (1881).—*Hab.*
Neubert's Deutsch. Gart. Mag. 1883, p. 249.
nymphaeifolia Kunth
Journ. Hort. xlviii. 79 (1872).
odora Brongn.
Nouv. Ann. Mus. Hist. Nat. Paris, iii. 160 (1834).—*Fl.*
Beck & Bergsma, Obs. Colocasia Odora, t. 1 (1838).—*Fl.*
*Bot. Mag. lxviii. t. 3935 (1842).
Moore & Ayres, Mag. Bot. i. 4 (1850).
Journ. Hort. xxx. 90 (1863).
Garden, i. 323 (1872).—*Hab.*
Nicholson, Illustr. Dict. Gard. i. 363 [1884–88].—*Hab.*
Bellair & St.-Léger, Pl. Serre, 585 (1900).—*Hab.*
odorata = *odora*
Wendlandii Engl.
Engler, Ic. Autog. 240 (1886).—*Fl.*

COLOGANIA Kunth: *Amphicarpaea*
angustifolia Kunth
*Kunth, Mimos. (in Humb. & Bonpl. Voy. vi), t. 58 (1819).
capitata Rose
Contrib. U.S. Nat. Herb. viii. t. 5 (1903).
procumbens Kunth
*Kunth, Mimos. (in Humb. & Bonpl. Voy. vi), t. 57 (1819).
*Joh. Kerner, Hort. Sempervir. t. 707 (1825).
pulchella H. B. K.
*Maund, Botanist, iii. t. 110 (1839).
tenuis Rose
Contrib. U.S. Nat. Herb. x. t. 31 (1906).

COLONA Cav.: *Columbia*
serratifolia Cav.
Cavanilles, Ic. iv. t. 370 (1797).

COLOPHONIA Comm.: *Canarium*
ceylanica Paxt.
Paxt. Mag. xv. 140 (1849).
mauritiana DC.
Delessert, Ic. Pl. iii. t. 56 (1837).

COLPODIUM Trin.—Vide *Arctophila*
altaicum Ledeb.
*Ledebour, Ic. Pl. Ross. iii. t. 226 (1831).
fulvum Griseb.
U.S. Dep. Agric. Div. Agrost. Bull. No. 17, p. 268 (1899).
Fedtschenko & Fler. Fl. Eur. Russia, 123 (1910).
humile Lange
Holm, Nov.-Zemlia Veg. t. 1, 2 [1887].
Lütken, Dijmphna-Togt. Zool.-Bot. Udbytte, t. 1, 2 (1887).
latifolium R. Br.
Parry, 2nd Voyage, Append. t. 2 (1825).
Kunth, Enum. Pl. i. II. t. 13 (1835).
*Fl. Dan. xiv. t. 2341 (1843).
Andersson, Gram. Scand. t. 6, fig. 63 (1852).
D. Dietrich, Fl. Univ. Abt. i. t. 897 (1852–55).
Blytt, Haandb. Norg. Fl. Ed. Dahl, 108 (1906).
Malmgrenii Anders.
Öfv. Vet. Akad. Forhandl. Stockholm, xxiii. t. 2 (1866).
pendulinum Griseb.
Vasey in U.S. Dep. Agric. Div. Bot. Bull. No. 13, II. ii. t. 86 (1893).
U.S. Dep. Agric. Div. Agrost. Bull. No. 17, p. 267 (1899); No. 20, p. 149 (1900).
Lindman, Svensk Fanerogamfl. 64 (1918).—*Fr.*
Stevenii Trin.
Trinius, Fund. Agrostr. t. 7 (1820).—*Fl.*

COLPOON Berg.
compressum Berg.
Bergius, Descr. Pl. Cap. t. 1 (1767).
Sim, For. Fl. Cape Colony, t. 133 (1907).
*Marloth, Fl. S. Africa, i. t. 37 (1913).

COLPOTHRINAX Griseb. & Wendl.
Wrightii H. Wendl.
Journ. New York Bot. Gard. xi. 227 (1910).—*Hab.*
Gager, Fundam. Bot. 130 (1916).—*Hab.*

COLQUHOUNIA Wall.
coccinea Wall.
*Wallich, Tent. Fl. Nap. t. 6 (1826).
*Bot. Mag. lxxvi. t. 4514 (1850).
*Lem. Jard. Fl. i. t. 20 (1851).
elegans Wall.
*Wallich, Pl. Asiat. Rar. iii. t. 268 (1832).
Seguinii Vanist.
Léveillé, Cat. Ill. Pl. Seu Tchouen, t. 44 (1918).
tomentosa Wall.
*Rev. Hort. 1873, p. 131.
vestita Wall.
*Wallich, Pl. Asiat. Rar. iii. t. 267 (1832).
Pflanzenfam. iv. III. A. 250 (1896).—*Fl.*

COLSMANNIA Lehm.: *Onosma*
flava Lehm.
Lehmann, Mag. Ges. Naturf. Freunde Berlin, viii. t. 4 (1818).

COLUBRINA L. C. Rich.
americana Nutt.
*Nuttall, Sylva, i. t. 58 (1865).
arborescens Sarg.
Sargent, Trees & Shrubs, ii. t. 168 (1911).
asiatica Brongn.
Rheede, Hort. Mal. v. t. 47 (1685); fide Hasskarl, Hort. Mal. Rheed. Clavis, 44.
Rumphius, Herb. Amboin. v. t. 39, fig. 2 (1747); fide Merrill, Interpret. Rumph. Herb. Amboin.
*Wight, Illustr. Ind. Bot. i. t. 74 (1840).
Ettingshausen, Blatt-Skel. Dikot. t. 70 (1861).—*Veg.*
Beddome, Fl. Sylv. Anal. Gen. 10 (1871).
Vidal, Sin. Fam. & Gen. Pl. Leñ. Filip. (Introd. Fl. For. Filip.), Atlas, t. 32, fig. c (1883).—*Fl.*
Brandis, Indian Trees, 174 (1906).
Talbot, For. Fl. Bombay, i. 303 (1909).
Lecomte, Fl. Gén. Indo-Chine, i. 929 (1912).—*Fl.*
cordifolia Reiss.
Mart. Fl. Bras. xi. I. t. 25 (1861).—*Veg.*
ferruginosa Brongn.
Ann. Sc. Nat. Paris, x. Atlas, t. 15 (1827).—*Fl.*
Pflanzenfam. iii. v. 396 (1895).—*Fl.*
megacarpa Rose
Contrib. U.S. Nat. Herb. viii. t. 11 (1903).
nepalensis Don
Ann. Jard. Bot. Buitenzorg, xvii. 22 (1900).
oppositifolia Brongn.
Rock, Indig. Trees Hawaiian Isl. t. 110, 111 (1913).
reclinata Brongn.
Browne, Hist. Jamaica, Ed. 2, t. 29, fig. 2 (1789); fide Rendle & Fawcett.
Ettingshausen, Blatt-Skel. Dikot. 164 (1861).—*Veg.*
Sargent, Silva N. Amer. ii. t. 66 (1892).
Sargent, Man. Trees N. Amer. 669 (1905).
Britton, N. Amer. Trees, 682 (1908).
rufa Reiss.
Mart. Fl. Bras. xi. I. t. 25, 33 (1861).
travancorica Bedd.
Beddome, Ic. Pl. Ind. Or. t. 188 (1874).

COLUMBIA Pers.—Vide *Colona*
anilao Blanco
*Blanco, Fl. Filip. t. 272 (1878–80).
auriculata H. Baill.
Pierre, Fl. For. Cochinch. ii. t. 137 (1888).
evecta Pierre
Pierre, Fl. For. Cochinch. ii. t. 136 (1888).
Lecomte, Fl. Gén. Indo-Chine, i. 549 (1910).—*Fl.*
floribunda Wall.
*Blanco, Fl. Filip. t. 312 (1878–80).
javanica Bl.
Koorders & Val. Atlas Baumarten Java, t. 401 (1914).
serratifolia DC.
Vidal, Sin. Fam. & Gen. Pl. Leñ. Filip. (Introd. Fl. For. Filip.), Atlas, t. 21, fig. c (1883).
Pflanzenfam. iii. VI. 26 (1890).—*Fl.*
subobovata Hochr.
Rumphius, Herb. Amboin. iii. t. 120 (1743); fide Merrill, Interpret. Rumph. Herb. Amboin.
Thorelii Gagnep.
Lecomte, Fl. Gén. Indo-Chine, i. 549 (1910).—*Fr.*

COLUMELLEA Jacq.: *Nestlera*
biennis Jacq.
*Jacquin, Hort. Schoenbr. iii. t. 301 (1798).
Le Maout & Decaisne, Traité Gén. Bot. 200 (1868).
geniculata Merr.
Rumphius, Herb. Amboin. v. t. 165 (1747); fide Merrill, Interpret. Rumph. Herb. Amboin.

COLUMELLIA Ruiz & Pav.
oblonga Ruiz & Pav.
Ruiz & Pavon, Fl. Peruv. & Chil. i. t. 8 (1798).
Lamarck, Ill. vi. t. 903 (1819).
Endlicher, Ic. Gen. Pl. t. 84 (1838).
Lindley, Veg. Kingd. 759 (1846).
*Schnizlein, Iconogr. ii. t. 159*** (1849).
Ann. Mag. Nat. Hist. London, Ser. III. i. t. 6, fig. 20 (1858).—*Fl.*
*Bot. Mag. ci. t. 6183 (1875).

COLUMELLIA
oblonga
Baillon, Hist. Pl. x. 63 (1891).
Pflanzenfam. iv. III. B. 187 (1894).
obovata Ruiz & Pav.
Ruiz & Pavon, Fl. Peruv. & Chil. i. t. 12 (1798).
Schnizlein, Iconogr. ii. t. 159*** (1849).
rustica Vell.
Vellozo, Fl. Flum. iv. t. 17 (1827).
sericea H. B. K.
Baillon, Dict. Bot. ii. 157 (1880).
trifolia Merr.
Rumphius, Herb. Amboin. v. t. 166, fig. 2 (1747); fide Merrill, Interpret. Rumph. Herb. Amboin.

COLUMNEA Linn.—Vide *Collandra, Dalbergaria, Eucolumnea, Loboptera, Ortholoma, Pentadenia, Stenanthus, Stygnanthe*
aurantiaca Decne.
*Fl. des Serres, Ser. I. vi. t. 552 (1850–51).
Paxt. Fl. Gard. i. 95 (1850–51).
aureo-nitens Hook.
*Bot. Mag. lxxiii. t. 4294 (1847).
×**Banksii** Lynch
Gard. Chron. Ser. III. lxiii. 64 (1918).
bulbosa Nees
*Nees & Sinning, Sammlung schönblüh. Gew. t. 40 (1831).
crassifolia A. Brongn.
*Rev. Hort. Ser. II. iii. 85 (1844).
*Horticulteur Univ. vi. 203 (1845).
*Bot. Mag. lxxiii. t. 4330 (1847).
*Fl. des Serres, Ser. I. iii. t. 286 (1847).
erecta Lam.
*Mordant de Launay, Herb. Amat. iv. t. 216 (1820).
erythrophaea Decne.
*Hort. Lind. No. 9 (1859).
*Journ. Hort. Prat. Belg. N. Ser. iv. t. 9 (1860).
*Rev. Hort. 1867, p. 172.
filipes Oliv.
Hook. Ic. Pl. xxv. t. 2428 (1896).
glabra Örst.
*Bot. Mag. cxxxviii. t. 8453 (1912).
gloriosa Sprague
*Bot. Mag. cxxxvii. t. 8378 (1911).
L. H. Bailey, Stand. Cycl. Hort. 833 (1914).
Rev. Hort. 1915, p. 504, 551.
*Addisonia, i. t. 7 (1916).
—— **superba** Hort.
*Rev. Hort. 1915, p. 504.
hirsuta Sw.
Lamarck, Ill. iii. t. 524, fig. 2 (1797).—*Fl.*
*Bot. Mag. lviii. t. 3081 (1831).
hirta Klotzsch & Hanst.
*Addisonia, i. t. 23 (1916).
humilis Lam.
*Meerburg, Pl. Rar. t. 54, fig. 2 (1789).
Kalbreyeri Hook. f.
*Bot. Mag. cviii. t. 6633 (1882).
Gard. Chron. xvii. 217 (1882).
Garten-Zeit. Berlin, i. 433 (1882).
labellosa Karst.
Karsten, Fl. Columbiae, ii. t. 154 (1862–69).
Lindeniana Brongn.
*Journ. Jard. 1841, p. 90.
*Horticulteur Univ. iii. 129 (1842).
Le Maout & Decaisne, Traité Gén. Bot. 194 (1868).—*Fl.*
maesta Poepp. & Endl.
Poeppig & Endl. Nov. Gen. & Sp. Pl. iii. 201 (1845).
magnifica Klotzsch & Hanst.
*Bot. Mag. cxxxiv. t. 8225 (1908).
Gard. Chron. Ser. III. xliii. 66 (1908); xlvi. 301 (1909).
*Rev. Hort. 1908, p. 376.
Garden, lxxiv. 42 (1910).
Journ. Roy. Hort. Soc. London, xxxv. Proc. p. ccliv, fig. 151 (1910).
Jardin, xxiv. 308 (1910).
Oerstediana Klotzsch
Örsted in Dansk. Vid. Selsk. Skrift. Ser. V. v. t. 8 (1861).
*Bot. Mag. cxxxvi. t. 8344 (1910).
Garden, lxxvii. 600 (1913).—*Hab.*
Journ. Roy. Hort. Soc. London, xxxix. Proc. p. ccxlviii, fig. 206 (1914).

COLUMNEA
ovata Cav.
Cavanilles, Ic. iv. t. 391 (1797).
picta Karst.
Karsten, Fl. Columbiae, ii. t. 154 (1862–69).
pilosa C. Lem.
*Fl. des Serres, Ser. I. iii. t. 223 (1847).
rotundifolia Salisb.
*Salisbury, Parad. Londin. i. t. 29 (1805).
*Joh. Kerner, Hort. Sempervir. t. 359 (1813).
*Trattinick, Ausg. Taf. Arch. iii. 234 (1814).
sanguinea Hanst.
Goebel, Organogr. Pfl. Ed. 2, i. 229 (1913).—*Veg.*
scandens Linn.
Plumier, Pl. Amer. Ed. Burm. t. 89, fig. 1 (1756); fide Urban, Fedde Repert. Beih. v. 55.
*Jacquin, Hort. Vind. iii. t. 48 (1776).
*Jacquin, Sel. Stirp. Amer. Hist. Picta, t. 170 [1780].
Browne, Hist. Jamaica, Ed. 2, t. 30 (1789).—*Fl.*
*Plantarum Indig. & Exot. Ic. ii [t. 74] (1789).
Lamarck, Ill. iii. t. 524, fig. 1 (1797).
*Trattinick, Ausg. Taf. Arch. iii. 233 (1814).
*Bot. Mag. xxxix. t. 1614 (1814); lxxxv. t. 5118 (1859).
*Lodd. Bot. Cab. v. t. 403 (1820).
*Bot. Reg. x. t. 805 (1824).
Martius, Nov. Gen. & Sp. Pl. Bras. t. 226 (1829). —*Fl.*
*Géel, Sert. Bot. Cl. 14 (1832).
Ann. Soc. Hort. Paris, xiv. 136 (1834).
*Rev. Hort. 1864, p. 231.
Schiedeana Schlechtd.
*Paxt. Mag. ix 31, 32 (1842).
*Bot. Mag. lxix. t. 4045 (1843).
Linnaea, xxvi. t. 3, fig. 66 (1853–55).—*Fl.*
Caspary in Schrift. Phys.-Oekon. Ges. Königsberg, i. 1. t. 6, fig. 1, 3, 7–12 (1860).—*Fl.*
Schnizlein, Iconogr. ii. t. 152 (1866–70).—*Fl.*
Rev. Gén. Bot. i. 133 (1889).—*Veg.*
Rev. Hort. 1892, p. 511.—*Hab.*
Pflanzenfam. iv. III. B. 170 (1894).—*Fl.*
splendens Paxt.
*Paxt. Mag. x. 5, 6 (1843).
tomentosa Örst.
Örsted in Dansk. Vid. Selsk. Skrift. Ser. V. v. t. 11, fig. 25–29 (1861).
×**vedrariensis** Hort.
*Rev. Hort. 1918, p. 168.
violacea Jacq. f.
*Jacquin, Ecl. Pl. ii. t. 164 (1844).

COLURIA R. Br.
geoides Ledeb.
Dutailly in Assoc. Franç. Avanc. Sc. 1902, Angers, Pt. 2, t. 5, fig. 3 (1903).—*Fr.*

COLUTEA Linn.
abyssinica Kunth & Bouché ex C. K. Schneider
Schneider, Ill. Handb. Laubh. ii. 91, 92 (1907).
aeschinomenoides Scop.
Scopoli, Del. Fl. & Faun. Insubr. iii. t. 12 (1788).
alpina Jacq.
Lamarck, Ill. iii. t. 624, fig. 4 (1797).—*Fr.*
aperta Mönch
*Schmidt, Oest. Allgem. Baumzucht, t. 119 (1792–1822).
*Krauss, Afb. Fraaiste Boom. & Heest. [t. 97] (1802).
arborea Réveil
*Réveil, Règne Vég. iv. t. 18 (1870).—*Fl.*
arborescens Linn.
*Kniphof, Herb. Viv. i. t. 283 (1758).
*Regnault, Bot. iii. 127 (1774).
*Joh. Kerner, Abbild. Oek. Pfl. (Fig. Pl. Écon.), ii. t. 190 (1788).
*Bot. Mag. iii. t. 81 (1789).
Gaertner, Fruct. ii. t. 154 (1791).—*Fr.*
Hoppe, Ect. Pl. Ratisb. t. 696 (1791).
*F. J. Schultz, Abb. Bäume, Staud. Sträuch. Oesterr. ii. t. 132 (1792).
*Schmidt, Oest. Allgem. Baumzucht, t. 117 (1792–1822).
C. K. Sprengel, Entd. Geheimn. Natur, t. 19, fig. 24–26, 28–34, 36 (1793).—*Fl.*
Lamarck, Ill. iii. t. 624, fig. 2 (1797).
*Krauss, Afb. Fraaiste Boom. & Heest. [t. 96] (1802).

COLUTEA
arborescens
*Duhamel, Arbres & Arbustes, Ed. 2, iii. t. 22 (1806).
*McDonald, Dict. Pract. Gard. i. t. 13 (1807).
*Jaume St.-Hilaire, Pl. France, i [t. 49] (1808).
*S. Edwards, New Bot. Gard. i. t. 13 (1812).
*Chaumeton, Fl. Méd. i. t. 51 (1815).
Colladon, Cass. t. 15 (1816).—*Veg.*
*Vietz, Ic. Pl. Med.-oec.-techn. v. t. 425 (1817).
*Guimpel, Willd. & Hayne, Abb. Deutsch. Holzart. ii. t. 133 (1820).
*Jaume St.-Hilaire, Traité Arbriss. & Arbust. i. t. 22 (1825).
*Krebs, Holzarten, t. 18, 142 (1826).
Berchtold & J. S. Presl, Rostlin. iii. t. 34 (1830–35).
*Sibthorp & Sm. Fl. Graeca, viii. t. 707 (1833).
Graves, Hort. Med. 159 (1834).—*Veg.*
*Mag. Bot. & Gard. iv. t. 67 (1836).
J. C. Loudon, Arbor. & Frutic. Brit. ii. 636; iv. 2552 (1838).
Meigen, Deutschl. Fl. iii. t. 121 (1842).—*Fl.*
*Spach, Hist. Nat. Vég. Phan. Atlas, t. 4 (1846).—*Fl.*
*Cassone, Fl. Med.-Farm. ii. t. 118 (1847).
Petermann, Deutschl. Fl. t. 21, fig. 164, p (1849). —*Fr.*
*Fiscali, Deutschl. Forstcult.-Pfl. t. 13, fig. 1, 2 (1858).
Willkomm, Deutsch. Laubhölz. im Winter, 42, fig. 69 (1859).—*Veg.*
Berg, Charakt. t. 67, fig. 510 (1861).
Pokorny, Oesterr. Holzpfl. 487, t. 77 (1864).—*Veg.*
Reichenbach, Ic. Fl. Germ. xxii. t. 141 (1867–86).
Gayffier, Herb. For. France, tab. (1868–73).
Le Maout & Decaisne, Traité Gén. Bot. 310 (1868).—*Fl.*
*Réveil, Règne Vég. iv. t. 5 (1870).—*Fl.*
*Cusin & Ansberque, Herb. Fl. Franç. vii. t. 1202 (1871).
Willkomm, Forstl. Fl. Deutschl. & Oesterr. 26 (1875).—*Fl.*
Karsten, Deutsche Fl. Pharm.-medic. Bot. 697 (1880–83).
*C. Hoffmann, Pflanzenatlas, t. 60, fig. 377 (1881).
Lauche, Deutsche Dendrol. Ed. 2, p. 696 (1883).
*Baillon, Ic. Fl. Franç. ii. t. 178 [1885–94].
*Bicknell, Fl. Pl. Riviera, t. 18 (1885).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xxiv. t. 2423 (1886).
Hager, Handb. Pharm. Prax. Ed. Nov. ii. 950 (1887).—*Veg.*
*Thomé, Fl. Deutschl. iii. t. 438 (1888).
Hempel & Wilhelm, Bäume u. Sträuch. iii. 107 [1889?].
Paolucci, Fl. Marchig. t. 35 (1890).
*Laguna, Fl. For. Españ. t. 60 (1890).
*Masclef, Atlas Pl. France, t. 83 (1893).
Acloque, Fl. France, 222 (1894).
Brehm, Merv. Nat. Monde des Pl. i. 473 (1894–96).—*Fl.*
Pflanzenfam. iii. III. 282 (1894).
Garcke, Ill. Fl. Deutschl. 142 (1895).
Karsten, Fl. Deutschl. ii. 250 (1895).
Fiori & Paol. Ic. Fl. Ital. 247 (1899).
L. H. Bailey, Cycl. Amer. Hort. 356 (1900); Stand. Cycl. Hort. 834 (1914).
Coste, Fl. France, i. 376 (1901).
*Sturm, Fl. Deutschl. Ed. 2, ix. t. 20 (1901).
Parkhurst, Trees, Shrubs, Vines N.E. United States, 395, t. 3, fig. 12 (1903).—*Veg.*
Schneider, Dendrol. Winterst. 80 (1903).—*Veg.*
Lazaro, Comp. Fl. Españ. ii. 279 (1907).
Schneider, Ill. Handb. Laubh. ii. 86, 88 (1907).
Beille, Bot. Pharm. ii. 861 (1909).
Heukels, Fl. Nederl. ii. 651 (1909).
Apgar, Orn. Shrubs U.S. 123, fig. 150 (1910).
*Esser, Giftpfl. Deutschl. t. 54 (1910).
Hayek, Fl. Steierm. i. 986 (1910).—*Fr.*
Fedtschenko & Fler. Fl. Eur. Russia, 563 (1910).
*Guinier, Atlas Arbres, Arbust. t. 90, 90 bis (1912).
Journ. Linn. Soc., Bot. xli. t. 1, fig. 14 (1912).—*Veg.*

COLUTEA
arborescens
*Gatin, Arbres, Arbustes, t. 72 (1913).
Bull. Soc. Dendr. France, 1913, p. 191.—*Veg.*
Cadevall & Sallent, Fl. Catalunya, ii. 159 (1916).
*Bonnier, Name This Flower, t. 15 (1917).
Tschirch, Handb. Pharmakog. ii. t. 65 (1917).—*Veg.*
Basu, Ind. Med. Pl. t. 300 (1918).
Goebel, Entfaltungsb. Pfl. 292 (1920).—*Fl.*
—— **microphylla** Tommas.
Tommasini in Verh. Zool.-Bot. Ges. Wien, xii. t. 15 (1862).
Reichenbach, Ic. Fl. Germ. xxii. t. 141 (1867–86).
armata Hemsl. & Lace
Journ. Linn. Soc., Bot. xxviii. t. 39 (1891).
armena Boiss. & Huet.
Schneider, Ill. Handb. Laubh. ii. 88, 89 (1907).
brevialata Lange
Schneider, Ill. Handb. Laubh. ii. 86, 88 (1907).
cilicica Boiss. & Bal.
Schneider, Ill. Handb. Laubh. ii. 88, 89 (1907).
cruenta Ait.
J. C. Loudon, Arbor. & Frutic. Brit. 636 (1838).
Ralph, Ic. Carpolog. t. 38 (1849).—*Fr.*
Pokorny, Oesterr. Holzpfl. 487, t. 77 (1864).—*Veg.*
Reichenbach, Ic. Fl. Germ. xxii. t. 142 (1867–86).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xxiv. t. 2424 (1886).
Hager, Handb. Pharm. Prax. Ed. Nov. ii. 950 (1887).—*Veg.*
Tschirch, Handb. Pharmakog. ii. t. 65 (1917).—*Veg.*
Delavayi Franch.
Franchet, Pl. Delav. t. 38 (1890).
Schneider, Ill. Handb. Laubh. ii. 91, 92 (1907).
frutescens Linn.
*Kniphof, Herb. Viv. i. t. 282 (1758).
Buchoz, Hist. Règne Vég. vi. Dec. 6, t. 1 (1775).
*Bot. Mag. vi. t. 181 (1792).
*Moriarty, Viridarium, Col. Plates Greenh. Pl. t. 7 (1806).
*Jaume St.-Hilaire, Traité Arbriss. & Arbust. i. t. 23 (1825).
Brehm, Merv. Nat. Monde des Pl. i. 510 (1894–96).
galegifolia Sims
*Bot. Mag. xxi. t. 792 (1804).
*Mordant de Launay, Herb. Amat. iii. t. 181 (1819) in ic.; *Swainsonia galegifolia* in textu.
*Cassone, Fl. Med.-Farm. ii. t. 120 (1847).
gracilis Freyn. & Sint.
Schneider, Ill. Handb. Laubh. ii. 91, 92 (1907).
herbacea Linn.
Gaertner, Fruct. ii. t. 154 (1791).—*Fr.*
Lamarck, Ill. iii. t. 624, fig. 5 (1797).—*Fr.*
humilis Scop.
Scopoli, Del. Fl. & Faun. Insubr. ii. t. 12 (1786).
*Schkuhr, Bot. Handb. Ed. 2, t. 204 (1808).
istria Mill.
*F. J. Schultz, Abb. Bäume, Staud. Sträuch. Oesterr. ii. t. 133 (1792).
Schneider, Ill. Handb. Laubh. ii. 86, 88 (1907).
×**media** Willd.
*P. W. Watson, Dendr. Brit. ii. t. 140 (1825).
*Mordant de Launay, Herb. Amat. viii. t. 524 (1827).
*Drapiez, Herb. Amat. Fl. vii. t. 484 (1834).
*Cassone, Fl. Med.-Farm. ii. t. 119 (1847).
Reichenbach, Ic. Fl. Germ. xxii. t. 140 (1867–86).
Dippel, Handb. Laubholzk. iii. 705 (1893).
Schneider, Ill. Handb. Laubh. ii. 86, 91 (1907).
Apgar, Orn. Shrubs U.S. 123, fig. 151 (1910).
melanocalyx Boiss. & Heldr.
Gard. Chron. Ser. III. xvi. 155 (1894).
Schneider, Ill. Handb. Laubh. ii. 88, 89 (1907).
nepalensis Sims
*Bot. Mag. liii. t. 2622 (1826).
*Bot. Reg. xx. t. 1727 (1835).
J. C. Loudon, Arbor. & Frutic. Brit. ii. 637 (1838).
Schneider, Ill. Handb. Laubh. ii. 89, 91 (1907).

COLUTEA
orientalis Lam.
*F. J. Schultz, Abb. Bäume, Staud. Sträuch. Oesterr. ii. t. 134 (1792).
*Schmidt, Oest. Allgem. Baumzucht, t. 118 (1792–1822).
*Joh. Kerner, Abbild. Oek. Pfl. (Fig. Pl. Écon.), vii. t. 651 (1794).
Cavanilles, Ic. iv. t. 307 (1797).
Lamarck, Ill. iii. t. 624, fig. 3 (1797).
*Krauss, Afb. Fraaiste Boom. & Heest. [t. 99] (1802).
*Duhamel, Arbres & Arbustes, Ed. 2, iii. t. 23 (1806).
*Schkuhr, Bot. Handb. Ed. 2, t. 204 (1808).
*Jaume St.-Hilaire, Traité Arbriss. & Arbust. i. t. 24 (1825).
*Petermann, Deutschl. Fl. t. 21, fig. 164, a–o (1849).—*Fl.*
Nees, Gen. Pl. fasc. xxix. t. 15 (1856).
Dippel, Handb. Laubholzk. iii. 707 (1893).
Schneider, Dendrol. Winterst. 80 (1903).—*Veg.*
Schneider, Ill. Handb. Laubh. ii. 91, 92 (1907).
Silva Tarouca, Freiland-Laubgehölze, 186 (1913).—*Hab.*
perennans Jacq.
Murray in Novi Comm. Soc. Sc. Göttingen. v. t. 7 (1774).
*Jacquin, Hort. Vind. iii. t. 3 (1776).
persica Boiss.
Schneider, Ill. Handb. Laubh. ii. 89, 91 (1907).
Pocockii Ait.
*Schmidt, Oest. Allgem. Baumzucht, t. 120 (1792–1822).
*Krauss, Afb. Fraaiste Boom. & Heest. [t. 98] (1802).
uniflora G. Beck
Schneider, Ill. Handb. Laubh. ii. 86, 91 (1907).

COLVILLEA Boj.
racemosa Boj.
*Bot. Mag. lxi. t. 3325, 3326 (1834).
Grandidier, Hist. Madag. [Plantes] Atlas, t. 24 d (1888).
*Neubert's Deutsch. Gart. Mag. 1896, p. 249.
Poisson, Rech. Fl. Mérid. Madag. 125 (1912).—*Fl.*
De Sornay, Green Manures in Tropics, 409 (1916).

COLYMBEA Salisb.: *Araucaria*
imbricata Baltet
Bull. Soc. Acclim. xxxix. 1. 47 (1892).—*Hab.*

COLYSIS Presl: *Polypodium*
membranacea J. Sm.
J. Smith, Ferns Brit. & Foreign, 97 (1866); Ed. 2, p. 97 (1879).

COLYTHRUM Schott: *Esenbeckia*
puberulum Schott
Schott, Rutaceae, t. 7 (1834).

COMACLINIUM Scheidw. & Planch.: *Dysodia*
aurantiacum Scheidw.
*Fl. des Serres, Ser. I. viii. t. 756, p. 23, t. 3 (1852–53).

COMANDRA Nutt.—Vide *Hamiltonia* Spreng.
elegans Reichb. f.
Schneider, Ill. Handb. Laubh. i. 245 (1904).
Erdész. Kisérl. (Rep. Hung. Forest Exp. St.), xvi. 277 (1914).
Hayek, Pflanzend. Oesterr.-Ung. i. 525 (1916).
livida Rich.
Hooker, Fl. Bor.-Amer. t. 179 (1840).
Chatin, Anat. Vég. Atlas, t. 60 (1856–91).—*Veg.*
Britton & Brown, Ill. Fl. N. States & Canada, i. 537 (1896); Ed. 2, i. 640 (1913).
pallida A. DC.
Britton & Brown, Ill. Fl. N. States & Canada, i. 536 (1896); Ed. 2, i. 640 (1913).
S. Brown, Alp. Fl. Rocky Mts. 74, t. 16 (1907).
F. E. & E. S. Clements, Rocky Mt. Fl. t. 33 (1914).
M. Armstrong, Field Book West. Wild Fl. 83 (1915).
umbellata Nutt.
Hooker, Fl. Bor.-Amer. t. 179 (1840).
Chatin, Anat. Vég. Atlas, t. 60 (1856–91).

COMANDRA
umbellata
Pflanzenfam. iii. 1. 221 (1889).—*Fl.*
Britton & Brown, Ill. Fl. N. States & Canada, i. 536 (1896); Ed. 2, i. 640 (1913).
H. M. & C. C. Hall, Yosemite Fl. 74 (1912).
L. H. Bailey, Stand. Cycl. Hort. 835 (1914).
*House, Wild Fl. New York (Mem. No. 15 N.Y. State Mus.), i. t. 28 (1918).

COMANTHOSPHACE Sp. Moore
japonica Sp. Moore
*Bot. Mag. cxxi. t. 7463 (1896).
Schneider, Ill. Handb. Laubh. ii. 607 (1911).

COMARELLA Rydb.
multifoliata Rydb.
Mem. Columbia Univ. ii. t. 96 (1898).
Möllers Deutsche Gärtn.-Zeit. xxii. 349 (1907).
Silva Tarouca, Freiland-Stauden, 68 (1910).—*Hab.*
sabulosa Rydb.
Mem. Columbia Univ. ii. t. 97 (1898).

COMAROPSIS A. Rich.: *Waldsteinia*
fragarioides Ser.
Nestler, Monogr. Potentilla, t. 1 (1816).—*Fl.*

COMAROSTAPHYLIS Zucc.: *Arctostaphylus*
arbutoides Lindl.
*Bot. Reg. xxix. t. 30 (1843).

COMARUM Linn.: *Potentilla*
palustre Linn.
*Kniphof, Herb. Viv. i. t. 284 (1758).
*Fl. Dan. iv. t. 636 (1775).
Gaertner, Fruct. i. t. 73 (1788).—*Fr.*
Hoppe, Ect. Pl. Ratisb. t. 556 (1790).
*Krocker, Fl. Siles. ii. 1. t. 14 (1790).
G. F. Hoffmann, Deutschl. Fl. t. 7 (1791).
*Sowerby & Sm. Engl. Bot. iii. t. 172 (1794).
Lamarck, Ill. iii. t. 444 (1797).
*Dreves & Hayne, Bot. Bilderbuch, iii. t. 20 (1798).
*Dreves & Hayne, Choix de Pl. t. 92 (1802).
Boissieu, Fl. Eur. ii. t. 357 (1805).
*Svensk Bot. v. t. 310 (1807).
*Kops, Fl. Batava, ii. t. 135 (1807).
*Schkuhr, Bot. Handb. Ed. 2, t. 138 (1808).
Thornton, Brit. Fl. iv. 100 (1812).
*Vietz, Ic. Pl. Med.-oec.-techn. Suppl. t. 25 (1822).
*Heger, Danske Oec. Pl. ii. t. 183 (1831).
Nouv. Mém. Acad. Sc. Bruxelles, ix. t. 1 (1835).—*Fr.*
*Zenker, Fl. Thüringen, vi. t. 604 (1836–55).
*Baxter, Brit. Bot. Ed. 2, iii. t. 197 (1837).
Meigen, Deutschl. Fl. ii. t. 97 (1837).—*Fl.*
[M. E.] Jackson, Pict. Fl. fig. 800 (1840).
*Dietrich, Fl. Boruss. xii. t. 824 (1844).
*Deakin, Florigr. Brit. ii. fig. 835 (1845).
Duchesne, Pl. Util. t. 104 (1846).
*Lorek, Fl. Pruss. Ed. 3, t. 127, fig. 681 (1848).
Ann. Hort. iv. 368 (1849).
*Petermann, Deutschl. Fl. t. 24, fig. 187 (1849).—*Fl.*
Johnson & Sowerby, Brit. Wild Fl. fig. 382 (1858–60).
*Johnson & Sowerby, Useful Pl. Gr. Brit. t. 7, fig. 75 (1861[–62]).
Journ. of Bot. iii. t. 33, fig. 12 (1865).—*Fl.*
Migout, Fl. Dépt. Allier, t. 6 (1866).—*Fl.*
Le Maout & Decaisne, Traité Gén. Bot. 303 (1868).
*Hogg & Johnson, Wild Fl. Gr. Brit. iv. t. 294 (1868).
*Cusin & Ansberque, Herb. Fl. Franç. viii (Rosacées), t. 59 (1870).
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, ii. t. 68 [1873].
*C. Hoffmann, Pflanzenatlas, t. 42, fig. 261 (1881).
Wagner, Ill. Deutsche Fl. Ed. 2, p. 248 (1882).
Willkomm, Führ. Reich Pflanzen, 655 (1882).—*Fl.*
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xxv. t. 2585 (1886).
*Thomé, Fl. Deutschl. iii. t. 409 (1888).
Potonié, Ill. Fl. Nord- u. Mittel-Deutschl. Ed. 4, fig. 409 (1889).

COMARUM
palustre
Pflanzenfam. ii. 1. 134, 140 (1889).—*Fl.*
*Heathcote, Fl. Engadine, t. 77 (1891).
Bot. Jaarb. Gent, iv. t. 3, fig. 7–9 (1892).—*Fl.*
*Meehan's Monthly, iii. t. 7 (1893).
Garcke, Ill. Fl. Deutschl. 190 (1895).
Britton & Brown, Ill. Fl. N. States & Canada, ii. 217 (1897); Ed. 2, ii. 258 (1913).
Mem. Columbia Univ. ii. t. 99 (1898).
Lindman, Bild. Nord. Fl. t. 302 (1901–5).
Coste, Fl. France, ii. 26 (1903).
Blytt, Haandb. Norg. Fl. Ed. Dahl, 434 (1906).
Suireishchikov, Ill. Fl. Mosc. Gov. ii. 251 (1907).
*Flahault, Nouv. Fl. Alpes & Pyrén. ii. t. 43 (1908).
Heukels, Fl. Nederl. ii. 560 (1909).
*Perrin & Boulger, Brit. Flower. Pl. ii. t. 123 (1914).
Cadevall & Sallent, Fl. Catalunya, ii. 278 (1916).
*House, Wild Fl. New York (Mem. No. 15 N.Y. State Mus.), i. t. 96 (1918).

COMBRETUM Linn.—Vide *Cacoucia, Campylogyne, Chrysostachys, Embryogonia, Forsgardia, Poivrea, Sheadendron*
abbreviatum Engler
Engler, Monogr. iii. Combretac. t. 21 (1899).
aculeatum Vent.
Engler, Monogr. iii. Combretac. t. 27 (1899).
Fiori, Boschi e Piante Legn. Eritrea, 279 (1909–12).
Agric. Colon., Ital. v. Suppl. 56 (1911).
adenogonium Steud.
Engler, Monogr. iii. Combretac. t. 15 (1899).—*Fl.*
Afzelii Engler & Diels
Engler, Monogr. iii. Combretac. t. 5 (1899).—*Fl.*
albidiflorum Engler & Diels
Engler, Monogr. iii. Combretac. t. 14 (1899).
altum DC.
De Candolle in Mém. Soc. Phys. & Hist. Nat. Genève, iv. t. 5 (1828).—*Fr.*
Engler Monogr. iii. Combretac. t. 4 (1899).
anfractuosum Mart.
Mart. Fl. Bras. xiv. II. t. 34 (1867).—*Fl.*
Antunesii Engler & Diels
Engler, Monogr. iii. Combretac. t. 18 (1899).—*Fr.*
apiculatum Sond.
Engler, Monogr. iii. Combretac. t. 12 (1899).
arengense Sim
Sim, For. Fl. Portug. E. Africa, t. 63 (1909).
argyrotrichum Welw.
Engler, Monogr. iii. Combretac. t. 9 (1899).
assimile Eichl.
Mart. Fl. Bras. xiv. II. t. 34 (1867).—*Fl.*
Aubletii DC.
Mart. Fl. Bras. xiv. II. t. 34 (1867).—*Fl.*
auriculatum Engler & Diels
Engler, Monogr. iii. Combretac. t. 24 (1899).
bajonese Sim
Sim, For. Fl. Portug. E. Africa, t. 63 (1909).
Benthamianum Van Heurck & Müll.-Arg.
Contrib. U.S. Nat. Herb. xviii. 246 (1916).—*Fl.*
Binderianum Kotschy
Kotschy in Sitzb. Akad. Wiss. Wien, li. 1. t. 5 (1865).
bipindense Engler & Diels
Engler, Monogr. iii. Combretac. t. 23 (1899).
Blanchetii Eichl.
Mart. Fl. Bras. xiv. II. t. 34 (1867).—*Fl.*
bongense Engler
Engler, Monogr. iii. Combretac. t. 17 (1899).
borumense Engler & Diels
Engler, Monogr. iii. Combretac. t. 19 (1899).
brachypetalum R. E. Fries
R. E. Fries, Schwed. Rhod.-Kong.-Exped. 1911–12, Bot. i. 1. t. 4, 13 (1914).
bracteatum Engler & Diels
Engler, Monogr. iii. Combretac. t. 29 (1899).
bracteosum Brandis
Pflanzenfam. iii. VII. 124 (1893).—*Fl.*
Engler, Monogr. iii. Combretac. t. 28 (1899).
Wood & Evans, Natal Pl. i. II. t. 77 (1899).
brevistylum Eichl.
Mart. Fl. Bras. xiv. II. t. 34 (1867).—*Fl.*
Bricchettii Engler & Diels
Engler, Monogr. iii. Combretac. t. 9 (1899).

COMBRETUM
Bruneelii De Wild.
De Wildeman, Études Fl. Bas- et Moyen-Congo (Ann. Mus. Congo), iii. t. 48 (1910).
Bugii Camb.
St.-Hilaire, Fl. Bras. Mérid. ii. t. 130 (1829).
calobotrys Engler & Diels
Engler, Monogr. iii. Combretac. t. 22 (1899).
camporum Engler
Engler, Monogr. iii. Combretac. t. 8 (1899).
capituliflorum Fenzl
Trans. Linn. Soc. London, xxix. t. 38 (1873).
Engler, Monogr. iii. Combretac. t. 24 (1899).
Carvalhoi Engler
Engler, Monogr. iii. Combretac. t. 21 (1899).
chinense Roxb.
Lecomte, Fl. Gén. Indo-Chine, ii. 708 (1920).
chionanthoides Engler & Diels
Engler, Monogr. iii. Combretac. t. 24 (1899).
cinereopetalum Engler & Diels
Engler, Monogr. iii. Combretac. t. 23 (1899).
coccineum Lam.
Lamarck, Ill. ii. t. 282, fig. 2 (1797).
Dict. Sc. Nat., Planch. Bot. Dicot. t. 221 (1816–29).
*Mordant de Launay, Herb. Amat. viii. t. 537 (1827).
*Drapiez, Herb. Amat. Fl. ii. t. 105 (1829).
Le Maout & Decaisne, Traité Gén. Bot. 286 (1868).
Baillon, Hist. Pl. vi. 260 (1877).—*Fl.*
*Gartenfl. xxxvi. t. 1263 (1887).
Brehm, Merv. Nat. Monde des Pl. ii. 6 (1894–96).
collinum Fresen.
Engler, Monogr. iii. Combretac. t. 17 (1899).
Fiori, Boschi e Piante Legn. Eritrea, 276, 279 (1909–12).
Agric. Colon., Ital. v. Suppl. 56 (1911).
comosum G. Don
*Bot. Reg. xiv. t. 1165 (1828).
Loudon, Mag. Nat. Hist. i. 275 (1828).
U.S. Dept. Agr. Bur. Pl. Industr. Pl. Immigrants, No. 162, t. 247 (1919).—*Hab.*
conchipetalum Engler & Diels
Engler, Monogr. iii. Combretac. t. 5 (1899).
confertum Laws.
Engler, Monogr. Combretac. t. 22 (1899).
constrictum Laws.
Engler, Monogr. iii. Combretac. t. 26 (1899).
cordofanum Engler & Diels
Engler, Monogr. iii. Combretac. t. 14 (1899).
coriaceum Schinz
Engler, Monogr. iii. Combretac. t. 13 (1899).
coriifolium Engler & Diels
Engler, Monogr. iii. Combretac. t. 22 (1899).
cuspidatum Planch.
Engler, Monogr. iii. Combretac. t. 5 (1899).
decandrum Jacq.
*Jacquin, Sel. Stirp. Amer. Hist. Picta, t. 260, fig. 27 [1780].—*Fr.*
decandrum Roxb.
*Roxburgh, Pl. Coromandel, i. t. 59 (1795).
Pflanzenfam. iii. VII. 123 (1893).—*Fl.*
deciduum Coll. & Hemsl.
Lecomte, Fl. Gén. Indo-Chine, ii. 741 (1920).—*Fr.*
Demeusei De Wild.
De Wildeman, Études Fl. Bas- et Moyen-Congo (Ann. Mus. Congo), iii. t. 49 (1910).
Denhardtiorum Engler & Diels
Engler, Monogr. iii. Combretac. t. 27 (1899).
deserti Engler
Engler, Monogr. iii. Combretac. t. 11 (1899).
dipterum A. Rich.
Ramon de la Sagra, Fl. Cubana, iv. Atlas, Pl. Vasc. t. 43 (1853); et Ic. Fl. Cub. Pl. Vasc. t. 43 (1863).
Eilkeri Schinz
Engler, Monogr. iii. Combretac. t. 19 (1899).
elaeagnoides Klotzsch
Engler, Monogr. iii. Combretac. t. 8 (1899).
elegans Camb.
St.-Hilaire, Fl. Bras. Merid. ii. t. 129 (1829).
Mart. Fl. Bras. xiv. II. t. 34 (1867).—*Fl.*
Pflanzenfam. iii. VII. 123 (1893).—*Fl.*
Knuth, Handb. Blütenbiol. iii. I. 529 (1904).—*Fl.*

COMBRETUM
Elliotii Engler & Diels
Engler, Monogr. iii. Combretac. t. 13 (1899).
ellipticum Sim
Sim, For. Fl. Portug. E. Africa, t. 63 (1909).
erianthum Benth.
Mart. Fl. Bras. xiv. II. t. 34 (1867).—*Fl.*
erythrophyllum Sond.
Engler, Monogr. iii. Combretac. t. 7 (1899).
Sim, For. Fl. Cape Colony, t. 69 (1907).
exalatum Engler
Engler, Monogr. iii. Combretac. t. 24 (1899).—*Fr.*
exannulatum Engler & Diels
Engler, Monogr. iii. Combretac. t. 25 (1899).—*Fl.*
extensum Roxb.
Rheede, Hort. Mal. vii. t. 23 (1688); fide Fl. Brit. Ind. ii. 458.
farinosum H. B. K.
Contrib. U.S. Nat. Herb. xviii. 242 (1917).—*Fl.*
Fischeri Engler
Engler, Monogr. iii. Combretac. t. 17 (1899).
floribundum Engler & Diels
Engler, Monogr. iii. Combretac. t. 4 (1899).
frangulifolium H. B. K.
H. B. K. Nov. Gen. vi. t. 538 (1823).
Flora, xlix. t. 3, fig. 9 (1866).—*Fl.*
Mart. Fl. Bras. xiv. II. t. 34 (1867).—*Fl.*
fulvo-tomentosum Engler & Diels
Engler, Monogr. iii. Combretac. t. 12 (1899).
fuscum Planch.
Engler, Monogr. iii. Combretac. t. 23 (1899).
gallabatense Schweinf.
Engler, Monogr. iii. Combretac. t. 16 (1899).
Fiori, Boschi e Piante Legn. Eritrea, 279 (1909–12).
Agric. Colon., Ital. v. Suppl. 56 (1911).
Galpinii Engler & Diels
Engler, Monogr. iii. Combretac. t. 10 (1899).
ghasalense Engler & Diels
Engler, Monogr. iii. Combretac. t. 15 (1899).—*Fl.*
glandulosum F. Hoffm.
Engler, Monogr. iii. Combretac. t. 18 (1899).
glomeruliflorum Sond.
Engler, Monogr. iii. Combretac. t. 7 (1899).
glutinosum Guill. & Perr.
*Guillemin, Perrottet & Richard, Fl. Seneg. Tent. t. 68 (1830–33).
Beille, Bot. Pharm. ii. 754, 755 (1909).
grandiflorum G. Don
*Bot. Mag. lvi. t. 2944 (1829).
*Bot. Reg. xix. t. 1631 (1833).
*Paxt. Mag. ix. 169 (1842).
Pflanzenfam. iii. VII. 107, 124 (1893).
Neger, Biol. Pflanz. 406 (1913).—*Veg.*
grandifolium F. Hoffm.
Engler, Monogr. iii. Combretac. t. 13 (1899).
Gueinzii Sond.
Engler, Monogr. iii. Combretac. t. 12 (1899).
Hartmannianum Schweinf.
Schweinfurth, Beitr. Fl. Aethiop. t. 3 (1867), & (sub Apocyn. Spec. indet.) Pl. Nilot. t. 14, 15 (1862).
Fiori, Boschi e Piante Legn. Eritrea, 279 (1909–12).
Agric. Colon., Ital. v. Suppl. 56 (1911).
Haullevilleanum De Wild.
De Wildeman, Études Fl. Katanga (Ann. Mus. Congo), i. t. 43 (1903).
Hensii Engler & Diels
Engler, Monogr. iii. Combretac. t. 25 (1899).
hereroense villosissimum Engler & Diels
Engler, Monogr. iii. Combretac. t. 19 (1899).
Heyneanum Wall.
*Wight in Hook. Bot. Misc. iii. Suppl. tab. 22 (1833).
Hildebrandtii Engler
Engler, Monogr. iii. Combretac. t. 24 (1899).
hobol Engler & Diels
Engler, Monogr. iii. Combretac. t. 11 (1899).
holosericeum Sond.
Harvey, Thes. Cap. i. t. 74 (1859).
Sim, For. Fl. Portug. E. Africa, t. 62 (1909).
Holstii Engler
Engler, Monogr. iii. Combretac. t. 28 (1899).
Illairii Engler
Engler, Monogr. iii. Combretac. t. 24 (1899).

COMBRETUM
imberbe Petersii Engler & Diels
Warburg, Kunene-Sambesi Exped. 65 (1903).—*Hab.*
Engler & Drude, Veget. Erde, ix. I. 2, p. 606 (1910).—*Hab.*
insculptum Engler & Diels
Engler, Monogr. iii. Combretac. t. 11 (1899).
ischnothyrsum Engler & Diels
Engler, Monogr. iii. Combretac. t. 28 (1899).
Jacquinii Griseb.
Mart. Fl. Bras. xiv. II. t. 34 (1867).—*Fl.*
karaguense Engler & Diels
Engler, Monogr. iii. Combretac. t. 18 (1899).
Kraussii Hochst.
Engler, Monogr. iii. Combretac. t. 8 (1899).
Sim, For. Fl. Cape Colony, t. 69 (1907).
lanceolatum Pohl
Ettingshausen, Blatt-Skel. Dikot. t. 81 (1861).—*Veg.*
Mart. Fl. Bras. xiv. II. t. 28, 34 (1867).
lasiopetalum Engler & Diels
Engler, Monogr. iii. Combretac. t. 20 (1899).
latialatum Engler
Engler, Monogr. iii. Combretac. t. 25 (1899).
latifolium G. Don
*Paxt. Mag. xii. 103 (1846).
Lawsonianum Engler & Diels
Engler, Monogr. iii. Combretac. t. 30 (1899).
laxiflorum Welw.
Engler, Monogr. iii. Combretac. t. 1 (1899).
laxum Aubl.
Aublet, Hist. Pl. Guiane Franç. iii. t. 137 (1775).
Gaertner, Fruct. i. t. 36 (1788).—*Fr.*
Lamarck, Ill. ii. t. 282, fig. 1 (1797).
*Schnizlein, Iconogr. iv. t. 261 (1866–70).—*Fr.*
Lecardii Engler & Diels
Engler, Monogr. iii. Combretac. t. 22 (1899).
leprosum Mart.
Mart. Fl. Bras. xiv. II. t. 29, 34 (1867).
littoreum Engler & Diels
Engler, Monogr. iii. Combretac. t. 25 (1899).
Loeflingii Eichl.
Mart. Fl. Bras. xiv. II. t. 34 (1867).—*Fl.*
lomuense Sim
Sim, For. Fl. Portug. E. Africa, t. 61 (1909).
lydenburgianum Engler & Diels
Engler, Monogr. iii. Combretac. t. 7 (1899).
Mannii Engler & Diels
Engler, Monogr. iii. Combretac. t. 22 (1899).
Mechowianum O. Hoffm.
Engler, Monogr. iii. Combretac. t. 16 (1899).—*Fl.*
mellifluum Eichl.
Flora, xlix. t. 3, fig. 6, 7 (1866).—*Fl.*
Mart. Fl. Bras. xiv. II. t. 30, 34 (1867).
—— **hyperteleiandra** Eichl.
Mart. Fl. Bras. xiv. II. t. 30 (1867).—*Fl.*
Menyhartii Engler & Diels
Engler, Monogr. iii. Combretac. t. 14 (1899).
meruense Engler
Engler, Monogr. iii. Combretac. t. 6 (1899).
mexicanum Humb. & Bonpl.
Humboldt & Bonpl. Pl. Aeq. t. 132 (1813).
micranthum G. Don
Perrot & Lefèvre in Trav. Labr. Méd. Écol. Pharm. Paris, i. 68 (1903); iii. 46 (1905).
Pobéguin, Fl. Guin. Franç. t. 39 (1906).
microlepidotum Engler
Engler, Monogr. iii. Combretac. t. 10 (1899).
micropetalum DC.
*Bot. Mag. xcii. t. 5617 (1866).
*Fl. des Serres, Ser. II. ix. t. 2018 (1873).
Gard. Chron. xxiv. 593 (1885).
Thays, Jard. Bot. Buenos Aires, 52 (1910).
microphyllum Klotzsch
Engler, Monogr. iii. Combretac. t. 21 (1899).
Sim, For. Fl. Portug. E. Africa, t. 62 (1909).
mittuense Engler & Diels
Engler, Monogr. iii. Combretac. t. 23 (1899).
molle Engler & Diels
Engler, Monogr. iii. Combretac. t. 24 (1899) in textu; *C. tetragonum* in ic.
monetaria Mart.
Mart. Fl. Bras. xiv. II. t. 34 (1867).—*Fl.*
mossambicense Engler
Engler, Monogr. iii. Combretac. t. 26 (1899).

COMBRETUM
mucronatum Schum. & Thonn.
Engler, Monogr. iii. Combretac. t. 6 (1899).
multiflorum Pampan.
Chiovenda, Result. Sc. Miss. Stefan.-Paoli Somal. Ital. t. 12 (1916).
multispicatum Engler & Diels
Engler, Monogr. iii. Combretac. t. 15 (1899).
mussaendiflorum Engler & Diels
Engler, Monogr. iii. Combretac. t. 25 (1899).—*Fl.*
myrtifolium Laws.
Sim, For. Fl. Portug. E. Africa, t. 64 (1909).
nanum Buch.-Ham.
Pflanzenfam. iii. VII. 124 (1893).—*Fl.*
nervosum Engler & Diels
Engler, Monogr. iii. Combretac. t. 29 (1899).
nitidum Spruce
Mart. Fl. Bras. xiv. II. t. 31 (1867).
Oatesii Rolfe
*Oates, Matabele Land, Ed. 2, App. v. Bot. t. 10 (1889).
oblongum F. Hoffm.
Engler, Monogr. iii. Combretac. t. 18 (1899).
obovatum F. Hoffm.
Engler, Monogr. iii. Combretac. t. 20 (1899).
obtusifolium Rich.
Miquel, Stirp. Surinam. t. 16 (1850); et in Nat. Verh. Holl. Maatsch. Wet. Haarlem, Ser. II. vii. t. 16 (1851).
odontopetalum Engler & Diels
Engler, Monogr. iii. Combretac. t. 18 (1899).
olivaceum Engler
Engler, Monogr. iii. Combretac. t. 5 (1899).
Oliverianum Engler
Engler, Monogr. iii. Combretac. t. 14 (1899).
ondongense Engler & Diels
Engler, Monogr. iii. Combretac. t. 18 (1899).
ovalifolium Roxb.
Talbot, For. Fl. Bombay, ii. 26 (1911).
padoides Engler & Diels
Engler, Monogr. iii. Combretac. t. 2 (1899).
paniculatum Vent.
Engler, Monogr. iii. Combretac. t. 21 (1899).
paradoxum Welw.
Engler, Monogr. iii. Combretac. t. 1 (1899).
parviflorum Reichb.
Reichenbach, Hort. Bot. t. 62 (1825).
parviflorum Eichl.
Mart. Fl. Bras. xiv. II. t. 34 (1867).—*Fl.*
parvifolium Engler
Engler, Monogr. iii. Combretac. t. 19 (1899).
parvulum Engler & Diels
Engler, Monogr. iii. Combretac. t. 20 (1899).
Passargei Engler
Engler, Monogr. iii. Combretac. t. 13 (1899).
patelliforme Engler
Engler, Monogr. iii. Combretac. t. 1 (1899).
paucinervium Engler
Engler, Monogr. iii. Combretac. t. 4 (1899).
Petersii Engler
Engler, Monogr. iii. Combretac. t. 2 (1899).
—— **Dielsii** Engler
Engler, Monogr. iii. Combretac. t. 2 (1899).
Petitianum A. Rich.
A. Richard, Tentam. Fl. Abyssin. Atlas, t. 49 [1847].
piriforme De Wild.
De Wildeman, Études Fl. Bas- et Moyen-Congo (Ann. Mus. Congo), i. t. 71 (1906).
pisoniiflorum Klotzsch
Peters, Reise Mossamb., Bot. t. 14 (1861).
Poggei Engler & Diels
Engler, Monogr. iii. Combretac. t. 25 (1899).
polystachyum Pittier
Contrib. U.S. Nat. Herb. xviii. 244 (1917).—*Fl.*
porphyrolepis Engler & Diels
Pole Evans, Pl. Geogr. S. Afr. t. 3 (1918).—*Hab.*
primigenum Marl. & Engler
Engler, Monogr. iii. Combretac. t. 3 (1899).
prunifolium Engler & Diels
Engler, Monogr. iii. Combretac. t. 8 (1899).
punctatum Bl.
Blume, Mus. Bot. Lugd.-Bat. ii. fig. 53 (1856).—*Fl.*
purpureiflorum Engler
Engler, Monogr. iii. Combretac. t. 26 (1899).

COMBRETUM
purpureum Vahl.
*Bot. Mag. xlvi. t. 2102 (1819).
*Bot. Reg. v. t. 429 (1820).
*Lodd. Bot. Cab. t. 563 (1821).
*C. McIntosh, Fl. & Pom. t. 31 (1829).
*Géel, Sert. Bot. Cl. 10 (1832).
*Journ. Jard. 1834, p. 218.
*Floricult. Cab. iii. 72 (1835).
Lindley, Veg. Kingd. 717 (1846).—*Fl.*
Paxt. Mag. xvi. 9 (1849).
quangense Engler & Diels
Engler, Monogr. iii. Combretac. t. 26 (1899).—*Fl.*
racemosum P. Beauv.
*P. Beauvais, Fl. Oware & Benin, t. 118 (1818).
*Guillemin, Perrottet & Richard, Fl. Seneg. Tent. t. 67 (1830–33).
Engler, Monogr. iii. Combretac. t. 23 (1899).—*Fl.*
Thonner, Blütenpfl. Afr. t. 114 (1908).
De Wildeman, Études Fl. Bangala & Ubangi, 47 (1911).
Bull. Soc. Bot. Belg. li. III. t. 34 (1913).
Raimbaultii Heck.
Ann. Mus. et Inst. Col. Marseille, 94 (1894).
Liverpool Univ. Inst. Comm. Res. Trop. ii. No. 4, p. 69 (1907).—*Veg.*
ramosissimum Engler & Diels
Engler, Monogr. iii. Combretac. t. 21 (1899).
Rautanenii Engler & Diels
Engler, Monogr. iii. Combretac. t. 19 (1899).
reticulatum Fres.
Mus. Senckenb. ii. t. 9 (1837).
salicifolium E. Mey.
Hook. Ic. Pl. vi. t. 592 (1843).
Pflanzenfam. iii. VII. 110, 122, 123 (1893).
Sim, For. Fl. Cape Colony, t. 69 (1907).
sambesiacum Engler & Diels
Engler, Monogr. iii. Combretac. t. 19 (1899).
Schinzii Engler
Engler, Monogr. iii. Combretac. t. 17 (1899).
Schumannii Engler
Engler, Monogr. iii. Combretac. t. 6 (1899).
secundum Jacq.
Jacquin, Sel. Stirp. Amer. Hist. t. 176 (1763).
Schweinfurthii Engler & Diels
Engler, Monogr. iii. Combretac. t. 14 (1899).—*Fr.*
*Jacquin, Sel. Stirp. Amer. Hist. Picta, t. 260, fig. 26 [1780].
Vellozo, Fl. Flum. iv. t. 4 (1827).
Schnizlein, Iconogr. iv. t. 261 (1866–70).—*Fr.*
somalense Engler & Diels
Engler, Monogr. iii. Combretac. t. 24 (1899).
splendens Engler
Engler, Monogr. iii. Combretac. t. 11 (1899).
—— **Nyikae** Engler
Engler, Monogr. iii. Combretac. t. 11 (1899).
stenophyllum R. E. Fries
R. E. Fries, Schwed. Rhod.-Kong.-Exped. 1911–12, Bot. i. I. t. 13 (1914).
suluense Engler & Diels
Engler, Monogr. iii. Combretac. t. 14 (1899).—*Fr.*
taborense Engler
Engler, Monogr. iii. Combretac. t. 16 (1899).
taitense Engler & Diels
Engler, Monogr. iii. Combretac. t. 24 (1899).
tenuipes Engler & Diels
Engler, Monogr. iii. Combretac. t. 3 (1899).
tenuispicatum Engler
Engler, Monogr. iii. Combretac. t. 10 (1899).
ternifolium Engler & Diels
Engler, Monogr. iii. Combretac. t. 14 (1899).—*Fr.*
tetragonum Laws.
Engler, Monogr. iii. Combretac. t. 24 (1899) in ic.; *C. molle* in textu.
Teuszii O. Hoffm.
Engler, Monogr. iii. Combretac. t. 18 (1899).
Thonneri De Wild.
De Wildeman, Études Fl. Bangala & Ubangi, t. 13 (1911).
tomentosum G. Don
Engler, Monogr. iii. Combretac. t. 1 (1899).
towarense Engler & Diels
Engler, Monogr. iii. Combretac. t. 3 (1899).

COMBRETUM
trichanthum Fres.
Schnizlein, Iconogr. iv. t. 261 (1866–70).
Engler, Monogr. iii. Combretac. t. 9 (1899).
Fiori, Boschi e Piante Legn. Eritrea, 276, 278 (1909–12).
Agric. Colon., Ital. v. Suppl. 55 (1911).
—— **angustifolium** Fiori
Fiori, Boschi e Piante Legn. Eritrea, 278 (1909–12).
Agric. Colon., Ital. v. Suppl. 55 (1911).—*Veg.*
trichopetalum Engler
Engler, Monogr. iii. Combretac. t. 28 (1899).
trifoliatum Vent.
Ventenat, Choix Pl. t. 58 (1803).
Trothae Engler & Diels
Engler, Monogr. iii. Combretac. t. 2 (1899).
truncatum Welw.
Sim, For. Fl. Portug. E. Africa, t. 62 (1909).
ukambense Engler
Engler, Monogr. iii. Combretac. t. 28 (1899).
ulugurense Engler & Diels
Engler, Monogr. iii. Combretac. t. 10 (1899).
umbricola Engler
Engler, Monogr. iii. Combretac. t. 5 (1899).
undulatum Engler & Diels
Engler, Monogr. iii. Combretac. t. 15 (1899).
Fiori, Boschi e Piante Legn. Eritrea, 279 (1909–12).
Agric. Colon., Ital. v. Suppl. 56 (1911).
usaramense Engler
Engler, Monogr. iii. Combretac. t. 19 (1899).
verticillatum Engler
Engler, Monogr. iii. Combretac. t. 16 (1899).
Volkensii Engler
Engler, Monogr. iii. Combretac. t. 7 (1899).
Wakefieldii Engler
Engler, Monogr. iii. Combretac. t. 20 (1899).
Wightianum Wall.
Wight, Ic. Pl. Ind. Or. i. t. 227 (1839).
Zenkeri Engler & Diels
Engler, Monogr. iii. Combretac. t. 20 (1899).
Zeyheri Sond.
Harvey, Thes. Cap. i. t. 75 (1859).
Transvaal Agric. Journ. iv. No. 16, t. 112 (1906).
Sim, For. Fl. Portug. E. Africa, t. 63 (1909).

COMES Buchoz
borealis Buchoz
*Buchoz, Herb. Col. Amér. [t. 3] (1783).

COMESPERMA Labill.: *Bredemeyera*
aemulum Steud.
Bull. Herb. Boiss. i. 366, fig. 12, b (1893).—*Fl.*
calymegum Labill.
Labillardière, Nov. Holl. Pl. t. 162 (1806).
*Charsley, Wild Fl. Melbourne, t. 13 (1867).
Bull. Herb. Boiss. i. 364, fig. 8 (1893).—*Fl.*
confertum Labill.
Labillardière, Nov. Holl. Pl. t. 161 (1806).
contractum Steud.
Bull. Herb. Boiss. i. 366, fig. 12, a (1893).—*Fl.*
corniculatum Steud.
Bull. Herb. Boiss. i. 366, fig. 12, c (1893).—*Fl.*
ericifolium Sulman
A. E. Sulman, Australian Wild Fl. Ser. II. t. 40 [1913].
ericinum DC.
Banks & Soland. Bot. Cook's Voy. i. t. 17 (1900).
F. Sulman, Wild Fl. N. S. Wales, ii. t. 12 (1914).
flavum DC.
Delessert, Ic. Pl. iii. t. 20 (1837).
Bull. Herb. Boiss. i. 367, fig. 15 (1903).—*Fl.*
floribundum St.-Hil.
Mém. Mus. Hist. Nat. Paris, xvii. 376, t. 29 (1828).—*Fl.*
St.-Hilaire, Fl. Bras. Merid. t. 91 (1829).
Oersted, Blomst. Bygn. Moelk. (Have-Tidende, ix), tab. fig. 9 (1843).—*Fl.*
gracile Paxt.
*Paxt. Mag. v. 145 (1838).
*Floricult. Cab. viii. 39 (1840).
Kunthianum St.-Hil. & Moq.-Tand.
Mém. Mus. Hist. Nat. Paris, xvii. 376, t. 29 (1828).—*Fl.*
St.-Hilaire, Fl. Bras. Merid. ii. t. 90 (1829).

COMESPERMA
laurifolium St.-Hil. & Moq.-Tand.
Mém. Mus. Hist. Nat. Paris, xvii. 376, t. 29 (1828).—*Fl.*
laxiusculum Steud.
Bull. Herb. Boiss. i. 363, fig. 5 (1893).—*Fl.*
parviflorum Steud.
Bull. Herb. Boiss. i. 365, fig. 10 (1893).—*Fl.*
polygaloides F. Muell.
F. Mueller, Pl. Victoria, i. t. 8 (1860–62).
F. Mueller, Key Syst. Victorian Pl. ii. fig. 13 (1885).
retusum Labill.
Labillardière, Nov. Holl. Pl. t. 160 (1806).
secundum Banks
Banks & Soland. Bot. Cook's Voy. i. t. 16 (1900).
sphaerocarpum Steetz.
F. M. Bailey, Compr. Cat. Queensl. Pl. 46 (1909–13).
virgatum Labill.
Labillardière, Nov. Holl. Pl. t. 159 (1806).
volubile Labill.
Labillardière, Nov. Holl. Pl. t. 163 (1806).
*L. A. Meredith, Bush Friends Tasmania, t. 5 (1860).
Chodat, Polygalac. (Mém. Genève, Suppl. vii), i. t. 12 (1891).—*Fr.*
Bull. Herb. Boiss. i. 368, fig. 18 (1893).

COMETES Linn.
abyssinica R. Br.
*Wallich, Pl. Asiat. Rar. i. t. 18 (1830).
Baillon, Hist. Pl. ix. 98 (1887).—*Fl.*
Pflanzenfam. iii. 1. b. 93 (1889).
Engler & Drude, Veget. Erde, ix. 1. 1. 40 (1910).
Wettstein, Handb. Syst. Bot. Ed. 2, p. 545 (1911).
—— **suffruticosa** R. Wagn. & Vierh.
Vierhapper in Denkschr. Akad. Wiss. Wien, lxxi. t. 2 (1907).
alterniflora Linn.
Lamarck, Ill. i. t. 76 (1791).
apiculata Decne.
Schnizlein, Iconogr. iii. t. 207 a (1866–70).
Glück, Blatt- & Blütenmorph. Stud. 424 (1919).
surattensis N. L. Burm.
N. L. Burman, Fl. Ind. t. 15 (1768).
*Wallich, Pl. Asiat. Rar. i. t. 17 (1830).
Wight, Ic. Pl. Ind. Or. v. t. 1785 (1852).

COMETIA Thou.
lucida Baill.
Grandidier, Hist. Madag. [Plantes] Atlas, t. 216 (1892).
Thouarsii Baill.
Grandidier, Hist. Madag. [Plantes] Atlas, t. 215 (1892).

COMINSIA Hemsl.
gigantea K. Schum.
Rumphius, Herb. Amboin. v. t. 62, fig. 1 (1747); fide Merrill, Interpret. Rumph. Herb. Amboin.
Pflanzenreich, Marantac. 47 (1902).—*Fl.*
Guppyi Hemsl.
Ann. Bot. v. t. 27 (1891).
minor Val.
Bull. Jard. Bot. Buitenzorg, Ser. III. ii. t. 11 (1920).

COMMELINA Linn.—Vide *Heterocarpus*
acuminata Ewart & McLellan
Ewart & Davies, Fl. N. Terr. 367, t. 7 (1917).
aequinoctialis P. Beauv.
*P. Beauvais, Fl. Oware & Benin, i. t. 38 (1806).
africana Linn.
*Kniphof, Herb. Viv. i. t. 285 (1758).
Buchoz, Hist. Règne Vég. xii. Dec. 3, t. 10 (1776).
*Schmidel, Ic. Pl. Ed. 2, ii. t. 30 (1783).
*Meerburg, Afb. Zeld. Gewass. t. 4 (1785).
Gaertner, Fruct. i. t. 15 (1788).—*Fr.*
*Meerburg, Pl. Rar. t. 4 (1789).
Lamarck, Ill. i. t. 35, fig. 3 (1791).—*Fl.*
*Redouté, Liliac. iv. t. 207 (1808).
Ann. Mus. Hist. Nat. Paris, xvi. 433, t. 21 (1810).—*Fr.*
*Bot. Mag. xxxv. t. 1431 (1811).
*Descourtilz, Fl. Pitt. & Méd. Antilles, vii. t. 518 (1829).
A. & C. De Candolle, Monogr. Phan. iii. t. 2, fig. 1 (1881).—*Fr.*
Pflanzenfam. ii. iv. 63 (1888).—*Fr.*

COMMELINA
africana
Edmonds & Marloth, Elem. Bot. S. Africa, 55 (1897).—*Veg.*
*Marloth, Fl. S. Africa, iv. 68, t. 18 (1915).
agraria Kunth
Webb & Berth. Hist. Nat. Iles Canar. iii. Phytogr. iii. t. 238 (1836–50).
Mart. Fl. Bras. iii. 1. t. 36 (1855).—*Fl.*
ambigua P. Beauv.
*P. Beauvais, Fl. Oware & Benin, i. t. 15 (1805).
angustifolia Michx.
Reichenbach, Hort. Bot. t. 143 (1828).
appendiculata C. B. Clarke
C. B. Clarke, Comm. & Cyrt. Beng. t. 13 (1874).
benghalensis Linn.
Murray in Comm. Soc. Sc. Göttingen, ii. t. 5 (1780).
Wight, Ic. Pl. Ind. Or. vi. t. 2065 (1853).
*C. B. Clarke, Comm. & Cyrt. Beng. t. 4 (1874).
Pflanzenfam. ii. iv. 64 (1888); 1. 145 (1889).—*Fl.*
Wien. Ill. Gart.-Zeit. xix. 35 (1894).—*Hab.*
*Useful Pl. Jap. ii. t. 380 (1895).
Knuth, Handb. Blütenbiol. iii. 1. 108 (1904).
Flora, xciii. 495 (1904).
Engler & Drude, Veget. Erde, ix. 11. 273 (1908).
Goebel, Organogr. Pfl. Ed. 2, i. 434 (1913).—*Fr.*
Presid. Coll. Bot. Bull. Madras, No. 22, t. 22 (1914).
Bose, Man. Ind. Bot. 112 (1920).
—— **cyanea** Hort.
Bull. Soc. Tosc. Ortic. xix. 173 (1894).—*Hab.*
beninensis P. Beauv.
*P. Beauvais, Fl. Oware & Benin, t. 87 (1807–18).
caelestis Willd.
*Sweet, Brit. Fl. Gard. i. t. 3 (1823).
*M. Roscoe, Fl. Illustr. Seasons, t. 47, frontisp. [1829–31].
*Fritzsche in Mém. Acad. Sc. Pétersb. Div. Sav. iii. t. 4, fig. 5, 6 (1837).—*Fl.*
*J. W. Loudon, Ladies' Fl.-Gard. Ornam. Perenn. ii. t. 96 (1844).
*Hulme & Hibberd, Familiar Gard. Fl. ii. 141 [1879–87].
Gartenfl. xxix. 345 (1880).
W. Robinson, Engl. Fl. Gard. t. 77 (1883).—*Hab.*
Svenska Vet. Akad. Handl. xxi. No. 4, t. 4 (1884).—*Fl.*
Nicholson, Illustr. Dict. Gard. i. 365 [1884–88].
Kerner, Pflanzenleben, ii. 353 (1891).—*Fl.*
Kerner & Oliv. Nat. Hist. Pl. ii. 357 (1895).—*Fl.*
Kronfeld, Atlas Pflanzengeogr. 121 (1899).—*Fl.*
L. H. Bailey, Cycl. Amer. Hort. 357 (1900); Stand. Cycl. Hort. 835 (1914).
Flora, xciii. 502 (1904).—*Fl.*
Fyson, Fl. Nilgiri & Pulney Hill-tops, ii. 266 (1915).
Garden, lxxxii. 51 (1918).
canescens Vahl
Webb & Berth. Hist. Nat. Iles Canar. iii. Phytogr. iii. t. 239 (1836–50).
clavata C. B. Clarke
C. B. Clarke, Comm. & Cyrt. Beng. t. 5 (1874).
A. & C. De Candolle, Monogr. Phan. iii. t. 2, fig. 2 (1881).—*Fr.*
Pflanzenfam. ii. iv. 63 (1888).—*Fr.*
Fyson, Fl. Nilgiri & Pulney Hill-tops, iii. 538 (1920).
communis Linn.
Dillenius, Hort. Eltham. Add. Denom. Linn. t. 78 (1774).
Gaertner, Fruct. i. t. 15 (1788).—*Fr.*
Lamarck, Ill. i. t. 35, fig. 1 (1791).
*Abbot & Smith, Nat. Hist. Lepidopt. Insects Georgia, ii. t. 95 (1797).
*Mirbel, Hist. Nat. Pl. viii. t. 29 (1806).
Vellozo, Fl. Flum. i. t. 75 (1827).
*Somoku Dzusetsu, Ed. 2, i. t. 33 (1874).
Bot. Jaarb. Gent, ii. t. 2, fig. 6, 18, 19 (1890).—*Fl.*
Britton & Brown, Ill. Fl. N. States & Canada, i. 376 (1896); Ed. 2, i. 458 (1913).
Fiori & Paol. Ic. Fl. Ital. 67 (1898).
Somoku Dzusetsu, Ed. Makino (Iconogr. Pl. Nippon), i. t. 33 (1907).
*Nat. Geogr. Mag. Washington, xxvii. 492 (1915).

COMMELINA
communis
*Addisonia, i. t. 20 (1916).
*House, Wild Fl. New York (Mem. No. 15 N.Y. State Mus.), i. t. 6 (1918).
—— **angustifolia** Nakai
Journ. Coll. Sc. Tokyo, xxxi. t. 19 (1911).
—— **hortensis** Makino
Somoku Dzusetsu, Ed. Makino (Iconogr. Pl. Nippon), i. t. 34 (1907).
communis Kunth
*C. B. Clarke, Comm. & Cyrt. Beng. t. 1 (1874).
crispa Wooton
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, i. 458 (1913).
cristata Linn.
N. L. Burman, Fl. Ind. t. 7 (1768).
cyanea R. Br.
F. M. Bailey, Weeds & Poison. Pl. Queensl. 201 (1906).
Dammeriana K. Schum.
Engl. Jahrb. xxiv. t. 6 (1897).
debilis Ledeb.
Reichenbach, Hort. Bot. t. 151 (1828).
deficiens Hook.
*Bot. Mag. liii. t. 2644 (1826).
deficiens Van Houtte
*Fl. des Serres, Ser. II. viii. t. 1824 (1869–70).
delicatula Schlecht.
*Gartenfl. iii. t. 104 (1854).
dianthifolia DC.
*Redouté, Liliac. vii. t. 390 (1813).
Ann. Jard. Bot. Buitenzorg, xxiv. t. 30, fig. 4 (1911).—*Veg.*
diffusa N. L. Burm.
N. L. Burman, Fl. Ind. t. 7 (1768).
dubia Jacq.
Jacquin, Obs. Bot. t. 59 (1768).
*Redouté, Liliac. vi. t. 359 (1812).
Ehrenbergiana Link, Klotzsch & Otto
*Link, Klotzsch & Otto, Ic. Pl. Rar. t. 30 (1840–44) in ic.; *C. scabra* in textu.
elegans H. B. K.
Mart. Fl. Bras. iii. 1. t. 37 (1855).—*Fr.*
Britton, Fl. Bermuda, 63 (1918).
erecta Linn.
Dillenius, Hort. Eltham. Add. Denom. Linn. t. 77 (1774).
*Redouté, Liliac. ii. t. 95 (1805); errore *Tradescantia virginica.*
Britton & Brown, Ill. Fl. N. States & Canada, i. 376 (1896); Ed. 2, i. 459 (1913).
fasciculata Ruiz & Pav.
Ruiz & Pavon, Fl. Peruv. & Chil. i. t. 72 (1798).
fluminensis Clos
Clos in Mém. Acad. Sc. Toulouse, Ser. VIII. v. II. 278, fig. 4 (1883).—*Veg.*
glabra G. F. W. Mey.
*Saunders, Ref. Bot. iii. t. 166 (1870).
gracilis Ruiz & Pav.
Ruiz & Pavon, Fl. Peruv. & Chil. i. t. 72 (1798).
*Bot. Mag. lviii. t. 3047 (1831).
graminifolia H. B. K.
Flora, xciii. 502 (1904)—*Fl.*; errore *C. graminiflora.*
Hasskarlii C. B. Clarke
C. B. Clarke, Comm. & Cyrt. Beng. t. 3 (1874).
hexandra Aubl.
Aublet, Hist. Pl. Guiane Franç. iii. t. 12 (1775).
hirsuta C. B. Clarke
Fyson, Fl. Nilgiri & Pulney Hill-tops, iii. 537 (1920).
hirtella Vahl
Britton & Brown, Ill. Fl. N. States & Canada, i. 375 (1896); Ed. 2, i. 459 (1913).
hispida Ruiz & Pav.
Ruiz & Pavon, Fl. Peruv. & Chil. i. t. 73 (1798).
Karwinskii Mart.
Bot. Jaarb. Gent, ii. t. 2, fig. 3–5, 20, 21 (1890).—*Fl.*
Kurzii C. B. Clarke
C. B. Clarke, Comm. & Cyrt. Beng. t. 8 (1874).
A. & C. De Candolle, Monogr. Phan. iii. t. 2, fig. 4 (1881).—*Fr.*
Pflanzenfam. ii. iv. 63 (1888).—*Fr.*

COMMELINA
longicaulis Jacq.
*Jacquin, Ic. Pl. Rar. ii. t. 294 (1786–93).
Britton, Fl. Bermuda, 63 (1918).
Martiana Seub.
Mart. Fl. Bras. iii. 1. t. 37 (1855).
mollis Jacq.
*Jacquin, Ic. Pl. Rar. ii. t. 293 (1786–93).
nervosa N. L. Burm.
N. L. Burman, Fl. Ind. t. 7 (1768).
nilagirica Steud.
Le Maout & Decaisne, Traité Gén. Bot. 596 (1868).—*Fl.*
Warming, Handb. Syst. Bot. Ed. Möbius, 224 (1902).—*Fl.*
nudicaulis N. L. Burm.
N. L. Burman, Fl. Ind. t. 8 (1768).
nudiflora Linn.
Rumphius, Herb. Amboin. vi. t. 9, fig. 2 (1750); fide Merrill, Interpret. Rumph. Herb. Amboin.
Reichenbach, Hort. Bot. t. 136 (1828).
A. & C. De Candolle, Monogr. Phan. iii. t. 1, fig. 5, 6 (1881).
Britton & Brown, Ill. Fl. N. States & Canada, i. 375 (1896); Ed. 2, i. 457 (1913).
L. H. Bailey, Cycl. Amer. Hort. 1826 (1902); Stand. Cycl. Hort. 3364 (1917).
Crevost & Lemarié, Cat. Prod. Indochine, i. 417 (1917).
obliqua Buch.-Ham.
C. B. Clarke, Comm. & Cyrt. Beng. t. 9 (1874).
A. & C. De Candolle, Monogr. Phan. iii. t. 2, fig. 3 (1881).—*Fr.*
Pflanzenfam. ii. IV. 63 (1888).—*Fr.*
Collett, Fl. Siml. 533 (1902).
Flora, xciii. 502 (1904).—*Fl.*
Koorders, Exkursionsfl. Java, i. 278 (1911).
Basu, Ind. Med. Pl. t. 981 (1918).
—— **Mathewii** C. B. Clarke
C. B. Clarke, Comm. & Cyrt. Beng. t. 11 (1874).
—— **viscida** C. B. Clarke
*C. B. Clarke, Comm. & Cyrt. Beng. t. 10 (1874).
paleata Hassk.
Presid. Coll. Bot. Bull. Madras, No. 33, t. 33 (1915).
pallida Willd.
*Willdenow, Hort. Berol. ii. t. 87 (1816).
Ramirez, Dat. Mat. Med. Mexic. i. 361 (1894).
papilionacea N. L. Burm.
N. L. Burman, Fl. Ind. t. 7 (1768).
parviflora Link
Reichenbach, Hort. Bot. t. 142 (1828).
persicariifolia DC.
*Redouté, Liliac. viii. t. 472 (1816).
Pohliana Seub.
Mart. Fl. Bras. iii. 1. t. 36 (1855).
polygama Roth.
Roemer, Collect. t. 2 (1809).—*Veg.*
polygama Blanco
*Blanco, Fl. Filip. t. 13 (1878–80).
polyspatha Wight
Wight, Ic. Pl. Ind. Or. vi. t. 2066 (1853).
praecox T. C. E. Fries
R. E. Fries, Schwed. Rhod.-Kong.-Exped. 1911–12, Bot. i. II. 221, t. 16 (1916).
prostrata Humb. & Bonpl.
*Gartenfl. xvii. t. 592 (1868).
rajmahlensis C. B. Clarke
C. B. Clarke, Comm. & Cyrt. Beng. t. 7 (1874).
robusta Kunth
Flora, xciii. 508 (1904).—*Fl.*
rubens DC.
*Redouté, Liliac. vii. t. 367 (1813).
salicifolia Roxb.
*C. B. Clarke, Comm. & Cyrt. Beng. t. 2 (1874).
A. & C. De Candolle, Monogr. Phan. iii. t. 1, fig. 7 (1881).—*Fr.*
Pflanzenfam. ii. IV. 63 (1888).—*Fr.*
scabra Benth.
*Link, Klotzsch & Otto, Ic. Pl. Rar. t. 30 (1840–44) in textu; *C. Ehrenbergiana* in ic.
Paxt. Fl. Gard. iii. 8 (1852–53).
Cottage Gard. ix. 35 (1853).
Selloviana Kunth
Mart. Fl. Bras. iii. 1. t. 36 (1855).
Wien. Ill. Gart.-Zeit. xxii. 288 (1897).—*Hab.*
Flora, xciii. 502 (1904).—*Fl.*

COMMELINA
Selloviana rosea Hort.
Gartenfl. l. 163 (1901).—*Hab.*
sikkimensis C. B. Clarke
*C. B. Clarke, Comm. & Cyrt. Beng. t. 6 (1874).
singularis Vell.
Vellozo, Fl. Flum. i. t. 76 (1827).
stricta Desf.
Reichenbach, Hort. Bot. t. 144 (1828).
subulata Roth
Cuoco, Fauna & Flora Eritrea, 91 (1897).
suffruticosa Bl.
C. B. Clarke, Comm. & Cyrt. Beng. t. 12 (1874).
A. & C. De Candolle, Monogr. Phan. iii. t. 2, fig. 5 (1881).—*Fr.*
Pflanzenfam. ii. IV. 63 (1888).—*Fr.*
Basu, Ind. Med. Pl. t. 982 (1918).
tuberosa Linn.
*Kniphof, Herb. Viv. i. t. 286 (1758).
Dillenius, Hort. Eltham. Add. Denom. Linn. t. 79 (1774).
*Schmidel, Ic. Pl. Ed. 2, ii. t. 49 (1783).
Gaertner, Fruct. i. t. 15 (1788).—*Fr.*
Lamarck, Ill. i. t. 35, fig. 2 (1791).—*Fl.*
*Andrews, Bot. Rep. vi. t. 399 (1804).
*Redouté, Liliac. ii. t. 108 (1805).
Ann. Mus. Hist. Nat. Paris, xvi. 433, t. 19 (1810).—*Veg.*
*Bot. Mag. xli. t. 1695 (1814).
*Mordant de Launay, Herb. Amat. ii. t. 114 (1817).
*Lodd. Bot. Cab. ii. t. 193 (1818).
*Drapiez, Herb. Amat. Fl. i. t. 42 (1828).
*Mag. Bot. & Gard. i. t. 7 (1833).
*Schnizlein, Iconogr. i. t. 48 (1845).
*Spach, Hist. Nat. Vég. Phan. Atlas, t. 75 (1846).
Journ. Hort. lvi. 260 (1876).
Bot. Jaarb. Gent, ii. t. 2, fig. 1, 2, 7–17 (1890).—*Fl.*
Baillon, Hist. Pl. xiii. 205, 206 (1894).
Ann. Jard. Bot. Buitenzorg, xxiv. t. 30, fig. 1–3 (1911).—*Veg.*
undulata Lodd.
*Lodd. Bot. Cab. xvi. t. 1553 (1829).
variabilis Schlechtd.
*Schlechtendal, Hort. Halensis, t. 7 [1841–53].
virginica Linn.
Barton, Elem. Bot. t. 10, fig. 1 (1804).
*Meehan, Native Fl. & Ferns U.S. Ser. II. i. t. 29 (1879).
*Meehan, Wayside Fl. t. 29 (1881).
Svenska Vet. Akad. Handl. xxi. No. 4, t. 4 (1884).—*Fl.*
Britton & Brown, Ill. Fl. N. States & Canada, i. 376 (1896); Ed. 2, i. 458 (1913).
Fiori & Paol. Ic. Fl. Ital. 67 (1898).
Lounsberry, Southern Wild Fl. & Trees, t. 13 (1901).
vulgaris DC.
*Schmidel, Ic. Pl. Ed. 2, ii. t. 40, 41 (1783).
*Redouté, Liliac. iv. t. 206 (1808).
Zanonia Linn.
Buchoz, Hist. Règne Vég. iii. Dec. 10, t. 7 (1775).
Gaertner, Fruct. i. t. 15 (1788).—*Fr.*
Lamarck, Ill. i. t. 35, fig. 4 (1791).—*Fl.*
*Redouté, Liliac. iv. t. 192 (1808).

COMMERSONIA Forst.
bartramia Merr.
Rumphius, Herb. Amboin. iii. t. 119 (1743); fide Merrill, Interpret. Rumph. Herb. Amboin.
dasyphylla Andr.
*Andrews, Bot. Rep. ix. t. 603 (1810).
echinata Forst.
Forster, Charact. Gen. Pl. t. 22 (1776).
Gaertner, Fruct. ii. t. 94 (1791).—*Fr.*
Lamarck, Ill. i. t. 218 (1797).
*Andrews, Bot. Rep. viii. t. 519 (1808).
Jahrb. Bot. Gart. Berlin, iv. t. 3, fig. 10 (1886).—*Fl.*
Pflanzenfam. iii. VI. 82 (1890).—*Fr.*
Banks & Soland. Bot. Cook's Voy. i. t. 22 (1900).
Lecomte, Fl. Gén. Indo-Chine, i. 512 (1910).—*Fl.*
Koorders & Val. Atlas Baumart. Java, t. 404 (1914).

COMMERSONIA
Fraseri J. Gay
Mém. Mus. Hist. Nat. Paris, x. 219, t. 15 (1823).
Guilfoyle, Austral. Pl. 276 [1911].—*Hab.*
Gaudichaudii J. Gay
Mém. Mus. Hist. Nat. Paris, x. 219, t. 14 (1823).
Jahrb. Bot. Gart. Berlin, iv. t. 3, fig. 11 (1886).—*Fl.*
platyphylla Andr.
*Bot. Mag. xliii. t. 1813 (1816).
Vidal, Sin. Fam. & Gen. Pl. Leñ. Filip. (Introd. Fl. For. Filip.), Atlas, t. 19, fig. D (1883).—*Fl.*
speciosa Salisb.
Sonnerat, Voy. Nouv. Guin. t. 8, 9 (1776); teste Salisb. Prodr. 355.

COMMIDENDRON Burch.
robustum DC.
*Melliss, St. Helena, t. 39 (1875).

COMMILOBIUM Benth.: *Pterodon*
abruptum Moric.
Moricand, Pl. Amér. t. 62 (1841).
polygaliflorum Benth.
Ettingshausen in Sitzb. Akad. Wiss. Wien, xii. IV. t. 16, fig. 3, 4 (1854).—*Veg.*

COMMIPHORA Jacq.—Vide *Balsamea*, *Balsamodendron*, *Balsamus*, *Heudelotia*, *Protium* Wight & Arn.
abyssinica Engl.
Pflanzenfam. iii. IV. 252 (1896).
Pharm. Journ. Ser. IV. viii. 77 (1899).
Fiori, Boschi e Piante Legn. Eritrea, 201 (1909–12).
Engler & Drude, Veget. Erde, ix. I. 1, p. 63 (1910); III. 1, p. 788 (1915).—*Fr.*
Agric. Colon., Ital. v. 273 (1911).
Engl. Jahrb. xlviii. 457 (1912).—*Fr.*
africana Engl.
Pharm. Journ. Ser. IV. viii. 79 (1899).
Fiori, Boschi e Piante Legn. Eritrea, 203 (1909–12).
Agric. Prat. Pays Chauds, ix. I. 499 (1909).—*Hab.*
Agric. Colon., Ital. v. 275 (1911).
Engl. Jahrb. xlviii. 461 (1912).—*Fr.*
Engler & Drude, Veget. Erde, ix. III. 1, p. 789 (1915).—*Fr.*
agallocha Engl.
Agric. Prat. Pays Chauds, ix. I. 497 (1909).—*Hab.*
albiflora Engl.
Engl. Jahrb. xxxiv. 310 (1904); xlviii. 457 (1912).
Engler & Drude, Veget. Erde, ix. I. 1, p. 183 (1910); III. 1, p. 788 (1915).—*Fr.*
anacardiifolia Dint. & Engl.
Engler & Drude, Veget. Erde, ix. III. 1, p. 788 (1915).—*Fr.*
berberidifolia Engl.
Engl. Jahrb. xlviii. 457 (1912).—*Fr.*
Engler & Drude, Veget. Erde, ix. III. 1, p. 788 (1915).—*Fr.*
Berryi Engl.
Engl. Jahrb. xlviii. 461 (1912).—*Fr.*
Engler & Drude, Veget. Erde, ix. III. 1, p. 789 (1915).—*Fr.*
betschuanica Engl.
Engler & Drude, Veget. Erde, ix. I. 2. t. 29 (1910).—*Hab.*
Karsten & Schenck, Veg.-Bild. viii. t. 6 (1910).—*Hab.*
Engl. Jahrb. xlvi. t. 2 (1911).—*Hab.*
Boiviniana Engl.
Engl. Jahrb. xlviii. 461 (1912).—*Fr.*
Engler & Drude, Veget. Erde, ix. III. 1, p. 789 (1915).—*Fr.*
calcicola Engl.
Engl. Jahrb. xlviii. 461 (1912).—*Fr.*
Engler & Drude, Veget. Erde, ix. III. 1, p. 789 (1915).—*Fr.*
campestris Engl.
Engler, Pflanzenw. Ost-Afr. Teil C, t. 25 (1895).
Engl. Jahrb. xlviii. 457 (1912).—*Fr.*
Engler & Drude, Veget. Erde, ix. III. 1, p. 788 (1915).—*Fr.*

COMMIPHORA
caryifolia Oliv.
Hook. Ic. Pl. xxiii. t. 2287 (1894).
Sim, For. Fl. Cape Colony, t. 25 (1907).
caudata Engl.
Engl. Jahrb. xlviii. 455 (1912).—*Fr.*
chlorocarpa Engl.
Engl. Jahrb. xlviii. 455 (1912).—*Fr.*
cinerea Engl.
Engl. Jahrb. xlviii. 455 (1912).—*Fr.*
Dekindtiana Engl.
Engl. Jahrb. xlviii. 455 (1912).—*Fr.*
Dinteri Engl.
L. Schultze, Namaland & Kalahari, 665 (1907).
Engl. Jahrb. xlviii. 461 (1912).—*Fr.*
Engler & Drude, Veget. Erde, ix. III. 1, p. 789 (1915).—*Fr.*
edulis Engl.
A. & C. De Candolle, Monogr. Phan. iv. t. 1, fig. 17, 18 (1883).—*Fl.*
Engl. Jahrb. xlviii. 455 (1912).—*Fr.*
Ellenbeckii Engl.
Engl. Jahrb. xlviii. 457 (1912).—*Fr.*
Engler & Drude, Veget. Erde, ix. III. 1, p. 788 (1915).—*Fr.*
Eminii Engl.
Engl. Jahrb. xlviii. 457 (1912).—*Fr.*
Engler & Drude, Veget. Erde, ix. III. 1, p. 788 (1915).—*Fr.*
erythraea Engl.
A. & C. De Candolle, Monogr. Phan. iv. t. 1, fig. 7–12 (1883).—*Fl.*
Pflanzenfam. iii. IV. 254 (1896).—*Fr.*
Pharm. Journ. Ser. IV. viii. 80 (1899).—*Fr.*
Fiori, Boschi e Piante Legn. Eritrea, 203 (1909–12).
Agric. Colon., Ital. v. 275 (1911).
Engl. Jahrb. xlviii. 457 (1912).—*Fr.*
Engler & Drude, Veget. Erde, ix. III. 1, p. 788 (1915).—*Fr.*
—— **glabrescens** Engl.
Pharm. Journ. Ser. IV. viii. 80 (1899).—*Veg.*
Fischeri Engl.
Engl. Jahrb. xlviii. 455 (1912).—*Fr.*
flabellulifera Chiov.
Chiovenda, Result. Sc. Miss. Stefan.-Paoli Somal. Ital. t. 5 (1916).
flaviflora Engl.
Engl. Jahrb. xxxiv. 305 (1904).
Engler & Drude, Veget. Erde, ix. I. 1, p. 183 (1910).
gallaënsis Engl.
Engler, Jahrb. xlviii. 461 (1912).—*Fr.*
Engler & Drude, Veget. Erde, ix. III. 1, p. 789 (1915).—*Fr.*
glabrata Engl.
Engl. Jahrb. xlviii. 461 (1912).—*Fr.*
Engler & Drude, Veget. Erde, ix. III. 1, p. 789 (1915).—*Fr.*
glaucescens Engl.
Engl. Jahrb. x. t. 10 (1888); xlviii. 455 (1912).
Pflanzenfam. iii. IV. 254 (1896).—*Fr.*
gurreh Engl.
Pharm. Journ. Ser. IV. viii. 78 (1899).—*Veg.*
Engl. Jahrb. xlviii. 455 (1912).—*Fr.*
Harveyi Engl.
A. & C. De Candolle, Monogr. Phan. iv. t. 1, fig. 19–21 (1883).—*Fl.*
Sim, For. Fl. Cape Colony, t. 25 (1907).—*Fl.*
Engl. Jahrb. xlviii. 457 (1912).—*Fr.*
Engler & Drude, Veget. Erde, ix. III. 1, p. 788 (1915).
Hildebrandtii Engl.
Pharm. Journ. Ser. IV. viii. 79 (1899).—*Veg.*
Drake-Brockman, Brit. Somaliland, 307, 308 (1912).
—— **gallaënsis** Engl.
Engler & Drude, Veget. Erde, ix. I. 1, p. 189 (1910).
iringensis Engl.
Engl. Jahrb. xlviii. 455 (1912).—*Fr.*
kataf Engl.
Pflanzenfam. iii. IV. 254 (1896).
Pharm. Journ. Ser. IV. viii. 80 (1899).
Beille, Bot. Pharm. ii. 624 (1909).—*Fl.*
Engl. Jahrb. xlviii. 461 (1912).—*Fr.*

COMMIPHORA
Krausei Engl.
Engl. Jahrb. xlviii. 455 (1912).—*Fr.*
madagascariensis Jacq.
*Jacquin, Hort. Schoenbr. ii. t. 249 (1797).
Berlin Jahrb. Pharm. viii. t. 2 (1802).
Marchandii Engl.
Engl. Jahrb. xlviii. 455 (1912).—*Fr.*
Mildbraedii Engl.
Engl. Jahrb. xlviii. 455 (1912).—*Fr.*
mollissima Engl.
Engl. Jahrb. xlviii. 461 (1912).—*Fr.*
Engler & Drude, Veget. Erde, ix. III. 1, p. 789 (1915).—*Fr.*
mombassensis Engl.
Engl. Jahrb. xlviii. 461 (1912).—*Fr.*
Engler & Drude, Veget. Erde, ix. III. 1, p. 789 (1915).—*Fr.*
morogorensis Engl.
Engl. Jahrb. xlviii. 455 (1912).—*Fr.*
mukul Engl.
Journ. Bombay Nat. Hist. Soc. xxvi. 228, t. 8 (1918).—*Hab.*
myrrha Engl.
Karsten, Fl. Deutschl. ii. 362 (1895).
Pflanzenfam. iii. IV. 254 (1896).
Pharm. Journ. Ser. IV. vii. 548 (1898); viii. 26, 27 (1899); xi. 236 (1900).—*Fr.*
Beille, Bot. Pharm. ii. 624 (1909).
Engl. Jahrb. xlviii. 457 (1912).—*Fr.*
Engler & Drude, Veget. Erde, ix. III. 1, p. 788 (1915).—*Fr.*
Youngken, Pharm. Bot. Ed. 2, p. 301 (1918).
—— **mol-mol** Engl.
Pharm. Journ. Ser. IV. viii. 27 (1899).
nigrescens Engl.
Engl. Jahrb. xlviii. 461 (1912).—*Fr.*
Engler & Drude, Veget. Erde, ix. III. 1, p. 789 (1915).—*Fr.*
nkolola Engl.
Engl. Jahrb. xlviii. 461 (1912); errore *C. ukolola* in ic.—*Fr.*
Engler & Drude, Veget. Erde, ix. III. 1, p. 789 (1915); errore *C. ukolola* in ic.—*Fr.*
Oliveri Engl.
Engl. Jahrb. xlviii. 461 (1912).—*Fr.*
Engler & Drude, Veget. Erde, ix. III. 1, p. 789 (1915).—*Fr.*
Opobalsamum Engl.
A. & C. De Candolle, Monogr. Phan. iv. t. 1, fig. 13–16 (1883).—*Fl.*
Karsten, Fl. Deutschl. ii. 363 (1895).—*Fr.*
Pflanzenfam. iii. IV. 253 (1896).
Pharm. Journ. Ser. IV. viii. 28 (1899).
Agric. Prat. Pays Chauds, ix. I. 506 (1909).—*Hab.*
Fiori, Boschi e Piante Legn. Eritrea, 201 (1909–12).
Engler & Drude, Veget. Erde, ix. I. 1, p. 62 (1910).
Agric. Colon., Ital. v. 273 (1911).
Drake-Brockman, Brit. Somaliland, 309 (1912).
Engl. Jahrb. xlviii. 455 (1912).—*Fr.*
pedunculata Engl.
Engl. Jahrb. xlviii. 461 (1912).—*Fr.*
Engler & Drude, Veget. Erde, ix. III. 1, p. 789 (1915).—*Fr.*
Pervilleana Engl.
Engl. Jahrb. xlviii. 457 (1912).—*Fr.*
Engler & Drude, Veget. Erde, ix. III. 1, p. 788 (1915).—*Fr.*
pilosa Engl.
Engler, Pflanzenw. Ost-Afr. Teil C, t. 25 (1895).
Engl. Jahrb. xlviii. 461 (1912).—*Fr.*
Engler & Drude, Veget. Erde, ix. III. 1, p. 789 (1915).—*Fr.*
planifrons Engl.
Engler & Drude, Veget. Erde, ix. I. 1, p. 211 (1910).
Playfairii Hook. f.
Pharm. Journ. Ser. IV. viii. 27 (1899).
Drake-Brockman, Brit. Somaliland, 310 (1912).—*Veg.*
pteleifolia Engl.
Engl. Jahrb. xlviii. 455 (1912).—*Fr.*
pubescens Engl.
Engl. Jahrb. xlviii. 455 (1912).—*Fr.*

COMMIPHORA
pyracanthoides Engl.
Engl. Jahrb. xlviii. 457 (1912).—*Fr.*
Engler & Drude, Veget. Erde, ix. III. 1, p. 788 (1915).—*Fr.*
quadricincta Schweinf.
Pflanzenfam. iii. IV. 254 (1896).—*Fr.*
Pharm. Journ. Ser. IV. viii. 28 (1899).
Fiori, Boschi e Piante Legn. Eritrea, 201 (1909–12).
Agric. Colon., Ital. v. 273 (1911).
Engl. Jahrb. xlviii. 457 (1912).—*Fr.*
Engler & Drude, Veget. Erde, ix. III. 1, p. 788 (1915).—*Fr.*
Rangeana Engl.
Engl. Jahrb. xlviii. 461 (1912).—*Fr.*
Engler & Drude, Veget. Erde, ix. III. 1, p. 789 (1915).—*Fr.*
Rehmannii Engl.
Engl. Jahrb. xlviii. 461 (1912).—*Fr.*
Engler & Drude, Veget. Erde, ix. III. 1, p. 789 (1915).—*Fr.*
Rivai Engl.
Pharm. Journ. Ser. IV. viii. 78 (1899).—*Fr.*
Engl. Jahrb. xlviii. 461 (1912).—*Fr.*
Engler & Drude, Veget. Erde, ix. III. 1, p. 789 (1915).—*Fr.*
Robecchii Engl.
Pharm. Journ. Ser. IV. viii. 28 (1899).—*Veg.*
rostrata Engl.
Pharm. Journ. Ser. IV. viii. 28 (1899).
rotundifolia Dint. & Engl.
Engl. Jahrb. xlviii. 461 (1912).—*Fr.*
Engler & Drude, Veget. Erde, ix. III. 1, p. 789 (1915).—*Fr.*
rugosa Engl.
Engl. Jahrb. xlviii. 461 (1912).—*Fr.*
Engler & Drude, Veget. Erde, ix. III. 1, p. 789 (1915).—*Fr.*
samharensis Schweinf.
Pflanzenfam. iii. IV. 254 (1896).—*Fr.*
Pharm. Journ. Ser. IV. viii. 78 (1899).
Engl. Jahrb. xlviii. 457 (1912).—*Fr.*
Engler & Drude, Veget. Erde, ix. III. 1, p. 788 (1915).—*Fr.*
saxicola Engl.
Engl. Jahrb. x. t. 10 (1888); xlviii. 461 (1912).
Engler & Drude, Veget. Erde, ix. III. 1, p. 789 (1915).—*Fr.*
Schimperi Engl.
Pflanzenfam. iii. IV. 254 (1896).—*Fl.*
Pharm. Journ. Ser. IV. viii. 78 (1899).
Engl. Jahrb. xlviii. 457 (1912).—*Fr.*
Engler & Drude, Veget. Erde, ix. III. 1, p. 788 (1915).—*Fr.*
serrata Engl.
Engl. Jahrb. xlviii. 457 (1912).—*Fr.*
Engler & Drude, Veget. Erde, ix. III. 1, p. 788 (1915).—*Fr.*
serrulata Engl.
Pharm. Journ. Ser. IV. viii. 78 (1899).—*Veg.*
Engl. Jahrb. xlviii. 457 (1912).—*Fr.*
Engler & Drude, Veget. Erde, ix. III. 1, p. 788 (1915).
simplicifolia Schweinf.
Agric. Prat. Pays Chauds, ix. I. 504 (1909).—*Hab.*
somalensis Engl.
Pharm. Journ. Ser. IV. viii. 79 (1899).
sphaerocarpa Chiov.
Chiovenda, Result. Sc. Miss. Stefan.-Paoli Somal. Ital. 49 (1916).
Stolzii Engl.
Engler & Drude, Veget. Erde, ix. III. 1, p. 795 (1915).
Stuhlmannii Engl.
Pflanzenfam. iii. IV. 254 (1896).—*Fr.*
tenuipetiolata Engl.
Engl. Jahrb. xlviii. 461 (1912).—*Fr.*
Engler & Drude, Veget. Erde, ix. III. 1, p. 789 (1915).—*Fr.*
ugogensis Engl.
Engl. Jahrb. xlviii. 461 (1912).—*Fr.*
Engler & Drude, Veget. Erde, ix. III. 1, p. 789 (1915).—*Fr.*

COMMIPHORA
ulugurensis Engl.
Engl. Jahrb. xlviii. 457 (1912).—*Fr.*
Engler & Drude, Veget. Erde, ix. III. 1, p. 788 (1915).—*Fr.*
virgata Engl.
Engl. Jahrb. xlviii. 455 (1912).—*Fr.*
virgata Chiov.
Chiovenda, Result. Sc. Miss. Stefan.-Paoli Somal. Ital. t. 5 (1916).
Woodii Engl.
Engl. Jahrb. xlviii. 457 (1912).—*Fr.*
Engler & Drude, Veget. Erde, ix. III. 1, p. 788 (1915).—*Fr.*
zanzibarica Engl.
Engl. Jahrb. xlviii. 455 (1912).—*Fr.*
Zimmermannii Engl.
Engl. Jahrb. xlviii. 457 (1912).—*Fr.*
Engler & Drude, Veget. Erde, ix. III. 1, p. 788 (1915).—*Fr.*

COMMIRRHAEA Miers: *Chrysochlamys*
mecocarpa Miers
Trans. Linn. Soc. London, xxi. t. 26 (1855).—*Fr.*

COMOCARPA Rydb.: *Potentilla*
fruticosa Rydb.
Rydberg in Mem. Univ. Columbia, ii. t. 101 (1898).

COMOCLADIA Linn.—Vide *Brasiliastrum*
acuminata Moc. & Sessé
A. De Candolle, Calq. Dess. Fl. Mex. Moc. & Sessé, t. 193 (1874).
dentata Linn.
Jacquin, Sel. Stirp Amer. Hist. t. 173 (1763).—*Veg.*
*Jacquin, Sel. Stirp. Amer. Hist. Picta, t. 259, fig. 2 [1780].—*Veg.*
*Descourtilz, Fl. Pitt. & Méd. Antilles, iii. t. 163 (1827).
A. & C. De Candolle, Monogr. Phan. iv. t. 13, fig. 24–31 (1883).—*Fl.*
Pflanzenfam. iii. v. 166 (1892).—*Fl.*
dodonaea Urb.
Plumier, Pl. Amer. Ed. Burm. t. 118, fig. 1 (1757); fide Urban, Fedde Repert. Beih. v. 63.
Engleriana Loes.
Bull. Herb. Boiss. iii. t. 17 (1895).
ilicifolia Sw.
Lamarck, Ill. i. t. 27, fig. 2 (1791).
Ettingshausen, Blatt-Skel. Dikot. t. 75 (1861).—*Veg.*
Pflanzenfam. iii. v. 166 (1892).
integrifolia Linn.
Lamarck, Ill. i. t. 27, fig. 1 (1791).
mollissima H. B. K.
H. B. K. Nov. Gen. vii. t. 607 (1825).
Bull. Herb. Boiss. iii. t. 17 (1895).—*Veg.*

COMOLIA DC.—Vide *Tetrameris*
amazonica Cogn.
Mart. Fl. Bras. xiv. III. t. 96 (1885).
bracteosa Huber
Huber in Bull. Soc. Bot. Genève, Ser. II. vi. 192 (1914).—*Fl.*
leptophylla Naud.
Trans. Linn. Soc. London, xxviii. t. 2, fig. 27 c (1871).—*Fl.*
microphylla Benth.
Trans. Linn. Soc. London, xxviii. t. 2, fig. 27 a (1871).—*Fl.*
ovalifolia Triana
Trans. Linn. Soc. London, xxviii. t. 2, fig. 27 d (1871).—*Fl.*
Sertularia Triana
Trans. Linn. Soc. London, xxviii. t. 2, fig. 27 f (1871).—*Fl.*
sessilis Triana
Trans. Linn. Soc. London, xxviii. t. 2, fig. 27 e (1871).—*Fl.*
Mart. Fl. Bras. xiv. III. t. 97 (1885).
stenodon maior Cogn.
Mart. Fl. Bras. xiv. III. t. 98 (1885).
vernicosa Triana
Trans. Linn. Soc. London, xxviii. t. 2, fig. 27 g (1871).—*Fl.*
Mart. Fl. Bras. xiv. III. t. 98 (1885).

COMOLIA
veronicifolia Benth.
Trans. Linn. Soc. London, xxviii. t. 2, fig. 27 b (1871).—*Fl.*
Mart. Fl. Bras. xiv. III. t. 96 (1885).
violacea Triana
Mart. Fl. Bras. xiv. III. t. 97 (1885).

COMOROA Oliv.: *Teclea*
pisocarpa Oliv.
Hook. Ic. Pl. xxv. t. 2408 (1895).

COMOSPERMA = *Comesperma*

COMOSTEMUM Nees: *Androtrichum*
montevidense Nees
Fenzl in Denkschr. Akad. Wiss. Wien, viii. t. 3 (1854).

COMPARETTIA Poepp. & Endl.
coccinea Lindl.
*Bot. Reg. xxiv. t. 68 (1838).
*Maund, Botanist, iv. t. 186 (1840).
*T. Moore, Illustr. Orchidac. Pl., Comparet. t. 1 (1857).
*Ill. Hort. xiii. t. 472 (1866).
*Floral World, 1875, p. 33.
*Bois, Dict. Hort. 356 (1893–99).
*Costantin, Atlas Orch. Cult. t. 13 (1913).—*Fl.*
cryptocera C. Morr.
*Belg. Hort. ii. t. 53, p. 311 (1852).
falcata Poepp. & Endl.
Poeppig & Endl. Nov. Gen. & Sp. Pl. i. t. 73 (1835).
*Bot. Mag. lxxxiii. t. 4980 (1857).
Journ. Hort. Ser. III. ii. 107 (1881); xvii. 309 (1888).—*Hab.*
Garden, xxvi. 50 (1884); xxxvi. 179 (1889).—*Hab.*
*Lindenia, iv. t. 163 (1888).
*Warner & Will. Orch. Album, viii. t. 359 (1889).
Kerchove, Livre Orch. 159 (1894).—*Fl.*
Mart. Fl. Bras. iii. VI. t. 42 (1904–6).
Fawcett & Rendle, Fl. Jamaica, i. t. 28 (1910).
*Costantin, Atlas Orch. Cult. 12, t. 13 (1913).—*Fl.*
macroplectron Reichb. f. & Triana
*Bot. Mag. cix. t. 6679 (1883).
*Garden, xxiii. 356 (1883).
*Warner & Will. Orch. Album, ii. t. 65 (1883).
Gard. Chron. xxiv. 365 (1885).—*Fl.*
Pflanzenfam. ii. VI. 192 (1889).—*Fl.*
Stein, Orchideenbuch, 162 (1892).—*Fl.*
Veitch, Man. Orch. Pl. Pt. 9, p. 166 (1893); Pt. 10, p. 21 (1894).—*Fl.*
Linden, Orchid. Exot. 670 (1894).—*Fl.*
Kerchove, Livre Orch. 119 (1894).—*Fl.*
B. S. Williams, Orchid-Grower's Man. Ed. 7, p. 212 (1894).—*Hab.*
*Lindenia, xiv. t. 664 (1899).
*Costantin, Atlas Orch. Cult. t. 13 (1913).—*Fl.*
Orch. World, vi. 82 (1916).—*Fl.*
—— **punctatissimum** Cogn.
*Cogniaux, Dict. Icon. Orch., Compar. t. 1 (1899).
paulensis Cogn.
Mart. Fl. Bras. iii. VI. t. 120 (1904–6).
rosea Lindl.
*Paxt. Mag. x. 1 (1843).
*Fl. des Serres, Ser. I. ii. t. 6 (Mai, 1846).
saccata Poepp. & Endl.
Poeppig & Engl. Nov. Gen. & Sp. Pl. i. t. 72 (1835).
speciosa Reichb. f.
*Warner & Will. Orch. Album, v. t. 233 (1886).
Journ. Hort. Ser. III. xxxiii. 399 (1896).
*Lindenia, xv. t. 673 (1899).

COMPERIA C. Koch
taurica C. Koch
Pflanzenfam. ii. VI. 87 (1889).—*Fl.*
Kerchove, Livre Orch. 23 (1894).—*Fl.*

COMPSONEURA Warb.
capitellata Warb.
Nov. Act. Acad. Nat. Cur. lxviii. t. 1 (1897).—*Fl.*
costaricensis Warb.
Contrib. U.S. Nat. Herb. xviii. t. 58 (1916).—*Fr.*
debilis Warb.
Nov. Act. Acad. Nat. Cur. lxviii. t. 3 (1897).

COMPSONEURA
Sprucei Warb.
Nov. Act. Acad. Nat. Cur. lxviii. t. 3 (1897).
Trianae Warb.
Nov. Act. Acad. Nat. Cur. lxviii. t. 3 (1897).

COMPTERIS Hort.: *Lonchitis*
Brazzaiana Linden
Wien. Ill. Gart.-Zeit. xxvi. 194 (1901).
Cat. Hort. Colon. Bruxelles, 12 (1901).—*Hab.*

COMPTONIA Banks: *Myrica*
antiqua Nilss.
Amer. Nat. xl. t. 4, p. 524 (1906).—*Veg.*
aspleniifolia Banks
Gaertner, Fruct. ii. t. 90 (1791).—*Fr.*
*Krauss, Afb. Fraaiste Boom. & Heest. [t. 111] (1802).
*Mirbel, Hist. Nat. Pl. x. t. 53 [1802–6].
*Duhamel, Arbres & Arbustes, Ed. 2, ii. t. 11 (1804).
*Barton, Med. Bot. i. t. 19 (1817).
*P. W. Watson, Dendr. Brit. ii. t. 166 (1825).
Rafinesque, Med. Fl. i. t. 24 (1828).
J. C. Loudon, Arbor. & Frutic. Brit. iv. 2060 (1838).
Lindley, Veg. Kingd. 256 (1846).
*Good, Family Flora, i. t. 23 (1854).
Ettingshausen in Sitzb. Akad. Wiss. Wien, xxviii. 478 (1858).—*Veg.*
Ettingshausen in Denkschr. Akad. Wiss. Wien, xv. t. 6, fig. 22–24 (1858).—*Veg.*
Ettingshausen, Blatt-Skel. Dikot. t. 1 (1861).—*Veg.*
Le Maout & Decaisne, Traité Gén. Bot. 531 (1868).—*Fl.*
*Emerson, Trees & Shrubs Massachusetts, Ed. 2, i. 255 (1875).
Berge, Pflanzenphysiogn. 144 (1880).
Lochman, Phot. Med. Pl. t. 28 (1898).
Schneider, Dendrol. Winterst. 146 (1903).—*Veg.*
Schneider, Ill. Handb. Laubh. i. 72, 74 (1904).
Wettstein, Handb. Syst. Bot. Ed. 2, p. 496 (1911).—*Fl.*
Stone, Pl. Southern New Jersey (Ann. Rep. New Jersey State Mus. 1910), t. 54 (1911).
Merck's Rep. (Pract. Journ. Pharm.), xxiii. 192 (1914).
Contrib. Bot. Lab. Univ. Pennsylvania, iv. t. 82 (1919).
parvifolia Heer
Amer. Nat. xl. t. 4, p. 524 (1906).—*Veg.*
parvula Heer
Amer. Nat. xl. t. 4, p. 524 (1906).—*Veg.*
peregrina Coult.
Britton & Brown, Ill. Fl. N. States & Canada, i. 489 (1896); Ed. 2, i. 586 (1913).
Lounsberry, Southern Wild Fl. & Trees, t. 38 (1901).
Keeler, Our North. Shrubs, 445 (1903); Ed. 2, p. 445 (1912).
Hare, Caspari & Rusby, Nat. Stand. Dispens. 989 (1905).—*Veg.*
Amer. Nat. xl. t. 1–3, p. 521 (1906).—*Veg.*
U.S. Dep. Agric. Bur. Pl. Indust. Bull. No. 219, p. 9 (1911).
Clements, Rosend. & Butters, Minnesota Trees & Shrubs, 269 (1912).

CONAMI Aubl.: *Phyllanthus*
brasiliensis Aubl.
Aublet, Hist. Pl. Guiane Franç. iv. t. 354 (1775).

CONANDRIUM Mez
polyanthum Mez
Pflanzenreich, Myrsinac. 157 (1902).
Pflanzenfam. Nachtr. 3, iv. 273 (1907).

CONANDRON Sieb. & Zucc.
ramondioides Sieb. & Zucc.
Siebold & Zuccarini in Abh. Akad. Wiss. München, iii. III. t. 3, fig. e 1–e 7 (1843).—*Fl.*
Somoku Dzusetsu, Ed. 2, iv. t. 4 (1874).
*Bot. Mag. cvi. t. 6484 (1880).
Garden, xxx. 197 (1886); li. 6 (1897).
Yatabe, Ic. Fl. Jap. i. II. t. 34 (1892).
*Useful Pl. Jap. iii. t. 864 (1895).
Möllers Deutsche Gärtn.-Zeit. xii. 109 (1897).

CONANDRON
ramondioides
Somoku Dzusetsu, Ed. Makino (Iconogr. Pl. Nippon), iv. t. 4 (1907).
Gard. Chron. Ser. III. lxiv. 256 (1918).—*Hab.*

CONANTHERA Ruiz & Pav.—Vide *Cummingia*
bifolia Ruiz & Pav.
Ruiz & Pavon, Fl. Peruv. & Chil. iii. t. 301 (1802).
*Lodd. Bot. Cab. x. t. 904 (1824).
Trans. Linn. Soc. London, xxiv. t. 53 (1864).—*Fl.*
bifolia Sims
*Bot. Mag. li. t. 2496 (1824).
campanulata Lindl.
*Hooker, Exot. Fl. iii. t. 214 (1827).
*Bot. Reg. xiv. t. 1193 (1828).
Géel, Sert. Bot. Cl. 6 (1832).
*Reichenbach, Fl. Exot. iv. t. 263 (1835).
*J. W. Loudon, Ladies' Fl.-Gard. Ornam. Bulb. Pl. t. 49 (1841) in ic.; *Cummingia campanulata* in textu.
Schnizlein, Iconogr. i. t. 55 b (1849).—*Fl.*
Echeandia Pers.
*Link & Otto, Ic. Pl. Rar. t. 3 (1828–31).

CONANTHUS S. Wats.—Vide *Eutoca*
aretioides S. Wats.
Pflanzenfam. iv. III. A. 66 (1893).
M. Armstrong, Field Book West. Wild Fl. 415 (1915).

CONCEVEIBA Aubl.
cordata A. Rich.
Jussieu, Euphorb. t. 13 (1824).—*Fl.*
guianensis Aubl.
Aublet, Hist. Pl. Guiane Franç. iv. t. 353 (1775).
Jussieu, Euphorb. t. 13 (1824).—*Fl.*
Baillon, Euphorb. t. 21, fig. 13 (1858).—*Fl.*
Mart. Fl. Bras. xi. II. t. 55 (1874).
Pflanzenreich, Euphorb.-Acal.-Mercurial. 215 (1914).
latifolia Benth.
Baillon, Euphorb. t. 21, fig. 12 (1858).—*Fl.*

CONCHIDIUM Griff.: *Eria*
pusillum Griff.
Griffith, Ic. Pl. Asiat. t. 310, 351 A, fig. 22 (1851).

CONCHIUM Sm.: *Hakea*
aciculare Sm.
*Ventenat, Jard. Malm. t. 111 (1803).
cornutum Gaertn. f.
Gaertner f., Fruct. iii. t. 219 (1807).—*Fr.*
dactyloides Vent.
*Ventenat, Jard. Malm. t. 110 (1803).
drupaceum Gaertn. f.
Gaertner f., Fruct. iii. t. 219 (1807).—*Fr.*
nervosum Gaertn. f.
Gaertner f., Fruct. iii. t. 219 (1807).—*Fr.*
salicifolium Gaertn. f.
Gaertner f., Fruct. iii. t. 219 (1807).—*Fr.*
teretifolium Gaertn. f.
Gaertner f., Fruct. iii. t. 219 (1807).—*Fr.*

CONCHOCARPUS Mikan: *Cusparia*
citrifolius Mikan
Ettingshausen, Blatt-Skel. Dikot. t. 79 (1861).—*Veg.*
cuneifolius Nees & Mart.
Nov. Act. Acad. Nat. Cur. xi. t. 21 (1823).
macrophyllus Mikan
*Mikan, Del. Fl. & Faun. Bras. [t. 2] (1820).
Nov. Act. Acad. Nat. Cur. xi. t. 18 (1823).—*Fl.*

CONCHOPETALUM Radlk.
madagascariense Radlk.
Grandidier, Hist. Madag. [Plantes] Atlas, t. 250, a (1893).

CONCHOPHYLLUM Bl.: *Dischidia*
imbricatum Bl.
Rumphius, Herb. Amboin. v. t. 175, fig. 3 (1747); fide Merrill, Interpret. Rumph. Herb. Amboin.
*Blanco, Fl. Filip. t. 212 (1878–80).
Beccari, Malesia, ii. t. 60 (1886).
Goebel, Pflanzenbiol. Schild. i. 231 (1889).
Malpighia, iv. t. 5, fig. 3, 4 (1890).—*Veg.*
Ann. Jard. Bot. Buitenzorg, xii. t. 17 (1895).—*Hab.*

CONCHOPHYLLUM
maximum Karst.
Ann. Jard. Bot. Buitenzorg, xii. t. 18 (1895).—*Hab.*

CONDALIA Ruiz & Pav.: *Coccocypselum*
repens Ruiz & Pav.
Ruiz & Pavon, Fl. Peruv. & Chil. i. t. 84 (1798).

CONDALIA Cav.
buxifolia Reiss.
Mart. Fl. Bras. xi. I. t. 24, 28 (1861).
Henriquezii Bold.
Boldingh, Fl. Dutch W. Ind. Isl. ii. t. 7 (1914).
infectoria Reiss.
Mart. Fl. Bras. xi. I. t. 24 (1861).—*Veg.*
microphylla Cav.
Ann. Hist. Nat. Madrid, i. t. 4 (1799).
Cavanilles, Ic. vi. t. 525 (1801): *Ziziphus mirtoides* Ort., vide vi. 83.
Ann. Sc. Nat. Paris, x. Atlas, t. 12 (1827).—*Fl.*
J. C. Loudon, Arbor. & Frutic. Brit. ii. 541 (1838).
Hauman-Merck in An. Mus. Nac. Hist. Nat. Buenos Aires, xxiv. 322 (1913).
Trab. Inst. Bot. Farm. Buenos Aires, xxxiv. 65 (1916).—*Hab.*
obovata Hook.
Hook. Ic. Pl. iii. t. 287 (1840).
Gray & Sprague, Gen. Fl. Amer. ii. t. 164 (1849).
Rep. Commissioner Patents Agric. Washington, 1857, t. 7, fig. 3 (1858).
Sargent, Silva N. Amer. ii. t. 57 (1892).
Sargent, Man. Trees N. Amer. 658 (1905).
Britton, N. Amer. Trees, 674 (1908).
spatulata A. Gray
Cannon in Carnegie Inst. Washington, Publ. No. 98, t. 2 (1908); No. 131, t. 21 (1911).—*Veg.*

CONDAMINEA DC.—Vide *Maeroenemum* Ruiz & Pav.
corymbosa DC.
Trans. Russ. Hort. Soc. 1860, t. 20.
Mart. Fl. Bras. vi. VI. t. 124 (1889).
Pflanzenfam. iv. IV. 17 (1891).—*Fr.*
—— **subsessilis** Regel
Gartenfl. ix. t. 294 (1860).
macrophylla Poepp. & Endl.
*Réveil, Règne Vég. iii. t. 45 (1870).—*Veg.*

CONDYLOCARPON Desf.
gracile Miers
Miers, Apocyn. S. Amer. t. 4 (1878).
guianense Desf.
Mém. Mus. Hist. Nat. Paris, viii. 121 (1822).
Rauwolfiae Müll.-Arg.
Mart. Fl. Bras. vi. I. t. 19 (1860).
Pflanzenfam. iv. II. 140 (1895).—*Fl.*
Glück, Blatt- & Blütenmorph. Stud. t. 2 (1919).—*Veg.*
—— **acuminulata** Müll.-Arg.
Mart. Fl. Bras. vi. I. t. 20 (1860).

CONDYLOCARPUS G. F. Hoffm.: *Tordylium*
apulus G. F. Hoffm.
G. F. Hoffmann, Gen. Umbell. Ed. 2, t. 3, fig. 3 (1816).—*Fr.*
officinalis Koch
*J. W. Loudon, Brit. Wild Fl. Ed. 2, t. 38 [1846].

CONGDONIA Müll.-Arg.
caerulea Müll.-Arg.
Mart. Fl. Bras. vi. V. t. 64 (1881).
Pflanzenfam. iv. IV. 117 (1891).—*Fl.*

CONGEA Roxb.
azurea Wall.
Wight, Ic. Pl. Ind. Or. iv. t. 1479 (1849).
*Wight, Illustr. Ind. Bot. ii. t. 173 bis (1850).—*Fl.*
tomentosa Roxb.
*Roxburgh, Pl. Coromandel, iii. t. 293 (1819).
Wight, Ic. Pl. Ind. Or. iv. 't. 1479 b or 1565' (1849).
Pflanzenfam. iv. III. A. 180 (1895).—*Fl.*
Knuth, Handb. Blütenbiol. iii. II. 78 (1905).—*Fl.*
D. D. Cunningham, Plagues & Pleasures Bengal, t. 29 (1907).—*Hab.*
Gard. Chron. Ser. III. liv. 399 (1913).—*Hab.*
Trop. Agric. xl. No. 1, p. 20 (1913); xlvi. No. 4, p. 262 (1916).

CONGEA
velutina Wight
Wight, Ic. Pl. Ind. Or. iv. t. 1479 (1849), *C. villosa* errore; '1479 c or 1566' (1849).
*Wight, Illustr. Ind. Bot. ii. t. 173 bis (1850).—*Fl.*

CONIOGRAMME Fée—Vide *Dictyogramme*
fraxinea Fée
Pflanzenfam. i. IV. 261 (1899).
Engler & Drude, Veget. Erde, ix. II. 36 (1908).
B. Fedtschenko & Fler. Fl. Sibirica, i. 29 (1909).
javanica Fée
Fée, Mém. Foug. v. t. 14 (1850–52).
J. Smith, Ferns Brit. & Foreign, 127 (1866); Ed. 2, p. 127 (1879).
parvipinnula Hayata
Hayata, Ic. Pl. Formosan. iv. 238 (1914).
serrulata Fée
Fée, Mém. Foug. v. t. 14 (1850–52).

CONIOSELINUM Fisch.
canadense Torr. & Gray
*Torrey, Fl. State New York, i. t. 35 (1843).
Bot. Gaz. xii. 15 (1887).—*Fr.*
chinense Britton, Sterns & Pogg.
Britton & Brown, Ill. Fl. N. States & Canada, ii. 512 (1897); Ed. 2, ii. 636 (1913).
Fischeri Wimm. & Grab.
*Lorek, Fl. Pruss. Ed. 3, t. 78, fig. 422 (1848).
*Petermann, Deutschl. Fl. t. 36, fig. 280 (1849).—*Fl.*
Reichenbach, Ic. Fl. Germ. xxi. t. 1919 (1864).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xxvii. t. 2789 (1886).
Gmelinii Steud.
*Fl. Dan. Suppl. t. 133 (1874).
Contrib. U.S. Nat. Herb. vii. 149 (1900).—*Fr.*
kamtschaticum Rupr.
Miyabe & Miyake, Fl. Saghalin, t. 7 (1915).
tataricum G. F. Hoffm.
G. F. Hoffmann, Gen. Umbell. Ed. 2, frontisp. fig. 5 (1816).—*Fr.*
Winkler in Verh. Bot. Ver. Brandenb. xxxi. t. 1 (1890).—*Veg.*
Garcke, Ill. Fl. Deutschl. 255 (1895).
Pflanzenfam. iii. VIII. 108 (1897).—*Veg.*
Blytt, Haandb. Norg. Fl. Ed. Dahl, 537 (1906).
Suireishchikov, Ill. Fl. Mosc. Gov. ii. 410 (1907).
Fedtschenko & Fler. Fl. Eur. Russia, 700 (1910).
Oesterr. Bot. Zeitschr. lxi. 5 (1911).
Hayek, Pflanzend. Oesterr.-Ung. i. 227 (1914).
—— **tenuisecta** Schrenk
Oesterr. Bot. Zeitschr. lxi. 4 (1911).
univittatum Turcz.
*Useful Pl. Jap. ii. t. 428 (1895).

CONIUM Linn.
africanum Linn.
Hill, Veget. Syst. vi. t. 21 (1764).
*Jacquin, Hort. Vind. i. t. 194 (1772).
Arracacha Hook.
*Hooker, Exot. Fl. ii. t. 152 (1825).
dichotomum Desf.
Desfontaines, Fl. Atlant. i. t. 66 (1798).
maculatum Linn.
*Kniphof, Herb. Viv. i. t. 287 (1758).
Hill, Veget. Syst. vi. t. 21 (1764).
Hill, Herb. Brit. i. t. 73 (1769).
Buchoz, Hist. Règne Vég. i. Dec. 7, t. 1 (1773).
*Regnault, Bot. ii. 49 (1774).
*Jacquin, Fl. Austr. ii. t. 156 (1774).
*Curtis, Fl. Londin. i. fasc. I. t. 17 (1777); Ed. 2, i. fasc. I. t. 17 (1817).
*Zorn, Ic. Pl. Med. i. t. 48 (1779).
Hoppe, Ect. Pl. Ratisb. t. 171 (1788).
*Plenck, Ic. Pl. Med. ii. t. 183 (1789).
*Woodville, Med. Bot. i. t. 22 (1790); Ed. 3, i. t. 42 (1832).
C. K. Sprengel, Entd. Geheimn. Natur, t. 9, fig. 42, 43 (1793).—*Fl.*
*Oskamp, Afb. Artseny-Gewass. i. t. 48 (1796); vii. t. 84 (1813).
Vellozo, Fl. Alogr. t. 18 (1798).
*Vietz, Ic. Pl. Med.-oec.-techn. i. t. 59 (1800).
*Sowerby & Sm. Engl. Bot. xvii. t. 1191 (1803).
Boissieu, Fl. Eur. i. t. 189 (1805).
*Hayne, Getreue Darst. Arzn. Gewächse, i. t. 31 (1805).

CONIUM
maculatum
Rousseau, Bot. t. 29 (1805).
*Svensk Bot. iv. t. 226 (1805).
G. Savi, Mat. Med. Veg. Toscana, t. 49 (1805).
*Roques, Pl. Usuell. Indig. & Exot. i. t. 36 (1807).
*Kops, Fl. Batava, ii. t. 104 (1807).
*Schkuhr, Bot. Handb. Ed. 2, t. 62 (1808).
*Hill, Family Herbal, t. 26 (1812); fide Ed. Thornton, Brit. Fl. ii. 103 (1812).
*Vigneux, Fl. Pitt. Envir. Paris, t. 19 (1812).
G. F. Hoffmann, Gen. Umbell. t. 1 A, fig. 3; t. 1 B, fig. 13 (1814); Ed. 2, t. 1 A, fig. 3; t. 1 B, fig. 13; t. 3, fig. 1 (1816).—*Fl.*
*Chaumeton, Fl. Méd. iii. t. 120 (1816).
Dict. Sc. Nat., Planch. Bot. Dicot. t. 110 (1816–29).
*Bigelow, Amer. Med. Bot. i. t. 11 (1818).
*Sterler, Eur. Med. Fl. t. 71 (1820).
*Heger, Herb. Pharm. [t. 29] (1822–25).
*Waller, New Brit. Domest. Herb. t. 16 (1822).
*Mann, Deutschl. Wildwachs. Arzney-Pfl. [t. 52] (1823–28).
Nov. Act. Acad. Nat. Cur. xii. 1. t. 10 (1824).—*Fr.*
*Heger, Giftpl. 6 (1827).
Gaudin, Fl. Helv. ii. t. 7 (1828).—*Fr.*
*Nees, Pl. Offic. ii. t. 282 (1828).
Rafinesque, Med. Fl. i. t. 25 (1828).
*Wagner, Pharm.-Med. Bot. i. t. 99 (1828).
*Mann, Deutschl. Giftpfl. t. 8 (1829).
*Fl. Med. [Spratt], i. 143 (1829).
*Schlechtendal & Guimpel, Abb. Pharm. Boruss. Gew. i. t. 12 (1830).
Delle Chiaje, Fl. Med. ii. tab. (1832).
*Graves, Hort. Med. t. 37 (1834).
Mutel, Fl. Française, t. 20 (1834).—*Fr.*
*Stephenson & Churchill, Med. Bot. New Ed. i. t. 13 (1834).
*Roques, Phytogr. Médic. Nouv. Ed. Atlas, t. 83 (1835).
*Fl. Dan. xiii. t. 2168 (1836).
*A. Henry, Giftpfl. Deutschl. [t. 21] (1836).
*F. A. W. Miquel, Noord-Nederl. Verg. Gewas. t. 22 (1836).
*Spratt, Med.-Bot. Pocket Book, 42 [1836].
*Zenker, Fl. Thüringen, ii. t. 199 (1836–55).
*Brandt & Ratzeb. Deutschl. Phanerog. Giftgew. t. 25 (1838).
*Baxter, Brit. Bot. Ed. 2, iv. t. 303 (1839).
[M. E.] Jackson, Pict. Fl. fig. 445 (1840).
*Deakin, Florigr. Brit. i. fig. 475 (1841).
Leighton, Fl. Shropshire, 133 [t. 8] (1841).—*Fr.*
Cosson & Germ. Fl. Paris, Atlas, t. 13 (1845).—*Fr.*
Duchesne, Pl. Util. t. 76 (1846).
*Carson, Ill. Med. Bot. i. t. 41 (1847).
*Lorek, Fl. Pruss. Ed. 3, t. 72, fig. 396 (1848).
*Cassone, Fl. Med.-Farm. iii. t. 206 (1848).
Lindley, Med. & Oecon. Bot. 247 (1849).
*Petermann, Deutschl. Fl. t. 40, fig. 309 (1849).—*Fl.*
*Berge & Riecke, Giftgewächse, t. 20 (1850).
*Burnett, Pl. Util. iv. t. 103, a (1850).
*G. F. W. Meyer, Fl. Hanover, t. 16 (1850).
Flora, xxxiv. t. 12 (1851).—*Veg.*
*E. Hamilton, Fl. Homoeopath. i. t. 26 (1852).
*Good, Family Flora, ii. t. 71 (1854).
C. Johnson, Brit. Poison. Pl. t. 7 (1856).
Irvine, Illustr. Handb. Brit. Pl. 579, 604 (1858).
Johnson & Sowerby, Brit. Wild Fl. fig. 573 (1858–60).
*Pečirka, Giftgew. Oesterr. Deutschl. [t. 17] (1859).
Berg, Charakt. t. 59, fig. 450 (1861).
*Berg & Schmidt, Darst. u. Beschr. Offiz. Gew. iii. t. 24, e (1861).
*Johnson & Sowerby, Useful Pl. Gr. Brit. t. 10, fig. 110 (1861[–62]).
Provancher, Fl. Canad. i. 258 (1862).
*Artus, Atlas Pharm. Deutschl. Aufg. Offic. Gew. t. 129 [1862–74].
*Argenta, Album Fl. Med.-Farm. ii. t. 142 (1863).
Bentham, Handb. Brit. Fl. fig. 446 (1865).
*Syme, Engl. Bot. iv. t. 629 (1865).
*Schubert, Naturg., Pflanzenreich, Ed. 2, t. 15, fig. 4 [1865].

CONIUM
maculatum
Cesati, Passer. & Gibelli, Comp. Fl. Ital. t. 95 (1867–86).—*Fl.*
Reichenbach, Ic. Fl. Germ. xxi. t. 2032 (1867).
*Cusin & Ansberque, Herb. Fl. Franç. x (Ombellifères), t. 182 (1869).
Dunster, Coll. Handyb. Bot. t. 2 (1871).
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, iii. t. 91 [1873].
*Hogg & Johnson, Wild Fl. Gr. Brit. viii. t. 600 (1874).
Nobbe, Handb. Samenkunde, 462 (1876).—*Fr.*
De Lanessan in Assoc. Franç. Avanc. Sc. 1877, Le Havre, t. 7, fig. 24, 31–33 (1878).—*Fl.*
De Silvestri, Piante Prat. 295 (1879).
Baillon, Hist. Pl. vii. 133, 134 (1880).
*Bentley & Trim. Med. Pl. ii. t. 118 (1880).
Karsten, Deutsche Fl. Pharm.-medic. Bot. 859 (1880–83).
*C. Hoffmann, Pflanzenatlas, t. 20, fig. 121 (1881).
Garden, xxii. 533 (1882).
Wagner, Ill. Deutsche Fl. Ed. 2, p. 347 (1882).
Willkomm, Führ. Reich Pflanzen, 596 (1882).—*Fr.*
Schilling, Grundr. Naturg. ii. Pflanzenr. Ausgb. A, p. 104 (1882); Ausgb. B, p. 220 (1884).
*Lesacher & Mareschal, Nouv. Bot. Méd. iv [t. 11] (1883).
Baillon, Traité Bot. Méd. Phan. ii. 1057, 1058 (1884).
Johnson, Man. Med. Bot. N. Amer. 154 (1884).
Harz, Samenkunde, ii. 1060 (1885).—*Fr.*
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xxvii. t. 2859 (1886).
*Millspaugh, American Med. Pl. t. 68 (1887).
Bot. Gaz. xii. 63 (1887).—*Fr.*
Cornevin, Pl. Vénén. 369 (1887).
Hager, Handb. Pharm. Prax. Ed. Nov. i. 367, 943 (1887).
*Köhler, Med. Pfl. i [t. 57] (1887).
*Thomé, Fl. Deutschl. iii. t. 385 (1888).
Dujard.-Beaumetz & Égasse, Pl. Méd. 182, 183 (1889).
Potonié, Ill. Fl. Nord- u. Mittel-Deutschl. Ed. 4, fig. 371 (1889).
Paolucci, Fl. Marchig. t. 31 (1890).
G. Beck, Fl. Nied.-Oesterr. ii. 1. 607 (1892).—*Fr.*
*Leclerc du Sablon, Nos Fleurs, 13, t. 2 [1892].
*Masclef, Atlas Pl. France, t. 143 (1893).
*Schimpfky, Uns. Heilpfl. i. t. 45 [1893–94].
Acloque, Fl. France, 325 (1894).—*Fl.*
Brehm, Merv. Nat. Monde des Pl. ii. 85 (1894–96).
Garcke, Ill. Fl. Deutschl. 272 (1895).
Karsten, Fl. Deutschl. ii. 427 (1895).
*Kohl, Off. Pfl. Pharm. Germ. t. 83 (1895).
New Zeal. Dep. Agric. Rep. No. 3, p. 130 (1895).
Agric. Gaz. N. S. Wales, vii. 80 (1896).
*Siélain, Atlas Poche Pl. Champs, Prair. & Bois, Ser. II. t. 92 (1896).
Post, Fl. Syria, Palestine & Sinai, 328 [1896].—*Fr.*
Britton & Brown, Ill. Fl. N. States & Canada, ii. 532 (1897); Ed. 2, ii. 653 (1913).
Knuth, Handb. Blütenbiol. ii. 1. 473 (1898).—*Fl.*
Lochman, Phot. Med. Pl. t. 142 (1898).
Pflanzenfam. iii. VIII. 168 (1898).—*Fr.*
U.S. Dep. Agric. Farm. Bull. No. 86, p. 25 (1898); No. 188, p. 40 (1904).
U.S. Dep. Agric. Div. Bot. Bull. No. 20, p. 43 (1898).
*Warlich, Russk. Lekarst. Rast. (Russ. Med. Pl.), ii. t. 42 (1899).
Halsted in Bull. New Jersey Agric. St. No. 135, p. 6 (1899).
Gradmann, Pflanzenl. Schwäb. Alb, Ed. 2, ii. 247 (1900).
Pharm. Journ. Ser. IV. x. 435, 436 (1900).
Fiori & Paol. Ic. Fl. Ital. 283 (1901).
Lindman, Bild. Nord. Fl. t. 264 (1901–5).
C. T. Green, Fl. Liverpool Distr. fig. 242 (1902).
Warming, Handb. Syst. Bot. Ed. Möbius, 380 (1902).—*Fr.*
*Losch, Kräuterb. t. 47 (1903).
Coste, Fl. France, ii. 226 (1903).

CONIUM
maculatum
*Sturm, Fl. Deutschl. Ed. 2, xii. t. 38 (1904).
Merino, Fl. Galicia, i. 595 (1905).
*Step, Wayside & Woodl. Bloss. New Ed. i. t. 75 (1905).
Hare, Caspari & Rusby, Nat. Stand. Dispens. 482 (1905).
Blytt, Haandb. Norg. Fl. Ed. Dahl, 545 (1906).
Lazaro, Comp. Fl. Españ. ii. 427, 428 (1907).—*Fr.*
Journ. Agric. Soc. England, lxviii. t. 6 (1907).
Suireishchikov, Ill. Fl. Mosc. Gov. ii. 427 (1907).
Heukels, Fl. Nederl. ii. 463 (1908).
*Journ. Dep. Agric. Victoria, vi. t. 26, p. 416 (1908).
Beille, Bot. Pharm. ii. 696 (1909).
*Ewart & Tovey, Weeds, Poison. Pl. & Nat. Aliens Victoria, 28 (1909).
Graebner, Pflanzenw. Deutschl. fig. 79 (1909).
*Esser, Giftpfl. Deutschl. t. 75 (1910).
Fedtschenko & Fler. Fl. Eur. Russia, 682 (1910).
Hayek, Fl. Steierm. i. 1139 (1910).—*Fr.*
Long, Common Weeds Farm & Garden, 295 (1910).
Beal in Bull. Michigan Agric. Exp. St. No. 267, p. 385 (1911); et in Ann. Rep. xxv. 374 (1912).
Pammel, Man. Poison. Pl. 50 (1911).
Strasburger, Text-Book Botany, Ed. Angl. 4, p. 639 (1912).
Pammel in Iowa Geol. Surv. Bull. No. 4, p. 710 (1913).
*Klein, Unsere Unkräuter, t. 71 (1913).
U.S. Dep. Agric. Bull. No. 26, p. 12 (1913); No. 69, t. 3 (1914).
Bull. Angew. Bot. vii. t. 111 (1914).—*Fr.*
A. Georgia, Manual Weeds, t. 209 (1914).
Journ. New Zeal. Dep. Agric. viii. 578 (1914); xxi. 117 (1920).
*Gehe, Arzneipfl.-Kart. Folge iv (1914).
*Gadeceau, Fl. Moiss. t. 71 (1914).
*C. A. Hall, Plant-Life, t. 58 (1915).
Journ. Dep. Agric. S. Australia, xx. 364 (1916).
Komarow, Sbor, Suschka i Razvod. Lekarst. Rast. Ross. (Coll. Dry. & Cult. Med. Pl. Russia), Ed. 3, t. 58 (1917).
*Bonnier, Name This Flower, t. 25 (1917).
Cadevall & Sallent, **Fl.** Catalunya, iii. 108 (1917).
*Ellis, Herbs, 19 (1917).
Lindman, Svensk Fanerogamfl. 427, 434 (1918).
Mayevsky, Fl. Central Russia, 255 (1918).
*Horwood, Brit. Wild Fl. iii. t. 28, p. 184 (1919).
Fitch & Smith, Ill. Brit. Fl. Ed. rev. 4, Iss. 2, fig. 453 (1919).
Fyles in Canada Dep. Agric. Exp. Farms, Bull. No. 39, Ser. II. p. x. t. 26 (1920).
—— **leiocarpum** Boiss.
Reichenbach, Ic. Fl. Germ. xxi. t. 2032 (1867).—*Fr.*
moschatum H. B. K.
H. B. K. Nov. Gen. v. t. 420 (1821).
Royenii Linn.
Hill, Veget. Syst. vi. t. 21 (1764).
strictum Tratt.
Trattinick, Arch. i. t. 44 (1812).
*Trattinick, Ausg. Taf. Arch. i. 21 (1813).

CONIZA = *Conyza*

CONNAROPSIS Planch.
monophylla Planch.
Pflanzenfam. iii. IV. 22 (1890).
Chauvel, Oxalidac. 29 (1903).—*Veg.*

CONNARUS Linn.—Vide *Canicidia, Cynotoxicum, Omphalobium* Gaertn.
africanus Lam.
Cavanilles, Diss. t. 221 (1789).
Baillon, Hist. Pl. ii. 3 (1870).—*Fr.*
*Ann. Fac. Sc. Marseille, vi. II. t. 1 (1897).
amplifolius Pierre
Pierre, Fl. For. Cochinch. v. t. 377 (1898).
attopoeuensis Pierre
Pierre, Fl. For. Cochinch. v. t. 377 (1898).
Blanchetii Planch.
Pflanzenfam. iii. III. 63 (1888).—*Fr.*

CONNARUS
cochinchinensis Pierre
Pierre, Fl. For. Cochinch. v. t. 378 (1898).
Lecomte, Fl. Gén. Indo-Chine, ii. 44 (1908).—*Fl.*
decumbens Thunb.
Roemer, Archiv Bot. i. 1. t. 1 (1796).
erianthus Benth.
Mart. Fl. Bras. xiv. II. t. 46 (1871).
fecundus Baker
Mart. Fl. Bras. xiv. II. t. 44 (1871).
ferrugineus Jack
Pflanzenfam. iii. III. 63 (1888).—*Fr.*
haemorrhoeus Karst.
Karsten, Fl. Columbiae, ii. t. 137 (1862–69).
Harmandianus Pierre
Pierre, Fl. For. Cochinch. v. t. 377 (1898).
longestipitatus Gilg
Engler & Drude, Veget. Erde, ix. III. 1, p. 315 (1915).
monocarpus Linn.
Rheede, Hort. Mal. vi. t. 24 (1686); vii. t. 26 (1688); fide Fl. Brit. Ind. ii. 51.
Brandis, Indian Trees, 212 (1906).
neurocalyx Planch.
Vidal, Sin. Fam. & Gen. Pl. Leñ. Filip. (Introd. Fl. For. Filip.), Atlas, t. 39, fig. E (1883).—*Fl.*
nitidus Hassk.
*Schnizlein, Iconogr. iv. t. 247 (1866–70).—*Fr.*
Patrisii Planch.
Baillon, Hist. Pl. ii. 1, 2 (1870).
Mart. Fl. Bras. xiv. II. t. 45 (1871).
Baillon, Dict. Bot. ii. 192 (1881).—*Fl.*
pentagynus Lam.
Cavanilles, Diss. t. 223 (1789).
Dict. Sc. Nat., Planch. Bot. Dicot. t. 267 (1816–29).
Pickeringii A. Gray
A. Gray, U.S. Expl. Exp. Bot. Atlas, i. t. 45 (1857).
pinnatus Lam.
Cavanilles, Diss. t. 222 (1789).
Lamarck, Ill. iii. t. 572 (1797).
*Wight, Illustr. Ind. Bot. i. t. 63 (1840).
Lindley, Veg. Kingd. 468 (1846).—*Fl.*
Beddome, Fl. Sylv. Anal. Gen. t. 11 (1871).—*Fl.*
pubescens DC.
Mém. Soc. Hist. Nat. Paris, ii. 384, t. 19 (1825).
quocensis Pierre
Pierre, Fl. For. Cochinch. v. t. 377 (1898).
Ritchiei Hook. f.
Talbot, For. Fl. Bombay, i. 371 (1909).
rufulus Pierre
Pierre, Fl. For. Cochinch. v. t. 378 (1898).
santaloides Blanco
*Blanco, Fl. Filip. t. 155 (1878–80).
Smeathmannii DC.
Thonner, Blütenpfl. Afr. t. 67 (1908).
Staudtii Gilg
Engler & Drude, Veget. Erde, ix. III. 1, p. 316 (1915).
suberosus Planch.
Mart. Fl. Bras. xiv. II. t. 45 (1871).—*Fl.*

CONNELLIA N. E. Br.
Augustae N. E. Br.
Trans. Linn. Soc. London, Ser. II. Bot. vi. t. 13 (1901).
Quelchii N. E. Br.
Trans. Linn. Soc. London, Ser. II. Bot. vi. t. 14 (1901).

CONOBEA Aubl.
aquatica Aubl.
Aublet, Hist. Pl. Guiane Franç. iv. t. 258 (1775).
Lamarck, Ill. iii. t. 522 (1797).
Gaertner f., Fruct. iii. t. 198 (1805).—*Fr.*
multifida Benth.
Hitchcock & Norton in Bull. Kansas Agric. St. No. 50, t. 6, fig. 89 (1895).—*Veg.*
Britton & Brown, Ill. Fl. N. States & Canada, iii. 159 (1898); Ed. 2, iii. 191 (1913).
scoparioides Benth.
Mart. Fl. Bras. viii. 1. t. 51 (1862).

CONOCARPUS Gaertn.
acuminatus DC.
De Candolle in Mém. Soc. Phys. & Hist. Nat. Genève, iv. t. 3 (1828).

CONOCARPUS
erectus Linn.
Plumier, Pl. Amer. Ed. Burm. t. 144, fig. 2 (1757); fide Urban, Fedde Repert. Beih. v. 69.
Jacquin, Sel. Stirp. Amer. Hist. t. 52 (1763).
*Jacquin, Sel. Stirp. Amer. Hist. Picta, t. 78 [1780].
Gaertner, Fruct. ii. t. 177 (1791).—*Fr.*
Lamarck, Ill. i. t. 126, fig. 1 (1797).
*Descourtilz, Fl. Pitt. & Méd. Antilles, vi. t. 399 (1828).
*Nuttall, Sylva, i. t. 33 (1865).
Mart. Fl. Bras. xiv. II. t. 35 (1867).—*Fl.*
Sargent, Silva N. Amer. v. t. 202 (1893).
Ann. Mus. Inst. Col. Marseille, ix. t. 2 (1902).
Sargent, Man. Trees N. Amer. 701 (1905).
Britton, N. Amer. Trees, 720 (1908).
Bot. Tidsskr. xxix. 232 (1909).—*Hab.*
Ann. Rep. Smithson. Inst. t. 11, 1917, p. 434 (1918).
Britton, Fl. Bermuda, 260 (1918).
latifolius Roxb.
*Royle, Illustr. Bot. Himal. t. 45 (1839).
Wight, Ic. Pl. Ind. Or. iii. t. 994 (1843–45).
procumbens Linn.
Jacquin, Sel. Stirp. Amer. Hist. t. 52 (1763).—*Veg.*
*Jacquin, Sel. Stirp. Amer. Hist. Picta, t. 260, fig. 22 [1780].—*Veg.*
Lamarck, Ill. i. t. 126, fig. 2 (1797).
Gaertner f., Fruct. iii. t. 216 (1807).—*Fr.*
racemosus Linn.
Jacquin, Sel. Stirp. Amer. Hist. t. 53 (1763).
*Jacquin, Sel. Stirp. Amer. Hist. Picta, t. 79 [1780].

CONOCEPHALUS Bl.
acuminatus Tréc.
Ann. Sc. Nat. Paris, Ser. III. viii. t. 2, fig. 50, 51 (1847).—*Fl.*
amboinensis Warb.
Rumphius, Herb. Amboin. v. t. 36 (1747); fide Merrill, Interpret. Rumph. Herb. Amboin.
Blumei Gaudich.
Gaudichaud, Voy. Bonite, Bot. Atlas, t. 96 (1844–66).
cordifolius Barg.-Petr.
Nuov. Giorn. Bot. Ital. N. Ser. ix. t. 7 (1902).
dubius Barg.-Petr.
Nuov. Giorn. Bot. Ital. N. Ser. ix. t. 11 (1902).
intermedius Barg.-Petr.
Nuov. Giorn. Bot. Ital. N. Ser. ix. t. 6 (1902).
microstachys Barg.-Petr.
Nuov. Giorn. Bot. Ital. N. Ser. ix. t. 9 (1902).
naucleiflorus Lindl.
*Bot. Reg. xiv. t. 1203 A, B (1829).
Koorders, Exkursionsfl. Java, ii. 122 (1912).
niveus Wight
Wight, Ic. Pl. Ind. Or. vi. t. 1959 (1853).
Christy, New Commerc. Pl. & Drugs, No. 7, p. 36 (1884).
Journ. Agric. & Hort. Soc. India, N. Ser. viii. 1. t. 3 (1887).
Lubbock, Seedlings, ii. 500 (1892).—*Veg.*
oblongifolius Barg.-Petr.
Nuov. Giorn. Bot. Ital. N. Ser. ix. t. 8 (1902).
papuanus Barg.-Petr.
Nuov. Giorn. Bot. Ital. N. Ser. ix. t. 13 (1902).
scabrinervius Barg.-Petr.
Nuov. Giorn. Bot. Ital. N. Ser. ix. t. 10 (1902).
singalensis Barg.-Petr.
Nuov. Giorn. Bot. Ital. N. Ser. ix. t. 12 (1902).
suaveolens Bl.
*R. Brown & J. Bennett, Pl. Jav. Rar. t. 12 (1838).
Ann. Sc. Nat. Paris, Ser. III. viii. t. 1, fig. 41–49 (1847).—*Fl.*
Blume, Mus. Bot. Lugd.-Bat. ii. fig. 39 (1856).—*Fl.*
Baillon, Hist. Pl. vi. 159 (1877).—*Fl.*
Vidal, Sin. Fam. & Gen. Pl. Leñ. Filip. (Introd. Fl. For. Filip.), Atlas, t. 88, fig. D (1883).—*Fl.*
Pflanzenfam. iii. 1. 94 (1888).—*Fl.*
Nuov. Giorn. Bot. Ital. N. Ser. ix. 215 (1902).—*Fl.*

CONOCLINIUM DC.: *Eupatorium*
ianthinum Morr.
*Ann. Gand, v. t. 253 (1849).
*Moore & Ayres, Mag. Bot. i. 185 (1850).
Journ. Hort. lix. 206 (1878).

CONOCLINIUM
prasiifolium DC.
Delessert, Ic. Pl. iv. t. 15 (1839).

CONOHORIA Aubl.: *Rinorea*
castaniifolia St.-Hil.
Hook. Ic. Pl. i. t. 63 (1837).
flavescens Aubl.
Aublet, Hist. Pl. Guiane Franç. iii. t. 95 (1775).
lobolobo St.-Hil.
St.-Hilaire, Pl. Usuelles Bras. t. 10 (1824–28).

CONOMORPHA A. DC.
crotonoides Mez
Pflanzenreich, Myrsinac. 263 (1902).
dentata Mez
Pflanzenreich, Myrsinac. 253 (1902).
heterantha Benth.
Mart. Fl. Bras. x. t. 49 (1856).
macrophylla Mart.
Mart. Fl. Bras. x. t. 47 (1856).
Pflanzenfam. iv. 1. 93 (1889).—*Fl.*
multipunctata Miq.
Miquel, Stirp. Surinam (Nat. Verh. Holl. Maatsch. Wet. Haarlem, Ser. II. vii), t. 34 (1850).
nemoralis Mart. & Miq.
Mart. Fl. Bras. x. t. 48 (1856).

CONOPHALLUS Schott: *Amorphophallus*
bulbifer Schott
Schott, Gen. Aroid. t. 30 (1858).—*Fl.*
Journ. Hort. liv. 8 (1875).
konjak Schott
*Somoku Dzusetsu, Ed. 2, xix. t. 9 (1874).
American Garden, xiii. 79 (1892).
*Useful Pl. Jap. i. t. 117 (1895).
titanum Becc.
Bull. Soc. Tosc. Ortic. iii. 291 (1878).
Gard. Chron. x. 781 (1878); Ser. III. v. 748 (1889).

CONOPHARYNGIA G. Don—Vide *Tabernaemontana* (5)
crassa Stapf
H. H. Johnston, Liberia, ii. 631 (1906).
elegans Stapf
Sim, For. Fl. Portug. E. Africa, t. 80 (1909).
Holstii Stapf
Engler & Drude, Veget. Erde, ix. 1. 1. 314 (1910).
longiflora Stapf
H. H. Johnston, Liberia, ii. 629 (1906).
Pobéguin, Fl. Guin. Franç. t. 32 (1906).

CONOPHOLIS Wallr.
americana Wallr.
Endlicher, Ic. Gen. Pl. t. 81 (1838).
Lindley, Veg. Kingd. 610 (1846).—*Fr.*
*Wight, Illustr. Ind. Bot. ii. t. 158 bis (1850).—*Fr.*
Chatin, Anat. Vég. Atlas, t. 18 (1856–91).—*Veg.*
Pflanzenfam. iv. III. B. 124 (1893).—*Fr.*
Trans. & Proc. Bot. Soc. Pennsylvania, i (1897–98), t. 1–6 (1899).
Britton & Brown, Ill. Fl. N. States & Canada, iii. 197 (1898); Ed. 2, iii. 235 (1913).
Jellett, Germantown Pl. 68 (1904).
Gager, Fundam. Bot. 338 (1916).
House, Wild Fl. New York (Mem. No. 15 N.Y. State Mus.), ii. 261 (1918).
Contrib. U.S. Nat. Herb. xxi. t. 34 (1919).—*Hab.*

CONOPODIUM Koch—Vide *Butinia, Heterotaenia*
denudatum Koch
*Cusin & Ansberque, Herb. Fl. Franç. x (Ombellifères), t. 165 (1869).
*Fl. Dan. Suppl. t. 134 (1874).
Rev. Gén. Bot. v. 162 (1893).—*Veg.*
C. T. Green, Fl. Liverpool Distr. fig. 256 (1902).
Coste, Fl. France, ii. 220 (1903).
Merino, Fl. Galicia, i. 599 (1905).
*Step, Wayside & Woodl. Bloss. New Ed. i. t. 77 (1905).
Blytt, Haandb. Norg. Fl. Ed. Dahl, 543 (1906).
Long, Common Weeds Farm & Garden, 168 (1910).
Cadevall & Sallent, Fl. Catalunya, iii. 99 (1917).
Fitch & Smith, Ill. Brit. Fl. Ed. rev. 4, Iss. 2, fig. 443 (1919).

CONOPODIUM
ramosum Costa
Cadevall & Sallent, Fl. Catalunya, iii. 100 (1917).
Richteri Rouy
Rouy, Illustr. Pl. Eur. Rar. fasc. 5, t. 114 (1896).

CONOPSIDIUM Wallr.: *Platanthera*
platantherum Wallr.
*Wallroth, Beitr. Bot. t. 2 (1842).—*Fl.*
sthenantherum Wallr.
*Wallroth, Beitr. Bot. t. 2 (1842).—*Fl.*

CONORIA Juss.: *Rinorea*
flavescens Lam.
Lamarck, Ill. i. t. 135, fig. 2 (1797).
ulmifolia H. B. K.
H. B. K. Nov. Gen. v. t. 491 (1821).

CONOSIPHON Poepp. & Endl.: *Sphinctanthus*
aureus Poepp. & Endl.
Poeppig & Endl. Nov. Gen. & Sp. Pl. iii. t. 233 (1845).
polycarpus Karst.
Karsten, Fl. Columbiae, ii. t. 149 (1862–69).

CONOSPERMUM Sm.
Brownei Meissn.
De Wildeman, Pl. Nov. Herb. Hort. Then. i. t. 31 (1905).
Croniniae Diels
Engl. Jahrb. xxxv. 142 (1904).
Eatoniae E. Pritz.
Engl. Jahrb. xxxv. 142 (1904).
ericifolium Sm.
Trans. Linn. Soc. London, x. t. 17 (1811).
*Bot. Mag. lv. t. 2850 (1828).
Endlicher, Ic. Gen. Pl. t. 31 (1838).
Schnizlein, Iconogr. ii. t. 113 (1849).
Pflanzenfam. iii. 1. 140 (1888).
A. E. Sulman, Austral. Wild Fl. Ser. II. t. 47 [1913].
flexuosum R. Br.
De Wildeman, Pl. Nov. Herb. Hort. Then. i. t. 32 (1905).
floribundum Benth.
De Wildeman, Pl. Nov. Herb. Hort. Then. i. t. 31 (1905).
glumaceum Lindl.
Engl. Jahrb. xxxv. 142 (1904).
Huegelii R. Br.
De Wildeman, Pl. Nov. Herb. Hort. Then. i. t. 32 (1905).
incurvum Lindl.
De Wildeman, Pl. Nov. Herb. Hort. Then. i. t. 31 (1905).
longifolium Sm.
*J. E. Smith, Exot. Bot. ii. t. 82 [1805–7].
*Trattinick, Ausg. Taf. Arch. iv. 395 (1814).
Ettingshausen in Sitzb. Akad. Wiss. Wien, vi. t. 30, fig. 3 a (1851); xxviii. 523 (1858).—*Veg.*
Ettingshausen in Denkschr. Akad. Wiss. Wien, xv. t. 35, fig. 15, 16 (1858).—*Veg.*
Ettingshausen, Blatt-Skel. Dikot. t. 23 (1861).—*Veg.*
patens Schlechtd.
F. Mueller, Pl. Victoria, i. t. 70 (1864–65).
F. Mueller, Key Syst. Victorian Pl. ii. fig. 67 a, b (1885).
sphacelatum Hook.
Baillon, Hist. Pl. ii. 401 (1870).—*Fl.*
taxifolium Sm.
Gaertner f., Fruct. iii. t. 215 (1807).—*Fr.*
*Bot. Mag. liv. t. 2724 (1827).
Journ. Linn. Soc., Bot. xiii. t. 2 (1873).—*Fl.*
Pflanzenfam. iii. 1. 124 (1888).—*Fl.*
tenuifolium R. Br.
Maiden, Ill. N. S. Wales Pl. t. 18 (1908).
teretifolium R. Br.
Endlicher, Ic. Gen. Pl. t. 46 (1838).
triplinervium R. Br.
Ettingshausen in Denkschr. Akad. Wiss. Wien, xv. t. 35, fig. 13, 14 (1858).—*Veg.*
Pflanzenfam. iii. 1. 140 (1888).—*Fl.*

CONOSTEGIA D. Don
glabra D. Don
A. du Petit-Thouars, Voy. Venus, Bot. t. 21 (1846).

CONOSTEGIA
lanceolata Cogn.
A. S. & P. P. Calvert, A Year of Costa Rican Nat. Hist. 81 (1917).
mexicana Ser.
De Candolle in Mém. Soc. Phys. & Hist. Nat. Genève, iv. t. 3, fig. 10 (1828).—*Fl.*
minutiflora Rose
Contrib. U.S. Nat. Herb. viii. t. 71 (1905).
Mutisii DC.
De Candolle in Mém. Soc. Phys. & Hist. Nat. Genève, iv. t. 3, fig. 9 (1828).—*Fl.*
polyandra Benth.
Bentham, Bot. Voy. Sulphur, t. 35 (1844).
subhirsuta DC.
Ann. Sc. Nat. Paris, xviii. t. 3 (1852).—*Fl.*
Schnizlein, Iconogr. iv. t. 268 (1857–65); errore *C. hirsuta.*—*Fl.*
Mart. Fl. Bras. xiv. iv. t. 46 (1887).
Pflanzenfam. iii. vii. 183 (1893).—*Fl.*

CONOSTEPHIUM Benth.
pendulum Benth.
Delessert, Ic. Pl. v. t. 23 (1846).
Pflanzenfam. iv. 1. 77 (1889).
Engler & Drude, Veget. Erde, vii. 185 (1906).

CONOSTYLIS R. Br.—Vide *Androstemma*
aculeata R. Br.
*Bot. Mag. lvii. t. 2989 (1830).
Herbert, Amar. t. 1, fig. 45, 46 (1837).—*Fl.*
aemula Lindl.
Lindley, Veg. Kingd. 151 (1846).—*Fl.*
americana Pursh
*Pursh, Fl. Amer. Sept. i. 224, t. 6 (1814).
*Mag. Bot. & Gard. iii. t. 17 (1835).
candicans Endl.
*Dietrich, Fl. Univ. Neue Folge, t. 74 (1849).
Dielsii W. V. Fitzg.
Engl. Jahrb. xxxv. 110 (1904).
Engler & Drude, Veget. Erde, vii. 149 (1906).
phathyrantha Diels
Engl. Jahrb. xxxv. 110 (1904).
Engler & Drude, Veget. Erde, vii. 149 (1906).
serratifolia Baill.
Baillon, Hist. Pl. xiii. 27 (1894).—*Fl.*
serrulata R. Br.
Baillon, Dict. Bot. ii. 195 (1881).—*Fl.*
setigera R. Br.
Richard, Voy. Astrolabe, Bot. Atl. Sert. Astrolab. t. 28 (1833).
*Fl. des Serres, Ser. I. iii. t. 259 (1847).
setosa Lindl.
*Lindley, Sketch Veg. Swan River Col. Append. Bot. Reg. i–xxiii. t. 6 (1839).
vaginata Endl.
Hook. Ic. Pl. ix. t. 853 (1852).

CONOTRICHIA A. Rich.: *Manettia*
alba A. Rich.
Mém. Soc. Hist. Nat. Paris, v. t. 24 (1834).

CONRADIA Mart.: *Gesneria*
calycosa Hook.
Hook. Ic. Pl. vii. t. 689, 690 (1844).
cuneifolia DC.
A. De Candolle, Calq. Dess. Fl. Mex. Moc. & Sessé, t. 723 (1874).
floribunda Paxt.
*Paxt. Mag. xv. 99 (1849).
humilis Mart.
Linnaea, xxvi. t. 1, fig. 34 (1853–55).—*Fl.*
Schnizlein, Iconogr. ii. t. 152 (1866–70).—*Fl.*
neglecta Hook.
Hook. Ic. Pl. ix. t. 874 (1852).

CONRADIA Nutt.: *Macranthera*
fuchsioides Nutt.
Journ. Acad. Nat. Sc. Philadelphia, vii. 1. t. 11, 12 (1834).

CONRINGIA Link
austriaca Sweet
Reichenbach, Ic. Fl. Germ. ii. t. 61 (1837–38).
Willkomm, Führ. Reich Pflanzen, 821 (1882).
Hegi, Ill. Fl. Mittel-Eur. iv. 1. 442 (1913).

CONRINGIA
clavata Boiss.
Malpighia, xvi. t. 7 (1902).—*Fl.*
Hegi, Ill. Fl. Mittel-Eur. iv. 1. 55 (1913).—*Fr.*
orientalis Dumort.
*Zenker, Fl. Thüringen, vi. t. 718 (1836–55).
Reichenbach, Ic. Fl. Germ. ii. t. 61 (1837–38).
Willkomm, Führ. Reich Pflanzen, 821 (1882).
Canada Dept. Agric. Exp. Farms, Bull. No. 28, p. 11 (1897); Rep. 1899, p. 186 (1900).
U.S. Dep. Agric. Div. Bot. Circ. 10, p. 3 (1897).
Britton & Brown, Ill. Fl. N. States & Canada, iii. 515 (1898).
Fiori & Paol. Ic. Fl. Ital. 163 (1899).
Gradmann, Pflanzenl. Schwäb. Alb, Ed. 2, i. 240 (1900).
Waldron in Bull. N. Dakota Agric. St. No. 56, p. 222 (1903).
Blytt, Haandb. Norg. Fl. Ed. Dahl, 376 (1906).
F. M. Bailey, Weeds & Poison. Pl. Queensland, 10 (1906).
Selby in Bull. Ohio Agric. St. No. 175, t. 2 (1906).—*Fr.*
*Clark & Fletcher, Farm Weeds Canada, t. 2, 55, fig. 44 (1906); Ed. 2, t. 34, 73, fig. 38 (1909).
Bull. Soc. Bot. Ital. 1910, p. 164.—*Fl.*
Ontario Dep. Agric. Bull. No. 188, p. 77 (1911).
Beal in Michigan Agric. Exp. St. Bull. No. 267, p. 348 (1911); et in Ann. Rep. xxv. 337 (1912).
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, ii. 175 (1913).
Hegi, Ill. Fl. Mittel-Eur. iv. 1. 441 (1913).
Pammel in Iowa Geol. Surv. Bull. No. 4, p. 161, 162, 446 (1913).
Canada Dept. Agric. (Seed Branch) Bull. No. S-8, p. 22 (1914).
F. E. & E. S. Clements, Rocky Mt. Fl. t. 6 (1914).—*Fr.*
A. Georgia, Manual Weeds, t. 133 (1914).
Suireishchikov, Ill. Fl. Mosc. Gov. iv. 86 (1914).
Cadevall & Sallent, Fl. Catalunya, i. 110 (1915).
perfoliata Link
*Dietrich, Fl. Boruss. xi. t. 732 (1843).
Acloque, Fl. France, 88 (1894).
planisiliqua Fisch. & Mey.
Bull. Soc. Bot. Ital. 1910, p. 164.—*Fl.*
Hegi, Ill. Fl. Mittel-Eur. iv. 1. 55 (1913).—*Fr.*
Thaliana Reichb.
Reichenbach, Ic. Fl. Germ. ii. t. 60 (1837–38).

CONSOLEA Lem.: *Opuntia*
rubescens Lem.
Ill. Hort. ix. Misc. 25 (1862).—*Fl.*

CONSOLIDA S. F. Gray: *Delphinium*
Aconiti Lindl.
Paxt. Fl. Gard. i. 169 (1850–51).—*Fl.*
Journ. Hort. Soc. London, vi. 56 (1851).
Cottage Gard. xx. 116 (1858).
anthoroidea Schröding.
Abh. Zool.-Bot. Ges. Wien, iv. v. 10 (1909).—*Fl.*
armeniaca Schröding.
Abh. Zool.-Bot. Ges. Wien, iv. v. 9 (1909).—*Fl.*
axilliflora Schröding.
Abh. Zool.-Bot. Ges. Wien, iv. v. 8 (1909).—*Fl.*
orientalis hispanica Schröding.
Abh. Zool.-Bot. Ges. Wien, iv. v. 8 (1909).—*Fl.*
pusilla Schröding.
Abh. Zool.-Bot. Ges. Wien, iv. v. 9 (1909).—*Fl.*
Raveyi Schröding.
Abh. Zool.-Bot. Ges. Wien, iv. v. 8 (1909).—*Fl.*
Thirkeana Schröding.
Abh. Zool.-Bot. Ges. Wien, iv. v. 10 (1909).—*Fl.*
tomentosa Schröding.
Abh. Zool.-Bot. Ges. Wien, iv. v. 9 (1909).—*Fl.*
trigonelloides Schröding.
Abh. Zool.-Bot. Ges. Wien, iv. v. 9 (1909).—*Fl.*

CONULEUM A. Rich.: *Siparuna*
guianense A. Rich.
Mém. Soc. Hist. Nat. Paris, i. t. 25 (1823).
Schnizlein, Iconogr. ii. t. 111 (1852).—*Fl.*
Pflanzenfam. iii. 11. 105 (1889).—*Fl.*

CONVALLARIA Linn.
amplexifolia E. H. L. Krause
*Sturm, Fl. Deutschl. Ed. 2, i. t. 46 (1906).
bifolia Linn.
*Kniphof, Herb. Viv. i. t. 289 (1758).
*Fl. Dan. ii. t. 291 (1766).
*Bergeret, Phyt. Univ. i. 181 (1783).
Hoppe, Ect. Pl. Ratisb. t. 223 (1788).
*Bot. Mag. xv. t. 510 (1801).
*Sturm, Deutschl. Fl. iv. XIII [t. 198] (1803).
Boissieu, Fl. Eur. ii. t. 257 (1805).
*Svensk Bot. vii. t. 454 (1812).
*Kops, Fl. Batava, iii. 164 (1814).
*Heger, Danske Oec. Pl. ii. t. 124 (1831).
*Schubert, Naturg., Pflanzenreich, Ed. 2, t. 18, fig. 4 [1865].
*Sturm, Fl. Deutschl. Ed. 2, i. t. 43 (1906).
cirrifolia Wall.
Wallich in Asiat. Research. xiii [t. 5] (1820).
diffusa Vell.
Vellozo, Fl. Flum. iii. t. 160 (1827).
japonica Linn. f.
*Redouté, Liliac. ii. t. 80 (1805).
*Trattinick, Ausg. Taf. Arch. iii. 260 (1814).
*Mag. Bot. & Gard. i. t. 1 (1833).
Pharm. Journ. Ser. II. iii. 262 (1861).—*Veg.*
latifolia Jacq.
*Jacquin, Fl. Austr. iii. t. 232 (1775).
*Schrank, Fl. Monac. ii. t. 173 (1814).
*Reichenbach, Ic. Fl. Germ. x. t. 434 (1848).
Ettingshausen in Sitzb. Akad. Wiss. Wien, xx. 427 (1856).—*Veg.*
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, iv. t. 286 (1880).
maialis Linn.
*Kniphof, Herb. Viv. i. t. 288, 293 (1758).
*Regnault, Bot. i. 3 (1774).
Walcott, Fl. Brit. Indig. [t. 39] (1778).
*Zorn, Ic. Pl. Med. i. t. 94 (1779).
*Fl. Dan. v. t. 854 (1782).
*Bergeret, Phyt. Univ. i. 179 (1783).
Hoppe, Ect. Pl. Ratisb. t. 9 (1787).
Gaertner, Fruct. i. t. 16 (1788).—*Fr.*
*Plenck, Ic. Pl. Med. iii. t. 263 (1790).
*Oskamp, Afb. Artseny-Gewass. i. t. 94 (1796).
Lamarck, Ill. ii. t. 248 (1797).
*Curtis, Fl. Londin. ii. fasc. v. t. 24 (1798); Ed. 2, iii. fasc. v. t. 24 (1826).
Abbot, Fl. Bedford. t. 2 (1798).
*Kops, Fl. Batava, i. t. 6 (1800).
*Svensk Bot. i. t. 9 (1802).
*Sowerby & Sm. Engl. Bot. xv. t. 1035 (1802).
*Sturm, Deutschl. Fl. iv. XIII [t. 218] (1803).
Boissieu, Fl. Eur. ii. t. 257 (1805).—*Fl.*
*Roques, Pl. Usuell. Indig. & Exot. i. t. 70 (1807).
*McDonald, Dict. Pract. Gard. i. t. 16 (1807).
*Redouté, Liliac. iv. t. 227 (1808).
*Schkuhr, Bot. Handb. Ed. 2, t. 97 (1808).—*Fl.*
*Jaume St.-Hilaire, Pl. France, iii [t. 55] (1809).
*A. & F. Plée, Herbor. Paris, [t. 11] (1811).
*Schrank, Fl. Monac. i. t. 41 (1811).
*S. Edwards, New Bot. Gard. i. t. 16 (1812).
Thornton, Brit. Fl. iii. 59 (1812).
*Hayne, Getreue Darst. Arzn. Gewächse, iii. t. 18 (1813).
*Mordant de Launay, Herb. Amat. i. t. 17, 18 (1816).
*Vietz, Ic. Pl. Med.-oec.-techn. v. t. 427 (1817).
*Roques, Phytogr. Médic. i. t. 20 (1821); Nouv. Ed. Atlas, t. 4 (1835).
*Joh. Kerner, Gen. Pl. Ill. v. t. 96 (1822).
*Waller, New Brit. Domest. Herb. t. 20 (1822).
*Nees, Pl. Offic. i. t. 43 (1828).
*Schlechtendal & Guimpel, Abb. Phamr. Boruss. Gew. i. t. 56 (1830).
*Heger, Danske Oec. Pl. ii. t. 121 (1831).
*Drapiez, Herb. Amat. Fl. v. t. 357 (1831); viii. t. 586 (1835).
*Dietrich, Fl. Boruss. i. t. 33 (1833).
*Baxter, Brit. Bot. Ed. 2, i. t. 78 (1834).
Nees, Gen. Pl., Monocot. ii. t. 61 (1835).
*Zenker, Fl. Thüringen, i. t. 88 (1836–55).
[M. E.] Jackson, Pict. Fl. fig. 525 (1840).
*Deakin, Florigr. Brit. ii. fig. 536 (1845).
*J. W. Loudon, Brit. Wild Fl. Ed. 2, t. 60 [1846].
*Burnett, Pl. Util. iii. 73, a (1847).

CONVALLARIA
maialis
*Reichenbach, Ic. Fl. Germ. x. t. 432 (1848).
*Lorek, Fl. Pruss. Ed. 3, t. 87, fig. 467 (1848).
*Petermann, Deutschl. Fl. t. 89, fig. 703, a–n (1849).—*Fl.*
Weber in Verh. Naturh. Ver. Preuss. Rheinl. vii. t. 7 (1850).
Ettingshausen in Sitzb. Akad. Wiss. Wien, xx. II. t. 4 (1856).—*Veg.*
Irmisch in Abh. Nat. Ges. Halle, iii. t. 7, fig. 1–19 (1856).—*Veg.*
Wilkinson, Weeds & Wild Fl. 270 (1858).
Irvine, Illustr. Handb. Brit. Pl. 305 (1858).
Johnson & Sowerby, Brit. Wild Fl. fig. 1275 (1858–60).
Berg, Charakt. t. 10, fig. 116; t. 93, fig. 645, L (1861).
*T. Moore, Field Bot. Comp. t. 20 (1862).
*Artus, Atlas Pharm. Deutschl. Aufg. Offic. Gew. t. 253 [1862–74].
Decaisne & Naud. Amat. Jard. ii. 751 [1862–66].
*Argenta, Album Fl. Med.-Farm. iii. t. 283 (1864).
*Hogg & Johnson, Wild Fl. Gr. Brit. ii. t. 85 (1864).
Bentham, Handb. Brit. Fl. fig. 1019 (1865).
Cesati, Passer. & Gibelli, Comp. Fl. Ital. t. 17 (1867–86).—*Fl.*
Le Maout & Decaisne, Traité Gén. Bot. 581 (1868).
*Syme, Engl. Bot. ix. t. 1514 (1869).
*Réveil, Règne Vég. xiv. t. 19 (1870).
Decaisne, Naud. & Hemsl. Trees, Shrubs & Herb. Pl. 529 (1873).
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, v. t. 222 [1873].
Somoku Dzusetsu, Ed. 2, vi. t. 1 (1874).
*Cusin, Herb. Fl. Franç. xxi (Smilacées), t. 6 (1876).
*Lesacher & Mareschal, Nouv. Bot. Méd. ii [t. 34] (1878).
Gartenfl. xxvii. 118 (1878).
*Hulme & Hibberd, Familiar Gard. Fl. v. 37 [1879–87].
De Silvestri, Piante Prat. 119 (1879).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, iv. t. 288 (1880).
*C. Hoffmann, Pflanzenatlas, t. 24, fig. 144 (1881).
Wagner, Ill. Deutsche Fl. Ed. 2, p. 744 (1882).
Schilling, Grundr. Naturg. ii. Pflanzenr. Ausgb. A, p. 112 (1882); Ausgb. B, p. 136 (1884).—*Fl.*
Willkomm, Führ. Reich Pflanzen, t. 3, fig. 86 (1882).—*Fl.*
W. Robinson, Engl. Fl. Gard. t. 78 (1883).
Sempervirens, xiii. 140 (1884).—*Hab.*
Nicholson, Illustr. Dict. Gard. i. 368; ii. 274, 275 [1884–88].
*Baillon, Ic. Fl. Franç. iii. t. 238 [1885–94].
*Thomé, Fl. Deutschl. i. t. 111 (1886).
Cornevin, Pl. Vénén. 121 (1887).
*Köhler, Med. Pfl. iii [t. 237] (1887).
Potonié, Ill. Fl. Nord- u. Mittel-Deutschl. Ed. 4, fig. 71 (1889).
Dujard.-Beaumetz & Égasse, Pl. Méd. 466 (1889).
G. Beck, Fl. Nied.-Oesterr. i. 161, 179 (1890).—*Fl.*
*Heathcote, Fl. Engadine, t. 200 (1891).
Kerner, Pflanzenleben, ii. 109 (1891); ii. 658 (1892).—*Fl.*
Jardin, vi. 29 (1892).—*Hab.*
*Hulme, Familiar Wild Fl. (5 vol. Ed.), iii. 125 [1892?]; (Pop. Ed.), iv. 77 [1897?].
Bot. Jaarb. Gent, v. 310 (1893).—*Fl.*
*Masclef, Atlas Pl. France, t. 323 (1893).
P. E. Müller in Overs. Danske Vidensk. Selsk. Forh. No. 1, p. 116 (1894).—*Veg.*
Acloque, Fl. France, 606 (1894).—*Fl.*
Brehm, Merv. Nat. Monde des Pl. ii. 585 (1894–96).
Sauvaigo, Cult. Littor. Méditerr. 37 (1894).
*Siélain, Atlas Poche Pl. Champs, Prair. & Bois, t. 16 [1894].
Garcke, Ill. Fl. Deutschl. 609 (1895).
*Step, Wayside & Woodl. Bloss. t. 16 (1895).
Karsten, Fl. Deutschl. i. 446 (1895).

CONVALLARIA
maialis
Kerner & Oliv. Nat. Hist. Pl. ii. 109, 729 (1895).—*Fl.*
Raunkiær, Danske Blomsterpl. Naturhist. i. 204, 205, 207, 227 (1895–99).
Britton & Brown, Ill. Fl. N. States & Canada, i. 434 (1896); Ed. 2, i. 522 (1913).
Dutailly in Assoc. Franç. Avanc. Sc. 1896, Carthage (Tunis), Pt. 2, t. 3, fig. 1–5 (1897).—*Veg.*
*Garden, Iii. 182, 319 (1897).
Lochman, Phot. Med. Pl. t. 17 (1898).
Fiori & Paol. Ic. Fl. Ital. 84 (1898).
U.S. Dep. Agric. Div. Bot. Bull. No. 20, p. 18 (1898).
Knuth, Handb. Blütenbiol. ii. II. 507 (1899).—*Fl.*
Rev. Hort. Belge, xxv. 248 (1899).
*Behrens, Blattformen, t. 41, fig. n (1900).—*Veg.*
*Villard, Fleurs, t. 51 (1900).
L. H. Bailey, Cycl. Amer. Hort. 366 (1900); Stand. Cycl. Hort. 838 (1914).
Pharm. Journ. Ser. IV. xii. 745 (1901).
Lindman, Bild. Nord. Fl. t. 390 (1901–5).
C. T. Green, Fl. Liverpool Distr. fig. 615 (1902).
Losch, Kräuterb. 22 (1903).
Rev. Hort. 1903, p. 495.—*Hab.*
Beih. Bot. Centralbl. xvi. t. 14, fig. 9 (1904).—*Fl.*
Bull. Arboricult. Belg. 1904, p. 18.
Hare, Caspari & Rusby, Nat. Stand. Dispens. 487 (1905).—*Veg.*
*Masclef, Pl. Eur. t. 20 (1905).
*D. McDonald, Frag. Fl. & Leaves, t. 8 (1905).
Blytt, Haandb. Norg. Fl. Ed. Dahl, 217 (1906).
Coste, Fl. France, iii. 251 (1906).
*Kirby, Brit. Fl. Pl. t. 102 (1906).
Lazaro, Comp. Fl. Españ. i. 739 (1906).
*Sturm, Fl. Deutschl. Ed. 2, i. t. 44 (1906).
Suireishchikov, Ill. Fl. Mosc. Gov. i. 244 (1906).
*Miyoshi & Makino, Pocket-Atlas, Alp. Pl. Jap. ii. t. 60, fig. 345 (1907).
*Hulme, Familiar Swiss Fl. t. 6 (1908).
Beille, Bot. Pharm. ii. 102 (1909).
*Esser, Giftpfl. Deutschl. t. 13 (1910).
Merck's Rep. (Pract. Journ. Pharm.), xix. 160 (1910).
Heukels, Fl. Nederl. i. 288, 289 (1910).
*Milner, Life Oberammergau, t. 13 (1910).
Nouv. Arch. Mus. Hist. Nat. Paris, Ser. V. ii. 215 (1910).—*Fl.*
Somoku Dzusetsu, Ed. Makino (Iconogr. Pl. Nippon), vi. t. 1 (1910).
Wettstein, Handb. Syst. Bot. Ed. 2, p. 793 (1911).—*Fr.*
*Correvon, Fl. Champs & Bois, t. 30 (1911).
Pammel, Man. Poison. Pl. 384 (1911).
*Pokorny-Schoenichen, Pflanzenkunde, t. 40, fig. 1 (1912).
Feucht, Württemb. Pflanzenw. t. 67 (1912).—*Hab.*
*Gehe, Arzneipfl.-Kart. Folge ii (1912).
*Gatin, Fl. des Bois, t. 26 (1913).
Kirchner, Loew & Schröter, Blütenpfl. Mitteleur. i. Abt. III. 628, 630, 640–42, 644 (1914).
*Perrin & Boulger, Brit. Flower. Pl. i. t. 21, 23 [G], fig. 1–5 (1914).
Fedtschenko, Veg. Turkest. 255 (1915).
Horwood, Plant Life Brit. Isles, iii. 320 (1915).—*Hab.*
*Komarow, Sbor, Suschka i Razvod. Lekarst. Rast. Ross. (Coll. Dry & Cult. Med. Pl. Russia), Ed. 3, t. 27 (1917).
*Bonnier, Name This Flower, t. 54 (1917).
Lindman, Svensk Fanerogamfl. 169 (1918).—*Fl.*
*Horwood, Brit. Wild Fl. iii. t. 24, p. 115 (1919).
Fitch & Smith, Ill. Brit. Fl. Ed. rev. 4, Iss. 2, fig. 1033 (1919).
—— **grandiflora** Hort.
Gard. Chron. Ser. III. xxiii. 149 (1898).
—— **prolificans** Wittm.
*Gartenfl. xxxviii. t. 1292 (1889).
Gard. Chron. Ser. III. xxxii. 133 (1902).—*Hab.*
—— **variegata** Hort.
*Lowe, Beautiful Leaved Pl. t. 42 (1868).
—— **foliis aureo-striatis**
*Neerl. Plantentuin, Ed. Oudemans, i. t. 11 (1865).

CONVALLARIA
multiflora Linn.
*Fl. Dan. i. t. 152 (1764).
Walcott, Fl. Brit. Indig. [t. 40] (1778).
*Zorn, Ic. Pl. Med. ii. t. 172 (1780).
*Bergeret, Phyt. Univ. i. 89 (1783).
*Plenck, Ic. Pl. Med. iii. t. 265 (1790).
Hoppe, Ect. Pl. Ratisb. t. 639 (1791).
*Dreves, Bot. Bilderbuch, ii. t. 52 (1795).
*Sowerby & Sm. Engl. Bot. iv. t. 279 (1795).
*Oskamp, Afb. Artseny-Gewass. iii. t. 212 (1796).
*Dreves & Hayne, Choix de Pl. t. 52 (1802).
*Mirbel, Hist. Nat. Pl. viii. t. 27 (1806).
*Kops, Fl. Batava, ii. t. 95 (1807).
*Schkuhr, Bot. Handb. Ed. 2, t. 97 (1808).
*Svensk Bot. vi. t. 392 (1809).
*Liboschitz & Trinius, Fl. Pétersb. & Mosc. 12 (1811).
*Hayne, Getreue Darst. Arzn. Gewächse, iii. t. 20 (1813).
*Schrank, Fl. Monac. ii. t. 122 (1814).
*Vietz, Ic. Pl. Med.-oec.-techn. v. t. 427 b (1817).
*Curtis, Fl. Londin. Ed. 2, iv [t. 39] (1819–21).
Mém. Soc. Linn. Paris, iv. t. 13 (1826).
*Heger, Danske Oec. Pl. ii. t. 123 (1831).
*Zenker, Fl. Thüringen, v. t. 539 (1836–55).
[M. E.] Jackson, Pict. Fl. fig. 528 (1840).
*Deakin, Florigr. Brit. ii. fig. 539 (1841).
*J. W. Loudon, Brit. Wild Fl. Ed. 2, t. 60 [1846].
*Reichenbach, Ic. Fl. Germ. x. t. 433 (1848).
Petermann, Deutschl. Fl. t. 89, fig. 703, o (1849).—*Fl.*
*Sturm, Deutschl. Fl. xx. xcv [t. 1421] (1855).
Irmisch in Abh. Nat. Ges. Halle, iii. t. 5, fig. 10; t. 6, fig. 8–20 (1856).—*Veg.*
Johnson & Sowerby, Brit. Wild Fl. fig. 1277 (1858–60).
*Johnson & Sowerby, Useful Pl. Gr. Brit. t. 19, fig. 228 (1861[–62]).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, iv. t. 287 (1880).
*Thomé, Fl. Deutschl. i. t. 110 (1886).
P. E. Müller in Overs. Danske Vidensk. Selsk. Forh. No. 1, p. 105 (1894).—*Veg.*
Sturm, Fl. Deutschl. Ed. 2, i. t. 42 (1906).
Act. Hort. Berg. vi. No. 1, t. 46 (1918).—*Hab.*
—— **bracteata** Thomas
*Reichenbach, Ic. Fl. Germ. x. t. 433 (1848).
—— **obtusifolia** Koehl.
*Reichenbach, Ic. Fl. Germ. x. t. 433 (1848).
oppositifolia Wall.
Wallich in Asiat. Research. xiii [t. 4] (1820).
*Lodd. Bot. Cab. vii. t. 640 (1822).
*Hooker, Exot. Fl. ii. t. 125 (1825).
*Bot. Mag. lxiii. t. 3529 (1836).
Polygonatum Linn.
*Kniphof, Herb. Viv. i. t. 290, 291 (1758).
*Fl. Dan. iii. t. 377 (1768).
*Regnault, Bot. i. 4 (1774).
Buchoz, Hist. Règne Vég. x. Dec. 5, t. 9 (1775).
*Zorn, Ic. Pl. Med. ii. t. 171 (1780).
*Bergeret, Phyt. Univ. i. 139 (1783).
Hoppe, Ect. Pl. Ratisb. t. 251 (1788).
*Plenck, Ic. Pl. Med. iii. t. 264 (1790).
*Woodville, Med. Bot. i. t. 44 (1790); Ed. 3, iv. t. 261 (1832).
C. K. Sprengel, Entd. Geheimn. Natur, t. 12, fig. 5–7 (1793).—*Fl.*
*Sowerby & Sm. Engl. Bot. iv. t. 280 (1795).
*Oskamp, Afb. Artseny-Gewass. iii. t. 211 (1796).
*Svensk Bot. i. t. 41 (1802).
*Kops, Fl. Batava, ii. t. 94 (1807).
*Roques, Pl. Usuell. Indig. & Exot. ii. t. 37 (1808).
*A. & F. Plée, Herbor. Paris, [t. 12] (1811).
*Vigneux, Fl. Pitt. Envir. Paris, t. 23 (1812).
*Hayne, Getreue Darst. Arzn. Gewächse, iii. t. 19 (1813).
*Vietz, Ic. Pl. Med.-oec.-techn. v. t. 428 (1817).
*Curtis, Fl. Londin. Ed. 2, iv [t. 38] (1819–21).
*Nees, Pl. Offic. i. t. 44 (1828).
*Heger, Danske Oec. Pl. ii. t. 122 (1831).
*Zenker, Fl. Thüringen, ii. t. 130 (1836–55).
[M. E.] Jackson, Pict. Fl. fig. 527 (1840).
*Deakin, Florigr. Brit. ii. fig. 538 (1845).
Schnizlein, Iconogr. i. t. 56 (1846).
*Strong, American Fl. ii. 120 (1848).

CONVALLARIA
Polygonatum
*Reichenbach, Ic. Fl. Germ. x. t. 434 (1848).
Irmisch in Abh. Nat. Ges. Halle, iii. t. 5, fig. 1–9, 11–15; t. 6, fig. 1–7, 21 (1856).—*Veg.*
Johnson & Sowerby, Brit. Wild Fl. fig. 1278 (1858–60).
*Réveil, Règne Vég. iii. t. 25 (1870).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, iv. t. 285 (1880).
Bih. Svenska Vet. Akad. Handl. xxv. III. No. 4, p. 33 (1899).
Rev. Hort. 1903, p. 459.
Sturm, Fl. Deutschl. Ed. 2, i. 111 (1906).
Gartenschönheit, i. 42 (1920).—*Hab.*
pubescens Willd.
*Willdenow, Hort. Berol. i. t. 45 (1805).
racemosa Linn.
*Bot. Mag. xxiii. t. 899 (1806).
racemosa Vell.
Vellozo, Fl. Flum. iii. t. 159 (1827).
rosea Ledeb.
*Ledebour, Ic. Pl. Ross. i. t. 1 (1829).
stellata Linn.
*Kniphof, Herb. Viv. i. t. 292 (1758).
*Bot. Mag. xxvi. t. 1043 (1807).
*Lodd. Bot. Cab. xi. t. 1080 (1825).
verticillata Linn.
*Fl. Dan. i. t. 86 (1763).
*Bergeret, Phyt. Univ. i. 183 (1783).
*Sowerby & Sm. Engl. Bot. ii. t. 128 (1793).
*Lodd. Bot. Cab. xii. t. 1108 (1826).
*Zenker, Fl. Thüringen, viii. t. 866 (1836–55).
[M. E.] Jackson, Pict. Fl. fig. 526 (1840).
*Deakin, Florigr. Brit. ii. fig. 537 (1845).
*Reichenbach, Ic. Fl. Germ. x. t. 435 (1848).
Ettingshausen in Sitzb. Akad. Wiss. Wien, xx. 424 (1856).—*Veg.*
Irmisch in Abh. Nat. Ges. Halle, iii. t. 6, fig. 21 a–23 (1856).—*Veg.*
Johnson & Sowerby, Brit. Wild Fl. fig. 1276 (1858–60).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, iv. t. 284 (1880).
*Seboth & A. W. Bennett, Alpine Pl. ii. t. 91 (1880).
H. Müller, Alpenblumen, 52 (1881).—*Fl.*
Kjöbenhavn Festskr. Nat. Foren. Best. 1833–83, p. 68 (1890).—*Veg.*
Sturm, Fl. Deutschl. Ed. 2, i. 113 (1906).
Bäcklin, Sveriges Natur, 1916, p. 34.—*Hab.*

CONVOLVULUS Auct.: *Aniseia* (1), *Argyreia* (2), *Breweria* (3), *Calonyction* (4), *Calystegia* (5), *Convolvulus* Linn. (6), *Evolvulus* (7), *Hewittia* (8), *Ipomoea* (9), *Jacquemontia* (10), *Lettsomia* (11), *Phacelia* (12)

CONVOLVULUS Linn. (6)—Vide *Rhodorhiza*
acanthocladus Boiss. (6)
Jaubert & Spach, Illustr. Pl. Or. iv. t. 367 (1850–53).
agrostopolis Vell. (3)
Vellozo, Fl. Flum. ii. t. 51 (1827).
albivenius Lindl. (9)
*Bot. Reg. xiii. t. 1116 (1827).
alsinoides Linn. (7)
*Kniphof, Herb. Viv. i. t. 304 (1758).
althaeoides Linn. (6)
*Kniphof, Herb. Viv. i. t. 299 (1758).
*Bot. Mag. x. t. 359 (1797).
*Moriarty, Viridarium, Col. Plates Greenh. Pl. t. 14 (1806).
*Sibthorp & Sm. Fl. Graeca, ii. t. 194 (1813).
*Trattinick, Thes. Bot. t. 57 (1819).
Berchtold & J. S. Presl, Rostlin. ii. t. 26 (1825).
*Jaume St.-Hilaire, Fl. & Pom. Franç. i. t. 11 (1828).
Reichenbach, Ic. Fl. Germ. xviii. t. 1339 (1858).
*Rev. Hort. 1864, p. 111.
Cesati, Passer. & Gibelli, Comp. Fl. Ital. t. 60, bis (1867–86).—*Fl.*
*Moggridge, Fl. Mentone, t. 30 (1871).
*Cusin, Herb. Fl. Franç. xvi (Convolvulacées), t. 5 (1875).
*Bicknell, Fl. Pl. Riviera, t. 38 (1885).

CONVOLVULUS
althaeoides
Acloque, Fl. France, 467 (1894).
Fiori & Paol. Ic. Fl. Ital. 335 (1902).
*Penzig, Fl. Litt. Méditerr. t. 90 (1902).
Coste, Fl. France, ii. 570 (1903).
*Strasburger, Rambles Riviera, 119 (1906).
—— **argyreus** Choisy (6)
*Fl. des Serres, Ser. I. x. t. 1021 (1854–55).
Belg. Hort. vi. t. 25 (1856).
Cusin, Herb. Fl. Franç. xvi (Convolvulacées), t. 6 (1875).
—— **elegantissimus** Mill. (6)
Fiori & Paol. Ic. Fl. Ital. 336 (1902).
—— **tenuior** Tratt. (6)
*Trattinick, Thes. Bot. t. 58 (1819).
americanus J. W. Loudon (5)
*J. W. Loudon, Ladies' Fl.-Gard. Ornam. Perenn. ii. 98 (1844) in textu; *C. sepium* var. *americanus* in ic. t. 76.
angularis N. L. Burm. (9)
N. L. Burman, Fl. Ind. t. 19 (1768).
armatus Del. (6)
Delile, Fl. Égypte, t. 18 (1812).
arvensis Linn. (6)
*Kniphof, Herb. Viv. i. t. 295 (1758).
*Fl. Dan. iii. t. 459 (1769).
Hill, Herb. Brit. ii. t. 94 (1770).
*Regnault, Bot. i. 9 (1774).
*Curtis, Fl. Londin. i. fasc. II. t. 13 (1777); Ed. 2, i. fasc. II. t. 13 (1817).
Walcott, Fl. Brit. Indig. [t. 21] (1778).
Hoppe, Ect. Pl. Ratisb. t. 475 (1789).
*Joh. Kerner, Abbild. Oek. Pfl. (Fig. Pl. Écon.), iii. t. 226 (1789).
*Plenck, Ic. Pl. Med. ii. t. 104 (1789).
*Martyn, Fl. Rustica, iii. t. 89 (1792).
C. K. Sprengel, Entd. Geheimn. Natur, t. 4, fig. 28–30, 34, 35 (1793).—*Fl.*
Usteri, Ann. Bot. v. t. 5 (1793).—*Fl.*
*Dreves, Bot. Bilderbuch, i. t. 24 (1794).
*Sowerby & Sm. Engl. Bot. v. t. 312 (1796).
*Kops, Fl. Batava, i. t. 13 (1800).
*Dreves & Hayne, Choix de Pl. t. 24 (1802).
*Svensk Bot. v. t. 341 (1807).
*Jaume St.-Hilaire, Pl. France, iii [t. 11] (1809).
*Liboschitz & Trinius, Fl. Pétersb. & Mosc. 47 (1811).
*A. & F. Plée, Herbor. Paris, [t. 44] (1811).
*Schrank, Fl. Monac. i. t. 27 (1811).
Thornton, Brit. Fl. ii. 64 (1812).
*Vietz, Ic. Pl. Med.-oec.-techn. v. t. 429 (1817).
*Chaumeton, Fl. Méd. vii. II. t. 49 (1820).
*Roques, Phytogr. Médic. i. t. 69 (1821); Nouv. Ed. Atlas, t. 50 (1835).
Berchtold & J. S. Presl, Rostlin. ii. t. 24 (1825).
*Heger, Danske Oec. Pl. i. t. 86 (1828).
*Baxter, Brit. Bot. Ed. 2, i. t. 58 (1834).
*Dietrich, Fl. Boruss. iii. t. 156 (1835).
*Zenker, Fl. Thüringen, ii. t. 159 (1836–55).
[M. E.] Jackson, Pict. Fl. fig. 322 (1840).
*Deakin, Florigr. Brit. i. fig. 343 (1841).
*Plée, Types chq. Famille Pl. France, t. 68 (1844).
Nees, Gen. Pl., Gamop. i. t. 64 (1845).
*Lorek, Fl. Pruss. Ed. 3, t. 51, fig. 288 (1848).
Lindley, Med. & Oecon. Bot. 209 (1849).
*Petermann, Deutschl. Fl. t. 61, fig. 478 (1849).
*Cassone, Fl. Med.-Farm. iv. t. 352 (1850).
*Wilkinson, Weeds & Wild Fl. 338 (1858).
Johnson & Sowerby, Brit. Wild Fl. fig. 824 (1858–60).
Reichenbach, Ic. Fl. Germ. xviii. t. 1337 (1858).
Berg, Charakt. t. 38, fig. 295, P–Z (1861).—*Fl.*
*T. Moore, Field Bot. Comp. t. 16 (1862).
*Hogg & Johnson, Wild Fl. Gr. Brit. ii. t. 141 (1864).
Bentham, Handb. Brit. Fl. fig. 679 (1865).
*Syme, Engl. Bot. vi. t. 923 (1866).
Cesati, Passer. & Gibelli, Comp. Fl. Ital. t. 60, bis (1867–86).—*Fl.*
*Hulme, Plant Form, t. 93 (1868).
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, iv. t. 140 [1873].
*Cusin, Herb. Fl. Franç. xvi (Convolvulacées), t. 3 (1875).
Rev. Hort. 1875, p. 386.

CONVOLVULUS
arvensis
Nobbe, Handb. Samenkunde, 449 (1876).—*Fr.*
De Silvestri, Piante Prat. 217 (1879).
Favart, Flowers & Pl. t. 27 (1880).
Karsten, Deutsche Fl. Pharm.-medic. Bot. 972 (1880–83).
Wagner, Ill. Deutsche Fl. Ed. 2, p. 533 (1882).
Nicholson, Illustr. Dict. Gard. i. 369 [1884–88].
Pringsh. Jahrb. Bot. xv. t. 16, fig. 6 (1884).—*Veg.*
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xvi. t. 1586 (1884).
Harz, Samenkunde, ii. 753 (1885).—*Fr.*
Flora, lxix. t. 4, fig. 10 (1886).—*Fl.*
*Millspaugh, American Med. Pl. t. 123 (1887).
Kerner, Pflanzenleben, i. 581 (1887).—*Veg.*
Gerardin, Herb. t. 2 (1888).
Rattan, Popular Californian Fl. Rev. Ed. 8, p. xxi (1888).
Bot. Jaarb. Gent, i. 111 (1889); v. 328 (1893).—*Fl.*
Dujard.-Beaumetz & Égasse, Pl. Méd. 130 (1889).
*Thomé, Fl. Deutschl. iv. t. 478 (1889).
Paolucci, Fl. Marchig. t. 20 (1890).
Schilberszky in Emlék. Magyar Természett. társ. félsz. jubil. (Jubilee-Vol. Hung. Soc. Nat. Hist.), 624, 625 (1892).—*Fl.*
*Hulme, Familiar Wild Fl. (5 vol. Ed.), i. frontisp. [1892?]; (Pop. Ed.), i. 1 [1897?].
G. Beck, Fl. Nied.-Oesterr. ii. II. 946 (1893).—*Fl.*
*Masclef, Atlas Pl. France, t. 222 (1893).
Acloque, Fl. France, 467 (1894).
Kerner & Oliv. Nat. Hist. Pl. i. 621 (1894).—*Veg.*
*Siélain, Atlas Poche Pl. Champs, Prair. & Bois, t. 64 [1894].
Brehm, Merv. Nat. Monde des Pl. ii. 286 (1894–96).
*Step, Wayside & Woodl. Bloss. t. 64 (1895); New Ed. ii. t. 60 (1905).
Karsten, Fl. Deutschl. ii. 547 (1895).
Hitchcock & Norton in Bull. Kansas Agric. St. No. 57, t. 10, fig. 117 (1896); No. 66, t. 10, fig. 117 (1897); No. 76, t. 7, fig. 38, 39 (1898).
Selby in Bull. Ohio Agric. St. No. 83, p. 323 (1897); No. 175, p. 346 (1906).
*Bettfreund, Fl. Argentina, i. t. 25 (1898).
Britton & Brown, Ill. Fl. N. States & Canada, iii. 26 (1898); Ed. 2, iii. 47 (1913).
Bogue in Bull. Oklahoma Agric. St. No. 41, p. 8 (1899).
Pammel in Bull. Iowa Agric. St. No. 42, p. 138 (1899); No. 70, p. 346 (1903).
*Behrens, Blattformen, t. 61, fig. d, e (1900).—*Veg.*
Lindman, Bild. Nord. Fl. t. 104 (1901–5).
C. T. Green, Fl. Liverpool Distr. fig. 445 (1902).
Fiori & Paol. Ic. Fl. Ital. 336 (1902).
Parkhurst, Trees, Shrubs, Vines N.E. United States, 323, t. 4, fig. 22 (1903).—*Veg.*
Coste, Fl. France, ii. 571 (1903).
Sturm, Fl. Deutschl. Ed. 2, xi. 8 (1903).
*Clark & Fletcher, Farm Weeds Canada, t. 37, 56, fig. 72 (1906); Ed. 2, t. 44, 74, fig. 55 (1909).
Blytt, Haandb. Norg. Fl. Ed. Dahl, 583 (1906).
Merino, Fl. Galicia, ii. 143 (1906).
Lazaro, Comp. Fl. Españ. ii. 486 (1907).
!Malpighia, xxi. t. 5 (1907).—*Veg.*
*Wagner, Magyar. Gyomnöv. (Weeds of Hungary), t. 7 (1908).
Rec. Instit. Bot. Errera, vii. Annexe, 121, fig. 70 B (1908).—*Hab.*
Fitzgerald in Nature Book, vi. 988 (1909).
Beille, Bot. Pharm. ii. 996 (1909).
*Ewart & Tovey, Weeds, Poison. Pl. & Nat. Aliens, Victoria, 48 (1909).
*Journ. Dep. Agric. Victoria, vii. 96 (1909).
Graebner, Pflanzenw. Deutschl. 94 (1909).
Heukels, Fl. Nederl. iii. 70 (1909).
U.S. Dep. Agric. Farm. Bull. No. 361, p. 10 (1909).
Agric. Journ. Ind. v. 229 (1910).—*Hab.*
Fedtschenko & Fler. Fl. Eur. Russia, 770 (1910).
Long, Common Weeds Farm & Garden, 103, t. 2 (1910).
Suireishchikov, Ill. Fl. Mosc. Gov. iii. 44 (1910).
Beal in Bull. Michigan Agric. Exp. St. No. 267, p. 390 (1911); et in Ann. Rep. xxv. 379 (1912).

CONVOLVULUS
arvensis
Bot. Közl. (Bot. Communic.), x. 153, 161 (1911).—*Fl.*
*Correvon, Fl. Champs & Bois, t. 60 (1911).
Ontario Dep. Agric. Bull. No. 188, p. 19, 91 (1911).
Pammel & Fogel in Proc. Iowa Acad. Sc. xvi. No. 31, t. 1 (1911); No. 4, p. 249, 464 (1913).
Nathansohn, Allgem. Bot. 211 (1912).—*Hab.*
Bull. Angew. Bot. v. 147, t. 69 (1912); vii. t. 107, 116 (1914).
Strasburger, Text-Book Botany, Ed. Angl. 4, p. 651 (1912).
Warburg, Pflanzenwelt, i. 315 (1913).—*Fr.*
*Klein, Unsere Unkräuter, t. 7 (1913).
Cunningham in Iowa Geol. Surv. Bull. No. 4, p. 249, 464, 653 (1913).
*Gadeceau, Fl. Moiss. t. 7 (1914).
Canada Dep. Agric. Exp. Farms, Bull. No. S-8, p. 24 (1914).
A. Georgia, Manual Weeds, t. 224 (1914).
*Perrin & Boulger, Brit. Flower. Pl. iv. t. 224, 234 [A], fig. 1–4 (1914).
M. Armstrong, Field Book West. Wild Fl. 383 (1915).
Horwood, Plant Life Brit. Isles, iii. 124 (1915).
Gager, Fundam. Bot. 479 (1916).
*Bonnier, Name This Flower, t. 38 (1917).
Basu, Ind. Med. Pl. t. 668 (1918).
Lindman, Svensk Fanerogamfl. 457 (1918).
Monthly Bull. Hort. California, vii. 162 (1918); viii. 600 (1919).
Fitch & Smith, Ill. Brit. Fl. Ed. rev. 4, Iss. 2, fig. 686 (1919).
Bornemann, Landwirtsch. Unkräuter, fig. 8 (1920).
Krafft & Fruwirth, Pflanzenb. 141 (1920).—*Fr.*
Brenchley, Weeds Farm Land, 29 (1920).—*Veg.*
—— **lancifolius** Presl (6)
Oesterr. Bot. Zeitschr. lxiv. 179 (1914).
—— **linearifolius** Choisy (6)
*Fl. Dan. xvii. t. 3013 (1883).
—— **parviflorus** Lang (6)
*Fl. Dan. xvii. t. 3012 (1883).
—— **sagittatus** Ledeb. (6)
J. G. Gmelin, Fl. Sibir. iv. t. 48, fig. 1 dext. (1769); fide Ledebour, Comm. 121.
assyrensis Kotschy (6)
Kotschy in Sitzb. Akad. Wiss. Wien, lii. 1. t. 5 (1865).
atropurpureus Wall. (11)
*Wallich, Pl. Asiat. Rar. i. t. 43 (1830).
barbatus Wall. (11)
*Wallich, Pl. Asiat. Rar. ii. t. 155 (1831).
Batatas Linn. (9)
*Regnault, Bot. i. 6 (1774).
Gil & Xuarez, Osserv. t. 1 (1789).
*Plenck, Ic. Pl. Med. ii. t. 106 (1789).
*Joh. Kerner, Abbild. Oek. Pfl. (Fig. Pl. Écon.), v. t. 493 (1792).
Bordiga, Storia Piante Forast. iii. t. 52 (1793).
*Abbot & Smith, Nat. Hist. Lepidopt. Insects Georgia, i. t. 32 (1797).
*Maerter, Bataten, tab. (1797).
*Joh. Kerner, Hort. Sempervir. t. 340 (1813).
*Vietz, Ic. Pl. Med.-oec.-techn. v. t. 430 (1817).
Vellozo, Fl. Flum. ii. t. 59 (1827).—*Veg.*
Mém. Mus. Hist. Nat. Paris, xix. 56, t. 5 (1830).—*Veg.*
Seringe, Bull. Bot. t. 6 (1830).
*Journ. Jard. 1835, p. 163.
Paxt. Mag. iii. 199 (1837).
*Neubert's Deutsch. Gart. Mag. 1857, p. 26.
Decaisne & Naud. Amat. Jard. iv. 91 [1862–66].—*Veg.*
Bois, Dict. Hort. 166 (1893–99).—*Veg.*
Brotéria, Ser. Vulg. Sc. xiii. 102 (1915).—*Fr.*
Bentira Buch.-Ham. (9)
Rheede, Hort. Mal. xi. t. 54 (1692); fide Hasskarl, Hort. Mal. Rheed. Clavis, 97.
betonicifolius Mill. (6)
Fiori & Paol. Ic. Fl. Ital. 336 (1902).
bicolor Vahl (8)
*Bot. Mag. xlviii. t. 2205 (1821).
bifidus Vell. (1)
Vellozo, Fl. Flum. ii. t. 52 (1827).

CONVOLVULUS
bonariensis Cav. (6)
Cavanilles, Ic. v. t. 480 (1799).
brasiliensis Linn. (9)
Vellozo, Fl. Flum. ii. t. 62 (1827).
Rechinger in Denkschr. Akad. Wiss. Wien, lxxxix. 596, fig. 28 (1914).—*Hab.*
brevispinus Jaub. & Spach (6)
Jaubert & Spach, Illustr. Pl. Or. iv. t. 369 (1850–53).
bryoniifolius Sims (6)
*Bot. Mag. xxiv. t. 943 (1806).
*Joh. Kerner, Hort. Sempervir. t. 571 (1819).
*Géel, Sert. Bot. Cl. 5 (1828).
*J. W. Loudon, Ladies' Fl.-Gard. Ornam. Perenn. ii. t. 76 (1844).
cairicus Linn. (9)
*Bot. Mag. xix. t. 699 (1803).
*Moriarty, Viridarium, Col. Plates Greenh. Pl. t. 5 (1806).
*Géel, Sert. Bot. Cl. 5 (1828).
*Reichenbach, Fl. Exot. iii. t. 153 (1835).
Calvertii Boiss. (6)
Rouy, Illustr. Pl. Eur. Rar. fasc. 11, t. 266 (1899).
campestris Vell. (9)
Vellozo, Fl. Flum. ii. t. 66 (1827).
canariensis Willd. (6)
*Bot. Mag. xxx. t. 1228 (1809).
candicans Soland. (9)
*Bot. Mag. xxxix. t. 1603 (1813).
*Fortsetz. Allg. Teutsch. Gart. Mag. v. t. 20 (1820–21).
cantabrica Linn. (6)
*Kniphof, Herb. Viv. i. t. 303 (1758).
*Jacquin, Fl. Austr. iii. t. 296 (1775).
*Jaume St.-Hilaire, Fl. & Pom. Franç. i. t. 12 (1828).
Reichenbach, Ic. Fl. Germ. xviii. t. 1336 (1858).
*Cusin, Herb. Fl. Franç. xvi (Convolvulacées), t. 9 (1875).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xvi. t. 1588 (1884).
Acloque, Fl. France, 467 (1894).—*Fl.*
Fiori & Paol. Ic. Fl. Ital. 335 (1902).
Coste, Fl. France, ii. 570 (1903).
Müveltség Könyvtára: Az élök világa (World of Living Creatures), 407 (1905).
Fedtschenko & Fler. Fl. Eur. Russia, 770 (1910).
—— **stellatus novus** Hort. (6)
*Floral Mag. ii. t. 93 (1862).
capitatus Cav. (6)
Cavanilles, Ic. ii. t. 189 (1793).
carolinus Linn. (9)
Dillenius, Hort. Eltham. Add. Denom. Linn. t. 84 (1774).
chinensis Ker (6)
*Bot. Reg. iv. t. 322 (1818).
Cneorum Linn. (6)
*Kniphof, Herb. Viv. i. t. 300 (1758).
*Bot. Mag. xiii. t. 459 (1799).
*Duhamel, Arbres & Arbustes, Ed. 2, vi. t. 18 (1801–19).
*Sibthorp & Sm. Fl. Graeca, ii. t. 200 (1813).
J. C. Loudon, Arbor. & Frutic. Brit. iii. 1264 (1838).
Reichenbach, Ic. Fl. Germ. xviii. t. 1335 (1858).
Pokorny, Oesterr. Holzpfl. 441, t. 36 (1864).—*Veg.*
*Cerio & Bellini, Fl. Capri, tab. (1900).
Fiori & Paol. Ic. Fl. Ital. 335 (1902).
Gard. Chron. Ser. III. xlii. 106 (1907); lix. 112 (1916).
Schneider, Ill. Handb. Laubh. ii. 586, 587 (1911).
Adamović, Pflanzenw. Dalmat. t. 25, 26 (1911).—*Hab.*
Silva Tarouca, Freiland-Laubgehölze, 187 (1913).—*Hab.*
Karsten & Schenck, Veg.-Bild. x. t. 41 (1913).—*Hab.*
Eden Phillpotts, My Shrubs, 34 (1915).—*Hab.*
colubrinus Blanco (9)
*Blanco, Fl. Filip. t. 315 (1878–80).
condensatus Bertol. (10)
Bertoloni, Misc. Bot. xv. t. 2 (1854).
Bertoloni in Mem. Accad. Sc. Istit. Bologna, v. t. 19 (1854).

CONVOLVULUS
contortus Vell. (9)
Vellozo, Fl. Flum. ii. t. 48 (1827).
cordatifolius Vell. (9)
Vellozo, Fl. Flum. ii. t. 60 (1827).—*Veg.*
cordifolius Thunb. (6)
Skrivt. Nat. Selsk. Kjöbenhavn, vi. t. 5 (1810).
crenatifolius Ruiz & Pav. (6)
Ruiz & Pavon, Fl. Peruv. & Chil. ii. t. 118 (1799).
crenatus Jacq. (6)
*Jacquin, Ic. Pl. Rar. ii. t. 315 (1786–93).
Cupanianus Tod. (6)
Murbeck, Contr. Fl. N.-Ouest Afriq. ii. t. 7 (1898).—*Fl.*
cymosus Ruiz & Pav. (9)
Ruiz & Pavon, Fl. Peruv. & Chil. ii. t. 117 (1799).
dahuricus Herb. (5)
*Bot. Mag. liii. t. 2609 (1825).
discolor H. B. K. (9)
H. B. K. Nov. Gen. iii. t. 212 (1818).
dissectus Jacq. (9)
Jacquin, Obs. Bot. t. 28 (1767).
*Jacquin, Hort. Vind. i. t. 159 (1772).
dissectus Cav. (6)
Cavanilles, Ic. v. t. 480 (1799).
divisus Vell. (10)
Vellozo, Fl. Flum. ii. t. 49 (1827).
Dorycnium Linn. (6)
*Sibthorp & Sm. Fl. Graeca, iii. t. 201 (1819).
J. C. Loudon, Arbor. & Frutic. Brit. iii. 1264 (1838).
dryadum Maire (6)
Bull. Soc. Bot. France, lx. 254, t. 10 (1913).
dumetorum H. B. K. (9)
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, iv. t. 182 [1873].
edulis Vell. (9)
Vellozo, Fl. Flum. ii. t. 55 (1827).
elongatus Willd. (6)
*Schrank, Pl. Rar. Hort. Acad. Monac. i. t. 38 (1819).
*Bot. Reg. vi. t. 498 (1820).
*J. W. Loudon, Ladies' Fl.-Gard. Ornam. Annuals, t. 26 (1844).
erinaceus Ledeb. (6)
Eichwald, Pl. Casp.-Cauc. fasc. 2, t. 7 (1831–33).
Bot. Tidsskr. xxxii. 194 (1912).
Paulsen, Stud. Veg. Transcasp. Lowlands (Second Dan. Pamir Exped.), 225 (1912).
erubescens Sims (6)
*Bot. Mag. xxvii. t. 1067 (1807).
Meredith, Bush Friends Tasmania, 77 (1860).
*Charsley, Wild Fl. Melbourne, t. 12 (1867).
F. M. Bailey, Weeds & Poison. Pl. Queensland, 117 (1906).
esculentus Vell. (9)
Vellozo, Fl. Flum. ii. t. 58 (1827).
evolvuloides Desf. (6)
Desfontaines, Fl. Atlant. i. t. 49 (1798).
*Sibthorp & Sm. Fl. Graeca, ii. t. 198 (1813).
Falkia Jacq. (6)
*Jacquin, Hort. Schoenbr. ii. t. 198 (1797).
farinosus Linn. (6)
*Jacquin, Hort. Vind. i. t. 35 (1770).
*Salisbury, Parad. Londin. i. II. t. 45 (1806).
Berchtold & J. S. Presl, Rostlin. ii. t. 25 (1825).
*Bot. Reg. xvi. t. 1323 (1830).
flavus Willd. (6)
Rheede, Hort. Mal. viii. t. 27 (1688); fide Fl. Brit. Ind. iv. 219.
floribundus H. B. K. (6)
H. B. K. Nov. Gen. iii. t. 210 (1818).
floridus Linn. f. (6)
*Jacquin, Ic. Pl. Rar. i. t. 34 (1781–86).
Webb & Berth. Hist. Nat. Iles Canar. Atlas, Facies, t. 3 (1838).—*Hab.*
Möllers Deutsche Gärtn.-Zeit. xxii. 387 (1907).
Forskalii Del. (6)
Delile, Fl. Égypte, t. 18 (1812).
fraterniflorus Mackenz. & Bush (6)
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, iii. 46 (1913).

CONVOLVULUS
fruticosus Pall. (6)
Pallas, Reise Russ. ii. II. t. M (1773).
Pallas, Voyages, iii. t. 5 (1793).
Bot. Tidsskr. xxxii. 196 (1912).
Paulsen, Stud. Veg. Transcasp. Lowlands (Second Dan. Pamir Exped.), 227 (1912).
gemellus N. L. Burm. (9)
N. L. Burman, Fl. Ind. t. 21 (1768).
genistoides Jaub. & Spach (6)
Jaubert & Spach, Illustr. Pl. Or. t. 370 (1850–53).
gharbensis Battand. & Pitard (6)
Pitard, Expl. Scient. Maroc., Bot. (1912), i. t. 9 (1913).
glaber Aubl. (9)
Aublet, Hist. Pl. Guiane Franç. iii. t. 53 (1775).
glomeratus Choisy (6)
Wight, Ic. Pl. Ind. Or. iv. t. 1366 (1848).
grandiflorus Jacq. (4)
*Jacquin, Hort. Vind. iii. t. 69 (1776).
*Descourtilz, Fl. Pitt. & Méd. Antilles, viii. t. 557 (1829); errore *C. latiflorus* in textu.
*Behrens, Blattformen, t. 61, fig. a, b (1900).—*Veg.*
Grantii Balf. f. (6)
H. O. Forbes, Nat. Hist. Sokotra, 524 (1903).
guianensis Aubl. (10)
Aublet, Hist. Pl. Guiane Franç. iii. t. 52 (1775).
hastatus Thunb. (6)
Skrivt. Nat. Selsk. Kjöbenhavn, vi. t. 5 (1810).
havanensis Jacq. (6)
Jacquin, Obs. Bot. t. 45, fig. 3 (1767).
*Jacquin, Sel. Stirp. Amer. Hist. Picta, t. 264, fig. 97 [1780].
hederaceus Linn. (9)
*Kniphof, Herb. Viv. i. t. 296 (1758).
Dillenius, Hort. Eltham. Add. Denom. Linn. t. 81, 83 (1774).
Gaertner, Fruct. ii. t. 134 (1791).—*Fr.*
Boissieu, Fl. Eur. i. t. 133 (1805).—*Fl.*
Hermanniae L'Hér. (6)
*L'Héritier, Stirp. t. 33 (1786).
hirsutus M. Bieb. (6)
*M. v. Bieberstein, Cent. Pl. Rar. i. t. 6 (1810).
Coste, Fl. France, ii. 571 (1903).
Fedtschenko & Fler. Fl. Eur. Russia, 770 (1910).
hirsutus Ten. (6)
*Tenore, Fl. Nap., Atlas, i. t. 15 (1811–38).
holosericeus M. Bieb. (6)
*M. v. Bieberstein, Cent. Pl. Rar. i. t. 24 (1810).
humilis Jacq. (6)
*Jacquin, Collect. iv. t. 22, fig. 2 (1790).
Fiori & Paol. Ic. Fl. Ital. 335 (1902).
Imperati Vahl (9)
*Tenore, Fl. Nap., Atlas, iii. t. 121 (1811–38).
incanus Vahl (6)
Britton & Brown, Ill. Fl. N. States & Canada, iii. 27 (1898); Ed. 2, iii. 47 (1913).
indivisus Vell. (9)
Vellozo, Fl. Flum. ii. t. 50 (1827).
inflatus Desf. (5)
*Réveil, Règne Vég. iv. t. 18 (1870).—*Fl.*
involucratus Ker-Gawl. (8)
*Bot. Reg. iv. t. 318 (1818).
*J. W. Loudon, Ladies' Fl.-Gard. Ornam. Annuals, t. 26 (1844).
Ipomoea Vell. (9)
Vellozo, Fl. Flum. ii. t. 56 (1827).
italicus Guss. (6)
*Bot. Reg. xxxiii. t. 12 (1847).
*W. Thompson, Engl. Fl. Gard. ii. 161 (1853).
Jalapa Linn. (9)
*Plenck, Ic. Pl. Med. i. t. 94 (1788).
*Woodville, Med. Bot. i. t. 21 (1790); Ed. 3, ii. t. 87 (1832).
Bordiga, Storia Piante Forast. ii. t. 34 (1792).
Lamarck, Ill. i. t. 104, fig. 2 (1797).
*Vietz, Ic. Pl. Med.-oec.-techn. i. t. 103 (1800).—*Veg.*
*Joh. Kerner, Hort. Sempervir. t. 125 (1803).
Ann. Mus. Hist. Nat. Paris, ii. 126, 128 (1803).
Desfontaines in Mém. Instit. Nat. Sc. & Arts, Paris, vi. t. 10, 11 (1806).
*Roques, Pl. Usuell. Indig. & Exot. i. t. 57 (1807).
*Bot. Mag. xxxviii. t. 1572 (1813).

CONVOLVULUS
Jalapa
*Chaumeton, Fl. Méd. iv. t. 207 (1817).
*Lodd. Bot. Cab. vi. t. 518 (1821).
*Roques, Phytogr. Médic. i. t. 70 (1821); Nouv. Ed. Atlas, t. 51 (1835).
*Descourtilz, Fl. Pitt. & Méd. Antilles, ii. t. 140 (1822).
*Mordant de Launay, Herb. Amat. viii. t. 544 (1827).
*Fl. Med. [Spratt], i. 203 (1829).
*Wagner, Pharm.-Med. Bot. ii. t. 151, 152 (1829).
Delle Chiaje, Fl. Med. ii. tab. (1832).
*Drapiez, Herb. Amat. Fl. vi. t. 409 (1833).
*Schlechtendal & Guimpel, Abb. Pharm. Boruss. Gew. ii. t. 117, 118 (1833).
*Stephenson & Churchill, Med. Bot. New Ed. i. t. 46 (1834).
*Mag. Bot. & Gard. iii. t. 9 (1835).
*Strong, American Fl. i. 35 (1848).
*Berge & Riecke, Giftgewächse, t. 41 (1850).
*Cassone, Fl. Med.-Farm. iv. t. 349 (1850).
*Réveil, Règne Vég. ix. t. 19 (1870).
japonicus Thunb. (9)
L. H. Bailey, Cycl. Amer. Hort. 367 (1900); Stand. Cycl. Hort. 839 (1914).
laciniatus Lam. (6)
Cavanilles, Ic. v. t. 479 (1799).
lanatus Vahl (6)
*Sibthorp & Sm. Fl. Graeca, iii. t. 202 (1819).
Crowfoot, Desert Fl. t. 23 [1914?].
lanuginosus Desr. (6)
Reichenbach, Ic. Fl. Germ. xviii. t. 1336 (1858).
*Cusin, Herb. Fl. Franç. xvi (Convolvulacées), t. 7 (1875).
Coste, Fl. France, ii. 569 (1903).
—— **argenteus** Gren. & Godr. (6)
Cusin, Herb. Fl. Franç. xvi (Convolvulacées), t. 8 (1875).
lasianthus Cav. (6)
Cavanilles, Ic. v. t. 479 (1799).
lasiophloeus Jaub. & Spach (6)
Jaubert & Spach, Illustr. Pl. Or. iv. t. 368 (1850–53).
lasiospermus Vis. (9)
Visiani, Pl. Aeg. t. 1 (1836).
linearis Curt. (6)
*Bot. Mag. ix. t. 289 (1795).
lineatus Sibth. & Sm. (6)
*Sibthorp & Sm. Fl. Graeca, ii. t. 199 (1813).
lineatus Linn. (6)
Reichenbach, Ic. Fl. Germ. xviii. t. 1335 (1858).
*Cusin, Herb. Fl. Franç. xvi (Convolvulacées), t. 10 (1875).
Fiori & Paol. Ic. Fl. Ital. 335 (1902).
Coste, Fl. France, ii. 570 (1903).
Fedtschenko & Fler. Fl. Eur. Russia, 769 (1910).
Bull. Appl. Bot. viii. 1443, t. 1 (1915).—*Hab.*
linifolius D. Dietr. (9)
*Kniphof, Herb. Viv. i. t. 297 (1758).
longipes S. Wats. (6)
Rep. U.S. Geogr. Surv. vi. Bot. t. 20 (1878).
lucanus Ten. (5)
*Tenore, Fl. Nap., Atlas, v. t. 213 (1811–38).
lymphaticus Vell. (9)
Vellozo, Fl. Flum. ii. t. 47 (1827).
macrocalyx Ruiz & Pav. (9)
Ruiz & Pavon, Fl. Peruv. & Chil. ii. t. 118 (1799).
macrorrhizos Linn. (9)
*Descourtilz, Fl. Pitt. & Méd. Antilles, ii. t. 138 (1822).
macrostegius Greene (6)
*Bot. Mag. cxxvi. t. 7717 (1900).
maior Gilib. (5)
Garsault, Descr. Pl. & Anim. iv. t. 556 (1767).
maior Hort. (9)
*Hulme, Plant Form, t. 11 (1868).
Journ. Hort. liii. 329 (1875); Ser. III. lx. 447 (1910).
*Hulme & Hibberd, Familiar Gard. Fl. v. 85 [1879–87].
Woodrow, Gardening Tropics, 405 [1910].—*Hab.*
mammosus Lour. (9)
Bull. Écon. Indo-Chine, N. Ser. xv. 156 (1903); xlviii. 1182 (1905).—*Hab.*
Ann. Mus. Col. Marseille, Ser. II. vi. 127, 128 (1908.)

CONVOLVULUS
maritimus Lam. (9)
*Descourtilz, Fl. Pitt. & Méd. Antilles, ii. t. 131 (1822).
martinicensis Jacq. (9)
Jacquin, Sel. Stirp. Amer. Hist. t. 17 (1763).
*Jacquin, Sel. Stirp. Amer. Hist. Picta, t. 24 [1780].
mauritanicus Boiss. (6)
*Boissier, Voy. Bot. Espagne, i. t. 122, a (1839–45).
*Henderson, Ill. Bouquet, ii. t. 47 (1859–61).
*Bot. Mag. lxxxvii. t. 5243 (1861).
*Horticulteur Franç. 1861, t. 19.
*Gartenfl. x. t. 338 (1861); xxxii. 343 (1883).
Journ. Hort. xxvi. 120 (1861).
Floral World, iv. 123 (1861).
*Trans. Russ. Hort. Soc. 1861, t. 64.
*Neubert's Deutsch. Gart. Mag. 1862, p. 161.
*Fl. des Serres, Ser. II. xi. t. 2183 (1875).
*Garden, xxxix. 52 (1891); lxxiii. 398 (1909); lxxiv. 549 (1910).
*Bois, Dict. Hort. 364 (1893–99).
Jardin, xxii. 277 (1908).
mechoacana Vitm. (9)
*Oskamp, Afb. Artseny-Gewass. iii. t. 271 (1796).
*Roques, Pl. Usuell. Indig. & Exot. i. t. 65 (1807).
*Cassone, Fl. Med.-Farm. iv. t. 351 (1850).
meonanthus Hoffmgg. & Link (6)
*Hoffmannsegg & Link, Fl. Portug. i. t. 69 (1809).
Murbeck, Contr. Fl. N.-Ouest Afriq. ii. t. 7 (1898).
microcalyx Pelletan (6)
Pelletan in Journ. Chim. Méd. x. t. 2, fig. A–D (1834).—*Fl.*
microphyllus Sieb. (6)
Wight, Ic. Pl. Ind. Or. iv. t. 1367 (1848).
minor Gilib. (6)
Garsault, Descr. Pl. & Anim. iv. t. 557 (1767).
minor Hort. (6)
*Hulme, Plant Form, t. 10 (1868).
*Hulme & Hibberd, Familiar Gard. Fl. i. 81 [1879–87].
mollis N. L. Burm. (2)
N. L. Burman, Fl. Ind. t. 17 (1768).
mollissimus Bertol. (6)
Bertoloni, Misc. Bot. xx. t. 3 (1859).—*Fl.*
Bertoloni in Mem. Accad. Sc. Istit. Bologna, x. 1. t. 7 a (1860).—*Fl.*
multivalvis R. Br. (6)
F. M. Bailey, Compr. Cat. Queensl. Pl. 352 (1909–13).
munitus Wall. (9)
*Wight in Hooker, Bot. Misc. ii. 105, Suppl. tab 7 (1831).
muricatus Linn. (9)
*Joh. Kerner, Hort. Sempervir. t. 238 (1806).
*Blanco, Fl. Filip. t. 332 (1878–80).
mutabilis Salisb. (9)
Decaisne & Naud. Amat. Jard. ii. 516 [1862–66].
nervosus N. L. Burm. (2)
N. L. Burman, Fl. Ind. t. 20 (1768).
nil Linn. (9)
Dillenius, Hort. Eltham. Add. Denom. Linn. t. 80 (1774).
*Bot. Mag. vi. t. 188 (1792).
*Blanco, Fl. Filip. t. 66 (1878–80).
nitidus Boiss. (6)
*Boissier, Voy. Bot. Espagne, i. t. 122 (1839–45).
obscurus Linn. (9)
Dillenius, Hort. Eltham. Add. Denom. Linn. t. 83 (1774).
*Houttuyn, Handl. Pl. & Kruidk. vii. t. 42, fig. 1 (1777).
occidentalis A. Gray (6)
M. Armstrong, Field Book West. Wild Fl. 383 (1915).
ocellatus Hook. (6)
*Bot. Mag. lxx. t. 4065 (1844).
ochraceus Lindl. (9)
*Bot. Reg. xiii. t. 1060 (1827).
officinalis Pelletan (9)
Pelletan in Journ. Chim. Méd. x. t. 1 (1834).
oleifolius Desr. (6)
Pflanzenfam. iv. III. A. 33 (1891).
orizabensis Pelletan (9)
Pelletan in Journ. Chim. Méd. x. t. 2, fig. 1–9, 21 (1834).

CONVOLVULUS
Ottonis Meissn. (6)
Mart. Fl. Bras. vii. t. 113 (1869).
palustris Cav. (6)
Cavanilles, Ic. vi. t. 600 (1801).
panduratus Linn. (9)
Dillenius, Hort. Eltham. Add. Denom. Linn. t. 85 (1774).
*Barton, Med. Bot. i. t. 23 (1817).
*Bot. Mag. xliv. t. 1939 (1817).
Rafinesque, Med. Fl. i. t. 26 (1828).
*Strong, American Fl. iii. 97 (1849).
*Good, Family Flora, i. t. 24 (1854).
paniculatus Linn. (9)
*Blanco, Fl. Filip. t. 81 (1878–80).
paniculatus Blanco (9)
*Blanco, Fl. Filip. t. 32 (1878–80).
pannifolius Dryand in Ait. (6)
*Salisbury, Parad. Londin. i. t. 20 (1805).
*Joh. Kerner, Hort. Sempervir. t. 354 (1813).
*Bot. Reg. iii. t. 222 (1817).
parviflorus Vahl (6)
Lecomte, Fl. Gén. Indo-Chine, iv. 301 (1915).
pellitus Ledeb. (5)
*Ledebour, Ic. Pl. Ross. iii. t. 206 (1831).
pennatus Lam. (9)
Descourtilz, Fl. Pitt. & Méd. Antilles, vi. t. 415 (1828).
pentadenia Hort. (6?)
*Marnock, Floricult. Mag. ii. t. 26 (1838).
pentanthus Jacq. (10)
*Jacquin, Ic. Pl. Rar. ii. t. 316 (1786–93).
*Bot. Mag. xlvii. t. 2151 (1820).
*Bot. Reg. vi. t. 439 (1820).
*Floricult. Cab. vii. 168 (1839).
*Paxt. Mag. vi. 219 (1839).
*Lowis, Familiar Ind. Fl. t. 18 (1878).
pentapetaloides Linn. (6)
Cavanilles, Ic. ii. t. 123 (1793).
*Sibthorp & Sm. Fl. Graeca, ii. t. 197 (1813).
Reichenbach, Ic. Fl. Germ. xviii. t. 1342 (1858).
*Moggridge, Fl. Mentone, t. 82 (1871).
*Somoku Dzusetsu, Ed. 2, iv. t. 24 (1874).
Fiori & Paol. Ic. Fl. Ital. 335 (1902).
persicus Linn. (6)
J. G. Gmelin, Reise, iii. t. 7 (1774).
Wien. Ill. Gart.-Zeit. xv. 495 (1890).—*Hab.*
Gartenfl. xl. 76 (1891).—*Hab.*
Brehm, Merv. Nat. Monde des Pl. ii. 289 (1894–96).—*Hab.*
pes-caprae Linn. (9)
*Blanco, Fl. Filip. t. 29 (1878–80).
philomega Vell. (9)
Vellozo, Fl. Flum. ii. t. 63 (1827).
Pitardii Battand. (6)
Pitard, Expl. Scient. Marocq., Bot. (1912), t. 9 (1913).
platycarpos Cav. (12)
Cavanilles, Ic. v. t. 482 (1799).
prostratus Roth (6)
*Roth, Bot. Abhandl. & Beob. t. 3 (1787).
pseudo-tricolor Bertol. (6)
*Mem. Mat. Fis. Soc. Ital. Sc. xxiv. 1. t. 4 (1848).
*Cusin, Herb. Fl. Franç. xvi (Convolvulacées), t. 11 (1875).
pubescens Willd. (9)
W. Robinson, Engl. Fl. Gard. t. 79 (1883).—*Hab.*
pudibundus Lindl. (9)
*Bot. Reg. xii. t. 999 (1826).
pulcherrimus Vell. (9)
Vellozo, Fl. Flum. ii. t. 54 (1827).
purpureus Linn. (9)
Dillenius, Hort. Eltham. Add. Denom. Linn. t. 82, 84 (1774).
*Bot. Mag. iv. t. 113 (1790).
*Jaume St.-Hilaire, Pl. France, ii [t. 103] (1808).
*Fortsetz. Allg. Teutsch. Gart. Mag. ii. t. 27 (1816–18).
Pelletan in Journ. Chim. Méd. x. t. 2, fig. 17–20 (1834).—*Fl.*
—— **elatior** Sims (9)
*Bot. Mag. xxv. t. 1005 (1807).
*J. W. Loudon, Ladies' Fl.-Gard. Ornam. Annuals, t. 26 (1844).

CONVOLVULUS
purpureus varius Sims (9)
*Bot. Mag. xli. t. 1682 (1814).
quinquefolius Linn. (9)
*Descourtilz, Fl. Pitt. & Méd. Antilles, vi. t. 394 (1828).
quinquelobus Vahl (9)
Buchoz, Hist. Règne Vég. xi. Dec. 9, t. 1 (1776).
reniformis Spreng. (9)
*J. W. Loudon, Ladies' Fl.-Gard. Ornam. Perenn. ii. t. 76 (1844).
repens Vahl (9)
*Descourtilz, Fl. Pitt. & Méd. Antilles, ii. t. 145 (1822).
repens Linn. (5)
Britton & Brown, Ill. Fl. N. States & Canada, iii. 25 (1898); Ed. 2, iii. 46 (1913).
repens Willd. (9)
*Blanco, Fl. Filip. t. 149 (1878–80).
retusus Colla (9)
Colla, Hort. Ripul. Append. 4 (Mem. Accad. Sc. Torino, xxxv), t. 8 (1831).
Rheedii Wall. (9)
*Wight in Hooker, Bot. Misc. ii. Suppl. tab. 8 (1831).
rhyniospermus Hochst. (6)
Wight, Ic. Pl. Ind. Or. iv. t. 1368 (1848).
Rottlerianus Choisy (6)
Wight in Madras Journ. v. t. 13 (1837).
rufescens Choisy (6)
Calcutta Journ. Nat. Hist. viii. t. 5 (1847).—*Fl.*
Wight, Ic. Pl. Ind. Or. iv. t. 1365 (1848).
*Wight, Illustr. Ind. Bot. ii. t. 168 bis (1850).
*Wight, Spicil. Neilgherr. ii. t. 187 (1851).
rupestris Pall. (6)
Pallas, Reise Russ. iii. II. t. K (1776).
Pallas, Voyages, iv. t. 17 (1793).
sabatius Viv. (6)
Cesati, Stirp. Ital. fasc. 3 (1840).
Reichenbach, Ic. Fl. Germ. xviii. t. 1337 (1858).
*Moggridge, Fl. Mentone, t. 61 (1871).
*Bicknell, Fl. Pl. Riviera, t. 38 (1885).
Fiori & Paol. Ic. Fl. Ital. 335 (1902).
sagittatus Thunb. (6)
Skrivt. Nat. Selsk. Kjöbenhavn, vi. t. 3 (1810).
sagittifolius Sibth. (6)
*Sibthorp & Sm. Fl. Graeca, ii. t. 193 (1813).
Scammonia Linn. (6)
*Regnault, Bot. i. 8 (1774).
Buchoz, Hist. Règne Vég. xii. Dec. 10, t. 3 (1776).
Russell in Med. Obs. & Inquir. i. t. 1 (1776); fide Linn.
*Bergius, Mat. Med. i. 95, t. 214 (1778).
*Zorn, Ic. Pl. Med. iii. t. 214 (1781).
*Plenck, Ic. Pl. Med. i. t. 92 (1788).
*Woodville, Med. Bot. i. t. 5 (1790); Ed. 3, ii. t. 86 (1832).
Bordiga, Storia Piante Forast. ii. t. 33 (1792).
*Oskamp, Afb. Artseny-Gewass. iii. t. 268 (1796).
*Vietz, Ic. Pl. Med.-oec.-techn. ii. t. 185 (1803).
*Roques, Pl. Usuell. Indig. & Exot. ii. t. 37 (1808).
*Sibthorp & Sm. Fl. Graeca, ii. t. 192 (1813).
*Chaumeton, Fl. Méd. vi. t. 317 (1818).
*Roques, Phytogr. Médic. i. t. 71 (1821); Nouv. Ed. Atlas, t. 52 (1835).
Berchtold & J. S. Presl, Rostlin. ii. t. 24 (1825).
*Nees, Pl. Offic. i. t. 195 (1828).
*Fl. Med. [Spratt], i. 157 (1829).
*Wagner, Pharm.-Med. Bot. ii. t. 169 (1829).
Delle Chiaje, Fl. Med. ii. tab. (1832).
*Schlechtendal & Guimpel, Abb. Pharm. Boruss. Gew. ii. t. 177 (1833).
*Hayne, Getreue Darst. Arzn. Gewächse, xii. t. 35 (1833).
*Sweet, Brit. Fl. Gard. v. t. 173 (1833).
*Stephenson & Churchill, Med. Bot. New Ed. i. t. 60 (1834).
*Carson, Ill. Med. Bot. ii. t. 62 (1847).
*Strong, American Fl. ii. 67 (1848).
Lindley, Med. & Oecon. Bot. 209 (1849).—*Veg.*
*Berge & Riecke, Giftgewächse, t. 41 (1850).
*Burnett, Pl. Util. iv. 128, a (1850).
*Cassone, Fl. Med.-Farm. iv. t. 350 (1850).
*Archer, Pop. Econ. Bot. et Profitable Pl. t. 17, fig. 90 (1853).
*Good, Family Flora, ii. t. 55 (1854).

CONVOLVULUS
Scammonia
*Sweet, Ornamental Fl. Gard. i. t. 54 (1854).
*Berg & Schmidt, Darst. u. Beschr. Offiz. Gew. ii. t. 13, c (1859).
Berg, Charakt. t. 38, fig. 295, A–O (1861).
*Artus, Atlas Pharm. Deutschl. Aufg. Offic. Gew. t. 176 [1862–74].
*Argenta, Album Fl. Med.-Farm. ii. t. 209 (1863).
*Réveil, Règne Vég. x. t. 31 (1870).
Baillon in Assoc. Franç. Avanc. Sc. 1873, Lyon, t. 6 (1874).
*Bentley & Trim. Med. Pl. iii. t. 187 (1876).
Baillon, Traité Bot. Méd. Phan. ii. 1259 (1884).
Hager, Handb. Pharm. Prax. Ed. Nov. ii. 928 (1887).—*Veg.*
Baillon, Dict. Bot. iii. 264 (1889).
Dujard.-Beaumetz & Égasse, Pl. Méd. 649 (1889).
Baillon, Hist. Pl. x. 306 (1891).
Pflanzenfam. iv. III. A. 33 (1891).—*Fl.*
*Köhler, Med. Pfl. iii [t. 238] (1898).
Warming, Handb. Syst. Bot. Ed. Möbius, 397 (1902).—*Fl.*
Beille, Bot. Pharm. ii. 997 (1909).
Wettstein, Handb. Syst. Bot. Ed. 2, p. 714 (1911).
Youngken, Pharm. Bot. Ed. 2, p. 335 (1918).
scoparius Linn. f. (6)
Ventenat, Choix Pl. t. 24 (1803).
Berchtold & J. S. Presl, Rostlin. ii. t. 25 (1825).
*Nees, Pl. Offic. i. t. 196 (1828).
*Hayne, Getreue Darst. Arzn. Gewächse, xii. t. 36 (1833).
*Bot. Reg. xxvii. t. 43 (1841).
Deutsch. Tiefsee-Exped. 1898–99, ii. 1. 293 (1907).
scrobiculatus Lindl. (9)
*Bot. Reg. xiii. t. 1076 (1827).
secundus Ruiz & Pav. (6)
Ruiz & Pavon, Fl. Peruv. & Chil. ii. t. 117 (1799).
sepium Linn. (5)
*Kniphof, Herb. Viv. i. t. 298 (1758).
*Fl. Dan. iii. t. 458 (1769).
Hill, Herb. Brit. ii. t. 94 (1770).
Buchoz, Hist. Règne Vég. ix. Dec. 4, t. 1 (1775).
*Curtis, Fl. Londin. i. fasc. 1. t. 13 (1777); Ed. 2, i. fasc. 1. t. 17 (1817).
Walcott, Fl. Brit. Indig. [t. 22] (1778).
*Zorn, Ic. Pl. Med. iv. t. 395 (1782).
Martyn, Pl. Expl. Linn. Syst. Veg. t. 12 (1788). —*Fl.*
*Plenck, Ic. Pl. Med. i. t. 91 (1788).
Hoppe, Ect. Pl. Ratisb. t. 381 (1789).
*Joh. Kerner, Abbild. Oek. Pfl. (Fig. Pl. Écon.), v. t. 432 (1792).
*Martyn, Fl. Rustica, iii. t. 88 (1792).
C. K. Sprengel, Entd. Geheimn. Natur, t. 4, fig. 26, 27, 33, 36, 37 (1793).—*Fl.*
*Oskamp, Afb. Artseny-Gewass. iii. t. 269 (1796).
*Sowerby & Sm. Engl. Bot. v. t. 313 (1796).
Lamarck, Ill. i. t. 104, fig. 1 (1797).
*Sturm, Deutschl. Fl. i. 1 [t. 3] (1798).
Boissieu, Fl. Eur. i. t. 133 (1805).
*Schkuhr, Bot. Handb. Ed. 2, t. 38 (1808).
*Jaume St.-Hilaire, Pl. France, iii [t. 12] (1809).
*A. & F. Plée, Herbor. Paris, [t. 45] (1811).
*Tenore, Fl. Nap., Atlas, v. t. 213 (1811–38).
*Vigneux, Fl. Pitt. Envir. Paris, t. 13 (1812).
*Kops, Fl. Batava, iii. t. 202 (1814).
*Schrank, Fl. Monac. ii. t. 103 (1814).
*Vietz, Ic. Pl. Med.-oec.-techn. v. t. 431 (1817).
*Svensk Bot. viii. t. 514 (1819).
*Heger, Danske Oec. Pl. i. t. 87 (1828).
!Engelmann, Anthol. t. 1 (1832).
*Dietrich, Fl. Boruss. ii. t. 83 (1834).
*Stephenson & Churchill, Med. Bot. New Ed. i. t. 2 (1834).
Meigen, Deutschl. Fl. i. t. 42 (1836).—*Fl.*
*Zenker, Fl. Thüringen, i. t. 71 (1836–55).
[M. E.] Jackson, Pict. Fl. fig. 323 (1840).
*Deakin, Florigr. Brit. i. fig. 344 (1841).
*Lorek, Fl. Pruss. Ed. 3, t. 51, fig. 289 (1848).
*Cassone, Fl. Med.-Farm. iv. t. 353 (1850).
*Schnizlein, Iconogr. ii. t. 144 (1856).
Johnson & Sowerby, Brit. Wild Fl. fig. 825 (1858–60).
Irvine, Illustr. Handb. Brit. Pl. 475 (1858).—*Fl.*

CONVOLVULUS
sepium
J. F. Robinson in Phytologist, N. Ser. iii. 178 (1859).
Album Natuur, 154 (1861).—*Fl.*
Bentham, Handb. Brit. Fl. fig. 680 (1865).
*Schubert, Naturg., Pflanzenreich, Ed. 2, t. 10, fig. 10 [1865].
*Syme, Engl. Bot. vi. t. 924 (1866).
Cesati, Passer. & Gibelli, Comp. Fl. Ital. t. 60, bis (1867–86).—*Fl.*
*Hogg & Johnson, Wild Fl. Gr. Brit. v. t. 352 (1869).
*Moggridge, Fl. Mentone, t. 81 (1871).
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, iv. t. 140 [1873].
*Cusin, Herb. Fl. Franç. xvi (Convolvulacées), t. 1 (1875).
*Lesacher & Mareschal, Nouv. Bot. Méd. ii [t. 42] (1878).
*C. Hoffmann, Pflanzenatlas, t. 15, fig. 85 (1881).
Wagner, Ill. Deutsche Fl. Ed. 2, p. 533 (1882).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xvi. t. 1584 (1884).
*Sterne, Herbst- & Winterbl. t. 2, fig. a (1886).—*Hab.*
Potonié, Ill. Fl. Nord- u. Mittel-Deutschl. Ed. 4, fig. 476 (1889).
Rep. Secretary Agric. Washington, 1889, p. 396, t. 6.
Halsted in Rep. New Jersey Agric. St. No. 1, t. 17 (1890).
Acloque, Fl. France, 467 (1894).
*Harris, New Zealand Fl. [t. 4, 1894].
*Wild Fl. Canada, t. 57 (1894).
Garcke, Ill. Fl. Deutschl. 416 (1895).
Miller&Whiting, Wild Fl. N. E. States, 446 (1895).
Hitchcock & Norton in Bull. Kansas Agric. St. No. 57, t. 10, 11, fig. 115 (1896); No. 76, t. 7, fig. 36, 37 (1898).—*Veg.*
Selby in Bull. Ohio Agric. St. No. 83, p. 324 (1897); No. 175, p. 347 (1906).
Britton & Brown, Ill. Fl. N. States & Canada, iii. 25 (1898); Ed. 2, iii. 46 (1913).
Going, Field, Forest & Wayside Fl. 219 (1899).
Ann. Sc. Nat. Paris, Ser. VIII. xi. t. 5, fig. 12, 13 (1900).—*Veg.*
L. H. Bailey, Cycl. Amer. Hort. 368 (1900); Stand. Cycl. Hort. 839 (1914).
*Behrens, Blattformen, t. 59, fig. c (1900).—*Veg.*
Pammel & Fogel in Iowa Geol. Surv. Bull. No. 1, p. 458 (1901); No. 4, p. 246, 464, 675 (1913).
Lindman, Bild. Nord. Fl. t. 105 (1901–5).
Fiori & Paol. Ic. Fl. Ital. 336 (1902).
Coste, Fl. France, ii. 571 (1903).
Pammel in Bull. Iowa Agric. St. No. 70, p. 347 (1903).—*Hab.*
*Sturm, Fl. Deutschl. Ed. 2, xi. t. 1 (1903).
Heukels, Fl. Nederl. iii. 68 (1909).
U.S. Dep. Agric. Farm. Bull. No. 368, p. 9 (1909).
Long, Common Weeds Farm & Garden, 21, 105 (1910).
Journ. Roy. Hort. Soc. London, xxxvii. 27, fig. 1 (1911).—*Veg.*
Beal in Bull. Michigan Agric. Exp. St. No. 267, p. 391 (1911); et in Ann. Rep. xxv. 380 (1912).
Pammel, Man. Poison. Pl. 702 (1911).
Pammel & Fogel in Proc. Iowa Acad. Sc. xvi. No. 31, t. 1 (1911).—*Veg.*
Pammel, Weeds Farm & Gard. 113, 212 (1911).
Wrigley, Stud. Trees & Fl. 77 [1911].
Cunningham in Bull. Iowa Geol. Surv. No. 4, p. 651 (1913).—*Veg.*
*Klein, Unsere Unkräuter, t. 76 (1913).
Coe in Bull. S. Dakota Agric. St. No. 150, p. 438 (1914).
*Gadeceau, Fl. Moiss. 49, fig. 27–29, t. 76 (1914).
A. Georgia, Manual Weeds, t. 225 (1914).
*Nat. Geogr. Mag. Washington, xxvii. 486 (1915).
*Bonnier, Name This Flower, t. 38 (1917).
Warming in Dansk. Vid. Selsk. Skrift. Ser. VIII. ii. 322 (1918).—*Veg.*
*House, Wild Fl. New York (Mem. No. 15 N.Y. State Mus.), ii. t. 176 (1918).
Glück, Blatt- & Blütenmorph. Stud. 388, 517 (1919).

CONVOLVULUS
sepium
Fitch & Smith, Ill. Brit. Fl. Ed. rev. 4, Iss. 2, fig. 687 (1919).
McCalla, Wild Fl. West. Canada, 109 (1920).
—— **americanus** Sims (5)
*Bot. Mag. xix. t. 732 (1804).
*J. W. Loudon, Ladies' Fl.-Gard. Ornam. Perenn. ii. t. 76 (1844) in ic.; *C. americanus* in textu, p. 98.
—— **coloratus** Lange (5)
*Fl. Dan. xvii. t. 3011 (1883).
—— **inflatus** Desf. (5)
Fiori & Paol. Ic. Fl. Ital. 336 (1902).
—— **repens** Gray (5)
Hitchcock in Bull. Kansas Agric. St. No. 66, t. 10, fig. 116 (1897).
sericeus N. L. Burm. (6)
N. L. Burman, Fl. Ind. t. 19 (1768).
siculus Linn. (6)
*Kniphof, Herb. Viv. i. t. 294 (1758).
*Sibthorp & Sm. Fl. Graeca, ii. t. 196 (1813).
*Bot. Reg. vi. t. 445 (1820).
*Jaume St.-Hilaire, Fl. & Pom. Franç. ii. t. 10 (1828).
*J. W. Loudon, Ladies' Fl.-Gard. Ornam. Annuals, t. 26 (1844).
Reichenbach, Ic. Fl. Germ. xviii. t. 1338 (1858).
*Moggridge, Fl. Mentone, t. 13 (1871).
*Cusin, Herb. Fl. Franç. xvi (Convolvulacées), t. 13 (1875).
Fiori & Paol. Ic. Fl. Ital. 335 (1902).
Coste, Fl. France, ii. 569 (1903).
silvaticus Waldst. & Kit. (5)
*Waldstein & Kit. Pl. Rar. Hung. iii. t. 261 (1812).
*Moggridge, Fl. Mentone, t. 81 (1871).
W. Robinson, Engl. Fl. Gard. t. 79 (1883).
Soldanella Linn. (5)
*Kniphof, Herb. Viv. i. t. 301 (1758).
Hill, Herb. Brit. ii. t. 94 (1770).
*Regnault, Bot. i. 7 (1774).
*Plenck, Ic. Pl. Med. i. t. 93 (1788).
*Sowerby & Sm. Engl. Bot. v. t. 314 (1796).
*Roques, Pl. Usuell. Indig. & Exot. ii. t. 43 (1808).
*Oskamp, Afb. Artseny-Gewass. vii. t. 57 (1813).
*Vietz, Ic. Pl. Med.-oec.-techn. v. t. 432 (1817).
*Jaume St.-Hilaire, Fl. & Pom. Franç. i. t. 9 (1828).
*Hayne, Getreue Darst. Arzn. Gewächse, xii. t. 37 (1833).
[M. E.] Jackson, Pict. Fl. fig. 324 (1840).
*Deakin, Florigr. Brit. i. fig. 345 (1841).
Ann. Hort. iv. 366 (1849).
*Wilkinson, Weeds & Wild Fl. 338 (1858).
Johnson & Sowerby, Brit. Wild Fl. fig. 826 (1858–60).
Bentham, Handb. Brit. Fl. fig. 681 (1865).
*Syme, Engl. Bot. vi. t. 925 (1866).
*Hogg & Johnson, Wild Fl. Gr. Brit. vi. t. 418 (1871).
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, iv. t. 140 [1873].
*Cusin, Herb. Fl. Franç. xvi (Convolvulacées), t. 2 (1875).
Wagner, Ill. Deutsche Fl. Ed. 2, p. 533 (1882).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xvi. t. 1585 (1884).
Journ. Linn. Soc., Bot. xxii. 382 (1886).
Lubbock, Seedlings, i. 45 (1892).
Bull. Soc. Bot. Belg. xxxiii. 163 (1894).—*Veg.*
Warming in Dansk. Vid. Selsk. Skrift. Ser. VI. viii. 179 (1897); Ser. VIII. ii. 323 (1918).—*Veg.*
Fiori & Paol. Ic. Fl. Ital. 336 (1902).
Coste, Fl. France, ii. 571 (1903).
Rec. Instit. Bot. Errera, iii. 260 (1908).—*Veg.*
Heukels, Fl. Nederl. iii. 69 (1909).
Journ. Ecol. i. t. 15, fig. 8 (1913).—*Hab.*
*Perrin & Boulger, Brit. Flower. Pl. iv. t. 225 (1914).
Fitch & Smith, Ill. Brit. Fl. Ed. rev. 4, Iss. 2, fig. 688 (1919).
speciosus Linn. f. (2)
*J. E. Smith, Ic. Pict. Pl. Rar. t. 17 (1790–93).
*Joh. Kerner, Hort. Sempervir. i. t. 17 (1797).
sphaerostigma Cav. (10)
Cavanilles, Ic. v. t. 481 (1799).

CONVOLVULUS
spinosus N. L. Burm. (6)
N. L. Burman, Fl. Ind. t. 19 (1768).
spinosus Forsk. (6)
Eichwald, Pl. Casp.-Cauc. fasc. 2, t. 22 (1831–33).
spithamaeus Linn. (6)
*Wild Fl. Canada, t. 45 (1894).
Miller & Whiting, Wild Fl. N.E. States, 444 (1895).
Britton & Brown, Ill. Fl. N. States & Canada, iii. 26 (1898); Ed. 2, iii. 47 (1913).
*House, Wild Fl. New York (Mem. No. 15 N.Y. State Mus.), ii. t. 164 (1918).
stoloniferus Cirillo (9)
Cirillo, Pl. Rar. Neap. i. t. 5 (1788).
subvolubilis Ledeb. (5)
*Ledebour, Ic. Pl. Ross. iii. t. 205 (1831).
suffruticosus Desf. (6)
Desfontaines, Fl. Atlant. i. t. 48 (1798).
suffruticosus Dryand. (6)
*Bot. Reg. ii. t. 132 (1816).
suffultus H. B. K. (9)
H. B. K. Nov. Gen. iii. t. 211 (1818).
supinus Coss. & Kral. (6)
Trotter, Fl. Econ. della Libia, t. 127 (1915).
tenuissimus Sibth. & Sm. (6)
*Sibthorp & Sm. Fl. Graeca, ii. t. 195 (1813).
Reichenbach, Ic. Fl. Germ. xviii. t. 1339 (1858).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xvi. t. 1587 (1884).
Gard. Chron. Ser. III. iv. 301 (1888).
Coste, Fl. France, ii. 570 (1903).
Adamović, Pflanzenw. Dalmat. t. 3 (1911).—*Hab.*
tomentosus Vell. (9)
Vellozo, Fl. Flum. ii. t. 65 (1827).
tomentosus Choisy (6)
*Cusin, Herb. Fl. Franç. xvi (Convolvulacées), t. 4 (1875).
tragacanthoides Turcz. (6)
Farrer, Eaves of the World, i. 252 (1917).—*Hab.*
tricolor Linn. (6)
*Kniphof, Herb. Viv. i. t. 302 (1758).
*Bot. Mag. i. t. 27 (1787).
*Batsch, Anal. Fl. i. t. 17, fig. 31 a–o (1790).—*Fl.*
C. K. Sprengel, Entd. Geheimn. Natur, t. 8, fig. 2 (1793).—*Fl.*
*McDonald, Dict. Pract. Gard. i. t. 14 (1807).
*Jaume St.-Hilaire, Pl. France, iii [t. 13] (1809).
*S. Edwards, New Bot. Gard. i. t. 14 (1812).
!Hopkirk, Fl. Anom. t. 4 (1817).
*Joh. Kerner, Gen. Pl. Ill. ix. t. 174 (1824).
*Redouté, Choix Fl. [t. 76] (1827).
*Mag. Bot. & Gard. iii. t. 9 (1835).
*J. W. Loudon, Ladies' Fl.-Gard. Ornam. Annuals, t. 26 (1844).
Lindley, Veg. Kingd. 630 (1846).—*Fr.*
Payer, Organog. Comp. Fl. t. 122 (1857).—*Fl.*
Agardh, Theor. Syst. Pl. t. 26 (1858).—*Fl.*
Reichenbach, Ic. Fl. Germ. xviii. t. 1338 (1858).
Decaisne & Naud. Amat. Jard. ii. 331 [1862–66].
Bot. Congr. London, t. 7 (1866).—*Fl.*
*Réveil, Règne Vég. xiv. t. 1 (1870).
Decaisne, Naud. & Hemsl. Trees, Shrubs & Herb. Pl. 316 (1873).
*Cusin, Herb. Fl. Franç. xvi (Convolvulacées), t. 12 (1875).
Gartenfl. xxiv. 55 (1875).
Nicholson, Illustr. Dict. Gard. i. 370 [1884–88].
Pflanzenfam. iv. III. A. 33 (1891).—*Fl.*
*Bois, Atlas Pl. Jard. t. 202 (1896).
*Step, Fav. Fl. Gard. & Greenh. iii. t. 197 (1897).
Murbeck, Contr. Fl. N.-Ouest Afriq. ii. t. 7 (1898).—*Fl.*
L. H. Bailey, Cycl. Amer. Hort. 368 (1900); Stand. Cycl. Hort. 840 (1914).
Fiori & Paol. Ic. Fl. Ital. 335 (1902).
Coste, Fl. France, ii. 569 (1903).
Wettstein, Handb. Syst. Bot. Ed. 2, p. 714 (1911).—*Fl.*
—— **compactus** Hort. (6)
Semaine Hort. 1899, p. 270.
—— **meonanthus** Choisy (6)
Reichenbach, Ic. Fl. Germ. xviii. t. 1338 (1858).
—— **roseus** Hort. (6)
Garten-Zeit. Berlin, ii. 53 (1883).

CONVOLVULUS
tricolor vittatus Hort. (6)
*Fl. des Serres, Ser. I. iii. t. 298 (1847).
*Rev. Hort. Ser. III. ii. 121 (1848).
triqueter Vell. (9)
Vellozo, Fl. Flum. ii. t. 53 (1827).
truncatus Vell. (6)
Vellozo, Fl. Flum. ii. t. 64 (1827).
tuberosus Vell. (9)
Vellozo, Fl. Flum. ii. t. 57 (1827).
Turpethum Linn. (9)
*Plenck, Ic. Pl. Med. ii. t. 105 (1789).
*Oskamp, Afb. Artseny-Gewass. iii. t. 270 (1796).
*Roques, Pl. Usuell. Indig. & Exot. ii. t. 56 (1808).
*Vietz, Ic. Pl. Med.-oec.-techn. v. t. 433 (1817).
*Bot. Mag. xlvi. t. 2093 (1819).
*Wight in Hooker, Bot. Misc. iii. Suppl. t. 38 (1833).
*Mag. Bot. & Gard. ii. t. 29 (1834).
umbellatus Linn. (9)
*Descourtilz, Fl. Pitt. & Méd. Antilles, vii. t. 524 (1829).
undulatus Cav. (6)
Cavanilles, Ic. iii. t. 277 (1794).
Reichenbach, Ic. Fl. Germ. xviii. t. 1342 (1858).
*Moggridge, Fl. Mentone, t. 82 (1871).
uniflorus N. L. Burm. (9)
N. L. Burman, Fl. Ind. t. 21 (1768).
urosepalus Pau (6)
Pau & Vicioso, Pl. Persia & Mesopot. (Trab. Mus. Nac. Cienc. Nat. Madrid, Ser. Bot. No. 14), t. 3 (1918).
valentinus Cav. (6)
Cavanilles, Ic. ii. t. 180 (1793).
Rouy, Illustr. Pl. Eur. Rar. fasc. 4, t. 92 (1895).
varius Vell. (9)
Vellozo, Fl. Flum. ii. t. 61 (1827).—*Veg.*
vitifolius N. L. Burm. (9)
N. L. Burman, Fl. Ind. t. 18 (1768).
Wightii Wall. (9)
*Wallich, Pl. Asiat. Rar. ii. t. 171 (1831).

CONYSTYLUS = *Gonystylus*

CONYZA Linn.—Vide *Laennecia*
aegyptiaca Ait.
Pflanzenfam. iv. v. 168 (1890).—*Fl.*
F. M. Bailey, Weeds & Poison. Pl. Queensland, 74 (1906).
F. M. Bailey, Compr. Cat. Queensl. Pl. 260 (1909–13).
ambigua DC.
Cesati, Passer. & Gibelli, Comp. Fl. Ital. t. 83 (1867–86).—*Fl.*
*Cusin & Ansberque, Herb. Fl. Franç. xii (Composées), t. 25 (1873).
Somoku Dzusetsu, Ed. 2, xvii. t. 10 (1874).
Acloque, Fl. France, 353 (1894).—*Fl.*
Ann. Soc. Sc. Nat. Charente-Infér., La Rochelle, No. 33, p. 110 (1902).
Coste, Fl. France, ii. 292 (1903).
Beih. Bot. Centralbl. xix. II. t. 1, fig. 4–6 (1906).—*Fl.*
Merino, Fl. Galicia, ii. 327 (1906).
Cadevall & Sallent, Fl. Catalunya, iii. 217 (1917).
amoena Link
Reichenbach, Hort. Bot. t. 69 (1825).
anthelmintica Linn.
*Schkuhr, Bot. Handb. Ed. 2, t. 241 (1808).—*Fr.*
appendiculata Willd.
Rheede, Hort. Mal. x. t. 64 (1690); fide Hasskarl, Hort. Mal. Rheed. Clavis, 86.
articulata Lam.
Lamarck, Ill. iv. t. 697, fig. 4 (1797).
asteroides Linn.
Hill, Veget. Syst. ii. t. 59 (1761).
balsamifera Linn.
*Blanco, Fl. Filip. t. 403 (1878–80).
bifoliata Linn.
Hill, Veget. Syst. ii. t. 59 (1761); iii. t. 95 (1762).
bifrons Linn.
Hill, Veget. Syst. ii. t. 59 (1761); iii. t. 95 (1762).
candida Linn.
Hill, Veget. Syst. ii. t. 60 (1761); iii. t. 95 (1762).
*Tenore, Fl. Nap., Atlas, ii. t. 76 (1811–38).
Trattinick, Arch. i. t. 66 (1812).

CONYZA
candida
*Trattinick, Ausg. Taf. Arch. i. 52 (1813).
*Sibthorp & Sm. Fl. Graeca, ix. t. 864 (1837).
carolinensis Jacq.
*Jacquin, Ic. Pl. Rar. iii. t. 585 (1786–93).
chilensis Spreng.
Reichenbach, Hort. Bot. t. 167 (1828).
*Bettfreund, Fl. Argentina, i. t. 10 (1898).
chinensis Linn.
Hill, Veget. Syst. ii. t. 60 (1761); iii. t. 95 (1762).
chingoyo H. B. K.
H. B. K. Nov. Gen. iv. t. 328 (1820).
chrysocomoides Desf.
Desfontaines, Fl. Atlant. ii. t. 232 (1798).
cinerea Linn.
Hill, Veget. Syst. ii. t. 60 (1761); iii. t. 95 (1762).
*Schkuhr, Bot. Handb. Ed. 2, t. 241 (1808).—*Fr.*
cupressiformis Lam.
Lamarck, Ill. iv. t. 697, fig. 3 (1797).
elata F. M. Bailey
F. M. Bailey, Compr. Cat. Queensl. Pl. 261 (1909–13).
filaginoides DC.
Ramirez, Dat. Mat. Med. Mexic. i. 296 (1894).
geminiflora Ten.
*Tenore, Fl. Nap., Atlas, ii. t. 77 (1811–38)
gnaphalodes H. B. K.
H. B. K. Nov. Gen. iv. t. 327 (1820).
gnaphalodes Sieb.
Sieber, Reise Insel Kreta, t. 10 (1823).
hirsuta Linn.
Hill, Veget. Syst. ii. t. 60 (1761); iii. t. 95 (1762).
incisa Ait.
Wood, Natal Pl. vi. II. t. 527 (1910).
ivifolia N. L. Burm.
N. L. Burman, Fl. Ind. t. 58 (1768).
japonica Less.
Somoku Dzusetsu, Ed. Makino (Iconogr. Pl. Nippon), xvi. t. 37 (1912).
Fyson, Fl. Nilgiri & Pulney Hill-tops, iii. 381 (1920).
lacera N. L. Burm.
N. L. Burman, Fl. Ind. t. 59 (1768).
limonifolia Sibth.
*Sibthorp & Sm. Fl. Graeca, ix. t. 865 (1837).
linifolia Linn.
Hill, Veget. Syst. ii. t. 59 (1761).
lobata Linn.
Hill, Veget. Syst. iii. t. 95 (1762).
*Descourtilz, Fl. Pitt. & Méd. Antilles, v. t. 363 (1827).
lycopodioides Lam.
Lamarck, Ill. iv. t. 697, fig. 2 (1797).
lyrata H. B. K.
Publ. Field Columbian Mus., Bot. Ser. III. ii. 100 (1904).—*Fl.*
macrophylla Spreng.
Mart. Fl. Bras. vi. III. t. 14 (1882).
×**mixta** Fouc. & Neyr.
Ann. Soc. Sc. Nat. Charente-Infér., La Rochelle, No. 33, p. 110 (1902).
Naudinii Bonnet
Coste, Fl. France, ii. 292 (1903).
Cadevall & Sallent, Fl. Catalunya, iii. 218 (1917).
notobellidiastrum Griseb.
Mart. Fl. Bras. vi. III. t. 13 (1882).
odorata Linn.
*Descourtilz, Fl. Pitt. & Méd. Antilles, iii. t. 217 (1827).
petiolaris Wall.
Delessert, Ic. Pl. iv. t. 22 (1839).
pumila Sibth.
*Sibthorp & Sm. Fl. Graeca, ix. t. 863 (1837).
pusilla Houtt.
*Houttuyn, Handl. Pl. & Kruidk. x. t. 69, fig. 1 (1779).
pygmaea Sieb.
Sieber, Reise Insel Kreta, t. 10 (1823).
rupestris Linn.
*Schmidel, Ic. Pl. Ed. 2, ii. t. 36 (1783).
sagittalis Jacq. f.
*Jacquin, Ecl. Pl. ii. t. 133 (1844) in ic.; *Pluchea Quitoc* in textu.
salicina Kellogg
Proc. California Acad. iii. I. 37 (1863).
saxatilis Linn.
*Schkuhr, Bot. Handb. Ed. 2, t. 241 (1808).

CONYZA
saxatilis Sibth. & Sm.
*Sibthorp & Sm. Fl. Graeca, ix. t. 862 (1837).
Bibl. Bot. x. No. 52, p. 11 (1901).—*Fl.*
sophiifolia Willd.
H. B. K. Nov. Gen. iv. t. 326 (1820).
spicata Lam.
Cavanilles, Ic. i. t. 12 (1791).
squarrosa Linn.
Hill, Veget. Syst. iii. t. 95 (1762).
Hill, Herb. Brit. i. t. 23 (1769).
Hill, Brit. Herbs, Ed. 4, t. 20 (1771).
*Fl. Dan. iv. t. 622 (1775).
Buchoz, Hist. Règne Vég. xi. Dec. 7, t. 9 (1776).
*Zorn, Ic. Pl. Med. v. t. 456 (1784).
Hoppe, Ect. Pl. Ratisb. t. 98 (1787).
Gaertner, Fruct. ii. t. 166 (1791).—*Fr.*
*Dreves, Bot. Bilderbuch, ii. t. 56 (1795).
Lamarck, Ill. iv. t. 697, fig. 1 (1797).
*Oskamp, Afb. Artseny-Gewass. v. t. 500 (1800).
*Dreves & Hayne, Choix de Pl. t. 56 (1802).
*Mirbel, Hist. Nat. Pl. xii. t. 75 [1802–6].
*Sowerby & Sm. Engl. Bot. xvii. t. 1195 (1803).
*Vietz, Ic. Pl. Med.-oec.-techn. v. t. 433 b (1817).
*Kops, Fl. Batava, v. t. 360 (1828).
*Nees, Pl. Offic. Suppl. t. 55 (1833).
*Zenker, Fl. Thüringen, v. t. 582 (1836–55).
*Baxter, Brit. Bot. Ed. 2, iv. t. 290 (1839).
[M. E.] Jackson, Pict. Fl. fig. 1211 (1840).
Meigen, Deutschl. Fl. iii. t. 129 (1842).—*Fl.*
Nees, Gen. Pl. fasc. xxii. t. 19 (1843).
Johnson & Sowerby, Brit. Wild Fl. fig. 713 (1858–60).
*Schubert, Naturg., Pflanzenreich, Ed. 2, t. 42, fig. 8 [1865].
Karsten, Deutsche Fl. Pharm.-medic. Bot. 1069 (1880–83).—*Fl.*
Karsten, Fl. Deutschl. ii. 648 (1895).—*Fl.*
*Köhler, Med. Pfl. iii [t. 239] (1898).
stricta Willd.
Bibl. Bot. x. No. 52, p. 21 (1901).—*Fl.*
Fyson, Fl. Nilgiri & Pulney Hill-tops, iii. 380 (1920).
thuyoides Lam.
Lamarck, Ill. iv. t. 697, fig. 5 (1797).
tortuosa Linn.
Hill, Veget. Syst. ii. t. 60 (1761); iii. t. 95 (1762).

CONZATTIA Rose
arborea Rose
Contrib. U.S. Nat. Herb. xii. t. 59 (1909).—*Hab.*
Möllers Deutsche Gärtn.-Zeit. xxix. 294 (1914).—*Hab.*

COOKIA Sonn.: *Clausena*
punctata Sonn.
Sonnerat, Voy. Ind. Or. & Chine, Atlas, t. 130 (1782).
Lamarck, Ill. ii. t. 354 (1797).
*Jacquin, Hort. Schoenbr. i. t. 101 (1797).
*Trattinick, Ausg. Taf. Arch. i. 61 a, 61 b (1813).
Trattinick, Arch. ii. t. 102 (2 fol.) (1814).
Paxt. Mag. xv. 262 (1849).
*Gartenfl. ix. t. 290 (1860).
*Trans. Russ. Hort. Soc. 1860, t. 16.
Penzig, Stud. Bot. Agrumi (Ann. Agric. Roma 1887), Atlas, t. 16, fig. 1, 7–15, 17, 18 (1887).
Crevost & Lemarié, Cat. Prod. Indochine, i. 215 (1917).

COOMPASSIA = *Koompassia*

COOPERIA Herb.—Vide *Sceptranthus*
chlorosolen Herb.
*Bot. Mag. lxiii. t. 3482 (1836).
*J. W. Loudon, Ladies' Fl.-Gard. Ornam. Bulb. Pl. t. 26 (1841).
Drummondii Herb.
*Bot. Reg. xxii. t. 1835 (1836).
Herbert, Amar. t. 24, fig. 2, 5–11, 19; t. 36, fig. 16 (1837).
Wien. Ill. Gart.-Zeit. xviii. 62 (1893).—*Hab.*
Britton & Brown, Ill. Fl. N. States & Canada, i. 444 (1896); Ed. 2, i. 533 (1913).
—— **chlorosolen** Herb.
Herbert, Amar. t. 24, fig. 1 (1837).—*Fl.*
—— **pedunculata** Hort.
Neubert's Deutsch. Gart. Mag. 1895, p. 610.

COOPERIA
pedunculata Herb.
Herbert, Amar. t. 42, fig. 3–5 (1837).—*Fl.*
*Bot. Mag. lxvi. t. 3727 (1839).
*Rev. Hort. Ser. IV. ii. 401 (1853).
*Sweet, Ornamental Fl. Gard. iv. t. 234 (1854).

COPAIBA Adans.: *Copaifera*
Arnoldiana De Wild. & Dur.
De Wildeman & Durand, Ill. Fl. Congo (Ann. Mus. Congo), i. t. 73 (1901).
Langsdorffii O. Kuntze
Pflanzenfam. iii. III. 131 (1892).
Martii Beille
Beille, Bot. Pharm. ii. 847 (1909).

COPAIFERA Linn.—Vide *Copaiba, Copaiva, Gorskia, Guibourtia*
Baumiana Harms
Warburg, Kunene-Sambesi Exped. t. 1 (1903).
Beyrichii Hayne
*Hayne, Getreue Darst. Arzn. Gewächse, x. t. 12 (1827).
bijuga Hayne
*Hayne, Getreue Darst. Arzn. Gewächse, x. t. 16 (1827).
*Nees, Pl. Offic. Suppl. t. 86 (1833).
*Schlechtendal & Guimpel, Abb. Pharm. Boruss. Gew. iii. t. 221 (1837).
coleosperma Benth.
Warburg, Kunene-Sambesi Exped. t. 1, p. 247 (1903).—*Hab.*
Engler & Drude, Veget. Erde, ix. 1. 1. 438; 2. 598 (1910); III. 1. 442 (1915).
Karsten & Schenck, Veg.-Bild. viii. t. 6 (1910).—*Hab.*
copallina Benth. & Hook.
Agric. Prat. Pays Chauds, ix. 1. 48 (1909).
cordifolia Hayne
*Hayne, Getreue Darst. Arzn. Gewächse, x. t. 21 (1827).
Ettingshausen in Sitzb. Akad. Wiss. Wien, xii. IV. t. 20, fig. 6 (1854).—*Veg.*
Ettingshausen, Blatt-Skel. Dikot. t. 94 (1861).—*Veg.*
coriacea Mart.
*Hayne, Getreue Darst. Arzn. Gewächse, x. t. 20 (1827).
*Nees, Pl. Offic. Suppl. t. 88 (1833).
*Schlechtendal & Guimpel, Abb. Pharm. Boruss. Gew. iii. t. 225 (1837).
*Artus, Atlas Pharm. Deutschl. Aufg. Offic. Gew. t. 80 [1862–74].
Demeusii Harms
Engler & Drude, Veget. Erde, ix. 1. 2. 693 (1910); III. 1. 440 (1915).
Notizbl. Bot. Gart. Berlin, v. 178 (1910).
glabra Vogel
*Guimpel & Klotzsch, Pfl.-Abbild. & Beschr. Erkenntn. Offic. Gew. i. t. 1 (1838).
Ettingshausen, Blatt-Skel. Dikot. 221, t. 87, 93 (1861).—*Veg.*
guianensis Desf.
Mém. Mus. Hist. Nat. Paris, vii. 373, t. 13 (1821).
*Hayne, Getreue Darst. Arzn. Gewächse, x. t. 13 (1827).
*Schlechtendal & Guimpel, Abb. Pharm. Boruss. Gew. iii. t. 219 (1837).
Ettingshausen, Blatt-Skel. Dikot. 221 (1861).—*Veg.*
hymenaeifolia Moric.
Moricand in Mém. Soc. Phys. & Hist. Nat. Genève, vi. t. 1 (1833).
Jacquinii Desf.
*Hayne, Getreue Darst. Arzn. Gewächse, x. t. 14 (1827).
*Schlechtendal & Guimpel, Abb. Pharm. Boruss. Gew. iii. t. 220 (1837).
Berg, Charakt. t. 71, fig. 526 (1861).
*Artus, Atlas Pharm. Deutschl. Aufg. Offic. Gew. t. 81 [1862–74].
Langsdorffii Desf.
Mém. Mus. Hist. Nat. Paris, vii. 373, t. 14 (1821).
*Hayne, Getreue Darst. Arzn. Gewächse, x. t. 19 (1827).
*Nees, Pl. Offic. Suppl. t. 87 (1833).

COPAIFERA
Langsdorffii
*Schlechtendal & Guimpel, Abb. Pharm. Boruss. Gew. iii. t. 224 (1837).
*Berg & Schmidt, Darst. u. Beschr. Offiz. Gew. i. t. 6 f (1858).
Schnizlein, Iconogr. iv. t. 275 b (1866–70).—*Fl.*
Le Maout & Decaisne, Traité Gén. Bot. 309 (1868).—*Fr.*
Mart. Fl. Bras. xv. II. t. 63 (1870).
*Bentley & Trim. Med. Pl. ii. t. 93 (1878).
Baillon, Traité Bot. Méd. Phan. i. 618, 619 (1883).
Dujard.-Beaumetz & Égasse, Pl. Méd. 206 (1889).
Löfgren, Serv. Flor. Partic. fig. 28 (1903).—*Fr.*
Strasburger, Text-Book Botany, Ed. Angl. 4, p. 621 (1912).
laxa Hayne
*Hayne, Getreue Darst. Arzn. Gewächse, x. t. 18 (1827).
*Schlechtendal & Guimpel, Abb. Pharm. Boruss. Gew. iii. t. 223 (1837).
Ettingshausen, Blatt-Skel. Dikot. t. 93 (1861).—*Veg.*
Martii Hayne
*Hayne, Getreue Darst. Arzn. Gewächse, x. t. 15 (1827).
*Nees, Pl. Offic. Suppl. t. 85 (1833).
Mart. Fl. Bras. xv. II. t. 63 (1870).
mopane J. Kirk
Trans. Linn. Soc. London, xxv. t. 43 (1865).
Engler & Drude, Veget. Erde, ix. 1. 1. 437 (1910); III. 1. 444 (1915).
Karsten & Schenck, Veg.-Bild. viii. t. 4 (1910).—*Hab.*
nitida Mart.
*Hayne, Getreue Darst. Arzn. Gewächse, x. t. 17 (1827).
*Schlechtendal & Guimpel, Abb. Pharm. Boruss. Gew. iii. t. 222 (1837).
Ettingshausen in Sitzb. Akad. Wiss. Wien, xii. IV. t. 20, fig. 1, 2 (1854).—*Veg.*
Ettingshausen, Blatt-Skel. Dikot. 221 (1861).—*Veg.*
oblongifolia Mart.
*Hayne, Getreue Darst. Arzn. Gewächse, x. t. 23 (1827).
officinalis Linn.
*Houttuyn, Handl. Pl. & Kruidk. ii. t. 10, fig. 1 (1774).
*Bergius, Mat. Med. i. 357, t. 323 (1778).
*Jacquin, Sel. Stirp. Amer. Hist. Picta, t. 128 [1780].
*Zorn, Ic. Pl. Med. iv. t. 323 (1782).
*Plantarum Indig. & Exot. Ic. ii [t. 75] (1789).
Bordiga, Storia Piante Forast. i. t. 16 (1791).
*Plenck, Ic. Pl. Med. iv. t. 343 (1791).
*Woodville, Med. Bot. iii. t. 137 (1793); Ed. 3, iii. t. 216 (1832).
Lamarck, Ill. ii. t. 342 (1797).
*Vietz, Ic. Pl. Med.-oec.-techn. i. t. 27 (1800).
*Oskamp, Afb. Artseny-Gewass. v. t. 405 (1800).
*Roques, Pl. Usuell. Indig. & Exot. i. t. 39 (1807).
*Chaumeton, Fl. Méd. iii. t. 132 (1816).
*Roques, Phytogr. Médic. ii. t. 155 (1821); Nouv. Ed. Atlas, t. 129 (1835).
H. B. K. Nov. Gen. vii. t. 659 (1825).
Vellozo, Fl. Flum. iv. t. 88 (1827).
*Nees, Pl. Offic. ii. t. 340 (1828).
*Descourtilz, Fl. Pitt. & Méd. Antilles, vii. t. 470 (1829).
*Wagner, Pharm.-Med. Bot. ii. t. 170 (1829).
*Fl. Med. [Spratt], ii. 201 (1830).
Delle Chiaje, Fl. Med. ii. tab. (1832).
*Stephenson & Churchill, Med. Bot. New Ed. iii. t. 158 (1836).
*Carson, Ill. Med. Bot. i. t. 30 (1847).
*Cassone, Fl. Med.-Farm. ii. t. 126 (1847).
Lindley, Med. & Oecon. Bot. 178 (1849).—*Veg.*
Ralph, Ic. Carpolog. t. 12 (1849).—*Fr.*
*Good, Family Flora, i. t. 5 (1854).
*Argenta, Album Fl. Med.-Farm. i. t. 101 (1862).
*Réveil, Règne Vég. viii. t. 37 (1870).
Baillon, Hist. Pl. ii. 140, 141 (1870).
Karsten, Deutsche Fl. Pharm.-medic. Bot. 712 (1880–83).
Baillon, Dict. Bot. ii. 201 (1881).
Baillon, Traité Bot. Méd. Phan. i. 613, 615 (1883).
*Köhler, Med. Pfl. i [t. 58] (1887).

COPAIFERA
officinalis
Dujard.-Beaumetz & Égasse, Pl. Méd. 205, 206 (1889).
Brehm, Merv. Nat. Monde des Pl. i. 577 (1894–96).
Karsten, Fl. Deutschl. ii. 268 (1895).
*Kohl, Off. Pfl. Pharm. Germ. t. 109 (1895).
Pammel, Man. Poison. Pl. 530 (1911).
Rondonii Hoehne
Hoehne in Comm. Linh. Telegraph. Matto Grosso ão Amaz. Annexo, No. 5, Bot. viii. t. 138 a (1919).
salikounda Heckel
*Ann. Fac. Sc. Marseille, iii. III. t. 16 (1893).
Unwin, W. Afr. Forests & Forestry, 40 (1920).—*Hab.*
Sellowii Hayne
*Hayne, Getreue Darst. Arzn. Gewächse, x. t. 22 (1827).
Ettingshausen, Blatt-Skel. Dikot. t. 93, 94 (1861).—*Veg.*
trapezifolia Hayne
Ettingshausen, Blatt-Skel. Dikot. 226, t. 93 (1861).—*Veg.*

COPAIVA Jacq.: *Copaifera*
officinalis Jacq.
Jacquin, Sel. Stirp. Amer. Hist. t. 86 (1763).

COPERNICIA Mart.
australis Becc.
Chodat in Bull. Soc. Bot. Genève, Ser. II. ix. 202 (1917).—*Hab.*
cerifera Mart.
*Martius, Palm. ii. t. 49, 50, 50 A, 51, fig. 8 (1823–50) in ind. p. 151; *Corypha cerifera* in ic.
*D'Orbigny, Voy. Amér. Mérid. vii. III. t. 1, 24 (1847).
Seemann, Palmen, 128 (1863).—*Hab.*
Mart. Fl. Bras. iii. II. t. 128 (1882).
Magyar Növényt. Lapok, xi. 89 (1887).
Salomon, Palmen, 156 (1887).
Pflanzenfam. ii. III. 7, 32 (1889).
Monde des Pl. i. 129 (1892).—*Hab.*
Brehm, Merv. Nat. Monde des Pl. ii. 639 (1894–96).—*Hab.*
Bih. Svenska Vet. Akad. Handl. xxvi. III. No. 5, p. 34, 35 (1900).—*Hab.*
Tropenpfl. v. Beih. 2, p. 200 (1901).—*Hab.*
Karsten & Schenck, Veg.-Bild. vi. t. 16 (1908); vii. t. 31 (1909).—*Hab.*
L. Reinhardt, Kulturgesch. Nutzpfl. (Erde und Kultur), iv. I. t. 56 (1911).—*Hab.*
Tschirch, Handb. Pharmakog. ii. 735 (1912).
Chodat in Bull. Soc. Bot. Genève, Ser. II. viii. 110 (1916).—*Veg.*
U.S. Dep. Agric. Bur. Pl. Indust. Invent. Seeds & Pl. Import. No. 39, t. 4 (1917).—*Hab.*
Alvarez, Fl. & Fauna Prov. Santiago del Estero, 101 (1919).—*Hab.*
Teysmannia, xxxi. 556 (1920).
Curtissii Becc.
Pomona Coll. Journ. Econ. Bot. iii. 394 (1913).—*Fl.*
L. H. Bailey, Stand. Cycl. Hort. 2439 (1916).—*Fl.*
glabrescens Wendl.
Pomona Coll. Journ. Econ. Bot. iii. 396 (1913).—*Fl.*
L. H. Bailey, Stand. Cycl. Hort. 2439 (1916).—*Fl.*
hospita Mart.
Pomona Coll. Journ. Econ. Bot. iii. 393 (1913).—*Fl.*
macroglossa Wendl.
Pomona Coll. Journ. Econ. Bot. iii. 397, 398 (1913).
Estac. Exp. Agronom. Cuba, Bol. No. 22, 1914, Ed. 2, t. 19 (1916).—*Hab.*
tectorum Mart.
Schimper, Pflanzen-Geogr. 397 (1898).—*Hab.*

COPIANTHUS Hill
indica Hill
*Hill, Decade Curious Trees & Pl. t. 1 (1773).
Buchoz, Hist. Règne Vég. xi. Dec. 6, t. 1 (1776).

COPIAPOA Britton & Rose—Vide *Echinocactus* (5)

COPROSMA Forst.
acerosa A. Cunn.
Schimper, Pflanzen-Geogr. 692 (1898).—*Hab.*
Gard. Chron. Ser. III. xlvi. 341 (1909).
Cockayne, New Zeal. Pl. 72 (1910).—*Hab.*
Cheeseman, Ill. New Zeal. Fl. t. 84 (1914).
affinis Hook. f.
*Hooker f., Fl. Antarct. i. t. 14 (1844).
arborea Kirk
Kirk, For. Fl. New Zeal. t. 132 (1889).
Laing & Blackwell, Pl. New Zeal. Ed. 2, p. 393 (1907).
areolata Cheesem.
Cheeseman, Ill. New Zeal. Fl. t. 81 (1914).
Baueri Endl.
Endlicher, Ic. Gen. Pl. t. 111 (1838).
Cogniaux & March. Pl. Orn. i. t. 12 (1873).—*Veg.*
Nova Acta Soc. Sc. Upsal. Ser. III. xiii. t. 2 (1887).—*Veg.*
Kirk, For. Fl. New Zeal. t. 62 (1889).
Trans. & Proc. New Zeal. Inst. 1905, xxxviii. t. 52 (1906); 1911, xliv. t. 2 (1912).
Journ. New Zeal. Dep. Agric. iv. 446 (1912).
—— **aureo-marginata** Hort.
*Gartenfl. xlii. t. 1395 (1893).—*Veg.*
—— **variegata** Hort.
*Journ. Genet. viii. t. 3 (1919).—*Veg.*
Billardieri Hook. f.
Nova Acta Soc. Sc. Upsal. Ser. III. xiii. t. 2 (1887).—*Veg.*
Guilfoyle, Austral. Pl. 168 [1911].—*Hab.*
cuneata Hook. f.
*Hooker f., Fl. Antarct. ii. t. 15 (1844).
Schimper, Pflanzen-Geogr. 741 (1898).
foetidissima Forst.
Forster, Charact. Gen. Pl. t. 69 (1776).—*Fl.*
*Hooker f., Fl. Antarct. i. t. 13 (1844).
Ettingshausen, Blatt-Skel. Dikot. t. 24 (1861).—*Veg.*
Schimper, Pflanzen-Geogr. 506 (1898).—*Veg.*
Cheeseman, Ill. New Zeal. Fl. t. 83 (1914).
Grayana Rock
Rock, Indig. Trees Hawaiian Isl. t. 192 (1913).
hirtella Labill.
Labillardière, Nov. Holl. Pl. t. 95 (1804).
*Meredith, Bush Friends Tasmania, Last Ser. t. 3 (1891).
Hookeri Stapf
Schimper, Pflanzen-Geogr. 772 (1898).
linariifolia Hook. f.
Kirk, For. Fl. New Zeal. t. 95 (1889).
longifolia A. Gray
Rock, Indig. Trees Hawaiian Isl. t. 193 (1913).
lucida Forst.
Forster, Charact. Gen. Pl. t. 69 (1776).—*Fl.*
Lamarck, Ill. i. t. 186 (1797); v. t. 854 (1797–1819).—*Fl.*
Gaertner f., Fruct. iii. t. 182 (1805).
Ettingshausen, Blatt-Skel. Dikot. t. 24, 25 (1861).—*Veg.*
Laing & Blackwell, Pl. New Zeal. Ed. 2, p. 391 (1907).
Cheeseman, Ill. New Zeal. Fl. t. 79 (1914).
!Proc. Roy. Soc. Victoria, N. Ser. xxviii. II. t. 29 (1916).—*Veg.*
montana Hillebr.
Pflanzenfam. iv. IV. 131 (1891).—*Fr.*
Rock, Indig. Trees Hawaiian Isl. t. 19 (1913).—*Hab.*
Moorei F. Muell.
Papers & Proc. Roy. Soc. Tasmania, 1893, p. 184, t. 1 (1894).
Rodway, Tasman. Fl. [t. 17] (1903).
nitida Hook. f.
*Hooker f., Fl. Tasman. i. t. 39 (1860).
*Meredith, Bush Friends Tasmania, 7 (1860); Last Ser. t. 9 (1891).
repens Hook. f.
*Hooker f., Fl. Antarct. i. t. 16 (1844).
Schneider, Ill. Handb. Laubh. ii. 630 (1911).
retusa Banks & Soland.
Cockayne, New Zeal. Pl. Ed. 2, p. 57 (1919).—*Hab.*
rhamnoides divaricata Cheesem.
Cheeseman, Ill. New Zeal. Fl. t. 82 (1914).
rhynchocarpa A. Gray
Rock, Indig. Trees Hawaiian Isl. t. 190 (1913).

COPROSMA
robusta Decne.
Raoul, Choix Pl. Nouv.-Zél. t. 21 (1846).
serrulata Hook. f.
Schimper, Pflanzen-Geogr. 800 (1898).
Cheeseman, Ill. New Zeal. Fl. t. 80 (1914).
Stockii Hort.
Williams, Choice Stove & Greenh. Ornam.-leaved Pl. Ed. 2, p. 166 (1876).—*Veg.*
Rev. Hort. Belge, iii. 32 (1877).—*Veg.*
sundana Miq.
Schimper, Pflanzen-Geogr. 767 (1898).
Koorders, Exkursionsfl. Java, iii. 278 (1912).
tenuicaulis Hook. f.
Laing & Blackwell, Pl. New Zeal. Ed. 2, p. 395 (1907).
Vontempskyi Rock
Rock, Indig. Trees Hawaiian Isl. t. 191 (1913).—*Hab.*

COPTIS Salisb.—Vide *Chrysocoptis*
anemonifolia Sieb. & Zucc.
*Somoku Dzusetsu, Ed. 2, x. t. 36 (1874).
Journ. & Proc. Asiat. Soc. Bengal, N. Ser. v. 81 (1909).
aspleniifolia Salisb.
Seringe, Bull. Bot. t. 5 (1830).—*Fl.*
Hooker, Fl. Bor.-Amer. t. 11 (1833).
Lloyd, Drugs & Med. N. Amer. i. 196, 197 (1884–85).
Engl. Jahrb. xvi. t. 3 (1892).—*Fr.*
brachypetala Sieb. & Zucc.
*Useful Pl. Jap. ii. t. 398 (1895).
Journ. & Proc. Asiat. Soc. Bengal, N. Ser. v. 87 (1909).
—— **pygmaea** Miq.
Kwa-wi [transl. Savatier], Herb. iii. t. 1 (1759).
*Useful Pl. Jap. ii. t. 401 (1895).
japonica Makino
Somoku Dzusetsu, Ed. Makino (Iconogr. Pl. Nippon), x. t. 36 (1910).
—— **brachypetala** Makino
*Miyoshi & Makino, Pocket-Atlas, Alp. Pl. Jap. ii. t. 36, fig. 202 (1907).
Morii Hayata
Hayata, Ic. Pl. Formosan. iii. t. 2 (1913).
occidentalis Torr. & Gray
Lloyd, Drugs & Med. N. Amer. i. 195, 196 (1884–85).
*Useful Pl. Jap. ii. t. 399 (1895).
orientalis Maxim.
Journ. & Proc. Asiat. Soc. Bengal, N. Ser. v. 82 (1909).
Gard. Chron. Ser. III. lxv. 151 (1919).—*Hab.*
ospriocarpa Brühl
Brühl in Ann. Bot. Gard. Calcutta, v. II. t. 115 (1896).
quinquefolia Miq.
Somoku Dzusetsu, Ed. 2, x. t. 37 (1874).
Bot. Mag. Tokyo, xxiv. 139 (1910).—*Fr.*
Somoku Dzusetsu, Ed. Makino (Iconogr. Pl. Nippon), x. t. 37 (1910).
—— **trifoliolata** Makino
Bot. Mag. Tokyo, xxiv. 139 (1910).—*Fr.*
Teeta Wall.
Griffith, Ic. Pl. Asiat. t. 660 (1854).—*Fl.*
Engl. Jahrb. xvi. t. 3 (1892).—*Fr.*
Brühl in Ann. Bot. Gard. Calcutta, v. II. t. 114 (1896).
Journ. & Proc. Asiat. Soc. Bengal, N. Ser. v. 76, 77, 79 (1909).—*Fl.*
Basu, Ind. Med. Pl. t. 6 (1918).
—— **chinensis** Burkill
Journ. & Proc. Asiat. Soc. Bengal, N. Ser. v. 80 (1909).—*Veg.*
trifolia Salisb.
*Fl. Dan. ix. t. 1519 (1816).
*Bigelow, Amer. Med. Bot. i. t. 5 (1817).
*Barton, Med. Bot. ii. t. 34 (1818).
*Lodd. Bot. Cab. ii. t. 173 (1818).
Rafinesque, Med. Fl. i. t. 27 (1828).
*J. W. Loudon, Ladies' Fl.-Gard. Ornam. Perenn. i. t. 7 (1843).
*Carson, Ill. Med. Bot. i. t. 4 (1847).
Gray & Sprague, Gen. Fl. Amer. i. t. 13 (1848).
*Good, Family Flora, ii. t. 57 (1854).

COPTIS
trifolia
*Somoku Dzusetsu, Ed. 2, x. t. 38 (1874).
*Bentley & Trim. Med. Pl. i. t. 3 (1877).
Lloyd, Drugs & Med. N. Amer. i. 191, t. 13 (1884–85).
Pflanzenfam. iii. II. 58 (1888); I. 141 (1889).—*Fl.*
Engl. Jahrb. xvi. t. 3 (1892).—*Fr.*
*Wild Fl. Canada, t. 124 (1894).
Miller & Whiting, Wild Fl. N.E. States, 16 (1895).
*Useful Pl. Jap. ii. t. 400 (1895).
Britton & Brown, Ill. Fl. N. States & Canada, ii. 54 (1897); Ed. 2, ii. 88 (1913).
Mathews, Wayside Flowers, Ser. I, p. 7 (1898).
*Miyoshi & Makino, Pocket-Atlas, Alp. Pl. Jap. i. t. 7, fig. 39 (1906).
U.S. Dep. Agric. Bur. Pl. Indust. Bull. No. 107, p. 34 (1907).
Bot. Mag. Tokyo, xxiv. 139 (1910).—*Fr.*
Somoku Dzusetsu, Ed. Makino (Iconogr. Pl. Nippon), x. t. 38 (1910).
Merck's Rep. (Pract. Journ. Pharm.), xx. 4 (1911).
Jessen in Arbejd. Bot. Have Kjöbenhavn, No. 68, p. 427, 428 (1911); et in Meddel. Groenl. xxxvi. 427, 428 (1912).
Canada Dep. Agric. Exp. Farms, Rep. 1913, t. 18 (1914).
Möllers Deutsche Gärtn.-Zeit. xxxi. 245 (1916).—*Hab.*
*House, Wild Fl. New York (Mem. No. 15 N.Y. State Mus.), i. t. 60 (1918).—*Hab.*

COPTOPHYLLUM Korth
buniifolium Gardn.
Hook. Ic. Pl. v. t. 477 (1842).
millefolium Gardn.
Hook. Ic. Pl. v. t. 478 (1842).

COPTOSAPELTA Korth
Griffithii Hook. f.
Hook. Ic. Pl. xi. t. 1089 (1871).
Pflanzenfam. iv. IV. 47 (1891).—*Fl.*
Hammii Val.
Ic. Bogor. iii. t. 267 (1908).

COQUEBERTIA Brongn.: *Zollernia*
ilicifolia Brongn.
Duperrey, Voy. Coquille, Bot. Atlas, Phan. t. 75 (1826).
Schnizlein, Iconogr. iv. t. 276 (1852).—*Fl.*

CORALLIOCYPHOS H. Fleischm. & Rech.
candidissimum H. Fleischm. & Rech.
Rechinger in Denkschr. Akad. Wiss. Wien, lxxxv. 252, t. 1, 3 (1910).

CORALLOCARPUS Welw.
epigaeus Hook. f.
*Journ. Bombay Nat. Hist. Soc. x. 482 (1896).
Basu, Ind. Med. Pl. t. 461 A (1918).
erostris Hook. f.
Pflanzenreich, Cucurbitac.-Fev. & Melothr. 166 (1916).
gijef Hook. f.
Engler & Drude, Veget. Erde, ix. 1. 1, p. 67 (1910).
Pflanzenreich, Cucurbitac.-Fev. & Melothr. 170 (1916).
glomeruliflorus Schweinf.
Pflanzenreich, Cucurbitac.-Fev. & Melothr. 174 (1916).
Millspaughii Cogn.
Publ. Field Columbian Mus., Bot. Ser. I. iii. t. 20 (1896).
Welwitschii Hook. f.
Trans. Linn. Soc. London, xxvii. t. 12 (1869).
Pflanzenfam. iv. v. 17 (1889).—*Fl.*
Pflanzenreich, Cucurbitac.-Fev. & Melothr. 130 (1916).—*Fl.*

CORALLODENDRON O. Kuntze: *Erythrina*
crista-galli O. Kuntze
Lindman, Veget. Rio Grande do Sul, 195 (1900).—*Hab.*
Bih. Svenska Vet. Akad. Handl. xxvii. III. No. 14, p. 57 (1902).—*Fl.*

CORALLOPHYLLUM H. B. K.: *Lennoa*
caeruleum H. B. K.
H. B. K. Nov. Gen. vii. t. 660 b (1825).

CORALLORRHIZA R. Br.
Bigelovii S. Wats.
Parsons, Wild Fl. California, 273 (1897).
M. Armstrong, Field Book West. Wild Fl. 77 (1915).—*Fl.*
bulbosa A. Rich.
Bull. Soc. Bot. France, lvi. t. 2, fig. 25–31 (1909).—*Fl.*
Corallorrhiza Karst.
Karsten, Deutsche Fl. Pharm.-medic. Bot. 448 (1880–83).—*Fl.*
Karsten, Fl. Deutschl. i. 462 (1895).—*Fl.*
Britton & Brown, Ill. Fl. N. States & Canada, i. 478 (1896); Ed. 2, i. 574 (1913).
Niles, Bog-trotting Orch. 280 (1904).
Gibson, Our Native Orchids, 52, 54 (1905).
S. Brown, Alp. Fl. Rocky Mts. 56, t. 12 (1907).
ericetorum Drej.
*Fl. Dan. xiv. t. 2364 (1843).
Reichenbach, Ic. Fl. Germ. xiii & xiv. t. 491 (1851).
D. Dietrich, Fl. Univ. Abt. i. t. 893 (1852).
hiemalis Nutt.
*Barton, Fl. N. Amer. ii. t. 52 (1822).
innata R. Br.
*Svensk Bot. viii. t. 554 (1819).
*Curtis, Fl. Londin. Ed. 2, iv. t. 142 (1819–21).
*Dietrich, Fl. Boruss. i. t. 23 (1833).
Nees, Gen. Pl., Monocot. iii. t. 15 (1836).
*Zenker, Fl. Thüringen, i. t. 14 (1836–55).
[M. E.] Jackson, Pict. Fl. fig. 1295 (1840).
*Baxter, Brit. Bot. Ed. 2, vi. t. 422 (1843).
*Deakin, Florigr. Brit. iii. fig. 1354 (1847).
*Lorek, Fl. Pruss. Ed. 3, t. 208, fig. 1105 (1848).
*Petermann, Deutschl. Fl. t. 87, fig. 687 (1849).—*Fl.*
Reichenbach, Ic. Fl. Germ. xiii & xiv. t. 490 (1851).
Johnson & Sowerby, Brit. Wild Fl. fig. 1256 (1858–60).
Schacht, Grundr. Anat. Phys. Gew. 97 (1859).—*Veg.*
Schacht, Lehrb. Anat. Phys. Gew. ii. 21 (1860).—*Veg.*
*Beer, Beitr. Morph. u. Biol. Orch. t. 2, fig. 30 (1863).—*Fr.*
Bull. Soc. Bot. Belg. iii. 372 (1864).
Bentham, Handb. Brit. Fl. fig. 970 (1865).
Cesati, Passer. & Gibelli, Comp. Fl. Ital. t. 22 (1867–86).—*Fl.*
*Barla, Fl. Illustr. Nice & Alpes Marit., Orchid. t. 10 (1868).
*Hogg & Johnson, Wild Fl. Gr. Brit. iv. t. 274 (1868).
*Syme, Engl. Bot. ix. t. 1487 (1869).
*Weber, Alp.-Pfl. Ed. 3, iv. t. 381 (1872).
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, v. t. 211 [1873].
*Cusin, Herb. Fl. Franç. xxii (Orchidées), t. 15 (1876).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, iv. t. 381 (1880).
De Puydt, Orchidées, 51 (1880).
H. Müller, Alpenblumen, 77 (1881).—*Fl.*
Wagner, Ill. Deutsche Fl. Ed. 2, p. 715 (1882).
Willkomm, Führ. Reich Pflanzen, 280 (1882).
*Thomé, Fl. Deutschl. i. t. 152 (1886).
Potonié, Ill. Fl. Nord- u. Mittel-Deutschl. Ed. 4, fig. 173 (1889).
Pflanzenfam. ii. VI. 129 (1889).—*Fl.*
*Heathcote, Fl. Engadine, t. 208 (1891).
Stein, Orchideenbuch, 162 (1892).
Acloque, Fl. France, 623 (1894).
*Schulze, Orchidac. t. 70 (1894).
Garcke, Ill. Fl. Deutschl. 587 (1895).
Raunkiær, Danske Blomsterpl. Naturhist. i. 318, 369 (1895–99).
*Hartinger, Atlas Alpenfl. i. t. 74 (1897).
*G. Beck, Alpenblum. Semmering, t. 1, fig. 12 (1898).—*Fl.*
*Correvon, Alb. Orch. t. 9 (1899).
Knuth, Handb. Blütenbiol. ii. II. 456 (1899).—*Fl.*
*Scient. Proc. Roy. Dublin. Soc. N. Ser. ix. t. 1, 2 (1899).
Lindman, Bild. Nord. Fl. t. 418 (1901–5).

CORALLORRHIZA
innata
*W. Müller & Kränzl. Abbild. Deutsch. Orch. t. 1 (1904).
*L. & C. Schroeter, Col. Vade-Mecum Alp. Fl. Ed. 16 & 17, t. 19 (1904).
Sturm, Fl. Deutschl. Ed. 2, iv. 27 (1905).
Coste, Fl. France, iii. 408 (1906).
Blytt, Haandb. Norg. Fl. Ed. Dahl, 241 (1906).
Flahault, Nouv. Fl. Alpes & Pyrén. i. 140 (1906).
Senn, Alpen-Flora, ii. 140 (1906).
Suireishchikov, Ill. Fl. Mosc. Gov. i. 269 (1906).
Velenovsky, Vergl. Morphol. Pfl. ii. 653 (1907).—*Veg.*
*E. G. Camus, Orchidées, t. 31, fig. 1098–1101 (1908).
*Flahault, Fl. Alpes & Pyrén. ii. t. 137 (1908).
Cornaz in Rameau de Sapin, xliii. 46 (1909).
Fedtschenko & Fler. Fl. Eur. Russia, 284 (1910).
Heukels, Fl. Nederl. i. 609 (1911).
*Gatin, Fl. des Bois, t. 37 (1913).
Pantu, Orchid. d. Romania, t. 50 (1915).
Fitch & Smith, Ill. Brit. Fl. Ed. rev. 4, Iss. 2, fig. 983 (1919).
Jacquemontii Decne.
Jacquemont, Voy. Inde, t. 165 (1844).
Macraei A. Gray
Rep. Expl. & Surv. Railr. Mississippi, 1853–54, iv. t. 25 (1857).
maculata Rafin.
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, i. 575 (1913).
House, Wild Fl. New York (Mem. No. 15 N.Y. State Mus.), i. 73 (1918).
mexicana Lindl.
Bull. Soc. Bot. France, lvi. t. 1, fig. 44, 45 (1909).—*Fl.*
multiflora Nutt.
Journ. Acad. Nat. Sc. Philadelphia, iii. 1. t. 7 (1823).
*Hooker, Exot. Fl. iii. t. 174 (1827).
*Torrey, Fl. State New York, ii. t. 126 (1843).
Baldwin, Orch. N. Engl. 71 (1884).
American Garden, xiii. 520 (1892).
Britton & Brown, Ill. Fl. N. States & Canada, i. 479 (1896).
L. H. Bailey, Cycl. Amer. Hort. 369 (1900); Stand. Cycl. Hort. 841 (1914).—*Hab.*
Lounsberry, Southern Wild Fl. & Trees, t. 32 (1901).
Gibson, Our Native Orchids, t. 52, 54 (1905).
*F. E. & E. S. Clements, Rocky Mt. Fl. t. 43 (1914).
M. Armstrong, Field Book West. Wild Fl. 77 (1915).—*Fl.*
Neottia Scop.
Fiori & Paol. Ic. Fl. Ital. 98 (1898).
ochroleuca Rydb.
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, i. 576 (1913).
odontorrhiza Nutt.
*Torrey, Fl. State New York, ii. t. 126 (1843).
Britton & Brown, Ill. Fl. N. States & Canada, i. 478 (1896); Ed. 2, i. 575 (1913).
Gibson, Our Native Orchids, t. 43 (1905).
U.S. Dep. Agric. Bur. Pl. Indust. Bull. No. 107, p. 25 (1907).
Stone, Pl. Southern New Jersey (Ann. Rep. New Jersey State Mus. 1910), t. 53 (1911).—*Hab.*
Merck's Rep. (Pract. Journ. Pharm.), xxii. 120 (1913).
striata Lindl.
Britton & Brown, Ill. Fl. N. States & Canada, i. 479 (1896); Ed. 2, i. 576 (1913).
Gibson, Our Native Orchids, t. 54, fig. 4 (1905).—*Fl.*
trifida Châtelain
Wettstein, Handb. Syst. Bot. Ed. 2, p. 836 (1911).—*Veg.*
Fedtschenko, Veg. Turkest. 280 (1915).
Lindman, Svensk Fanerogamfl. 174 (1918).—*Fl.*
vancouveriana Finet
Bull. Soc. Bot. France, lvi. t. 1, fig. 38–43 (1909).—*Fl.*
verna Nutt.
Journ. Acad. Nat. Sc. Philadelphia, i. 1. t. 7 (1823).

CORALLORRHIZA
virescens Drej.
*Fl. Dan. xiv. t. 2363 (1849).
Wisteriana Conrad
Britton & Brown, Ill. Fl. N. States & Canada, i. 478 (1896); Ed. 2, i. 575 (1913).
Gibson, Our Native Orchids, t. 53, 54 (1905).
Ames, Orchidac. i. t. 6 (1905).

CORALLOSPARTIUM Armstrong
crassicaule Armstrong
Cheeseman, Ill. New Zeal. Fl. t. 31 (1914).

CORBULARIA Salisb.: *Narcissus*
Bulbocodium Haw.
Herbert, Amar. t. 38, fig. 13, 31, 45 (1837).—*Fl.*
*Siebold & De Vriese, Fl. Jard. iv. 65 (1861).
conspicua Haw.
Herbert, Amar. t. 38, fig. 54 (1837).—*Fl.*
*Sweet, Ornam. Fl. Gard. ii. t. 75 (1854).
filifolia Roem.
Rouy, Illustr. Pl. Eur. Rar. fasc. 14, t. 348 (1900).
gigas Haw.
Rouy, Illustr. Pl. Eur. Rar. fasc. 14, t. 346 (1900).
Graëllsii Webb
Wien. Ill. Gart.-Zeit. iv. 396 (1879).
Herbertii Rouy
Rouy, Illustr. Pl. Eur. Rar. fasc. 14, t. 347 (1900).
monophylla Dur.
*Cosson & Durieu, Expl. Scient. Algér. 1840–42, Bot. Atlas, t. 46, 47 (1850).
obesa Salisb.
Rouy, Illustr. Pl. Eur. Rar. fasc. 14, t. 349 (1900).
serotina Haw.
*Sweet, Brit. Fl. Gard. v. t. 164 (1832).
*Sweet, Ornam. Fl. Gard. iv. t. 274 (1854).
tenuifolia Salisb.
*Sweet, Ornam. Fl. Gard. iv. t. 273 (1854).

CORCHOROPSIS Sieb. & Zucc.
crenata Sieb. & Zucc.
Siebold & Zuccarini in Abh. Akad. Wiss. München, iii. III. t. 4, fig. h 1–h 14 (1843).—*Fl.*
Schneider, Ill. Handb. Laubh. ii. 366 (1909).—*Veg.*
psilocarpa Harms & Loes.
Journ. Coll. Sc. Tokyo, xxvi. Art. 1, t. 9 (1909).
Beih. Bot. Centralbl. xxxvii. II. t. 8 (1919).

CORCHORUS Linn.—Vide *Antichorus, Maerlensia*
acutangulus Lam.
Wight, Ic. Pl. Ind. Or. iii. t. 739 (1843–45).
*Blanco, Fl. Filip. t. 141 (1878–80).
Mart. Fl. Bras. xii. III. t. 26 (1886).—*Fl.*
Pflanzenfam. iii. VI. 19 (1890).—*Fr.*
Höhnel in Schrift. Ver. Verbr. Naturw. Kenntn. Wien, xxxv. 37, fig. 1 c (1895).—*Fr.*
Lecomte, Fl. Gén. Indo-Chine, i. 558 (1910).
Bose, Man. Ind. Bot. 196 (1920).
aestuans Linn.
*Jacquin, Hort. Vind. i. t. 85 (1770).
Gaertner, Fruct. i. t. 64 (1788).—*Fr.*
Browne, Hist. Jamaica, Ed. 2, t. 25 (1789).
Lamarck, Ill. iii. t. 478, fig. 2 (1797).—*Fr.*
Velenovsky, Vergl. Morphol. Pfl. ii. 479 (1907).—*Veg.*
Antichorus Raeusch
Basu, Ind. Med. Pl. t. 163 (1918).
Journ. Bombay Nat. Hist. Soc. xxvi. 222, t. 4 (1918).—*Hab.*
bullatus Jacq. f.
*Jacquin, Ecl. Pl. ii. t. 163 (1844) in ic.; *C. pilolobus* in textu.
capsularis Linn.
Rumphius, Herb. Amboin. v. t. 78, fig. 1 (1747); fide Merrill, Interpret. Rumph. Herb. Amboin.
*Kniphof, Herb. Viv. i. t. 305 (1758).
Gaertner, Fruct. ii. t. 179 (1791).—*Fr.*
Lamarck, Ill. iii. t. 478, fig. 3 (1797).—*Fr.*
Wight, Ic. Pl. Ind. Or. i. t. 311 (1840).
*Jacquin, Ecl. Pl. ii. t. 119 (1844).
Hooker's Journ. Bot. & Kew Misc. ii. t. 3 (1850).
*Archer, Pop. Econ. Bot. et Profitable Pl. t. 7, fig. 35 (1853).
Schnizlein, Iconogr. iii. t. 212 (1857–65).
Rep. Commissioner Agric. Washington, 1872, p. 167, t. 4 (1874).
Somoku Dzusetsu, Ed. 2, x. t. 6 (1874).

CORCHORUS
capsularis
Proc. Agri-Hort. Soc. Madras, 1875–78, p. 5 (1881).—*Fr.*
Vidal, Sin. Fam. & Gen. Pl. Leñ. Filip. (Introd. Fl. For. Filip.), Atlas, t. 20, fig. B (1883).—*Fl.*
*Zippel, Ausländ. Handels- & Nährpfl. t. 30 (1885).
Pflanzenfam. iii. VI. 19 (1890).
Höhnel in Schrift. Ver. Verbr. Naturw. Kenntn. Wien, xxxv. 37, fig. 1 d (1895).—*Hab.*
*Useful Pl. Jap. ii. t. 332 (1895).
U.S. Dep. Agric. Fiber Invest. Rep. No. 8, p. 26 (1896); No. 9, p. 126, 128 (1897).
Rev. Cult. Colon. i. 79 (1897).—*Fr.*
Sadebeck, Kulturg. Deutsch. Kolon. Erzeugn. 300, 301 (1899).
*Zippel, Ausländ. Kulturpfl. Atlas, Ed. 4, Abt. 2 t. 18, fig. 5–7 (1899).
*De Janville, Pl. Utiles Pays Chauds, t. 69, 70 (1902).
Bull. Écon. Indo-Chine, N. Ser. xxv. 4 (1904); cxxxviii. 693 (1919).
Journ. & Proc. Asiat. Soc. Bengal, N. Ser. iii. 637 (1908).—*Veg.*
Somoku Dzusetsu, Ed. Makino (Iconogr. Pl. Nippon), x. t. 6 (1910).
Pammel, Man. Poison. Pl. 622 (1911).
Wettstein, Handb. Syst. Bot. Ed. 2, p. 608 (1911).—*Fr.*
L. Reinhardt, Kulturgesch. Nutzpfl. (Erde und Kultur), iv. II. 63 (1911).
Capus & Bois, Prod. Colon. 380 (1912).
Basu, Ind. Med. Pl. t. 160 (1918).
Correa, Fibr. Text. & Cellul. 117, 130 (1919).
Prudhomme, Pl. Utiles Pays Chauds, t. 52 (1920).
—— **corylifolia** Burkill & Finl.
Journ. & Proc. Asiat. Soc. Bengal, N. Ser. iii. 634, 635 (1908).—*Veg.*
—— **marua** Burkill & Finl.
Journ. & Proc. Asiat. Soc. Bengal, N. Ser. iii. 634 (1908).—*Veg.*
—— **oocarpus** Burkill & Finl.
Journ. & Proc. Asiat. Soc. Bengal, N. Ser. vii. 465 (1912).—*Fr.*
—— **pirifolia** Burkill & Finl.
Journ. & Proc. Asiat. Soc. Bengal, N. Ser. iii. 636 (1908).—*Veg.*
cinerascens Deflers
Bull. Soc. Bot. France, xlii. t. 5 (1895).
decemangularis Roxb.
Rheede, Hort. Mal. x. t. 55 (1690); fide Hasskarl, Hort. Mal. Rheed. Clavis, 85.
erodioides Balf. f.
Balfour f., Bot. Socotra (Trans. Roy. Soc. Edinb. xxxi), t. 7 (1888).
—— **bicrenatus** Vierh.
Vierhapper in Denkschr. Akad. Wiss. Wien, lxxi. t. 8 (1907).
—— **pinnatus** Vierh.
Vierhapper in Denkschr. Akad. Wiss. Wien, lxxi. t. 8 (1907).
fascicularis Lam.
Basu, Ind. Med. Pl. t. 161 (1918).
fruticulosus Vis.
Visiani, Pl. Aeg. t. 3 (1836).
Honigberger, Thirty-five Years East, ii. t. 4 (1852).
hirsutus Linn.
Plumier, Pl. Amer. Ed. Burm. t. 104 (1757); fide Urban, Fedde Repert. Beih. v. 59.
*Jacquin, Hort. Vind. iii. t. 57 (1776).
*Jacquin, Sel. Stirp. Amer. Hist. Picta, t. 157 [1780].
Baillon, Hist. Pl. iv. 168 (1873).—*Fl.*
Pflanzenfam. iii. VI. 19 (1890).—*Fr.*
Höhnel in Schrift. Ver. Verbr. Naturw. Kenntn. Wien, xxxv. 37, fig. 1 b (1895).—*Fl.*
Bot. Tidsskr. xxii. 79 (1898).—*Veg.*
Rev. Gén. Bot. xii. 443 (1900).—*Veg.*
hirtus Linn.
Plumier, Pl. Amer. Ed. Burm. t. 103, fig. 2 (1757); fide Urban, Fedde Repert. Beih. v. 59.
*Jacquin, Hort. Vind. iii. t. 58 (1776).
Mart. Fl. Bras. xii. III. t. 26 (1886).
humilis Munro
Wight, Ic. Pl. Ind. Or. iii. t. 1073 (1846).

CORCHORUS
japonicus Thunb.
*Houttuyn, Handl. Pl. & Kruidk. ix. t. 54, fig. 2 (1778).
*Andrews, Bot. Rep. ix. t. 587 (1809).
*Bot. Mag. xxxii. t. 1296 (1810).
*Joh. Kerner, Hort. Sempervir. t. 415 (1815).
*Mordant de Launay, Herb. Amat. i. t. 49 (1816).
Savi, Fl. Ital. i. t. 3 (1818).
Gartenfl. xxvi. 360 (1877).
javanicus N. L. Burm.
N. L. Burman, Fl. Ind. t. 36 (1768).
nitens Baill.
Baillon, Hist. Pl. iv. 167 (1873).—*Fl.*
olitorius Linn.
Rumphius, Herb. Amboin. v. t. 78, fig. 2 (1747); fide Merrill, Interpret. Rumph. Herb. Amboin.
*Trew, Pl. Rar. i. t. 4 (1763).
*Houttuyn, Handl. Pl. & Kruidk. ix. t. 54, fig. 1 (1778).
Gaertner, Fruct. i. t. 64 (1788).—*Fr.*
Lamarck, Ill. iii. t. 478, fig. 1 (1797).
*Bot. Mag. lv. t. 2810 (1828).
*Schnizlein, Iconogr. iii. t. 212 (1857–65).—*Fr.*
Baillon, Hist. Pl. iv. 168 (1873).—*Fr.*
Proc. Agri-Hort. Soc. Madras, 1875–78, p. 5 (1881).
Vidal, Sin. Fam. & Gen. Pl. Leñ. Filip. (Introd. Fl. For. Filip.), Atlas, t. 20, fig. A (1883).—*Fl.*
*Zippel, Ausländ. Handels- & Nährpfl. t. 30 (1885).
Pflanzenfam. iii. VI. 19 (1890).
Lubbock, Seedlings, i. 281 (1892).—*Veg.*
Höhnel in Schrift. Ver. Verbr. Naturw. Kenntn. Wien, xxxv. 37, fig. 1 a (1895).—*Hab.*
U.S. Dep. Agric. Fiber Invest. Rep. No. 8, p. 26 (1896); No. 9, p. 127 (1897).—*Fr.*
Rev. Cult. Colon. i. 79 (1897).
Bull. Écon. Indo-Chine, N. Ser. xxv. 3 (1904); cxxxviii. 694 (1919).
Journ. & Proc. Asiat. Soc. Bengal, N. Ser. iii. 637 (1908).—*Veg.*
Beille, Bot. Pharm. ii. 467 (1909).
Notizbl. Bot. Gart. Berlin, App. xxii. 58 (1909).
Wettstein, Handb. Syst. Bot. Ed. 2, p. 608 (1911).—*Fr.*
Trotter, Fl. Econ. della Libia, 239 (1915).
Basu, Ind. Med. Pl. t. 161 (1918).
pilolobus Link
*Jacquin, Ecl. Pl. ii. t. 163 (1844) in textu; *C. bullatus* in ic.
pilosus H. B. K.
H. B. K. Nov. Gen. v. t. 487 (1821).
sericeus Ewart & Davies
Ewart & Davies, Fl. N. Terr. 378, t. 18 (1917).
siliquosus Linn.
Plumier, Pl. Amer. Ed. Burm. t. 103, fig. 1 (1757); fide Urban, Fedde Repert. Beih. v. 59.
*Kniphof, Herb. Viv. i. t. 306 (1758).
*Jacquin, Hort. Vind. iii. t. 59 (1776).
Gray & Sprague, Gen. Fl. Amer. ii. t. 137 (1849).
tortipes St.-Hil.
Jaume St.-Hilaire, Fl. Bras. Merid. i. t. 55 (1827).
trilocularis N. L. Burm.
N. L. Burman, Fl. Ind. t. 37 (1768).
*Jacquin, Hort. Vind. i. t. 173 (1772).
Basu, Ind. Med. Pl. t. 162 (1918).

CORDEAUXIA Hemsl.
edulis Hemsl.
Hook. Ic. Pl. xxix. t. 2838–39 (1907).

CORDIA Linn.—Vide *Cerdana, Cordiada, Macria, Paradigma, Plethostephia, Rumphia, Sebestena, Varronia*
abyssinica R. Br.
Pflanzenfam. iv. III. A. 82 (1893).—*Fl.*
Transvaal Agric. Journ. v. No. 18, t. 170 (1907).
Fiori, Boschi e Piante Legn. Eritrea, 316 (1909–12).
Agric. Colon., Ital. v. Suppl. 93 (1911).
acuta Pittier
Contrib. U.S. Nat. Herb. xviii. 253 (1917).—*Fl.*
affinis Fres.
Mart. Fl. Bras. viii. 1. t. 9 (1857).—*Fl.*
angiocarpa A. Rich.
Ramon de la Sagra, Fl. Cubana, iv. Atlas Pl. Vasc. t. 60 (1853); et Ic. Fl. Cub. Pl. Vasc. t. 60 (1863).

CORDIA
aspera Forst.
*Seemann, Fl. Vit. t. 35 (1865–73).
Boissieri A. DC.
Pharm. Journ. Ser. II. iv. 273 (1862).
Sargent, Silva N. Amer. vi. t. 283, 284 (1894).
Sargent, Man. Trees N. Amer. 783 (1905).
Britton, N. Amer. Trees, 820 (1908).
caffra Sond.
Sim, For. Fl. Cape Colony, t. 116 (1907).
Wood, Natal Pl. vi. 1. t. 508 (1909).
calocephala Cham.
Mart. Fl. Bras. viii. 1. t. 8 (1857).
Pflanzenfam. iv. III. A. 85 (1893).—*Fl.*
campestris Warm.
Vidensk. Meddel. Kjöbenhavn, 1867, p. 44 (1868). —*Veg.*
candida Vell.
Vellozo, Fl. Flum. ii. t. 155 (1827).
chacoënsis Chodat
Chodat in Bull. Soc. Bot. Genève, Ser. II. xii. 197 (1920).—*Veg.*
Chamissoniana Steud.
Chodat in Bull. Soc. Bot. Genève, Ser. II. xii. 167 (1920).—*Fl.*
cochinchinensis Gagnep.
Lecomte, Fl. Gén. Indo-Chine, iv. 203 (1914).
coffeoides Warm.
Vidensk. Meddel. Kjöbenhavn, 1867, p. 44 (1868). —*Veg.*
Collococa Aubl.
Aublet, Hist. Pl. Guiane Franç. iii. t. 86 (1775).
Collococca Linn.
*Descourtilz, Fl. Pitt. & Méd. Antilles, vi. t. 441 (1828).
Journ. New York Bot. Gard. x. 110 (1909).—*Hab.*
crenata Del.
Delile, Fl. Égypte, t. 20 (1812).
Kew Bull. 1918, p. 222.
crispiflora DC.
A. De Candolle, Calq. Dess. Fl. Mex. Moc. & Sessé, t. 875 (1874).
cylindrostachya Spreng.
Bot. Tidsskr. xxii. 79 (1898).—*Veg.*
Rev. Gén. Bot. xii. 443 (1900).—*Veg.*
decandra Hook. & Arn.
Hooker & Arn. Bot. Beechey Voy. t. 10 (1841).
*Bot. Mag. ciii. t. 6279 (1877).
dentata Vahl
Vahl, Eclog. Amer. iii. t. 22 (1807).
digynia Vell.
Vellozo, Fl. Flum. ii. t. 153 (1827).
dodecandra DC.
A. De Candolle, Calq. Dess. Fl. Mex. Moc. & Sessé, t. 874 (1874).
ecalyculata Vell.
Vellozo, Fl. Flum. ii. t. 149 (1827).
Ellenbeckii Gürke
Engler & Drude, Veget. Erde, ix. 1. 1, p. 171 (1910).
eriostigma Pittier
Contrib. U.S. Nat. Herb. xviii. 251 (1917).—*Fl.*
erosa Sond.
Ettingshausen, Blatt-Skel. Dikot. 82 (1861).—*Veg.*
excelsa A. DC.
Mart. Fl. Bras. viii. 1. t. 2 (1857).
Saldanha da Gama, Config. & Estudo Bot. Veg. Janeiro, ii. t. 1 (1872).
Pflanzenfam. iv. III. A. 82 (1893).—*Fl.*
ferruginea Kunth
Baillon, Adans. iii. t. 1 (1862–63).
flavescens Aubl.
Aublet, Hist. Pl. Guiane Franç. iii. t. 89 (1775).
floridana Nutt.
*Nuttall, Sylva, ii. t. 107 (1865).
fulvosa Wight
Wight, Ic. Pl. Ind. Or. iv. t. 1380 (1848).
gerascanthoides Kunth
Ramon de la Sagra, Fl. Cubana, iv. Atlas Pl. Vasc. t. 59 bis (1853); et Ic. Fl. Cub. Pl. Vasc. t. 59 (1863).
Gerascanthus Linn.
Jacquin, Sel. Stirp. Amer. Hist. t. 175 (1763).—*Fl.*
*Jacquin, Sel. Stirp. Amer. Hist. Picta, t. 259, fig. 12 [1780].—*Fl.*

CORDIA
Gerascanthus
Houston, Reliq. t. 6 (1781).—*Fl.*
Browne, Hist. Jamaica, Ed. 2, t. 29 (1789).—*Fl.*
Lamarck, Ill. i. t. 96, fig. 2 (1791).
Le Maout & Decaisne, Traité Gén. Bot. 180 (1868).—*Fl.*
Chodat in Bull. Soc. Bot. Genève, Ser. II. xii. 175, 181, 185, 186 (1920).—*Veg.*
gharaf Ehrenb.
Fiori, Boschi e Piante Legn. Eritrea, 317 (1909–12).
Engler & Drude, Veget. Erde, ix. 1. 1, p. 72 (1910).
Agric. Colon., Ital. v. Suppl. 94 (1911).
glabra Cham.
*Bot. Mag. xcv. t. 5774 (1869).
glabrata orbicularis Chod. & Vischer
Chodat in Bull. Soc. Bot. Genève, Ser. II. xii. 161 (1920).—*Fl.*
globosa Kunth
Browne, Hist. Jamaica, Ed. 2, t. 13, fig. 2 (1789); fide Grisebach.
glomerata Lem.
*Lem. Jard. Fl. iv. t. 326 (1853).
grandiflora H. B. K.
*Bot. Reg. xviii. t. 1491 (1832).
Mart. Fl. Bras. viii. 1. t. 3 (1857).—*Fl.*
Thays, Jard. Bot. Buenos Aires, 47 (1910).
grandifolia DC.
Lubbock, Seedlings, ii. 258 (1892).—*Fr.*
Greggii Palmeri S. Wats.
Gard. & Forest, ii. 233 (1889).
L. H. Bailey, Stand. Cycl. Hort. 842 (1914).
guaranitica Chod. & Hassl.
Chodat in Bull. Soc. Bot. Genève, Ser. II. xii. 171 (1920).—*Fr.*
Hassleriana Chod.
Chodat in Bull. Soc. Bot. Genève, Ser. II. xii. 183, 184 (1920).—*Veg.*
Holstii Gürke
Engler, Pflanzenw. Ost-Afr. Teil C, t. 41 (1895).
hypoleuca A. DC.
Vidensk. Meddel. Kjöbenhavn, 1867, p. 44 (1868). —*Veg.*
insignis Cham.
Mart. Fl. Bras. viii. 1. t. 1 (1857).
ipomoeiflora Hook.
*Bot. Mag. lxxxiv. t. 5027 (1858).
Kanehirai Hayata
Kanehira, Formosan Trees, 379 (1917).—*Veg.*
laevis Jacq.
*Jacquin, Hort. Schoenbr. i. t. 40 (1797).
lapensis Warm.
Vidensk. Meddel. Kjöbenhavn, 1867, p. 44 (1868). —*Veg.*
leucocalyx Fres.
Schnizlein, Iconogr. ii. t. 142 (1856–65).—*Fl.*
Mart. Fl. Bras. viii. 1. t. 7 (1857).
leucocephala Moric.
Moricand, Pl. Amér. t. 88 (1846).
littoralis Pittier
Contrib. U.S. Nat. Herb. xviii. 253 (1917).—*Fl.*
longituba Chod. & Vischer
Chodat in Bull. Soc. Bot. Genève, Ser. II. xii. 170, 173, 175 (1920).
Macleodii Hook. f. & Thoms.
Brandis, Illustr. For. Fl. N.W. & Centr. Ind. t. 41 (1874).
Talbot, For. Fl. Bombay, ii. 272 (1911).
Basu, Ind. Med. Pl. t. 649 (1918).
macrophylla Linn.
Vellozo, Fl. Flum. ii. t. 152 (1827).
Contrib. U.S. Nat. Herb. viii. t. 30 (1903).—*Hab.*
monoica Roxb.
*Roxburgh, Pl. Coromandel, i. t. 58 (1795).
*Joh. Kerner, Hort. Sempervir. t. 302 (1811).
multispicata Cham.
Mart. Fl. Bras. viii. 1. t. 6 (1857).
Pflanzenfam. iv. III. A. 85 (1893).—*Fl.*
Myxa Linn.
Rheede, Hort. Mal. iv. t. 37 (1683); fide Fl. Brit. Ind. iv. 136.
Rumphius, Herb. Amboin. iii. t. 97 (1743); fide Merrill, Interpret. Rumph. Herb. Amboin.
*Regnault, Bot. iii. 152 (1774) in textu; *C. Sebestena* in ic.
*Zorn, Ic. Pl. Med. iv. t. 344 (1782).

CORDIA
Myxa
*Plenck, Ic. Pl. Med. ii. t. 116 (1789).
*Oskamp, Afb. Artseny-Gewass. v. t. 426 (1800).
*Roques, Pl. Usuell. Indig. & Exot. ii. t. 40 (1808).
*Jacquin, Fragm. t. 103 (1809).—*Veg.*
Delile, Fl. Égypte, t. 19 (1812).
*Vietz, Ic. Pl. Med.-oec.-techn. v. t. 434 (1817).
*Chaumeton, Fl. Méd. vi. t. 322 (1818).
*Hayne, Getreue Darst. Arzn. Gewächse, ix. t. 33 (1825).
Lindley, Med. & Oecon. Bot. 208 (1849).—*Veg.*
*Cassone, Fl. Med.-Farm. iv. t. 374 (1850).
*Wight, Illustr. Ind. Bot. ii. t. 169 (1850).
*Schnizlein, Iconogr. ii. t. 142 (1856–65).
Berg, Charakt. t. 36, fig. 283 (1861).
Ettingshausen, Blatt-Skel. Dikot. t. 32 (1861).—*Veg.*
Le Maout & Decaisne, Traité Gén. Bot. 180 (1868).—*Fl.*
Beddome, Fl. Sylv. t. 245 (1872).
Karsten, Deutsche Fl. Pharm.-medic. Bot. 977 (1880–83).—*Fr.*
Vidal, Sin. Fam. & Gen. Pl. Leñ. Filip. (Introd. Fl. For. Filip.), Atlas, t. 70, fig. D (1883).—*Fl.*
Baillon, Hist. Pl. x. 357 (1891).—*Fl.*
Pflanzenfam. iv. III. A. 82 (1893).
Karsten, Fl. Deutschl. ii. 552 (1895).—*Fr.*
Ann. Mus. Inst. Col. Marseille, ix. t. 3 (1902).
Beille, Bot. Pharm. ii. 988 (1909).—*Fl.*
Engler & Drude, Veget. Erde, ix. 1. 1. 72 (1910).—*Fr.*
Talbot, For. Fl. Bombay, ii. 271 (1911).
Kanehira, Formosan Trees, 380 (1917).
Basu, Ind. Med. Pl. t. 645 (1918).
Kew Bull. 1918, p. 220.
nitida Vahl
Contrib. U.S. Nat. Herb. viii. t. 31 (1903).
nivea Fres.
Le Maout & Decaisne, Traité Gén. Bot. 180 (1868).
Nicholson, Illustr. Dict. Gard. i. 372 [1884–88].
nodosa Lam.
Mart. Fl. Bras. viii. 1. t. 5 (1857).
Schimper, Bot. Mitt. Tropen, Heft i. t. 3 (1888). —*Veg.*
Pflanzenfam. iv. III. A. 82 (1893).—*Fl.*
Schimper, Pflanzen-Geogr. 163 (1898).—*Veg.*
obliqua Willd.
Willdenow, Phytogr. t. 4 (1794).
Wight, Ic. Pl. Ind. Or. iv. t. 1378 (1848).
Basu, Ind. Med. Pl. t. 646 (1918).
Kew Bull. 1918, p. 220.—*Fl.*
—— **Wallichii** C. B. Clarke
Basu, Ind. Med. Pl. t. 647 (1918).
obliqua Vell.
Vellozo, Fl. Flum. ii. t. 150 (1827).
officinalis Lam.
Lamarck, Ill. i. t. 96, fig. 3 (1791).—*Fr.*
olitoria Blanco
*Blanco, Fl. Filip. t. 44 (1878–80).
oncocalyx Allem.
Allemão in Trab. Comm. Sc. Explor. Secc. Bot. i. 12 (1862).
ovalis R. Br.
Fiori, Boschi e Piante Legn. Eritrea, 317 (1909–12).
Agric. Colon., Ital. v. Suppl. 94 (1911).
Palmeri Rose
Contrib. U.S. Nat. Herb. i. t. 9 (1891) in ic.; *C. Sonorae* in textu.
panicularis Rudge
Rudge, Pl. Guian. t. 46 (1805).
Perrottetii DC.
Wight, Ic. Pl. Ind. Or. iv. t. 1381 (1848).
quercifolia Klotzsch
Peters, Reise Mossamb., Bot. t. 43 (1861).
riparia H. B. K.
H. B. K. Nov. Gen. iii. t. 207 (1818).
rotata Moc.
A. De Candolle, Calq. Dess. Fl. Mex. Moc. & Sessé, t. 880 (1874).
Rothii Roem. & Schult.
Wight, Ic. Pl. Ind. Or. iv. t. 1379 (1848).
Brandis, Indian Trees, 480 (1906).
Basu, Ind. Med. Pl. t. 648 (1918).

CORDIA
rotundifolia Ruiz & Pav.
Ruiz & Pavon, Fl. Peruv. & Chil. ii. t. 148 (1799).
salicifolia Cham.
Arkiv Bot. Stockholm, iii. No. 151 p. 14 (1904).—*Veg.*
Chodat in Bull. Soc. Bot. Genève, Ser. II. xi. 228 (1919); xii. 159, 164 (1920).—*Hab.*
scabrida Mart.
Mart. Fl. Bras. viii. 1. t. 9 (1857).—*Fl.*
Sebestena Linn.
Plumier, Pl. Amer. Ed. Burm. t. 105 (1757); fide Urban, Fedde Repert. Beih. v. 60.
Dillenius, Hort. Eltham. Add. Denom. Linn. t. 255 (1774).
*Regnault, Bot. iii. 152 (1774) in ic.; *C. Myxa* in textu.
*Jacquin, Sel. Stirp. Amer. Hist. Picta, t. 44 [1780].
*Plenck, Ic. Pl. Med. ii. t. 115 (1789).
Lamarck, Ill. i. t. 96, fig. 1 (1791).—*Fl.*
*Andrews, Bot. Rep. iii. t. 157 (1801).
*Bot. Mag. xxi. 794 (1804).
*Joh. Kerner, Hort. Sempervir. t. 155 (1805).
*Allg. Teutsch. Gart. Mag. viii. t. 25 (1811).
*Oskamp, Afb. Artseny-Gewass. vii. t. 1 (1813).
*Trattinick, Ausg. Taf. Arch. iv. 303 (1814).
*Vietz, Ic. Pl. Med.-oec.-techn. v. t. 435 (1817).
Vellozo, Fl. Flum. ii. t. 151 (1827).
*Descourtilz, Fl. Pitt. & Méd. Antilles, iv. t. 277 (1827).
*Audubon, Birds Amer. iv. t. 280 (1842).
Lindley, Veg. Kingd. 628 (1846).
*Schnizlein, Iconogr. ii. t. 142 (1856–65).—*Fl.*
*Nuttall, Sylva, ii. t. 106 (1865).
*Blanco, Fl. Filip. t. 43 (1878–80).
Karsten, Deutsche Fl. Pharm.-medic. Bot. 977 (1880–83).
Sargent, Silva N. Amer. vi. t. 281, 282 (1894).
Karsten, Fl. Deutschl. ii. 552 (1895).
Sargent, Man. Trees N. Amer. 782 (1905).
Britton, N. Amer. Trees, 819 (1908).
senegalensis Juss.
Thonner, Blütenpfl. Afr. t. 133 (1908).
serrata Roxb.
Plumier, Pl. Amer. Ed. Burm. t. 228, fig. 1 (1760); fide Urban, Fedde Repert. Beih. v. 90.
Wight, Ic. Pl. Ind. Or. ii. t. 469 (1840–43).
sonorae Rose
Contrib. U.S. Nat. Herb. i. t. 9 (1891) in textu; *C. Palmeri* in ic.
subcordata Lam.
Rumphius, Herb. Amboin. ii. t. 75 (1743); fide Merrill, Interpret. Rumph. Herb. Amboin.
*Seemann, Fl. Vit. t. 34 (1865–73).
Vidal, Sin. Fam. & Gen. Pl. Leñ. Filip. (Introd. Fl. For. Filip.), Atlas, t. 70, fig. E (1883).—*Fl.*
*I. Sinclair, Indig. Fl. Hawaii. Isl. t. 7 (1885).
Journ. Linn. Soc., Bot. xxii. 357, 374 (1886).
Lubbock, Seedlings, i. 17, 35; ii. 260 (1892).
Reichinger, Streifz. in Deutsch-Neu-Guinea, t. 15 (1908).—*Hab.*
F. M. Bailey, Compr. Cat. Queensl. Pl. 344 (1909–13).
Brigham in Mem. Bernice Pauahi Bishop Mus. iii. 151 (1911).
Teysmannia, xxii. 129 (1911).—*Fr.*
Bryan, Nat. Hist. Hawaii, t. 54, fig. 2 (1915).
superba Cham.
*Bot. Mag. lxxxi. t. 4888 (1855).
Mart. Fl. Bras. viii. 1. t. 3 (1857).
Pflanzenfam. iv. III. A. 82 (1893).—*Fl.*
taguahyensis Vell.
Vellozo, Fl. Flum. ii. t. 154 (1827).
tenuifolia Bert.
Bertoloni in Mem. Accad. Sc. Istit. Bologna, xi. II. t. 11 (1861).
Bertoloni, Misc. Bot. xxi. t. 1 (1861).
tetrandra Aubl.
Aublet, Hist. Pl. Guiane Franç. iii. t. 87 (1775).
tetraphylla Aubl.
Aublet, Hist. Pl. Guiane Franç. iii. t. 88 (1775).
toqueve Aubl.
Aublet, Hist. Pl. Guiane Franç. iii. t. 90 (1775).
trachyphylla Mart.
Schnizlein, Iconogr. ii. t. 142 (1856–65).
Mart. Fl. Bras. viii. 1. t. 4 (1857).

CORDIA
trichostyla Pittier
Contrib. U.S. Nat. Herb. xviii. 252 (1917).—*Fl.*
uruguaya Arech.
Arechavaleta in An. Mus. Nac. Montevideo, iv. 16 (1903).
vestita Hook. f. & Thoms.
Basu, Ind. Med. Pl. t. 647 (1918).
Wallichii G. Don
Beddome, Fl. Sylv. t. 245 (1872).

CORDIADA Vell.: *Cordia*
trichotoma Vell.
Vellozo, Fl. Flum. ii. t. 156 (1827).

CORDIERA A. Rich.: *Alibertia*
triflora A. Rich.
Mém. Soc. Hist. Nat. Paris, v. t. 20 (1834).
Schnizlein, Iconogr. ii. t. 127 b (1854).

CORDYLA Lour.—Vide *Calycandra*
africana Lour.
Peters, Reise Mossamb., Bot. t. 4 (1861).
Journ. de Bot. xix. 114–21 (1905).
Notizbl. Bot. Gart. Berlin, App. xxii. 15 (1909).
Sim, For. Fl. Portug. E. Africa, t. 46 (1909).
Engler & Drude, Veget. Erde, ix. 1. 1. 169 (1910); III. 1. 515 (1915).

CORDYLANTHUS Nutt.—Vide *Adenostegia*
frutescens Bl.
Blume, Mus. Bot. Lugd.-Bat. ii. fig. 3 (1856).
Schnizlein, Iconogr. iii. t. 196 (1866–70).—*Fl.*
Kingii S. Wats.
King U.S. Geol. Expl. v (Bot.), 22 (1871).
Nevinnyi A. Gray
Pflanzenfam. iv. III. B. 100 (1893).—*Fl.*

CORDYLINE Auct.: *Cordyline* Comm. (1), *Dracaena* (2), *Nolina* (3)

CORDYLINE Comm. (1)—Vide *Calodracon*, *Charlwoodia*, *Dracaena* (2), *Dracaenopsis*, *Taetsia*
angustifolia Kunth (1)
Brehm, Merv. Nat. Monde des Pl. ii. 591 (1894–96).—*Hab.*
australis Endl. (1)
Gartenfl. xiii. t. 450 (1864).
Trans. & Proc. Bot. Soc. Edinb. xiii. t. 1 (1879).—*Hab.*
australis Hook. f. (1)
*Bot. Mag. xciii. t. 5636 (1867).
Garden, xvii. 523 (1880); xix. 159 (1881); xxxviii. 409 (1890); lvi. 203 (1899); lxxx. 596 (1916); lxxxi. 318, 319, 335 (1917).
Gard. Chron. xviii. 269 (1882); Ser. III. i. 452 (1887); vi. 756 (1889); xxiii. 153 (1898); xxxiv. 399 (1903); xli. 123, 313 (1907); xlvi. 129 (1909).—*Hab.*
Gartenfl. xxxiii. 211 (1884).—*Hab.*
Kirk, For. Fl. New Zeal. t. 141 (1889).
U.S. Dep. Agric. Fiber Invest. Rep. No. 9, t. 6 (1897).—*Hab.*
Schimper, Pflanzen-Geogr. 453 (1898).—*Hab.*
Kronfeld, Atlas Pflanzengeogr. 168 (1899).—*Hab.*
L. H. Bailey, Cycl. Amer. Hort. 370 (1900); 1844 (1902); Stand. Cycl. Hort. 381, 843 (1914).—*Hab.*
Laing & Blackwell, Pl. New Zeal. Ed. 2, p. 93, 95 (1907).—*Hab.*
Illustr. New Zeal. Fl. (Educ. Dep.), t. 18 (1908).—*Hab.*
Trans. & Proc. New Zeal. Inst. 1908, xli. t. 29 (1909).—*Hab.*
Cockayne, New Zeal. Pl. 138 (1910).
Journ. New Zeal. Dep. Agric. xxi. 59 (1920).—*Hab.*
—— **Albertii** Hort. (1)
Gard. Chron. Ser. III. lxviii. 215 (1920).—*Hab.*
—— **lentiginosa** Hort. (1)
Journ. Hort. Ser. III. lviii. 53 (1909).—*Hab.*
Banksii Regel (1)
Gartenfl. xiii. t. 444 (1864).
Gard. Chron. Ser. III. xviii. 613 (1895); xl. 241 (1906); xli. 120 (1907).—*Hab.*
Bruantii Hort. (1)
Hesdörffer, Handb. Zimmergärtn. Ed. 2, p. 382, fig. 260 (1900).

CORDYLINE
cannifolia R. Br. (1)
Nicholson, Illustr. Dict. Gard. i. 373 [1884–88].
congesta Steud. (1)
Gard. Chron. Ser. III. xvii. 207 (1895).—*Hab.*
Lindinger in Jahrb. Hamburg. Wiss. Anstalt. 1908, xxvi. Beih. 3, p. 80 (1909).—*Veg.*
densicoma Linden & André (1)
*Ill. Hort. xxi. t. 190 (1874).
Fontanesiana Planch. (2)
Nov. Act. Acad. Nat. Cur. xxv. 1. t. 3 (1855).
gloriosa Linden & André (1)
*Cogniaux & March. Pl. Orn. i. t. 5 (1873).—*Veg.*
*Ill. Hort. xx. t. 125, 126 (1873).
Guilfoylei Hort. (1)
*Ill. Hort. xvi. t. 600 (1869).
Haageana C. Koch (1)
Gartenfl. xx. t. 675 (1871); xxvii. 115 (1878).
imperialis Hort. (1)
Hesdörffer, Handb. Zimmergärtn. Ed. 2, p. 383, fig. 262 (1900).
indivisa Steud. (1)
*Ill. Hort. vii. t. 264 (1860).—*Veg.*
*Belg. Hort. xii. 33 (1862).
*Ill. Gartenzeit. Stuttgart, ix. t. 5 (1865).
*Lowe, Beautiful-leaved Pl. t. 52 (1868).
Garden, i. 15 (1872); xlix. 86 (1896).
Nicholson, Illustr. Dict. Gard. i. 373 [1884–88].
Gard. Chron. Ser. III. ix. 337 (1891); xxix. 44 (1901); xxxvii. 66 (1905); xli. 123 (1907).—*Hab.*
Sauvaigo, Cult. Littor. Méditerr. 38 (1894).—*Hab.*
Bellair & St.-Léger, Pl. Serre, 592 (1900).—*Hab.*
Lindinger in Jahrb. Hamburg. Wiss. Anstalt. 1908, xxvi. Beih. 3, p. 81, 82 (1909).—*Veg.*
Illustr. New Zeal. Fl. (Educ. Dep.), t. 33 (1909).—*Hab.*
Journ. Roy. Hort. Soc. London, xxxiv. 478, fig. 107 (1909).—*Hab.*
Turner, Rep. Bor. Exam. Waimarino Distr. (New Zeal. Dep. Lands), 5, 7 (1909).—*Hab.*
Cockayne, New Zeal. Pl. 140 (1910).—*Hab.*
—— **Dalliereana** Hort. (1)
*Ill. Hort. xxxvii. t. 114 (1890).
—— **vera** Hort. (1)
Bellair & St.-Léger, Pl. Serre, 593 (1900).—*Hab.*
Annesley, Rare Plants, 49 (1903).—*Hab.*
Gard. Chron. Ser. III. xl. 244 (1906).—*Hab.*
lineata purpurascens Rodigas (1)
*Ill. Hort. xl. t. 190 (1893).
magnifica Hort. (1)
Nicholson, Illustr. Dict. Gard. i. 374 [1884–88].
Bellair & St.-Léger, Pl. Serre, 596 (1900).—*Hab.*
metallica Hort. (1)
*Belg. Hort. xxii. 353 (1872).
parviflora H. B. K. (3)
H. B. K. Nov. Gen. vii. t. 674 (1825).
petiolaris Dom. (1)
Domin in Bibl. Bot. xx. t. 17 (1915).
regina Veitch (1)
*Cogniaux & March. Pl. Orn. i. t. 14 (1873).—*Veg.*
rigidifolia K. Koch (1)
*Berlin. Allg. Garten-Zeit. 1858, t. 7.
rubra Hügel (1)
Gartenfl. xiii. t. 447 (1864).
Rumphii Hook. (2)
*Bot. Mag. lxxiii. t. 4279 (1847).
Sellowiana Kunth (1)
Wettstein, Veg. Südbras. t. 38 (1904).—*Hab.*
sepiaria Seem. (1)
*Seemann, Fl. Vit. t. 94 (1865–73) in textu; *Dracaena sepiaria* in ic.
Sieboldii maculata Hort. (2)
*Fl. des Serres, Ser. I. vi. t. 560 (1850–51) in textu; *Dracaena Sieboldii* in ic.
stricta Endl. (1)
Hooker f., Fl. Nov. Zel. i. t. 58 (1853).
Guilfoyle, Austral. Pl. 216 [1911].—*Hab.*
Velenovsky, Vergl. Morphol. Pfl. iv. Suppl. 45 (1913).—*Veg.*
Domin in Bibl. Bot. xx. 519 (1915).
—— **congesta** Hort. (1)
Nicholson, Illustr. Dict. Gard. i. 375 [1884–88].

CORDYLINE
terminalis Kunth (1)
Nicholson, Illustr. Dict. Gard. i. 375 [1884–88]. —*Hab.*
*Bois, Dict. Hort. 368 (1893–99).—*Veg.*
Brehm, Merv. Nat. Monde des Pl. ii. 591 (1894–96).—*Hab.*
*Bois, Atlas Pl. Jard. t. 281 (1896).—*Veg.*
*Step, Fav. Fl. Gard. & Greenh. iv. t. 273 (1897).
Flora, xcv. 186 (1905).—*Veg.*
Guilfoyle, Austral. Pl. 196 [1911].—*Hab.*
Domin in Bibl. Bot. xx. t. 17 (1915).
Bryan, Nat. Hist. Hawaii, t. 50, fig. 1 (1915).
—— **Baptistii** Hort. (1)
L. H. Bailey, Cycl. Amer. Hort. 371 (1900); Stand. Cycl. Hort. 844 (1914).—*Hab.*
—— **hedychioides** Benth. (1)
Domin in Bibl. Bot. xx. t. 17 (1915).
—— **rosea** Hort. (1)
Hesdörffer, Handb. Zimmergärtn. Ed. 2, p. 383, fig. 261 (1900).

CORDYLOCARPUS Desf.—Vide *Rapistrella*
muricatus Desf.
Desfontaines, Fl. Atlant. ii. t. 152 (1798).
Lamarck, Ill. vi. t. 975 (1823).
Pflanzenreich, Crucif.-Brass. 12 (1919).—*Fr.*

CORDYLOGYNE E. Mey.—Vide *Periglossum*
globosa E. Mey.
Delessert, Ic. Pl. v. t. 64 (1846).
Pflanzenfam. iv. 11. 234 (1895).—*Fl.*

COREMA D. Don—Vide *Oakesia* Tuckerm.
album D. Don
Coutinho, Curso Silvicult. ii. 236 (1887).
*Laguna, Fl. For. Españ. t. 47 (1890).
Baillon, Hist. Pl. xi. 145 (1891).—*Fl.*
Koehne, Dendrol. 358 (1893).—*Fl.*
Merino, Fl. Galicia, i. 299 (1905).
Schneider, Ill. Handb. Laubh. ii. 141 (1907).
Conradii Torr.
Newhall, Shrubs N.E. Amer. 227 (1893).
Britton & Brown, Ill. Fl. N. States & Canada, ii. 384 (1897); Ed. 2, ii. 479 (1913).
Keeler, Our North. Shrubs, 491 (1903); Ed. 2, p. 491 (1912).
Stone, Pl. Southern New Jersey (Ann. Rep. New Jersey State Mus. 1910), t. 79 (1911).
Mathews, Field Book Amer. Trees & Shrubs, 283 (1915).

COREOCARPUS Benth.: *Coreopsis*
parthenioides Benth.
Bentham, Bot. Voy. Sulphur, t. 16 (1844).

COREOPSIS Auct.: *Actinomeris* (1), *Bidens* (2), *Coreopsis* Linn. (3), *Cosmos* (4), *Encelia* (5), *Helianthus* (6), *Isostephane* (7), *Theleosperma* (8)

COREOPSIS Linn. (3)—Vide *Acoma, Calliopsis, Chrysostemma, Coreocarpus, Diplosastera, Leptosyne, Tuckermannia*
alata Cav. (1)
Cavanilles, Ic. iii. t. 260 (1794).
alba Linn. (2)
Hill, Veget. Syst. ii. t. 34 (1761).
alternifolia Linn. (1)
Hill, Veget. Syst. ii. t. 35 (1761).
*Jacquin, Hort. Vind. i. t. 110 (1772).
Gaertner, Fruct. ii. t. 171 (1791).—*Fr.*
angustifolia Linn. (6)
Hill, Veget. Syst. ii. t. 35 (1761).
angustifolia Ait. (3)
Bot. Gaz. xiv. 151 (1889).—*Fr.*
aristosa Michx. (3)
*Horticulteur Franç. 1868, t. 12.
*Rev. Hort. 1869, p. 72.
Garden, x. 439 (1876); xiii. 544 (1878); xxvi. 460 (1884); xxxvii. 199 (1890).
*Bot. Mag. cv. t. 6462 (1879).
Nicholson, Illustr. Dict. Gard. i. 376 [1884–88].
Bot. Gaz. xiv. 151 (1889).—*Fr.*
—— **mutica** A. Gray (3)
Bot. Gaz. xiv. 151 (1889).—*Fr.*
*Gartenfl. xlii. t. 1393 (1893).
Neubert's Deutsch. Gart. Mag. xlviii. 152 (1895).
arizonica O. Hoffm. (3)
Pflanzenfam. iv. v. 240 (1890).—*Fr.*

COREOPSIS
artemisiifolia Jacq. (4)
*Jacquin, Ic. Pl. Rar. iii. t. 595 (1786–95).
Atkinsoniana Dougl. (3)
*Bot. Reg. xvi. t. 1376 (1830).
*Jaume St.-Hilaire, Fl. & Pom. Franç. v. t. 494 (1832).
*Garden, xxix. 498 (1886).
Journ. Linn. Soc., Bot. xxiv. 76, 77 (1887).—*Veg.*
Bot. Gaz. xiv. 151 (1889).—*Fr.*
Lubbock, Seedlings, i. 33; ii. 117 (1892).—*Veg.*
aurea Ait. (3)
*Bot. Reg. xv. t. 1228 (1829).
*J. W. Loudon, Ladies' Fl.-Gard. Ornam. Perenn. ii. 48 (1844).
Nicholson, Illustr. Dict. Gard. i. 377 [1884–88].
Bot. Gaz. xiv. 151 (1889).—*Fr.*
—— **subintegra** Torr. & Gray (3)
Bot. Gaz. xiv. 151 (1889).—*Fr.*
auriculata Linn. (3)
Hill, Veget. Syst. ii. t. 34 (1761).
*Schkuhr, Bot. Handb. Ed. 2, t. 260 a (1808).
Decaisne & Naud. Amat. Jard. ii. 357 [1862–66].
Decaisne, Naud. & Hemsl. Trees, Shrubs & Herb. Pl. 244 (1873).
W. Robinson, Engl. Fl. Gard. t. 80 (1883).
Nicholson, Illustr. Dict. Gard. i. 377 [1884–88].
Journ. Linn. Soc., Bot. xxii. 367 (1886).—*Fr.*
Bot. Gaz. xiv. 151 (1889).—*Fr.*
Lubbock, Seedlings, i. 28; ii. 118 (1892).—*Fr.*
Britton & Brown, Ill. Fl. N. States & Canada, iii. 435 (1898); Ed. 2, iii. 491 (1913).
—— **pubescens** A. Gray (3)
*Gartenfl. xv. t. 506 (1866).
*Trans. Russ. Hort. Soc. 1866, t. 183.
bidens Linn. (2)
*Kniphof, Herb. Viv. i. t. 307 (1758).
Hill, Veget. Syst. ii. t. 35 (1761).
*Sturm, Deutschl. Fl. i. 1 [t. 16] (1798).
*Schrank, Fl. Monac. iv. t. 330 (1818).
bidentoides Nutt. (3)
Bot. Gaz. xiv. 151 (1889).—*Fr.*
Bigelovii H. M. Hall (3)
M. Armstrong, Field Book West. Wild Fl. 541 (1915).
bipinnata Lam. (2)
Lamarck, Ill. iv. t. 704, fig. 1 (1797–1819).
cardaminifolia Torr. & Gray (3)
Nicholson, Illustr. Dict. Gard. i. 377 [1884–88].
Bot. Gaz. xiv. 151 (1889).—*Fr.*
Britton & Brown, Ill. Fl. N. States & Canada, iii. 432 (1898); Ed. 2, iii. 493 (1913).
coronata Hook. (3)
*Bot. Mag. lxiii. t. 3460 (1836).
*Gartenfl. xv. t. 506 (1866).
*Trans. Russ. Hort. Soc. 1866, t. 183.
Bot. Gaz. xiv. 151 (1889).—*Fr.*
Semaine Hort. 1897, p. 270.—*Fl.*
cosmoides A. Gray (3)
*I. Sinclair, Indig. Fl. Hawaiian Isl. t. 19 (1885).
crassifolia Ait. (3)
Britton & Brown, Ill. Fl. N. States & Canada, iii. 434 (1898); Ed. 2, iii. 490 (1913).
cuspidata Bertol. (3)
*Bertoloni, Misc. Bot. vii. t. 6 (1848).—*Veg.*
*Bertoloni in Novi Comm. Acad. Sc. Bonon. ix. t. 15 (1849).—*Veg.*
delphiniifolia Lam. (3)
*Somoku Dzusetsu, Ed. 2, xvii. t. 43 (1874).
Bot. Gaz. xiv. 151 (1889).—*Fr.*
Britton & Brown, Ill. Fl. N. States & Canada, iii. 433 (1898); Ed. 2, iii. 493 (1913).
discoidea Torr. & Gray (3)
Bot. Gaz. xiv. 151 (1889).—*Fr.*
Bull. Torr. Bot. Club, xx. t. 137 (1893).
diversifolia Jacq. (2)
*Jacquin, Ecl. Pl. i. t. 54 (1811–16).
diversifolia Hook. (3)
*Bot. Mag. lxiii. t. 3474 (1836).
*Marnock, Floricult. Mag. i. t. 12 (1836).
*Journ. Jard. 1838, p. 376.
*Strong, American Fl. iv. 51 (1850).
*Bois, Dict. Hort. 369 (1893–99).

COREOPSIS
Drummondii Torr. & Gray (3)
W. Robinson, Engl. Fl. Gard. t. 80 (1883).—*Hab.*
Nicholson, Illustr. Dict. Gard. i. 377 [1884–88].
*Garden, xxix. 498 (1886); xliii. 397 (1893).
Bot. Gaz. xiv. 151 (1889).—*Fr.*
elegans Hort. (3)
*Mordant de Launay, Herb. Amat. vii. t. 450 (1824).
*Redouté, Choix Fl. [t. 23] (1827).
*Réveil, Règne Vég. xiv. t. 2 (1870).
Jardin, xxxiv. 109 (1920).—*Fl.*
ferulifolia Jacq. (2)
*Jacquin, Hort. Schoenbr. iii. t. 373 (1798).
*Bot. Mag. xlvi. t. 2059 (1819).
*Jaume St.-Hilaire, Fl. & Pom. Franç. v. t. 495 (1832).
filifolia Hook. (8)
*Bot. Mag. lxiii. t. 3505 (1836).
Paxt. Fl. Gard. ii. 181 (1851–52).
Journ. Linn. Soc., Bot. xxii. 350, 366 (1886).
Lubbock, Seedlings, i. 10, 27; ii. 119 (1892).
foetida Cav. (5)
Cavanilles, Ic. i. t. 77 (1791).
formosa Bonato (3)
Bonato, Pisaura & Coreopsis, t. 2 (1793).
gigantea H. M. Hall (3)
Lubbock, Seedlings, ii. 119 (1892).—*Veg.*
Rev. Gén. Bot. xxii. 454 (1910).—*Veg.*
Muhlenbergia, viii. No. 12, frontisp. p. 134 (1913).—*Hab.*
gladiata Walt. (3)
Bot. Gaz. xiv. 151 (1889).—*Fr.*
gracilis Blanco (4)
*Blanco, Fl. Filip. t. 287 (1878–80).
grandiflora Nutt. (3)
*Sweet, Brit. Fl. Gard. ii. t. 175 (1826).
*Lodd. Bot. Cab. xiii. t. 1290 (1827).
*M. Roscoe, Fl. Illustr. Seasons, t. 35 [1829–31].
*J. W. Loudon, Ladies' Fl.-Gard. Ornam. Perenn. ii. 48 (1844).
*Burnett, Pl. Util. iii. 87, a (1847).
Bot. Gaz. xiv. 151 (1889).—*Fr.*
Pflanzenfam. iv. v. 240 (1890).—*Fr.*
*Garden, xlvii. 6 (1895).
Britton & Brown, Ill. Fl. N. States & Canada, iii. 435 (1898); Ed. 2, iii. 491 (1913).
Semaine Hort. 1899, p. 469.
Nicholson, '1900' Suppl. Dict. Gard. 259 (1900). —*Fl.*
Bull. Arboricult. Belg. 1903, p. 196.
Jardin, xvii. 373 (1903).—*Fl.*
*A Kert (The Garden), xiii. 577 (1907).
Journ. Hort. Ser. III. lvii. 479 (1908).
Grantii Oliv. (3)
Trans. Linn. Soc. London, xxix. t. 65 (1873).
*Bot. Mag. cxxxii. t. 8110 (1906).
Gard. Chron. Ser. III. xxxix. 162 (1906); lvii. 265 (1915).—*Hab.*
Gartenwelt, xi. 327 (1907).
heterophylla Cav. (7)
Cavanilles, Ic. iii. t. 268 (1794).
incisa Ker-Gawl. (2)
*Bot. Reg. i. t. 7 (1815).
japonica Hort. (3)
Wien. Ill. Gart.-Zeit. xx. 438 (1895).—*Hab.*
Bull. Soc. Tosc. Ortic. xxii. 54 (1897).—*Hab*
jasminifolia Bertol. (3)
*Bertoloni, Misc. Bot. vii. t. 6 (1848).—*Veg.*
*Bertoloni in Novi Comm. Acad. Sc. Bonon. ix. t. 15 (1849).—*Veg.*
lanceolata Linn. (3)
*Martyn, Hist. Pl. Rar. 26 (1736).
Hill, Veget. Syst. ii. t. 35 (1761).
Dillenius, Hort. Eltham. Add. Denom. Linn. t. 48 (1774).
*Meerburg, Afb. Zeld. Gewass. t. 19 (1785); et Pl. Rar. t. 19 (1789).
*Panzer, Martyn's Abbild. Beschr. Selt. Gewächse, t. 24 (1797).
*Bot. Mag. li. t. 2451 (1823).
*Sweet, Brit. Fl. Gard. i. t. 10 (1823).
*Lodd. Bot. Cab. ix. t. 821 (1824).
*J. W. Loudon, Ladies' Fl.-Gard. Ornam. Perenn. ii. t. 48 (1844).

COREOPSIS
lanceolata
*Hulme & Hibberd, Familiar Gard. Fl. ii. 73 [1879–87].
Journ. Hort. Ser. III. iii. 149 (1882); xxxix. 129 (1899).
Garden, xxv. 165; xxvi. 460 (1884); xxxvii. 203 (1890).
Neubert's Deutsch. Gart. Mag. xlvii. 27 (1894).
Britton & Brown, Ill. Fl. N. States & Canada, iii. 434 (1898); Ed. 2, iii. 490 (1913).
L. H. Bailey, Cycl. Amer. Hort. 373 (1900); Stand. Cycl. Hort. 845 (1914).
Silva Tarouca, Freiland-Stauden, 69 (1910).—*Hab.*
A. Georgia, Manual Weeds, t. 328 (1914).
*House, Wild Fl. New York (Mem. No. 15 N.Y. State Mus.), ii. t. 260 (1918).
latifolia Michx. (3)
Bot. Gaz. xiv. 151 (1889).—*Fr.*
Leavenworthii Torr. & Gray (3)
Bot. Gaz. xiv. 151 (1889).—*Fr.*
*Addisonia, iii. t. 113 (1918).
leucantha Linn. (2)
*Descourtilz, Fl. Pitt. & Méd. Antilles, viii. t. 583 (1829).
leucanthema Linn. (2)
*Kniphof, Herb. Viv. i. t. 308 (1758).
limensis Jacq. (5)
*Jacquin, Ic. Pl. Rar. iii. t. 594 (1786–93).
longipes Hook. (3)
*Bot. Mag. lxiv. t. 3586 (1837).
maior Walt. (3)
Britton & Brown, Ill. Fl. N. States & Canada, iii. 433 (1898); Ed. 2, iii. 492 (1913).
maritima Hook. f. (3)
*Bot. Mag. cii. t. 6241 (1876).
M. Armstrong, Field Book West. Wild Fl. 541 (1915).
nudata Nutt. (3)
*Bot. Mag. cv. t. 6419 (1879).
Bot. Gaz. xiv. 151 (1889).—*Fr.*
ovata Cav. (1)
Cavanilles, Ic. iii. t. 280 (1794).
palmata Nutt. (3)
Bot. Gaz. xiv. 151 (1889).—*Fr.*
Semaine Hort. 1897, p. 350.—*Hab.*
Britton & Brown, Ill. Fl. N. States & Canada, iii. 432 (1898); Ed. 2, iii. 492 (1913).
parviflora Jacq. (4)
*Jacquin, Hort. Schoenbr. iii. t. 374 (1798).
praecox Fres. (3)
*Rev. Hort. Ser. II. iv. 265 (1845).
Prestinaria Sch.-Bip. (3)
Pflanzenfam. iv. v. 240 (1890).—*Fr.*
pubescens Ell. (3)
Bot. Gaz. xiv. 151 (1889).—*Fr.*
Britton & Brown, Ill. Fl. N. States & Canada, iii. 434 (1898); Ed. 2, iii. 490 (1913).
pulchella O. Hoffm. (3)
Engl. Jahrb. xxxviii. 204 (1906).
Engler & Drude, Veget. Erde, ix. 1, p. 155 (1910).
reptans Linn. (2)
*J. E. Smith, Spicil. Bot. t. 22 (1791–92).
rosea Nutt. (3)
*Barton, Fl. N. Amer. i. t. 12 (1821).
*Torrey, Fl. State New York, i. t. 57 (1843).
Bot. Gaz. xiv. 151 (1889).—*Fr.*
Britton & Brown, Ill. Fl. N. States & Canada, iii. 431 (1898); Ed. 2, iii. 494 (1913).
*House, Wild Fl. New York (Mem. No. 15 N.Y. State Mus.), ii. t. 261 (1918).
senifolia Michx. (3)
*Bot. Mag. lxiii. t. 3484 (1836).
*J. W. Loudon, Ladies' Fl.-Gard. Ornam. Perenn. ii. t. 48 (1844).
Bot. Gaz. xiv. 151 (1889).—*Fr.*
tenuifolia Ehrh. (3)
*Schkuhr, Bot. Handb. Ed. 2, t. 260 b (1808).
tinctoria Nutt. (3)
*Link & Otto, Ic. Pl. Select. t. 33 (1820–28).
*Barton, Fl. N. Amer. ii. t. 45 (1822).
*Bot. Reg. x. t. 846 (1824).
*Bot. Mag. li. t. 2512 (1824).
*Sweet, Brit. Fl. Gard. i. t. 72 (1824).
*Morris, Fl. Conspic. t. 37 [1825–30].

COREOPSIS
tinctoria
*Ann. Blumisterei, i [t. 16] (1826).
*Drapiez, Herb. Amat. Fl. iii. t. 218 (1829).
*Jaume St.-Hilaire, Fl. & Pom. Franç. v. t. 493 (1832).
Bot. Gaz. xiv. 151 (1889).—*Fr.*
Pflanzenfam. iv. v. 240 (1890).—*Fr.*
*Garden, xxxvii. 202 (1890).
Meehan's Monthly, i. 85 (1891).—*Hab.*
*Bois, Atlas Pl. Jard. t. 145 (1896).
Hitchcock & Norton in Bull. Kansas Agric. St. No. 57, t. 7, fig. 87 (1896); No. 66, t. 8, fig. 87 (1897).
*Step, Fav. Fl. Gard. & Greenh. ii. t. 140 (1897).
Britton & Brown, Ill. Fl. N. States & Canada, iii. 432 (1898); Ed. 2, iii. 493 (1913).
L. H. Bailey, Cycl. Amer. Hort. 372 (1900); Stand. Cycl. Hort. 845 (1914).
Lounsberry, Southern Wild Fl. & Trees, t. 174 (1901).
Somoku Dzusetsu, Ed. Makino (Iconogr. Pl. Nippon), xvii. t. 43 (1912).
Lovell, Flower & Bee, 211 (1919).—*Fl.*
—— **nana** Hort. (3)
Nicholson, Illustr. Dict. Gard. i. 377 [1884–88].
trichosperma Michx. (3)
Bot. Gaz. xiv. 151 (1889).—*Fr.*
trifida Poir. (8)
Lamarck, Ill. iv. t. 704, fig. 2 (1797–1819).
tripteris Linn. (3)
*Kniphof, Herb. Viv. i. t. 309 (1758).
Hill, Veget. Syst. ii. t. 34 (1761).
*Batsch, Anal. Fl. i. t. 19, fig. 33 a–r (1790).—*Fl.*
Bot. Gaz. xiv. 151 (1889).—*Fr.*
Britton & Brown, Ill. Fl. N. States & Canada, iii. 435 (1898); Ed. 2, iii. 491 (1913).
verticillata Linn. (3)
Hill, Veget. Syst. ii. t. 34 (1761).
*Bot. Mag. v. t. 156 (1791).
*Schkuhr, Bot. Handb. Ed. 2, t. 260 b (1808).
*Barton, Fl. N. Amer. iii. t. 73 (1823).
*J. W. Loudon, Ladies' Fl.-Gard. Ornam. Perenn. ii. t. 48 (1844).
Nicholson, Illustr. Dict. Gard. i. 377 [1884–88].—*Hab.*
Bot. Gaz. xiv. 151 (1889).—*Fr.*
Britton & Brown, Ill. Fl. N. States & Canada, iii. 433 (1898); Ed. 2, iii. 492 (1913).

COREOSMA Spach: *Ribes*
sanguineum Spach
*Spach, Hist. Nat. Vég. Phan. Atlas, t. 47 (1846).

CORETHRODENDRON Fisch. & Basin.
scoparium Fisch. & Basin.
Basiner in Mém. Acad. Sc. Pétersb. Div. Sav. vi. t. 2 (1846).

CORETHROGYNE DC.
californica DC.
Pflanzenfam. iv. v. 158 (1890).—*Fl.*
filaginifolia Nutt.
De Wildeman, Ic. Sel. Hort. Then. i. t. 18 (1900).
M. Armstrong, Field Book West. Wild Fl. 543 (1915).

CORETHROSTYLIS Endl.: *Lasiopetalum*
bracteata Endl.
*Bot. Reg. xxx. t. 47 (1844).

CORIANDRUM Linn.—Vide *Keramocarpus*
maius Linn.
*Regnault, Bot. ii. 63 (1774) in ic.; *C. sativum* in textu.
sativum Linn.
*Kniphof, Herb. Viv. i. t. 310 (1758).
Hill, Veget. Syst. vi. t. 43 (1764).
Hill, Herb. Brit. i. t. 83 (1769).
*Regnault, Bot. ii. 63 (1774) in textu; *C. maius* in ic.
*Zorn, Ic. Pl. Med. iv. t. 363 (1782).
Gaertner, Fruct. i. t. 22 (1788).—*Fr.*
*Plantarum Indig. & Exot. Ic. ii [t. 76] (1789).
*Plenck, Ic. Pl. Med. iii. t. 204 (1790).
*Sowerby & Sm. Engl. Bot. i. t. 67 (1790).

CORIANDRUM
sativum
*Baylis, Bot. Phys. t. 42 (1791).
*Joh. Kerner, Abbild. Oek. Pfl. (Fig. Pl. Écon.), v. t. 418 (1792).
*Woodville, Med. Bot. iii. t. 181 (1793); Ed. 3, i. t. 53 (1832).
*Martyn, Fl. Rustica, iv. t. 141 (1794).
Lamarck, Ill. i. t. 196, fig. 1 (1797).
*Sturm, Deutschl. Fl. i. III [t. 39] (1797).
*Vietz, Ic. Pl. Med.-oec.-techn. i. t. 68 (1800).
*Oskamp, Afb. Artseny-Gewass. v. t. 442 (1800).
*Roques, Pl. Usuell. Indig. & Exot. i. t. 40 (1807).
*Schkuhr, Bot. Handb. Ed. 2, t. 72 (1808).
*Jaume St.-Hilaire, Pl. France, ii [t. 11] (1808).
Thornton, Brit. Fl. ii. 91 (1812).
*Vigneux, Fl. Pitt. Envir. Paris, t. 21 (1812).
*Chaumeton, Fl. Méd. iii. t. 135 (1816).
*G. F. Hoffmann, Gen. Umbell. Ed. 2, frontisp. fig. 14, 15 (1816).—*Fr.*
*Sibthorp & Sm. Fl. Graeca, iii. t. 283 (1819).
*Hayne, Getreue Darst. Arzn. Gewächse, vii. t. 13 (1821).
*Heger, Herb. Pharm. [t. 107] (1822–25).
*Mann, Deutschl. Wildwachs. Arzney-Pfl. [t. 53] (1823–28).
Nov. Act. Acad. Nat. Cur. xii. 1. t. 10 (1824).—*Fr.*
Gaudin, Fl. Helv. ii. t. 8 (1828).—*Fr.*
*Nees, Pl. Offic. ii. t. 286 (1828).
*Wagner, Pharm.-Med. Bot. i. t. 75 (1828).
*Fl. Med. [Spratt], ii. 55 (1830).
*Fl. Dan. xii. t. 1989 (1830).
*Schlechtendal & Guimpel, Abb. Pharm. Boruss. Gew. ii. t. 128 (1833).
Mutel, Fl. Française, t. 25 (1834).—*Fr.*
*Stephenson & Churchill, Med. Bot. New Ed. ii. t. 94 (1835).
Meigen, Deutschl. Fl. ii. t. 55 (1837).—*Fl.*
Hegetschweiler, Fl. Schweiz, t. 7 (1840).—*Fr.*
[M. E.] Jackson, Pict. Fl. fig. 446 (1840).
Wight, Ic. Pl. Ind. Or. ii. t. 516 (1840–43).
*Deakin, Florigr. Brit. i. fig. 476 (1841).
*Baxter, Brit. Bot. Ed. 2, vi. t. 504 (1843).
*Cassone, Fl. Med.-Farm. iii. t. 208 (1848).
Lindley, Med. & Oecon. Bot. 249 (1849).—*Fr.*
*Petermann, Deutschl. Fl. t. 40, fig. 314 (1849).—*Fl.*
*Wight, Illustr. Ind. Bot. ii. t. 117 (1850).—*Fl.*
*Calwer, Landwirthsch. Pflanzenk. i. t. 34, fig. 2 (1852).
*Good, Family Flora, ii. t. 95 (1854).
Schnizlein, Iconogr. iii. t. 162 a (1855).
Johnson & Sowerby, Brit. Wild Fl. fig. 576 (1858–60).
*Berg & Schmidt, Darst. u. Beschr. Offiz. Gewächse, ii. t. 13, e (1859).
Berg, Charakt. t. 59, fig. 451 (1861).
*Johnson & Sowerby, Useful Pl. Gr. Brit. t. 10, fig. 112 (1861[–62]).
*Artus, Atlas Pharm. Deutschl. Aufg. Offic. Gew t. 130 [1862–74].
Bentham, Handb. Brit. Fl. fig. 449 (1865).
*Schubert, Naturg., Pflanzenreich, Ed. 2, t. 15, fig. 8 [1865].
*Syme, Engl. Bot. iv. t. 632 (1865).
Cesati, Passer. & Gibelli, Comp. Fl. Ital. t. 96 (1867–86).—*Fl.*
Reichenbach, Ic. Fl. Germ. xxi. t. 2043 (1867).
*Cusin & Ansberque, Herb. Fl. Franç. x (Ombellifères), t. 25 (1869).
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, iii. t. 91 [1873].
*Somoku Dzusetsu, Ed. 2, v. t. 37 (1874).
Nobbe, Handb. Samenkunde, 88 (1876).—*Fr.*
Baillon, Hist. Pl. vii. 129, 130 (1880).
*Bentley & Trim. Med. Pl. ii. t. 133 (1880).
Karsten, Deutsche Fl. Pharm.-medic. Bot. 861 (1880–83).
Baillon, Dict. Bot. ii. 214, 215 (1881).
*C. Hoffmann, Pflanzenatlas, t. 19, fig. 110 (1881).
Wagner, Ill. Deutsche Fl. Ed. 2, p. 349 (1882).
Baillon, Traité Bot. Méd. Phan. ii. 1066 (1884).
Harz, Samenkunde, ii. 1062 (1885).—*Fr.*
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xxvii. t. 2866 (1886).

CORIANDRUM
sativum
Hager, Handb. Pharm. Prax. Ed. Nov. i. 953 (1887).—*Fr.*
*Köhler, Med. Pfl. i [t. 59] (1887).
*Thomé, Fl. Deutschl. iii. t. 389 (1888).
Potonié, Ill. Fl. Nord- u. Mittel-Deutschl. Ed. 4, fig. 372 (1889).
Dujard.-Beaumetz & Égasse, Pl. Méd. 210 (1889).—*Fl.*
G. Beck, Fl. Nied.-Oesterr. ii. 1. 608 (1892).—*Fr.*
*Schimpfky, Uns. Heilpfl. i. t. 46 [1893–94].
Duthie & Fuller, Field & Gard. Crops, t. 76 (1893).
Acloque, Fl. France, 297 (1894).
Brehm, Merv. Nat. Monde des Pl. ii. 99 (1894–96).
Garcke, Ill. Fl. Deutschl. 273 (1895).
Karsten, Fl. Deutschl. ii. 429 (1895).
*Useful Pl. Jap. ii. t. 427 (1895).
Edmonds & Marloth, Elem. Bot. S. Africa, 151 (1897).—*Fr.*
Lochman, Phot. Med. Pl. t. 145 (1898).
Pflanzenfam. iii. VIII. 159 (1898).—*Fl.*
*Warlich, Russk. Lekarst. Rast. (Russ. Med. Pl.), ii. t. 50 (1899).
Schinz & Keller, Fl. Schweiz, 344 (1900).—*Fr.*
Fiori & Paol. Ic. Fl. Ital. 283 (1901).
Warming, Handb. Syst. Bot. Ed. Möbius, 382 (1902).—*Fl.*
Coste, Fl. France, ii. 165 (1903).
*Losch, Kräuterb. t. 55 (1903).
De Vries, Mutationsth. ii. 326 (1903).
*Sturm, Fl. Deutschl. Ed. 2, xii. 164 (1904).
Hare, Caspari & Rusby, Nat. Stand. Dispens. 491 (1905).—*Fr.*
*Masclef, Pl. Eur. t. 54 (1905).
*Kirby, Brit. Fl. Pl. t. 44 (1906).
Lazaro, Comp. Fl. Españ. ii. 446, 447 (1907).
Somoku Dzusetsu, Ed. Makino (Iconogr. Pl. Nippon), v. t. 37 (1907).
Suireishchikov, Ill. Fl. Mosc. Gov. ii. 428 (1907).
Heukels, Fl. Nederl. ii. 419, 465 (1908).
Beille, Bot. Pharm. ii. 708 (1909).
Hayek, Fl. Steierm. i. 1139 (1910).—*Fr.*
Pammel, Man. Poison. Pl. 649 (1911).
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, ii. 647 (1913).
Trotter, Fl. Econ. della Libia, 207 (1915).
Cadevall & Sallent, Fl. Catalunya, iii. 26 (1917).
Komarow, Sbor, Sushcka i Razvod. Lekarst. Rast. Ross. (Coll. Dry. & Cult. Med. Pl. Russia), Ed. 3, t. 50 (1917).
Basu, Ind. Med. Pl. t. 485 (1918).
Glück, Blatt- & Blütenmorph. Stud. 194, 199 (1919).—*Fl.*
Fitch & Smith, Ill. Brit. Fl. Ed. rev. 4, Iss. 2, fig. 456 (1919).
Krafft & Fruwirth, Pflanzenb. 107 (1920).
Fedtschenko, Fl. Aziat. Ross. fasc. xv. 62 (1920).—*Fr.*
testiculatum Linn.
Hill, Veget. Syst. vi. t. 43 (1764).
Lamarck, Ill. i. t. 196, fig. 2 (1797).
Baillon, Hist. Pl. vii. 130 (1880).—*Fr.*
Baillon, Dict. Bot. ii. 215 (1886).—*Fr.*

CORIARIA Linn.
angustifolia Beringer
Beringer in Amer. Journ. Pharm. xc. 562 (1918) in ic.; *C. myrtifolia* var. *angustifolia* in textu, p. 565.—*Veg.*
atropurpurea DC.
A. De Candolle, Calq. Dess. Fl. Mex. Moc. & Sessé, t. 1167 (1874).
Inst. Med. Nac. Mexico, El. Estudio, iv. t. 3 (1893).
*Ramirez, Dat. Mat. Med. Mexic. i. 243 (1894).
japonica A. Gray
Mém. Acad. Sc. Pétersb. Ser. VII. xxix. No. 3, p. 13 (1881).—*Fl.*
*Useful Pl. Jap. ii. t. 487 (1895).
*Bot. Mag. cxxii. t. 7509 (1896).
Gard. & Forest, x. 343 (1897).
Schneider, Ill. Handb. Laubh. ii. 144 (1907).
Journ. Hort. Ser. III. lvii. 272 (1908).
*Shirasawa, Ic. Ess. Forest. Jap. ii. t. 58 (1908).
Silva Tarouca, Freiland-Laubgehölze, 187 (1913).—*Hab.*

CORIARIA
japonica
Rev. Hort. 1913, p. 79.
L. H. Bailey, Stand. Cycl. Hort. 846 (1914).
myrtifolia Linn.
*Kniphof, Herb. Viv. i. t. 311 (1758).
*F. J. Schultz, Abb. Bäume, Staud. Sträuch. Oesterr. ii. t. 135 (1792).
Lamarck, Ill. v. t. 822 (1797–1819).
*Schkuhr, Bot. Handb. Ed. 2, t. 334 (1808).
Dict. Sc. Nat., Planch. Bot. Dicot. t. 288, 289 (1816–29).
*Vietz, Ic. Pl. Med.-oec.-techn. v. t. 436 (1817).
*Roques, Phytogr. Médic. ii. t. 161 (1821); Nouv. Ed. Atlas, t. 134 (1835).
*Jaume St.-Hilaire, Traité Arbriss. & Arbust. ii. t. 134 (1825).
*P. W. Watson, Dendr. Brit. ii. t. 103 (1825).
*Nees, Pl. Offic. Suppl. t. 93 (1833).
Graves, Hort. Med. 159 (1834).—*Veg.*
J. C. Loudon, Arbor. & Frutic. Brit. i. 492 (1838).
*Reichenbach, Ic. Fl. Germ. v. t. 160 (1841).
Lindley, Veg. Kingd. 475 (1846).—*Fl.*
Ann. Nat. Hist. London, Ser. II. xi. t. 2, fig. 2 (1853).—*Fr.*
Payer, Organog. Comp. Fl. t. 10 (1857).—*Fl.*
Schnizlein, Iconogr. iii. t. 228 (1857–65).
Berg, Charakt. t. 78, fig. 562 (1861).
*Argenta, Album Fl. Med.-Farm. i. t. 82 (1862).
Le Maout & Decaisne, Traité Gén. Bot. 371 (1868).
*Cusin & Ansberque, Herb. Fl. Franç. v. t. 899 (1869).
Baillon, Hist. Pl. iv. 425, 426 (1873).—*Fl.*
Baillon, Dict. Bot. ii. 215 (1881).—*Fl.*
Mém. Acad. Sc. Pétersb. Ser. VII. xxix. No. 3, p. 13 (1881).—*Fl.*
Lauche, Deutsche Dendrol. Ed. 2, p. 438 (1883).
Baillon, Traité Bot. Méd. Phan. ii. 887 (1884).
Hager, Handb. Pharm. Prax. Ed. Nov. ii. 950 (1887).—*Veg.*
Pflanzenfam. iii. v. 128 (1891).
Koehne, Dendrol. 358 (1893).—*Fl.*
Acloque, Fl. France, 181 (1894).
Coste, Fl. France, i. 270 (1901).
Fiori & Paol. Ic. Fl. Ital. 310 (1901).
Goebel, Organogr. Pfl. 737 (1901); Ed. Angl. ii. 561 (1905).—*Fl.*
*Penzig, Fl. Litt. Méditerr. t. 26 (1902).
Schneider, Dendrol. Winterst. 114 (1903).—*Veg.*
Knuth, Handb. Blütenbiol. iii. 1. 454 (1904).
*Strasburger, Rambles Riviera, 125 (1906).
Lazaro, Comp. Fl. Españ. ii. 204 (1907).
Schneider, Ill. Handb. Laubh. ii. 143, 144 (1907).
Beille, Bot. Pharm. ii. 637 (1909).
*Bonnier, Fl. Compl. France, Suisse & Belge, ii. t. 112 [1912].
Bull. Soc. Dendr. France, 1913, p. 31, 200.
Cadevall & Sallent, Fl. Catalunya, i. 408 (1915).
Tschirch, Handb. Pharmakog. ii. t. 65 (1917).—*Veg.*
Amer. Journ. Pharm. xc. 562 (1918).—*Veg.*
—— **angustifolia** Martindale
Beringer in Amer. Journ. Pharm. xc. 562 (1918) in textu, p. 565; *C. angustifolia* in ic.—*Veg.*
nepalensis Wall.
*Wallich, Pl. Asiat. Rar. iii. t. 289 (1832).
Lindley, Veg. Kingd. 475 (1846).
Paxt. Fl. Gard. ii. 87 (1851–52).
Lem. Jard. Fl. ii. Misc. 63 (1852).
Ann. Nat. Hist. London, Ser. II. xi. t. 2, fig. 1 (1853).—*Fl.*
Griffith, Ic. Pl. Asiat. t. 575 (1854).
Mém. Acad. Sc. Pétersb. Ser. VII. xxix. No. 3, p. 13 (1881).—*Fl.*
*Mitt. Deutsch. Dendr. Ges. 1897, frontisp. p. 62.
Collett, Fl. Siml. 107 (1902).
Schneider, Ill. Handb. Laubh. ii. 144 (1907).—*Veg.*
Basu, Ind. Med. Pl. t. 282 (1918).
ruscifolia Linn.
Mém. Acad. Sc. Pétersb. Ser. VII. xxix. No. 3, p. 13 (1881).—*Fl.*
*E. H. & S. Featon, Art Album, i. t. 25 (1889).
Kirk, For. Fl. New Zeal. t. 139 (1889).

CORIARIA
ruscifolia
Laing & Blackwell, Pl. New Zeal. Ed. 2, p. 227 (1907).
Castillo & Dey, Jeogr. Vej. Rio Valdivia, Ed. 2, i. 70 (1908).
Cheeseman, Ill. New Zeal. Fl. t. 30 (1914).
sarmentosa Forst.
*Bot. Mag. li. t. 2470 (1824).
sinica Maxim.
Mém. Acad. Sc. Pétersb. Ser. VII. xxix. No. 3, p. 13 (1881).—*Fl.*
Schneider, Ill. Handb. Laubh. ii. 144 (1907).
Silva Tarouca, Freiland-Laubgehölze, 188 (1913).—*Hab.*
summicola Hayata
Hayata, Ic. Pl. Formosan. v. t. 6 (1915).
terminalis Hemsl.
Hook. Ic. Pl. xxiii. t. 2220 (1892).
Gard. Chron. Ser. III. xxxiv. 282 (1903); lxiv. 66 (1918).
Journ. Hort. Ser. III. xlix. 443 (1904).
*Flora & Sylva, iii. 106 (1905).
*Rev. Hort. 1907, p. 160.
Schneider, Ill. Handb. Laubh. ii. 144 (1907).—*Veg.*
Jardin, xxii. 122 (1908).
*Bot. Mag. cxxxix. t. 8525 (1913).
thymifolia H. B. K.
H. B. K. Nov. Gen. vii. t. 636 (1825).
Brehm, Merv. Nat. Monde des Pl. i. 465 (1894–96).

CORIDOTHYMUS Reichb. f.
capitatus Reichb. f.
Reichenbach, Ic. Fl. Germ. xviii. t. 1271 (1857).
Pokorny, Oesterr. Holzpfl. 440, t. 35 (1864).—*Veg.*

CORION Mitchell: *Spergularia*
purpureum Pau
Merino, Fl. Galicia, i. 518 (1905).

CORIOPSIS = *Coreopsis*

CORIS Linn.
hispanica Lange
Lange, Pl. Hispan. t. 11 (1864–66).
monspeliensis Linn.
*Kniphof, Herb. Viv. i. t. 312 (1758).
Lamarck, Ill. i. t. 102 (1797).
Gaertner f., Fruct. iii. t. 183 (1805).—*Fr.*
*Bot. Mag. xlvii. t. 2131 (1820).
*Bot. Reg. vii. t. 536 (1821).
Nees, Gen. Pl., Gamop. i. t. 18 (1836).
Reichenbach, Ic. Fl. Germ. xvii. t. 1127 (1855).
Lange, Pl. Hispan. t. 11 (1864–66).
Cesati, Passer. & Gibelli, Comp. Fl. Ital. t. 64 (1867–86).—*Fl.*
*Cusin, Herb. Fl. Franç. xv (Primulacées), t. 48 (1874).
*Bicknell, Fl. Pl. Riviera, t. 49 (1885).
Pflanzenfam. iv. 1. 101, 116 (1890).
Baillon, Hist. Pl. xi. 324 (1892).—*Fl.*
Acloque, Fl. France, 454 (1894).
Fiori & Paol. Ic. Fl. Ital. 318 (1901).
*Penzig, Fl. Litt. Méditerr. t. 74 (1902).
Coste, Fl. France, ii. 537 (1903).
Pflanzenreich, Primulac. 8, 345 (1905).
*H. S. Thompson, Fl. Pl. Riviera, t. 20 (1914).

CORISPERMUM Linn.
canescens Kit.
Reichenbach, Ic. Fl. Germ. xxiv. 162, t. 285 (1909).
—— **elatum** G. Beck
Reichenbach, Ic. Fl. Germ. xxiv. 162, t. 285 (1909).
—— **Marschallii** G. Beck
Hegi, Ill. Fl. Mittel-Eur. iii. 252 (1909).
Reichenbach, Ic. Fl. Germ. xxiv. 162, t. 285 (1909).—*Fl.*
hyssopifolium Linn.
*Kniphof, Herb. Viv. i. t. 313 (1758).
Gaertner, Fruct. i. t. 75 (1788).—*Fr.*
*Pallas, Fl. Ross. t. 98 (1788).
Lamarck, Ill. i. t. 5 (1791).
Boissieu, Fl. Eur. i. t. 3 (1805).

CORISPERMUM
hyssopifolium
*Sibthorp & Sm. Fl. Graeca, i. t. 1 (1806).
*Jaume St.-Hilaire, Fl. & Pom. Franç. iv. t. 398 (1831).
*Cusin, Herb. Fl. Franç. xix (Salsolacées), t. 45 (1876).
Pflanzenfam. iii. 1. A. 73 (1893).
Britton & Brown, Ill. Fl. N. States & Canada, i. 582 (1896); Ed. 2, ii. 21 (1913).
Hitchcock & Norton in Bull. Kansas Agric. St. No. 57, t. 15, fig. 160 (1896); No. 66, t. 13, fig. 160 (1897).
Fiori & Paol. Ic. Fl. Ital. 118 (1899).
Coste, Fl. France, iii. 189 (1906).
Heukels, Fl. Nederl. ii. 96 (1908).
Hegi, Ill. Fl. Mittel-Eur. iii. 252 (1909).
Reichenbach, Ic. Fl. Germ. xxiv. t. 282 (1909).
F. E. & E. S. Clements, Rocky Mt. Fl. t. 10 (1914).
intermedium Schweigg.
Nees, Gen. Pl., Monochlam. i. t. 75 (1835).
*Sturm, Deutschl. Fl. xvi. LXVII [t. 1058] (1835).
*Lorek, Fl. Pruss. Ed. 3, t. 1, fig. 3 (1848).
*Petermann, Deutschl. Fl. t. 75, fig. 592, a–i (1849).
Willkomm, Führ. Reich Pflanzen, 323 (1882).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, ix. t. 865 (1882).
*Thomé, Fl. Deutschl. ii. t. 193 (1886).
Suireishchikov, Ill. Fl. Mosc. Gov. ii. 93 (1907).
Reichenbach, Ic. Fl. Germ. xxiv. t. 283 (1909).
Fedtschenko & Fler. Fl. Eur. Russia, 352 (1910).
Mayevsky, Fl. Central Russia, 530 (1918).
—— **Marschallii** Fedtsch. & Fler.
Fedtschenko & Fler. Fl. Eur. Russia, 352 (1910).
Marschallii Stev.
*Sturm, Deutschl. Fl. xvi. LXVII [t. 1057] (1835).
Cesati, Passer. & Gibelli, Comp. Fl. Ital. t. 40 (1867–86).—*Fl.*
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, ix. t. 864 (1882).
Garcke, Ill. Fl. Deutschl. 508 (1895).
*Sturm, Fl. Deutschl. Ed. 2, v. t. 32 (1901).
Suireishchikov, Ill. Fl. Mosc. Gov. ii. 93 (1907).
Heukels, Fl. Nederl. ii. 95 (1908).
nitidum Kit.
Winterl, Index hort. bot. Pest. sub *Chenopodio novo*, fig. 48 (1788); fide Borbás, Balaton Fl. (1900).
Nees, Gen. Pl., Monochlam. i. t. 75 (1835).—*Fl.*
*Sturm, Deutschl. Fl. xvi. LXVII [t. 1059] (1835).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, ix. t. 866 (1882).
G. Beck, Fl. Nied.-Oesterr. i. 327 (1890).—*Fl.*
*Hoffmann-Wagner, Magyar. virág. növén. (Flow. Pl. Hungary), t. 67, fig. 3 (1903).
Hegi, Ill. Fl. Mittel-Eur. iii. 252 (1909).
Reichenbach, Ic. Fl. Germ. xxiv. t. 284 (1909).
Hayek, Pflanzend. Oesterr.-Ung. i. 491 (1916).
orientale Lam.
Reichenbach, Ic. Fl. Germ. xxiv. 159, t. 283 (1909).—*Fl.*
—— **angustifolium** Fenzl
Reichenbach, Ic. Fl. Germ. xxiv. 159, t. 283 (1909).
Pallasii Stev.
Nees, Gen. Pl., Monochlam. i. t. 75 (1835).
Meigen, Deutschl. Fl. iii. t. 137 (1842).—*Fl.*
Petermann, Deutschl. Fl. t. 75, fig. 592, k (1849).—*Fl.*
Cesati, Passer. & Gibelli, Comp. Fl. Ital. t. 40 (1867–86).—*Fl.*
patens Roem. & Schult.
Sturm, Fl. Deutschl. Ed. 2, v. 197 (1901).
squarrosum Pall.
*Pallas, Fl. Ross. t. 99 (1788).
subpentandrum Pall.
*Pallas, Illustr. t. 59 (1803).

CORMONEMA Reissek—Vide *Caesia* Vell.
spinosum Reissek
Mart. Fl. Bras. xi. 1. t. 32 (1861).
—— **angustifolia** Reissek
Mart. Fl. Bras. xi. 1. t. 25 (1861).—*Veg.*
—— **latifolia** Reissek
Mart. Fl. Bras. xi. 1. t. 25 (1861).—*Veg.*

CORMUS Spach: *Sorbus*
domestica Spach
G. Beck, Fl. Nied.-Oesterr. ii. 1. 702 (1892).—*Fl.*
Schneider, Dendrol. Winterst. 133 (1903).—*Veg.*
foliolosa Franch.
Vilmorin & Bois, Frutic. Vilmor. 103, 104 (1904).

CORNACCHINIA Savi: *Clerodendron*
fragiformis Savi
Mem. Mat. Fis. Soc. Ital. Sc. xxi. 204, t. 7 (1837).

CORNELIA Ard.: *Ammannia*
verticillata Ard.
Arduino, Animadv. Bot. Spec. ii. t. 1 (1764).

CORNIDIA Ruiz & Pav.: *Hydrangea*
integerrima Hook. & Arn.
Poeppig & Endl. Nov. Gen. & Sp. Pl. i. t. 17 (1835).
Delessert, Ic. Pl. iii. t. 79 (1837).
umbellata Ruiz & Pav.
Ruiz & Pavon, Fl. Peruv. & Chil. Prodr. t. 35 (1794).—*Fl.*
Ruiz & Pavon, Fl. Peruv. & Chil. Ic. Ined. iv. t. 335 (1802).

CORNUCOPIAE Linn.
alopecuroides Linn.
Trans. Linn. Soc. London, vii. t. 12, fig. 1 (1804).
P. Beauvais, Agrost. t. 1, fig. 7; t. 4, fig. 4 (1812).
cucullatum Linn.
Lamarck, Ill. i. t. 40 (1791).
*J. E. Smith, Spicil. Bot. t. 14 (1791–92).
*Sibthorp & Sm. Fl. Graeca, i. t. 51 (1806).
*Schreber, Beschr. Gräser, ii. t. 41 (1810).
P. Beauvais, Agrost. t. 4, fig. 3 (1812).—*Fl.*
Sprengel, Anleit. Kenntn. Gewächse, Ed. 2, ii. t. 5, fig. 99 (1817).—*Fr.*
Pflanzenfam. ii. 11. 47 (1887).
Flora, lxxvi. t. 2, fig. 31 (1892).—*Fr.*
Baillon, Hist. Pl. xii. 163 (1894).—*Fl.*
Post, Fl. Syria, Palestine & Sinai, 857 [1896].—*Fl.*
Hansgirg in Sitzb. Böhm. Ges. Wiss, 1896, 110, tab. fig. 3, 36 (1897).—*Fl.*
Velenovsky, Vergl. Morphol. Pfl. ii. 324, 326 (1907).—*Veg.*

CORNULACA Del.
Korschinskyi Litw.
Bot. Tidsskr. xxxii. 212 (1912).
Paulsen, Stud. Veg. Pamir (Second Dan. Pamir Exped.), 246 (1912).—*Veg.*
monacantha Del.
Delile, Fl. Égypte, t. 22 (1812).
Rohlfs, Exped. Libysch. Wüste, t. 3 (1875).
Pflanzenfam. iii. 1. A. 89 (1893).
Foureau, Miss. Sahar. 490 (1905).—*Hab.*
Engler & Drude, Veget. Erde, ix. 1. 1, p. 24, 29 (1910).
Trotter, Fl. Econ. della Libia, 142, t. 66 (1915).

CORNUS Linn.—Vide *Benthamia, Chamaepericlymenum, Cynoxylon, Svida*
alba Linn.
*Pallas, Fl. Ross. t. 34 (1784).
*F. J. Schultz, Abb. Bäume, Staud. Sträuch. Oesterr. ii. t. 138 (1792).
*Schmidt, Oest. Allgem. Baumzucht, t. 65 (1792–1822).
*Joh. Kerner, Abbild. Oek. Pfl. (Fig. Pl. Écon.), vi. t. 554 (1793).
*Meerburg, Pl. Sel. Ic. Pict. t. 2 (1798).
*Krauss, Afb. Fraaiste Boom. & Heest. [t. 7] (1802).
*Vietz, Ic. Pl. Med.-oec.-techn. v. t. 437 b (1817).
Berchtold & J. S. Presl, Rostlin. ii. t. 21 (1825).
J. C. Loudon, Arbor. & Frutic. Brit. ii. 1011 (1838).
Hooker's Journ. Bot. & Kew Misc. ii. t. 5 B (1850).—*Fl.*
Pokorny, Oesterr. Holzpfl. t. 38 (1864).—*Veg.*
Schneider, Dendrol. Winterst. 192 (1903).—*Veg.*
Keeler, Our North. Shrubs, 259, 261 (1903); Ed. 2, p. 259, 261 (1912).
Suireishchikov, Ill. Fl. Mosc. Gov. ii. 430 (1907).
Schneider, Ill. Handb. Laubh. ii. 435, 438 (1909).
Apgar, Orn. Shrubs U.S. 214, fig. 343 (1910).

CORNUS
alba
Bull. Soc. Dendr. France, 1913, p. 88.—*Fr.*
Trans. Linn. Soc. London, Ser. II. Bot. vii. t. 28 (1914).—*Fr.*
—— **sibirica Späthii** Hort
Canada Dep. Agric. Exp. Farms, Bull. No. 47, t. 3 (1904).—*Hab.*
—— **Späthii** Wittm.
Neubert's Deutsch. Gart. Mag. 1890, t. 2, p. 65.
—— **stolonifera** Wangerin
Pflanzenreich, Cornac. 52 (1910).—*Fr.*
—— **tatarica** Wangerin
Pflanzenreich, Cornac. 52 (1910).—*Fr.*
alternifolia Linn. f.
L'Héritier, Cornus, t. 6 (1788).
*F. J. Schultz, Abb. Bäume, Staud. Sträuch. Oesterr. ii. t. 141 (1792).
*Schmidt, Oest. Allgem. Baumzucht, t. 70 (1792–1822).
*Joh. Kerner, Abbild. Oek. Pfl. (Fig. Pl. Écon.), vii. t. 640 (1794).
*Krauss, Afb. Fraaiste Boom. & Heest. [t. 13] (1802).
*Duhamel, Arbres & Arbustes, Ed. 2, ii. t. 45 (1804).
J. C. Loudon, Arbor. & Frutic. Brit. ii. 1010 (1838).
Payer, Organog. Comp. Fl. t. 86 (1857).—*Fl.*
*Emerson, Trees & Shrubs Massachusetts, Ed. 2, ii. 463 (1875).
*Gray, Forest Trees N. Amer. t. 63 (1891).
Sargent, Silva N. Amer. v. t. 216 (1893).
Newhall, Trees N.E. Amer. 137 (1894).—*Veg.*
Gartenfl. xlv. 285 (1896).—*Fl.*
Britton & Brown, Ill. Fl. N. States & Canada, ii. 546 (1897); Ed. 2, ii. 663 (1913).
Lounsberry, Guide to the Trees, Ed. 2, p. 193 (1900).
L. H. Bailey, Cycl. Amer. Hort. 377 (1900); Stand. Cycl. Hort. 852 (1914).—*Hab.*
Dame & Brooks, Trees of New England, t. 80 (1902).
Schneider, Dendrol. Winterst. 192 (1903).—*Veg.*
Keeler, Our North. Shrubs, 257 (1903); Ed. 2, p. 257 (1912).
Rogers, Tree Book, 416 (1905).—*Veg.*
Sargent, Man. Trees N. Amer. 717 (1905).
Hough, Handb. Trees N. States & Canada, 358, 359 (1907).
Emerson & Weed, Our Trees, How to Know Them, 263 (1908).
Britton, N. Amer. Trees, 742 (1908).
Jones & Rand in Bull. Vermont Agric. St. No. 145, p. 147 (1909).
Schneider, Ill. Handb. Laubh. ii. 435, 438 (1909).
Apgar, Orn. Shrubs U.S. 212, fig. 338 (1910).
Pflanzenreich, Cornac. 51, 52 (1910).
Keeler, Our Native Trees, 176 (1912).
Clements, Rosend. & Butters, Minnesota Trees & Shrubs, 272 (1912).
Collins & Preston, Key to Trees, 139 (1912).—*Veg.*
Otis, Michigan Trees (Ann Arbor, Mich.), 206 (1913).
Bull. Soc. Dendr. France, 1913, p. 88.—*Fr.*
Peterson, How to Know Wild Fr. 267 (1914).
Mathews, Field Book Amer. Trees & Shrubs, 337 (1915).
Pammel & King in Proc. Iowa Acad. Sc. xxv. 336, 337 (1918).—*Veg.*
Illick, Pennsylvania Trees (Pennsylv. Dept. For. Bull. No. 11), t. 117 (1919).
—— **canadensis** Guimpel
*Guimpel, Otto & Hayne, Abbild. Fremd. Holzart. i. t. 43 (1825).
Amomum Mill.
Britton & Brown, Ill. Fl. N. States & Canada, ii. 544 (1897); Ed. 2, ii. 661 (1913).
*Blanchan, Nat. Gard. 252 (1900).
Keeler, Our North. Shrubs, 247 (1903); Ed. 2, p. 247 (1912).
Schneider, Ill. Handb. Laubh. ii. 443, 445 (1909).
Apgar, Orn. Shrubs U.S. 215, fig. 347 (1910).
Pflanzenreich, Cornac. 52 (1910).—*Fr.*
Clements, Rosend. & Butters, Minnesota Trees & Shrubs, 272 (1912).

CORNUS

Amomum
Creevey, Harper's Guide Wild Flowers, 407 (1912).
Peterson, How to Know Wild Fr. 264 (1914).
Trans. Linn. Soc. London, Ser. II. Bot. vii. t. 28 (1914).—*Fl.*
Mathews, Field Book Amer. Trees & Shrubs, 333 (1915).
*Nat. Geogr. Mag. Washington, xxxv. t. 4 (1919).

×**Arnoldiana** Rehd.
Sargent, Trees & Shrubs, i. t. 40 (1903).

asperifolia Michx.
Dippel, Handb. Laubholzk. iii. 253 (1893).—*Veg.*
Trans. Acad. Sc. St. Louis, vi. 147, fig. 75, 76 (1893).—*Veg.*
Britton & Brown, Ill. Fl. N. States & Canada, ii. 544 (1897); Ed. 2, ii. 662 (1913).
Gard. & Forest, x. 105 (1897).
Sargent, Silva N. Amer. xiv. t. 709 (1902).
Pammel in Bull. Iowa Agric. St. No. 70, p. 491 (1903).—*Fr.*
Keeler, Our North. Shrubs, 249 (1903); Ed. 2, p. 249 (1912).
Sargent, Man. Trees N. Amer. 716 (1905).
Hough, Handb. Trees N. States & Canada, 360, 361 (1907).
Britton, N. Amer. Trees, 743 (1908).
Schneider, Ill. Handb. Laubh. ii. 442, 443 (1909).
Mathews, Field Book Amer. Trees & Shrubs, 333 (1915).

australis C. A. Mey.
Schneider, Ill. Handb. Laubh. ii. 448 (1909).—*Veg.*
Pflanzenreich, Cornac. 72 (1910).—*Fl.*

Baileyi Coult. & Evans
Gard. & Forest, iii. 465 (1890).
Britton & Brown, Ill. Fl. N. States & Canada, ii. 545 (1897); Ed. 2, ii. 662 (1913).
Keeler, Our North. Shrubs, 242, 255 (1903); Ed. 2, p. 242, 255 (1912).
Schneider, Ill. Handb. Laubh. ii. 435, 438 (1909).
Apgar, Orn. Shrubs U.S. 215, fig. 345 (1910).
Clements, Rosend. & Butters, Minnesota Trees & Shrubs, 272 (1912).
F. E. & E. S. Clements, Rocky Mt. Fl. t. 35 (1914).
L. H. Bailey, Stand. Cycl. Hort. 853 (1914).
Mathews, Field Book Amer. Trees & Shrubs, 335 (1915).

brachypoda C. A. Mey.
Dippel, Handb. Laubholzk. iii. 255 (1893).—*Veg.*
Journ. Hort. Ser. III. xxviii. 129 (1894); xlvii. 147 (1903).—*Veg.*
Sargent, Trees & Shrubs, i. t. 41 (1903).
Mitt. Deutsch. Dendr. Ges. 1909, p. 184.—*Fl.*
Pflanzenreich, Cornac. 52 (1910).—*Fr.*
Silva Tarouca, Freiland-Laubgehölze, 188 (1913).
Möllers Deutsche Gärtn.-Zeit. xxviii. 193, 195 (1913).
Journ. Roy. Hort. Soc. London, xl. 32, fig. 7 (1914).—*Hab.*

Bretschneideri L. Henry
Jardin, xiii. 309 (1899); xxiv. 116 (1910).
Schneider, Ill. Handb. Laubh. ii. 445 (1909).—*Veg.*

caerulea Meerb.
*Meerburg, Pl. Sel. Ic. Pict. t. 3 (1798).

canadensis Linn.
L'Héritier, Cornus, t. 1 (1788).
Usteri, Delect. Opusc. Bot. ii. t. 1 (1788).
*Joh. Kerner, Abbild. Oek. Pfl. (Fig. Pl. Écon.), vii. t. 636 (1794).
*Bot. Mag. xxii. t. 880 (1805).
*Lodd. Bot. Cab. vii. t. 651 (1822).
*M. Morris, Wild Fl. Nova Scotia, Pt. 1, t. 2 (1840).
*Audubon, Birds Amer. iii. t. 145 (1841).
*Monthly Flora (New York), i. 41 (1846).
*M. Miller, Wild Fl. N. Amer. t. 2 (1867).
*Somoku Dzusetsu, Ed. 2, ii. t. 40 (1874).
*Wooster, Alp. Pl. Ser. II. t. 40 (1874).—*Hab.*
W. Robinson, Engl. Fl. Gard. t. 80 (1883).—*Hab.*
Nicholson, Illustr. Dict. Gard. i. 379 [1884–88].—*Hab.*
Dana, How to Know the Wild Fl. t. 14 (1894).
*Wild Fl. Canada, t. 98 (1894).—*Hab.*

CORNUS

canadensis
Miller & Whiting, Wild Fl. N.E. States, 224 (1895).
*Useful Pl. Jap. iii. t. 824 (1895).
Britton & Brown, Ill. Fl. N. States & Canada, ii. 543 (1897).
Pflanzenfam. iii. VIII. 265 (1898).
*Parsons, According to Season, t. 13 (1902).
Knuth, Handb. Blütenbiol. iii. 1. 560 (1904).
Henshaw, Mount. Wild Fl. Amer. t. 18 (1906).
Somoku Dzusetsu, Ed. Makino (Iconogr. Pl. Nippon), ii. t. 40 (1907).
Jones & Rand in Bull. Vermont Agric. St. No. 145, p. 146 (1909).
Horticulture (Boston), xii. 597 (1910).—*Hab.*
Gard. Chron. Ser. III. xlvii. 363 (1910).—*Hab.*
Pflanzenreich, Cornac. 44 (1910).
Silva Tarouca, Freiland-Stauden, 70 (1910).—*Hab.*
Engler & Drude, Veget. Erde, xiii. t. 2 (1911).—*Hab.*
Peterson, How to Know Wild Fr. 109 (1914).
Arbejd. Bot. Have Kjöbenhavn, No. 77, p. 145 (1914).
F. E. & E. S. Clements, Rocky Mt. Fl. t. 35 (1914).
M. Armstrong, Field Book West. Wild Fl. 341 (1915).
*House, Wild Fl. New York (Mem. No. 15 N.Y. State Mus.), ii. t. 150 (1918).—*Hab.*
*Nat. Geogr. Mag. Washington, xxxv. t. 6 (1919).
Lovell, Flower & Bee, 204 (1919).
McCalla, Wild Fl. West. Canada, 49 (1920).
Journ. Agric. Research, xx. t. 29 (1920).

—— **intermedia** Farr.
*S. Brown, Alp. Fl. Rocky Mts. 204, t. 55 (1907).

candidissima Mill.
Lauche, Deutsche Dendrol. Ed. 2, p. 513 (1883).
Britton & Brown, Ill. Fl. N. States & Canada, ii. 545 (1897).
Keeler, Our North. Shrubs, frontisp. 253 (1903); Ed. 2, frontisp. 253 (1912).
Schneider, Ill. Handb. Laubh. ii. 442, 443 (1909).
Apgar, Orn. Shrubs U.S. 214, fig. 344 (1910).
Peterson, How to Know Wild Fr. 319 (1914).

capitata Wall.
*Wallich, Pl. Asiat. Rar. iii. t. 214 (1832).
*Floricult. Cab. ii. 71 (1834).
Collett, Fl. Siml. 219 (1902).
Gard. Chron. Ser. III. xlv. 82, 83 (1909); xlviii. 448 (1910).—*Hab.*
Schneider, Ill. Handb. Laubh. ii. 453 (1909).—*Veg.*
Apgar, Orn. Shrubs U.S. 213, fig. 340 (1910).

chinensis Wangerin
Schneider, Ill. Handb. Laubh. ii. 448 (1909).—*Veg.*

cilicica Wangerin
Schneider, Ill. Handb. Laubh. ii. 445 (1909).—*Veg.*
Pflanzenreich, Cornac. 72 (1910).—*Fl.*

circinata L'Hér.
L'Héritier, Cornus, t. 3 (1788).
Usteri, Delect. Opusc. Bot. ii. t. 2 (1788).
*F. J. Schultz, Abb. Bäume, Staud. Sträuch. Oesterr. ii. t. 144 (1792).
*Schmidt, Oest. Allgem. Baumzucht, t. 69 (1792–1822).
*Joh. Kerner, Abbild. Oek. Pfl. (Fig. Pl. Écon.), vii. t. 638 (1794).
*Krauss, Afb. Fraaiste Boom. & Heest. [t. 11] (1802).
*Guimpel, Otto & Hayne, Abbild. Fremd. Holzart. i. t. 86 (1825).
J. C. Loudon, Arbor. & Frutic. Brit. ii. 1014 (1838).
Emerson, Trees & Shrubs Massachusetts, Ed. 2, ii. 464 (1875).
*Millspaugh, American Med. Pl. t. 72 (1887).
Dippel, Handb. Laubholzk. iii. 250 (1893).
Newhall, Shrubs N.E. Amer. 125 (1893).
Britton & Brown, Ill. Fl. N. States & Canada, ii. 544 (1897).
Parkhurst, Trees, Shrubs, Vines N.E. United States, 257, t. 2, fig. 13 (1903).—*Veg.*

CORNUS

circinata
Schneider, Dendrol. Winterst. 191 (1903).—*Veg.*
Keeler, Our North. Shrubs, 245 (1903); Ed. 2, p. 245 (1912).
Jones & Rand in Bull. Vermont Agric. St. No. 145, p. 148 (1909).
Clements, Rosend. & Butters, Minnesota Trees & Shrubs, 272 (1912).
Mathews, Field Book Amer. Trees & Shrubs, 333 (1915).

controversa Hemsl.
Schneider, Ill. Handb. Laubh. ii. 435, 438 (1909).
Pflanzenreich, Cornac. 44, 52 (1910).—*Fr.*
Wilson, Veg. West. China (Publ. Arn. Arb. No. 2), 169 (1911).—*Hab.*
*Bot. Mag. cxxxviii. t. 8464 (1912).

coreana Wangerin
Schneider, Ill. Handb. Laubh. ii. 448 (1909).—*Veg.*
Journ. Coll. Sc. Tokyo, xxxi. t. 3 (1911).

corynostylis Koehne
Gartenfl. xlv. 285 (1896).—*Fl.*
Mitt. Deutsch. Dendr. Ges. 1909, p. 184.—*Fl.*

Cotoneaster Raoul
Pflanzenreich, Cornac. 93 (1910).

disciflora Moc. & Sessé
A. De Candolle, Calq. Dess. Fl. Mex. Moc. & Sessé, t. 442 (1874).
Pflanzenfam. iii. VIII. 265 (1898).—*Fl.*
Pflanzenreich, Cornac. 44, 85 (1910).

excelsa H. B. K.
Pflanzenreich, Cornac. 66 (1910).—*Fl.*

femina Mill.
Dippel, Handb. Laubholzk. iii. 252 (1893).
*Sturm, Fl. Deutschl. Ed. 2, xii. t. 39 (1904).
Schneider, Ill. Handb. Laubh. ii. 442, 443 (1909).
Pflanzenreich, Cornac. 52, 58 (1910).
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, ii. 663 (1913).

florida Linn.
Wangenheim, Beytr. Forstwiss. t. 17, fig. 41 (1787).
*F. J. Schultz, Abb. Bäume, Staud. Sträuch. Oesterr. ii. t. 137 (1792).
*Schmidt, Oest. Allgem. Baumzucht, t. 62 (1792–1822).
*Joh. Kerner, Abbild. Oek. Pfl. (Fig. Pl. Écon.), vii. t. 687 (1794).
*Abbot & Smith, Nat. Hist. Lepidopt. Insects Georgia, ii. t. 73 (1797).
*Bot. Mag. xv. t. 526 (1801).
*Krauss, Afb. Fraaiste Boom. & Heest. [t. 6] (1802).
*Michaux, Arb. Amer. Sept. iii. t. 3, p. 138 (1813).
*Barton, Med. Bot. i. t. 3 (1817).
*Bigelow, Amer. Med. Bot. ii. t. 28 (1819).
*Michaux, N. Amer. Sylva, i. t. 48 (1819).
Berchtold & J. S. Presl, Rostlin. ii. t. 19 (1825).
*Guimpel, Otto & Hayne, Abbild. Fremd. Holzart. i. t. 19 (1825).
Rafinesque, Med. Fl. i. t. 28 (1828).
J. C. Loudon, Arbor. & Frutic. Brit. ii. 1017 (1838).
*Audubon, Birds Amer. iii. t. 191, 204 (1841).
*Carson, Ill. Med. Bot. i. t. 42 (1847).
*Strong, American Fl. iii. 59 (1849).
*Good, Family Flora, i. t. 17 (1854).
*Horticulteur Franç. 1863, t. 14.
*Emerson, Trees & Shrubs Massachusetts, Ed. 2, ii. 468 (1875).
*Bentley & Trim. Med. Pl. ii. t. 136 (1877).
Baillon, Hist. Pl. vii. 66 (1880).
Garden, xx. 29 (1881); xxi. 111 (1882); xliii. 153 (1893); lii. 177 (1897); liii. 222 (1898).—*Hab.*
Baillon, Dict. Bot. ii. 219 (1881).
Wien. Ill. Gart.-Zeit. vi. 55 (1881); xii. 509 (1887).
Baillon, Traité Bot. Méd. Phan. i. 76 (1883).
*Johnson, Man. Med. Bot. N. Amer. t. 5 (1884).
Nicholson, Illustr. Dict. Gard. i. 379 [1884–88].
*Millspaugh, American Med. Pl. t. 71 (1887).
Gard. & Forest, iii. 431 (1890).—*Hab.*
Kerner, Pflanzenleben, ii. 180, 228 (1891).
Dippel, Handb. Laubholzk. iii. 243 (1893).
Sargent, Silva N. Amer. v. t. 212, 213 (1893).

CORNUS
florida
Journ. Hort. Ser. III. xxviii. 453 (1894); lv. 331 (1907).
*Wild Fl. Canada, t. 198 (1894).
Newhall, Trees N.E. Amer. 135 (1894).
Kerner & Oliv. Nat. Hist. Pl. ii. 184, 231 (1895).
Britton & Brown, Ill. Fl. N. States & Canada, ii. 543 (1897).
Pflanzenfam. iii. VIII. 265 (1898).
Lochman, Phot. Med. Pl. t. 147 (1898).
Kronfeld, Atlas Pflanzengeogr. 116 (1899).—*Fl.*
Semaine Hort. 1899, p. 9.—*Hab.*
*Lounsberry, Guide to the Trees, Ed. 2, t. 101, p. 194 (1900).—*Hab.*
L. H. Bailey, Cycl. Amer. Hort. 379 (1900); Stand. Cycl. Hort. 854 (1914).
Dame&Brooks,TreesofNewEngland,t.79(1902).
Parkhurst, Trees, Shrubs, Vines N.E. United States, 211, t. 7, fig. 46 (1903).—*Veg.*
Fox, Tree Plant. Highways, 38, tab. (1903).—*Veg.*
Pammel in Bull. Iowa Agric. St. No. 70, p. 491 (1903).—*Fr.*
Keeler, Our North. Shrubs, 243 (1903); Ed. 2, p. 243 (1912).
Knuth, Handb. Blütenbiol. iii. 1. 559 (1904).
*Rogers, Tree Book, 124, 411, 480 (1905).
Hare, Caspari & Rusby, Nat. Stand. Dispens. 492 (1905).
Sargent, Man. Trees N. Amer. 713 (1905).
Hough, Handb. Trees N. States & Canada, 356, 357 (1907).
Emerson & Weed, Our Trees, How to Know Them, 260 (1908).
Merck's Rep. (Pract. Journ. Pharm.), xviii. 318, 319 (1909).
Schneider, Ill. Handb. Laubh. ii. 452, 453 (1909).
U.S. Dep. Agric. Bur. Pl. Indust. Bull. No. 139, p. 42 (1909).
Apgar, Orn. Shrubs U.S. 213, fig. 339 (1910).
Pflanzenreich, Cornac. 44 (1910).
Rev. Hort. 1911, p. 153.—*Hab.*
Blakeslee & Jarvis, New England Trees in Winter (Storrs Agric. Exp. St. Bull. No. 69), 553 (1911).
Keeler, Our Native Trees, 171–74 (1912).
Collins & Preston, Key to Trees, 138 (1912).—*Veg.*
Otis, Michigan Trees (Ann Arbor, Mich.), 204 (1913).
Silva Tarouca, Freiland-Laubgehölze, 190, 191 (1913).—*Hab.*
Blakeslee & Jarvis, Trees in Winter, 419 (1913).
Bull. Soc. Dendr. France, 1913, p. 88, 226.
Mitt. Deutsch. Dendr. Ges. 1913, p. 305.—*Hab.*
Peterson, How to Know Wild Fr. 111 (1914).
Bean, Trees & Shrubs, i. 388 (1914).
Levison, Stud. Trees, 104 (1914).—*Veg.*
Mathews, Field Book Amer. Trees & Shrubs, 333 (1915).
Morton & Lewis, Native Trees Canada (Dept. Int. Canada, Forest. Branch Bull. No. 61), 187, 199 (1917).
Contrib. U.S. Nat. Herb. xxi. t. 35 (1919).—*Hab.*
Illick, Pennsylvania Trees (Pennsylv. Dept. For. Bull. No. 11), fig. 120, t. 8, 116 (1919).
—— **pendula** Hort.
Wien. Ill. Gart.-Zeit. xii. 510 (1887).—*Hab.*
Gard. Chron. Ser. III. lxiv. 49 (1918).
—— **rubra** Hort.
*Rev. Hort. 1894, p. 500.
*Bot. Mag. cxxxvi. t. 8315 (1910).
glabrata Benth.
Schneider, Ill. Handb. Laubh. ii. 442 (1909).—*Veg.*
Hemsleyi C. K. Schneider & Wangerin
Schneider, Ill. Handb. Laubh. ii. 442 (1909).—*Veg.*
herbacea Steller
Hill, Herb. Brit. ii. t. 190 (1770).
Berchtold & J. S. Presl, Rostlin. ii. t. 18 (1825).
Hessei Koehne
Schneider, Ill. Handb. Laubh. ii. 435, 438 (1909).
ignorata Koch
Dippel, Handb. Laubholzk. iii. 248 (1893).—*Veg.*

CORNUS
ignorata
Bull. Coll. Agric. Tokyo, ii. t. 14, fig. 14, 15 (1895).—*Veg.*
*Shirasawa, Ic. Ess. Forest. Jap. i. t. 77 (1900).
Koehneana Wangerin
Schneider, Ill. Handb. Laubh. ii. 448 (1909).—*Veg.*
Koenigii C. K. Schneider
Schneider, Ill. Handb. Laubh. ii. 448 (1909).—*Veg.*
kousa Buerg.
Journ. Hort. Ser. III. xxv. 11 (1892); xxxv. 9 (1897); lxiii. 187 (1911).
American Garden, xiii. 674 (1892).
*Garden, xliii. 152 (1893); lx. 165 (1901).
Bull. Coll. Agric. Tokyo, ii. t. 14, fig. 30, 31 (1895).—*Veg.*
*Useful Pl. Jap. ii. t. 645 (1895).
Gard. Chron. Ser. III. xix. 783 (1896); lxviii. 43 (1920).—*Hab.*
Pflanzenfam. iii. VIII. 265 (1898).—*Fr.*
Möllers Deutsche Gärtn.-Zeit. xiv. 328, 329 (1899).
Journ. Roy. Hort. Soc. London, xxvii. 862 (1903).—*Hab.*
Bull. Soc. Tosc. Ortic. xxix. 368 (1904).—*Hab.*
Rev. Hort. Belge, xxx. 64 (1904).—*Hab.*
*Shirasawa, Ic. Ess. Forest. Jap. ii. t. 59 (1908).
Schneider, Ill. Handb. Laubh. ii. 452, 453 (1909).
Pflanzenreich, Cornac. 44 (1910).—*Fr.*
Wilson, Arn. Arb. Exped. China, 1910–11, t. 018 (1912).—*Hab.*
L. H. Bailey, Stand. Cycl. Hort. 855 (1914).
Bean, Trees & Shrubs, i. 390 (1914).
Kew Bull. 1915, p. 179.
Mitt. Deutsch. Dendr. Ges. 1918, t. 29.—*Hab.*
*Bot. Mag. cxlvi. t. 8833 (1920).
longipetiolata Hayata
Kanehira, Formosan Trees, 281 (1917).
macrophylla Wall.
*Wight, Illustr. Ind. Bot. ii. t. 122 (1850).—*Fl.*
Brandis, Illustr. For. Fl. N.W. & Centr. Ind. t. 32 (1874).
Bull. Coll. Agric. Tokyo, ii. t. 17, fig. 6, 7 (1895).—*Veg.*
*Useful Pl. Jap. ii. t. 546 (1895).
Gartenfl. xlv. 285 (1896).—*Fr.*
Pflanzenfam. iii. VIII. 265 (1898).—*Fr.*
*Shirasawa, Ic. Ess. Forest. Jap. i. t. 77 (1900).
Kawakami, Hokkaidô - shinrin - shokubutsu - zusetsu (Forestry Pl. Hokkaido), t. 28 (1902).
Journ. Roy. Hort. Soc. London, xxvii. 861 (1903).—*Hab.*
Bull. Soc. Tosc. Ortic. xxix. 367 (1904).—*Hab.*
Rev. Hort. Belge, xxx. 63 (1904).—*Hab.*
*Bot. Mag. cxxxv. t. 8261 (1909).
Schneider, Ill. Handb. Laubh. ii. 442, 443, 445 (1909).
Miyoshi, Pl. World Jap. 37, 38 (1910).
Wilson, Veg. West. China (Publ. Arn. Arb. No. 2), 170 (1911).—*Hab.*
Miyabe-Festschrift, t. 26, fig. 2 (1911).—*Veg.*
Wilson, Arn. Arb. Exped. China, 1910–11, t. 073 (1912).—*Hab.*
Garden, lxxix. 385 (1915).—*Hab.*
mas Linn.
*Kniphof, Herb. Viv. i. t. 314 (1758).
*Regnault, Bot. iii. 123 (1774).
*Joh. Kerner, Abbild. Oek. Pfl. (Fig. Pl. Écon.), i. t. 4 (1786).
J. C. Loudon, Arbor. & Frutic. Brit. ii. 1015; vi. t. 39 B (1838).
*Petermann, Deutschl. Fl. t. 40, fig. 316 (1849).—*Fl.*
Berg, Charakt. t. 59, fig. 455 (1861).
Pokorny, Oesterr. Holzpfl. 433, 445, t. 38 (1864).—*Veg.*
Heer, Pfl. Pfahlbauten, 24, fig. 12 (1865).—*Fr.*
Gayffier, Herb. For. France, tab. (1868–73).
*Réveil, Règne Vég. iv. t. 23 (1870).—*Fr.*
*Cusin & Ansberque, Herb. Fl. Franç. xi (Cornées), t. 1 (1873).
Gard. Chron. ix. 399 (1878).—*Fl.*
Baillon, Hist. Pl. vii. 67 (1880).—*Fl.*

CORNUS
mas
Karsten, Deutsche Fl. Pharm.-medic. Bot. 822 (1880–83).
Baillon, Dict. Bot. ii. 220 (1881).—*Fl.*
*C. Hoffmann, Pflanzenatlas, t. 7, fig. 42 (1881).
Schilling, Grundr. Naturg. ii. Pflanzenr. Ausgb. A, p. 53, 264 (1882); Ausgb. B, p. 221 (1884).
Wagner, Ill. Deutsche Fl. Ed. 2, p. 353 (1882).
*Lesacher & Mareschal, Nouv. Bot. Méd. iv [t. 41] (1883).
Lauche, Deutsche Dendrol. Ed. 2, p. 515 (1883).
Baillon, TraitéBot.Méd.Phan.ii.1072(1884).—*Fr.*
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xxvi. t. 2705 (1886).
Kerner, Pflanzenleben, i. 589 (1887); ii. 289, 710 (1891).
*Thomé, Fl. Deutschl. iii. t. 391 (1888).
Dujard.-Beaumetz & Égasse, Pl. Méd. 211 (1889).
Hempel & Wilhelm, Bäume. u. Sträuch. iii, 61 [1889?].
Paolucci, Fl. Marchig. t. 29 (1890).
G. Beck, Fl. Nied.-Oesterr. ii. 1. 661 (1892).—*Fl.*
Schwarz, Forstl. Bot. 351, 455 (1892).
Mouillefert, Traité Arbres & Arbriss. Atlas, t. 80 (1892–98).—*Hab.*
*Masclef, Atlas Pl. France, t. 148 (1893).
Acloque, Fl. France, 329 (1894).—*Fl.*
Kerner & Oliv. Nat. Hist. Pl. i. 631 (1894); ii. 289, 789 (1895).
Karsten, Fl. Deutschl. ii. 385 (1895).
Pflanzenfam. iii. VIII. 265 (1898).
L. H. Bailey, Cycl. Amer. Hort. 378 (1900); Stand. Cycl. Hort. 854 (1914).
Fiori & Paol. Ic. Fl. Ital. 286 (1901).
Charpentier, Timber, Ed. Angl. 51 (1902).
Coste, Fl. France, ii. 227 (1903).
Reichenbach, Ic. Fl. Germ. xxiv. t. 143 (1903).
Schneider, Dendrol. Winterst. 191 (1903).—*Veg.*
*Sturm, Fl. Deutschl. Ed. 2, xii. t. 40 (1904).
*Masclef, Pl. Eur. t. 55 (1905).
Lazaro, Comp. Fl. Españ. ii. 449 (1907).—*Fl.*
Heukels, Fl. Nederl. ii. 469 (1908).
Schneider, Ill. Handb. Laubh. ii. 448, 451 (1909).
Apgar, Orn. Shrubs U.S. 213, fig. 341 (1910).
Nouv. Arch. Mus. Hist. Nat. Paris, Ser. V. ii. 194 (1910).—*Fl.*
Pflanzenreich, Cornac. 44 (1910).
Velenovsky, Vergl. Morphol. Pfl. iii. 985 (1910).—*Fl.*
Wettstein, Handb. Syst. Bot. Ed. 2, p. 686 (1911).—*Fr.*
Mitt. Deutsch. Dendr. Ges. 1911, p. 409.—*Hab.*
*Pokorny-Schoenichen, Pflanzenkunde, t. 12, fig. 2 (1912).
Guinier, Atlas Arbres & Arbust. t. 117, 117 bis (1912).
*Strasburger, Text-Book Botany, Ed. Angl. 4, p. 633 (1912).
*Gatin, Arbres, Arbustes, & Arbriss. 58, fig. 32, t. 90 (1913).
Warburg, Pflanzenwelt, i. 398 (1913).—*Fl.*
Bull. Soc. Dendr. France, 1913, p. 88, 226.
Norton in Journ. Washington Acad. Sc. v. 286 (1915).—*Fl.*
Flora, cix. 153, 154 (1916).
*Addisonia, iii. t. 101 (1918).
C. A. Johns, Forest Trees Brit. ii. 199 (1849); Ed. 11, p. 280 (1919).
—— **variegata** Hort.
Rev. Hort. 1906, p. 420.—*Veg.*
mascula Linn.
*Oelhafen, Abbild. Wild. Bäume, iii. t. 32, 33 (1773).
*Zorn, Ic. Pl. Med. ii. t. 129 (1780).
Gaertner, Fruct. i. t. 26 (1788).—*Fr.*
*Plenck, Ic. Pl. Med. i. t. 64 (1788).
Hoppe, Ect. Pl. Ratisb. t. 375 (1789).
*Batsch, Anal. Fl. i. t. 8, fig. 15 a–h (1790).—*Fl.*
*Reitter & Abel, Holz-Art. t. 31 (1790).
Lamarck, Ill. i. t. 74, fig. 1 (1791).
*F. J. Schultz, Abb. Bäume, Staud. Sträuch. Oesterr. ii. t. 136 (1792).
*Schmidt, Oest. Allgem. Baumzucht, t. 63 (1792–1822).
C. K. Sprengel, Entd. Geheimn. Natur, t. 2, fig. 1, 2, 10, 13 (1793).—*Fl.*

CORNUS
mascula
*Oskamp, Afb. Artseny-Gewass. ii. t. 149 (1796).
*Krauss, Afb. Fraaiste Boom. & Heest. [t. 5] (1802).
*Duhamel, Arbres & Arbustes, Ed. 2, ii. t. 43 (1804).
*Schrank, Fl. Monac. i. t. 28 (1811).
*Vigneux, Fl. Pitt. Envir. Paris, t. 9 (1812).
*Sibthorp & Sm. Fl. Graeca, ii. t. 151 (1813).
*Guimpel, Willd. & Hayne, Abb. Deutsch. Holzart. i. t. 2 (1815).
Dict. Sc. Nat., Planch. Bot. Dicot. t. 103 (1816–29).
*Vietz, Ic. Pl. Med.-oec.-techn. v. t. 437 (1817).
Berchtold & J. S. Presl, Rostlin. ii. t. 20 (1825).
*Jaume St.-Hilaire, Traité Arbriss. & Arbust. i. t. 64 (1825).
*Bot. Mag. liii. t. 2675 (1826).
*Krebs, Holzarten, t. 19, 143 (1826).
*Sturm, Deutschl. Fl. xiii. LII [t. 818] (1828).
*Zenker, Fl. Thüringen, i. t. 1 (1836–55).
*T. Hartig, Forstl. Cult. t. 62 (1851).
*Calwer, Landwirthsch. Pflanzenk. ii. t. 16, fig. 1 (1854).
Ettingshausen in Sitzb. Akad. Wiss. Wien, xx. 464 (1856).—*Veg.*
*Fiscali, Deutschl. Forstcult.-Pfl. t. 17, fig. 1–4 (1858).
Willkomm, Deutschl. Laubhölz. im Winter, 50, fig. 92 (1859).—*Veg.*
*Schubert, Naturg., Pflanzenreich, Ed. 2, t. 7, fig. 2 [1865].
*Réveil, Règne Vég. xii. t. 29 (1870).—*Fr.*
Areschoug in Acta Univ. Lund. xii. t. 3, fig. 36; t. 5 (1875–76).—*Veg.*
Brehm, Merv. Nat. Monde des Pl. ii. 107 (1894–96).
Beille, Bot. Pharm. ii. 714, 715 (1909).
—— **arborea** Linn.
*Schkuhr, Bot. Handb. Ed. 2, t. 24 (1808).
—— **aurea elegantissima** Hort.
*Florist, 1877, p. 109.
microcarpa Nash
Schneider, Ill. Handb. Laubh. ii. 442 (1909).—*Veg.*
Mombeigii Hemsl.
Schneider, Ill. Handb. Laubh. ii. 442 (1909).—*Veg.*
Nuttallii Audub.
*Audubon, Birds Amer. iv. t. 279 (1842).
*Nuttall, Sylva, ii. t. 97 (1865).
Dippel, Handb. Laubholzk. iii. 244 (1893).
Sargent, Silva N. Amer. v. t. 214, 215 (1893).
Rogers, Tree Book, 416 (1905).—*Veg.*
Eastwood, Handb. Trees California (Occ. Papers Calif. Acad. Sc. ix), t. 51 (1905).
Sargent, Man. Trees N. Amer. 715 (1905).
Sudworth, Forest Trees Pac. Slope, 414, 415 (1908).
Schneider, Ill. Handb. Laubh. ii. 452, 453 (1909).
*Bot. Mag. cxxxvi. t. 8311 (1910).
H. M. & C. C. Hall, Yosemite Fl. 173 (1912).
Garden, lxxviii. 290 (1914); lxxix. 374, 375 (1915); lxxx. 226 (1916); lxxxiv. 208, 228 (1920).
Brit. Columbia Bot. Office Ann. Rep. No. 1, 1913, p. 16, fig. 9 (1914).
M. Armstrong, Field Book West. Wild Fl. 339 (1915).
Journ. Roy. Hort. Soc. London, xli. 20 (1915).—*Hab.*
Kew Bull. 1915, p. 178.—*Hab.*
Morton & Lewis, Native Trees Canada (Dept. Int. Canada, Forest. Branch Bull. No. 61), 187 (1917).—*Fl.*
Gard. Chron. Ser. III. lxiii. 204 (1918).—*Hab.*
Messel, Gard. Fl. 42 (1918).
oblonga Wall.
Brandis, Indian Trees, 356 (1906).
officinalis Sieb. & Zucc.
Kwa-wi [transl. Savatier], Arb. i. t. 5 (1759).
Siebold & Zucc. Fl. Jap. t. 50 (1835).
Dippel, Handb. Laubholzk. iii. 246 (1893).
Bull. Coll. Agric. Tokyo, ii. t. 14, fig. 29; t. 15, fig. 1 (1895).—*Veg.*
*Useful Pl. Jap. ii. t. 432 (1895).
Schneider, Ill. Handb. Laubh. ii. 448 (1909).—*Veg.*

CORNUS
officinalis
Miyoshi, Pl. World Jap. 123 (1910).
Silva Tarouca, Freiland-Laubgehölze, 190 (1913).—*Hab.*
*Addisonia, iii. t. 89 (1918).
paniculata L'Hér.
L'Héritier, Cornus, t. 5 (1788).
*F. J. Schultz, Abb. Bäume, Staud. Sträuch. Oesterr. ii. t. 142 (1792).
*Schmidt, Oest. Allgem. Baumzucht, t. 68 (1792–1822).
*Joh. Kerner, Abbild. Oek. Pfl. (Fig. Pl. Écon.), vii. t. 639 (1794).
*Krauss, Afb. Fraaiste Boom. & Heest. [t. 12] (1802).
J. C. Loudon, Arbor. & Frutic. Brit. ii. 1015 (1838).
*Torrey, Fl. State New York, i. t. 41 (1843).
*Emerson, Trees & Shrubs Massachusetts, Ed. 2, ii. 463 (1875).
Parkhurst, Trees, Shrubs, Vines N.E. United States, 261, t. 3, fig. 15 (1903).—*Veg.*
Jones & Rand in Bull. Vermont Agric. St. No. 145, p. 151 (1909).
Clements, Rosend. & Butters, Minnesota Trees & Shrubs, 272 (1912).
Mathews, Field Book Amer. Trees & Shrubs, 335 (1915).
paucinervis Hance
Gartenfl. xlv. 285 (1896).—*Fl.*
Schneider, Ill. Handb. Laubh. ii. 443, 445 (1909).
Pflanzenreich, Cornac. 72 (1910).
Gard. Chron. Ser. III. l. 95 (1911).
poliophylla C. K. Schneider
Schneider, Ill. Handb. Laubh. ii. 445 (1909).—*Veg.*
Wilson, Veg. West. China (Publ. Arn. Arb. No. 2), 171 (1911).—*Hab.*
Priceae Small
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, ii. 661 (1913).
pubescens Nutt.
Schneider, Ill. Handb. Laubh. ii. 435 (1909).—*Veg.*
Pflanzenreich, Cornac. 52 (1910).—*Fr.*
H. M. & C. C. Hall, Yosemite Fl. 173 (1912).
pumila Hort.
Schneider, Ill. Handb. Laubh. ii. 445, 452 (1909).
Purpusii Koehne
Sargent, Trees & Shrubs, i. t. 39 (1903).
Schneider, Ill. Handb. Laubh. ii. 443, 445 (1909).
rugosa Lam.
Schneider, Ill. Handb. Laubh. ii. 442, 443 (1909).
Pflanzenreich, Cornac. 52, 61 (1910).
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, ii. 661 (1913).
sanguinea Linn.
Arduino, Mem. Osserv. Sperienze, Padova, t. 19 (1766).
*Fl. Dan. iii. t. 481 (1770).
*Kerner, Beschr. u. Abbild. Bäume u. Gestr. Wirtemberg, t. 37 (1787).
Gaertner, Fruct. i. t. 26 (1788).—*Fr.*
Hoppe, Ect. Pl. Ratisb. t. 356 (1789).
*Reitter & Abel, Holz-Art. t. 48 (1790).
Lamarck, Ill. i. t. 74, fig. 2 (1791).
*F. J. Schultz, Abb. Bäume, Staud. Sträuch. Oesterr. ii. t. 139 (1792).
*Joh. Kerner, Abbild. Oek. Pfl. (Fig. Pl. Écon.), v. t. 492 (1792).
*Schmidt, Oest. Allgem. Baumzucht, t. 66 (1792–1822).
*Sowerby & Sm. Engl. Bot. iv. t. 249 (1795).
*Krauss, Afb. Fraaiste Boom. & Heest. [t. 9] (1802).
*Mirbel, Hist. Nat. Pl. xiv. t. 90 [1802–6].
*Duhamel, Arbres & Arbustes, Ed. 2, ii. t. 44 (1804).
*Oelhafen, Abbild. Wild. Bäume, iii. t. 6 (1804).
*Svensk Bot. iv. t. 235 (1805).
*Kops, Fl. Batava, ii. t. 132 (1807).
*Vigneux, Fl. Pitt. Envir. Paris, t. 9 (1812).
*Guimpel, Willd. & Hayne, Abb. Deutsch. Holzart. i. t. 3 (1815).
*Schrank, Fl. Monac. iii. t. 240 (1816).

CORNUS
sanguinea
*Vietz, Ic. Pl. Med.-oec.-techn. v. t. 438 (1817).
Berchtold & J. S. Presl, Rostlin. ii. t. 20 (1825).
*Jaume St.-Hilaire, Traité Arbriss. & Arbust. i. t. 65 (1825).
*Krebs, Holzarten, t. 20, 145 (1826).
*Heger, Danske Oec. Pl. i. t. 70 (1828).
*Sturm, Deutschl. Fl. xiii. LII [t. 819] (1828).
*Baxter, Brit. Bot. Ed. 2, ii. t. 114 (1835).
Meigen, Deutschl. Fl. i. t. 30 (1836).—*Fl.*
*Zenker, Fl. Thüringen, ii. t. 180 (1836–55).
J. C. Loudon, Arbor. & Frutic. Brit. ii. 1011 (1838).
[M. E.] Jackson, Pict. Fl. fig. 253 (1840).
*Deakin, Florigr. Brit. i. fig. 253 (1841).
*Lorek, Fl. Pruss. Ed. 3, t. 40, fig. 229 (1848).
Lindley, Med. & Oecon. Bot. 259 (1849).
Nees, Gen. Pl. fasc. xxv. t. 20 (1849).
C. A. Johns, Forest Trees Brit. ii. 198 (1849); Ed. 11, p. 279 (1919).
Hooker's Journ. Bot. & Kew Misc. ii. t. 5 c (1850).—*Fl.*
*T. Hartig, Forstl. Cult. t. 63 (1851).
Ettingshausen in Sitzb. Akad. Wiss. Wien, xx. 464 (1856).—*Veg.*
*Schnizlein, Iconogr. ii. t. 165 (1857–65).
*Fiscali, Deutschl. Forstcult.-Pfl. t. 17, fig. 5–9 (1858).
Irvine, Illustr. Handb. Brit. Pl. 570 (1858).
Johnson & Sowerby, Brit. Wild Fl. fig. 579 (1858–60).
Willkomm, Deutschl. Laubhölz. im Winter, 50, fig. 91 (1859).—*Veg.*
*Johnson & Sowerby, Useful Pl. Gr. Brit. t. 10, fig. 114 (1861[–62]).
*T. Moore, Field Bot. Comp. t. 13 (1862).
*Argenta, Album Fl. Med.-Farm. ii. t. 154 (1863).
Pokorny, Oesterr. Holzpfl. 445, t. 38 (1864).—*Veg.*
*Schubert, Naturg., Pflanzenreich, Ed. 2, t. 7, fig. 3 [1865].
Bentham, Handb. Brit. Fl. fig. 453 (1865).
*Syme, Engl. Bot. iv. t. 635 (1865).
Heer, Pfl. Pfahlbauten, tab. fig. 67 (1865).—*Fr.*
Cesati, Passer. & Gibelli, Comp. Fl. Ital. t. 89 (1867–86).—*Fl.*
Le Maout & Decaisne, Traité Gén. Bot. 257 (1868).
Gayffier, Herb. For. France, 2 tab. sine num. (1868–73).
*Réveil, Règne Vég. xiv. t. 38 (1870).
*Cusin & Ansberque, Herb. Fl. Franç. xi (Cornées), t. 2 (1873).
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, iii. t. 95 [1873].
*Hogg & Johnson, Wild Fl. Gr. Brit. viii. t. 590 (1874).
Willkomm, Forstl. Fl. Deutschl. & Oesterr. 23 (1875).—*Fl.*
Wagner, Ill. Deutsche Fl. Ed. 2, p. 353 (1882).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xxvi. t. 2704 (1886).
Coutinho, Curso Silvicult. ii. 153 (1887).
Potonié, Ill. Fl. Nord- u. Mittel-Deutschl. Ed. 4, fig. 373 (1889).
Hempel & Wilhelm, Bäume u. Sträuch. iii. 62 [1889?].
Monde des Pl. iii. 251 (1894).—*Fl.*
Garcke, Ill. Fl. Deutschl. 275 (1895).
Siélain, Atlas Poche Pl. Champs, Prair. & Bois, Ser. II. t. 132 (1896).
*Hulme, Familiar Wild Fl. (Pop. Ed.), vi. 93 [1897?].
Knuth, Handb. Blütenbiol. ii. 1. 518 (1898).—*Fl.*
Pflanzenfam. iii. VIII. 265 (1898).—*Fr.*
Fiori & Paol. Ic. Fl. Ital. 285 (1901).
Lindman, Bild. Nord. Fl. t. 247 (1901–5).
C. T. Green, Fl. Liverpool Distr. fig. 280 (1902).
*Hulme, Wild Fr. Country-side, t. 11 (1902).
Coste, Fl. France, ii. 228 (1903).
Reichenbach, Ic. Fl. Germ. xxiv. t. 144 (1903).
Schneider, Dendrol. Winterst. 191 (1903).—*Veg.*
Step, Wayside & Woodl. Trees, 117 (1904).
*Masclef, Pl. Eur. t. 55 (1905).
Blytt, Haandb. Norg. Fl. Ed. Dahl, 545 (1906).
*Kirby, Brit. Fl. Pl. t. 45 (1906).

CORNUS
sanguinea
*Boulger, Familiar Trees, Rev. Ed. ii. 112, 116, 118, 119 [1906–7].
Lazaro, Comp. Fl. Españ. ii. 450 (1907).
Suireishchikov, Ill. Fl. Mosc. Gov. ii. 429 (1907).
Heukels, Fl. Nederl. ii. 468 (1908).
Beille, Bot. Pharm. ii. 715 (1909).—*Fr.*
Cooper & Westell, Trees & Shrubs Brit. Isl. ii. t. 29 (1909).
Groom, Trees & Life Hist. t. 482–87 (1909).
Fitzgerald in Nature Book, v. 789 (1909).
Merino, Fl. Galicia, iii. 564 (1909).
Schneider, Ill. Handb. Laubh. ii. 448, 452 (1909).
Apgar, Orn. Shrubs U.S. 215, fig. 348 (1910).
Fedtschenko & Fler. Fl. Eur. Russia, 709 (1910).
Pflanzenreich, Cornac. 44 (1910).—*Fr.*
Deutsche Bot. Monatsschr. xxii. 162 (1911).—*Veg.*
*Guinier, Atlas Arbres & Arbust. t. 118, 118 bis (1912).
Bull. Soc. Dendr. France, 1913, p. 88, 226.
*Gatin, Arbres, Arbustes, & Arbriss. t. 91 (1913).
Horwood, Plant Life Brit. Isles, ii. 268 (1914).
*Perrin & Boulger, Brit. Flower. Pl. iii. t. 199, 206 [A], fig. 1–6 (1914).
*Bonnier, Name This Flower, t. 26 (1917).
Cadevall & Sallent, Fl. Catalunya, iii. 117 (1917).
*Horwood, Brit. Wild Fl. iii. t. 28, p. 192 (1919).
Fitch & Smith, Ill. Brit. Fl. Ed. rev. 4, Iss. 2, fig. 460 (1919).
Schindleri Wangerin
Schneider, Ill. Handb. Laubh. ii. 445 (1909).—*Veg.*
Pflanzenreich, Cornac. 66 (1910).
sericea Linn.
Junghans, Ic. Pl. t. 23 (1787).
L'Héritier, Cornus, t. 2 (1788).
*F. J. Schultz, Abb. Bäume, Staud. Sträuch. Oesterr. ii. t. 140 (1792).
*Schmidt, Oest. Allgem. Baumzucht, t. 64 (1792–1822).
*Joh. Kerner, Abbild. Oek. Pfl. (Fig. Pl. Écon.), vii. t. 637 (1794).
*Meerburg, Pl. Sel. Ic. Pict. t. 1 (1798).
*Krauss, Afb. Fraaiste Boom. & Heest. [t. 8] (1802).
*Barton, Med. Bot. i. t. 9 (1817).
Berchtold & J. S. Presl, Rostlin. ii. t. 21 (1825).
*Guimpel, Otto & Hayne, Abbild. Fremd. Holzarten, i. t. 85 (1825).
J. C. Loudon, Arbor. & Frutic. Brit. ii. 1013 (1838).
*Good, Family Flora, i. t. 19 (1854).
*Emerson, Trees & Shrubs Massachusetts, Ed. 2, ii. 466 (1875).
*Millspaugh, Amer. Med. Pl. t. 73 (1887).
Lochman, Phot. Med. Pl. t. 146 (1898).
Parkhurst, Trees, Shrubs, Vines N.E. United States, 261, t. 3, fig. 14 (1903).—*Veg.*
sessilis Torr.
Rep. Expl. & Surv. Railr. Mississippi, 1853–54, iv. t. 8 (1857).
Schneider, Ill. Handb. Laubh. ii. 453 (1909).—*Veg.*
sibirica variegata elegans Hort.
Rev. Hort. 1906, p. 421.—*Veg.*
Späthii Hort.
Journ. Hort. Ser. III. xix. 31 (1889).—*Veg.*
stolonifera Michx.
Gard. Chron. iv. 679 (1875).
*Rev. Hort. 1888, p. 444.
Britton & Brown, Ill. Fl. N. States & Canada, ii. 545 (1897); Ed. 2, ii. 662 (1913).
L. H. Bailey, Cycl. Amer. Hort. 378 (1900); Stand. Cycl. Hort. 852 (1914).—*Hab.*
Nelson in Bull. Wyoming Agric. St. No. 54, p. 32 (1902).—*Veg.*
Keeler, Our North. Shrubs, 251 (1903); Ed. 2, p. 251 (1912).
Henshaw, Mount. Wild Fl. Amer. t. 93 (1906).
Jones & Rand in Bull. Vermont Agric. St. No. 145, p. 150 (1909).
Schneider, Ill. Handb. Laubh. ii. 435, 438 (1909).
Apgar, Orn. Shrubs U.S. 213, fig. 342 (1910).

CORNUS
stolonifera
Clements, Rosend. & Butters, Minnesota Trees & Shrubs, 274 (1912).
Mathews, Field Book Amer. Trees & Shrubs, 335 (1915).
Bot. Gaz. lxix. 406, t. 21 (1920).—*Veg.*
—— **riparia** Thornber
M. Armstrong, Field Book West. Wild Fl. 341 (1915).
stricta Lam.
L'Héritier, Cornus, t. 4 (1788).
*F. J. Schultz, Abb. Bäume, Staud. Sträuch. Oesterr. ii. t. 143 (1792).
*Schmidt, Oest. Allgem. Baumzucht, t. 67 (1792–1822).
*Joh. Kerner, Abbild. Oek. Pfl. (Fig. Pl. Écon.), viii. t. 701 (1796).
*Kerner, Ausländ. Bäume & Gestr. t. 1 (1796).
*Krauss, Afb. Fraaiste Boom. & Heest. [t. 10] (1802).
J. C. Loudon, Arbor. & Frutic. Brit. ii. 1013 (1838).
Britton & Brown, Ill. Fl. N. States & Canada, ii. 546 (1897); Ed. 2, ii. 663 (1913).
Britton, N. Amer. Trees, 742 (1908).
Apgar, Orn. Shrubs U.S. 215, fig. 346 (1910).
Mathews, Field Book Amer. Trees & Shrubs, 335 (1915).
subumbellata Komatsu
Matsumura, Ic. Pl. Koisikav. ii. t. 113 (1914).
suecica Linn.
Linnaeus, Fl. Lapp. [Ed. 1, 1737]; Ed. 2, t. 5, fig. 3 (1792).
*Fl. Dan. i. t. 5 (1761).
Dillenius, Hort. Eltham. Add. Denom. Linn. t. 91 (1774).
*Sowerby & Sm. Engl. Bot. v. t. 310 (1796).
*Svensk Bot. iii. t. 201 (1804).
*Curtis, Fl. Londin. Ed. 2, v. t. 194 (1828).
*Heger, Danske Oec. Pl. i. t. 69 (1828).
*Sturm, Deutschl. Fl. xiii. LII [t. 817] (1828).
[M. E.] Jackson, Pict. Fl. fig. 254 (1840).
*Audubon, Birds Amer. iii. t. 177 (1841).
*Deakin, Florigr. Brit. i. fig. 254 (1841).
Schnizlein, Iconogr. iii. t. 165 (1857–65).
Johnson & Sowerby, Brit. Wild Fl. fig. 580 (1858–60).
Flora, xlii. t. 3 (1859).
Bentham, Handb. Brit. Fl. fig. 452 (1865).
*Syme, Engl. Bot. iv. t. 634 (1865).
*Hogg & Johnson, Wild Fl. Gr. Brit. iii. t. 216 (1866).
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, iii. t. 95 [1873].
Wagner, Ill. Deutsche Fl. Ed. 2, p. 352 (1882).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xxvi. t. 2706 (1886).
Britton & Brown, Ill. Fl. N. States & Canada, ii. 543 (1897).
Garden, lv. 239 (1899).—*Hab.*
Lindman, Bild. Nord. Fl. t. 248 (1901–5).
Reichenbach, Ic. Fl. Germ. xxiv. t. 145 (1903).
Blytt, Haandb. Norg. Fl. Ed. Dahl, 546 (1906).
*Miyoshi & Makino, Pocket-Atlas, Alp. Pl. Jap. ii. t. 59, fig. 339 (1907).
Fedtschenko & Fler. Fl. Eur. Russia, 710 (1910).
Wettstein, Handb. Syst. Bot. Ed. 2, p. 686 (1911).—*Fl.*
Arbejd. Bot. Have Kjöbenhavn, No. 77, p. 132, 135 (1914).
Lindman, Svensk Fanerogamfl. 7 (1918).—*Fl.*
Fitch & Smith, Ill. Brit. Fl. Ed. rev. 4, Iss. 2, fig. 459 (1919).
taiwaniensis Kanehira
Kanehira, Formosan Trees, 282 (1917).
tatarica Mill.
Dippel, Handb. Laubholzk. iii. 256 (1893).—*Veg.*
Suireishchikov, Ill. Fl. Mosc. Gov. ii. 430 (1907).
thelicanis Lebas
Rev. Hort. 1875, p. 395.
Florist, 1876, p. 123.
ulotricha C. K. Schneider & Wangerin
Schneider, Ill. Handb. Laubh. ii. 445 (1909).—*Veg.*

CORNUS
Volkensii Harms
Engler & Drude, Veget. Erde, ix. 1. 2. 669 (1910).
Pflanzenreich, Cornac. 77 (1910).
Walteri Wangerin
Schneider, Ill. Handb. Laubh. ii. 445 (1909).—*Veg.*
Wilsoniana Wangerin
Schneider, Ill. Handb. Laubh. ii. 442 (1909).—*Veg.*
Pflanzenreich, Cornac. 66 (1910).
Wilson, Arn. Arb. Exped. China, 1910–11, t. 017 (1912).—*Hab.*
Silva Tarouca, Freiland-Laubgehölze, 189 (1913).—*Hab.*

CORNUTIA Linn.—Vide *Hosta* Jacq.
cayennensis Schau.
Bocquillon, Rev. Verbenac. t. 12 (1861–63).—*Fl.*
corymbosa N. L. Burm.
N. L. Burman, Fl. Ind. t. 41 (1768).
pubescens Gaertn. f.
Gaertner f., Fruct. iii. t. 213 (1807).—*Fr.*
punctata Willd.
Gaertner f., Fruct. iii. t. 213 (1807).—*Fr.*
Trattinick, Arch. i. t. 87 (1812).
*Trattinick, Ausg. Taf. Arch. i. 9 (1813).
*Bot. Mag. liii. t. 2611 (1825).
pyramidata Linn.
Plumier, Pl. Amer. Ed. Burm. t. 106, fig. 1 (1757); fide Urban, Fedde Repert. Beih. v. 60.
Lamarck, Ill. iii. t. 541 (1797).
*Mordant de Launay, Herb. Amat. viii. t. 505 (1827).
*Drapiez, Herb. Amat. Fl. viii. t. 538 (1835).

COROKIA A. Cunn.
buddleoides A. Cunn.
Hook. Ic. Pl. v. t. 424 (1842).
Agardh, Theor. Syst. Pl. t. 22 (1858).—*Fl.*
*Gartenfl. xx. t. 679 (1871).
Cheeseman, Ill. New Zeal. Fl. t. 76 (1914).
Cotoneaster Raoul
Raoul, Choix Pl. Nouv.-Zél. t. 20 (1846).
Pflanzenfam. iii. VIII. 264 (1898).—*Fl.*
De Wildeman, Ic. Sel. Hort. Then. ii. t. 73 (1901).
Schneider, Ill. Handb. Laubh. ii. 432 (1909).
Pflanzenreich, Cornac. 30 (1910).—*Fl.*
*Bot. Mag. cxxxviii. t. 8425 (1912).
Silva Tarouca, Freiland-Laubgehölze, 191 (1913).—*Hab.*
Bean, Trees & Shrubs, i. 394 (1914).
Trans. Linn. Soc. London, Ser. II. Bot. vii. t. 28 (1914).—*Fl.*
macrocarpa Kirk
Pflanzenreich, Cornac. 93 (1910).
virgata Turrill
*Bot. Mag. cxxxviii. t. 8466 (1912).

CORONANTHERA Vieill.
deltoidifolia Vieill.
A. & C. De Candolle, Monogr. Phan. v. 1. t. 19 (1883).

CORONARIA Linn.: *Lychnis*
flos-cuculi A. Br.
*Thomé, Fl. Deutschl. ii. t. 207 (1886).
Potonié, Ill. Fl. Nord- u. Mittel-Deutschl. Ed. 4, fig. 232 (1889).
Garcke, Ill. Fl. Deutschl. 91 (1895).
Gradmann, Pflanzenl. Schwäb. Alb, Ed. 2, i. 185 (1900).
Heukels, Fl. Nederl. ii. 168 (1908).
flos-jovis A. Br.
Schinz & Keller, Fl. Schweiz, 161 (1900).—*Fl.*
tomentosa A. Br.
Heukels, Fl. Nederl. ii. 169 (1908).

CORONILLA Linn.
comosa Prantl
*Sturm, Fl. Deutschl. Ed. 2, ix. 81, t. 23 (1901).
coronata Linn.
*Jacquin, Fl. Austr. i. t. 95 (1773).
*Junghans, Ic. Pl. t. 4 (1787).
*Bot. Mag. xxiii. t. 907 (1806).
*Journ. Jard. 1839, p. 83.
Nicholson, Illustr. Dict. Gard. i. 380 [1884–88].

CORONILLA
coronata
G. Beck, Fl. Nied.-Oesterr. ii. 1. 828 (1892).—*Fr.*
Fiori & Paol. Ic. Fl. Ital. 248 (1899).
Coste, Fl. France, i. 405 (1901).
Flahault, Nouv. Fl. Alpes & Pyrén. i. 34 (1906).
Senn, Alpen-Flora, ii. 34 (1906).
—— **maior** Hornung
Reichenbach, Pl. Crit. i. t. 32 (1823).
—— **minor** Hornung
Reichenbach, Pl. Crit. i. t. 32 (1823).
coronata DC.
*Cusin & Ansberque, Herb. Fl. Franç. vii. t. 1304 (1871).
cretica Linn.
*Jacquin, Hort. Vind. i. t. 25 (1770).
*Mordant de Launay, Herb. Amat. viii. t. 509 (1827).
*Drapiez, Herb. Amat. Fl. vi. t. 389 (1833).
Nees, Gen. Pl. fasc. xxix. t. 19 (1856).—*Fl.*
Reichenbach, Ic. Fl. Germ. xxii. t. 187 (1867–86).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xxiv. t. 2463 (1886).
Fiori & Paol. Ic. Fl. Ital. 248 (1899).
emeroides Boiss. & Sprun.
Reichenbach, Ic. Fl. Germ. xxii. t. 182 (1867–86).
*Gartenfl. xxiv. t. 847 (1875).
Oesterr. Bot. Zeitschr. lxvi. 265 (1916).—*Hab.*
Emerus Linn.
*Kniphof, Herb. Viv. i. t. 316 (1758).
*F. J. Schultz, Abb. Bäume, Staud. Sträuch. Oesterr. ii. t. 145 (1792).
C. K. Sprengel, Entd. Geheimn. Natur, t. 19, fig. 37, 39–42 (1793).—*Fl.*
*Joh. Kerner, Abbild. Oek. Pfl. (Fig. Pl. Écon.), vii. t. 624 (1794).
Usteri, Ann. Bot. xvi. t. 1 (1795).—*Fl.*
Lamarck, Ill. iii. t. 630, fig. 1, 2 (1797).—*Fl.*
*Bot. Mag. xiii. t. 445 (1799).
Boissieu, Fl. Eur. iii. t. 493 (1806).—*Fr.*
*Svensk Bot. v. t. 343 (1807).
*McDonald, Dict. Pract. Gard. i. t. 12 (1807).
*Jaume St.-Hilaire, Pl. France, ii [t. 13] (1808).
*Duhamel, Arbres & Arbustes, Ed. 2, iv. t. 31 (1809).
*S. Edwards, New Bot. Gard. i. t. 12 (1812).
*Vietz, Ic. Pl. Med.-oec.-techn. v. t. 439 (1817).
*Guimpel, Willd. & Hayne, Abb. Deutsch. Holzart. ii. t. 134 (1820).
*Roques, Phytogr. Médic. ii. t. 153 (1821); Nouv. Ed. Atlas, t. 127 (1835).
*Sibthorp & Sm. Fl. Graeca, viii. t. 710 (1833).
*Mag. Bot. & Gard. iii. t. 33 (1835); iv. t. 49 (1836).
J. C. Loudon, Arbor. & Frutic. Brit. ii. 644 (1838).
Meigen, Deutschl. Fl. iii. t. 123 (1842).—*Fl.*
Petermann, Deutschl. Fl. t. 22, fig. 168 r (1849).—*Fl.*
Nees, Gen. Pl. fasc. xxix. t. 19 (1856).—*Fl.*
Willkomm, Deutschl. Laubhölz. im Winter, 44, fig. 74 (1859).—*Veg.*
Pokorny, Oesterr. Holzpfl. 487, t. 77 (1864).—*Veg.*
*Fl. Dan. Suppl. t. 89 (1865).
Reichenbach, Ic. Fl. Germ. xxii. t. 182 (1867–86).
*Réveil, Règne Vég. xiv. t. 33 (1870).
*Cusin & Ansberque, Herb. Fl. Franç. vii. t. 1298 (1871).
Nature, x. 169 (1874).—*Fl.*
*Gartenfl. xxiv. t. 847 (1875).
Gard. Chron. xvi. 105 (1881).
Willkomm, Führ. Reich Pflanzen, 718 (1882).—*Fr.*
Lauche, Deutsche Dendrol. Ed. 2, p. 703 (1883).
*Bicknell, Fl. Pl. Riviera, t. 20 (1885).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xxiv. t. 2458 (1886).
Hempel & Wilhelm, Bäume u. Sträuch. iii. 108 [1889?].
Fiori & Paol. Ic. Fl. Ital. 249 (1899).
Coste, Fl. France, i. 406 (1901).
Sturm, Fl. Deutschl. Ed. 2, ix. 83 (1901).
Lindman, Bild. Nord. Fl. t. 323 (1901–5).
*Penzig, Fl. Litt. Méditerr. t. 38 (1902).
Schneider, Dendrol. Winterst. 69 (1903).—*Veg.*
Blytt, Haandb. Norg. Fl. Ed. Dahl, 475 (1906).
Lazaro, Comp. Fl. Españ. ii. 242 (1907).
Schneider, Ill. Handb. Laubh. ii. 106 (1907).

CORONILLA
Emerus
Beille, Bot. Pharm. ii. 863 (1909).
Apgar, Orn. Shrubs U.S. 125, fig. 154 (1910).
*Correvon, Fl. Champs & Bois, t. 34 (1911).
*Guinier, Atlas Arbres & Arbust. t. 91, 91 bis (1912).
L. H. Bailey, Stand. Cycl. Hort. 855 (1914).
*H. S. Thompson, Fl. Pl. Riviera, t. 12 (1914).
Cadevall & Sallent, Fl. Catalunya, ii. 220 (1916).
Lindman, Svensk Fanerogamfl. 381 (1918).—*Fl.*
—— **austriaca** Heimerl
Schneider, Ill. Handb. Laubh. ii. 106 (1907).—*Veg.*
eriocarpa Boiss.
*Boissier, Voy. Bot. Espagne, i. t. 54 (1839–45).
glauca Linn.
*Bot. Mag. i. t. 13 (1787).
*Moriarty, Viridarium, Col. Plates Greenh. Pl. t. 13 (1806).
*Duhamel, Arbres & Arbustes, Ed. 2, iv. t. 32 (1809).
*Sibthorp & Sm. Fl. Graeca, viii. t. 711 (1833).
J. C. Loudon, Arbor. & Frutic. Brit. ii. 645 (1838).
Reichenbach, Ic. Fl. Germ. xxii. t. 184 (1867–86).
*Réveil, Règne Vég. iii. t. 48 (1870).—*Fl.*
*Cusin & Ansberque, Herb. Fl. Franç. vii. t. 1299 (1871).
*Hulme & Hibberd, Familiar Gard. Fl. iii. 45 [1879–87].
Coste, Fl. France, i. 407 (1901).
Apgar, Orn. Shrubs U.S. 125, fig. 155 (1910).
Cadevall & Sallent, Fl. Catalunya, ii. 222 (1916).
hirsuta Vell.
Vellozo, Fl. Flum. vii. t. 122 (1827).
iberica M. Bieb.
*Schrank, Pl. Rar. Hort. Monac. ii. t. 71 (1819).
*Lodd. Bot. Cab. viii. t. 789 (1823).
*Sweet, Brit. Fl. Gard. i. t. 25 (1823).
*Bot. Mag. liii. t. 2646 (1826).
*J. W. Loudon, Ladies' Fl.-Gard. Ornam. Perenn. i. t. 35 (1843).
juncea Linn.
*Lodd. Bot. Cab. iii. t. 235 (1818).
*Bot. Reg. x. t. 822 (820 in textu) (1824).
J. C. Loudon, Arbor. & Frutic. Brit. ii. 644 (1838).
Nees, Gen. Pl. fasc. xxix. t. 19 (1856).—*Veg.*
Pokorny, Oesterr. Holzpfl. 486, t. 77 (1864).—*Veg.*
Reichenbach, Ic. Fl. Germ. xxii. t. 188 (1867–86).
*Cusin & Ansberque, Herb. Fl. Franç. vii. t. 1305 (1871).
Fiori & Paol. Ic. Fl. Ital. 248 (1899).
Coste, Fl. France, i. 406 (1901).
Schneider, Ill. Handb. Laubh. ii. 106 (1907).
Cadevall & Sallent, Fl. Catalunya, ii. 221 (1916).
minima Jacq.
*Jacquin, Fl. Austr. iii. t. 271 (1775).
minima Linn.
Lamarck, Ill. iii. t. 630, fig. 4 (1797).
Boissieu, Fl. Eur. iii. t. 493 (1806).
*Bot. Mag. xlvii. t. 2179 (1820).
*Sturm, Deutschl. Fl. xii. XLIX [t. 782] (1827).
Mutel, Fl. Française, t. 15 (1834).
Schnizlein, Iconogr. iv. t. 275, 275 a (1856).
Pokorny, Oesterr. Holzpfl. 487, t. 77 (1864).—*Veg.*
Reichenbach, Ic. Fl. Germ. xxii. t. 183 (1867–86).
*Cusin & Ansberque, Herb. Fl. Franç. vii. t. 1303 (1871).
*Verlot, Pl. Alp. Ed. 2, p. 296, t. 40 (1873).
*Wooster, Alp. Pl. Ed. 2, t. 54 (1874).—*Hab.*
*Seboth & A. W. Bennett, Alpine Pl. iv. t. 69 (1880).
Willkomm, Führ. Reich Pflanzen, 718 (1882).—*Fr.*
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xxiv. t. 2460 (1886).
*Bicknell, Fl. Pl. Riviera, t. 20 (1885).
*A. W. Bennett, Fl. Alps, i. t. 29 (1897).
Fiori & Paol. Ic. Fl. Ital. 248 (1899).
Coste, Fl. France, i. 406 (1901).
Cadevall & Sallent, Fl. Catalunya, ii. 220 (1916).
—— **coronata** Reichb. f.
Reichenbach, Ic. Fl. Germ. xxii. t. 183 (1867–86).

CORONILLA
minima maior Mutel
Mutel, Fl. Française, t. 15 (1834).—*Veg.*
montana Scop.
Scopoli, Fl. Carn. Ed. 2, ii. t. 44 (1772).
Reichenbach, Pl. Crit. i. t. 33 (1823).
*Sturm, Deutschl. Fl. xii. XLIX [t. 783] (1827).
Mutel, Fl. Française, t. 16 (1834).
*Zenker, Fl. Thüringen, vii. t. 734 (1836–55).
Nees, Gen. Pl. fasc. xxix. t. 19 (1856).
Decaisne & Naud. Amat. Jard. ii. 358 [1862–66].
Reichenbach, Ic. Fl. Germ. xxii. t. 175 (1867–86).
*Cusin & Ansberque, Herb. Fl. Franç. vii. t. 1301 (1871).
Decaisne, Naud. & Hemsl. Handb. Trees, Shrubs & Herb. Pl. 130 (1873).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xxiv. t. 2461 (1886).
*Gradmann, Pflanzenl. Schwäb. Alb, Ed. 2, i. t. 7 (1900).
*Sturm, Fl. Deutschl. Ed. 2, ix. t. 23 (1901).
—— **pauciflora** Reichb. f.
Reichenbach, Ic. Fl. Germ. xxii. t. 185 (1867–86).
parviflora Willd.
*Sibthorp & Sm. Fl. Graeca, viii. t. 713 (1833).
perpusilla E. H. L. Krause
Sturm, Fl. Deutschl. Ed. 2, ix. 89 (1901).
scandens Vell.
Vellozo, Fl. Flum. vii. t. 121 (1827).
scorpioïdes Koch
Reichenbach, Ic. Fl. Germ. xxii. t. 181 (1867–86).
*Cusin & Ansberque, Herb. Fl. Franç. vii. t. 1307 (1871).
*Bicknell, Fl. Pl. Riviera, t. 20 (1885).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xxiv. t. 2462 (1886).
Post, Fl. Syria, Palestine & Sinai, 279 [1896].—*Fr.*
Fiori & Paol. Ic. Fl. Ital. 248 (1899).
Coste, Fl. France, i. 405 (1901).
Selby in Bull. Ohio Agric. St. No. 175, t. 3 (1906).—*Fr.*
Lazaro, Comp. Fl. Españ. ii. 216 (1907).—*Fr.*
Heukels, Fl. Nederl. ii. 656 (1909).
Merino, Fl. Galicia, iii. 536 (1909).
Cadevall & Sallent, Fl. Catalunya, ii. 219 (1916).
Securidaca Linn.
*Sibthorp & Sm. Fl. Graeca, viii. t. 712 (1833).
squamata Cav.
Cavanilles, Ic. ii. t. 155 (1793).
stipularis Lam.
J. C. Loudon, Arbor. & Frutic. Brit. ii. 645 (1838).
Pokorny, Oesterr. Holzpfl. 487, t. 77 (1864).—*Veg.*
vaginalis Lam.
Reichenbach, Pl. Crit. i. t. 31 (1823).
*Sturm, Deutschl. Fl. xii. XLIX [t. 782] (1827); vide xvii. LXXVI. Übers. 15 (1839).
Mutel, Fl. Française, t. 15 (1834).
*Zenker, Fl. Thüringen, ix. t. 1039 (1836–55).
*Froelich, Alpenpfl. Schweiz, vii & viii. t. 10 (1856).
Pokorny, Oesterr. Holzpfl. 487, t. 77 (1864).—*Veg.*
Reichenbach, Ic. Fl. Germ. xxii. t. 183 (1867–86).
*Cusin & Ansberque, Herb. Fl. Franç. vii. t. 1302 (1871).
H. Müller, Alpenblumen, 250 (1881).—*Fl.*
Wagner, Ill. Deutsche Fl. Ed. 2, p. 204 (1882).
Willkomm, Führ. Reich Pflanzen, 718 (1882).—*Fr.*
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xxiv. t. 2459 (1886).
Knuth, Handb. Blütenbiol. ii. 1. 317 (1898).—*Fl.*
*Gradmann, Pflanzenl. Schwäb. Alb, Ed. 2, ii. t. 39 (1900).
Coste, Fl. France, i. 406 (1901).
*Sturm, Fl. Deutschl. Ed. 2, ix. t. 24 (1901).
*Correvon & Rob. Alp. Fl. t. 31 [1908?].
*Hegi & Dunz. Alp. Fl. t. 17 (1913).
valentina Linn.
Gaertner, Fruct. ii. t. 155 (1791).—*Fr.*
*Bot. Mag. vi. t. 185 (1792).
Lamarck, Ill. iii. t. 630, fig. 3 (1797).—*Fr.*
Boissieu, Fl. Eur. iii. t. 493 (1806).—*Fr.*
Reichenbach, Ic. Fl. Germ. xxii. t. 184 (1867–86).
*Cusin & Ansberque, Herb. Fl. Franç. vii. t. 1300 (1871).

CORONILLA
valentina
*Moggridge, Fl. Mentone, t. 9 (1871).
Fiori & Paol. Ic. Fl. Ital. 249 (1899).
Coste, Fl. France, i. 407 (1901).
Schneider, Ill. Handb. Laubh. i. 106 (1907).
varia Linn.
*Kniphof, Herb. Viv. i. t. 315 (1758).
*Joh. Kerner, Abbild. Oek. Pfl. (Fig. Pl. Écon.), i. t. 17 (1786).
Hoppe, Ect. Pl. Ratisb. t. 106 (1788).
*Martyn, Fl. Rustica, i. t. 15 (1792).
*Bot. Mag. viii. t. 258 (1794).
*Kops, Fl. Batava, ii. t. 138 (1807).
*Schkuhr, Bot. Handb. Ed. 2, t. 205 (1808).
*Jaume St.-Hilaire, Pl. France, ii [t. 12] (1808).
*Schrank, Fl. Monac. i. t. 7 (1811).
*Vietz, Ic. Pl. Med.-oec.-techn. v. t. 439 b (1817).
*Sturm, Deutschl. Fl. xii. XLIX [t. 784] (1827).
*Zenker, Fl. Thüringen, ii. t. 201 (1836–55).
*Brandt & Ratzeb. Deutschl. Phanerog. Giftgew. t. 24 (1838).
*Dietrich, Fl. Boruss. vi. t. 361 (1838).
*Lorek, Fl. Pruss. Ed. 3, t. 174, fig. 928 (1848).
*Petermann, Deutschl. Fl. t. 22, fig. 168, a–q (1849).—*Fl.*
*Schubert, Naturg., Pflanzenreich, Ed. 2, t. 38, fig. 9 [1865].
Reichenbach, Ic. Fl. Germ. xxii. t. 186 (1867–86).
*Cusin & Ansberque, Herb. Fl. Franç. vii. t. 1306 (1871).
Eriksson in Acta Univ. Lund. x. t. 1, fig. 3 (1873–74).—*Veg.*
Nature, x. 169 (1874).—*Fl.*
De Silvestri, Piante Prat. 392 (1879).
Karsten, Deutsche Fl. Pharm.-medic. Bot. 682 (1880–83).—*Fl.*
*C. Hoffmann, Pflanzenatlas, t. 61, fig. 383 (1881).
Wagner, Ill. Deutsche Fl. Ed. 2, p. 203 (1882).
*Baillon, Ic. Fl. Franç. iii. t. 290 [1885–94].
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xxiv. t. 2464 (1886).
Kerner, Pflanzenleben, i. 497 (1887); Ed. 3, i. 478 (1913).—*Veg.*
*Thomé, Fl. Deutschl. iii. t. 443 (1888).
Paolucci, Fl. Marchig. t. 36 (1890).
*Masclef, Atlas Pl. France, t. 90 (1893).
Acloque, Fl. France, 237 (1894).
Kerner & Oliv. Nat. Hist. Pl. i. 533 (1894).—*Veg.*
*Siélain, Atlas Poche Pl. Champs, Prair. & Bois, t. 45 [1894].
Garcke, Ill. Fl. Deutschl. 147 (1895).
Karsten, Fl. Deutschl. ii. 233 (1895).—*Fl.*
Britton & Brown, Ill. Fl. N. States & Canada, ii. 310 (1897); Ed. 2, ii. 392 (1913).
Fiori & Paol. Ic. Fl. Ital. 248 (1899).
L. H. Bailey, Cycl. Amer. Hort. 380 (1900); Stand. Cycl. Hort. 856 (1914).
Coste, Fl. France, i. 405 (1901).
*Sturm, Fl. Deutschl. Ed. 2, ix. t. 24 (1901).
Hansgirg, Phyllobiol. 190 (1903).—*Veg.*
Suireishchikov, Ill. Fl. Mosc. Gov. ii. 306 (1907).
Heukels, Fl. Nederl. ii. 655 (1909).
*Esser, Giftpfl. Deutschl. t. 53 (1910).
Fedtschenko & Fler. Fl. Eur. Russia, 577 (1910).
Hayek, Fl. Steierm. i. 986 (1910).—*Fr.*
*Correvon, Fl. Champs & Bois, t. 54 (1911).
Pammel, Man. Poison. Pl. 523 (1911).
Cadevall & Sallent, Fl. Catalunya, ii. 219 (1916).
*Bonnier, Name This Flower, t. 16 (1917).
*House, Wild Fl. New York (Mem. No. 15 N.Y. State Mus.), i. t. 109 (1918).
viminalis Salisb.
*Salisbury, Parad. Londin. i. t. 13 (1805).

CORONOPUS Zinn—Vide *Carara, Cotyliscus, Nasturtiolum, Senebiera*
coronopus Karst.
Karsten, Deutsche Fl. Pharm.-medic. Bot. 673 (1880–83).—*Fr.*
Karsten, Fl. Deutschl. ii. 223 (1895).—*Fr.*
Britton & Brown, Ill. Fl. N. States & Canada, ii. 113 (1897).
depressus Moench
*Svensk Bot. xi. t. 733 (1843).

CORONOPUS
didymus Sm.
*C. E. Sowerby, Ill. Cat. Brit. Pl. fig. 109 (1841).
Johnson & Sowerby, Brit. Wild Fl. fig. 64 (1858–60).
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, i. t. 20 [1873].
Wagner, Ill. Deutsche Fl. Ed. 2, p. 79 (1882).
Pflanzenfam. iii. II. 160, 161 (1891).
Britton & Brown, Ill. Fl. N. States & Canada, ii. 113 (1897).
Fiori & Paol. Ic. Fl. Ital. 169 (1899).
Thellung in Neue Denkschr. Allg. Schweiz. Ges. Naturk. xli. 48, 60 (1907).—*Fr.*
Heukels, Fl. Nederl. ii. 308 (1908).
Hegi, Ill. Fl. Mittel-Eur. iv. I. t. 125, p. 94 (1913).
Fawcett & Rendle, Fl. Jamaica, iii. I. 244 (1914).
A. Georgia, Manual Weeds, t. 123 (1914).
Lindman, Svensk Fanerogamfl. 3, 276, 278 (1918).
procumbens Gilib.
G. Beck, Fl. Nied.-Oesterr. ii. I. 443, 499 (1892).—*Fr.*
Fiori & Paol. Ic. Fl. Ital. 169 (1899).
Fedtschenko & Fler. Fl. Eur. Russia, 452 (1910).
*Hegi, Ill. Fl. Mittel-Eur. iv. I. t. 127 (1913).
Lindman, Svensk Fanerogamfl. 276, 278 (1918).
Ruellii All.
Gaertner, Fruct. ii. t. 142 (1791).—*Fr.*
*Sowerby & Sm. Engl. Bot. xxiv. t. 1660 (1807).
*Hill, Family Herbal, t. 13 (1812).
Baxter, Brit. Bot. Ed. 2, iv. t. 320 (1839).
*C. E. Sowerby, Ill. Cat. Brit. Pl. fig. 108 (1841).
*Lorek, Fl. Pruss. Ed. 3, t. 154, fig. 823 (1848).
Johnson & Sowerby, Brit. Wild Fl. fig. 63 (1858–60).
Baillon, Hist. Pl. iii. 208 (1872).—*Fl.*
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, i. 20 [1873].
Wagner, Ill. Deutsche Fl. Ed. 2, p. 79 (1882).
Garcke, Ill. Fl. Deutschl. 66 (1895).
Heukels, Fl. Nederl. ii. 308 (1908).
squamatus Aschers.
Blytt, Haandb. Norg. Fl. Ed. Dahl, 392 (1906).
vulgaris Desf.
Lamarck, Ill. iii. t. 558 (1797).

COROTHAMNUS K. Koch: *Cytisus*
decumbens K. Koch
Lauche, Deutsche Dendrol. Ed. 2, p. 682 (1883).

COROYA Pierre
dialoides Pierre
Pierre, Fl. For. Cochinch. v. t. 392 (1899).

CORRAEA = *Correa*

CORREA Andr.—Vide *Antommarchia, Mazeutoxeron*
aemula F. Muell.
F. Mueller, Pl. Victoria, i. t. 7 (1860–62).
F. Mueller, Introd. Bot. Teach. Schools Victoria, 72 (1877).
F. Mueller, Key Syst. Victorian Pl. ii. fig. 14 (1885).
alba Andr.
*Andrews, Bot. Rep. i. t. 18 (1798).
*Ventenat, Jard. Malm. t. 13 (1803).
*Duhamel, Arbres & Arbustes, Ed. 2, iv. t. 61 (1809).
*Trattinick, Ausg. Taf. Arch. ii. t. 133 (1813).
Trattinick, Arch. ii. t. 186 (1814).
*Lodd. Bot. Cab. ii. t. 152 (1818).
Lamarck, Ill. vi. t. 945 (1819).
*Bot. Reg. vi. t. 515 (1821).
Mém. Mus. Hist. Nat. Paris, xii. 542, t. 21 (1825).—*Fl.*
J. C. Loudon, Arbor. & Frutic. Brit. iv. 2544 (1838).
*J. W. Loudon, Ladies' Fl.-Gard. Ornam. Greenh. Pl. t. 20 (1848).
*Meredith, Bush Friends Tasmania, Last Ser. t. 2 (1891).
Banks & Soland. Bot. Cook's Voy. i. t. 32 (1900).
Guilfoyle, Austral. Pl. 44 [1911].—*Hab.*
F. Sulman, Wild Fl. N. S. Wales, i. t. 26 (1913).
L. H. Bailey, Stand. Cycl. Hort. 856 (1914).
Journ. & Proc. Roy. Soc. N. S. Wales, li. t. 12 (1917).—*Hab.*

CORREA
Backhousiana Hook.
Hook. Ic. Pl. i. t. 2 (1837).
Bauerlenii F. Muell.
Hook. Ic. Pl. xxiii. t. 2245 (1892).
×**bicolor** Paxt.
*Floricult. Cab. viii. 112 (1840).
*Paxt. Mag. ix. 267 (1842).
*Fl. des Serres, Ser. I. i. 33 (1845).
cardinalis F. Muell.
*Bot. Mag. lxxxii. t. 4912 (1856).
*Florist, 1856, t. 116.
*Fl. des Serres, Ser. II. i. t. 1144 (1856).
*Ill. Hort. iii. t. 102 (1856).
*Journ. Hort. Prat. Belg. xiv. 149 (1856).
*Belg. Hort. vii. t. 18 (1857).
Journ. Hort. Ser. III. ii. 127 (1881); xli. 452 (1900); lii. 185 (1906).
Nicholson, Illustr. Dict. Gard. i. 381 [1884–88].
Bellair & St.-Léger, Pl. Serre, 601 (1900).
×**Cavendishii** Hort.
*Floricult. Cab. viii. 112 (1840).
cotinifolia Salisb.
*Salisbury, Parad. Londin. ii. I. t. 100 (1807).
×**curiosa** Hort.
*Paxt. Mag. xiv. 147 (1848).
×**delicata** Hort.
*Paxt. Mag. xii. 77 (1846); xiv. 147 (1848).
ferruginea Hook.
Hook. Ic. Pl. i. t. 3 (1837).
*Maund & Henslow, Bot. Souv. [t. 26, 1838–40].
*Maund, Botanist, iii. t. 124 (1839).
Velenovsky, Vergl. Morphol. Pfl. iii. t. 9 (1910).—*Fl.*
×**ferruginea** Hort.
*Paxt. Mag. xii. 77 (1846).
Grevillei Hort.
Ettingshausen, Blatt-Skel. Dikot. t. 78 (1861).—*Veg.*
×**Harrisii** Paxt.
*Paxt. Mag. vii. 79 (1840).
Latrobeana F. Muell.
*Dietrich, Fl. Univ. N. Folge, t. 11 (1861).
Laurenciana Hook.
*Meredith, Bush Friends Tasmania, t. 10 (1860).
×**longiflora** Paxt.
*Paxt. Mag. vii. 195 (1840).
*Horticulteur Univ. iii. 1 (1842).
*J. W. Loudon, Ladies' Fl.-Gard. Ornam. Greenh. Pl. t. 20 (1848).
×**magnifica** Hort.
*Paxt. Mag. xiv. 147 (1848).
Milneri Hort.
*Glenny in Hort. Journ. & Florist's Reg. iv. 1 (1836).
×**pallida** Hort.
*Paxt. Mag. xii. 77 (1846).
×**picta** Hort.
*Paxt. Mag. xii. 77 (1846).
pulchella Mackay
*Sweet, Fl. Austral. t. 1 (1827).
*Bot. Reg. xv. t. 1224 (1829).
*C. McIntosh, Fl. & Pom. t. 23 (1829).
*Lodd. Bot. Cab. xvii. t. 1684 (1830).
Géel, Sert. Bot. Cl. 8 (1832).
*Reichenbach, Fl. Exot. v. t. 345 (1836).
*Maund, Botanist, iv. t. 152 (1840).
*Bot. Mag. lxix. t. 4029 (1843).
*J. W. Loudon, Ladies' Fl.-Gard. Ornam. Greenh. Pl. t. 20 (1848).
*Paxt. Mag. xiv. 147 (1848).
—— **alba superba** Hort.
*Ann. Gand, i. t. 8 (1845).
—— **Alexandriana** Hort.
*Ann. Gand, i. t. 8 (1845).
—— **ochroleuca** Hort.
*Ann. Gand, i. t. 8 (1845).
—— **triumphus-Milneri** Hort.
*Ann. Gand, i. t. 8 (1845).
reflexa Vent.
Gaertner f., Fruct. iii. t. 210 (1807) in textu; *C. rufa* in ic.—*Fr.*
×**roseo-alba** Hort.
*Paxt. Mag. xiv. 147 (1848).
*Floricult. Cab. 1856, p. 329.

CORREA
×rubescens Hort.
*Paxt. Mag. xii. 77 (1846).
×rubra Sm.
*Paxt. Mag. xiv. 147 (1848).
Banks & Soland. Bot. Cook's Voy. i. t. 34 (1900).
rufa Gaertn. f.
Gaertner f., Fruct. iii. t. 210 (1807) in ic.; *C. reflexa* in textu.—*Fr.*
*Glenny in Hort. Journ. N. Ser. ii. 100 (1839).
speciosa Donn ex Andr.
*Andrews, Bot. Rep. x. t. 653 (1811?).
*Bot. Mag. xlii. t. 1746 (1815).
*Bot. Reg. i. t. 26 (1815).
*Lodd. Bot. Cab. ii. t. 112 (1818).
*Mordant de Launay, Herb. Amat. v. t. 309 (1821).
*Trattinick, Ausw. Gartenpfl. ii. t. 195 (1821).
*Ann. Blumisterei, iii. 209, t. [16] (1827).
*Drapiez, Herb. Amat. Fl. i. t. 55 (1828).
*Nees & Sinning, Sammlung schönblüh. Gew. t. 17 (1831).
*J. W. Loudon, Ladies' Fl.-Gard. Ornam. Greenh. Pl. t. 20 (1848).
*Schnizlein, Iconogr. iv. t. 251 (1866–70).—*Fl.*
Baillon, Hist. Pl. iv. 388 (1873).—*Fl.*
*Meredith, Bush Friends Tasmania, Last Ser. t. 11 (1891).
*Bois, Dict. Hort. 376 (1893–99).
Pflanzenfam. iii. IV. 144 (1896).
Banks & Soland. Bot. Cook's Voy. i. t. 33 (1900).
Knuth, Handb. Blütenbiol. iii. I. 441 (1904).
Wettstein, Handb. Syst. Bot. Ed. 2, p. 622 (1911).—*Fl.*
F. Sulman, Wild Fl. N. S. Wales, i. t. 26 (1913).
Garden, lxxx. 623 (1916).
—— **normalis** Benth.
Guilfoyle, Austral. Pl. 124 [1911].—*Hab.*
—— **virens** F. Muell.
*Charsley, Wild Fl. Melbourne, t. 1 (1867).
turgida Hort.
*Floricult. Cab. viii. 112 (1840).
*Journ. Jard. 1842, p. 156.
virens Sm.
*J. E. Smith, Exot. Bot. ii. t. 72 [1805–7].
*Trattinick, Ausg. Taf. Arch. ii. t. 134 (1813).
Trattinick, Arch. ii. t. 187 (1814).
*Bot. Reg. i. t. 3 (1815).
*Bot. Mag. xliv. t. 1901 (1817).
*Lodd. Bot. Cab. iv. t. 336 (1819).
viridiflora Andr.
*Andrews, Bot. Rep. vii. t. 436 (1806).
*Bonpland, Descr. Pl. Rar. Malm. t. 12 (1813).
×viridiflora-alba Hort.
*Paxt. Mag. xiv. 147 (1848).
*Floricult. Cab. 1856, p. 329.

CORRIGIOLA Linn.
capensis Willd.
Glück, Blatt- & Blütenmorph. Stud. 75 (1919).—*Veg.*
littoralis Linn.
*Fl. Dan. ii. t. 334 (1767).
Gaertner, Fruct. i. t. 75 (1788).—*Fr.*
Hoppe, Ect. Pl. Ratisb. t. 704 (1793).
Lamarck, Ill. i. t. 213 (1797).
*Sowerby & Sm. Engl. Bot. x. t. 668 (1800).
Boissieu, Fl. Eur. i. t. 226 (1805).
*Schkuhr, Bot. Handb. Ed. 2, t. 85 (1808).
Trattinick, Fl. Oesterr. Kaiserth. i. t. 6 (1816).
*Sibthorp & Sm. Fl. Graeca, iii. t. 292 (1819).
*Dietrich, Fl. Boruss. iii. t. 205 (1835).
*Zenker, Fl. Thüringen, x. t. 1118; xi. t. 1270 (1836–55).
Meigen, Deutschl. Fl. ii. t. 59 (1837).—*Fl.*
*Baxter, Brit. Bot. Ed. 2, iv. t. 312 (1839).
[M. E.] Jackson, Pict. Fl. fig. 485 (1840).
*Deakin, Florigr. Brit. i. fig. 508 (1841).
*C. E. Sowerby, Ill. Cat. Brit. Pl. fig. 265 (1841).
*Kops, Fl. Batava, viii. t. 596 (1844).
*Petermann, Deutschl. Fl. t. 29, fig. 228 (1849).
Schnizlein, Iconogr. iii. t. 207 a (1855).—*Fr.*
Johnson & Sowerby, Brit. Wild Fl. fig. 460 (1858–60).
Bentham, Handb. Brit. Fl. fig. 826 (1865).
*Syme, Engl. Bot. vii. t. 1170 (1867).

CORRIGIOLA
littoralis
*Cusin & Ansberque, Herb. Fl. Franç. ix (Paronychiées), t. 20 (1868).
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, ii. t. 78 [1873].
*Hogg & Johnson, Wild Fl. Gr. Brit. viii. t. 628 (1874).
Karsten, Deutsche Fl. Pharm.-medic. Bot. 531 (1880–83).
Wagner, Ill. Deutsche Fl. Ed. 2, p. 624 (1882).
Willkomm, Führ. Reich Pflanzen, 766 (1882).—*Fl.*
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xii. t. 1235 (1883).
*Thomé, Fl. Deutschl. ii. t. 204 (1886).
Baillon, Hist. Pl. ix. 96 (1887).—*Fl.*
Pflanzenfam. iii. I. B. 89 (1889).—*Fl.*
G. Beck, Fl. Nied.-Oesterr. i. 345 (1890).—*Fl.*
Garcke, Ill. Fl. Deutschl. 222 (1895).
Karsten, Fl. Deutschl. ii. 65 (1895).
Fiori & Paol. Ic. Fl. Ital. 124 (1899).
Coste, Fl. France, ii. 104 (1903).
Merino, Fl. Galicia, i. 499 (1905).
Heukels, Fl. Nederl. ii. 124 (1908).
*Hegi, Ill. Fl. Mittel-Eur. iii. t. 108, p. 425 (1909).
Fedtschenko & Fler. Fl. Eur. Russia, 390 (1910).
Warburg, Pflanzenwelt, i. 577 (1913).
Cadevall & Sallent, Fl. Catalunya, ii. 384 (1916).
Fitch & Smith, Ill. Brit. Fl. Ed. rev. 4, Iss. 2, fig. 834 (1919).
Moss, Cambridge Brit. Fl. iii. t. 12 (1920).
telephiifolia Pourr.
Reichenbach, Pl. Crit. ii. t. 161 (1824).
*Cusin & Ansberque, Herb. Fl. Franç. ix (Paronychiées), t. 21 (1868).
Fiori & Paol. Ic. Fl. Ital. 124 (1899).
Coste, Fl. France, ii. 104 (1903).
Cadevall & Sallent, Fl. Catalunya, ii. 385 (1916).

CORRYOCACTUS Britton & Rose
brachypetalus Britton & Rose
Britton & Rose, Cactac. ii. 67, 68 (1920).
brevistylus Britton & Rose
Britton & Rose, Cactac. ii. 67, 68 (1920).

CORSIA Becc.
arfakensis L. S. Gibbs
L. S. Gibbs, Contrib. Fl. Arfak Mts. 104 (1917).
cordata Schlechter
Engl. Jahrb. xlix. 111 (1912).
crenata J. J. Sm.
Nova Guinea, xii. t. 54 (1914).
lamellata Schlechter
Engl. Jahrb. xlix. 111 (1912).
ornata Becc.
Beccari, Malesia, i. t. 9 (1878).
Pflanzenfam. ii. VI. 51 (1889).—*Fl.*
Baillon, Hist. Pl. xiii. 175 (1894).—*Fl.*
torricellensis Schlechter
Schumann & Lauterb. Fl. Deutsch. Schutzg. Südsee, Nachtr. t. 3 (1905).
unguiculata Schlechter
Schumann & Lauterb. Fl. Deutsch. Schutzg. Südsee, Nachtr. t. 3 (1905).

CORTADERIA Stapf
argentea Stapf
Gard. Chron. Ser. III. xxvi. 30 (1899); xl. 295 (1906); xliii. 195 (1908).—*Hab.*
L. H. Bailey, Cycl. Amer. Hort. 703 (1900).—*Hab.*
Lindman, Veget. Rio Grande do Sul, 195 (1900).—*Hab.*
Transvaal Agric. Journ. ii. No. 5, t. 31 (1903).—*Hab.*
Hitchcock, Text-Book Grasses, 224 (1914).
atacamensis Pilger
Engler & Drude, Veget. Erde, xii. t. 23 (1911).—*Hab.*
conspicua Stapf
Jardin, xxiv. 213 (1910).—*Hab.*
jubata Stapf
*Bot. Mag. cxxiv. t. 7607 (1898).
Garden, lv. 93 (1899).—*Hab.*
Gard. Chron. Ser. III. xxvi. 102 (1899).—*Hab.*
kermesina Hort.
Journ. Hort. Ser. III. lxi. 439 (1910).—*Hab.*

CORTADERIA
Lambleyi Hort.
Garden, lvi. 333 (1899).—*Hab.*
Gard. Chron. Ser. III. xxv. 335 (1899).—*Hab.*
quila Stapf
Rev. Hort. 1899, p. 52, 53.
Flora & Sylva, iii. 173 (1905).—*Hab.*

CORTESIA Cav.
cuneata Miers
Miers, Contrib. Bot. ii. t. 83 (1860–69).
cuneifolia Cav.
Cavanilles, Ic. iv. t. 377 (1797).
Pflanzenfam. iv. III. A. 89 (1893).
Arkiv Bot. Stockholm, ix. No. 13, p. 3, 6, 7, 9 (1910).
cuneiformis Poir.
Lamarck, Ill. vi. t. 921 (1819).

CORTUSA Linn.—Vide *Kaufmannia*
Gmelinii Linn.
Gaertner, Fruct. i. t. 50 (1788).—*Fr.*
Lamarck, Ill. i. t. 99, fig. 2 (1791).
Boissieu, Fl. Eur. i. t. 122 (1805).—*Fl.*
Matthiolii Linn.
*Jacquin, Ic. Pl. Rar. i. t. 32 (1781–86).
Allioni, Fl. Pedem. iii. t. 5, fig. 3 (1785).
Gaertner, Fruct. i. t. 50 (1788).—*Fr.*
Lamarck, Ill. i. t. 99, fig. 1 (1791).
*Andrews, Bot. Rep. i. t. 1 (1797).
*Roemer, Fl. Eur. iii [t. 2] (1798).
Boissieu, Fl. Eur. i. t. 122 (1805).
*Bot. Mag. xxv. t. 987 (1807).
*Schkuhr, Bot. Handb. Ed. 2, t. 33 (1808).
*Schrank, Samml. Zierpfl. t. 1 (1819).
Trattinick, Fl. Oesterr. Kaiserth. ii. t. 128 (1820).
*Lodd. Bot. Cab. x. t. 956 (1824).
*Mag. Bot. & Gard. iii. t. 27 (1835).
Meigen, Deutschl. Fl. i. t. 39 (1836).
Nees, Gen. Pl., Gamop. i. t. 9 (1836).
*Petermann, Deutschl. Fl. t. 73, fig. 577 (1849).—*Fl.*
Reichenbach, Ic. Fl. Germ. xvii. t. 1081 (1854).
Cesati, Passer. & Gibelli, Comp. Fl. Ital. t. 64 (1867–86).—*Fl.*
*Weber, Alp.-Pfl. Ed. 3, iv. t. 359 (1872).
*Verlot, Pl. Alp. Ed. 2, t. 18 (1873).—*Hab.*
*Cusin, Herb. Fl. Franç. xv (Primulacées), t. 2 (1874).
*Wooster, Alp. Pl. Ed. 2, t. 40 (1874).—*Hab.*
Gartenfl. xxviii. 144 (1879).
*Seboth & A. W. Bennett, Alpine Pl. i. t. 86 (1879).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xix. t. 1950 (1884).
Pflanzenfam. iv. I. 109 (1890).
Baillon, Hist. Pl. xi. 319 (1892).—*Fl.*
*Correvon, Fl. Col. Suisse, t. 125 (1894).
Garcke, Ill. Fl. Deutschl. 499 (1895).
*A. W. Bennett, Fl. Alps, ii. t. 78 (1897).
*Hartinger, Atlas Alpenfl. iv. t. 301 (1897).
*G. Beck, Alpenblum. Semmering, t. 12, fig. 8 (1898).—*Fl.*
Fiori & Paol. Ic. Fl. Ital. 317 (1901).
Coste, Fl. France, ii. 531 (1903).
*Jul. Hoffmann, Alpine Fl. t. 34 (1903).
Pflanzenreich, Primulac. 16 (1905).—*Fl.*
*Flahault, Nouv. Fl. Alpes & Pyrén. i. t. 94 (1906).
*Senn, Alpen-Flora, ii. t. 94 (1906).
*Correvon & Rob. Alp. Fl. t. 74 [1908?].
*Hulme, Familiar Swiss Fl. t. 62 (1908).
*Oehninger, Alpenfl. t. 14, fig. 2 (1908).
Fedtschenko & Fler. Fl. Eur. Russia, 736 (1910).
Suireishchikov, Ill. Fl. Mosc. Gov. iii. 29 (1910).
*H. S. Thompson, Alp. Fl. Europe, t. 46 (1911).
*Hegi & Dunz. Alp. Fl. t. 21 (1913).
*Penzig, Fl. Alpi Illustr. Ed. 2, t. 34 (1915).
Schröter in Jahrb. Schweiz. Alpenclub, lii. 198 (1917).
—— **grandiflora** Regel
*Gartenfl. xxviii. t. 961 (1879).
—— **pekinensis** Richt.
Termész. Füz. (Naturhist. Hefte), xvii. 133 (1894).
pubens Schott
Reichenbach, Ic. Fl. Germ. xvii. t. 1102 (1855).

CORUNASTYLIS R. D. Fitzg.
apostasioides R. D. Fitzg.
*R. D. Fitzgerald, Austral. Orch. ii [t. 15] (1875–95).

CORVISARTIA Mérat: *Inula*
Helenium Mérat
Reichenbach, Ic. Fl. Germ. xvi. t. 921 (1853).
*Cusin & Ansberque, Herb. Fl. Franç. xii (Composées), t. 180 (1873).
Acloque, Fl. France, 379 (1894).
indica Royle
*Royle, Illustr. Bot. Himal. t. 60 (1839).

CORYANTHES Hook.
Albertinae Karst.
*Karsten, Auswahl Gewächse Venez. t. 1 (1848).
Ann. Hort. iv. 134 (1849).
*Fl. des Serres, Ser. I. viii. 3, t. 1; 9, t. 755 (1852–53).
*T. Moore, Illustr. Orchidac. Pl. Coryanth. t. 1 (1857).
Orchis, x. 73 (1916).—*Fl.*
Balfouriana Sander
Orch. World, ii. 28, 29 (1911); vi. 269 (1916).
biflora Barb.-Rodr.
Mart. Fl. Bras. iii. v. t. 98 (1898–1902).
Orchis, x. 76 (1916).—*Fl.*
Bungerothii Rolfe
*Lindenia, vi. t. 244 (1890).
Oesterr. Gart.-Zeit. iii. 139 (1908).
Orchis, x. 81 (1916).—*Fl.*
elegantissima Mart.
Gard. Chron. xvii. 593 (1882).—*Fl.*
Orchidophile, 1882, p. 374, suppl.; 1886, p. 116–19.
elegantium Linden & Reichb. f.
Orchis, x. 70 (1916).—*Fl.*
eximia Fr. Gérard
*Réveil, Règne Vég. iv. t. 8 (1870).—*Fl.*
Feildingii Lindl.
Fl. des Serres, Ser. I. iv. t. 364, 365 (1848).—*Fl.*
Journ. Hort. Soc. London, iii. 16, 17 (1848).
Gard. Chron. Ser. III. xxii. 31–39 (1897).—*Fl.*
leucocorys Rolfe
*Lindenia, vii. t. 293 (1891).
Gartenwelt, ix. 13 (1904).
Oesterr. Gart.-Zeit. iii. 122 (1908).
*Costantin, Atlas Orch. Cult. t. 15 (1913).—*Fl.*
Orchis, x. 77 (1916).—*Fl.*
macrantha Hook.
*Bot. Reg. xxii. t. 1841 (1836).
*Hort. Belge Journ. Jard. & Amat. iii. t. 53 (1836).
*Paxt. Mag. v. 31 (1838).
*Hartinger, Parad. Vindob. t. 32 (1844–60).
*Linden, Pescatorea, t. 30 (1860).
Gartenfl. xl. 153 (1891).—*Fl.*
Veitch, Man. Orch. Pl. Pt. 9, p. 105 (1893).—*Fl.*
Orch. Rev. iii. 41 (1895).—*Hab.*
*Bot. Mag. cxxvi. t. 7692 (1900).
Gard. Chron. Ser. III. xxviii. 355 (1900).—*Fl.*
Nicholson, '1900' Suppl. Dict. Gard. 260 (1900).—*Fl.*
Journ. Roy. Hort. Soc. London, xxxii. 102, fig. 19 (1908).
Neger, Biol. Pflanz. 630 (1913).—*Fl.*
Schlechter, Orchideen, 402, 403 (19[14–]15).
Bull. Missouri Bot. Gard. iii. t. 6, 7 (1915).
Orchis, x. 79 (1916).—*Fl.*
Orch. World, vi. 158 (1916).—*Fl.*
Garden, lxxxii. 47 (1918).—*Fl.*
macrocorys Rolfe
*Lindenia, viii. t. 342 (1892).
Orch. Rev. iii. 265 (1895); xxv. 201 (1917).—*Fl.*
Orchis, x. 74 (1916).—*Fl.*
maculata Hook.
*Bot. Mag. lviii. t. 3102 (1831).
*Bot. Reg. xxi. t. 1793 (1835).
*Maund & Henslow, Bot. Souv. [t. 50, 1838–40].
*Orbigny, Dict. Hist. Nat. Atlas, iii. t. 282 [1839–49].
*Maund, Botanist, v. t. 228 (1841).
*Hooker, Cent. Orch. Pl. t. 62 (1849).
Baillon, Adans. iv. t. 8 (1863–64).—*Fl.*
Gard. Chron. xxiii. 145 (1885).—*Fl.*

CORYANTHES
maculata
Pflanzenfam. ii. vi. 166 (1889).—*Fl.*
Stein, Orchideenbuch, 164 (1892).
Kerchove, Livre Orch. 121 (1894).—*Fl.*
Linden, Orch. Exot. 417 (1894).—*Fl.*
Journ. Orch. v. 319 (1895).—*Fl.*
*Rev. Hort. 1899, p. 428.
*Cogniaux, Dict. Icon. Orch., Coryanth. t. 1 (1906).—*Fl.*
Orchis, i. 5 (1906); x. 73 (1916).
Oesterr. Gart.-Zeit. iii. 67 (1908); ix. 189 (1914).
*Costantin, Atlas Orch. Cult. t. 15 (1913).—*Fl.*
—— **Parkeri** Hook.
*Bot. Mag. lxvi. t. 3747 (1839).
*Hooker, Cent. Orch. Pl. t. 63 (1849).
—— **punctata** Lindl.
*Planchon, Hort. Donat. Atlas, [t. 5] (1854–58).
*Warner & Will. Orch. Album, iii. t. 98 (1884).
*Orchidophile, 1887, p. 111.
B. S. Williams, Orchid-Grower's Man. Ed. 7, p. 214 (1894).—*Fl.*
—— **splendens** Cogn.
Mart. Fl. Bras. iii. v. t. 97 (1898–1902).
—— **vitrina** Rolfe
Orch. Rev. iv. 305 (1896); xxv. 200 (1917).—*Fl.*
Mastersiana F. C. Lehm.
Gard. Chron. Ser. III. xxix. 19 (1901).
Journ. Roy. Hort. Soc. London, xxvi. 79 (1901).
Parkeri Lindl.
*Hartinger, Parad. Vindob. t. 32 (1844–60); errore *C. speciosa* in ic.
punctata Beer
Orchis, x. 73 (1916).—*Fl.*
speciosa Hook.
*Bateman, Orchidac. Mex. & Guatem. t. 36 (1837–43).
*Hartinger, Parad. Vindob. t. 32 (1844–60), vide p. 32.
*Hooker, Cent. Orch. Pl. t. 61 (1849).
Paxt. Fl. Gard. iii. 106 (1852–53).—*Fl.*
Lem. Jard. Fl. iv. Misc. 53 (1854).—*Fl.*
Journ. Hort. lv. 132 (1876); Ser. III. xliii. 169 (1901).
Nature, xv. 358 (1877).—*Fl.*
De Puydt, Orchidées, 184 (1880).
Pfitzer, Grundz. Vergl. Morph. Orchideen, 101 (1882).
Gard. Chron. Ser. III. xxxvi. 106 (1904).—*Fl.*
*Cogniaux, Dict. Icon. Orch., Coryanth. t. 2 (1906).—*Fl.*
Costantin, Atlas Orch. Cult. 12 (1913).—*Fl.*
Orchis, x. 71 (1916).—*Fl.*
—— **vitellina** Morr.
*Ann. Gand, ii. t. 51 (1846).

CORYBAS Salisb.: *Corysanthes*
aconitiflorus Salisb.
*Salisbury, Parad. Londin. ii. 1. t. 83 (1807).
pruinosus Reichb. f.
Reichenbach f., Xenia Orch. ii. t. 197 (1874).
unguiculatus Reichb. f.
Reichenbach f., Xenia Orch. ii. t. 197 (1874).

CORYCIUM Sw.
bicolor Sw.
*Journ. Sc. & Arts, vi. t. 1, fig. 1 (1819).
*Bauer & Lindl. Ill. Orch. Pl. Genera, t. 15 (1830–38).—*Fl.*
*Bolus, Ic. Orch. Austr.-Afr. i. t. 47 (1893).
crispum Sw.
*Beer, Beitr. Morph. u. Biol. Orch. t. 3, fig. 38 (1863).—*Fr.*
Bolus, Ic. Orch. Austr.-Afr. i. t. 45 (1893).
excisum Lindl.
Bolus, Orch. Cape Penins. (Trans. S. Afr. Phil. Soc. v), t. 20 (1888).
*Bolus, Ic. Orch. Austr.-Afr. iii. t. 82 (1913) in ic.; *Pterygodium excisum* in textu.
microglossum Lindl.
*Bolus, Ic. Orch. Austr.-Afr. i. t. 46 (1893).
orobanchoides Sw.
Swartz in Svenska Vet. Akad. Handl. xxi. t. 3, fig. G (1800).—*Fl.*
Schrader, Neues Journ. Bot. i. 1. t. 1 (1805).—*Fl.*
*Journ. Sc. & Arts, viii. t. 3 (1820).
*Bot. Reg. xxiv. t. 45 (1838).

CORYCIUM
orobanchoides
*Beer, Beitr. Morph. u. Biol. Orch. t. 3, fig. 50 (1863).—*Fr.*
tricuspidatum Bolus
Journ. Linn. Soc., Bot. xxv. 177 (1889).—*Fl.*

CORYDALIS Vent.—Vide *Bulbocapnos, Capnites, Capnoides, Ceratocapnos, Cysticapnos*
acaulis Pers.
*Reichenbach, Ic. Fl. Germ. iii. t. 5 (1838–39).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xiii. t. 1311 (1883).
adunca Maxim.
Maximowicz, Fl. Tangut. t. 6 (1889).—*Fl.*
—— **humilis** Maxim.
Maximowicz, Fl. Tangut. t. 6 (1889).
albicaulis Franch.
Nouv. Arch. Mus. Hist. Nat. Paris, Ser. II. v. t. 8 (1883).
albiflora Kit.
*Reichenbach, Ic. Fl. Germ. iii. t. 8 (1838–39).
ambigua Cham. & Schlechtd.
Kwa-wi [transl. Savatier], Herb. ii. t. 10 (1759).
Somoku Dzusetsu, Ed. 2, xiii. t. 4 (1874).
*Useful Pl. Jap. ii. t. 404 (1895).
Busch in Fl. Sibir. & Or. Extr. (Mus. Bot. Acad. Petrop.), 64 (1913).
angustifolia DC.
*Gartenfl. ix. t. 304 (1860).
*Trans. Russ. Hort. Soc. 1860, t. 30.
Gard. Chron. Ser. III. xxxv. 307 (1904).
Garden, lxxxii. 116 (1918).
aurea Willd.
Gray & Sprague, Gen. Fl. Amer. i. t. 52 (1848).
Flora, xlviii. t. 5, fig. 3 (1865).—*Fl.*
Hitchcock & Norton in Bull. Kansas Agric. St. No. 57, t. 1, fig. 4 (1896); No. 66, t. 1, fig. 4 (1897).
*Clark & Fletcher, Farm Weeds Canada, t. 55, fig. 43 (1906); Ed. 2, t. 73, fig. 27 (1909).—*Fr.*
—— **occidentalis** Engelm.
Hitchcock & Norton in Bull. Kansas Agric. St. No. 50, t. 1, fig. 1 (1895).—*Veg.*
—— **speciosa** Willd.
*Gartenfl. x. t. 343 (1861).
*Trans. Russ. Hort. Soc. 1861, t. 69.
australis Hort.
Journ. Hort. Ser. III. xlv. 205 (1902).
Balansae Prain
Lecomte, Fl. Gén. Indo-Chine, i. 156 (1908).
Boissieri Prain
Bull. Herb. Boiss. vii. t. 6, fig. 9 (1899).—*Fl.*
Boweri Hemsl.
Hook. Ic. Pl. xxv. t. 2468 (1896).
bracteata Pers.
*Bot. Mag. lx. t. 3242 (1833).
*Bot. Reg. xix. t. 1644 (1834).
*J. W. Loudon, Ladies' Fl.-Gard. Ornam. Perenn. i. t. 16 (1843).
*Gartenfl. xiv. t. 476 (1865); xxvii. 54 (1878).
Garden, xvii. 479 (1880).
Nicholson, Illustr. Dict. Gard. i. 382 [1884–88].—*Fl.*
*Busch in Fl. Sibir. & Or. Extr. (Mus. Bot. Acad. Petrop.), 64, 67 (1913).
—— **Allenii** Hort.
Garden, lxxii. 290 (1908).—*Hab.*
bulbosa DC.
Jaume St.-Hilaire, Pl. France, ii [t. 14] (1808).
*Sweet & Weddell, Brit. Bot. t. 2, fig. 6 (1831).
Cottage Gard. x. 53 (1853).
*Réveil, Règne Vég. viii. t. 40 (1870).—*Hab.*
Baillon, Hist. Pl. iii. 125 (1872).—*Fl.*
Belg. Hort. xxiii. 369 (1873).
W. Robinson, Engl. Fl. Gard. t. 81 (1883).—*Hab.*
Dujard.-Beaumetz & Égasse, Pl. Méd. 212 (1889).
Rev. Hort. 1903, p. 458; 1905, p. 225.
*Bonnier, Fl. Compl. France, Suisse & Belge, i. t. 27 [1911].
Bot. Mag. Tokyo, xxvi. 91 (1912).—*Fl.*
Lindman, Svensk Fanerogamfl. 269 (1918).—*Fl.*
Moss, Cambridge Brit. Fl. iii. t. 177 (1920).
—— **bicaulis** Rossi
Mem. Pontif. Accad. Nuovi Lincei, vii. t. 1, 2, fig. 7 (1891).

CORYDALIS
bulbosa remota Nakai
Bot. Mag. Tokyo, xxvi. 91 (1912).—*Fl.*
—— **rotundifolia** Regel
*Somoku Dzusetsu, Ed. 2, xiii. t. 5 (1874).
bulbosa Pers.
*Hayne, Getreue Darst. Arzn. Gewächse, v. t. 1 (1817).
Berchtold & J. S. Presl, Rostlin. i. t. 39 (1823).
*Nees, Pl. Offic. Suppl. t. 103 (1833).
*Reichenbach, Ic. Fl. Germ. iii. t. 8 (1838–39).
canadensis Goldb.
Amer. Journ. Sc. xxvi. 114, cum tab. (1834).
capnoides Pers.
*Sturm, Deutschl. Fl. xiv. LXII [t. 988] (1833).
Irmisch in Abh. Nat. Ges. Halle, vi. t. 8, fig. 26 (1862).—*Fl.*
Pringsh. Jahrb. Bot. vii. t. 30, fig. 11–13 (1870).—*Fl.*
*Weber, Alp.-Pfl. Ed. 3, i. t. 43 (1872).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xiii. t. 1312 (1883).
Kerner, Pflanzenleben, ii. 85 (1891).—*Fl.*
Kerner & Oliv. Nat. Hist. Pl. ii. 87 (1895).—*Fl.*
Fiori & Paol. Ic. Fl. Ital. 175 (1899).
Busch in Fl. Sibir. & Or. Extr. (Mus. Bot. Acad. Petrop.), i. 50 (1913).
Hegi, Ill. Fl. Mittel-Eur. iv. 1. 44 (1913).
—— **tibetica** Maxim.
Maximowicz, Fl. Tangut. t. 24 (1889).
cashmeriana Royle
*Mag. Bot. & Gard. ii. t. 30 (1834).
*Royle, Illustr. Bot. Himal. t. 16 (1839).
Maximowicz, Fl. Tangut. t. 20 (1889).—*Fl.*
cava Schweigg & Kort.
*Dietrich, Fl. Boruss. ii. t. 106 (1834).
*Zenker, Fl. Thüringen, iv. t. 402 (1836–55).
*Lorek, Fl. Pruss. Ed. 3, t. 165, fig. 883 (1848).
*Schnizlein, Iconogr. iii. t. 180[2] (1855).—*Fr.*
Flora, xli. t. 1, fig. 12 (1858).—*Veg.*
Steiger, Flora Kantons Luzern, Rigi & Pilatus, 384 (1860).
Berg, Charakt. t. 85, fig. 609 (1861).
Irmisch in Abh. Nat. Ges. Halle, vi. t. 2, fig. 41–46; t. 3 (1862).—*Veg.*
×Cusin & Ansberque, Herb. Fl. Franç. i. t. 177 (1867).
Pringsh. Jahrb. Bot. vii. t. 30, fig. 1–10 (1870).—*Fl.*
Karsten, Deutsche Fl. Pharm.-medic. Bot. 651 (1880–83).—*Fl.*
Schilling, Grundr. Naturg. ii. Pflanzenr. Ausgb. A, p. 172 (1882); Ausgb. B, p. 231 (1884).—*Fl.*
Wagner, Ill. Deutsche Fl. Ed. 2, p. 39 (1882).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xiii. t. 1305 (1883).
Pflanzenfam. iii. II. 131, 133–135 (1889).
Garcke, Ill. Fl. Deutschl. 28 (1895).
Scholz in Schrift. Phys. Oekon. Ges. Königsberg, xxxix. t. 1–3 (1896).—*Veg.*
Knuth, Handb. Blütenbiol. ii. 1. 72 (1898).—*Fl.*
Fiori & Paol. Ic. Fl. Ital. 175 (1899).
Rev. Hort. 1899, p. 555.
Gradmann, Pflanzenl. Schwäb. Alb, Ed. 2, i. 42 (1900).
Coste, Fl. France, i. 66 (1901).
Warming in Overs. Danske Vidensk. Selsk. Forh. No. 1, p. 36 (1901).—*Veg.*
Warming, Handb. Syst. Bot. Ed. Möbius, 297 (1902).—*Fl.*
Robert-Tissot in Rameau de Sapin, xxxix. 36–38 (1905).
Notizbl. Bot. Gart. Berlin, App. xvi. 44 (1905).—*Fl.*
Suireishchikov, Ill. Fl. Mosc. Gov. ii. 168 (1907).
Heukels, Fl. Nederl. ii. 238 (1908).
Ulbrich in Verh. Bot. Ver. Brandenb. xlix. 218 (1908).—*Fr.*
Beille, Bot. Pharm. ii. 372 (1909).—*Fl.*
Pflanzenreich, Papaverac. 33 (1909).—*Fl.*
*Bonnier, Fl. Compl. France, Suisse & Belge, i. t. 27 [1911].
*Correvon, Fl. Champs & Bois, t. 1 (1911).
Wettstein, Handb. Syst. Bot. Ed. 2, p. 573 (1911).—*Fl.*

CORYDALIS
cava
Feucht, Württemb. Pflanzenw. t. 21, 23 (1912).—*Hab.*
Morton in Mitt. Nat. Ver. Univ. Wien, x. t. 1, fig. 4 (1912).—*Fr.*
*Gatin, Fl. des Bois, t. 4 (1913).
*Hegi, Ill. Fl. Mittel-Eur. iv. 1. 38, 39, t. 124 (1913).
Neger, Biol. Pflanz. 718 (1913).—*Fr.*
Cadevall & Sallent, Fl. Catalunya, i. 81 (1915).
Findeis in Sitzb. Akad. Wiss. Wien, cxxvi. 1. t. 2, fig. 1–5 (1917).—*Fr.*
Lindman, Svensk Fanerogamfl. 269 (1918).
Bot. Tidsskr. xxxv. 338 (1918).—*Veg.*
Mayevsky, Fl. Central Russia, 31 (1918).
—— **albiflora** Hort.
*Gartenfl. xxv. t. 874 (1876).
chaerophylla DC.
Wallich, Tent. Fl. Nap. t. 40 (1826).
cheilanthifolia Hemsl.
Vilmorin, Hort. Vilm. (Bull. Soc. Bot. France, 1904, li. App.), t. 15 (1906).—*Hab.*
Jardin, xx. 93 (1906).—*Hab.*
Bull. Soc. Acclim. lxii. 277 (1915).
Garden, lxxxiv. 234 (1920).—*Hab.*
claviculata DC.
*Reichenbach, Ic. Fl. Germ. iii. t. 5 (1838–39).
*C. E. Sowerby, Ill. Cat. Brit. Pl. fig. 56 (1841).
*J. W. Loudon, Brit. Wild Fl. Ed. 2, t. 8 [1846].
*Deakin, Florigr. Brit. iii. fig. 1102 (1847).
Petermann, Deutschl. Fl. t. 5, fig. 31, q–r (1849).—*Fl.*
Johnson & Sowerby, Brit. Wild Fl. fig. 60 (1858–60).
Irmisch in Abh. Nat. Ges. Halle, vi. t. 1, fig. 32, 33 (1862).—*Veg.*
*Hogg & Johnson, Wild Fl. Gr. Brit. i. t. 8 (1863).
*Syme, Engl. Bot. i. t. 70 (1863).
Bentham, Handb. Brit. Fl. fig. 46 (1865).
*Cusin & Ansberque, Herb. Fl. Franç. i. t. 181 (1867).
Journ. Linn. Soc., Bot. ix. 71 (1867).—*Veg.*
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, i. t. 14 [1873].
Wagner, Ill. Deutsche Fl. Ed. 2, p. 38 (1882).
Willkomm, Führ. Reich Pflanzen, 846 (1882).—*Fl.*
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xiii. t. 1313 (1883).
Acloque, Fl. France, 79 (1894).
Coste, Fl. France, i. 65 (1901).
C. T. Green, Fl. Liverpool Distr. fig. 27 (1902).
Blytt, Haandb. Norg. Fl. Ed. Dahl, 359 (1906).
Heukels, Fl. Nederl. ii. 240 (1908).
*Bonnier, Fl. Compl. France, Suisse & Belge, i. t. 27 [1911].
*Hegi, Ill. Fl. Mittel-Eur. iv. 1. t. 124 (1913).
*Perrin & Boulger, Brit. Flower. Pl. ii. t. 88, 90 [F], fig. 1–6 (1914).
Fitch & Smith, Ill. Brit. Fl. Ed. rev. 4, Iss. 2, fig. 47 (1919).
Moss, Cambridge Brit. Fl. iii. t. 179 (1920).
conspersa Maxim.
Maximowicz, Fl. Tangut. t. 25 (1889).
cornuta Royle
Collett, Fl. Siml. 26 (1902).
crassissima Jacquemont
Jacquemont, Voy. Inde, t. 11 (1844).
Hookers' Journ. Bot. & Kew Misc. iv. t. 9 (1852).
crista galli Maxim.
Maximowicz, Fl. Tangut. t. 25 (1889).
curviflora Maxim.
Maximowicz, Fl. Tangut. t. 20 (1889).
cyrtocentra Prain
Bull. Herb. Boiss. vii. t. 6, fig. 11 (1899).—*Fl.*
darwasica Regel
Bull. Herb. Boiss. vii. t. 6, fig. 1 (1899).—*Fl.*
dasyptera Maxim.
Maximowicz, Fl. Tangut. t. 7, 24 (1889).
decumbens Pers.
Somoku Dzusetsu, Ed. 2, xiii. t. 6 (1874).
Busch in Fl. Sibir. & Or. Extr. (Mus. Bot. Acad. Petrop.), i. 40 (1913).
Delavayi Franch.
Franchet, Pl. Delav. t. 14 (1889).

CORYDALIS
densiflora J. & C. Presl
*Verlot, Pl. Alp. Ed. 2, t. 49 (1873).—*Hab.*
digitata Pers.
*Zenker, Fl. Thüringen, vi. t. 702 (1836–55).
*Reichenbach, Ic. Fl. Germ. iii. t. 7 (1838–39).
Meigen, Deutschl. Fl. iii. t. 118 (1842).—*Fl.*
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xiii. t. 1307 (1883).
*Thomé, Fl. Deutschl. ii. t. 263 (1886).
diphylla Wall.
Bull. Herb. Boiss. vii. t. 6, fig. 2 (1899).—*Fl.*
Duthiei Maxim.
Maximowicz, Fl. Tangut. t. 25 (1889).
echinocarpa Franch.
Franchet, Pl. Delav. t. 15 (1889).
elegans Wall.
Maximowicz, Fl. Tangut. t. 25 (1889).—*Fl.*
enneaphylla DC.
*Cusin & Ansberque, Herb. Fl. Franç. i. t. 182 (1867).
Coste, Fl. France, i. 65 (1901).
Erdelii Zucc.
Zuccarini in Abh. Akad. Wiss. München, iii. t. 9 (1840).
fabacea Pers.
*Fl. Dan. viii. t. 1394 (1810).
*Hayne, Getreue Darst. Arzn. Gewächse, v. t. 2 (1817).
*Zenker, Fl. Thüringen, vi. t. 707 (1836–55).
*Reichenbach, Ic. Fl. Germ. iii. t. 7 (1838–39).
*Lorek, Fl. Pruss. Ed. 3, t. 165, fig. 885 (1848).
*Petermann, Deutschl. Fl. t. 5, fig. 31, a–k (1849).
*Sturm, Deutschl. Fl. xx. XLVI [t. 1437] (1855).
Irmisch in Abh. Nat. Ges. Halle, vi. t. 1, fig. 1–31; t. 2, fig. 1–40, 47–49 (1862).—*Veg.*
*Cusin & Ansberque, Herb. Fl. Franç. i. t. 178 (1867).
Wagner, Ill. Deutsche Fl. Ed. 2, p. 39 (1882).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xiii. t. 1306 (1883).
Acloque, Fl. France, 79 (1894).
Coste, Fl. France, i. 66 (1901).
Velenovsky, Vergl. Morphol. Pfl. ii. 301 (1907).
*Bonnier, Fl. Compl. France, Suisse & Belge, i. t. 27 [1911].
Suireishchikov, Ill. Fl. Mosc. Gov. iv. 82 (1914).
Falconeri Hook. f. & Thoms.
Maximowicz, Fl. Tangut. t. 20 (1889).—*Fl.*
Fedtschenkoana Regel
Act. Hort. Petrop. xxiii. t. 1 (1904).
Fedtschenko, Veg. Turkest. 427 (1915).
fimbrillifera Korsh.
Bull. Acad. Pétersb. Ser. V. ix. 424, t. 1 (1898).
formosa Pursh
*Mordant de Launay, Herb. Amat. v. t. 289 (1821).
Amer. Journ. Sc. xxvi. 114, cum tab. (1834).
*Fritzsche in Mém. Acad. Sc. Pétersb. Div. Sav. iii. t. 6, fig. 5 (1837).—*Fl.*
fumariifolia Maxim.
Matsumura, Ic. Pl. Koisikav. iv. t. 214 (1918).
fungosa Vent.
Ventenat, Choix Pl. t. 19 (1803).
Targioni-Tozzetti in Ann. Mus. Firenze, ii. t. 9, fig. 34–36, 47–52 (1810).—*Fl.*
Gebleri Ledeb.
*Ledebour, Ic. Pl. Ross. i. t. 49 (1829).
Payer, Organog. Comp. Fl. t. 49 (1857).—*Fl.*
gigantea Trautv. & Mey.
Miyabe & Miyake, Fl. Saghalin, t. 2 (1915).
—— **amurensis** Regel
Busch in Fl. Sibir. & Or. Extr. (Mus. Bot. Acad. Petrop.), i. 36 (1913).
glareosa Somm. & Levier.
Act. Hort. Petrop. xvi. t. 6 (1900).
glauca Pursh
Cornuti, Hist. 58 (1735); fide Pursh.
Miller & Whiting, Wild Fl. N.E. States, 48 (1895).
Gortschakowii Schrenk
*Gartenfl. xxxiv. t. 1183 (1885).
Maximowicz, Fl. Tangut. t. 20 (1889).—*Fl.*
Govaniana Wall.
*Mag. Bot. & Gard. ii. t. 28 (1834).
*Royle, Illustr. Bot. Himal. t. 16 (1839).

CORYDALIS
Govaniana
Maximowicz, Fl. Tangut. t. 25 (1889).—*Fl.*
Basu, Ind. Med. Pl. t. 59 (1918).
Griffithii Boiss.
Bull. Herb. Boiss. vii. t. 6, fig. 3 (1899).—*Fl.*
Halleri Willd.
*Hayne, Getreue Darst. Arzn. Gewächse, v. t. 3 (1817).
Trattinick, Fl. Oesterr. Kaiserth. ii. t. 156 (1820).
*Nees, Pl. Offic. Suppl. t. 103 (1833).
Hannae Kanitz
Kanitz, Pl. Exp. Szech. t. 1 (1891).
Hoffmeisteri Klotzsch
Klotzsch & Garcke, Bot. Ergebn. Reise Pr. Waldemar, t. 35 (1862).
incisa Pers.
Somoku Dzusetsu, Ed. 2, xiii. t. 1 (1874).
Bot. Mag. Tokyo, xxv. 64 (1911).—*Veg.*
Somoku Dzusetsu, Ed. Makino (Iconogr. Pl. Nippon), xiii. t. 1 (1912).
—— **liuchiuensis** Nakai
Bot. Mag. Tokyo, xxv. 64 (1911).—*Veg.*
inconspicua Bunge
Busch in Fl. Sibir. & Or. Extr. (Mus. Bot. Acad. Petrop.), i. 51 (1913).
integra Barb. & Maj.
Stefani, Major & Barbey, Samos, t. 1 (1892).
intermedia Mérat
*Dietrich, Fl. Boruss. ii. t. 108 (1834).
Potonié, Ill. Fl. Nord- u. Mittel-Deutschl. Ed. 4, fig. 270 (1889).
Karsten, Fl. Deutschl. ii. 195 (1895).—*Fl.*
Lindman, Bild. Nord. Fl. t. 186 (1901–5).
Blytt, Haandb. Norg. Fl. Ed. Dahl, 359 (1906).
Heukels, Fl. Nederl. ii. 239 (1908).
Hegi, Ill. Fl. Mittel-Eur. iv. 1. 40 (1913).
juncea Wall.
Wallich, Tent. Fl. Nap. t. 42 (1826).
Kolpakowskaiana Regel
*Gartenfl. xxvii. t. 948 (1878).
*Bot. Mag. cxiii. t. 6925 (1887).
laxa Fries
Lindman, Svensk Fanerogamfl. 269 (1918).
Ledebouriana Kar. & Kir.
*Gartenfl. xxviii. t. 981 (1879).
Garden, xviii. 147 (1880).
*Bot. Mag. cxiii. t. 6946 (1887).
Bull. Herb. Boiss. vii. t. 6, fig. 13 (1899).—*Fl.*
linarioides Maxim.
Maximowicz, Fl. Tangut. t. 10, 24 (1889).
longiflora Pers.
*Link & Otto, Ic. Pl. Rar. t. 2 (1828–31).
*Bot. Mag. lx. t. 3230 (1833).
*J. W. Loudon, Ladies' Fl.-Gard. Ornam. Perenn. i. t. 16 (1843).
*Gartenfl. xiv. t. 476 (1865).
longipes DC.
Wallich, Tent. Fl. Nap. t. 42 (1826).—*Fl.*
lutea DC.
*Jaume St.-Hilaire, Pl. France, ii [t. 15] (1808).
Dict. Sc. Nat., Planch. Bot. Dicot. t. 176 (1816–29).
*Sturm, Deutschl. Fl. xiv. LXII [t. 986] (1833).
*Reichenbach, Ic. Fl. Germ. iii. t. 6 (1838–39).
*C. E. Sowerby, Ill. Cat. Brit. Pl. fig. 55 (1841).
*Plée, Types chq. Famille Pl. France, t. 59 (1844).
*J. W. Loudon, Brit. Wild Fl. Ed. 2, t. 8 [1846].
*Deakin, Florigr. Brit. iii. fig. 1101 (1847).
Petermann, Deutschl. Fl. t. 5, fig. 31, p (1849).—*Fr.*
Seringe, Fl. Jard. ii. t. 3 (1849).
Cottage Gard. x. 93 (1853).
Payer, Organog. Comp. Fl. t. 50 (1857).—*Fl.*
Johnson & Sowerby, Brit. Wild Fl. fig. 59 (1858–60).
*Syme, Engl. Bot. i. t. 69 (1863).
Bentham, Handb. Brit. Fl. fig. 45 (1865).
*Cusin & Ansberque, Herb. Fl. Franç. i. t. 180 (1867).
*Hogg & Johnson, Wild Fl. Gr. Brit. iv. t. 299 (1868).
*Réveil, Règne Vég. xiv. t. 11 (1870).
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, i. t. 14 [1873].
Willkomm, Führ. Reich Pflanzen, 847 (1882).—*Fr.*
Wagner, Ill. Deutsche Fl. Ed. 2, p. 38 (1882).

CORYDALIS
lutea
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xiii. t. 1309 (1883).
*Baillon, Ic. Fl. Franç. i. t. 10 [1885–94].
Jardin, ii. 284 (1888).—*Hab.*
Wien. Ill. Gart.-Zeit. xv. 9 (1890).—*Fl.*
Kerner, Pflanzenleben, ii. 223 (1891).—*Fl.*
Lubbock, Seedlings, i. 132 (1892).—*Veg.*
Acloque, Fl. France, 79 (1894).
Brehm, Merv. Nat. Monde des Pl. i. 125 (1894–96).
Kerner & Oliv. Nat. Hist. Pl. ii. 226 (1895).—*Fl.*
Fiori & Paol. Ic. Fl. Ital. 175 (1899).
Rev. Hort. 1899, p. 554.—*Hab.*
Coste, Fl. France, i. 66 (1901).
C. T. Green, Fl. Liverpool Distr. fig. 26 (1902).
Bull. Soc. Bot. France, 1902, xlix. 362 (1903).—*Fl.*
Heukels, Fl. Nederl. ii. 240 (1908).
*Hulme, Familiar Swiss Fl. t. 21 (1908).
*Bonnier, Fl. Compl. France, Suisse & Belge, i. t. 27 [1911].
*Hegi, Ill. Fl. Mittel-Eur. iv. 1. t. 124 (1913).
Cadevall & Sallent, Fl. Catalunya, i. 80 (1915).
*Horwood, Brit. Wild Fl. v. t. 60, p. 136 (1919).
Fitch & Smith, Ill. Brit. Fl. Ed. rev. 4, Iss. 2, fig. 46 (1919).
Moss, Cambridge Brit. Fl. iii. t. 178 (1920).
macrocentra Regel
Act. Hort. Petrop. viii. t. 16 (1884).
Bull. Herb. Boiss. vii. t. 6, fig. 10 (1899).—*Fl.*
Marschalliana Pers.
Delessert, Ic. Pl. ii. t. 10 (1823).
*Gartenfl. xv. t. 511 (1866).
Suireishchikov, Ill. Fl. Mosc. Gov. ii. 169 (1907).
meifolia Wall.
Wallich, Tent. Fl. Nap. t. 41 (1826).
Maximowicz, Fl. Tangut. t. 25 (1889).—*Fl.*
melanochlora Maxim.
Maximowicz, Fl. Tangut. t. 10 (1889).
modesta Prain
Bull. Herb. Boiss. vii. t. 6, fig. 4 (1899).—*Fl.*
mucronifera Maxim.
Maximowicz, Fl. Tangut. t. 24 (1889).
nobilis Pers.
*J. W. Loudon, Ladies' Fl.-Gard. Ornam. Perenn. i. t. 16 (1843).
Irmisch in Abh. Nat. Ges. Halle, vi. t. 4, 5 (1862).
Gartenfl. xxvi. 116 (1877).
Gard. Chron. xix. 725 (1883); Ser. III. xxxv. 308 (1904).
Nicholson, Illustr. Dict. Gard. i. 383 [1884–88].—*Hab.*
Maximowicz, Fl. Tangut. t. 25 (1889).—*Fl.*
Rev. Hort. 1899, p. 555.
Velenovsky, Vergl. Morphol. Pfl. ii. 382 (1907).—*Veg.*
Busch in Fl. Sibir. & Or. Extr. (Mus. Bot. Acad. Petrop.), i. 69 (1913).
L. H. Bailey, Stand. Cycl. Hort. 857 (1914).
nudicaulis Regel
Act. Hort. Petrop. viii. t. 15 (1884).
ochotensis Turcz.
Busch in Fl. Sibir. & Or. Extr. (Mus. Bot. Acad. Petrop.), i. 44 (1913).
ochroleuca Koch
*Sturm, Deutschl. Fl. xiv. LXII [t. 987] (1833).
*Reichenbach, Ic. Fl. Germ. iii. t. 6 (1838–39).
Petermann, Deutschl. Fl. t. 5, fig. 31, l–o (1849).—*Fl.*
Flora, xlviii. t. 5, fig. 14–17 (1865).—*Fl.*
Pringsh. Jahrb. Bot. vii. t. 30, fig. 14–30 (1870).—*Fl.*
Willkomm, Führ. Reich Pflanzen, 847 (1882).—*Fr.*
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xiii. t. 1310 (1883).
Bull. Soc. Bot. France, 1902, xlix. 362 (1903).—*Fl.*
Hegi, Ill. Fl. Mittel-Eur. iv. 1. 43, 44 (1913).
Rameau de Sapin, Ser. II. ii. 32 (1918).
oppositifolia DC.
Bull. Herb. Boiss. vii. t. 6, fig. 8 (1899).—*Fl.*
oxypetala Franch.
Franchet, Pl. Delav. t. 13 (1889).

CORYDALIS
paeoniifolia Pers.
J. G. Gmelin, Fl. Sibir. iv. t. 34 (1769); fide Ledebour, Comm. 117.
Busch in Fl. Sibir. & Or. Extr. (Mus. Bot. Acad. Petrop.), i. 38 (1913).
pallida Pers.
*Bot. Mag. cxi. t. 6826 (1885).
Somoku Dzusetsu, Ed. Makino (Iconogr. Pl. Nippon), xiii. t. 3 (1912).
—— **speciosa** Kom.
Busch in Fl. Sibir. & Or. Extr. (Mus. Bot. Acad. Petrop.), i. 42 (1913).
pauciflora Pers.
Delessert, Ic. Pl. ii. t. 9 (1823).
*Ledebour, Ic. Pl. Ross. v. t. 450 (1834).
Busch in Fl. Sibir. & Or. Extr. (Mus. Bot. Acad. Petrop.), i. 54 (1913).
—— **latiloba** Maxim.
Maximowicz, Fl. Tangut. t. 24 (1889).
—— **parviflora** Regel
Busch in Fl. Sibir. & Or. Extr. (Mus. Bot. Acad. Petrop.), i. 55 (1913).
—— **sibirica** Regel
Busch in Fl. Sibir. & Or. Extr. (Mus. Bot. Acad. Petrop.), i. 54 (1913).
persica Cham. & Schlechtd.
Act. Hort. Petrop. viii. t. 16 (1884).
Bull. Herb. Boiss. vii. t. 6, fig. 12 (1899).—*Fl.*
physocarpa Cambess.
Jacquemont, Voy. Inde, t. 12 (1844).
platycarpa Makino
Somoku Dzusetsu, Ed. Makino (Iconogr. Pl. Nippon), xiii. t. 2 (1912).
pulchella Aitch. & Hemsl.
Journ. Linn. Soc., Bot. xix. t. 4 (1882).
Franchet, Pl. Delav. t. 13 (1889).
pumila Koch
*Reichenbach, Ic. Fl. Germ. iii. t. 7 (1838–39).
Ettingshausen in Sitzb. Akad. Wiss. Wien, xx. 475 (1856).—*Veg.*
Willkomm, Führ. Reich Pflanzen, 848, t. 3, fig. 66 (1882).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xiii. t. 1308 (1883).
Warming in Overs. Danske Vidensk. Selsk. Forh. No. 1, p. 36 (1901).—*Veg.*
Bot. Notiser, 1909, p. 299.—*Fl.*
Hegi, Ill. Fl. Mittel-Eur. iv. 1. 40 (1913).
Lindman, Svensk Fanerogamfl. 269 (1918).
Bot. Tidsskr. xxxv. 338 (1918).—*Veg.*
racemosa Pers.
Somoku Dzusetsu, Ed. 2, xiii. t. 3 (1874).
Raddeana Regel
Bull. Soc. Nat. Mosc. xxxiv. No. 3, t. 4 (1861).
Regel & Herder, Reisen Süd. Ost-Sibir. i. t. 4 (1861).
*Miyoshi & Makino, Pocket-Atlas, Alp. Pl. Jap. ii. t. 45, fig. 260 (1907).
ramosa Wall.
Basu, Ind. Med. Pl. t. 59 (1918).
remota fumariifolia Kom.
Busch in Fl. Sibir. & Or. Extr. (Mus. Bot. Acad. Petrop.), i. 63 (1913).
—— **genuina** Maxim.
Somoku Dzusetsu, Ed. Makino (Iconogr. Pl. Nippon), xiii. t. 5, 6 (1912).
Busch in Fl. Sibir. & Or. Extr. (Mus. Bot. Acad. Petrop.), i. 59, 60 (1913).
—— **linearibloba** Maxim.
Busch in Fl. Sibir. & Or. Extr. (Mus. Bot. Acad. Petrop.), i. 62 (1913).
—— **pectinata** Kom.
Busch in Fl. Sibir. & Or. Extr. (Mus. Bot. Acad. Petrop.), i. 60 (1913).
—— **rotundiloba** Maxim.
Busch in Fl. Sibir. & Or. Extr. (Mus. Bot. Acad. Petrop.), i. 61 (1913).
—— **ternata** Makino
Somoku Dzusetsu, Ed. Makino (Iconogr. Pl. Nippon), xiii. t. 4 (1912).
rosea Maxim.
Maximowicz, Fl. Tangut. t. 11 (1889).
rutifolia DC.
*Sibthorp & Sm. Fl. Graeca, vii. t. 667 (1830).
Post, Fl. Syria, Palestine & Sinai, 55 [1896].—*Fl.*

CORYDALIS
rutifolia
Bull. Herb. Boiss. vii. t. 6, fig. 6 (1899).—*Fl.*
Marret, Ic. Fl. Alp. Pl. Fasc. 3, t. 44 [1911].
Holmboe, Veg. Cyprus, 252 (1914).
scaberula Maxim.
Maximowicz, Fl. Tangut. t. 24 (1889).
Schanginii Fedtsch.
Busch in Fl. Sibir. & Or. Extr. (Mus. Bot. Acad. Petrop.), i. 57 (1913).
Scouleri Hook.
Hooker, Fl. Bor.-Amer. t. 14 (1833).
Semenovii Regel & Herd.
Bull. Soc. Nat. Mosc. xxxvii. No. 2, t. 8 (1864).
Gartenfl. xxx. 313 (1881).
Gart.- u. Blumenzeit. Hamburg, xxxvii. 102 (1881).
Garden, xxvi. 280 (1884).
Nicholson, Illustr. Dict. Gard. i. 383 [1884–88].
Maximowicz, Fl. Tangut. t. 20 (1889).—*Fl.*
sempervirens Pers.
Pflanzenfam. iii. II. 135 (1889).—*Fr.*
Sewerzowii Regel
*Gartenfl. xxxi. t. 1077 (1882).
Rev. Hort. 1883, p. 116.
*Bot. Mag. cxii. t. 6896 (1886).
Bull. Herb. Boiss. vii. t. 6, fig. 5 (1899).—*Fl.*
sibirica Pers.
J. G. Gmelin, Fl. Sibir. iv. t. 33 (1769); fide Ledebour, Comm. 117.
Busch in Fl. Sibir. & Or. Extr. (Mus. Bot. Acad. Petrop.), i. 47 (1913).
slivenensis Vel.
Velenovsky in Sitzb. Böhm. Ges. Wiss. 1887, p. 467, tab. fig. 1 (1888).
solida Sw.
*[Swartz], Svensk Bot. viii. t. 531 (1819).
*Dietrich, Fl. Boruss. ii. t. 107 (1834).
*Baxter, Brit. Bot. Ed. 2, iii. t. 190 (1837).
*C. E. Sowerby, Ill. Cat. Brit. Pl. fig. 54 (1841).
*J. W. Loudon, Brit. Wild Fl. Ed. 2, t. 8 [1846].
*Deakin, Florigr. Brit. iii. fig. 1100 (1847).
*Lorek, Fl. Pruss. Ed. 3, t. 165, fig. 884 (1848).
*Sturm, Deutschl. Fl. xx. XCIV [t. 1412] (1849).
Schnizlein, Iconogr. iii. 180[2] (1855).
Johnson & Sowerby, Brit. Wild Fl. fig. 58 (1858–60).
*Syme, Engl. Bot. i. t. 68 (1863).
!Ann. Sc. Nat. Paris, Ser. V. ii. t. 17 (1864).
*Cusin & Ansberque, Herb. Fl. Franç. i. t. 179 (1867).
Le Maout & Decaisne, Traité Gén. Bot. 412 (1868).
*Moggridge, Fl. Mentone, t. 53 (1871).
Baillon, Hist. Pl. iii. 126 (1872).—*Veg.*
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, i. t. 14 [1873].
Karsten, Deutsche Fl. Pharm.-medic. Bot. 651 (1880–83).
W. Robinson, Engl. Fl. Gard. t. 81 (1883).—*Fl.*
Nicholson, Illustr. Dict. Gard. i. 383 [1884–88].—*Hab.*
*Baillon, Ic. Fl. Franç. ii. t. 161 [1885–94].
Pflanzenfam. iii. II. 131, 144 (1889).
*Masclef, Atlas Pl. France, t. 25 (1893).
Bot. Centralbl. xv. LIX. t. 2 (1894).—*Fr.*
Karsten, Fl. Deutschl. ii. 195 (1895).
Knuth, Handb. Blütenbiol. i. 142 (1898).—*Fl.*
Fiori & Paol. Ic. Fl. Ital. 175 (1899).
Rev. Hort. 1899, p. 554.
Gradmann, Pflanzenl. Schwäb. Alb, Ed. 2, ii. 145 (1900).
Coste, Fl. France, i. 66 (1901).
Flora, xcv. 398 (1905).—*Veg.*
Lazaro, Comp. Fl. Españ. ii. 190 (1907).
Suireishchikov, Ill. Fl. Mosc. Gov. ii. 168 (1907).
Velenovsky, Vergl. Morphol. Pfl. ii. 298 (1907).—*Veg.*
Heukels, Fl. Nederl. ii. 238 (1908).
*Hulme, Familiar Swiss Fl. t. 22 (1908).
Fedtschenko & Fler. Fl. Eur. Russia, 444 (1910).
*Milner, Life Oberammergau, t. 4 (1910).
Silva Tarouca, Freiland-Stauden, 71 (1910).—*Hab.*
*Bonnier, Fl. Compl. France, Suisse & Belge, i. t. 27 [1911].

CORYDALIS
solida
*Gatin, Fl. des Bois, t. 4 (1913).
Goebel, Organogr. Pfl. Ed. 2, i. 106, 107, 292 (1913).
*Hegi, Ill. Fl. Mittel-Eur. iv. I. 39, t. 124 (1913).
Fritsche, Recherch. Anat. Corydalis Solida (Archiv. Instit. Bot. Univ. Liége, v), t. 1, 2 (1914).—*Veg.*
Cadevall & Sallent, Fl. Catalunya, i. 81 (1915).
Mayevsky, Fl. Central Russia, 31 (1918).
straminea Maxim.
Maximowicz, Fl. Tangut. t. 20 (1889).
streptocarpa Maxim.
Maximowicz, Fl. Tangut. t. 11 (1889).
stricta Steph.
*Ledebour, Ic. Pl. Ross. i. t. 56 (1829).
Busch in Fl. Sibir. & Or. Extr. (Mus. Bot. Acad. Petrop.), i. 71 (1913).
thalictrifolia Franch.
*Bot. Mag. cxxviii. t. 7830 (1902).
Gard. Chron. Ser. III. xxxii. 288, 289 (1902); xxxv. 309 (1904); lxv. 134 (1919); lxvii. 189 (1920).
Journ. Hort. Ser. III. xlv. 75 (1902).
Gartenwelt, ix. 17 (1904).
Horticulture (Boston), xi. 69 (1910).—*Hab.*
Garden, lxxvii. 621 (1913).—*Hab.*
tomentella Franch.
Rev. Hort. 1904, p. 189.
Vilmorin, Hort. Vilm. (Bull. Soc. Bot. France, 1904, li. App.), 91 (1905).
trachycarpa Maxim.
Maximowicz, Fl. Tangut. t. 10 (1889).
trifoliata Franch.
Franchet, Pl. Delav. t. 14 (1889).
triternata Zucc.
Zuccarini in Abh. Akad. Wiss. München, iii. t. 9 (1840).
tuberosa DC.
*Nees, Pl. Offic. Suppl. t. 102 (1833).
*J. W. Loudon, Ladies' Fl.-Gard. Ornam. Perenn. i. t. 16 (1843).
*Baillon, Ic. Fl. Franç. i. t. 71 [1885–94].
G. Beck, Fl. Nied.-Oesterr. ii. I. 437 (1892).—*Fl.*
Vernyi Franch. & Sav.
Matsumura, Ic. Pl. Koisikav. iv. t. 213 (1918).
verticillaris DC.
Bull. Herb. Boiss. vii. t. 6, fig. 7 (1899).—*Fl.*
Wettsteinii Adamović
Oesterr. Bot. Zeitschr. lvi. 175 (1906).
Wilfordii Regel
Bull. Soc. Nat. Mosc. xxxvii. No. 2, t. 8 (1864).
*Somoku Dzusetsu, Ed. 2, xiii. t. 2 (1874).
Wilsonii N. E. Br.
*Bot. Mag. cxxx. t. 7939 (1904).
Gard. Chron. Ser. III. xxxv. 306 (1904); lxv. 135 (1919).

CORYLOPSIS Sieb. & Zucc.
glabrescens Franch. & Sav.
Schneider, Ill. Handb. Laubh. i. 430 (1905).—*Veg.*
Matsumura, Ic. Pl. Koisikav. iv. t. 218 (1918).
glandulifera Hemsl.
Hook. Ic. Pl. xxix. t. 2818 (1906).
Schneider, Ill. Handb. Laubh. ii. 956 (1912).—*Fl.*
grata Griff.
Griffith in Journ. Asiat. Soc. Bengal, xxiii. No. 7, t. 2 (1854) in ic.; *C. himalayana* in textu, p. 641.
Griffithii Hemsl.
Hook. Ic. Pl. xxix. t. 2820 (1906).—*Fl.*
Henryi Hemsl.
Hook. Ic. Pl. xxix. t. 2820 (1906).—*Fl.*
Schneider, Ill. Handb. Laubh. ii. 956 (1912).—*Fl.*
himalayana Griff.
Griffith in Journ. Asiat. Soc. Bengal, xxiii. No. 7, p. 641 (1854) in textu; *C. grata* in ic. t. 2.
*Bot. Mag. cx. t. 6779 (1884).
Pflanzenfam. iii. II. A. 118 (1891).—*Fl.*
Brandis, Indian Trees, 301 (1906).
Hook. Ic. Pl. xxix. t. 2820 (1906).—*Fl.*
macrostachya Pampan.
Nuov. Giorn. Bot. Ital. N. Ser. xvii. 287 (1910).
manipurensis Hemsl.
Hook. Ic. Pl. xxix. t. 2820 (1906).—*Fl.*

CORYLOPSIS
multiflora Hance
Hook. Ic. Pl. xxix. t. 2820 (1906).—*Fl.*
pauciflora Sieb. & Zucc.
Siebold & Zucc. Fl. Jap. t. 20 (1835).
Gard. & Forest, v. 342 (1892).—*Hab.*
Dippel, Handb. Laubholzk. iii. 271 (1893).
Bull. Coll. Agric. Tokyo, ii. t. 12, fig. 1 (1895).—*Veg.*
*Useful Pl. Jap. ii. t. 642 (1895).
Gard. Chron. Ser. III. xxv. 211 (1899).—*Fl.*
*Gartenfl. xlviii. t. 1467 (1899).
Journ. Roy. Hort. Soc. London, xxiii. Proc. p. xlvi (1899–1900).—*Fl.*
*Bot. Mag. cxxvi. t. 7736 (1900).
Journ. Hort. Ser. III. xlviii. 381 (1904).—*Fl.*
Schneider, Ill. Handb. Laubh. i. 430, 432 (1905).—*Veg.*
Rev. Hort. 1907, p. 404.—*Fl.*
*Shirasawa, Ic. Ess. Forest. Jap. ii. t. 26 (1908).
Apgar, Orn. Shrubs U.S. 203, fig. 322 (1910).
Miyoshi, Pl. World Jap. 129 (1910).
Bean, Trees & Shrubs, i. 397 (1914).
platypetala laevis Rehd. & Wils.
Rev. Hort. 1916, p. 65.
sinensis Hemsl.
Gard. Chron. Ser. III. xxxix. 18 (1906).
Hook. Ic. Pl. xxix. t. 2820 (1906).—*Fl.*
Schneider, Ill. Handb. Laubh. ii. 955, 956 (1912).
spicata Sieb. & Zucc.
Siebold & Zucc. Fl. Jap. t. 19 (1835).
*Bot. Mag. xc. t. 5458 (1864).
Gard. Chron. 1865, p. 172; ii. 683 (1874); xv. 510 (1881); Ser. III. xxv. 210 (1899).
Rev. Hort. 1869, p. 230; 1878, p. 198; 1907, p. 403, 405.
Garden, vi. 503 (1874).—*Fl.*
*Fl. des Serres, Ser. II. x. t. 2135 (1874).
Lauche, Deutsche Dendrol. Ed. 2, p. 548 (1883).
Nicholson, Woods & Forests, i. 333 (1884).—*Fl.*
Nicholson, Illustr. Dict. Gard. i. 384 [1884–88].—*Fl.*
Pflanzenfam. iii. II. A. 127 (1891).
Dippel, Handb. Laubholzk. iii. 270 (1893).
Bull. Coll. Agric. Tokyo, ii. t. 12, fig. 2 (1895).—*Veg.*
*Useful Pl. Jap. ii. t. 641 (1895).
Journ. Roy. Hort. Soc. London, xxiii. Proc. p. xlvii (1899–1900).
Schneider, Dendrol. Winterst. 95 (1903).—*Veg.*
Schneider, Ill. Handb. Laubh. i. 430, 431, 432 (1905).
*Shirasawa, Ic. Ess. Forest. Jap. ii. t. 26 (1908).
Apgar, Orn. Shrubs U.S. 204, fig. 323 (1910).
stenopetala Hayata
Hayata, Ic. Pl. Formosan. vi. t. 3 (1916).
Kanehira, Formosan Trees, 231 (1917).
Veitchiana Bean
*Bot. Mag. cxxxvi. t. 8349 (1910).
Garden, lxxvi. 184 (1912).—*Hab.*
Schneider, Ill. Handb. Laubh. ii. 955, 956 (1912).
Journ. Roy. Hort. Soc. London, xxxviii. Proc. p. lx, fig. 42 (1913).
Bean, Trees & Shrubs, i. 398 (1914).
Willmottiae Rehd. & Wils.
Rev. Hort. 1916, p. 65.
*Bot. Mag. cxliii. t. 8708 (1917).
Wilsonii Hemsl.
Hook. Ic. Pl. xxix. t. 2819 (1906).
Schneider, Ill. Handb. Laubh. ii. 955, 956 (1912).

CORYLUS Linn.
algeriensis Hort.
Garden, xiii. 11 (1878).—*Fr.*
americana Walt.
Dict. Sc. Nat., Planch. Bot. Dicot. 302 (1816–29).
Brendel, Trees & Shrubs in Illinois (Trans. Illinois State Agric. Soc. iv), 419 (1861).
Goeschke, Haselnuss, t. 71 (1887).
Dippel, Handb. Laubholzk. ii. 131 (1892).
Koehne, Dendrol. 118 (1893).—*Fr.*
Newhall, Shrubs N.E. Amer. 213 (1893).
Britton & Brown, Ill. Fl. N. States & Canada, i. 507 (1896); Ed. 2, i. 607 (1913).
U.S. Dep. Agric. Div. Pom. Nut Cult. t. 13 (1896).—*Fr.*

CORYLUS
americana
Lounsberry, Guide to the Trees, Ed. 2, p. 182 (1900).
L. H. Bailey, Cycl. Amer. Hort. 382 (1900); Stand. Cycl. Hort. 1436 (1915).—*Fr.*
Schneider, Dendrol. Winterst. 162 (1903).—*Veg.*
Parkhurst, Trees, Shrubs, Vines N.E. United States, 301, t. 10, fig. 55 (1903).—*Veg.*
Keeler, Our North. Shrubs, 450–52 (1903); Ed. 2, p. 450–52 (1912).
Pflanzenreich, Betulac. 49 (1904).—*Fr.*
Schneider, Ill. Handb. Laubh. i. 146, 148, 149 (1904).
Jones & Rand in Bull. Vermont Agric. St. No. 145, p. 79 (1909).
Apgar, Orn. Shrubs U.S. 316, fig. 563 (1910).
Bull. Soc. Dendr. France, 1912, p. 106.—*Fr.*
Clements, Rosend. & Butters, Minnesota Trees & Shrubs, 242 (1912).
Mathews, Field Book Amer. Trees & Shrubs, 111 (1915).
Pammel & King in Proc. Iowa Acad. Sc. xxv. 306 (1918).—*Veg.*
Illick, Pennsylvania Trees (Pennsylv. Dept. For. Bull. No. 11), t. 51 (1919).
Weaver in Carnegie Inst. Washington, Publ. No. 286, t. 15 (1919).—*Veg.*
Goebel, Entfaltungsb. Pfl. 95 (1920).
Pellett, Amer. Honey Pl. 119 (1920).
—— **humilis** Wangenh.
Wangenheim, Beytr. Forstwissensch. t. 29, fig. 63 (1787).
Avellana Linn.
*Kniphof, Herb. Viv. i. t. 317, 318 (1758).
*Regnault, Bot. iii. 56 (1774).
Buchoz, Hist. Règne Vég. xi. Dec. 2, t. 7 (1776).
*Zorn, Ic. Pl. Med. iii. t. 228 (1781).
*Bergeret, Phyt. Univ. ii. 71 (1784).
Hoppe, Ect. Pl. Ratisb. t. 253 (1788).
*Joh. Kerner, Beschr. u. Abbild. Bäume u. Gestr. Wirtemberg, t. 58 (1790).
*Reitter & Abel, Holz-Art. t. 36 (1790).
Gaertner, Fruct. ii. t. 89 (1791).—*Fr.*
*Joh. Kerner, Abbild. Oek. Pfl. (Fig. Pl. Écon.), iv. t. 394 (1791).
*F. J. Schultz, Abb. Bäume, Staud. Sträuch. Oesterr. ii. t. 146 (1792).
C. K. Sprengel, Entd. Geheimn. Natur, t. 25, fig. 17 (1793).—*Fl.*
*Oskamp, Afb. Artseny-Gewass. iii. t. 293 (1796).
Lamarck, Ill. v. t. 780 (1797–1819).
*Sowerby & Sm. Engl. Bot. xi. t. 723 (1800).
Aikin, Woodl. Comp. t. 11 (1802).
*Svensk Bot. ii. t. 139 (1803).
*Plenck, Ic. Pl. Med. vii. t. 673 (1803).
Barton, Elem. Bot. t. 5, fig. K (1804).—*Fr.*
Boissieu, Fl. Eur. iii. t. 616 (1806).
*Roques, Pl. Usuell. Indig. & Exot. i. t. 72 (1807).
*Schkuhr, Bot. Handb. Ed. 2, t. 305 (1808).
*Duhamel, Arbres & Arbustes, Ed. 2, iv. t. 5 (1809).
Thornton, Brit. Fl. iii. 119 (1812).
*Fl. Dan. ix. t. 1468 (1813).
*Schrank, Fl. Monac. ii. t. 124 (1814).
Dict. Sc. Nat., Planch. Bot. Dicot. 303 (1816–29).
*Vietz, Ic. Pl. Med.-oec-techn. v. t. 440 (1817).
*Guimpel, Willd. & Hayne, Abb. Deutsch. Holzart. ii. t. 151 (1820).
*Jaume St.-Hilaire, Traité Arbriss. & Arbust. ii. t. 116 (1825).
*Curtis, Fl. Londin. Ed. 2, iii [t. 146] (1826).
*Krebs, Holzarten, t. 21, 141 (1826).
*Kops, Fl. Batava, v. t. 345 (1828).
Linnaea, iv. t. 3, fig. 6 (1829).—*Fr.*
Mirbel in Mém. Acad. Sc. Instit. France, ix. 684, t. 8 (1830).—*Veg.*
*Heger, Danske Oec. Pl. iii. t. 271 (1835).
Nees, Gen. Pl., Monochlam. i. t. 22 (1835).
Nov. Act. Acad. Nat. Cur. xviii. 1. t. 39 (1836).—*Veg.*
*Zenker, Fl. Thüringen, i. t. 38 (1836–55).

CORYLUS
Avellana
Bull. Soc. Nat. Mosc. x. No. 5, t. 1, fig. 12 (1837).—*Fr.*
*Baxter, Brit. Bot. Ed. 2, v. t. 338 (1840).
[M. E.] Jackson, Pict. Fl. fig. 1402 (1840).
*Dietrich, Fl. Boruss. xii. t. 842 (1844).
*Deakin, Florigr. Brit. iii. fig. 1466 (1847).
*Lorek, Fl. Pruss. Ed. 3, t. 222, fig. 1181 (1848).
C. A. Johns, Forest Trees Brit. ii. 137, 140 (1849); Ed. 11, p. 242, 244 (1919).
*Petermann, Deutschl. Fl. t. 80, fig. 635 (1849).
*Reichenbach, Ic. Fl. Germ. xii. t. 636 (1850).
*Hartig, Forstl. Cult. t. 15 (1851).
*Calwer, Landwirthsch. Pflanzenk. ii. t. 18, fig. 1 (1854).
Agardh, Theor. Syst. Pl. t. 13 (1858).—*Fl.*
Johnson & Sowerby, Brit. Wild Fl. fig. 1207 (1858–60).
*Fiscali, Deutschl. Forstcult.-Pfl. t. 10, fig. 7–12 (1858).
Willkomm, Deutschl. Laubhölz. im Winter, 25, fig. 26 (1859).—*Veg.*
Schacht, Baum, t. 4 (1860).—*Fl.*
Schacht, Lehrb. Anat. Phys. Gewächse, ii. 605, t. 9 (1860).—*Fl.*
Steiger, Flora Kantons Luzern, Rigi & Pilatus, 511 (1860).
Berg, Charakt. t. 20, fig. 175 (1861).—*Fl.*
*Johnson & Sowerby, Useful Pl. Gr. Brit. t. 19, fig. 218 (1861[–62]).
Pokorny, Oesterr. Holzpfl. 464, t. 7 (1864).—*Veg.*
Bentham, Handb. Brit. Fl. fig. 907 (1865).
Heer, Pfl. Pfahlbauten, tab. fig. 56–60 (1865).—*Fr.*
*Schubert, Naturg., Pflanzenreich, Ed. 2, t. 47, fig. 11 [1865].
Migout, Fl. Dépt. Allier, t. 20 (1866).—*Fl.*
Leuba in Rameau de Sapin, ii. 10 (1867).
Cesati, Passer. & Gibelli, Comp. Fl. Ital. t. 31 (1867–86).—*Fl.*
Gayffier, Herb. For. France, tab. (1868–73).
Le Maout & Decaisne, Traité Gén. Bot. 257 (1868).—*Fl.*
*Syme, Engl. Bot. viii. t. 1292 (1868).
*Réveil, Règne Vég. iii. t. 48; iv. t. 49; xii. t. 50 (1870).
Rameau de Sapin, vi. 31 (1871).
Baillon in Assoc. Franç. Avanc. Sc. 1872, Bordeaux, t. 9 (1873).—*Fl.*
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, v. t. 208 [1873].
Willkomm, Forstl. Fl. Deutschl. & Oesterr. 310 (1875).
*Cusin, Herb. Fl. Franç. xx (Cupulifères), t. 15 (1876).
Nobbe, Handb. Samenkunde, 188 (1876).
Baillon, Hist. Pl. vi. 222, 223 (1877).—*Fl.*
Schübelen in Nyt Mag. Naturvid. (Christiania), xxiv. 317 (1879).—*Veg.*
*Hogg & Johnson, Wild Fl. Gr. Brit. xi. t. 846 (1880).
Karsten, Deutsche Fl. Pharm.-medic. Bot. 492 (1880–83).—*Fl.*
*C. Hoffmann, Pflanzenatlas, t. 73, fig. 456 (1881).
Schilling, Grundr. Naturg. ii. Pflanzenr. Ausgb. A, p. 208 (1882).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, x. t. 966 (1882).
Wagner, Ill. Deutsche Fl. Ed. 2, p. 679 (1882).
Lauche, Deutsche Dendrol. Ed. 2, p. 279 (1883).
*M'Alpine, Bot. Atlas, i. t. 10 (1883).—*Fl.*
*Baillon, Ic. Fl. Franç. iii. t. 256 [1885–94].
Harz, Samenkunde, i. 93 (1885).—*Fr.*
Journ. Linn. Soc., Bot. xxii. 397 (1886); xxxiii. 247 (1897).
*Thomé, Fl. Deutschl. ii. t. 163 (1886).
Coutinho, Curso Silvicult. ii. 69 (1887).
Goeschke, Haselnuss, t. 1–8 (1887).
Pflanzenfam. iii. 1. 40 (1887).
Winkler in Verh. Bot. Ver. Brandenb. xxix. t. 1 (1888).—*Veg.*

CORYLUS
Avellana
Bih. Svenska Vet. Akad. Handl. xv. III. No. 3, p. 26, 27 (1889).—*Fr.*
Dujard.-Beaumetz & Égasse, Pl. Méd. 480 (1889).
*Hempel & Wilhelm, Bäume u. Sträuch. ii. 28, t. 16 [1889?].
Potonié, Ill. Fl. Nord- u. Mittel-Deutschl. Ed. 4, fig. 186 (1889).
G. Beck, Fl. Nied.-Oesterr. i. 266 (1890).—*Fl.*
!Nuov. Giorn. Bot. Ital. xxii. t. 1, fig. 20 (1890).—*Veg.*
Kerner, Pflanzenleben, ii. 145 (1891).
Flora, lxxvi. 246, 247 (1892).
Lubbock, Seedlings, i. 71; ii. 533 (1892).—*Fr.*
Schwarz, Forstl. Bot. 302, 449 (1892).
*Masclef, Atlas Pl. France, t. 299 (1893).
Acloque, Fl. France, 573 (1894).
Bot. Jaarb. Gent, vi. 125 (1894).
Sauvaigo, Cult. Littor. Méditerr. 235 (1894).
Siélain, Atlas Poche Pl. Champs, Prair. & Bois, t. 140 [1894].
Brehm, Merv. Nat. Monde des Pl. ii. 499 (1894–96).
Garcke, Ill. Fl. Deutschl. 543 (1895).
Karsten, Fl. Deutschl. ii. 20 (1895).
Kerner & Oliv. Nat. Hist. Pl. ii. 147 (1895).
Step, Wayside & Woodl. Bloss. t. 144 (1895).
U.S. Dep. Agric. Div. Pom. Nut Cult. t. 13 (1896).—*Fr.*
Fiori & Paol. Ic. Fl. Ital. 104 (1898).
L. H. Bailey, Cycl. Amer. Hort. 381 (1900).
*Behrens, Blattformen, t. 21, fig. e, f (1900).—*Veg.*
Gradmann, Pflanzenl. Schwäb. Alb, Ed. 2, i. 49 (1900).
Schinz & Keller, Fl. Schweiz, 139 (1900).
Tollemache, Brit. Trees, 7 (1901).—*Hab.*
Lindman, Bild. Nord. Fl. t. 370 (1901–5).
Charpentier, Timber, Ed. Engl. 52 (1902).
C. T. Green, Fl. Liverpool Distr. fig. 571 (1902).
*Hulme, Wild Fr. Country-side, t. 5 (1902).
Warming, Handb. Syst. Bot. Ed. Möbius, 253 (1902).—*Fl.*
Schneider, Dendrol. Winterst. 161 (1903).—*Veg.*
Pflanzenreich, Betulac. 5 (1904).
Schneider, Ill. Handb. Laubh. i. 146, 147, 148 (1904).
Step, Wayside & Woodl. Trees, 35 (1904).
Avebury, Notes Life Hist. Brit. Fl. Pl. 377 (1905).—*Fl.*
*Sturm, Fl. Deutschl. Ed. 2, iv. t. 32 (1905).
Blytt, Haandb. Norg. Fl. Ed. Dahl, 268 (1906).
Coste, Fl. France, iii. 259 (1906).
Merino, Fl. Galicia, ii. 600 (1906).
*Boulger, Familiar Trees, Rev. Ed. ii. 56, 60, 62, 63 [1906–7].
!Blaringhem in Bull. Sc. France & Belg. xli. t. 2 (1907).—*Veg.*
Lazaro, Comp. Fl. Españ. ii. 73 (1907).
Suireishchikov, Ill. Fl. Mosc. Gov. ii. 46 (1907).
Avebury, Buds & Stipules, 135 (1908).—*Veg.*
Hayek, Fl. Steierm. i. 103 (1908).—*Fl.*
Heukels, Fl. Nederl. ii. 11 (1908).
Beille, Bot. Pharm. ii. 169 (1909).
Cooper & Westell, Trees & Shrubs Brit. Isl. i. t. 1, fig. G, t. 2, fig. D; ii. t. 57 (1909).
Groom, Trees & Life Hist. t. 259–65 (1909).
*Hegi, Ill. Fl. Mittel-Eur. iii. t. 77, 84, p. 71 (1909).
Apgar, Orn. Shrubs U.S. 316, fig. 564 (1910).
Fedtschenko & Fler. Fl. Eur. Russia, 310 (1910).
*Correvon, Fl. Champs & Bois, t. 10 (1911).
Wettstein, Handb. Syst. Bot. Ed. 2, p. 493 (1911).—*Fl.*
Wrigley, Stud. Trees & Fl. 108, 109 [1911].
*Guinier, Atlas Arbres & Arbust. t. 40, 40 bis (1912).
Bull. Soc. Dendr. France, 1912, p. 106.—*Fr.*
*Pokorny-Schoenichen, Pflanzenkunde, t. 36, fig. 3 (1912).
Strasburger, Text-Book Botany, Ed. Angl. 4, p. 550 (1912).
Kirchner, Loew & Schröter, Blütenpfl. Mitteleur. ii. Abt. 1. 150, 153–59, 162–65 (1913).
Nuttall, Trees & How They Grow, 2, 4, 6 (1913).
*Gatin, Arbres, Arbustes & Arbriss. t. 19 (1913).

CORYLUS
Avellana
Velenovsky, Vergl. Morphol. Pfl. iv. Suppl. 180 (1913).—*Fr.*
Warburg, Pflanzenwelt, i. 445 (1913).
Svenska Vet. Akad. Årsbok, 268 (1914).—*Veg.*
Moss, Cambridge Brit. Fl. ii. t. 81 (1914).
*Perrin & Boulger, Brit. Flower. Pl. i. t. 43, 48 [D], fig. 1–8 (1914).
C. A. Hall, Plant-Life, 207 (1915).—*Fl.*
Horwood, Plant Life Brit. Isles, iii. 256 (1915).—*Hab.*
Rev. Gén. Bot. xxviii. 12, 13 (1916).—*Fr.*
*Bonnier, Name This Flower, t. 49 (1917).
Lindman, Svensk Fanerogamfl. 28 (1918).—*Fl.*
Mayevsky, Fl. Central Russia, 574 (1918).
Fitch & Smith, Ill. Brit. Fl. Ed. rev. 4, Iss. 2, fig. 915 (1919).
Molisch, Pflanzenphys. Theor. Gärtn. Ed. 3, p. 89 (1920).—*Veg.*
—— **acuminata** Henriks.
Bot. Notiser, 1915, p. 243.—*Fr.*
—— **acutiuscula** Henriks.
Bot. Notiser, 1915, p. 242.—*Fr.*
—— **amblyocarpa** Henriks.
Bot. Notiser, 1915, p. 243.—*Fr.*
—— **apiculata** Henriks.
Bot. Notiser, 1915, p. 242.—*Fr.*
—— **arcuata** Henriks.
Bot. Notiser, 1915, p. 242.—*Fr.*
—— **aurea** Kirchn.
Wien. Ill. Gart.-Zeit. viii. 156 (1883).—*Fr.*
—— **bulbosa** Henriks.
Bot. Notiser, 1918, p. 298.—*Fr.*
—— **cervispina** Henriks.
Bot. Notiser, 1915, p. 243.—*Fr.*
—— **compressa** Henriks.
Bot. Notiser, 1915, p. 242.—*Fr.*
—— **crispa** Loud.
J. C. Loudon, Arbor. & Frutic. Brit. iii. 2018 (1838).
—— **cryptomeria** Henriks.
Bot. Notiser, 1915, p. 242.—*Fr.*
—— **cuneata** Henriks.
Bot. Notiser, 1918, p. 298.—*Fr.*
—— **cupulifera** Henriks.
Bot. Notiser, 1918, p. 298.—*Fr.*
—— **distans** Henriks.
Bot. Notiser, 1915, p. 242.—*Fr.*
—— **ellipsoidea** Henriks.
Bot. Notiser, 1915, p. 243.—*Fr.*
—— **elongata** Henriks.
Bot. Notiser, 1915, p. 243.—*Fr.*
—— **fusiformis** Henriks.
Bot. Notiser, 1915, p. 243.—*Fr.*
—— **gibbosa** Henriks.
Bot. Notiser, 1915, p. 243.—*Fr.*
—— **glabrata** Henriks.
Bot. Notiser, 1915, p. 243.—*Fr.*
—— **integra** Henriks.
Bot. Notiser, 1915, p. 242.—*Fr.*
—— **involucrata** Henriks.
Bot. Notiser, 1915, p. 243.—*Fr.*
—— **lacerata** Henriks.
Bot. Notiser, 1915, p. 243.—*Fr.*
—— **laciniata** Doell.
*Behrens, Blattformen, t. 25, fig. e (1900).—*Veg.*
De Vries, Plant-Breeding, 7 (1907).—*Veg.*
Bot. Notiser, 1915, p. 243.—*Fr.*
—— **lata** Henriks.
Bot. Notiser, 1915, p. 242.—*Fr.*
—— **limbata** Henriks.
Bot. Notiser, 1915, p. 242.—*Fr.*
—— **menthoides** Henriks.
Bot. Notiser, 1915, p. 242.—*Fr.*
—— **oblonga** Henriks.
Bot. Notiser, 1915, p. 243.—*Fr.*
—— **obovata** Henriks.
Bot. Notiser, 1915, p. 243.—*Fr.*
—— **orbicularis** Henriks.
Bot. Notiser, 1918, p. 298.—*Fr.*
—— **ovata** Willd.
Bih. Svenska Vet. Akad. Handl. xv. III. No. 3, p. 27 (1889).—*Fr.*

CORYLUS
Avellana pectinata Henriks.
Bot. Notiser, 1915, p. 243.—*Fr.*
—— **pensula** Goeschke
Wien. Ill. Gart.-Zeit. viii. 157 (1883).—*Fr.*
—— **pilisiensis** Schilb.
*Termész. Füz. (Naturhist. Hefte), xiv. t. 8 (1891).
—— **praefracta** Henriks.
Bot. Notiser, 1918, p. 298.—*Fr.*
—— **silvestris** Ait.
J. C. Loudon, Arbor. & Frutic. Brit. iii. 2017 (1838).
Bih. Svenska Vet. Akad. Handl. xv. III. No. 3, p. 27 (1889).—*Fr.*
—— **silvestris** DC.
Bot. Notiser, 1915, p. 242.—*Fr.*
—— **sphaerocarpa** Reichb.
*Reichenbach, Ic. Fl. Germ. xii. t. 638 (1850).
—— **sulcata** Henriks.
Bot. Notiser, 1915, p. 242.—*Fr.*
—— **teretiuscula** Henriks.
Bot. Notiser, 1915, p. 242.—*Fr.*
—— **truncata** Henriks.
Bot. Notiser, 1915, p. 243.—*Fr.*
—— **tubulosa** Loud.
J. C. Loudon, Arbor. & Frutic. Brit. iii. 2018 (1838).
—— **turgida** Henriks.
Bot. Notiser, 1915, p. 242.—*Fr.*
—— **typica urticifolia** C. K. Schneider
Schneider, Ill. Handb. Laubh. i. 146 (1904).—*Veg.*
—— **velutina** Henriks.
Bot. Notiser, 1915, p. 242.—*Fr.*
—— **viminalis** Henriks.
Bot. Notiser, 1918, p. 298.—*Fr.*
—— **foliis-variegatis**
Wien. Ill. Gart.-Zeit. viii. 156 (1883).—*Fr.*
californica Rose
U.S. Dep. Agric. Div. Pom. Nut Cult. t. 13 (1896).—*Fr.*
L. H. Bailey, Cycl. Amer. Hort. 382 (1900); Stand. Cycl. Hort. 1436 (1915).—*Fr.*
Ann. Rep. Smithson. Inst. Rep. U.S. Nat. Mus. 1902, t. 4, p. 548 (1904).
Britton, N. Amer. Trees, 245 (1908).
calyculata Dippel
Dippel, Handb. Laubholzk. ii. 132 (1892).
chinensis Franch.
Wilson, Veg. West. China (Publ. Arn. Arb. No. 2), 172 (1911).—*Hab.*
Schneider, Ill. Handb. Laubh. ii. 896, 897 (1912).
Wilson, Arn. Arb. Exped. China, 1910–11, t. 0122 (1912).—*Hab.*
colchica Albow
Pflanzenreich, Betulac. 53 (1904).
Schneider, Ill. Handb. Laubh. ii. 896, 897 (1912).
Colurna Linn.
*F. J. Schultz, Abb. Bäume, Staud. Sträuch. Oesterr. ii. t. 147 (1792).
*Joh. Kerner, Abbild. Oek. Pfl. (Fig. Pl. Écon.), viii. t. 761 (1796).
*Joh. Kerner, Ausländ. Bäume & Gestr. t. 14 (1796).
*Schkuhr, Bot. Handb. Ed. 2, t. 305 (1808).
*Vietz, Ic. Pl. Med.-oec.-techn. v. t. 441 (1817).
*P. W. Watson, Dendr. Brit. ii. t. 99 (1825).
J. C. Loudon, Arbor. & Frutic. Brit. iii. 2029; viii. t. 68 a (1838).
*Reichenbach, Ic. Fl. Germ. xii. t. 638 (1850).
*Hartig, Forstl. Cult. t. 17 (1851).
Belg. Hort. ii. t. 61 (1852).
Willkomm, Deutsch. Laubhölzer im Winter, 26, fig. 28 (1859).—*Veg.*
Ettingshausen, Blatt-Skel. Dikot. 9 (1861).—*Veg.*
Pokorny, Oesterr. Holzpfl. 465, t. 7 (1864).—*Veg.*
*Fl. des Serres, Ser. II. xi. t. 2223, 2224 (1875).
Schübeler in Nyt Mag. Naturvid. (Christiania), xxiv. 328 (1879).—*Veg.*
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, x. t. 968 (1882).
Wien. Ill. Gart.-Zeit. viii. 157 (1883).—*Fr.*
!Gard. Chron. xxvi. 692 (1886); Ser. III. xl. 265, 257 (1906).
Journ. Hort. Ser. III. xiii. 383 (1886); xxiv. 75 (1892).

CORYLUS
Colurna
Goeschke, Haselnuss, t. 75, 76 (1887).
Garden, xxxi. 260, 261 (1887); lxxix. 151 (1915).
Hempel & Wilhelm, Bäume u. Sträuch. ii. 29 [1889?].
Schwarz, Forstl. Bot. 302 (1892).—*Fr.*
Mouillefert, Traité Arbres & Arbrisseaux, Atlas, t. 104 (1892–98).—*Hab.*
Schneider, Dendrol. Winterst. 161 (1903).—*Veg.*
Pflanzenreich, Betulac. 49 (1904).—*Fr.*
Schneider, Ill. Handb. Laubh. i. 144, 146, 147 (1904).
Gartenfl. liv. 532, 533 (1905); lxii. 355 (1913).—*Hab.*
Mitt. Deutsch. Dendr. Ges. 1905, t. 14; 1915, p. 245.—*Hab.*
Bull. Soc. Hist. Nat. Autun, xx. II. t. B (1907).—*Hab.*
Elwes & Henry, Trees Gr. Brit. & Ireland, ii. t. 126 (1907); iii. t. 147 (1908).
Bull. Soc. Dendr. France, 1909, p. 63; 1912, p. 106.
Hegi, Ill. Fl. Mittel-Eur. iii. 71 (1909).
Kirchner, Loew & Schröter, Blütenpfl. Mitteleur. ii. Abt. I. 168 (1913).
Basu, Ind. Med. Pl. t. 914 (1918).
—— **arborescens** Fisch.
J. C. Loudon, Arbor. & Frutic. Brit. iii. 2029 (1838).—*Fr.*
—— **chinensis** Burkill
Pflanzenreich, Betulac. 49, 50 (1904).
colurnoides C. K. Schneider
Schneider, Ill. Handb. Laubh. i. 146 (1904).—*Veg.*
cornuta Michx.
Goeschke, Haselnuss, t. 73 (1887).
Davidiana Baill.
Baillon, Hist. Pl. vi. 224 (1877).—*Fl.*
Fargesii C. K. Schneider
Schneider, Ill. Handb. Laubh. ii. 897 (1912).
ferox Wall.
*Wallich, Pl. Asiat. Rar. i. t. 87 (1830).
J. C. Loudon, Arbor. & Frutic. Brit. iii. 2030 (1838).
Pflanzenreich, Betulac. 45 (1904).
Schneider, Ill. Handb. Laubh. ii. 896, 897 (1912).
glandulosa Shittl.
Rameau de Sapin, vi. 31 (1871).
hallaisanensis Nakai
Nakai, Fl. Sylv. Koreana, Pt. 2, t. 2 (1915).
heterophylla Fisch.
Trautvetter, Imag. & Descr. Fl. Russ. t. 4 (1844).
Koehne, Dendrol. 118 (1893).—*Fr.*
Bull. Coll. Agric. Tokyo, ii. 12, fig. 12, 13 (1895).
*Shirasawa, Ic. Ess. Forest. Jap. i. t. 20 (1900).
Pflanzenreich, Betulac. 49 (1904).—*Fr.*
Schneider, Ill. Handb. Laubh. i. 146, 148 (1904).
Nakai, Fl. Sylv. Koreana, Pt. 2, t. 1 (1915).
—— **crista-galli** Burkill
Wilson, Veg. West. China (Publ. Arn. Arb. No. 2), 173 (1911).—*Hab.*
—— **Sieboldiana** Makino (?)
*Useful Pl. Jap. i. t. 224 (1895) in ic.; *C. rostrata Sieboldiana* in textu, p. 61.
—— **Thunbergii** Makino (?)
*Useful Pl. Jap. i. t. 223 (1895).
humilis Willd.
Goeschke, Haselnuss, t. 72 (1887).
intermedia Fingerh.
Linnaea, iv. t. 3, fig. 4 (1829).—*Fr.*
Jacquemontii Decne.
Jacquemont, Voy. Inde, t. 160 (1844).
Kew Bull. 1913, p. 163.
mandschurica Maxim.
Ruprecht, Dec. Pl. Amur. t. 10 (1859).
Koehne, Dendrol. 118 (1893).—*Fr.*
Schneider, Ill. Handb. Laubh. i. 146, 150 (1904).
Bull. Soc. Dendr. France, 1912, p. 106.—*Fr.*
*Bot. Mag. cxli. t. 8623 (1915).
Nakai, Fl. Sylv. Koreana, Pt. 2, t. 3 (1915).
maxima Mill.
*F. J. Schultz, Abb. Bäume, Staud. Sträuch. Oesterr. ii. t. 148 (1792).

CORYLUS
maxima
*Redouté, Choix Fl. [t. 87] (1827).
Goeschke, Haselnuss, t. 9–54 (1887).
Koehne, Dendrol. 118 (1893).—*Fr.*
Schneider, Dendrol. Winterst. 161 (1903).—*Veg.*
Pflanzenreich, Betulac. 49 (1904).—*Fr.*
Schneider, Ill. Handb. Laubh. i. 144, 146, 147 (1904).
Hegi, Ill. Fl. Mittel-Eur. iii. 71 (1909).
Bull. Soc. Dendr. France, 1912, p. 106.—*Fr.*
Kirchner, Loew & Schröter, Blütenpfl. Mitteleur. ii. Abt. 1. 157, 167, 168 (1913).
pontica K. Koch
Koehne, Dendrol. 118 (1893).—*Fr.*
Journ. New York Bot. Gard. xiv. t. 111 (1913).—*Hab.*
rostrata Ait.
Willdenow, Berlin. Baumzucht, t. 1 (1796).—*Veg.*
Goeschke, Haselnuss, t. 74 (1887).
Pflanzenfam. iii. 1. 41 (1887).—*Fr.*
Dippel, Handb. Laubholzk. ii. 135 (1892).
Koehne, Dendrol. 118 (1893).—*Fr.*
Newhall, Shrubs N.E. Amer. 213 (1893).
Gard. & Forest, viii. 345 (1895).
Britton & Brown, Ill. Fl. N. States & Canada, i. 508 (1896); Ed. 2, i. 607 (1913).
U.S. Dep. Agric. Div. Pom. Nut Cult. t. 13 (1896).—*Fr.*
Lounsberry, Guide to the Trees, Ed. 2, p. 184 (1900).
L. H. Bailey, Cycl. Amer. Hort. 381, 382 (1900); Stand. Cycl. Hort. 859, 860 (1914); 1436 (1915).
Schneider, Dendrol. Winterst. 162 (1903).
Keeler, Our North. Shrubs, 453 (1903); Ed. 2, p. 453 (1912).
Schneider, Ill. Handb. Laubh. i. 146, 149, 150 (1904).—*Veg.*
Jones & Rand in Bull. Vermont Agric. St. No. 145, p. 78 (1909).
Apgar, Orn. Shrubs U.S. 315, fig. 562 (1910).
Bull. Soc. Dendr. France, 1912, p. 106.—*Fr.*
Clements, Rosend. & Butters, Minnesota Trees & Shrubs, 242 (1912).
F. E. & E. S. Clements, Rocky Mt. Fl. t. 34 (1914).
Mathews, Field Book Amer. Trees & Shrubs, 111 (1915).
—— **californica** A. DC.
Pflanzenreich, Betulac. 49 (1904).—*Fr.*
—— **Fargesii** Franch.
Pflanzenreich, Betulac. 49 (1904).—*Fr.*
—— **mandschurica** Regel
Pflanzenreich, Betulac. 49 (1904).—*Fr.*
—— **Sieboldiana** Maxim.
American Garden, xii. 267 (1891).
Bull. Coll. Agric. Tokyo, ii. t. 12, fig. 11 (1895).
*Useful Pl. Jap. 61 (1895) in textu; *C. heterophylla Sieboldiana* in ic. i. t. 224.
*Shirasawa, Ic. Ess. Forest. Jap. i. t. 20 (1900).
Pflanzenreich, Betulac. 53 (1904).—*Fr.*
Sieboldiana Bl.
Schneider, Ill. Handb. Laubh. i. 146, 150 (1904).
Nakai, Fl. Sylv. Koreana, Pt. 2, t. 4 (1915).
—— **mitis** Nakai
Nakai, Fl. Sylv. Koreana, Pt. 2, t. 5 (1915).
tibetica Batal.
Vilmorin & Bois, Frutic. Vilmor. 206 (1904).—*Hab.*
*Rev. Hort. 1910, p. 204, 205.
Bull. Soc. Dendr. France, 1912, p. 106.—*Fl.*
Silva Tarouca, Freiland-Laubgehölze, 192 (1913).—*Hab.*
tubulosa Willd.
*Guimpel, Willd. & Hayne, Abb. Deutsch. Holzart. ii. t. 152 (1820).
*Krebs, Holzarten, t. 22 (1826).
Linnaea, iv. t. 3, fig. 5 (1829).—*Fr.*
Nov. Act. Acad. Nat. Cur. xv. t. 28, fig. 6 (1831).—*Fl.*
*Reichenbach, Ic. Fl. Germ. xii. t. 637 (1850).
*Hartig, Forstl. Cult. t. 16 (1851).
*Calwer, Landwirthsch. Pflanzenk. ii. t. 18, fig. 2 (1854).
Willkomm, Deutschl. Laubhölz. im Winter, 26, fig. 27 (1859).—*Veg.*

CORYLUS
tubulosa
Decaisne & Naud. Amat. Jard. iv. 600 [1862–66].
Pokorny, Oesterr. Holzpfl. 465, t. 7 (1864).—*Veg.*
*Réveil, Règne Vég. xii. t. 49 (1870).—*Fr.*
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, x. t. 967 (1882).
Goeschke, Haselnuss, t. 55–70 (1887).
Hempel & Wilhelm, Bäume u. Sträuch. ii. 30 [1889?].
U.S. Dep. Agric. Div. Pom. Nut Cult. t. 13 (1896).—*Fr.*

CORYMBIS Thou.: *Corymborchis*
corymbosa Thou.
Petit-Thouars, Hist. Pl. Orch. Iles Afr. t. 37, 38 (1822).
Engler & Drude, Veget. Erde, ix. II. 429 (1908).
decumbens Cogn.
Mart. Fl. Bras. iii. IV. t. 67 (1895).
veratrifolia Reichb. f.
Pflanzenfam. ii. VI. 64, 122 (1889).—*Fl.*
Kerchove, Livre Orch. 155 (1894).—*Fl.*
*Ann. Bot. Gard. Calcutta, viii. 354 (1898).
J. J. Smith, Orch. Java, Fig.-Atlas, ii. fig. 99 (1909).
Welwitschii Reichb. f.
*Bolus, Ic. Orch. Austr.-Afr. ii. t. 98 (1911).

CORYMBIUM Linn.
congestum E. Mey.
Harvey, Thes. Cap. i. t. 69 (1859).
filiforme Linn. f.
Linnaea, iv. t. 2, fig. 13, 20–22, 24, 25 (1829).—*Fl.*
glabrum Thunb.
Lamarck, Ill. iv. t. 723, fig. 2 (1797–1819).
Pflanzenfam. iv. v. 122 (1889).—*Fl.*
gramineum Lam.
Lamarck, Ill. iv. t. 723, fig. 3 (1797–1819).
nervosum Thunb.
Marloth, Fl. S. Africa, iv. 100 (1915).
scabrum Linn.
Burman, Rar. Afr. Pl. t. 70, fig. 1 (1739); fide DC.
Gaertner, Fruct. ii. t. 86 (1791).—*Fr.*
Lamarck, Ill. iv. t. 723, fig. 1 (1797–1819).

CORYMBORCHIS Thou.—Vide *Chloidia, Corymbis, Hysteria, Macrostylis* Breda
assamica Bl.
Blume, Coll. Orchidées, t. 43 (1858).
flava O. Kuntze
Fawcett & Rendle, Fl. Jamaica, i. t. 5 (1910).—*Fl.*
Thouarsii Bl.
Blume, Coll. Orchidées, t. 44 (1858).
veratrifolia Bl.
*Blume, Coll. Orchidées, t. 42, 43 (1858).

CORYNAEA Hook. f.
crassa Hook. f.
Trans. Linn. Soc. London, xxii. t. 13 (1856).
Pflanzenfam. iii. 1. 259 (1889).—*Fl.*
sphaerica Hook. f.
Trans. Linn. Soc. London, xxii. t. 14 (1856).

CORYNANDRA Schrad.: *Polanisia*
pulchella Schrad.
Reichenbach, Hort. Bot. t. 147 (1828).

CORYNANTHE Welw.
johimbe K. Schum.
Chevalier, Vég. Util. Afr. fasc. 9, t. 20 (1917).
pachyceras K. Schum.
Velenovsky, Vergl. Morphol. Pfl. iii. t. 6 (1910).—*Fl.*
paniculata Welw.
Trans. Linn. Soc. London, xxvii. t. 14 (1869).
Pflanzenfam. iv. IV. 47 (1891).—*Fl.*

CORYNEPHORUS P. Beauv.—Vide *Aira* (6), *Weingaertneria*
articulatus P. Beauv.
Cusin, Herb. Fl. Franç. xxiv (Graminées), t. 125 (1874).
Fiori & Paol. Ic. Fl. Ital. 27 (1895).
Husnot, Gram. t. 11 (1896–99).
Coste, Fl. France, iii. 586 (1906).

CORYNEPHORUS
canescens P. Beauv.
P. Beauvais, Agrost. t. 3, fig. 9; t. 18, fig. 2 (1812).—*Fl.*
Dumortier, Gramin. Belg. t. 8 (1823).—*Fl.*
Reichenbach, Ic. Fl. Germ. i. t. 94 (1834).
Nees, Gen. Pl., Monocot. i. t. 42 (1837).
Lindley, Veg. Kingd. 106 (1846).
*Lorek, Fl. Pruss. Ed. 3, t. 19, fig. 106 (1848).
*Petermann, Deutschl. Fl. t. 98, fig. 780 (1849).
Andersson, Gram. Scand. t. 8, fig. 84 (1852).
*Sowerby & Johnson, Grasses Gr. Brit. t. 41 [1857–61].
Jessen, Deutschl. Gräs. 51, 117, 219, 270 (1863).—*Fr.*
Cesati, Passer. & Gibelli, Comp. Fl. Ital. t. 8 (1867–86).—*Fl.*
*Syme, Engl. Bot. xi. t. 1729 (1872).
Cusin, Herb. Fl. Franç. xxiv (Graminées), t. 124 (1874).
Nobbe, Handb. Samenkunde, 485 (1876).—*Fr.*
De Silvestri, Piante Prat. 62 (1879).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, vii. t. 650 (1881).
*Thomé, Fl. Deutschl. i. t. 65 (1886).
Pflanzenfam. ii. II. 54 (1887).
Potonié, Ill. Fl. Nord- u. Mittel-Deutschl. Ed. 4, fig. 130 (1889).
*Masclef, Atlas Pl. France, t. 373 (1893).
Acloque, Fl. France, 691 (1894).
Fiori & Paol. Ic. Fl. Ital. 27 (1895).
Husnot, Gram. t. 11 (1896–99).
Sturm, Fl. Deutschl. Ed. 2, iii. t. 20 (1900).
Coste, Fl. France, iii. 585 (1906).
Warming, Dansk Plantevaekst. ii. 104, 105 (1907).
Rec. Instit. Bot. Errera, vii. Annexe, 121, fig. 74 (1908); vii bis Annexe, fig. 85 (1910).—*Hab.*
Merino, Fl. Galicia, iii. 286 (1909).
Fedtschenko & Fler. Fl. Eur. Russia, 100 (1910).
Heukels, Fl. Nederl. i. 484 (1911).
Hayek, Pflanzend. Oesterr.-Ung. i. 277 (1914).
—— **fasciculatus** Husnot
Husnot, Gram. t. 11 (1896–99).
fasciculatus Boiss. & Reut.
Cusin, Herb. Fl. Franç. xxiv (Graminées), t. 126 (1874).
Coste, Fl. France, iii. 585 (1906).
laxus Murb.
Murbeck, Contr. Fl. N.-Ouest Afriq. iv. 4 (1900).
macrantherus Boiss. & Reut.
Murbeck, Contr. Fl. N.-Ouest Afriq. t. 12 (1899).
oranensis Murb.
Murbeck, Contr. Fl. N.-Ouest Afriq. t. 12 (1899).—*Fl.*

CORYNOCARPUS Forst.
dissimilis Hemsl.
Ann. Bot. xvii. t. 36, fig. 33–40 (1903).—*Fl.*
laevigata Forst.
Forster, Charact. Gen. Pl. t. 16 (1776).—*Fl.*
Lamarck, Ill. i. t. 143 (1797).—*Fl.*
*Bot. Mag. lxxiv. t. 4379 (1848).
Gard. Chron. xx. 397 (1883).
*E. H. & S. Featon, Art Album, i. t. 24 (1889).
Kirk, For. Fl. New Zeal. t. 88 (1889).
Dippel, Handb. Laubholzk. ii. 386 (1892).
*Harris, New Zeal. Berries, [t. 4, 1894].
Pflanzenfam. Nachtr. z. iii. v. 216 (1897).
Ann. Bot. xvii. t. 36, fig. 1–24 (1903).—*Fl.*
Laing & Blackwell, Pl. New Zeal. Ed. 2, p. 231 (1907).
Kew Bull. 1910, p. 122.—*Hab.*
Journ. Roy. Hort. Soc. London, xxxvii. 57, fig. 35 (1911).—*Hab.*
Cheeseman, Ill. New Zeal. Fl. t. 29 (1914).
similis Hemsl.
Ann. Bot. xvii. t. 36, fig. 25–32 (1903).—*Fl.*

CORYNOPHALLUS Schott: *Hydrosme*
Afzelii Schott
Schott, Gen. Aroid. t. 32 (1858).
Gard. Chron. 1872, p. 1619.

CORYNOSTYLIS Mart.—Vide *Calyptrion*
albiflora Linden
Florist, 1872, p. 9.
Gartenfl. xxiii. 211 (1874).

CORYNOSTYLIS
carthagenensis Karst.
Karsten, Fl. Columbiae, ii. t. 127 (1862–69).
guyanensis Karst.
Karsten, Fl. Columbiae, ii. t. 127 (1862–69).
hybanthus Mart. & Zucc.
*Martius, Nov. Gen. & Sp. Pl. Bras. i. t. 17, 18 (1824).
Lindley, Veg. Kingd. 338 (1846).
Mart. Fl. Bras. xiii. I. t. 69 (1871).
*Bot. Mag. xcviii. t. 5960 (1872).
—— **albiflora** Hort.
Gard. Chron. 1872, p. 1258.
Journ. Hort. xlix. 507 (1873).
Sempervirens, x. 84 (1881).
palustris Barb. Rodr.
Barbosa Rodrigues, Vellosia, iii. I. t. 3 (1891).

CORYNULA Hook. f.
pilosa Hook. f.
Hook. Ic. Pl. xii. t. 1123 (1872).

CORYPHA Linn.
australis R. Br.
Garden, ii. 363 (1872).—*Hab.*
Floral World, 1872, p. 166.—*Hab.*
Berge, Pflanzenphysiogn. 22 (1880).—*Hab.*
Gard. Chron. Ser. III. i. 676 (1887); xxix. 386 (1901).—*Hab.*
Jackson in Mem. Boston Soc. Nat. Hist. v. t. 23 (1899).—*Veg.*
cerifera Arruda
*Martius, Palm. ii. t. 49, 50, 50 A, 51, fig. 8 (1823–50) in ic.; *Copernicia cerifera* in ind. p. 151.
*Archer, Pop. Econ. Bot.; et Profitable Pl. t. 8, fig. 38 (1853).—*Hab.*
Belg. Hort. vii. 119, t. 19, fig. 4 (1857).—*Hab.*
elata Roxb.
*Griffith, Palms Brit. Ind. t. 220, D (1850).
Proc. & Journ. Agric. & Hort. Soc. India, t. 1 (1901).—*Hab.*
Gard. Chron. Ser. III. xxxiii. 415 (1903).—*Hab.*
Journ. Bombay Nat. Hist. Soc. xx. 994 (1911).—*Hab.*
Philippine Journ. Sc., Chem. & Geol. vi. 205, t. 14–16 (1911).—*Hab.*
L. H. Bailey, Stand. Cycl. Hort. 861 (1914).—*Hab.*
W. H. Brown & E. D. Merrill in Bull. Philip. Isl. Dep. Agric. Bur. Forestry, No. 18, t. 24–26 (1919); No. 22, p. 195, 197, 199, t. 24–26 (1920).
gebanga Bl.
*Blume, Rumphia, ii. t. 97, 98, 105 (1836).
Lindley, Veg. Kingd. 133 (1846).—*Hab.*
Gatin, Palm. 256 (1912).—*Hab.*
macropoda Kurz
Journ. Asiat. Soc. Bengal, xliii. II. t. 15 (1874).
minor Jacq.
*Jacquin, Hort. Vind. iii. t. 8 (1776).
*Jacquin, Fragm. t. 7 (1809).—*Veg.*
rotundifolia Lam.
Bordiga, Storia Piante Forast. iv. t. 74 (1794).
*Martius, Palm. iii. t. 102 (1823–50).—*Hab.*
taliera Roxb.
*Roxburgh, Pl. Coromandel, iii. t. 255, 256 (1819).
*Joh. Kerner, Gen. Pl. Ill. vi. t. 106–8 (1822).
*Martius, Palm. iii. t. 127 (1823–50).
*Griffith, Palms Brit. Ind. t. 220, E, F (1850).
Kerchove, Palm. 209 (1878).—*Hab.*
Salomon, Palmen, 136 (1887).—*Hab.*
Indische Mercuur, xi. No. 35, fig. 5 (1888).
Pflanzenfam. ii. III. 34 (1889).
Journ. Bombay Nat. Hist. Soc. xxi. 71 (1911).—*Fl.*
umbraculifera Linn.
Rheede, Hort. Mal. iii. t. 1–12 (1682); fide Fl. Brit. Ind. vi. 428.
Gaertner, Fruct. i. t. 7 (1788).—*Fr.*
Lamarck, Ill. v. t. 899 (1797–1819).
*Martius, Palm. iii. t. 108, 127 (1823–50).
Corinaldi in Mem. Valdarnese, i. t. 1, fig. 5 (1835); et Notiz. Stor. Accad. Valdarn. t. 1, fig. 5 (1839).—*Fr.*
Ill. Hort. ix. t. 347 (1862).—*Hab.*
Seemann, Palmen, 78 (1863).—*Hab.*
Garden, iv. 133 (1873).—*Hab.*

CORYPHA
umbraculifera
Neubert's Deutsch. Gart. Mag. xxvi. 75 (1873).
Gard. Chron. 1873, p. 401; Ser. III. xli. 88 (1907); xlvii. Suppl. tab. p. 426 (1910).
Berge, Pflanzenphysiogn. 18 (1880).—*Hab.*
Vidal, Sin. Fam. & Gen. Pl. Leñ. Filip. (Introd. Fl. For. Filip.), Atlas, t. 93, fig. A (1883).
*Kerner, Pflanzenleben, i. 265 (1887); Ed. 3, i. 203 (1913).—*Hab.*
Wien. Ill. Gart.-Zeit. xiii. 276 (1888).—*Hab.*
Journ. Hort. Ser. III. xxii. 89 (1891).—*Hab.*
Tschirch, Ind. Heil- & Nutzpfl. t. 98 (1892).—*Hab.*
Brehm, Merv. Nat. Monde des Pl. ii. 633, 634 (1894–96).—*Hab.*
Kerner & Oliv. Nat. Hist. Pl. i. 289 (1894).—*Hab.*
U.S. Dep. Agric. Fiber Invest. Rep. No. 9, t. 9 (1897).—*Hab.*
Hassack, Schrift. Ver. Verbr. Naturw. Kenntn. Wien, xxxviii. 104, fig. 1 (1898).—*Hab.*
Gartenwelt, ii. 486 (1898).
Kronfeld, Atlas Pflanzengeogr. 152 (1899).
L. H. Bailey, Cycl. Amer. Hort. 383 (1900); Stand. Cycl. Hort. t. 11, p. 389 (1914).—*Hab.*
Schröter in Neujahrsblatt Naturf. Ges. Zürich, ciii. t. 1, 2 (1901).—*Hab.*
Journ. New York Bot. Gard. iv. 203 (1903).—*Hab.*
Rev. Hort. Belge, xxix. 84 (1903).—*Hab.*
Liverpool Univ. Instit. Comm. Research Tropics, Quarterly Journ. ii. No. 5, p. 134 (1907).—*Hab.*
H. F. Macmillan, Handb. Trop. Garden. & Plant. 302, 305 (1910).—*Hab.*
Bot. Congr. Bruxelles, ii. t. 2, 3 (1910).—*Hab.*
Woodrow, Gardening Tropics, 562, 573 [1910].
Journ. Bombay Nat. Hist. Soc. xx. 993; xxi. 66–70 (1911).
L. Reinhardt, Kulturgesch. Nutzpfl. (Erde und Kultur), iv. I. t. 29 (1911).—*Hab.*
Bot. Közl. (Bot. Communic.), xi. 67 (1912).—*Hab.*
Gatin, Palm. 50, 250 (1912).
Queensland Agric. Journ. xxix. t. 52 (1912).—*Hab.*
Bull. Agric. Congo Belge, v. 375, 381 (1914).—*Hab.*
Trop. Agric. xlvi. No. 1, p. 8 (1916).—*Hab.*
Torreya, xvi. 15 (1916); errore *C. umbraculiformis.*—*Hab.*
Rock, Orn. Trees Hawaii, t. 5 (1917).—*Hab.*
utan Lam.
Rumphius, Herb. Amboin. i. t. 11 (1741); fide Merrill, Interpret. Rumph. Herb. Amboin.

CORYPHANTHA Engelm. — Vide *Cactus* (5), *Echinocactus* (6)
missouriensis Britton & Rose
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, ii. 570 (1913).
sulcolanata C. Lem.
Lemaire, Cactées, 35 (1868).—*Hab.*
vivipara Britton & Rose
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, ii. 571 (1913).

CORYSANTHERA Wall.: *Rhynchotechum*
atrosanguinea Hérincq
*Horticulteur Franç. 1852, t. 1.

CORYSANTHES R. Br.—Vide *Calcearia, Corybas, Nematoceras*
arfakensis J. J. Sm.
Nova Guinea, xii. t. 58 (1915).—*Fl.*
bicalcarata R. Br.
*R. D. Fitzgerald, Austral. Orch. i. [t. 20] (1875–95).
callifera J. J. Sm.
Nova Guinea, viii. t. 2 (1909).—*Fl.*
callosa Bl.
Blume, Coll. Orchidées, t. 63 (1858).
Cheesemannii Hook. f.
Hook. Ic. Pl. xii. t. 1120 (1872).
epiphytica J. J. Sm.
Nova Guinea, xii. t. 1 (1913).
fimbriata R. Br.
Flinders, Voy. Terra Austral. t. 10 (1814).
*Hooker f., Fl. Tasman. II. t. 107 (1860).

CORYSANTHES
fimbriata
*R. D. Fitzgerald, Austral. Orch. i. [t. 19] (1875–95).
fornicata Lindl.
*Blume, Coll. Orchidées, t. 64 (1858).
Pflanzenfam. ii. VI. 106 (1889).—*Fl.*
J. J. Smith, Orch. Java, Fig.-Atlas, i. fig. 31 (1908).—*Fl.*
himalaica King & Pantl.
*Ann. Bot. Gard. Calcutta, viii. t. 361 (1898).
limbata Hook. f.
*Bot. Mag. lxxxix. t. 5357 (1863).
Pfitzer, Grundz. Vergl. Morph. Orchideen, t. 3, fig. 28 (1882).—*Fl.*
J. J. Smith, Orch. Java, Fig.-Atlas, i. fig. 32 (1908).—*Fl.*
*Costantin, Atlas Orch. Cult. t. 28 (1913).
macrantha Hook. f.
Laing & Blackwell, Pl. New Zeal. Ed. 2, p. 126 (1907).—*Hab.*
Matthewsii Cheeseman
Cheeseman, Ill. New Zeal. Fl. t. 199 (1914).
Merrilli Ames
Ames, Orchidac. i. 66 (1905).
mucronata Bl.
Blume, Coll. Orchidées, t. 66 (1858).—*Fl.*
J. J. Smith, Orch. Java, Fig.-Atlas, i. fig. 30 (1908).—*Fl.*
oblonga Hook. f.
Cheeseman, Ill. New Zeal. Fl. t. 199 (1914).
palearifera J. J. Sm.
Nova Guinea, xii. t. 58 (1915).
picta Lindl.
*Blume, Coll. Orchidées, t. 64 (1858).
*Neerl. Plantentuin, Ed. Oudemans, ii. t. 25 (1866).
Pflanzenfam. ii. VI. 106 (1889).
Kerchove, Livre Orch. 52 (1894).
J. J. Smith, Orch. Java, Fig.-Atlas, i. fig. 29 (1908).—*Fl.*
*Costantin, Atlas Orch. Cult. 12, t. 28 (1913).
pruinosa R. Cunn.
*R. D. Fitzgerald, Austral. Orch. i [t. 19] (1875–95).
Diels in Natur, iv. 78 [1907].
R. S. Rogers, S. Austral. Orch. Ed. 2, p. 21 (1911).
triloba J. J. Sm.
Nova Guinea, viii. t. 76 (1911).—*Fl.*
unguiculata R. Br.
Endlicher, Ic. Gen. Pl. t. 18 (1838).
*R. D. Fitzgerald, Austral. Orch. i [t. 20] (1875–95).
ventricosa J. J. Sm.
Nova Guinea, viii. t. 2 (1909).—*Fl.*

CORYTHOLOMA Decne.—Vide *Dircaea, Rechsteineria*
gracilis Decne.
*Gartenfl. iv. t. 131 (1855).
macropodum Sprague
*Bot. Mag. cxxxiv. t. 8228 (1908).
magnificum Fritsch
Pflanzenfam. iv. III. B. 138–140 (1893).—*Fl.*
splendens Fritsch
Pflanzenfam. iv. III. B. 181 (1894).

COSBAEA C. Lem.: *Kadsura*
coccinea C. Lem.
Ill. Hort. ii. Misc. 72 (1855).—*Fl.*

COSCINIUM Colebr.
Blumeanum Miers
Scheffer in Nat. Tijdschr. Nederl. Ind. xxxii. t. 6 (1873).
Pflanzenreich, Menispermac. III (1910).
fenestratum Colebr.
*Bot. Mag. lxxviii. t. 4658 (1852).
Pharm. Journ. xii. 187 (1852).
*Lem. Jard. Fl. iv. t. 426 (1854).
Miers, Contrib. Bot. iii. t. 88 (1864–71).
Scheffer in Nat. Tijdschr. Nederl. Ind. xxxii. t. 5 (1873).
Pflanzenreich, Menispermac. III (1910).—*Fr.*
Basu, Ind. Med. Pl. t. 37 (1918).

COSCINIUM
usitatum Pierre
Pierre, Fl. For. Cochinch. ii. t. 112 (1885).
Lecomte, Fl. Gén. Indo-Chine, i. 128 (1908).—*Fr.*

COSMANTHUS Nolte: *Phacelia*
fimbriatus Nolte
Payer, Organog. Comp. Fl. t. 113 (1857).—*Fl.*
grandiflorus Benth.
*Belg. Hort. viii. t. 86 (1858).
*Bot. Mag. lxxxiv. t. 5029 (1858).
*Horticulteur Franç. 1858, t. 22.
*Journ. Hort. Prat. Belg. N. Ser. ii. t. 5 (1858).
*Fl. des Serres, Ser. II. iv. t. 1450 (1861).
viscidus A. DC.
Warming in Dansk. Vid. Selsk. Skrift. Ser. V. x. t. 8, fig. 21, 22 (1875).—*Fl.*
Gartenfl. xxx. 184 (1881).

COSMEA Willd.: *Cosmos*
bipinnata Willd.
*Bot. Mag. xxxvii. t. 1535 (1813).
*Géel, Sert. Bot. Cl. 19 (1832).
×**hybrida** Hort.
Möllers Deutsche Gärtn.-Zeit. xxiv. 100 (1909).
—— **grandiflora praecox** Hort.
Möllers Deutsche Gärtn.-Zeit. xxxv. 214 (1920).—*Fl.*
lutea Sims
*Bot. Mag. xli. t. 1689 (1814).
*J. W. Loudon, Ladies' Fl.-Gard. Ornam. Annuals, t. 32 (1844) in ic.; *Bidens grandiflora* in textu, p. 184.

COSMELIA R. Br.
rubra R. Br.
*Bot. Reg. xxi. t. 1822 (1836).
*Hort. Belge Journ. Jard. & Amat. iii. t. 60 (1836).
*Floricult. Cab. viii. 63 (1839).
*Fl. des Serres, Ser. II. i. t. 1175 (1856).
Belg. Hort. vii. 260, fig. 43 (1857).

COSMIA Domb.: *Calendrinia*
quadrivalvis Britten
Banks & Soland. Bot. Cook's Voy. i. t. 18 (1900).

COSMIBUENA Ruiz & Pav.—Vide *Buena* Pohl
acuminata Ruiz & Pav.
Ruiz & Pavon, Fl. Peruv. & Chil. iii. t. 226 (1802).
*Joh. Kerner, Hort. Sempervir. t. 290 (1811).
obtusifolia Ruiz & Pav.
Ruiz & Pavon, Fl. Peruv. & Chil. ii. t. 198 (1802).
—— **latifolia** Hook. f.
*Bot. Mag. cii. t. 6239 (1876).
ochracea Endl.
Endlicher, Ic. Gen. Pl. t. 90 (1838).
Schnizlein, Iconogr. ii. t. 127 c (1854).—*Fr.*
triflora Klotzsch
Mart. Fl. Bras. vi. vi. t. 111 (1889).

COSMIDIUM Nutt.: *Thelesperma*
×**Burridgeanum** Hort.
W. Robinson, Engl. Fl. Gard. t. 81 (1883).—*Hab.*
—— **atropurpureum** Van Houtte
*Fl. des Serres, Ser. II. iii. t. 1321 (1858).
filifolium Nutt.
Lem. Jard. Fl. ii. Misc. 143 (1852).

COSMIUSA Alef.: *Parochetus*
repens Alef.
Bot. Zeit. xxiv. t. 6, B, fig. 1–6 (1866).

COSMIZA Rafin.: *Polypompholyx*
multifida Barnh.
Mem. New York Bot. Gard. vi. 48 (1916).

COSMOS Cav.—Vide *Coreopsis* (4), *Cosmea*
bipinnatus Cav.
Cavanilles, Ic. i. t. 14 (1791).
Savi, Fl. Ital. iii. t. 84 (1824).
Decaisne & Naud. Amat. Jard. ii. 360 [1862–66].
Decaisne, Naud. & Hemsl. Trees, Shrubs & Herb. Pl. 246 (1873).
Journ. Hort. Ser. III. v. 265 (1883); li. 152 (1905).
W. Robinson, Engl. Fl. Gard. t. 82 (1883).—*Hab.*
Nicholson, Illustr. Dict. Gard. i. 386 [1884–88].
Pflanzenfam. ii. 1. 144 (1889).—*Fl.*
*Garden, xli. 10 (1892).

COSMOS
bipinnatus
*Bois, Atlas Pl. Jard. t. 147 (1896).
*Step, Fav. Fl. Gard. & Greenh. ii. t. 142 (1897).
Semaine Hort. 1898, p. 110.
L. H. Bailey, Cycl. Amer. Hort. 384 (1900); Stand. Cycl. Hort. 862 (1914).
*Rev. Hort. Belge, xxix. 253 (1903); xl. 85 (1914).
Ramaley in Univ. Colorado Stud. ii. fig. 41 (1905).—*Veg.*
Jardin, xxvi. 173 (1912).—*Hab.*
Hegi, Ill. Fl. Mittel-Eur. vi. 1. 532 (1915).
—— **albiflorus** Hort.
Nicholson, '1900' Suppl. Dict. Gard. 262 (1900).
caudatus H. B. K.
Publ. Field Columbian Mus. Bot. Ser. III. ii. 133 (1904).—*Fl.*
chrysanthemifolius H. B. K.
H. B. K. Nov. Gen. iv. t. 382 (1820).
*Rev. Hort. 1867, p. 112.
diversifolius Otto
*Knowles & Westc. Floral Cab. ii. t. 47 (1838).
Journ. Hort. Ser. III. v. 381 (1883).
—— **atrosanguineus** Hook.
*Belg. Hort. xi. 265 (1861).
*Bot. Mag. lxxxvii. t. 5227 (1861).
*Horticulteur Franç. 1861, t. 8.
scabiosioides H. B. K.
*Bot. Reg. xxiv. t. 15 (1838).
spectabilis Carr.
Rev. Hort. 1892, p. 372, 373.
—— **alba** Carr.
*Rev. Hort. 1892, p. 372.
—— **rosea** Carr.
*Rev. Hort. 1892, p. 372.
sulphureus Cav.
Cavanilles, Ic. i. t. 79 (1791).
Gard. & Forest, viii. 485 (1895).
Gard. Chron. Ser. III. xlii. 150 (1907).
L. H. Bailey, Stand. Cycl. Hort. 863 (1914).
Hegi, Ill. Fl. Mittel-Eur. vi. 1. 532 (1915).
Safford in Journ. Washington Acad. Sc. viii. No. 19, p. 616, 618 (1918).
tenuifolius Lindl.
*Bot. Reg. xxiii. t. 2007 (1837).
*Floricult. Cab. vi. 47 (1838).
*J. W. Loudon, Ladies' Fl.-Gard. Ornam. Annuals, t. 32 (1844).

COSMOSTIGMA Wight
acuminata Wight
Wight, Ic. Pl. Ind. Or. iv. t. 1270 (1848).
racemosa Wight
Wight, Ic. Pl. Ind. Or. ii. t. 591 (1840–43).
Delessert, Ic. Pl. v. t. 84 (1846).
Pflanzenfam. iv. 11. 294 (1895).—*Fl.*
Lecomte, Fl. Gén. Indo-Chine, iv. 115 (1912).—*Fl.*
Basu, Ind. Med. Pl. t. 628 (1918).

COSSIGNIA Comm. ex Juss.
borbonica DC.
Baillon, Hist. Pl. v. 365 (1874).—*Fl.*
madagascariensis Baill.
Grandidier, Hist. Madag. [Plantes] Atlas, t. 248, b (1896).
pinnata Comm.
Lamarck, Ill. ii. t. 256 (1797).
Pflanzenfam. iii. v. 354 (1895).—*Fl.*

COSSINIA = *Cossignia*

COSSONIA Durieu
africana Durieu
Ann. Sc. Nat. Paris, Ser. III. xx. t. 6 (1853).
Cosson, Ill. Fl. Atlant. i. t. 36 (1884).
Pflanzenreich, Crucif.-Brass. 12 (1919).—*Fr.*
platycarpa Cosson
Cosson, Ill. Fl. Atlant. i. t. 37 (1884).

COSTA Vell.: *Galipea*
aromatica Vell.
Vellozo, Fl. Flum. i. t. 48 (1827).

COSTAEA A. Rich.—Vide *Purdiaea*
cubensis A. Rich.
Ramon de la Sagra, Fl. Cubana, iv. Atlas, Pl. Vasc. t. 53 (1853); et Ic. Fl. Cub. Pl. Vasc. t. 53 (1863).

COSTAEA
stenopetala Baill.
Baillon, Hist. Pl. xi. 143 (1891).—*Fl.*
Pflanzenfam. iii. v. 181 (1892).—*Fl.*

COSTARICIA Christ
Werckleana Christ
Bull. Soc. Bot. Genève, Ser. II. i. 230 (1909).

COSTERA J. J. Sm.
ovalifolia J. J. Sm.
Ic. Bogor. iv. t. 324 (1910).

COSTIA Willk.: *Iris*
scorpioides Willk.
!Bosca in An. Soc. Españ. Hist. Nat. ix. Actas, 26 (1880).

COSTULARIA C. B. Clarke
paludosa C. B. Clarke
C. B. Clarke, Illustr. Cyperac. t. 88 (1909).
recurva C. B. Clarke
C. B. Clarke, Illustr. Cyperac. t. 88 (1909).—*Fl.*

COSTUS Linn.—Vide *Cadalvena*
acanthocephalus K. Schum.
Engl. Jahrb. xxvii. t. 6 (1899).
acaulis Sp. Moore
Trans. Linn. Soc. London, Ser. II. Bot. iv. t. 33 (1895).
afer Ker-Gawl.
*Bot. Mag. lxxxiii. t. 4979 (1857).
Horaninow, Monogr. Scitam. t. 4 (1862).
—— **glaber** Ker-Gawl.
*Bot. Reg. viii. t. 683 (1823).
anachiri Jacq.
*Joh. Kerner, Hort. Sempervir. t. 233 (1806).
*Jacquin, Fragm. t. 78 (1809).
arabicus Linn.
*Bergius, Mat. Med. i. 8, t. 403 (1778).
*Jacquin, Ic. Pl. Rar. i. t. 1 (1781–86).
*Zorn, Ic. Pl. Med. v. t. 403 (1784).
*Plenck, Ic. Pl. Med. i. t. 7 (1788).
*Oskamp, Afb. Artseny-Gewass. v. t. 471 (1800).
*Chaumeton, Fl. Méd. iii. t. 136 (1816).
Martius, Pfl. & Thiere Trop. Amer. t. 1, fig. VI, 5 (1831).—*Hab.*
*Cassone, Fl. Med.-Farm. vi. t. 537 (1852).
arabicus Vell.
Vellozo, Fl. Flum. i. t. 5 (1827).
argenteus Ruiz & Pav.
Ruiz & Pavon, Fl. Peruv. & Chil. i. t. 4 (1798).
congestiflorus Rich.
Pflanzenreich, Zingiberac. 422 (1904).
cylindricus Jacq.
*Jacquin, Fragm. t. 77 (1809).
Pflanzenreich, Zingiberac. 380 (1904).—*Fl.*
cylindricus Rosc.
*Joh. Kerner, Hort. Sempervir. t. 648 (1822).
*Roscoe, Monandr. Pl. Scitam. t. 78 (1828).
discolor Rosc.
*Roscoe, Monandr. Pl. Scitam. t. 81 (1828).
Dussii K. Schum.
Pflanzenreich, Zingiberac. 380 (1904).—*Fl.*
Englerianus K. Schum.
Engl. Jahrb. xv. t. 13 (1892).
Pflanzenreich, Zingiberac. 422 (1904).
Engler & Drude, Veget. Erde, ix. 11. 393 (1908).
Friedrichsenii O. G. Peters.
*Bot. Tidsskr. xviii. t. 15 (1893).
*Gartenfl. lii. t. 1521 (1903).
Pflanzenreich, Zingiberac. 380 (1904).—*Fl.*
Goebel, Entfaltungsb. Pfl. 216 (1920).—*Veg.*
globosus Bl.
Ic. Bogor. ii. t. 163 (1904).
igneus N. E. Br.
*Ill. Hort. xxxi. t. 511 (1884).
*Bot. Mag. cxi. t. 6821 (1885).
Pflanzenfam. ii. VI. 22 (1889).
Journ. Hort. Ser. III. xxviii. 11 (1894); xxxviii. 11 (1899); lxi. 515 (1910).
Pflanzenreich, Zingiberac. 418 (1904).
Lucanusianus J. Braun & K. Schum.
*Gartenfl. xli. t. 1379 (1892).
Schlechter, Westafr. Kautsch.-Exped. (1899–1900), 65 (1900).

COSTUS
Lucanusianus
Pflanzenreich, Zingiberac. 391 (1904).
Engler & Drude, Veget. Erde, ix. II. 391 (1908).
luteus Blanco
*Blanco, Fl. Filip. t. 3 (1878–80).
macranthus K. Schum.
Engl. Jahrb. xxx. t. 7, 8 (1901).
Pflanzenreich, Zingiberac. 422 (1904).
Engler & Drude, Veget. Erde, ix. II. 393 (1908).
maculatus Rosc.
*Roscoe, Monandr. Pl. Scitam. t. 82 (1828).
Malortieanus H. Wendl.
*Bot. Mag. xcvii. t. 5894 (1871).
Pflanzenreich, Zingiberac. 380 (1904).—*Fl.*
Ic. Bogor. ii. t. 200 (1906).
A. S. & P. P. Calvert, A Year of Costa Rican Nat. Hist. 257 (1917).
Goebel, Entfaltungsb. Pfl. 215 (1920).—*Veg.*
mexicanus Liebm.
*Bot. Tidsskr. xviii. t. 16 (1893).
nemotrichus K. Schum.
Pflanzenreich, Zingiberac. 415 (1904).
Engler & Drude, Veget. Erde, ix. II. 392 (1908).
nepalensis Rosc.
*Roscoe, Monandr. Pl. Scitam. t. 80 (1828).
*Gartenfl. iv. t. 139 (1855).
niveo-purpureus Jacq.
*Jacquin, Fragm. t. 67, 79 (1809).
pictus D. Don
*Bot. Reg. xix. t. 1594 (1833).
Pisonis Lindl.
*Bot. Reg. xi. t. 899 (1825).
Lestiboudois in Mém. Soc. Sc. Agric. & Arts, Lille, 1840, t. 7 (1841).—*Fl.*
Ann. Sc. Nat. Paris, Ser. II. xv. t. 21 (1841).—*Fl.*
registrator Büsgen
Ic. Bogor. ii. t. 164, 165 (1904).
sarmentosus Bojer
Ann. Sc. Nat. Paris, Ser. II. iv. 8 (1835).
D. Dietrich, Fl. Univ. Abt. i. t. 870 (1852).
scaber Ruiz & Pav.
Ruiz & Pavon, Fl. Peruv. & Chil. i. t. 3 (1798).
speciosus Sm.
Rheede, Hort. Mal. xi. t. 8 (1692); fide Fl. Brit. Ind. vi. 250.
Rumphius, Herb. Amboin. vi. t. 64, fig. 2 (1750); fide Merrill, Interpret. Rumph. Herb. Amboin.
Berlin. Jahrb. Pharm. iii. t. 2 (1797).
*Géel, Sert. Bot. Cl. 1 (1828).
*Reichenbach, Fl. Exot. i. t. 69 (1834).
*Paxt. Mag. iv. 245 (1838).
Ann. Sc. Nat. Paris, Ser. II. xv. t. 21 (1841).—*Fl.*
Lestiboudois in Mém. Soc. Sc. Agric. & Arts, Lille, 1840, t. 7 (1841).—*Fl.*
Wight, Ic. Pl. Ind. Or. vi. t. 2014 (1853).
Horaninow, Monogr. Scitam. t. 4 (1862).—*Fl.*
*Blanco, Fl. Filip. t. 442 (1878–80).
*Garden, xlvii. 166 (1895).
Möllers Deutsche Gärtn.-Zeit. xi. 225 (1896).
*Ill. Hort. xliii. t. 56 (1896).
Kertészeti Lapok (Hungarian Journ. Horticult.), xii. 265 (1897).
*Kamerling in Nat. Tijdschr. Nederl. Ind. lxxi. 86 (1912).
Crevost & Lemarié, Cat. Prod. Indochine, i. 117 (1917).
Basu, Ind. Med. Pl. t. 947 (1918).
—— **angustifolius** Ker-Gawl.
*Bot. Reg. viii. t. 665 (1822).
—— **hirsutus** Bl.
Rumphius, Herb. Amboin. vi. t. 64, fig. 1 (1750); fide Merrill, Interpret. Rumph. Herb. Amboin.
spicatus Sw.
*Joh. Kerner, Hort. Sempervir. t. 132 (1803).
Hegetschweiler, Comment. Bot. t. 3 (1813).—*Fl.*
*Roscoe, Monandr. Pl. Scitam. t. 77 (1828).
Linnaea, xxii. t. 4, fig. 43–62 (1849).—*Fl.*
Horaninow, Monogr. Scitam. t. 4 (1862).—*Fl.*
spiralis Rosc.
*Roscoe, Monandr. Pl. Scitam. t. 79 (1828).
Mart. Fl. Bras. iii. III. t. 13 (1890).
sulphureus K. Schum.
Pflanzenreich, Zingiberac. 380 (1904).—*Fl.*
tonkinensis Gagnep.
Lecomte, Fl. Gén. Indo-Chine, vi. 119 (1908).

COSTUS
Verschaffeltianus C. Lem.
*Lem. Jard. Fl. iv. t. 381 (1853).
*Ill. Hort. v. t. 177, sub t. 177 (1858).
villosissimus Jacq.
Jacquin, Fragm. t. 80 (1809).
Warmingii O. G. Peters.
Mart. Fl. Bras. iii. III. t. 14 (1890).

COTA J. Gay: *Anthemis*
altissima J. Gay
*Cusin & Ansberque, Herb. Fl. Franç. xii (Composées), t. 143 (1873).
Acloque, Fl. France, 374 (1894).
Coste, Fl. France, ii. 347 (1903).
Cadevall & Sallent, Fl. Catalunya, ii. 275 (1917).
tinctoria J. Gay
*Cusin & Ansberque, Herb. Fl. Franç. xii (Composées), t. 144 (1873).
Coste, Fl. France, ii. 346 (1903).
Cadevall & Sallent, Fl. Catalunya, iii. 274 (1917).
Triumfetti J. Gay
*Cusin & Ansberque, Herb. Fl. Franç. xii (Composées), t. 145 (1873).
Coste, Fl. France, ii. 347 (1903).
Merino, Fl. Galicia, ii. 366 (1906).
Cadevall & Sallent, Fl. Catalunya, iii. 275 (1917).

COTINUS Adans.
americanus Nutt.
*Nuttall, N. Amer. Sylva, ii. t. 81 (1865).
Dippel, Handb. Laubholzk. ii. 383 (1892).
Sargent, Silva N. Amer. iii. t. 98, 99 (1892).
Sargent, Man. Trees N. Amer. 602 (1905).
Hough, Handb. Trees N. States & Canada, 304, 305 (1907).
Britton, N. Amer. Trees, 614 (1908).
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, ii. 485 (1913).
coggygria Scop.
A. & C. De Candolle, Monogr. Phan. iv. t. 12, fig. 28–32 (1883).—*Fl.*
G. Beck, Fl. Nied.-Oesterr. ii. 1. 577 (1892).—*Fl.*
Pflanzenfam. iii. v. 142, 156 (1892).—*Fl.*
Mitt. Deutsch. Dendr. Ges. 1906, t. 7.—*Hab.*
Schneider, Ill. Handb. Laubh. ii. 147 (1907).
Beille, Bot. Pharm. ii. 613 (1909).
Hayek, Fl. Steierm. i. 610 (1909).
Fedtschenko & Fler. Fl. Eur. Russia, 619 (1910).
Wettstein, Handb. Syst. Bot. Ed. 2, p. 629 (1911).—*Fr.*
L. H. Bailey, Stand. Cycl. Hort. 864 (1914).
cotinoides Britton
Britton & Brown, Ill. Fl. N. States & Canada, ii. 389 (1897).
Contrib. U.S. Nat. Herb. vi. t. 6 (1901).
Lounsberry, Southern Wild Fl. & Trees, t. 97 (1901).
Schneider, Ill. Handb. Laubh. ii. 147 (1907).
Cotinus C. K. Schneider
Schneider, Dendrol. Winterst. 78 (1903).—*Veg.*
Keeler, Our North. Shrubs, 93 (1903); Ed. 2, p. 93 (1912).

COTONEASTER Medic.—Vide *Mespilus* (2)
acuminata Lindl.
Trans. Linn. Soc. London, xiii. t. 9 (1822).
J. C. Loudon, Arbor. & Frutic. Brit. vi. t. 34 D (1838).
Koehne, Dendrol. 222 (1893).—*Fl.*
Brandis, Indian Trees, 295 (1906).
Schneider, Ill. Handb. Laubh. i. 744, 746 (1906).
acutifolia Lindl.
Dippel, Handb. Laubholzk. iii. 413 (1893).—*Veg.*
Koehne, Dendrol. 222 (1893).—*Fr.*
Schneider, Ill. Handb. Laubh. i. 750, 753 (1906).
acutifolia Turcz.
Schneider, Ill. Handb. Laubh. i. 751, 753 (1906).
Suireishchikov, Ill. Fl. Mosc. Gov. ii. 272 (1907).
—— **villosula** Rehd. & Wils.
Möllers Deutsche Gärtn.-Zeit. xxix. t. 6 (1914).
adpressa Bois
Bull. Soc. Bot. France, li. p. cl (1904).—*Hab.*
Vilmorin & Bois, Frutic. Vilmor. 116 (1904).—*Hab.*
Silva Tarouca, Freiland-Laubgehölze, 192 (1913).—*Hab.*

COTONEASTER
affinis Lindl.
*Lodd. Bot. Cab. xvi. t. 1522 (1829).
J. C. Loudon, Arbor. & Frutic. Brit. vi. t. 34 B (1838).
Dippel, Handb. Laubholzk. iii. 418 (1893).—*Veg.*
Schneider, Ill. Handb. Laubh. i. 758, 759 (1906).
Bull. Soc. Dendr. France, 1912, p. 189.—*Fr.*
—— **bacillaris** C. K. Schneider
Schneider, Ill. Handb. Laubh. i. 758, 759 (1906).
Aitchisonii C. K. Schneider
Schneider, Ill. Handb. Laubh. i. 748 (1906).
amoena E. H. Wilson
Gard. Chron. Ser. III. li. 2 (1912).
angustifolia Franch.
Gard. Chron. Ser. III. xxxvi. 441 (1904).
Vilmorin & Bois, Frutic. Vilmor. 115 (1904).
Journ. Hort. Ser. III. l. 147 (1905).
*Garden, lxvii. 25, 104 (1905).
Bull. Soc. Acclim. lvii. 513 (1910).
applanata Duthie
Tribune Hort. iv. 637 (1909).—*Hab.*
Jardin, xxiv. 85 (1910).—*Hab.*
bacillaris Wall.
Dippel, Handb. Laubholzk. iii. 417 (1893).—*Veg.*
Collett, Fl. Siml. 172 (1902).
*Gard. Chron. Ser. III. lvi. Suppl. tab. p. 412 (1914).
bullata Bois
Bull. Soc. Bot. France, li. p. cliii, cliv (1904).
Vilmorin & Bois, Frutic. Vilmor. 119, 120 (1904).
Schneider, Ill. Handb. Laubh. i. 748, 751 (1906).
Fedde, Repert. iii. 229 (1907).
buxifolia Wall.
*Journ. Jard. 1834, p. 175.
Wight, Ic. Pl. Ind. Or. iii. t. 992 (1843–45).
*Wight, Spicil. Neilgherr. i. t. 63 [1846].
Payer, Organog. Comp. Fl. t. 102 (1857).—*Fl.*
*Saunders, Ref. Bot. i. t. 52 (1869).
Beddome, Fl. Sylv. Anal. Gen. t. 13 (1872).
Pflanzenfam. iii. III. 19 (1888).—*Fr.*
*Rev. Hort. 1889, p. 348.
Schneider, Ill. Handb. Laubh. i. 756, 760 (1906).
Fyson, Fl. Nilgiri & Pulney Hill-tops, iii. 329 (1920).
congesta Baker
*Saunders, Ref. Bot. i. t. 51 (1869).
Cotoneaster Karst.
Karsten, Deutsche Fl. Pharm.-medic. Bot. 784 (1880–83).
Karsten, Fl. Deutschl. ii. 343 (1895).
Dammeri C. K. Schneider
Schneider, Ill. Handb. Laubh. i. 760 (1906).—*Veg.*
denticulata H. B. K.
H. B. K. Nov. Gen. vi. t. 556 (1823).
Dielsiana E. Pritz.
Schneider, Ill. Handb. Laubh. i. 744, 760 (1906).
Horticulture (Boston), xi. 181 (1910).—*Hab.*
Silva Tarouca, Freiland-Laubgehölze, 67 (1913).—*Hab.*
disticha Lange
Schneider, Ill. Handb. Laubh. i. 744, 746 (1906).
—— **Duthieana** C. K. Schneider
Schneider, Ill. Handb. Laubh. i. 746 (1906).—*Veg.*
—— **tongolensis** C. K. Schneider
Schneider, Ill. Handb. Laubh. i. 746 (1906).—*Veg.*
Fontanesii Spach
*Rev. Hort. 1867, p. 33.
Schneider, Ill. Handb. Laubh. i. 755 (1906).—*Veg.*
—— **acutifolia** Bornm.
Schneider, Ill. Handb. Laubh. i. 755 (1906).—*Veg.*
formosana Hayata
Kanehira, Formosan Trees, 213 (1917).
Franchetii Bois
Rev. Hort. 1902, p. 379–81; 1907, p. 256, 257.
Bull. Soc. Bot. France, li. p. cli, clii (1904).
Vilmorin & Bois, Frutic. Vilmor. 117, 118 (1904).
Vilmorin, Hort. Vilm. (Bull. Soc. Bot. France, li. App.), 29 (1905).
Schneider, Ill. Handb. Laubh. i. 746, 748 (1906).
*Bot. Mag. cxl. t. 8571 (1914).

COTONEASTER
frigida Wall.
*Bot. Reg. xv. t. 1229 (1829).
*Lodd. Bot. Cab. xvi. t. 1512 (1829).
J. C. Loudon, Arbor. & Frutic. Brit. vi. t. 24 B (1838).
Journ. Hort. Ser. III. xxii. 29 (1891).
*Mouillefert, Traité Arbres & Arbrisseaux, Atlas, t. 37, t. VI (1892–98).
Dippel, Handb. Laubholzk. iii. 419 (1893).—*Veg.*
Schneider, Ill. Handb. Laubh. i. 758, 759 (1906).
Apgar, Orn. Shrubs U.S. 177, fig. 274 (1910).
glaucophylla Franch.
Schneider, Ill. Handb. Laubh. i. 755, 759 (1906).
granatensis Boiss.
*Boissier, Voy. Bot. Espagne, i. t. 60 (1839–45).
Henryana Rehd. & Wils.
Möllers Deutsche Gärtn.-Zeit. xxix. 15 (1914).
*Rev. Hort. 1919, p. 264.
horizontalis Decne.
*Rev. Hort. 1885, p. 136; 1889, p. 348; 1916, p. 137.
Gard. Chron. Ser. III. xxxii. 91 (1902).
Schneider, Ill. Handb. Laubh. i. 744, 746 (1906).
Oesterr. Gart.-Zeit. ii. 52 (1907).—*Hab.*
*Silva Tarouca, Freiland-Laubgehölze, 193, t. 3 (1913).—*Hab.*
Bull. Soc. Dendr. France, 1913, p. 172.—*Veg.*
L. H. Bailey, Stand. Cycl. Hort. 865 (1914).—*Hab.*
—— **adpressa** C. K. Schneider
Schneider, Ill. Handb. Laubh. i. 744, 746 (1906).
—— **perpusilla** C. K. Schneider
Schneider, Ill. Handb. Laubh. i. 746 (1906).—*Veg.*
humifusa Duthie
Gard. Chron. Ser. III. lxi. 140 (1917).—*Hab.*
hupehensis Rehd. & Wils.
L. H. Bailey, Stand. Cycl. Hort. 867 (1914).
ignava E. L. Wolf
Dendr. Gard. For. Inst. (Bull. Forst-Inst. St. Petersb. No. 15), 16 (1907).
integerrima Medic.
*Thomé, Fl. Deutschl. iii. t. 418 (1888).
G. Beck, Fl. Nied.-Oesterr. ii. 1. 702 (1892).—*Fl.*
Garcke, Ill. Fl. Deutschl. 203 (1895).
Knuth, Handb. Blütenbiol. ii. 1. 389 (1898).—*Fl.*
Fiori & Paol. Ic. Fl. Ital. 212 (1899).
*Gradmann, Pflanzenleb. Schwäb. Alb, Ed. 2, i. 153, t. 10 (1900).
Lindman, Bild. Nord. Fl. t. 287 (1901–5).
*Sturm, Fl. Deutschl. Ed. 2, viii. t. 1 (1904).
Blytt, Haandb. Norg. Fl. Ed. Dahl, 418 (1906).
Schneider, Ill. Handb. Laubh. i. 746, 748 (1906).
Suireishchikov, Ill. Fl. Mosc. Gov. ii. 273 (1907).
Fedtschenko & Fler. Fl. Eur. Russia, 508 (1910).
*Gatin, Arbres, Arbustes & Arbriss. t. 56 (1913).
Reichenbach, Ic. Fl. Germ. xxv. t. 96 (1913).
—— **uniflora** C. K. Schneider
Schneider, Ill. Handb. Laubh. i. 746 (1906).—*Veg.*
lanata Lindl.
Pflanzenfam. iii. III. 19 (1888).—*Fl.*
Warming, Handb. Syst. Bot. Ed. Möbius, 354 (1902).—*Fl.*
laxifolia Jacq.
*Bot. Reg. xv. t. 1305 (1830).
*Bot. Mag. lxiii. t. 3519 (1836).
J. C. Loudon, Arbor. & Frutic. Brit. ii. 871 (1838).
Lindleyi Steud.
Schneider, Ill. Handb. Laubh. i. 755, 756 (1906).
lucida Schlecht.
Schneider, Ill. Handb. Laubh. i. 750, 753 (1906).
Bull. Soc. Dendr. France, 1912, p. 189.—*Fr.*
melanocarpa Lodd.
*Lodd. Bot. Cab. xvi. t. 1531 (1829).
Payer, Organog. Comp. Fl. t. 102 (1857).—*Fl.*
Schneider, Ill. Handb. Laubh. i. 750, 753 (1906).
Suireishchikov, Ill. Fl. Mosc. Gov. ii. 272 (1907).
Reichenbach, Ic. Fl. Germ. xxv. t. 98 (1913).
—— **commixta** Hook.
Schneider, Ill. Handb. Laubh. i. 750, 753 (1906).
—— **laxiflora** C. K. Schneider
Reichenbach, Ic. Fl. Germ. xxv. t. 98 (1913).
microphylla Wall.
*Bot. Reg. xiii. t. 1114 (1827).

COTONEASTER
microphylla
*Lodd. Bot. Cab. xiv. t. 1374 (1828).
J. C. Loudon, Arbor. & Frutic. Brit. ii. 873 (1838).
*Saunders, Ref. Bot. i. t. 49 (1869).
Gard. Chron. xii. 333 (1879); xviii. 681 (1882).
*Rev. Hort. 1889, p. 348.
Schneider, Ill. Handb. Laubh. i. 760 (1906).
Cooper & Westell, Trees & Shrubs Brit. Isl. ii. t. 25 (1909).
Apgar, Orn. Shrubs U.S. 176, fig. 268 (1910).—*Veg.*
Gartenschönheit, i. 183 (1920).
—— **thymifolia** Koehne
Schneider, Ill. Handb. Laubh. i. 760 (1906).—*Fl.*
—— **Uva-ursi** Lindl.
*Bot. Reg. xiv. t. 1187 (1828).
moupinensis floribunda Stapf
*Bot. Mag. cxxxv. t. 8284 (1909).
multiflora Bunge
*Ledebour, Ic. Pl. Ross. iii. t. 274 (1831).
Dippel, Handb. Laubholzk. iii. 417 (1893).
*A Kert (The Garden), xi. 320 (1905).
Schneider, Ill. Handb. Laubh. i. 751, 755, 756 (1906).
Apgar, Orn. Shrubs U.S. 177, fig. 273 (1910).
Silva Tarouca, Freiland-Laubgehölze, 27, 194 (1913).—*Hab.*
Bean, Trees & Shrubs, i. 413 (1914).—*Hab.*
—— **calocarpa** Rehd. & Wils.
Möllers Deutsche Gärtn.-Zeit. xxix. 7 (1914).—*Hab.*
—— **granatensis** Wenz
Schneider, Ill. Handb. Laubh. i. 755, 756 (1906).
—— **macrocarpa** E. R. Wilson
Wilson, Arn. Arb. Exped. China, 1910–11, t. 0329 (1912).—*Hab.*
nepalensis Hort.
*Rev. Hort. 1889, p. 348.
nigra Wahlenb.
*Fl. Dan. Suppl. t. 73 (1865).
Lauche, Deutsche Dendrol. Ed. 2, p. 579 (1883).
Schneider, Dendrol. Winterst. 148 (1903).—*Veg.*
Hayek, Pflanzend. Oesterr.-Ung. i. 304 (1914).
Mayevsky, Fl. Central Russia, 198 (1918).
nummularia Lindl.
J. C. Loudon, Arbor. & Frutic. Brit. vi. t. 34 C (1838).
Dippel, Handb. Laubholzk. iii. 416 (1893).—*Veg.*
Bull. Soc. Dendr. France, 1912, p. 189.—*Fr.*
—— **orbicularis** Apgar
Apgar, Orn. Shrubs U.S. 176, fig. 270 (1910).
nummularia Fisch. & Mey.
Trans. Linn. Soc. London, Ser. II. Bot. iii. t. 9 (1888).
Lojacono-Pojero, Fl. Sic. i. II. t. 19 (1891).
orbicularis Schlechtd.
Schneider, Ill. Handb. Laubh. i. 755 (1906).—*Veg.*
pannosa Franch.
*Jardin, xii. 120 (1898).
*Rev. Hort. 1902, p. 159, 381; 1907, p. 256.
Garden, lxvii. 118 (1905); lxxx. 606 (1916).
*Gartenfl. lv. t. 1551 (1906).
Schneider, Ill. Handb. Laubh. i. 755, 756 (1906).
*Bot. Mag. cxli. t. 8594 (1915).
parnassica Boiss. & Heldr.
Schneider, Ill. Handb. Laubh. i. 746, 748 (1906).
pekinensis Zabel
Schneider, Ill. Handb. Laubh. i. 751 (1906).—*Veg.*
prostrata Baker
*Saunders, Ref. Bot. i. t. 53 (1869).
Pyracantha Spach
Pokorny, Oesterr. Holzpfl. 460, t. 61 (1864).—*Veg.*
*Cusin & Ansberque, Herb. Fl. Franç. viii (Pomacées), t. 7 (1870).
Paolucci, Fl. Marchig. t. 32 (1890).
*Mouillefert, Traité Arbres & Arbrisseaux, Atlas, t. 6 (1892–98).
Britton & Brown, Ill. Fl. N. States & Canada, ii. 245 (1897); Ed. 2, ii. 322 (1913).
Fiori & Paol. Ic. Fl. Ital. 212 (1899).
Coste, Fl. France, ii. 67 (1903).

COTONEASTER
Pyracantha
Keeler, Our North. Shrubs, 199 (1903); Ed. 2, p. 199 (1912).
Apgar, Orn. Shrubs U.S. 173, fig. 267 (1910).
Béguinot & Diratz. Contr. Fl. Armenia, 55 (1912).
Mathews, Field Book Amer. Trees & Shrubs, 253 (1915).
Cadevall & Sallent, Fl. Catalunya, ii. 316 (1916).
Mitt. Deutsch. Dendr. Ges. 1917, t. 32.—*Hab.*
racemiflora Koch
Dippel, Handb. Laubholzk. iii. 415 (1893).—*Veg.*
Schneider, Ill. Handb. Laubh. i. 755, 756 (1906).
—— **Kotschyi** C. K. Schneider
Schneider, Ill. Handb. Laubh. i. 755 (1906).—*Veg.*
radicans Dam.
Schneider, Ill. Handb. Laubh. i. 760 (1906).
reflexa Carr.
Rev. Hort. 1892, p. 327; 1893, p. 29.—*Hab.*
rosea Edgew.
Schneider, Ill. Handb. Laubh. i. 753, 755 (1906).
rotundifolia Wall.
J. C. Loudon, Arbor. & Frutic. Brit. ii. 872 (1838).
*Saunders, Ref. Bot. i. t. 54 (1869).
Garden, lv. 186 (1899).—*Fr.*
*Bot. Mag. cxxxi. t. 8010 (1905).
Schneider, Ill. Handb. Laubh. i. 760 (1906).
Apgar, Orn. Shrubs U.S. 176, fig. 269 (1910).
—— **lanata** C. K. Schneider
Schneider, Ill. Handb. Laubh. i. 760 (1906).—*Veg.*
—— **Uva-ursi** C. K. Schneider
Schneider, Ill. Handb. Laubh. i. 760 (1906).—*Veg.*
rugosa E. Pritzel
Schneider, Ill. Handb. Laubh. i. 758, 759 (1906).—*Veg.*
—— **Henryana** C. K. Schneider
Schneider, Ill. Handb. Laubh. i. 758, 759 (1906).
Gard. Chron. Ser. III. xlvi. 339 (1909).
—— **Pritzelii** C. K. Schneider
Schneider, Ill. Handb. Laubh. i. 758, 759 (1906).
salicifolia rugosa Rehd. & Wils.
*Gard. Chron. Ser. III. lvi. Suppl. tab. p. 412 (1914).
*Bot. Mag. cxliii. t. 8694 (1917).
serotina Hutchinson
*Bot. Mag. cxlvi. t. 8854 (1920).
Simonsii Hort.
*Saunders, Ref. Bot. i. t. 55 (1869).
Lubbock, Seedlings, i. 501 (1892).—*Veg.*
Rev. Hort. 1902, p. 380.
*Gartenfl. lv. t. 1551 (1906).
Schneider, Ill. Handb. Laubh. i. 744, 746 (1906).
Bull. Soc. Dendr. France, 1912, p. 189.—*Fr.*
*Addisonia, iii. t. 91 (1918).
thymifolia Hort.
Paxt. Fl. Gard. ii. 132 (1851–52).
Baillon, Hist. Pl. i. 409 (1867–69).—*Fl.*
*Saunders, Ref. Bot. i. t. 50 (1869).
Baillon, Dict. Bot. i. 180 (1877).—*Fl.*
Gard. Chron. xii. 333 (1879); xviii. 681 (1882).
*Rev. Hort. 1889, p. 348.
tomentosa Lindl.
Pokorny, Oesterr. Holzpfl. 451, t. 56 (1864).—*Veg.*
*Cusin & Ansberque, Herb. Fl. Franç. viii (Pomacées), t. 9 (1870).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xxv. t. 2530 (1886).
Coste, Fl. France, ii. 67 (1903).
Schneider, Dendrol. Winterst. 148 (1903).—*Veg.*
Flahault, Nouv. Fl. Alpes & Pyrén. i. 42 (1906).
Schneider, Ill. Handb. Laubh. i. 746, 748 (1906).—*Veg.*
Senn, Alpen-Flora, ii. 42 (1906).
Suireishchikov, Ill. Fl. Mosc. Gov. ii. 273 (1907).
Apgar, Orn. Shrubs U.S. 177, fig. 272 (1910).
*Guinier, Atlas Arbres & Arbustes, t. 61, 61 bis (1912).
*Gatin, Arbres, Arbustes & Arbriss. t. 56 (1913).
Reichenbach, Ic. Fl. Germ. xxv. t. 97 (1913).
Cadevall & Sallent, Fl. Catalunya, ii. 317 (1916).
—— **floribunda** Chab.
Bull. Soc. Bot. France, liii. t. 6 (1906).

COTONEASTER
turbinata Craib
*Bot. Mag. cxl. t. 8546 (1914).
uniflora Bunge
*Ledebour, Ic. Pl. Ross. iii. t. 269 (1831).
Dippel, Handb. Laubholzk. iii. 410 (1893).—*Veg.*
vulgaris Lindl.
*Curtis, Fl. Londin. Ed. 2, v. t. 209 (1828).
*Sowerby & Sm. Engl. Bot. Suppl. ii. t. 2713 (1834).
*Zenker, Fl. Thüringen, ii. t. 141 (1836–55).
J. C. Loudon, Arbor. & Frutic. Brit. ii. 870 (1838).
*Dietrich, Fl. Boruss. vii. t. 448 (1839).
*Baxter, Brit. Bot. Ed. 2, vi. t. 402 (1843).
*Deakin, Florigr. Brit. ii. fig. 786 (1845).
*J. W. Loudon, Brit. Wild Fl. Ed. 2, t. 35 [1846].
*Petermann, Deutschl. Fl. t. 26, fig. 203 (1849).
*Hartig, Forstl. Cult. t. 83 (1851).
Johnson & Sowerby, Brit. Wild Fl. fig. 429 (1858–60).
Willkomm, Deutschl. Laubhölz. im Winter, 32, fig. 42 (1859).—*Veg.*
*Syme, Engl. Bot. iii. t. 477 (1864).
Pokorny, Oesterr. Holzpfl. 451, t. 56 (1864).—*Veg.*
Bentham, Handb. Brit. Fl. fig. 334 (1865).
*Cusin & Ansberque, Herb. Fl. Franç. viii (Pomacées), t. 8 (1870).
*Hogg & Johnson, Wild Fl. Gr. Brit. vii. t. 562 (1872); viii. t. 562 (1874).
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, ii. t. 72 [1873].
Willkomm, Forstl. Fl. Deutschl. & Oesterr. 598 (1875).—*Fl.*
H. Müller, Alpenblumen, 214 (1881).—*Fl.*
Wagner, Ill. Deutsche Fl. Ed. 2, p. 235 (1882).
Willkomm, Führ. Reich Pflanzen, 628 (1882).—*Fl.*
Svenska Vet. Akad. Handl. xxi. No. 4, t. 2 (1884).—*Fl.*
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xxv. t. 2529 (1886).
Hempel & Wilhelm, Bäume u. Sträuch. iii. 73 [1889?].
*Heathcote, Fl. Engadine, t. 80 (1891).
Knuth, Handb. Blütenbiol. i. 145 (1898).—*Fl.*
Coste, Fl. France, ii. 67 (1903).
*Flahault, Nouv. Fl. Alpes & Pyrén. ii. t. 44 (1908).
Apgar, Orn. Shrubs U.S. 176, fig. 271 (1910).
Journ. of Bot. xlviii. t. 504 (1910).—*Hab.*
*Guinier, Atlas Arbres & Arbustes, t. 61, 61 bis (1912).
Bull. Soc. Dendr. France, 1912, p. 189.—*Fr.*
Cadevall & Sallent, Fl. Catalunya, ii. 317 (1916).
Fitch & Smith, Ill. Brit. Fl. Ed. rev. 4, Iss. 2, fig. 340 (1919).
Zabelii C. K. Schneider
Schneider, Ill. Handb. Laubh. i. 748, 751 (1906).

COTTEA Kunth
pappophoroides Kunth
*Kunth, Rév. Gram. i. t. 52 (1829).
Vasey, Ill. N. Amer. Grasses (U.S. Dep. Agric. Div. Bot. Bull. No. 12, II), i. t. 29 (1891).
U.S. Dep. Agric. Div. Agrost. Bull. No. 7, p. 241 (1897); No. 20, p. 118 (1900).
Amer. Journ. Bot. v. 256 (1918).—*Fl.*
U.S. Dep. Agric. Bull. No. 772, p. 84 (1920).

COTTENDORFIA Schult. f.
florida Schult. f.
Mart. Fl. Bras. iii. III. t. 93 (1894).

COTTONIA Wight
macrostachya Wight
Wight, Ic. Pl. Ind. Or. v. t. 1755 (1851).
*Bot. Mag. cxvi. t. 7099 (1890).
*Journ. Bombay Nat. Hist. Soc. xviii. 590 (1908).

COTULA Linn.—Vide *Chlamydophora*, *Cenia*, *Lancisia* Gaertn., *Leptinella*, *Machlis*
alpina Hook. f.
*Hooker f., Fl. Tasman. i. t. 51 (1860).
anthemioides Linn.
Hill, Veget. Syst. iii. t. 91 (1762).
Dillenius, Hort. Eltham. Add. Denom. Linn. t. 23 (1774).
Lamarck, Ill. iv. t. 700, fig. 3 (1797).
Honigberger, Thirty-five Years East, ii. t. 4 (1852).

COTULA
anthemioides
Basu, Ind. Med. Pl. t. 537 (1918).
atrata Hook. f.
Cheeseman, Ill. New Zeal. Fl. t. 106 (1914).
aurea Linn.
*Schkuhr, Bot. Handb. Ed. 2, t. 254 a (1808).
*Sibthorp & Sm. Fl. Graeca, ix. t. 878 (1837).
australis Hook. f.
*Hooker f., Fl. Tasman. i. t. 50 (1860).
F. M. Bailey, Weeds & Poison. Pl. Queensland, 86 (1906).
Hayward & Druce, Advent. Fl. Tweedside, 125 (1919).
cinerea Del.
Delile, Fl. Égypte, t. 47 (1812).
complanata Sibth.
*Sibthorp & Sm. Fl. Graeca, ix. t. 879 (1837).
coronopifolia Linn.
*Kniphof, Herb. Viv. i. t. 319 (1758).
Hill, Veget. Syst. iii. t. 91 (1762).
*Fl. Dan. ii. t. 341 (1767).
Dillenius, Hort. Eltham. Add. Denom. Linn. t. 23 (1774).
Buchoz, Hist. Règne Vég. xi. Dec. 9, t. 9 (1776).
Gaertner, Fruct. ii. t. 165 (1791).—*Fr.*
Lamarck, Ill. iv. t. 700, fig. 1 (1797).
*Dreves & Hayne, Bot. Bilderbuch, iii. t. 10 (1798).
*Sturm, Deutschl. Fl. ii. VII [t. 110] (1799).
*Dreves & Hayne, Choix de Pl. t. 82 (1802).
Boissieu, Fl. Eur. iii. t. 563 (1806).
*Schkuhr, Bot. Handb. Ed. 2, t. 254 a (1808).
Meigen, Deutschl. Fl. iii. t. 129 (1842).—*Fl.*
*Kops, Fl. Batava, ix. t. 658 (1846).
*Petermann, Deutschl. Fl. t. 47, fig. 369 (1849).—*Fl.*
Reichenbach, Ic. Fl. Germ. xvi. t. 998 (1854).
Willkomm, Führ. Reich Pflanzen, 369 (1882).—*Fl.*
Mart. Fl. Bras. vi. III. t. 81 (1884).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xxix. t. 3015 (1887).
Pflanzenfam. iv. v. 275 (1892).—*Fl.*
Garcke, Ill. Fl. Deutschl. 315 (1895).
C. T. Green, Fl. Liverpool Distr. fig. 381 (1902).
*Sturm, Fl. Deutschl. Ed. 2, xiii. t. 37 (1905).
Blytt, Haandb. Norg. Fl. Ed. Dahl, 696 (1906).
Arechavaleta, Fl. Urug. iii. t. 83 (An. Mus. Nac. Montevideo, vi. 375) (1908).
Heukels, Fl. Nederl. iii. 395 (1910).
Trans. & Proc. New Zeal. Inst. 1909, xlii. 560 (1910).—*Veg.*
F. Sulman, Wild Fl. N. S. Wales, ii. t. 37 (1914).
M. Armstrong, Field Book West. Wild Fl. 563 (1915).
Lindman, Svensk Fanerogamfl. 520, 539 (1918).
Hayward & Druce, Advent. Fl. Tweedside, 122, 123 (1919).
Proc. Linn. Soc. N. S. Wales, xliv. III. t. 24 (1919).—*Hab.*
Cunninghamii F. Muell.
F. Mueller, Introd. Bot. Teach. Schools Victoria, 57 (1877).
dioica Hook. f.
Trans. & Proc. New Zeal. Inst. 1909, xlii. 559 (1910).—*Hab.*
elongata Vogel
*Trew, Pl. Rar. iii. t. 26 (1784).
Featherstonii Cockayne
Trans. & Proc. New Zeal. Inst. 1901, xxxiv. t. 16 (1902).—*Hab.*
filicula Hook. f.
Pflanzenfam. iv. v. 101 (1889).—*Fl.*
goughensis Rudm. Br.
Journ. Linn. Soc., Bot. xxxvii. t. 9 (1905).
grandis Linn.
Jacquin, Obs. Bot. t. 81 (1771).
integrifolia Hook. f.
*Hooker f., Fl. Tasman. i. t. 50 (1860).
Moseleyi Hemsl.
Hemsley, Bot. Challenger Exped. i. II. t. 27 (1884).
myriophylloides Harv.
Hook. Ic. Pl. iv. t. 335 (1841).
Gard. Chron. Ser. III. lix. 305 (1916).
Piper Vell.
Vellozo, Fl. Flum. viii. t. 136 (1827).

COTULA
plumosa Hook. f.
Deutsch. Tiefsee-Exped. 1898–99, ii. I. 32, t. 6, 7 (1905).
*Drygalski, Deutsche Südpol.-Exped. 1901–3, viii. Bot. t. 16, 17 (1906); 232, 233, t. 24, fig. 9–11; t. 26, fig. 1 (1911).
pumila Houtt.
*Houttuyn, Handl. Pl. & Kruidk. x. t. 69, fig. 4 (1779).
pyrethrifolia Hook. f.
Cockayne, New Zeal. Pl. 175 (1910); Ed. 2, p. 105 (1919).—*Hab.*
Cheeseman, Ill. New Zeal. Fl. t. 108 (1914).
reptans Benth.
Pflanzenfam. iv. v. 101 (1889).—*Fl.*
tanacetifolia Linn.
Lamarck, Ill. iv. t. 700, fig. 2 (1797).
turbinata Linn.
*Kniphof, Herb. Viv. i. t. 320 (1758).
Hill, Veget. Syst. ii. t. 31 (1761).
Pflanzenfam. iv. v. 275 (1892).—*Fl.*
viscosa Linn.
Hill, Veget. Syst. ii. t. 31 (1761).

COTYLANTHERA Bl.
paucisquama C. B. Clarke
Ann. Bot. Gard. Calcutta, ix. t. 66 (1901).

COTYLEDON Auct.: *Altamiranoa* (1), *Chiastophyllum* (2), *Cotyledon* Linn. (3), *Dudleya* (4), *Echeveria* (5), *Kalanchoë* (6), *Mucizonia* (7), *Oliveranthus* (8), *Orostachys* (9), *Pachyphytum* (10), *Pistorinia* (11), *Rosularia* (12), *Sedum* (13), *Stylophyllum* (14), *Umbilicus* (15), *Urbinia* (16)

COTYLEDON Linn. (3)
adunca Baker (10)
*Saunders, Ref. Bot. i. t. 60 (1869).
agavoides Baker (16)
*Saunders, Ref. Bot. i. t. 67 (1869).
Nicholson, Illustr. Dict. Gard. i. 388 [1884–88].
aggregata Makino (9)
Bot. Mag. Tokyo, xxiv. 72 (1910).
atropurpurea Baker (5)
*Saunders, Ref. Bot. iii. t. 198 (1870).
Barbeyi Schweinf. (12)
Jardin, vii. 250 (1893).
Wien. Ill. Gart.-Zeit. xviii. 144 (1893).—*Hab.*
Gartenfl. xlv. 465 (1896).—*Hab.*
Batesii Hemsl. (1)
Hemsley, Biol. Centr. Amer. v. t. 19 (1880).
brasilica Vell. (6)
Vellozo, Fl. Flum. iv. t. 184 (1827).
cacalioides Linn. f. (3)
Burman, Rar. Afr. Pl. t. 20, fig. 2 (1738); fide DC.
Deutsch. Tiefsee-Exped. 1898–99, ii. III. 234 (1908).—*Hab.*
caespitosa Haw. (4)
*De Candolle, Pl. Rares Genève, t. 14 (1829).
*Géel, Sert. Bot. Cl. 10 (1832).
*Saunders, Ref. Bot. i. t. 69 (1869).
californica Baker (4)
*Saunders, Ref. Bot. i. t. 70 (1869).
Parsons, Wild Fl. California, 143 (1897).—*Hab.*
campanulata Marl. (3)
Trans. S. Afr. Phil. Soc. xviii. I. t. 5, fig. 6 (1907).
canalifolia Haw. (3)
Journ. of Bot. xl. t. 433 (1902).
carnicolor Baker (5)
*Saunders, Ref. Bot. iii. 199 (1870).
caryophyllacea N. L. Burm. (3)
Burman, Rar. Afr. Pl. t. 17 (1738); fide DC.
chrysantha Boiss. (12)
Nicholson, Illustr. Dict. Gard. i. 388 [1884–88].—*Hab.*
Möllers Deutsche Gärtn.-Zeit. xxxiv. 73 (1919).—*Hab.*
coccinea Cav. (5)
Cavanilles, Ic. ii. t. 170 (1793).
*Joh. Kerner, Hort. Sempervir. t. 424 (1815).
*Mordant de Launay, Herb. Amat. ii. t. 129 (1817).
*Lodd. Bot. Cab. ix. t. 832 (1824).
*Bot. Mag. lii. t. 2572 (1825).
*Drapiez, Herb. Amat. Fl. i. t. 72 (1828).
Cooperi Baker (3)
*Saunders, Ref. Bot. i. t. 72 (1869).
Corderoyi Baker (16)
Gard. Chron. xix. 373 (1883).—*Hab.*

COTYLEDON
coruscans Haw. (3)
*Bot. Mag. lii. t. 2601 (1825).
*Lodd. Bot. Cab. xi. t. 1030 (1825).
Journ. Roy. Hort. Soc. London, xxxiii. 466, fig. 81 (1908).
Deutsch. Tiefsee-Exped. 1898–99, ii. III. t. 14 (1908).—*Hab.*
crassifolia Haw. (3)
Journ. of Bot. xl. t. 432 (1902).
crenata Vent. (6)
*Ventenat, Jard. Malm. t. 49 (1803).
*Bot. Mag. xxxv. t. 1436 (1812).
cristata Haw. (3)
A. P. & A. De Candolle in Mém. Soc. Phys. & Hist. Nat. Genève, vii. t. 7 (1836).
Deutsch. Tiefsee-Exped. 1898–99, ii. III. 309 (1908).
curviflora Sims (3)
*Bot. Mag. xlvi. t. 2044 (1819).
*Géel, Sert. Bot. Cl. 10 (1832).
cymosa Baker (4)
Dict. Sc. Nat., Planch. Bot. Dicot. t. 202 (1816–29).
*Saunders, Ref. Bot. i. t. 68 (1869).
Journ. Hort. lv. 411 (1876).
decipiens Baker (12)
*Saunders, Ref. Bot. iii. t. 200 (1870).
decussata Sims (3)
*Bot. Mag. li. t. 2518 (1824).
*Bot. Reg. xi. t. 915 (1825).
×**devensis** N. E. Br. (5)
*Bot. Mag. cxxxii. t. 8104 (1906).
Eckloniana Harv. (3)
New Phytologist, v. t. 7 (1906).—*Hab.*
Journ. Roy. Hort. Soc. London, xxxiii. 467, fig. 82 (1908).
Bull. Agric. Congo Belge, ii. 740 (1911).
elegans N. E. Br. (8)
*Bot. Mag. cxxxi. t. 7993 (1905).
farinosa Baker (4)
*Saunders, Ref. Bot. i. t. 71 (1869).
fascicularis Ait. (3)
Burman, Rar. Afr. Pl. t. 18 (1738); fide DC.
*Bot. Mag. xcii. t. 5602 (1866).
Journ. Hort. Ser. III. xxix. 443 (1894).
New Phytologist, v. t. 6 (1906).—*Hab.*
Deutsch. Tiefsee-Exped. 1898–99, ii. III. 259, t. 16 (1908).—*Hab.*
Engler & Drude, Veget. Erde, ix. 1. 1, p. 470 (1910). —*Hab.*
Karsten & Schenck, Veg.-Bild. ix. t. 21 (1911).—*Hab.*
Pole Evans in S. Afr. Journ. Sc. xvii. No. 1, t. 20 (1920).—*Hab.*
fulgens Baker (5)
*Saunders, Ref. Bot. i. t. 64 (1869).
gibbiflora metallica Baker (5)
*Saunders, Ref. Bot. i. t. 65 (1869).
Pflanzenfam. iii. II. A. 33 (1890).
glauca Baker (5)
*Saunders, Ref. Bot. i. t. 61 (1869).
Wettstein, Handb. Syst. Bot. Ed. 2, p. 643 (1911). —*Fl.*
globulariifolia Baker (15)
*Saunders, Ref. Bot. iii. t. 201 (1870).
hemisphaerica Linn. (3)
Dillenius, Hort. Eltham. Add. Denom. Linn. t. 95 (1774).
*Roth, Bot. Abhandl. & Beob. t. 6 (1787).
*De Candolle, Hist. Pl. Grasses, 87 (1799–1829).
Trans. S. Afr. Phil. Soc. xviii. 1. t. 5, fig. 5 (1907).
hispanica Linn. (11)
Loefling, Iter Hispan. t. 1 (1758).
*De Candolle, Hist. Pl. Grasses, 122 (1799–1829).
*Trattinick, Ausg. Taf. Arch. iii. 232 (1814).
Duchesne, Pl. Util. t. 95 (1846).
Rev. Hort. 1895, p. 472.
hispida Lam. (7)
*De Candolle, Hist. Pl. Grasses, 69 (1799–1829).
horizontalis Guss. (15)
*Tenore, Fl. Nap., Atlas, v. t. 234 (1811–38).
*Saunders, Ref. Bot. v. t. 297 (1872).
Fiori & Paol. Ic. Fl. Ital. 195 (1899).

COTYLEDON
insignis N. E. Br. (3)
*Bot. Mag. cxxxi. t. 8036 (1905).
integra Medic. (6)
Medicus in Acta Acad. Theod.-Palat. iii. t. 9 (1775).
iwarenge Makino (9)
Somoku Dzusetsu, Ed. Makino (Iconogr. Pl. Nippon), viii. t. 46 (1910).
japonica Maxim. (9)
Somoku Dzusetsu, Ed. Makino (Iconogr. Pl. Nippon), viii. t. 47 (1910).
laciniata Linn. (6)
*Kniphof, Herb. Viv. i. t. 322 (1758).
leucantha Ledeb. (9)
*Ledebour, Ic. Pl. Ross. iv. t. 395 (1833).
libanotica Labill. (12)
Labillardière, Ic. Pl. Syriae, iii. t. 1 (1809).
Lievenii Ledeb. (9)
*Ledebour, Ic. Pl. Ross. i. t. 57 (1829).
linguifolia Baker (5)
*Saunders, Ref. Bot. i. t. 58 (1869).
lurida Baker (5)
*Saunders, Ref. Bot. i. t. 59 (1869).
Somoku Dzusetsu, Ed. Makino (Iconogr. Pl. Nippon), viii. t. 52 (1910).
lusitanica Lam. (15)
Lamarck, Ill. ii. t. 389, fig. 2 (1797).
lutea Huds. (15)
*Sowerby & Sm. Engl. Bot. xxii. t. 1522 (1806).
[M. E.] Jackson, Pict. Fl. fig. 695 (1840).
Johnson & Sowerby, Brit. Wild Fl. fig. 468 (1858–60).
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, ii. t. 79 [1873].
macrantha Hort. (3)
Monatsschr. Kakt. x. 107 (1900).
*Rev. Hort. 1903, p. 452.
—— **rubro-marginata** Hort.
*Monatsschr. Gartenb. Berlin, xxiv. t. 6 (1881).
maculata Salm-Dyck (3)
*Saunders, Ref. Bot. i. t. 35 (1869).
malacophylla Pall. (9)
Pallas, Reise Russ. iii. II. t. 0 (1776).
Pallas, Voyages, iv. t. 6 (1793).
—— **japonica** Makino?
*Useful Pl. Jap. iii. t. 807 (1895).
mammillaris Linn. f. (3)
*Bot. Mag. xcix. t. 6020 (1873).
Marianae Marl. (3)
Trans. S. Afr. Phil. Soc. xviii. 1. t. 5, fig. 4 (1907).
Mucizonia Ort. (7)
Ortega, De Nova Stirpe Cotyled. Muciz. & Pistorin. tab. (1772).
*Jacquin, Collect. v., 13, fig. 2 (1796).
mucronata Lam. (3)
Burman, Rar. Afr. Pl. t. 19, fig. 2 (1738); fide DC.
nevadensis S. Wats. (4)
*Meehan, Native Fl. & Ferns U.S. Ser. II. ii. t. 27 (1880).
nodulosa Baker (5)
*Saunders, Ref. Bot. i. t. 56 (1869).
nuda Baker (5)
*Saunders, Ref. Bot. i. t. 57 (1869).
oppositifolia Ledeb. ex Mordm. (2)
*Bot. Mag. cxlv. t. 8822 (1919).
orbiculata Linn. (3)
*Kniphof, Herb. Viv. i. t. 321 (1758).
*Bot. Mag. ix. t. 321 (1795).
*De Candolle, Hist. Pl. Grasses, 76 (1799–1829).
*Mordant de Launay, Herb. Amat. i. t. 20 (1816).
*Drapiez, Herb. Amat. Fl. iv. t. 238 (1830).
*Piccioli, Antotr. Colt. Fiori, ii. t. 68 (1834).
Rev. Hort. Ser. IV. vi. 347 (1857); 1903, p. 453.
Rep. Missouri Bot. Gard. v. t. 29 (1894).
Edmonds & Marloth, Elem. Bot. S. Africa, 148 (1897).—*Fl.*
L. H. Bailey, Cycl. Amer. Hort. 387 (1900).—*Hab.*
Bellair & St.-Léger, Pl. Serre, 608 (1900).
Transvaal Agric. Journ. vii. No. 28, t. 98 (1909).
Karsten & Schenck, Veg.-Bild. ix. t. 19, 20 (1911). —*Hab.*
Marloth, Fl. S. Africa, i. t. 54 (1913).—*Hab.*
Sim, Flowering Trees & Shrubs, 161 (1919).—*Hab.*

COTYLEDON
ovata Haw. (3)
*Lodd. Bot. Cab. xiv. t. 1392 (1828).
parviflora Desf. (15)
Ann. Mus. Hist. Nat. Paris, xi. 444 (1808).
Desfontaines, Choix Pl. Tournef. t. 57 (1808).
*Sibthorp & Sm. Fl. Graeca, v. t. 445 (1825).
pendulinus DC. (15)
*Petermann, Deutschl. Fl. t. 31, fig. 240 (1849).—*Fl.*
Pestalozzae Mast. (12)
Gard. Chron. viii. 457 (1877).
Phillipsiae Marl. (3)
Trans. S. Afr. Phil. Soc. xviii. 1. t. 5, fig. 3 (1907).
Pistorinia Ort. (11)
Ortega, De Nova Stirpe Cotyled. Muciz. & Pistorin. tab. (1772).
polycephala Makino (?)
Somoku Dzusetsu, Ed. Makino (Iconogr. Pl. Nippon), viii. t. 48 (1910).—*Hab.*
pubescens Baker (5)
*Saunders, Ref. Bot. iii. t. 197 (1870).
pulverulenta Baker (4)
*Saunders, Ref. Bot. i. t. 66 (1869).
pulvinata Hook. f. (5)
*Bot. Mag. cxxix. t. 7918 (1903).
pumila Baker (5)
*Saunders, Ref. Bot. i. t. 62 (1869).
Purpusii K. Schum. (4)
*Bot. Mag. cxxvi. t. 7713 (1900).
quitensis Baker (5)
*Gartenfl. xlii. t. 1396 (1893).
Jardin, vii. 251 (1893).—*Hab.*
Wien. Ill. Gart.-Zeit. xviii. 144 (1893).—*Hab.*
racemosa E. Mey. (3)
Baillon, Hist. Pl. iii. 311 (1872).—*Fl.*
Baillon, Dict. Bot. ii. 245 (1881).—*Fl.*
ramosissima Haw. (3)
*Bot. Mag. cv. t. 6417 (1879).
reticulata Thunb. (3)
Gard. Chron. Ser. III. xxi. 282 (1897).—*Hab.*
De Wildeman, Ic. Sel. Hort. Then. iv. t. 123 (1903).
Journ. Roy. Hort. Soc. London, xxxiii. 468, fig. 83 (1908).
Deutsch. Tiefsee-Exped. 1898–99, ii. III. 228 (1908).—*Hab.*
Karsten & Schenck, Veg.-Bild. ix. t. 24 (1911).—*Hab.*
Dinter, Neue Pfl. Deutsch.-S.W. Afr. fig. 14 (1914).
Stoneman, Plants & their Ways S. Afr. Ed. 2, p. 107 (1915).—*Hab.*
retusa Baker (5)
*Step, Fav. Fl. Gard. & Greenh. ii. t. 95 (1897).
rhombifolia Haw. (3)
*Saunders, Ref. Bot. i. t. 36 (1869).
rotundifolia Haw. (3)
Journ. of Bot. xl. t. 435 (1902).
Salzmannii Boiss. (11)
*Bot. Mag. xcv. t. 5801 (1869).
secunda Baker (5)
L. H. Bailey, Stand. Cycl. Hort. 869 (1914).—*Hab.*
—— **glauca** Hort.
*Step, Fav. Fl. Gard. & Greenh. ii. t. 96 (1897).
Sempervivum M. Bieb. (12)
Nicholson, Illustr. Dict. Gard. i. 389 [1884–88].
serrata Linn. (15)
Dillenius, Hort. Eltham. Add. Denom. Linn. t. 95 (1774).
*Sibthorp & Sm. Fl. Graeca, v. t. 444 (1825).
sikokiana Makino (13)
Makino, Ill. Fl. Jap. i. t. 49 (1891).
*Miyoshi & Makino, Pocket-Atlas, Alp. Pl. Jap. ii. t. 67, fig. 385 (1907).
Journ. Coll. Sc. Tokyo, xxvi. Art. 1, t. 12 (1909).
Somoku Dzusetsu, Ed. Makino (Iconogr. Pl. Nippon), viii. t. 49 (1910).—*Hab.*
spinosa Linn. (9)
J. G. Gmelin, Fl. Sibir. iv. t. 67, fig. 2 (1769); fide Ledebour, Comm. 130.
Murray in Nov. Comm. Soc. Sc. Göttingen, vii. t. 4 (1776).
Somoku Dzusetsu, Ed. 2, viii. t. 47 (1874).
*Useful Pl. Jap. iii. t. 806 (1895).

COTYLEDON
spuria Linn. (3)
Burman, Rar. Afr. Pl. t. 19, fig. 1 (1738); fide DC.
stolonifera Baker (5)
*Saunders, Ref. Bot. i. t. 63 (1869).
Gard. Chron. viii. 807 (1877).
subrigida Robins. & Seaton (5)
*Bot. Mag. cxxxviii. t. 8445 (1912).
tardiflora Bonpl. (3)
*Bonpland, Descr. Pl. Rar. Malm. t. 37 (1813).
tenuicaulis Aitch. & Hemsl. (12)
Journ. Linn. Soc., Bot. xix. t. 10 (1882).
teretifolia Thunb. (3)
*Bot. Mag. cii. t. 6235 (1876).
tricuspidata Haw. (3)
Journ. of Bot. xl. t. 434 (1902).
tuberculosa Lam. (3)
Burman, Rar. Afr. Pl. t. 20, fig. 1 (1738); fide DC.
*De Candolle, Hist. Pl. Grasses, 86 (1799–1829).
*Mag. Bot. & Gard. i. t. 13 (1833).
tuberosa Hort. (15)
*Réveil, Règne Vég. iv. t. 18 (1870).—*Fl.*
Umbilicus Linn. (15)
*Regnault, Bot. i. 15 (1774).
*Sowerby & Sm. Engl. Bot. v. t. 325 (1796).
Lamarck, Ill. ii. t. 389, fig. 1 (1797).
Boissieu, Fl. Eur. ii. t. 321 (1805).
*Hill, Family Herbal, t. 30 (1812); fide Ed. Thornton, Brit. Fl. iv. 21 (1812).
*Curtis, Fl. Londin. Ed. 2, v. t. 184 (1828).
*Baxter, Brit. Bot. Ed. 2, iv. t. 279 (1839).
[M. E.] Jackson, Pict. Fl. fig. 694 (1840).
Schnizlein, Iconogr. iii. t. 169 (1855).
Johnson & Sowerby, Brit. Wild Fl. fig. 467 (1858–60).
Bentham, Handb. Brit. Fl. fig. 357 (1865).
*Syme, Engl. Bot. iv. t. 539 (1865).
*Hogg & Johnson, Wild Fl. Gr. Brit. iii. t. 171 (1866).
Baillon, Hist. Pl. iii. 310 (1872).—*Fl.*
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, ii. t. 79 [1873].
Baillon, Dict. Bot. ii. 245 (1881).
Nature, xxvii. 464 (1883).—*Veg.*
*Hulme, Familiar Wild Fl. (5 vol. Ed.), iii. 149 [1892?]; (Pop. Ed.), iii. 157 [1897?].
Journ. Linn. Soc., Bot. xxx. t. 19 (1895).—*Fl.*
Fiori & Paol. Ic. Fl. Ital. 195 (1899).
Monatsschr. Kakt. ix. 121 (1899).
C. T. Green, Fl. Liverpool Distr. fig. 214 (1902).
Fitzgerald in Nature Book, v. 879 (1909).
Wrigley, Stud. Trees & Fl. 39 [1911].
Horwood, Plant-Life Brit. Isles, ii. 218 (1914).—*Hab.*
Fitch & Smith, Ill. Brit. Fl. Ed. rev. 4, Iss. 2, fig. 360 (1919).
—— **Veneris** Linn.
Hill, Herb. Brit. ii. t. 135 (1770).
*Perrin & Boulger, Brit. Flower. Pl. ii. t. 107, 112 [E], fig. 1–6 (1914).
*C. A. Hall, Plant-Life, t. 39 (1915).
*Horwood, Brit. Wild Fl. v. t. 62, p. 155 (1919).
undulata Haw. (3)
Journ. of Bot. xl. t. 431 (1902).
*Bot. Mag. cxxix. t. 7931 (1903).
ungulata Lam. (3)
Burman, Rar. Afr. Pl. t. 22, fig. 1 (1738); fide DC.
*De Candolle, Hist. Pl. Grasses [t. 168] (1799–1829).
velutina Hook. f. (3)
*Bot. Mag. xciv. t. 5684 (1868).
ventricosa N. L. Burm. (3)
Burman, Rar. Afr. Pl. t. 21 (1738); fide DC.
Bull. Agric. Congo Belge, ii. 738 (1911).—*Hab.*
Verea Jacq. (6)
*Jacquin, Hort. Schoenbr. iv. t. 435 (1804).
viscida S. Wats. (14)
Hook. Ic. Pl. xvi. t. 1554 (1887).

COTYLELOBIUM Pierre
Beccarii Pierre
Pierre, Fl. For. Cochinch. iv. t. 258 (1892).
flavum Pierre
Pierre, Fl. For. Cochinch. iv. t. 258 (1892).
Journ. Linn. Soc., Bot. xxxi. t. 3, fig. 22–24 (1895).—*Fl.*

COTYLISCUS Desv.: *Coronopus*
niloticus Desv.
Journ. de Bot. Appl. (Desvaux), iii. t. 25, fig. 13 (1814).—*Fr.*

COUBLANDIA Aubl.: *Muellera*
frutescens Aubl.
Aublet, Hist. Pl. Guiane Franç. iv. t. 356 (1775).
Pflanzenfam. iii. III. 334 (1894).—*Fr.*
fluvialis Lindm.
Bih. Svenska Vet. Akad. Handl. xxiv. III. No. 7, p. 22 (1898); xxvii. III. No. 14, p. 27 (1902).

COUEPIA Aubl.
bracteosa Benth.
Mart. Fl. Bras. xiv. II. t. 15 (1867).
Ducke in Arch. Mus. Nac. Rio Janeiro, xxii. 68 (1919).—*Fr.*
dodecandra Hemsl.
Hook. Ic. Pl. xxvii. t. 2620, 2621 (1899).
eriantha Spruce
Mart. Fl. Bras. xiv. II. t. 14 (1867).
floccosa Fritsch
Contrib. U.S. Nat. Herb. xiii. t. 87, 88, p. 445 (1912).
grandiflora Benth.
Warming in Dansk. Vid. Selsk. Skrift. Ser. VI. vi. 190 (1892).—*Hab.*
guianensis Aubl.
Aublet, Hist. Pl. Guiane Franç. iv. t. 207 (1775).
macrophylla Spruce
Mart. Fl. Bras. xiv. II. t. 13 (1867).
racemosa Benth.
Mart. Fl. Bras. xiv. II. t. 14 (1867).
rufa Ducke
Ducke in Arch. Mus. Nac. Rio Janeiro, xxii. 68 (1919).—*Fr.*
subcordata Benth.
Mart. Fl. Bras. xiv. II. t. 16 (1867).

COULA Baill.
edulis Baill.
Baillon, Adans. iii. t. 3 (1862–63).
Ann. Inst. Col. Marseille, v. II. 6 (1898).—*Fr.*
H. H. Johnston, Liberia, ii. 529 (1906).
Notizbl. Bot. Gart. Berlin, App. xxi. 7 (1909); App. xxii. 79 (1910).
Engler & Drude, Veget. Erde, ix. I. 2, p. 685 (1910); III. 1, p. 86 (1915).
Hartwich, Menschl. Genussmittel, 385 (1911).—*Fr.*
Warburg, Pflanzenwelt, i. 510 (1913).—*Fr.*
Bertin, Miss. Forest. Col. iii. t. 13 (1919); iv. t. 4 (1920).—*Hab.*

COULEJIA Dennst.: *Antidesma*
amentacea Dennst.
Rheede, Hort. Mal. v. t. 54 (1685); fide Hasskarl, Hort. Mal. Rheed. Clavis, 45.

COULTERELLA Vasey & Rose
capitata Vasey & Rose
Contrib. U.S. Nat. Herb. i. t. 1 (1890).

COULTERIA H. B. K.: *Caesalpinia*
horrida H. B. K.
H. B. K. Nov. Gen. vi. t. 568 (1823).
Flora, xxi. I. t. 1 (1838).—*Fl.*
Ralph, Ic. Carpolog. t. 22 (1849).—*Fr.*
tinctoria H. B. K.
H. B. K. Nov. Gen. vi. t. 569 (1823).
*Spach, Hist. Nat. Vég. Phan. Atlas, t. 2 (1846).
Ralph, Ic. Carpolog. t. 22 (1849).—*Fr.*

COULTEROPHYTUM B. L. Robinson
laxum B. L. Robinson
Pflanzenfam. iii. VIII. 216 (1898).—*Fr.*

COUMA Aubl.
guianensis Aubl.
Aublet, Hist. Pl. Guiane Franç. iv. t. 392 (1775).
macrocarpa Barb. Rodr.
Barbosa Rodrigues, Vellosia, iii. II. t. 1 (1891).
mocuge J. Caminhoa
Brotéria, Ser. Vulg. Sc. xv. 167 (1917).—*Fr.*
utilis Müll.-Arg.
Mart. Fl. Bras. vi. I. t. 5 (1860).

COUMAROUNA Aubl.: *Dipteryx*
odora Aubl.
Aublet, Hist. Pl. Guiane Franç. iv. t. 296 (1775).

COUMAROUNA
odora
Lamarck, Ill. iii. t. 601 (1797).
*Descourtilz, Fl. Pitt. & Méd. Antilles, vii. t. 472 (1829).
Baillon, Hist. Pl. ii. 225 (1870).
Rev. Hort. 1873, p. 232.
Baillon, Traité Bot. Méd. Phan. i. 659 (1883).
Dujard.-Beaumetz & Égasse, Pl. Méd. 216 (1889).—*Fr.*
Pflanzenfam. iii. III. 334 (1894).—*Fl.*
Beille, Bot. Pharm. ii. 867 (1909).

COUPOUI Aubl.—Vide *Cupirana*
aquatica Aubl.
Aublet, Hist. Pl. Guiane Franç. iv. t. 377 (1775).

COURALIA Splitg.—Vide *Bignonia* (11)

COURATARI Aubl.—Vide *Lecythopsis*
aulacocarpa Mart.
Mart. Fl. Bras. xiv. I. t. 79 (1857–59).—*Fr.*
coriacea Mart.
Mart. Fl. Bras. xiv. I. t. 75 (1857–59).—*Fr.*
dictyocarpa Mart.
Mart. Fl. Bras. xiv. I. t. 79 (1857–59).—*Fr.*
domestica Mart.
Mart. Fl. Bras. xiv. I. t. 80 (1857–59).
estrellensis Raddi
Mem. Mat. & Fis. Soc. Ital. Sc. xviii. IV. t. 5 (1820).—*Fr.*
Mart. Fl. Bras. xiv. I. t. 7, 79, 81 (1857–59).
Löfgren, Serv. Flor. Partic. fig. 25 (1903).—*Fr.*
Correa, Fibr. Text. & Cellul. 73 (1919).—*Hab.*
glabra Cambess.
Trans. Linn. Soc. London, xxx. t. 62 (1874).—*Fr.*
guianensis Aubl.
Aublet, Hist. Pl. Guiane Franç. iv. t. 290 (1775).
Ann. Sc. Nat. Paris, i. Atlas, t. 21 (1824).
Mém. Mus. Hist. Nat. Paris, xiii. 165, t. 8 (1825).
Trans. Linn. Soc. London, xxx. t. 62 (1874).—*Fr.*
legalis Mart.
*Schnizlein, Iconogr. iv. t. 269 v (1857–65).—*Fr.*
Mart. Fl. Bras. xiv. I. t. 7, 82 (1857–59).
Saldanha da Gama, Config. & Estudo Bot. Veg. Janeiro, ii. t. 8 (1872).
Löfgren, Serv. Flor. Partic. fig. 26 (1903).—*Fr.*
lineata Berg
Mart. Fl. Bras. xiv. I. t. 7, 77 (1857–59).
macrocarpa Mart.
Mart. Fl. Bras. xiv. I. t. 79 (1857–59).—*Fr.*
Martiana Miers
Trans. Linn. Soc. London, xxx. t. 62 (1874).—*Fr.*
paraënsis Mart.
Mart. Fl. Bras. xiv. I. t. 79 (1857–59).—*Fr.*
rufescens Camb.
St.-Hilaire, Fl. Bras. Merid. ii. t. 159 (1829).
Trans. Linn. Soc. London, xxx. t. 62 (1874).—*Fr.*
uaupensis Spruce
Mart. Fl. Bras. xiv. I. t. 78 (1857–59).

COURBONIA Brongn.—Vide *Physanthemum*
pseudopetalosa Brongn.
Engler & Drude, Veget. Erde, ix. III. 1. p. 245 (1915).

COURIMARI Aubl.
guianensis Aubl.
Aublet, Hist. Pl. Guiane Franç. iv. t. 384 (1775).

COUROUPITA Aubl.
guianensis Aubl.
Aublet, Hist. Pl. Guiane Franç. iv. t. 282 (1775).
*Buchoz, Herb. Col. Amér. [t. 58] (1783).
Dict. Sc. Nat., Planch. Bot. Dicot. t. 227–29 (1816–29).
*Tussac, Fl. Antilles, ii. t. 10, 11 (1818).
*Joh. Kerner, Gen. Pl. Ill. ix. t. 158–60 (1824).
Mém. Mus. Hist. Nat. Paris, xiii. 164, t. 7 (1825).—*Fl.*
*Descourtilz, Fl. Pitt. & Méd. Antilles, v. t. 340 (1827).
*Bot. Mag. lix. t. 3158, 3159 (1832).
*Schnizlein, Iconogr. iv. t. 269 v (1857–65).—*Fl.*
Trans. Linn. Soc. London, xxx. t. 33 (1874).—*Fr.*
Baillon, Hist. Pl. vi. 326 (1877).—*Fl.*
Baillon, Dict. Bot. ii. 254 (1881).—*Fl.*
Gard. Chron. xviii. 177 (1882); Ser. III. x. 649 (1891).—*Hab.*

COUROUPITA
guianensis
Trop. Agric. xxxv. No. 3, p. 496 (1905); xlii. No. 4, p. 265 (1914).
Ramaley in Univ. Colorado Stud. ii. fig. 23 (1905). —*Veg.*
Plant World, x. 166 (1907).
Contrib. U.S. Nat. Herb. xii. t. 4, 5 (1908).
Bot. Közl. (Bot. Communic.), xii. 69 (1912).—*Hab.*
L. H. Bailey, Stand. Cycl. Hort. 870, 871 (1914).
Flora, cx. t. 9 (1917).
nicaraguensis DC.
Örsted, Amér. Centr. t. 1 (Phys.) (1863).—*Hab.*
Contrib. U.S. Nat. Herb. xii. 98 (1908).—*Fl.*
peruviana Berg
Trans. Linn. Soc. London, xxx. t. 33 (1874).—*Fl.*
surinamensis Mart.
Mart. Fl. Bras. xiv. 1. t. 57–59 (1857–59).
Schnizlein, Iconogr. iv. t. 269/v (1857–65).—*Fr.*
Le Maout & Decaisne, Traité Gén. Bot. 293 (1868).—*Fl.*
Pflanzenfam. iii. VII. 36, 37 (1892).—*Fr.*
Knuth, Handb. Blütenbiol. iii. 1. 528 (1904).—*Fl.*
Wettstein, Handb. Syst. Bot. Ed. 2, p. 673 (1911). —*Fl.*

COURRANTIA Sch. Bip.: *Matricaria*
chamomilloides Sch. Bip.
Webb & Berth. Hist. Nat. Iles Canar. iii. Phytogr. II. 278 (1836–50) in textu; *Matricaria Courrantiana* in ic. t. 89.

COURSETIA DC.
axillaris Coulter & Rose
Britton, N. Amer. Trees, 558 (1908).
madrensis Micheli
Micheli, Legum. Langlass. (Mém. Soc. Phys. Genève, xxxiv), t. 6 (1903).
orbicularis Benth.
Hook. Ic. Pl. xi. t. 1065 (1870).
planipetiolata Micheli
Micheli, Legum. Langlass. (Mém. Soc. Phys. Genève, xxxiv), t. 5 (1903).

COURTENIA R. Br.: *Cola*
Afzelii Agardh
Agardh, Theor. Syst. Pl. t. 20 (1858).—*Fl.*

COURTOISIA Reichb.: *Collomia*
assimilis C. B. Clarke
C. B. Clarke, Illustr. Cyperac. t. 32 (1909).
bipinnatifida Reichb.
Reichenbach, Hort. Bot. t. 208 (1827) in ic.; *Collomia heterophylla* in textu.
cyperoides Nees
Hook. Ic. Pl. xiv. t. 1341 (1881).
Lecomte, Fl. Gén. Indo-Chine, vii. 80 (1912).—*Fl.*

COUSINIA Cass.—Vide *Auchera*
actinocephala Jaub. & Spach
Jaubert & Spach, Illustr. Pl. Or. ii. t. 175 (1844–46).
adenosticta Bornm.
Bull. Herb. Boiss. Ser. II. vii. t. 3, 4 (1907).
aggregata DC.
Belanger, Voy. Ind. Or., Bot. Phan. t. 10 (1831–46).
albicaulis Buhse
Buhse, Pfl. Transkauk. & Pers. (Mém. Soc. Nat. Mosc. xviii), t. 9 (1860).
Alexeenkoana Bornm.
Oesterr. Bot. Zeitschr. lxii. t. 2, fig. 2 (1912).
amplissima Boiss.
Bull. Herb. Boiss. Ser. II. vii. t. 3 (1907).—*Fl.*
anisoptera Jaub. & Spach
Jaubert & Spach, Illustr. Pl. Or. ii. t. 170 (1844–46).
Antonowii Winkl.
Act. Hort. Petrop. xi. t. 2 (1889).
arbelensis Winkl. & Bornm.
Bull. Herb. Boiss. iii. t. 14 (1895).
—— **pinnatae** Winkl. & Bornm.
Bull. Herb. Boiss. iii. t. 14 (1895).—*Veg.*
assasinorum Bornm.
Bull. Herb. Boiss. Ser. II. vii. t. 5 (1907).
assyriaca Jaub. & Spach
Jaubert & Spach, Illustr. Pl. Or. ii. t. 169 (1844–46).
bachtiarica Boiss. & Haussk.
Oesterr. Bot. Zeitschr. lxii. t. 2, fig. 4 (1912).—*Fl.*

COUSINIA
Badghysi Kult.
Semikhatov, Nikitin, Sprygin & Popow, Geol. Soil & Pl. Geogr. Obs. Amu-Darya & Syr-Darya, fasc. ii. t. 23 a, b (1916).—*Hab.*
Baueri Bornm. & Nábělek
Oesterr. Bot. Zeitschr. lxiii. t. 1, fig. 1–3 (1913).
bicolor Freyn. & Sint.
Oesterr. Bot. Zeitschr. lxiii. t. 1, fig. 11 (1913).—*Fl.*
brachyptera DC.
Jaubert & Spach, Illustr. Pl. Or. ii. t. 159 (1844–46).
calcitrapiformis Jaub. & Spach
Jaubert & Spach, Illustr. Pl. Or. ii. t. 158 (1844–46).
calocephala Jaub. & Spach
Jaubert & Spach, Illustr. Pl. Or. ii. t. 178 (1844–46).
Candolleana Jaub. & Spach
Jaubert & Spach, Illustr. Pl. Or. ii. t. 156 (1844–46).
carduchorum Winkl. & Bornm.
Bull. Herb. Boiss. iii. t. 15 (1895).
carthamoides Aitch. & Hemsl.
Journ. Linn. Soc., Bot. xix. t. 17 (1882).
cataonica Boiss. & Haussk.
Oesterr. Bot. Zeitschr. lxiii. t. 1, fig. 8 (1913).—*Fl.*
chaborasica Bornm. & Hand.-Mazz.
Ann. Nat. Hofm. Wien, xxvii. t. 17, 18 (1913).
chamaepeucides Bornm.
Bull. Herb. Boiss. Ser. II. vii. t. 6 (1907).
chlorosphaera Bornm.
Oesterr. Bot. Zeitschr. lxii. t. 3, fig. 5 (1912).
chrysacantha Jaub. & Spach
Jaubert & Spach, Illustr. Pl. Or. ii. t. 160 (1844–46).
contumax Winkl. & Bornm.
Bull. Herb. Boiss. v. t. 4 (1897).
coronata Franch.
Ann. Sc. Nat. Paris, Ser. VI. xvi. t. 18 (1883).
crispa Jaub. & Spach
Jaubert & Spach, Illustr. Pl. Or. ii. t. 163 (1844–46).
Bull. Herb. Boiss. Ser. II. vii. t. 3 (1907).—*Fl.*
cylindrocephala Jaub. & Spach
Jaubert & Spach, Illustr. Pl. Or. ii. t. 166 (1844–46).
decipiens Boiss. & Buhse
Buhse, Fl. Alburs & Kaspisch. Südküste, t. 6 (1899).
Dimoana Kult.
Semikhatov, Nikitin, Sprygin & Popow, Geol. Soil & Pl. Geogr. Obs. Amu-Darya & Syr-Darya, fasc. ii. t. 25 (1916).—*Hab.*
eburnea Bornm.
Oesterr. Bot. Zeitschr. lxii. t. 2, fig. 1 (1912).
ecbatanensis Bornm.
Oesterr. Bot. Zeitschr. lxii. t. 3, fig. 3 (1912).
—— **coriacea** Bornm.
Oesterr. Bot. Zeitschr. lxii. t. 3, fig. 3 (1912).
elata Boiss. & Buhse
Buhse, Fl. Alburs & Kaspisch. Südküste, t. 7 (1899).
elegans Aitch. & Hemsl.
Journ. Linn. Soc., Bot. xix. t. 18 (1882).
erinacea Jaub. & Spach
Jaubert & Spach, Illustr. Pl. Or. ii. t. 165 (1844–46).
farsistanica Bornm.
Oesterr. Bot. Zeitschr. lxii. t. 3, fig. 2 (1912).
fragilis Winkl. & Bornm.
Bull. Herb. Boiss. v. t. 6 (1897).
Freynii Bornm. & Sint.
Journ. Russe Bot. 1911, t. 3.
gilanica Bornm.
Oesterr. Bot. Zeitschr. lxii. t. 2, fig. 3 (1912).
Hablitzlii C. A. Mey.
Buhse, Fl. Alburs & Kaspisch. Südküste, t. 8 (1899).
Handelii Bornm.
Ann. Nat. Hofm. Wien, xxvii. t. 17, 18 (1913).
hypochionea Bornm.
Bull. Herb. Boiss. Ser. II. vii. t. 7 (1907).
hypoleuca Boiss.
Bull. Herb. Boiss. Ser. II. vii. t. 3 (1907).

COUSINIA
hypopolia Bornm. & Sint.
Bull. Herb. Boiss. Ser. II. vii. t. 7 (1907).
—— **albiflora** Bornm. & Sint.
Bull. Herb. Boiss. Ser. II. vii. t. 7 (1907).
ilicifolia Jaub. & Spach
Jaubert & Spach, Illustr. Pl. Or. ii. t. 164 (1844–46).
involucrata Jaub. & Spach
Jaubert & Spach, Illustr. Pl. Or. ii. t. 173 (1844–46).
kurdica Winkl. & Bornm.
Bull. Herb. Boiss. iii. t. 13 (1895).
larvea Winkl. & Bornm.
Bull. Herb. Boiss. v. t. 5 (1897).
leucantha Bornm. & Sint.
Journ. Russe Bot. 1911, t. 1.
Litwinowiana Bornm.
Bull. Herb. Boiss. Ser. II. vii. t. 7 (1907).
longifolia Winkl. & Bornm.
Bull. Herb. Boiss. v. t. 8 (1897).
mindshelkensis Fedtsch.
Fedtschenko, Veg. Turkest. 748 (1915).
moabitica Bornm. & Nábělek
Oesterr. Bot. Zeitschr. lxiii. t. 1, fig. 4 (1913).
Nabelekii Bornm.
Oesterr. Bot. Zeitschr. lxiii. t. 1, fig. 5, 6 (1913).
oligocephala Boiss.
Oesterr. Bot. Zeitschr. lxii. t. 2, fig. 5 (1912).
Oliverii DC.
Jaubert & Spach, Illustr. Pl. Or. ii. t. 172 (1844–46).
onopordioides Ledeb.
Eichwald, Pl. Casp.-Cauc. fasc. 2, t. 37 (1831–33).
oreodoxa Bornm. & Sint.
Journ. Russe Bot. 1911, t. 2.
Ottonis Bornm.
Oesterr. Bot. Zeitschr. lxii. t. 3, fig. 4 (1912).
palmatiloba Jaub. & Spach
Jaubert & Spach, Illustr. Pl. Or. ii. t. 162 (1844–46).
pinarocephala totschalensis Bornm.
Bull. Herb. Boiss. Ser. II. vii. t. 3 (1907).
platyptera Bornm.
Oesterr. Bot. Zeitschr. lxii. t. 3, fig. 1 (1912).
prasina Jaub. & Spach
Jaubert & Spach, Illustr. Pl. Or. ii. t. 168 (1844–46).
prolifera Jaub. & Spach
Jaubert & Spach, Illustr. Pl. Or. ii. t. 157 (1844–46).
pugionifera Jaub. & Spach
Jaubert & Spach, Illustr. Pl. Or. ii. t. 174 (1844–46).
pyrrhocephala Jaub. & Spach
Jaubert & Spach, Illustr. Pl. Or. ii. t. 167 (1844–46).
Raddeana Winkl.
Act. Hort. Petrop. xi. t. 1 (1889).
ramosissima DC.
Jaubert & Spach, Illustr. Pl. Or. ii. t. 171 (1844–46).
Schulziana Jaub. & Spach
Jaubert & Spach, Illustr. Pl. Or. ii. t. 177 (1844–46).
sicigera Winkl. & Bornm.
Bull. Herb. Boiss. v. t. 7 (1897).
silyboides Jaub. & Spach
Jaubert & Spach, Illustr. Pl. Or. ii. t. 176 (1844–46).
Sintenisii Freyn.
Oesterr. Bot. Zeitschr. lxiii. t. 1, fig. 7 (1913).—*Fl.*
sphaerocephala Jaub. & Spach
Jaubert & Spach, Illustr. Pl. Or. ii. t. 161 (1844–46).
Spryginii Kult.
Semikhatov, Nikitin, Sprygin & Popow, Geol. Soil & Pl. Geogr. Obs. Amu-Darya & Syr-Darya, fasc. ii. t. 24 (1916).—*Hab.*
Stapfiana Freyn. & Sint.
Oesterr. Bot. Zeitschr. lxiii. t. 1, fig. 9, 10 (1913).
tibetica Bornm.
Beih. Bot. Centralbl. xxxvii. II. t. 11 (1920).
turcomanica Winkl.
Act. Hort. Petrop. xi. t. 2 (1889).

COUSSAPOA Aubl.—Vide *Cussapoa*
angustifolia Aubl.
Aublet, Hist. Pl. Guiane Franç. iv. t. 363 (1775).
asperifolia Tréc.
Ann. Sc. Nat. Paris, Ser. III. viii. t. 1, fig. 33–35 (1847).—*Fl.*
Pflanzenfam. iii. 1. 94 (1888).—*Fl.*
dealbata André
*Ill. Hort. xvii. t. 4 (1870).—*Veg.*
Fontanesiana Tréc.
Ann. Sc. Nat. Paris, Ser. III. viii. t. 1, fig. 36–39 (1847).
intermedia Mart.
Mart. Fl. Bras. iv. 1. t. 43 (1853).
latifolia Aubl.
Aublet, Hist. Pl. Guiane Franç. iv. t. 362 (1775).
Martiana Miq.
Mart. Fl. Bras. iv. 1. t. 42 (1853).
microcephala Tréc.
Ann. Sc. Nat. Paris, Ser. III. viii. t. 1, fig. 40 (1847).—*Fl.*
Pflanzenfam. iii. 1. 94 (1888).—*Fl.*
nitida Miq.
Mart. Fl. Bras. iv. 1. t. 44 (1853).
obovata Miq.
Miquel in Het Instituut, Versl. & Meded. Ned. Inst. Wet. Amsterdam, 1842, t. 3 (1843).
subincana Mart.
Mart. Fl. Bras. iv. 1. t. 45 (1853).
villosa Poepp. & Endl.
Poeppig & Endl. Nov. Gen. & Sp. Pl. ii. t. 147 (1838).
Ann. Sc. Nat. Paris, Ser. III. viii. t. 1, fig. 26–32 (1847).—*Fl.*

COUSSAREA Aubl.—Vide *Billardiera* Vahl
contracta Müll.-Arg.
Pflanzenfam. iv. IV. 134 (1891).—*Veg.*
flava Poepp. & Endl.
Poeppig & Endl. Nov. Gen. & Sp. Pl. iii. 231 (1845).
graciliflora Benth. & Hook.
Mart. Fl. Bras. vi. v. t. 14 (1881).
meridionalis Müll.-Arg.
Mart. Fl. Bras. vi. v. t. 12 (1881).
Moritziana Müll.-Arg.
Pflanzenfam. iv. IV. 134 (1891).—*Fr.*
multiflora A. Rich.
Mém. Soc. Hist. Nat. Paris, v. t. 18 (1834).—*Fl.*
nodosa Müll.-Arg.
Mart. Fl. Bras. vi. v. t. 13 (1881).
pentamera Karst.
Karsten, Fl. Columbiae, ii. t. 107 (1862–69).
violacea Aubl.
Aublet, Hist. Pl. Guiane Franç. iii. t. 38 (1775).
Lamarck, Ill. i. t. 65 (1791).
Mém. Soc. Hist. Nat. Paris, v. t. 18 (1834).—*Fl.*

COUTAREA Aubl.
flavescens Moc. & Sessé
A. De Candolle, Calq. Dess. Fl. Mex. Moc. & Sessé, t. 459 (1874).
hexandra fluminensis Schum.
Mart. Fl. Bras. vi. VI. t. 108 (1889).
latifolia Moc. & Sessé
A. De Candolle, Calq. Dess. Fl. Mex. Moc. & Sessé, t. 458 (1874).
pubescens Pohl
Pohl, Pl. Bras. ii. t. 200 (1831).
Scherffiana André
*Ill. Hort. xxv. t. 321 (1878).
speciosa Aubl.
Aublet, Hist. Pl. Guiane Franç. iii. t. 122 (1775).
Lamarck, Ill. ii. t. 257 (1797) in ic.; *Portlandia hexandra* in textu.
Gaertner f., Fruct. iii. t. 194 (1805).—*Fr.*
Brotéria, Ser. Vulg. Sc. xviii. 149 (1920).—*Hab.*

COUTHOVIA A. Gray
celebica Koord.
Koorders, Suppl. Fl. N.O. Celebes, i. 1. t. 2 (1918).
corynocarpa A. Gray
*Seemann, Fl. Vit. t. 32 (1865–73).
pachypoda Gilg & Benedict
Engl. Jahrb. liv. 179 (1916).
sarcantha Gilg & Benedict
Engl. Jahrb. liv. 182 (1916).

COUTINIA Vell.
illustris Vell.
Vellozo, Quinogr. Portugueza, t. 10 (1799).

COUTOUBEA Aubl.—Vide *Cutubea*
alba Lam.
Lamarck, Ill. i. t. 79 (1791).
*Descourtilz, Fl. Pitt. & Méd. Antilles, viii. t. 587 (1829).
densiflora Mart.
*Martius, Nov. Gen. & Sp. Pl. Bras. ii. t. 185 (1826).
purpurea Lam.
Gaertner f., Fruct. iii. t. 198 (1805).—*Fr.*
ramosa Aubl.
Aublet, Hist. Pl. Guiane Franç. iii. t. 28 (1775).
—— **racemosa** Benth.
Mart. Fl. Bras. vi. 1. t. 57 (1865).—*Fl.*
—— **vulgaris** Benth.
Mart. Fl. Bras. vi. 1. t. 57 (1865).—*Fl.*
spicata Aubl.
Aublet, Hist. Pl. Guiane Franç. iii. t. 27 (1775).
Pflanzenfam. iv. II. 97 (1895).
ternifolia Cav.
Cavanilles, Ic. iv. t. 328 (1797).

COVELLIA Gasp.: *Ficus*
Barclayana Miq.
Hooker, London Journ. Bot. vii. t. 7 (1848).
congesta Miq.
Miquel, Fl. Ned. Ind. i. t. 23 (1859).—*Fl.*
cuneata Miq.
Hooker, London Journ. Bot. vii. t. 8 (1848).
dasycaula Miq.
Miquel, Fl. Ned. Ind. i. t. 23 (1859).—*Fr.*
exasperata Vis.
Gasparrini in Rendic. Accad. Sc. Napoli, iv. t. 8, fig. 32–35 (1845).—*Fl.*
guttata Wight
Wight, Ic. Pl. Ind. Or. vi. t. 1966 (1853).
microcarpa Miq.
Hooker, London Journ. Bot. vii. t. 9 (1848).
oppositifolia Gasp.
Gasparrini in Rendic. Accad. Sc. Napoli, iv. t. 8, fig. 36–42 (1845).—*Fl.*
Ribes Miq.
De Vriese, Pl. Ind. Bat. Or. i. t. 4 (1856).
stictocarpa Miq.
Miquel, Fl. Ned. Ind. i. t. 23 (1859).—*Fl.*
subopposita Miq.
*Miquel, Choix Pl. Jard. Buitenzorg, t. 15 (1863).
volkameriifolia Miq.
Hooker, London Journ. Bot. vii. t. 8 (1848).

COVILLEA Vail: *Larrea*
glutinosa Rydb.
M. Armstrong, Field Book West. Wild Fl. 269 (1915).
Journ. Ecol. iii. t. 4 (1915).—*Hab.*
tridentata Vail
Bot. Gaz. xxxviii. 123–33 (1904).
Wooton in Bull. New Mexico Agric. St, No. 51, p. 37 (1904).—*Hab.*
Cannon in Carnegie Inst. Washington, Publ. No. 98, t. 1 (1908); No. 31, t. 16 (1911).—*Veg.*
Bull. New York Bot. Gard. vi. t. J (1910).—*Hab.*
F. E. & E. S. Clements, Rocky Mt. Fl. t. 4 (1914).

COWANIA D. Don
mexicana D. Don
Trans. Linn. Soc. London, xiv. t. 22 (1825).
Pflanzenfam. iii. III. 37 (1888).
Schneider, Ill. Handb. Laubh. i. 527 (1905).—*Fl.*
F. E. & E. S. Clements, Rocky Mt. Fl. t. 26 (1914).
plicata D. Don
*Sweet, Brit. Fl. Gard. vii. t. 400 (1837).
J. C. Loudon, Arbor. & Frutic. Brit. iv. 2558 (1838).
purpurea Zucc.
Zuccarini in Abh. Akad. Wiss. München, iv. II. t. 2 (1845).
Stansburiana Torr.
Stansbury, Exped. Valley Gr. Salt Lake Utah, 386, t. 3 (1852).
Contrib. U.S. Nat. Herb. xiii. t. 49 (1911).—*Hab.*
*M. Armstrong, Field Book West. Wild Fl. 226 (1915).

COWIEA Wernham
borneensis Wernham
Journ. Linn. Soc., Bot. xlii. 96 (1914).

COXELLA Cheesem.
Dieffenbachii Cheesem. & Hemsl.
Cheeseman, Ill. New Zeal. Fl. t. 64 (1914).

CRABBEA Harv.
angustifolia Nees
Harvey, Thes. Cap. i. t. 64 (1859).
cirsioides Nees
Agric. Journ. Cape Good Hope, xi. 697 (1897).
ovalifolia Ficalho & Hiern
Trans. Linn. Soc. London, Ser. II. Bot. ii. t. 6 (1881).

CRACCA Benth.—Vide *Benthamantha, Neocracca*
bicolor Micheli
Bull. Herb. Boiss. ii. t. 11 (1894).
Greenmanii Millsp.
Publ. Field Columbian Mus., Bot. Ser. I. iii. t. 13 (1896).

CRACCA Med.: *Vicia*
atropurpurea Gren. & Godr.
*Cusin & Ansberque, Herb. Fl. Franç. vii. t. 1245 (1871).
Cadevall & Sallent, Fl. Catalunya, ii. 184 (1916).
Bertolonii Gren. & Godr.
*Cusin & Ansberque, Herb. Fl. Franç. vii. t. 1244 (1871).
Cadevall & Sallent, Fl. Catalunya, ii. 186 (1916).
calcarata Gren. & Godr.
*Cusin & Ansberque, Herb. Fl. Franç. vii. t. 1247 (1871).
disperma Gren. & Godr.
*Cusin & Ansberque, Herb. Fl. Franç. vii. t. 1248 (1871).
Cadevall & Sallent, Fl. Catalunya, ii. 182 (1916).
elegantissima Shuttl.
Cadevall & Sallent, Fl. Catalunya, ii. 183 (1916).
Gerardii Gren. & Godr.
*Cusin & Ansberque, Herb. Fl. Franç. vii. t. 1240 (1871).
Cadevall & Sallent, Fl. Catalunya, ii. 188 (1916).
maior Franken.
*Cusin & Ansberque, Herb. Fl. Franç. vii. t. 1239 (1871).
Acloque, Fl. France, 227 (1894).
Cadevall & Sallent, Fl. Catalunya, ii. 187 (1916).
minor Riv.
*Cusin & Ansberque, Herb. Fl. Franç. vii. t. 1250 (1871).
monanthos Gren. & Godr.
*Cusin & Ansberque, Herb. Fl. Franç. vii. t. 1246 (1871).
Cadevall & Sallent, Fl. Catalunya, ii. 183 (1916).
tenuifolia Gren. & Godr.
*Cusin & Ansberque, Herb. Fl. Franç. vii. t. 1241 (1871).
Cadevall & Sallent, Fl. Catalunya, ii. 186 (1916).
Terronii Ten.
*Cusin & Ansberque, Herb. Fl. Franç. vii. t. 1251 (1871).
varia Gren. & Godr.
*Cusin & Ansberque, Herb. Fl. Franç. vii. t. 1242 (1871).
Cadevall & Sallent, Fl. Catalunya, ii. 185 (1916).
villosa Gren. & Godr.
*Cusin & Ansberque, Herb. Fl. Franç. vii. t. 1243 (1871).
Cadevall & Sallent, Fl. Catalunya, ii. 185 (1916).

CRACCA Linn.: *Tephrosia*
corumbae Hoehne
Hoehne in Comm. Linh. Telegraph. Matto Grosso ão Amaz. Annexo No. 5, Bot. viii. t. 153 (1919).
diversifolia Rose
Contrib. U.S. Nat. Herb. xii. 270 (1909).—*Fl.*
filipes latifolia
Banks & Soland. Bot. Cook's Voy. i. t. 61 (1900).
hispidula O. Kuntze
Britton & Brown, Ill. Fl. N. States & Canada, ii. 293 (1897); Ed. 2, ii. 373 (1913).
platyphylla Rose
Contrib. U.S. Nat. Herb. xii. 270 (1909).—*Fl.*

CRACCA
purpurea longifolia Soland.
Banks & Soland. Bot. Cook's Voy. i. t. 62 (1900).
reticulata O. Kuntze
Banks & Soland. Bot. Cook's Voy. i. t. 60 (1900).
spicata O. Kuntze
Britton & Brown, Ill. Fl. N. States & Canada, ii. 293 (1897); Ed. 2, ii. 373 (1913).
Norton & Walls in Bull. Maryland Agric. St. No. 100, t. 1, fig. 7 (1905).
virginiana Linn.
Britton & Brown, Ill. Fl. N. States & Canada, ii. 292 (1897); Ed. 2, ii. 372 (1913).
Blanchan, Nat. Gard. 102 (1900).
Norton & Walls in Bull. Maryland Agric. St. No. 100, t. 1, fig. 8 (1905).—*Veg.*
*House, Wild Fl. New York (Mem. No. 15 N.Y. State Mus.), i. t. 108 (1918).
Contrib. U.S. Nat. Herb. xxi. t. 32 (1919).—*Hab.*

CRAEPALOPRUMNON Karst.: *Xylosma*
heterophyllum Karst.
Karsten, Fl. Columbiae, i. t. 61 (1858–61).
Schnizlein, Iconogr. iii. t. 195 (1866–70).—*Fl.*
obovatum Karst.
Karsten, Fl. Columbiae, i. t. 61 (1858–61).
rubicundum Karst.
Karsten, Fl. Columbiae, i. t. 62 (1858–61).

CRAIBIA Dunn
Mildbraedii Harms
Mildbraed, Deutsch. Zentral-Afr. Exped. ii. III. t. 29 (1911).

CRAIBIODENDRON W. W. Sm.
Forrestii W. W. Sm.
Notes Roy. Bot. Gard. Edinb. v. t. 110 (1912).
shanicum W. W. Sm.
Notes Roy. Bot. Gard. Edinb. v. t. 108 (1912).
yunnanense W. W. Sm.
Notes Roy. Bot. Gard. Edinb. v. t. 109 (1912).

CRAMBE Linn.
abyssinica Meyeri O. E. Schulz
Pflanzenreich, Crucif.-Brass. 12 (1919).—*Fr.*
alutacea Hand.-Mazz.
Ann. Nat. Hofm. Wien, xxvii. 54 (1913).—*Veg.*
aspera M. Bieb.
Delessert, Ic. Pl. ii. t. 91 (1823).
Reichenbach, Ic. Fl. Germ. ii. t. 2 (1837–38).
cordifolia Stev.
Berge, Pflanzenphysiogn. 244 (1880).—*Hab.*
Trans. Linn. Soc. London, Ser. II. Bot. iii. t. 4 (1888).
Garden, lx. 77 (1901).—*Hab.*
Jardin, xxiii. 37 (1909).—*Hab.*
Möllers Deutsche Gärtn.-Zeit. xxxiv. 126 (1919).—*Hab.*
filiformis Jacq.
*Jacquin, Ic. Pl. Rar. iii. t. 504 (1786–93).
glabrata DC.
Rouy, Illustr. Pl. Eur. Rar. i [t. 26] (1895); fasc. 7, t. 153 (1896).
Coincy, Eclog. Pl. Hispan. iii. t. 2 (1897).
hispanica Linn.
Cornuti, Hist. 148 (1735); fide Linn.
*Kniphof, Herb. Viv. i. t. 324 (1758).
Gaertner, Fruct. ii. t. 142 (1791).—*Fr.*
Lamarck, Ill. iii. t. 553 (1797).
*Schkuhr, Bot. Handb. Ed. 2, t. 189 a (1808).
Mém. Mus. Hist. Nat. Paris, vii. 248, t. 7 (1821).—*Fl.*
Fiori & Paol. Ic. Fl. Ital. 163 (1899).
juncea M. Bieb.
Cosson, Ill. Fl. Atlant. i. t. 59 (1888).—*Fl.*
kilimandscharica O. E. Schulz
Pflanzenreich, Crucif.-Brass. 246 (1919).
koktebelica Busch
Act. Hort. Jurjev. x. 3 (1909).
Kralikii Coss.
Cosson, Ill. Fl. Atlant. i. t. 59 (1888).
maritima Linn.
*Kniphof, Herb. Viv. i. t. 323 (1758).
*Fl. Dan. ii. t. 316 (1767).
Hill, Herb. Brit. ii. t. 172 (1770).
*Curtis, Direct. cult. Crambe mar. tab. (1799).
*Sowerby & Sm. Engl. Bot. xiii. t. 924 (1801).

CRAMBE
maritima
*Sturm, Deutschl. Fl. v. XVIII [t. 286] (1804).
*Jaume St.-Hilaire, Pl. France, ii [t. 16] (1808).
*Svensk Bot. vii. t. 495 (1812).
Thornton, Brit. Fl. iii. 80 (1812).
*Baxter, Brit. Bot. Ed. 2, ii. t. 107 (1835).
*Heger, Danske Oec. Pl. iii. t. 229 (1835).
Reichenbach, Ic. Fl. Germ. ii. t. 2 (1837–38).
[M. E.] Jackson, Pict. Fl. fig. 977 (1840).
*C. E. Sowerby, Ill. Cat. Brit. Pl. fig. 129 (1841).
*Deakin, Florigr. Brit. ii. fig. 1005 (1845).
*J. W. Loudon, Brit. Wild Fl. Ed. 2, t. 12 [1846].
Lindley, Med. & Oecon. Bot. 139 (1849).—*Fl.*
*Petermann, Deutschl. Fl. t. 11, fig. 83 (1849).—*Fl.*
*Calwer, Landwirthsch. Pflanzenk. i. t. 31, fig. 1 (1852).
Payer, Organog. Comp. Fl. t. 44 (1857).—*Fl.*
Rev. Hort. Ser. IV. vi. 291 (1857); 1896, p. 459.—*Veg.*
Schnizlein, Iconogr. iii. t. 181 a (1857–65).—*Fl.*
Johnson & Sowerby, Brit. Wild Fl. fig. 62 (1858–60).
*Johnson & Sowerby, Useful Pl. Gr. Brit. t. 1, fig. 12 (1861[–62]).
Decaisne & Naud. Amat. Jard. iv. 181 [1862–66].—*Veg.*
*Syme, Engl. Bot. i. t. 80 (1863).
*Schubert, Naturg., Pflanzenreich, Ed. 2, t. 33, fig. 10 [1865].
Bentham, Handb. Brit. Fl. fig. 110 (1865).
Le Maout & Decaisne, Traité Gén. Bot. 419 (1868).—*Fl.*
*Cusin & Ansberque, Herb. Fl. Franç. ii. t. 425, 426 (1868).
*Réveil, Règne Vég. viii. t. 41; xii. t. 11 (1870).
Baillon, Hist. Pl. iii. 198 (1872).—*Fl.*
*Hogg & Johnson, Wild Fl. Gr. Brit. vii. t. 490 (1872).
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, i. t. 20 [1873].
Karsten, Deutsche Fl. Pharm.-medic. Bot. 672 (1880–83).—*Fl.*
*C. Hoffmann, Pflanzenatlas, t. 54, fig. 332 (1881).
Wagner, Ill. Deutsche Fl. Ed. 2, p. 82 (1882).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xv. t. 1508 (1883).
Vilmorin-Andrieux, Pl. Potag. 192 (1883).—*Veg.*
Baillon, Traité Bot. Méd. Phan. ii. 756 (1884).
Nicholson, Illustr. Dict. Gard. i. 391; iii. 400 [1884–88].
*Baillon, Ic. Fl. Franç. ii. t. 102 [1885–94].
*Thomé, Fl. Deutschl. ii. t. 303 (1886).
Potonié, Ill. Fl. Nord- u. Mittel-Deutschl. Ed. 4, fig. 298 (1889).
Bot. Centralbl. xi. XLIV. 306 (1890).—*Fl.*
*Masclef, Atlas Pl. France, t. 39 (1893).
Acloque, Fl. France, 116 (1894).
Brehm, Merv. Nat. Monde des Pl. i. 162 (1894–96).
Garcke, Ill. Fl. Deutschl. 70 (1895).
Karsten, Fl. Deutschl. ii. 223 (1895).—*Fl.*
Fiori & Paol. Ic. Fl. Ital. 163 (1899).
Semaine Hort. iv. 393 (1900).—*Veg.*
Coste, Fl. France, i. 142 (1901).
Lindman, Bild. Nord. Fl. t. 201 (1901–5).
Malpighia, xvi. t. 7 (1902).—*Fl.*
Merino, Fl. Galicia, i. 105 (1905).—*Fr.*
Blytt, Haandb. Norg. Fl. Ed. Dahl, 395 (1906).
Hauchecorne in Verh. Bot. Ver. Brandenb. xlvii. t. 11 (1906).—*Hab.*
Lazaro, Comp. Fl. Españ. ii. 138 (1907).—*Fr.*
Beille, Bot. Pharm. ii. 391 (1909).
Fedtschenko & Fler. Fl. Eur. Russia, 465 (1910).
*Bonnier, Fl. Compl. France, Suisse & Belge, i. t. 59 [1911].
Wettstein, Handb. Syst. Bot. Ed. 2, p. 578 (1911).—*Fr.*
*Hegi, Ill. Fl. Mittel-Eur. iv. 1. t. 132, p. 295, 297 (1913).
*Horwood, Brit. Wild Fl. ii. t. 13, p. 174 (1919).
Fitch & Smith, Ill. Brit. Fl. Ed. rev. 4, Iss. 2, fig. 112 (1919).
orientalis Linn.
*Jacquin, Ic. Pl. Rar. i. t. 128 (1781–86).

CRAMBE
orientalis
*Falk, Beytr. Russ. Reiches, ii. t. 14 (1786).
Jaubert & Spach, Illustr. Pl. Or. v. t. 433 (1853–57).
Gard. Chron. Ser. III. xxxvi. 221 (1904).—*Hab.*
Garden, lxxvii. 33 (1913).—*Hab.*
persica Boiss.
Cosson, Ill. Fl. Atlant. i. t. 59 (1888).—*Fl.*
pinnatifida R. Br.
Reichenbach, Ic. Fl. Germ. ii. t. 2 (1837–38).
Möllers Deutsche Gärtn.-Zeit. xxxiv. 125 (1919).—*Hab.*
reniformis Desf.
Desfontaines, Fl. Atlant. ii. t. 151 (1798).
strigosa L'Hér.
*L'Héritier, Stirp. t. 72 (1788).
Tataria Sebeök
Sebeök, Diss. Crambe Tataria, tab. (1779).
*Jacquin, Ic. Pl. Rar. i. t. 129 (1781–86).
*Vietz, Ic. Pl. Med.-oec.-techn. Suppl. t. 26 (1822).
Reichenbach, Ic. Fl. Germ. ii. t. 2 (1837–38).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xv. t. 1509 (1883).
Pflanzenfam. iii. II. 175 (1891).—*Fr.*
Fiori & Paol. Ic. Fl. Ital. 163 (1899).
Ginzberger in Verh. Zool.-Bot. Ges. Wien, lxiii. t. 9 (1913).—*Hab.*
Hegi, Ill. Fl. Mittel-Eur. iv. 1. 298 (1913).
Hayek, Pflanzend. Oesterr.-Ung. i. 254 (1914).—*Hab.*
Bull. Angew. Bot. vii. t. 121 (1914).—*Hab.*
Bull. Appl. Bot. viii. t. 133 (1915).—*Hab.*
Pflanzenreich, Crucif.-Brass. 233 (1919).

CRANICHIS Sw.
aphylla Sw.
Svenska Vet. Akad. Handl. xxi. t. 3, fig. K, a, b (1800).—*Fl.*
Neues Journ. f. die Bot. i. 1. t. 1 (1805).—*Fl.*
Swartz, Fl. Ind. Occ. iii. t. 29 (1806).—*Fl.*
candida Cogn.
Mart. Fl. Bras. iii. IV. t. 58 (1895).
diphylla Sw.
Svenska Vet. Akad. Handl. xxi. t. 3, fig. K, c–k (1800).—*Fl.*
Neues Journ. f. die Bot. i. 1. t. 1 (1805).—*Fl.*
micrantha Griseb.
*Svenska Vet. Akad. Handl. xlvi. No. 10, t. 3 (1911).—*Fl.*
microphylla Porsch
Wettstein in Denkschr. Akad. Wiss. Wien, lxxix. t. 11 (1908).
muscosa Sw.
Swartz, Fl. Ind. Occ. iii. t. 29 (1806).—*Fl.*
Contrib. Ames Bot. Lab. i. t. 3 (1904).
oligantha Sw.
Swartz, Fl. Ind. Occ. iii. t. 29 (1806).—*Fl.*
pilosa Fawc. & Rendle
Fawcett & Rendle, Fl. Jamaica, i. t. 5 (1910).—*Fl.*
stachyodes Sw.
Swartz, Fl. Ind. Occ. iii. t. 29 (1806).—*Fl.*

CRANIOLARIA Linn.
annua Linn.
Jacquin, Sel. Stirp. Amer. Hist. t. 110 (1763).
*Jacquin, Sel. Stirp. Amer. Hist. Picta, t. 166 [1780].
*Schnizlein, Iconogr. ii. t. 153 (1856–65).—*Fl.*
Pflanzenfam. iv. III. B. 266 (1895).—*Fl.*
fallax A. DC.
Agardh, Theor. Syst. Pl. t. 27 (1858).—*Fl.*
fragrans Schenk
Le Maout & Decaisne, Traité Gén. Bot. 199 (1868).—*Fl.*
unibracteata Nees & Mart.
Nov. Act. Acad. Nat. Cur. xi. t. 4 (1823).

CRANIOSPERMUM Lehm.
canescens Lehm.
Act. Hort. Petrop. xxi. t. 5, fig. 2, i, k (1903).
hirsutum DC.
Delessert, Ic. Pl. v. t. 98 (1846).
parviflorum Decne.
Jacquemont, Voy. Inde, t. 130 (1844)
subfloccosum Krylov
Act. Hort. Petrop. xxi. t. 5, fig. 2, a-f (1903).

CRANIOSPERMUM
subvillosum Lehm.
Lehmann, Ic. Rar. Pl. Asperif. t. 50 (1821).
Act. Hort. Petrop. xxi. t. 5, fig. 2, g, h (1903).

CRANIOTOME Reichb.
versicolor Reichb.
Reichenbach, Hort. Bot. t. 54 (1824).
Pflanzenfam. iv. III. A. 250 (1896).—*Fl.*
Collett, Fl. Siml. 401 (1902).

CRANOCARPUS Benth.
Martii Benth.
Mart. Fl. Bras. xv. I. t. 28 (1859).

CRANTZIA Nutt.—Vide *Lilaeopsis*
lineata Nutt.
Hooker f., Fl. Antarct. ii. t. 100 (1845).
Bot. Gaz. xii. 264, fig. 95 (1887).—*Fr.*
Flora, lxxxiii. 272 (1897).—*Veg.*
Pflanzenfam. iii. VIII. 205 (1898).
Goebel, Organogr. Pfl. 494 (1900); Ed. Angl. 295 (1905).—*Veg.*
—— **inundata** Wedd.
Weddell, Chloris Andina (Castelnau Expéd., Bot.), ii. t. 68 (1857–61).
—— **subulata** Wedd.
Weddell, Chloris Andina (Castelnau Expéd., Bot.), ii. t. 68 (1857–61).

CRANTZIA Scop.: *Alloplectus*
dichrus Fritsch
Pflanzenfam. iv. III. B. 138, 140 (1893).—*Fl.*

CRANTZIA Vell.: *Centratherum*
ovata Vell.
Vellozo, Fl. Flum. viii. t. 153 (1827).

CRASPEDARIA Link: *Polypodium*
borbonica Fée
Fée, Mém. Foug. x. t. 39 (1865); et in Mém. Soc. Sc. Nat. Strasbourg, vi. I. t. 39 (1866).
camptocarpa Fée
Fée, Crypt. Vasc. Brésil, ii. t. 98 (1872–73).
cordifolia Fée
Fée, Crypt. Vasc. Brésil, i. t. 36 (1869).
crispata Fée
Fée, Crypt. Vasc. Brésil, i. t. 36 (1869).
Gestasiana Fée
Fée in Mém. Soc. Mus. Hist. Nat. Strasbourg, iv. II & III. t. 4 (1853); et Mém. Foug. vi. t. 4 (1854–57).
grandis Fée
Fée, Crypt. Vasc. Brésil, i. t. 37 (1869).
javanica Fée
Fée, Mém. Foug. x. t. 39 (1865); et in Mém. Soc. Sc. Nat. Strasbourg, vi. I. t. 39 (1866).
nummularia Fée
Fée in Mém. Soc. Mus. Hist. Nat. Strasbourg, iv. II & III. t. 5 (1853); et Mém. Foug. vi. t. 5 (1854–57).
surinamensis Fée
Fée, Mém. Foug. vii. t. 17 (1854–57); et in Mém. Soc. Sc. Nat. Strasbourg, v. I. t. 17 (1858).

CRASPEDIA Forst. f.—Vide *Richea* Labill.
glauca Spreng.
*Bot. Reg. xxii. t. 1908 (1836).
macrocephala Hook.
*Bot. Mag. lxii. t. 3415 (1835).
Richea Cass.
Meredith, Bush Friends Tasmania, t. 10 (1860).
*Bot. Mag. lxxxvii. t. 5271 (1861).
*Charsley, Wild Fl. Melbourne, t. 12 (1867).
*Fl. des Serres, Ser. II. x. t. 2134 (1874).
F. Sulman, Wild Fl. N. S. Wales, ii. t. 35 (1914).
uniflora Forst.
Laing & Blackwell, Pl. New Zeal. Ed. 2, p. 434 (1907).

CRASPEDONEURON Van den Bosch: *Trichomanes*
album Bl.
Van den Bosch in Verh. Akad. Wet. Amsterdam, ix. t. 7 (1861).
Braunii Van den Bosch
Van den Bosch in Verh. Akad. Wet. Amsterdam, ix. t. 9 (1861).

CRASPEDONEURON
pallidum Bl.
Van den Bosch in Verh. Akad. Wet. Amsterdam, ix. t. 8 (1861).

CRASPEDORHACHIS Benth.
africana Benth.
Hook. Ic. Pl. xiv. t. 1377 (1882).
rhodesiana Rendle
Journ. Linn. Soc., Bot. xl. t. 5 (1911).

CRASPIDOSPERMA Boj.
verticillatum Boj.
Delessert, Ic. Pl. v. t. 45 (1846).

×**CRASSECHEVERIA** Dugés
imbricata Dugés
*Dugés in Mem. y Rev. Soc. 'Antonio Alzate', xiv. t. ii (1899).

CRASSINA Scepin: *Zinnia*
grandiflora O. Kuntze
Britton & Brown, Ill. Fl. N. States & Canada, iii. 412 (1898); Ed. 2, iii. 466 (1913).
pumila O. Kuntze
M. Armstrong, Field Book West. Wild Fl. 553 (1915).

CRASSOCEPHALUM Moench: *Gynura*
flavum Decne.
Hegi, Ill. Fl. Mittel-Eur. vi. I. 399 (1915).—*Fl.*
pseudochina O. Kuntze
Banks & Soland. Bot. Cook's Voy. ii. t. 167 (1901).

CRASSOPETALUM Northrop: *Myginda*
coriaceum Northrop
Mem. Torr. Bot. Club, xii. I. t. 9 (1902).

CRASSULA Linn.—Vide *Dasystemon, Larochea, Septas, Thisantha, Thysantha, Tillaeastrum*
abyssinica A. Rich.
Gartenfl. xli. 413 (1892).—*Hab.*
acinaciformis Schinz
Hook. Ic. Pl. xxvi. t. 2530 (1897).
acutifolia Lam.
*De Candolle, Hist. Pl. Grasses, 2 (1799–1829).
albiflora Sims
*Bot. Mag. I. t. 2391 (1823).
alcicornis Schönl.
Ann. Bolus Herb. ii. 94 (1917).—*Hab.*
alpestris Linn. f.
Garden, xvi. 479 (1879).
W. Robinson, Engl. Fl. Gard. t. 82 (1883).
Alstonii Marl.
Trans. Roy. Soc. S. Africa, i. II. t. 27 (1910).
alternifolia Linn.
Burman, Rar. Africa, Pl. t. 24, fig. 1 (1738); fide Linn.
aphylla Schönl. & E. G. Baker
Ann. Bolus Herb. ii. t. 3 (1916).—*Hab.*
arborescens Willd.
Bull. Acad. Sc. Bruxelles, xix. III. 462 (1852).
Bot. Jaarb. Gent, vii. t. 5, fig. 13 (1895).
Stoneman, Plants & their Ways S. Africa, Ed. 2, p. 305 (1915).
atrosanguinea Beauv.
Bull. Herb. Boiss. Ser. II. vii. 1014 (1907).
barbata Linn. f.
Deutsch. Tiefsee-Exped. 1898–99, ii. III. 226, 306 (1908).
Stoneman, Plants & their Ways S. Africa, Ed. 2, p. 112 (1915).—*Hab.*
Barklyi N. E. Br.
*Bot. Mag. cxxxviii. t. 8421 (1912).
bergioides Harv.
Ann. Bolus Herb. ii. t. 6 (1916).—*Hab.*
Bolusii Hook. f.
*Bot. Mag. ci. t. 6194 (1875).
Hesdörffer, Handb. Zimmergärtn. Ed. 2, p. 332, fig. 220 (1900).
brevifolia Schönl.
Ann. Bolus Herb. ii. t. 3 (1916).—*Hab.*
caespitosa Cav.
Cavanilles, Ic. i. t. 69 (1791).
Cadevall & Sallent, Fl. Catalunya, ii. 394 (1916).
campestris Endl.
Ann. Bolus Herb. ii. t. 5 (1916).—*Hab.*

CRASSULA
canescens Schultes
Trans. S. Afr. Phil. Soc. ix. II. 1896–97, t. 1, fig. 2 (1898).—*Fl.*
capitata Salm-Dyck
*Lodd. Bot. Cab. xi. t. 1029 (1825).
centaureoides Linn.
*Bot. Mag. xlii. t. 1765 (1815).
*J. W. Loudon, Ladies' Fl.-Gard. Ornam. Greenh. Pl. t. 32 (1848).
Edmonds & Marloth, Elem. Bot. S. Africa, 148 (1897).—*Fl.*
Stoneman, Plants & their Ways S. Africa, Ed. 2, p. 132 (1915).—*Fl.*
ciliata Linn.
Dillenius, Hort. Eltham. Add. Denom. Linn. t. 98 (1774).
*De Candolle, Hist. Pl. Grasses, 7 (1799–1829).
coccinea Linn.
*Kniphof, Herb. Viv. i. t. 325 (1758).
*J. Miller, Illustr. Syst. Sex. Linn. t. 16 (1774).
*Plantarum Indig. & Exot. Ic. ii [t. 77] (1789).
*De Candolle, Hist. Pl. Grasses, I (1799–1829).
*Bot. Mag. xiv. t. 495 (1800).
*Moriarty, Viridarium, Col. Plates Greenh. Pl. t. 8 (1806).
*McDonald, Dict. Pract. Gard. i. t. 18 (1807).
*S. Edwards, New Bot. Gard. i. t. 18 (1812).
*Mordant de Launay, Herb. Amat. iii. t. 202 (1819).
*Lodd. Bot. Cab. v. t. 486 (1820).
*Drapiez, Herb. Amat. Fl. i. t. 45 (1828).
*Mag. Bot. & Gard. i. t. 8 (1833).
Decaisne & Naud. Amat. Jard. ii. 739 [1862–66].
Baillon, Hist. Pl. iii. 312 (1872).—*Fl.*
Decaisne, Naud. & Hemsl. Trees, Shrubs & Herb. Pl. 189 (1873).
Baillon, Dict. Bot. i. 563 (1878).—*Fl.*
*Hulme & Hibberd, Familiar Gard. Fl. i. 33 [1879–87].
Berge, Pflanzenphysiogn. 188 (1880).
Baillon, Dict. Bot. ii. 261 (1881).—*Fl.*
Nicholson, Illustr. Dict. Gard. i. 392 [1884–88].
Brehm, Merv. Nat. Monde des Pl. i. 740 (1894–96).
Bellair & St.-Léger, Pl. Serre, 610 (1900).
colorata Ostenf.
Dansk Bot. Arkiv, ii. VIII. 40, 46 (1918).
columnaris Linn. f.
Burman, Rar. Afr. Pl. t. 9, fig. 2 (1738); fide DC.
Cactus Journ. i. 130 (1898).—*Hab.*
Gard. Chron. Ser. III. xxiii. 66 (1898); xxxviii. 162 (1905).
Trans. S. Afr. Phil. Soc. xvi. II. 166 (1905).—*Hab.*
Monatsschr. Kakt. xvi. 125 (1906).
Wettstein in Schrift. Ver. Verbr. Naturw. Kenntn. Wien, xlvii. 344, fig. 6 (1907).—*Hab.*
Deutsch. Tiefsee-Exped. 1898–99, ii. III. 227, 306 (1908).—*Hab.*
Wettstein, Handb. Syst. Bot. Ed. 2, p. 644 (1911).
Stoneman, Plants & their Ways S. Africa, Ed. 2, p. 108 (1915).—*Hab.*
compacta elatior E. G. Baker
Bull. Herb. Boiss. Ser. II. iii. t. 7 (1903).
conglomerata Jacq.
*Jacquin, Fragm. t. 88 (1809) in ic.; *C. glomerata* in textu.
Cooperi Regel
Gartenfl. xxiii. t. 786 (1874); xxxi. 278 (1882).—*Hab.*
Rümpler & Schumann, Sukkulenten, 92 (1892).
corallina Thunb.
Ann. Bolus Herb. ii. t. 7 (1916).—*Hab.*
cordata Ait.
*De Candolle, Hist. Pl. Grasses, 121 (1799–1829).
*Jacquin, Hort. Schoenbr. iv. t. 431 (1804).
*Lodd. Bot. Cab. iv. t. 359 (1819).
Gartenwelt, viii. 534 (1904).
Rev. Hort. Belge, xl. 186 (1914).—*Hab.*
corymbulosa Link
*Link & Otto, Ic. Pl. Select. t. 16 (1820–28).
Cotyledon Jacq.
*Jacquin, Misc. ii. t. 19 (1781).
*Jacquin, Collect. iv. t. 2, fig. 4 (1790).—*Fr.*
*Bot. Mag. xi. t. 384 (1797).
Garden, lxiii. 48 (1903).—*Hab.*

CRASSULA

crenata Desf.
Ann. Mus. Hist. Nat. Paris, xi. 445 (1808).
Desfontaines, Choix Pl. Tournefort, t. 58 (1808).
cultrata Linn.
Dillenius, Hort. Eltham. Add. Denom. Linn. t. 97 (1774).
*Trew, Pl. Rar. ii. t. 12 (1779).
Lamarck, Ill. i. t. 220, fig. 1 (1797).
*Bot. Mag. xliv. t. 1940 (1817).
decipiens N. E. Br.
Deutsch. Tiefsee-Exped. 1898–99, ii. III. 308 (1908).
decumbens Thunb.
Ann. Bolus Herb. ii. t. 2 (1916).—*Hab.*
dejecta Jacq.
*Jacquin, Hort. Schoenbr. iv. t. 433 (1804).
deltoidea Linn.
Trans. S. Afr. Phil. Soc. xvi. II. 166 (1905).—*Hab.*
Wettstein in Schrift. Ver. Verbr. Naturw. Kenntn. Wien, xlvii. 345, fig. 7 (1907).—*Hab.*
Dodii Schönl. & E. G. Baker
Ann. Bolus Herb. ii. t. 6 (1916).—*Hab.*
elata N. E. Br.
Dinter, Neue Pfl. Deutsch-S.W. Afr. fig. 15 (1914).
enantiophylla E. G. Baker
Bull. Herb. Boiss. Ser. II. iii. t. 8 (1903).
expansa Ait.
Ann. Bolus Herb. ii. t. 3 (1916).—*Hab.*
falcata Wendl.
*Bot. Mag. xlvi. t. 2035 (1818).
Rümpler & Schumann, Sukkulenten, 91 (1892).
*Bois, Atlas Pl. Jard. t. 98 (1896).
*Step, Fav. Fl. Gard. & Greenh. ii. t. 94 (1897).
Deutsch. Tiefsee-Exped. 1898–99, ii. III. 321 (1908).
filamentosa Schönl.
Ann. Bolus Herb. ii. t. 5 (1916).—*Hab.*
glomerata Linn.
*De Candolle, Hist. Pl. Grasses, 67 (1799–1829).
*Jacquin, Fragm. t. 88 (1809) in textu; *C. conglomerata* in ic.
Ann. Bolus Herb. ii. t. 4 (1916).—*Hab.*
Goetzeana Engl.
Engler & Drude, Veget. Erde, ix. III. 1, p. 281 (1915).
gracilis Hort.
Rev. Hort. Belge, viii. 241 (1882).
hemisphaerica Thunb.
Deutsch. Tiefsee-Exped. 1898–99, ii. III. 227 (1908).—*Hab.*
hirsuta Schönl. & E. G. Baker
Ann. Bolus Herb. ii. t. 4 (1916).—*Hab.*
×**hybrida** Hort.
*Ann. Blumisterei, vii. 119 [t. 5] (1831).
Illichiana Engl.
Engler & Drude, Veget. Erde, ix. III. 1, p. 282 (1915).
inanis Thunb.
Ann. Bolus Herb. ii. t. 2 (1916).—*Hab.*
indica Decne.
Jacquemont, Voy. Inde, t. 73 (1844).
jasminea Sims
*Bot. Mag. xlvii. t. 2178 (1820).
*Lodd. Bot. Cab. xi. t. 1040 (1825).
Wien. Ill. Gart.-Zeit. vii. 517 (1882).
lactea Ait.
*De Candolle, Hist. Pl. Grasses, 37 (1799–1829).
*Jacquin, Hort. Schoenbr. iv. t. 430 (1804).
*J. E. Smith, Exot. Bot. i. t. 33 [1804–5].
*Bot. Mag. xliii. t. 1771 (1815).
*Mordant de Launay, Herb. Amat. i. t. 38 (1816).
*Lodd. Bot. Cab. viii. t. 735 (1823).
*Drapiez, Herb. Amat. Fl. v. t. 374 (1831).
Journ. Hort. lxi. 62 (1878); Ser. III. ix. 567 (1885).
*Ill. Gartenzeit. Stuttgart, xxiv. t. 19 (1880).
Gard. Chron. Ser. III. iii. 297 (1888).
Blanc, Hints Cacti, 110 (1891).
Rümpler & Schumann, Sukkulenten, 90 (1892).
Neubert's Deutsch. Gart. Mag. xlix. 188 (1896).—*Hab.*
Bull. Arboricult. Belg. 1904, p. 364.

CRASSULA

lycopodioides Lam.
Gartenwelt, v. 453 (1901).
Deutsch. Tiefsee-Exped. 1898–99, ii. III. t. 14 (1908).—*Hab.*
Engler & Drude, Veget. Erde, ix. III. 1, p. 283 (1915).
Ann. Bolus Herb. ii. t. 7 (1916).—*Hab.*
macrantha Diels & Pritzel
Dansk Bot. Arkiv, ii. VIII. 40 (1918).—*Fl.*
—— **nuda** Ostenf.
Dansk Bot. Arkiv, ii. VIII. 41 (1918).
Magnolii DC.
Le Maout & Decaisne, Traité Gén. Bot. 268 (1868).—*Fr.*
Reichenbach, Ic. Fl. Germ. xxiii. t. 43 (1896–99).
margaritifera Harv.
*Marloth, Fl. S. Africa, i. t. 5 (1913).—*Hab.*
marginalis Ait.
*Jacquin, Hort. Schoenbr. iv. t. 471 (1804).
Marlothii Schönl.
Ann. Bolus Herb. ii. t. 6 (1916).—*Hab.*
minutiflora Schönl. & E. G. Baker
Ann. Bolus Herb. ii. t. 4 (1916).—*Hab.*
minutissima Skottsb.
Svenska Vet. Akad. Handl. lvi. No. 5, t. 22, fig. 19 (1916).
Miriamae Ostenf.
Dansk Bot. Arkiv, ii. VIII. 40, 45 (1918).
mongolica Franch.
Nouv. Arch. Mus. Hist. Nat. Paris, Ser. II. v. t. 16 (1883).
monticola N. E. Br.
Möllers Deutsche Gärtn.-Zeit. xxiii. 361 (1908).
mucronata Keissl.
Ann. Nat. Hofm. Wien, xv. 39 (1900).
multicava C. Lem.
Wood, Natal Pl. iv. II. t. 326 (1904).
natalensis Schönl.
Wood & Evans, Natal Pl. i. II. t. 63 (1899).
natans Thunb.
Ann. Bolus Herb. ii. t. 2 (1916).—*Hab.*
nudicaulis Linn.
*Kniphof, Herb. Viv. i. t. 327 (1758).
Dillenius, Hort. Eltham. Add. Denom. Linn. t. 98 (1774).
*De Candolle, Hist. Pl. Grasses, 133 (1799–1829).
nyikensis E. G. Baker
Engler & Drude, Veget. Erde, ix. III. 1, p. 282 (1915).
oblanceolata Schönl. & E. G. Baker
Ann. Bolus Herb. ii. t. 3 (1916).—*Hab.*
obliqua Haw.
*Andrews, Bot. Rep. vi. t. 414 (1804).
obvallata Linn.
*Trew, Pl. Rar. ii. t. 11 (1779).
*De Candolle, Hist. Pl. Grasses, 61 (1799–1829).
odoratissima Andr.
*Andrews, Bot. Rep. i. t. 26 (1798).
*Jacquin, Hort. Schoenbr. iv. t. 434 (1804).
*Mordant de Launay, Herb. Amat. vi. t. 359 (1822).
*Drapiez, Herb. Amat. Fl. vii. t. 483 (1834).
orbicularis Linn.
Dillenius, Hort. Eltham. Add. Denom. Linn. t. 100 (1774).
*De Candolle, Hist. Pl. Grasses, 43 (1799–1829).
Raunkiær, Oversight Forh. Danske Vidensk. Selsk. 395 (1905).—*Veg.*
pallida Baker
Wood, Natal Pl. iv. I. t. 323 (1903).
Journ. Hort. Ser. III. lv. 295 (1907).—*Hab.*
papillosa Schönl. & E. G. Baker
Ann. Bolus Herb. ii. t. 2 (1916).—*Hab.*
parviflora E. Mey.
Baillon, Hist. Pl. iii. 313 (1872).—*Fl.*
Baillon, Dict. Bot. ii. 261 (1881).—*Fl.*
parvula Harv.
Ann. Bolus Herb. ii. t. 5 (1916).—*Hab.*
pedicellosa Ostenf.
Dansk Bot. Arkiv, ii. VIII. 40, 42 (1918).
pellucida Linn.
Dillenius, Hort. Eltham. Add. Denom. Linn. t. 100 (1774).
Meigen, Deutschl. Fl. ii. t. 61 (1837).—*Fl.*
pellucida Jacq.
*Jacquin, Fragm. t. 44 (1809).

CRASSULA

perfilata Scop.
Scopoli, Del. Fl. & Faun. Insubr. iii. t. 6 (1788).
perfoliata Linn.
*Kniphof, Herb. Viv. i. t. 326 (1758).
Buchoz, Hist. Règne Vég. vi. Dec. 4, t. 1 (1775).
Lamarck, Ill. i. t. 220, fig. 2 (1797).
*De Candolle, Hist. Pl. Grasses, 13 (1799–1829).
*Andrews, Bot. Rep. x. t. 656 (1811?).
*Saunders, Ref. Bot. v. t. 338 (1880).
perforata Linn.
Dillenius, Hort. Eltham. Add. Denom. Linn. t. 96 (1774).
perfossa Lam.
*De Candolle, Hist. Pl. Grasses, 25 (1799–1829).
*Jacquin, Hort. Schoenbr. iv. t. 432 (1804).
Decaisne & Naud. Amat. Jard. i. 33 [1862–66].—*Veg.*
Clos in Mém. Acad. Sc. Toulouse, Ser. VIII. v. II. 278, fig. 16 (1883).—*Veg.*
Pflanzenfam. iii. II. A. 26, 35 (1890).
Möllers Deutsche Gärtn.-Zeit. xxiii. 362 (1908).
Deutsch. Tiefsee-Exped. 1898–99, ii. III. 225, 236, t. 14 (1908).
portulacaria Linn.
Dillenius, Hort. Eltham. Add. Denom. Linn. t. 101 (1774).
portulacea Lam.
*De Candolle, Hist. Pl. Grasses, 79 (1799–1829).
Deutsch. Tiefsee-Exped. 1898–99, ii. III. t. 14, 16 (1908).—*Hab.*
*Addisonia, iii. t. 109 (1918).
profusa Hook. f.
*Bot. Mag. xcix. t. 6044 (1873).
pyramidalis Linn. f.
Burman, Rar. Afr. Pl. t. 9, fig. 3 (1738); fide N. E. Br.
Gard. Chron. 1872, p. 289; xxiii. 545 (1885).
Bot. Mag. cxxv. t. 7665 (1899).
Cactus Journ. ii. 105 (1899).—*Hab.*
Monatsschr. Kakt. xvii. 133 (1907).—*Hab.*
Deutsch. Tiefsee-Exped. 1898–99, ii. III. 226 (1908).
Wettstein, Handb. Syst. Bot. Ed. 2, p. 644 (1911).
Karsten & Schenck, Veg.-Bild. ix. t. 25 (1911).—*Hab.*
Stoneman, Plants & their Ways S. Africa, Ed. 2, p. 106 (1915).—*Hab.*
quadrifida Baker
*Saunders, Ref. Bot. v. t. 298 (1872).
Lubbock, Seedlings, i. 514 (1892).—*Veg.*
Rep. Missouri Bot. Gard. v. 157, t. 28 (1894).
L. H. Bailey, Cycl. Amer. Hort. 394 (1900); Stand. Cycl. Hort. 877 (1914).
*Addisonia, ii. t. 79 (1917).
ramuliflora Link
*Link & Otto, Ic. Pl. Select. t. 17 (1820–28).
Gartenfl. xxix. t. 1013 (1880).
Rümpler & Schumann, Sukkulenten, 94 (1892).
recurva N. E. Br.
Wood, Natal Pl. vi. IV. t. 576 (1912).
Rehmannii E. G. Baker
Bull. Herb. Boiss. Ser. II. iii. t. 9 (1903).
retroflexa Meerb.
*Meerburg, Pl. Sel. Ic. Pict. t. 16 (1798).
rosularis Haw.
*Bot. Mag. lxxxix. t. 5393 (1863).
Wood, Natal Pl. iii. III. t. 266 (1902).
rubens Linn.
*De Candolle, Hist. Pl. Grasses, 55 (1799–1829).
Boissieu, Fl. Eur. i. t. 235 (1805).
*Jaume St.-Hilaire, Fl. & Pom. Franç. vi. t. 523 (1833).
*Petermann, Deutschl. Fl. t. 30, fig. 236 (1849).
Decaisne & Naud. Amat. Jard. i. 64 [1862–66].—*Fl.*
Willkomm, Führ. Reich Pflanzen, 610 (1882).—*Fl.*
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xxvi. t. 2638 (1886).
Garcke, Ill. Fl. Deutschl. 226 (1895).
Reichenbach, Ic. Fl. Germ. xxiii. t. 42 (1896–99).
Cadevall & Sallent, Fl. Catalunya, ii. 393 (1916).
rubicunda E. Mey.
*Saunders, Ref. Bot. v. t. 339 (1880).
Saxifraga Harv.
*Bot. Mag. xcix. t. 6068 (1873).

CRASSULA
scabra Linn.
*Martyn, Hist. Pl. Rar. 24 (1736).
Dillenius, Hort. Eltham. Add. Denom. Linn. t. 99 (1774).
*Panzer, Martyn's Abbild. Beschr. Selt. Gewächse, t. 22 (1797).
—— **brevifolia** DC.
*De Candolle, Hist. Pl. Grasses, [t. 182] (1799–1829).
Schmidtii Regel
*Gartenfl. xxxv. t. 1225 (1886).
Rümpler & Schumann, Sukkulenten, 93 (1892).—*Hab.*
Rev. Hort. 1908, p. 54, 55.
Schweinfurthii Hort.
De Wildeman, Ic. Sel. Hort. Then. i. t. 22 (1900).
silvatica Licht.
Ann. Bolus Herb. ii. t. 6 (1916).—*Hab.*
spathulata Thunb.
*De Candolle, Hist. Pl. Grasses, 49 (1799–1829).
Neues Journ. f. die Bot. i. II. t. 3 (1806).
*Réveil, Règne Vég. xiv. t. 29 (1870).
Gartenfl. xxviii. 242 (1879).
spinosa Linn.
*Jacquin, Fragm. t. 127 (1809).
stachyera Eckl. & Zeyh.
Wood, Natal Pl. iv. IV. t. 389 (1906).
tenuipedicellata Schönl. & E. G. Baker
Ann. Bolus Herb. ii. t. 4 (1916).—*Hab.*
tenuis Wolley Dod
Ann. Bolus Herb. ii. t. 3 (1916).—*Hab.*
teres Marl.
Trans. Roy. Soc. S. Africa, iii. I. t. 8 (1913).
tetragona Linn.
*De Candolle, Hist. Pl. Grasses, 19 (1799–1829).
torquata Baker
*Saunders, Ref. Bot. iii. t. 154 (1870).
trachysantha Eckl. & Zeyh.
De Wildeman, Ic. Sel. Hort. Then. iv. t. 151 (1903).
transvaalensis K. Schum.
Ann. Bolus Herb. ii. t. 5 (1916).—*Hab.*
turrita Thunb.
*Jacquin, Hort. Schoenbr. i. t. 52 (1797).
*Bot. Reg. xvi. t. 1344 (1830).
umbella Jacq.
*Jacquin, Ic. Pl. Rar. ii. t. 352 (1786–93).
*Trattinick, Ausg. Taf. Arch. iii. 221 (1814).
umbellata Thunb.
Ann. Bolus Herb. ii. t. 6 (1916).—*Hab.*
umbraticola N. E. Br.
Wood & Evans, Natal Pl. i. I. t. 7 (1898).
undulata Haw.
*Lodd. Bot. Cab. vi. t. 584 (1821).
Vaillantii Baill.
Baillon, Hist. Pl. iii. 314 (1872).
Baillon, Dict. Bot. i. 560 (1877); ii. 261 (1881).
Pflanzenfam. iii. II. A. 35 (1890).
Ann. Bolus Herb. ii. t. 2 (1916).—*Hab.*
versicolor Burch.
*Bot. Reg. iv. t. 320 (1818).
*Lodd. Bot. Cab. v. t. 433 (1820).
*Bot. Mag. l. t. 2356 (1822).
*Géel, Sert. Bot. Cl. 5 (1828).
Zeyheriana Schönl.
Ann. Bolus Herb. ii. t. 4 (1916).—*Hab.*

CRATAEGO-MESPILUS Simon-Louis—Vide *Mespilus* (3)
×**asnieresi** C. K. Schneider
Schneider, Ill. Handb. Laubh. i. 765, 766 (1906).
Gartenwelt, xi. 376 (1907).
Suringar in Meded. Land-, Boschbouw. iii. 120, 156 (1910).
Garden, lxxv. 310 (1911).—*Hab.*
Kew Bull. 1911, p. 269.
Gard. Chron. Ser. III. l. 183, 185 (1911).
Möllers Deutsche Gärtn.-Zeit. xxvii. 100 (1912).
*Bull. Angew. Bot. vi. 263, t. 82 (1913).
Bean, Trees & Shrubs, i. 418 (1914).
Reichenbach, Ic. Fl. Germ. xxv. t. 109 (1914).
×**Bonnieri** Daniel
*Rev. Gén. Bot. xxvi. 336 (1914); xxvii. t. 1 (1915).
×**Brunii** Daniel
*Rev. Gén. Bot. xxvi. 337 (1914); xxvii. t. 1 (1915).

CRATAEGO-MESPILUS
×**Dardarii** Simon-Louis
Journ. Soc. Hort. France, Ser. III. xxi. 959 (1899).
Jardin, xvi. 23 (1902).
Schneider, Ill. Handb. Laubh. i. 765, 766 (1906).
Gartenwelt, xi. 376 (1907).
Kew Bull. 1911, p. 268.
Möllers Deutsche Gärtn.-Zeit. xxvii. 101 (1912).—*Veg.*
Reichenbach, Ic. Fl. Germ. xxv. t. 108 (1914).
Rev. Gén. Bot. xxvii. t. 3 (1915).—*Veg.*

CRATAEGUS Linn.—Vide *Mespilus* (4), *Oxyacantha*
acclivis Sarg.
Sargent, Man. Trees N. Amer. 451 (1905).
acerifolia Moench
*Joh. Kerner, Abbild. Oek. Pfl. (Fig. Pl. Écon.), viii. t. 764 (1796).
*Joh. Kerner, Ausländ. Bäume & Gestr. t. 45 (1796).
acutifolia Sarg.
Sargent, Silva N. Amer. xiii. t. 643 (1902).
Sargent, Man. Trees N. Amer. 376 (1905).
acutiloba Sarg.
Bean, Trees & Shrubs, i. 424 (1914).
aestivalis Torr. & Gray
Sargent, Silva N. Amer. iv. t. 192 (1892).
Sargent, Man. Trees N. Amer. 400 (1905).
Schneider, Ill. Handb. Laubh. i. 795, 796 (1906).
Britton, N. Amer. Trees, 473 (1908).
albicans Ashe
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, ii. 318 (1913).
Mathews, Field Book Amer. Trees & Shrubs, 247 (1915).
Heimlich in Proc. Indiana Acad. Sc. 1917, t. 25 (1918).
algens Beadle
Sargent, Man. Trees N. Amer. 374 (1905).
alnorum Sarg.
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, ii. 311 (1913).
Mathews, Field Book Amer. Trees & Shrubs, 239 (1915).
alpina Mill.
*F. J. Schultz, Abb. Bäume, Staud. Sträuch. Oesterr. ii. t. 149 (1792).
altaica Ledeb.
*Lange, Rev. Sp. Crat. t. 5 (1897).
Schneider, Ill. Handb. Laubh. i. 772, 774 (1906).
ambigua C. A. Mey.
Schneider, Ill. Handb. Laubh. i. 783–85 (1906).
Reichenbach, Ic. Fl. Germ. xxv. t. 105 (1914).
—— **Hohenackeri** C. K. Schneider
Schneider, Ill. Handb. Laubh. i. 783–85 (1906).
amnicola Beadle
Sargent, Man. Trees N. Amer. 392 (1905).
annosa Beadle
Sargent, Man. Trees N. Amer. 483 (1905).
anomala Sarg.
Sargent, Silva N. Amer. xiii. t. 670 (1902).
Sargent, Man. Trees N. Amer. 440 (1905).
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, ii. 316 (1913).
Mathews, Field Book Amer. Trees & Shrubs, 245 (1915).
apiifolia Michx.
J. C. Loudon, Arbor. & Frutic. Brit. ii. 860, vi. t. 31 H (1838).
*Audubon, Birds Amer. iv. t. 236 (1842).
Ettingshausen, Blatt-Skel. Dikot. 208, t. 89 (1861).—*Veg.*
Sargent, Silva N. Amer. iv. 188 (1892).
Dippel, Handb. Laubholzk. iii. 455 (1893).—*Veg.*
Britton & Brown, Ill. Fl. N. States & Canada, ii. 242 (1897).
Lange, Rev. Sp. Crat. 48 (1897).
Sargent, Man. Trees N. Amer. 487 (1905).
Rogers, Tree Book, 309 (1905).—*Veg.*
Schneider, Ill. Handb. Laubh. i. 776, 791 (1906).
Lewis, Trees of Texas (Bull. Univ. Texas, No. 22), 107 (1915).

CRATAEGUS
apiifolia minor Loud.
J. C. Loudon, Arbor. & Frutic. Brit. ii. 860 (1838).
apiomorpha Sarg.
Rogers, Tree Book, 308 (1905).
Sargent, Man. Trees N. Amer. 414 (1905).
aprica Beadle
Sargent, Silva N. Amer. xiii. t. 698 (1902).
Sargent, Man. Trees N. Amer. 485 (1905).
Schneider, Ill. Handb. Laubh. i. 792, 793 (1906).
Mathews, Field Book Amer. Trees & Shrubs, 225 (1915).
arborea Beadle
Sargent, Man. Trees N. Amer. 378 (1905).
arborescens Ell.
*Nuttall, N. Amer. Sylva, i. t. 45 (1865).
Lange, Rev. Sp. Crat. 65 (1897).
arbutifolia Dryand.
*Lodd. Bot. Cab. iii. t. 201 (1818).
Arduennae Sarg.
Sargent, Man. Trees N. Amer. 373 (1905).
Aria Linn.
*Fl. Dan. ii. t. 301, 302 (1767).
*Oelhafen, Abbild. Wilden Bäume, ii. t. 63 (1773).
*J. Miller, Illustr. Syst. Sex. Linn. t. 42 (1775).
Buchoz, Hist. Règne Vég. xi. Dec. 5, t. 9 (1776).
*Zorn, Ic. Pl. Med. v. t. 498 (1784).
*Joh. Kerner, Beschr. u. Abbild. Bäume u. Gestr. Wirtemberg, t. 26 (1786).
*Junghans, Ic. Pl. t. 55 (1787).
*Plantarum Indig. & Exot. Ic. ii [t. 78] (1789).
*Reitter & Abel, Holz-Art. t. 24 (1790).
*Plenck, Ic. Pl. Med. iv. t. 387 (1791).
*F. J. Schultz, Abbild. Bäume, Staud. Sträuch. Oesterr. ii. t. 150 (1792).
Hoppe, Ect. Pl. Ratisb. t. 722 (1793).
*Joh. Kerner, Abbild. Oek. Pfl. (Fig. Pl. Écon.), vi. t. 555 (1793).
Lamarck, Ill. iii. t. 433, fig. 1 (1797).
*Oskamp, Afb. Artseny-Gewass. vi. t. 508 (1800).
Aikin, Woodl. Comp. t. 14 (1802).
*Duhamel, Arbres & Arbustes, Ed. 2, iv. t. 34 (1809).
*Vigneux, Fl. Pitt. Envir. Paris, t. 30 (1812).
*Chaumeton, Fl. Méd. i. t. 15 (1815).
*Vietz, Ic. Pl. Med.-oec.-techn. v. t. 442 (1817).
*Spach, Hist. Nat. Vég. Phan. Atlas, t. 9 (1846).—*Fr.*
*Cassone, Fl. Med.-Farm. ii. t. 147 (1847).
Baillon, Traité Bot. Méd. Phan. i. 561 (1883).
Charpentier, Timber, Ed. Engl. 41 (1902).
—— **suetia** F. J. Schultz
*F. J. Schultz, Abbild. Bäume, Staud. Sträuch. Oesterr. ii. t. 151 (1792).
arkansana Sarg.
Sargent, Silva N. Amer. xiii. t. 660 (1902).
Sargent, Man. Trees N. Amer. 425 (1905).
Arnoldiana Sarg.
Sargent, Silva N. Amer. xiii. t. 668 (1902).
*Rogers, Tree Book, 309, 390 (1905).
Sargent, Man. Trees N. Amer. 437 (1905).
Collins & Preston, Key to Trees, 114 (1912).—*Veg.*
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, ii. 318 (1913).
L. H. Bailey, Stand. Cycl. Hort. 882 (1914).
Mathews, Field Book Amer. Trees & Shrubs, 247 (1915).
Aronia Bosc
*Bot. Reg. xxii. t. 1897 (1836).
J. C. Loudon, Arbor. & Frutic. Brit. ii. 862; vi. t. 31 M (1838).
Garden, ii. 107 (1872).—*Veg.*
Willkomm, Führ. Reich Pflanzen, 626 (1882).—*Fl.*
Ashei Beadle
Sargent, Silva N. Amer. xiii. t. 690 (1902).
Sargent, Man. Trees N. Amer. 470 (1905).
Britton, N. Amer. Trees, 462 (1908).
aspera Sarg.
Sargent, Trees & Shrubs, ii. t. 131 (1908).
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, ii. 312 (1913).
asperifolia Sarg.
Britton, N. Amer. Trees, 478 (1908).

CRATAEGUS

assurgens Sarg.
Sargent, Man. Trees N. Amer. 445 (1905).
atrocarpa E. L. Wolf
Dendr. Gard. For. Inst. (Bull. Forest-Inst. St. Petersb. No. 15), 26 (1907).
Schneider, Ill. Handb. Laubh. ii. 1006 (1912).
atrorubens Ashe
Sargent, Silva N. Amer. xiii. t. 704 (1902).
Sargent, Man. Trees N. Amer. 408 (1905).
Azarolus Linn.
*Plenck, Ic. Pl. Med. iv. t. 390 (1791).
*F. J. Schultz, Abbild. Bäume, Staud. Sträuch. Oesterr. ii. t. 152 (1792).
*Joh. Kerner, Abbild. Oek. Pfl. (Fig. Pl. Écon.), vii. t. 625 (1794).
*Andrews, Bot. Rep. ix. t. 579 (1809).
*Vietz, Ic. Pl. Med.-oec.-techn. v. t. 443 (1817).
J. C. Loudon, Arbor. & Frutic. Brit. ii. 862 ; vi. t. 31 L (1838).
*Hartig, Forstl. Cult. t. 86 (1851).
*Rev. Hort. Ser. IV. v. 441–51 (1856).
Pokorny, Oesterr. Holzpfl. 466, t. 57 (1864).—*Veg.*
*Cusin & Ansberque, Herb. Fl. Franç. viii (Pomacées), t. 6 (1870).
Garden, xxviii. 634 (1885).
Mouillefert, Traité Arbres & Arbrisseaux, Atlas, t. 35 (1892–98).—*Hab.*
Fiori & Paol. Ic. Fl. Ital. 212 (1899).
Schneider, Dendrol. Winterst. 169 (1903).—*Veg.*
Schneider, Ill. Handb. Laubh. i. 789, 790 (1906).
Bull. Soc. Dendr. France, 1912, p. 189.—*Fr.*
Reichenbach, Ic. Fl. Germ. xxv. 29, t. 106 (1914).
Cadevall & Sallent, Fl. Catalunya, ii. 313 (1916).
—— **laciniata** G. Beck
Reichenbach, Ic. Fl. Germ. xxv. 29, t. 106 (1914).—*Veg.*
—— **maroccana** Hort.
Garden, xxii. 146 (1882).
—— **triloba** G. Beck
Reichenbach, Ic. Fl. Germ. xxv. 29, t. 106 (1914).—*Veg.*
basilica Beadle
Sargent, Man. Trees N. Amer. 420 (1905).
Beadlei Ashe
Bull. Torr. Bot. Club, xxxviii. 27–31 (1911).
beata Sarg.
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, ii. 314 (1913).
Mathews, Field Book Amer. Trees & Shrubs, 241 (1915).
bellula Sarg.
Sargent, Trees & Shrubs, i. t. 56 (1903).
berberifolia Torr. & Gray
Sargent, Man. Trees N. Amer. 384 (1905).
Britton, N. Amer. Trees, 452 (1908).
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, ii. 297 (1913).
Mathews, Field Book Amer. Trees & Shrubs, 217 (1915).
Berlandieri Sarg.
Sargent, Silva N. Amer. xiii. t. 663 (1902).
Sargent, Man. Trees N. Amer. 429 (1905).
Britton, N. Amer. Trees, 459 (1908).
betulifolia Schnizl.
Schnizlein, Iconogr. iv. t. 270 (1866–70).—*Fr.*
Bicknellii Eggl.
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, ii. 305 (1913).
Mathews, Field Book Amer. Trees & Shrubs, 231 (1915).
blanda Sarg.
Sargent, Silva N. Amer. xiii. t. 702 (1902).
Sargent, Man. Trees N. Amer. 405 (1905).
Boyntonii Beadle
Sargent, Silva N. Amer. xiii. t. 650 (1902).
Sargent, Man. Trees N. Amer. 463 (1905).
Rogers, Tree Book, 308 (1905).
Schneider, Ill. Handb. Laubh. i. 800, 801 (1906).
Britton, N. Amer. Trees, 460 (1908).
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, ii. 309 (1913).

CRATAEGUS

Boyntonii
Mathews, Field Book Amer. Trees & Shrubs, 221 (1915).
brachyacantha Sarg. & Engelm.
Sargent, Silva N. Amer. iv. t. 177 (1892).
*Lounsberry, Southern Wild Fl. & Trees, t. 74 (1901).
Sargent, Man. Trees N. Amer. 490 (1905).
Schneider, Ill. Handb. Laubh. i. 791, 792 (1906).
Britton, N. Amer. Trees, 475 (1908).
Brainerdii Sarg.
Britton, N. Amer. Trees, 478 (1908).
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, ii. 303 (1913).
Mathews, Field Book Amer. Trees & Shrubs, 251 (1915).
Brazoria Sarg.
Sargent, Silva N. Amer. xiii. t. 656 (1902).
Sargent, Man. Trees N. Amer. 396 (1905).
Britton, N. Amer. Trees, 463 (1908).
brevispina Kunze
*Willkomm, Ill. Fl. Hispan. Balear. i. t. 47 (1881–85).
Schrift. Phys. Oekon. Ges. Koenigsberg, xxxvii. 166 (1896).
Schneider, Ill. Handb. Laubh. i. 782, 784 (1906).
Buckleyi Beadle
Sargent, Man. Trees N. Amer. 464 (1905).
Bushii Sarg.
Sargent, Silva N. Amer. xiii. t. 645 (1902).
Sargent, Man. Trees N. Amer. 377 (1905).
calpodendron Medic.
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, ii. 302 (1913).
Mathews, Field Book Amer. Trees & Shrubs, 251 (1915).
*Addisonia, iv. t. 154 (1919).
calycina Peterm.
Petermann, Deutschl. Fl. t. 26, fig. 204 n (1849).—*Fr.*
Bot. Notiser, 1904, p. 135.
Reichenbach, Ic. Fl. Germ. xxv. t. 105 (1914).—*Fr.*
Lindman, Svensk Fanerogamfl. 306 (1918).
canadensis Sarg.
Sargent, Silva N. Amer. xiii. t. 662 (1902).
Sargent, Man. Trees N. Amer. 428 (1905).
Britton, N. Amer. Trees, 471 (1908).
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, ii. 318 (1913).
Canbyi Sarg.
Sargent, Silva N. Amer. xiii. t. 638 (1902).
Sargent, Man. Trees N. Amer. 369 (1905).
Britton, N. Amer. Trees, 450 (1908).
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, ii. 299 (1913).
Mathews, Field Book Amer. Trees & Shrubs, 215 (1915).
×**Carrieri** Hort.
*Rev. Hort. 1883, p. 108.
Mouillefert, Traité Arbres & Arbrisseaux, Atlas, t. 31 (1892–98).—*Hab.*
Gard. Chron. Ser. III. xxi. 118, 119 (1897).
*Gard. Album, i. t. 16 (1906).
Schneider, Ill. Handb. Laubh. i. 797 (1906).—*Veg.*
×**Celsiana** Bosc
Garden, ii. 127 (1872).—*Veg.*
Dippel, Handb. Laubholzk. iii. 452 (1893).
*Lange, Rev. Sp. Crat. t. 3 A (1897).
Schneider, Ill. Handb. Laubh. i. 777, 779 (1906).
Chamaemespilus Jacq.
*Jacquin, Fl. Austr. iii. t. 231 (1775).
champlainensis Sarg.
Sargent, Silva N. Amer. xiii. t. 669 (1902).
Sargent, Man. Trees N. Amer. 428 (1905).
Chapmanii Ashe
Sargent, Man. Trees N. Amer. 493 (1905).
Britton, N. Amer. Trees, 480 (1908).
chlorosarca Maxim.
Dippel, Handb. Laubholzk. iii. 450 (1893).—*Veg.*
Schneider, Ill. Handb. Laubh. i. 772, 774 (1906).
Matsumura, Ic. Pl. Koisikav. i. t. 26 (1912).
Miyabe & Miyake, Fl. Saghalin, t. 5 (1915).—*Veg.*

CRATAEGUS

chrysocarpa Ashe
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, ii. 306 (1913).
Mathews, Field Book Amer. Trees & Shrubs, 233 (1915).
coccinea Linn.
*F. J. Schultz, Abbild. Bäume, Staud. Sträuch. Oesterr. ii. t. 157 (1792).
*Joh. Kerner, Abbild. Oek. Pfl. (Fig. Pl. Écon.), vii. t. 679 (1794).
*Bot. Mag. lxii. t. 3432 (1835).
*Bot. Reg. xxiii. t. 1957 (1837).
J. C. Loudon, Arbor. & Frutic. Brit. ii. 851 ; vi. t. 31 A (1838).
Trans. Wisconsin State Agric. Soc. iv. 218 (1854–57).
*Schnizlein, Iconogr. iv. t. 270 (1866–70).—*Fr.*
*Réveil, Règne Vég. xii. t. 29 (1870).—*Fr.*
*Emerson, Trees & Shrubs Massachusetts, Ed. 2, ii. 493 (1875).
Garden, xix. 216 (1881).
Journ. Hort. Ser. III. ii. 423 (1881).
Sargent, Silva N. Amer. iv. t. 180 (1892).
Newhall, Shrubs N.E. Amer. 105 (1893).
Trans. Acad. Sc. St. Louis, vi. 147, fig. 71–73 (1893).—*Veg.*
Newhall, Trees N.E. Amer. 35 (1894).
*Wild Fl. Canada, t. 258 (1894).
Britton & Brown, Ill. Fl. N. States & Canada, ii. 242 (1897); Ed. 2, ii. 317 (1913).
Clark in Bull. Vermont Agric. St. No. 73, p. 69 (1899).
Lounsberry, Guide to the Trees, Ed. 2, p. 164 (1900).
Sargent, Silva N. Amer. xiii. t. 683 (1902).
Parkhurst, Trees, Shrubs, Vines N.E. United States, 219, t. 9, fig. 61 (1903).—*Veg.*
*A Kert (The Garden), xi. 384 (1905).
*Rogers, Tree Book, 304, 312 (1905).
Sargent, Man. Trees N. Amer. 459 (1905).
Schneider, Ill. Handb. Laubh. i. 800 (1906).
Suireishchikov, Ill. Fl. Mosc. Gov. ii. 274 (1907).
Jones & Rand in Bull. Vermont Agric. St. No. 145, p. 120 (1909).
Bull. Soc. Dendr. France, 1912, p. 189.—*Fr.*
Keeler, Our Native Trees, 145 (1912).—*Veg.*
Peterson, How to Know Wild Fr. 76 (1914).
Illick, Pennsylvania Trees (Pennsylv. Dept. For. Bull. No. 11), t. 89 (1919).
—— **corallina** Loud.
J. C. Loudon, Arbor. & Frutic. Brit. ii. 852 (1838).
—— **cordata** Lavall.
*Lavallée, Arbor. & Frutic. Hort. Segrez. t. 23 (1885).
—— **indentata** Loud.
J. C. Loudon, Arbor. & Frutic. Brit. ii. 852 (1838).
—— **macracantha** Dudl.
American Garden, xi. 509 (1890).
Sargent, Silva N. Amer. iv. t. 181 (1892).
—— **rotundifolia** Sarg.
Schneider, Ill. Handb. Laubh. i. 800 (1906).
—— **subvillosa** Schrad.
Lange, Rev. Sp. Crat. 31 (1897).
coccinioides Ashe
Möllers Deutsche Gärtn.-Zeit. xvi. 359 (1901).
Sargent, Silva N. Amer. xiii. t. 674 (1902).
Rogers, Tree Book, 313 (1905).
Sargent, Man. Trees N. Amer. 458 (1905).
Schneider, Ill. Handb. Laubh. i. 800, 801 (1906).
Britton, N. Amer. Trees, 468 (1908).
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, ii. 317 (1913).
L. H. Bailey, Stand. Cycl. Hort. 883 (1914).
Mathews, Field Book Amer. Trees & Shrubs, 245 (1915).
Coleae Sarg.
Sargent, Trees & Shrubs, i. t. 4 (1902).
collina Chapm.
Sargent, Silva N. Amer. xiii. t. 654 (1902).
Sargent, Man. Trees N. Amer. 391 (1905).
Schneider, Ill. Handb. Laubh. i. 795, 796 (1906).
Britton, N. Amer. Trees, 466 (1908).
Bull. Torr. Bot. Club, xxxviii. 27 (1911).—*Veg.*

CRATAEGUS
collina
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, ii. 301 (1913).
Mathews, Field Book Amer. Trees & Shrubs, 219 (1915).
coloradensis A. Nels.
Ramaley in Univ. Colorado Stud. vi. 272, 273 (1909).
coloradoides Ramal.
Bot. Gaz. xlvi. 383 (1908).
columbiana Howell
Britton, N. Amer. Trees, 476 (1908).
consanguinea Beadle
Sargent, Silva N. Amer. xiii. t. 694 (1902).
Sargent, Man. Trees N. Amer. 473 (1905).
cordata Soland.
*Bot. Reg. xiv. t. 1151 (1828).
Loudon, Mag. Nat. Hist. i. 166 (1828).
*Mag. Bot. & Gard. ii. t. 45 (1834).
J. C. Loudon, Arbor. & Frutic. Brit. ii. 861, t. 31 G (1838).
Garden, i. 504 (1872); lxxxii. 8 (1908).
Sargent, Silva N. Amer. iv. t. 186 (1892).
Britton & Brown, Ill. Fl. N. States & Canada, ii. 241 (1897).
Lange, Rev. Sp. Crat. 27 (1897).
L. H. Bailey, Evol. Native Fruits, 446 (1898).—*Fr.*
Rogers, Tree Book, 318 (1905).
Sargent, Man. Trees N. Amer. 488 (1905).
Schneider, Ill. Handb. Laubh. i. 776, 791 (1906).
Hough, Handb. Trees N. States & Canada, 254, 255 (1907).
Bean, Trees & Shrubs, i. 424 (1914).—*Hab.*
Gard. Chron. Ser. III. lxviii. 59 (1920).
corusca Sarg.
Sargent, Silva N. Amer. xiii. t. 667 (1902).
Sargent, Man. Trees N. Amer. 430 (1905).
crenulata Roxb.
*Bot. Reg. xxx. t. 52 (1844).
cretica Willd.
Ann. Mus. Hist. Nat. Paris, xii. 53 (1808).
Desfontaines, Choix Pl. Tournefort, t. 60 (1808).
crocina Beadle
Sargent, Man. Trees N. Amer. 386 (1905).
crus-galli Linn.
*Trew, Pl. Rar. ii. t. 17 (1779).
*Joh. Kerner, Abbild. Oek. Pfl. (Fig. Pl. Écon.), vii. t. 680 (1794).
J. C. Loudon, Arbor. & Frutic. Brit. ii. 856; vi. t. 31 A, 31 C (1838).
Belg. Hort. i. t. 14 (1851).
Emerson, Trees & Shrubs Massachusetts, Ed. 2, ii. 492 (1875).
Sargent, Silva N. Amer. iv. t. 178 (1892).
*Mouillefert, Traité Arbres & Arbrisseaux, Atlas, t. VII (1892–98).
Newhall, Shrubs N.E. Amer. 107 (1893).
Gard. & Forest, vii. 295 (1894).—*Hab.*
Newhall, Trees N.E. Amer. 39 (1894).
Britton & Brown, Ill. Fl. N. States & Canada, ii. 240 (1897); Ed. 2, ii. 297 (1913).
Fiori & Paol. Ic. Fl. Ital. 211 (1899).
Gard. Chron. Ser. III. xxviii. 244 (1900).—*Hab.*
Lounsberry, Guide to the Trees, Ed. 2, p. 168, 169 (1900).—*Hab.*
Ramirez, Mat. Med. Mexic. iii. 2 (1900).
Parkhurst, Trees, Shrubs, Vines N.E. United States, 219, t. 9, fig. 60 (1903).—*Veg.*
Schneider, Dendrol. Winterst. 170 (1903).—*Veg.*
Plant World, viii. 240 (1905).
Rogers, Tree Book, 306 (1905).—*Fl.*
Sargent, Man. Trees N. Amer. 368 (1905).
Schneider, Ill. Handb. Laubh. i. 795, 796 (1906).
Hough, Handb. Trees N. States & Canada, 244, 245 (1907).
Suireishchikov, Ill. Fl. Mosc. Gov. ii. 274 (1907).
Britton, N. Amer. Trees, 449 (1908).
Fernow, Care of Trees, fig. 98 (1910).
Blakeslee & Jarvis, New England Trees in Winter (Storrs Agric. Exp. St. Bull. No. 69), 495 (1911).—*Veg.*
Bull. Torr. Bot. Club, xxxviii. 26 (1911).—*Veg.*
Keeler, Native Trees, 141 (1912).—*Veg.*

CRATAEGUS
crus-galli
Bull. Soc. Dendr. France, 1912, p. 189.—*Fr.*
Clements, Rosend. & Butters, Minnesota Trees & Shrubs, 156 (1912).
Collins & Preston, Key to Trees, 111 (1912).
Mathews, Field Book Amer. Trees & Shrubs, 215 (1915).
Illick, Pennsylvania Trees (Pennsylv. Dept. For. Bull. No. 11), t. 88 (1919).
—— **arbutifolia** Hort.
Journ. Hort. Ser. III. lxiii. 185 (1911).
—— **berberifolia** Sarg.
Sargent, Silva N. Amer. iv. t. 179 (1892).
—— **capillata** Sarg.
Mathews, Field Book Amer. Trees & Shrubs, 213 (1915).
—— **linearis** DC.
J. C. Loudon, Arbor. & Frutic. Brit. ii. 856 (1838).
Jardin, xxiv. 36 (1910).
—— **nana** DC.
J. C. Loudon, Arbor. & Frutic. Brit. ii. 821 (1838).
—— **oblongata** Sarg.
Mathews, Field Book Amer. Trees & Shrubs, 213 (1915).
—— **ovalifolia** Lindl.
*Bot. Reg. xxii. t. 1860 (1836).
Garden, xxii. 146 (1882); xxxiii. 468 (1888).
—— **pyracanthifolia** DC.
J. C. Loudon, Arbor. & Frutic. Brit. ii. 856; vi. t. 31 C, a (1838).
Sargent, Silva N. Amer. xiii. t. 637 (1902).
Mathews, Field Book Amer. Trees & Shrubs, 213 (1914).
—— **salicifolia** DC.
J. C. Loudon, Arbor. & Frutic. Brit. ii. 820, 856, vi. t. 31 E, b (1838).
—— **splendens** Linn.
*F. J. Schultz, Abbild. Bäume, Staud. Sträuch. Oesterr. ii. t. 160 (1792).
*Joh. Kerner, Abbild. Oek. Pfl. (Fig. Pl. Écon.), viii. t. 739 (1796).
*Kerner, Ausländ. Bäume & Gestr. t. 8 (1796).
*Vietz, Ic. Pl. Med.-oec.-techn. v. t. 444 (1817).
J. C. Loudon, Arbor. & Frutic. Brit. ii. 856 (1838).
cuneata Sieb. & Zucc.
Kwa-wi [transl. Savatier], Arb. ii. t. 18 (1759).
*Lavallée, Arbor. & Frutic. Hort. Segrez. t. 5 (1885).
Dippel, Handb. Laubholzk. iii. 444 (1893).
*Useful Pl. Jap. i. t. 193 (1895).
Schneider, Ill. Handb. Laubh. i. 792, 793 (1906).
cuneiformis Eggl.
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, ii. 299 (1913).
Mathews, Field Book Amer. Trees & Shrubs, 217 (1915).
curvisepala Lindm.
Lindman, Svensk Fanerogamfl. 306 (1918).
dahurica Koehne
Schneider, Ill. Handb. Laubh. i. 772, 774 (1906).
Dallasiana Sarg.
Sargent, Trees & Shrubs, i. t. 30 (1903).
Sargent, Man. Trees N. Amer. 397 (1905).
delecta Sarg.
Sargent, Man. Trees N. Amer. 452 (1905).
denaria Beadle
Sargent, Man. Trees N. Amer. 379 (1905).
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, ii. 298 (1913).
depilis Sarg.
Sargent, Man. Trees N. Amer. 419 (1905).
Deweyana Sarg.
Sargent, Man. Trees N. Amer. 496 (1905).
dilatata Sarg.
Sargent, Silva N. Amer. xiii. t. 673 (1902).
Sargent, Man. Trees N. Amer. 455 (1905).
×**Dippeliana** Lange
*Lange, Rev. Sp. Crat. t. 10 (1897).
Schneider, Ill. Handb. Laubh. i. 797 (1906).—*Veg.*
disjuncta Sarg.
Sargent, Trees & Shrubs, i. t. 55 (1903).
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, ii. 314 (1913).

CRATAEGUS
dispar Beadle
Sargent, Man. Trees N. Amer. 484 (1905).
Britton, N. Amer. Trees, 456 (1908).
dispessa Ashe
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, ii. 316 (1913).
Doddsii Ramal.
Bot. Gaz. xlvi. 382 (1908).
Ramaley in Univ. Colorado Stud. vi. 273 (1909).
Douglasii Lindl.
*Bot. Reg. xxi. t. 1810 (1835).
J. C. Loudon, Arbor. & Frutic. Brit. ii. 858, t. 31 E, a (1838).
Sargent, Silva N. Amer. iv. t. 175 (1892).
Koehne, Dendrol. 228 (1893).
Sargent, Man. Trees N. Amer. 503 (1905).
Schneider, Ill. Handb. Laubh. i. 775, 776 (1906).
Britton, N. Amer. Trees, 481 (1908).
Sudworth, Forest Trees Pac. Slope, 348 (1908).
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, ii. 321 (1913).
Mathews, Field Book Amer. Trees & Shrubs, 253 (1915).
—— **rivularis** Sarg.
Sargent, Silva N. Amer. iv. t. 176 (1892).
Nelson in Bull. Wyoming Agric. St. No. 40, t. 25 (1899).
dsungarica Zabel
Schneider, Ill. Handb. Laubh. i. 772, 774 (1906).
durobrivensis Sarg.
Sargent, Trees & Shrubs, i. t. 2 (1902).
Eamesii Sarg.
Sargent, Man. Trees N. Amer. 454 (1905).
edita Sarg.
Sargent, Silva N. Amer. xiii. t. 646 (1902).
Sargent, Man. Trees N. Amer. 382 (1905).
edura Beadle
Sargent, Man. Trees N. Amer. 385 (1905).
elliptica Soland.
*F. J. Schultz, Abbild. Bäume, Staud. Sträuch. Oesterr. ii. t. 168 (1792).
Ellwangeriana Sarg.
Sargent, Silva N. Amer. xiii. t. 671 (1902).
Sargent, Man. Trees N. Amer. 441 (1905).
Hough, Handb. Trees N. States & Canada, 250, 251 (1907).
Gard. Chron. Ser. III. xlvii. 130 (1910).—*Hab.*
Englemannii Sarg.
Sargent, Silva N. Amer. xiii. t. 639 (1902).
Sargent, Man. Trees N. Amer. 378 (1905).
erecta Sarg.
Sargent, Silva N. Amer. xiii. t. 642 (1902).
Sargent, Man. Trees N. Amer. 375 (1905).
erythropoda Ashe
Ramaley in Univ. Colorado Stud. vi. 273 (1909).
fastosa Sarg.
Sargent, Trees & Shrubs, i. t. 31 (1903).
Sargent, Man. Trees N. Amer. 393 (1905).
Faxonii Sarg.
Sargent, Trees & Shrubs, i. t. 60 (1903).
fecunda Sarg.
Sargent, Silva N. Amer. xiii. t. 641 (1902).
Sargent, Man. Trees N. Amer. 371 (1905).
Britton, N. Amer. Trees, 451 (1908).
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, ii. 299 (1913).
Mathews, Field Book Amer. Trees & Shrubs, 215 (1915).
fera Beadle
Sargent, Man. Trees N. Amer. 386 (1905).
filipes Ashe
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, ii. 313 (1913).
Mathews, Field Book Amer. Trees & Shrubs, 241 (1915).
Fischeri C. K. Schneider
Schneider, Ill. Handb. Laubh. i. 789, 790 (1906).
flabellata Heldr.
Lange, Rev. Sp. Crat. 29 (1897).—*Veg.*
Schneider, Ill. Handb. Laubh. i. 800 (1906).—*Veg.*
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, ii. 310 (1913).

CRATAEGUS
flabellata
Mathews, Field Book Amer. Trees & Shrubs, 235 (1915).
flabellifolia Spach
*Spach, Hist. Nat. Vég. Phan. Atlas, t. 9 (1846).—*Fr.*
flava Ait.
*Bot. Reg. xxiii. t. 1939 (1837).
J. C. Loudon, Arbor. & Frutic. Brit. ii. 859, vi. t. 31 L (1838).
Mouillefert, Traité Arbres & Arbrisseaux, Atlas, t. 29 (1892–98).—*Hab.*
Sargent, Silva N. Amer. iv. t. 189 (1892).
Dippel, Handb. Laubholzk. iii. 428 (1893).
Britton & Brown, Ill. Fl. N. States & Canada, ii. 244 (1897); Ed. 2, ii. 310 (1913).
Gard. Chron. Ser. III. xxvii. 404 (1900).
Sargent, Silva N. Amer. xiii. t. 693 (1902).
Sargent, Man. Trees N. Amer. 472 (1905).
Schneider, Ill. Handb. Laubh. i. 792, 793 (1906).
Britton, N. Amer. Trees, 455 (1908).
Mathews, Field Book Amer. Trees & Shrubs, 227 (1915).
—— **elliptica** Sarg.
Sargent, Silva N. Amer. iv. t. 190 (1892).
—— **lobata** Lindl.
*Bot. Reg. xxiii. t. 1932 (1837).
floridana Sarg.
Sargent, Man. Trees N. Amer. 477 (1905).
foetida Ashe
Gard. Chron. Ser. III. lv. 214 (1914).—*Hab.*
×**Fontanesiana** Steud.
Schneider, Ill. Handb. Laubh. i. 797 (1906).—*Veg.*
Fortunei C. K. Schneider
Schneider, Ill. Handb. Laubh. i. 764 (1906).
fruticosa Sarg.
Sargent, Trees & Shrubs, i. t. 7 (1902).
Gattingeri Ashe
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, ii. 314 (1913).
Mathews, Field Book Amer. Trees & Shrubs, 243 (1915).
Gaultii Sarg.
Sargent, Man. Trees N. Amer. 494 (1905).
gemmosa Sarg.
Sargent, Silva N. Amer. xiii. t. 686 (1902).
Sargent, Man. Trees N. Amer. 498 (1905).
Gard. Chron. Ser. III. xlix. 37 (1911).—*Hab.*
geneseensis Sarg.
Gard. Chron. Ser. III. liii. 115 (1913).—*Hab.*
Georgiana Sarg.
Sargent, Silva N. Amer. xiii. t. 649 (1902).
Sargent, Man. Trees N. Amer. 413 (1905).
glabra Thunb.
*Lodd. Bot. Cab. iii. t. 248 (1818).
*Bot. Mag. xlvii. t. 2105 (1819).
Savi, Fl. Ital. ii. t. 45 (1822).
*Mordant de Launay, Herb. Amat. viii. t. 554 (1827).
*Réveil, Règne Vég. iii. t. 36 (1870).—*Veg.*
Gubb, Fl. Algeria, t. 67 (1909).
glabriuscula Sarg.
Sargent, Silva N. Amer. xiii. t. 701 (1902).
Sargent, Man. Trees N. Amer. 404 (1905).
glandulosa Willd.
*F. J. Schultz, Abbild. Bäume, Staud. Sträuch. Oesterr. ii. t. 164 (1792).
*Lodd. Bot. Cab. xi. t. 1012 (1825).
J. C. Loudon, Arbor. & Frutic. Brit. ii. 853, vi. t. 31 A, a (1838).
Gard. Chron. xiv. 557 (1880).
Garden, xxii. 145 (1882); xxxiii. 464 (1888).
—— **macracantha** Lindl.
*Bot. Reg. xxii. t. 1912 (1836).
—— **subvillosa** Loud.
J. C. Loudon, Arbor. & Frutic. Brit. ii. 818, 853 (1838).
glandulosa Moench
Dippel, Handb. Laubholzk. iii. 429 (1893).
glauca Wall.
J. C. Loudon, Arbor. & Frutic. Brit. ii. 845 (1838).
globosa Sarg.
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, ii. 302 (1913).

CRATAEGUS
granatensis Boiss.
*Boissier, Voy. Bot. Espagne, i. t. 61 (1839–45).
Schneider, Ill. Handb. Laubh. i. 780, 782 (1906).
grandiflora Koch
Journ. Soc. Hort. France, Ser. III. xxi. 959 (1899).—*Veg.*
gravida Beadle
Sargent, Man. Trees N. Amer. 426 (1905).
Britton, N. Amer. Trees, 470 (1908).
Grayana Eggl.
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, ii. 311 (1913).
Mathews, Field Book Amer. Trees & Shrubs, 237 (1915).
Harbisonii Beadle
Sargent, Silva N. Amer. xiii. t. 691 (1902).
Sargent, Man. Trees N. Amer. 469 (1905).
Britton, N. Amer. Trees, 458 (1908).
Heldreichii Boiss.
Schneider, Ill. Handb. Laubh. i. 786, 790 (1906).
Henryi Dunn
Schneider, Ill. Handb. Laubh. i. 769, 770 (1906).
heterophylla Flügge
Ann. Mus. Hist. Nat. Paris, xii. 423 (1808).
*Bot. Reg. xiv. t. 1161 (1828); xxii. t. 84 (1836).
*Mag. Bot. & Gard. ii. t. 50 (1834).
J. C. Loudon, Arbor. & Frutic. Brit. ii. 864; vi. t. 31 Q (1838).
*Lavallée, Arbor. & Frutic. Hort. Segrez. t. 17 (1885).
Schneider, Ill. Handb. Laubh. i. 780, 782 (1906).
hiemalis Lange
*Bot. Tidsskr. xiii. t. 2 (1882–83).
Dippel, Handb. Laubholzk. iii. 449 (1893).
*Lange, Rev. Sp. Crat. t. 9 (1897).
Schneider, Ill. Handb. Laubh. i. 777, 779 (1906).
Hillii Sarg.
Sargent, Man. Trees N. Amer. 444 (1905).
Holmesiana Ashe
Sargent, Silva N. Amer. xiii. t. 676 (1902).
Sargent, Man. Trees N. Amer. 449 (1905).
Schneider, Ill. Handb. Laubh. i. 800, 801 (1906).
Hough, Handb. Trees N. States & Canada, 252, 253 (1907).
Horticulture (Boston), xxvii. 169 (1918).—*Hab.*
hudsonica Sarg.
Sargent, Man. Trees N. Amer. 457 (1905).
×**hybrida** Linn.
*Oelhafen, Abbild. Wild. Bäume, ii. t. 62 (1773).
ignava Beadle
Sargent, Man. Trees N. Amer. 476 (1905).
illinoiensis Ashe
Sargent, Silva N. Amer. xiii. t. 687 (1902).
Sargent, Man. Trees N. Amer. 499 (1905).
incaedua Sarg.
Sargent, Trees & Shrubs, ii. t. 102 (1907).
indica Linn.
*Bot. Mag. xlii. t. 1726 (1815).
*Schrank, Pl. Rar. Hort. Monac. ii. t. 60 (1819).
induta Sarg.
Sargent, Trees & Shrubs, i. t. 58 (1903).
Sargent, Man. Trees N. Amer. 436 (1905).
ingens Beadle
Sargent, Man. Trees N. Amer. 409 (1905).
insegnae Bertol.
Lojacono-Pojero, Fl. Sic. i. II. t. 17 (1891).
Schneider, Ill. Handb. Laubh. i. 780 (1906).—*Veg.*
insignis Sarg.
Sargent, Trees & Shrubs, i. t. 54 (1903).
integra Beadle
Sargent, Man. Trees N. Amer. 481 (1905).
integriloba Sarg.
Sargent, Silva N. Amer. xiii. t. 688 (1902).
Sargent, Man. Trees N. Amer. 501 (1905).
Gard. Chron. Ser. III. xlvii. 60 (1910).
intricata Lange
*Lange, Rev. Sp. Crat. t. 1 (1897).
Schneider, Ill. Handb. Laubh. i. 800, 801 (1906).
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, ii. 307 (1913).
Mathews, Field Book Amer. Trees & Shrubs, 225 (1915).
invisa Sarg.
Sargent, Trees & Shrubs, ii. t. 160 (1911).

CRATAEGUS
irrasa Sarg.
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, ii. 304 (1913).
Mathews, Field Book Amer. Trees & Shrubs, 231 (1915).
Irvingii Hort.
Emerson & Weed, Our Trees, How to Know Them, 195 (1908).
Jackii Sarg.
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, ii. 306 (1913).
Mathews, Field Book Amer. Trees & Shrubs, 231 (1915).
Jesupii Sarg.
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, ii. 312 (1913).
Mathews, Field Book Amer. Trees & Shrubs, 243 (1915).
Jonesae Sarg.
Sargent, Silva N. Amer. xiii. t. 684 (1902).
Sargent, Man. Trees N. Amer. 460 (1905).
Britton, N. Amer. Trees, 465 (1908).
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, ii. 300 (1913).
Mathews, Field Book Amer. Trees & Shrubs, 233 (1915).
Kelloggii Sarg.
Sargent, Trees & Shrubs, i. t. 59 (1903).
Sargent, Man. Trees N. Amer. 431 (1905).
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, ii. 315 (1913).
Kennedyi Sarg.
Sargent, Trees & Shrubs, ii. t. 134 (1908).
Komarowii Sarg.
Nakai, Fl. Sylv. Koreana, Pt. 6, t. 29 (1916).
Korolkowii Regel
*Rev. Hort. 1901, p. 308.
Schneider, Ill. Handb. Laubh. i. 769, 770 (1906).
kyrtostyla Fingerh.
Linnaea, iv. t. 3, fig. 1 (1829).
lacera Sarg.
Sargent, Silva N. Amer. xiii. t. 680 (1902).
Sargent, Man. Trees N. Amer. 421 (1905).
laciniata Ucria
Lojacono-Pojero, Fl. Sic. i. II. t. 20 (1891).
Schneider, Ill. Handb. Laubh. i. 786, 790 (1906).
lacrimata Small
Sargent, Silva N. Amer. xiii. t. 695 (1902).
Sargent, Man. Trees N. Amer. 478 (1905).
Britton, N. Amer. Trees, 455 (1908).
lagenaria Fisch. & Mey.
Lindman, Svensk Fanerogamfl. 306 (1918).
×**Lambertiana** Lange
Lange, Rev. Sp. Crat. 58 (1897).
Schneider, Ill. Handb. Laubh. i. 777, 779 (1906).
lanceolata Sarg.
Sargent, Trees & Shrubs, ii. t. 130 (1908).
Laneyi Sarg.
Sargent, Trees & Shrubs, i. t. 3 (1902).
lanuginosa Sarg.
Sargent, Trees & Shrubs, i. t. 57 (1903).
Sargent, Man. Trees N. Amer. 435 (1905).
Britton, N. Amer. Trees, 472 (1908).
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, ii. 316 (1913).
lasiocarpa Lange
Schneider, Ill. Handb. Laubh. i. 783 (1906).—*Veg.*
latifolia Lam.
*Duhamel, Arbres & Arbustes, Ed. 2, iv. t. 35 (1809).
*Spach, Hist. Nat. Vég. Phan. Atlas, t. 9 (1846).—*Fr.*
laurentiana Sarg.
Britton, N. Amer. Trees, 476 (1908).
Ramaley in Univ. Colorado Stud. vi. 272 (1909).
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, ii. 304 (1913).
Mathews, Field Book Amer. Trees & Shrubs, 229 (1915).
Lavallei Hérincq
*Lavallée, Arbor. & Frutic. Hort. Segrez. t. 7 (1885).

CRATAEGUS

Layi Hort.
Garden, ii. 197 (1872).—*Veg.*

leiophylla Sarg.
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, ii. 313 (1913).
Mathews, Field Book Amer. Trees & Shrubs, 241 (1915).

Lettermannii Sarg.
Sargent, Silva N. Amer. xiii. t. 657 (1902).
Sargent, Man. Trees N. Amer. 398 (1905).

leucophleos Moench
Moench, Verz. Bäume u. Stauden Weissenst. t. 2 (1785).
*Lavallée, Arbor. & Frutic. Hort. Segrez. t. 22 (1885).

limaria Sarg.
Sargent, Trees & Shrubs, ii. t. 161 (1911).

linearis Pers.
Mouillefert, Traité Arbres & Arbrisseaux, Atlas, t. 33 (1892–98).—*Hab.*

livoniana Sarg.
Sargent, Trees & Shrubs, ii. t. 129 (1908).

lobata Bosc
J. C. Loudon, Arbor. & Frutic. Brit. ii. 824, 859 (1838).

—— **serotina** Hort.
Rev. Hort. 1869, p. 80.
Garden, vii. 321 (1875).

lobulata Sarg.
Sargent, Silva N. Amer. xiii. t. 675 (1902).
Sargent, Man. Trees N. Amer. 447 (1905).

lucida Mill.
Wangenheim, Beytr. Forstwissensch. t. 17, fig. 42 (1787).
*F. J. Schultz, Abbild. Bäume, Staud. Sträuch. Oesterr. ii. t. 162 (1792).
Decaisne & Naud. Amat. Jard. i. 57 [1862–66].
Mouillefert, Traité Arbres & Arbrisseaux, Atlas, t. 32 (1892–98).—*Hab.*

lucorum Sarg.
Sargent, Silva N. Amer. xiii. t. 679 (1902).
Sargent, Man. Trees N. Amer. 418 (1905).
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, ii. 304 (1913).
Mathews, Field Book Amer. Trees & Shrubs, 235 (1915).

luculenta Sarg.
Sargent, Trees & Shrubs, i. t. 6 (1902).

ludoviciensis Sarg.
Sargent, Trees & Shrubs, ii. t. 103 (1907).

Macauleyae Sarg.
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, ii. 305 (1913).
Mathews, Field Book Amer. Trees & Shrubs, 229 (1915).

macracantha Lodd.
J. C. Loudon, Arbor. & Frutic. Brit. ii. 855, t. 31 B, a (1838).
Britton & Brown, Ill. Fl. N. States & Canada, ii. 243 (1897).
*Lange, Rev. Sp. Crat. t. 8 A (1897).
Clark in Bull. Vermont Agric. St. No. 73, p. 70 (1899).
L. H. Bailey, Cycl. Amer. Hort. 396 (1900); Stand. Cycl. Hort. 886 (1914).
Sargent, Silva N. Amer. xiii. t. 689 (1902).
Rogers, Tree Book, 319 (1905).—*Veg.*
Sargent, Man. Trees N. Amer. 502 (1905).
Schneider, Ill. Handb. Laubh. i. 775, 776 (1906).
Hough, Handb. Trees N. States & Canada, 258, 259 (1907).
Britton, N. Amer. Trees, 479 (1908).
Jones & Rand in Bull. Vermont Agric. St. No. 145, p. 120 (1909).—*Fr.*
Apgar, Orn. Shrubs U.S. 172, fig. 265 (1910).
Collins & Preston, Key to Trees, 110 (1912).—*Veg.*
Clements, Rosend. & Butters, Minnesota Trees & Shrubs, 156 (1912).

—— **minor** Loud.
J. C. Loudon, Arbor. & Frutic. Brit. ii. 855 (1838).

macrosperma Ashe
Jones & Rand in Bull. Vermont Agric. St. No. 145, p. 120 (1909).—*Fr.*
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, ii. 311 (1913).

CRATAEGUS

macrosperma
Mathews, Field Book Amer. Trees & Shrubs, 237 (1915).
*Addisonia, iv. t. 138 (1919).

magnifolia Sarg.
Sargent, Trees & Shrubs, ii. t. 132 (1908).

maloides Sarg.
Sargent, Trees & Shrubs, i. t. 5 (1902).

Margaretta Ashe
Sargent, Silva N. Amer. xiii. t. 685 (1902).
Sargent, Man. Trees N. Amer. 462 (1905).
Britton, N. Amer. Trees, 464 (1908).
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, ii. 300 (1913).
Mathews, Field Book Amer. Trees & Shrubs, 219 (1915).

maroccana Lindl.
*Bot. Reg. xxii. t. 1855 (1836).
J. C. Loudon, Arbor. & Frutic. Brit. ii. 862, vi. t. 31 L, a (1838).
Garden, xxviii. 635 (1885).

Marshallii Eggl.
Britton, N. Amer. Trees, 474 (1908).
Apgar, Orn. Shrubs U.S. 172, fig. 263 (1910).
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, ii. 320 (1913).
Mathews, Field Book Amer. Trees & Shrubs, 235 (1915).

Maximowiczii C. K. Schneider
Schneider, Ill. Handb. Laubh. i. 772, 774 (1906).
Miyabe & Miyake, Fl. Saghalin, t. 5 (1915).
Nakai, Fl. Sylv. Koreana, Pt. 6, t. 28, p. 60 (1916).

×**media** Bechst.
Reichenbach, Ic. Fl. Germ. xxv. 28, t. 105 (1914).

mexicana Moc. & Sessé
*Sweet, Brit. Fl. Ser. II. vi. t. 300 (1835).
*Bot. Reg. xxii. t. 1910 (1836).
J. C. Loudon, Arbor. & Frutic. Brit. ii. 867; vi. t. 31 A, a (1838).
A. De Candolle, Calq. Dess. Fl. Mex. Moc. & Sessé, t. 299 (1874).
Mouillefert, Traité Arbres & Arbrisseaux, Atlas, t. 30 (1892–98).—*Hab.*

—— **Carrierei** Hort.
Gard. Chron. Ser. III. iv. 737 (1888).

micracantha Sarg.
Sargent, Trees & Shrubs, i. t. 35 (1903).
Sargent, Man. Trees N. Amer. 411 (1905).

microcarpa Lindl.
*Bot. Reg. xxii. t. 1846 (1836).

microphylla Koch
Schneider, Ill. Handb. Laubh. i. 783, 785 (1906).

—— **pinnatiloba** C. K. Schneider
Schneider, Ill. Handb. Laubh. i. 783 (1906).—*Veg.*

mitis Sarg.
Sargent, Man. Trees N. Amer. 407 (1905).

Mohrii Beadle
Sargent, Silva N. Amer. xiii. t. 647 (1902).
Sargent, Man. Trees N. Amer. 387 (1905).

mollicula Sarg.
Sargent, Trees & Shrubs, ii. t. 107 (1907).

mollis Scheele
Gard. & Forest, v. 221 (1892).—*Hab.*
Sargent, Silva N. Amer. iv. t. 182 (1892); xiii. t. 659 (1902).
Britton & Brown, Ill. Fl. N. States & Canada, ii. 243 (1897); Ed. 2, ii. 319 (1913).
L. H. Bailey, Cycl. Amer. Hort. 395 (1900).
Dame & Brooks, Trees of New England, t. 60 (1902).
Sargent, Man. Trees N. Amer. 423 (1905).
Schneider, Ill. Handb. Laubh. i. 797, 799 (1906).
Britton, N. Amer. Trees, 470 (1908).
Apgar, Orn. Shrubs U.S. 172, fig. 264 (1910).
Deutsche Bot. Monatsschr. xxii. 162 (1911).—*Veg.*
Pammel, Man. Poison. Pl. 514 (1911).
Keeler, Our Native Trees, 147 (1912).—*Veg.*
Clements, Rosend. & Butters, Minnesota Trees & Shrubs, 156 (1912).
Mathews, Field Book Amer. Trees & Shrubs, 249 (1915).
Pammel & King in Proc. Iowa Acad. Sc. xxv. 319, 320 (1918).—*Veg.*

CRATAEGUS

mollis
Hayden in Proc. Iowa Acad. Sc. xxv. 385 (1918).—*Hab.*

mollita Sarg.
Sargent, Trees & Shrubs, ii. t. 136 (1908).

monogyna Jacq.
*Jacquin, Fl. Austr. iii. t. 292, fig. 1 (1775).
*F. J. Schultz, Abbild. Bäume, Staud. Sträuch. Oesterr. ii. t. 155 (1792).
*Fl. Dan. vii. t. 1162 (1797).
Linnaea, iv. t. 3, fig. 2 (1829).
*Zenker, Fl. Thüringen, x. t. 1158 (1836–55).
*Lorek, Fl. Pruss. Ed. 3, t. 121, fig. 649 (1848).
*Syme, Engl. Bot. iii. t. 480 (1864).
Pokorny, Oesterr. Holzpfl. 466, t. 57 (1864).—*Veg.*
Gayffier, Herb. For. France, 2 tab. sine num. (1868–73).
*Cusin & Ansberque, Herb. Fl. Franç. viii (Pomacées), t. 5 (1870).
Willkomm, Führ. Reich Pflanzen, 627 (1882).—*Fr.*
*Bot. Tidsskr. xiii. t. 3, α–δ (1882–83).—*Fl.*
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xxv. t. 2528 (1886).
Coutinho, Curso Silvicult. ii. 164 (1887).
*Hempel & Wilhelm, Bäume u. Sträuch. iii. t. 49, p. 70, 71 [1889?].
*Laguna, Fl. For. Españ. t. 76 (1890).
Lange in Overs. Danske Vidensk. Selsk. Forh. No. 1, p. 401, 412 (1895).—*Veg.*
Garcke, Ill. Fl. Deutschl. 203 (1895).
Lange, Rev. Sp. Crat. 3 (1897).—*Veg.*
Coste, Fl. France, ii. 66 (1903).
Schneider, Dendrol. Winterst. 108, 169 (1903).
Merino, Fl. Galicia, i. 471 (1905).
Blytt, Haandb. Norg. Fl. Ed. Dahl, 417, 418 (1906).
Schneider, Ill. Handb. Laubh. i. 780, 782 (1906).
Black, Nat. Fl. S. Australia, 62 (1909).
Fitzgerald in Nature Book, v. 786 (1909).
Heukels, Fl. Nederl. ii. 587 (1909).
Apgar, Orn. Shrubs U.S. 172, fig. 262 (1910).
Bull. Soc. Dendr. France, 1912, p. 189.—*Fr.*
Collins & Preston, Key to Trees, 110 (1912).—*Veg.*
Möllers Deutsche Gärtn.-Zeit. xxvii. 100 (1912).
*Gatin, Arbres, Arbustes & Arbriss. t. 55 (1913).
Silva Tarouca, Freiland-Laubgehölze, 84 (1913).—*Hab.*
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, ii. 319 (1913).
*Bull. Angew. Bot. vi. t. 82 (1913).
Elwes & Henry, Trees Gr. Brit. & Ireland, vii. t. 378 (1913).—*Hab.*
Erdész. Kisérl. (Rep. Hung. Forest Exp. St.), xvi. 263 (1914).—*Hab.*
Bot. Notiser, 1914, p. 18, 20.—*Veg.*
Reichenbach, Ic. Fl. Germ. xxv. t. 104 (1914).
Mathews, Field Book Amer. Trees & Shrubs, 215 (1915).
Cadevall & Sallent, Fl. Catalunya, ii. 314 (1916).
Lindman, Svensk Fanerogamfl. 21, 306 (1918).

—— **decussata** Wallr.
Schneider, Ill. Handb. Laubh. i. 780 (1906).—*Veg.*

—— **fastigiata** Dipp.
Mouillefert, Traité Arbres & Arbrisseaux, Atlas, t. 36 (1892–98).—*Hab.*

—— **filicifolia** Hort.
Lange, Rev. Sp. Crat. 39 (1897).—*Veg.*

—— **insegnae** G. Beck
Reichenbach, Ic. Fl. Germ. xxv. 28, t. 105 (1914).

—— **nigra** Pall.
*Pallas, Fl. Ross. t. 12 (1784).

—— **Paulii** Hort.
L. H. Bailey, Cycl. Amer. Hort. 397 (1900).

—— **praecox** Hort.
Garden, lxxxii. 91 (1918).

—— **punicea** Rehd.
Silva Tarouca, Freiland-Laubgehölze, 195 (1913).—*Hab.*

—— **schizophylla** G. Beck
Reichenbach, Ic. Fl. Germ. xxv. 28, t. 104 (1914).—*Veg.*

CRATAEGUS
monogyna trifida G. Beck
Reichenbach, Ic. Fl. Germ. xxv. 28, t. 104 (1914). —*Veg.*
—— **villosa** G. Beck
Reichenbach, Ic. Fl. Germ. xxv. 28, t. 104 (1914). —*Fl.*
Neo-Bushii Sarg.
Sargent, Trees & Shrubs, ii. t. 105 (1907).
neofluvialis Ashe
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, ii. 302 (1913).
Mathews, Field Book Amer. Trees & Shrubs, 253 (1915).
neo-londinensis Sarg.
Sargent, Man. Trees N. Amer. 443 (1905).
nigra Waldst. & Kit.
F. J. Schultz, Abbild. Bäume, Staud. Sträuch. Oesterr. ii. t. 166 (1792).
*Waldstein & Kit. Pl. Rar. Hung. i. t. 61 (1802).
*Lodd. Bot. Cab. xi. t. 1021 (1825).
J. C. Loudon, Arbor. & Frutic. Brit. ii. 857; vi. t. 31 D (1838).
Pokorny, Oesterr. Holzpfl. 467, t. 57 (1864).—*Veg.*
Lavallée, Arbor. & Frutic. Hort. Segrez, t. 30 (1885).
Mouillefert, Traité Arbres & Arbrisseaux, Atlas, t. 34 (1892–98).—*Hab.*
Schneider, Dendrol. Winterst. 171 (1903).—*Veg.*
Schneider, Ill. Handb. Laubh. i. 777, 779 (1906).
Suireishchikov, Ill. Fl. Mosc. Gov. ii. 276 (1907).
Reichenbach, Ic. Fl. Germ. xxv. t. 102 (1913).
nitida Sarg.
Sargent, Silva N. Amer. xiii. t. 703 (1902).
Sargent, Man. Trees N. Amer. 406 (1905).
Schneider, Ill. Handb. Laubh. i. 797, 799 (1906).
Britton, N. Amer. Trees, 458 (1908).
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, ii. 307 (1913).
*Mathews, Field Book Amer. Trees & Shrubs, 220, 221 (1915).
Oakesiana Eggl.
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, ii. 305 (1913).
Mathews, Field Book Amer. Trees & Shrubs, 229 (1915).
obtusata Spach
*Spach, Hist. Nat. Vég. Phan. Atlas, t. 9 (1846).—*Fr.*
odoratissima Lindl.
*Bot. Reg. xxii. t. 1885 (1836).
J. C. Loudon, Arbor. & Frutic. Brit. vi. t. 31 N (1838) in ic.; *C. orientalis* in textu, ii. 827.
Garden, ii. 77 (1872).—*Veg.*
opima Beadle
Sargent, Silva N. Amer. xiii. t. 699 (1902).
Sargent, Man. Trees N. Amer. 467 (1905).
orientalis Pall. in M. Bieb.
*Bot. Reg. xxii. t. 1852 (1836).
J. C. Loudon, Arbor. & Frutic. Brit. ii. 863 (1838).
J. C. Loudon, Arbor. & Frutic. Brit. ii. 827 (1838) in textu; *C. odoratissima* in ic. vi. t. 31 N.
Garden, xx. 465 (1881); xxviii. 635 (1885).
Gartenfl. xliii. 215, 292 (1894).—*Veg.*
*Lange, Rev. Sp. Crat. t. 7 A (1897).
Schneider, Ill. Handb. Laubh. i. 786, 787 (1906).
Karsten & Schenck, Veg.-Bild. x. t. 32 (1912). —*Hab.*
—— **flabellata** Boiss.
Schneider, Ill. Handb. Laubh. i. 786 (1906).—*Veg.*
—— **sanguinea** Loud.
J. C. Loudon, Arbor. & Frutic. Brit. ii. 863 (1838).
Gard. Chron. Ser. III. lxviii. 3 (1920).—*Hab.*
—— **Tournefortii** C. K. Schneider
Schneider, Ill. Handb. Laubh. i. 786, 787 (1906).
orthosepala Hasskn. & Bornm.
Schneider, Ill. Handb. Laubh. i. 784 (1906).—*Veg.*

CRATAEGUS
ovalifolia Hornem.
J. C. Loudon, Arbor. & Frutic. Brit. ii. 856; t. 31 C, c (1838).
Areschoug in Acta Univ. Lund. xii. t. 1, fig. 12, 14–17 (1875–76).—*Veg.*
ovata Sarg.
Sargent, Man. Trees N. Amer. 402 (1905).
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, ii. 306 (1913).
oxyacantha Linn.
*Kniphof, Herb. Viv. i. t. 328 (1758).
*Fl. Dan. iv. t. 634 (1775).
*Jacquin, Fl. Austr. iii. t. 292, fig. 2 (1775).
Buchoz, Hist. Règne Vég. xi. Dec. 2, t. 1 (1776).
Walcott, Fl. Brit. Indig. [t. 70] (1778).
*Joh. Kerner, Beschr. u. Abbild. Bäume u. Gestr. Wirtemberg, t. 43 (1788).
*Joh. Kerner, Abbild. Oek. Pfl. (Fig. Pl. Écon.), ii. t. 198 (1788).
Hoppe, Ect. Pl. Ratisb. t. 412 (1789).
*Reitter & Abel, Holz-Art. t. 40 (1790).
*Plenck, Ic. Pl. Med. iv. t. 389 (1791).
*F. J. Schultz, Abbild. Bäume, Staud. Sträuch. Oesterr. ii. t. 153, 154 (1792).
Usteri, Ann. Bot. ix. t. 2 (1794).—*Fr.*
*Svensk Bot. iii. t. 157 (1804).
*Schkuhr, Bot. Handb. Ed. 2, t. 132 (1808).
*Schrank, Fl. Monac. i. t. 97 (1811).
*Vietz, Ic. Pl. Med.-oec.-techn. v. t. 445 (1817).
*Kops, Fl. Batava, v. t. 398 (1828).
Linnaea, iv. t. 3, fig. 3 (1829).
*Baxter, Brit. Bot. Ed. 2, ii. t. 118 (1835).
*Zenker, Fl. Thüringen, i. t. 82 (1836–55).
Meigen, Deutschl. Fl. ii. t. 95 (1837).—*Fl.*
J. C. Loudon, Arbor. & Frutic. Brit. ii. 865; vi. t. 31 S (1838).
Selby, Hist. Brit. Forest-Trees, 67, 72, 74 (1842).
*Deakin, Florigr. Brit. ii. fig. 785 (1845).
*J. W. Loudon, Brit. Wild Fl. Ed. 2, t. 35 [1846].
C. A. Johns, Forest Trees Brit. i. 178, 200, 204, 205 (1847); Ed. 11, p. 84, 94, 96, 97 (1919).
*Lorek, Fl. Pruss. Ed. 3, t. 121, fig. 648 (1848).
*Petermann, Deutschl. Fl. t. 26, fig. 204 a–m (1849).—*Fl.*
*Strong, American Fl. iii. 89 (1849).
Weber in Verh. Naturhist. Ver. Preuss. Rheinl. vii. t. 7 (1850).
*Hartig, Forstl. Cult. t. 84 (1851).
Johnson & Sowerby, Brit. Wild Fl. fig. 428 (1858–60).
Willkomm, Deutsch. Laubhölzer im Winter, 31, fig. 41 (1859).—*Veg.*
Steiger, Fl. Kantons Luzern, Rigi & Pilatus, 269 (1860).
Berg, Charakt. t. 63, fig. 477 (1861).
*Johnson & Sowerby, Useful Pl. Gr. Brit. t. 7, fig. 81 (1861[–62]).
*Fl. des Serres, Ser. II. v. t. 1509 (1862–65).
Decaisne & Naud. Amat. Jard. iii. 59 [1862–66].
Pokorny, Oesterr. Holzpfl. 466, t. 57 (1864).—*Veg.*
Bentham, Handb. Brit. Fl. fig. 333 (1865).
*Schubert, Naturg., Pflanzenreich, Ed. 2, t. 25, fig. 7 [1865].
*Ill. Hort. xiv. t. 536 (1867).
*Hulme, Plant Form, t. 68 (1868).
*Cusin & Ansberque, Herb. Fl. Franç. viii (Pomacées), t. 2 (1870).
*Réveil, Règne Vég. iii. t. 45, 47 (1870).—*Veg.*
Album Natuur, 322, fig. 5 d (1871).—*Veg.*
*Hogg & Johnson, Wild Fl. Gr. Brit. vi. t. 441 (1871).
Decaisne, Naud. & Hemsl. Trees, Shrubs & Herb. Pl. 174 (1873).
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, ii. t. 72 [1873].
Willkomm, Forstl. Fl. Deutschl. & Oesterr. 598, 609 (1875).
*Hulme & Hibberd, Familiar Gard. Fl. ii. 61 [1879–87].
Jeffrey & Howie, Trees & Shrubs Fife & Kinross, 7 (1879).—*Hab.*
Favart, Flowers & Pl. t. 16 (1880).
*C. Hoffmann, Pflanzenatlas, t. 40, fig. 251 (1881).
Wagner, Ill. Deutsche Fl. Ed. 2, p. 234 (1882).

CRATAEGUS
oxyacantha
Willkomm, Führ. Reich Pflanzen, 627 (1882).—*Fr.*
*Bot. Tidsskr. xiii. t. 3, a¹–d (1882–83).
Lauche, Deutsche Dendrol. Ed. 2, p. 576 (1883).
Nicholson, Illustr. Dict. Gard. i. 393 [1884–88].
Wien. Ill. Gart.-Zeit. x. 91 (1885).
*Baillon, Ic. Fl. Franç. iii. t. 245 [1885–94].
Coutinho, Curso Silvicult. 101 (1886).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xxv. t. 2527 (1886).
*Thomé, Fl. Deutschl. iii. t. 417 (1888).
*Hempel & Wilhelm, Bäume u. Sträuch. iii. t. 49, p. 70 [1889?].
Paolucci, Fl. Marchig. t. 32 (1890).
G. Beck, Fl. Nied.-Oesterr. ii. 1. 702 (1892).—*Fl.*
Lubbock, Seedlings, i. 500 (1892).—*Veg.*
Schwarz, Forstl. Bot. 341, 443 (1892).
*Hulme, Familiar Wild Fl. (5 vol. Ed.), i. 105 [1892?]; (Pop. Ed.), i. 133 [1897?].
*Masclef, Atlas Pl. France, t. 110 (1893).
Acloque, Fl. France, 262 (1894).
*Siélain, Atlas Poche Pl. Champs, Prair. & Bois, t. 17 [1894].
Brehm, Merv. Nat. Monde des Pl. i. 712, 714 (1894–96).
Lange in Overs. Danske Vidensk. Selsk. Forhandl. No. 1, p. 401 (1895).—*Veg.*
*Step, Wayside & Woodl. Bloss. t. 17 (1895).
Britton & Brown, Ill. Fl. N. States & Canada, ii. 241 (1897).
Lange, Rev. Sp. Crat. 2 (1897).—*Veg.*
Schimper, Pflanzen-Geogr. 86 (1898).—*Hab.*
Fiori & Paol. Ic. Fl. Ital. 212 (1899).
Rev. Hort. 1899, p. 483; 1900, p. 72.—*Veg.*
Trans. Worcestershire Nat. Club, 1897–99, p. 19–23 (1899).—*Hab.*
Tollemache, Brit. Trees, 43 (1901).—*Hab.*
Lindman, Bild. Nord. Fl. t. 286 (1901–5); Ed. 2 & 3, t. 286 (1917–20).
C. T. Green, Fl. Liverpool Distr. fig. 204 (1902).
*Hulme, Wild Fr. Country-side, t. 1 (1902).
Trees, Shrubs, Vines N.E. United States, 223, t. 10, fig. 63 (1903).—*Veg.*
Jarvis, Tree Book, 72 (1903).
Schneider, Dendrol. Winterst. 171 (1903).—*Veg.*
Step, Wayside & Woodl. Trees, t. 84–86, p. 113 (1904).
Rogers, Tree Book, 299 (1905).
Blytt, Haandb. Norg. Fl. Ed. Dahl, 418 (1906). —*Veg.*
Schneider, Ill. Handb. Laubh. i. 780, 782 (1906).
*Boulger, Familiar Trees, Rev. Ed. iii. 48, 52, 54, 55 [1906–7].
Hough, Handb. Trees N. States & Canada, 260, 261 (1907).
Lazaro, Comp. Fl. Españ. ii. 398 (1907).—*Fr.*
Suireishchikov, Ill. Fl. Mosc. Gov. ii. 275 (1907).
Avebury, Buds & Stipules, 27, 162 (1908).—*Veg.*
Britton, N. Amer. Trees, 448 (1908).
Emerson & Weed, Our Trees, How to Know Them, 196 (1908).
Beille, Bot. Pharm. ii. 807 (1909).
Cooper & Westell, Trees & Shrubs Brit. Isl. ii. t. 24, 70 (1909).
Groom, Trees & Life Hist. t. 474–481 (1909).
Heukels, Fl. Nederl. ii. 586 (1909).
Praeger, Tour. Fl. W. Ireland, t. 2 (1909).—*Hab.*
Apgar, Orn. Shrubs U.S. 171, fig. 261 (1910).
*Correvon, Fl. Champs & Bois, t. 31 (1911).
Wrigley, Stud. Trees & Fl. 27–29 [1911].
Bull. Soc. Hist. Nat. Autun, xxv. II. 222 (1912). —*Hab.*
Bull. Soc. Dendr. France, 1913, p. 172.—*Veg.*
*Gatin, Arbres, Arbustes & Arbriss. t. 54 (1913).
Nuttall, Trees & How They Grow, 80, 81, 84 (1913).
Reichenbach, Ic. Fl. Germ. xxv. t. 103 (1913).
Horwood, Plant Life Brit. Isles, i. 108, 110 (1914).
Svenska Vet. Akad. Årsbok, 251 (1914).—*Hab.*
*Perrin & Boulger, Brit. Flower. Pl. ii. t. 117, 133, fig. 13–18 (1914).
*Maxwell, Trees, 108 (1915).
Cadevall & Sallent, Fl. Catalunya, ii. 314 (1916).
*Bonnier, Name This Flower, t. 20 (1917).

CRATAEGUS
oxyacantha
Lindman, Svensk Fanerogamfl. 306 (1918).
*Horwood, Brit. Wild Fl. iii. t. 27, p. 177 (1919).
Fitch & Smith, Ill. Brit. Fl. Ed. rev. 4, Iss. 2. fig. 339 (1919).
Sim, Flowering Trees & Shrubs, 68 (1919).
—— **aurea** Hort.
J. C. Loudon, Arbor. & Frutic. Brit. ii. 866 (1838).
—— **carneus** Buchoz
*Buchoz, Grand Jard. Univ. t. 47 (1785).
—— **coccinea** Hort.
*Florist, 1867, p. 117.
—— **eriocarpa** Lindl.
J. C. Loudon, Arbor. & Frutic. Brit. ii. 865; vi. t. 31 U (1838).
—— **filicifolia** Van Houtte
*Fl. des Serres, Ser. II. x. t. 2076 (1874).—*Veg.*
—— **Gumpperi** Hort.
*Neubert's Deutsch. Gart. Mag. vii. 321 (1854).
—— —— **bicolor** Hort.
*Neubert's Deutsch. Gart. Mag. vii. 336 (1854).
*Fl. des Serres, Ser. II. vi. t. 1651 (1865–67).
—— **hirsuta** Cusin & Ansb.
Cusin & Ansberque, Herb. Fl. Franç. viii (Pomacées), t. 3 (1870).
—— **horrida** Carr.
*Fl. des Serres, Ser. II. iv. t. 1468 (1861).
Gard. Chron. Ser. III. xxiv. 13 (1898).—*Veg.*
—— **incana** Cusin & Ansb.
Cusin & Ansberque, Herb. Fl. Franç. viii (Pomacées), t. 4 (1870).
—— **inermis** Dauthenay
Rev. Hort. 1900, p. 72, 73.—*Veg.*
—— **laciniata** Lodd.
J. C. Loudon, Arbor. & Frutic. Brit. ii. 865; vi. t. 31 T (1838).
—— **melanocarpa** Loud.
J. C. Loudon, Arbor. & Frutic. Brit. ii. 865; vi. t. 31 W (1838).
—— **microphylla** Lange
Lange, Rev. Sp. Crat. 71 (1897).
—— **monogyna** Jacq.
Gadeau & Kerville in Bull. Soc. Sc. Nat. Rouen, Ser. III. xxviii. II. 1892, t. 19, 20 (1893).—*Hab.*
Fiori & Paol. Ic. Fl. Ital. 212 (1899).
—— **multiplex** Hort.
J. C. Loudon, Arbor. & Frutic. Brit. 866 (1838).
—— **obtusata** DC.
J. C. Loudon, Arbor. & Frutic. Brit. ii. 830 (1838) in textu; *C. oxyacanthoides* in ic. vi. t. 31 R.
J. C. Loudon, Arbor. & Frutic. Brit. ii. 864 (1838).
—— **Oliveriana** Lindl.
*Bot. Reg. xxiii. t. 1933 (1837).
J. C. Loudon, Arbor. & Frutic. Brit. ii. 865; vi. t. 31 V (1838).
—— **Paulii** Rehd.
L. H. Bailey, Stand. Cycl. Hort. 887 (1914).
—— **pteridifolia** Loud.
J. C. Loudon, Arbor. & Frutic. Brit. ii. 865 (1838).
—— **punicea** Lodd.
*Lodd. Bot. Cab. xiv. t. 1363 (1828).
*Ann. Gand, iii. t. 146 (1847).
*Rev. Hort. Belge, xxiv. 161 (1898).
—— **purpurea** Penny
J. C. Loudon, Arbor. & Frutic. Brit. ii. 866 (1838).
—— **quercifolia** Booth
J. C. Loudon, Arbor. & Frutic. Brit. ii. 866 (1838).
—— **reginae** Hort.
J. C. Loudon, Arbor. & Frutic. Brit. ii. 833; vi. t. 31 Y (1838).
—— **rosea** Hort.
J. C. Loudon, Arbor. & Frutic. Brit. ii. 866 (1838).
—— **rosea** Paxt.
*Paxt. Mag. i. 198 (1841) in textu; *C. oxyacantha rosea superba* in ic.
—— **semperflorens** André
Rev. Hort. 1883, p. 140.
Garden, xxix. 431 (1886).

CRATAEGUS
oxyacantha sibirica Loud.
J. C. Loudon, Arbor. & Frutic. Brit. ii. 830 (1838).
—— **stricta** Lodd.
J. C. Loudon, Arbor. & Frutic. Brit. vi. t. 31 X (1838).
Gard. Chron. Ser. III. xli. 184 (1907).—*Hab.*
—— **vernicosa** Lange
Lange, Rev. Sp. Crat. 71 (1897).—*Veg.*
—— **foliis albo variegatis**
*Neubert's Deutsch. Gart. Mag. li. t. 5 (1898).
oxyacanthoides Thuill.
*Bot. Reg. xiii. t. 1128 (1828).
*Kops, Fl. Batava, v. t. 399 (1828).
J. C. Loudon, Arbor. & Frutic. Brit. vi. t. 31 R (1838) in ic.; *C. oxyacantha obtusata* in textu, ii. 830.
*Syme, Engl. Bot. iii. 479 (1864).
Coste, Fl. France, ii. 66 (1903).
padifolia Sarg.
Sargent, Trees & Shrubs, ii. t. 135 (1908).
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, ii. 308 (1913).
pallens Beadle
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, ii. 309 (1913).
Mathews, Field Book Amer. Trees & Shrubs, 223 (1915).
Palmeri Sarg.
Sargent, Trees & Shrubs, i. t. 29 (1903).
Sargent, Man. Trees N. Amer. 381 (1905).
Britton, N. Amer. Trees, 450 (1908).
Palmstruchii Lindm.
Lindman, Svensk Fanerogamfl. 306 (1918).
paludosa Sarg.
Sargent, Trees & Shrubs, i. t. 8 (1902).
panachaica C. K. Schneider
Schneider, Ill. Handb. Laubh. i. 780 (1906).—*Veg.*
panda Beadle
Sargent, Man. Trees N. Amer. 480 (1905).
parvifolia Ait.
J. C. Loudon, Arbor. & Frutic. Brit. ii. 842, 867 (1838).
Ettingshausen, Blatt-Skel. Dikot. 210, t. 90 (1861).—*Veg.*
Berge, Pflanzenphysiogn. 173 (1880).
Ettingshausen in Sitzb. Akad. Wiss. Wien, cv. I. t. 5, fig. 1 (1896).—*Veg.*
Parkhurst, Trees, Shrubs, Vines N.E. United States, 261, t. 3, fig. 17 (1903).—*Veg.*
—— **florida** Loud.
J. C. Loudon, Arbor. & Frutic. Brit. ii. 842, 867 (1838).
—— **grossulariifolia** Loud.
J. C. Loudon, Arbor. & Frutic. Brit. ii. 842, 867 (1838).
paucispina Sarg.
Sargent, Man. Trees N. Amer. 415 (1905).
pausiaca Ashe
Sargent, Trees & Shrubs, i. t. 53 (1903).
Sargent, Man. Trees N. Amer. 390 (1905).
Britton, N. Amer. Trees, 452 (1908).
×**pectinata** Bosc
Schneider, Ill. Handb. Laubh. i. 784 (1906).—*Veg.*
pedicellata Sarg.
Sargent, Silva N. Amer. xiii. t. 677 (1902).
Sargent, Man. Trees N. Amer. 448 (1905).
Mathews, Field Book Amer. Trees & Shrubs, 223 (1915).
penita Beadle
Sargent, Man. Trees N. Amer. 410 (1905).
pentagyna Waldst. & Kit.
*F. J. Schultz, Abbild. Bäume, Staud. Sträuch. Oesterr. ii. t. 167 (1792).
Pokorny, Oesterr. Holzpfl. 466, t. 57 (1864).—*Veg.*
Rev. Hort. 1901, p. 310.
Schneider, Ill. Handb. Laubh. i. 777, 779 (1906).
Reichenbach, Ic. Fl. Germ. xxv. t. 101 (1913).
pentandra Sarg.
Sargent, Silva N. Amer. xiii. t. 681 (1902).
Sargent, Man. Trees N. Amer. 416 (1905).

CRATAEGUS
pentandra
Britton, N. Amer. Trees, 467 (1908).
peoriensis Sarg.
Sargent, Silva N. Amer. xiii. t. 640 (1902).
Sargent, Man. Trees N. Amer. 370 (1905).
peregrina Sarg.
Sargent, Trees & Shrubs, ii. t. 191 (1913).
persistens Sarg.
Sargent, Trees & Shrubs, ii. t. 190 (1913).
pertomentosa Ashe
Britton, N. Amer. Trees, 477 (1908).
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, ii. 303 (1913).
Mathews, Field Book Amer. Trees & Shrubs, 249 (1915).
phaenopyrum Medic.
Britton, N. Amer. Trees, 472 (1908).
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, ii. 321 (1913).
Mathews, Field Book Amer. Trees & Shrubs, 249 (1915).
pinnatifida Bunge
Gartenfl. xi. t. 366 (1862).
Trans. Russ. Hort. Soc. 1862, t. 92.
Dippel, Handb. Laubholzk. iii. 447 (1893).—*Veg.*
*Lange, Rev. Sp. Crat. t. 3 B (1897).
*Rev. Hort. 1901, p. 308.
Schneider, Ill. Handb. Laubh. i. 769, 770 (1906).
U.S. Dep. Agric. Bur. Pl. Indust. Bull. No. 204, p. 34 (1911).—*Hab.*
L. H. Bailey, Stand. Cycl. Hort. 888 (1914).
U.S. Dept. Agric. Bur. Pl. Ind. Pl. Immigrants, No. 100, p. 800; No. 102, p. 820, 821 (1914).
U.S. Dep. Agric. Bur. Pl. Indust. Invent. Seeds & Pl. Import. No. 35, t. 8 (1915); No. 40, t. 2 (1917).
Nakai, Fl. Sylv. Koreana, Pt. 6, t. 26 (1916).
—— **garganica** O. Pauls.
Paulsen in Arbejd. Bot. Have Kjöbenhavn, No. 28, 141 (1906); et in Bot. Tidsskr. xxvii. 141 (1906).—*Veg.*
—— **geholensis** C. K. Schneider
Schneider, Ill. Handb. Laubh. i. 769 (1906).—*Veg.*
—— **maior** N. E. Br.
Gard. Chron. xxvi. 620 (1886).
Nakai, Fl. Sylv. Koreana, Pt. 6, p. 11, t. 27 (1916).
—— **psilosa** C. K. Schneider
Nakai, Fl. Sylv. Koreana, Pt. 6, t. 26 (1916).
pinnatiloba Lange
*Bot. Tidsskr. xiii. t. 3 (1882–83).
*Lange, Rev. Sp. Crat. t. 4 (1897).
—— **sphaerocarpa** Lange
*Bot. Tidsskr. xiii. t. 3 (1882–83).—*Fr.*
pirifolia Ait.
*F. J. Schultz, Abbild. Bäume, Staud. Sträuch. Oesterr. ii. 165 (1792).
*Bot. Reg. xxii. t. 1877 (1836).
J. C. Loudon, Arbor. & Frutic. Brit. ii. 854; vi. t. 31 B, b (1838).
Garden, xxii. 145 (1882).
piriformis Britton
Sargent, Silva N. Amer. xiii. t. 666 (1902).
Sargent, Man. Trees N. Amer. 434 (1905).
Britton, N. Amer. Trees, 462 (1908).
platyphylla Lindl.
*Bot. Reg. xxii. t. 1874 (1836).
Schneider, Ill. Handb. Laubh. i. 777, 779 (1906).
polyacantha Jan.
*Lange, Rev. Sp. Crat. t. 6 (1897).
Schneider, Ill. Handb. Laubh. i. 780, 782 (1906).
populifolia Walt.
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, ii. 308 (1913).
populnea Ashe
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, ii. 312 (1913).
Mathews, Field Book Amer. Trees & Shrubs, 239 (1915).
pratensis Sarg.
Sargent, Silva N. Amer. xiii. t. 658 (1902).
Sargent, Man. Trees N. Amer. 398 (1905).

CRATAEGUS
Pringlei Sarg.
Sargent, Silva N. Amer. xiii. t. 672 (1902).
Sargent, Man. Trees N. Amer. 446 (1905).
Britton, N. Amer. Trees, 468 (1908).
Collins & Preston, Key to Trees, 113 (1912).—*Veg.*
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, ii. 317 (1913).
Mathews, Field Book Amer. Trees & Shrubs, 245 (1915).
procera Sarg.
Sargent, Trees & Shrubs, ii. t. 133 (1908).
pruinosa K. Koch
Lange, Rev. Sp. Crat. 41 (1897).
Sargent, Silva N. Amer. xiii. t. 648 (1902).
Rogers, Tree Book, 307, 318 (1905).
Sargent, Man. Trees N. Amer. 412 (1905).
Schneider, Ill. Handb. Laubh. i. 797, 799 (1906).
Britton, N. Amer. Trees, 460 (1908).
Jones & Rand in Bull. Vermont Agric. St. No. 145, p. 120 (1909).
Collins & Preston, Key to Trees, 111 (1912).—*Veg.*
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, ii. 315 (1913).
Mathews, Field Book Amer. Trees & Shrubs, 239 (1915).
prunifolia Bosc
*Bot. Reg. xxii. t. 1868 (1836).
J. C. Loudon, Arbor. & Frutic. Brit. ii. 856; vi. t. 31 c, d (1838).
—— **variegata** Hort.
*Lowe, Beautiful-leaved Pl. t. 48 (1868).
*Floral World, 1877, p. 65.—*Veg.*
pubescens Steud.
Dippel, Handb. Laubholzk. iii. 427 (1893).
—— **stipulacea** Stapf
*Bot. Mag. cxl. t. 8589 (1914).
punctata Jacq.
*Jacquin, Hort. Vind. i. t. 28 (1770).
*F. J. Schultz, Abbild. Bäume, Staud. Sträuch. Oesterr. ii. t. 163 (1792).
J. C. Loudon, Arbor. & Frutic. Brit. ii. t. 31 b (1838).
Trans. Wisconsin State Agric. Soc. iv. 219 (1854–57).
Ettingshausen, Blatt-Skel. Dikot. 208, t. 89 (1861).—*Veg.*
Clos in Assoc. Franç. Avanc. Sc. 1887, Toulouse, Pt. 2, p. 637 (1888).—*Veg.*
Sargent, Silva N. Amer. iv. t. 184 (1892).
Newhall, Trees N.E. Amer. 37 (1894).—*Veg.*
Britton & Brown, Ill. Fl. N. States & Canada, ii. 241 (1897); Ed. 2, ii. 300 (1913).
Clark in Bull. Vermont Agric. St. No. 73, p. 70 (1899).
*Lounsberry, Guide to the Trees, Ed. 2, t. 85, p. 167 (1900).—*Hab.*
L. H. Bailey, Cycl. Amer. Hort. 396 (1900); Stand. Cycl. Hort. 884 (1914).—*Hab.*
Rogers, Tree Book, 307 (1905).
Sargent, Man. Trees N. Amer. 389 (1905).
Horticulture (Boston), iv. 663 (1906).—*Hab.*
Schneider, Ill. Handb. Laubh. i. 795, 796 (1906).
Hough, Handb. Trees N. States & Canada, 246, 247 (1907).
Britton, N. Amer. Trees, 454 (1908).
Apgar, Orn. Shrubs U.S. 173, fig. 266 (1910).
Bull. Soc. Dendr. France, 1912, p. 189.—*Fr.*
Clements, Rosend. & Butters, Minnesota Trees & Shrubs, 158 (1912).
Keeler, Our Native Trees, 151 (1912).—*Veg.*
Gard. Chron. Ser. III. lvii. 321 (1915).—*Hab.*
Mathews, Field Book Amer. Trees & Shrubs, 217 (1915).
Gager, Fundam. Bot. 450 (1916).
Pellett, Amer. Honey Pl. 118 (1920).—*Hab.*
—— **aurea** Pursh
J. C. Loudon, Arbor. & Frutic. Brit. ii. 854 (1838).
—— **brevispina** Dougl.
J. C. Loudon, Arbor. & Frutic. Brit. iv. 2562 (1838).
—— **rubra** Pursh
J. C. Loudon, Arbor. & Frutic. Brit. ii. 854 (1838).

CRATAEGUS
punctata xanthocarpa Roem.
*Lavallée, Arbor. & Frutic. Hort. Segrez. t. 16 (1885).
purpurea Bosc
J. C. Loudon, Arbor. & Frutic. Brit. ii. 857; vi. t. 31 e (1838).
—— **altaica** Loud.
J. C. Loudon, Arbor. & Frutic. Brit. ii. 853 (1838).
pycnoloba Boiss. & Heldr.
Lange, Rev. Sp. Crat. 50 (1897).
Schneider, Ill. Handb. Laubh. i. 786, 787 (1906).
pyracantha Medic.
J. C. Loudon, Arbor. & Frutic. Brit. ii. 844 (1838).
Nicholson, Illustr. Dict. Gard. i. 394 [1884–88].
*Baillon, Ic. Fl. Franç. iv. t. 326 [1885–94].
Garden, xxxiii. 464 (1888).
Wrigley, Stud. Trees & Fl. 30 [1911].
Sim, Flowering Trees & Shrubs, 30 (1919).
—— **Lalandei** Hort.
*Rev. Hort. Belge, viii. 145 (1882).
quercina Ashe
Sargent, Silva N. Amer. xiii. t. 665 (1902).
Sargent, Man. Trees N. Amer. 433 (1905).
Ravenelii Sarg.
Sargent, Silva N. Amer. xiii. t. 696 (1902).
Sargent, Man. Trees N. Amer. 479 (1905).
recurva Beadle
Sargent, Man. Trees N. Amer. 482 (1905).
Britton, N. Amer. Trees, 456 (1908).
regalis Beadle
Sargent, Man. Trees N. Amer. 372 (1905).
Reverchonii Sarg.
Sargent, Trees & Shrubs, i. t. 28 (1903).
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, ii. 298 (1913).
ribesius Bertol.
Bertoloni, Misc. Bot. xxii. t. 2 (1862).
Bertoloni in Mem. Accad. Sc. Istit. Bologna, xii. ii. t. 2 (1862).—*Veg.*
rivularis Nutt.
Sargent, Man. Trees N. Amer. 504 (1905).
Schneider, Ill. Handb. Laubh. i. 775, 776 (1906).
Britton, N. Amer. Trees, 481 (1908).
F. E. & E. S. Clements, Rocky Mt. Fl. t. 26 (1914).
roanensis Ashe
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, ii. 310 (1913).
Mathews, Field Book Amer. Trees & Shrubs, 236, 237 (1915).
robur Beadle
Sargent, Man. Trees N. Amer. 468 (1905).
rotundifolia Moench
Moench, Verz. Bäume u. Stauden Weissenst. t. 1 (1785).
Dippel, Handb. Laubholzk. iii. 440 (1893).
rotundifolia Borck.
Britton & Brown, Ill. Fl. N. States & Canada, ii. 243 (1897).
Britton, N. Amer. Trees, 464 (1908).
Jones & Rand in Bull. Vermont Agric. St. No. 145, p. 120 (1909).—*Fr.*
Clements, Rosend. & Butters, Minnesota Trees & Shrubs, 156 (1912).
rubicundula Sarg.
Sargent, Trees & Shrubs, ii. t. 104 (1907).
×**rubrinervis** Lange
Schneider, Ill. Handb. Laubh. i. 777 (1906).—*Veg.*
rugosa Ashe
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, ii. 313 (1913).
Mathews, Field Book Amer. Trees & Shrubs, 239 (1915).
ruscinonensis Gren. & Blanc.
Coste, Fl. France, ii. 66 (1903).
saligna Greene
Sargent, Silva N. Amer. xiii. t. 636 (1902).
Sargent, Man. Trees N. Amer. 491 (1905).
Schneider, Ill. Handb. Laubh. i. 791, 792 (1906).
Britton, N. Amer. Trees, 482 (1908).
Ramaley in Univ. Colorado Stud. vi. 273 (1909).
sanguinea Pall.
Kwa-wi [transl. Savatier], Arb. iii. t. 1 (1759).
*Pallas, Fl. Ross. t. 11 (1784).

CRATAEGUS
sanguinea
*Nuttall, N. Amer. Sylva, i. t. 44 (1865).
Schübeler in Nyt Mag. Naturvid. (Christiania), xxiv. 324 (1879).—*Veg.*
Gartenfl. xxix. 219 (1880).
Schneider, Dendrol. Winterst. 169 (1903).—*Veg.*
Schneider, Ill. Handb. Laubh. i. 772, 774 (1906).
Suireishchikov, Ill. Fl. Mosc. Gov. ii. 275 (1907).
—— **genuina** Maxim.
Schneider, Ill. Handb. Laubh. i. 772 (1906).—*Veg.*
—— **glabra** Maxim.
Schneider, Ill. Handb. Laubh. i. 772 (1906).—*Veg.*
Sargentii Beadle
Sargent, Silva N. Amer. xiii. t. 652 (1902).
Sargent, Man. Trees N. Amer. 466 (1905).
Schneider, Ill. Handb. Laubh. i. 800, 801-(1906).
scabrida Sarg.
Sargent, Silva N. Amer. xiii. t. 678 (1902).
scandica Wahlenb.
*Spach, Hist. Nat. Vég. Phan. Atlas, t. 9 (1846).—*Fr.*
schizophylla Eggl.
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, ii. 298 (1913).
Mathews, Field Book Amer. Trees & Shrubs, 215 (1915).
senta Beadle
Sargent, Silva N. Amer. xiii. t. 697 (1902).
Sargent, Man. Trees N. Amer. 480 (1905).
sera Sarg.
Sargent, Silva N. Amer. xiii. t. 661 (1902).
Sargent, Man. Trees N. Amer. 424 (1905).
sertata Sarg.
Sargent, Man. Trees N. Amer. 453 (1905).
severa Sarg.
Sargent, Trees & Shrubs, ii. t. 127 (1908).
signata Beadle
Sargent, Silva N. Amer. xiii. t. 644 (1902).
Sargent, Man. Trees N. Amer. 380 (1905).
silvicola Beadle
Sargent, Silva N. Amer. xiii. t. 682 (1902).
Sargent, Man. Trees N. Amer. 417 (1905).
Britton, N. Amer. Trees, 461 (1908).
sinaica Boiss.
Schneider, Ill. Handb. Laubh. i. 789, 790 (1906).
sinensis Loisel.
*Mordant de Launay, Herb. Amat. iv. t. 247 (1820).
Smithii Sarg.
Sargent, Trees & Shrubs, i. t. 34 (1903).
sorbifolia Lange
*Lange, Rev. Sp. Crat. t. 2 (1897).
Schneider, Ill. Handb. Laubh. i. 777 (1906).—*Veg.*
sordida Sarg.
Sargent, Silva N. Amer. xiii. t. 655 (1902).
Sargent, Man. Trees N. Amer. 395 (1905).
spathulata Michx.
Lodd. Bot. Cab. xiii. t. 1261 (1827).
*Bot. Reg. xxii. t. 1890 (1836).
J. C. Loudon, Arbor. & Frutic. Brit. ii. 861; vi. t. 31 k (1838).
Sargent, Silva N. Amer. iv. t. 185 (1892).
Dippel, Handb. Laubholzk. iii. 439 (1893).
Britton & Brown, Ill. Fl. N. States & Canada, ii. 240 (1897); Ed. 2, ii. 320 (1913).
Sargent, Man. Trees N. Amer. 489 (1905).
Schneider, Ill. Handb. Laubh. i. 791, 792 (1906).
Britton, N. Amer. Trees, 474 (1908).
Bull. Torr. Bot. Club, xxxviii. 27 (1911).—*Veg.*
Lewis, Trees of Texas (Bull. Univ. Texas, No. 22), 108 (1915).
Mathews, Field Book Amer. Trees & Shrubs, 233 (1915).
*Addisonia, iv. t. 144 (1919).
speciosa Sarg.
Sargent, Trees & Shrubs, i. t. 33 (1903).
spinosissima Lodd.
*Lodd. Bot. Cab. xi. t. 1100 (1825).
stipulosa Steud.
Schneider, Ill. Handb. Laubh. i. 792, 793 (1906).
Popenoe, Man. Trop. & Subtrop. Fr. t. 13 (1920).—*Fr.*

CRATAEGUS
Stonei Sarg.
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, ii. 308 (1913).
Mathews, Field Book Amer. Trees & Shrubs, 225 (1915).
straminea Beadle
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, ii. 309 (1913).
Mathews, Field Book Amer. Trees & Shrubs, 223 (1915).
submollis Sarg.
Sargent, Man. Trees N. Amer. 439 (1905).
Schneider, Ill. Handb. Laubh. i. 797, 799 (1906).
Collins & Preston, Key to Trees, 114 (1912).—*Veg.*
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, ii. 319 (1913).
Mathews, Field Book Amer. Trees & Shrubs, 247 (1915).
suborbiculata Sarg.
Sargent, Silva N. Amer. xiii. t. 653 (1902).
Sargent, Man. Trees N. Amer. 456 (1905).
Britton, N. Amer. Trees, 454 (1908).
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, ii. 301 (1913).
Mathews, Field Book Amer. Trees & Shrubs, 219 (1915).
succulenta Schrad.
*Lange, Rev. Sp. Crat. t. 8 B (1897).
Sargent, Man. Trees N. Amer. 497 (1905).
Schneider, Ill. Handb. Laubh. i. 775, 776 (1906).
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, ii. 301 (1913).
Mathews, Field Book Amer. Trees & Shrubs, 251 (1915).
*Nat. Geogr. Mag. Washington, xxxv. t. 7 (1919).
*Addisonia, iv. t. 123 (1919).
tanacetifolia Pers.
*Bot. Reg. xxii. t. 1884 (1836).
J. C. Loudon, Arbor. & Frutic. Brit. ii. 863; vi. t. 31 P (1838).
*Garden, xxviii. 632, 633 (1885).
*Mouillefert, Traité Arbres & Arbrisseaux, Atlas, t. VII (1892–98).
Gartenfl. xliii. 215, 292 (1894).
*Lange, Rev. Sp. Crat. t. 7 B (1897).
Schneider, Dendrol. Winterst. 170 (1903).—*Veg.*
Schneider, Ill. Handb. Laubh. i. 786, 787 (1906).
Journ. Roy. Hort. Soc. London, xli. 12 (1915).—*Hab.*
—— **glabra** Lodd.
J. C. Loudon, Arbor. & Frutic. Brit. ii. 863, vi. t. 31 P (1838).
—— **Leeana** Loud.
J. C. Loudon, Arbor. & Frutic. Brit. ii. 864, vi. t. 31 P, a (1838).
Garden, xxxiii. 468 (1888).
tatarica Hort.
Journ. Hort. Ser. III. xiii. 415 (1886).
tenuifolia Kom.
Act. Hort. Petrop. xxii. t. 10 (1904).
tenuifolia Britton
Schneider, Ill. Handb. Laubh. i. 797 (1906).—*Veg.*
Britton, N. Amer. Trees, 466 (1908).
tersa Beadle
Sargent, Man.Trees N. Amer. 383 (1905).
texana Buckl.
Sargent, Silva N. Amer. xiii. t. 664 (1902).
Sargent, Man. Trees N. Amer. 432 (1905).
Britton, N. Amer. Trees, 469 (1908).
tomentosa Linn.
*F. J. Schultz, Abbild. Bäume, Staud. Sträuch. Oesterr. ii. t. 159 (1792).
*Joh. Kerner, Abbild. Oek. Pfl. (Fig. Pl. Écon.), vii. t. 699 (1794).
Emerson, Trees & Shrubs Massachusetts, Ed. 2, ii. 494 (1875).
Gard. & Forest, ii. 425 (1889).
Sargent, Silva N. Amer. iv. t. 183 (1892).
Dippel, Handb. Laubholzk. iii. 434 (1893).
Newhall, Shrubs N.E. Amer. 105 (1893).—*Veg.*
Newhall, Trees N.E. Amer. 35 (1894).—*Veg.*

CRATAEGUS
tomentosa
Britton & Brown, Ill. Fl. N. States & Canada, ii. 244 (1897).
S. B. Green, Forestry Minnesota, 244 (1898).
Lounsberry, Guide to the Trees, Ed. 2, p. 166 (1900).
Parkhurst, Trees, Shrubs, Vines N.E. United States, 219, t. 9, fig. 62 (1903).—*Veg.*
Rogers, Tree Book, 319 (1905).
Sargent, Man. Trees N. Amer. 492 (1905).
Schneider, Ill. Handb. Laubh. i. 775, 776 (1906).
Hough, Handb. Trees N. States & Canada, 256, 257 (1907).
Clements, Rosend. & Butters, Minnesota Trees & Shrubs, 158 (1912).
Keeler, Our Native Trees, 149 (1912).—*Veg.*
L. H. Bailey, Stand. Cycl. Hort. 885 (1914).
torminalis Linn.
*Jacquin, Fl. Austr. v. t. 443 (1778).
*Fl. Dan. v. t. 798 (1781).
*Zorn, Ic. Pl. Med. v. t. 463 (1784).
*Joh. Kerner, Abbild. Oek. Pfl. (Fig. Pl. Écon.), i. t. 62 (1786).
*Joh. Kerner, Beschr. u. Abbild. Bäume u. Gestr. Wirtemberg, t. 25 (1786).
*Reitter & Abel, Holz-Art. t. 20 (1790).
Hoppe, Ect. Pl. Ratisb. t. 628 (1791).
*Plenck, Ic. Pl. Med. iv. t. 388 (1791).
*F. J. Schultz, Abbild. Bäume, Staud. Sträuch. Oesterr. ii. t. 161 (1792).
*Sowerby & Sm. Engl. Bot. v. t. 298 (1796).
Lamarck, Ill. iii. t. 433, fig. 2 (1797).
*Oskamp, Afb. Artseny-Gewass. vi. t. 507 (1800).
Aikin, Woodl. Comp. t. 15 (1802).
*Duhamel, Arbres & Arbustes, Ed. 2, iv. t. 33, 33 bis (1809).
*Vigneux, Fl. Pitt. Envir. Paris, t. 29 (1812).
*Vietz, Ic. Pl. Med.-oec.-techn. v. t. 446 (1817).
*Spach, Hist. Nat. Vég. Phan. Atlas, t. 9 (1846).—*Fr.*
*Réveil, Règne Vég. iii. t. 31 (1870).—*Veg.*
Charpentier, Timber, Ed. Engl. 41 (1902).
Jardin, xxxi. 172 (1917).
Treleasei Sarg.
Sargent, Trees & Shrubs, i. t. 32 (1903).
Sargent, Man. Trees N. Amer. 427 (1905).
trianthophora Sarg.
Sargent, Trees & Shrubs, ii. t. 106 (1907).
triflora Chapm.
*Lounsberry, Guide to the Trees, Ed. 2, t. 55 (1900).
Schneider, Ill. Handb. Laubh. i. 797, 799 (1906).
triloba Poir.
Lojacono-Pojero, Fl. Sic. i. II. t. 18 (1891).
trilobata Labill.
Labillardière, Ic. Pl. Syriae, iv. t. 10 (1812).
J. C. Loudon, Arbor. & Frutic. Brit. ii. 860 (1838).
Ann. Hort. ii. 225 (1846).
tristis Beadle
Sargent, Man. Trees N. Amer. 474 (1905).
uniflora Muenchh.
Sargent, Silva N. Amer. iv. t. 191 (1892).
Dippel, Handb. Laubholzk. iii. 425 (1893).
Newhall, Shrubs N.E. Amer. 107 (1893).
Britton & Brown, Ill. Fl. N. States & Canada, ii. 244 (1897); Ed. 2, ii. 320 (1913).
Lounsberry, Guide to the Trees, Ed. 2, p. 237 (1900).
Schneider, Ill. Handb. Laubh. i. 792, 793 (1906).
Bull. Torr. Bot. Club, xxxviii. 26 (1911).—*Veg.*
Mathews, Field Book Amer. Trees & Shrubs, 227 (1915).
Vailiae Britton
Britton & Brown, Ill. Fl. N. States & Canada, ii. 245 (1897); Ed. 2, ii. 303 (1913).
Lounsberry, Southern Wild Fl. & Trees, t. 75 (1901).
Sargent, Silva N. Amer. xiii. t. 692 (1902).
Mathews, Field Book Amer. Trees & Shrubs, 227 (1915).
vegeta Sarg.
Sargent, Man. Trees N. Amer. 495 (1905).
venusta Beadle
Sargent, Silva N. Amer. xiii. t. 651 (1902).
Sargent, Man. Trees N. Amer. 465 (1905).

CRATAEGUS
verruculosa Sarg.
Sargent, Man. Trees N. Amer. 394 (1905).
viburnifolia Sarg.
Sargent, Trees & Shrubs, ii. t. 159 (1911).
villiflora Sarg.
Sargent, Trees & Shrubs, ii. t. 128 (1908).
villipes Ashe
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, ii. 315 (1913).
Mathews, Field Book Amer. Trees & Shrubs, 243 (1915).
virginica Lodd.
J. C. Loudon, Arbor. & Frutic. Brit. ii. 843, 867 (1838).
viridis Linn.
*F. J. Schultz, Abbild. Bäume, Staud. Sträuch. Oesterr. ii. t. 158 (1792).
Sargent, Silva N. Amer. iv. t. 187 (1892).
Dippel, Handb. Laubholzk. iii. 438 (1893).—*Veg.*
Britton & Brown, Ill. Fl. N. States & Canada, ii. 242 (1897); Ed. 2, ii. 307 (1913).
Sargent, Man. Trees N. Amer. 401 (1905).
Schneider, Ill. Handb. Laubh. i. 797, 799 (1906).
Hough, Handb. Trees N. States & Canada, 248, 249 (1907).
Britton, N. Amer. Trees, 457 (1908).
Mathews, Field Book Amer. Trees & Shrubs, 221 (1915).
visenda Beadle
Sargent, Man. Trees N. Amer. 475 (1905).
vulsa Beadle
Sargent, Silva N. Amer. xiii. t. 700 (1902).
Sargent, Man. Trees N. Amer. 403 (1905).
Wattiana Hemsl. & Lace
Journ. Linn. Soc., Bot. xxviii. t. 40 (1891).
*Bot. Mag. cxlv. t. 8818 (1919).

CRATAE-MESPILUS E. G. Camus
×**Gillotii** G. Beck
Reichenbach, Ic. Fl. Germ. xxv. t. 107 (1914).
×**grandiflora** E. G. Camus
Schneider, Ill. Handb. Laubh. i. 765, 766 (1906).
Reichenbach, Ic. Fl. Germ. xxv. t. 107 (1914).

CRATAEVA Linn.
Adansonii DC.
Delessert, Ic. Pl. iii. t. 7 (1837).
capparoides Andr.
*Andrews, Bot. Rep. iii. t. 176 (1801).
erythrocarpa Gagnep.
Lecomte, Fl. Gén. Indo-Chine, i. t. 15 (1908).
excelsa Boj.
Grandidier, Hist. Madag. [Plantes] Atlas, t. 55 (1888).
falcata DC.
*Ito & Kaku, Fig. & Descr. Pl. Koishikawa Bot. Gard. ii. t. 9 (1883).
fragrans Sims
*Bot. Mag. xvi. t. 596 (1802).
gorarema Vell.
Vellozo, Fl. Flum. v. t. 4 (1827).
hygrophila Kurz
Journ. of Bot. xii. t. 148, fig. 6, 7 (1874).—*Fr.*
lophosperma Kurz
Journ. of Bot. xii. t. 147, fig. 4–6 (1874).—*Fr.*
macrocarpa Kurz
Journ. of Bot. xii. t. 148, fig. 8–10 (1874).—*Fr.*
magna DC.
Rheede, Hort. Mal. iii. t. 42 (1682); fide Hasskarl, Hort. Mal. Rheed. Clavis, 27.
narvala Buch.-Ham.
Koorders & Val. Atlas Baumart. Java, t. 795 (1918).
religiosa Forst.
Lamarck, Ill. ii. t. 395 (1797).
Beddome, Fl. Sylv. t. 116 (1871).
Vidal, Sin. Fam. & Gen. Pl. Leñ. Filip. (Introd. Fl. For. Filip.), Atlas, t. 6, fig. C (1883).
Pflanzenfam. iii. II. 227 (1891).
Talbot, For. Fl. Bombay, i. 65 (1909).
Engler & Drude, Veget. Erde, ix. III. 1, p. 231 (1915).
Kanehira, Formosan Trees, 38 (1917).
Basu, Ind. Med. Pl. t. 71 (1918).
—— **brevistipitata** De Wild.
De Wildeman, Études Fl. Katanga (Ann. Mus. Congo), i. t. 15 (1902).

CRATAEVA
religiosa Roxburghii Hook. f. & Thoms.
*Blanco, Fl. Filip. t. 176 (1878–80).
Roxburghii R. Br.
Hook. Ic. Pl. ii. t. 178 (1837).
Journ. of Bot. xii. t. 148, fig. 1–5 (1874).—*Fr.*
tapia Linn.
Vellozo, Fl. Alogr. t. 14 (1798).
Vellozo, Fl. Flum. v. t. 3 (1827).
Mart. Fl. Bras. xiii. 1. t. 59 (1865).
Pflanzenfam. iii. 11. 226 (1891).—*Fl.*
Beille, Bot. Pharm. ii. 398 (1909).
Fawcett & Rendle, Fl. Jamaica, iii. 1. 235 (1914).
Chodat, Vég. Parag. i. 37 (1916).—*Hab.*
Chodat in Bull. Soc. Bot. Genève, Ser. II. ix. 202 (1917).—*Hab.*
tumulorum Miq.
Miquel, Ill. Fl. Arch. Ind. t. 11 (1871).
unilocularis Buch.-Ham.
Journ. of Bot. xii. t. 147, fig. 1–3 (1874).

CRATERANTHUS E. G. Baker
Le Testui H. Lecomte
Bull. Mus. Hist. Nat. Paris, xxvi. 69 (1920).
Talbotii E. G. Baker
Rendle, Cat. Talbot's Nigerian Pl. t. 5 (1913).

CRATERISPERMUM Benth.
laurinum Benth.
Hook. Ic. Pl. xiii. t. 1235 (1877).
Pflanzenfam. iv. IV. 93 (1891).—*Fl.*
Ledermannii Krause
Engl. Jahrb. xlviii. 417 (1912).

CRATEROSTIGMA Hochst.
crassifolium Engl.
Engl. Jahrb. xxiii. t. 8 (1897).
linearifolium Engl.
Engl. Jahrb. xxiii. t. 8 (1897).
nanum elatior Oliv.
Hook. Ic. Pl. t. 1479 (1885).
pumilum Hochst.
Trans. Linn. Soc. London, Ser. II. Bot. v. t. 34, 35 (1899).

CRATOXYLON Bl.—Vide *Ancistrolobus*, *Tridesmis*
arborescens Bl.
Vidal, Sin. Fam. & Gen. Pl. Leñ. Filip. (Introd. Fl. For. Filip.), Atlas, t. 10, fig. A (1883).
celebicum Bl.
Blume, Mus. Bot. Lugd.-Bat. ii. fig. 5 (1856).—*Fl.*
Blanco, Fl. Filip. t. 308 (1878–80), fide Merrill, Spec. Blanc. 265.
formosum Benth. & Hook. f.
Pierre, Fl. For. Cochinch. i. t. 51 (1882).
Vidal, Sin. Fam. & Gen. Pl. Leñ. Filip. (Introd. Fl. For. Filip.), Atlas, t. 10, fig. B (1883).—*Fl.*
Koorders & Val. Atlas Baumart. Java, t. 83 (1913).
Harmandii Pierre
Pierre, Fl. For. Cochinch. i. t. 53 (1882).
Lecomte, Fl. Gén. Indo-Chine, i. 281 (1909).—*Fl.*
Hornschuchii Bl.
*Blanco, Fl. Filip. t. 254 (1878–80).
Maingayi Dyer
Ann. Bot. Gard. Calcutta, v. t. 165 (1896).
neriifolium Kurz
Pierre, Fl. For. Cochinch. i. t. 49 (1882).
polyanthum Korth.
*Korthals, Kruidk. (Verh. Nat. Geschied. Neder.), t. 36 (1839–42).
Pierre, Fl. For. Cochinch. i. t. 50 (1882).
Brandis, Indian Trees, 47 (1906).
—— **ligustrinum** Bl.
Pflanzenfam. iii. VI. 215 (1893).
prunifolium Dyer
Pierre, Fl. For. Cochinch. i. t. 52 (1882).

CRATYLIA Mart.
hypargyrea Mart.
Mart. Fl. Bras. xv. 1. t. 43 (1859).

CRATYSTYLIS Sp. Moore
conocephala Sp. Moore
Journ. of Bot. xliii. t. 471 (1905).
Trans. & Proc. Roy. Soc. S. Australia, xl. t. 7 (1916).

CRAWFURDIA Wall.—Vide *Golowninia*, *Pterygocalyx*
Bulleyana Forrest
Notes Roy. Bot. Gard. Edinb. iv. t. 17 (1907).
fasciculata Wall.
Wallich, Tent. Fl. Nap. t. 47 (1826).
*Belg. Hort. v. t. 39 (1855).
*Bot. Mag. lxxxi. t. 4838 (1855).
Pflanzenfam. iv. II. 79 (1895).—*Fr.*
japonica Sieb. & Zucc.
Somoku Dzusetsu, Ed. 2, iv. t. 52 (1874).
Pflanzenfam. iv. II. 79 (1895).—*Fr.*
*Useful Pl. Jap. iii. t. 881 (1895).
—— **Championii** Gard.
*Trimen, Handb. Fl. Ceylon, Atlas, iii. t. 65 (1895).
lanceolata Hayata
Hayata, Ic. Pl. Formosan. ii. t. 25 (1912).
luteo-viridis C. B. Clarke
*Bot. Mag. cvii. t. 6539 (1881).
ptergocalyx Hemsl.
*Miyoshi & Makino, Pocket-Atlas, Alp. Pl. Jap. ii. t. 38, fig. 218 (1907).
speciosa Wall.
Wallich, Tent. Fl. Nap. t. 48 (1826).
Pflanzenfam. iv. II. 79 (1895).
Trailliana Forrest
Notes Roy. Bot. Gard. Edinb. iv. t. 16 (1907).
Gard. Chron. Ser. III. xlvii. 44 (1910).—*Hab.*
trinervis Makino
*Miyoshi & Makino, Pocket-Atlas, Alp. Pl. Jap. ii. t. 38, fig. 216 (1907).
Somoku Dzusetsu, Ed. Makino (Iconogr. Pl. Nippon), iv. t. 52 (1907).

CREAGHIELLA Stapf
purpurea Stapf
Hook. Ic. Pl. xxv. t. 2455 (1896).

CREMANIUM D. Don: *Miconia*
caeruleum D. Don
Schnizlein, Iconogr. iv. t. 268 (1857–65).—*Fl.*
ligustroides DC.
Martius, Nov. Gen. & Sp. Pl. Bras. iii. t. 286 (1829).—*Fr.*
millefiorum DC.
*Martius, Nov. Gen. & Sp. Pl. Bras. iii. t. 286 (1829).
vaccinioides D. Don
De Candolle in Mém. Soc. Phys. & Hist. Nat. Genève, iv. t. 2, fig. 2; t. 3, fig. 2 (1828).—*Fl.*

CREMANTHODIUM Benth.
palmatum Benth.
Hook. Ic. Pl. xii. t. 1142 (1873).
pinnatifidum Benth.
Hook. Ic. Pl. xii. t. 1142 (1873).
reniforme Benth.
Hook. Ic. Pl. xii. t. 1141 (1873).

CREMASPORA Benth.
microcarpa Baill.
Baillon, Hist. Pl. vii. 304 (1880).—*Fl.*
Baillon, Dict. Bot. ii. 264 (1881).—*Fl.*
triflora K. Schum.
Pflanzenfam. iv. IV. 88 (1891).—*Fl.*
tubulosa Baill.
Grandidier, Hist. Madag. [Plantes] Atlas, t. 438 (1897).

CREMASTOSTEMON Jacq.: *Olinia*
capensis Jacq.
*Jacquin, Fragm. t. 103 (1809).

CREMASTRA Lindl.—Vide *Hyacinthorchis*
appendiculata Makino
Somoku Dzusetsu, Ed. Makino (Iconogr. Pl. Nippon), xviii. t. 47 (1912).
triloba Hayata
Hayata, Ic. Pl. Formosan. iv. 84 (1914).—*Fl.*
unguiculata Finet.
Somoku Dzusetsu, Ed. Makino (Iconogr. Pl. Nippon), xviii. t. 48 (1912).
Wallichiana Lindl.
Somoku Dzusetsu, Ed. 2, xviii. t. 47 (1874).
*Ann. Bot. Gard. Calcutta, viii. t. 246 (1898).

CREMASTUS Miers
pulcher Bur.
Mart. Fl. Bras. viii. 1. t. 92 (1896).

CREMATOMIA Miers: *Bourreria*
calophylla Miers
Miers, Contrib. Bot. ii. t. 87 (1860–69).—*Fr.*
Guildingiana Miers
Miers, Contrib. Bot. ii. t. 87 (1860–69).

CREMNOBATES Ridley
ilicina Ridley
Trans. Linn. Soc. London, Ser. II. Bot. ix. t. 3, 4 (1916).

CREMNOPHILA Rose: *Sedum*
nutans Rose
*Addisonia, i. t. 25 (1916).

CREMOLOBUS DC.
aphanopterus A. Gray
A. Gray, U.S. Expl. Exp. Bot. Atlas, i. t. 3 (1857).
peruvianus DC.
Hook. Ic. Pl. i. t. 48 (1837).
pinnatifidus Hook.
Hook. Ic. Pl. i. t. 100 (1837).
pubescens Hook.
Hook. Ic. Pl. i. t. 81 (1837).
rhomboideus Hook.
Hook. Ic. Pl. i. t. 32 (1837).
sinuatus Hook.
Hook. Ic. Pl. i. t. 99 (1837).
Le Maout & Decaisne, Traité Gén. Bot. 418 (1868).—*Fr.*
suffruticosus DC.
Pflanzenfam. iii. II. 157 (1891).—*Fr.*

CRENEA Aubl.—Vide *Dodecas*
maritima Aubl.
Aublet, Hist. Pl. Guiane Franç. iv. t. 209 (1775).
Lamarck, Ill. ii. t. 407 (1797).
Pflanzenreich, Lythrac. 220 (1903).
surinamensis Koehne
Pflanzenreich, Lythrac. 220 (1903).
—— **patentinervis** Koehne
Pflanzenreich, Lythrac. 220 (1903).—*Veg.*

CRENULARIA Boiss.: *Aethionema*
orbiculata Boiss.
Rouy, Illustr. Pl. Eur. Rar. ii [t. 52] (1895); fasc. 17, t. 401 (1902).

CREOCHITON Bl.
bibracteata Bl.
Pflanzenfam. iii. VII. 178 (1893).—*Fl.*
pudibunda Bl.
Trans. Linn. Soc. London, xxviii. t. 7, fig. 91 (1871).—*Fl.*
Pflanzenfam. iii. VII. 178 (1893).—*Fl.*
superba Naud.
Ann. Sc. Nat. Paris, Ser. III. xviii. t. 6 (1852).—*Fl.*

CREPIDIUM Bl.: *Microstylis*
Rheedii Bl.
Blume, Tab. Jav. Orch. t. 63 (1825).—*Fl.*

CREPIDOMANES Presl
humile Forst.
Van den Bosch in Verh. Akad. Wet. Amsterdam, x. t. 11 (1861).

CREPIDOPSIS Arv.-Touv.: *Lactuca*
mexicana Arv.-Touv.
Ann. Conserv. et Jard. Bot. Genève, i. t. 1 (1897).

CREPIDOSPERMUM Hook. f.
Goudotianum Triana & Planch.
Mart. Fl. Bras. xii. II. t. 61 (1874).
A. & C. De Candolle, Monogr. Phan. iv. t. 2, fig. 15–19 (1883).—*Fl.*
rhoifolium Triana & Planch.
Mart. Fl. Bras. xii. II. t. 61 (1874).
A. & C. De Candolle, Monogr. Phan. iv. t. 2, fig. 20–24 (1883).—*Fl.*

CREPINELLA March.
gracilis March.
Trans. Linn. Soc. London, Ser. II. Bot. ii. t. 40 (1887).

CREPIS Linn.—Vide *Aethorrhiza*, *Anthochytrum*, *Aracium*, *Barkhausia*, *Gatyona*, *Hostia*, *Intybellia*, *Lagoseris* Hoffmgg. & Link, *Omalocline*, *Phaecasium*, *Soyeria*, *Youngia*
acaulis Hook. f.
Fyson, Fl. Nilgiri & Pulney Hill-tops, ii. 174 (1915).

CREPIS
acuminata Nutt.
Stansbury, Exped. Valley Gr. Salt Lake Utah, 392, t. 8 (1852).
M. Armstrong, Field Book West. Wild Fl. 579 (1915).
adenantha Vis.
Visiani, Fl. Dalmat. i. t. 5 (1847).
Adonis Spreng
*Trattinick, Ausg. Taf. Arch. iii. t. 220 (1814).
agrestis Waldst. & Kit.
*Waldstein & Kit. Pl. Rar. Hung. iii. t. 220 (1812).
albida All.
*Jacquin, Ic. Pl. Rar. i. t. 164 (1781–86).
Allioni, Fl. Pedem. iii. t. 32, fig. 3 (1785).
albida Vill.
Villars, Hist. Pl. Dauph. iii. t. 33 (1789).
Reichenbach, Ic. Fl. Germ. xix. t. 1453 (1859).
*Cusin, Herb. Fl. Franç. xiv (Composées), t. 531 (1874).
Acloque, Fl. France, 424 (1894).
Coste, Fl. France, ii. 441 (1903).
Fiori & Paol. Ic. Fl. Ital. 468 (1904).
—— **maior** Willk.
*Willkomm, Ill. Fl. Hispan. Balear. ii. t. 101 (1886).
alpestris Tausch
Reichenbach, Ic. Fl. Germ. xix. t. 1459 (1859).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xxx. t. 3226 (1888).
*Gradmann, Pflanzenl. Schwäb. Alb, Ed. 2, ii. t. 49 (1900).
*Jul. Hoffmann, Alpine Fl. t. 23 (1903).
Fiori & Paol. Ic. Fl. Ital. 470 (1904).
Schroeter, Pflanzenleb. Alp. 380 (1908).
*Penzig, Fl. Alpi Illustr. Ed. 2, t. 23 (1915).
—— **Visianiana** Reichb. f.
Reichenbach, Ic. Fl. Germ. xix. t. 1464 (1859).
alpina Linn.
Hill, Veget. Syst. iii. t. 129 (1762).
Gaertner, Fruct. ii. t. 158 (1791).—*Fr.*
Lamarck, Ill. iv. t. 651, fig. 1 (1797).—*Fl.*
Bih. Svenska Vet. Akad. Handl. xix. III. No. 3, t. 1, fig. 1 a, 1 b (1893).—*Fl.*
Fiori & Paol. Ic. Fl. Ital. 468 (1904).
—— **syriaca** Bornm.
Beih. Bot. Centralbl. xxxi. II. t. 1, fig. 10 (1914).—*Fl.*
ambigua Balb.
Balbis in Mém. Acad. Sc. Turin, 1804–5, xvi. 88, t. 1 (1805).
aspera Linn.
*Schkuhr, Bot. Handb. Ed. 2, t. 222 (1808).—*Fr.*
*Sibthorp & Sm. Fl. Graeca, ix. t. 804 (1837).
Fiori & Paol. Ic. Fl. Ital. 467 (1904).
aurea Cass.
Monnier, Essai Hierac. t. 2 (1829).—*Fr.*
Reichenbach, Ic. Fl. Germ. xix. t. 1433 (1859).
*Weber, Alp.-Pfl. Ed. 3, iii. t. 241 (1872).
*Cusin, Herb. Fl. Franç. xiv (Composées), t. 533 (1874).
*Seboth & A. W. Bennett, Alpine Pl. iv. t. 70 (1880).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xxx. t. 3225 (1888).
*L. & C. Schroeter, Taschenfl. Alp.-Wand. t. 8 (1889).—*Hab.*
*Heathcote, Fl. Engadine, t. 132 (1891).
*Correvon, Fl. Col. Suisse, t. 78 (1894).
*Hartinger, Atlas Alpenfl. v. t. 491 (1897).
*G. Beck, Alpenblum. Semmering, t. 17, fig. 8 (1898).—*Fl.*
Coste, Fl. France, ii. 444 (1903).
*Jul. Hoffmann, Alpine Fl. t. 23 (1903).
Fiori & Paol. Ic. Fl. Ital. 471 (1904).
L. & C. Schroeter, Col. Vade-Mecum Alp. Fl. Ed. 16 & 17, t. 14 (1904).
*Flahault, Nouv. Fl. Alpes & Pyrén. i. t. 78 (1906).
*Senn, Alpen-Flora, ii. t. 78 (1906).
*Oehninger, Alpenfl. t. 7, fig. 4 (1908).
*Correvon & Rob. Alp. Fl. t. 60 [1908?].
*Hulme, Familiar Swiss Fl. t. 49 (1908).
Schroeter, Pflanzenleb. Alp. 378 (1908).
*Milner, Life Oberammergau, t. 36 (1910).
*H. S. Thompson, Alp. Fl. Europe, t. 39 (1911).

CREPIS
aurea
*H. S. Thompson, Sub-Alp. Pl. t. 19 (1912).
*Hegi & Dunz. Alp. Fl. t. 30 (1913).
*Penzig, Fl. Alpi Illustr. Ed. 2, t. 23 (1915).
austriaca Jacq.
Jacquin, Hort. Vind. t. 5 (1762).
*Jacquin, Fl. Austr. v. t. 441 (1778).
Allioni, Fl. Pedem. iii. t. 30, fig. 1 (1785).
*G. Beck, Alpenblum. Semmering, t. 17, fig. 9 (1898).
baetica Lange
*Willkomm, Ill. Fl. Hispan. Balear. ii. t. 139 (1889).
barbata Linn.
*Kniphof, Herb. Viv. i. t. 330 (1758).
Hill, Veget. Syst. iii. t. 130 (1762).
*Joh. Kerner, Abbild. Oek. Pfl. (Fig. Pl. Écon.), i. t. 21 (1786).
*Bot. Mag. i. t. 35 (1787).
*McDonald, Dict. Pract. Gard. i. t. 14 (1807).
*S. Edwards, New Bot. Gard. i. t. 14 (1812).
*Vietz, Ic. Pl. Med.-oec.-techn. v. t. 447 (1817).
barbigera Leiberg
Contrib. U.S. Nat. Herb. iii. t. 26 (1896).
bellidifolia Loisel.
Loiseleur, Fl. Gall. t. 18 (1806).
Reichenbach, Ic. Fl. Germ. xix. t. 1436 (1859).
*Cusin, Herb. Fl. Franç. xiv (Composées), t. 529 (1874).
Coste, Fl. France, ii. 443 (1903).
Fiori & Paol. Ic. Fl. Ital. 468 (1904).
—— **caespitosa** Gren. & Godr.
Fiori & Paol. Ic. Fl. Ital. 468 (1904).
biennis Linn.
*Kniphof, Herb. Viv. i. t. 331 (1758).
Hill, Veget. Syst. iii. t. 129 (1762).
Hill, Herb. Brit. i. t. 44 (1769).
Gaertner, Fruct. ii. t. 158 (1791).—*Fr.*
*Sowerby & Sm. Engl. Bot. iii. t. 149 (1794).
Lamarck, Ill. iv. t. 651, fig. 2 (1797).—*Fl.*
*Schkuhr, Bot. Handb. Ed. 2, t. 222 (1808).—*Fr.*
*Schrank, Fl. Monac. iii. t. 289 (1816).
*Kops, Fl. Batava, v. t. 364 (1828).
*Fl. Dan. xii. t. 1997 (1830).
*Zenker, Fl. Thüringen, viii. t. 909 (1836–55).
[M. E.] Jackson, Pict. Fl. fig. 1164 (1840).
*Dietrich, Fl. Boruss. ix. t. 638 (1841).
Meigen, Deutschl. Fl. iii. t. 125 (1842).—*Fl.*
*Svensk Bot. xi. t. 735 (1843).
*Deakin, Florigr. Brit. iii. fig. 1212 (1847).
*Lorek, Fl. Pruss. Ed. 3, t. 184, fig. 984 (1848).
Johnson & Sowerby, Brit. Wild Fl. fig. 666 (1858–60).
Reichenbach, Ic. Fl. Germ. xix. t. 1439 (1859).
Bentham, Handb. Brit. Fl. fig. 591 (1865).
*Syme, Engl. Bot. v. t. 819 (1866).
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, iii. t. 110 [1873].
*Cusin, Herb. Fl. Franç. xiv (Composées), t. 535 (1874).
*Hogg & Johnson, Wild Fl. Gr. Brit. ix. t. 661 (1876).
Wagner, Ill. Deutsche Fl. Ed. 2, p. 465 (1882).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xxx. t. 3228 (1888).
Pflanzenfam. iv. v. 367 (1893).—*Fr.*
Garcke, Ill. Fl. Deutschl. 362 (1895).
Britton & Brown, Ill. Fl. N. States & Canada, iii. 281 (1898); Ed. 2, iii. 327 (1913).
Gradmann, Pflanzenl. Schwäb. Alb, Ed. 2, ii. 363 (1900).
Lindman, Bild. Nord. Fl. t. 44 (1901–5).
Coste, Fl. France, ii. 446 (1903).
Fiori & Paol. Ic. Fl. Ital. 469 (1904).
*Sturm, Fl. Deutschl. Ed. 2, xiv. t. 54 (1906).
Fedtschenko & Fler. Fl. Eur. Russia, 1061 (1910).
Heukels, Fl. Nederl. iii. 465 (1910).
Suireishchikov, Ill. Fl. Mosc. Gov. iii. 337 (1910).
Lindman, Svensk Fanerogamfl. 525, 556 (1918).
Ernst, Bastardier. Apogam. Pflanzenr. 580 (1918).
Fitch & Smith, Ill. Brit. Fl. Ed. rev. 4, Iss. 2, fig. 599 (1919).
—— **banatica** Roch.
Rochel, Pl. Banat. Rar. t. 30 (1828).
—— **fasciata** De Vries
!Bot. Jaarb. Gent, vi. t. 9, 10 (1894).

CREPIS
blattarioides Vill.
*Froelich, Alpenpfl. Schweiz, ix. t. 5 [1857].
Reichenbach, Ic. Fl. Germ. xix. t. 1461 (1859).
*Cusin, Herb. Fl. Franç. xiv (Composées), t. 546 (1874).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xxx. t. 3237 (1888).
*G. Beck, Alpenblum. Semmering, t. 17, fig. 9 (1898).
Coste, Fl. France, ii. 447 (1903).
Fiori & Paol. Ic. Fl. Ital. 470 (1904).
*Flahault, Nouv. Fl. Alpes & Pyrén. i. 79 (1906); iii. t. 104 (1912).
Senn, Alpen-Flora, ii. 79 (1906).
Cadevall & Sallent, Fl. Catalunya, iii. 474 (1917).
Blavii Aschers.
Oesterr. Bot. Zeitschr. lviii. t. 11, fig. 3 (1908).
boliviensis Wedd.
Weddell, Chloris Andina (Castelnau Expéd., Bot.), i. t. 42 (1855–57).
brachypappa Bornm.
Beih. Bot. Centralbl. xxxii. II. t. 19 (1914).
bulbosa Cass.
*Cusin, Herb. Fl. Franç. xiv (Composées), t. 532 (1874).
Coste, Fl. France, ii. 443 (1903).
Fiori & Paol. Ic. Fl. Ital. 471 (1904).
Raunkiær in Oversigt Forh. Danske Vidensk. Selsk. 1905, p. 413.—*Veg.*
Bungei Ledeb.
J. G. Gmelin, Fl. Sibir. ii. t. 13, fig. 1 (1749); fide Ledebour, Comm. 67.
burejensis F. Schmidt
Miyabe & Miyake, Fl. Saghalin, t. 9 (1915).
bursifolia Linn.
Hill, Veget. Syst. iii. t. 130 (1762).
Mutel, Fl. Française, t. 33 (1834).
Coste, Fl. France, ii. 442 (1903).
Fiori & Paol. Ic. Fl. Ital. 468 (1904).
caespitosa Gren. & Godr.
Rouy, Illustr. Pl. Eur. Rar. fasc. 4, t. 88 (1895).
Coste, Fl. France, ii. 443 (1903).
capillaris Wallr.
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, iii. 327 (1913).
A. Georgia, Manual Weeds, t. 381 (1914).
Journ. New Zeal. Dep. Agric. viii. 635 (1914); xi. 36 (1915); xii. 35, 36 (1916).
Lindman, Svensk Fanerogamfl. 556 (1918).
cernua Ten.
*Tenore, Fl. Nap., Atlas, iv. t. 183 (1811–38).
Reichenbach, Pl. Crit. iv. t. 306 (1826).
Mutel, Fl. Française, t. 33 (1834).
chondrilloides Jacq.
Reichenbach, Ic. Fl. Germ. xix. t. 1456 (1859).
Willkomm, Führ. Reich Pflanzen, 416 (1882).—*Fr.*
Fiori & Paol. Ic. Fl. Ital. 469 (1904).
Oesterr. Bot. Zeitschr. lviii. t. 11, fig. 1 (1908).
chrysantha Froel.
Reichenbach, Ic. Fl. Germ. xix. t. 1464 (1859).
*Cusin, Herb. Fl. Franç. xiv (Composées), t. 547 bis (1874).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xxx. t. 3227 (1888).
conyzifolia Dalle Torre
Fiori & Paol. Ic. Fl. Ital. 470 (1904).
Schroeter, Pflanzenleb. Alp. 380 (1908).
coronopifolia Desf.
Act. Soc. Hist. Nat. Paris, i. t. 9 (1792).
corymbosa Ten.
*Tenore, Fl. Nap., Atlas, iv. t. 184 (1811–38).
croatica Lorek
*Lorek, Fl. Pruss. Ed. 3, t. 241, fig. 1268 (1848).
dinarica G. Beck
Ann. Nat. Hofm. Wien, ii. t. 4 (1887).
Dioscoridis Linn.
De Candolle, Ic. Pl. Gall. t. 18 (1808).
Gochnat, Cichorac. t. 2 (1808).
*Schkuhr, Bot. Handb. Ed. 2, t. 222 (1808).
*Schrank, Fl. Monac. iii. t. 295 (1816).
*Sibthorp & Sm. Fl. Graeca, ix. t. 808 (1837).
Bih. Svenska Vet. Akad. Handl. xix. III. No. 3, t. 4, fig. 41 (1893).—*Fl.*

CREPIS
Dioscoridis
Fiori & Paol. Ic. Fl. Ital. 467 (1904).
elymaitica Bornm.
Beih. Bot. Centralbl. xxxii. II. t. 19 (1914).
erucifolia Gren. & Godr.
*Cusin, Herb. Fl. Franç. xiv (Composées), t. 523 (1874).
filiformis Viv.
Viviani, Fl. Lib. Sp. t. 21, fig. 1 (1824).
foeniculacea Froel.
Cesati, Passer. & Gibelli, Comp. Fl. Ital. t. 70 (1867–86).—*Fl.*
foetida Linn.
Hill, Veget. Syst. iii. t. 131 (1762).
Hill, Herb. Brit. i. t. 44 (1769).
Hoppe, Ect. Pl. Ratisb. t. 733 (1793).
*Sowerby & Sm. Engl. Bot. vi. t. 406 (1797).
Thornton, Brit. Fl. iii. 14 (1812).
[M. E.] Jackson, Pict. Fl. fig. 1161 (1840).
Bentham, Handb. Brit. Fl. fig. 589 (1865).
*Syme, Engl. Bot. v. t. 815 (1866).
Cesati, Passer. & Gibelli, Comp. Fl. Ital. t. 70 (1867–86).—*Fl.*
*Cusin, Herb. Fl. Franç. xiv (Composées), t. 530 (1874).
*Hogg & Johnson, Wild Fl. Gr. Brit. ix. t. 709 (1876).
De Silvestri, Piante Prat. 248 (1879).
Flora, lxiii. t. 2, fig. 3 (1880).—*Veg.*
Wagner, Ill. Deutsche Fl. Ed. 2, p. 464 (1882).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xxx. t. 3220 (1888).
Coste, Fl. France, ii. 441 (1903).
Fiori & Paol. Ic. Fl. Ital. 467 (1904).
*Sturm, Fl. Deutschl. Ed. 2, xiv. t. 52 (1906).
Fedtschenko & Fler. Fl. Eur. Russia, 1063 (1910).
Heukels, Fl. Nederl. iii. 463 (1910).
Fitch & Smith, Ill. Brit. Fl. Ed. rev. 4, Iss. 2, fig. 597 (1919).
—— **glandulosa** Bisch.
Reichenbach, Ic. Fl. Germ. xix. 40, t. 1434 (1859).
—— **hispida** Bisch.
Reichenbach, Ic. Fl. Germ. xix. 40, t. 1434 (1859).
—— **vulgaris** Bisch.
Reichenbach, Ic. Fl. Germ. xix. 40, t. 1434 (1859).
glandulosa Guss.
Gussone, Pl. Rar. t. 56 (1826).
glauca Torr. & Gray
Britton & Brown, Ill. Fl. N. States & Canada, iii. 280 (1898); Ed. 2, iii. 326 (1913).
Gmelinii Froel.
J. G. Gmelin, Fl. Sibir. ii. t. 8, fig. 2 (1749); fide Ledebour, Comm. 66.
grandiflora Tausch
Reichenbach, Ic. Fl. Germ. xix. t. 1460 (1859).
*Cusin, Herb. Fl. Franç. xiv (Composées), t. 547 (1874).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xxx. t. 3238 (1888).
*Hartinger, Atlas Alpenfl. v. t. 495 (1897).
Flora, lxxxix. t. 4, fig. 8 (1901).—*Fr.*
Coste, Fl. France, ii. 446 (1903).
Cadevall & Sallent, Fl. Catalunya, iii. 474 (1917).
Hackelii Lange
*Willkomm, Ill. Fl. Hispan. Balear. i. t. 51, fig. A (1881–85).
hieracioides Waldst. & Kit.
*Waldstein & Kit. Pl. Rar. Hung. i. t. 70 (1802).
Bentham, Handb. Brit. Fl. fig. 592 (1865).
*Hogg & Johnson, Wild Fl. Gr. Brit. ix. t. 703 (1876).
Wagner, Ill. Deutsche Fl. Ed. 2, p. 467 (1882).
Fitch & Smith, Ill. Brit. Fl. Ed. rev. 4, Iss. 2, fig. 600 (1919).
hirta Linn.
Hill, Veget. Syst. iii. t. 131 (1762).
hispida Waldst. & Kit.
Winterl, Index Hort. Bot. Pest. sub *C. hispida*, fig. 3 [1788]; fide Borbás, Balaton Fl. (1900).
*Waldstein & Kit. Pl. Rar. Hung. i. t. 43 (1802).
hispidula Del.
Delile, Fl. Égypte, t. 42 (1812).

CREPIS
hyoseridifolia Tausch
Reichenbach, Ic. Fl. Germ. xix. t. 1465 (1859).
*Heathcote, Fl. Engadine, t. 143 (1891).
hyoseroides Sibth.
*Sibthorp & Sm. Fl. Graeca, ix. t. 809 (1837).
incana Sibth. & Sm.
*Sibthorp & Sm. Fl. Graeca, ix. t. 802 (1837).
incarnata Vis.
Visiani, Stirp. Dalmat. t. 6 (1826).
incarnata Tausch
Reichenbach, Ic. Fl. Germ. xix. t. 1455 (1859).
*Weber, Alp.-Pfl. Ed. 3, iii. t. 240 (1872).
*Seboth & A. W. Bennett, Alpine Pl. iii. t. 15 (1880).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xxx. t. 3224 (1888).
*Hartinger, Atlas Alpenfl. v. t. 490 (1897).
—— **lutea** Koch
Reichenbach, Ic. Fl. Germ. xix. t. 1455 (1859).
insularis Moris
Moris & De Notaris in Mem. Accad. Sc. Torino, Ser. II. ii. t. 3 (1840).
integra platyphylla Franch. & Sav.
Somoku Dzusetsu, Ed. 2, xv. t. 25 (1874).
intermedia A. Gray
Britton & Brown, Ill. Fl. N. States & Canada, iii. 282 (1898); Ed. 2, iii. 327 (1913).
interrupta Sibth.
*Sibthorp & Sm. Fl. Graeca, ix. t. 803 (1837).
intybacea Brot.
Brotero, Phytogr. t. 26 (1816).
Jacquinii Tausch
Reichenbach, Ic. Fl. Germ. xix. t. 1460 (1859).
Schnizlein, Iconogr. ii. t. 120 (1866–70).
Wagner, Ill. Deutsche Fl. Ed. 2, p. 467 (1882).
Willkomm, Führ. Reich Pflanzen, t. 1, fig. 45 (1882).—*Veg.*
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xxx. t. 3233 (1888).
*Heathcote, Fl. Engadine, t. 133 (1891).
*Hartinger, Atlas Alpenfl. v. t. 494 (1897).
*G. Beck, Alpenblum. Semmering, t. 17, fig. 7 (1898).—*Fl.*
Fiori & Paol. Ic. Fl. Ital. 470 (1904).
japonica Benth.
*Somoku Dzusetsu, Ed. 2, xv. t. 29 (1874).
Collett, Fl. Siml. 281 (1902).
F. M. Bailey, Weeds & Poison. Pl. Queensl. 96 (1906).
Koorders, Exkursionsfl. Java, iii. 349 (1912).
Somoku Dzusetsu, Ed. Makino (Iconogr. Pl. Nippon), xv. t. 29 (1912).
Britton, Fl. Bermuda, 380 (1918).
Fyson, Fl. Nilgiri & Pulney Hill-tops, iii. 401 (1920).
jubata Koch
Reichenbach, Ic. Fl. Germ. xix. t. 1464 (1859).
*Hartinger, Atlas Alpenfl. v. t. 492 (1897).
Coste, Fl. France, ii. 444 (1903).
*Jul. Hoffmann, Alpine Fl. t. 23 (1903).
Fiori & Paol. Ic. Fl. Ital. 470 (1904).
Flahault, Nouv. Alpes & Pyrén. ii. 76 (1908).
Schroeter, Pflanzenleb. Alp. 548 (1908).
*Penzig, Fl. Alpi Illustr. Ed. 2, t. 23 (1915).
Keiskeana Maxim.
Somoku Dzusetsu, Ed. 2, xv. t. 27 (1874).
Somoku Dzusetsu, Ed. Makino (Iconogr. Pl. Nippon), xv. t. 27 (1912).
koshunensis Hayata
Hayata, Ic. Pl. Formosan. viii. 79 (1919).
lacera Ten.
*Tenore, Fl. Nap., Atlas, ii. t. 74 (1811–38).
Reichenbach, Pl. Crit. i. t. 19 (1823).
Reichenbach, Ic. Fl. Germ. xix. t. 1452 (1859).
Fiori & Paol. Ic. Fl. Ital. 469 (1904).
Lachenalii Gochnat
Gochnat, Cichorac. t. 3 (1808).
lampsanoides Froel.
Reichenbach, Ic. Fl. Germ. xix. t. 1462 (1859).
*Cusin, Herb. Fl. Franç. xiv (Composées), t. 544 (1874).
Coste, Fl. France, ii. 447 (1903).
lanceolata pinnatiloba Makino
Somoku Dzusetsu, Ed. Makino (Iconogr. Pl. Nippon), xv. t. 28 (1912).

CREPIS
lanceolata platyphylla Makino
Somoku Dzusetsu, Ed. Makino (Iconogr. Pl. Nippon), xv. t. 25 (1912).
latialis Sebast.
Sebastiani, Rom. Pl. Fasc. 2, t. 5 (1815).
leontodontoides All.
Mutel, Fl. Française, t. 33 (1834); errore *C. Leontodon.*
Reichenbach, Ic. Fl. Germ. xix. t. 1436 (1859).
*Cusin, Herb. Fl. Franç. xiv (Composées), t. 527 (1874).
Coste, Fl. France, ii. 443 (1903).
Fiori & Paol. Ic. Fl. Ital. 468 (1904).
lodomeriensis Bess. ex DC.
J. G. Gmelin, Fl. Sibir. ii. t. 11 (1749); fide Ledebour, Comm. 66.
Lowei canariensis Sch. Bip.
Webb & Berth. Hist. Nat. Iles Canar. iii. Phytogr. II. t. 123 (1836–50).
lyrata Froel.
J. G. Gmelin, Fl. Sibir. ii. t. 9 (1749); fide Ledebour, Comm. 66.
macrorrhiza Banks
*Bot. Mag. lvii. t. 2988 (1830).
×**Malyi** Stadlm.
Oesterr. Bot. Zeitschr. lviii. t. 11, fig. 2 (1908).
meletonis Hand.-Mazz.
Ann. Nat. Hofm. Wien, xxvii. 453, t. 18 (1913).
mollis succisifolia Aschers
Fiori & Paol. Ic. Fl. Ital. 470 (1904).
montana Tausch
Reichenbach, Ic. Fl. Germ. xix. t. 1459 (1859).
Coste, Fl. France, ii. 446 (1903).
Schroeter, Pflanzenleb. Alp. 380 (1908).
monticola Coville
Contrib. U.S. Nat. Herb. iii. t. 22 (1896).
multicaulis Ledeb.
*Ledebour, Ic. Pl. Ross. i. t. 36 (1829).
*Fl. Dan. Suppl. t. 90 (1865).
Lindman, Svensk Fanerogamfl. 556 (1918).
multiflora Sibth.
*Sibthorp & Sm. Fl. Graeca, ix. t. 806 (1837).
muricata Sibth.
*Sibthorp & Sm. Fl. Graeca, ix. t. 807 (1837).
nana Richards.
Parry, Second Voyage, Append. t. 1 (1825).
Montana Agric. Coll. Sc. Stud. i. 105, t. 5 (1905).
neglecta Linn.
*Sibthorp & Sm. Fl. Graeca, ix. t. 805 (1837).
Reichenbach, Ic. Fl. Germ. xix. t. 1438 (1859).
Willkomm, Führ. Reich Pflanzen, 420 (1882).—*Fr.*
Fiori & Paol. Ic. Fl. Ital. 469 (1904).
—— **corymbosa** Ten.
Vierhapper in Verh. Zool.-bot. Ges. Wien, lxix. 267 (1920).
—— **fuliginosa** Vierh.
Vierhapper in Verh. Zool.-bot. Ges. Wien, lxix. 267 (1920).
—— **graeca** Vierh.
Vierhapper in Verh. Zool.-bot. Ges. Wien, lxix. 267 (1920).
—— **stricta** Scop.
Vierhapper in Verh. Zool.-bot. Ges. Wien, lxix. 267 (1920).
nemausensis Gouan
Allioni, Fl. Pedem. iii. t. 75, fig. 1 (1785).
nicaeensis Balb.
Reichenbach, Ic. Fl. Germ. xix. t. 1440 (1859).
*Fl. Dan. Suppl. t. 91 (1865).
*Cusin, Herb. Fl. Franç. xiv (Composées), t. 536 (1874).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xxx. t. 3229 (1888).
Coste, Fl. France, ii. 445 (1903).
Fiori & Paol. Ic. Fl. Ital. 469 (1904).
Cadevall & Sallent, Fl. Catalunya, iii. 472 (1917).
—— **adenantha** Reichb. f.
Reichenbach, Ic. Fl. Germ. xix. t. 1440 (1859).
nigricans Viv.
Viviani, Fl. Lib. Sp. t. 10, fig. 3 (1824).
novae-zelandiae Hook. f.
*Lindsay, Contrib. New Zeal. Bot. t. 3 (1868).
nudicaulis Linn.
Hill, Veget. Syst. iii. t .129 (1762).

CREPIS
nudiflora Viv.
Viviani, Fl. Lib. Sp. t. 13, fig. 2 (1824).
occidentalis Nutt.
Contrib. U.S. Nat. Herb. iii. t. 21 (1896).
Britton & Brown, Ill. Fl. N. States & Canada, iii. 282 (1898); Ed. 2, iii. 328 (1913).
M. Armstrong, Field Book West. Wild Fl. 579 (1915).
oporinoides Boiss.
*Boissier, Voy. Bot. Espagne, i. t. 117 (1839–45).
paludosa Moench
*Zenker, Fl. Thüringen, v. t. 597 (1836–55).
*Deakin, Florigr. Brit. iii. fig. 1215 (1847).
*Lorek, Fl. Pruss. Ed. 3, t. 185, fig. 986 (1848).
Reichenbach, Ic. Fl. Germ. xix. t. 1463 (1859).
Bentham, Handb. Brit. Fl. fig. 593 (1865).
*Syme, Engl. Bot. v. t. 821 (1866).
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, iii. t. 110 [1873].
*Hogg & Johnson, Wild Fl. Gr. Brit. ix. t. 703 (1876).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xxx. t. 3234 (1888).
Kerner, Pflanzenleben, ii. 234 (1891).—*Fl.*
Kerner & Oliv. Nat. Hist. Pl. ii. 236 (1895).—*Fl.*
C. T. Green, Fl. Liverpool Distr. fig. 363 (1902).
Coste, Fl. France, ii. 446 (1903).
Fiori & Paol. Ic. Fl. Ital. 470 (1904).
Blytt, Haandb. Norg. Fl. Ed. Dahl, 730 (1906).
*Sturm, Fl. Deutschl. Ed. 2, xiv. t. 55 (1906).
Heukels, Fl. Nederl. iii. 466 (1910).
Suireishchikov, Ill. Fl. Mosc. Gov. iii. 340 (1910).
Fitch & Smith, Ill. Brit. Fl. Ed. rev. 4, Iss. 2, fig. 601 (1919).
polyodon Phillips
Ann. S. African Mus. xvi. t. 6, fig. 3 (1917).
polytricha Turcz.
J. G. Gmelin, Fl. Sibir. ii. t. 8, fig. 1 (1749); fide Ledebour, Comm. 66.
pontana Dalla Torre
Fiori & Paol. Ic. Fl. Ital. 470 (1904).
praecox Balb.
Balbis in Mém. Acad. Sc. Turin, 1802–3, xv. 386, t. 9 (1804).
praemorsa Tausch
J. G. Gmelin, Fl. Sibir. ii. t. 13, fig. 2 (1749); fide Ledebour, Comm. 67.
*Zenker, Fl. Thüringen, iv. t. 370 (1836–55).
*Lorek, Fl. Pruss. Ed. 3, t. 184, fig. 985 (1848).
Reichenbach, Ic. Fl. Germ. xix. t. 1454 (1859).
*Cusin, Herb. Fl. Franç. xiv (Composées), t. 534 (1874).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xxx. t. 3223 (1888).
Garcke, Ill. Fl. Deutschl. 362 (1895).
Coste, Fl. France, ii. 444 (1903).
Fiori & Paol. Ic. Fl. Ital. 471 (1904).
*Sturm, Fl. Deutschl. Ed. 2, xiv. t. 53 (1906).
Fedtschenko & Fler. Fl. Eur. Russia, 1062 (1910).
Suireishchikov, Ill. Fl. Mosc. Gov. iii. 337 (1910).
Lindman, Svensk Fanerogamfl. 525 (1918).—*Fl.*
—— **incarnata** Tausch
Fiori & Paol. Ic. Fl. Ital. 471 (1904).
pulchra Linn.
Hill, Veget. Syst. iii. t. 131 (1762).
*Krocker, Fl. Siles. ii. II. t. 37 (1790).
*Schkuhr, Bot. Handb. Ed. 2, t. 222 (1808).—*Fl.*
*Sowerby & Sm. Engl. Bot. xxxiii. t. 2325 (1812).
[M. E.] Jackson, Pict. Fl. fig. 1162 (1840).
*Deakin, Florigr. Brit. iii. fig. 1213 (1847).
Migout, Fl. Dépt. Allier, t. 12 (1866).—*Fl.*
Cesati, Passer. & Gibelli, Comp. Fl. Ital. t. 70 (1867–86).—*Fl.*
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, iii. t. 110 [1873].
*Cusin, Herb. Fl. Franç. xiv (Composées), t. 542 (1874).
Willkomm, Führ. Reich Pflanzen, 419 (1882).—*Fl.*
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xxx. t. 3232 (1888).
Paolucci, Fl. Marchig. t. 23 (1890).—*Fr.*
Britton & Brown, Ill. Fl. N. States & Canada, iii. 280 (1898); Ed. 2, iii. 325 (1913).
Coste, Fl. France, ii. 445 (1903).

CREPIS
pulchra
Fiori & Paol. Ic. Fl. Ital. 469 (1904).
Cadevall & Sallent, Fl. Catalunya, iii. 471 (1917).
pygmaea Linn.
Hill, Veget. Syst. iii. t. 130 (1762).
Cesati, Passer. & Gibelli, Comp. Fl. Ital. t. 70 (1867–86).—*Fl.*
*Cusin, Herb. Fl. Franç. xiv (Composées), t. 543 (1874).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xxx. t. 3236 (1888).
Coste, Fl. France, ii. 444 (1903).
Fiori & Paol. Ic. Fl. Ital. 469 (1904).
*Flahault, Nouv. Fl. Alpes & Pyrén. i. t. 79 (1906).
*Senn, Alpen-Flora, ii. t. 79 (1906).
Schroeter, Pflanzenleb. Alp. 548 (1908).
Cadevall & Sallent, Fl. Catalunya, iii. 473 (1917).
Schröter in Jahrb. Schweiz. Alpenclub, lii. 175 (1917).
radicata Sibth. & Sm.
*Sibthorp & Sm. Fl. Graeca, viii. t. 800 (1833).
recognita Hall. f.
*Cusin, Herb. Fl. Franç. xiv (Composées), t. 522 (1874).
Reuteriana aggregata Bornm.
Beih. Bot. Centralbl. xxxi. II. t. 1, fig. 9 (1914).—*Fl.*
rhagadioloides Linn.
*Jacquin, Hort. Schoenbr. ii. t. 144 (1797).
rhoeadifolia M. Bieb.
Flora, lxiii. t. 2, fig. 3 (1880).—*Veg.*
*Wagner, Magyar Gyomnöv. (Weeds of Hungary), t. 7 (1908).
rigida Waldst. & Kit.
*Waldstein & Kit. Pl. Rar. Hung. i. t. 19 (1802).
Reichenbach, Ic. Fl. Germ. xix. t. 1457 (1859).
rostrata Coville
Contrib. U.S. Nat. Herb. iii. t. 25 (1896).
rubra Linn.
*Kniphof, Herb. Viv. i. t. 329 (1758).
Hill, Veget. Syst. iii. t. 130 (1762).
*Mordant de Launay, Herb. Amat. i. t. 14 (1816).
*Drapiez, Herb. Amat. Fl. iii. t. 216 (1829).
*Sibthorp & Sm. Fl. Graeca, ix. t. 801 (1837).
Reichenbach, Ic. Fl. Germ. xix. t. 1435 (1859).
*Réveil, Règne Vég. xiv. t. 12 (1870).
Willkomm, Führ. Reich Pflanzen, 416 (1882).—*Fl.*
Nicholson, Illustr. Dict. Gard. i. 395 [1884–88].—*Hab.*
Bih. Svenska Vet. Akad. Handl. xix. III. No. 3, t. 3, fig. 36 (1893).—*Fl.*
Fiori & Paol. Ic. Fl. Ital. 467 (1904).
L. H. Bailey, Stand. Cycl. Hort. 889 (1914).
runcinata Torr. & Gray
Britton & Brown, Ill. Fl. N. States & Canada, iii. 280 (1898); Ed. 2, iii. 326 (1913).
*F. E. & E. S. Clements, Rocky Mt. Fl. t. 37 (1914).
Sahendi Buhse
Buhse, Pfl. Transkauk. & Pers. (Mem. Soc. Nat. Mosc. xviii), t. 10 (1860).
scopulorum Coville
Contrib. U.S. Nat. Herb. iii. t. 24 (1896).
scorzoneroides Rouy
Rouy, Illustr. Pl. Eur. Rar. fasc. 18, t. 441 (1903).
senecioides Del.
Delile, Fl. Égypte, t. 42 (1812).
setosa Hall. f.
*Sowerby & Sm. Engl. Bot. Suppl. iv. t. 2945 (1843–49).
Reichenbach, Ic. Fl. Germ. xix. t. 1435 (1859).
Johnson & Sowerby, Brit. Wild Fl. Suppl. fig. 1643 (1863).
*Syme, Engl. Bot. v. t. 817 (1866).
Cesati, Passer. & Gibelli, Comp. Fl. Ital. t. 70 (1867–86).—*Fr.*
*Cusin, Herb. Fl. Franç. xiv (Composées), t. 524 (1874).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xxx. t. 3222 (1888).
Coste, Fl. France, ii. 442 (1903).
Fiori & Paol. Ic. Fl. Ital. 468 (1904).
*Sturm, Fl. Deutschl. Ed. 2, xiv. t. 52 (1906).
Heukels, Fl. Nederl. iii. 464 (1910).
Lindman, Svensk Fanerogamfl. 556 (1918).—*Fr.*

CREPIS
sibirica Linn.
J. G. Gmelin, Fl. Sibir. ii. t. 10 (1749); fide Ledebour, Comm. 66.
Hill, Veget. Syst. iii. t. 131 (1762).
Reichenbach, Ic. Fl. Germ. xix. t. 1458 (1859).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xxx. t. 3239 (1888).
Garden, liii. 493 (1898).—*Hab.*
Suireishchikov, Ill. Fl. Mosc. Gov. iii. 340 (1910).
Hayek, Pflanzend. Oesterr.-Ung. i. 227 (1914).
sorocephala Hemsl.
Journ. Linn. Soc., Bot. xxx. t. 4 (1895).
spathulata Lam.
Lamarck, Ill. iv. t. 651, fig. 3 (1797).
stolonifera Lévl.
Léveillé, Cat. Ill. Pl. Seu Tchouen, t. 19 (1918).
stricta Scop.
Scopoli, Fl. Carn. Ed. 2, ii. t. 47 (1772).
Reichenbach, Pl. Crit. iv. t. 307 (1826).
—— **bellidifolia** Mutel
Mutel, Fl. Française, t. 33 (1834).
—— **intermedia** Mutel
Mutel, Fl. Française, t. 33 (1834).
subacaulis Coville
Contrib. U.S. Nat. Herb. iii. t. 23 (1896).
succisifolia Tausch
*Zenker, Fl. Thüringen, xii. t. 1366 (1836–55).
*Deakin, Florigr. Brit. iii. fig. 1214 (1847).
Reichenbach, Ic. Fl. Germ. xix. t. 1461 (1859).
*Syme, Engl. Bot. v. t. 820 (1866).
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, iii. t. 110 [1873].
*Cusin, Herb. Fl. Franç. xiv (Composées), t. 545 (1874).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xxx. t. 3235 (1888).
Coste, Fl. France, ii. 447 (1903).
Sturm, Fl. Deutschl. Ed. 2, xiv. 115 (1906).
Cadevall & Sallent, Fl. Catalunya, iii. 473 (1917).
Suffreniana Lloyd
Reichenbach, Ic. Fl. Germ. xix. t. 1438 (1859).
*Cusin, Herb. Fl. Franç. xiv (Composées), t. 528 (1874).
Coste, Fl. France, ii. 442 (1903).
Fiori & Paol. Ic. Fl. Ital. 468 (1904).
taraxacifolia Thuill.
*Sowerby & Sm. Engl. Bot. Suppl. iv. t. 2929 (1843–49).
Reichenbach, Ic. Fl. Germ. xix. t. 1437 (1859).
Johnson & Sowerby, Brit. Wild Fl. Suppl. fig. 1644 (1863).
Bentham, Handb. Brit. Fl. fig. 588 (1865).
*Syme, Engl. Bot. v. t. 816 (1866).
*Cusin, Herb. Fl. Franç. xiv (Composées), t. 521 (1874).
*Hogg & Johnson, Wild Fl. Gr. Brit. ix. t. 709 (1876).
Wagner, Ill. Deutsche Fl. Ed. 2, p. 463 (1882).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xxx. t. 3221 (1888).
Acloque, Fl. France, 424 (1894).—*Fl.*
Coste, Fl. France, ii. 442 (1903).
Heukels, Fl. Nederl. iii. 464 (1910).
Lindman, Svensk Fanerogamfl. 556 (1918).—*Fr.*
Fitch & Smith, Ill. Brit. Fl. Ed. rev. 4, Iss. 2, fig. 596 (1919).
tectorum Linn.
J. G. Gmelin, Fl. Sibir. ii. t. 12 (1749); fide Ledebour, Comm. 66.
Hill, Veget. Syst. iii. t. 131 (1762).
Hill, Herb. Brit. i. t. 44 (1769).
Walcott, Fl. Brit. Indig. [t. 128] (1778).
Hoppe, Ect. Pl. Ratisb. t. 669 (1791).
*Curtis, Fl. Londin. ii. fasc. v. t. 55 (1798); Ed. 2, iii. fasc. v. t. 55 (1826).
*Sowerby & Sm. Engl. Bot. xvi. t. 1111 (1803).
*Schkuhr, Bot. Handb. Ed. 2, t. 222 (1808).—*Fr.*
*Zenker, Fl. Thüringen, xii. t. 1365 (1836–55).
[M. E.] Jackson, Pict. Fl. fig. 1163 (1840).
*Dietrich, Fl. Boruss. ix. t. 610 (1841).
*Lorek, Fl. Pruss. Ed. 3, t. 184, fig. 983 (1848).
Johnson & Sowerby, Brit. Wild Fl. fig. 665 (1858–60).
Reichenbach, Ic. Fl. Germ. xix. t. 1452 (1859).

CREPIS
tectorum
*Schubert, Naturg., Pflanzenreich, Ed. 2, t. 40, fig. 10 [1865].
*Cusin, Herb. Fl. Franç. xiv (Composées), t. 541 (1874).
*C. Hoffmann, Pflanzenatlas, t. 65, fig. 404 (1881).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xxx. t. 3230 (1888).
*Thomé, Fl. Deutschl. iv. t. 610 (1889).
Paolucci, Fl. Marchig. t. 23 (1890).—*Fr.*
*Masclef, Atlas Pl. France, t. 196 (1893).
Britton & Brown, Ill. Fl. N. States & Canada, iii. 281 (1898); Ed. 2, iii. 326 (1913).
*Behrens, Blattformen, t. 31, fig. g, h (1900).—*Veg.*
Coste, Fl. France, ii. 445 (1903).
Fiori & Paol. Ic. Fl. Ital. 469 (1904).
Blytt, Haandb. Norg. Fl. Ed. Dahl, 731 (1906).
Heukels, Fl. Nederl. iii. 465 (1910).
Suireishchikov, Ill. Fl. Mosc. Gov. iii. 338 (1910).
Bull. Angew. Bot. vii. t. 116 (1914).—*Fr.*
Lindman, Svensk Fanerogamfl. 525, 556 (1918).
tenuifolia Willd.
J. G. Gmelin, Fl. Sibir. ii. t. 6 (1749); fide Ledebour, Comm. 65.
terglouensis A. Kern.
*Hartinger, Atlas Alpenfl. v. t. 493 (1897).
Fiori & Paol. Ic. Fl. Ital. 470 (1904).
Schroeter, Pflanzenleb. Alp. 548 (1908).
Triasii Nym.
*Willkomm, Ill. Fl. Hispan. Balear. i. t. 51, fig. B (1881–85).
Velenovskyi Dom.
Domin in Sitzb. Böhm. Ges. Wiss. 1904, tab. (1905).
vesicaria Linn.
Hill, Veget. Syst. iii. t. 130 (1762).
Reichenbach, Ic. Fl. Germ. xix. t. 1437 (1859).
Fiori & Paol. Ic. Fl. Ital. 468 (1904).
virens Linn.
Santi, Viaggio Montamiata, t. 2 (1795).
*Schkuhr, Bot. Handb. Ed. 2, t. 222 (1808).—*Fl.*
Monnier, Essai Hierac. t. 3 (1829).—*Fr.*
*Zenker, Fl. Thüringen, xii. t. 1378 (1836–55).
*Baxter, Brit. Bot. Ed. 2, v. t. 366 (1840).
*Deakin, Florigr. Brit. iii. fig. 1211 (1847).
*Petermann, Deutschl. Fl. t. 55, fig. 433 (1849).—*Fl.*
*Fl. Dan. xv. t. 2544 (1852).
Bentham, Handb. Brit. Fl. fig. 590 (1865).
*Schnizlein, Iconogr. ii. t. 120 b (1866–70).—*Fl.*
*Syme, Engl. Bot. v. t. 818 (1866).
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, iii. t. 110 [1873].
*Cusin, Herb. Fl. Franç. xiv (Composées), t. 537 (1874).
*Hogg & Johnson, Wild Fl. Gr. Brit. ix. t. 661 (1876).
Nobbe, Handb. Samenkunde, 449 (1876).—*Fr.*
De Silvestri, Piante Prat. 247 (1879).
Wagner, Ill. Deutsche Fl. Ed. 2, p. 464 (1882).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xxx. t. 3231 (1888).
Potonié, Ill. Fl. Nord- u. Mittel-Deutschl. Ed. 4, fig. 594 (1889).
Acloque, Fl. France, 424 (1894).—*Fl.*
Britton & Brown, Ill. Fl. N. States & Canada, iii. 281 (1898).
C. T. Green, Fl. Liverpool Distr. fig. 362 (1902).
Coste, Fl. France, ii. 445 (1903).
Fiori & Paol. Ic. Fl. Ital. 469 (1904).
Merino, Fl. Galicia, ii. 479 (1906).
Black, Nat. Fl. S. Australia, 104 (1909).
Fedtschenko & Fler. Fl. Eur. Russia, 1062 (1910).
Heukels, Fl. Nederl. iii. 466 (1910).
S. F. Armstrong, Brit. Grass. 144 (1917).—*Fr.*
Cadevall & Sallent, Fl. Catalunya, iii. 471 (1917).
Fitch & Smith, Ill. Brit. Fl. Ed. rev. 4, Iss. 2, fig. 598 (1919).
*Horwood, Brit. Wild Fl. iv. t. 47, p. 203 (1919).
—— **agrestis** Bisch.
Reichenbach, Ic. Fl. Germ. xix. t. 1451 (1859).
*Cusin, Herb. Fl. Franç. xiv (Composées), t. 540 (1874).
—— **capillaris** Fries
*Fl. Dan. xv. t. 2545 (1852).

CREPIS
virens dentata Bisch.
Reichenbach, Ic. Fl. Germ. xix. t. 1451 (1859).
—— **diffusa** Gren. & Godr.
Cusin, Herb. Fl. Franç. xiv (Composées), t. 539 (1874).
—— **gracilis** Cusin
Cusin, Herb. Fl. Franç. xiv (Composées), t. 538 (1874).
—— **pectinata** Bisch.
Reichenbach, Ic. Fl. Germ. xix. t. 1451 (1859).
—— **runcinata** Bisch.
Reichenbach, Ic. Fl. Germ. xix. t. 1451 (1859).
virgata Desf.
Act. Soc. Hist. Nat. Paris, i. t. 8 (1792).

CRESCENTIA Linn.
alata H. B. K.
Vidal, Sin. Fam. & Gen. Pl. Leñ. Filip. (Introd. Fl. For. Filip.), Atlas, t. 73, fig. c (1883).
Plant World, vi. t. 28 (1903).
coriacea Miers
Trans. Linn. Soc. London, xxvi. t. 9 (1868).
cucurbitina Linn.
Gaertner f., Fruct. iii. t. 223 (1807).—*Fr.*
Lindley, Veg. Kingd. 673, 674 (1846).—*Fr.*
Sargent, Silva N. Amer. vi. t. 293, 294 (1894).
Sargent, Man. Trees N. Amer. 797 (1905).
cujete Linn.
Jacquin, Sel. Stirp. Amer. Hist. t. 111 (1763).
*Jacquin, Sel. Stirp. Amer. Hist. Picta, t. 167 [1780].
Durand, Voy. Senegal, Atlas, t. 41 (1802).
*Jacquin, Fragm. t. 33 (1809).
*Titford, Sketches Hort. Bot. Amer. t. 8 (1812).
Mirbel, Élém. Phys. Vég. Bot. iii. t. 4, fig. 2 (1815).—*Hab.*
*Tussac, Fl. Antilles, ii. t. 19 (1818).
*Descourtilz, Fl. Pitt. & Méd. Antilles, iv. t. 244 (1827).
*Bot. Mag. lxii. t. 3430 (1835).
Schnizlein, Iconogr. ii. t. 152 (1856–65).
*Nuttall, N. Amer. Sylva, ii. t. 103 (1865).
Baillon, Hist. Pl. x. 18 (1891).—*Fl.*
Lubbock, Seedlings, ii. 345 (1892).—*Veg.*
Pflanzenfam. iv. III. B. 245 (1895).—*Fl.*
Bull. Herb. Boiss. iv. t. 1 (1896).—*Hab.*
Bot. Tidsskr. xxii. t. 10 (1898).—*Hab.*
Contrib. U.S. Nat. Herb. viii. t. 32 (1903).—*Hab.*
Knuth, Handb. Blütenbiol. iii. II. 142 (1905).—*Fl.*
Trop. Agric. xxv. No. 3, p. 496 (1905).—*Fr.*
Britton, N. Amer. Trees, 837 (1908).
L. H. Bailey, Stand. Cycl. Hort. 890 (1914).
cujete Vell.
Vellozo, Fl. Flum. vi. t. 103 (1827).
edulis Desv.
*Descourtilz, Fl. Pitt. & Méd. Antilles, v. t. 318 (1827).
fasciculata Miers
Trans. Linn. Soc. London, xxvi. t. 8 (1868).
latifolia Mill.
Lamarck, Ill. iii. t. 547 (1797).
*Descourtilz, Fl. Pitt. & Méd. Antilles, iii. t. 182 (1827).
Britton, N. Amer. Trees, 839 (1908).
lethifera Tuss.
*Tussac, Fl. Antilles, iv. t. 17 (1827) in textu; *C. toxicaria* in ic.
linearifolia Miers
Trans. Linn. Soc. London, xxvi. t. 8 (1868).
macrophylla Seem.
*Bot. Mag. lxxx. t. 4822 (1854).
Gartenwelt, iii. 569 (1899).
nigripes Linden
Rev. Hort. 1882, p. 464.
Bellair & St.-Léger, Pl. Serre, 613 (1900).
obovata Benth.
Bentham, Bot. Voy. Sulphur, t. 46 (1844).
Lindley, Veg. Kingd. 673 (1846).
pinnata Jacq.
*Jacquin, Collect. iii. t. 18 (1789).—*Fl.*
*Jacquin, Fragm. t. 33 (1809).
plectantha Miers
Trans. Linn. Soc. London, xxvi. t. 7 (1868).
Trop. Agric. xxv. No. 3, p. 496 (1905).—*Fr.*

CRESCENTIA
toxicaria Tuss.
*Tussac, Fl. Antilles, iv. t. 17 (1827) in ic.; *C. lethifera* in textu.
trifolia Blanco
*Blanco, Fl. Filip. t. 327 (1878–80).

CRESSA Linn.
aphylla Heller
Contrib. Herb. Frankl. & Marsh. Coll. 1894, No. 1, t. 5 (1895).
cretica Linn.
Lamarck, Ill. i. t. 183 (1797).
*Sibthorp & Sm. Fl. Graeca, iii. t. 256 (1819).
Reichenbach, Ic. Fl. Germ. xviii. t. 1335 (1858).
Cesati, Passer. & Gibelli, Comp. Fl. Ital. t. 60 (1867–86).—*Fl.*
*Cusin, Herb. Fl. Franç. xvi (Convolvulacées), t. 14 (1875).
Baillon, Hist. Pl. x. 313 (1891).—*Fl.*
Pflanzenfam. iv. III. A. 15 (1891).
Acloque, Fl. France, 467 (1894).
Fiori & Paol. Ic. Fl. Ital. 337 (1902).
Coste, Fl. France, ii. 572 (1903).
Basu, Ind. Med. Pl. t. 669 (1918).
—— **australis** Willk.
*Willkomm, Ill. Fl. Hispan. Balear. i. t. 10, fig. 1–4 (1881–85).—*Fl.*
—— **Loscosii** Trem.
*Willkomm, Ill. Fl. Hispan. Balear. i. t. 10, fig. A (1881–85).
—— **occidentalis** Willk.
Willkomm, Ill. Fl. Hispan. Balear. i. t. 10, fig. 5–7 (1881–85).—*Fl.*
—— **orientalis** Willk.
*Willkomm, Ill. Fl. Hispan. Balear. i. t. 10, fig. α–ε (1881–85).—*Fl.*
—— **truxillensis** Chois.
Hilgard in Bull. Agric. St. California, No. 128, p. 44 (1900).
depressa Goodding
Muhlenbergia, viii. 142 (1913).—*Fl.*
indica Retz.
*Wight, Illustr. Ind. Bot. ii. t. 168 bis (1850).—*Fl.*
minima Heller
Muhlenbergia, viii. 142 (1913); errore *C. depressa* in ic.
pumila Heller
Muhlenbergia, viii. 142 (1913).
vallicola Heller
Muhlenbergia, viii. 141 (1913).

CRINITA Houtt.: *Pavetta*
capensis Houtt.
*Houttuyn, Handl. Pl. & Kruidk. vii. t. 40, fig. 1 (1777).

CRINODENDRON Molina—Vide *Tricuspidaria*
dependens O. Kuntze
Schneider, Ill. Handb. Laubh. ii. 365 (1909).—*Veg.*
Hookeri Hort.
Gartenfl. xxxi. 19 (1882).
Garden, xxxviii. 273 (1890).—*Hab.*
Hookerianum C. Gay
Miers, Contrib. Bot. ii. t. 83 (1860–69).
*Garden, xviii. 542 (1880).
Sempervirens, x. 412 (1881).
Ill. Gartenzeit. Stuttgart, xxvi. t. 2 (1882).
Gard. Month. & Hort., Meehan, xxv. 109 (1883).
Journ. Hort. Ser. III. vi. 97 (1883).
Castillo & Dey, Jeogr. Vej. Rio Valdivia, Ed. 2, i. 76 (1908).
Eden Phillpotts, My Shrubs, 36 (1915).
patagua Molina
Cavanilles, Diss. t. 158, fig. 1, A–d (1788).
Hooker, Bot. Misc. iii. t. 100 (1833).
Pflanzenfam. iii. VI. 4 (1890).—*Fl.*
Schneider, Ill. Handb. Laubh. ii. 364, 365 (1909).

CRINONIA Bl.: *Pholidota*
carnea Bl.
Blume, Tab. Jav. Orch. t. 41 (1825).—*Fl.*
Pflanzenreich, Orch.-Coel. 135 (1907).—*Fl.*
globosa Bl.
Pflanzenreich, Orch.-Coel. 135 (1907).—*Fl.*

CRINUM Linn.—Vide *Amaryllis* (5), *Stenolirion*
abyssinicum Hochst.
Gartenfl. xli. 413 (1892).—*Hab.*
Wien. Ill. Gart.-Zeit. xxi. 236 (1896).—*Hab.*
Thonner, Blütenpfl. Afr. t. 19 (1908).
africanum Linn.
Gaertner, Fruct. ii. t. 83 (1791).—*Fr.*
Lamarck, Ill. ii. t. 234 (1797).—*Fl.*
amabile Donn
*Bot. Mag. xxxix. t. 1605, A, B (1813).
*Fortsetz. Allg. Teutsch. Gart. Mag. ii. t. 14, A, B (1816–18).
*Joh. Kerner, Hort. Sempervir. t. 553 (1819).
*Géel, Sert. Bot. Cl. 6 (1832).
*Hartinger, Parad. Vindob. t. 9 (1844–60).
*Rev. Hort. Ser. IV. v. 241 (1856).
Wien. Ill. Gart.-Zeit. xv. 358 (1890).—*Hab.*
—— **augustum** Herb.
*Bot. Reg. viii. t. 679 (1823).
*Ann. Blumisterei, xi [t. 3] (1835).
americanum Linn.
Dillenius, Hort. Eltham. Add. Denom. Linn. t. 161 (1774).
*Bot. Mag. xxvi. t. 1034 (1807).
*Redouté, Liliac. vi. t. 322 (1812) in ic.; *C. Commelinii* in textu.
*Redouté, Liliac. vi. t. 332 (1812).
*Descourtilz, Fl. Pitt. & Méd. Antilles, viii. t. 552 (1829).
L. H. Bailey, Cycl. Amer. Hort. 399 (1900); Stand. Cycl. Hort. 893 (1914).—*Hab.*
*Addisonia, i. t. 11 (1916).
Ann. Rep. Smithson. Inst. 1917, p. 381 (1918).—*Veg.*
ammocharoides Baker
Hoehnel, Disc. Lakes Rudolf & Stefanie, transl. Angl. ii. 180 (1894).
amoenum Roxb.
Herbert, Appendix [t. 2] (1821).—*Fl.*
Herbert, Amar. t. 44, fig. 6 (1837).—*Fl.*
Jardin, v. 43 (1891).
—— **Mearsii** Bedd.
Gard. Chron. Ser. III. xlii. 62 (1907).
angustifolium R. Br.
*Houttuyn, Handl. Pl. & Kruidk. xii. t. 81, fig. 3 (1780).
F. M. Bailey & Gordon, Pl. Poison. 99 (1887).
angustum Steud.
Krelage in Tijdschr. Tuinb. Ed. Bos, iii. fig. 11, 33 (1898).—*Hab.*
aquaticum Herb.
*Bot. Mag. xlix. t. 2352 (1822).
arenarium Herb.
*Bot. Mag. xlix. t. 2355 (1822); lii. t. 2531 (1824).
asiaticum Linn.
Rumphius, Herb. Amboin. vi. t. 69 (1750); fide Merrill, Interpret. Rumph. Herb. Amboin.
Buchoz, Hist. Règne Vég. ix. Dec. 7, t. 5 (1775).
*Houttuyn, Handl. Pl. & Kruidk. xii. t. 81, fig. 2 (1780).—*Fl.*
*Bot. Mag. xxvii. t. 1073 (1807).
*Redouté, Liliac. vi. t. 348 (1812).
*Bentley & Trim. Med. Pl. iv. t. 275 (1880).
Goebel, Pflanzenbiol. Schild. i. 130 (1889).
Gard. & Forest, iv. 283 (1891).
Baillon, Hist. Pl. xiii. 8 (1894).
*Kloppenburg-Versteegh, Pl. Atlas, t. 7 [1907].
Rechinger in Denkschr. Akad. Wiss. Wien, lxxxv. 243 (1910).—*Hab.*
Basu, Ind. Med. Pl. t. 957 (1918).
Bose, Man. Ind. Bot. 286 (1920).
—— **bracteatum angustius** Herb.
Herbert, Amar. t. 44, fig. 5, 19 (1837).—*Fl.*
—— **declinatum** Kunth
*Useful Pl. Jap. iii. t. 941 (1895).
asiaticum Blanco
*Blanco, Fl. Filip. t. 168 (1878–80).
attenuatum Willd.
Wettstein, Veg. Südbras. 28 (1904).—*Fr.*
augustum Roxb.
*Bot. Mag. l. t. 2397 (1823).
*Bury, Hexandr. Pl. t. 4 (1831–34).
australasicum arenarium Herb.
*J. W. Loudon, Ladies' Fl.-Gard. Ornam. Bulb. Pl. t. 34 (1841).

CRINUM
australe canaliculatum Roxb.
Herbert, Amar. t. 44, fig. 10, 37 (1837).—*Fl.*
—— **exaltatum** Herb.
Herbert, Amar. t. 44, fig. 21 (1837).—*Fr.*
—— **pedunculatum** Kunth
Gartenfl. xxxi. 371 (1882).
Balfourii Baker
*Bot. Mag. cvii. t. 6570 (1881).
Belleymei Hérincq
*Horticulteur Franç. 1857, t. 19.
brachynema Herb.
*Bot. Mag. xcvii. t. 5937 (1871).
*Fl. des Serres, Ser. II. xii. t. 2303 (1876).
Garden, xxiv. 135 (1883).—*Fl.*
Woodrow, Gardening Tropics, 542 [1910].—*Hab.*
bracteatum Willd.
*Jacquin, Hort. Schoenbr. iv. t. 495 (1804).
*Bot. Reg. iii. t. 179 (1817).
—— **purpurascens** Hort.
Florist, 1879, p. 109.
brevifolium Roxb.
Herbert, Appendix, [t. 2] (1821).—*Fr.*
brevistylum F. M. Bailey
Queensland Agric. Journ. ii. t. 17 (1898).—*Fl.*
F. M. Bailey, Queensland Fl. t. 71 (1902).
brisbanicum F. M. Bailey
F. M. Bailey, Queensland Fl. t. 73 (1902).
Broussonetii Herb.
*Bot. Mag. xlvii. t. 2121 (1820).
*Lodd. Bot. Cab. vii. t. 688 (1822).
*Bury, Hexandr. Pl. t. 21 (1831–34) in textu; *C. yuccaeoides* in ic.
*Géel, Sert. Bot. Cl. 6 (1832).
Reichenbach, Fl. Exot. i. t. 48 (1834).
Herbert, Amar. t. 44, fig. 13 (1837).—*Fl.*
capense Herb.
Herbert, Appendix, [t. 2] (1821).—*Fl.*
Herbert, Amar. t. 44, fig. 2, 20, 36 (1837).—*Fl.*
*Maund, Botanist, i. t. 39 (1837).
van Hall in Tijdschr. Nat. Gesch. vii. t. 3, fig. 1–21 (1840).
Irmisch, Beitr. Morph. Amaryllid. t. 6 (1860).—*Veg.*
Garden, lii. 123 (1897); lxxi. 379 (1907).
Gard. Chron. Ser. III. xxvii. 98 (1900).—*Hab.*
Beaurieux, Observ. Anat. Physiol. Crinum capense (Archiv. Inst. Bot. Univ. Liége, v), 7, 14, 20, 22, 31 (1914).
—— **riparium** Herb.
*Bot. Mag. liii. t. 2688 (1826).
Herbert, Amar. t. 44, fig. 1 (1837).—*Fl.*
Careyanum Herb.
*Bot. Mag. li. t. 2466 (1824).
caspium Pall.
Pallas, Reise Russ. ii. II. t. Q (1773).
Pallas, Voyages, ii. t. 11 (1789).
ceylanicum Linn.
Rumphius, Herb. Amboin. v. t. 105 (1747); fide Merrill, Interpret. Rumph. Herb. Amboin.
*Plantarum Indig. & Exot. Ic. i [t. 16] (1788).
*Ann. Blumisterei, i. 225 (1825); iv [t. 19] (1828).
*Bury, Hexandr. Pl. t. 29 (1831–34).
Gard. Chron. xxi. 648 (1884).—*Hab.*
H. H. Johnston, River Congo, 207 (1895).—*Hab.*
Commelinii Jacq.
*Jacquin, Hort. Schoenbr. ii. t. 202 (1797).
*Joh. Kerner, Hort. Sempervir. t. 333 (1811).
*Redouté, Liliac. vi. t. 322 (1812) in textu; *C. americanum* in ic.
Wettstein, Handb. Syst. Bot. Ed. 2, p. 804 (1911).
confertum Herb.
*Bot. Mag. li. t. 2522 (1824).
congolense De Wild.
De Wildeman, Miss. É. Laurent, ii. t. 109–11 (1907).
Tribune Hort. iv. t. 144 (1909).—*Fl.*
cruentum Ker-Gawl.
*Bot. Reg. ii. t. 171 (1817).
*Lodd. Bot. Cab. iv. t. 346 (1819).
Herbert, Appendix, [t. 2] (1821).—*Fr.*
*Bury, Hexandr. Pl. t. 22 (1831–34).
*Géel, Sert. Bot. Cl. 6 (1832).

CRINUM
cruentum
*Reichenbach, Fl. Exot. iii. t. 192 (1835).
Herbert, Amar. t. 44, fig. 9, 16 (1837).—*Fl.*
declinatum Herb.
*Bot. Mag. xlviii. t. 2231 (1821).
*Bury, Hexandr. Pl. t. 43 (1831–34).
defixum Ker-Gawl.
*Lodd. Bot. Cab. iv. t. 362 (1819).
Herbert, Appendix, [t. 2] (1821).—*Fr.*
*Bot. Mag. xlviii. t. 2208 (1821).
Herbert, Amar. t. 44, fig. 18 (1837).—*Fr.*
Rev. Hort. 1916, p. 121.
Douglasii F. M. Bailey
F. M. Bailey, Queensland Fl. t. 70 (1902).
elegans Carey
*Bot. Mag. lii. t. 2592 (1825).
ensifolium Roxb.
Rheede, Hort. Mal. xi. t. 38 (1692); fide Fl. Brit. Ind. vi. 281.
Herbert, Appendix, [t. 2] (1821).—*Fl.*
*Bot. Mag. xlix. t. 2301 (1822).
Herbert, Amar. t. 44, fig. 7 (1837).—*Fl.*
erubescens Soland.
*Joh. Kerner, Hort. Sempervir. ii. t. 72 (1800).
*Redouté, Liliac. i. t. 27 (1802).
*Jacquin, Hort. Schoenbr. iv. t. 494 (1804).
*Bot. Mag. xxx. t. 1232 (1809).
*Lodd. Bot. Cab. i. t. 31 (1818).
Herbert, Appendix, [t. 2] (1821).—*Fr.*
*Mordant de Launay, Herb. Amat. vii. t. 478 (1824).
Ann. Sc. Nat. Paris, ii. Atlas, t. 1 (1824).
*Drapiez, Herb. Amat. Fl. v. t. 342 (1831).
*Bury, Hexandr. Pl. t. 34 (1831–34).
Herbert, Amar. t. 44, fig. 12 (1837).
A. Braun in Abh. Akad. Berlin, 1859, t. 6, fig. 12 (1860).—*Fr.*
Wien. Ill. Gart.-Zeit. xvi. 349 (1891).—*Hab.*
exaltatum Herb.
Herbert, Appendix, [t. 2] (1821).—*Fr.*
falcatum Jacq.
*Jacquin, Hort. Vind. iii. t. 60 (1776).
fimbriatulum Baker
*Garden, lv. 92 (1899).
flaccidum Herb.
*Bot. Mag. xlvii. t. 2133 (1820).
Herbert, Amar. t. 44, fig. 11 (1837).—*Fl.*
F. Mueller, Key Syst. Victorian Pl. ii. fig. 116 a, b (1885).
Ewart, Pl. Victoria, ii. t. 94 (1910).
Forbesianum Herb.
*Bot. Mag. cvii. t. 6545 (1881).
giganteum Andr.
Andrews, Bot. Rep. iii. t. 169 (1801).
*Redouté, Liliac. iv. t. 181 (1808).
*Bury, Hexandr. Pl. t. 17 (1831–34).
*Bot. Mag. lxxxvi. t. 5205 (1860).
*Gartenfl. xiv. t. 459 (1865); xxvii. 378 (1878).
Trans. Russ. Hort. Soc. 1865, t. 162.
*Fl. des Serres, Ser. II. xiii. t. 2443, 2444 (1880).
Gard. & Forest, iv. 223 (1891).
!Ann. Jard. Bot. Buitenzorg, xix. t. 9, fig. 16, 17 (1904).—*Fl.*
Tribune Hort. i. t. 14 (1906).
De Wildeman, Miss. É. Laurent, i. 215; ii. t. 49, 50 (1906).
Teysmannia, xxiii. 6 (1912).—*Fl.*
L. H. Bailey, Stand. Cycl. Hort. 891 (1914).—*Veg.*
×govenium Herb.
*Trans. Hort. Soc. London, iii. t. 6 (1822).
Herbertianum Wall.
*Wallich, Pl. Asiat. Rar. ii. t. 145 (1831).
Hildebrandtii Vatke
*Bot. Mag. cix. t. 6709 (1883).
*Ill. Hort. xxxiii. t. 615 (1886).—*Fl.*
Journ. Hort. Ser. III. xv. 406 (1887); lii. 435 (1906).
humile Herb.
*Bot. Mag. liii. t. 2636 (1826).
×hybridum erubescente-capense Hook.
*Bot. Mag. xlix. t. 2336 (1822).
intermedium F. M. Bailey
Queensland Agric. Journ. N. Ser. i. t. 14 (1914).
jemenicum = *yemense*

CRINUM
jemense = *yemense*
Johnstonii Baker
*Bot. Mag. cxxviii. t. 7812 (1902).
Gard. Chron. Ser. III. l. Suppl. tab. p. 170 (1911).—*Fl.*
Kirkii Baker
*Bot. Mag. cvi. t. 6512 (1880).
Journ. Hort. Ser. III. vi. 429 (1883); xv. 407 (1887); xxiii. 205 (1891); liv. 435 (1907).
Neubert's Deutsch. Gart. Mag. xlviii. 461 (1895).—*Hab.*
Wien. Ill. Gart.-Zeit. xxi. 236 (1896).—*Hab.*
Oesterr. Gart.-Zeit. ii. 3 (1907).
Engler & Drude, Veget. Erde, ix. II. 350 (1908).
L. H. Bailey, Stand. Cycl. Hort. 891 (1914).—*Veg.*
Knyffii Morr.
*Belg. Hort. ii. t. 63, 63 bis (1852).
Kunthianum Roem.
Neubert's Deutsch. Gart. Mag. 1890, p. 344.
Wien. Ill. Gart.-Zeit. xv. 359 (1890).—*Hab.*
latifolium Linn.
Rheede, Hort. Mal. xi. t. 39 (1692); fide Fl. Brit. Ind. vi. 283.
*Andrews, Bot. Rep. vii. t. 478 (1807).
*Herbert, Amar. iii. t. 204 (1819).
[Kew MS.] Ic. Pl. China nasc. Bibl. Braam. t. [21] (1821).
*Drapiez, Herb. Amat. Fl. iii. t. 152 (1829).
*Bot. Reg. xv. t. 1297 (1830).
Wight, Ic. Pl. Ind. Or. vi. t. 2019, 2020 (1853).
*Bois, Dict. Hort. 393 (1893–99).
Basu, Ind. Med. Pl. t. 959 (1918).
—— **yemense** Hort.
Garden, lxxiii. 455 (1909).—*Hab.*
Laurentii Durand & De Wild.
*Rev. Hort. Belge, xxiii. 97 (1897).
Bull. Arboricult. Belg. 1898, p. 120.
De Wildeman, Miss. É. Laurent, ii. t. 47, 48 (1906).
Tribune Hort. i. t. 12 (1906).
De Wildeman, Fl. Études Bas- et Moyen-Congo (Ann. Mus. Congo), ii. t. 33 (1907).
Rev. Hort. 1907, p. 225.—*Hab.*
Gartenwelt, xvi. 78 (1912).
×**Lesemannii** G. Beck
*Wien. Ill. Gart.-Zeit. xxi. t. 1 (1896).—*Hab.*
leucophyllum Baker
*Bot. Mag. cx. t. 6783 (1884).
Engler & Drude, Veget. Erde, ix. II. 349 (1908).
lineare Linn. f.
Wien. Ill. Gart.-Zeit. xvi. 350 (1891).—*Hab.*
Bull. Soc. Tosc. Ortic. xvii. 134 (1892).—*Hab.*
Gartenfl. xli. 27 (1892).—*Hab.*
Gard. Chron. Ser. III. lx. 91 (1916).
longiflorum Herb.
Herbert, Appendix, [t. 2] (1821).—*Fl.*
Herbert, Amar. t. 44, fig. 4 (1837).—*Fl.*
Berge, Pflanzenphysiogn. 265 (1880).—*Hab.*
Nicholson, Illustr. Dict. Gard. i. 397 [1884–88].—*Hab.*
longifolium Roxb.
*Ann. Blumisterei, i. 225 [t. 19] (1825).
Wien. Ill. Gart.-Zeit. xxi. 237 (1896).—*Hab.*
Rev. Hort. 1900, p. 185.
—— **album** Hort.
Wien. Ill. Gart.-Zeit. xxi. 237 (1896).—*Hab.*
Macowanii Baker
*Bot. Mag. civ. t. 6381 (1878).
Wien. Ill. Gart.-Zeit. xxi. 238 (1896).—*Hab.*
Trans. & Proc. Bot. Soc. Edinb. xxi. 216 (1900).
macrantherum Engl.
Rechinger in Denkschr. Akad. Wiss. Wien, lxxxv. 243, 244 (1910).
Makoyanum Carr.
Rev. Hort. 1877, p. 417.—*Hab.*
*Rev. Hort. Belge, xiii. 241 (1887).
Neubert's Deutsch. Gart. Mag. xlvii. 609 (1894).—*Hab.*
Jardin, xxv. 53 (1911).—*Fl.*
mauritianum Lodd.
*Lodd. Bot. Cab. vii. t. 650 (1822).
moluccanum Roxb.
*Bot. Mag. xlix. t. 2292 (1822).
Géel, Sert. Bot. Cl. 6 (1832).
*Reichenbach, Fl. Exot. i. t. 47 (1834).

CRINUM
Moorei Hook. f.
*Bot. Mag. c. t. 6113 (1874).
*Garden, xix. 260 (1881); lix. 134 (1901); lxviii. 333 (1905).
*Rev. Hort. 1887, p. 300.
Gard. Chron. Ser. III. ii. 499 (1887); xlviii. 59 (1910).
Ill. Hort. xxxv. t. 50 (1888).—*Hab.*
Rev. Hort. Belge, xxii. 196 (1896).
Semaine Hort. 1898, p. 55.
L. H. Bailey, Cycl. Amer. Hort. 400 (1900); Stand. Cycl. Hort. 891, 894 (1914).
Bellair & St.-Léger, Pl. Serre, 615 (1900).—*Hab.*
Journ. Roy. Hort. Soc. London, xxviii. 421 (1903–4).—*Veg.*
Wood, Natal Pl. vi. 1. t. 504 (1909).
Proc. & Journ. Agric. & Hort. Soc. India, 1912, p. 31 (1913).
—— **album** Hort.
Gard. Chron. Ser. III. lvi. 223 (1914).—*Hab.*
—— **roseum** Hort.
*Rev. Hort. Belge, xxiii. 61 (1897).
—— **variegatum** Hort.
Neubert's Deutsch. Gart. Mag. xlix. 506 (1896).
natans Baker
*Bot. Mag. cxxviii. t. 7862 (1902).
H. H. Johnston, Liberia, ii. 550 (1906).—*Fl.*
nobile Hort.
Ill. Gartenzeit. Stuttgart, xxxi. 35 (1887).
Sempervirens, xvii. 214 (1888).
ornatum Herb.
*Bury, Hexandr. Pl. t. 18 (1831–34).
Rhein. Jahrb. Gartenkunde & Botanik. v. 194 (1887–88).
Velenovsky, Vergl. Morphol. Pfl. iii. 938 (1910).—*Fl.*
—— **Herbertianum** Kunth
*Gartenfl. xxii. t. 745 (1873).
—— **speciosum** Herb.
Herbert, Amar. t. 44, fig. 17 (1837).—*Fr.*
Paxtonii Herb.
Herbert, Amar. t. 44, fig. 24 (1837).—*Fl.*
×**pedunculato-ceylanicum** Bury
*Bury, Hexandr. Pl. t. 30 (1831–34).
pedunculatum R. Br.
*Bot. Reg. i. t. 52 (1815).
*Bury, Hexandr. Pl. t. 11 (1831–34).
Journ. Hort. Ser. III. iv. 367 (1882).
Brehm, Merv. Nat. Monde des Pl. ii. 571 (1894–96).—*Hab.*
F. M. Bailey, Queensland Fl. t. 69 (1902).
Guilfoyle, Austral. Pl. 440 [1911].—*Hab.*
—— **pacificum** Hort.
Sempervirens, xi. 336 (1882).—*Hab.*
Ill. Gartenzeit. Stuttgart, xxvii. t. 36 (1883).
Bull. Soc. Tosc. Ortic. xi. t. 11, p. 267 (1886).
pestilentis F. M. Bailey
Queensland Agric. Journ. ii. t. 17 (1898).—*Fl.*
F. M. Bailey, Queensland Fl. t. 72 (1902).
F. M. Bailey, Weeds & Poison. Pl. Queensland, 195 (1906).
petiolatum Herb.
Herbert, Appendix, [t. 2] (1821).—*Fr.*
—— **spectabile** Herb.
Herbert, Amar. t. 44, fig. 8, 14, 15 (1837).—*Fl.*
plicatum Livingst.
*Bot. Mag. lvi. t. 2908 (1829).
*Géel, Sert. Bot. Cl. 6 (1832).
*Reichenbach, Fl. Exot. iii. t. 193 (1835).
podophyllum Baker
*Bot. Mag. cvi. t. 6483 (1880).
×**Powellii** Hort.
*Garden, xxx. 371 (1886); xxxvii. 80 (1890); lxxix. 528 (1915); lxxxiii. 551, 553 (1919).
L. H. Bailey, Cycl. Amer. Hort. 400 (1900); Stand. Cycl. Hort. 891, 895 (1914).
Gartenwelt, xi. 374 (1907).
Silva Tarouca, Freiland-Stauden, 72 (1910).—*Hab.*
Jardin, xxv. 52 (1911).—*Fl.*
*Gard. Chron. Ser. III. lii. 98 (1912); lv. Suppl. tab. p. 419 (1914); lxvi. 251 (1919).
Journ. Roy. Hort. Soc. London, xxxix. 520, fig. 161 (1914).—*Hab.*

CRINUM
Powellii
New Phytologist, xviii. 124 (1919).—*Veg.*
—— **album** Hort.
Flora & Sylva, i. 43 (1903).
pratense Herb.
Wien. Ill. Gart.-Zeit. xvi. 350 (1891).—*Hab.*
Bull. Soc. Tosc. Ortic. xvii. 134 (1892).—*Hab.*
Gartenfl. xli. 49 (1892).—*Hab.*
Brehm, Merv. Nat. Monde des Pl. ii. 571 (1894–96).—*Hab.*
procerum Carey
*Bot. Mag. liii. t. 2684 (1826).
purpurascens Herb.
*Bot. Mag. cvi. t. 6525 (1880).
Pflanzenfam. ii. v. 109 (1888).
Journ. Hort. Ser. III. xxiii. 203 (1891); lv. 563 (1907).
Garden, lxxiv. 112 (1910).
Gard. Chron. Ser. III. xlvii. 114 (1910).
Journ. Roy. Hort. Soc. London, xxxvi. Proc. p. xlviii, fig. 75 (1911).
—— **angustilobum** De Wild.
De Wildeman, Études Fl. Bas- et Moyen-Congo (Ann. Mus. Congo), ii. t. 67, 68 (1907).
pusillum Herb.
Herbert, Amar. t. 32, fig. 3 (1837).
Rattrayi Hort.
Garden, lxvii. 239 (1905).—*Fl.*
Gard. Chron. Ser. III. xxxviii. 11 (1905).
Rev. Hort. 1905, p. 487.
Teysmannia, xxiii. 8 (1912).—*Fl.*
rhodanthum Baker
*Bot. Mag. cxxvii. t. 7777, 7778 (1901).
Gard. Chron. Ser. III. xxxiii. 315 (1903).—*Hab.*
riparium Herb.
Herbert, Appendix, [t. 1] (1821).—*Fl.*
Roozenianum O'Brien
Gartenfl. xliii. 40 (1894).—*Hab.*
Gard. Chron. Ser. III. xv. 199 (1894).
Rev. Hort. 1894, p. 129.—*Hab.*
Sanderianum Baker
Sempervirens, xiii. 332 (1884).—*Fl.*
Florist, 1884, p. 156.
Ill. Gartenzeit. Stuttgart, xxix. t. 35 (1885).—*Fl.*
Garten-Zeit. Berlin, v. 477 (1886).
Rev. Hort. Belge, xiv. 277 (1888).—*Fl.*
*Garden, lii. 122 (1897).
scabrum Herb.
*Bot. Mag. xlvii. t. 2180 (1820).
Herbert, Appendix, [t. 2] (1821).—*Fl.*
*Lodd. Bot. Cab. vi, t. 529 (1821).
*Bury, Hexandr. Pl. t. 32 (1831–34).
*Géel, Sert. Bot. Cl. 6 (1832).
*Hort. Belge Journ. Jard. & Amat. i. t. 7 (1833).
*Reichenbach, Fl. Exot. i. t. 49 (1834).
*Journ. Jard. 1835, p. 90.
Herbert, Amar. t. 44, fig. 3, 38 (1837).—*Fl.*
*Fl. des Serres, Ser. II. xi. t. 2216, 2217 (1875).
Schimperi Vatke
*Gartenfl. xxxviii. t. 1309 (1889).
*Bot. Mag. cxxi. t. 7417 (1895).
Schmidtii Regel
*Gartenfl. xxxi. t. 1072 (1882).
speciosum Herb.
Herbert, Appendix, [t. 2] (1821).—*Fr.*
*Bot. Mag. xlviii. t. 2217 (1821).
spirale Andr.
*Andrews, Bot. Rep. ii. t. 92 (1800).
*Mag. Bot. & Gard. iv. t. 51 (1836).
stenophyllum Baker
Basu, Ind. Med. Pl. t. 958 (1918).
strictum Herb.
*Bot. Mag. liii. t. 2635 (1826).
submersum Herb.
*Bot. Mag. li. t. 2463 (1824).
sumatranum Roxb.
*Bot. Reg. xiii. t. 1049 (1827).
taitense Red.
*Redouté, Liliac. vii. t. 408 (1813).
*Joh. Kerner, Hort. Sempervir. t. 445 (1816).
Ann. Sc. Nat. Paris, ii. Atlas, t. 1 (1824).
tenellum Linn. f.
*Jacquin, Ic. Pl. Rar. ii. t. 363 (1786–93).
Tinneanum Kotschy & Peyr.
Kotschy & Peyritsch, Pl. Tinneanae, t. 21 (1867).

CRINUM
toxicarium Roxb.
*Lodd. Bot. Cab. vii. t. 669 (1822).
Wight, Ic. Pl. Ind. Or. vi. t. 2021, 2022 (1853).
undulatum Hook.
*Hooker, Exot. Fl. iii. t. 200 (1827).
*Joh. Kerner, Hort. Sempervir. t. 832 (1830).
uniflorum F. Muell.
F. M. Bailey, Compr. Cat. Queensl. Pl. 545 (1909–13).
urceolatum Ruiz & Pav.
Ruiz & Pavon, Fl. Peruv. & Chil. iii. t. 287 (1802).
vanillodorum Welw.
*Ill. Hort. xxxiii. t. 617 (1886).
variabile Herb.
Herbert, Amar. t. 44, fig. 23 (1837).—*Fl.*
—— **roseum** Lindl.
*Bot. Reg. xxx. t. 9 (1844).
*Sweet, Ornam. Fl. Gard. iii. t. 193 (1854).
Vassei D. Bois
*Rev. Hort. 1908, p. 132.
venosum R. Br.
F. M. Bailey, Compr. Cat. Queensl. Pl. 544 (1909–13).
virgineum Mart.
*Horticulteur Univ. ii. 193 (1841).
Woodrowii Baker
*Bot. Mag. cxxiv. t. 7597 (1898).
yemense Defl.
Gartenfl. xli. 27 (1892).—*Hab.*
Bull. Soc. Tosc. Ortic. xvii. 133 (1892).—*Hab.*
Wien. Ill. Gart.-Zeit. xxi. 239 (1896).—*Hab.*
Gartenwelt, vi. 185 (1902).
—— **Schmidtii** Hort.
Gartenwelt, xi. 560 (1907).
yucciflorum Salisb.
*Salisbury, Parad. Londin. i. II. t. 52 (1806).
yuccioides Herb.
*Bury, Hexandr. Pl. t. 21 (1831–34) in ic.; *C. Broussoneti* in textu.
zeylanicum = *ceylanicum*

CRIOSANTHES Rafin.: *Cypripedium*
arietina House
*House, Wild Fl. New York (Mem. No. 15 N.Y. State Mus.), i. 67, t. 32 (1918).—*Hab.*

CRISTARIA Cav.
coccinea Sonn.
Sonnerat, Voy. Ind. Or. & Chine, t. 140 (1782).
coccinea Pursh
*Bot. Mag. xl. t. 1673 (1814).
*J. W. Loudon, Ladies' Fl.-Gard. Ornam. Perenn. i. t. 29 (1843).
glaucophylla Cav.
Cavanilles, Ic. v. t. 418 (1799).
multifida Cav.
Pflanzenfam. iii. VI. 42 (1890).—*Fr.*

CRISTATELLA Nutt.
erosa Nutt.
Journ. Acad. Nat. Sc. Philadelphia, vii. I. t. 9 (1834).
Pflanzenfam. iii. II. 221 (1891).—*Fl.*
Velenovsky, Vergl. Morphol. Pfl. iii. 1018 (1910).—*Fl.*
Jamesii Torr. & Gray
Gray & Sprague, Gen. Fl. Amer. i. t. 77 (1848).
Schnizlein, Iconogr. iii. t. 182 (1866–70).—*Fl.*
Britton & Brown, Ill. Fl. N. States & Canada, ii. 156 (1897); Ed. 2, ii. 198 (1913).

CRITAMUS Bess.: *Falcaria*
agrestis Bess.
*Petermann, Deutschl. Fl. t. 33, fig. 257 (1849).—*Fl.*

CRITHMUM Linn.
maritimum Linn.
Rumphius, Herb. Amboin. vi. t. 72, fig. 2 (1750); fide Merrill, Interpret. Rumph. Herb. Amboin.
*Kniphof, Herb. Viv. i. t. 332, 333 (1758).
Hill, Veget. Syst. vi. t. 26 (1764).
Hill, Herb. Brit. i. t. 77 (1769).
*Jacquin, Hort. Vind. i. t. 187 (1772).
*Zorn, Ic. Pl. Med. iv. t. 384 (1782).
*Joh. Kerner, Abbild. Oek. Pfl. (Fig. Pl. Écon.), i. t. 82 (1786).
*Plenck, Ic. Pl. Med. iii. t. 209 (1790).

CRITHMUM
maritimum
Lamarck, Ill. i. t. 197 (1797).
*Oskamp, Afb. Artseny-Gewass. v. t. 458 (1800).
*Sowerby & Sm. Engl. Bot. xii. t. 819 (1801).
Boissieu, Fl. Eur. i. t. 193 (1805).
*Schkuhr, Bot. Handb. Ed. 2, t. 64 (1808).
*Hill, Family Herbal, t. 41 (1812).
Thornton, Brit. Fl. ii. 109 (1812).
*Vietz, Ic. Pl. Med.-oec.-techn. v. t. 448 (1817).
Meigen, Deutschl. Fl. ii. t. 52 (1837).—*Fl.*
*Baxter, Brit. Bot. Ed. 2, iv. t. 267 (1839).
[M. E.] Jackson, Pict. Fl. fig. 452 (1840).
*Deakin, Florigr. Brit. i. fig. 447 (1841).
*Burnett, Pl. Util. i. 29, b (1842).
*J. W. Loudon, Brit. Wild Fl. Ed. 2, t. 38 [1846].
Lindley, Med. & Oecon. Bot. 248 (1849).—*Fr.*
*Petermann, Deutschl. Fl. t. 36, fig. 279 (1849).—*Fl.*
Johnson & Sowerby, Brit. Wild Fl. fig. 547 (1858–60).
*Johnson & Sowerby, Useful Pl. Gr. Brit. t. 9, fig. 103 (1861[–62]).
*Argenta, Album Fl. Med.-Farm. ii. t. 148 (1863).
Reichenbach, Ic. Fl. Germ. xxi. t. 1900 (1863).
Bentham, Handb. Brit. Fl. fig. 426 (1865).
*Syme, Engl. Bot. iv. t. 606 (1865).
Cesati, Passer. & Gibelli, Comp. Fl. Ital. t. 98 (1867–86).—*Fl.*
*Cusin & Ansberque, Herb. Fl. Franç. x (Ombellifères), t. 71 (1869).
*Réveil, Règne Vég. xii. t. 10 (1870).—*Veg.*
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, iii. t. 89 [1873].
*Hogg & Johnson, Wild Fl. Gr. Brit. viii. t. 588 (1874).
Baillon, Hist. Pl. vii. 112 (1880).—*Fr.*
Baillon, Dict. Bot. ii. 272 (1881).—*Fr.*
Wagner, Ill. Deutsche Fl. Ed. 2, p. 329 (1882).
Vilmorin-Andrieux, Pl. Potag. 402 (1883).—*Hab.*
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xxvii. t. 2788 (1886).
Acloque, Fl. France, 308 (1894).—*Fr.*
*Siélain, Atlas Poche Pl. Champs, Prair. & Bois, Ser. II. t. 43 (1896).
*Hulme, Familiar Wild Fl. (Pop. Ed.), vi. 49 [1897?].
Pflanzenfam. iii. VIII. 108 (1897).—*Veg.*
*Behrens, Blattformen, t. 51, fig. a (1900).—*Veg.*
Fiori & Paol. Ic. Fl. Ital. 284 (1901).
Journ. Roy. Hort. Soc. London, xxvii. 89, fig. 14 (1902–3).—*Hab.*
Coste, Fl. France, ii. 185 (1903).
*Step, Wayside & Woodl. Bloss. New Ed. i. t. 59 (1905).
Merino, Fl. Galicia, i. 584 (1905).
Lazaro, Comp. Fl. Españ. ii. 417 (1907).—*Fr.*
Heukels, Fl. Nederl. ii. 445 (1908).
Karsten & Schenck, Veg.-Bild. viii. t. 34, 35 (1910).—*Hab.*
Trav. Mat. Méd. Paris, vii. II. 22 (1910).
Adamović, Pflanzenw. Dalmat. t. 66 (1911).
*Perrin & Boulger, Brit. Flower. Pl. iii. t. 195, 198 [c], fig. 1–5 (1914).
Cadevall & Sallent, Fl. Catalunya, iii. 50 (1917).
Carey & Oliver, Tidal Lands, t. 10 (1918).—*Hab.*
Fitch & Smith, Ill. Brit. Fl. Ed. rev. 4, Iss. 2, fig. 433 (1919).
*Horwood, Brit. Wild Fl. ii. t. 14, p. 186 (1919).
pyrenaicum Linn.
Hill, Veget. Syst. vi. t. 26 (1764).

CRITHODIUM Link: *Triticum*
aegilopioides Link
Linnaea, ix. t. 3 (1835).

CRITHOPSIS Jaub. & Spach: *Hordeum*
rhachitricha Jaub. & Spach
Jaubert & Spach, Illustr. Pl. Or. iv. t. 321 (1850–53).

CRITONIA DC.: *Eupatorium*
Kuhnia Gaertn.
Gaertner, Fruct. ii. t. 174 (1791).—*Fr.*

CROCANTHEMUM Spach: *Halimium*
canadense Britton
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, ii. 540 (1913).

CROCANTHEMUM
canadense
*House, Wild Fl. New York (Mem. No. 15 N.Y. State Mus.), i. t. 131 (1918).
corymbosum Britton
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, ii. 541 (1913).
maius Britton
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, ii. 540 (1913).

CROCANTHUS Klotzsch: *Tritonia*
mossambicensis Klotzsch
Peters, Reise Mossamb., Bot. t. 57 (1863).

CROCIDIUM Hook.
multicaule Hook.
Hooker, Fl. Bor.-Amer. t. 118 (1833).
Pflanzenfam. iv. v. 288 (1892).—*Fl.*

CROCION Nieuwl.
achlydophyllum Nieuwl. & Kaczm.
Amer. Midl. Nat. iv. t. 4 (1915).—*Veg.*

CROCIRIS Schur: *Crocus*
iridiflora Schur
*Römer, Pfl. d. Burzenländ. Siebenbürg. t. 30 (1898).

CROCODEILANTHE Reichb. f.: *Pleurothallis*
Xiphizusa Reichb. f. & Warcz.
Reichenbach f., Xenia Orch. i. t. 6 (1854).

CROCOPSIS Pax
fulgens Pax
Engl. Jahrb. xi. t. 7 (1889).

CROCOSMIA Planch.: *Tritonia*
aurea Planch.
*Fl. des Serres, Ser. I. vii. t. 702 (1851–52).
*Neubert's Deutsch. Gart. Mag. 1855, p. 129; xvii. 49 (1864).
*Eeden, Album Bulb. Pl. t. 25 (1872–81).
Gard. Chron. Ser. III. iv. 304, 305 (1888); xxviii. 175, 176 (1900).
Journ. Hort. Ser. III. xxv. 521 (1892); xxxiii. 567 (1896).
Wood, Natal Pl. vi. I. t. 519 (1909).
—— **imperialis** Hort.
American Garden, xi. 341 (1890).
Bull. Arboricult. Belg. 1899, p. 153.
L. H. Bailey, Cycl. Amer. Hort. 401 (1900); Stand. Cycl. Hort. 896 (1914).
—— **maculata** Baker
Gard. Chron. Ser. III. iv. 565 (1888); xxviii. 177 (1900).—*Fl.*

CROCUS Linn.—Vide *Crociris*
aerius Herb.
*Bot. Mag. cxi. t. 6852 (1885).
*Maw, Monogr. Crocus, t. 58 (1886).
Garden, lxxiv. 212 (1910).
Gard. Chron. Ser. III. lvii. 140 (1915).
alatavicus Regel & Semenow
*Gartenfl. xxvi. t. 906 (1877).
*Garden, xiv. 420 (1878).
*Maw, Monogr. Crocus, t. 45 (1886).
albiflorus Kit.
Reichenbach, Pl. Crit. x. t. 934 (1832).
*Reichenbach, Ic. Fl. Germ. ix. t. 355 (1847).
*Seboth & A.W. Bennett, Alpine Pl. ii. t. 90 (1880).
*Hartinger, Atlas Alpenfl. i. t. 62 (1897).
Loew in Verh. Bot. Ver. Brandenb. xlix. 204, 208, 209 (1908).
*H. S. Thompson, Alp. Pl. Europe, t. 63 (1911).
Madrono, Journ. California Bot. Soc. i. II. 46 (1917).—*Hab.*
Alexandri Velen.
*Bot. Mag. cxxvi. t. 7740 (1900).
ancyrensis Maw
*Maw, Monogr. Crocus, t. 38 (1886).
annulatus Adamicus Herb.
*Bot. Mag. lxvii. t. 3868 (1841).
—— **pusillus** Sweet
*Sweet, Ornam. Fl. Gard. iii. t. 213 (1854).
asturicus Herb.
*Maw, Monogr. Crocus, t. 7 (1886).
Aucheri Boiss.
Verlot, Pl. Alp. Ed. 2, t. 50 (1873).—*Hab.*
*Wooster, Alp. Pl. Ed. 2, t. 45 (1874).—*Hab.*

CROCUS

aureus Sibth. & Sm.
*Sibthorp & Sm. Fl. Graeca, i. t. 35 (1806).
*Bot. Mag. lvii. t. 2986 (1830).
*Sowerby & Sm. Engl. Bot. Suppl. i. t. 2646 (1831).
Reichenbach, Pl. Crit. x. t. 925 (1832).
*Deakin, Florigr. Brit. i. fig. 57 (1841).
*J. W. Loudon, Brit. Wild Fl. Ed. 2, t. 54 [1846].
*Reichenbach, Ic. Fl. Germ. ix. t. 357 (1847).
*Cassone, Fl. Med.-Farm. vi. t. 534 (1852).
Johnson & Sowerby, Brit. Wild Fl. fig. 1264 (1858–60).
*Syme, Engl. Bot. ix. t. 1498 (1869).
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, v. t. 219 [1873].
Journ. Linn. Soc., Bot. xix. 360 (1882).—*Fl.*
*Maw, Monogr. Crocus, t. 55 (1886).
Baillon, Hist. Pl. xiii. 129, 130 (1894).
*Step, Fav. Fl. Gard. & Greenh. iv. t. 256 (1897).
Journ. Hort. Ser. III. liv. 281 (1907).—*Hab.*
*A. H. Church, Types Fl. Mechan. i. 57 (1908).—*Fl.*
Garden, lxxiv. 126 (1910).

Autranii Alboff
Bull. Herb. Boiss. i. t. 9 (1893).

autumnalis Sm.
*Sowerby & Sm. Engl. Bot. v. t. 343 (1796).
*Billberg, Ekonom. Bot. t. 8 (1816).

—— **multifidus** Brot.
Brotero, Phytogr. t. 94 (1827).

Balansae J. Gay
Garden, xxvii. 279 (1885).—*Hab.*
*Maw, Monogr. Crocus, t. 51 (1886).

banaticus Heuff.
*Reichenbach, Ic. Fl. Germ. ix. t. 361 (1847).
*Maw, Monogr. Crocus, t. 24 (1886).
*Rev. Hort. 1907, p. 376.

banaticus J. Gay
*Römer, Pfl. d. Burzenländ. Siebenbürg. t. 30 (1898).

biflorus Mill.
*Andrews, Bot. Rep. vi. t. 362 (1804).
*Bot. Mag. xxii. t. 845 (1805).
*Redouté, Liliac. v. t. 294 (1809).
*Mordant de Launay, Herb. Amat. ii. t. 101 (1817).
*Géel, Sert. Bot. Cl. 3 (1828).
Reichenbach, Pl. Crit. x. t. 935 (1832).
*Reichenbach, Fl. Exot. i. t. 37 (1834).
*Drapiez, Herb. Amat. Fl. vii. t. 519 (1834).
*J. W. Loudon, Ladies' Fl.-Gard. Ornam. Bulb. Pl. t. 23 (1841).
*Reichenbach, Ic. Fl. Germ. ix. t. 356 (1847).
*Syme, Engl. Bot. ix. t. 1497 (1869).
Gard. Chron. 1873, p. 179.—*Fl.*
Journ. Linn. Soc., Bot. xix. 360 (1882).—*Fl.*
*Maw, Monogr. Crocus, t. 59 (1886).
Fiori & Paol. Ic. Fl. Ital. 88 (1898).
Journ. Hort. Ser. III. liv. 281 (1907).—*Hab.*
Garden, lxxvii. 155 (1913).—*Hab.*
Farrer, English Rock-Gard. i. 240 (1919).—*Hab.*

—— **Adamii** J. Gay
*Maw, Monogr. Crocus, t. 59 b (1886).

—— **Alexandri** Hort.
*Flora & Sylva, ii. 104 (1904).—*Hab.*
Journ. Roy. Hort. Soc. London, xli. Proc. p. liii (1916).

—— **estriatus** Herb.
*Maw, Monogr. Crocus, t. 59 (1886).

—— **nubigena** Herb.
*Maw, Monogr. Crocus, t. 59 b (1886).

—— **Pestalozzae** Boiss.
*Maw, Monogr. Crocus, t. 59 b (1886).

—— **pusillus** Baker
Garden, xxvii. 279 (1885).—*Hab.*

—— **Weldenii** J. Gay
*Maw, Monogr. Crocus, t. 59 b (1886).
Journ. Hort. Ser. III. liv. 281 (1907).—*Hab.*
Garden, lxxxiii. 54 (1919).—*Hab.*

Biliottii Maw
*Maw, Monogr. Crocus, t. 56 b (1886).

Boissieri Maw
*Maw, Monogr. Crocus, t. 22 (1886).

Boryi J. Gay
Bory & Chaub. Expéd. Morée, Bot. iii. t. 3 (1832).

CROCUS

Boryi
Bory & Chaub. Nouv. Fl. Pélop. t. 3 (1838).
*Bot. Reg. xxxiii. t. 16, fig. 10 (1847).
*Moore & Ayres, Mag. Bot. ii. 273 (1850).
*Sweet, Ornam. Fl. Gard. iii. t. 208 (1854).
*Verlot, Pl. Alp. Ed. 2, t. 34 (1873).—*Hab.*
*Wooster, Alp. Pl. Ed. 2, t. 22 (1874).
*Bot. Mag. ci. t. 6187 (1875).
Nicholson, Illustr. Dict. Gard. i. 399 [1884–88].
*Maw, Monogr. Crocus, t. 47 b (1886).
Pflanzenfam. ii. v. 142 (1888).—*Fl.*

—— **marathoniseus** Baker
Garden, lxx. 273 (1906).
Gard. Chron. Ser. III. xl. 335 (1906); lxiv. 183 (1918).

byzantinus Parkinson
Bot. Reg. xxxi. t. 37, fig. 2 (1845).
*Sweet, Ornam. Fl. Gard. iii. t. 209, 210 (1854).
*Bot. Mag. ci. t. 6141 (1875).
Garden, x. 601 (1876); lxxx. 572 (1916).—*Hab.*
*Floral Mag. N. Ser. 1878, t. 299.—*Fl.*

—— **argenteus** Parkinson
Magyar Bot. Lap. v. 116 (1906).

Cambessedesii J. Gay
*Willkomm, Ill. Fl. Hispan. Balear. t. 53, fig. B (1881–85).
*Maw, Monogr. Crocus, t. 13 (1886).

Cambessedianus Herb.
*Bot. Reg. xxxi. t. 37 (1845).
*Sweet, Ornam. Fl. Gard. iii. t. 210 (1854).

cancellatus Herb.
*Bot. Mag. c. t. 6103 (1874).
*Maw, Monogr. Crocus, t. 31 (1886).

—— **cilicicus** Maw
*Maw, Monogr. Crocus, t. 31 b (1886).

—— **margaritaceus** Herb.
*Bot. Reg. xxxiii. t. 16, fig. 4 (1847).
*Sweet, Ornam. Fl. Gard. iii. t. 208 (1854).

—— **mazziaricus** Herb.
*Bot. Reg. xxxiii. t. 16, fig. 5, 6 (1847).
*Sweet, Ornam. Fl. Gard. iii. t. 208 (1854).

—— —— **striatus** Hort.
*Sweet, Ornam. Fl. Gard. iii. t. 208 (1854).

candidus Clarke
*Maw, Monogr. Crocus, t. 54 (1886).

carpetanus Boiss. & Reut.
*Graëlls, Ram. Pl. Españ. (Mem. Acad. Cienc. Madrid, iv. 11), t. 4 (1859).
Journ. Linn. Soc., Bot. xix. 360 (1882).—*Fl.*
*Maw, Monogr. Crocus, t. 41 (1886).

Cartwrightianus Herb.
*Bot. Reg. xxx. t. 3, fig. 3 (1844); xxxi. t. 37, fig. 6 (1845).
*Moore & Ayres, Mag. Bot. ii. 273 (1850).
*Sweet, Ornam. Fl. Gard. iii. t. 210, 211 (1854).

—— **creticus** Herb.
*Bot. Reg. xxxi. t. 37, fig. 7 (1845).
*Sweet, Ornam. Fl. Gard. iii. t. 210 (1854).

caspius Fisch. & Mey.
Journ. Linn. Soc., Bot. xix. 360 (1882).—*Fl.*
*Maw, Monogr. Crocus, t. 46 (1886).
Gard. Chron. Ser. III. xxxiv. 443 (1903).
Flora & Sylva, iii. 115 (1905).

chrysanthus Herb.
*Bot. Reg. xxxiii. t. 4, fig. 1 (1847).
*Floral Mag. N. Ser. 1874, t. 111.
*Bot. Mag. ci. t. 6162 (1875).
*Garden, xiv. 420 (1878); lxvii. 163 (1905); lxxiv. 140 (1910); lxxvii. 361 (1913); lxxx. 89 (1916); lxxxi. 100 (1917).—*Hab.*
*Maw, Monogr. Crocus, t. 62 (1886).

—— **albidus** Maw
*Maw, Monogr. Crocus, t. 62 (1886).—*Fl.*

—— **caerulescens** Maw
*Maw, Monogr. Crocus, t. 62 (1886).—*Fl.*

—— **fusco-lineatus** Baker
*Maw, Monogr. Crocus, t. 62 (1886).

—— **fusco-tinctus** Baker
*Maw, Monogr. Crocus, t. 62 (1886).—*Fl.*

—— **pallidus** Bowles
*Flora & Sylva, ii. 104 (1904).—*Hab.*

Clusianus Herb.
*Bot. Reg. xxxi. t. 37, fig. 8 (1845).
*Sweet, Ornam. Fl. Gard. iii. t. 210 (1854).
*Maw, Monogr. Crocus, t. 10 (1886).

CROCUS

corsicus Maw
*Maw, Monogr. Crocus, t. 21 (1886).
Martelli, Monocot. Sard. fasc. 2, t. 4, fig. 20–24 (1901).
Journ. Hort. Ser. III. xlix. 285, fig. 1 (1904).—*Hab.*
Coste, Fl. France, iii. 361 (1906).

Crewei Hook. f.
*Bot. Mag. ci. t. 6168 (1875).
*Garden, xiv. 420 (1878).
*Maw, Monogr. Crocus, t. 60 (1886).

cyprius Boiss. & Kotschy
*Maw, Monogr. Crocus, t. 57 (1886).
*Flora & Sylva, ii. 104 (1904).—*Hab.*

dalmaticus Vis.
*Visiani, Fl. Dalmat. Suppl. t. 2 (1872); et in Mem. Istit. Veneto, xvi. t. 2 (1871).
*Maw, Monogr. Crocus, t. 34 (1886).
Flora & Sylva, iii. 116 (1905).

damascenus Herb.
*Bot. Reg. xxxi. t. 37, fig. 1 (1845).
*Sweet, Ornam. Fl. Gard. iii. t. 210 (1854).

Danfordiae Maw
*Maw, Monogr. Crocus, t. 63 (1886).

etruscus Parl.
*Bot. Mag. civ. t. 6362 (1878).
Garden, xxvii. 279 (1885); xxx. 476 (1886).
*Maw, Monogr. Crocus, t. 22 (1886).

Fleischeri J. Gay
*Bot. Mag. ci. t. 6176 (1875).
*Garden, xiv. 420 (1878).
*Maw, Monogr. Crocus, t. 66 (1886).
Flora & Sylva, ii. 104 (1904).—*Hab.*
Gard. Chron. Ser. III. liv. 45 (1913).—*Hab.*

Gaillardotii Boiss.
*Maw, Monogr. Crocus, t. 40 (1886).

gargaricus Herb.
*Bot. Reg. xxxiii. t. 16, fig. 1 (1847).
*Sweet, Ornam. Fl. Gard. iii. t. 208 (1854).
*Maw, Monogr. Crocus, t. 39 (1886).

hadriaticus Herb.
*Maw, Monogr. Crocus, t. 30 (1886).
Journ. Hort. Ser. III. xlix. 285 (1904).—*Hab.*

—— **chrysobelonicus** Herb.
*Bot. Reg. xxxiii. t. 16, fig. 8, 9 (1847).
*Sweet, Ornam. Fl. Gard. iii. t. 208 (1854).
*Maw, Monogr. Crocus, t. 30 (1886).

—— **Saundersianus** Herb.
*Bot. Reg. xxxiii. t. 16, fig. 7 (1847).
*Sweet, Ornam. Fl. Gard. iii. t. 208 (1854).
*Maw, Monogr. Crocus, t. 30 (1886).

Hartmannianus Holmb.
Holmboe, Veg. Cyprus, 55 (1914).

hermoneus Kotschy
*Maw, Monogr. Crocus, t. 44 (1886).

Heuffelianus Herb.
Garcke, Ill. Fl. Deutschl. 590 (1895).
*Römer, Pfl. d. Burzenländ. Siebenbürg. t. 2 (1898).
*Ungar, Alpenfl. Südkarpath. t. 6, fig. 2 (1913).
Hayek, Pflanzend. Oesterr.-Ung. i. 309, 339 (1914).—*Hab.*

hyemalis Boiss. & Blanche
*Maw, Monogr. Crocus, t. 43 (1886).
Garden, lxxiv. 188 (1910).

—— **Foxii** Maw
*Maw, Monogr. Crocus, t. 43 (1886).

Imperati Ten.
*Tenore, Fl. Nap., Atlas, v. t. 206 (1811–38); et in Mem. Sp. & Var. Crochi Fl. Nap. t. 3 (1826).
*Sweet, Brit. Fl. Gard. iv. t. 98 (1831).
Colla, Hort. Ripul. Append. 4, t. 5 (1831); et in Mem. Accad. Sc. Torino, xxxv. 172, t. 5 (1831).
Reichenbach, Pl. Crit. x. t. 937 (1832).
Mutel, Fl. Française, t. 72 (1834).
*Bot. Reg. xxiii. t. 1993 (1837).
*Sweet, Ornam. Fl. Gard. iii. t. 204 (1854).
*Floral Mag. N. Ser. 1874, t. 111.
*Garden, vii. 242 (1875); lxxvii. 361 (1913).—*Hab.*
Gartenfl. xxxiv. 311 (1885).—*Hab.*
*Maw, Monogr. Crocus, t. 14 (1886).
Brehm, Merv. Nat. Monde des Pl. ii. 565 (1894–96).—*Hab.*
Rouy, Illustr. Pl. Eur. Rar. fasc. 2, t. 46 (1895).
Fiori & Paol. Ic. Fl. Ital. 89 (1898).

CROCUS
Imperati
Hesdörffer, Handb. Zimmergärtn. Ed. 2, p. 504, fig. 357 (1900).
Martelli, Monocot. Sard. fasc. 2, t. 4, fig. 4–7 (1901).
Journ. Hort. Ser. III. liv. 281 (1907).—*Hab.*
*Rev. Hort. 1907, p. 376.
L. H. Bailey, Stand. Cycl. Hort. 899 (1914).
Gard. Chron. Ser. III. lxv. 62 (1919).
—— **albiflos** Herb.
*Maw, Monogr. Crocus, t. 14 b (1886).
—— **purpureus** Hort.
*Gartenfl. xxxvii. t. 1280 (1888).
—— **Reidii** Maw
*Maw, Monogr. Crocus, t. 14 b (1886).
—— **sardoa** Martelli
Martelli, Monocot. Sard. fasc. 2, t. 4, fig. 8–12 (1901).
insularis Herb.
*Bot. Reg. xxix. t. 21 (1843).
*Sweet, Ornam. Fl. Gard. iii. t. 206 (1854).
iridiflorus Heuff.
*Reichenbach, Ic. Fl. Germ. ix. t. 361 (1847).
Journ. Linn. Soc., Bot. xix. 360 (1882).—*Fl.*
W. Robinson, Engl. Fl. Gard. t. 83 (1883).—*Hab.*
Nicholson, Illustr. Dict. Gard. i. 399 [1884–88].—*Hab.*
*Maw, Monogr. Crocus, t. 1 (1886).
karduchorum Kotschy
*Maw, Monogr. Crocus, t. 5 (1886).
Korolkowii Maw & Regel
*Bot. Mag. cxi. t. 6852 (1885).
*Maw, Monogr. Crocus, t. 56 (1886).
Garden, lxxiv. 153 (1910).
Fedtschenko, Veg. Turkest. 259 (1915).
Gard. Chron. Ser. III. lxv. 121 (1919).
lacteus Sabine
*Sweet, Brit. Fl. Gard. v. t. 194 (1833).
*Maw, Monogr. Crocus, t. 55 (1886).—*Fl.*
—— **penicillatus** Sabine
*Maw, Monogr. Crocus, t. 55 b (1886).—*Fl.*
laevigatus Bory & Chaub.
Bory & Chaub. Expéd. Morée, Bot. iii. t. 2 (1832).
Bory & Chaub. Nouv. Fl. Pélop. t. 2 (1838).
Chaubard in Act. Soc. Linn. Bordeaux, xix. t. 5 (1854).
Journ. Linn. Soc., Bot. xix. 360 (1882).—*Fl.*
*Maw, Monogr. Crocus, t. 49 (1886).
Garden, lxxiv. 176 (1910); lxxxiii. 5 (1919).—*Fl.*
lageniflorus Salisb.
*Salisbury, Parad. Londin. ii. 1. t. 106 (1807).
*Bot. Mag. liii. t. 2655 (1826).
—— **lacteus** Sweet
*Sweet, Ornam. Fl. Gard. iii. t. 212 (1854).
—— —— **lutescens** Hook.
*Bot. Mag. lxvii. t. 3869 (1841).
lazicus Boiss.
*Maw, Monogr. Crocus, t. 12 (1886).
leucorrhynchus Hort.
Garden, xxvii. 279 (1885).—*Hab.*
lineatus Jan.
Reichenbach, Pl. Crit. x. t. 936 (1832).
longiflorus Rafin.
Rafinesque, Caratteri, t. 19 (1810).
*Tenore, Fl. Nap., Atlas, v. t. 201 (1811–38).
Parlatore, Ic. Pl. Rar. Fl. Panorm. t. 2 (1839).
*Bot. Reg. xxx. t. 3, fig. 4 (1844).—*Fl.*
Gard. Chron. 1873, p. 179.—*Fl.*
*Floral Mag. N. Ser. 1878, t. 299.—*Fl.*
*Maw, Monogr. Crocus, t. 28 (1886).
Fiori & Paol. Ic. Fl. Ital. 89 (1898).
Goebel, Organogr. Pfl. 473 (1900); Ed. Angl. ii. 271 (1905).
Garden, lxxvi. 622 (1912).—*Hab.*
E. M. Holmes, Pharm. Journ. xci. 942 (1913).—*Fl.*
longiflorus Reichb.
Reichenbach, Pl. Crit. x. t. 946 (1832).
luteus Lam.
*Redouté, Liliac. iv. t. 196 (1808).
*Sturm, Deutschl. Fl. vii. xxvii [t. 417] (1809); vide xvii. lxxvi. Übers. 41 (1839).
*Hayne, Getreue Darst. Arzn. Gewächse, vi. t. 27 (1819).
*Joh. Kerner, Gen. Pl. Ill. iii. t. 53 (1820).

CROCUS
luteus
Reichenbach, Pl. Crit. x. t. 926 (1832).
Mutel, Fl. Française, t. 71 (1834).
Nees, Gen. Pl., Monocot. iii. t. 11 (1835).—*Fl.*
*Reichenbach, Ic. Fl. Germ. ix. t. 357 (1847).
Pflanzenfam. ii. v. 142 (1888).—*Fl.*
*Bois, Atlas Pl. Jard. t. 264 (1896).
*Sturm, Fl. Deutschl. Ed. 2, i. t. 51 (1906).
Malyi Vis.
*Maw, Monogr. Crocus, t. 18 (1886).
*Bot. Mag. cxxiv. t. 7590 (1898).
Gard. Chron. Ser. III. xxxvii. 163 (1905).—*Hab.*
medius Balb.
Reichenbach, Pl. Crit. x. t. 944 (1832).
*Bot. Reg. xxxi. t. 37, fig. 5 (1845).
*Sweet, Ornam. Fl. Gard. iii. t. 210 (1854).
*Moggridge, Fl. Mentone, t. 20 (1871).
Journ. Linn. Soc., Bot. xix. 360 (1882).—*Fl.*
*Bicknell, Fl. Pl. Riviera, t. 65 (1885).
*Garden, xxx. 476 (1886).—*Fl.*
*Maw, Monogr. Crocus, t. 27 (1886).
Fiori & Paol. Ic. Fl. Ital. 89 (1898).
Coste, Fl. France, iii. 360 (1906).
meridionalis Risso
Risso, Fl. Nice, [t. 17] (1844).
minimus DC.
*Redouté, Liliac. ii. t. 81 (1805).
*Bot. Mag. lvii. t. 2991 (1830).
Reichenbach, Pl. Crit. x. t. 941 (1832).
*Mag. Bot. & Gard. i. t. 19 (1833).
Mutel, Fl. Française, t. 72 (1834).
*Deakin, Florigr. Brit. i. fig. 56 (1841).
*Reichenbach, Ic. Fl. Germ. ix. t. 359 (1847).
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, v. t. 219 [1873].
*Bot. Mag. ci. t. 6176 (1875).
Cusin, Herb. Fl. Franç. xxi (Iridées), t. 3 (1876).
*Maw, Monogr. Crocus, t. 19 (1886).
Fiori & Paol. Ic. Fl. Ital. 89 (1898).
Martelli, Monocot. Sard. fasc. 2, t. 4, fig. 13–19 (1901).
Coste, Fl. France, iii. 361 (1906).
moesiacus Ker-Gawl.
*Bot. Mag. xxviii. t. 1111 (1808).
*Mordant de Launay, Herb. Amat. ii. t. 100 (1817).
*M. Roscoe, Fl. Illustr. Seasons, t. 1 [1829–31].
*Drapiez, Herb. Amat. Fl. vii. t. 518 (1834).
*Maw, Monogr. Crocus, t. 55 b (1886).
montenegrinus Kern.
Journ. Linn. Soc., Bot. xix. 360 (1882).—*Fl.*
*Maw, Monogr. Crocus, t. 23 (1886).
multifidus Ramond
Bull. Soc. Philom. No. 40, fig. 1–4 (1800).
*Roemer, Fl. Eur. xiii [t. 1] (1809).
Reichenbach, Pl. Crit. x. t. 947 (1832).
Mutel, Fl. Française, t. 72 (1834).
Kerner, Pflanzenleben, ii. 113 (1891).—*Fl.*
Kerner & Oliv. Nat. Hist. Pl. ii. 113 (1895).—*Fl.*
Kronfeld, Atlas Pflanzengeogr. 104 (1899).—*Fl.*
neapolitanus Hort.
*Mordant de Launay, Herb. Amat. ii. t. 101 (1817).
*Drapiez, Herb. Amat. Fl. vii. t. 519 (1834).
*Pokorny-Schoenichen, Pflanzenkunde, t. 42, fig. 2 (1912).
nervifolius dilutus Reichb.
Reichenbach, Pl. Crit. x. t. 943 (1832).
—— **violaceus** Reichb.
Reichenbach, Pl. Crit. x. t. 942 (1832).
nevadensis Amo & Campo
Journ. Linn. Soc., Bot. xix. 360 (1882).—*Fl.*
*Maw, Monogr. Crocus, t. 42 (1886).
nivalis Bory & Chaub.
Bory & Chaub. Expéd. Morée, Bot. iii. t. 2 (1832).
Bory & Chaub. Nouv. Pl. Pélop. t. 2 (1838).
*Bot. Reg. xxxiii. t. 4, fig. 2 (1847).
Chaubard in Act. Soc. Linn. Bordeaux, xix. t. 5 (1854).
*Sweet, Ornam. Fl. Gard. iii. t. 209 (1854).
*Floral Mag. N. Ser. 1874, t. 111.
nudiflorus Sm.
*Sowerby & Sm. Engl. Bot. vii. t. 491 (1798).
*Baxter, Brit. Bot. Ed. 2, ii. t. 137 (1835).
[M. E.] Jackson, Pict. Fl. fig. 62 (1840).
*Deakin, Florigr. Brit. i. fig. 58 (1841).

CROCUS
nudiflorus
Johnson & Sowerby, Brit. Wild Fl. fig. 1266 (1858–60).
*Wilkinson, Weeds & Wild Fl. 156 (1858).
Bentham, Handb. Brit. Fl. fig. 1009 (1865).
*Syme, Engl. Bot. ix. t. 1500 (1869).
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, v. t. 219 [1873].
*Verlot, Pl. Alp. Ed. 2, t. 20 (1873).
*Wooster, Alp. Pl. Ed. 2, t. 25 (1874).—*Hab.*
*Cusin, Herb. Fl. Franç. xxi (Iridées), t. 5 (1876).
*Floral Mag. N. Ser. 1878, t. 290.—*Fl.*
*Hogg & Johnson, Wild Fl. Gr. Brit. x. t. 790 (1878).
Garden, xx. 415 (1881).
Nicholson, Illustr. Dict. Gard. i. 399 [1884–88].—*Hab.*
*Maw, Monogr. Crocus, t. 6 (1886).
*A. W. Bennett, Fl. Alps, ii. t. 110 (1897).
Journ. Hort. Ser. III. xlix. 285 (1904).—*Hab.*
Coste, Fl. France, iii. 360 (1906).
Merino, Fl. Galicia, iii. 121 (1909).
Fitch & Smith, Ill. Brit. Fl. Ed. rev. 4, Iss. 2, fig. 1023 (1919).
ochroleucus Boiss. & Gaill.
*Bot. Mag. lxxxviii. t. 5297 (1862).
*Garden, xxx. 476 (1886).—*Fl.*
*Maw, Monogr. Crocus, t. 11 (1886).
odorus Biv.
*Tenore, Fl. Nap., Atlas, v. t. 206 (1811–38).—*Fl.*
Bivona, Stirp. Rar. Sicil. iii. t. 2 (1815).
*Bot. Reg. xxx. t. 3, fig. 5 (1844).
—— **longiflorus** Herb.
*Sweet, Ornam. Fl. Gard. iii. t. 211 (1854).
—— **melitensis** Herb.
*Sweet, Ornam. Fl. Gard. iii. t. 211 (1854).
officinalis Martyn
*Martyn, Fl. Rustica, ii. t. 58 (1792).
*Horwood, Brit. Wild Fl. ii. t. 7, p. 83 (1919).
Olivieri J. Gay
*Bot. Mag. xcix. t. 6031 (1873).
Journ. Linn. Soc., Bot. xix. 360 (1882).—*Fl.*
*Maw, Monogr. Crocus, t. 53 (1886).
Journ. Hort. Ser. III. liv. 281 (1907).—*Hab.*
orphanides Hook. f.
*Bot. Mag. xcv. t. 5776 (1869).
Pallasianus Herb.
*Bot. Reg. xxx. t. 3, fig. 2 (1844).
*Sweet, Ornam. Fl. Gard. iii. t. 211 (1854).
Pallasii M. Bieb.
*Reichenbach, Ic. Fl. Germ. ix. t. 360 (1847).
parviflorus Baker
Journ. Linn. Soc., Bot. xix. 360 (1882).—*Fl.*
*Maw, Monogr. Crocus, t. 67 (1886).
*Sturm, Fl. Deutschl. Ed. 2, i. t. 50 (1906).
polynemoides Bertol.
Bertoloni, Descr. Zaff. Ital. t. 1 (1826).
praecox Haw.
*Sowerby & Sm. Engl. Bot. Suppl. i. t. 2645 (1831).
*J. W. Loudon, Brit. Wild Fl. Ed. 2, t. 54 [1846].
Johnson & Sowerby, Brit. Wild Fl. fig. 1263 (1858–60).
pulchellus Herb.
*Moore & Ayres, Mag. Bot. ii. 273 (1850).
*Sweet, Ornam. Fl. Gard. iii. t. 211 (1854).
*Floral Mag. N. Ser. 1878, t. 299.—*Fl.*
*Maw, Monogr. Crocus, t. 65 (1886).
Garden, lxxix, 527 (1915).—*Hab.*
—— **maior** Herb.
*Bot. Reg. xxx. t. 3, fig. 1 (1844).
pusillus Ten.
*Tenore, Fl. Nap., Atlas, v. t. 206 (1811–38); et in Mem. Sp. & Var. Crochi Fl. Nap. t. 2 (1826).
*Sweet, Brit. Fl. Gard. ii. t. 106 (1825).
*Lodd. Bot. Cab. xv. t. 1454 (1828).
Reichenbach, Pl. Crit. x. t. 936 (1832).
*Bot. Reg. xxiii. t. 1987 (1837).
pygmaeus Lojac.-Poj.
Lojacono-Pojero, Fl. Sic. iii. t. 4 (1909).
Reinwardtii Reichb.
Reichenbach, Pl. Crit. x. t. 938 (1832).
reticulatus Stev.
*M. v. Bieberstein, Cent. Pl. Rar. i. t. 1 (1810).
*Lodd. Bot. Cab. xix. t. 1822 (1832).

CROCUS
reticulatus
[M. E.] Jackson, Pict. Fl. fig. 61 (1840).
*Reichenbach, Ic. Fl. Germ. ix. t. 356 (1847).
*Garden, xiv. 420 (1878); xxvii. 279 (1885).—*Hab.*
*Maw, Monogr. Crocus, t. 35 (1886).
!Bernátsky in Pótfüz. a Természett. Közl. (Journ. Nat. Sc.), xxx. 172, 173 (1898).
Fiori & Paol. Ic. Fl. Ital. 89 (1898).
—— **albicans** Herb.
*Bot. Reg. xxxiii. t. 16, fig. 2 (1847).
*Sweet, Ornam. Fl. Gard. iii. t. 208 (1854).
—— **maior** Reichb.
Reichenbach, Pl. Crit. x. t. 940 (1832).
—— **micranthus** Maw
*Maw, Monogr. Crocus, t. 35 b (1886).
*Rev. Hort. 1907, p. 376.
Salzmannii J. Gay
*Bot. Reg. xxxiii. t. 4, fig. 4 (1847).
*Sweet, Ornam. Fl. Gard. iii. t. 209 (1854).
*Bot. Mag. xcviii. t. 6000 (1872).
*Maw, Monogr. Crocus, t. 9 (1886).
sativus Linn.
*Kniphof, Herb. Viv. i. t. 334 (1758).
*Miller, Illustr. Syst. Sex. Linn. t. 6 (1770).
Walcott, Fl. Brit. Indig. [t. 7] (1778).
*Zorn, Ic. Pl. Med. ii. t. 151 (1780).
*Bergeret, Phyt. Univ. ii. 161 (1784).
*Plenck, Ic. Pl. Med. i. t. 32 (1788).
*Batsch, Anal. Fl. i. t. 1 (1790).
Lamarck, Ill. i. t. 30, fig. 1 (1791).
Bordiga, Storia Piante Forast. ii. t. 35 (1792).
C. K. Sprengel, Entd. Geheimn. Natur, t. 1, fig. 34–38, 40, 41, 43, 51, 52 (1793).—*Fl.*
*Woodville, Med. Bot. iii. t. 176 (1793); Ed. 3, iv. t. 259 (1832).
*Oskamp, Afb. Artseny-Gewass. ii. t. 177 (1796).
Boissieu, Fl. Eur. i. t. 30 (1805).
Rousseau, Bot. t. 4 (1805).
*Redouté, Liliac. iii. t. 173 (1807).
*Roques, Pl. Usuell. Indig. & Exot. ii. t. 29 (1808).
Descourtilz, Voy. Naturaliste, i. t. 6–8 (1809).
*Tenore, Fl. Nap., Atlas, v. t. 206 (1811–38).—*Fr.*
*Vigneux, Fl. Pitt. Envir. Paris, t. 2 (1812).
*Trattinick, Fl. Oesterr. Kaiserth. i. t. 68, 68 a (1816).
*Chaumeton, Fl. Méd. vi. t. 306 (1818).
*Hayne, Getreue Darst. Arzn. Gewächse, vi. t. 25 (1819).
*Roques, Phytogr. Médic. i. t. 37 (1821); Nouv. Ed. Atlas, t. 21 (1835).
*Waller, New Brit. Domest. Herb. t. 27 (1822).
*Redouté, Choix Fl. [t. 25] (1827).
*Nees, Pl. Offic. i. t. 58 (1828).
*Wagner, Pharm.-Med. Bot. i. t. 29 (1828).
*Fl. Med. [Spratt], i. 70 (1829).
*Zenker & Schenk, Merkant. Waarenk. i. t. 5 (1831).
Delle Chiaje, Fl. Med. ii. tab. (1832).
*Schlechtendal & Guimpel, Abb. Pharm. Boruss. Gew. ii. t. 173 (1833).
*Stephenson & Churchill, Med. Bot. New Ed. ii. t. 101 (1835).
Nees, Gen. Pl., Monocot. iii. t. 11 (1835).—*Fl.*
Meigen, Deutschl. Fl. i. t. 7 (1836).—*Fl.*
[M. E.] Jackson, Pict. Fl. fig. 59 (1840).
*Deakin, Florigr. Brit. i. fig. 54 (1841).
*J. W. Loudon, Ladies' Fl.-Gard. Ornam. Bulb. Pl. t. 23 (1841).
*Burnett, Pl. Util. ii. 62, a (1845).
Duchesne, Pl. Util. t. 25 (1846).
*J. W. Loudon, Brit. Wild Fl. Ed. 2, t. 54 [1846].
*Carson, Ill. Med. Bot. ii. t. 100 (1847).
*Reichenbach, Ic. Fl. Germ. ix. t. 360 (1847).
Petermann, Deutschl. Fl. t. 88, fig. 692, k–n (1849).—*Fl.*
Schnizlein, Iconogr. i. t. 61 (1849).
*Strong, American Fl. iv. 14 (1850).
*Cassone, Fl. Med.-Farm. vi. 533 (1852).
*E. Hamilton, Fl. Homoeopath. i. t. 27 (1852).
*Berg & Schmidt, Darst. u. Beschr. Offiz. Gewächse, i. t. 1, d (1858).
Irvine, Illustr. Handb. Brit. Pl. 328 (1858).
Johnson & Sowerby, Brit. Wild Fl. fig. 1265 (1858–60).

CROCUS
sativus
Berg, Charakt. t. 12, fig. 131 (1861).
*Johnson & Sowerby, Useful Pl. Gr. Brit. t. 19, fig. 226 (1861[–62]).
*Artus, Atlas Pharm. Deutschl. aufg. Offic. Gew. t. 276 [1862–74].
*Hogg & Johnson, Wild Fl. Gr. Brit. ii. t. 145 (1864).
*Réveil, Règne Vég. iii. t. 27; x. t. 25 (1870).
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, v. t. 219 [1873].
*Bentley & Trim. Med. Pl. t. 274 (1879).
De Silvestri, Piante Prat. 136 (1879).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, iv. t. 305 (1880).
Karsten, Deutsche Fl. Pharm.-medic. Bot. 462 (1880–83).
Baillon, Dict. Bot. ii. 273 (1881).
Wagner, Ill. Deutsche Fl. Ed. 2, p. 736 (1882).
Journ. Linn. Soc., Bot. xix. 360 (1882).—*Fl.*
Vilmorin-Andrieux, Pl. Potag. 543 (1883).—*Hab.*
Baillon, Traité Bot. Méd. Phan. ii. 1422 (1884).
Nicholson, Illustr. Dict. Gard. i. 400 [1884–88].—*Hab.*
Harz, Samenkunde, ii. 1115 (1885).—*Fr.*
*Zippel, Ausländ. Handels- & Nährpfl. t. 8 (1885).
*Maw, Monogr. Crocus, t. 29 (1886).
*Thomé, Fl. Deutschl. i. t. 134 (1886).
Hager, Handb. Pharm. Prax. Ed. Nov. i. 954 (1887).
*Köhler, Med. Pfl. i [t. 60] (1887).
Pflanzenfam. ii. v. 143 (1888).
Dujard.-Beaumetz & Egasse, Pl. Méd. 619 (1889).
Kerner, Pflanzenleben, ii. 279 (1891).—*Fl.*
*Leclerc du Sablon, Nos Fleurs, 89, t. 12 [1892].
*Masclef, Atlas Pl. France, t. 328 (1893).
Baillon, Hist. Pl. xiii. 128 (1894).
Brehm, Merv. Nat. Monde des Pl. ii. 564 (1894–96).
Karsten, Fl. Deutschl. i. 478 (1895).
Kerner & Oliv. Nat. Hist. Pl. ii. 279 (1895).—*Fl.*
*Kohl, Off. Pfl. Pharm. Germ. t. 9 (1895).
Rev. Hort. 1895, p. 573.
Lochman, Phot. Med. Pl. t. 24 (1898).
Fiori & Paol. Ic. Fl. Ital. 89 (1898).
*Zippel, Ausländ. Kulturpfl. Atlas, Ed. 4, Abt. 2, t. 10, fig. 1–4 (1899).
Amer. Journ. Pharm. lxxii. 120 (1900).
Pharm. Journ. Ser. IV. x. 493 (1900).
*Josef v. Oesterreich & Marg. v. Thurn und Taxis, Atlas Heilpfl. t. 46 (1903).
*Losch, Kräuterb. t. 12 (1903).
Rev. Hort. Belge, xxx. 254 (1904).—*Hab.*
Coste, Fl. France, iii. 360 (1906).
Lazaro, Comp. Fl. Españ. i. 778 (1906).
Ramirez, Dat. Mat. Med. Mexic. v. t. 2 (1908).
Beille, Bot. Pharm. ii. 125 (1909).
Fedtschenko & Fler. Fl. Eur. Russia, 264 (1910).
Wettstein, Handb. Syst. Bot. Ed. 2, p. 810 (1911).
Pammel, Man. Poison. Pl. 387 (1911).
E. M. Holmes, Pharm. Journ. xci. 941 (1913).
L. H. Bailey, Stand. Cycl. Hort. 897, 900 (1914).
Trotter, Fl. Econ. della Libia, 131 (1915).
*Komarow, Sbor, Suschka i Razvod. Lekarst. Rast. Ross. (Coll. Dry. & Cult. Med. Pl. Russia), Ed. 3, t. 43 (1917).
Tschirch, Handb. Pharmakog. ii. 1456, 1459 (1917).
Basu, Ind. Med. Pl. t. 954 (1918).
Krafft & Fruwirth, Pflanzenb. 108 (1920).—*Hab.*
—— **autumnalis** Linn.
*Joh. Kerner, Abbild. Oek. Pfl. (Fig. Pl. Écon.), i. t. 12 (1786).
—— **Cartwrightianus** Maw
*Maw, Monogr. Crocus, t. 29 b (1886).
E. M. Holmes, Pharm. Journ. xci. 941 (1913).
Garden, lxxxiii. 5 (1919).—*Fl.*
—— **cashmerianus** Royle
*Royle, Illustr. Bot. Himal. t. 90 (1839).
Bose, Man. Ind. Bot. 287 (1920).—*Fl.*
—— **Elwesii** Maw
*Maw, Monogr. Crocus, t. 29 c (1886).
E. M. Holmes, Pharm. Journ. xci. 942 (1913).
—— **graecus** Wooster
*Wooster, Alp. Pl. Ser. II. t. 14 (1874).—*Hab.*

CROCUS
sativus officinalis Linn.
*Regnault, Bot. ii. 80 (1774).
*Vietz, Ic. Pl. Med.-oec.-techn. i. t. 70 (1800).
—— **Orsinii** Parl.
*Maw, Monogr. Crocus, t. 29 (1886).
—— **Pallasii** Maw
*Maw, Monogr. Crocus, t. 29 d (1886).
E. M. Holmes, Pharm. Journ. xci. 941 (1913).
—— **splendens** Hort.
*Floral Mag. N. Ser. 1878, t. 290.—*Fl.*
—— **vernus** Linn.
*Joh. Kerner, Abbild. Oek. Pfl. (Fig. Pl. Écon.), i. t. 11 (1786).
*Schkuhr, Bot. Handb. Ed. 2, t. 6 (1808).
Scharojanii Rupr.
*Gartenfl. xvii. t. 578 (1868).
*Maw, Monogr. Crocus, t. 3 (1886).
Gard. Chron. Ser. III. xxxii. 321 (1902).
serotinus Salisb.
*Salisbury, Parad. Londin. i. t. 30 (1805).
*Bot. Mag. xxxi. t. 1267 (1810).
Reichenbach, Pl. Crit. x. t. 945 (1832).
*Mag. Bot. & Gard. iii. t. 10 (1835).
*J. W. Loudon, Ladies' Fl.-Gard. Ornam. Bulb. Pl. t. 23 (1841).
*Floral Mag. N. Ser. 1878, t. 299.—*Fl.*
*Maw, Monogr. Crocus, t. 8 (1886).
Pflanzenfam. ii. v. 142 (1888).—*Fl.*
siculus minor Guss.
Lojacono-Pojero, Fl. Sic. iii. t. 4 (1909).
Sieberi J. Gay
*Bot. Mag. xcix. t. 6036 (1873).
*Verlot, Pl. Alp. Ed. 2, t. 42 (1873).—*Hab.*
*Wooster, Alp. Pl. Ed. 2, t. 33 (1874).—*Hab.*
*Maw, Monogr. Crocus, t. 33 (1886).
*Rev. Hort. 1907, p. 376.
*Garden, lxxiii. 201 (1909); lxxvii. 361 (1913).—*Hab.*
Farrer, English Rock-Gard. i. 240 (1919).—*Hab.*
Gard. Chron. Ser. III. lxv. 120 (1919).
—— **versicolor** Boiss. & Heldr.
*Maw, Monogr. Crocus, t. 33 (1886).
speciosus M. Bieb.
Reichenbach, Pl. Crit. x. t. 948 (1832).
*Sowerby & Sm. Engl. Bot. Suppl. ii. t. 2752 (1834).
*Bot. Reg. xxv. t. 40 (1839).
*Deakin, Florigr. Brit. i. fig. 59 (1841).
*J. W. Loudon, Ladies' Fl.-Gard. Ornam. Bulb. Pl. t. 23 (1841).
*M. Bieberstein, Cent. Pl. Rar. ii. III. t. 71 (1843).
Florist's Journ. 1846, p. 111.
*Sweet, Ornam. Fl. Gard. iii. t. 207 (1854).
Johnson & Sowerby, Brit. Wild Fl. fig. 1267 (1858–60).
*Gartenfl. xi. t. 379 (1862).
*Trans. Russ. Hort. Soc. 1862, t. 105.
*Verlot, Pl. Alp. Ed. 2, t. 47 (1873).—*Hab.*
Gard. Chron. 1873, p. 179.—*Fl.*
*Wooster, Alp. Pl. Ed. 2, t. 25 (1874).—*Hab.*
*Floral Mag. N. Ser. 1878, t. 290.—*Fl.*
*Garden, xxx. 476 (1886); lxxi. 613 (1907); lxxx. 527 (1916).
*Maw, Monogr. Crocus, t. 64 (1886).
Nicholson, '1900' Suppl. Dict. Gard. 269 (1900).—*Hab.*
*A. H. Church, Types Fl. Mechan. i. 59 (1908).—*Fl.*
Journ. Roy. Hort. Soc. London, xxxvi. 544, fig. 161 (1911).—*Hab.*
Tribune Hort. vi. t. 302 (1911).—*Hab.*
—— **Aitchisonii** Foster
L. H. Bailey, Stand. Cycl. Hort. 900 (1914).
—— **caucasicus** Herb.
*Bot. Mag. lxvii. t. 3861 (1841).
—— **laxior** Herb.
*Bot. Mag. lxvii. t. 3861 (1841).—*Fl.*
—— **transylvanicus** Herb.
*Bot. Mag. lxvii. t. 3861 (1841).
Journ. Hort. Ser. III. xlix. 285 (1904).—*Hab.*
stellaris Haw.
*Trans. Hort. Soc. London, i. t. 6 (1812).
*Maw, Monogr. Crocus, t. 37 (1886).
suaveolens Bertol.
*Tenore, Fl. Nap., Atlas, v. t. 206 (1811–38).
*Sweet, Brit. Fl. Gard. vii. t. 352 (1836).

CROCUS
suaveolens
*Bot. Mag. lxvii. t. 3864 (1841).
*Sweet, Ornam. Fl. Gard. iii. t. 205 (1854).
*Maw, Monogr. Crocus, t. 15 (1886).
sulphureus Ker-Gawl.
*Bot. Mag. xxiv. t. 938 (1806); xxxiv. t. 1384 (1811).
—— **atrolineatus** Ker-Gawl.
Reichenbach, Pl. Crit. x. t. 927 (1832).
—— **concolor** Ker-Gawl.
*Maw, Monogr. Crocus, t. 55 b (1886).—*Fl.*
—— **pallidus** Hort.
*Maw, Monogr. Crocus, t. 55 b (1886).—*Fl.*
—— **striatus** Ker-Gawl.
*Maw, Monogr. Crocus, t. 55 b (1886).—*Fl.*
susianus Ker-Gawl.
*Bot. Mag. xviii. t. 652 (1803).
*Redouté, Liliac. v. t. 293 (1809).
*Hayne, Getreue Darst. Arzn. Gewächse, vi. t. 28 (1819).
Reichenbach, Pl. Crit. x. t. 928 (1832).
*Mag. Bot. & Gard. iii. t. 36 (1835).
Nees, Gen. Pl., Monocot. iii. t. 11 (1835).—*Veg.*
*J. W. Loudon, Ladies' Fl.-Gard. Ornam. Bulb. Pl. t. 23 (1841).
*Reichenbach, Ic. Fl. Germ. ix. t. 358 (1847).
*Maw, Monogr. Crocus, t. 36 (1886).
*Rev. Hort. 1907, p. 376.
L. H. Bailey, Stand. Cycl. Hort. 897, 898 (1914).
Suterianus Herb.
*Sweet, Ornam. Fl. Gard. iii. t. 209 (1854).
*Maw, Monogr. Crocus, t. 52 (1886).
tauri Maw
*Maw, Monogr. Crocus, t. 61 (1886).
—— **melantherus** Bowles
*Flora & Sylva, ii. 104 (1904).—*Hab.*
Thomasianus Herb.
*Bot. Reg. xxx. t. 3, fig. 6 (1844).
*Sweet, Ornam. Fl. Gard. iii. t. 211 (1854).
Thomasii Ten.
*Tenore, Fl. Nap., Atlas, v. t. 204, 206 (1811–38); et in Mem. Sp. & Var. Crochi Fl. Nap. t. 4 (1826).
Reichenbach, Pl. Crit. x. t. 951 (1832).
Journ. Hort. Ser. III. xlix. 285 (1904).—*Hab.*
Tommasinianus Herb.
*Maw, Monogr. Crocus, t. 25 (1886).
*Rev. Hort. 1907, p. 376.
Garden, lxxx. 115 (1916).—*Hab.*
Tournefortii J. Gay
*Bot. Reg. xxxi. t. 37, fig. 3 (1845).
*Sweet, Ornam. Fl. Gard. iii. t. 210 (1854).
*Maw, Monogr. Crocus, t. 47 (1886).
vallicola Herb.
*Bot. Reg. xxxiii. t. 16, fig. 3 (1847).
*Sweet, Ornam. Fl. Gard. iii. t. 208 (1854).
*Floral Mag. N. Ser. 1878, t. 299.—*Fl.*
*Maw, Monogr. Crocus, t. 2 (1886).
—— **lilacinus** Maw
*Maw, Monogr. Crocus, t. 2 (1886).
—— **suwarrowianus** K. Koch
*Maw, Monogr. Crocus, t. 2 (1886).
variegatus Hoppe & Hornsch.
*Hoppe & Hornsch. Tagebuch Reise, t. 1 (1818).
*Sturm, Deutschl. Fl. xiii. LIV [t. 851] (1829).
Reichenbach, Pl. Crit. x. t. 939 (1832).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, iv. t. 304 (1880).
veluchensis Herb.
*Bot. Reg. xxxiii. t. 4, fig. 3 (1847).
*Sweet, Ornam. Fl. Gard. iii. t. 209 (1854).
*Bot. Mag. ci. t. 6197 (1875).
*Maw, Monogr. Crocus, t. 32 (1886).
Veneris Tapp.
*Maw, Monogr. Crocus, t. 48 (1886).
vernus All.
Buchoz, Hist. Règne Vég. x. Dec. 10, t. 1 (1775).
*Jacquin, Fl. Austr. v. Append. t. 36 (1778).
*Bergeret, Phyt. Univ. ii. 159 (1784).
*Bot. Mag. ii. t. 45 (1788).
Lamarck, Ill. i. t. 30, fig. 2 (1791).
*Martyn, Fl. Rustica, ii. t. 59 (1792).
*Sowerby & Sm. Engl. Bot. v. t. 344 (1796).
*Sturm, Deutschl. Fl. vi. XXI [t. 338]; XXII [t. 337] (1806); vii. XXVII [t. 417] (1809).

CROCUS
vernus
*McDonald, Dict. Pract. Gard. i. t. 19 (1807).
*Roques, Pl. Usuell. Indig. & Exot. ii. t. 29 (1808).
*Redouté, Liliac. v. t. 266 (1809).
*Jaume St.-Hilaire, Pl. France, iv [t. 28] (1809).
*S. Edwards, New Bot. Gard. i. t. 19 (1812).
Thornton, Brit. Fl. i. 46 (1812).
*Billberg, Ekonom. Bot. t. 8 (1816).
*Vietz, Ic. Pl. Med.-oec.-techn. v. t. 449 (1817).
*Hayne, Getreue Darst. Arzn. Gewächse, vi. t. 26 (1819).
Trattinick, Fl. Oesterr. Kaiserth. ii. t. 111 (1820).
*Tenore, Mem. Sp. & Var. Crochi Fl. Nap. t. 1 (1826).
*Géel, Sert. Bot. Cl. 3 (1828).
*Zenker & Schenk, Merkant. Waarenk. i. t. 5 (1831).
*Fl. Dan. xii. t. 2042 (1832).
*Kops, Fl. Batava, vi. t. 446 (1832).
*Dietrich, Fl. Boruss. i. t. 31 (1833).
*Reichenbach, Fl. Exot. i. t. 22 (1834).
Mutel, Fl. Française, t. 70 (1834).
Nees, Gen. Pl., Monocot. iii. t. 11 (1835).
[M. E.] Jackson, Pict. Fl. fig. 60 (1840).
*Deakin, Florigr. Brit. i. fig. 55 (1841).
*Reichenbach, Ic. Fl. Germ. ix. t. 355 (1847).
Schnizlein, Iconogr. i. t. 61 (1849).
Lindley, Med. & Oecon. Bot. 42 (1849).
*Petermann, Deutschl. Fl. t. 88, fig. 692, a–i (1849).—*Fl.*
*Barker, Beauty Fl. Field & Wood, t. 10 [1852].
Johnson & Sowerby, Brit. Wild Fl. fig. 1262 (1858–60).
Hofmeister in Abh. Sächs. Ges. Wiss. Leipzig, vii. t. 21, fig. 10, 11; t. 24, fig. 1, 2 (1861).—*Fl.*
Decaisne & Naud. Amat. Jard. ii. 239 [1862–66].
*T. Moore, Field Bot. Comp. t. 6 (1862).
*Hogg & Johnson, Wild Fl. Gr. Brit. ii. t. 158 (1864).
Bentham, Handb. Brit. Fl. fig. 1008 (1865).
*Schubert, Naturg., Pflanzenreich, Ed. 2, t. 3, fig. 3 [1865].
*Fl. des Serres, Ser. II. vi. t. 1680, 1681 (1865–67).
Cesati, Passer. & Gibelli, Comp. Fl. Ital. t. 20 (1867–86).—*Fl.*
Le Maout & Decaisne, Traité Gén. Bot. 571 (1868).
*Syme, Engl. Bot. ix. t. 1499 (1869).
Rev. Hort. 1869, p. 331; 1901, p. 558; 1903, p. 458.
*Réveil, Règne Vég. xiv. t. 20 (1870).
*Eeden, Album Bulb. Pl. t. 22 (1872–81).
*Weber, Alp.-Pfl. Ed. 3, iv. t. 383 (1872).
Gard. Chron. 1873, p. 179.
Decaisne, Naud. & Hemsl. Trees, Shrubs & Herb. Pl. 478 (1873).
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, v. t. 219 [1873].
*Cusin, Herb. Fl. Franç. xxi (Iridées), t. 1 (1876).
*Hulme & Hibberd, Familiar Gard. Fl. i. 97 [1879–87].
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, iv. t. 303 (1880).
*Seboth & A. W. Bennett, Alpine Pl. iv. t. 15 (1880).
*C. Hoffmann, Pflanzenatlas, t. 5, fig. 29 (1881).
H. Müller, Alpenblumen, 57 (1881).—*Fl.*
Journ. Linn. Soc., Bot. xix. 360 (1882).—*Fl.*
Wagner, Ill. Deutsche Fl. Ed. 2, p. 736 (1882).
Nicholson, Illustr. Dict. Gard. i. 400 [1884–88].
*Bicknell, Fl. Pl. Riviera, t. 65 (1885).
Baillon, Ic. Fl. Franç. i. 60 [1885–94].
*Maw, Monogr. Crocus, t. 26, 26 b (1886).
*Thomé, Fl. Deutschl. i. t. 134 (1886).
Pflanzenfam. ii. v. 142 (1888).—*Fl.*
G. Beck, Fl. Nied.-Oesterr. i. 186 (1890).—*Fl.*
*Heathcote, Fl. Engadine, t. 198 (1891).
*Masclef, Atlas Pl. France, t. 328 (1893).
P. E. Mueller in Overs. Danske Vidensk. Selsk. Forhandl. No. 1, p. 79 (1894).—*Veg.*
Acloque, Fl. France, 609 (1894).
Raunkiær, Danske Blomsterpl. Naturhist. i. 243 (1895–99).—*Veg.*

CROCUS
vernus
*Bois, Atlas Pl. Jard. t. 264 (1896).
*Step, Fav. Fl. Gard. & Greenh. iv. t. 256 (1897).
Fiori & Paol. Ic. Fl. Ital. 89 (1898).
Knuth, Handb. Blütenbiol. i. 151 (1898); ii. II. 462 (1899).—*Fl.*
L. H. Bailey, Cycl. Amer. Hort. 402 (1900); Stand. Cycl. Hort. 899 (1914).
*Florileg. Harlem. t. 54 (1901).
*Jul. Hoffmann, Alpine Fl. t. 38 (1903).
Robert-Tissot in Rameau de Sapin, xxxviii. 17–19, 22 (1904).
*L. & C. Schroeter, Col. Vade-Mecum Alp. Fl. Ed. 16 & 17, t. 24 (1904).
*Masclef, Pl. Eur. t. 22 (1905).
Blytt, Haandb. Norg. Fl. Ed. Dahl, 221 (1906).
Coste, Fl. France, iii. 360 (1906).
*Kirby, Brit. Fl. Pl. t. 98 (1906).
Velenovsky, Vergl. Morph. Pfl. ii. 311, 658 (1907).
*A. H. Church, Types Fl. Mechan. i. 45, 46 (1908).
*Flahault, Nouv. Fl. Alpes & Pyrén. ii. t. 123 (1908).
*Hulme, Familiar Swiss Fl. t. 29 (1908).
Graebner, Pflanzenw. Deutschl. 235 (1909).
Jardin, xxiii. 74 (1909).
Arber, Pl. Life Alp. Switz. 153, t. 32 (1910).
H. Jumelle, Pl. Tuberc. Aliment. 26 (1910).—*Veg.*
Heukels, Fl. Nederl. i. 318 (1910).
*Milner, Life Oberammergau, t. 3 (1910).
Feucht, Württemb. Pflanzenw. t. 116 (1912).—*Hab.*
*Hegi & Dunz. Alp. Fl. t. 4 (1913).
Horwood, Pl. Life Brit. Isles, iii. 296 (1915).—*Hab.*
*Penzig, Fl. Alpi Illustr. Ed. 2, t. 38 (1915).
Farrer, English Rock-Gard. i. 248 (1919).—*Hab.*
Fitch & Smith, Ill. Brit. Fl. Ed. rev. 4, Iss. 2, fig. 1022 (1919).
—— **albiflorus** Mutel
Mutel, Fl. Française, t. 71 (1834).
Cusin, Herb. Fl. Franç. xxi (Iridées), t. 2 (1876).
*Maw, Monogr. Crocus, t. 26 b (1886).
—— **grandiflorus** Reichb.
Mutel, Fl. Française, t. 71 (1834).
Gartenfl. xxvii. 212 (1878).
—— **Leedsii** T. Moore
*Moore & Ayres, Gard. Mag. Bot. iii. 305 (1851).
—— **leucorrhynchus** Lindl.
*Bot. Reg. xvii. t. 1416 (1831).
*Maw, Monogr. Crocus, t. 26 b (1886).—*Fl.*
—— **maiestuosus** Hort.
*Fl. des Serres, Ser. II. iii. t. 1310 (1858).
—— **neapolitanus** Ker-Gawl.
*Bot. Mag. xxii. t. 860 (1805).
*Tenore, Fl. Nap., Atlas, v. t. 205 (1811–38).
—— **obovatus** Sims
*Bot. Mag. xlviii. t. 2240 (1821).
Reichenbach, Pl. Crit. x. t. 929 (1832).
—— **pictus** Sabine
*Bot. Reg. xvii. t. 1440 (1831).
Reichenbach, Pl. Crit. x. t. 930 (1832).
—— **ramoso-lineatus** Reichb.
Reichenbach, Pl. Crit. x. t. 931 (1832).
—— **siculus** Tin.
*Maw, Monogr. Crocus, t. 26 b (1886).
—— **striatus** Reichb.
Reichenbach, Pl. Crit. x. t. 932 (1832).
—— **tubo-striatus** Reichb.
Reichenbach, Pl. Crit. x. t. 933 (1832).
—— **versicolor** Hort.
Jardin, xxiii. 74 (1909).—*Hab.*
—— **fl. luteo**
*Piccioli, Antotr. Colt. Fiori, i. t. 8 (1834).
versicolor Ker-Gawl.
*Bot. Mag. xxviii. t. 1110 (1808).
*J. W. Loudon, Ladies' Fl.-Gard. Ornam. Bulb. Pl. t. 23 (1841).
*Moggridge, Fl. Mentone, t. 40 (1871).
*Cusin, Herb. Fl. Franç. xxi (Iridées), t. 4 (1876).
Nicholson, Illustr. Dict. Gard. i. 400 [1884–88].—*Hab.*
*Bicknell, Fl. Pl. Riviera, t. 65 (1885).
*Maw, Monogr. Crocus, t. 16 (1886).

CROCUS
versicolor
Fiori & Paol. Ic. Fl. Ital. 89 (1898).
Rev. Hort. 1901, p. 558.—*Hab.*
Coste, Fl. France, iii. 361 (1906).
Journ. Hort. Ser. III. liv. 281 (1907).—*Hab.*
Garden, lxxvi. 468 (1912); lxxviii. 457 (1914).—*Hab.*
*H. S. Thompson, Fl. Pl. Riviera, t. 28 (1914).
vitellinus Wahlenb.
*Bot. Mag. cv. t. 6416 (1879).
*Maw, Monogr. Crocus, t. 50 (1886).
Post, Fl. Syria, Palestine & Sinai, 772 [1896].—*Fl.*
Weldenii Hoppe & Fuernr.
*Bot. Mag. cii. t. 6211 (1876).
*Garden, xxx. 476 (1886).—*Fl.*
Wilmae Fiala
*Fiala in Glasnik Muz. Bosn. Herceg. i. iv. 117 (1889).
zonatus J. Gay
*Maw, Monogr. Crocus, t. 4 (1886).
Gard. Chron. Ser. III. xxiii. 85 (1898); lxii. 167 (1917).—*Hab.*
Journ. Hort. Ser. III. xlix. 285 (1904).—*Hab.*
Silva Tarouca, Freiland-Stauden, 73 (1910).—*Hab.*

CROCYLLIS E. Mey.
anthospermoides E. Mey.
Pflanzenfam. iv. iv. 131 (1891).—*Fl.*

CROFTIA King & Prain: *Pommereschea*
spectabilis King & Prain
Journ. Asiat. Soc. Bengal, lxv. ii. t. 9 (1896).

CROOMIA Torr.
japonica Miq.
*Somoku Dzusetsu, Ed. 2, ii. t. 41 (1874).
*Useful Pl. Jap. ii. t. 508 (1895).
Somoku Dzusetsu, Ed. Makino (Iconogr. Pl. Nippon), ii. t. 41 (1907).
pauciflora Torr.
Gray & Sprague, Gen. Fl. Amer. i. t. 37 (1848).
Mem. Amer. Acad. Arts & Sc. N. Ser. vi. ii. t. 31 (1858).
*Meehan, Native Fl. & Ferns U.S. Ser. II. i. t. 31 (1879).

CROSSANDRA Salisb.—Vide *Harrachia*
axillaris Nees
Wight, Ic. Pl. Ind. Or. ii. t. 460 (1840–43).
*Wight, Illustr. Ind. Bot. ii. t. 164 bis (1850).—*Fl.*
flava Hook.
*Bot. Mag. lxxix. t. 4710 (1853).
Greenstockii Sp. Moore
De Wildeman, Pl. Nov. Herb. Hort. Then. ii. t. 65 (1908).
guineensis Nees
*Bot. Mag. civ. t. 6346 (1878).
infundibuliformis Nees
Wight, Ic. Pl. Ind. Or. ii. t. 461 (1840–43).
*Schnizlein, Iconogr. ii. t. 150 (1854).—*Fr.*
Sempervirens, xi. 320 (1882).
Gard. Chron. xviii. 653 (1882).
Ill. Gartenzeit. Stuttgart, xxvii. t. 35 (1883).
Garten-Zeit. Berlin, ii. 349 (1883).
Journ. Hort. Ser. III. vi. 75 (1883).
Gard. Month. & Hort., Meehan, xxvi. 301 (1884).
*Rev. Hort. 1891, p. 156.
Pflanzenfam. iv. III. B. 317 (1895).—*Fl.*
Ann. Jard. Bot. Buitenzorg, xvii. 60 (1900).
Möllers Deutsche Gärtn.-Zeit. xxviii. 557 (1913).
Johanninae Fiori
Fiori, Boschi e Piante Legn. Eritrea, 347 (1909–12).
Agric. Colon., Ital. v. Suppl. 124 (1911).
Bull. Soc. Bot. Ital. 1911, p. 61.
nilotica Oliv.
Trans. Linn. Soc. London, xxix. t. 85 (1875).
Bull. Soc. Bot. Ital. 1911, p. 61.
—— **acuminata** Lindau
Fiori, Boschi e Piante Legn. Eritrea, 347 (1909–12).
Agric. Colon., Ital. v. Suppl. 124 (1911).
spinosa G. Beck
Paulitschke, Harar, 462 (1888).

CROSSANDRA
undulifolia Salisb.
Rheede, Hort. Mal. ix. t. 62 (1689); fide Fl. Brit. Ind. iv. 492.
*Salisbury, Parad. Londin. i. t. 12 (1805).
*Bot. Reg. i. t. 69 (1815).
*Mordant de Launay, Herb. Amat. iv. t. 224 (1820).
*Bot. Mag. xlvii. t. 2186 (1820).
*Géel, Sert. Bot. Cl. 14 (1832).
*Drapiez, Herb. Amat. Fl. vii. t. 479 (1834).
*Garden, xxiv. 530 (1883).
Nicholson, Illustr. Dict. Gard. i. 401 [1884–88].
*Bois, Dict. Hort. 396 (1893–99).
Journ. Roy. Hort. Soc. London, xxxviii. Proc. p. clviii, fig. 123 (1913).
Wagner in Sitzb. Akad. Wiss. Wien, cxxvi. i. 970, 972, 976 (1917).
—— **bicolor** Hort.
*Journ. Jard. 1834, p. 23.

CROSSOLEPIS Benth.: *Angianthus*
pusilla Hügel
Hook. Ic. Pl. v. t. 413 (1842).

CROSSONEPHELIS Baill.
Pervillei Baill.
Grandidier, Hist. Madag. [Plantes] Atlas, t. 249 (1893).

CROSSOPTERYX Fenzl
africana K. Schum.
Notizbl. Bot. Gart. Berlin, App. xxii. 39 (1909).
Engler & Drude, Veget. Erde, ix. i. 1, p. 294 (1910).
Kotschyana Fenzl
Kotschy & Peyritsch, Pl. Tinneanae, t. 15 (1867).

CROSSOSOMA Nutt.
californica Nutt.
Nuttall in Journ. Acad. Nat. Sc. Philadelphia, N. Ser. i. t. 23 (1848).
Rep. Expl. & Surv. Railr. Mississippi, 1853–54, iv. t. 1 (1857).
Gard. Chron. Ser. III. xxxiv. 130 (1903).
*Bot. Mag. cxxx. t. 7949 (1904).

CROSSOSTYLIS Forst.—Vide *Haplopetalon*
biflora Forst.
Forster, Charact. Gen. Pl. t. 44 (1776).—*Fl.*
Gray, U.S. Expl. Exped. Bot. Atlas, i. t. 77 (1857).
Pflanzenfam. iii. VII. 51 (1893).—*Fl.*
Cominsii Hemsl.
Journ. Linn. Soc., Bot. xxx. t. 10 (1895).
multiflora Brongn. & Gris
Pflanzenfam. iii. VII. 51 (1893).—*Fl.*

CROSSOTROPIS Stapf: *Trichoneura*
grandiglumis Rendle
Hook. Ic. Pl. xxvii. t. 2609 (1899).
Wood, Natal Pl. v. II. t. 443 (1905).
Engler & Drude, Veget. Erde, ix. II. 184 (1908).

CROTALARIA Linn.—Vide *Chrysocalyx*, *Maria-Antonia*, *Phyllocalyx* A. Rich., *Quirosia*
abdelkuriensis Vierh.
Vierhapper in Denkschr. Akad. Wiss. Wien, lxxi. t. 5 (1907).
aculeata De Wild.
De Wildeman, Études Fl. Katanga (Ann. Mus. Congo), i. t. 46 (1903).
aegyptiaca Benth.
Post, Fl. Syria, Palestine & Sinai, 212 [1895].—*Fr.*
agatiflora Schweinf.
*Bot. Mag. cxxxix. t. 8505 (1913).
akoensis Hayata
Hayata, Ic. Pl. Formosan. ix. 19 (1920).
alata Buch.-Ham.
Velenovsky, Vergl. Morph. Pfl. iv. Suppl. 63 (1913).—*Veg.*
albida Heyne
Fyson, Fl. Nilgiri & Pulney Hill-tops, ii. 78 (1915).
Basu, Ind. Med. Pl. t. 286 (1918).
anagyroides H. B. K.
Rock, Legum. Pl. Hawaii, t. 58 (1920).
angulosa Lam.
Cavanilles, Ic. iv. t. 321 (1797).
angustifolia Jacq.
*Jacquin, Hort. Schoenbr. ii. t. 219 (1797).

CROTALARIA
arborescens Lam.
*Duhamel, Arbres & Arbustes, Ed. 2, iv. t. 49 (1809).
Dupont in Arch. Bot. Paris, ii. t. 16 (1833).—*Fl.*
*Rev. Hort. 1868, p. 11.
argentea Jacq.
*Jacquin, Hort. Schoenbr. ii. t. 220 (1797).
assamica Benth.
Rock, Legum Pl. Hawaii, t. 53 (1920).
atrorubens Hochst.
Journ. Linn. Soc., Bot. xlii. t. 11 (1914).
Balansae Micheli
Micheli in Mém. Soc. Phys. Genève, xxviii. t. 1 (1883).
barbata R. Grah.
Wight, Ic. Pl. Ind. Or. iii. t. 980 (1843–45).
*Wight, Spicil. Neilgherr. i. t. 52 [1846].
Fyson, Fl. Nilgiri & Pulney Hill-tops, ii. 80 (1915).
bialata Schrank
*Schrank, Pl. Rar. Hort. Acad. Monac. i. t. 13 (1819).
bifaria Linn.
Wight, Ic. Pl. Ind. Or. i. t. 30 (1838).
Bourneae Fyson
Fyson, Fl. Nilgiri & Pulney Hill-tops, ii. 76 (1915).
bracteata Roxb.
Wight, Ic. Pl. Ind. Or. i. t. 273 (1840).
Brownei Bertol.
Reichenbach, Hort. Bot. t. 232 (1827–30).
bupleurifolia Cham. & Schlechtd.
Hook. Ic. Pl. iv. t. 372 (1841).
burhia Buch.-Ham.
Basu, Ind. Med. Pl. t. 286 (1918).
Burkeana Benth.
Agric. Journ. Union S. Africa, i. 17, 448, 513 (1911).—*Hab.*
caerulea Jacq.
*Jacquin, Ic. Pl. Rar. i. t. 144 (1781–86).
caerulea Vell.
Vellozo, Fl. Flum. vii. t. 107 (1827).
calycina Schrank
*Schrank, Pl. Rar. Hort. Acad. Monac. i. t. 12 (1819).
Banks & Soland. Bot. Cook's Voy. i. t. 53 (1900).
Fyson, Fl. Nilgiri & Pulney Hill-tops, iii. 309 (1920).
capensis Jacq.
*Jacquin, Hort. Vind. iii. t. 64 (1776).
Ann. Bot. v. t. 21, fig. 56–60 (1891).—*Fl.*
Wood & Evans, Natal Pl. i. II. t. 92 (1899).
*Bot. Mag. cxxx. t. 7950 (1904).
Sim, For. Fl. Cape Colony, t. 54 (1907).
—— **obscura** E. Mey.
*Dietrich, Fl. Univ. N. Folge, t. 46 (1849).
capitata Lam.
Lamarck, Ill. iii. t. 617, fig. 3 (1797).
chinensis Linn.
*Somoku Dzusetsu, Ed. 2, xiii. t. 37 (1874).
cordifolia Linn.
*Lodd. Bot. Cab. xii. t. 1158 (1826).
crassipes Hook.
Hook. Ic. Pl. ix. t. 830 (1852).
crispata F. Muell.
F. M. Bailey, Compr. Cat. Queensl. Pl. 130 (1909–13).
Cunninghamii R. Br.
Hook. Ic. Pl. ix. t. 829 (1852).
*Bot. Mag. xcv. t. 5770 (1869).
Descampsii Micheli
De Wildeman & Durand, Ill. Fl. Congo (Ann. Mus. Congo), i. t. 35 (1899).
dichotoma R. Grah.
*Bot. Mag. liv. t. 2714 (1827).
diffusa Vell.
Vellozo, Fl. Flum. vii. t. 110 (1827).
digitata Hook.
*Hooker, Bot. Misc. ii. 354, Suppl. t. 16 (1831) in textu; *C. quinquefolia* in ic.
dissitiflora Benth.
Trans. & Proc. Roy. Soc. S. Australia, xxxix. t. 10 (1915).—*Fl.*

CROTALARIA
elegans Bedd.
Beddome, Ic. Pl. Ind. Or. t. 106 (1874).
Elisabethae Baker f.
Journ. Linn. Soc., Bot. xlii. t. 10 (1914).
Engleri Harms
Engler & Drude, Veget. Erde, ix. I. 1, p. 338 (1910); III. 1. 552 (1915).
evolvuloides Wight
Wight, Ic. Pl. Ind. Or. i. t. 31 (1838).
fenestrata Sims
*Bot. Mag. xliv. t. 1933 (1817).
ferruginea R. Grah.
Somoku Dzusetsu, Ed. Makino (Iconogr. Pl. Nippon), xiii. t. 37 (1912).
fertilis Del.
Ferret & Galinier, Voy. Abyssinie, Atlas, Bot. t. 11 (1847–48).
filifolia Rose
Contrib. U.S. Nat. Herb. v. t. 14 (1897).
filifolia De Wild.
De Wildeman, Études Fl. Bas- et Moyen-Congo (Ann. Mus. Congo), i. t. 45 (1906).
floribunda Lodd.
*Lodd. Bot. Cab. vi. t. 509 (1821).
formosa R. Grah.
Wight, Ic. Pl. Ind. Or. iii. t. 981 (1843–45).
*Wight, Spicil. Neilgherr. i. t. 53 [1846].
Fyson, Fl. Nilgiri & Pulney Hill-tops, ii. 79 (1915).
formosana Matsum.
Journ. Coll. Sc. Tokyo, xxii. t. 10 (1906).
fulva Roxb.
De Sornay, Green Manures in Tropics, 101 (1916).
Rock, Legum. Pl. Hawaii, t. 56 (1920).
Fysonii Dunn
Fyson, Fl. Nilgiri & Pulney Hill-tops, ii. 74 (1915).
globifera E. Mey.
Wood, Natal Pl. iii. II. t. 234 (1901).
Grantii Baker
Trans. Linn. Soc. London, xxix. t. 26 (1873).
griquensis Bolus
Journ. Linn. Soc., Bot. xlii. t. 13 (1914).
Wagner in Sitzb. Akad. Wiss. Wien, cxxvi. 1. 914 (1917).
guianensis Aubl.
Aublet, Hist. Pl. Guiane Franç. iv. t. 305 (1775).
Heyneana R. Grah.
*Bot. Mag. xcviii. t. 5974 (1872).
hirta Willd.
Martius in Denkschr. Akad. Wiss. München, vi. t. F (1820).
humilis Eckl. & Zeyh.
Ann. Bot. v. t. 21, fig. 63–65 (1891).—*Fl.*
ibityensis Viguier & Humbert
Bull. Soc. Bot. France, lxi. 96 (1914).
imperialis Taub.
Journ. Linn. Soc., Bot. xlii. t. 14 (1914).
incana Linn.
Jacquin, Obs. Bot. t. 82 (1771).
Cavanilles, Ic. iv. t. 322 (1797).
*Schkuhr, Bot. Handb. Ed. 2, t. 197 (1808).—*Fr.*
*Bot. Reg. v. t. 377 (1819).
*Blanco, Fl. Filip. t. 160 (1878–80).
Arkiv Bot. Stockholm, i. t. 17, fig. 8–10 (1903).—*Fl.*
Hawaii Agric. Exp. St. Bull. No. 52, p. 4 (1917).
Rock, Legum. Pl. Hawaii, t. 60 (1920).
intermedia Kotschy
Kotschy in Sitzb. Akad. Wiss. Wien, l. 1. t. 3 (1865).
ivantulensis Welw.
Bull. Soc. Bot. France, lxi. 286 (1915).—*Fl.*
Jamesii Oliv.
Hook. Ic. Pl. xvi. t. 1530 (1886).
F. L. James, Unknown Horn Afr., App. 318, t. 1 (1888).
juncea Linn.
Rheede, Hort. Mal. ix. t. 26 (1689); fide Fl. Brit. Ind. ii. 79.
*Roxburgh, Pl. Coromandel, ii. t. 193 (1798).
*Bot. Mag. xiv. t. 490 (1800).
*Andrews, Bot. Rep. vi. t. 422 (1804).
*Archer, Pop. Econ. Bot. et Profitable Pl. t. 7, fig. 36 (1853).

CROTALARIA
juncea
Duthie & Fuller, Field & Gard. Crops, t. 21 (1882).
U.S. Dep. Agric. Fiber Invest. Rep. No. 9, p. 140, t. 5 (1897).
Tropenpfl. vi. 515 (1902).
Mem. Dep. Agric. Ind. Bot. Ser. III. No. 3, t. 1–3 (1910); Ser. X. No. 5, t. 1 (1919).
!Ann. Jard. Bot. Buitenzorg, xxviii. t. 28, fig. 18 (1914).—*Fl.*
De Sornay, Green Manures in Tropics, 386 (1916).
Basu, Ind. Med. Pl. t. 288 (1918).
Goebel, Entfaltungsb. Pfl. 459 (1920).—*Veg.*
Rock, Legum. Pl. Hawaii, t. 55 (1920).
kilimandscharica Taub.
Pflanzenfam. iii. III. 227 (1893).—*Fl.*
laburnifolia Linn.
Rheede, Hort. Mal. ix. t. 27 (1689); fide Fl. Brit. Ind. ii. 84.
*Kniphof, Herb. Viv. i. t. 335 (1758).
*Lodd. Bot. Cab. xviii. t. 1796 (1831).
Somoku Dzusetsu, Ed. 2, xiii. t. 36 (1874).
lachnocarpa Hochst.
Engler & Drude, Veget. Erde, ix. III. 1, p. 558 (1915).
lanata Bedd.
Beddome, Ic. Pl. Ind. Or. t. 105 (1874).
lanceolata E. Mey.
Wood, Natal Pl. iii. IV. t. 291 (1902).
latifolia Linn.
Dillenius, Hort. Eltham. Add. Denom. Linn. t. 102 (1774).
*Somoku Dzusetsu, Ed. 2, xiii. t. 35 (1874).
leptocarpa Balf. f.
Balfour f., Bot. Socotra (Trans. Roy. Soc. Edinb. xxxi), t. 14 (1888).
Leschenaultii DC.
Fyson, Fl. Nilgiri & Pulney Hill-tops, iii. 310 (1920).
leucoclada Baker
Journ. Linn. Soc., Bot. xlii. t. 12 (1914).
linearifolia De Wild.
De Wildeman, Études Fl. Bas- et Moyen-Congo (Ann. Mus. Congo), i. t. 45 (1906).
longifoliolata De Wild.
De Wildeman, Études Fl. Katanga (Ann. Mus. Congo), i. t. 45 (1903).
longirostrata Hook. & Arn.
*Bot. Mag. cxix. t. 7306 (1893).
Bull. Soc. Bot. France, lxi. 286 (1915).—*Fl.*
Rock, Legum. Pl. Hawaii, t. 59 (1920).
lunulata Heyne
Wight, Ic. Pl. Ind. Or. ii. t. 480 (1840–43).
Bull. Soc. Bot. France, lxi. 286 (1915).—*Fl.*
lupinoides Hochst.
Journ. Linn. Soc., Bot. xlii. t. 12 (1914).
lupulina DC.
H. B. K. Nov. Gen. vi. t. 590 (1823).
macilenta Del.
Delile, Cent. Pl. Afr. Voy. Méroé, ii. t. 64 (1826).
macrocarpa E. Mey.
Bull. Soc. Bot. France, lxi. 286 (1915).—*Fl.*
madurensis Wight
Fyson, Fl. Nilgiri & Pulney Hill-tops, ii. 82 (1915).
medicaginea Lam.
Bull. Presid. Coll. Bot. Madras, No. 40, t. 40 (1916).
Basu, Ind. Med. Pl. t. 289 (1918).
minutissima Baker f.
Journ. Linn. Soc., Bot. xlii. t. 9 (1914).
mossambicensis Klotzsch
Peters, Reise Mossamb., Bot. t. 10 (1861).
nana Burm. f.
N. L. Burman, Fl. Ind. t. 48 (1768).
New Phytologist, iv. 12 (1905).
nigricans Baker
Trans. Linn. Soc. London, xxix. t. 26 (1873).
Notonii Wight & Arn.
Wight, Ic. Pl. Ind. Or. iii. t. 752 (1843–45).
Fyson, Fl. Nilgiri & Pulney Hill-tops, iii. 311 (1920).
obtecta R. Grah.
Wight, Ic. Pl. Ind. Or. i. t. 208 (1839); ii. t. 383 (1840–43).

CROTALARIA
orixensis Rottl.
Martius in Denkschr. Akad. Wiss. München, vi. t. H (1820).
ovalifolia Wall.
Fyson, Fl. Nilgiri & Pulney Hill-tops, ii. 75 (1915).
ovalis Pursh
*Bot. Mag. lvii. t. 3006 (1830).
parvula Welw.
Paulitschke, Harar, 462 (1888).
Paulina Schrank
*Schrank, Pl. Rar. Hort. Acad. Monac. ii. t. 88 (1819).
Pearsonii Baker f.
Ann. S. Afr. Mus. ix. t. 7, fig. b (1915).
Pechueliana Schinz
Engler & Drude, Veget. Erde, ix. III. 1, p. 555 (1915).
peduncularis R. Grah.
Bull. Soc. Bot. France, lxi. 286 (1915).—*Fl.*
perfoliata Linn.
Dillenius, Hort. Eltham. Add. Denom. Linn. t. 102 (1774).
*Abbot & Smith, Nat. Hist. Lepidopt. Insects Georgia, ii. t. 67 (1797).
perforata Linn.
*Houttuyn, Handl. Pl. & Kruidk. x. t. 62, fig. 2 (1779).
perpusilla Coll. & Hemsl.
Journ. Linn. Soc., Bot. xxviii. t. 5 (1890).
Perrottetii DC.
Journ. Linn. Soc., Bot. xlii. t. 11 (1914).
Pervillei Baill.
Grandidier, Hist. Madag. [Plantes] Atlas, t. 44 b (1888).
petiolaris Franch.
Bull. Soc. Bot. France, lxi. 286 (1915).—*Fl.*
phyllostachya Gagnep.
Lecomte, Fl. Gén. Indo-Chine, ii. 340 (1916).—*Fl.*
platysepala Harv.
Harvey, Thes. Cap. . t. 29 (1859).
polysperma Kotschy
Schweinfurth, Reliq. Kotsch. t. 14 (1868).
procumbens [Moc. & Sessé]
A. De Candolle, Calq. Dess. Fl. Mex. Moc. & Sessé, t. 227 (1874).
prostrata Rottl.
Martius in Denkschr. Akad. Wiss. München, vi. t. E (1820).
Basu, Ind. Med. Pl. t. 287 (1918).
pterocaula Desv.
Mart. Fl. Bras. xv. 1. t. 2 (1859).
Pflanzenfam. iii. III. 227 (1893).
pteropoda Balf. f.
Balfour f., Bot. Socotra (Trans. Roy. Soc. Edinb. xxxi), t. 14 (1888).
pubera Vahl
*Schrank, Pl. Rar. Hort. Acad. Monac. i. t. 14 (1819).
pulchella Andr.
*Andrews, Bot. Rep. vi. t. 417 (1805).
*Joh. Kerner, Hort. Sempervir. t. 235 (1806).
*Bot. Mag. xli. t. 1699 (1815).
pulcherrima Roxb.
*Bot. Mag. xlvi. t. 2027 (1818).
Wight, Ic. Pl. Ind. Or. ii. t. 481 (1840–43).
pulchra Andr.
*Andrews, Bat. Rep. ix. t. 601 (1810).
purpurea Vent.
*Ventenat, Jard. Malm. t. 66 (1803).
*Joh. Kerner, Hort. Sempervir. t. 183 (1805).
*Trattinick, Ausg. Taf. Arch. iii. 278 (1814).
*Bot. Reg. ii. t. 128 (1816).
*Bot. Mag. xliv. t. 1913 (1817).
*Mordant de Launay, Herb. Amat. viii. t. 572 (1827).
*Ann. Blumisterei, vi. III (1830); vii [t. 14] (1831).
*Nees & Sinning, Sammlung schönblüh. Gew. t. 28 (1831).
*Géel, Sert. Bot. Cl. 17 (1832).
*Drapiez, Herb. Amat. Fl. viii. t. 581 (1835).
*J. W. Loudon, Ladies' Fl.-Gard. Ornam. Greenh. Pl. t. 24 (1848).
Purshii DC.
Cocks in Bull. Louisiana State Mus. No. 1, t. 9 (1910).

CROTALARIA
quinquefolia Linn.
Rheede, Hort. Mal. ix. t. 28 (1689); fide Fl. Brit. Ind. ii. 84.
*Meerburg, Afb. Zeldz. Gewass. t. 17 (1785).
*Meerburg, Pl. Rar. t. 17 (1789).
*Hooker, Bot. Misc. ii. 354, Suppl. t. 16 (1831) in ic.; *C. digitata* in textu.
*Mag. Bot. & Gard. i. t. 17 (1833).
*Blanco, Fl. Filip. t. 159 (1878–80).
racemosa Vell.
Vellozo, Fl. Flum. vii. t. 106 (1827).
recta Steud.
Ferret & Galinier, Voy. Abyssinie, Atlas, Bot. t. 10 (1847–48).
retusa Linn.
Rheede, Hort. Mal. ix. t. 25 (1689); fide Fl. Brit. Ind. ii. 75.
Rumphius, Herb. Amboin. v. t. 96, fig. 1 (1747); fide Merrill, Interpret. Rumph. Herb. Amboin.
Gaertner, Fruct. ii. t. 148 (1791).—*Fr.*
Lamarck, Ill. iii. t. 617, fig. 4 (1797).
*Bot. Reg. iii. t. 253 (1818).
*Bot. Mag. lii. t. 2561 (1825).
*Mag. Bot. & Gard. ii. t. 33 (1834).
Ann. Bot. v. t. 21, fig. 61, 62 (1891).—*Fl.*
Rep. Porto Rico Agric. St. 1908, t. 5 (1909).—*Veg.*
Talbot, For. Fl. Bombay, i. 377 (1909).
De Sornay, Green Manures in Tropics, 100 (1916).
Kinman in Bull. Porto Rico Agric. St. No. 19, t. 4 (1916); Ed. Hisp. (Plant. Protec. Terreno), t. 4 (1917).
Britton, Fl. Bermuda, 177 (1918).
rotundifolia Poir.
Britton & Brown, Ill. Fl. N. States & Canada, ii. 268 (1897); Ed. 2, ii. 347 (1913).
rubiginosa Willd.
Wight, Ic. Pl. Ind. Or. iii. t. 885 (1843–45).
sagittalis Linn.
*Martyn, Hist. Pl. Rar. 43 (1736).
*Panzer, Martyn's Abbild. Beschr. Selt. Gewächse, t. 41 (1797).
*Descourtilz, Fl. Pitt. & Méd. Antilles, vi. t. 434 (1828).
Bessey in Bull. Iowa Agric. Coll. i. 112 (1884).
Britton & Brown, Ill. Fl. N. States & Canada, ii. 268 (1897); Ed. 2, ii. 347 (1913).
U.S. Dep. Agric. Div. Bot. Bull. No. 20, p. 31 (1898).
U.S. Dep. Agric. Farm. Bull. No. 86, p. 16 (1898).
Bessey in Rep. Nebraska State Board Agric. N. Ser. xviii. 119 (1902).
Pammel in Bull. Iowa Agric. St. No. 70, p. 439 (1903).
Norton & Walls in Bull. Maryland Agric. St. No. 100, t. 1, fig. 3 (1905).
Pammel, Man. Poison. Pl. 543 (1911).
Pammel in Iowa Geol. Surv. Bull. No. 4, p. 182, 450 (1913).
A. Georgia, Manual Weeds, t. 159 (1914).
sagittalis Vell.
Vellozo, Fl. Flum. vii. t. 111 (1827).
saharae Coss.
Bull. Soc. Bot. France, xi. t. 4 (1864).
Saltiana Andr.
*Andrews, Bot. Rep. x. t. 648 (1811?).
Hawaii Agric. Exp. St. Bull. No. 52, p. 2 (1917).
Goebel, Entfaltungsb. Pfl. 468 (1920).—*Veg.*
Rock, Legum. Pl. Hawaii, t. 57 (1920).
scabrella Wight & Arn.
Fyson, Fl. Nilgiri & Pulney Hill-tops, ii. 77 (1915).
semperflorens Vent.
Ventenat, Jard. Cels, t. 17 [1800].
*Joh. Kerner, Hort. Sempervir. t. 184 (1805).
Bull. Soc. Bot. France, 1914, lxi. 286 (1915).—*Veg.*
Fyson, Fl. Nilgiri & Pulney Hill-tops, ii. 81 (1915).
sericea N. L. Burm.
N. L. Burman, Fl. Ind. t. 48 (1768).
sericea Retz.
Queensland Agric. Journ. N. Ser. xii. t. 22 (1919).
Rock, Legum. Pl. Hawaii, t. 52 (1920).

CROTALARIA
sessiliflora Linn.
Somoku Dzusetsu, Ed. 2, xiii. t. 41 (1874).
*Useful Pl. Jap. iii. t. 783 (1895).
Somoku Dzusetsu, Ed. Makino (Iconogr. Pl. Nippon), xiii. t. 41 (1912).
sessilis De Wild.
De Wildeman, Études Fl. Bas- et Moyen-Congo (Ann. Mus. Congo), i. t. 44 (1906).
setifera DC.
A. De Candolle, Calq. Dess. Fl. Mex. Moc. & Sessé, t. 226 (1874).
spartioides DC.
Engler & Drude, Veget. Erde, ix. III. 1, p. 549 (1915).
speciosa Heyne
Wight, Ic. Pl. Ind. Or. i. t. 29 (1838).
spinosa Hochst.
Journ. Linn. Soc., Bot. xlii. t. 13 (1914).
squamigera Defl.
Deflers, Voy. Yemen, t. 3 (1889).—*Fl.*
stipularia Desv.
Mart. Fl. Bras. xv. 1. t. 3 (1859).
Pflanzenfam. iii. III. 227 (1893).
Glück, Blatt- & Blütenmorph. Stud. t. 1 (1919).—*Veg.*
stipulata Vell.
Vellozo, Fl. Flum. vii. t. 109 (1827).
striata DC.
*Bot. Mag. lix. t. 3200 (1832).
Trop. Agric. xxiv. No. 12, t. 1 (1905).
F. M. Bailey, Weeds & Poison. Pl. Queensland, 35 (1906).
Wood, Natal Pl. vi. II. t. 532 (1910).
Somoku Dzusetsu, Ed. Makino (Iconogr. Pl. Nippon), xiii. t. 35 (1912).
Fawcett & Rendle, Fl. Jamaica, iv. II. 7 (1920).
tenuifolia Roxb.
*Bot. Reg. xii. t. 982 (1826).
tetragona Roxb.
*Andrews, Bot. Rep. ix. t. 593 (1809?).
*Joh. Kerner, Hort. Sempervir. t. 456 (1816).
Rock, Legum. Pl. Hawaii, t. 54 (1920).
Thomsonii Oliv.
Hook. Ic. Pl. xv. t. 1494 (1885).
triantha [Moc. & Sessé] ex DC.
A. De Candolle, Calq. Dess. Fl. Mex. Moc. & Sessé, t. 225 (1874).
triflora Linn.
*Bot. Mag. xiv. t. 482 (1800).
*Moriarty, Viridarium, Col. Plates Greenh. Pl. t. 10 (1806).
Trifoliastrum Willd.
Willdenow, Neue Schrift. Ges. Naturf. Freunde, iv. t. 5 (1803).
Wight, Ic. Pl. Ind. Or. ii. t. 421 (1840–43).
Basu, Ind. Med. Pl. t. 289 (1918).
triphylla Vell.
Vellozo, Fl. Flum. vii. t. 108 (1827).
turgida Loisel.
*Mordant de Launay, Herb. Amat. iv. t. 238 (1820).
*Drapiez, Herb. Amat. Fl. vii. t. 497 (1834).
uncinella Lam.
Lamarck, Ill. iii. t. 617, fig. 2 (1797).
verrucosa Linn.
Rheede, Hort. Mal. ix. t. 29 (1689); fide Fl. Brit. Ind. ii. 77.
*Andrews, Bot. Rep. v. t. 308 (1803).
*Bot. Reg. xiv. t. 1137 (1828).
*Bot. Mag. lvii. t. 3034 (1830).
*Mag. Bot. & Gard. ii. t. 44 (1834).
Wight, Ic. Pl. Ind. Or. i. t. 200 (1839).
*Ann. Gand, iii. t. 118 (1847).
*Paxt. Mag. xiii. 223 (1847).
Clos in Assoc. Franç. Avanc. Sc. 1887, Toulouse, Pt. 2, p. 637 (1888).—*Veg.*
Banks & Soland. Bot. Cook's Voy. i. t. 52 (1900).
Basu, Ind. Med. Pl. t. 288 (1918).
versicolor E. Mey.
Bertoloni in Mem. Accad. Sc. Istit. Bologna, iii. t. 21, fig. 1 (1851).
vespertilio Benth.
Mart. Fl. Bras. xv. 1. t. 4 (1859).
viminalis Rose
Contrib. U.S. Nat. Herb. viii. t. 6 (1903).

CROTALARIA
virgata Roxb.
Martius in Denkschr. Akad. Wiss. München, vi. t. G (1820).
vitellina Ker-Gawl.
*Bot. Reg. vi. t. 447 (1820).
Walkeri Arn.
*Trimen, Handb. Fl. Ceylon, Atlas, ii. t. 26 (1894).
Wallichiana Wight & Arn.
Wight, Ic. Pl. Ind. Or. iii. t. 982 (1843–45).
*Wight, Spicil. Neilgherr. i. t. 54 [1846].
Ralph, Ic. Carpolog. t. 40 (1849).—*Fr.*
Clos in Assoc. Franç. Avanc. Sc. 1887, Toulouse, Pt. 2, p. 637 (1888).—*Veg.*
xanthoclada Stolzii E. G. Baker
Journ. Linn. Soc., Bot. xlii. t. 14 (1914).

CROTON Auct.: *Acalypha* (1), *Adriana* (2), *Argithamnia* (3), *Baliospermum* (4), *Bertya* (5), *Beyeria* (6), *Blachia* (7), *Caperonia* (8), *Chrozophora* (9), *Codiaeum* (10), *Croton* Linn. (11), *Eremocarpus* (12), *Iulocroton* (13), *Mallotus* (14), *Phyllanthus* (15), *Plukenetia* (16), *Sapium* (17)

CROTON Linn. (11)—Vide *Geiseleria, Hendecandra, Heterocroton, Ocalia, Tiglium*
affinis Maiden & R. T. Baker (11)
Proc. Linn. Soc. N. S. Wales, Ser. II. ix. 1. t. 12 (1894).
alabamensis E. A. Sm. (11)
Gard. & Forest, ii. 594 (1889).
Contrib. U.S. Nat. Herb. vi. t. 5 (1901).
Lounsberry, Southern Wild Fl. & Trees, t. 93 (1901).
Rep. Missouri Bot. Gard. xii. t. 4 (1901).
L. H. Bailey, Stand. Cycl. Hort. 902 (1914).
amabilis Müll.-Arg. (11)
Sempervirens, xiv. 300 (1885).—*Veg.*
×**Andreanus** Linden (11)
*Ill. Hort. xxii. t. 201 (1875).—*Veg.*
Rev. Hort. 1876, p. 234.—*Veg.*
antisiphyliticus Mart. (11)
Schimper, Pflanzen-Geogr. 402 (1898).
—— **minor** Müll.-Arg.
Mart. Fl. Bras. xi. II. t. 31 (1873).
appendiculatus Hort. (10)
Floral World, 1877, p. 137.
Rev. Hort. 1877, p. 88.—*Veg.*
Ill. Gartenzeit. Stuttgart, xxi. t. 33 (1877).—*Veg.*
Florist, 1879, p. 67.
Gard. Month. & Hort., Meehan, xxi. 59 (1879).
Witte in Tijdschr. Tuinb. Ed. Bos. iii. fig. 65, 66 a, 66 b (1898).
arboreus Millsp. (11)
Publ. Field Columbian Mus., Bot. Ser. I. iii. t. 15 (1896).
argenteus Linn. (13)
Murray in Comm. Soc. Sc. Göttingen, iv. t. 4 (1782).
argyranthemus Michx. (11)
Rep. Missouri Bot. Gard. xii. t. 5 (1901).
argyrodaphne Baill. (11)
Grandidier, Hist. Madag. [Plantes] Atlas, t. 153 (1890).
aromaticus Linn. (11)
Gaertner, Fruct. ii. t. 107 (1791).—*Fr.*
Lamarck, Ill. v. t. 790, fig. 3 (1797–1819).—*Fr.*
M. J. Mueller in Mém. Soc. Phys. & Hist. Nat. Genève, xvii. II. 460 (1864).—*Fl.*
Fyson, Fl. Nilgiri & Pulney Hill-tops, iii. 500 (1920).
aucubifolius Andr. (11)
Florist, 1869, p. 149.—*Veg.*
Ill. Hort. xix. 327 (1872).—*Veg.*
aureo-maculatus Veitch (10)
American Garden, vi. 265 (1885).
balsamifer Linn. (11)
Jacquin, Sel. Stirp. Amer. Hist. t. 162 (1763).—*Veg.*
*Jacquin, Hort. Vind. iii. t. 46 (1776).
*Jacquin, Sel. Stirp. Amer. Hist. Picta, t. 242 [1780].
×**bellulus** Linden & André (11)
*Ill. Hort. xxii. t. 210 (1875).
Bergmanii Chantrier (10)
*Ill. Hort. xxvii. t. 389 (1880).—*Veg.*
Berlandieri Torr. (11)
Rep. Missouri Bot. Gard. xii. t. 6 (1901).

CROTON

Bernieri Baill. (11)
Grandidier, Hist. Madag. [Plantes] Atlas, t. 163 (1891).
betulinus Vahl (11)
Bot. Tidsskr. xxii. 79 (1898).—*Veg.*
Rev. Gén. Bot. xii. 443 (1900).—*Veg.*
Rep. Missouri Bot. Gard. xii. t. 14 (1901).
bidentatus Müll.-Arg. (11)
Mart. Fl. Bras. xi. II. t. 38 (1873).
borneensis J. J. Sm. (11)
Ic. Bogor. iv. t. 314 (1910).
caldensis Müll.-Arg. (11)
Mart. Fl. Bras. xi. II. t. 18 (1873).
californicus Müll.-Arg. (11)
Rep. Missouri Bot. Gard. xii. t. 26 (1901).
—— **longipes** Ferguson (11)
Rep. Missouri Bot. Gard. xii. t. 27 (1901).
—— **tenuis** Ferguson (11)
Rep. Missouri Bot. Gard. xii. t. 27 (1901).
calomeris Baill. (11)
Grandidier, Hist. Madag. [Plantes] Atlas, t. 164 (1891).
Campenonii Baill. (11)
Grandidier, Hist. Madag. [Plantes] Atlas, t. 161 (1891).
campestris St.-Hil. (11)
St.-Hilaire, Pl. Usuelles Bras. t. 60 (1824–28).
capitatus Michx. (11)
Hitchcock & Norton in Bull. Kansas Agric. St. No. 50, t. 8, fig. 126 (1895).—*Veg.*
Britton & Brown, Ill. Fl. N. States & Canada, ii. 363 (1897); Ed. 2, ii. 454 (1913).
Rep. Missouri Bot. Gard. xii. t. 18 (1901).
Selby in Bull. Ohio Agric. St. No. 175, t. 3 (1906).—*Fr.*
Pammel, Man. Poison. Pl. 591 (1911).
A. Georgia, Manual Weeds, t. 184 (1914).
cardiospermus Gaertn. (11)
Gaertner, Fruct. ii. t. 107 (1791).—*Fr.*
Lamarck, Ill. v. t. 790, fig. 5 (1797–1819).—*Fr.*
Cascarilla Linn. (11)
*Woodville, Med. Bot. i. t. 41 (1790); Ed. 3, iii. t. 222 (1832).
Bordiga, Storia Piante Forast. iv. t. 88 (1794).
*Vietz, Ic. Pl. Med.-oec.-techn. i. t. 46 (1800).
*Oskamp, Afb. Artseny-Gewass. vi. t. 515 (1800).
*Plenck, Ic. Pl. Med. vii. t. 686 (1803).
*Roques, Pl. Usuell. Indig. & Exot. i. t. 32 (1807).
*Chaumeton, Fl. Méd. ii. t. 103 (1815).
*Descourtilz, Fl. Pitt. & Méd. Antilles, i. t. 3 (1821)
Berlin Jahrb. Pharm. xxv. II. t. 3 (1824).
Delle Chiaje, Fl. Med. ii. tab. (1832).
*Cassone, Fl. Med.-Farm. v. t. 476 (1850).
Pharm. Journ. Ser. II. iv. 230 (1862).
castaneifolius Linn. (8)
Rheede, Hort. Mal. v. t. 7 (1685); fide Hasskarl, Hort. Mal. Rheed. Clavis, 39.
N. L. Burman, Fl. Ind. t. 64 (1768).
Jussieu, Euphorb. t. 8 (1824).—*Fl.*
*Bot. Mag. lv. t. 2794 (1828).
catati Baill. (11)
Grandidier, Hist. Madag. [Plantes] Atlas, t. 158 (1890).
caudatus Geisel (11)
Basu, Ind. Med. Pl. t. 872 (1918).
—— **tortilis** Moore (11)
Sempervirens, xii. 236 (1883).—*Veg.*
Gard. Month. & Hort., Meehan, xxvi. 171 (1884).
Garten-Zeit. Berlin, iii. 165 (1884).
Veitch, Hortus Veitchii, 245 (1906).
Rev. Hort. Belge, xxxv. 240 (1909).—*Hab.*
ceanothifolius Baill. (11)
Mart. Fl. Bras. xi. II. t. 35 (1873).
chaetocalyx Müll.-Arg. (11)
Mart. Fl. Bras. xi. II. t. 32 (1873).
chamaedrifolius Lam. (1)
*Descourtilz, Fl. Pitt. & Méd. Antilles, vii. t. 491 (1829).
citrifolius Lam. (11)
Plumier, Pl. Amer. Ed. Burm. t. 240, fig. 2 (1760); fide Urban, Fedde Repert. Beih. v. 93.
coccineus Noronha (11)
Rheede, Hort. Mal. v. t. 22 (1685); fide Hasskarl, Hort. Mal. Rheed. Clavis, 41.

CROTON

comatus Vell. (11)
Vellozo, Fl. Flum. x. t. 74 (1827).
comosus Müll.-Arg. (11)
Mart. Fl. Bras. xi. II. t. 34 (1873).
compressus Lam. (11)
Mart. Fl. Bras. xi. II. t. 25 (1873).
Cooperi Veitch (10)
Garden, x. 139 (1876).—*Veg.*
cordatus Vell. (13)
Vellozo, Fl. Flum. x. t. 66 (1827).
cornutus André (11)
Ill. Hort. xix. 188 (1872).—*Veg.*
Cortesianus Kunth (11)
Rep. Missouri Bot. Gard. xii. t. 11 (1901).
corylifolius Lam. (11)
*Descourtilz, Fl. Pitt. & Méd. Antilles, v. t. 366 (1827).
corymbulosus Rothr. (11)
Rep. Missouri Bot. Gard. xii. t. 23 (1901).
Cronstadtii Veitch (10)
Sempervirens, xi. 240 (1882).—*Veg.*
Gard. Month. & Hort., Meehan, xxv. 277 (1883).
Cumingii Müll.-Arg. (11)
Journ. Coll. Sc. Tokyo, xx. Art. 3, t. 3, fig. B (1904).
curassavicus Bold. (11)
Boldingh, Fl. Dutch W. Ind. Isl. ii. t. 5 (1914).
cyanospermus Gaertn. (15)
Gaertner, Fruct. ii. t. 107 (1791).—*Fr.*
Lamarck, Ill. v. t. 790, fig. 7 (1797–1819).—*Fr.*
dioicus Cav. (11)
Cavanilles, Ic. i. t. 6 (1791).
Ramirez, Mat. Med. Mexic. iii. 119 (1900).
discolor Willd. (11)
Bot. Tidsskr. xxii. 79 (1898).—*Veg.*
Rev. Gén. Bot. xii. 443 (1900).—*Veg.*
Disraelii Hort. (10)
Gard. Chron. iv. 420, 421 (1875).
Floral World, 1877, p. 109.
Gard. Month. & Hort., Meehan, xx. 363 (1878).
Jardin, x. 235 (1896).—*Veg.*
Dormannianus Hort. (10)
Sempervirens, viii. 380 (1879).—*Veg.*
×**Duvivieri** Hort. (10)
*Rev. Hort. Belge, xxix. 285 (1903).
echinocarpus Müll.-Arg. (11)
Mart. Fl. Bras. xi. II. t. 21 (1873).
Eichleri Müll.-Arg. (11)
Mart. Fl. Bras. xi. II. t. 39 (1873).
Elaeagni Baill. (11)
Grandidier, Hist. Madag. [Plantes] Atlas, t. 156 (1890).
elegantissimus Hort. (10)
Ill. Gartenzeit. Stuttgart, xxvi. t. 29 (1882).
Gard. Month. & Hort., Meehan, xxv. 329 (1883).
Elliottii Chapman (11)
Rep. Missouri Bot. Gard. xii. t. 21 (1901).
Eluteria Benn. (11)
Berlin Jahrb. Pharm. xxv. II. t. 2 (1824).
*Nees, Pl. Offic. i. t. 139 (1828).
*Wagner, Pharm.-Med. Bot. ii. t. 243 (1829).
*Fl. Med. [Spratt], ii. 230 (1830).
*Stephenson & Churchill, Med. Bot. New Ed. iii. t. 150 (1836).
*Schlechtendal & Guimpel, Abb. Pharm. Boruss. Gew. iii. t. 260 (1837).
*Hayne, Getreue Darst. Arzn. Gewächse, xiv. t. 1 (1843).
*Carson, Ill. Med. Bot. ii. t. 78 (1847).
Lindley, Med. & Oecon. Bot. 84 (1849).
Berg, Charakt. t. 24, fig. 196 (1861).
*Artus, Atlas Pharm. Deutschl. Aufg. Offic. Gew. t. 224 [1862–74].
Pharm. Journ. Ser. II. iv. 150 (1862).
*Bentley & Trim. Med. Pl. iv. t. 238 (1875).
*C. Hoffmann, Pflanzenatlas, t. 38, fig. 238 (1881).
*Köhler, Med. Pfl. i [t. 61, 62] (1887).
Pflanzenfam. iii. v. 38 (1890).
Brehm, Merv. Nat. Monde des Pl. ii. 440 (1894–96).
*Kohl, Off. Pfl. Pharm. Germ. t. 74 (1895).
*Bot. Mag. cxxiii. t. 7515 (1897).
Beille, Bot. Pharm. ii. 540 (1909).
eluterioides Lotsy (11)
Bot. Gaz. xx. t. 25, fig. 7–10 (1895).—*Fl.*

CROTON

Engelmannii Ferguson (11)
Rep. Missouri Bot. Gard. xii. t. 19 (1901).
Evansianus Hort. (10)
Sempervirens, viii. 228 (1879).
exuberans Müll.-Arg. (11)
Mart. Fl. Bras. xi. II. t. 15 (1873).
falcatus Hort. (10)
Sempervirens, x. 100 (1881).—*Veg.*
flavens Linn. (11)
Bot. Tidsskr. xxii. 79 (1898); xxix. 255 (1909).
Rev. Gén. Bot. xii. 443 (1900).—*Veg.*
floribundus Spreng. (11)
Mart. Fl. Bras. xi. II. t. 23 (1873).
floridanus Ferguson (11)
Rep. Missouri Bot. Gard. xii. t. 15 (1901).
fruticulosus Torr. (11)
Rep. Missouri Bot. Gard. xii. t. 7 (1901).
glabellus Linn. (11)
Karsten, Deutsche Fl. Pharm.-medic. Bot. 591 (1880–83).
Karsten, Fl. Deutschl. ii. 131 (1895).
glandulatus Vell. (11)
Vellozo, Fl. Flum. x. t. 73 (1827).
glandulosus Linn. (11)
*Jacquin, Ic. Pl. Rar. i. t. 194 (1781–86).
Hitchcock & Norton in Bull. Kansas Agric. St. No. 50, t. 8, fig. 124 (1895).—*Veg.*
Britton & Brown, Ill. Fl. N. States & Canada, ii. 362 (1897); Ed. 2, ii. 454 (1913).
—— **angustifolius** Müll.-Arg. (11)
Rep. Missouri Bot. Gard. xii. t. 16 (1901).
—— **Lindheimeri** Müll.-Arg. (11)
Rep. Missouri Bot. Gard. xii. t. 16 (1901).
—— **septentrionalis** Müll.-Arg. (11)
Rep. Missouri Bot. Gard. xii. t. 17 (1901).
—— **Shortii** Ferguson (11).
Rep. Missouri Bot. Gard. xii. t. 16 (1901).
gloriosus Hort. (10)
Gard. Month. & Hort., Meehan, xxiii. 331 (1881).
gossypifolius Vahl (11)
Vahl, Symb. Bot. ii. t. 49 (1791).
A. S. & P. P. Calvert, A Year of Costa Rican Nat. Hist. 40 (1917).
Goudotii Baill. (11)
Baillon, Adans. i. t. 5, fig. 1–3 (1860).
Greveanus Baill. (11)
Grandidier, Hist. Madag. [Plantes] Atlas, t. 157 (1890).
guatemalensis Lotsy (11)
Bot. Gaz. xx. t. 25, fig. 1–6 (1895).
guianensis Aubl. (11)
Aublet, Hist. Pl. Guiane Franç. iv. t. 339 (1775).
Harwoodianus Veitch (10)
Sempervirens, xi. 176 (1882).—*Veg.*
hastatus N. L. Burm. (9)
N. L. Burman, Fl. Ind. t. 63 (1768).
hastifer Linden & André (10)
*Ill. Hort. xxii. t. 216 (1875).—*Veg.*
Hawkeri Veitch (10)
Sempervirens, viii. 212 (1879).
Ill. Gartenzeit. Stuttgart, xxiii. t. 35 (1879).
Journ. Hort. Ser. III. ii. 381 (1881).—*Hab.*
hemiargyraeus Müll.-Arg. (11)
Mart. Fl. Bras. xi. II. t. 17 (1873).
herbaceus Vell. (11)
Vellozo, Fl. Flum. x. t. 69 (1827).
Hillianus Veitch (11)
*Hibberd, Beautiful-leaved Pl. t. 37 (1870).—*Veg.*
Ill. Hort. xix. 326 (1872).—*Veg.*
hircinus Vent. (11)
*Ventenat, Jard. Malm. t. 50 (1803).
hirsutus Vell. (13)
Vellozo, Fl. Flum. x. t. 65 (1827).
hirtus L'Hér. (11)
*L'Héritier, Stirp. t. 9 (1785).
Lamarck, Ill. v. t. 790, fig. 1 (1797–1819).—*Fl.*
Hookeri Hort. (10)
Gard. Chron. 1871, p. 1067.—*Veg.*
Florist, 1871, p. 199.—*Veg.*
Ill. Hort. xix. 56 (1872).—*Veg.*
Garden, iii. 45 (1873).—*Veg.*
Humblotii Baill. (11)
Grandidier, Hist. Madag. [Plantes] Atlas, t. 155 (1890).

CROTON
illustris Hort. (10)
Sempervirens, xi. 328 (1882).—*Hab.*
Ill. Gartenzeit. Stuttgart, xxviii. t. 2 (1884).
Gard. Month. & Hort., Meehan, xxvi. 268 (1884).
imperialis Hort. (10)
Florist, 1876, p. 209.—*Veg.*
incisus Baill. (11)
Grandidier, Hist. Madag. [Plantes] Atlas, t. 162 (1891).
indivisus Vell. (11)
Vellozo, Fl. Flum. x. t. 68 (1827).
interruptus André (10)
*Hibberd, Beautiful-leaved Pl. 109, t. 42 (1870).
Ill. Hort. xix. 170 (1872).—*Veg.*
—— **elegans** Chantrier
*Rev. Hort. 1880, p. 170.
irregularis André (11)
*Hibberd, Beautiful-leaved Pl. t. 37 (1870).—*Veg.*
Ill. Hort. xix. 135 (1872).—*Veg.*
Jamesii Hort. (10)
Rev. Hort. Belge, iv. 228 (1878).—*Veg.*
Sempervirens, viii. 268 (1879).—*Veg.*
japonicus Thunb. (14)
Thunberg, Fl. Jap. 28, 29 (1784).
Jennyanus Gris (11)
Baillon, Adans. i. t. 5, fig. 4 (1860).
Johannis Veitch (10)
Florist, 1872, p. 161.
Ill. Hort. xix. 169 (1872).—*Hab.*
Gartenfl. xxii. 252 (1873).—*Hab.*
Williams, Choice Stove & Greenh. Ornam.-leaved Pl. Ed. 2, p. 172 (1876).
laccifer Linn. (11)
Gaertner, Fruct. ii. t. 107 (1791).—*Fr.*
Bordiga, Storia Piante Forast. iv. t. 89 (1794).
Lamarck, Ill. v. t. 790, fig. 6 (1797–1819).—*Fr.*
*Vietz, Ic. Pl. Med.-oec.-techn. i. t. 109 (1800).
*Plenck, Ic. Pl. Med. vii. t. 688 (1803).
Wight, Ic. Pl. Ind. Or. v. t. 1915 (1852).
lacteus Veitch (10)
Gartenfl. xxii. 178 (1873).—*Veg.*
lanceolatus Cav. (3)
Cavanilles, Ic. vi. t. 557 (1801).
leucophyllus Müll.-Arg. (11)
Rep. Missouri Bot. Gard. xii. t. 22 (1901).
Lindheimerianus Scheele (11)
Britton & Brown, Ill. Fl. N. States & Canada, iii. 518 (1898); Ed. 2, ii. 455 (1913).
Rep. Missouri Bot. Gard. xii. t. 24 (1901).
linearis Jacq. (11)
Jacquin, Sel. Stirp. Amer. Hist. t. 162 (1763).—*Veg.*
*Jacquin, Sel. Stirp. Amer. Hist. Picta, t. 263, fig. 80 [1780].—*Veg.*
*Titford, Sketches Hort. Bot. Amer. t. 11 (1812).
*Lodd. Bot. Cab. v. t. 481 (1820).
Berlin Jahrb. Pharm. xxv. III. t. 3 (1824).
Pharm. Journ. Ser. II. iv. 230 (1862).
Rep. Missouri Bot. Gard. xii. t. 12, 13 (1901).
Fawcett & Rendle, Fl. Jamaica, iv. II. 277 (1920).
lobatus Linn. (11)
*Martyn, Hist. Pl. Rar. 46 (1736).
*Meerburg, Afb. Zeld. Gewassen, t. 9 (1785).
*Meerburg, Pl. Rar. t. 9 (1789).
*Panzer, Martyn's Abbild. Beschr. Selt. Gewächse, t. 44 (1797).
*P. Beauvais, Fl. Oware & Benin, i. t. 36 (1805).
lobatus Vell. (11)
Vellozo, Fl. Flum. x. t. 70 (1827).
loucoubensis Baill. (11)
Grandidier, Hist. Madag. [Plantes] Atlas, t. 159 (1890).
lundianus Müll.-Arg. (11)
Mart. Fl. Bras. xi. II. t. 33 (1873).
macrostachys Hochst. (11)
Fiori, Boschi e Piante Legn. Eritrea, 208 (1909–12).
Engler & Drude, Veget. Erde, ix. I. 1, p. 96 (1910).—*Hab.*
Agric. Colon., Ital. v. 280 (1911).
maculatus Katonii Veitch (11)
Florist, 1879, p. 27.—*Veg.*
Maidenii R. T. Baker (10)
Journ. Roy. Soc. N. S. Wales (1914), xlviii. t. 12 (1915).

CROTON
maiesticus Hort. (10)
*Ill. Gartenzeit. Stuttgart, xviii. t. 7 (1874).
*Floral Mag. N. Ser. 1874, t. 103.
Williams, Choice Stove & Greenh. Ornam.-leaved Pl. Ed. 2, p. 171 (1876).—*Veg.*
Florist, 1876, p. 53.—*Veg.*
malabaricus Bedd. (11)
Beddome, Ic. Pl. Ind. Or. t. 181 (1874).
malambo Karst. (11)
Karsten, Fl. Columbiae, i. t. 13 (1858–61).
Karsten, Deutsche Fl. Pharm.-medic. Bot. 592 (1880–83).
Karsten, Fl. Deutschl. ii. 131 (1895).
margaritensis J. R. Johnston (11)
Proc. Boston Soc. Nat. Hist. xxxiv. t. 30, fig. 3 (1909).—*Fl.*
Massangeanus Linden (10)
*Ill. Hort. xxvi. t. 347 (1879).
Semaine Hort. 1897, p. 124.
matourensis Aubl. (11)
Aublet, Hist. Pl. Guiane Franç. iv. t. 338 (1775).
maximus Hort. (10)
*Floral Mag. vii. t. 382 (1868).
Florist, 1869, p. 148.—*Veg.*
Gard. Chron. 1879, p. 1668.—*Veg.*
Ill. Hort. xix. 168 (1872).—*Veg.*
metallicus Müll.-Arg. (11)
*Seemann, Fl. Vit. t. 56 (1865–73).
micans Sw. (11)
*Nees, Pl. Offic. Suppl. t. 22 (1833).
migrans Casar. (11)
Mart. Fl. Bras. xi. II. t. 27 (1873).
Milleri J. R. Johnston (11)
Proc. Boston Soc. Nat. Hist. xxxiv. t. 30, fig. 2 (1909).—*Fl.*
monanthogynus Michx. (11)
Britton & Brown, Ill. Fl. N. States & Canada, ii. 363 (1897); Ed. 2, ii. 455 (1913).
Britton, Fl. Bermuda, 208 (1918).
×**Mooreanus** Veitch (10)
Ill. Gartenzeit. Stuttgart, xxii. t. 6 (1878).
Gard. Month. & Hort., Meehan, xxii. 105 (1880).
morifolius sphaerocarpus Müll.-Arg. (11)
Ramirez, Mat. Med. Mexic. ii. 34 (1898).
Muelleri Coulter (11)
Rep. Missouri Bot. Gard. xii. t. 20 (1901).
multicolor Veitch (10)
Ill: Hort. xix. 120 (1872).—*Veg.*
multispicatus Vell. (11)
Vellozo, Fl. Flum. x. t. 75 (1827).
muricatus Blanco (11)
*Blanco, Fl. Filip. t. 383 (1878–80).
×**musaicus** Hort. (10)
*Rev. Hort. 1882, p. 240.
mutabilis Hort. (10)
Florist, 1879, p. 69.—*Veg.*
Rev. Hort. Belge, v. 36 (1879).—*Veg.*
Myrsinites Baill. (11)
Mart. Fl. Bras. xi. II. t. 14 (1873).
neo-mexicanus Müll.-Arg. (11)
Rep. Missouri Bot. Gard. xii. t. 28 (1901).
niloticus Müll.-Arg. (11)
Trans. Linn. Soc. London, xxix. t. 95 (1875).
niveus Jacq. (11)
Jacquin, Sel. Stirp. Amer. Hist. t. 162 (1763).—*Veg.*
*Jacquin, Sel. Stirp. Amer. Hist. Picta, t. 263, fig. 79 [1780].—*Veg.*
nobilis Baill. (11)
Florist, 1878, p. 133.—*Veg.*
Grandidier, Hist. Madag. [Plantes] Atlas, t. 154 (1890).
Noronhae Baill. (11)
Grandidier, Hist. Madag. [Plantes] Atlas, t. 160 (1890).
obliquifolius Vis. (9)
Visiani, Pl. Aeg. t. 7 (1836).
oblongifolius Del. (9)
Delile, Fl. Égypte, t. 51 (1812).
oblongifolius Roxb. (11)
Talbot, For. Fl. Bombay, ii. 471 (1911).
Basu, Ind. Med. Pl. t. 871 (1918).
oblongus N. L. Burm. (11)
N. L. Burman, Fl. Ind. t. 64 (1768).

CROTON
origanifolius Lam. (11)
*Descourtilz, Fl. Pitt. & Méd. Antilles, vii. t. 471 (1829).
ovalifolius Vahl (11)
Florist, 1875, p. 8.—*Veg.*
Bot. Tidsskr. xxii. 79 (1898).—*Veg.*
Rev. Gén. Bot. xii. 443 (1900).—*Veg.*
palanostigma Klotzsch (11)
Mart. Fl. Bras. xi. II. t. 20 (1873).
palustris Linn. (8)
*Panzer, Martyn's Abbild. Beschr. Selt. Gewächse, t. 36 (1797).
palustris Vell. (11)
Vellozo, Fl. Flum. x. t. 67 (1827).
paradoxus Hort. (10)
Florist, 1879, p. 68.—*Veg.*
pedicellatus H. B. K. (11)
H. B. K. Nov. Gen. ii. t. 104 (1817).
pedunculatus Vell. (11)
Vellozo, Fl. Flum. x. t. 76 (1827).
penicillatus Vent. (11)
Ventenat, Choix Pl. t. 12 (1803).
*Lodd. Bot. Cab. v. t. 440 (1820).
Jussieu, Euphorb. t. 8 (1824).—*Fl.*
Baillon, Euphorb. t. 18, fig. 1–6 (1858).—*Fl.*
Baillon, Hist. Pl. v. 132 (1874).—*Fl.*
Baillon, Dict. Bot. ii. 276 (1881).—*Fl.*
Penninckii Hort. (10)
*Rev. Hort. Belge, xxxiii. 305 (1907).
perdicipes St.-Hil. (11)
St.-Hilaire, Pl. Usuelles Bras. t. 59 (1824–28).
×**picturatus** André (10)
Journ. Hort. lv. 329 (1876).
Rev. Hort. Belge, ii. 151 (1876).—*Veg.*
Ill. Gartenzeit. Stuttgart, xxi. t. 8 (1877).
!Journ. Bot. xix. t. 220 (1881).—*Veg.*
Journ. Soc. Hort. France, Ser. III. xix. 759 (1897).—*Veg.*
pictus Lodd. (10)
*Lodd. Bot. Cab. ix. t. 870 (1824).
*Lowe, Beautiful-leaved Pl. t. 8 (1868).
Plumieri Urb. (11)
Plumier, Pl. Amer. Ed. Burm. t. 240, fig. 1 (1760); fide Urban, Fedde Repert. Beih. v. 93.
Pohlianus Müll.-Arg. (11)
Mart. Fl. Bras. xi. II. t. 28 (1873).
polyandrus Roxb. (4)
Rheede, Hort. Mal. x. t. 76 (1690); fide Hasskarl, Hort. Mal. Rheed. Clavis, 87.
polygamus Jacq. (3)
*Jacquin, Sel. Stirp. Amer. Hist. Picta, t. 243 [1780].
pseudo-china Schlechtd. (11)
Berlin Jahrb. Pharm. xxxi. II. t. 1 (1829).
*Nees, Pl. Offic. Suppl. t. 23 (1833).
*Hayne, Getreue Darst. Arzn. Gewächse, xiv. t. 2 (1843).
punctatus Jacq. (11)
*Jacquin, Ic. Pl. Rar. iii. t. 621 (1786–93).
Rep. Missouri Bot. Gard. xii. t. 25 (1901).
Britton, Fl. Bermuda, 207 (1918).
pungens Jacq. (11)
*Jacquin, Ic. Pl. Rar. iii. t. 622 (1786–93).
Pynaertii De Wild. (11)
De Wildeman, Études Fl. Bas- et Moyen-Congo (Ann. Mus. Congo), iii. t. 41 (1910).
quadripartitus Labill. (2)
Labillardière, Nov. Holl. Pl. t. 223 (1806).
quinquecuspidatus Juss. (11)
Jussieu, Euphorb. t. 8 (1824).—*Fl.*
racemosus N. L. Burm. (11)
N. L. Burman, Fl. Ind. t. 62 (1768).
recurvifolius Veitch (10)
Sempervirens, x. 372 (1881).—*Veg.*
Garden, xix. 662 (1881).—*Veg.*
Gard. Month. & Hort., Meehan, xxiv. 138 (1882).
Wien. Ill. Gart.-Zeit. vii. 207 (1882).
reginae Veitch (10)
Neubert's Deutsch. Gart. Mag. xxxii. 56 (1879).
Florist, 1879, p. 59.—*Veg.*
Rev. Hort. Belge, v. 180 (1879).—*Veg.*
Regnellianus Müll.-Arg. (11)
Mart. Fl. Bras. xi. II. t. 29 (1873).
reticulatus Heyne (11)
Beddome, Ic. Pl. Ind. Or. t. 233 (1874).
Talbot, For. Fl. Bombay, ii. 470 (1911).

CROTON
reticulatus
Basu, Ind. Med. Pl. t. 870 (1918).
Rheedei Grah. (11)
Rheede, Hort. Mal. x. t. 83 (1690); fide Müll.-Arg. in DC. Prodr. xv. II. 693.
Möllers Deutsche Gärtn.-Zeit. xxvi. 553 (1911).
rivularis Müll.-Arg. (11)
Sim, For. Fl. Cape Colony, t. 141 (1907).
roseo-pictus Bull (10)
Ill. Hort. xxvi. t. 364 (1879).—*Veg.*
Sempervirens, xi. 112 (1882).—*Veg.*
Journ. Soc. Hort. France, Ser. III. xix. 761 (1897).—*Veg.*
rosmarinifolius A. Cunn. (5)
J. C. Loudon, Arbor. & Frutic. Brit. iv. 2585 (1838).
Russellii Hort. (10)
Journ. Hort. Ser. III. xxvii. 493 (1893).—*Hab.*
salutaris Casar. (11)
Mart. Fl. Bras. xi. II. t. 26 (1873).
sarcocarpus Balf. f. (11)
Balfour f., Bot. Socotra (Trans. Roy. Soc. Edinb. xxxi), t. 91 (1888).
scabiosus Bedd. (11)
Beddome, Fl. Sylv. t. 283 (1872).
scandens Vell. (16)
Vellozo, Fl. Flum. x. t. 72 (1827).
sebifer Linn. (17)
Bordiga, Storia Piante Forast. iv. t. 86 (1794).
Sellowii Baill. (11)
Mart. Fl. Bras. xi. II. t. 24 (1873).
setiger Hook. (12)
Contrib. U.S. Nat. Herb. vii. t. 19 (1902).
silvaticus Hochst. (11)
Sim, For. Fl. Cape Colony, t. 138 (1907).
sincorensis Mart. (11)
Mart. Fl. Bras. xi. II. t. 16 (1873).
Sinitzianus Veitch (10)
Gartenfl. xxx. 278 (1881).—*Veg.*
Journ. Hort. Ser. III. iii. 29 (1882); xlviii. 435 (1904).—*Veg.*
Ill. Gartenzeit. Stuttgart, xxvi. t. 21 (1882).
Gard. Month. & Hort., Meehan, xxiv. 237 (1882).
Journ. Hort. Ser. III. iii. 29 (1882).—*Veg.*
Sloanei Benn. (11)
Pharm. Journ. Ser. II. iv. 150, t. 2 (1862).
*Berg & Schmidt, Darst. u. Beschr. Offiz. Gewächse, iv. t. 28, b (1863).
socotranus Balf. f. (11)
Balfour f., Bot. Socotra (Trans. Roy. Soc. Edinb. xxxi), t. 93 (1888).
sonorae Torr. (11)
Rep. Missouri Bot. Gard. xii. t. 8 (1901).
sphaerocarpus H. B. K. (11)
H. B. K. Nov. Gen. ii. t. 105 (1817).
sphaerogynus Baill. (11)
Mart. Fl. Bras. xi. II. t. 19 (1873).
spicatus Berg. (11)
Bergius in Phil. Trans. London, lviii. t. 7 (1769).
spiralis Müll.-Arg. (11)
*Floral Mag. N. Ser. 1874, t. 126.
Florist, 1874, p. 211.—*Veg.*
Gartenfl. xxiv. 26 (1875).—*Veg.*
Gard. Month. & Hort., Meehan, xviii. 361 (1876).
stipulatus Vell. (11)
Vellozo, Fl. Flum. x. t. 77 (1827).
suaveolens Torr. (11)
Rep. Missouri Bot. Gard. xii. t. 9 (1901).
sulcifructus Balf. f. (11)
Balfour f., Bot. Socotra (Trans. Roy. Soc. Edinb. xxxi), t. 92 (1888).
Tamberlikii Müll.-Arg. (11)
Mart. Fl. Bras. xi. II. t. 37 (1873).
terminalis Vell. (11)
Vellozo, Fl. Flum. x. t. 78 (1827).
texensis Müll.-Arg. (11)
Hitchcock & Norton in Bull. Kansas Agric. St. No. 50, t. 8, fig. 125 (1895).—*Veg.*
Britton & Brown, Ill. Fl. N. States & Canada, ii. 363 (1897); Ed. 2, ii. 455 (1913).
Bogue in Bull. Oklahoma Agric. St. No. 41, p. 10 (1899).
Rep. Missouri Bot. Gard. xii. t. 29, 30 (1901).
Pammel, Man. Poison. Pl. 592 (1911).

CROTON
Tiglium Linn. (11)
Rheede, Hort. Mal. ii. t. 33 (1679); fide Fl. Brit. Ind. v. 393.
Rumphius, Herb. Amboin. iv. t. 42 (1743); fide Merrill, Interpret. Rumph. Herb. Amboin.
Gaertner, Fruct. ii. t. 107 (1791).—*Fr.*
Lamarck, Ill. v. t. 790, fig. 2 (1797–1819).—*Fr.*
*Plenck, Ic. Pl. Med. vii. t. 689 (1803).
*Roques, Phytogr. Médic. ii. t. 170 (1821); Nouv. Ed. Atlas, t. 143 (1835).
Frost in Quart. Journ. Sc. & Arts, xx. t. 4 (1826).
*Nees, Pl. Offic. i. t. 138 (1828).
*Fl. Med. [Spratt], i. 30 (1829).
Delle Chiaje, Fl. Med. ii. tab. (1832).
*Woodville, Med. Bot. Ed. 3, v. t. 21 (1832).
*Stephenson & Churchill, Med. Bot. New Ed. i. t. 4 (1834).
*Schlechtendal & Guimpel, Abb. Pharm. Boruss. Gew. iii. t. 261 (1837).
*Hayne, Getreue Darst. Arzn. Gewächse, xiv. t. 3 (1843).
*Carson, Ill. Med. Bot. ii. t. 79 (1847).
*Strong, American Fl. i. 85 (1848).
Lindley, Med. & Oecon. Bot. 84 (1849).—*Veg.*
*Berge & Riecke, Giftgewächse, t. 60 (1850).
Griffith, Ic. Pl. Asiat. t. 584, fig. 4 (1854).—*Fr.*
Baillon, Adans. i. t. 9, 10 (1861).
Marchand, Croton Tiglium, t. 1, 2 (1861).
*Artus, Atlas Pharm. Deutschl. Aufg. Offic. Gew. t. 225 [1862–74].
Baillon, Hist. Pl. v. 130, 131 (1874).
*Bentley & Trim. Med. Pl. iv. t. 239 (1875).
M. C. Cooke, Rep. Oil Seeds & Oils, 39 (1876).—*Fr.*
Karsten, Deutsche Fl. Pharm.-medic. Bot. 591 (1880–83).
Baillon, Dict. Bot. ii. 275, 276 (1881).
Vidal, Sin. Fam. & Gen. Pl. Leñ. Filip. (Introd. Fl. For. Filip.), Atlas, t. 83, fig. E (1883).—*Fl.*
Baillon, Traité Bot. Méd. Phan. ii. 940, 941 (1884).
*Köhler, Med. Pfl. i [t. 63] (1887).
Dujard.-Beaumetz & Égasse, Pl. Méd. 221, 222 (1889).
Pflanzenfam. iii. v. 39 (1890).
Brehm, Merv. Nat. Monde des Pl. ii. 440 (1894–96).
Karsten, Fl. Deutschl. ii. 131 (1895).
*Kohl, Off. Pfl. Pharm. Germ. t. 73 (1895).
Warming, Handb. Syst. Bot. Ed. Möbius, 327 (1902).—*Fl.*
Journ. Coll. Sc. Tokyo, xx. Art. 3, t. 3, fig. C (1904).
Hare, Caspari & Rusby, Nat. Stand. Dispens. 1115 (1905).—*Fr.*
Beille, Bot. Pharm. ii. 543, 544 (1909).
Pammel, Man. Poison. Pl. 589 (1911).
Kanehira, Formosan Trees, 478 (1917).
Basu, Ind. Med. Pl. t. 872 (1918).
A. P. West & W. H. Brown in Bull. Philip. Isl. Dep. Agric. Bur. Forestry, No. 20, p. 137 (1920).
timandroides Müll.-Arg. (11)
Mart. Fl. Bras. xi. II. t. 30 (1873).
tinctorius Linn. (9)
N. L. Burman, Fl. Ind. t. 62 (1768).
Gaertner, Fruct. ii. t. 107 (1791).—*Fr.*
Bordiga, Storia Piante Forast. iv. t. 87 (1794).
Lamarck, Ill. v. t. 790, fig. 4 (1797–1819).—*Fr.*
*Plenck, Ic. Pl. Med. vii. t. 687 (1803).
*Vietz, Ic. Pl. Med.-oec.-techn. Suppl. t. 27 (1822).
Berlin Jahrb. Pharm. xxv. II. t. 1 (1824).
*Sibthorp & Sm. Fl. Graeca, x. t. 950 (1840).
Torreyanus Müll.-Arg. (11)
Rep. Missouri Bot. Gard. xii. t. 10 (1901).
Torrigianianus Hort. (10)
*Bull. Soc. Tosc. Ortic. ix. 136, t. 6 (1884).—*Veg.*
tortilis Veitch (10)
Garden, xi. 83 (1877).—*Veg.*
triglandulatus Vell. (11)
Vellozo, Fl. Flum. x. t. 79 (1827).
trilobatus Forsk. (11)
Vellozo, Fl. Flum. x. t. 71 (1827).
Wien. Ill. Gart.-Zeit. viii. 23 (1883).

CROTON
trilobus Hort. (10)
Garden, x. 141 (1876).—*Veg.*
Ill. Gartenzeit. Stuttgart, xxi. t. 15 (1877).—*Veg.*
Florist, 1877, p. 56.—*Veg.*
Rev. Hort. 1877, p. 89.—*Veg.*
Journ. Soc. Hort. France, Ser. III. xix. 763 (1897).—*Veg.*
triumphans Hort. (10)
Sempervirens, viii. 68 (1879).
umbellatus Willd. (7)
Wight, Ic. Pl. Ind. Or. v. t. 1874 (1852).
undulatus André (11)
Ill. Hort. xix. 265 (1872).—*Veg.*
Garden, iii. 118 (1873).—*Veg.*
urucurana Baill. (11)
Mart. Fl. Bras. xi. II. t. 22 (1873).
Hansgirg, Phyllobiol. 225 (1903).
variegatus Linn. (10)
*Henderson, Ill. Bouquet, i. t. 16 (1857–59).—*Veg.*
*Lowe, Beautiful-leaved Pl. 3, t. 2 (1868).
*Ill. Hort. xxxviii. t. 140 (1891).
—— **angustifolius** Hort. (10)
*Lowe, Beautiful-leaved Pl. t. 41 (1868).
—— **angustissimus** Hort. (10)
Gard. Chron. 1871, p. 612.—*Veg.*
—— **interruptus** Hort. (10)
Gard. Chron. 1871, p. 137.—*Veg.*
Florist, 1872, p. 209.
—— **Johannis** Hort. (10)
Fl. des Serres, Ser. II. ix. 12 (1873).—*Hab.*
—— **lacteus** Hort. (10)
Fl. des Serres, Ser. II. ix. 8 (1873).—*Veg.*
—— **luteo-maculatus** Blanco (10)
*Blanco, Fl. Filip. t. 390 (1878–80).
—— **multicolor** Hort. (10)
Florist, 1872, p. 89.—*Veg.*
—— **Weissmannii** Hort. (10)
Fl. des Serres, Ser. II. ix. 14 (1873).—*Veg.*
Veitchianus Veitch (11)
Rev. Hort. 1867, p. 190.—*Hab.*
Gard. Chron. 1870, p. 1669; in errore *C. Veitchii.*—*Veg.*
Ill. Hort. xix. 134 (1872).—*Veg.*
verbascifolius Willd. (9)
Bory & Chaub. Expéd. Morée, Bot. iii. t. 33 (1832).
Bory & Chaub. Nouv. Fl. Pélop. t. 35 (1838).
Verreauxii Baill. (11)
Austral. Assoc. Sc. Rep. vii. t. 30, fig. 12–15 (1898).—*Fl.*
—— **Storckii** Müll.-Arg. (11)
*Seemann, Fl. Vit. t. 57 (1865–73).
Vervaetii Linden (11)
*Ill. Hort. xxiii. t. 253 (1876).
villosus Sibth. (9)
*Sibthorp & Sm. Fl. Graeca, x. t. 951 (1840).
virens Müll.-Arg. (11)
Rep. Missouri Bot. Gard. xii. t. 31 (1901).
viscosus Labill. (6)
Labillardière, Nov. Holl. Pl. t. 222 (1806).
volutus Hort. (10)
Gard. Chron. i. 691 (1874).—*Hab.*
Florist, 1874, p. 138.—*Veg.*
*Floral Mag. N. Ser. 1875, t. 154.
Gard. Month. & Hort., Meehan, xviii. 359 (1876).
Ill. Gartenzeit. Stuttgart, xx. t. 6 (1876).
Williams, Choice Stove & Greenh. Ornam.-leaved Pl. Ed. 2, p. 173 (1876).—*Veg.*
American Garden, vi. 266 (1885).
Warrenii Hort. (10)
Sempervirens, ix. 220 (1880).
Weissmannii Hort. (10)
Ill. Hort. xx. 80 (1873).—*Veg.*
Gartenfl. xxii. 149 (1873).—*Veg.*
Widgrenianus Müll.-Arg. (11)
Mart. Fl. Bras. xi. II. t. 36 (1873).
Wigmanii Williams (10)
Sempervirens, xiv. 284 (1885).—*Veg.*
xalapensis H. B. K. (11)
Pittier, Ensayo Pl. Usual. Costa Rica, t. 30 (1908).
Youngii Hort. (10)
Garden, iv. 129 (1873).—*Hab.*

CROTONOGYNE Müll.-Arg.
angustifolia Prain
Hook. Ic. Pl. xxxi. t. 3019 (1915).
Laurentii De Wild.
De Wildeman, Études Fl. Bas- et Moyen-Congo (Ann. Mus. Congo), ii. t. 73 (1908).
Preussii Pax
Pflanzenreich, Euphorb.-Acal.-Chroz. 114 (1912).
Thonneri De Wild.
De Wildeman, Études Fl. Bangala & Ubangi, t. 10 (1911).

CROTONOPSIS L. C. Rich.
argentea Pursh
Pflanzenfam. iii. v. 41 (1890).—*Fr.*
linearis Michx.
Michaux, Fl. Bor.-Amer. ii. t. 46 (1803).
Lamarck, Ill. vi. t. 995 (1823).
Jussieu, Euphorb. t. 8 (1824).—*Fl.*
Baillon, Euphorb. t. 12, fig. 23–27 (1858).—*Fl.*
Britton & Brown, Ill. Fl. N. States & Canada, ii. 364 (1897); Ed. 2, ii. 456 (1913).

CROWEA Sm.
angustifolia Turcz.
*Bot. Mag. cxxviii. t. 7870 (1902).
Garden, lxvii. 235 (1905).
Gard. Chron. Ser. III. xxxvii. 242 (1905).
latifolia Lodd.
*Ann. Gand, iv. t. 180 (1848).
*Paxt. Mag. xiv. 222 (1848).
*Horticulteur Franç. 1857, t. 6 in textu; *C. macrantha* in ic.
macrantha Hort.
*Horticulteur Franç. 1857, t. 6 in ic.; *C. latifolia* in textu.
saligna Andr.
*Andrews, Bot. Rep. ii. t. 79 (1800).
*Ventenat, Jard. Malm. t. 7 (1803).
*Bot. Mag. xxv. t. 989 (1807).
*Duhamel, Arbres & Arbustes, Ed. 2, iv. t. 60 (1809).
*Trattinick, Thes. Bot. t. 70 (1819).
*Lodd. Bot. Cab. iv. t. 310 (1819).
*Mordant de Launay, Herb. Amat. vi. t. 426 (1822).
Mém. Mus. Hist. Nat. Paris, xii. 542, t. 21 (1825).—*Fl.*
*Géel, Sert. Bot. Cl. 10 (1832).
*Drapiez, Herb. Amat. Fl. vii. t. 454 (1834).
*Reichenbach, Fl. Exot. iii. t. 152 (1835).
*Mag. Bot. & Gard. iv. t. 40 (1836).
J. C. Loudon, Arbor. & Frutic. Brit. iv. 2544 (1838).
*J. W. Loudon, Ladies' Fl.-Gard. Ornam. Greenh. Pl. t. 19 (1848).
Journ. Hort. Ser. III. iii. 467 (1882); xlii. 30 (1901); xlvii. 513 (1903).
Jahrb. Bot. Gart. Berlin, ii. t. 13, fig. 16 (1883).—*Fl.*
Garden, xxix. 47 (1886).
*Bois, Dict. Hort. 400 (1893–99).
*Maiden & Campbell, Fl. Pl. & Ferns N. S. Wales, t. 7 (1895).
Pflanzenfam. iii. IV. 140 (1896).
Wettstein, Handb. Syst. Bot. Ed. 2, p. 622 (1911).—*Fl.*
F. Sulman, Wild Fl. N. S. Wales, i. t. 27 (1913).
—— **maior** Hort.
Journ. Hort. Ser. III. xxx. 57 (1895).

CROZOPHORA = *Chrozophora*

CRUCIANELLA Linn.
aegyptiaca Linn.
Lubbock, Seedlings, ii. 78 (1892).—*Veg.*
angustifolia Linn.
*Kniphof, Herb. Viv. i. t. 336 (1758).
Gaertner, Fruct. i. t. 24 (1788).—*Fr.*
Lamarck, Ill. i. t. 61 (1791).
*J. E. Smith, Exot. Bot. ii. t. 109 [1805–7].
Meigen, Deutschl. Fl. i. t. 29 (1836).—*Fl.*
*Petermann, Deutschl. Fl. t. 42, fig. 327 (1849).
Nees, Gen. Pl. fasc. xxviii. t. 4 (1854).
Reichenbach, Ic. Fl. Germ. xvii. t. 1176 (1855).
Migout, Fl. Dépt. Allier, t. 10 (1866).
Cesati, Passer. & Gibelli, Comp. Fl. Ital. t. 88 (1867–86).—*Fl.*

CRUCIANELLA
angustifolia
*Cusin & Ansberque, Herb. Fl. Franç. xi (Rubiacées), t. 97 (1873).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xxviii. t. 2877 (1886).
Coste, Fl. France, ii. 258 (1903).
Fiori & Paol. Ic. Fl. Ital. 390 (1903).
Merino, Fl. Galicia, ii. 268 (1906).
Lazaro, Comp. Fl. Españ. ii. 642 (1907).
Cadevall & Sallent, Fl. Catalunya, 158 (1917).
capitata Labill.
Labillardière, Ic. Pl. Syriae, i. t. 3 (1791).
gilanica Trin.
Trinius in Mém. Acad. Sc. Pétersb. vi. t. 12 (1818).
kurdistanica Malinowski
Bull. Herb. Boiss. Ser. II. viii. 623 (1908).—*Fl.*
Malinowski in Bull. Soc. Bot. Genève, Ser. II. ii. 15 (1910).—*Fl.*
latifolia Linn.
Buchoz, Hist. Règne Vég. xii. Dec. 5, t. 4 (1776).
*Schmidel, Ic. Pl. Ed. 2, i. t. 23, 24 (1782).
*Sibthorp & Sm. Fl. Graeca, ii. t. 139 (1813).
Reichenbach, Ic. Fl. Germ. xvii. t. 1177 (1855).
*Cusin & Ansberque, Herb. Fl. Franç. xi (Rubiacées), t. 96 (1873).
Svenska Vet. Akad. Handl. xxi. No. 4, t. 4 (1884).—*Fl.*
Pflanzenfam. iv. IV. 147 (1891).—*Fl.*
Acloque, Fl. France, 341 (1894).
Coste, Fl. France, ii. 258 (1903).
Fiori & Paol. Ic. Fl. Ital. 390 (1903).
Fedtschenko & Fler. Fl. Eur. Russia, 904 (1910).
macrostachya Boiss.
Malinowski in Bull. Soc. Bot. Genève, Ser. II. ii. 12 (1910).—*Fl.*
maritima Linn.
*Kniphof, Herb. Viv. i. t. 337 (1758).
Reichenbach, Ic. Fl. Germ. xvii. t. 1176 (1855).
*Cusin & Ansberque, Herb. Fl. Franç. xi (Rubiacées), t. 95 (1873).
Coste, Fl. France, ii. 257 (1903).
Fiori & Paol. Ic. Fl. Ital. 390 (1903).
*H. S. Thompson, Fl. Pl. Riviera, t. 16 (1914).
Cadevall & Sallent, Fl. Catalunya, iii. 157 (1917).
membranacea Boiss.
Malinowski in Bull. Soc. Bot. Genève, Ser. II. ii. 12 (1910).—*Fl.*
molluginoides M. Bieb.
Reichenbach, Pl. Crit. iii. t. 262 (1825).
*M. v. Bieberstein, Cent. Pl. Rar. ii. II. t. 65 (1843).
Nees, Gen. Pl. fasc. xxviii. t. 4 (1854).
Reichenbach, Ic. Fl. Germ. xvii. t. 1176 (1855).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xxviii. t. 2878 (1886).
monspeliaca Linn.
*Sibthorp & Sm. Fl. Graeca, ii. t. 140 (1813).
patula Linn.
Malinowski in Bull. Soc. Bot. Genève, Ser. II. ii. 12 (1910).—*Fl.*
Cadevall & Sallent, Fl. Catalunya, iii. 158 (1917).
rupestris Guss.
Fiori & Paol. Ic. Fl. Ital. 390 (1903).
stylosa Trin.
Trinius in Mém. Acad. Sc. Pétersb. vi. t. 11 (1818).
*Journ. Jard. 1837, p. 184.
*Bot. Reg. xxiv. t. 55 (1838).
*Knowles & Westc. Floral Cab. ii. t. 81 (1838).
*J. W. Loudon, Ladies' Fl.-Gard. Ornam. Perenn. i. t. 42 (1843).
Gartenfl. xxxvi. 528 (1887).
Kerner, Pflanzenleben, ii. 265, 267 (1891).
Kerner & Oliv. Nat. Hist. Pl. ii. 265, 267 (1895).—*Fl.*

CRUCIFERA E. H. L. Krause: alterutro generi *Cruciferarum* Europearum attrib.
aizoides E. H. L. Krause
Sturm, Fl. Deutschl. Ed. 2, vi. 59 (1902).
alliaria E. H. L. Krause
Sturm, Fl. Deutschl. Ed. 2, vi. 87 (1902).
Alyssum E. H. L. Krause
*Sturm, Fl. Deutschl. Ed. 2, vi. t. 20 (1902).

CRUCIFERA
amara E. H. L. Krause
*Sturm, Fl. Deutschl. Ed. 2, vi. t. 12 (1902).
Arabis E. H. L. Krause
*Sturm, Fl. Deutschl. Ed. 2, vi. t. 15 (1902).
arcuata E. H. L. Krause
Sturm, Fl. Deutschl. Ed. 2, vi. 95 (1902).
arenosa E. H. L. Krause
*Sturm, Fl. Deutschl. Ed. 2, vi. t. 16 (1902).
Armoracia E. H. L. Krause
Sturm, Fl. Deutschl. Ed. 2, vi. 54 (1902).
auriculata E. H. L. Krause
Sturm, Fl. Deutschl. Ed. 2, vi. 101 (1902).
Berteroa E. H. L. Krause
Sturm, Fl. Deutschl. Ed. 2, vi. 72, 73 (1902).
Biscutella E. H. L. Krause
Sturm, Fl. Deutschl. Ed. 2, vi. 159 (1902).
bulbifera E. H. L. Krause
*Sturm, Fl. Deutschl. Ed. 2, vi. t. 14 (1902).
caerulescens E. H. L. Krause
Sturm, Fl. Deutschl. Ed. 2, vi. 147 (1902).
Cakile E. H. L. Krause
Sturm, Fl. Deutschl. Ed. 2, vi. 139 (1902).
calycina E. H. L. Krause
Sturm, Fl. Deutschl. Ed. 2, vi. 69 (1902).
Camelina microcarpa E. H. L. Krause
*Sturm, Fl. Deutschl. Ed. 2, vi. t. 30 (1902).
Capsella E. H. L. Krause
*Sturm, Fl. Deutschl. Ed. 2, vi. t. 23 (1902).
capselloides E. H. L. Krause
*Sturm, Fl. Deutschl. Ed. 2, vi. t. 17 (1902).
Cardamine silvatica E. H. L. Krause
Sturm, Fl. Deutschl. Ed. 2, vi. 115 (1902).
Cardaria E. H. L. Krause
Sturm, Fl. Deutschl. Ed. 2, vi. 155 (1902).
Cheiri E. H. L. Krause
*Sturm, Fl. Deutschl. Ed. 2, vi. t. 7 (1902).
Conringia E. H. L. Krause
*Sturm, Fl. Deutschl. Ed. 2, vi. t. 3 (1902).
contracta E. H. L. Krause
*Sturm, Fl. Deutschl. Ed. 2, vi. t. 15 (1902).
Corvini E. H. L. Krause
*Sturm, Fl. Deutschl. Ed. 2, vi. t. 31 (1902).
Diplotaxis E. H. L. Krause
*Sturm, Fl. Deutschl. Ed. 2, vi. t. 33 (1902).
Erophila E. H. L. Krause
Sturm, Fl. Deutschl. Ed. 2, vi. 63 (1902).
Eruca E. H. L. Krause
*Sturm, Fl. Deutschl. Ed. 2, vi. t. 35 (1902).
Erucago E. H. L. Krause
Sturm, Fl. Deutschl. Ed. 2, vi. 141 (1902).
Erysimum E. H. L. Krause
*Sturm, Fl. Deutschl. Ed. 2, vi. t. 1 (1902).
fontana E. H. L. Krause
*Sturm, Fl. Deutschl. Ed. 2, vi. t. 9 (1902).
graminifolia E. H. L. Krause
*Sturm, Fl. Deutschl. Ed. 2, vi. t. 22 (1902).
Halleri E. H. L. Krause
Sturm, Fl. Deutschl. Ed. 2, vi. 107 (1902).
heptaphylla E. H. L. Krause
*Sturm, Fl. Deutschl. Ed. 2, vi. t. 14 (1902).
Hornungia E. H. L. Krause
*Sturm, Fl. Deutschl. Ed. 2, vi. t. 24 (1902).
Iberis E. H. L. Krause
Sturm, Fl. Deutschl. Ed. 2, vi. 163 (1902).
Impatiens E. H. L. Krause
*Sturm, Fl. Deutschl. Ed. 2, vi. t. 11 (1902).
Isatis E. H. L. Krause
*Sturm, Fl. Deutschl. Ed. 2, vi. t. 28 (1902).
Lamarckii E. H. L. Krause
*Sturm, Fl. Deutschl. Ed. 2, vi. t. 36 (1902).
Lampsana E. H. L. Krause
*Sturm, Fl. Deutschl. Ed. 2, vi. t. 37 (1902).
maritima E. H. L. Krause
*Sturm, Fl. Deutschl. Ed. 2, vi. t. 39 (1902).
matronalis E. H. L. Krause
Sturm, Fl. Deutschl. Ed. 2, vi. 121 (1902).
montana E. H. L. Krause
*Sturm, Fl. Deutschl. Ed. 2, vi. t. 27 (1902).
Nasturtium E. H. L. Krause
Sturm, Fl. Deutschl. Ed. 2, vi. 153 (1902).
Neslia E. H. L. Krause
Sturm, Fl. Deutschl. Ed. 2, vi. 52 (1902).
palustris E. H. L. Krause
*Sturm, Fl. Deutschl. Ed. 2, vi. t. 10 (1902).

CRUCIFERA
parviflora E. H. L. Krause
*Sturm, Fl. Deutschl. Ed. 2, vi. t. 11 (1902).
pentaphylla E. H. L. Krause
*Sturm, Fl. Deutschl. Ed. 2, vi. t. 13 (1902).
perfoliata E. H. L. Krause
*Sturm, Fl. Deutschl. Ed. 2, vi. t. 26 (1902).
pollichii E. H. L. Krause
*Sturm, Fl. Deutschl. Ed. 2, vi. t. 35 (1902).
pratensis E. H. L. Krause
*Sturm, Fl. Deutschl. Ed. 2, vi. t. 12 (1902).
Raphanistrum E. H. L. Krause
*Sturm, Fl. Deutschl. Ed. 2, vi. t. 40 (1902).
rediviva E. H. L. Krause
*Sturm, Fl. Deutschl. Ed. 2, vi. t. 18 (1902).
repanda E. H. L. Krause
*Sturm, Fl. Deutschl. Ed. 2, vi. t. 2 (1902).
ruderalis E. H. L. Krause
*Sturm, Fl. Deutschl. Ed. 2, vi. t. 21 (1902).
Ruellii E. H. L. Krause
*Sturm, Fl. Deutschl. Ed. 2, vi. t. 29 (1902).
rugosa E. H. L. Krause
Sturm, Fl. Deutschl. Ed. 2, vi. 125 (1902).
saxatilis E. H. L. Krause
*Sturm, Fl. Deutschl. Ed. 2, vi. t. 19 (1902).
Senebiera E. H. L. Krause
Sturm, Fl. Deutschl. Ed. 2, vi. 161 (1902).
silvestris E. H. L. Krause
*Sturm, Fl. Deutschl. Ed. 2, vi. t. 10 (1902).
Sinapis E. H. L. Krause
*Sturm, Fl. Deutschl. Ed. 2, vi. t. 38 (1902).
Sisymbrium E. H. L. Krause
*Sturm, Fl. Deutschl. Ed. 2, vi. t. 4 (1902).
Sophia E. H. L. Krause
*Sturm, Fl. Deutschl. Ed. 2, vi. t. 5 (1902).
stricta E. H. L. Krause
*Sturm, Fl. Deutschl. Ed. 2, vi. t. 8 (1902).
strictissima E. H. L. Krause
*Sturm, Fl. Deutschl. Ed. 2, vi. t. 5 (1902).
Subularia E. H. L. Krause
*Sturm, Fl. Deutschl. Ed. 2, vi. t. 30 (1902).
Teesdalea E. H. L. Krause
*Sturm, Fl. Deutschl. Ed. 2, vi. t. 25 (1902).
tenuifolia E. H. L. Krause
*Sturm, Fl. Deutschl. Ed. 2, vi. t. 32 (1902).
Thaliana E. H. L. Krause
*Sturm, Fl. Deutschl. Ed. 2, vi. t. 6 (1902).
Thlaspi E. H. L. Krause
*Sturm, Fl. Deutschl. Ed. 2, vi. t. 26 (1902).
Turritis E. H. L. Krause
*Sturm, Fl. Deutschl. Ed. 2, vi. t. 16 (1902).
utriculata E. H. L. Krause
Sturm, Fl. Deutschl. Ed. 2, vi. 71 (1902).
viminea E. H. L. Krause
*Sturm, Fl. Deutschl. Ed. 2, vi. t. 34 (1902).

CRUCKSHANKSIA Hook. & Arn.
flava Baill.
Baillon, Hist. Pl. vii. 294 (1880).—*Fl.*
Baillon, Dict. Bot. ii. 279 (1881).
Pflanzenfam. ii. 1. 140 (1889).—*Fl.*
glacialis Poepp. & Endl.
Poeppig & Endl. Nov. Gen. & Sp. Pl. iii. t. 236 (1845).
Weddell, Chloris Andina (Castelnau Expéd., Bot.), ii. t. 50 (1857–61).
Bot. Notiser, 1915, p. 197.—*Fl.*
hymenodon Hook. & Arn.
Pflanzenfam. iv. IV. 22 (1891).—*Fr.*
Glück, Blatt- & Blütenmorph. Stud. t. 4 (1919).
Montiana Clos
*C. Gay, Hist. Chile, Atlas, t. 33 (1854).
pumila Clos
*C. Gay, Hist. Chile, Atlas, t. 33 (1854).

CRUCKSHANKSIA Hook.: *Balbisia*
cistiflora Hook.
Hooker, Bot. Misc. ii. t. 90 (1831).

CRUDDASIA Prain
insignis Prain
Ann. Bot. Gard. Calcutta, ix. t. 34 (1901).

CRUDIA Schreb.—Vide *Apalatoa, Touchiroa*
bantamensis Benth. & Hook.
Koorders & Val. Atlas Baumart. Java, t. 15 (1913).

CRUDIA
ceylanica Benth.
Beddome, Fl. Sylv. t. 190 (1872).
chrysantha Gagnep.
Lecomte, Fl. Gén. Indo-Chine, ii. 203 (1913).—*Fl.*
Curtisii Prain
Ann. Bot. Gard. Calcutta, ix. t. 47 (1901).
obliqua Griseb.
Mart. Fl. Bras. xv. II. t. 62 (1870).
Fawcett & Rendle, Fl. Jamaica, iv. II. 122 (1920).—*Fl.*
Parivoa DC.
Bol. Mus. Para. ii. 320 (1898); iii. 382 (1902).—*Hab.*
senegalensis Planch.
Hook. Ic. Pl. xxiv. t. 2378 (1895).
spicata Willd.
*Blanco, Fl. Filip. t. 244 (1878–80).
Vidal, Sin. Fam. & Gen. Pl. Leñ. Filip. (Introd. Fl. For. Filip.), Atlas, t. 43, fig. B (1883).—*Fl.*
Fawcett & Rendle, Fl. Jamaica, iv. II. 122 (1920).
Vouarana DC.
Ralph, Ic. Carpolog. t. 12 (1849).—*Fr.*
zeylanica = *ceylanica*

CRUDYA = *Crudia*

CRUMENARIA Mart.
decumbens Mart.
*Martius, Nov. Gen. & Sp. Pl. Bras. ii. t. 160 (1826).
erecta Reiss.
Mart. Fl. Bras. xi. I. t. 41 (1861).
Schimper, Pflanzen-Geogr. 402 (1898).

CRUNOCALLIS Rydb.
Chamissonis Rydb.
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, ii. 38 (1913).

CRUPINA Cass.
brachypappa Jord. & Fourr.
*Cusin, Herb. Fl. Franç. xiii (Composées), t. 368 (1874).
Crupinastrum Vis.
Visiani, Fl. Dalmat. ii. t. 51 (1847).—*Fr.*
Reichenbach, Ic. Fl. Germ. xv. t. 746, 749 (1852).
Fiori & Paol. Ic. Fl. Ital. 441 (1904).
Adamović, Pflanzenw. Dalmat. t. 52 (1911).
Beauverd in Bull. Soc. Bot. Genève, Ser. II. iv. 440 (1912).—*Fl.*
*H. S. Thompson, Fl. Pl. Riviera, t. 19 (1914).
Morisii Bor.
*Cusin, Herb. Fl. Franç. xiii (Composées), t. 369 (1874).
Coste, Fl. France, ii. 399 (1903).
vulgaris Cass.
Visiani, Fl. Dalmat. ii. t. 51 (1847).—*Fr.*
*Petermann, Deutschl. Fl. t. 51, fig. 402 (1849).
Reichenbach, Ic. Fl. Germ. xv. t. 746, 749 (1852).
Nees, Gen. Pl. fasc. xxxi. t. 18 (1860).
Cesati, Passer. & Gibelli, Comp. Fl. Ital. t. 77 (1867–86).—*Fl.*
*Cusin, Herb. Fl. Franç. xiii (Composées), t. 367 (1874).
Kerner, Pflanzenleben, ii. 780, 781 (1891).—*Fr.*
Pflanzenfam. i. v. 325 (1893).—*Fl.*
Acloque, Fl. France, 402 (1894).
Kerner & Oliv. Nat. Hist. Pl. ii. 843, 844 (1895).—*Fr.*
Coste, Fl. France, ii. 399 (1903).
Fiori & Paol. Ic. Fl. Ital. 441 (1904).
Merino, Fl. Galicia, iii. 604 (1909).
Heukels, Fl. Nederl. iii. 431 (1910).
Beauverd in Bull. Soc. Bot. Genève, Ser. II. iv. 440 (1912).—*Fl.*
Cadevall & Sallent, Fl. Catalunya, iii. 390 (1917).
—— **brachypappa** Beauverd
Beauverd in Bull. Soc. Bot. Genève, Ser. II. iv. 440 (1912).—*Fl.*
—— —— **vallesiaca** Beauverd
Beauverd in Bull. Soc. Bot. Genève, Ser. II. iv. 440 (1912).—*Fl.*

CRUSEA Cham. & Schlechtd.
coccinea DC.
*Rev. Hort. 1863, p. 311.
hispidula Agardh
Agardh, Theor. Syst. Pl. t. 23 (1858).—*Fl.*
parviflora Hook. & Arn.
Hooker & Arn. Bot. Beechey Voy. t. 99 (1841).
rubra Cham. & Schlechtd.
*Maund, Botanist, ii. t. 82 (1838).
*Maund & Henslow, Bot. Souv. [t. 17, 1838–40].
Pflanzenfam. iv. IV. 140 (1891).—*Fl.*
violacea A. Brongn.
*Rev. Hort. Ser. II. v. 61 (1846).

CRUSEA A. Rich.: *Chione*
nitida A. Rich.
Mém. Soc. Hist. Nat. Paris, v. t. 19 (1834).—*Fl.*

CRYBE Lindl.: *Arethusa*
rosea Lindl.
*Bot. Reg. xxii. t. 1872 (1836).
Orchis, ix. 94, t. 7 (1915).—*Fl.*

CRYPHIACANTHUS Nees: *Ruellia*
barbadensis Nees
Vidensk. Meddel. Kjöbenhavn, 1854, t. 4, fig. 24, 25 (1855).—*Fr.*
viscosus Örst.
Vidensk. Meddel. Kjöbenhavn, 1854, t. 4, fig. 22, 23 (1855).—*Fr.*

CRYPHIOSPERMUM P. Beauv.: *Enhydra*
repens P. Beauv.
*P. Beauvais, Fl. Oware & Benin, t. 74 (1810).

CRYPSIS Ait.—Vide *Antitragus*
aculeata Ait.
Lamarck, Ill. i. t. 42, fig. 2 (1791).
*Host, Gram. i. t. 31 (1801).
*Sturm, Deutschl. Fl. vii. XXVI [t. 404] (1808).
Reichenbach, Ic. Fl. Germ. i. t. 48 (1834).
Nees, Gen. Pl., Monocot. i. t. 5 (1836).
Meigen, Deutschl. Fl. iii. t. 141 (1842).
Cusin, Herb. Fl. Franç. xxiv (Graminées), t. 18 (1874).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, vii. t. 588 (1881).
Willkomm, Führ. Reich Pflanzen, 234 (1882).—*Fl.*
Journ. of Bot. xxiii. 73 (1885).
*Thomé, Fl. Deutschl. i. t. 78 (1886).
Duthie, Illustr. Fodder Grasses, t. 62 (1887).
Duthie, Fodder Grasses, t. D (1888).
G. Beck, Fl. Nied.-Oesterr. i. 27, 52 (1890).—*Fl.*
Fiori & Paol. Ic. Fl. Ital. 21 (1895).
Post, Fl. Syria, Palestine & Sinai, 856 [1896].
Husnot, Gram. t. 2 (1896–99).
Coste, Fl. France, iii. 537 (1906).
Fedtschenko & Fler. Fl. Eur. Russia, 84 (1910).
Hayek, Pflanzend. Oesterr.-Ung. i. 158 (1914).
U.S. Dep. Agric. Bull. No. 772, p. 154 (1920).
aegyptiaca Tausch.
Figari & De Notaris in Mem. Accad. Sc. Torino, Ser. II. xiv. 392, fig. 5 (1854).—*Fl.*
alopecuroides Schrad.
*Sturm, Deutschl. Fl. vii. XXVI [t. 402] (1808).
Delile, Fl. Égypte, t. 9 (1812).
Reichenbach, Ic. Fl. Germ. i. t. 48 (1834).
Cusin, Herb. Fl. Franç. xxiv (Graminées), t. 16 (1874).
Karsten, Deutsche Fl. Pharm.-medic. Bot. 373 (1880–83).—*Fr.*
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, vii. t. 590 (1881).
Fiori & Paol. Ic. Fl. Ital. 20 (1895).
Karsten, Fl. Deutschl. i. 377 (1895).
Husnot, Gram. t. 2 (1896–99).
Ann. Hist.-Nat. Mus. Nat. Hung. iii. t. 5 (1905).—*Hab.*
Coste, Fl. France, iii. 538 (1906).
×**Bernátskyana** Deg.
Ann. Hist.-Nat. Mus. Nat. Hung. iii. t. 5, p. 127 (1905).—*Hab.*
niliaca Fig. & De Not.
Figari & De Notaris in Mem. Accad. Sc. Torino, Ser. II. xiv. 392, fig. 4 (1854).—*Fl.*
pygmaea Jaub. & Spach
Jaubert & Spach, Illustr. Pl. Or. iv. t. 307 (1850–53).

CRYPSIS
schoenoides Lam.
Lamarck, Ill. i. t. 42, fig. 1 (1791).
*Sturm, Deutschl. Fl. vii. xxvi [t. 403] (1808).
P. Beauvais, Agrost. t. 6, fig. 12 (1812).—*Fl.*
Panzer in Denkschr. Akad. Wiss. München, 1813, t. 8, fig. 4 (1814).—*Fl.*
Reichenbach, Ic. Fl. Germ. i. t. 48 (1834).
Kunth, Enum. Pl. i. II. t. 5 (1835).
Nees, Gen. Pl., Monocot. i. t. 5 (1836).
Meigen, Deutschl. Fl. iii. t. 141 (1842).
*Petermann, Deutschl. Fl. t. 95, fig. 756 (1849).
A. Gray, Man. Bot. N.U.S. Ed. 4, t. 1 (1862).
Cesati, Passer. & Gibelli, Comp. Fl. Ital. t. 4 (1867–86.)—*Fl.*
Cusin, Herb. Fl. Franç. xxiv (Graminées), t. 17 (1874).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, vii. t. 589 (1881).
Acloque, Fl. France, 673 (1894).
Fiori & Paol. Ic. Fl. Ital. 21 (1895).
Husnot, Gram. t. 2 (1896–99).
Ann. Hist. Nat. Mus. Nat. Hung. iii. t. 5 (1905). —*Hab.*
Coste, Fl. France, iii. 537 (1906).

CRYPTA Nutt.: *Elatine*
minima Nutt.
Journ. Acad. Nat. Sc. Philadelphia, i. 1. t. 6 (1817).

CRYPTADENIA Meissn.
breviflora Meissn.
N. L. Burman, Rar. Afr. Pl. t. 48, fig. 2 (1739); fide Fl. Cap.
grandiflora Meissn.
Engl. Jahrb. xviii. 502 (1894).—*Fl.*
Pflanzenfam. iii. VI. A. 234 (1894).—*Fl.*
uniflora Meissn.
N. L. Burman, Rar. Afr. Pl. t. 48, fig. 1 (1739); fide Fl. Cap.
Ann. Hort. i. 175 (1845).
*Bot. Mag. lxxi. t. 4143 (1845).

CRYPTADIA Lindl.: *Gymnarrhena*
euphratensis Lindl.
Chesney, Narr. Euphr. Exped. App. 441 (1868). —*Fl.*

CRYPTANDRA Sm.—Vide *Stenanthemum*
alpina Hook. f.
*Hooker f., Fl. Tasman. i. t. 12 (1860).
amara Sm.
Trans. Linn. Soc. London, x. t. 18 (1811).
Ann. Sc. Nat. Paris, x. Atlas, t. 14 (1827).—*Fl.*
Banks & Soland. Bot. Cook's Voy. i. t. 41 (1900).
apetala Ewart & White
Proc. Roy. Soc. Victoria, N. Ser. xxii. 1. t. 21 (1909).
ericifolia Rudge
Trans. Linn. Soc. London, x. t. 18 (1811).
Gunnii Hook. f.
*Hooker f., Fl. Tasman. i. t. 11 (1860).
leucophracta Schlechtd.
Pflanzenfam. iii. v. 396 (1895).—*Fl.*
Leucopogon Meissn.
Pflanzenfam. iii. v. 419 (1896).
Engl. Jahrb. xxxv. 358 (1904).
Engler & Drude, Veget. Erde, vii. 174 (1906).
pimeleoides Hook. f.
*Hooker f., Fl. Tasman. i. t. 12 (1860).
polyclada Diels
Engl. Jahrb. xxxv. 358 (1904).
Engler & Drude, Veget. Erde, vii. 174 (1906).
propinqua A. Cunn.
Velenovsky, Vergl. Morphol. Pfl. iii. 885 (1910). —*Fl.*
suavis Lindl.
*Bot. Reg. xxx. t. 56 (1844).
tomentosa Lindl.
Pflanzenfam. iii. v. 396 (1895).—*Fl.*
ulicina Hook.
Pflanzenfam. iii. v. 396 (1895).—*Fl.*

CRYPTANGIUM Schrad.—Vide *Acrocarpus* Nees
Claussenii C. B. Clarke
C. B. Clarke, Illustr. Cyperac. t. 138 (1909).
leptocladum Boeck.
C. B. Clarke, Illustr. Cyperac. t. 138 (1909).—*Fr.*

CRYPTANGIUM
stellatum Boeck.
Trans. Linn. Soc. London, Ser. II. Bot. ii. t. 51 (1887).
uliginosum Schrad.
Mart. Fl. Bras. ii. 1. t. 19 (1842).

CRYPTANTHE Lehm.—Vide *Krynitzkia*
crassisepala Greene
Britton & Brown, Ill. Fl. N. States & Canada, iii. 57 (1898); Ed. 2, iii. 80 (1913).
Fendleri Greene
Britton & Brown, Ill. Fl. N. States & Canada, iii. 57 (1898); Ed. 2, iii. 80 (1913).
intermedia Greene
M. Armstrong, Field Book West. Wild Fl. 429 (1915).
pterocarya Greene
Pflanzenfam. iv. III. A. 108 (1893).—*Fr.*
recurvata Coville
Contrib. U.S. Nat. Herb. iv. t. 16 (1893).

CRYPTANTHOPSIS Ule
saxicola Ule
Engl. Jahrb. xlii. 192 (1908).

CRYPTANTHUS Otto & Dietr.
acaulis Beer
Mart. Fl. Bras. iii. III. t. 54 (1891).
—— **purpureus** Baker
*Saunders, Ref. Bot. iv. t. 287 (1871).
Beuckeri Morr.
*Belg. Hort. xxxi. 342 (1881).
bivittatus Regel
*Gartenfl. xiv. t. 458 (1865).
*Trans. Russ. Hort. Soc. 1865, t. 161.
emergens Lindm.
Svenska Vet. Akad. Handl. xxiv. No. 8, t. 2, fig. 1–12 (1891).
undulatus Otto & Dietr.
Wawra, Bot. Ergebn. Reise Bras. t. 87 (1866).
zonatus Beer
Mart. Fl. Bras. iii. III. t. 54 (1891).
Hesdörffer, Handb. Zimmergärtn. Ed. 2, p. 263, fig. 153 (1900).
L. H. Bailey, Cycl. Amer. Hort. 1810 (1902); Stand. Cycl. Hort. 903 (1914).—*Hab.*

CRYPTARRHENA R. Br.
Kegelii Reichb. f.
Mart. Fl. Bras. iii. VI. t. 94 (1904–6).
lunata R. Br.
*Bot. Reg. ii. t. 153 (1816).
Fawcett & Rendle, Fl. Jamaica, i. t. 30 (1910).—*Fl.*

CRYPTERONIA Bl.—Vide *Henslowia* Wall.
Cumingii Planch.
Engl. Jahrb. xv. 172 (1892).—*Fl.*
Pflanzenfam. iii. VII. 20 (1892).—*Fl.*
glabra Bl.
Vidal, Sin. Fam. & Gen. Pl. Leñ. Filip. (Introd. Fl. For. Filip.), Atlas, t. 52, fig. E (1883).
javanica Baill.
Baillon, Hist. Pl. vi. 435 (1877).—*Fl.*
Baillon, Dict. Bot. ii. 282 (1881).—*Fl.*
leptostachys Planch.
Baillon, Hist. Pl. vi. 436 (1877).—*Fl.*
Baillon, Dict. Bot. ii. 282 (1881).—*Fl.*
Engl. Jahrb. xv. 172 (1892).—*Fl.*
Pflanzenfam. iii. VII. 20 (1892).—*Fl.*
paniculata Bl.
Blume, Mus. Bot. Lugd.-Bat. ii. fig. 42 (1856). —*Fl.*
Engl. Jahrb. xv. 172 (1892).—*Fl.*
Pflanzenfam. iii. VII. 20 (1892).—*Fr.*
Brandis, Indian Trees, 342 (1906).
Koorders & Val. Atlas Baumart. Java, t. 318 (1914).
Lecomte, Fl. Gén. Indo-Chine, ii. 696 (1920).
pubescens Planch.
Pflanzenfam. iii. VII. 20 (1892).—*Fr.*
—— **Hookeri** C. B. Clarke
Engl. Jahrb. xv. 172 (1892).
Pflanzenfam. iii. VII. 20 (1892).

CRYPTOCARPHA Cass.: *Acicarpha*
tribuloides Cass.
Dict. Sc. Nat., Planch. Bot. Dicot. t. 94 (1816–29).
Cassoni, Opusc. Phyt. i. t. 10 (1826).

CRYPTOCARPUS H. B. K.
cordifolius Moric.
Moricand, Pl. Amér. t. 50 (1839).
globosus H. B. K.
H. B. K. Nov. Gen. ii. t. 123 (1817).
Martius, Nov. Gen. & Sp. Pl. Bras. iii. t. 290 (1829).—*Fr.*
piriformis H. B. K.
H. B. K. Nov. Gen. ii. t. 124 (1817).

CRYPTOCARYA R. Br.—Vide *Bellota*
acuminata Schinz
Sim, For. Fl. Cape Colony, t. 158 (1907).
australis Benth.
Proc. Linn. Soc. N. S. Wales, xxv. IV. t. 37 (1901).—*Veg.*
Maiden, For. Fl. N. S. Wales, iv. t. 118 (1908).
Guilfoyle, Austral. Pl. 272 [1911].—*Hab.*
Bancroftii F. M. Bailey
Queensland Agric. Journ. v. t. 142 (1899).
F. M. Bailey, Queensland Fl. t. 54 (1901).
canelilla H. B. K.
H. B. K. Nov. Gen. vii. t. 645 (1825).
chinensis Hemsl.
Kanehira, Formosan Trees, 433 (1917).
cinnamomifolia Benth.
Proc. Linn. Soc. N. S. Wales, xxv. IV. t. 37 (1901).—*Veg.*
densiflora Bl.
Koorders & Val. Atlas Baumart. Java, t. 211 (1913).
erythroxylon Maiden & Betche
Maiden, For. Fl. N. S. Wales, iii. t. 100 (1907); iv. Pt. xl [t. 32] (1910).—*Hab.*
ferrea Bl.
Vidal, Sin. Fam. & Gen. Pl. Leñ. Filip. (Introd. Fl. For. Filip.), Atlas, t. 78, fig. B (1883).—*Fl.*
Koorders & Val. Atlas Baumart. Java, t. 212 (1913).
Lecomte, Fl. Gén. Indo-Chine, v. 147 (1914). —*Fl.*
floribunda Nees
Wight, Ic. Pl. Ind. Or. v. t. 1829 (1852).
foetida R. T. Baker
Proc. Linn. Soc. N. S. Wales, xxx. IV. t. 30 (1906).
Maiden, For. Fl. N. S. Wales, iii. t. 112 (1908).
glaucescens R. Br.
Maiden, For. Fl. N. S. Wales, iii. t. 104 (1907).
graveolens F. M. Bailey
F. M. Bailey, Queensland Fl. t. 54 (1901).
Griffithiana Wight
Wight, Ic. Pl. Ind. Or. v. t. 1830 (1852).
infectoria Miq.
Baillon, Hist. Pl. ii. 435 (1870).—*Fr.*
Malpighia, xviii. t. 2 (1904).—*Fr.*
Konishii Hayata
Kanehira, Formosan Trees, 434 (1917).
laevigata Bl.
Koorders & Val. Atlas Baumart. Java, t. 213 (1913).
Liebertiana Engl.
Engl. Jahrb. xxvi. t. 10 (1899).
Mackinnoniana F. Muell.
F. M. Bailey, Compr. Cat. Queensl. Pl. 433 (1909–13).
mandioccana Meissn.
Jahrb. Bot. Gart. Berlin, v. t. 3, fig. 22 (1889). —*Fl.*
Meissneri F. Muell.
Maiden, For. Fl. N. S. Wales, iv. t. 130 (1909).
micrantha Meissn.
Jahrb. Bot. Gart. Berlin, v. t. 3, fig. 12 (1889). —*Fl.*
microneura Meissn.
Proc. Linn. Soc. N. S. Wales, Ser. II. x. III. t. 42 (1896); xxv. IV. t. 37 (1901).
Maiden, For. Fl. N. S. Wales, iii. t. 108 (1907).
moschata Nees & Mart.
Mart. Fl. Bras. v. II. t. 56 (1866).
Jahrb. Bot. Gart. Berlin, v. t. 2, fig. 1; t. 3, fig. 21 (1889).—*Fl.*
Pflanzenfam. iii. II. 108, 120 (1889).—*Fl.*
Warburg, Muskatnuss, 508 (1897).—*Fr.*
Murrayi F. Muell.
F. M. Bailey, Compr. Cat. Queensl. Pl. 432 (1909–13).

CRYPTOCARYA
nitens Koorders & Val.
Koorders & Val. Atlas Baumart. Java, t. 214 (1913).
oblata F. M. Bailey
F. M. Bailey, Queensland Fl. t. 54 (1901).
obovata R. Br.
Proc. Linn. Soc. N. S. Wales, xxv. IV. t. 37 (1901).—*Veg.*
Maiden, For. Fl. N. S. Wales, i. t. 12 (1903).
Guilfoyle, Austral. Pl. 424 [1911].—*Hab.*
Palmerstonii F. M. Bailey
Queensland Agric. Journ. v. t. 141 (1899).
F. M. Bailey, Queensland Fl. t. 54 (1901).
patentinervis F. Muell.
Maiden, For. Fl. N. S. Wales, iv. t. 122 (1908).
Peumus Nees
Bol. Bosq. Pesca Caza, Chile, i. 661 (1913).—*Hab.*
tomentosa Bl.
Koorders & Val. Atlas Baumart. Java, t. 215 (1913).
triplinervis R. Br.
Proc. Linn. Soc. N. S. Wales, xxv. IV. t. 37 (1901).—*Veg.*
Malpighia, xvii. t. 16 (1903).—*Veg.*
Maiden, For. Fl. N. S. Wales, iv. t. 126 (1908).
Guilfoyle, Austral. Pl. 159 [1911].—*Hab.*
Wightiana Thw.
Beddome, Fl. Sylv. t. 299 (1873).
Brandis, Indian Trees, 527 (1906).

CRYPTOCHILUS Wall.—Vide *Mediocalcar*
bicolor J. J. Sm.
Ic. Bogor. ii. t. 112 (1903).
lutea Lindl.
*Ann. Bot. Gard. Calcutta, viii. t. 221 (1898).
sanguinea Wall.
Wallich, Tent. Fl. Nap. t. 26 (1826).
*Bot. Reg. xxiv. t. 23 (1838).
Wight, Ic. Pl. Ind. Or. v. t. 1757 (1851).
*Ann. Bot. Gard. Calcutta, viii. t. 220 (1898).

CRYPTOCHLORIS Benth.: *Tetrapogon*
spathacea Benth.
Hook. Ic. Pl. xiv. t. 1376 (1882).

CRYPTOCORYNE Fisch.—Vide *Arum* (10)
auriculata Engl.
Engler, Ic. Autog. 47 (1883).
Beccari, Malesia, i. t. 28 (1883).
Beckettii Thw.
Gartenwelt, xiii. 6 (1909).
bulbosa Becc.
Beccari, Malesia, i. t. 27 (1883).
caudata N. E. Br.
Journ. Linn. Soc., Bot. xviii. t. 4 (1880).
ciliata Fisch.
Wight, Ic. Pl. Ind. Or. iii. t. 775 (1843–45).
Schnizlein, Iconogr. i. t. 72 aa (1846).—*Fr.*
Trans. Linn. Soc. London, xx. t. 10–12 (1847).
Ann. Nat. Hist. London, Ser. II. xii. t. 3, fig. 10 (1853).—*Fl.*
Schott, Gen. Aroid. t. 1 (1858).
Flora, lxxxiii. 431–33 (1897).—*Veg.*
Goebel, Organogr. Pfl. 460 (1900); Ed. Angl. ii. 255, 256 (1905).
cordata Griff.
Griffith, Ic. Pl. Asiat. t. 172 (1851).
Engler, Ic. Autog. 6 (1883).
Cruddasiana Prain
Ann. Bot. Gard. Calcutta, ix. t. 90 (1901).
elata Griff.
*Griffith, Ic. Pl. Asiat. t. 170, 171 (1851).
ferruginea Engl.
Engler, Ic. Autog. 36 (1883).
Beccari, Malesia, t. 28 (1883).
Griffithii Schott
*Bot. Mag. cxxvi. t. 7719 (1900).
Gartenwelt, xiii. 5 (1909).
Pflanzenreich, Arac.-Aroid. 242 (1920).—*Hab.*
Huegelii Schott
Schott, Aroid. t. 12 (1853).
Engl. Jahrb. v. t. 3, fig. 38 (1884).—*Fl.*
lancifolia Schott
Schott, Gen. Aroid. t. 1 (1858).

CRYPTOCORYNE
lingua Becc.
Beccari, Malesia, i. t. 27 (1883).
longicauda Becc.
Beccari, Malesia, i. t. 27 (1883).
Meeboldii Engl.
Pflanzenreich, Arac.-Aroid. 242 (1920).
pontederiifolia Schott
Engler, Ic. Autog. 24 (1883).
retrospiralis Fisch.
Wight, Ic. Pl. Ind. Or. iii. t. 772 (1843–45).
Engler, Ic. Autog. 16 (1883).
Pflanzenfam. ii. III. 152 (1889).
Pflanzenreich, Arac.-Aroid. 246 (1920).
spathulata Engl.
Beccari, Malesia, i. t. 28 (1883).
Engler, Ic. Autog. 106 (1884).
spiralis Fisch.
Blume, Rumphia, i. t. 36 (1835).—*Fl.*
Wight, Ic. Pl. Ind. Or. iii. t. 773 (1843–45).
Schnizlein, Iconogr. i. t. 72 a, 72 aa (1846).
*Schott, Aroid. t. 13 (1853).
Schott, Gen. Aroid. t. 1 (1858).
striolata Engl.
Beccari, Malesia, i. t. 27 (1883).
Pflanzenfam. ii. III. 152 (1889).—*Fl.*
Flora, lxxxiii. 427 (1897).—*Fl.*
Pflanzenreich, Arac.-Aroid. 230 (1920).—*Fl.*
Thwaitesii Schott
Engler, Ic. Autog. 7 (1883).
unilocularis Wight
Wight, Ic. Pl. Ind. Or. iii. t. 774 (1843–45).
Usteriana Engl.
Pflanzenreich, Arac.-Aroid. 240 (1920).
Versteegii Engl.
Pflanzenreich, Arac.-Aroid. 235 (1920).
Willisii Engl.
Gartenwelt, xiii. 7 (1909).

CRYPTOGLOTTIS Bl.: *Podocarpus*
serpyllifolia Bl.
Blume, Tab. Jav. Orch. t. 42 (1825).—*Fl.*
Pfitzer, Grundz. Vergl. Morph. Orchideen, t. 2, fig. 26 (1882).—*Veg.*

CRYPTOGRAMMA R. Br.
acrostichoides R. Br.
Hooker & Grev. Ic. Fil. i. t. 29 (1831).
T. Moore, Index Fil. Gen. & Spec. t. 53 [1857–62].
*Eaton, Ferns N. Amer. ii. t. 59 (1880).
Britten, Eur. Ferns, 60 [1880–82].
Weaver in Proc. Iowa Acad. Sc. iii. t. 7, fig. 19 (1896).
Britton & Brown, Ill. Fl. N. States & Canada, i. 28 (1896); Ed. 2, i. 32 (1913).
Clute, Our Ferns in their Haunts, 286 (1901).
H. M. & C. C. Hall, Yosemite Fl. 35 (1912).
Amer. Fern Journ. iv. t. 17 (1914).
aurata Prantl
Warburg, Pflanzenwelt, i. 266 (1913).
Brunoniana Wall.
Hooker & Grev. Ic. Fil. ii. t. 158 (1831).
Beddome, Ferns Brit. Ind. t. 164 (1865–70).
Christ, Geogr. Farne, 271 (1910).
crispa R. Br.
Francis, Anal. Brit. Ferns, t. 4, fig. 1 (1837); Ed. 5, p. 62, t. 6, fig. 2 (1855).
*Hooker, Gen. Fil. t. 115 (1842).
*Hooker, Brit. Ferns, t. 39 (1861).
Johnson & Sowerby, Brit. Wild Fl. Suppl. fig. 1712 (1863).
J. Smith, Ferns Brit. & Foreign, 177 (1866); Ed. 2, p. 177 (1879).
*Britten, Eur. Ferns, 56 [1880–82].
Beddome, Handb. Ferns Brit. Ind. 99 (1883).
Nicholson, Illustr. Dict. Gard. i. 403 [1884–88].—*Hab.*
*Syme, Engl. Bot. xii. t. 1844 (1886).
*Thomé, Fl. Deutschl. i. t. 3 (1886).
Schneider, Book Choice Ferns, ii. 69 (1893).—*Hab.*
Flora, lxxx. 349 (1895).
Garcke, Ill. Fl. Deutschl. 727 (1895).
*Hartinger, Atlas Alpenfl. t. 2 (1897).
Blytt, Haandb. Norg. Fl. Ed. Dahl, 4 (1906).
*Miyoshi & Makino, Pocket-Atlas, Alp. Pl. Jap. i. t. 15, fig. 89 (1906).

CRYPTOGRAMMA
crispa
*Correvon & Rob. Alp. Fl. t. 98 [1908?].
*Step, Wayside & Woodland Ferns, t. 20, 23, 25 (1908).
Fedtschenko & Fler. Fl. Sibirica, i. 30 (1909).
Fedtschenko & Fler. Fl. Eur. Russia, 15 (1910).
Warburg, Pflanzenwelt, i. 266 (1913).
C. A. Hall, Plant-Life, t. 5 (1915).—*Hab.*
Nova Acta Soc. Sc. Upsal. Ser. IV. iv. t. 7 (1917).—*Hab.*
—— **acrostichoides** Hort.
Nicholson, Illustr. Dict. Gard. i. 403 [1884–88].—*Hab.*
Schneider, Book Choice Ferns, ii. 69 (1893).—*Hab.*
densa Diels
Amer. Fern Journ. iv. t. 17 (1914).
japonica Prantl
Pflanzenfam. i. IV. 280 (1899).
retrofracta Grev. & Hook.
Hooker, Bot. Misc. iii. t. 112 (1833).
Stelleri Prantl
Fedtschenko & Fler. Fl. Sibirica, i. 30 (1909).
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, i. 32 (1913).

CRYPTOGYNE Hook. f.
Gerardiana Hook. f.
Pflanzenfam. iv. I. 150 (1891).—*Fl.*

CRYPTOLEPIS R. Br.—Vide *Gonocrypta*
albicans Jum. & Perrier
Ann. Mus. Col. Marseille, Ser. II. vi. 240, t. 3 (1908).
Balansae calophylla Baill.
Lecomte, Fl. Gén. Indo-Chine, iv. 21 (1912).—*Fl.*
Buchananii Roem. & Schult.
Rheede, Hort. Mal. ix. t. 11 (1689); fide Fl. Brit. Ind. iv. 5.
Wight, Ic. Pl. Ind. Or. ii. t. 494 (1840–43).
Trans. Linn. Soc. London, xix. t. 5 (1845).
Wight, Illustr. Ind. Bot. ii. t. 182 (1850).—*Fl.*
Talbot, For. Fl. Bombay, ii. 236, 237 (1911).
Lecomte, Fl. Gén. Indo-Chine, iv. 21 (1912).—*Fl.*
elegans Wall.
Lecomte, Fl. Gén. Indo-Chine, iv. 21 (1912).—*Fl.*
—— **ciliata** Pierre
Lecomte, Fl. Gén. Indo-Chine, iv. 21 (1912).—*Fl.*
grandiflora Wight
Wight, Ic. Pl. Ind. Or. iii. t. 831 (1843–45).
*Wight, Illustr. Ind. Bot. ii. t. 155 bis (1850).—*Fl.*
javanica Bl.
Blume, Mus. Bot. Lugd.-Bat. i. fig. 25 (1850).—*Fl.*
Pflanzenfam. iv. II. 212 (1895).—*Fl.*
Monteiroae Oliv.
Hook. Ic. Pl. xvi. t. 1591 (1887).
oblongifolia Schlechter
Wood, Natal Pl. vi. I. t. 513 (1909).
pauciflora Wight
Wight, Ic. Pl. Ind. Or. ii. t. 493 (1840–43).

CRYPTOMERIA D. Don
elegans Veitch
Rev. Hort. 1869, p. 157.—*Hab.*
Veitch, Man. Conif. 218 (1881).
Nicholson, Illustr. Dict. Gard. i. 403 [1884–88].—*Hab.*
Natal Agric. Journ. vi. 505 (1903).—*Hab.*
japonica D. Don
Kaempfer, Ic. Sel. Pl. Jap. t. 48; fide Franch. & Sav. (1791).
Trans. Linn. Soc. London, xviii. t. 13 (1841).
Hook. Ic. Pl. vii. t. 668 (1844).
Siebold & Zucc. Fl. Jap. t. 124, 124 b (1844).
Journ. Hort. Soc. London, i. 58 (1846).
Florist, 1854, p. 201; 1872, p. 205.—*Hab.*
Cottage Gard. xvii. 378 (1857).
Vidensk. Meddel. Kjöbenhavn, 1864, p. 24, 26 (1865).
Parlatore in Ann. Mus. Fis. Stor. Nat. Firenze, 1865, N. Ser. i. t. 2 (1866).—*Fl.*

CRYPTOMERIA
japonica
Mém. Acad. Sc. Pétersb. Ser. VII. xiii. No. 6, t. 5, fig. 136–38; t. 6, fig. 139–49 (1869).—*Fl.*
*Réveil, Règne Vég. iv. t. 47 (1870).
Dai-Nihon Ju-moku Shi-ri-yaku (Jap. Trees Fig. & Expl.), t. 12 (1878).
Hochstetter, Conifer. Mitt. Europa, fig. 22 (1882).
Lauche, Deutsche Dendrol. Ed. 2, p. 76 (1883).
!Rev. Hort. 1887, p. 392.
Garden, xxxvi. 263 (1889).—*Hab.*
Pflanzenfam. ii. 1. 89 (1889).
Beissner, Handb. Nadelholzk. 143, 144 (1891); Ed. 2, p. 476–78 (1909).
Gard. & Forest, vi. 446 (1893).—*Hab.*
Koehne, Dendrol. 41 (1893).
Bull. Soc. Bot. Belg. xxxiii. 164 (1894).—*Veg.*
*Useful Pl. Jap. ii. t. 577 (1895); iii. t. 700–6 (1895).
Tubeuf, Nadelhölzer, 8, 112, 113 (1897).
Nicholson, '1900' Suppl. Dict. Gard. 271 (1900); Century Suppl 454 (1901).
*Shirasawa, Ic. Ess. Forest. Jap. i. t. 9 (1900).
Gard. Chron. Ser. III. xxx. 389 (1901).—*Hab.*
Warming, Handb. Syst. Bot. Ed. Möbius, 187 (1902).—*Fl.*
Parkhurst, Trees, Shrubs, Vines N.E. United States, 373, t. 4, fig. 21 (1903).—*Veg.*
Annesley, Rare Plants, 50 (1903).—*Hab.*
Schumann in Verh. Bot. Ver. Brandenb. xliv. 65 (1903).—*Fl.*
Ind. Forester, xxx. 184 (1904).—*Hab.*
Elwes & Henry, Trees Gr. Brit. & Ireland, i. t. 37–42 (1906).—*Hab.*
Mitt. Deutsch. Dendr. Ges. 1906, p. 88; 1907, p. 270; 1914, p. 176; 1918, t. 55.—*Hab.*
Pardé, Arbor. Nat. Barres, t. 18 (1906).—*Hab.*
Agric. Gaz. N. S. Wales, xviii. 846 (1907).—*Hab.*
Rec. Instit. Bot. Errera, iii. 261 (1908).—*Veg.*
Clinton-Baker, Ill. Conif. ii. 69 (1909).
Fernow, Care of Trees, fig. 63 (1910).
Coulter & Chamberlain, Morph. Gymnosp. 324 (1910).—*Veg.*
Forest. Jap. frontisp. (1910).—*Hab.*
Miyoshi, Pl. World Jap. 386 (1910).—*Hab.*
Tison in Mém. Soc. Linn. Normandie, xxiv. t. 3 (1910).
Velenovsky, Vergl. Morphol. Pfl. iii. 764 (1910).
Wettstein, Handb. Syst. Bot. Ed. 2, p. 400 (1911).
!Bot. Gaz. lii. 154 (1911).
Bull. Soc. Dendr. France, 1911, p. 46, 159.
Deutsche Bot. Monatsschr. xxii. 179 (1911).—*Veg.*
Wilson, Veg. West. China (Publ. Arn. Arb. No. 2), 174 (1911).—*Hab.*
*Pardé, Ic. Conif. i. t. 114 (1912).
Warburg, Pflanzenwelt, i. 371, 375 (1913).
Journ. New York Bot. Gard. xiv. t. 108 (1913).—*Hab.*
Leland Stanford Junr. Univ. Publ. Dudley Mem. Vol. p. 108 (1913).
Silva Tarouca, Freiland-Nadelhölzer, 67, 93, 134, 170 (1913).
Naturwiss. Zeitschr. Land- & Forst. xii. 238 (1914).
Bean, Trees & Shrubs, i. 438, 439 (1914).
Oesterr. Gart.-Zeit. ix. 112 (1914).—*Hab.*
Oesterr. Bot. Zeitschr. lxiv. 327 (1914).
Seiroku Hondar in Journ. Coll. Agric. Tokio, vi. No. 1, t. 3 (1915).—*Hab.*
Nihon-zyûyô-mokuchiku-zuhyô (Tabl. Japan. Trees & Bamb. Forest Bur.), fig. 14, 15 (1916).
Wilson, Conif. & Taxads Jap. t. 48, 49 (1916).—*Hab.*
Neger, Nadelhölzer, Ed. 2, p. 113 (1919).
—— **compacta** Hort.
Silva Tarouca, Freiland-Nadelhölzer, 171 (1913).—*Hab.*
—— **elegans** Mast.
Beissner, Handb. Nadelholzk. 145 (1891); Ed. 2, p. 480 (1909).
Tubeuf, Nadelhölzer, 113 (1897).
Veitch, Man. Conif. Ed. 2, p. 265, 268 (1900).
Mottet, Conif. & Taxac. 143 (1902).
Elwes & Henry, Trees Gr. Brit. & Ireland, i. t. 37 (1906).—*Hab.*

CRYPTOMERIA
japonica elegans
Bull. Ort. Bot. Napoli, ii. t. 8 (1909).—*Hab.*
Clinton-Baker, Ill. Conif. iii. 78 (1913).
Mitt. Deutsch. Dendr. Ges. 1914, p. 176.—*Hab.*
—— **Lobbii** Carr.
Veitch, Man. Conif. 25, 219 (1881); Ed. 2, p. 53, 266 (1900).
—— **pungens** Hort.
Silva Tarouca, Freiland-Nadelhölzer, 173 (1913).—*Hab.*
Kawaii Hayata
Bot. Mag. Tokyo, xxxi. 117 (1917).—*Fr.*

CRYPTOPHORANTHUS Barb. Rodr.
atropurpureus Rolfe
Pflanzenfam. ii. vi. 135 (1889).—*Fl.*
Veitch, Man. Orch. Pl. Pt. 5, p. 8 (1889); Pt. 10, p. 11 (1894).
Kerchove, Livre Orch. 55 (1894).—*Fl.*
Fawcett & Rendle, Fl. Jamaica, i. t. 7 (1910).—*Fl.*
Orch. World, vi. 82 (1916).
Arch. Jard. Bot. Rio de Janeiro, ii. 62, t. 19, fig. B (1918).
cryptanthus Barb. Rodr.
Mart. Fl. Bras. iii. iv. t. 76 (1896).
—— **grandiflorus** Cogn.
Mart. Fl. Bras. iii. iv. t. 76 (1896).—*Fl.*
Dayanus Rolfe
Pflanzenfam. ii. vi. 138 (1889).—*Fl.*
Veitch, Man. Orch. Pl. Pt. 5, p. 9 (1889); Pt. 10, p. 15 (1894).—*Fl.*
*Ill. Hort. xxxix. t. 146 (1892).
Kerchove, Livre Orch. 192 (1894).—*Fl.*
*Bot. Mag. cxliii. t. 8740 (1917).
fenestratus Barb. Rodr.
Mart. Fl. Bras. iii. iv. t. 76 (1896).
minimus Cogn.
Mart. Fl. Bras. iii. vi. t. 115 (1904–6).
punctatus Barb. Rodr.
Mart. Fl. Bras. iii. iv. t. 76 (1896).

CRYPTOPHRAGMIUM Nees—Vide *Gymnostachyum*
axillare Nees
Wight, Ic. Pl. Ind. Or. iv. t. 1496 (1849).
canescens Nees
Wight, Ic. Pl. Ind. Or. iv. t. 1495 (1849).
ceylanicum O. Kuntze
Pflanzenfam. iv. III. B. 324 (1895).
venustum Nees
*Bot. Mag. lx. t. 3208 (1833).

CRYPTOPUS Lindl.—Vide *Beclardia*
elatus Lindl.
*Hooker, Journ. Bot. i. t. 115 (1834).

CRYPTOSEPALUM Benth.
dasycladum Harms
Engl. Jahrb. xxx. 320 (1901).
Engler & Drude, Veget. Erde, ix. 1. 1, p. 377 (1910); ix. III. 1, p. 482 (1915).
Debeerstii De Wild.
De Wildeman, Études Fl. Katanga (Ann. Mus. Congo), i. t. 8 (1902).
exfoliatum De Wild.
De Wildeman, Études Fl. Katanga (Ann. Mus. Congo), i. t. 3 (1902).
tetraphyllum Benth.
Trans. Linn. Soc. London, xxv. t. 43 (1865).
Verdickii De Wild.
De Wildeman, Études Fl. Katanga (Ann. Mus. Congo), i. t. 2 (1902).

CRYPTOSORUS Fée: *Polypodium*
Blumei Fée
Fée, Mém. Foug. v. t. 19 (1850–52); errore *C. elasticus.*
Dionaea Fée
Fée, Mém. Foug. v. t. 19 (1850–52).
elasticus Fée
Fée, Mém. Foug. v. t. 19 (1850–52); errore *C. Blumei.*

CRYPTOSTEGIA R. Br.
grandiflora R. Br.
*Bot. Reg. v. t. 435 (1820).
*Géel, Sert. Bot. Cl. 5 (1828).
*Reichenbach, Fl. Exot. ii. t. 132 (1834).

CRYPTOSTEGIA
grandiflora
Wight, Ic. Pl. Ind. Or. iii. t. 832 (1843–45).
Wight, Illustr. Ind. Bot. ii. t. 182 (1850).—*Fl.*
*Miquel, Choix Pl. Jard. Buitenzorg, t. 8 (1863).
Pflanzenfam. iv. II. 212 (1895).—*Fl.*
Velenovsky, Vergl. Morphol. Pfl. ii. 605 (1907).—*Veg.*
Ann. Sc. Nat. Paris, Ser. IX. vi. t. 5, fig. 5 (1908).
Talbot, For. Fl. Bombay, ii. 234, 235 (1911).
madagascariensis Bojer
*Miquel, Choix Pl. Jard. Buitenzorg, t. 9 (1863).
Rev. Gén. Bot. xiii. 394, 395 (1901).
Jumelle, Pl. Caoutch. Tous Pays Chauds, 265 (1903).
*Bot. Mag. cxxx. t. 7984 (1904).
Ann. Mus. Col. Marseille, Ser. II. v. 350 (1907); vi. 240, t. 4 (1908); viii. 126, 127 (1910).
Ann. Sc. Nat. Paris, Ser. IX. vi. t. 5, fig. 4 (1908).
Sim, Flowering Trees & Shrubs, 72 (1919).

CRYPTOSTEMMA R. Br.: *Arctotis*
calendulacea R. Br.
*Bot. Mag. xlviii. t. 2252 (1821).
Schnizlein, Iconogr. ii. t. 120 c (1866–70).—*Fl.*
Pflanzenfam. iv. v. 109 (1889).
Agric. Gaz. N. S. Wales, ii. 505 (1891); xxvii. 250 (1916).
New Zealand Dep. Agric. Rep. No. 8, p. 308 (1900).
F. M. Bailey, Weeds & Poison. Pl. Queensland, 93 (1906).
*Journ. Dep. Agric. Victoria, v. t. 17, p. 606 (1907).
Black, Nat. Fl. S. Australia, 84 (1909).
*Ewart & Tovey, Weeds, Poison. Pl. & Nat. Aliens Victoria, 38 (1909).
Beauverd in Bull. Soc. Bot. Genève, Ser. II. vii. 54 (1915).—*Fl.*
Marloth, Fl. S. Africa, iv. 150 (1915).—*Hab.*
Journ. New Zeal. Dep. Agric. xii. 32–34 (1916).
Ann. Bolus Herb. ii. t. 9 (1918).—*Fl.*
New Phytologist, xvii. 22 (1918).—*Fl.*
hypochondriacum R. Br.
Nov. Act. Acad. Nat. Cur. xxxv. Art. iv. t. 6 (1869).—*Fl.*
lusitanicum Hort.
Gard. Chron. Ser. III. xxviii. 391 (1900).
Zeyheri Beauverd
Beauverd in Bull. Soc. Bot. Genève, Ser. II. vii. 54 (1915).

CRYPTOSTEPHANUS Welw.
densiflorus Welw.
Journ. of Bot. xvi. t. 197 (1878).
haemanthoides Pax
Engl. Jahrb. xv. t. 7 (1892).

CRYPTOSTYLIS R. Br.—Vide *Zosterostylis*
apiculata J. J. Sm.
Nova Guinea, xii. t. 58 (1915).—*Fl.*
arachnites Bl.
*Blume, Coll. Orchidées, t. 45 (1858).
J. J. Smith, Orch. Java, Fig.-Atlas, i. fig. 37 (1908).—*Fl.*
arfakensis J. J. Sm.
Nova Guinea, xii. t. 59 (1915).—*Fl.*
carinata J. J. Sm.
Nova Guinea, xii. t. 60 (1915).
erecta R. Br.
*R. D. Fitzgerald, Austral. Orch. i [t. 21] (1875–95).
F. Sulman, Wild Fl. N. S. Wales, ii. t. 59 (1914).
erythroglossa Hayata
Hayata, Ic. Pl. Formosan. iv. t. 18 (1914).
filiformis Bl.
*Blume, Coll. Orchidées, t. 45 (1858).
leptochila F. Muell.
*R. D. Fitzgerald, Austral. Orch. i [t. 21] (1875–95).
longifolia R. Br.
*Bauer & Lindl. Ill. Orch. Pl. Genera, t. 17, 18 (1830–38).—*Fl.*
Endlicher, Ic. Gen. Pl. t. 17 (1838).
*Hooker f., Fl. Tasman. ii. t. 108 (1860).
*Meredith, Bush Friends Tasmania, t. 8 (1860).
*R. D. Fitzgerald, Austral. Orch. ii [t. 16] (1875–95).
Gard. Chron. xxiii. 275 (1885).
Pflanzenfam. ii. vi. 107 (1889).—*Fl.*

CRYPTOSTYLIS
longifolia
Rodway, Tasman. Fl. [t. 30] (1903).
R. S. Rogers, S. Austral. Orch. Ed. 2, p. 22 (1911).
F. Sulman, Wild Fl. N. S. Wales, ii. t. 59 (1914).
ovata R. Br.
*R. D. Fitzgerald, Austral. Orch. ii [t. 17] (1875–95).
sigmoidea J. J. Sm.
Nova Guinea, xii. t. 59 (1915).—*Fl.*

CRYPTOTAENIA DC.—Vide *Deringa, Lereschia*
canadensis DC.
*Somoku Dzusetsu, Ed. 2, v. t. 29 (1874).
Bot. Gaz. xii. 15 (1887).—*Fr.*
*Useful Pl. Jap. i. t. 59 (1895).
Hayek, Fl. Steierm. i. 1139 (1910).—*Fr.*
—— **japonica** Makino
Somoku Dzusetsu, Ed. Makino (Iconogr. Pl. Nippon), v. t. 29 (1907).
Thomasii DC.
Fiori & Paol. Ic. Fl. Ital. 270 (1901).

CRYPTOTAENIOPSIS Dunn
vulgaris Dunn
Hook. Ic. Pl. xxviii. t. 2737 (1902).

CRYPTOTHECA Bl.: *Ammannia*
dichotoma Bl.
Blume, Mus. Bot. Lugd.-Bat. ii. fig. 44 (1856).—*Fl.*

CRYSTALLOPOLLEN Steetz: *Vernonia*
latifolium Steetz
Peters, Reise Mossamb., Bot. t. 48 a (1863).

CTENANTHE Eichl.
casupoides O. G. Peters.
Mart. Fl. Bras. iii. III. t. 45 (1890).
Pflanzenreich, Marantac. 143 (1902).
compressa Eichl.
Pflanzenreich, Marantac. 154 (1902).—*Fr.*
Kummeriana Eichl.
Pflanzenfam. ii. VI. 35 (1889).—*Veg.*
Mart. Fl. Bras. iii. III. t. 44 (1890).
Pflanzenreich, Marantac. 3 (1902).—*Veg.*
lanceolata O. G. Peters.
Mart. Fl. Bras. iii. III. t. 45 (1890).
Luschnathiana Eichl.
Eichler in Abh. Akad. Berlin, 1883, t. 2, fig. 21; t. 7, fig. 118 (1884).
Pflanzenfam. ii. VI. 42 (1889).—*Fr.*
Mart. Fl. Bras. iii. III. t. 45 (1890).—*Fr.*
setosa Eichl.
Pflanzenfam. ii. VI. 42 (1889).
Mart. Fl. Bras. iii. III. t. 45 (1890).—*Fr.*
Pflanzenreich, Marantac. 154 (1902).—*Fl.*

CTENIUM Panz.—Vide *Campulosus, Chloris* (2), *Monocera* Ell.
americanum Spreng.
A. Gray, Man. Bot. N.U.S. Ed. 4, t. 3 (1862).
Pflanzenfam. ii. II. 58 (1887).
U.S. Dep. Agric. Div. Agrost. Bull. No. 1, p. 26 (1895).
brachystachyum Kunth
*Kunth, Rév. Gram. ii. t. 137 (1829).
carolinianum Panz.
Panzer in Denkschr. Akad. Wiss. München, 1813, t. 13 (1814).
U.S. Dep. Agric. Div. Agrost. Bull. No. 3, p. 37 (1896).
cirrosum Kunth
*Kunth, Rév. Gram. ii. t. 136 (1829).
Mart. Fl. Bras. ii. III. t. 20 (1878).
concinnum Nees
Wood, Natal Pl. v. II. t. 433 (1905).
elegans Kunth
*Kunth, Rév. Gram. i. t. 59 (1829).
Munby, Fl. Algér. t. 1 (1847).
glandulosum Scribner & Sm.
Bot. Gaz. xxi. 364 (1896).

CTENOLEPIS Hook. f.: *Blastania*
cerasiformis C. B. Clarke
Basu, Ind. Med. Pl. t. 467 (1918).

CTENOLOPHON Oliv.
parvifolius Oliv.
Trans. Linn. Soc. London, xxviii. t. 43 (1873).

CTENOPSIS De Not.—Vide *Festuca* (6)
pectinella De Not.
Battandier & Trabut, Fl. Algér., Monocot. t. 5, fig. 17 (1895).

CTENOPTERIS Bl.: *Polypodium*
crispata J. Sm.
Seemann, Bot. Voy. Herald, t. 48 (1854).
discolor Hook.
J. Smith, Hist. Fil. t. 12 (1875).
moniliformis Lag.
J. Smith, Hist. Fil. t. 12 (1875).
peruviana Desv.
J. Smith, Hist. Fil. t. 12 (1875).
rigescens Bory
J. Smith, Hist. Fil. t. 12 (1875).
subtilis Kunze
J. Smith, Hist. Fil. t. 12 (1875).
trichomanoides Sw.
J. Smith, Ferns Brit. & Foreign, Ed. 2, p. 302 (1879).
trichosora Hook.
J. Smith, Hist. Fil. t. 12 (1875).
vulgaris Newm.
Newman, Hist. Brit. Ferns, Ed. 3, p. 41, 43, 45 (1854).

CUBEBA Rafin.: *Piper*
borbonensis longepedicellata Miq.
Nov. Act. Acad. Nat. Cur. xxi. Suppl. t. 46 (1846).—*Fl.*
canina Miq.
Miquel, Comment. Phytogr. 89, t. 4 (1840).—*Fl.*
Nov. Act. Acad. Nat. Cur. xxi. Suppl. t. 46 (1846).—*Fl.*
Lindley, Med. & Oecon. Bot. 132 (1849).
Cubeba Karst.
Karsten, Deutsche Fl. Pharm.-medic. Bot. 477 (1880–83).—*Fl.*
Karsten, Fl. Deutschl. ii. 4 (1895).—*Fl.*
lowong Miq.
Nov. Act. Acad. Nat. Cur. xxi. Suppl. t. 48 (1846).
officinalis Miq.
Miquel, Comment. Phytogr. 89, t. 4 (1840).
*Hayne, Getreue Darst. Arzn. Gewächse, xiv. t. 8 (1843).
Schnizlein, Iconogr. ii. t. 81 (1849).
Berg, Charakt. t. 7, fig. 94 (1861).
*Berg & Schmidt, Darst. u. Beschr. Offiz. Gewächse, iv. t. 29, a (1863).
Hager, Handb. Pharm. Prax. Ed. Nov. i. 963 (1887).—*Fr.*
*Köhler, Med. Pfl. i [t. 64] (1887).
Tschirch, Ind. Heil- & Nutzpfl. t. 62 (1892).—*Hab.*
sumatrana Miq.
Miquel, Comment. Phytogr. t. 5 (1840).
Wallichii Miq.
Nov. Act. Acad. Nat. Cur. xxi. Suppl. t. 46, 47 (1846).
Wight, Ic. Pl. Ind. Or. vi. t. 1932 (1853).

CUBELIUM Rafin.: *Hybanthus*
concolor Rafin.
Britton & Brown, Ill. Fl. N. States & Canada, ii. 456 (1897); Ed. 2, ii. 564 (1913).

CUBILIA Bl.
Blancoi Bl.
Rumphius, Herb. Amboin. vii. Auct. t. 3 (1755); fide Merrill, Interpret. Rumph. Herb. Amboin.
Vidal, Sin. Fam. & Gen. Pl. Leñ. Filip. (Introd. Fl. For. Filip.), Atlas, t. 35, fig. F (1883).—*Fr.*
Philippine Agric. Rev. ix. 242, t. 12 (1916).—*Fr.*
Rumphii Bl.
Ic. Bogor. i. t. 92, 93 (1901).

CUCIFERA Del.: *Hyphaene*
thebaica Del.
Ann. Mus. Hist. Nat. Paris, xvi. 433, t. 17 (1810).—*Fr.*
Delile, Fl. Égypte, t. 1, 2 (1812).
Dict. Sc. Nat., Planch. Bot. Monocot. t. 28, 29 (1816–29).
Le Maout & Decaisne, Traité Gén. Bot. 616 (1868).—*Fr.*
Foureau, Miss. Sahar. 504 (1905).—*Hab.*

CUCUBALUS Linn.—Vide *Lychnanthos*
acaulis Linn.
*Fl. Dan. i. t. 21 (1761).
alpestris All.
Allioni, Auct. Fl. Pedem. t. 1, fig. 3 (1789).
alpinus Lam.
*Reichenbach, Ic. Fl. Germ. vi. t. 300 (1844).
angustifolius Mill.
*Tenore, Fl. Nap., Atlas, i. t. 37 (1811–38).
*Schrank, Pl. Rar. Hort. Monac. i. t. 83 (1819).
angustissimus Nocca & Balb.
Nocca & Balb. Fl. Ticin. i. t. 7 (1816).
baccifer Linn.
Gaertner, Fruct. i. t. 77 (1788).—*Fr.*
Hoppe, Ect. Pl. Ratisb. t. 599 (1790).
Lamarck, Ill. ii. t. 377, fig. 1 (1797).—*Fl.*
Boissieu, Fl. Eur. ii. t. 315 (1805).
*Sowerby & Sm. Engl. Bot. xxii. t. 1577 (1806).
*Schkuhr, Bot. Handb. Ed. 2, t. 121 (1808).—*Fr.*
*Zenker, Fl. Thüringen, iv. t. 450 (1836–55).
Bull. Soc. Nat. Mosc. x. No. 5, t. 1, fig. 10 (1837).—*Fr.*
*Dietrich, Fl. Boruss. v. t. 289 (1837).
Meigen, Deutschl. Fl. ii. t. 86 (1837).—*Fl.*
[M. E.] Jackson, Pict. Fl. fig. 1499 (1840).
*C. E. Sowerby, Ill. Cat. Brit. Pl. fig. 178 (1841).
*Baxter, Brit. Bot. Ed. 2, vi. t. 507 (1843).
*Reichenbach, Ic. Fl. Germ. vi. t. 302 (1844).
*J. W. Loudon, Brit. Wild Fl. Ed. 2, t. 17 [1846].
*Lorek, Fl. Pruss. Ed. 3, t. 107, fig. 580 (1848).
*Petermann, Deutschl. Fl. t. 13, fig. 96 (1849).
Johnson & Sowerby, Brit. Wild Fl. fig. 171 (1858–60).
Nees, Gen. Pl. fasc. xxxi. t. 15? (1860).
*Argenta, Album Fl. Med.-Farm. i. t. 57 (1862).
*Syme, Engl. Bot. ii. t. 198 (1864).
Dulac, Fl. Dépt. Hautes-Pyrén. 253 (1867).—*Fl.*
Le Maout & Decaisne, Traité Gén. Bot. 438 (1868).—*Fr.*
*Cusin & Ansberque, Herb. Fl. Franç. iv. t. 552 (1869).
Baillon, Dict. Bot. ii. 291 (1881).—*Fl.*
Wagner, Ill. Deutsche Fl. Ed. 2, p. 106 (1882).
Willkomm, Führ. Reich Pflanzen, 789 (1882).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xii. t. 1126 (1883).
*Baillon, Ic. Fl. Franç. ii. t. 188 [1885–94].
*Thomé, Fl. Deutschl. ii. t. 214 (1886).
Pflanzenfam. iii. I. B. 71 (1889).—*Fl.*
Acloque, Fl. France, 136 (1894).
Garcke, Ill. Fl. Deutschl. 87 (1895).
Fiori & Paol. Ic. Fl. Ital. 133 (1899).
Coste, Fl. France, i. 169 (1901).
Merino, Fl. Galicia, i. 214 (1905).
Suireishchikov, Ill. Fl. Mosc. Gov. ii. 99 (1907).
Heukels, Fl. Nederl. ii. 160 (1908).
*Hegi, Ill. Fl. Mittel-Eur. iii. t. 101 (1909).
Fedtschenko & Fler. Fl. Eur. Russia, 401 (1910).
Somoku Dzusetsu, Ed. Makino (Iconogr. Pl. Nippon), viii. t. 69 (1910).
*Bonnier, Fl. Compl. France, Suisse & Belge, ii. t. 71 [1912].
Cadevall & Sallent, Fl. Catalunya, i. 247 (1915).
Garden, lxxxii. 193 (1918).
Moss, Cambridge Brit. Fl. iii. t. 81 (1920).
—— **japonica** Miq.
Somoku Dzusetsu, Ed. 2, viii. t. 69 (1874).
Behen Linn.
*Kniphof, Herb. Viv. i. t. 338 (1758).
Buchoz, Hist. Règne Vég. vii. Dec. 3, t. 3 (1775).
*Fl. Dan. v. t. 857 (1782); vi. t. 814 (1787).
Hoppe, Ect. Pl. Ratisb. t. 245 (1788).
*Plenck, Ic. Pl. Med. iv. t. 349 (1791).
*Sowerby & Sm. Engl. Bot. iii. t. 164 (1794).
*Dreves, Bot. Bilderbuch, ii. t. 50 (1795).
Lamarck, Ill. ii. t. 377, fig. 2 (1797).
*Dreves & Hayne, Choix de Pl. t. 50 (1802).
*Schkuhr, Bot. Handb. Ed. 2, t. 121 (1808).
*A. & F. Plée, Herbor. Paris, [t. 90] (1811).
*Vietz, Ic. Pl. Med.-oec.-techn. v. t. 450 (1817).
*Schubert, Naturg., Pflanzenreich, Ed. 2, t. 23, fig. 1 [1865].
*C. Hoffmann, Pflanzenatlas, t. 35, fig. 218 (1881).
Moss, Cambridge Brit. Fl. iii. t. 79 (1920).
catholicus Linn.
*Jacquin, Hort. Vind. i. t. 59 (1770).

CUCUBALUS
catholicus
Dillenius, Hort. Eltham. Add. Denom. Linn. t. 316 (1774).
chloranthus Willd.
Willdenow, Fl. Berol. Prodr. t. 5 (1787).
cyclamineus Sieber
Sieber, Reise Insel. Kreta, t. 11 (1823).
fimbriatus Balb.
Balbis, Hort. Taur. Stirp. Nov. Ic. & Descr. t. 3 (1810).
Balbis in Mém. Acad. Sc. Turin, 1809–10, xviii. 355, t. 6 (1811).
fruticosus Pall.
Pallas, Voyages, iii. t. 13 (1793).
fruticulosus J. F. Gmel.
Pallas, Reise Russ. ii. II. t. T * (1773).
italicus Linn.
Jacquin, Obs. Bot. t. 97 (1771).
lacerus Stev.
Trans. Linn. Soc. London, xi. t. 34 (1815).
maritimus Lam.
Moss, Cambridge Brit. Fl. iii. t. 80 (1920).
mollissimus Waldst. & Kit.
*Waldstein & Kit. Pl. Rar. Hung. iii. t. 248 (1812).
multiflorus Ehrh.
[Winterl, Index Hort. Bot. Pest. sub *C. novo*, fig. 47, 1788]; fide Borbás, Balaton Fl. 1900.
*Waldstein & Kit. Pl. Rar. Hung. i. t. 56 (1802).
Otites Linn.
*Kniphof, Herb. Viv. i. t. 339 (1758).
*Fl. Dan. iii. t. 518 (1770).
Hoppe, Ect. Pl. Ratisb. t. 192 (1788).
*Plenck, Ic. Pl. Med. iv. t. 348 (1791).
*Sowerby & Sm. Engl. Bot. ii. t. 85 (1793).
*Roemer, Fl. Eur. iii [t. 8] (1798).
*Vietz, Ic. Pl. Med.-oec.-techn. v. t. 450 b (1817).
Saxifragus Linn.
Schreber, Ic. & Descr. Pl. t. 5 (1766).
spergulifolius Willd.
Ann. Mus. Hist. Nat. Paris, xi. 441 (1808).
Desfontaines, Choix Pl. Tourn. t. 55 (1808).
stellatus Linn.
Barton, Elem. Bot. t. 17, fig. 3 (1804).—*Fl.*
*Bot. Mag. xxviii. t. 1107 (1808).
viscosus Linn.
Koelreuter in Nov. Comm. Acad. Sc. Pétersb. xx. t. 9, fig. 4 (1776).—*Fl.*
Usteri, Ann. Bot. xvi. t. 1 (1795).—*Fl.*
*Fl. Dan. vii. t. 1209 (1799).

CUCULLIFERA Nees: *Cannomois*
dura Nees
D. Dietrich, Fl. Univ. Abt. i. t. 887 (1852–55).

CUCULLIGERA Mast.: *Cannomois*
dura Nees
*Dietrich, Fl. Univ. N. Folge, t. 58 (1849).

CUCUMEROPSIS Naud.
edulis Cogn.
Pflanzenreich, Curcurbitac.-Fev. & Melothr. 250 (1916).

CUCUMIS Linn.—Vide *Melo*
acutangulus Linn.
*Jacquin, Hort. Vind. iii. t. 73, 74 (1776).
*Descourtilz, Fl. Pitt. & Méd. Antilles, v. t. 328 (1827).
*Blanco, Fl. Filip. t. 288 (1878–80).
africanus Lindl.
*Bot. Reg. xii. t. 980 (1826).
amarissimus Schrad.
*Nees, Pl. Offic. Suppl. t. 71 (1833).
anguria Linn.
*Kniphof, Herb. Viv. i. t. 342 (1758).
*Zorn, Ic. Pl. Med. iii. t. 277 (1781).
Gil & Xuarez, Osserv. t. 9 (1789).
*Oskamp, Afb. Artseny-Gewass. iv. t. 311 (1800).
Vellozo, Fl. Flum. x. t. 84 (1827).
*Descourtilz, Fl. Pitt. & Méd. Antilles, v. t. 329 (1827).
Ann. Sc. Nat. Paris, xvii. t. 12 (1829).—*Veg.*
Mirbel in Mém. Acad. Sc. Instit. France, ix. 684, t. 1 (1830).—*Veg.*
*Spach, Hist. Nat. Vég. Phan. Atlas, t. 48 (1846).—*Fr.*

CUCUMIS
anguria
Trans. Linn. Soc. London, xxii. t. 19 (1856).—*Fr.*
*Bot. Mag. xcvi. t. 5817 (1870).
Gard. Chron. 1870, p. 210.
Mart. Fl. Bras. vi. IV. t. 2 (1878).
Berge, Pflanzenphysiogn. 203 (1880).—*Hab.*
Vilmorin-Andrieux, Pl. Potag. 167 (1883).
Baillon, Hist. Pl. viii. 399 (1886).—*Fl.*
Paillieux & Bois, Potager Curieux, Ed. 2, p. 14 (1892).
L. H. Bailey, Cycl. Amer. Hort. 408 (1900); Stand. Cycl. Hort. 908 (1914).
Contrib. U.S. Nat. Herb. viii. t. 33 (1903).
cantalupensis Haberle
*Belg. Hort. ii. t. 35 (1852).—*Fr.*
chito Morr.
*Belg. Hort. i. t. 24 (1851).
*Neubert's Deutsch. Gart. Mag. vi. 108, 109 (1853).
Citrullus Ser.
*Nees, Pl. Offic. Suppl, t. 72 (1833).
*Calwer, Landwirthsch. Pflanzenk. i. t. 32, fig. 1 (1852).
Philippi in An. Mus. Nac. Chile, Seg. Sec. Bot. t. 2, fig E (1892).—*Fl.*
Philippi, Bot. Abhandl. t. 2 (1893).—*Fr.*
Fiori & Paol. Ic. Fl. Ital. 400 (1903).
Colocynthis Linn.
*Regnault, Bot. i. 23 (1774).
*Bergius, Mat. Med. ii. 789, t. 478 (1778).
*Zorn, Ic. Pl. Med. v. t. 478 (1784).
*Woodville, Med. Bot. iii. t. 175 (1793); Ed. 3, ii. t. 71 (1832).
Bordiga, Storia Piante Forast. iv. t. 82 (1794).
*Vietz, Ic. Pl. Med.-oec.-techn. i. t. 65 (1800).
*Oskamp, Afb. Artseny-Gewass. iv. t. 313 (1800).
*Plenck, Ic. Pl. Med. vii. t. 699 (1803).
*Roques, Pl. Usuell. Indig. & Exot. i. t. 38 (1807).
*Chaumeton, Fl. Méd. iii. t. 128 (1816).
*Roques, Phytogr. Médic. ii. t. 174 (1821); Nouv. Ed. Atlas, t. 146 (1835).
*Nees, Pl. Offic. ii. t. 268 (1828).
*Wagner, Pharm.-Med. Bot. ii. t. 234 (1829).
*Fl. Med. [Spratt], ii. 187 (1830).
*Géel, Sert. Bot. Cl. 21 (1832).
Delle Chiaje, Fl. Med. ii. tab. (1832).
*Stephenson & Churchill, Med. Bot. New Ed. iii. t. 138 (1836).
*Schlechtendal & Guimpel, Abb. Pharm. Boruss. Gew. iii. t. 275 (1837).
*Paxt. Mag. iv. 231 (1838).
*Burnett, Pl. Util. i. 26, b (1842).
*Cassone, Fl. Med.-Farm. ii. t. 177 (1847).
Lindley, Med. & Oecon. Bot. 93 (1849).
*Berge & Riecke, Giftgewächse, t. 59 (1850).
*E. Hamilton, Fl. Homoeopath. i. t. 25 (1852).
*Argenta, Album Fl. Med.-Farm. ii. t. 126 (1863).
Neubert's Deutsch. Gart. Mag. 1883, p. 138, 139, fig. 11–14.
Fiori & Paol. Ic. Fl. Ital. 400 (1903).
Lazaro, Comp. Fl. Españ. ii. 631 (1907).
compressus Desc.
*Descourtilz, Fl. Pitt. & Méd. Antilles, v. t. 327 (1827).
conomum Thunb.
*Somoku Dzusetsu, Ed. 2, xx. t. 38 (1874).
deliciosus Roth
Desvaux, Opuscules, t. 1 (1831); et in Mém. Soc. Agric. Sc. & Arts Angers, i. t. 2 (1831).
dipsaceus Ehrenb.
Rev. Hort. Ser. IV. ix. 210 (1860).
Baillon, Hist. Pl. viii. 399 (1886).—*Fr.*
Pflanzenfam. iv. v. 30 (1889).—*Fr.*
Cuoco, Fauna & Flora Eritrea, 73 (1897).—*Fl.*
dudaim Linn.
Dillenius, Hort. Eltham. Add. Denom. Linn. t. 177 (1774).
Gil & Xuarez, Osserv. t. 7 (1790).
*Andrews, Bot. Rep. viii. t. 548 (1808).
*Allg. Teutsch. Gart. Mag. viii. t. 47 (1811).
ficifolius A. Rich.
A. Richard, Tent. Fl. Abyssin. Atlas, 53 bis [1847].
Figarei Del.
Rev. Hort. Ser. IV. ix. 266 (1860).

CUCUMIS
flexuosus Linn.
*Joh. Kerner, Abbild. Oek. Pfl. (Fig. Pl. Écon.), ii. t. 151, 152 (1788).
*Vietz, Ic. Pl. Med.-oec.-techn. vi. t. 451 (1817).
*Useful Pl. Jap. i. t. 135 (1895).
grossularioides Hort.
Garden, vi. 3 (1874).
W. Robinson, Engl. Fl. Gard. t. 84 (1883).
Hardwickii Royle
*Royle, Illustr. Bot. Himal. t. 47 (1839).
heptadactylus Naud.
L. Schultze, Namaland & Kalahari, 670 (1907).
leucanthus (Auct.?)
*Réveil, Règne Vég. iv. t. 18 (1870).—*Fl.*
lineatus Bosc
Journ. Hist. Nat. Paris, ii. t. 37 (1792).
luzonicus Blanco
*Blanco, Fl. Filip. t. 365 (1878–80).
maculatus Willd.
Seringe in Mém. Soc. Phys. & Hist. Nat. Genève, iii. 1. t. 3 (1825).
madraspatanus Roxb.
Woodrow, Gardening Ind. 326 (1889).—*Fr.*
Woodrow, Gardening Tropics, 318 [1910].—*Fr.*
Melo Linn.
*Kniphof, Herb. Viv. i. t. 341 (1758).
*Regnault, Bot. i. 26 (1774).
S. G. Gmelin, Reise, iii. t. 46–49 (1774).—*Fr.*
*Bergius, Mat. Med. ii. 702, t. 360 (1778).
*Zorn, Ic. Pl. Med. iv. t. 360 (1782).
*Joh. Kerner, Abbild. Oek. Pfl. (Fig. Pl. Écon.), ii. t. 141, 142 (1788).
*Oskamp, Afb. Artseny-Gewass. iv. t. 312 (1800).
*Vietz, Ic. Pl. Med.-oec.-techn. ii. t. 129 (1803).
*Plenck, Ic. Pl. Med. vii. t. 697 (1803).
*Roques, Pl. Usuell. Indig. & Exot. i. t. 67 (1807).
*Chaumeton, Fl. Méd. iv. t. 231, 231 bis (1817).
Mém. Mus. Hist. Nat. Paris, v. 350, t. 24, 25 (1819).—*Fr.*
*Heger, Herb. Pharm. [t. 139] (1822–25).
*Wagner, Pharm.-Med. Bot. i. t. 13, 14 (1828).
*Jacquin, Monogr. Melon, t. 1–39 (1832).
Meigen, Deutschl. Fl. i. t. 9 (1836).—*Fl.*
*Burnett, Pl. Util. ii. 42, b (1845).
Lindley, Veg. Kingd. 312 (1846).—*Fl.*
*Cassone, Fl. Med.-Farm. ii. t. 185, 186 (1847).
Seringe, Fl. Jard. ii. t. 10 (1849).—*Fr.*
*Calwer, Landwirthsch. Pflanzenk. i. t. 32, fig. 2 (1852).
Decaisne & Naud. Amat. Jard. iv. 263 [1862–66].
Florist, 1865, p. 31–33.
Le Maout & Decaisne, Traité Gén. Bot. 484 (1868).
Somoku Dzusetsu, Ed. 2, xx. t. 39 (1874).
Schilling, Grundr. Naturg. ii. Pflanzenr. Ausgb. A, p. 213 (1882).
Neubert's Deutsch. Gart. Mag. 1883, p. 202–4, fig. 1–10; p. 232, fig. 11–21.
Duthie & Fuller, Field & Gard. Crops, t. 50 (1883).
Vilmorin-Andrieux, Pl. Potag. 166, 350 (1883).—*Hab.*
Nicholson, Illustr. Dict. Gard. ii. 348 [1884–88].
Harz, Samenkunde, ii. 777 (1885).—*Fr.*
Baillon, Hist. Pl. viii. 398 (1886).
Baillon, Dict. Bot. iv. 274 (1891).
*Leclerc du Sablon, Nos Fleurs, 39, t. 5 [1892].
Pammel & Beach in Proc. Iowa Acad. Sc. 1894, ii. t. 13 (1895).
*Useful Pl. Jap. i. t. 247, 248 (1895).
Bull. Acad. Pétersb. Ser. V. vi. 324 (1897).—*Veg.*
L. H. Bailey, Cycl. Amer. Hort. 406, 407 (1900); Stand. Cycl. Hort. 907 (1914).
Fiori & Paol. Ic. Fl. Ital. 401 (1903).
Bull. Écon. Indo-Chine, N. Ser. xlviii. 1209 (1905).
Pammel, Man. Poison. Pl. 751 (1911).
Somoku Dzusetsu, Ed. Makino (Iconogr. Pl. Nippon), xx. t. 39 (1912).
Philippine Journ. Sc., Chem. & Geol. viii. 80, t. 7, 8 (1913).—*Fr.*
Hegi, Ill. Fl. Mittel-Eur. vi. 1. 323 (1915).—*Fr.*
Basu, Ind. Med. Pl. t. 457 (1918).
M. T. Cook, Applied Econ. Bot. 213 (1919).
Bose, Man. Ind. Bot. 222 (1920).

CUCUMIS
Melo conomon Makino
Somoku Dzusetsu, Ed. Makino (Iconogr. Pl. Nippon), xx. t. 38 (1912).
—— **dudaim** Naud.
*Fl. des Serres, Ser. II. iv. t. 1474 (1861).
*Rev. Hort. 1862, p. 71.
Paillieux & Bois, Potager Curieux, Ed. 2, p. 343 (1892).
Rep. Missouri Bot. Gard. v. 161, t. 30 (1894). —*Fr.*
—— **flexuosus** Naud.
L. H. Bailey, Cycl. Amer. Hort. 1049, t. 19 (1900).—*Fr.*
Fiori & Paol. Ic. Fl. Ital. 401 (1903).—*Fr.*
—— **hibernus** Poll.
Fiori & Paol. Ic. Fl. Ital. 401 (1903).—*Fr.*
—— **hime** Makino
Somoku Dzusetsu, Ed. Makino (Iconogr. Pl. Nippon), xx. t. 40 (1912).
—— **Momordica** Duthie & Fuller
Basu, Ind. Med. Pl. t. 457 (1918).
—— **scandens** Poll.
Fiori & Paol. Ic. Fl. Ital. 401 (1903).—*Fr.*
—— **tamago** Makino
Somoku Dzusetsu, Ed. Makino (Iconogr. Pl. Nippon), xx. t. 41 (1912).
—— **viridis** Makino
*Descourtilz, Fl. Pitt. & Méd. Antilles, v. t. 321 (1827).
×**meloni-trigonus** Naud.
*Nouv. Arch. Mus. Hist. Nat. Paris, i. t. 8 (1865).
metuliferus E. Mey.
Rev. Hort. Ser. IV. ix. 188 (1860).
Garden, vii. 75 (1875).
Baillon, Hist. Pl. viii. 399 (1886).—*Fr.*
Rev. Hort. Belge, xxiii. 196 (1897).
*Bot. Mag. cxxxvii. t. 8385 (1911).
Momordica Roxb.
*Table Fr. Ind. (Calcutta), [t. 6] (1842).—*Fr.*
Duthie & Fuller, Field & Gard. Crops, t. 49 (1883).
Woodrow, Gardening Tropics, 318 [1910].
myriocarpus Naud.
Rev. Hort. Ser. IV. ix. 107 (1860).
Agric. Gaz. N. S. Wales, xvi. 552 (1905).—*Hab.*
Black, Nat. Fl. S. Australia, 64 (1909).
Pancherianus Naud.
Ann. Sc. Nat. Paris, Ser. IV. xii. t. 8 (1859).
perennis E. James
Rev. Hort. 1877, p. 334, 335.
pictus Jacq.
*Jacquin, Hort. Vind. iii. t. 27 (1776).
prophetarum Linn.
*Jacquin, Hort. Vind. i. t. 9 (1770).
*Schkuhr, Bot. Handb. Ed. 2, t. 315 (1808).
Mém. Mus. Hist. Nat. Paris, v. 350, t. 24 (1819). —*Fr.*
Nouv. Mém. Acad. Sc. Bruxelles, ix. t. 3 (1835.) —*Fr.*
Schnizlein, Iconogr. iii. t. 202 (1855).—*Fr.*
Warming in Dansk. Vid. Selsk. Skrift. Ser. V. x. t. 5, fig. 29, 30 (1875).—*Fl.*
Journ. Hort. Ser. III. iii. 181 (1882); xli. 92 (1900); liv. 63 (1907).
pseudo-Colocynthis Royle
*Royle, Illustr. Bot. Himal. t. 47 (1839).
Lindley, Med. & Oecon. Bot. 93 (1849).—*Fr.*
pubescens Willd.
*Royle, Illustr. Bot. Himal. t. 47 (1839).
Wight, Ic. Pl. Ind. Or. ii. t. 496 (1840–43).
Sacleuxii Paill. & Bois
Bull. Soc. Acclim. xxxvii. 372 (1890).
Paillieux & Bois, Potager Curieux, Ed. 2, p. 96 (1892).
sativus Linn.
Rheede, Hort. Mal. viii. t. 6 (1688); fide Fl. Brit. Ind. ii. 620.
*Kniphof, Herb. Viv. i. t. 340 (1758).
*Regnault, Bot. i. 25 (1774).
*Bergius, Mat. Med. ii. 784, t. 247 (1778).
*Zorn, Ic. Pl. Med. iii. t. 247 (1781).
*Joh. Kerner, Abbild. Oek. Pfl. (Fig. Pl. Écon.), ii. t. 111, 112 (1788).
Gaertner, Fruct. ii. t. 88 (1791).—*Fr.*
Lamarck, Ill. v. t. 795 (1797–1819).—*Fl.*

CUCUMIS
sativus
*Oskamp, Afb. Artseny-Gewass. iv. t. 310 (1800).
*Plenck, Ic. Pl. Med. vii. t. 698 (1803).
*Roques, Pl. Usuell. Indig. & Exot. i. t. 38 (1807).
*Chaumeton, Fl. Méd. iii. t. 129, 129 bis (1816).
*Vietz, Ic. Pl. Med.-oec.-techn. vi. t. 452 (1817).
Mém. Mus. Hist. Nat. Paris, v. 350, t. 24 (1819). —*Fl.*
*Spach, Hist. Nat. Vég. Phan. Atlas, t. 48 (1846). —*Fl.*
*Cassone, Fl. Med.-Farm. ii. t. 178, 180 (1847).
*Petermann, Deutschl. Fl. t. 29, fig. 223 (1849). —*Fl.*
*Calwer, Landwirthsch. Pflanzenk. i. t. 33, fig. 1 (1852).
Schnizlein, Iconogr. iii. t. 202 (1855).—*Fl.*
Berg, Charakt. t. 25, fig. 204 (1861).—*Fl.*
Decaisne & Naud. Amat. Jard. iv. 257 [1862–66].
*Réveil, Règne Vég. xii. t. 24 (1870).—*Fr.*
Caspary in Schrift. Phys.-Oekon. Ges. Königsberg, xv. t. 2 (1874).
*Somoku Dzusetsu, Ed. 2, xx. t. 37 (1874).
Gard. Chron. v. 305 (1876).
Baillon, Dict. Bot. ii. 173 (1881).
*C. Hoffmann, Pflanzenatlas, t. 75, fig. 464 (1881).
Wagner, Ill. Deutsche Fl. Ed. 2, p. 274 (1882).
Neubert's Deutsch. Gart. Mag. 1883, p. 135–38, fig. 1–9.
Duthie & Fuller, Field & Gard. Crops, t. 51, 52 (1883).
Nicholson, Illustr. Dict. Gard. i. 404, 405 [1884–88].
Harz, Samenkunde, ii. 773 (1885).—*Fr.*
Baillon, Hist. Pl. viii. 399 (1886).—*Fl.*
*Thomé, Fl. Deutschl. iv. t. 550 (1889).
Potonié, Ill. Fl. Nord- u. Mittel-Deutschl. Ed. 4, fig. 545 (1889).
Woodrow, Gardening Ind. 326 (1889).—*Fr.*
Lubbock, Seedlings, i. 603 (1892).—*Veg.*
*Masclef, Atlas Pl. France, t. 114 (1893).
Acloque, Fl. France, 276 (1894).
Brehm, Merv. Nat. Monde des Pl. ii. 55 (1894–96).
*Useful Pl. Jap. i. t. 134 (1895).
Garcke, Ill. Fl. Deutschl. 219 (1895).—*Fl.*
L. H. Bailey, Cycl. Amer. Hort. 407 (1900); Stand. Cycl. Hort. 907, 908 (1914).
*Behrens, Blattformen, t. 56, fig. b (1900).—*Veg.*
Bull. Soc. Tosc. Ortic. xxvi. 241 (1901).—*Hab.*
Journ. Soc. Hort. France, Ser. IV. ii. 527–34 (1901).
Fiori & Paol. Ic. Fl. Ital. 401 (1903).
Bull. Écon. Indo-Chine, N. Ser. xlviii. 1210 (1905).
Bull. Soc. Hist. Nat. Autun, xx. II. t. L (1907).
Heukels, Fl. Nederl. iii. 295 (1909).—*Fl.*
Suireishchikov, Ill. Fl. Mosc. Gov. iii. 215 (1910).
*Pokorny-Schoenichen, Pflanzenkunde, t. 29 (1912).
Somoku Dzusetsu, Ed. Makino (Iconogr. Pl. Nippon), xx. t. 37 (1912).
Hegi, Ill. Fl. Mittel-Eur. vi. I. 321 (1915).
Trotter, Fl. Econ. della Libia, 284 (1915).
Basu, Ind. Med. Pl. t. 459 (1918).
Lovell, Flower & Bee, 233 (1919).
—— **flavus** DC.
*Blanco, Fl. Filip. t. 299 (1878–80).
—— **reticulatus** Hort.
Neubert's Deutsch. Gart. Mag. 1874, p. 178.
—— **sikkimensis** Hook.
*Bot. Mag. cii. t. 6206 (1876).
*Gartenfl. xlii. t. 1392 (1893).
Seretii De Wild.
De Wildeman, Études Fl. Bas- et Moyen-Congo (Ann. Mus. Congo), iii. t. 17 (1909).
Tinneanus Kotschy & Peyr.
Kotschy & Peyritsch, Pl. Tinneanae, t. 8 (1867).
trigonus Roxb.
Wight, Ic. Pl. Ind. Or. ii. t. 497 (1840–43).
*Wight, Illustr. Ind. Bot. ii. t. 105 bis (1850).
*Nouv. Arch. Mus. Hist. Nat. Paris, i. t. 7 (1865).
*Journ. Bombay Nat. Hist. Soc. viii. 99 (1893).
Basu, Ind. Med. Pl. t. 456 (1918).
utilissimus Roxb.
Duthie & Fuller, Field & Gard. Crops, t. 53, 54 (1883).
Basu, Ind. Med. Pl. t. 458 (1918).

CUCURBITA Linn.—Vide *Pepo*
Andreana Naud.
Rev. Hort. 1896, p. 542, 543.—*Fl.*
Anguria Duchesne
Descourtilz, Fl. Pitt. & Méd. Antilles, v. t. 305 (1827).
aurantia Willd.
Gartenfl. xxx. 217 (1881).—*Fr.*
*Useful Pl. Jap. i. t. 131 (1895).—*Fr.*
californica Torr.
Bull. Torr. Bot. Club, x. 51 (1883).
Citrullus Linn.
*Kniphof, Herb. Viv. i. t. 344 (1758).
*Bergius, Mat. Med. ii. 779, t. 253 (1778).
*Zorn, Ic. Pl. Med. iii. t. 253 (1781).
*Joh. Kerner, Abbild. Oek. Pfl. (Fig. Pl. Écon.), iv. t. 301, 302 (1791).
*Oskamp, Afb. Artseny-Gewass. iv. t. 319 (1800).
*Plenck, Ic. Pl. Med. vii. t. 696 (1803).
*Vietz, Ic. Pl. Med.-oec.-techn. vi. t. 453 (1817)
*Heger, Herb. Pharm. [t. 116] (1822–25).
*Réveil, Règne Vég. xii. t. 26 (1870).—*Fr.*
depressa striata Hort.
W. Robinson, Engl. Fl. Gard. t. 84 (1883).
digitata A. Gray
*Rev. Hort. 1853, p. 131.
Bull. Torr. Bot. Club, ix. t. 14 (1882).—*Fr.*
ficifolia Bouché
Philippi in An. Mus. Nac. Chile, Seg. Sec. Bot. t. 2, fig. B (1892) in ic.; *C. melanosperma* in textu.
Philippi, Bot. Abhandl. t. 2 (1893) in ic.; *C. melanosperma* in textu.
*Behrens, Blattformen, t. 56, fig. a (1900).—*Veg.*
Journ. Roy. Hort. Soc. London, xxix. 455, fig. 141 (1905).—*Hab.*
Vilmorin, Hort. Vilm. (Bull. Soc. Bot. France, 1904, li. App.), 147 (1906).
foetidissima H. B. K.
Britton & Brown, Ill. Fl. N. States & Canada, iii. 250 (1898).
L. H. Bailey, Cycl. Amer. Hort. 412 (1900); Stand. Cycl. Hort. 912 (1914).
Lagenaria Linn.
*Kniphof, Herb. Viv. i. t. 343 (1758).
Medicus, Bot. Beob. iv. 385, fig. 27–29 (1783). —*Fl.*
Gaertner, Fruct. ii. t. 88 (1791).—*Fr.*
*Joh. Kerner, Abbild. Oek. Pfl. (Fig. Pl. Écon.), iv. t. 381, 382 (1791).
Lamarck, Ill. v. t. 795, fig. 2 (1797–1819).—*Fl.*
*Oskamp, Afb. Artseny-Gewass. iv. t. 320, 321 (1800).
*Plenck, Ic. Pl. Med. vii. t. 695 (1803).
*Vietz, Ic. Pl. Med.-oec.-techn. vi. t. 454 (1817).
Vellozo, Fl. Flum. x. t. 98 (1827).
W. Robinson, Engl. Fl. Gard. t. 84 (1883).
*Bettfreund, Fl. Argentina, ii. t. 79 (1900).
*Behrens, Blattformen, t. 57, fig. a (1900).—*Veg.*
Temple, Fl. & Trees Palestine, t. 19 (1907).
—— **americana** Makino (?)
Somoku Dzusetsu, Ed. Makino (Iconogr. Pl. Nippon), xx. 47 (1912).—*Fr.*
longa Hort.
*Useful Pl. Jap. i. t. 136 (1895).
Somoku Dzusetsu, Ed. Makino (Iconogr. Pl. Nippon), xx. 48 (1912).—*Fr.*
maxima Duchesne
Wight in Madras Journ. xii. t. 4 (1840).—*Fl.*
Wight, Ic. Pl. Ind. Or. ii. t. 507 (1840–43).
Seringe, Fl. Jard. ii. t. 10 (1849).—*Fr.*
*Wight, Illustr. Ind. Bot. ii. t. 105 bis (1850).
Ann. Sc. Nat. Paris, Ser. IV. vi. t. 1 (1856).—*Fr.*
Decaisne & Naud. Amat. Jard. iv. 243, 244 [1862–66].
*Dutailly in Assoc. Franç. Avanc. Sc. 1879, Montpellier, t. 7–10 (1880).
Gartenfl. xxx. 216 (1881).—*Fr.*
Neubert's Deutsch. Gart. Mag. 1883, p. 167–69, fig. 1–10.
Woodrow, Gardening Ind. 326 (1889).—*Fr.*
Philippi in An. Mus. Nac. Chile, Seg. Sec. Bot. t. 2, fig. C (1892).—*Fl.*
Philippi, Bot. Abhandl. t. 2 (1893).—*Fl.*
Pammel in Bull. Iowa Agric. St. No. 23, p. 910, fig. 1, 3 (1893).
Wien. Ill. Gart.-Zeit. xviii. 109 (1893).—*Fr.*

CUCURBITA
maxima
Pammel & Beach in Proc. Iowa Acad. Sc. 1894, ii. t. 11 (1895).—*Fl.*
L. H. Bailey, Cycl. Amer. Hort. 411, 412 (1900); t. 38 (1902); Stand. Cycl. Hort. 911 (1914).
*Behrens, Blattformen, t. 56, fig. c (1900).—*Veg.*
Pharm. Journ. Ser. IV. xiii. 424 (1901).—*Fr.*
*Josef v. Oesterreich & Marg. v. Thurn und Taxis, Atlas Heilpfl. t. 47 (1903).
Woodrow, Gardening Tropics, 318 [1910].—*Fr.*
Trotter, Fl. Econ. della Libia, 284 (1915).
Basu, Ind. Med. Pl. t. 462 (1918).
—— **brasiliensis** Harz
Harz, Samenkunde, ii. 799 (1885).—*Fr.*
—— **courgero** Ser.
Seringe in Mém. Soc. Phys. & Hist. Nat. Genève, iii. 1. t. 1 (1825).—*Fr.*
Nicholson, Illustr. Dict. Gard. i. 407 [1884–88].—*Fr.*
—— **elliptica** Harz
Harz, Samenkunde, ii. 803 (1885).—*Fr.*
—— **farinae** Mozz.
Fiori & Paol. Ic. Fl. Ital. 401 (1903).—*Fr.*
—— **messanensis** Fiori & Paol.
Fiori & Paol. Ic. Fl. Ital. 401 (1903).—*Fr.*
—— **neapolitana** Bég.
Fiori & Paol. Ic. Fl. Ital. 401 (1903).
—— **ohiensis** Fiori & Paol.
Fiori & Paol. Ic. Fl. Ital. 401 (1903).—*Fr.*
—— **pileiformis** Roem.
Fiori & Paol. Ic. Fl. Ital. 401 (1903).—*Fr.*
melanosperma A. Br.
Ann. Sc. Nat. Paris, Ser. IV. iv. t. 2, fig. 4–7 (1855).—*Fr.*
Gartenfl. xxx. 217 (1881).—*Fr.*
Garten-Zeit. Berlin, iii. 337 (1884).—*Hab.*
Philippi in An. Mus. Nac. Chile, Seg. Sec. Bot. t. 2, fig. B (1892) in textu; *C. ficifolia* in ic.
Philippi, Bot. Abhandl. t. 2, fig. B (1893); *C. ficifolia* in ic.
Paillieux & Bois, Potager Curieux, Ed. 2, p. 109 (1892).
Bull. Arboricult. Belg. 1899, p. 105.
meloniformis Carr.
Rev. Hort. 1880, p. 137; !1881, p. 139.
Melopepo Linn.
*Titford, Sketches Hort. Bot. Amer. t. 11 (1812).—*Fl.*
*Descourtilz, Fl. Pitt. & Méd. Antilles, v. t. 324 (1827).
*Belg. Hort. iii. t. 55 (1853); errore *Cucumis Melopepo.*
Gartenfl. xxx. 217 (1881).—*Fr.*
Philippi in An. Mus. Nac. Chile, Seg. Sec. Bot. t. 2, fig. A (1892).—*Fl.*
Philippi, Bot. Abhandl. t. 2 (1893).—*Fl.*
moschata Duch.
Rheede, Hort. Mal. viii. t. 2 (1688); fide Fl. Brit. Ind. ii. 622.
Ann. Sc. Nat. Paris, Ser. IV. vi. t. 2 (1856).—*Fr.*
Decaisne & Naud. Amat. Jard. iv. 248, 249 [1862–66].
Rev. Hort. 1865, p. 70.—*Fr.*
Neubert's Deutsch. Gart. Mag. 1883, p. 170, fig. 11, 12.
Duthie & Fuller, Field & Gard. Crops, t. 58–61 (1883).
Nicholson, Illustr. Dict. Gard. i. 407 [1884–88].
L. H. Bailey, Cycl. Amer. Hort. 410, 411 (1900); 1712 (1902); Stand. Cycl. Hort. 910 (1914); 2859 (1916).
Fiori & Paol. Ic. Fl. Ital. 401 (1903).
Bull. Écon. Indo-Chine, N. Ser. xlviii. 1205 (1905).
Trotter, Fl. Econ. della Libia, 285 (1915).
—— **meloniformis** Makino
Somoku Dzusetsu, Ed. Makino (Iconogr. Pl. Nippon), xx. t. 43 (1912).
odorifera Vell.
Vellozo, Fl. Flum. x. t. 99 (1827).
ovifera Linn.
*Schkuhr, Bot. Handb. Ed. 2, t. 314 (1808).
Gartenfl. xxx. 217 (1881).—*Fr.*
Möllers Deutsche Gärtn.-Zeit. xxiii. 265 (1908).
—— **piriformis** Ser.
Seringe in Mém. Soc. Phys. & Hist. Nat. Genève, iii. 1. t. 1 (1825).—*Fl.*

CUCURBITA
palmata S. Wats.
Bull. Torr. Bot. Club, ix. t. 14 (1882).—*Fr.*
Pepo Linn.
Rheede, Hort. Mal. viii. t. 3 (1688); fide Hasskarl, Hort. Mal. Rheed. Clavis, 61.
Rumphius, Herb. Amboin. v. t. 145 (1747); fide Merrill, Interpret. Rumph. Herb. Amboin.
Buchoz, Hist. Règne Vég. i. Dec. 7, t. 2 (1773).
Gaertner, Fruct. ii. t. 88 (1791).—*Fr.*
*Joh. Kerner, Abbild. Oek. Pfl. (Fig. Pl. Écon.), vi. t. 557, 558 (1793).
Lamarck, Ill. v. t. 795, fig. 1 (1797–1819).—*Fl.*
*Vietz, Ic. Pl. Med.-oec.-techn. ii. t. 148 (1803).
*Plenck, Ic. Pl. Med. vii. t. 694 (1803).
*Roques, Pl. Usuell. Indig. & Exot. i. t. 37 (1807).
*Titford, Sketches Hort. Bot. Amer. t. 11 (1812).—*Fl.*
*Chaumeton, Fl. Méd. iii. t. 123, 123 bis (1816).
Mém. Mus. Hist. Nat. Paris, v. 350, t. 25 (1819).—*Fr.*
*Descourtilz, Fl. Pitt. & Méd. Antilles, v. t. 323 (1827).
*Wagner, Pharm.-Med. Bot. i. t. 57, 58 (1828).
Meigen, Deutschl. Fl. i. t. 8 (1836).—*Fl.*
*Fritzsche in Mém. Acad. Sc. Pétersb. Div. Sav. iii. t. 9, fig. 1 (1837).—*Fl.*
*Cassone, Fl. Med.-Farm. ii. t. 181, 182 (1847).
*Petermann, Deutschl. Fl. t. 29, fig. 222 (1849).—*Fl.*
Ann. Sc. Nat. Paris, Ser. IV. iv. t. 2, fig. 3 (1855); vi. t. 2, 3 (1856).—*Fr.*
Targioni-Tozzetti in Mem. Accad. Sc. Torino, Ser. II. xv. 443, t. 4 (1855).—*Fl.*
Bianconi in Mem. Accad. Sc. Istit. Bologna, vi. t. 17–19 (1855).
Schnizlein, Iconogr. iii. t. 202 (1855).—*Fl.*
Payer, Organog. Comp. Fl. t. 92 (1857).—*Fl.*
A. Braun in Abh. Akad. Berlin, 1859, t. 3, fig. 18–19 (1860).—*Fr.*
Berg, Charakt. t. 25, fig. 205 (1861).—*Fl.*
Decaisne & Naud. Amat. Jard. iv. 252 [1862–66].
*Schubert, Naturg., Pflanzenreich, Ed. 2, t. 48, fig. 9 [1865].
Somoku Dzusetsu, Ed. 2, xx. t. 43 (1874).
Warming in Dansk. Vid. Selsk. Skrift. Ser. V. x. t. 5, fig. 31, 32, 34, 36 (1875).—*Veg.*
!Naturaleza, Period. Cient. Soc. Mexic. Hist. Nat. iv. 247 (1880).—*Fr.*
*Bentley & Trim. Med. Pl. ii. t. 116 (1880).
Gartenfl. xxx. 216 (1881).—*Fr.*
Wagner, Ill. Deutsche Fl. Ed. 2, p. 275 (1882).
Neubert's Deutsch. Gart. Mag. 1883, p. 170–72, fig. 13–20.
Baillon, Traité Bot. Méd. Phan. ii. 1158–60 (1884).
Nicholson, Illustr. Dict. Gard. i. 407 [1884–88].
Harz, Samenkunde, ii. 813 (1885).—*Fr.*
Baillon, Hist. Pl. viii. 392–94 (1886).
Kerner, Pflanzenleben, i. 570 (1887).—*Veg.*
Potonié, Ill. Fl. Nord- u. Mittel-Deutschl. Ed. 4, fig. 544 (1889).
Pflanzenfam. ii. 1. 144; iv. v. 2, 30 (1889).
Baillon, Dict. Bot. iv. 272 (1891).
Philippi in An. Mus. Nac. Chile, Seg. Sec. Bot. t. 2, fig. D (1892).—*Fl.*
Philippi, Bot. Abhandl. t. 2 (1893).—*Fl.*
G. Beck, Fl. Nied.-Oesterr. ii. II. 1111 (1893).—*Fl.*
Pammel in Bull. Iowa Agric. St. No. 23, p. 910, fig. 2, 3, 5 (1893).
Rev. Hort. 1894, p. 429.
Kerner & Oliv. Nat. Hist. Pl. i. 611 (1894).—*Veg.*
Brehm, Merv. Nat. Monde des Pl. ii. 61 (1894–96).
Pammel & Beach in Proc. Iowa Acad. Sc. 1894, ii. t. 12 (1895).—*Fl.*
Garcke, Ill. Fl. Deutschl. 218 (1895).
*Useful Pl. Jap. i. t. 129, 130 (1895).
Rev. Cult. Colon. iv. 20 (1899).
L. H. Bailey, Cycl. Amer. Hort. 409 (1900); 1712, 1713 (1902); Stand. Cycl. Hort. 909 (1914); 2859–2861 (1916).
*Josef v. Oesterreich & Marg. v. Thurn und Taxis, Atlas Heilpfl. t. 47 (1903).

CUCURBITA
Pepo
Bull. Écon. Indo-Chine, N. Ser. xlviii. 1207 (1905).
Lazaro, Comp. Fl. Españ. ii. 629 (1907).
Velenovsky, Vergl. Morph. Pfl. ii. 622 (1907); iii. 938 (1910).
Beille, Bot. Pharm. ii. 724 (1909).—*Fl.*
Suireishchikov, Ill. Fl. Mosc. Gov. iii. 215 (1910).
Wettstein, Handb. Syst. Bot. Ed. 2, p. 767 (1911).—*Fr.*
Bot. Közl. (Bot. Communic.), xii. t. 3 (1913).
Neger, Biol. Pflanz. 627 (1913).—*Fl.*
Hegi, Ill. Fl. Mittel-Eur. vi. 1. 323, 325, 326 (1915).
Bull. Soc. Bot. Ital. 1916, p. 73, fig. 4.
Lindman, Svensk Fanerogamfl. 30 (1918).—*Fl.*
Basu, Ind. Med. Pl. t. 463 (1918).
Glück, Blatt- & Blütenmorph. Stud. 515 (1919).—*Fl.*
—— **aspera** Blanco
*Blanco, Fl. Filip. t. 323 (1878–80).
—— **aurantia** Linn.
Fiori & Paol. Ic. Fl. Ital. 401 (1903).—*Fr.*
—— **Citrullus foliis variegatis** Hort.
*Behrens, Blattformen, t. 57, fig. b, c (1900).—*Veg.*
—— **courgero** Ser.
Fiori & Paol. Ic. Fl. Ital. 401 (1903).—*Fr.*
—— **cucurbitella** Fiori & Paol.
Fiori & Paol. Ic. Fl. Ital. 401 (1903).—*Fr.*
—— **marsupiiformis** Targ.-Tozz.
Targioni-Tozzetti in Mem. Accad. Sc. Torino, Ser. II. xv. t. 2 (1855).—*Fl.*
—— **Melopepo** Linn.
Fiori & Paol. Ic. Fl. Ital. 401 (1903).
—— **oblonga** Willd.
Fiori & Paol. Ic. Fl. Ital. 401 (1903).
—— **ovifera** Linn.
Nicholson, Illustr. Dict. Gard. iv. 138 [1884–88].—*Fr.*
L. H. Bailey, Cycl. Amer. Hort. 410 (1900); Stand. Cycl. Hort. 910 (1914).
Fiori & Paol. Ic. Fl. Ital. 401 (1903).
—— **piriformis** Ser.
Fiori & Paol. Ic. Fl. Ital. 401 (1903).—*Fr.*
—— —— **annulata** Hort.
Rev. Hort. Belge, xxiii. 197 (1897).
—— —— **striata** Hort.
Rev. Hort. Belge, xxiii. 197 (1897).
—— **verrucosa** Linn.
Schnizlein, Iconogr. iii. t. 202 (1855).
Fiori & Paol. Ic. Fl. Ital. 401 (1903).—*Fr.*
Pepo Vell.
Vellozo, Fl. Flum. x. t. 100 (1827).
perennis A. Gray
Ann. Sc. Nat. Paris, Ser. IV. iv. t. 2, fig. 2 (1855).—*Fl.*
*Rev. Hort. Ser. IV. iv. 61 (1855); vi. 54 (1857); 1894, p. 430.
*Delponte, Mem. Accad. Sc. Torino, Ser. II. xxvi. 167, t. 6 (1871).
Dutailly in Assoc. Franç. Avanc. Sc. 1877, Le Havre, t. 9, fig. 11–20 (1878).—*Veg.*
Bull. Torr. Bot. Club, ix. t. 14 (1882).—*Fr.*
W. Robinson, Engl. Fl. Gard. t. 84 (1883).
Hitchcock & Norton in Bull. Kansas Agric. St. No. 50, t. 2, fig. 30 (1895).—*Veg.*
subverrucosa Willd.
Gartenfl. xxx. 217 (1881).—*Fr.*
succado Naeg.
Ann. Gand, iii. 437 (1847).—*Fr.*
sulcata Blanco
*Blanco, Fl. Filip. t. 320 (1878–80).
venosa Desc.
*Descourtilz, Fl. Pitt. & Méd. Antilles, v. t. 322 (1827).
verrucosa Linn.
Medicus, Bot. Beob. iv. 385, fig. 24 (1783).—*Fl.*
*Joh. Kerner, Abbild. Oek. Pfl. (Fig. Pl. Écon.), vi. t. 559 (1793).
*Descourtilz, Fl. Pitt. & Méd. Antilles, v. t. 326 (1827).
Gartenfl. xxx. 217 (1881).—*Fr.*

CUCURBITA
versicolor Hort.
W. Robinson, Engl. Fl. Gard. t. 84 (1883).—*Hab.*

CUCURBITELLA Walp.—Vide *Prasopepon*
Duriaei Cogn.
Mart. Fl. Bras. vi. IV. t. 19 (1878).
Pflanzenreich, Curcurbitac.-Fev. & Melothr. 232 (1916).

CUDRANIA Tréc.—Vide *Cudranus*
javanensis Tréc.
Rumphius, Herb. Amboin. v. t. 15, fig. 1, 2; t. 16 (1747); fide Merrill, Interpret. Rumph. Herb. Amboin.
Wight, Ic. Pl. Ind. Or. vi. t. 1960 (1853).
Guilfoyle, Austral. Pl. 180 [1911].—*Hab.*
Kanehira, Formosan Trees, 514 (1917).
obovata Tréc.
Ann. Sc. Nat. Paris, Ser. III. viii. t. 3, fig. 76, 77 (1847).—*Fl.*
Vidal, Sin. Fam. & Gen. Pl. Leñ. Filip. (Introd. Fl. For. Filip.), Atlas, t. 88, fig. C (1883).
pubescens Tréc.
Ann. Sc. Nat. Paris, Ser. III. viii. t. 3, fig. 78–85 (1847).—*Fl.*
Pflanzenfam. iii. 1. 81 (1888).—*Fl.*
rectispina Hance
Warburg, Pflanzenwelt, i. 474 (1913).
tricuspidata Tréc.
Schneider, Dendrol. Winterst. 110 (1903).—*Veg.*
Schneider, Ill. Handb. Laubh. i. 237, 242 (1904).
U.S. Dep. Agric. Bur. Pl. Indust. Invent. Seeds & Pl. Import. No. 35, t. 5 (1915).
triloba Hance
Nicholson, Illustr. Dict. Gard. ii. 312, 313 [1884–88].
Hook. Ic. Pl. xviii. t. 1792 (1888).
Kew Bull. 1888, p. 292.
Bull. Coll. Agric. Tokyo, ii. t. 6, fig. 18, 19 (1895); vi. t. 3 (1904).—*Veg.*
Schneider, Ill. Handb. Laubh. i. 243 (1904).
Rev. Hort. 1905, p. 363.—*Hab.*
Wilson, Veg. West. China (Publ. Arn. Arb. No. 2), 175, 176 (1911).—*Hab.*
U.S. Dep. Agric. Bur. Pl. Indust. Bull. Foreign Pl. Introduct. No. 101, p. 808 (1914).—*Hab.*
Bean, Trees & Shrubs, i. 440 (1914).

CUDRANUS Miq.: *Cudrania*
Rumphii Thw.
Beddome, Fl. Sylv. Anal. Gen. t. 27 (1873).

CUELLARIA Ruiz & Pav.
ferruginea Ruiz & Pav.
Ruiz & Pavon, Prod. Fl. Peruv. & Chil. t. 10 (1794); fide Ed.

CUERVEA Triana: *Hippocratea*
amplissima Miers
Plumier, Pl. Amer. Ed. Burm. t. 88, fig. A, B; fide Urban, Fedde Repert. Beih. v. 55.
granatensis Miers
Trans. Linn. Soc. London, xxviii. t. 20 (1872).
latifolia Miers
Trans. Linn. Soc. London, xxviii. t. 20 (1872).—*Fr.*

CULCASIA P. Beauv.
Dinklagei Engl.
Pflanzenreich, Arac.-Poth. 298 (1905).
Engler & Drude, Veget. Erde, ix. II. 238 (1908).
lanceolata Engl.
Pflanzenreich, Arac.-Poth. 298 (1905).
Engler & Drude, Veget. Erde, ix. II. 238 (1908).
parviflora N. E. Br.
Pflanzenreich, Arac.-Poth. 302 (1905).
Engler & Drude, Veget. Erde, ix. II. 239 (1908).
scandens P. Beauv.
*P. Beauvais, Fl. Oware & Benin, i. t. 3 (1805).
*Géel, Sert. Bot. Cl. 21 (1832).
Schott, Gen. Aroid. t. 50 (1858).
Engler, Ic. Autog. 151 (1886).
Pflanzenfam. ii. III. 114 (1889).
Pflanzenreich, Arac.-Poth. 302 (1905).
H. H. Johnston, Liberia, ii. 563 (1906).
Engler & Drude, Veget. Erde, ix. II. 239, t. 14 (1908)
Francé, Leben Pflanze, vi. 465 (1913).—*Hab.*
Karsten & Schenck, Veg.-Bild. xi. t. 47 (1914).—*Hab.*

CULCASIA
striolata Engl.
Pflanzenreich, Arac.-Poth. 298 (1905).
Engler & Drude, Veget. Erde, ix. II. 238 (1908).

CULCITA Presl: *Balantium*
coniifolia Maxon
Maxon in Ann. Rep. Smithson. Inst. 1911, t. 13, p. 492 (1912).
macrocarpa Presl
Presl, Tent. Pteridogr. t. 5 (1836).
*Hooker, Gen. Fil. t. 60 (1842).
schlimensis Fée
Fée, Mém. Foug. x. t. 36 (1865); et in Mém. Soc. Sc. Nat. Strasbourg, vi. I. t. 36 (1866).

CULCITIUM Humb. & Bonpl.
canescens Humb. & Bonpl.
Humboldt & Bonpl. Pl. Aeq. t. 67 (1813).
Lamarck, Ill. vi. t. 981, fig. 1 (1823).
Weddell, Chloris Andina (Castelnau Expéd., Bot.), i. t. 22 (1855–57).
Pflanzenfam. iv. v. 292 (1892).
magellanicum Hombr. & Jacquem.
D'Urville, Voy. Pôle Sud & Océanie, Atlas, Dicot. t. 11 [1852].
nivale H. B. K.
H. B. K. Nov. Gen. iv. t. 363 (1820).
Weddell, Chloris Andina (Castelnau Expéd., Bot.), i. t. 23 (1855–57).
reflexum H. B. K.
H. B. K. Nov. Gen. iv. t. 362 (1820).
Weddell, Chloris Andina (Castelnau Expéd., Bot.), i. t. 23 (1855–57).
rufescens Humb. & Bonpl.
Humboldt & Bonpl. Pl. Aeq. t. 66 (1813).
Lamarck, Ill. vi. t. 981, fig. 2 (1823).—*Fl.*
Pflanzenfam. iv. v. 216 (1890).—*Hab.*
salicinum Spreng.
J. C. Loudon, Arbor. & Frutic. Brit. ii. 1074 (1838).
serratifolium Meyen & Walp.
Weddell, Chloris Andina (Castelnau Expéd., Bot.), i. t. 23 (1855–57).
tenellum Dusén
W. B. Scott, Rep. Princeton Univ. Exped. Patag. 1896–99, viii. Suppl. Bot. t. 3 (1914).

CULLENIA Wight
ceylanica Wight
Pflanzenfam. iii. VI. 66 (1890).—*Fr.*
excelsa Wight
Wight, Ic. Pl. Ind. Or. v. t. 1761, 1762 (1851).
Beddome, Fl. Sylv. Anal. Gen. t. 4 (1871).—*Fl.*

CULLUMIA R. Br.
ciliaris R. Br.
Burman, Rar. Afr. Pl. t. 54, fig. 1 (1739); fide DC.
*Bot. Mag. xlvi. t. 2095 (1819).
*Bot. Reg. v. t. 384 (1819).
*Lodd. Bot. Cab. iv. t. 302 (1819).
Pflanzenfam. iv. v. 310 (1892).—*Fl.*
sulcata Less.
Poisson, Rech. Fl. Mérid. Madag. 89 (1912).

CULLUMIOPSIS Drake
Grandidieri Drake
Poisson, Rech. Fl. Mérid. Madag. 88 (1912).

CUMBIA Buch.-Ham.: *Careya*
australis Britten
Banks & Soland. Bot. Cook's Voy. ii. t. 124 (1901).

CUMINGIA Vidal
philippinensis Vidal
Vidal, Phan. Cum. Phil. t. 1 (1885).
Pflanzenfam. iii. VI. 67 (1890).—*Fl.*

CUMINIA Colla
eriantha Benth.
Hemsley, Bot. Challenger Exped. i. III. t. 58 (1884).
fernandezia Colla
Colla in Mem. Accad. Sc. Torino, xxxviii. 142, t. 47 (1835).

CUMINUM Linn.
Cyminum Linn.
Hill, Veget. Syst. vi. t. 5 (1764).
Gaertner, Fruct. i. t. 23 (1788).—*Fr.*
*Plenck, Ic. Pl. Med. ii. t. 192 (1789).
*Woodville, Med. Bot. iii. t. 191 (1793); Ed. 3, i. t. 56 (1832).

CUMINUM
Cyminum
Cavanilles, Ic. iv. t. 360 (1797).
Lamarck, Ill. i. t. 194 (1797).
*Schkuhr, Bot. Handb. Ed. 2, t. 80 (1808).—*Fr.*
*Oskamp, Afb. Artseny-Gewass. vii. t. 76 (1813).
*Chaumeton, Fl. Méd. iii. t. 142 (1816).
*Vietz, Ic. Pl. Med.-oec.-techn. vi. t. 455 (1817).
*Hayne, Getreue Darst. Arzn. Gewächse, vii. t. 11 (1821).
*Nees, Pl. Offic. ii. t. 288 (1828).
*Fl. Med. [Spratt], ii. 45 (1830).
*Schlechtendal & Guimpel, Abb. Pharm. Boruss. Gew. iii. t. 218 (1837).
*Cassone, Fl. Med.-Farm. iii. t. 210 (1848).
Lindley, Med. & Oecon. Bot. 252 (1849).—*Fr.*
*Burnett, Pl. Util. iv. t. 122, b (1850).
*Wight, Illustr. Ind. Bot. ii. t. 117 (1850).—*Fr.*
Berg, Charakt. t. 58, fig. 447 (1861).
*Artus, Atlas Pharm. Deutschl. Aufg. Offic. Gew. t. 126 [1862–74].
*Bentley & Trim. Med. Pl. ii. t. 134 (1879).
Baillon, Hist. Pl. vii. 91 (1880).—*Fr.*
Karsten, Deutsche Fl. Pharm.-medic. Bot. 854 (1880–83).—*Fr.*
Baillon, Dict. Bot. ii. 297 (1881).—*Fr.*
Baillon, Traité Bot. Méd. Phan. ii. 1065 (1884).—*Fr.*
*Harz, Samenkunde, ii. 1055 (1885).—*Fr.*
Hager, Handb. Pharm. Prax. Ed. Nov. i. 968 (1887).—*Fr.*
Dujard.-Beaumetz & Égasse, Pl. Méd. 224 (1889).—*Fr.*
Karsten, Fl. Deutschl. ii. 421 (1895).—*Fr.*
*Köhler, Med. Pfl. iii [t. 240] (1898).
Pharm. Journ. Ser. IV. xiii. 59 (1901).—*Fr.*
Hare, Caspari & Rusby, Nat. Stand. Dispens. 509 (1905).—*Fr.*
Basu, Ind. Med. Pl. t. 485 (1918).

CUMMINGIA D. Don: *Conanthera*
campanulata D. Don
*Sweet, Brit. Fl. Gard. iii. t. 257 (1828).
Loudon, Mag. Nat. Hist. i. 362 (1828).
*J. W. Loudon, Ladies' Fl.-Gard. Ornam. Bulb. Pl. t. 49 (1841) in textu; *Conanthera campanulata* in ic.
*Sweet, Ornamental Fl. Gard. iii. t. 158 (1854).
Trans. Linn. Soc. London, xxiv. t. 53 (1864).—*Fl.*
trimaculata D. Don
*Sweet, Brit. Fl. Gard. iv. t. 88 (1831).
*Paxt. Mag. xi. 127 (1844).
*Fl. des Serres, Ser. I. i. 75 (1845).
*Burnett, Pl. Util. ii. t. 58, a (1845).
*Sweet, Ornamental Fl. Gard. iii. t. 159 (1854).

CUNILA Linn.
coccinea Nutt.
*Hooker, Exot. Fl. ii. t. 163 (1825).
glabella Michx.
*Bertoloni, Misc. Bot. iii. t. 1 (1844); et in Novi Comm. Acad. Sc. Bonon. vi. t. 18 (1844).
Mariana Linn.
Barton, Elem. Bot. t. 9, fig. 1 (1804).
*Barton, Med. Bot. ii. t. 42 (1818).
*Lodd. Bot. Cab. xiii. t. 1205 (1827).
Rafinesque, Med. Fl. i. t. 29 (1828).
*Sweet, Brit. Fl. Gard. iii. t. 243 (1828).
*Torrey, Fl. State New York, ii. t. 76 (1843).
Journ. Roy. Hort. Soc. London, xii. Proc. p. cxlix (1890).
Journ. Hort. Ser. III. xxi. 523 (1890); xxvii. 459 (1893); xxxv. 321 (1897).
Merck's Rep. (Pract. Journ. Pharm.), xvi. 188 (1907).
microcephala Benth.
Mart. Fl. Bras. viii. I. t. 31 (1858).
origanoides Britton
Pflanzenfam. iv. III. A. 308 (1896).—*Fr.*
Britton & Brown, Ill. Fl. N. States & Canada, iii. 116 (1898); Ed. 2, iii. 146 (1913).
pulegioides Linn.
*Junghans, Ic. Pl. t. 31 (1787).
Lamarck, Ill. i. t. 19 (1791).

CUNINA Clos: *Nertera*
Sanfuentes Clos
*C. Gay. Hist. Chile, Atlas, t. 34 (1854).

CUNNINGHAMIA R. Br.—Vide *Beles*
Kawakamii Hayata
Hayata, Ic. Pl. Formosan. v. t. 16 (1915).
Konishii Hayata
Journ. Linn. Soc., Bot. xxxviii. t. 23 (1908).
Bot. Congr. Bruxelles, ii. t. 30 (1910).—*Hab.*
Clinton-Baker, Ill. Conif. iii. 84 (1913).
Kanehira, Formosan Trees, 599 (1917).
lanceolata Lamb.
*Bot. Mag. liv. t. 2743 (1827).
Silva Tarouca, Freiland-Nadelhölzer, 93, 99, 172, 174 (1913).
Oesterr. Gart.-Zeit. ix. 113 (1914).—*Hab.*
sinensis R. Br.
Richard, Comm. Bot. Conif. & Cycad. t. 18 (1826).
*Lambert, Pinus, ii. t. 53 (1832).
J. C. Loudon, Arbor. & Frutic. Brit. iv. 2446 (1838).
*Forbes, Pinetum Woburnense, t. 57 (1839).
Siebold & Zucc. Fl. Jap. t. 103, 104 (1844).
Florist, 1854, p. 169.—*Hab.*
Murray, Pines & Firs Japan, 116, 118, 119 (1863).
Trans. Bot. Soc. Edinb. vii. 50 (1863).
Parlatore in Ann. Mus. Fis. Stor. Nat. Firenze, 1865, N. Ser. i. t. 2 (1866).—*Fl.*
Mém. Acad. Sc. Pétersb. Ser. VII. xiii. No. 6, t. 2, fig. 26–36 (1869).—*Fl.*
Journ. Hort. xlvii. 57 (1872); Ser. III. v. 554 (1883); xlix. 447 (1904).—*Hab.*
Dai-Nihon Ju-moku Shi-ri-yaku (Jap. Trees Fig. & Expl.), i. t. 20 (1878).—*Veg.*
Pflanzenfam. ii. 1. 86 (1889).
Journ. Linn. Soc., Bot. xxvii. 305 (1890).
Beissner, Handb. Nadelholzk. 197 (1891); Ed. 2, p. 73 (1909).
*Useful Pl. Jap. iii. t. 689 (1895).
Tubeuf, Nadelhölzer, 106, 107 (1897).
*Shirasawa, Ic. Ess. Forest. Jap. i. t. 9 (1900).
Mottet, Conif. & Taxac. 350 (1902).
Warming, Handb. Syst. Bot. Ed. Möbius, 187 (1902).—*Fr.*
Rev. Hort. 1903, p. 549–51.
Pardé, Arbor. Nat. Barres, t. 23 (1906).—*Hab.*
Vilmorin, Hort. Vilm. (Bull. Soc. Bot. France, 1904, li. App.), 71 (1906).—*Hab.*
Elwes & Henry, Trees Gr. Brit. & Ireland, iii. t. 143 (1908).—*Hab.*
Clinton-Baker, Ill. Conif. ii. 67 (1909).
Coulter & Chamberlain, Morph. Gymnosp. 324 (1910).—*Veg.*
Fernow, Care of Trees, fig. 64 (1910).
Velenovsky, Vergl. Morph. Pfl. iii. 763 (1910); iv. Suppl. t. 1 (1913).
Wettstein, Handb. Syst. Bot. Ed. 2, p. 410 (1911).—*Fr.*
Wilson, Veg. West. China (Publ. Arn. Arb. No. 2), 177–85 (1911).—*Hab.*
Bull. Soc. Dendr. France, 1911, p. 51, 162.
Wilson, Arn. Arb. Exped. China, 1910–11, t. 0183 (1912).—*Hab.*
Warburg, Pflanzenwelt, i. 372 (1913).
Naturwiss. Zeitschr. Land- & Forst. xii. 240, 471, 472 (1914).
Bean, Trees & Shrubs, i. 441 (1914).—*Hab.*
Mitt. Deutsch. Dendr. Ges. 1917, t. 28.—*Hab.*
Garden, lxxxiv. 182 (1920).—*Hab.*

CUNONIA Linn.
atrorubens Schlechter
Engl. Jahrb. xxxix. 121 (1906).
bullata Brongn. & Gris
Engl. Jahrb. xxxix. 122 (1906).
capensis Linn.
Burman, Rar. Afr. Pl. t. 96 (1739); fide Linn.
*Houttuyn, Handl. Pl. & Kruidk. v. t. 25, fig. 1 (1776).
Lamarck, Ill. ii. t. 371, fig. 1, 2 (1797).
Gaertner f., Fruct. iii. t. 225 (1807).—*Fr.*
*Bot. Reg. x. t. 828 (1824).
*Lodd. Bot. Cab. ix. t. 826 (1824).
*Drapiez, Herb. Amat. Fl. ii. t. 121 (1829).
*Rev. Hort. Ser. IV. iii. 141 (1854).
Ettingshausen, Blatt-Skel. Dikot. t. 44 (1861).—*Veg.*
*Schnizlein, Iconogr. iii. t. 170 a (1866–70).—*Fl.*

CUNONIA
capensis
Le Maout & Decaisne, Traité Gén. Bot. 262 (1868).
Baillon, Hist. Pl. iii. 373, 374 (1872).
Garden, xix. 75 (1881); lxii. 135 (1902).
Journ. Hort. Ser. III. iii. 85 (1882); xvi. 157 (1888); liv. 13 (1907).
Nicholson, Illustr. Dict. Gard. i. 408 [1884–88].
Pflanzenfam. iii. II. A. 94, 95 (1890).
Schimper, Pflanzen-Geogr. 559 (1898).
Bellair & St.-Léger, Pl. Serre, 621 (1900).
Notizbl. Bot. Gart. Berlin, App. xi. 24 (1903).
Raunkiær, Oversigt Forh. Danske Vidensk. Selsk. 360 (1905).—*Veg.*
Sim, For. Fl. Cape Colony, t. 66 (1907).
Velenovsky, Vergl. Morph. Pfl. ii. 430 (1907).
Rec. Instit. Bot. Errera, iii. t. 3 (1908).—*Veg.*
Deutsch. Tiefsee-Exped. 1898–99, ii. III. 204, t. 7, 11 (1908).—*Hab.*
Engler & Drude, Veget. Erde, ix. 1. 2, p. 498 (1910).
*Bot. Mag. cxxxix. t. 8504 (1913).
Marloth, Fl. S. Africa, i. t. 8 (1913).—*Hab.*
Journ. Bot. Soc. S. Africa, iii. t. 1 (1917).

CUNURIA Baill.
Spruceana Baill.
Mart. Fl. Bras. xi. II. t. 14 (1873).

CUPANIA Linn.—Vide *Digonocarpus*, *Trigonocarpus* Vell.
americana Linn.
Plumier, Pl. Amer. Ed. Burm. t. 110 (1757); fide Urban, Fedde Repert. Beih. v. 61.
Gaertner, Fruct. ii. t. 177 (1791).—*Fr.*
*Descourtilz, Fl. Pitt. & Méd. Antilles, ii. t. 89 (1822).
Wettstein, Handb. Syst. Bot. Ed. 2, p. 630 (1911).—*Fr.*
anacardioides A. Rich.
Richard, Voy. Astrolabe, Bot. Atlas, Sert. Astrolab. t. 13 (1833).
Ettingshausen, Blatt-Skel. Dikot. t. 61 (1861).—*Veg.*
Maiden, For. Fl. N. S. Wales, i. t. 20 (1903); iv. Pt. xl. t. 15 (1910).—*Hab.*
apetala Labill.
Labillardière, Sert. Austr.-Caled. t. 73 (1825).
Aubletii Miq.
Miquel, Stirp. Surinam. t. 17, 18 (1850); et in Nat. Verh. Holl. Maatsch. Wet. Haarlem, Ser. II. vii. t. 17, 18 (1851).
Cunninghamii Hook.
*Bot. Mag. lxxv. t. 4470 (1849).
dentata Moc. & Sessé
A. De Candolle, Calq. Dess. Fl. Mex. Moc. & Sessé, t. 123 (1874).
glabra Sw.
Ettingshausen, Blatt-Skel. Dikot. t. 61 (1861).—*Veg.*
Britton, N. Amer. Trees, 668 (1908).
guianensis Miq.
Baillon, Hist. Pl. v. 352 (1874).—*Fl.*
Howeana Maiden
Proc. Linn. Soc. N. S. Wales, xxiii. II. t. 1 (1898).
laurifolia Ettingsh.
Ettingshausen, Blatt-Skel. Dikot. t. 57 (1861).—*Veg.*
lentiscifolia Pers.
Lamarck, Ill. vi. t. 944 (1819).
Lessertiana Cambess.
Mém. Mus. Hist. Nat. Paris, xviii. 50, t. 3 (1829).
multijuga A. Rich.
Ramon de la Sagra, Fl. Cubana, iv. Atlas, Pl. Vasc. t. 31 (1853); et Ic. Fl. Cub. Pl. Vasc. t. 31 (1863).
nervosa F. Muell.
Guilfoyle, Austral. Pl. 224 [1911].—*Hab.*
oppositifolia A. Rich.
Ramon de la Sagra, Fl. Cubana, iv. Atlas, Pl. Vasc. t. 32 (1853); et Ic. Fl. Cub. Pl. Vasc. t. 32 (1863).
paniculata Cambess.
St.-Hilaire, Fl. Bras. Merid. i. t. 80 (1827).
pentaphylla Wight
Wight, Ic. Pl. Ind. Or. ii. t. 402 (1840–43) in ic.; *C. Roxburghii* in textu.
platycarpa Radlk.
Mart. Fl. Bras. xiii. III. t. 117 (1900).

CUPANIA
Pseudo-rhus Rich.
Richard, Voy. Astrolabe, Bot. Atlas, Sert. Astrolab. t. 14 (1833).
Ettingshausen, Blatt-Skel. Dikot. t. 61 (1861).—*Veg.*
racemosa subsinuata Radlk.
Mart. Fl. Bras. xiii. III. t. 118 (1900).
regularis Bl.
Vidal, Sin. Fam. & Gen. Pl. Leñ. Filip. (Introd. Fl. For. Filip.), Atlas, t. 34, fig. B (1883).—*Fl.*
Roxburghii Wight
Wight, Ic. Pl. Ind. Or. ii. t. 402 (1840–43) in textu; *C. pentaphylla* in ic.
rubiginosa Radlk.
Mart. Fl. Bras. xiii. III. t. 116 (1900).
scrobiculata Rich.
Mart. Fl. Bras. xiii. III. t. 115 (1900).
Velenovsky, Vergl. Morph. Pfl. iii. 1029 (1910).—*Fl.*
serrata F. Muell.
Proc. Linn. Soc. N. S. Wales, xxv. IV. t. 38 bis (1901).—*Veg.*
Shirleyana F. M. Bailey
F. M. Bailey, Compr. Cat. Queensl. Pl. 114 (1909–13).
sumatrana Miq.
Vidal, Sin. Fam. & Gen. Pl. Leñ. Filip. (Introd. Fl. For. Filip.), Atlas, t. 34, fig. D (1883).—*Fl.*
tenax A. Cunn.
Ettingshausen, Blatt-Skel. Dikot. t. 58, 61 (1861).—*Veg.*
tenuivalvis Radlk.
Pflanzenfam. iii. v. 338 (1895).
Mart. Fl. Bras. xiii. III. t. 114 (1900).
tomentella F. Muell.
Guilfoyle, Austral. Pl. 285 [1911].—*Hab.*
tomentosa Sw.
Ettingshausen, Blatt-Skel. Dikot. t. 59 (1861).—*Veg.*
vernalis Cambess.
Thays, Jard. Bot. Buenos Aires, 123 (1910).—*Hab.*
Wadsworthii F. Muell.
F. M. Bailey, Compr. Cat. Queensl. Pl. 114 (1909–13).
zanthoxyloides Cambess.
St.-Hilaire, Fl. Bras. Merid. i. t. 79 (1827).

CUPANIOPSIS Radlk.
oxypetala Radlk.
Engl. Jahrb. lvi. 287 (1920).

CUPHEA Adans.—Vide *Balsamona*, *Parsonsia* R. Br.
acinifolia St.-Hil.
Mart. Fl. Bras. xiii. II. t. 47 (1877).
acinos St.-Hil.
Mart. Fl. Bras. xiii. II. t. 48 (1877).
aequipetala Cav.
Cavanilles, Ic. iv. t. 382 (1797).
Pflanzenreich, Lythrac. 169 (1903).—*Fl.*
anagalloidea St.-Hil.
Mart. Fl. Bras. xiii. II. t. 41 (1877).
anisophylla Hemsl.
Hemsley, Biol. Centr. Amer. v. t. 24 (1880).
annulata Koehne
Mart. Fl. Bras. xiii. II. t. 56 (1877).
antisyphilitica H. B. K.
Mart. Fl. Bras. xiii. II. t. 51 (1877).
apanxaloa DC.
A. De Candolle, Calq. Dess. Fl. Mex. Moc. & Sessé, t. 323 (1874).
aperta Koehne
Mart. Fl. Bras. xiii. II. t. 43 (1877).
Pflanzenreich, Lythrac. 119 (1903).—*Fl.*
appendiculata Benth.
Pflanzenreich, Lythrac. 169 (1903).—*Fl.*
arenarioides St.-Hil.
Mart. Fl. Bras. xiii. II. t. 43 (1877).
—— **muscosa** St.-Hil.
St.-Hilaire, Fl. Bras. Merid. iii. t. 184 (1833).
—— **myriophylloides** St.-Hil.
St.-Hilaire, Fl. Bras. Merid. iii. t. 184 (1833).
avigera Robins. & Seat.
Pflanzenreich, Lythrac. 176 (1903).
Balsamona Cham. & Schlechtd.
Mart. Fl. Bras. xiii. II. t. 45 (1877).

CUPHEA
Balsamona
Pflanzenreich, Lythrac. 119 (1903).—*Fl.*
Boissieriana Koehne
Pflanzenreich, Lythrac. 169 (1903).—*Fl.*
bombonasae Sprague
Ann. Bot. xvii. t. 11, fig. 17–21 (1903).—*Fl.*
brachiata Mart.
Mart. Fl. Bras. xiii. II. t. 53 (1877).
Buravii Koehne
Pflanzenreich, Lythrac. 111 (1903).
Bustamanta La Llav. & Lex.
Hemsley, Biol. Centr. Amer. v. t. 25 (1880).
calaminthifolia Cham. & Schlechtd.
Pflanzenreich, Lythrac. 169 (1903).—*Fl.*
calophylla Cham. & Schlechtd.
Mart. Fl. Bras. xiii. II. t. 44 (1877).
campestris Mart.
Mart. Fl. Bras. xiii. II. t. 47 (1877).
cataractarum Spruce
Pflanzenreich, Lythrac. 127 (1903).—*Fl.*
ciliata Ruiz & Pav.
Ruiz & Pavon, Fl. Peruv. & Chil. Ic. Ined. iv. t. 404 (1802).
ciliata Koehne
Pflanzenreich, Lythrac. 103 (1903).—*Fl.*
cinnabarina Planch.
*Fl. des Serres, Ser. I. v. t. 527 (1849).
Moore & Ayres, Mag. Bot. ii. 133 (1850).
Paxt. Fl. Gard. i. 89 (1850–51).
Journ. Hort. xxviii. 377 (1865).
circaeoides Sm.
*Bot. Mag. xlviii. t. 2201 (1820).
Mart. Fl. Bras. xiii. II. t. 54 (1877).
Pflanzenreich, Lythrac. 119 (1903).
Commersoniana Koehne
Pflanzenreich, Lythrac. 103 (1903).—*Fl.*
confertiflora St.-Hil.
Mart. Fl. Bras. xiii. II. t. 48 (1877).
cordata Ruiz & Pav.
Ruiz & Pavon, Fl. Peruv. & Chil. Ic. Ined. iv. t. 404 (1802).
*Bot. Mag. lxxii. t. 4208 (1846).
*Fl. des Serres, Ser. I. ii. t. 7 (1846).
*Floricult. Cab. xiv. 49 (1846).
*J. W. Loudon, Ladies' Fl.-Gard. Ornam. Greenh. Pl. t. 28 (1848).
*W. Thompson, Engl. Fl. Gard. ii. 81 (1853).
costata Koehne
Mart. Fl. Bras. xiii. II. t. 55 (1877).
Pflanzenreich, Lythrac. 148 (1903).—*Fl.*
cristata Rose
Contrib. U.S. Nat. Herb. v. t. 23 (1899).
cuiabensis Mart.
Mart. Fl. Bras. xiii. II. t. 54 (1877).
cyanea DC.
A. De Candolle, Calq. Dess. Fl. Mex. Moc. & Sessé, t. 321 (1874).
Pflanzenfam. iii. VII. 8 (1892).—*Fl.*
Pflanzenreich, Lythrac. 172 (1903).—*Fl.*
densiflora Koehne
Mart. Fl. Bras. xiii. II. t. 42 (1877).
diosmifolia St.-Hil.
St.-Hilaire, Fl. Bras. Merid. iii. t. 182 (1833).
Mart. Fl. Bras. xiii. II. t. 50 (1877).
disperma Koehne
Mart. Fl. Bras. xiii. II. t. 49 (1877).
dodecandra Hemsl.
Hemsley, Biol. Centr. Amer. v. t. 26 (1880).
elliptica Koehne
Pflanzenreich, Lythrac. 119 (1903).—*Fl.*
emarginata Koehne
Pflanzenreich, Lythrac. 133 (1903).
eminens Planch. & Linden
*Fl. des Serres, Ser. I. x. t. 994 (1854–55).
*Floricult. Cab. 1856, p. 57.
*Ill. Gartenzeit. Stuttgart, i. t. 2 (1857).
Rev. Hort. Ser. IV. vi. 151 (1857).
Gartenwelt, iv. 138 (1899).
enneanthera Koehne
Mart. Fl. Bras. xiii. II. t. 50 (1877).
epilobiifolia Koehne
Pflanzenreich, Lythrac. 111 (1903).—*Fl.*
—— **caquetae** Sprague
Ann. Bot. xvii. t. 11, fig. 1–6 (1903).

CUPHEA
erectifolia Koehne
Mart. Fl. Bras. xiii. II. t. 50 (1877).
ericoides Cham. & Schlechtd.
Mart. Fl. Bras. xiii. II. t. 52 (1877).
—— **hervita** St.-Hil.
St.-Hilaire, Fl. Bras. Merid. iii. t. 183 (1833).
excoriata Mart.
Mart. Fl. Bras. xiii. II. t. 49 (1877).
ferruginea Pohl
Mart. Fl. Bras. xiii. II. t. 49 (1877).
—— **acuminata** Koehne
Mart. Fl. Bras. xiii. II. t. 49 (1877).—*Veg.*
flava Spreng.
Mart. Fl. Bras. xiii. II. t. 53 (1877).
fuchsiifolia St.-Hil.
Mart. Fl. Bras. xiii. II. t. 56 (1877).
Gardneri Koehne
Mart. Fl. Bras. xiii. II. t. 56 (1877).
glauca Pohl
Mart. Fl. Bras. xiii. II. t. 52 (1877).
Glaziovii Koehne
Pflanzenreich, Lythrac. 159 (1903).
glutinosa Cham. & Schlechtd.
Mart. Fl. Bras. xiii. II. t. 45 (1877).
Goldmannii Rose
Contrib. U.S. Nat. Herb. xii. 287 (1909).—*Fl.*
graciliflora Koehne
Hemsley, Biol. Centr. Amer. v. t. 25 (1880).
gracilis maior Koehne
Mart. Fl. Bras. xiii. II. t. 51 (1877).
grandiflora Pohl
Mart. Fl. Bras. xiii. II. t. 56 (1877).
heterophylla Benth.
Pflanzenreich, Lythrac. 162 (1903).—*Fl.*
Hookeriana Walp.
Pflanzenreich, Lythrac. 176 (1903).—*Fl.*
hypogyna Koehne
Pflanzenreich, Lythrac. 162 (1903).
hyssopifolia H. B. K.
L. H. Bailey, Cycl. Amer. Hort. 413 (1900); Stand. Cycl. Hort. 913 (1914).
*Bettfreund, Fl. Argentina, ii. t. 88 (1900).
Pflanzenreich, Lythrac. 127 (1903).—*Fl.*
hyssopoides St.-Hil.
Mart. Fl. Bras. xiii. II. t. 49 (1877).
ignea A. DC.
Gartenfl. xxx. 58 (1881).
*Step, Fav. Fl. Gard. & Greenh. ii. t. 102 (1897).
L. H. Bailey, Cycl. Amer. Hort. 413 (1900); Stand. Cycl. Hort. 914 (1914).
Bellair & St.-Léger, Pl. Serre, 622 (1900).
imberbis Rose
Contrib. U.S. Nat. Herb. xii. 288 (1909).—*Fl.*
impatientifolia St.-Hil.
Mart. Fl. Bras. xiii. II. t. 54 (1877).
inaequalifolia Koehne
Mart. Fl. Bras. xiii. II. t. 51 (1877).
ingrata Cham. & Schlechtd.
Wawra, Bot. Ergebn. Reise Bras. t. 40 (1866).
Mart. Fl. Bras. xiii. II. t. 46 (1877).
Pflanzenfam. iii. VII. 8 (1892).—*Fl.*
Pflanzenreich, Lythrac. 81 (1903).—*Fl.*
jorullensis H. B. K.
Pflanzenreich, Lythrac. 162 (1903).—*Fl.*
jorullensis Hook.
*Bot. Mag. lxxxvii. t. 5232 (1861).
*Ill. Hort. viii. t. 284 (1861).
*Horticulteur Franç. 1861, t. 12.
Koehneana Rose
Contrib. U.S. Nat. Herb. v. t. 24 (1899).
Pflanzenreich, Lythrac. 153 (1903).
lanceolata Ait.
H. B. K. Nov. Gen. vi. t. 552 (1823).—*Fr.*
*Fritzsche in Mém. Acad. Sc. Pétersb. Div. Sav. iii. t. 5, fig. 11, 12 (1837).—*Fl.*
*Sweet, Brit. Fl. Gard. vii. t. 402 (1837).
*Knowles & Westc. Floral Cab. ii. t. 84 (1838).
*J. W. Loudon, Ladies' Fl.-Gard. Ornam. Annuals, t. 17 (1844).
*Sweet, Ornamental Fl. Gard. ii. t. 118 (1854).
*Gartenfl. xiii. t. 424 (1864).
*Trans. Russ. Hort. Soc. 1864, t. 152.
Baillon, Hist. Pl. vi. 431 (1877).—*Fl.*
*Bot. Mag. cv. t. 6412 (1879).
Baillon, Dict. Bot. ii. 300 (1881).

CUPHEA
lanceolata
Brehm, Merv. Nat. Monde des Pl. ii. 30 (1894–96).—*Fl.*
Glück, Blatt- & Blütenmorph. Stud. 451 (1919).—*Veg.*
—— **nana** Hort.
*Rev. Hort. Belge, xxii. 85 (1896) in textu; *C. lanceolata* var. *rosea* in ic.
—— **rosea** Regel
*Rev. Hort. Belge, xxii. 85 (1896) in ic.; *C. lanceolata* var. *nana* in textu.
—— **typica** Regel
Pflanzenreich, Lythrac. 153 (1903).—*Fl.*
laricoides Koehne
Mart. Fl. Bras. xiii. II. t. 53 (1877).
Pflanzenreich, Lythrac. 144 (1903).
ligustrina Cham. & Schlechtd.
Mart. Fl. Bras. xiii. II. t. 41 (1877).
—— **silenoides** St.-Hil.
St.-Hilaire, Fl. Bras. Merid. iii. t. 185 (1833).
linarioides Cham. & Schlechtd.
Mart. Fl. Bras. xiii. II. t. 51 (1877).
Usteri, Fl. São Paulo, 208 (1911).—*Fl.*
linifolia Koehne
Mart. Fl. Bras. xiii. II. t. 51 (1877).
Llavea Lindl.
*Bot. Reg. xvi. t. 1386 (1831).
Llavea Lex.
*J. W. Loudon, Ladies' Fl.-Gard. Ornam. Annuals, t. 17 (1844).
Journ. Hort. Ser. III. xxiii. 333 (1891); xxxi. 305 (1895).
L. H. Bailey, Cycl. Amer. Hort. 413 (1900); Stand. Cycl. Hort. 913 (1914).
—— **barbigera** Koehne
Pflanzenreich, Lythrac. 153 (1903).—*Fl.*
longiflora Koehne
Mart. Fl. Bras. xiii. II. t. 42 (1877).—*Fl.*
Lozanii Rose
Contrib. U.S. Nat. Herb. xii. 288 (1909).—*Fl.*
lutescens Pohl
Mart. Fl. Bras. xiii. II. t. 55 (1877).
lysimachioides Cham. & Schlechtd.
Mart. Fl. Bras. xiii. II. t. 47 (1877).
melampyrifolia Pohl
Mart. Fl. Bras. xiii. II. t. 52 (1877).
Melvilla Lindl.
*Bot. Reg. x. t. 852 (1824).
*Paxt. Mag. viii. 197 (1841).
*J. W. Loudon, Ladies' Fl.-Gard. Ornam. Greenh. Pl. t. 28 (1848).
Mart. Fl. Bras. xiii. II. t. 54 (1877).
mesostemon Koehne
Mart. Fl. Bras. xiii. II. t. 43 (1877).
micrantha H. B. K.
Mart. Fl. Bras. xiii. II. t. 43 (1877).
micropetala H. B. K.
H. B. K. Nov. Gen. vi. t. 551 (1823).
Baillon, Hist. Pl. vi. 432 (1877).—*Fl.*
Baillon, Dict. Bot. ii. 300 (1881).—*Fl.*
Kerner, Pflanzenleben, ii. 235 (1891).—*Fl.*
Brehm, Merv. Nat. Monde des Pl. ii. 31 (1894–96).—*Fl.*
Kerner & Oliv. Nat. Hist. Pl. ii. 237 (1895).—*Fl.*
Pflanzenreich, Lythrac. 159 (1903).—*Fl.*
Glück, Blatt- & Blütenmorph. Stud. t. 3 (1919).
microphylla H. B. K.
Pflanzenreich, Lythrac. 119 (1903).—*Fl.*
mimuloides Cham. & Schlechtd.
Pflanzenreich, Lythrac. 103 (1903).
miniata Brongn.
*Orbigny, Dict. Hist. Nat. Atlas, iii. t. 304 [1839–49].
*Journ. Jard. 1845, p. 276.
*Rev. Hort. Ser. II. iv. 225 (1845).
*Fl. des Serres, Ser. I. ii. t. 10 (1846).
*Floricult. Cab. xiv. 265 (1846).
*Horticulteur Univ. vii. 99 (1846).
*Paxt. Mag. xiv. 101 (1848).
!Bull. Acad. Sc. Bruxelles, xviii. II. p. 296 (1852).—*Fl.*
*Schnizlein, Iconogr. iv. t. 267 (1857–65).—*Fl.*
Pflanzenfam. iii. VII. 8 (1892).—*Fl.*

CUPHEA
miniata
*Rev. Hort. Belge, xxii. 85 (1896).
—— **compacta** Hort.
Gartenfl. xlvi. 637 (1897).—*Hab.*
Semaine Hort. 1898, p. 43.—*Hab.*
multiflora Lodd.
*Lodd. Bot. Cab. ix. t. 808 (1824).
Nelsonii Rose
Contrib. U.S. Nat. Herb. v. t. 15 (1897).
nitidula H. B. K.
Pflanzenreich, Lythrac. 172 (1903).—*Fl.*
ocymoides Decne.
*Cat. Hort. Lind. 1859 [No. 5], p. 44.
*Journ. Hort. Prat. Belg. N. Ser. iii. t. 3 (1859).
origanifolia Cham. & Schlechtd.
Mart. Fl. Bras. xiii. II. t. 42 (1877).
ovalifolia Koehne
Pflanzenreich, Lythrac. 148 (1903).
Painteri Rose
Contrib. U.S. Nat. Herb. xii. 289 (1909).—*Fl.*
Palmeri S. Wats.
Pflanzenreich, Lythrac. 153 (1903).—*Fl.*
paradoxa Koehne
Pflanzenreich, Lythrac. 159 (1903).—*Fl.*
Parsonsia R. Br.
Pflanzenreich, Lythrac. 119 (1903).
parviflora Hook.
*Hooker, Exot. Fl. ii. t. 161 (1825).
pascuorum Mart.
Mart. Fl. Bras. xiii. II. t. 41 (1877).—*Fl.*
patula St.-Hil.
Mart. Fl. Bras. xiii. II. t. 51 (1877).
petiolata Pohl
Mart. Fl. Bras. xiii. II. t. 54 (1877).
pinetorum Benth.
Fyson, Fl. Nilgiri & Pulney Hill-tops, iii. 340 (1920).
platycentra Benth.
Ann. Hort. 1846, p. 465.
*Florist's Journ. 1847, p. 49.
*Paxt. Mag. xiii. 267 (1847).
*J. W. Loudon, Ladies' Fl.-Gard. Ornam. Greenh. Pl. t. 28 (1848).
*Hulme & Hibberd, Familiar Gard. Fl. ii. 53 [1879–87].
*Bois, Atlas Pl. Jard. t. 106 (1896).
platycentra Lem.
*Fl. des Serres, Ser. I. ii. t. 180 (1846).
Pflanzenfam. iii. VII. 8 (1892).—*Fl.*
Edmonds & Marloth, Elem. Bot. S. Africa, 97 (1897).—*Fl.*
Pflanzenreich, Lythrac. 162 (1903).—*Fl.*
Wettstein, Handb. Syst. Bot. Ed. 2, p. 670 (1911).
Glück, Blatt- & Blütenmorph. Stud. t. 2 (1919).—*Fl.*
polymorpha St.-Hil.
Mart. Fl. Bras. xiii. II. t. 47 (1877).
Pflanzenreich, Lythrac. 127 (1903).—*Fl.*
polymorphoides Koehne
Mart. Fl. Bras. xiii. II. t. 48 (1877).
procumbens Cav.
Cavanilles, Ic. iv. t. 380 (1797).
*Bot. Mag. xliv. t. 1931 (1817).
*Bot. Reg. iii. t. 182 (1817).
*J. W. Loudon, Ladies' Fl.-Gard. Ornam. Annuals, t. 17 (1844).
pseudericoides Koehne
Pflanzenreich, Lythrac. 133 (1903).—*Veg.*
pseudo-Vaccinium St.-Hil.
Mart. Fl. Bras. xiii. II. t. 48 (1877).
pterosperma Koehne
Mart. Fl. Bras. xiii. II. t. 47 (1877).
pubiflora Benth.
*Bot. Reg. xxxii. t. 14 (1846).
Baillon, Hist. Pl. vi. 432 (1877).—*Fl.*
Gartenfl. xxix. 346 (1880).
Baillon, Dict. Bot. ii. 301 (1881).—*Fl.*
pulchra Moric.
Moricand, Pl. Amér. t. 98 (1846).
Mart. Fl. Bras. xiii. II. t. 56 (1877).
punctulata Koehne
Mart. Fl. Bras. xiii. II. t. 43 (1877).
purpurata Brehm
Brehm, Merv. Nat. Monde des Pl. ii. 30 (1894–96).—*Fl.*

CUPHEA
×**purpurea** Hort.
*Fl. des Serres, Ser. I. iv. t. 412 (1848).
Paxt. Mag. xvi. 93 (1849).
*Neubert's Deutsch Gart. Mag. 1850, p. 271.
*Rev. Hort. Belge, xxii. 85 (1896).
Radula Koehne
Mart. Fl. Bras. xiii. II. t. 51 (1877).
ramosissima Pohl
Mart. Fl. Bras. xiii. II. t. 43 (1877).
ramulosa Mart.
Mart. Fl. Bras. xiii. II. t. 52 (1877).
—— **hirta** Koehne
Mart. Fl. Bras. xiii. II. t. 52 (1877).
reflexifolia Koehne
Pflanzenreich, Lythrac. 144 (1903).
repens Koehne
Mart. Fl. Bras. xiii. II. t. 43 (1877).
reticulata Koehne
Mart. Fl. Bras. xiii. II. t. 49 (1877).
retrorsicapilla Koehne
Mart. Fl. Bras. xiii. II. t. 50 (1877).
Pflanzenreich, Lythrac. 133 (1903).—*Fl.*
Roezlii Carr.
*Rev. Hort. 1877, p. 470.
Roseana Koehne
Pflanzenreich, Lythrac. 169 (1903).
rubescens Koehne
Mart. Fl. Bras. xiii. II. t. 48 (1877).
salicifolia Cham. & Schlechtd.
Pflanzenreich, Lythrac. 103 (1903).—*Fl.*
scaberrima Koehne
Pflanzenreich, Lythrac. 176 (1903).
Schumannii Koehne
Pflanzenreich, Lythrac. 162 (1903).—*Fl.*
Schwackei Koehne
Pflanzenreich, Lythrac. 103 (1903).
sclerophylla Koehne
Mart. Fl. Bras. xiii. II. t. 48 (1877).
secundiflora Moc. & Sessé
A. De Candolle, Calq. Dess. Fl. Mex. Moc. & Sessé, t. 322 (1874).
Pflanzenreich, Lythrac. 153 (1903).—*Fl.*
serpyllifolia H. B. K.
H. B. K. Nov. Gen. vi. t. 550 (1823).
serpyllifolia Sims
*Bot. Mag. lii. t. 2580 (1825).
sessiliflora St.-Hil.
Mart. Fl. Bras. xiii. II. t. 54 (1877).
sessilifolia St.-Hil.
Mart. Fl. Bras. xiii. II. t. 52 (1877).
—— **strigosa** Koehne
Mart. Fl. Bras. xiii. II. t. 52 (1877).—*Veg.*
setosa Koehne
Pflanzenreich, Lythrac. 111 (1903).—*Fl.*
silenoides Nees
*Floricult. Cab. v. 264 (1837).
*Ann. Gand, iii. t. 115 (1847).
*Bot. Mag. lxxiv. t. 4362 (1848).
*Schnizlein, Iconogr. iv. t. 267 (1857–65).—*Fl.*
Journ. Linn. Soc., Bot. xxii. 380, 390 (1886).
Lubbock, Seedlings, i. 55, 550 (1892).—*Veg.*
speciosa O. Kuntze
Pflanzenreich, Lythrac. 159 (1903).—*Fl.*
sperguloides St.-Hil.
Mart. Fl. Bras. xiii. II. t. 49 (1877).
Spermacoce St.-Hil.
Mart. Fl. Bras. xiii. II. t. 49 (1877).
spicata Cav.
Cavanilles, Ic. iv. t. 381 (1797).
—— **extratropica** Cham. & Schlechtd.
Mart. Fl. Bras. xiii. II. t. 41 (1877).
—— **tropica** Cham. & Schlechtd.
Mart. Fl. Bras. xiii. II. t. 41 (1877).
strigulosa H. B. K.
*Paxt. Mag. xi. 241 (1844).
*Fl. des Serres, Ser. I. i. 39 (1845).
Schnizlein, Iconogr. iv. t. 267 (1857–65).
Mart. Fl. Bras. xiii. II. t. 45 (1877).
Wettstein, Handb. Syst. Bot. Ed. 2, p. 670 (1911).—*Fr.*
tarapotensis Sprague
Ann. Bot. xvii. t. 11, fig. 12–16 (1903).—*Fl.*
tenuissima Koehne
Mart. Fl. Bras. xiii. II. t. 43 (1877).

CUPHEA
tetrapetala Koehne
Pflanzenreich, Lythrac. 111 (1903).—*Fl.*
—— **cosangae** Sprague
Ann. Bot. xvii. t. 11, fig. 7–11 (1903).—*Fr.*
thymoides Cham. & Schlechtd.
Mart. Fl. Bras. xiii. II. t. 47 (1877).
trichopetala Rose
Contrib. U.S. Nat. Herb. v. t. 22 (1899).
trichopetala Rusby & Koehne
Pflanzenreich, Lythrac. 148 (1903).—*Fl.*
tricolor Moc. & Sessé
A. De Candolle, Calq. Dess. Fl. Mex. Moc. & Sessé, t. 319 (1874).
tuberosa Cham. & Schlechtd.
Mart. Fl. Bras. xiii. II. t. 54 (1877).
Urbaniana Koehne
Pflanzenreich, Lythrac. 81 (1903).—*Fr.*
utriculosa Koehne
Pflanzenreich, Lythrac. 103 (1903).
verticillata H. B. K.
H. B. K. Nov. Gen. vi. t. 552 (1823).
Moore & Ayres, Mag. Bot. ii. 85 (1850).
*Fl. des Serres, Ser. I. vi. t. 540 (1850–51).
Journ. Hort. xxviii. 656 (1862).
vesiculosa Koehne
Mart. Fl. Bras. xiii. II. t. 48 (1877).
virgata Cav.
Cavanilles, Ic. iv. t. 382 (1797).
viscosa Rose
Contrib. U.S. Nat. Herb. xii. 289 (1909).—*Fl.*
viscosissima Jacq.
*Jacquin, Hort. Vind. i. t. 177 (1772).
Gaertner, Fruct. i. t. 44 (1788).—*Fr.*
Lamarck, Ill. ii. t. 407 (1797).
Mém. Mus. Hist. Nat. Paris, ii. 57 (1815).—*Fl.*
*Barton, Fl. N. Amer. i. t. 18 (1821).
*Sweet, Brit. Fl. Gard. i. t. 60 (1824).
*J. W. Loudon, Ladies' Fl.-Gard. Ornam. Annuals, t. 17 (1844).
Payer, Organog. Comp. Fl. t. 95 (1857).—*Fl.*
*Meehan, Fl. & Ferns U.S. i. t. 11 (1878).
Warmingii Koehne
Mart. Fl. Bras. xiii. II. t. 56 (1877).
Weddelliana Koehne
Pflanzenreich, Lythrac. 176 (1903).

CUPIRANA Miers: *Coupoui*
Aubletiana Miers
Miers, Apocynac. S. Amer. t. 2 (1878).

CUPRESSUS Linn.
americana Trautv.
Trautvetter, Imag. & Descr. Fl. Russ. t. 7 (1844).
arizonica Greene
Gard. Chron. Ser. III. xviii. 63 (1895); lvii. 315 (1915).
Sargent, Silva N. Amer. x. t. 526 (1896).
De Wildeman, Ic. Sel. Hort. Then. iv. t. 145 (1903).
Mitt. Deutsch. Dendr. Ges. 1904, t. 4; 1910, p. 179.—*Hab.*
Sargent, Man. Trees N. Amer. 78 (1905).
Oesterr. Gart.-Zeit. i. 121 (1906).—*Veg.*
Britton, N. Amer. Trees, 101 (1908).
Beissner, Handb. Nadelholzk. Ed. 2, p. 580 (1909).—*Hab.*
Bull. Soc. Dendr. France, 1911, p. 40.—*Fr.*
Pomona Coll. Journ. Econ. Bot. i. 204 (1911).—*Hab.*
Clinton-Baker, Ill. Conif. iii. 44 (1913).
Silva Tarouca, Freiland-Nadelhölzer, 47, 175 (1913).
A. Camus, Cyprès, 58 (1914).
Rev. Hort. 1914, p. 345.—*Hab.*
U.S. Dep. Agric. Bull. No. 207, t. 1–3 (1915).
Rhodesia Agric. Journ. xiv. IV. 488 (1917).—*Hab.*
—— **compacta** Hort.
Silva Tarouca, Freiland-Nadelhölzer, 178 (1913).—*Hab.*
Bakeri Jepson
Jepson, Trees California, fig. 71 (1909).—*Fr.*
Jepson, Silva California (Mem. Univ. Calif. ii), t. 52 (1910).—*Fr.*
A. Camus, Cyprès, 47, 48 (1914).
Benthamii Endl.
Linnaea, xxxiii. t. 2, fig. 3 (1864–65).—*Fr.*

CUPRESSUS
Benthamii
Karsten & Schenck, Veg.-Bild. ii. t. 16 (1904).—*Hab.*
Silva Tarouca, Freiland-Nadelhölzer, 175 (1913).
—— **arizonica** Mast.
Journ. Linn. Soc., Bot. xxxi. 340, 342 (1896).
—— **Knightiana** Mast.
Journ. Linn. Soc., Bot. xxxi. 341 (1896).
Mottet, Conif. & Taxac. 91 (1902).
californica Carr.
Rev. Hort. 1875, p. 108.—*Hab.*
Florist, 1876, p. 197.—*Hab.*
cashmeriana Royle
Clinton-Baker, Ill. Conif. iii. 47 (1913).
A. Camus, Cyprès, 64–66 (1914).
Gard. Chron. Ser. III. lviii. 196 (1915).
communis (Auct.?)
*Réveil, Règne Vég. iv. t. 24 (1870).—*Fr.*
cornuta Carr.
Rev. Hort. 1866, p. 251.
Garden, v. 425 (1874).
disticha Linn.
*Schkuhr, Bot. Handb. Ed. 2, t. 310 (1808).—*Veg.*
Cubières, Mém. Cyprès Louisiane, t. 1, 2 (1809).
*Michaux, Arb. Amer. Sept. iii. t. 1, p. 4 (1813).
*Michaux, N. Amer. Sylva, ii. t. 151 (1819).
Duclouxiana Hickel
A. Camus, Cyprès, 92, t. 3 (1914).
elegans Hort.
Rhodesia Agric. Journ. xiv. IV. 488 (1917).—*Hab.*
fastigiata DC.
Willkomm, Forstl. Fl. Deutschl. & Oesterr. 197 (1875).—*Fl.*
—— **cereiformis** Carr.
Rev. Hort. Ser. IV. viii. 167 (1859).—*Hab.*
formosensis Henry
Gard. Chron. Ser. III. li. 132, 133 (1912).
Clinton-Baker, Ill. Conif. iii. frontisp. 48 (1913).
funebris Endl.
Gard. Chron. 1850, p. 439; Ser. III. lviii. 78 (1915); lxv. 63 (1919).
Moore & Ayres, Mag. Bot. ii. 276 (1850).
Fl. des Serres, Ser. I. vi. 91 (1850–51).
Paxt. Fl. Gard. i. 47 (1850–51).
Lem. Jard. Fl. i. Misc. 19 (1851).
Floricult. Cab. xxi. 44 (1853).
Belg. Hort. iii. t. 20 (1853); iv. t. 53 (1854).—*Hab.*
De Vriese, Tuinbouw-Fl. iii. 1 (1856).—*Hab.*
Journ. Hort. xxvii. 420 (1862); Ser. III. xxiii. 311 (1891).
Mém. Acad. Sc. Pétersb. Ser. VII. xiii. No. 6, t. 5, fig. 119–25, 129 (1869).—*Fl.*
Garden, ii. 17 (1872); xxviii. 62 (1885).
Journ. Linn. Soc., Bot. xxxi. 338 (1896).
Tubeuf, Nadelhölzer, 131 (1897).
Ann. Jard. Bot. Buitenzorg, xvii. 44 (1900).—*Veg.*
Bot. Gaz. xxxiii. t. 8, fig. 1, 2 (1902).
Agric. Gaz. N. S. Wales, xviii. 661 (1907).—*Hab.*
Tison in Mém. Soc. Linn. Normandie, xxiv. t. 3 (1910).
Wilson, Veg. West. China (Publ. Arn. Arb. No. 2), 3, 24, 26, 186–91, 485 (1911).—*Hab.*
Wilson, Arn. Arb. Exped. China, 1910–11, t. 08, 0192, 0197, 0226 (1912).—*Hab.*
Clinton-Baker, Ill. Conif. iii. 50 (1913).
Silva Tarouca, Freiland-Nadelhölzer, 120, 175 (1913).
Naturwiss. Zeitschr. Land- & Forst. xii. 461 (1914).
A. Camus, Cyprès, 60–62 (1914).
glabra Sudw.
U.S. Dep. Agric. Bull. No. 207, t. 3–5 (1915).
Gard. Chron. Ser. III. lxi. 96 (1917).
glauca Lam.
Coutinho, Curso Silvicult. ii. 38 (1887).
Gard. Chron. Ser. III. x. 761 (1891).
Rhodesia Agric. Journ. xiv. IV. 488 (1917).—*Hab.*
Goveniana Gord.
Journ. Hort. Soc. London, iv. 295 (1849).
Cottage Gard. xix. 23 (1858).
Vidensk. Meddel. Kjöbenhavn, 1864, t. 1, 2, fig. 56–62 (1865).—*Fr.*
Journ. Linn. Soc., Bot. xxxi. 346 (1896).

CUPRESSUS
Goveniana
Sargent, Silva N. Amer. x. t. 527 (1896).
Ann. Jard. Bot. Buitenzorg, xvii. 44 (1900).—*Veg.*
Mottet, Conif. & Taxac. 94 (1902).
Warming, Handb. Syst. Bot. Ed. Möbius, 188 (1902).
Eastwood, Handb. Trees California (Occ. Papers Calif. Acad. Sc. ix), t. 3 (1905).
Sargent, Man. Trees N. Amer. 79 (1905).
Pardé, Arbor. Nat. Barres, t. 11 (1906).—*Hab.*
Agric. Gaz. N. S. Wales, xviii. 662, 726 (1907).—*Hab.*
Britton, N. Amer. Trees, 99 (1908).
Sudworth, Forest Trees Pac. Slope, 162 (1908).
Clinton-Baker, Ill. Conif. ii. 72 (1909).
Jepson, Trees California, fig. 70 (1909).
Elwes & Henry, Trees Gr. Brit. & Ireland, v. t. 299 (1910).—*Hab.*
Jepson, Silva California (Mem. Univ. Calif. ii), t. 52 (1910).
Macbride in Proc. Iowa Acad. Sc. xix. 26 (1912).—*Hab.*
Silva Tarouca, Freiland-Nadelhölzer, 178 (1913).—*Hab.*
A. Camus, Cyprès, 49 (1914).
Gard. Chron. Ser. III. lvi. 365 (1914).
—— **compacta** André
Rev. Hort. 1896, p. 9.—*Hab.*
—— —— **glauca** Hort.
Silva Tarouca, Freiland-Nadelhölzer, 140 (1913).—*Hab.*
guadalupensis S. Wats.
Rev. Hort. 1901, p. 301.—*Hab.*
horizontalis Mill.
*Forbes, Pinetum Woburnense, t. 61 (1839).
Linnaea, xxxiii. t. 2, fig. 1 (1864–65).—*Fr.*
Coutinho, Curso Silvicult. i. 92 (1886); ii. 38 (1887).
A. Camus, Cyprès, 33, 34, t. 3 (1914).
japonica Linn. f.
Gaertner, Fruct. ii. t. 91 (1791).—*Fr.*
Lamarck, Ill. v. t. 787, fig. 2 (1797–1819).
Knightiana Perry
Mém. Acad. Sc. Pétersb. Ser. VII. xiii. No. 6, t. 4, fig. 102, 103, 110, 111 (1869).—*Fl.*
Gard. Chron. Ser. III. xvi. 669 (1894).
Lambertiana Carr.
Journ. Hort. Soc. London, iv. 297 (1849).
*Pinetum Brit. ii. t. 33 (1884).
Jardin, iii. 231 (1889).—*Hab.*
Rev. Hort. 1907, p. 565.—*Hab.*
—— **depressa** Carr.
Rev. Hort. 1870, p. 191.
—— **horizontalis** Hort.
Journ. Dep. Agric. Victoria, xv. 292 (1917).—*Hab.*
Lawsoniana A. Murr.
*Ill. Hort. x. t. 367 (1863).
*Bot. Mag. xcii. t. 5581 (1866).
*Garden, vi. 426 (1874); vii. 508 (1875).
Floral World, 1875, p. 107.—*Hab.*
*Rev. Hort. Belge, iv. 281 (1878).—*Hab.*
Trans. Linn. Soc. London, Ser. II. Bot. i. t. 41 (1878).—*Fl.*
Berge, Pflanzenphysiogn. 66, 68 (1880).
*Pinetum Brit. ii. 191, 194, t. 31 (1884).
Woods & Forests, i. 104, 105 (1884).
Pflanzenfam. ii. 1. 99 (1889).—*Hab.*
Journ. Linn. Soc., Bot. xxvii. 312 (1890).—*Fl.*
*Mouillefert, Traité Arbres & Arbriss. Atlas, t. xxx (1892–98).
Jardin, x. 243 (1896).—*Hab.*
Journ. Linn. Soc., Bot. xxxi. 316, 318, 354 (1896).
Sargent, Silva N. Amer. x. t. 531 (1896).
Nicholson, '1900' Suppl. Dict. Gard. 273 (1900).—*Hab.*
Veitch, Man. Conif. Ed. 2, p. 209 (1900).—*Hab.*
Warming, Handb. Syst. Bot. Ed. Möbius, 188 (1902).—*Fl.*
Journ. Roy. Hort. Soc. London, xxvii. 419 (1902–3).—*Hab.*
Annesley, Rare Plants, 8 (1903).—*Hab.*
Step, Wayside & Woodl. Trees, 170, t. 125, 126 (1904).

CUPRESSUS
Lawsoniana
Trans. & Proc. Bot. Soc. Edinb. xxiii. t. 11 (1906).—*Hab.*
Clinton-Baker, Ill. Conif. ii. 73 (1909).
Coulter & Chamberlain, Morph. Gymnosp. 324 (1910).—*Veg.*
Elwes & Henry, Trees Gr. Brit. & Ireland, v. t. 309, 310 (1910).—*Hab.*
Bull. Soc. Dendr. France, 1911, p. 40, 149.
Gard. Chron. Ser. III. xlix. 67 (1911); lviii. 272, 273 (1915).
Wrigley, Stud. Trees & Fl. 119, 120 [1911].
Warburg, Pflanzenwelt, i. 382 (1913).
Bean, Trees & Shrubs, i. 444 (1914).—*Hab.*
A. Camus, Cyprès, 16, 74–77, t. 1 (1914).
Coltman-Rogers, Conifers & their Characteristics, 158 b (1920).—*Fr.*
—— **erecta** Hort.
Carter, About Trees, Shrubs & Climb. Pl. S. Africa, 44 [1913?].—*Hab.*
—— —— **viridis** Hort.
Florist, 1870, p. 92.—*Hab.*
Gard. Chron. Ser. III. ix. 371 (1891).—*Hab.*
Journ. Linn. Soc., Bot. xxxi. 320 (1896).—*Hab.*
—— **Fletcheri** Hort.
Journ. Roy. Hort. Soc. London, xxxix. Proc. p. cxxxii, fig. 144 (1914).
—— **lutea** Hort.
Gard. Chron. Ser. III. xx. 721 (1896).—*Hab.*
Journ. Roy. Hort. Soc. London, xxvii. 426 (1902–3).—*Hab.*
Annesley, Rare Plants, 52 (1903).—*Hab.*
—— **stricta** Hort.
Bull. Soc. Tosc. Ortic. xiii. 231 (1888).—*Hab.*
Rev. Hort. Belge, xiv. 75 (1888).—*Hab.*
—— —— **viridis** Hort.
Neubert's Deutsch. Gart. Mag. 1880, p. 24.
Lindleyi Klotzsch
Vidensk. Meddel. Kjöbenhavn, 1864, t. 1, 2, fig. 52 (1865).—*Fr.*
!Mém. Acad. Sc. Pétersb. Ser. VII. xiii. No. 6, t. 4, fig. 106–9 (1869).—*Fr.*
*Behrens, Blattformen, t. 80, fig. b (1900).—*Veg.*
—— **albis spiculis** Hort.
*Neubert's Deutsch. Gart. Mag. 1863, p. 49.—*Veg.*
lusitanica Mill.
*Lambert, Pinus, i. App. t. 42 (1807); ii. t. 54 (1828); ii. t. 65 (1832); ii. t. 49 (1837).
J. C. Loudon, Arbor. & Frutic. Brit. iv. 2478; viii. t. 79 c (1838).
*Forbes, Pinetum Woburnense, t. 62 (1839).
Ann. Hort. 1850, p. 163.
Mart. Fl. Bras. iv. 1. t. 113 (1863).
Linnaea, xxxiii. t. 2, fig. 2 (1864–65).—*Fr.*
!Mém. Acad. Sc. Pétersb. Ser. VII. xiii. No. 6, t. 4, fig. 104, 105 (1869).—*Fl.*
Journ. Linn. Soc., Bot. xxxi. 333 (1896).
Veitch, Man. Conif. Ed. 2, p. 211 (1900).
Sim, Tree Planting Natal, fig. 38 (1905).—*Hab.*
Agric. Gaz. N. S. Wales, xviii. 727 (1907).—*Hab.*
Elwes & Henry, Trees Gr. Brit. & Ireland, v. t. 300, 301 (1910).—*Hab.*
Carter, About Trees, Shrubs & Climb. Pl. S. Africa, 14, 39 [1913?]; Ed. 2, p. 20, 44 (1919).—*Hab.*
Clinton-Baker, Ill. Conif. iii. 53 (1913).
Silva Tarouca, Freiland-Nadelhölzer, 111, 175 (1913).
A. Camus, Cyprès, 53–55 (1914).
Gard. Chron. Ser. III. lvii. 206 (1915).
—— **Benthamii** Carr.
Elwes & Henry, Trees Gr. Brit. & Ireland, v. t. 302 (1910).—*Hab.*
Clinton-Baker, Ill. Conif. iii. 53 (1913).
A. Camus, Cyprès, 56, 57 (1914).
Gard. Chron. Ser. III. lvii. 259 (1915).
Macnabiana A. Murr.
Rev. Hort. 1870, p. 155.
Florist, 1874, p. 88.
Gard. Chron. Ser. III. ix. 403 (1891); Ser. III. lvi. 411 (1914).
Journ. Linn. Soc., Bot. xxxi. 348 (1896).
Sargent, Silva N. Amer. x. t. 528 (1896).
L. H. Bailey, Cycl. Amer. Hort. 414 (1900); Stand. Cycl. Hort. 915 (1914).—*Hab.*

CUPRESSUS
Macnabiana
Veitch, Man. Conif. Ed. 2, p. 213 (1900).
Sargent, Man. Trees N. Amer. 80 (1905).
Pardé, Arbor. Nat. Barres, t. 12 (1906).—*Hab.*
Britton, N. Amer. Trees, 101 (1908).
Sudworth, Forest Trees Pac. Slope, 166 (1908).
Jepson, Trees California, fig. 71 (1909).
Jepson, Silva California (Mem. Univ. Calif. ii), t. 52 (1910).
Clinton-Baker, Ill. Conif. iii. 44 (1913).
Silva Tarouca, Freiland-Nadelhölzer, 175, 177 (1913).
Naturwiss. Zeitschr. Land- & Forst. xii. 237 (1914).
A. Camus, Cyprès, 46, 47 (1914).
macrocarpa Hartw.
Gard. Chron. 1849, p. 679; Ser. III. xxii. 53 (1897); lvii. 148 (1915).—*Hab.*
Florist, 1855, p. 41.—*Hab.*
Ill. Hort. xvi. t. 587, sub t. 587 (1869).
Garden, i. 331 (1872); v. 253 (1874).
Rev. Hort. Belge, v. 99 (1879).—*Hab.*
Trans. & Proc. Bot. Soc. Edinb. xiii. t. 1 (1879).—*Hab.*
Veitch, Man. Conif. 224 (1881); Ed. 2, p. 215, 216 (1900).
*Pinetum Brit. ii. t. 32 (1884).
Woods & Forests, i. 565 (1884).
Nicholson, Illustr. Dict. Gard. i. 410 [1884–88].
California Board Forest. Rep. No. 3, 1889–90, p. 180, 184 (1890).
Gard. & Forest, vii. 245 (1894).—*Hab.*
Lemmon, Handb. W. Amer. Cone-Bearers, Ed. 3, p. 76 (1895).
Journ. Linn. Soc., Bot. xxxi. 319 (1896).—*Hab.*
Sargent, Silva N. Amer. x. t. 525 (1896).
Schimper, Pflanzen-Geogr. 570 (1898).—*Hab.*
Annesley, Rare Plants, 42 (1903).—*Hab.*
Rogers, Tree Book, 98 (1905).
Sargent, Man. Trees N. Amer. 78 (1905).
Britton, N. Amer. Trees, 98 (1908).
Sudworth, Forest Trees Pac. Slope, 160 (1908).
Clinton-Baker, Ill. Conif. ii. 72 (1909).
Jepson, Trees California, fig. 20, 70 (1909).
Elwes & Henry, Trees Gr. Brit. & Ireland, v. t. 295–98 (1910).—*Hab.*
Jepson, Silva California (Mem. Univ. Calif. ii), t. 11, 52 (1910).
Bull. Soc. Dendr. France, 1911, p. 40, 148.
Engler & Drude, Veget. Erde, xiii. 610 (1911).—*Hab.*
Karsten & Schenck, Veg.-Bild. ix. t. 6, 7 (1911).—*Hab.*
Pomona Coll. Journ. Econ. Bot. ii. 312 (1912).—*Hab.*
Warburg, Pflanzenwelt, i. 384 (1913).—*Hab.*
Leland Stanford, Junr. Univ. Publ. Dudley Mem. Vol. p. 108 (1913).
Silva Tarouca, Freiland-Nadelhölzer, 175, t. 5 (1913).
A. Camus, Cyprès, 36–39, t. 3 (1914).
Journ. Roy. Hort. Soc. London, xli. 24, 25 (1915).—*Hab.*
Maxwell, Trees, 214 (1915).—*Hab.*
Trans. Scott. Arbor. Soc. xxix. t. 17 (1915).—*Hab.*
Coltman-Rogers, Conifers & their Characteristics, 158 a (1920).—*Fr.*
Journ. New Zeal. Dep. Agric. xxi. 279 (1920).—*Hab.*
—— **guadeloupensis** Mast.
Gard. Chron. Ser. III. xviii. 62 (1895).
Journ. Linn. Soc., Bot. xxxi. 344 (1896).
Clinton-Baker, Ill. Conif. iii. 55 (1913).
A. Camus, Cyprès, 40 (1914).
—— **Lambertiana** Mast.
Gard. Chron. Ser. III. lvii. 53 (1915).
—— **lutea** Hort.
Journ. Roy. Hort. Soc. London, xxvii. 426, fig. 111 (1902–3).—*Hab.*
Annesley, Rare Plants, 57 (1903).—*Hab.*
Silva Tarouca, Freiland-Nadelhölzer, 118 (1913).—*Hab.*
nootkatensis Lamb.
Rep. Expl. & Surv. Railr. Mississippi, 1854–55, vi. III. 63 (1857).

CUPRESSUS
nootkatensis
Garden, v. 395 (1874); l. 68 (1896).
Lauche, Deutsche Dendrol. Ed. 2, p. 64 (1883).
*Pinetum Brit. ii. 199, t. 34 (1884).
Koehne, Dendrol. 49 (1893).
Sargent, Silva N. Amer. x. t. 530 (1896).
Annesley, Rare Plants, 32 (1903).—*Hab.*
Trans. & Proc. Bot. Soc. Edinb. xxiii. t. 11 (1906).—*Hab.*
Clinton-Baker, Ill. Conif. ii. 73 (1909).
Cooper & Westell, Trees & Shrubs Brit. Isl. ii. t. 65 (1909).
Elwes & Henry, Trees Gr. Brit. & Ireland, v. t. 306–8 (1910).—*Hab.*
Bull. Soc. Dendr. France, 1911, p. 40.—*Fr.*
A. Camus, Cyprès, 67–69 (1914).
Gard. Chron. Ser. III. lviii. 374, 375 (1915).
Coltman-Rogers, Conifers & their Characteristics, 158 b (1920).—*Veg.*
—— **lutea** Hort.
Journ. Roy. Hort. Soc. London, xxvii. 427 (1902–3).—*Hab.*
Annesley, Rare Plants, 55 (1903).—*Hab.*
nutkatensis = *nootkatensis*
nutkanus Torr.
Torrey, Phan. Pacific Coast, Wilkes, U.S. Expl. Exped. 1838–42, t. 16 (1874).
obtusa Koch
Veitch, Man. Conif. Ed. 2, p. 220 (1900).
Elwes & Henry, Trees Gr. Brit. & Ireland, v. t. 303, 304 (1910).—*Hab.*
Bull. Soc. Dendr. France, 1911, p. 40, 148.—*Veg.*
Gard. Chron. Ser. III. li. 132 (1912); lix. 278 (1916).
Clinton-Baker, Ill. Conif. iii. 50 (1913).
Warburg, Pflanzenwelt, i. 385 (1913).
A. Camus, Cyprès, 87–89 (1914).
—— **aurea** Hort.
Annesley, Rare Plants, 58 (1903).—*Hab.*
—— **densa** Hort.
Annesley, Rare Plants, 77 (1903).—*Hab.*
—— **filicoides** Hort.
Veitch, Man. Conif. Ed. 2, p. 221 (1900).
—— —— **aurea** Hort.
Annesley, Rare Plants, 74 (1903).—*Hab.*
—— **formosana** Hayata
Clinton-Baker, Ill. Conif. iii. 56 (1913).
—— **gracilis** Hort.
Green & Bontrager in Bull. Ohio Agric. St. No. 190, p. 100 (1908).—*Veg.*
pendula Thunb.
*L'Héritier, Stirp. t. 8 (1785).
*Joh. Kerner, Abbild. Oek. Pfl. (Fig. Pl. Écon.), viii. t. 759 (1796).
*Duhamel, Arbres & Arbustes, Ed. 2, iii. t. 3 (1806).
*Lambert, Pinus, i. App. t. 43 (1807); Ed. 1828, ii. t. 55; Ed. 1832, ii. t. 66; Ed. 1837–42, ii. t. 50, 50 a (1837).
J. C. Loudon, Arbor. & Frutic. Brit. iv. 2479, 2480 (1838).
Belg. Hort. ii. t. 22 (1852).—*Hab.*
pisifera Koch
Veitch, Man. Conif. Ed. 2, p. 224 (1900).
Elwes & Henry, Trees Gr. Brit. & Ireland, v. t. 305 (1910).—*Hab.*
Bull. Soc. Dendr. France, 1911, p. 40.—*Fr.*
Gard. Chron. Ser. III. li. 132 (1912); lix. 58 (1916).
Clinton-Baker, Ill. Conif. iii. 50 (1913).
Warburg, Pflanzenwelt, i. 385 (1913).
A. Camus, Cyprès, 80, 82, 83 (1914).
Coltman-Rogers, Conifers & their Characteristics, 158 b (1920).—*Veg.*
—— **filifera** Mast.
Veitch, Man. Conif. Ed. 2, p. 225 (1900).
A. Camus, Cyprès, 84, 85 (1914).
Garden, lxxxiv. 183 (1920).—*Hab.*
—— **plumosa** Mast.
A. Camus, Cyprès, 84 (1914).
—— **squarrosa** Mast.
Veitch, Man. Conif. Ed. 2, p. 162, 226 (1900).
A. Camus, Cyprès, 83, 84 (1914).
pygmaea Sarg.
Sargent, Silva N. Amer. xiv. t. 740 (1902).
Sargent, Man. Trees N. Amer. 80 (1905).

CUPRESSUS
pygmaea
Britton, N. Amer. Trees, 100 (1908).
Sudworth, Forest Trees Pac. Slope, 162 (1908).
A. Camus, Cyprès, 51, 52 (1914).
pyramidalis Targ.-Tozz.
Targioni-Tozzetti in Ann. Mus. Firenze, ii. t. 10 (1810).
Sargentii Jepson
Jepson, Trees California, fig. 71 (1909).—*Fr.*
Jepson, Silva California (Mem. Univ. Calif. ii), t. 52 (1910).—*Fr.*
sempervirens Linn.
*Regnault, Bot. iii. 62 (1774).
*Bergius, Mat. Med. ii. 759, t. 293 (1778).
*Zorn, Ic. Pl. Med. iii. t. 293 (1781).
*Pallas, Fl. Ross. t. 53 (1788).
Gaertner, Fruct. ii. t. 91 (1791).—*Fr.*
*Joh. Kerner, Abbild. Oek. Pfl. (Fig. Pl. Écon.), vii. t. 681 (1794).
Lamarck, Ill. v. t. 787, fig. 1 (1797–1819).
*Oskamp, Afb. Artseny-Gewass. iv. t. 376 (1800).
*Mirbel, Hist. Nat. Pl. x. t. 47 [1802–6].
*Plenck, Ic. Pl. Med. vii. t. 684 (1803).
*Duhamel, Arbres & Arbustes, Ed. 2, iii. t. 1 (1806).
*Roques, Pl. Usuell. Indig. & Exot. i. t. 41 (1807).
*Schkuhr, Bot. Handb. Ed. 2, t. 310 (1808).
*Chaumeton, Fl. Méd. iii. t. 147 (1816).
*Vietz, Ic. Pl. Med.-oec.-techn. vi. t. 456 (1817).
*P. W. Watson, Dendr. Brit. ii. t. 155 (1825).
Richard, Comm. Bot. Conif. & Cycad. t. 9 (1826).
Nees, Gen. Pl., Monochlam. i. t. 10 (1835).
J. C. Loudon, Arbor. & Frutic. Brit. iv. 2465; viii. t. 79 A (1838).
Nov. Act. Acad. Nat. Cur. xix. 1. t. 14 (1839).
Meigen, Deutschl. Fl. iii. t. 115 (1842).
Strutt, Sylva Ital. (1844), fide Sargent in Journ. Arn. Arb. ii. 63.
Lindley, Veg. Kingd. 228 (1846).
*Spach, Hist. Nat. Vég. Phan. Atlas, t. 90 (1846).—*Fl.*
*Petermann, Deutschl. Fl. t. 82, fig. 645 (1849).
*Reichenbach, Ic. Fl. Germ. xi. t. 534 (1849).
*Cassone, Fl. Med.-Farm. vi. t. 508 (1852).
Schnizlein, Iconogr. ii. t. 76 (1855).—*Fl.*
Schacht, Grundr. Anat. Phys. Gewächse, 154 (1859).—*Fl.*
Ann. Sc. Nat. Paris, Ser. IV. xiv. t. 13 (1860).—*Fr.*
Baillon, Adans. i. t. 2, fig. 18–21 (1860).
Schacht, Baum, 243 (1860).—*Fl.*
Schacht, Lehrb. Anat. Phys. Gewächse, ii. 300 (1860).—*Fl.*
Berg, Charakt. t. 17, fig. 161 (1861).
Trans. Bot. Soc. Edinb. vii. t. 1 (1863).—*Fl.*
Pokorny, Oesterr. Holzpfl. 437, t. 2 (1864).—*Veg.*
*Schubert, Naturg., Pflanzenreich, Ed. 2, t. 48, fig. 7 [1865].
Parlatore in Ann. Mus. Fis. Stor. Nat. Firenze, 1865, N. Ser. i. t. 1 (1866).—*Fl.*
Cesati, Passer. & Gibelli, Comp. Fl. Ital. t. 30 (1867–86).—*Fl.*
Mém. Acad. Sc. Pétersb. Ser. VII. xiii. No. 6, t. 5, fig. 126–28, 130, 131 (1869).
Mongredien, Trees & Shrubs for Engl. Plantat. 81 (1870).—*Hab.*
F. Hamilton, Bot. Bible, t. 8 (1871).—*Hab.*
Garden, i. 101 (1872); xix. 188 (1881).—*Hab.*
Emerson, Trees & Shrubs Massachusetts, Ed. 2, i. 116 (1875).—*Hab.*
Karsten, Deutsche Fl. Pharm.-medic. Bot. 319 (1880–83).
Schilling, Grundr. Naturg. ii. Pflanzenr. Ausgb. A, p. 283 (1882); Ausgb. B, p. 298 (1884).—*Hab.*
Baillon, Traité Bot. Méd. Phan. ii. 1361 (1884).
Woods & Forests, i. 513, 515 (1884).
Hempel & Wilhelm, Bäume u. Sträuch. i. 196 (1889).
Pflanzenfam. ii. 1. 99 (1889).
Kerner, Pflanzenleben, ii. 437 (1891).—*Fr.*
Beissner, Handb. Nadelholzk. 101 (1891); Ed. 2, p. 577 (1909).
Baillon, Hist. Pl. xii. 4 (1894).—*Fl.*
Fiori & Paol. Ic. Fl. Ital. 11 (1895).

CUPRESSUS
sempervirens
Karsten, Fl. Deutschl. i. 320 (1895).
Kerner & Oliv. Nat. Hist. Pl. ii. 443 (1895).
Journ. Linn. Soc., Bot. xxxi. 327 (1896).—*Veg.*
Post, Fl. Syria, Palestine & Sinai, 748 [1896].
Tubeuf, Nadelhölzer, 129, 130 (1897).
Schimper, Pflanzen-Geogr. 550 (1898).
Veitch, Man. Conif. Ed. 2, p. 6, 49 (1900).
Engler & Drude, Veget. Erde, iv. 184 (1901).—*Hab.*
*Penzig, Fl. Litt. Méditerr. t. 144 (1902).
Kirchner, Loew & Schröter, Blütenpfl. Mitteleur. i. Abt. 1. 281–86 (1905).
Bot. Kongr. Wien, I. Exk. t. 2 (1905).—*Hab.*
Coste, Fl. France, iii. 283 (1906).
*Boulger, Familiar Trees, Rev. Ed. iii. 56, 60, 62, 63 [1906–7].
Agric. Gaz. N. S. Wales, xviii. 728 (1907).—*Hab.*
Beille, Bot. Pharm. ii. 13 (1909).
Clinton-Baker, Ill. Conif. ii. 72 (1909).
Groom, Trees & Life Hist. t. 160–64 (1909).
Merino, Fl. Galicia, iii. 434 (1909).
Elwes & Henry, Trees Gr. Brit. & Ireland, v. t. 293, 293 a (1910).—*Hab.*
Velenovsky, Vergl. Morphol. Pfl. iii. 768 (1910).—*Fl.*
Wettstein, Handb. Syst. Bot. Ed. 2, p. 406 (1911).
Bull. Soc. Dendr. France, 1911, p. 40, 148.
Silva Tarouca, Freiland-Nadelhölzer, 13, 94, 131, 175 (1913).
Warburg, Pflanzenwelt, i. 382, 383 (1913).
A. Camus, Cyprès, 16, 28, 29, 31 (1914).
Holmboe, Veg. Cyprus, 299–301 (1914).
Oesterr. Gart.-Zeit. ix. 114 (1914).—*Hab.*
Gard. Chron. Ser. III. lv. 51 (1914); lvii. 78 (1915).
Karsten & Schenck, Veg.-Bild. xiii. t. 7–9 (1915).—*Hab.*
Trotter, Fl. Econ. della Libia, 62 (1915).
Basu, Ind. Med. Pl. t. 922 (1918).
Neger, Nadelhölzer, Ed. 2, p. 127, 128 (1919).
Coltman-Rogers, Conifers & their Characteristics, 158 a (1920).
—— **fastigiata** DC.
Decaisne, Naud. & Hemsl. Trees, Shrubs & Herb. Pl. 449 (1873).—*Hab.*
Karsten & Schenck, Veg.-Bild. iii. t. 23 (1905).—*Hab.*
Möllers Deutsche Gärtn.-Zeit. xxviii. 535 (1913).—*Hab.*
A. Camus, Cyprès, 30, 31, t. 2 (1914).
Madrono in Journ. Calif. Bot. Soc. i. II. 34 (1917).—*Hab.*
—— **horizontalis** Mill.
J. C. Loudon, Arbor. & Frutic. Brit. viii. t. 79 B (1838).
Woods & Forests, i. 514 (1884).
Karsten & Schenck, Veg.-Bild. iii. t. 24 (1905).—*Hab.*
Ness in Bull. Texas Agric. St. No. 105, t. 9 (1908).—*Hab.*
Naturwiss. Zeitschr. Land- & Forst. xii. 463 (1914).—*Hab.*
sinensis Lee
Natal Agric. Journ. vii. 383 (1904).
stricta Mill.
Garden, xxxiii. 3 (1888).—*Hab.*
Thuia Targ.-Tozz.
Targioni-Tozzetti in Ann. Mus. Firenze, ii. t. 9 (1808).
thurifera H. B. K.
Journ. Linn. Soc., Bot. xxxi. 350 (1896).
thyoides Linn.
Wangenheim, Beytr. Forst. Wissensch. t. 2, fig. 4 (1787).
*Duhamel, Arbres & Arbustes, Ed. 2, iii. t. 2 (1806).
*Schkuhr, Bot. Handb. Ed. 2, t. 310 (1808).
*Michaux, Arb. Amer. Sept. iii. t. 2, p. 20 (1813).
*Michaux, N. Amer. Sylva, ii. t. 152 (1819).
*P. W. Watson, Dendr. Brit. ii. t. 156 (1825).
J. C. Loudon, Arbor. & Frutic. Brit. iv. 2475 (1838).
Sargent, Silva N. Amer. x. t. 529 (1896).

CUPRESSUS
thyoides
Dame & Brooks, Trees of New England, t. 12 (1902).
Clinton-Baker, Ill. Conif. ii. 73 (1909).
Elwes & Henry, Trees Gr. Brit. & Ireland, v. t. 311 (1910).—*Hab.*
Bull. Soc. Dendr. France, 1911, p. 40.—*Fr.*
Keeler, Our Native Trees, 491 (1912).—*Veg.*
A. Camus, Cyprès, 71, 72 (1914).
Gard. Chron. Ser. III. lx. 84, 86 (1916).
Rev. Hort. 1916, p. 156.—*Hab.*
—— **andelyensis** Hort.
Rev. Hort. 1916, p. 156.
torulosa D. Don
J. C. Loudon, Arbor. & Frutic. Brit. iv. 2479 (1838).
Paxt. Fl. Gard. i. 167 (1850–51).
Lem. Jard. Fl. i. Misc. 73 (1851).
Fl. des Serres, Ser. I. vii. 193 (1851–52).
Griffith, Ic. Pl. Asiat. t. 372 (1854).
Vidensk. Meddel. Kjöbenhavn, 1864, p. 23 (1865).
Mém. Acad. Sc. Pétersb. Ser. VII. xiii. No. 6, t. 4, fig. 112, 113; t. 5, fig. 114–18 (1869).
Pinetum Brit. ii. 201, 204, t. 35 (1884).
Garden, xxvii. 39 (1885).
Gartenfl. xxxiv. 148 (1885).
Veitch, Man. Conif. Ed. 2, p. 233 (1900).
Agric. Gaz. N. S. Wales, xviii. 730 (1907).—*Hab.*
Elwes & Henry, Trees Gr. Brit. & Ireland, v. t. 294 (1910).—*Hab.*
Wilson, Veg. West. China (Publ. Arn. Arb. No. 2), 192, 194–97 (1911).—*Hab.*
Clinton-Baker, Ill. Conif. iii. 44 (1913).
Silva Tarouca, Freiland-Nadelhölzer, 175, 176, 203 (1913).
A. Camus, Cyprès, 41–44 (1914).
Gard. Chron. Ser. III. lvi. 305 (1914).
Rhodesia Agric. Journ. xii. IV. 504 (1914); xvii. III. 242 (1920).—*Hab.*
Neger, Nadelhölzer, Ed. 2, p. 127 (1919).—*Fr.*
Coltman-Rogers, Conifers & their Characteristics, 158 a (1920).
—— **elegans** Hort.
*Adelaide Bot. Gard. Rep. t. 7 (1889).—*Hab.*
Tournefortii Ten.
*Tenore in Mem. Mat. Fis. Soc. Ital. Sc. xxv. II. 194, t. 1 A, 2 B (1855).

CUPULARIA Gren. & Godr.: *Inula*
graveolens Gren. & Godr.
Reichenbach, Ic. Fl. Germ. xvi. t. 935 (1853).
*Cusin & Ansberque, Herb. Fl. Franç. xii (Composées), t. 195 (1873).
Acloque, Fl. France, 379 (1894).
Cadevall & Sallent, Fl. Catalunya, iii. 302 (1917).
viscosa Gren. & Godr.
Reichenbach, Ic. Fl. Germ. xvi. t. 935 (1853).
*Cusin & Ansberque, Herb. Fl. Franç. xii (Composées), t. 196 (1873).
!Delacour & Gerber in Assoc. Franç. Avanc. Sc. 1901, Ajaccio, Pt. 2, p. 441 (1902).
Cadevall & Sallent, Fl. Catalunya, iii. 303 (1917).

CURANGA Juss.—Vide *Synphyllium*
amara Juss.
Basu, Ind. Med. Pl. t. 697 (1918).
fel-terrae Merr.
Rumphius, Herb. Amboin. v. t. 170, fig. 1 (1747); fide Merrill, Interpret. Rumph. Herb. Amboin.

CURATELLA Linn.
alata Vent.
Ventenat, Choix Pl. t. 49 (1803).
americana Linn.
Aublet, Hist. Pl. Guiane Franç. iv. t. 232 (1775).
Lamarck, Ill. iii. t. 479 (1797).
Mart. Fl. Bras. xiii. I. t. 15 (1863).
Baillon, Hist. Pl. i. 106 (1867–69).—*Fl.*
Pflanzenfam. ii. I. 158 (1889); iii. VI. 104 (1893).—*Fl.*
Arbor. Amaz. Mus. Goeldi, Para, t. 22, 27 (1900).—*Hab.*
cambaiba St.-Hil.
St.-Hilaire, Pl. Usuelles Brés. t. 24 (1824–28).

CURCAS Adans.: *Jatropha*
purgans Medic.
Lindley, Med. & Oecon. Bot. 86 (1849).—*Veg.*
Baillon, Euphorb. t. 19, fig. 10, 11 (1858).—*Fr.*
Hager, Handb. Pharm. Prax. Ed. Nov. iii. 380 (1887).—*Fr.*

CURCULIGO Gaertn.—Vide *Fabricia* Thunb.
brevifolia Dryand.
Wight, Ic. Pl. Ind. Or. vi. t. 2043 (1853).
capitulata O. Kuntze
Rumphius, Herb. Amboin. vi. t. 53 (1750); fide Merrill, Interpret. Rumph. Herb. Amboin.
ensifolia R. Br.
Makino, Ill. Fl. Jap. i. t. 62 (1891).
firma Kotschy & Peyr.
Kotschy & Peyritsch, Pl. Tinneanae, t. 22 (1867).
latifolia Dryand.
*Bot. Mag. xlvi. t. 2034 (1818).
*Bot. Reg. ix. t. 754 (1823).
L. H. Bailey, Stand. Cycl. Hort. 916 (1914).—*Hab.*
malabarica Wight
Wight, Ic. Pl. Ind. Or. vi. t. 2043 (1853).
orchoides Gaertn.
Rheede, Hort. Mal. xii. t. 59 (1703); fide Fl. Brit. Ind. vi. 279.
Rumphius, Herb. Amboin. vi. t. 54, fig. 1 (1750); fide Merrill, Interpret. Rumph. Herb. Amboin.
Gaertner, Fruct. i. t. 16 (1788).—*Fr.*
*Roxburgh, Pl. Coromandel, i. t. 13 (1795).
*Joh. Kerner, Hort. Sempervir. t. 202 (1806).
*Bot. Mag. xxvii. t. 1076 (1808).
Herbert, Amar. t. 1, fig. 30, 31 (1837).—*Fr.*
Schnizlein, Iconogr. i. t. 63 (1843).—*Fr.*
Lindley, Veg. Kingd. 154 (1846).—*Fr.*
!Gard. Chron. xxiii. 249 (1885).—*Veg.*
Fyson, Fl. Nilgiri & Pulney Hill-tops, ii. 260 (1915).
Basu, Ind. Med. Pl. t. 956 (1918).
plicata Dryand.
*Bot. Reg. iv. t. 345 (1819).
*Schnizlein, Iconogr. i. t. 63 (1843).—*Fl.*
*Marloth, Fl. S. Africa, iv. t. 33, p. 120 (1915).
—— **glabra** Hort.
*J. W. Loudon, Ladies' Fl.-Gard. Ornam. Bulb. Pl. t. 25 (1841).
recurvata Dryand.
*Bot. Reg. ix. t. 770 (1824).
*Cogniaux & March. Pl. Orn. i. t. 20 (1873).—*Veg.*
Gartenfl. xxii. t. 771 (1873); xxiii. 181 (1874).
Garden, v. 467 (1874).—*Hab.*
Rev. Hort. Belge, viii. 9 (1882); xxxiv. 176–77 (1908).—*Hab.*
Koorders, Exkursionsfl. Java, i. 304 (1911).
—— **variegata** Hort.
Journ. Hort. xlix. 37 (1873).
scorzonerifolia Baker
Plumier, Pl. Amer. Ed. Burm. t. 108, fig. 2 (1757); fide Urban, Fedde Repert. Beih. v. 61.
stans Labill.
Labillardière, Sert. Austr.-Caled. t. 24 (1824).
sumatrana Roxb.
*Lodd. Bot. Cab. v. t. 443 (1820).
Wight, Ic. Pl. Ind. Or. vi. t. 2042 (1853).
Pflanzenfam. ii. v. 121 (1888).

CURCUMA Linn.
aeruginosa Roxb.
*Roscoe, Monandr. Pl. Scitam. t. 106 (1828).
Horaninow, Monogr. Scitam. t. 3 (1862).
Valeton in Bull. Jard. Bot. Buitenzorg, Ser. II. No. xxvii. t. 3, 7 (1918).
albiflora Thw.
*Bot. Mag. xcvii. t. 5909 (1871).
amada Roxb.
*Roscoe, Monandr. Pl. Scitam. t. 99 (1828).
Basu, Ind. Med. Pl. t. 937 (1918).
amarissima Rosc.
*Roscoe, Monandr. Pl. Scitam. t. 101 (1828).
angustifolia Roxb.
*Roxburgh in Asiatick Researches, xi. t. 5 (1810).
*Archer, Popular & Econ. Bot. et Profitable Pl. t. 11, fig. 54, 55 (1853).
Belg. Hort. vi. 287, fig. 71 (1856).—*Hab.*
Pflanzenfam. ii. VI. 11 (1889).—*Veg.*

CURCUMA
angustifolia
Pflanzenreich, Zingiberac. 2 (1904).—*Veg.*
Tschirch, Handb. Pharmakog. ii. 175 (1910).—*Veg.*
Basu, Ind. Med. Pl. t. 934 (1918).
aromatica Salisb.
*Salisbury, Parad. Londin. ii. 1. t. 96 (1807).
*Roscoe, Monandr. Pl. Scitam. t. 103 (1828).
*Nees, Pl. Offic. Suppl. t. 10 (1833).
Schnizlein, Iconogr. i. t. 68 (1849).—*Fl.*
Wight, Ic. Pl. Ind. Or. vi. t. 2005 (1853).
Berg, Charakt. t. 14, fig. 140 (1861).
Horaninow, Monogr. Scitam. t. 3 (1862).—*Fl.*
*Berg & Schmidt, Darst. u. Beschr. Offiz. Gewächse, iv. t. 34, a (1863).
Karsten, Deutsche Fl.; Pharm.-medic. Bot. 469 (1880–83).—*Fl.*
Karsten, Fl. Deutschl. i. 487 (1895).—*Fl.*
Somoku Dzusetsu, Ed. Makino (Iconogr. Pl. Nippon), i. t. 4 (1907).
Wettstein, Handb. Syst. Bot. Ed. 2, p. 831 (1911).—*Fl.*
Basu, Ind. Med. Pl. t. 935 (1918).
aurantiaca Van Zijp
Rec. Trav. Bot. Neerl. xii. t. 2, p. 344 (1915).
Valeton in Bull. Jard. Bot. Buitenzorg, Ser. II. No. xxvii. t. 2, 3, 9 (1918).—*Fl.*
australasica Hook. f.
*Bot. Mag. xciii. t. 5620 (1867).
Pflanzenreich, Zingiberac. 107 (1904).
Valeton in Bull. Jard. Bot. Buitenzorg, Ser. II. No. xxvii. t. 3 (1918).—*Fl.*
brog Val.
Valeton in Bull. Jard. Bot. Buitenzorg, Ser. II. No. xxvii. t. 24 (1918).—*Fl.*
caesia Roxb.
Basu, Ind. Med. Pl. t. 936 (1918).
caulina J. Grah.
Journ. Bombay Nat. Hist. Soc. ii. 140 (1887).
colorata Val.
Valeton in Bull. Jard. Bot. Buitenzorg, Ser. II. No. xxvii. t. 5, 25 (1918).
cordata Wall.
*Wallich, Pl. Asiat. Rar. i. t. 10 (1830).
*Ann. Gand, v. t. 254 (1849).
*Bot. Mag. lxxv. t. 4435 (1849).
*Fl. des Serres, Ser. I. v. t. 448 (1849).
domestica Val.
Valeton in Bull. Jard. Bot. Buitenzorg, Ser. II. No. xxvii. t. 4, 22 (1918).
elata Roxb.
*Roscoe, Monandr. Pl. Scitam. t. 104 (1828).
euchroma Val.
Valeton in Bull. Jard. Bot. Buitenzorg, Ser. II. No. xxvii. t. 26 (1918).—*Fl.*
ferruginea Roxb.
*Roscoe, Monandr. Pl. Scitam. t. 105 (1828).
Heyneana Valet. & van Zijp
Rec. Trav. Bot. Neerl. xiv. t. 12 (1917).
Valeton in Bull. Jard. Bot. Buitenzorg, Ser. II. No. xxvii. t. 5 (1918).—*Veg.*
latiflora Val.
Nova Guinea, viii. t. 179 (1913).—*Fl.*
latifolia Rosc.
*Roscoe, Monandr. Pl. Scitam. t. 108 (1828).
leucorrhiza Roxb.
*Roscoe, Monandr. Pl. Scitam. t. 102 (1828).
Linnaea, xvii. t. 8, fig. 67, 68, 70–72 (1843).
longa Linn.
Rheede, Hort. Mal. xi. t. 11 (1692); fide Fl. Brit. Ind. vi. 214.
Rumphius, Herb. Amboin. v. t. 67 (1747); fide Merrill, Interpret. Rumph. Herb. Amboin.
Kwa-wi [transl. Savatier], Herb. iv. t. 2 (1759).
Garsault, Descr. Pl. & Anim. i. t. 12 A (1767); fide Thellung.—*Hab.*
*Regnault, Bot. iii. 150 (1774).
*Bergius, Mat. Med. i. 5, t. 421 (1778).
*Zorn, Ic. Pl. Med. v. t. 421 (1784).
*Plantarum Indig. & Exot. Ic. ii [t. 79] (1789).
*Woodville, Med. Bot. ii. t. 132 (1792); Ed. 3, iv. t. 252 (1832).
*Oskamp, Afb. Artseny-Gewass. iv. t. 323 (1800).
*Trattinick, Ausg. Taf. Arch. ii. t. 198 a, 198 b (1813).

CURCUMA
longa
*Chaumeton, Fl. Méd. iii. t. 143 (1816).
*Redouté, Liliac. viii. t. 473 (1816).
Trattinick, Arch. iii. t. 201 (2 fol.) (1817).
*Vietz, Ic. Pl. Med.-oec.-techn. vi. t. 457 (1817).
*Bot. Reg. xi. t. 886 (1825).
*Wagner, Pharm.-Med. Bot. ii. t. 131, 132 (1829).
*Zenker & Schenk, Merkant. Waarenk. ii. t. 30 (1832).
*Schlechtendal & Guimpel, Abb. Pharm. Boruss. Gew. iii. t. 258 (1837).
Lindley, Med. & Oecon. Bot. 48 (1849).
*Cassone, Fl. Med.-Farm. vi. t. 538 (1852).
Honigberger, Thirty-five Years East, ii. t. 5 (1852).
*Archer, Popular & Econ. Bot. et Profitable Pl. t. 13, fig. 65 (1853).—*Veg.*
Horaninow, Monogr. Scitam. t. 3 (1862).
*Artus, Atlas Pharm. Deutschl. Aufg. Offic. Gew. t. 271 [1862–74].
*Réveil, Règne Vég. viii. t. 43 (1870).
Somoku Dzusetsu, Ed. 2, i. t. 3 (1874).
*Bentley & Trim. Med. Pl. iv. t. 269 (1876).
*C. Hoffmann, Pflanzenatlas, t. 2, fig. 4 (1881).
Hager, Handb. Pharm. Prax. Ed. Nov. i. 989 (1887).—*Veg.*
*Köhler, Med. Pfl. i [t. 65] (1887).
Duthie & Fuller, Field & Gard. Crops, t. 77 (1893).
*Useful Pl. Jap. ii. t. 379, 463 (1895) in ic.; *C. longa macrophylla* in textu, p. 104.
Sadebeck, Kulturg. Deutsch. Kolon. Erzeugn. 175 (1899).
*De Janville, Pl. Utiles Pays Chauds, t. 50 (1902).
Pflanzenreich, Zingiberac. 24 (1904).—*Veg.*
Bull. Écon. Indo-Chine, N. Ser. xlviii. 1151 (1905).
Somoku Dzusetsu, Ed. Makino (Iconogr. Pl. Nippon), i. t. 3 (1907).
Crevost & Lemarié, Cat. Prod. Indochine, i. 303 (1917).—*Veg.*
Basu, Ind. Med. Pl. t. 937 (1918).
Valeton in Bull. Jard. Bot. Buitenzorg, Ser. II. No. xxvii. t. 1 (1918).
—— **macrophylla** Miq.
Useful Pl. Jap. 104 (1895) in textu; *C. longa* in ic. ii. t. 379.
mangga Val. & van Zijp
Rec. Trav. Bot. Neerl. xiv. t. 13 (1917).
Valeton in Bull. Jard. Bot. Buitenzorg, Ser. II. No. xxvii. t. 6 (1918).—*Veg.*
—— **silvestris** Val.
Valeton in Bull. Jard. Bot. Buitenzorg, Ser. II. No. xxvii. t. 30 (1918).—*Fl.*
meraukensis Val.
Nova Guinea, viii. t. 179 (1913).—*Fl.*
montana Roxb.
*Roxburgh, Pl. Coromandel, ii. t. 151 (1798).
Griffith, Ic. Pl. Asiat. t. 352, fig. 1 (1851).—*Fl.*
neilgherrensis Wight
Wight, Ic. Pl. Ind. Or. vi. t. 2006 (1853).
Fyson, Fl. Nilgiri & Pulney Hill-tops, ii. 259 (1915).
oligantha Trim.
*Trimen, Handb. Fl. Ceylon, iv. t. 92 (1898).
parviflora Wall.
*Wallich, Pl. Asiat. Rar. i. t. 57 (1830).
Schnizlein, Iconogr. i. t. 68 (1849).
petiolata Roxb.
*Roscoe, Monandr. Pl. Scitam. t. 100 (1828).
*Bot. Mag. xcvi. t. 5821 (1870).
L. H. Bailey, Stand. Cycl. Hort. 917 (1914).
Valeton in Bull. Jard. Bot. Buitenzorg, Ser. II. No. xxvii. t. 3, 8, 29 (1918).
Pierreana Gagnep.
Lecomte, Fl. Gén. Indo-Chine, vi. t. 2 (1908).
purpurascens Bl.
Valeton in Bull. Jard. Bot. Buitenzorg, Ser. II. No. xxvii. t. 2, 4, 9, 23 (1918).
Ranadei Prain
Journ. Bombay Nat. Hist. Soc. xi. 464 (1898).
Roscoeana Wall.
*Wallich, Pl. Asiat. Rar. i. t. 9 (1830).

CURCUMA
Roscoeana
*Glenny, Hort. Journ. N. Ser. ii. 221 (1839).
*Paxt. Mag. vii. 1 (1840).
*Horticulteur Univ. ii. 99 (1841).
*Journ. Jard. 1843, p. 103.
*Bot. Mag. lxxviii. t. 4667 (1852).
*Lem. Jard. Fl. iv. t. 327 (1853).
Rev. Hort. Ser. IV. vii. 267 (1858).
Bellair & St.-Léger, Pl. Serre, 625 (1900).—*Hab.*
Pflanzenreich, Zingiberac. 24 (1904).—*Fl.*
A Kert (The Garden), xv. 580 (1909).
rotunda Linn.
*Zorn, Ic. Pl. Med. iii. t. 254 (1781).
*Oskamp, Afb. Artseny-Gewass. iv. t. 322 (1800).
Hager, Handb. Pharm. Prax. Ed. Nov. i. 989 (1887).—*Veg.*
rubescens Roxb.
*Roscoe, Monandr. Pl. Scitam. t. 107 (1828).
soloënsis Val.
Valeton in Bull. Jard. Bot. Buitenzorg, Ser. II. No. xxvii. t. 9 (1918).—*Veg.*
viridiflora Roxb.
Rumphius, Herb. Amboin. v. t. 68 (1747); fide Merrill, Interpret. Rumph. Herb. Amboin.
xanthorrhiza Roxb.
Valeton in Bull. Jard. Bot. Buitenzorg, Ser. II. No. xxvii. t. 8, 28 (1918).
Zedoaria Rosc.
Rheede, Hort. Mal. xi. t. 7 (1692); fide Fl. Brit. Ind. vi. 211.
*Bot. Mag. xxxvii. t. 1546 (1813).
*Trattinick, Ausw. Gartenpfl. ii. t. 130 (1821).
*Roscoe, Monandr. Pl. Scitam. t. 109 (1828).
*Géel, Sert. Bot. Cl. 1 (1828).
*Fl. Med. [Spratt], ii. 121 (1830).
Delle Chiaje, Fl. Med. ii. tab. sine num. (1832).
*Reichenbach, Fl. Exot. i. t. 71 (1834).
*Stephenson & Churchill, Med. Bot. New Ed. ii. t. 107 (1835).
*Schlechtendal & Guimpel, Abb. Pharm. Boruss. Gew. iii. t. 259 (1837).
*Burnett, Pl. Util. iii. 87, b (1847).
*Artus, Atlas Pharm. Deutschl. Aufg. Offic. Gew. t. 272 [1862–74].
Horaninow, Monogr. Scitam. t. 3 (1862).—*Fl.*
*Köhler, Med. Pfl. i [t. 66] (1887).
*Kohl, Off. Pfl. Pharm. Germ. t. 17 (1895).
Basu, Ind. Med. Pl. t. 934 (1918).
Valeton in Bull. Jard. Bot. Buitenzorg, Ser. II. No. xxvii. t. 7, 9, 27 (1918).
Zerumbet Roxb.
*Joh. Kerner, Hort. Sempervir. t. 503 (1818).
*Roxburgh, Pl. Coromandel, iii. t. 201 (1819).
*Nees, Pl. Offic. i. t. 60 (1828).
Lestiboudois in Mém. Soc. Sc. Agric. & Arts, Lille, 1840, t. 3 (1841).—*Fl.*
Ann. Sc. Nat. Paris, Ser. II. xv. t. 19 (1841).—*Fl.*
Ann. Jard. Bot. Buitenzorg, xxix. t. 17, fig. 2 (1916).—*Fl.*

CURIMA Cook: *Bactris*
colophylla Cook
Bull. Torr. Bot. Club, xxviii. t. 48 (1901).

CURINILA Roem. & Schult.
Rheedii Roem. & Schult.
Rheede, Hort. Mal. vii. t. 25 (1688); fide Hasskarl, Hort. Mal. Rheed. Clavis, 57.

CURMERIA Linden & André: *Homalomena*
picturata Linden & André
*Cogniaux & March. Pl. Orn. i. t. 2 (1873).—*Veg.*
*Ill. Hort. xx. t. 121 (1873).
*Gartenfl. xxvi. t. 891 (1877).
Roezlii Mast.
Gard. Chron. ii. 804 (1874).
Wallisii Mast.
Gard. Chron. vii. 108 (1877).
Florist, 1877, p. 233.
Ill. Gartenzeit. Stuttgart, xxii. t. 14 (1878).
*Ill. Hort. xxv. t. 303 (1878).
Rev. Hort. 1878, p. 193.—*Veg.*
Sempervirens, x. 92 (1881).

CURRORIA Planch.
decidua Planch.
Engler & Drude, Veget. Erde, ix. 1. 2, p. 551 (1910).

CURTEA Cham. & Schlechtd.—Vide *Schuebleria*
conferta Knobl.
Pflanzenfam. iv. II. 91 (1895).
gentianoides Cham. & Schlechtd.
Linnaea, i. t. 4 (1826).—*Fl.*
Malmeana Gilg
Arkiv Bot. Stockholm, iii. No. 12, t. 1 (1904).
montevidensis Arech.
Arechavaleta in An. Mus. Nac. Montevideo, vii. 148 (1911).

CURTISIA Ait.
faginea Ait.
N. L. Burman, Rar. Afr. Pl. t. 82 (1739); fide Harvey, Fl. Cap. iii. 570.
Lamarck, Ill. i. t. 71 (1791).
Harvey, Thes. Cap. ii. t. 124 (1863).
Baillon, Hist. Pl. vii. 167 (1880).—*Fl.*
Baillon, Dict. Bot. ii. 306 (1881).
Pflanzenfam. iii. VIII. 264 (1898).
Sim, For. Fl. Cape Colony, t. 77 (1907).
Engler & Drude, Veget. Erde ix. I. 1, p. 419 (1910).
Pflanzenreich, Cornac. 30 (1910).
Journ. Bot. Soc. S. Africa, iii. t. 1 (1917).—*Veg.*

CURTOPOGON P. Beauv.: *Aristida*
dichotomus P. Beauv.
P. Beauvais, Agrost. t. 8, fig. 7 (1812).—*Fl.*

CUSCUARIA Schott
marantifolia Schott
Schott, Gen. Aroid. t. 80 (1858).

CUSCUTA Linn.—Vide *Engelmannia* Pfeiff., *Lepidanche*
aegyptiaca Trab.
Bull. Soc. Bot. France, lix. 491, t. 12 (1912).
alba Presl
Reichenbach, Ic. Fl. Germ. xviii. t. 1343 (1858).
*Cusin, Herb. Fl. Franç. xvi (Convolvulacées), t. 19 (1875).
Coste, Fl. France, ii. 575 (1903).
Glück, Biol. u. Morph. Wasser- u. Sumpfgew. iii. 117 (1911).
—— **submersa** Glück
Glück, Biol. u. Morph. Wasser- u. Sumpfgew. iii. 114 (1911).—*Veg.*
A. Arber, Water Pl. 199 (1920).—*Veg.*
americana Linn.
Descourtilz, Fl. Pitt. & Méd. Antilles, ii. t. 150 (1822).
Choisy in Mém. Soc. Phys. & Hist. Nat. Genève, ix. t. 4 (1841–42).
Mart. Fl. Bras. vii. t. 126 (1871).
Wettstein, Handb. Syst. Bot. Ed. 2, p. 716 (1911). —*Fr.*
approximata Bab.
*Ann. Nat. Hist. London, xiii. t. 4, fig. 3 (1844); xvi. t. 1 (1845).
*Trans. Bot. Soc. Edinb. ii. t. 9, 21 (1846).
arabica Fres.
Choisy in Mém. Soc. Phys. & Hist. Nat. Genève, ix. t. 1 (1841–42).
Wight, Ic. Pl. Ind. Or. iv. t. 1371 (1848).
arvensis Beyrich
Bull. Torr. Bot. Club, xx. t. 164 (1893).—*Fl.*
Hitchcock & Norton in Bull. Kansas Agric. St. No. 57, t. 11, fig. 118 (1896); No. 66, t. 10, fig. 118 (1897).
Britton & Brown, Ill. Fl. N. States & Canada, iii. 28 (1898); Ed. 2, iii. 49 (1913).
U.S. Dep. Agric. Div. Bot. Circ. No. 14, p. 4 (1898); No. 24, p. 1 (1900).
U.S. Dep. Agric. Farm. Bull. No. 123, p. 3 (1901); No. 260, p. 13, 14 (1906); No. 306, p. 8, 18 (1907).
Landwirtsch. Jahrb. Schweiz. xiv. 42 (1902).
Pammel in Bull. Iowa Agric. St. No. 70, p. 376, 512 (1903); No. 88, p. 65 (1907).—*Fr.*
Selby & Hicks in Bull. Ohio Agric. St. No. 142, t. 2 (1903); No. 175, t. 3 (1906).—*Fr.*
New Zeal. Dep. Agric. Rep. No. 17, p. 272 (1909).—*Fr.*
Wilcox & Stevenson in Bull. Agric. St. Nebraska, xxi. No. 110, p. 28 (1909).—*Fr.*
Coburn, Book Alfalfa, 47 (1910).—*Fr.*

CUSCUTA
arvensis
Beal, Michigan Weeds (Bull. Mich. Agric. Exp. St. No. 267), 392 (1911); et in Ann. Rep. xxv. 381 (1912).
Pammel, Man. Poison. Pl. 700 (1911).
Pammel, Weeds Farm & Gard. 214 (1911).
Pammel in Bull. Iowa Geol. Surv. No. 4, p. 253, 464 (1913).
Coe in Bull. S. Dakota Agric. St. No. 150, p. 435 (1914).
Bull. Appl. Bot. viii. t. 129 (1915).
Journ. New Zeal. Dep. Agric. x. 442 (1915).—*Fr.*
australis R. Br.
*Journ. Dep. Agric. Victoria, iii. t. 2, p. 630 (1905).
F. M. Bailey, Weeds & Poison. Pl. Queensl. 117 (1906).
F. M. Bailey, Compr. Cat. Queensl. Pl. 355 (1909–13).
—— **Cesatiana** Bertol.
Fiori & Paol. Ic. Fl. Ital. 337 (1902).
babylonica Auch.
Choisy in Mém. Soc. Phys. & Hist. Nat. Genève, ix. t. 1 (1841–42).
breviflora Vis.
Coste, Fl. France, ii. 574 (1903).
californica Choisy
Journ. Hort. Soc. London, iii. 167 (1848).
Cottage Gard. xx. 9 (1858).
Journ. Hort. xliv. 269 (1870).
calycina Webb & Berth.
Webb & Berth. Hist. Nat. Iles Canar. iii. Phytogr. III. t. 142 (1836–50).
capensis Choisy
Choisy in Mém. Soc. Phys. & Hist. Nat. Genève, ix. t. 1 (1841–42).
Harvey, Thes. Cap. i. t. 39 (1859).
cassythoides Nees
Harvey, Thes. Cap. ii. t. 119 (1863).
Wood, Natal Pl. vi. II. t. 534 (1910).
Cephalanthi Engelm.
Amer. Journ. Sc. xliii. t. 6, fig. 1–6 (1842).—*Fl.*
Hooker, London Journ. Bot. ii. t. 3 (1843).—*Fl.*
Bull. Torr. Bot. Club, xx. t. 164 (1893).—*Fl.*
Britton & Brown, Ill. Fl. N. States & Canada, iii. 29 (1898); Ed. 2, iii. 50 (1913).
chilensis Ker-Gawl.
*Bot. Reg. vii. t. 603 (1822).
Bot. Zeitung, iv. t. 1, fig. 10 (1846).—*Fl.*
Journ. Hort. Ser. III. xiii. 580 (1886); xl. 57 (1900); li. 163 (1905).—*Hab.*
Pammel & King in Bull. Iowa Geol. Surv. No. 4, p. 465 (1913).—*Fr.*
chinensis Lam.
Wight, Ic. Pl. Ind. Or. iv. t. 1373 (1848).
—— **minor** Choisy
Choisy in Mém. Soc. Phys. & Hist. Nat. Genève, ix. t. 3 (1841–42).—*Fl.*
compacta Juss.
Choisy in Mém. Soc. Phys. & Hist. Nat. Genève, ix. t. 4 (1841–42).
Bull. Torr. Bot. Club, xx. t. 165 (1893).—*Fl.*
Britton & Brown, Ill. Fl. N. States & Canada, iii. 31 (1898); Ed. 2, iii. 52 (1913).
corniculata racemulosa Engelm.
Mart. Fl. Bras. vii. t. 127 (1871).
—— **sphaerocyma** Engelm.
Mart. Fl. Bras. vii. t. 127 (1871).
Coryli Engelm.
Amer. Journ. Sc. xliii. t. 6, fig. 7–9, 11 (1842). —*Fl.*
Hooker, London Journ. Bot. ii. t. 3 (1843).—*Fl.*
Bull. Torr. Bot. Club, xx. t. 164 (1893).—*Fl.*
Britton & Brown, Ill. Fl. N. States & Canada, iii. 29 (1898); Ed. 2, iii. 50 (1913).
Amer. Journ. Bot. iii. 186, 187 (1916).—*Fl.*
—— **stylosa** Engelm.
Amer. Journ. Sc. xliii. t. 6, fig. 10 (1842).—*Fl.*
corymbosa Ruiz & Pav.
Ruiz & Pavon, Fl. Peruv. & Chil. i. t. 105 (1798).
Bot. Zeit. iv. t. 1, fig. 9 (1846).—*Fl.*
Cusin, Herb. Fl. Franç. xvi (Convolvulacées), t. 20 (1875).
Coste, Fl. France, ii. 574 (1903).
—— **grandiflora** Engelm.
Mart. Fl. Bras. vii. t. 126 (1871).

CUSCUTA
cristata Engelm.
*Bettfreund, Fl. Argentina, i. t. 19 (1898).
cuspidata Engelm. & Gray
Bull. Torr. Bot. Club, xx. t. 165 (1893).—*Fl.*
Britton & Brown, Ill. Fl. N. States & Canada, iii. 30 (1898); Ed. 2, iii. 51 (1913).
F. E. & E. S. Clements, Rocky Mt. Fl. t. 20 (1914).
decora pulcherrima Engelm.
Mart. Fl. Bras. vii. t. 127 (1871).
densiflora Soyer-Willem.
Cosson & Germ. Fl. Paris, Atlas, t. 14 (1845).
Reichenbach, Ic. Fl. Germ. xviii. t. 1342 (1858).
*Cusin, Herb. Fl. Franç. xvi (Convolvulacées), t. 15 (1875).
Engelmannii Korsch.
Karsten & Schenck, Veg.-Bild. iii. t. 12 (1905). —*Hab.*
Epilinum Weihe
Reichenbach, Pl. Crit. v. t. 500 (1827).
*Fl. Dan. xii. t. 1987 (1830).
Mutel, Fl. Française, t. 37 (1834).—*Fl.*
*Zenker, Fl. Thüringen, viii. t. 929 (1836–55).
*Sowerby & Sm. Engl. Bot. Suppl. iii. t. 2850 (1843).
*Kops, Fl. Batava, viii. t. 582 (1844).
*Lorek, Fl. Pruss. Ed. 3, t. 68, fig. 380 B (1848).
Agardh, Theor. Syst. Pl. t. 26 (1858).—*Fl.*
Johnson & Sowerby, Brit. Wild Fl. fig. 829 (1858–60).
Bentham, Handb. Brit. Fl. fig. 683 (1865).
*Syme, Engl. Bot. vi. t. 926 (1866).
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, iv. t. 141 [1873].
Nobbe, Handb. Samenkunde, 187, 474, 477 (1876).
De Silvestri, Piante Prat. 220 (1879).
L. Koch, Klee & Flachsseide, t. 1 (1880).
Wagner, Ill. Deutsche Fl. Ed. 2, p. 535 (1882).
Willkomm, Führ. Reich Pflanzen, 515 (1882). —*Fl.*
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xvi. t. 1593 (1884).
Harz, Samenkunde, ii. 759 (1885).—*Fr.*
Pflanzenfam. iv. III. A. 37 (1891).—*Veg.*
Bull. Torr. Bot. Club, xx. t. 164 (1893).—*Fl.*
Bull. Soc. Bot. Belg. xxxiii. 168 (1894).—*Veg.*
Britton & Brown, Ill. Fl. N. States & Canada, iii. 27 (1898); Ed. 2, iii. 48 (1913).
Henderson in Bull. Idaho Agric. St. t. 8 (1898). —*Hab.*
Fiori & Paol. Ic. Fl. Ital. 337 (1902).
Coste, Fl. France, ii. 574 (1903).
*Journ. Board Agric. xiii. 334 (1906).
Board Agric. & Fish. Leaflet No. 180, t. 2 (1907).
U.S. Dep. Agric. Farm. Bull. No. 306, p. 16 (1907).—*Fr.*
Agric. Res. Inst. Pusa, Bull. No. xi. 4 (1908).
Rec. Instit. Bot. Errera, iii. 266 (1908).
Heukels, Fl. Nederl. iii. 74 (1909).
Fedtschenko & Fler. Fl. Eur. Russia, 768 (1910).
Wettstein, Handb. Syst. Bot. Ed. 2, p. 716 (1911). *Veg.*
Beal, Michigan Weeds (Bull. Mich. Agric. Exp. St. No. 267), 392 (1911); et in Ann. Rep. xxv. 381 (1912).
Rhodesia Agric. Journ. viii. v. 690 (1911).
Pammel in Iowa Geol. Surv. Bull. No. 4, p. 253 (1913).
Klein, Unsere Unkräuter, 103 (1913).
Coe in Bull. S. Dakota Agric. St. No. 150, p. 435 (1914).
Lindman, Svensk Fanerogamfl. 456 (1918).
Fitch & Smith, Ill. Brit. Fl. Ed. rev. 4, Iss. 2, fig. 690 (1919).
Krafft & Fruwirth, Pflanzenb. 142 (1920).—*Fr.*
Kuhnert, Flachs, Ed. 3, p. 43 (1920).—*Hab.*
episonchum Webb & Berth.
Webb & Berth. Hist. Nat. Iles Canar. iii. Phytogr. III. t. 141 (1836–50).
Epithymum Linn.
*Fl. Dan. iii. t. 427 (1769); fide J. A. Murray.
*Zorn, Ic. Pl. Med. iii. t. 239 (1781).
*Plenck, Ic. Pl. Med. i. t. 71 (1788).
*Oskamp, Afb. Artseny-Gewass. iv. t. 302 (1800).
Berchtold & J. S. Presl, Rostlin. ii. t. 23 (1825).

CUSCUTA
Epithymum
Reichenbach, Pl. Crit. v. t. 499 (1827).
Mutel, Fl. Française, t. 36 (1834).—*Fl.*
*Zenker, Fl. Thüringen, xii. t. 1331 (1836–55).
Meigen, Deutschl. Fl. ii. t. 51 (1837).—*Fl.*
[M. E.] Jackson, Pict. Fl. fig. 407 (1840).
*Deakin, Florigr. Brit. i. fig. 409 (1841).
Ann. Nat. Hist. London, xiii. t. 4, fig. 1 (1844); xvi. t. 1 (1845).—*Fl.*
*Kops, Fl. Batava, viii. t. 583 (1844).
Cosson & Germ. Fl. Paris, Atlas, t. 14 (1845).
Trans. Bot. Soc. Edinb. ii. t. 9, 21 (1846).—*Fl.*
*Lorek, Fl. Pruss. Ed. 3, t. 68, fig. 380 A (1848).
Ann. Hort. iv. 365 (1849).
Petermann, Deutschl. Fl. t. 61, fig. 479, q, r (1849).—*Fl.*
Schnizlein, Iconogr. ii. t. 144** (1856–65).—*Fl.*
Chatin, Anat. Vég. Atlas, t. 1 (1856–91).
Johnson & Sowerby, Brit. Wild Fl. fig. 828 (1858–60).
Reichenbach, Ic. Fl. Germ. xviii. t. 1343 (1858).
Bentham, Handb. Brit. Fl. fig. 684 (1865).
*Syme, Engl. Bot. vi. t. 928 (1866).
*Hogg & Johnson, Wild Fl. Gr. Brit. iii. t. 176 (1866).
Cesati, Passer. & Gibelli, Comp. Fl. Ital. t. 60 (1867–86).—*Fl.*
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, iv. t. 141 [1873].
*Cusin, Herb. Fl. Franç. xvi (Convolvulacées), t. 17 (1875).
L. Koch, Klee & Flachsseide, t. 1, 2 (1880).
Müller in Verh. Naturhist. Ver. Preuss. Rheinl. & Westfalens, xxxix. 1. t. 1 (1882).—*Fl.*
Wagner, Ill. Deutsche Fl. Ed. 2, p. 534 (1882).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xvi. t. 1590 (1884).
Harz, Samenkunde, ii. 759 (1885).—*Fr.*
Potonié, Ill. Fl. Nord- u. Mittel-Deutschl. Ed. 4, fig. 477 (1889).
Baillon, Hist. Pl. 315, 316 (1891).—*Fl.*
G. Beck, Fl. Nied.-Oesterr. ii. II. 946 (1893).—*Fl.*
Bot. Jaarb. Gent, v. 331 (1893).—*Fl.*
Bull. Torr. Bot. Club, xx. t. 164 (1893).—*Fl.*
Acloque, Fl. France, 467 (1894).
Brehm, Merv. Nat. Monde des Pl. ii. 290 (1894–96).
Selby in Bull. Ohio Agric. St. No. 83, p. 326 (1897); No. 142, t. 2 (1903); No. 175, t. 3, p. 348 (1906).
Britton & Brown, Ill. Fl. N. States & Canada, iii. 28 (1898); Ed. 2, iii. 49 (1913).
U.S. Dep. Agric. Div. Bot. Circ. No. 14, p. 2 (1898).
Mirande in Bull. Sc. France & Belg. xxxiv. t. 1 (1901).—*Veg.*
Agric. Journ. Cape Good Hope, xix. 813 (1901); xxx. 776 (1907).
Fiori & Paol. Ic. Fl. Ital. 337 (1902).
C. T. Green, Fl. Liverpool Distr. fig. 446 (1902).
Warming, Handb. Syst. Bot. Ed. Möbius, 398 (1902).—*Fr.*
Coste, Fl. France, ii. 575 (1903).
Pammel in Bull. Iowa Agric. St. No. 70, p. 376 (1903).
U.S. Dep. Agric. Farm. Bull. No. 194, p. 12 (1904); No. 215, p. 38 (1905); No. 260, p. 14 (1906); No. 306, p. 17 (1907).
*Masclef, Pl. Eur. t. 61 (1905).
*Step, Wayside & Woodl. Bloss. New Ed. ii. t. 14 (1905).
Merino, Fl. Galicia, ii. 141 (1906).
*Clark & Fletcher, Farm Weeds Canada, t. 54, fig. 34 (1906); Ed. 2, t. 45, 74, fig. 56 (1909).
New Zealand Dep. Agric. Rep. No. 14, p. 373 (1906); No. 17, p. 272 (1909).
Agric. Prat. Pays Chauds, vii. 1. 151 (1907).—*Hab.*
Lazaro, Comp. Fl. Españ. ii. 489 (1907).
Gregory in Bull. Iowa Agric. St. No. 99, p. 11 (1908).—*Fr.*
Ontario Dep. Agric. Bull. No. 168, p. 20, 21 (1908); No. 188, p. 19, 93 (1911).
Stewart, French, & Wilson in Bull. New York Agric. St. No. 305, t. 2–5 (1908).
Beille, Bot. Pharm. ii. 1001 (1909).

CUSCUTA
Epithymum
Black, Nat. Fl. S. Australia, 109 (1909).
*Ewart & Tovey, Weeds, Poison. Pl. & Nat. Aliens Victoria, 46 (1909).
*Journ. Dep. Agric. Victoria, vii. t. 32, p. 32 (1909).
Heukels, Fl. Nederl. iii. 73 (1909).
Wilcox & Stevenson in Bull. Agric. St. Nebraska, xxi. No. 110, p. 28 (1909).—*Fr.*
Coburn, Book Alfalfa, 47 (1910).—*Fr.*
Velenovsky, Vergl. Morphol. Pfl. iii. 1031 (1910).—*Fl.*
Fedtschenko & Fler. Fl. Eur. Russia, 766 (1910).
Beal, Michigan Weeds (Bull. Mich. Agric. Exp. St. No. 267), 392 (1911); et in Ann. Rep. xxv. 381 (1912).
Wettstein, Handb. Syst. Bot. Ed. 2, p. 716 (1911).
Pammel, Man. Poison. Pl. 701 (1911).
Pammel, Weeds Farm & Gard. 34, 213 (1911).
*H. S. Thompson, Sub-Alp. Pl. t. 10 (1912).
Pammel in Iowa Geol. Surv. Bull. No. 4, p. 251, 253, 465 (1913).
Coe in Bull. S. Dakota Agric. St. No. 150, p. 435 (1914).
A. Georgia, Manual Weeds, t. 226 (1914).
Naturwiss. Zeitschr. Land- & Forst. xii. 439 (1914).—*Hab.*
*Perrin & Boulger, Brit. Flower. Pl. iv. t. 226, 234 [B], fig. 1–7 (1914).
Horwood, Plant Life Brit. Isles, iii. 124 (1915).
Journ. New Zealand Dep. Agric. x. 441 (1915).—*Fr.*
Lindman, Svensk Fanerogamfl. 456 (1918).
Horwood, Brit. Wild Fl. v. 106 (1919).
Fitch & Smith, Ill. Brit. Fl. Ed. rev. 4, Iss. 2, fig. 691 (1919).
—— **obtusiflora** Engelm.
Reichenbach, Ic. Fl. Germ. xviii. t. 1343 (1858).
—— **rubricaulis** Engelm.
Reichenbach, Ic. Fl. Germ. xviii. t. 1343 (1858).
—— **Trifolii** Bab.
Reichenbach, Ic. Fl. Germ. xviii. t. 1343 (1858).
Heukels, Fl. Nederl. iii. 73 (1909).
Suireishchikov, Ill. Fl. Mosc. Gov. iv. 138 (1914).
europaea Linn.
*Fl. Dan. ii. t. 199 (1765).
Hill, Herb. Brit. ii. t. 133 (1770).
*Regnault, Bot. iii. 137 (1774).
*Zorn, Ic. Pl. Med. iii. t. 238 (1781).
Gaertner, Fruct. i. t. 62 (1788).—*Fr.*
Hoppe, Ect. Pl. Ratisb. t. 288 (1788).
*Plenck, Ic. Pl. Med. i. t. 70 (1788).
*Sowerby & Sm. Engl. Bot. i. t. 55 (1790); vi. t. 378 (1797).
*Joh. Kerner, Abbild. Oek. Pfl. (Fig. Pl. Écon.), iv. t. 348 (1791).
Lamarck, Ill. i. t. 88 (1791).
*Oskamp, Afb. Artseny-Gewass. iv. t. 301 (1800).
*Sturm, Deutschl. Fl. iii. X [t. 156] (1801).
*Svensk Bot. v. t. 352 (1807).
*Schkuhr, Bot. Handb. Ed. 2, t. 27 (1808).
*Hill, Family Herbal, t. 16 (1812); fide Ed. Thornton, Brit. Fl. ii. 80 (1812).
*Vigneux, Fl. Pitt. Envir. Paris, t. 10 (1812).
*Chaumeton, Fl. Méd. iii. t. 144 (1816).
Dict. Sc. Nat., Planch. Bot. Dicot. t. 49 (1816–29).
*Vietz, Ic. Pl. Med.-oec.-techn. vi. t. 458 (1817).
*Curtis, Fl. Londin. Ed. 2, iv. t. 67 (1819–21).
*Waller, New Brit. Domest. Herb. 12 (1822).
Reichenbach, Pl. Crit. v. t. 497 (1827).
*Heger, Danske Oec. Pl. i. t. 72 (1828).
*Baxter, Brit. Bot. Ed. 2, i. t. 18 (1834).
Loudon, Mag. Nat. Hist. viii. 634 (1835).
Mutel, Fl. Française, t. 36 (1836).—*Fl.*
*Zenker, Fl. Thüringen, viii. t. 926 (1836–55).
[M. E.] Jackson, Pict. Fl. fig. 406 (1840).
*Deakin, Florigr. Brit. i. fig. 410 (1841).
Ann. Nat. Hist. London, xiii. t. 4, fig. 4 (1844).—*Fl.*
*Plée, Types chq. Famille Pl. France, t. 69 (1844).
Nees, Gen. Pl., Gamop. i. t. 65 (1845).
Lindley, Veg. Kingd. 633 (1846).—*Fl.*
Bot. Zeit. iv. t. 1, fig. 12, 13 (1846).—*Fl.*
Trans. Bot. Soc. Edinb. ii. t. 9 (1846).—*Fl.*
*Lorek, Fl. Pruss. Ed. 3, t. 68, fig. 379 (1848).

CUSCUTA
europaea
*Petermann, Deutschl. Fl. t. 61, fig. 479, a–p (1849).
*Cassone, Fl. Med.-Farm. iv. t. 354 (1850).
Album Natuur, 300 (1854).
*Schnizlein, Iconogr. ii. t. 144** (1856–65).
Irvine, Illustr. Handb. Brit. Pl. 474 (1858).
Johnson & Sowerby, Brit. Wild Fl. fig. 827 (1858–60).
Berg, Charakt. t. 38, fig. 296 (1861).
*Argenta, Album Fl. Med.-Farm. ii. t. 212 (1863).
Bentham, Handb. Brit. Fl. fig. 682 (1865).
*Schubert, Naturg., Pflanzenreich, Ed. 2, t. 8, fig. 8 [1865].
*Syme, Engl. Bot. vi. t. 927 (1866).
Cesati, Passer. & Gibelli, Comp. Fl. Ital. t. 60 (1867–86).—*Fl.*
*Réveil, Règne Vég. iii. t. 24; xvi. t. 31 (1870).
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, iv. t. 141 [1873].
*Cusin, Herb. Fl. Franç. xvi (Convolvulacées), t. 16 (1875).
Nobbe, Handb. Samenkunde, 477 (1876).—*Fr.*
*Hogg & Johnson, Wild Fl. Gr. Brit. ix. t. 694 (1876).
De Silvestri, Piante Prat. 218 (1879).
Karsten, Deutsche Fl. Pharm.-medic. Bot. 970 (1880–83).
*C. Hoffmann, Pflanzenatlas, t. 22, fig. 134 (1881).
Wagner, Ill. Deutsche Fl. Ed. 2, p. 534 (1882).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xvi. t. 1589 (1884).
Harz, Samenkunde, ii. 759 (1885).—*Fr.*
*Kerner, Pflanzenleben, i. 160, 162 (1887); Ed. 3, i. 356–58 (1913).
Potonié, Ill. Fl. Nord- u. Mittel-Deutschl. Ed. 4, fig. 478 (1889).
*Thomé, Fl. Deutschl. iv. t. 479 (1889).
Paolucci, Fl. Marchig. t. 20 (1890).
*Heathcote, Fl. Engadine, t. 162 (1891).
Pflanzenfam. iv. III. A. 37 (1891).—*Fr.*
Schwarz, Forstl. Bot. 356 (1892).
Kerner & Oliv. Nat. Hist. Pl. i. 173, 175 (1894).
Garcke, Ill. Fl. Deutschl. 417 (1895).
Karsten, Fl. Deutschl. ii. 545 (1895).
Step, Wayside & Woodl. Bloss. t. 71 (1895).
Schimper, Pflanzen-Geogr. 220 (1898).
Gradmann, Pflanzenl. Schwäb. Alb, Ed. 2, p. 211 (1900).
Kühn, Teufelszwirn, 22 (1900).—*Hab.*
Mirande in Bull. Sc. France & Belg. xxxiv. 15, 215, 225, t. 2 (1901).
Lindman, Bild. Nord. Fl. t. 106 (1901–5).
Fiori & Paol. Ic. Fl. Ital. 337 (1902).
Warming, Handb. Syst. Bot. Ed. Möbius, 398 (1902).
Coste, Fl. France, ii. 574 (1903).
*Sturm, Fl. Deutschl. Ed. 2, xi. t. 2 (1903).
F. M. Bailey, Weeds & Poison. Pl. Queensland, 120 (1906).
Blytt, Haandb. Norg. Fl. Ed. Dahl, 584 (1906).
*Kirby, Brit. Fl. Pl. t. 61 (1906).
Amer. Nat. xlii. 26 (1908).
Heukels, Fl. Nederl. iii. 71, 73 (1909).
Fedtschenko & Fler. Fl. Eur. Russia, 767 (1910).
Rec. Instit. Bot. Errera, vii bis Annexe, fig. 396 (1910).—*Hab.*
Scient. Proc. Roy. Dublin Soc. N. Ser. xii. t. 23 (1910).—*Fr.*
Suireishchikov, Ill. Fl. Mosc. Gov. iii. 46 (1910).
Bull. Angew. Bot. vii. t. 107 (1914).—*Fr.*
Lindman, Svensk Fanerogamfl. 8 (1918).—*Fl.*
Mayevsky, Fl. Central Russia, 413 (1918).
*Horwood, Brit. Wild Fl. v. t. 57 (1919).
Fitch & Smith, Ill. Brit. Fl. Ed. rev. 4, Iss. 2, fig. 689 (1919).
Krafft & Fruwirth, Pflanzenb. 150 (1920).—*Fr.*
—— **barbuvea** Brot.
Brotero, Phytogr. t. 165 (1827).
—— **Viciae** Engelm.
Harz, Samenkunde, ii. 759 (1885).—*Fr.*
formosana Hayata
Hayata, Ic. Pl. Formosan. ii. t. 30 (1912).

CUSCUTA
glomerata Choisy
Choisy in Mém. Soc. Phys. & Hist. Nat. Genève, ix. t. 4 (1841–42).
Bull. Torr. Bot. Club, xx. t. 165 (1893).—*Fl.*
grandiflora H. B. K.
H. B. K. Nov. Gen. iii. t. 213 (1818).
Grassii Delp.
*Delponte in Mem. Accad. Sc. Torino, Ser. II. xxvi. 167, t. 2 (1871).
Gronovii Willd.
Choisy in Mém. Soc. Phys. & Hist. Nat. Genève, ix. t. 4 (1841–42).
*Meehan, Native Fl. & Ferns U.S. Ser. II. ii. t. 35 (1880).
Harz, Samenkunde, ii. 765 (1885).—*Fr.*
Bull. Torr. Bot. Club, xx. t. 165 (1893).—*Fl.*
Miller & Whiting, Wild Fl. N.E. States, 448 (1895).
Britton & Brown, Ill. Fl. N. States & Canada, iii. 30 (1898); Ed. 2, iii. 51 (1913).
Stewart in Bull. New York Agric. St. No. 164, t. 3 (1899).—*Hab.*
L. H. Bailey, Cycl. Amer. Hort. 418 (1900); Stand. Cycl. Hort. 922 (1914).
Mirande in Bull. Sc. France & Belg. xxxiv. t. 7 (1901).—*Veg.*
Journ. of Bot. xlvi. t. 493 (1908).—*Fl.*
Beal, Michigan Weeds (Bull. Mich. Agric. Exp. St. No. 267), 393 (1911); et in Ann. Rep. xxv. 382 (1912).
Creevey, Harper's Guide Wild Flowers, 434 (1912).
A. Georgia, Manual Weeds, t. 227 (1914).
Amer. Journ. Bot. iii. 186, 187 (1916).—*Fl.*
House, Wild Fl. New York (Mem. No. 15 N.Y. State Mus.), ii. t. 170 (1918).
hyalina Roth
Wight, Ic. Pl. Ind. Or. iv. t. 1372 (1848).
*Wight, Illustr. Ind. Bot. ii. t. 168 bis (1850).—*Fl.*
Hygrophilae H. H. W. Pearson
Hook. Ic. Pl. xxviii. t. 2704 (1901).
inclusa Choisy
Choisy in Mém. Soc. Phys. & Hist. Nat. Genève, ix. t. 2 (1841–42).
incurvata Prog.
Mart. Fl. Bras. vii. t. 126 (1871).
indecora Choisy
Choisy in Mém. Soc. Phys. & Hist. Nat. Genève, ix. t. 3 (1841–42).
Bull. Torr. Bot. Club, xx. t. 164 (1893).—*Fl.*
Britton & Brown, Ill. Fl. N. States & Canada, iii. 29 (1898); Ed. 2, iii. 50 (1913).
U.S. Dep. Agric. Farm. Bull. No. 306, p. 18 (1907).—*Fr.*
Wilcox & Stevenson in Bull. Agric. St. Nebraska, xxi. No. 110, p. 28 (1909).—*Fr.*
Amer. Journ. Bot. iii. 186 (1916).—*Fl.*
intermedia Choisy
Choisy in Mém. Soc. Phys. & Hist. Nat. Genève, ix. t. 2 (1841–42).
japonica Choisy
Mirande in Bull. Sc. France & Belg. xxxiv. 15, 194, 225, t. 1 (1901).
Lecomte, Fl. Gén. Indo-Chine, iv. 312 (1915).
—— **thyrsoidea** Miyoshi
*Miyoshi, Pl. World Jap. 614 (1910).—*Hab.*
lupuliformis Krock.
*Krocker, Fl. Siles. i. t. 36 (1787).
Berchtold & J. S. Presl, Rostlin. ii. t. 23 (1825).
*Fl. Dan. xiii. t. 2224 (1839).
Reichenbach, Ic. Fl. Germ. xviii. t. 1343 (1858).
Nobbe, Handb. Samenkunde, 477 (1876).—*Fr.*
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xvi. t. 1591 (1884).
Harz, Samenkunde, ii. 765 (1885).—*Fr.*
Velenovsky, Vergl. Morphol. Pfl. ii. 309 (1907).—*Veg.*
Suireishchikov, Ill. Fl. Mosc. Gov. iii. 46 (1910).
maior DC.
Cosson & Germ. Fl. Paris, Atlas, t. 14 (1845).
Payer, Organog. Comp. Fl. t. 122 (1857).—*Fl.*
Reichenbach, Ic. Fl. Germ. xviii. t. 1342 (1858).
Migout, Fl. Dépt. Allier, t. 14 (1866).—*Fl.*
Willkomm, Führ. Reich Pflanzen, 515 (1882).—*Fl.*
Baillon, Hist. Pl. x. 314 (1891).

CUSCUTA
maior
*Masclef, Atlas Pl. France, t. 223 (1893).
*Siélain, Atlas Poche Pl. Champs, Prair. & Bois, t. 71 [1894].
micrantha Choisy
Choisy in Mém. Soc. Phys. & Hist. Nat. Genève, ix. t. 1 (1841–42).
microstyla obtusissima Prog.
Mart. Fl. Bras. vii. t. 128 (1871).
minor DC.
Migout, Fl. Dépt. Allier, t. 14 (1866).—*Fl.*
Le Maout & Decaisne, Traité Gén. Bot. 172 (1868).
*Leclerc du Sablon, Nos Fleurs, 108, t. 14 [1892].
monogyna Vahl
*Sibthorp & Sm. Fl. Graeca, iii. t. 257 (1819).
Krocker, Fl. Siles. iv. Suppl. t. 2 (1823).
Reichenbach, Pl. Crit. v. t. 498 (1827).
Mutel, Fl. Française, t. 37 (1834).—*Fl.*
Chatin, Anat. Vég. Atlas, t. 4 (1856–91).
Reichenbach, Ic. Fl. Germ. xviii. t. 1343 (1858).
Gard. Chron. 1859, p. 72.
*Cusin, Herb. Fl. Franç. xvi (Convolvulacées), t. 21 (1875).
Harz, Samenkunde, ii. 765 (1885).—*Fr.*
Pflanzenfam. iv. III. A. 37 (1891).
Fiori & Paol. Ic. Fl. Ital. 337 (1902).
Coste, Fl. France, ii. 573 (1903).
Fedtschenko & Fler. Fl. Eur. Russia, 768 (1910).
nitida C. A. Mey.
Choisy in Mém. Soc. Phys. & Hist. Nat. Genève, ix. t. 2 (1841–42).
obtusiflora H. B. K.
Reichenbach, Ic. Fl. Germ. xviii. t. 1344 (1858).
—— **breviflora** Engelm.
Bull. Angew. Bot. iii. 289; t. 6, p. 302 (1910).
—— **vera** Engelm.
Mart. Fl. Bras. vii. t. 127 (1871).
odorata Ruiz & Pav.
Ruiz & Pavon, Fl. Peruv. & Chil. i. t. 105 (1798).
Choisy in Mém. Soc. Phys. & Hist. Nat. Genève, ix. t. 2 (1841–42).
Bot. Zeit. iv. t. 1, fig. 11 (1846).—*Fl.*
Mart. Fl. Bras. vii. t. 126 (1871).
Hauman in An. Mus. Nac. Hist. Nat. Buenos Aires, xxvi. 216 (1915).—*Hab.*
paradoxa Rafin.
Britton & Brown, Ill. Fl. N. States & Canada, iii. 31 (1898); Ed. 2, iii. 52 (1913).
partita Choisy
Choisy in Mém. Soc. Phys. & Hist. Nat. Genève, ix. t. 5 (1841–42).
Mart. Fl. Bras. vii. t. 128 (1871).
parviflora Engelm.
Mart. Fl. Bras. vii. t. 128 (1871).
pedicellata Ledeb.
*Ledebour, Ic. Pl. Ross. iii. t. 234 (1831).
pentagona Engelm.
Amer. Journ. Sc. xliii. t. 6, fig. 22–24 (1842).—*Fl.*
Hooker, London Journ. Bot. ii. t. 3 (1843).—*Fl.*
planiflora Ten.
*Tenore, Fl. Nap., Atlas, v. t. 220 (1811–38).
Reichenbach, Ic. Fl. Germ. xviii. t. 1343 (1858).
Coste, Fl. France, ii. 575 (1903).
U.S. Dep. Agric. Farm. Bull. No. 306, p. 17 (1907).—*Fr.*
Wilcox & Stevenson in Bull. Agric. St. Nebraska, xxi. No. 110, p. 28 (1909).—*Fr.*
Fedtschenko & Fler. Fl. Eur. Russia, 767 (1910).
Beal, Michigan Weeds (Bull. Mich. Agric. Exp. St. No. 267), 393 (1911); et in Ann. Rep. xxv. 382 (1912).
—— **tendae** Reichb. f.
Reichenbach, Ic. Fl. Germ. xviii. t. 1343 (1858).
plattensis A. Nels.
Amer. Journ. Bot. iii. 186, 187 (1916).—*Fl.*
platyloba Prog.
Mart. Fl. Bras. vii. t. 127 (1871).
polygonorum Engelm.
Amer. Journ. Sc. xliii. t. 6, fig. 26–29 (1842).—*Fl.*
Hooker, London Journ. Bot. ii. t. 3 (1843).—*Fl.*
Bull. Torr. Bot. Club, xx. t. 165 (1893).—*Fl.*
Britton & Brown, Ill. Fl. N. States & Canada, iii. 28 (1898); Ed. 2, iii. 49 (1913).
Halsted in Rep. New Jersey Agric. St. No. 6, t. 13 (1902).—*Hab.*

CUSCUTA
prismatica Pav.
Choisy in Mém. Soc. Phys. & Hist. Nat. Genève, ix. t. 3 (1841–42).
racemosa Mart.
Choisy in Mém. Soc. Phys. & Hist. Nat. Genève, ix. t. 3 (1841–42).
Reichenbach, Ic. Fl. Germ. xviii. t. 1344 (1858).
Willkomm, Führ. Reich Pflanzen, 515 (1882).—*Fl.*
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xvi. t. 1592 (1884).
Harz, Samenkunde, ii. 759 (1885).—*Fr.*
Fiori & Paol. Ic. Fl. Ital. 337 (1902).
Landwirtsch. Jahrb. Schweiz. xiv. 42 (1902).
Long, Common Weeds Farm & Garden, t. 2 (1910).—*Fr.*
Scient. Proc. Roy. Dublin Soc. N. Ser. xii. t. 23 (1910).—*Fr.*
Hauman in An. Mus. Nac. Hist. Nat. Buenos Aires, xxvi. 215 (1915).—*Hab.*
Bull. Appl. Bot. viii. t. 129 (1915).
Krafft & Fruwirth, Pflanzenb. 217 (1920).
—— **brasiliana** Engelm.
Mart. Fl. Bras. vii. t. 125 (1871).
—— **calycina** Engelm.
Mart. Fl. Bras. vii. t. 128 (1871).
—— **nuda** Engelm.
Mart. Fl. Bras. vii. t. 128 (1871).
—— **Regnelliana** Prog.
Mart. Fl. Bras. vii. t. 128 (1871).
reflexa Roxb.
*Roxburgh, Pl. Coromandel, ii. t. 104 (1798).
*Bot. Mag. cvii. t. 6566 (1881).
Garden, xx. 567 (1881); lix. 33 (1901).—*Hab.*
Pflanzenfam. iv. III. A. 37 (1891).—*Fr.*
Collett, Fl. Siml. 340 (1902).
Koorders, Exkursionsfl. Java, ii. t. 11; iii. 109 (1912).
Basu, Ind. Med. Pl. t. 668 (1918).
Bose, Man. Ind. Bot. 5 (1920).
—— **verrucosa** Hook.
Hooker, Exot. Fl. ii. t. 150 (1825).
rostrata Shuttlw.
Bull. Torr. Bot. Club, xx. t. 165 (1893).—*Fl.*
Britton & Brown, Ill. Fl. N. States & Canada, iii. 30 (1898); Ed. 2, iii. 51 (1913).
sandwichiana Choisy
Choisy in Mém. Soc. Phys. & Hist. Nat. Genève, ix. t. 5 (1841–42).—*Fl.*
Saururi Engelm.
Amer. Journ. Sc. xliii. t. 6, fig. 17–21 (1842).—*Fl.*
Hooker, London Journ. Bot. ii. t. 3 (1843).—*Fl.*
spectabilis Choisy
Choisy in Mém. Soc. Phys. & Hist. Nat. Genève, ix. t. 5 (1841–42).
stylosa Choisy
Choisy in Mém. Soc. Phys. & Hist. Nat. Genève, ix. t. 5 (1841–42).
suaveolens Ser.
Károly in Kisérl. Közl. (Rep. Hung. Agric. Exp. St.), viii. t. 1, 3, p. 605 (1905).
*Wagner, Magyar. gyomnöv. (Weeds of Hungary), t. 7 (1908).—*Fl.*
Journ. of Bot. xlvi. t. 493 (1908).—*Fl.*
Journ. New Zealand Dep. Agric. x. 442 (1915).—*Fr.*
surinamensis Schilling
Hahn in Schilling, de Lepra Comment. t. 2 (1778).
tinctoria Mart.
Mart. Fl. Bras. vii. t. 126 (1871).
Tinei Insenga
Journ. of Bot. xlvi. t. 493 (1908).—*Fl.*
trichostyla Engelm.
Mart. Fl. Bras. vii. t. 127 (1871).
Trifolii Bab.
*Sowerby & Sm. Engl. Bot. Suppl. iv. t. 2898 (1843–49).
Ann. Nat. Hist. London, xiii. t. 4, fig. 2 (1844); xvi. t. 1 (1845).—*Fl.*
Lindley, Veg. Kingd. 633 (1846).—*Fl.*
Trans. Bot. Soc. Edinb. ii. t. 9, 21 (1846).—*Fl.*
Johnson & Sowerby, Brit. Wild Fl. Suppl. fig. 1651 (1863).
*Syme, Engl. Bot. vi. t. 929 (1866).

CUSCUTA
Trifolii
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, iv. t. 141 [1873].
*Cusin, Herb. Fl. Franç. xvi (Convolvulacées), t. 18 (1875).
Nobbe, Handb. Samenkunde, 473 (1876).
*Fl. Dan. xvii. t. 2893 (1877).
Journ. Agric. Soc. England, Ser. II. xiii. 438 (1877).—*Fr.*
Mackay, Man. Grasses New Zeal. i. t. 41 (1887).
Stebler & Schroeter, Best Forage Pl. 131, 134, 152 (1889).
McCarthy in Bull. N. Carolina Agric. St. No. 70, p. 12 (1890).
Rep. Secretary Agric. Washington, 1890, p. 392, t. 4.
Pflanzenfam. iv. III. A. 37 (1891).—*Fl.*
Acloque, Fl. France, 467 (1894).
Coste, Fl. France, ii. 575 (1903).
Pammel in Bull. Iowa Agric. St. No. 70, p. 513 (1903).—*Fr.*
U.S. Dep. Agric. Farm. Bull. No. 194, p. 12 (1904).—*Fr.*
Károly in Kisérl. Közl. (Rep. Hung. Agric. Exp. St.), viii. t. 1, 3, p. 605 (1905).
*Müveltség Könyvtára: Az élök világa (World of Living Creatures), 272 (1905).—*Hab.*
Rep. Transvaal Dep. Agric. 1903–4, t. 8 (1905).
*Journ. Board Agric. xii. 718; xiii. 332 (1906).
Board Agric. & Fish. Leaflets, No. 180, t. 1 (1907); No. 184, p. 3 (1918); No. 326, p. 7 (1919).
Transvaal Agric. Journ. v. No. 19, t. 182 (1907).
*Wagner, Magyar. gyomnöv. (Weeds of Hungary), t. 7 (1908).
*New Zealand Dep. Agric. Rep. No. 17, p. 272 (1909).
Long, Common Weeds Farm & Garden, 259, t. 2 (1910).
Bull. Angew. Bot. vii. t. 107 (1914).—*Fr.*
Stoneman, Plants & their Ways S. Africa, Ed. 2, p. 99 (1915).
Bornemann, Landwirtsch. Unkräuter, fig. 40 (1920).
Brenchley, Weeds Farm Land, 93 (1920).
Krafft & Fruwirth, Pflanzenb. 216 (1920).
umbellata H. B. K.
Mart. Fl. Bras. vii. t. 128 (1871).
Ramirez, Mat. Med. Mexic. v. t. 8 (1908).
—— **desertorum** Engelm.
Mart. Fl. Bras. vii. t. 128 (1871).
urceolata Kunze
Reichenbach, Ic. Fl. Germ. xviii. t. 1344 (1858).
verrucosa Sweet
*Sweet, Brit. Fl. Gard. i. t. 6 (1823).
Lindley, Veg. Kingd. 633 (1846).
verrucosa Engelm.
Amer. Journ. Sc. xliii. t. 6, fig. 25 (1842).—*Fl.*
Hooker, London Journ. Bot. ii. t. 3 (1843).—*Fl.*
vulgaris J. & C. Presl
Berchtold & J. S. Presl, Rostlin. ii. t. 23 (1825).
vulgivaga Engelm.
Amer. Journ. Sc. xliii. t. 6, fig. 12–16 (1842).—*Fl.*
Hooker, London Journ. Bot. ii. t. 3 (1843).—*Fl.*
xanthochortos Mart.
Mart. Fl. Bras. vii. t. 126 (1871).

CUSPARIA Humb.—Vide *Conchocarpus, Dangervilla, Diglottis, Lasiostemum, Obentonia, Rossenia*
elegans Engl.
Mart. Fl. Bras. xii. II. t. 25 (1874).—*Fl.*
febrifuga Humb.
*Réveil, Règne Vég. viii. t. 14 (1870).
grandiflora Engl.
Mart. Fl. Bras. xii. II. t. 23 (1874).
Pflanzenfam. iii. IV. 162 (1896).—*Fr.*
macrophylla Engl.
Mart. Fl. Bras. xii. II. t. 23 (1874).—*Fl.*
Pflanzenfam. iii. IV. 162 (1896).—*Fr.*
odoratissima Engl.
Mart. Fl. Bras. xii. II. t. 25 (1874).
Pflanzenfam. ii. I. 133 (1889).—*Fl.*
paniculata Engl.
Mart. Fl. Bras. xii. II. t. 24 (1874).
toxicaria Engl.
Mart. Fl. Bras. xii. II. t. 24 (1874).
trifoliata Engl.
Pflanzenfam. iii. IV. 162 (1896).
Beille, Bot. Pharm. ii. 578 (1909).

CUSPARIA
ucayalina Huber
Bol. Mus. Para, iv. 574 (1905–6).—*Fl.*

CUSPIDARIA DC.
erubescens Bureau
Bureau, Monogr. Bignoniac. Atlas, t. 3 (1864).—*Fl.*
Pflanzenfam. iv. III. B. 217 (1894).—*Fl.*
Mart. Fl. Bras. viii. I. t. 83 (1896).
pterocarpa P. DC.
Mart. Fl. Bras. viii. I. t. 82 (1896).
Bih. Svenska Vet. Akad. Handl. xxv. III. No. 4, p. 52 (1899).—*Veg.*
Chodat in Bull. Soc. Bot. Genève, Ser. II. ix. 236, 237 (1917).—*Fr.*
Chodat, Vég. Parag. ii. 282, 283 (1917).—*Fr.*

CUSPIDARIA Fée: *Eschatogramme*
furcata Fée
Fée, Mém. Foug. v. t. 8 (1850–52).
subpinnatifida Fée
Fée, Mém. Foug. v. t. 8 (1850–52).
tricuspis Fée
Fée, Mém. Foug. v. t. 8 (1850–52).

CUSPIDIA Gaertn.: *Berkheya*
araneosa Gaertn.
Gaertner, Fruct. ii. t. 171 (1791) in textu; *Aspidalis araneosa* in ic.—*Fr.*

CUSPIDOCARPUS Spenn.: *Satureia*
rupestris Spenn.
Nees, Gen. Pl., Gamop. ii. t. 18 (1839).

CUSSAMBIUM Lam.: *Schleichera*
oleosum Pierre
Bull. Écon. Indo-Chine, N. Ser. cxxvii. 585 (1917).

CUSSAPOA = *Coussapoa*

CUSSONIA Thunb.—Vide *Sphaerodendron*
arborea Hochst.
A. Richard, Tent. Fl. Abyssin. Atlas, t. 56 [1847].
Engler & Drude, Veget. Erde, ix. I. 1, p. 293 (1910).—*Hab.*
Boivinii Drake
Journ. de Bot. xi. t. 3 (1897).
Bojeri Seem.
Grandidier, Hist. Madag. [Plantes] Atlas, t. 411 (1896).
Gerrardii Seem.
Hook. Ic. Pl. xv. t. 1454 (1884).
Lessonii A. Rich.
Richard, Voy. Astrolabe, Bot. Atlas, Essai Fl. Nouv.-Zél. t. 32 (1833).
microstachys Harms
Pflanzenfam. iii. VIII. 52 (1897).
Engler & Drude, Veget. Erde, ix. I. 1, p. 200 (1910).
paniculata Eckl. & Zeyhl.
Sim, For. Fl. Cape Colony, t. 76 (1907).
spicata Thunb.
Pflanzenfam. iii. VIII. 52 (1897).—*Fl.*
Goetze & Engl. Vegatationsansicht. Deutsch-ostafr. t. 36 (1902).—*Hab.*
Rec. Trav. Bot. Néerl. ii. No. 3, t. 3, 4 (1905).
Sim, For. Fl. Cape Colony, t. 74 (1907).
Velenovsky, Vergl. Morphol. Pfl. ii. 482 (1907). *Veg.*
Thonner, Blütenpfl. Afr. t. 119 (1908).
Deutsch. Tiefsee-Exped. 1898–99, ii. III. 264, t. 20 (1908).—*Hab.*
Engler & Drude, Veget. Erde, ix. I. 1, p. 200 (1910).
thyrsiflora Thunb.
Lamarck, Ill. i. t. 187 (1797).
*Jacquin, Ecl. Pl. i. t. 61 (1811–16).
Ettingshausen, Blatt-Skel. Dikot. III (1861).—*Veg.*
triptera Colla
Colla, Hort. Ripul. t. 26 (1824).
umbellifera Sond.
*Dietrich, Fl. Univ. N. Folge, t. 90 (1849).
Sim, For. Fl. Cape Colony, t. 75 (1907).

CUTANDIA Willk.—Vide *Festuca* (7)
maritima Benth.
Husnot, Gram. t. 21 (1896–99).

CUTANDIA
memphitica Richter
Fedtschenko, Veg. Turkest. 123 (1915).

CUTHBERTIA Small: *Tradescantia*
graminea Small
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, i. 459 (1913).

CUTTSIA F. Muell.
viburnea F. Muell.
F. Mueller, Fragm. Phyt. Austral. v. 46, 47 (1865).

CUTUBEA = *Coutoubea*

CUVIERA DC.
acutiflora DC.
Ann. Mus. Hist. Nat. Paris, ix. 222 (1807).
angolensis Welw.
Pflanzenfam. iv. IV. 93 (1891).—*Fl.*
De Wildeman, Miss. É. Laurent, i. 297; ii. t. 106 (1906).
longiflora Hiern
Pflanzenfam. iv. IV. 12 (1891).—*Veg.*

CUVIERA Koel.: *Hordeum*
europaea Koel.
Lindman, Svensk Fanerogamfl. 68 (1918).—*Fr.*

CYAMOPSIS DC.
psoraleoides DC.
Wight, Ic. Pl. Ind. Or. i. t. 248 (1840).
Duthie & Fuller, Field & Gard. Crops, t. 35 (1883).
Pflanzer, vii. t. 8, fig. 11 (1911).—*Fr.*
Basu, Ind. Med. Pl. t. 292 (1918).
senegalensis Guill. & Perr.
*Guillemin, Perrottet & Richard, Fl. Seneg. Tent. t. 45 (1830–33).
Ralph, Ic. Carpolog. t. 36 (1849).—*Fr.*

CYAMUS Sm.: *Nelumbium*
luteus Nutt
*Barton, Fl. N. Amer. ii. t. 63 (1822).
Nelumbo Sm.
*J. E. Smith, Exot. Bot. i. 31, 32 [1804–5].
*Allg. Teutsch. Gart. Mag. vi. t. 29, 30 (1809).
*Trattinick, Ausg. Taf. Arch. ii. t. 180 a, 180 b, 180 c (1813).
*Duppa, Lotus & Tamara, t. [4, 7, 8] (1816).
Trattinick, Arch. iii. t. 245 (3 fol.) (1817).
Trattinick, Gen. Nov. Pl. t. 10–12 (1825).

CYANAEORCHIS Barb. Rodr.
Arundinae Barb. Rodr.
Mart. Fl. Bras. iii. v. t. 75 (1898–1902).

CYANANDRIUM Stapf
guttatum Stapf
Hook. Ic. Pl. xxv. t. 2419 (1895).

CYANANTHUS Wall.
incanus Hook. f. & Thoms.
Garden, xii. 559 (1877).
W. Robinson, Engl. Fl. Gard. t. 85 (1883).
Nicholson, Illustr. Dict. Gard. i. 414 [1884–88].
Gard. Chron. Ser. III. xlvi. 422 (1909).—*Hab.*
integra Wall.
*Royle, Illustr. Bot. Himal. t. 69 (1839).
lobatus Wall.
*Royle, Illustr. Bot. Himal. t. 69 (1839).
*Bot. Reg. xxxiii. t. 6 (1847).
*W. Thompson, Engl. Fl. Gard. ii. 161 (1853).
*Gartenfl. xxvi. t. 888 (1877).
*Bot. Mag. cvi. t. 6485 (1880).
Nicholson, Illustr. Dict. Gard. i. 414 [1884–88]. —*Hab.*
Baillon, Hist. Pl. viii. 322 (1886).—*Fl.*
Pflanzenfam. iv. v. 42, 56 (1889).
Mairei Léveillé
Léveillé, Cat. Ill. Pl. Seu Tchouen, t. 9 (1918).
microphyllus Edgew.
Gard. Chron. Ser. III. xlix. 42 (1911).—*Hab.*

CYANANTHUS Griff.: *Stauranthera*
umbrosus Griff.
Griffith, Ic. Pl. Asiat. t. 437 (1854).

CYANASTRUM Oliv.
cordifolium Oliv.
Hook. Ic. Pl. xx. t. 1965 (1891).

CYANASTRUM
cordifolium
Engl. Jahrb. xxviii. t. 10 (1900).—*Fl.*
Engler & Drude, Veget. Erde, ix. II. 279 (1908). —*Fr.*
Goetzeanum Engl.
Engl. Jahrb. xxviii. t. 10 (1900).
Engler & Drude, Veget. Erde, ix. II. 278 (1908).
hostifolium Engl.
Engl. Jahrb. xxviii. t. 9 (1900).
Engler & Drude, Veget. Erde, ix. II. 278 (1908).

CYANEA Gaudich.
aculeatiflora Rock
Rock, Monogr. Hawaiian Lobeliac. 58, 59, 95, 188 (1919).
acuminata Hillebr.
Rock, Monogr. Hawaiian Lobeliac. 270 (1919).
angustifolia Hillebr.
Bryan, Nat. Hist. Hawaii, t. 62, fig. 3 (1915).
Rock, Monogr. Hawaiian Lobeliac. 196 (1919).
—— **lanaiensis** Rock
Rock, Monogr. Hawaiian Lobeliac. 197, 198 (1919).
—— **racemosa** Hillebr.
Rock, Monogr. Hawaiian Lobeliac. 200 (1919).
—— **tomentella** Hillebr.
Rock, Monogr. Hawaiian Lobeliac. 201 (1919).
arborea Hillebr.
Rock, Indig. Trees Hawaiian Isl. t. 206–8 (1913).
Rock, Monogr. Hawaiian Lobeliac. 24, 62, 166, 167 (1919).—*Hab.*
asplenifolia Hillebr.
Rock, Monogr. Hawaiian Lobeliac. 78, 266 (1919).
atra Hillebr.
Rock, Monogr. Hawaiian Lobeliac. 176 (1919).
—— **lobata** Rock
Rock, Monogr. Hawaiian Lobeliac. 178 (1919).
Baldwinii Forbes & Munro
Forbes & Munro in Occasional Papers Bernice Pauahi Bishop Mus. Honol. vii. No. 4, t. 12 (1920).
Bishopii Rock
Bull. Torr. Bot. Club, xliv. t. 13, 14 (1917).
Rock, Monogr. Hawaiian Lobeliac. 90, 276 (1919).—*Hab.*
comata Hillbr.
Rock, Monogr. Hawaiian Lobeliac. 212 (1919).
Copelandii Rock
Bull. Torr. Bot. Club, xliv. t. 10 (1917).
Rock, Monogr. Hawaiian Lobeliac. 89, 278 (1919).
coriacea Hillebr.
Minnesota Bot. Stud. i. t. 64 (1897).
Rock, Monogr. Hawaiian Lobeliac. 205 (1919).
Fauriei Léveillé
Rock, Monogr. Hawaiian Lobeliac. 49, 52, 206 (1919).
Fernaldii Rock
Bull. Torr. Bot. Club, xliv. t. 11 (1917).
Rock, Monogr. Hawaiian Lobeliac. 234 (1919).
ferox Hillebr.
Rock, Monogr. Hawaiian Lobeliac. 240, 241 (1919).
—— **horrida** Rock
Rock, Monogr. Hawaiian Lobeliac. 242, 243, 244 (1919).
fissa Hillebr.
Rock, Monogr. Hawaiian Lobeliac. 222, 223 (1919).
Gayana Rock
Rock, Monogr. Hawaiian Lobeliac. 53, 224 (1919).
Gibsonii Hillebr.
Rock, Monogr. Hawaiian Lobeliac. 175 (1919).
Giffordii Rock
Bull. Torr. Bot. Club, xlv. t. 6 (1918).
Rock, Monogr. Hawaiian Lobeliac. 63, 160, 161 (1919).
Grimesiana Gaudich.
Freycinet, Voyage, t. 75 (1826).
Rock, Monogr. Hawaiian Lobeliac. 248, 249 (1919).
—— **cylindrocalyx** Rock
Bull. Torr. Bot. Club, xliv. t. 16 (1917).
Rock, Monogr. Hawaiian Lobeliac. 253 (1919).
—— **Lydgatei** Rock
Rock, Monogr. Hawaiian Lobeliac. 252 (1919).
—— **mauiensis** Rock
Rock, Monogr. Hawaiian Lobeliac. 250 (1919).

CYANEA
hamatiflora Rock
Rock, Monogr. Hawaiian Lobeliac. 60, 185, 186 (1919).
Hardyi Rock
Rock, Monogr. Hawaiian Lobeliac. 208 (1919).
hirtella Rock
Rock, Monogr. Hawaiian Lobeliac. 215–17 (1919).
holophylla Hillebr.
Rock, Monogr. Hawaiian Lobeliac. 260 (1919).
Juddii Forbes
Forbes in Occasional Papers Bernice Pauahi Bishop Mus. Honol. vi. No. 3, p. 69 (1916).
Knudsenii Rock
Rock, Monogr. Hawaiian Lobeliac. 214 (1919).
Larrisonii Rock
Bull. Torr. Bot. Club, xlii. t. 8 (1915).
Rock, Monogr. Hawaiian Lobeliac. 228 (1919).
leptostegia A. Gray
Rock, Indig. Trees Hawaiian Isl. t. 209 (1913). —*Hab.*
Rock, Monogr. Hawaiian Lobeliac. 20, 50, 52, 54, 55, 163, 164 (1919).
lobata H. Mann
Rock, Monogr. Hawaiian Lobeliac. 246 (1919).
macrostegia Hillebr.
Rock, Monogr. Hawaiian Lobeliac. 85, 180, 181 (1919).
—— **parvibracteata** Rock
Coll. Hawaii. Publ. Bull. No. 2, t. 10 (1913).
Rock, Monogr. Hawaiian Lobeliac. 184 (1919).
—— **viscosa** Rock
Rock, Monogr. Hawaiian Lobeliac. 182 (1919).
Mannii Hillebr.
Rock, Monogr. Hawaiian Lobeliac. 202 (1919).
multispicata Léveillé
Rock, Monogr. Hawaiian Lobeliac. 268 (1919).
noli-me-tangere Rock
Bull. Torr. Bot. Club, xliv. t. 9 (1917).
Rock, Monogr. Hawaiian Lobeliac. 93, 230 (1919).
obtusa Hillebr.
Rock, Monogr. Hawaiian Lobeliac. 204 (1919).
palakea Forbes
Forbes in Occasional Papers Bernice Pauahi Bishop Mus. Honol. vi. No. 3, p. 73 (1916).
pilosa A. Gray
Rock, Monogr. Hawaiian Lobeliac. 86, 272 (1919).
—— **densifolia** Rock
Rock, Monogr. Hawaiian Lobeliac. 274 (1919).
—— **glabrifolia** Rock
Rock, Monogr. Hawaiian Lobeliac. 66, 67 (1919). —*Hab.*
platyphylla Hillebr.
Rock, Monogr. Hawaiian Lobeliac. 232 (1919).
procera Hillebr.
Rock, Monogr. Hawaiian Lobeliac. 174 (1919).
profuga Forbes
Forbes in Occasional Papers Bernice Pauahi Bishop Mus. Honol. vi. No. 3, p. 71 (1916).
Rock, Monogr. Hawaiian Lobeliac. 236 (1919).
recta Hillebr.
Rock, Monogr. Hawaiian Lobeliac. 226 (1919).
regina Rock
Rock, Monogr. Hawaiian Lobeliac. 156, 158 (1919).
Remyi Rock
Bull. Torr. Bot. Club, xliv. t. 12 (1917).
Rock, Monogr. Hawaiian Lobeliac. 281 (1919).
rivularis Rock
Rock, Monogr. Hawaiian Lobeliac. 218, 220 (1919).
rollandioides Rock
Rock, Monogr. Hawaiian Lobeliac. 238 (1919).
scabra Hillebr.
Rock, Monogr. Hawaiian Lobeliac. 76, 254 (1919).
—— **longissima** Rock
Rock, Monogr. Hawaiian Lobeliac. 257 (1919).
—— **sinuata** Rock
Rock, Monogr. Hawaiian Lobeliac. 258 (1919).
—— **variabilis** Rock
Rock, Monogr. Hawaiian Lobeliac. 256 (1919).
silvestris Heller
Minnesota Bot. Stud. i. t. 66 (1897).
Rock, Monogr. Hawaiian Lobeliac. 229 (1919).
solanacea Hillebr.
Rock, Monogr. Hawaiian Lobeliac. 261, 262 (1919).
—— **quercifolia** Hillebr.
Rock, Monogr. Hawaiian Lobeliac. 264 (1919).

CYANEA
solenocalyx Hillebr.
Rock, Monogr. Hawaiian Lobeliac. 169, 170 (1919).
spathulata Heller
Minnesota Bot. Stud. i. t. 65 (1897).
Rock, Monogr. Hawaiian Lobeliac. 55, 56, 210 (1919).
styctophylla Rock
Rock, Monogr. Hawaiian Lobeliac. 280 (1919).
superba A. Gray
Rock, Monogr. Hawaiian Lobeliac. 154 (1919).
—— **velutina** Rock
Rock, Monogr. Hawaiian Lobeliac. 155 (1919).
tritomantha A. Gray
Rock, Indig. Trees Hawaiian Isl. t. 6 (1913).—*Hab.*
Rock, Monogr. Hawaiian Lobeliac. 65, 92, 190, 191 (1919).
truncata Rock
Bull. Torr. Bot. Club, xliv. t. 15 (1917).
Rock, Monogr. Hawaiian Lobeliac. 192 (1919).
undulata Forbes
Forbes in Occasional Papers Bernice Pauahi Bishop Mus. Honol. v. No. 1, p. 13 (1912).
wailauensis Rock
Rock, Monogr. Hawaiian Lobeliac. 172 (1919).

CYANELLA Linn.
alba Linn. f.
Svenska Vet. Akad. Handl. xv. t. 7 (1794).
capensis Linn.
*Jacquin, Hort. Vind. iii. t. 35 (1776).
*Meerburg, Afb. Zeld. Gewass. t. 41 (1785).
Gaertner, Fruct. i. t. 17 (1788).—*Fr.*
*Meerburg, Pl. Rar. t. 41 (1789).
Lamarck, Ill. ii. t. 239, fig. 1 (1797).
*Bot. Mag. xvi. t. 568 (1801).
*Andrews, Bot. Rep. ii. t. 141 (1801).
*Redouté, Liliac. vii. t. 373 (1813).
*Lodd. Bot. Cab. viii. t. 732 (1823).
Trans. Linn. Soc. London, xxiv. t. 53 (1864).—*Fl.*
Deutsch. Tiefsee-Exped. 1898–99, ii. III. 125 (1908).
*Marloth, Fl. S. Africa, iv. t. 31 (1915).
Stoneman, Plants & their Ways S. Africa, Ed. 2, p. 138, 144 (1915).
lutea Linn. f.
Svenska Vet. Akad. Handl. xv. t. 7 (1794).
*Bot. Mag. xxxi. t. 1252 (1810).
*J. W. Loudon, Ladies' Fl.-Gard. Ornam. Bulb. Pl. t. 49 (1841).
—— **rosea** Baker
*Saunders, Ref. Bot. iv. t. 259 (1871).
odoratissima Lindl.
*Bot. Reg. xiii. t. 1111 (1827).
Géel, Sert. Bot. Cl. 6 (1832).
*Reichenbach, Fl. Exot. iii. t. 199 (1835).
orchidiformis Jacq.
*Jacquin, Ic. Pl. Rar. ii. t. 447 (1786–93).

CYANOBOTRYS Zucc.: *Muellera*
mexicana Zucc.
Zuccarini in Abh. Akad. Wiss. München, iv. II. t. 5 (1845).
Ralph, Ic. Carpolog. t. 26 (1849).—*Fr.*

CYANOPHYLLUM Naud.: *Miconia*
magnificum Denis
Rev. Hort. Ser. IV. viii. 359 (1859).—*Hab.*
*Lowe, Beautiful-leaved Pl. 21, t. 10 (1868).
Semaine Hort. 1898, p. 67.—*Hab.*
Bellair & St.-Léger, Pl. Serre, 627 (1900).—*Hab.*
Bull. Soc. Tosc. Ortic. xxxiii. 138, t. 3 (1908). —*Hab.*

CYANOSPERMUM Wight & Arn.: *Rhynchosia*
tomentosum Wight & Arn.
*Wight, Illustr. Ind. Bot. i. t. 81 (1840).
*Jacquin, Ecl. Pl. ii. t. 138 (1844) in textu; *Cylista tomentosa* in ic.
Ralph, Ic. Carpolog. t. 30 (1849).—*Fr.*

CYANOSTEGIA Turcz.—Vide *Bunnya*

CYANOTHYRSUS Harms
ogla Harms
Thompson, Rep. For. Gold Coast, t. 15 (1910).
Soyauxii Harms
Engl. Jahrb. xxvi. t. 7 (1899).

CYANOTIS D. Don—Vide *Erythrotis*, *Zygomenes*
abyssinica A. Rich.
A. Richard, Tent. Fl. Abyssin. Atlas, t. 98 [1851].
arachnoidea C. B. Clarke
Fyson, Fl. Nilgiri & Pulney Hill-tops, ii. 268 (1915).
axillaris Roem. & Schult.
Rheede, Hort. Mal. x. t. 13 (1690); fide Fl. Brit. Ind. vi. 388.
Paxt. Mag. xvi. 78 (1849).
Fl. des Serres, Ser. I. vi. 338 (1850–51).
C. B. Clarke, Comm. & Cyrt. Beng. t. 35 (1874).
Basu, Ind. Med. Pl. t. 985 (1918).
barbata Kunth
C. B. Clarke, Comm. & Cyrt. Beng. t. 37 (1874).
Burmanniana Wight
Wight, Ic. Pl. Ind. Or. vi. t. 2089 (1853).
caespitosa Kotschy & Peyr.
Kotschy & Peyritsch, Pl. Tinneanae, t. 22 (1867) in textu; *Zygomenes caespitosa* in ic.
ceylanica C. B. Clarke
Holtermann, Einfl. Klimas, t. 12, fig. 55 (1907).
cristata D. Don
Rheede, Hort. Mal. vii. t. 58 (1688); fide Fl. Brit. Ind. vi. 385.
Wight, Ic. Pl. Ind. Or. vi. t. 2082 (1853).
C. B. Clarke, Comm. & Cyrt. Beng. t. 36 (1874).
Crevost & Lemarié, Cat. Prod. Indochine, i. 417 (1917).
cucullata Kunth
A. & C. De Candolle, Monogr. Phan. iii. t. 5, fig. 7 (1881).—*Fr.*
decumbens Wight
Wight, Ic. Pl. Ind. Or. vi. t. 2088 (1853).
dichrotricha Stocks
Wight, Ic. Pl. Ind. Or. vi. t. 2087 (1853).
fasciculata Roem. & Schult.
Wight, Ic. Pl. Ind. Or. vi. t. 2086 (1853).
Holtermann, Einfl. Klimas, t. 7, fig. 41 (1907).
hirsuta Fisch., Mey. & Avé-Lall.
*Bot. Mag. cxxvii. t. 7785 (1901).
kewensis C. B. Clarke
A. & C. De Candolle, Monogr. Phan. iii. t. 5, fig. 6 (1881).—*Fr.*
Flora, xciii. 485, 489 (1904).
lanata Benth.
Engler & Drude, Veget. Erde, ix. II. 271 (1908).
lanceolata Wight
Wight, Ic. Pl. Ind. Or. vi. t. 2085 (1853).
Lawiana Wight
Wight, Ic. Pl. Ind. Or. vi. t. 2086 (1853).
longifolia Wight
Wight, Ic. Pl. Ind. Or. vi. t. 2084 (1853).
nobilis Hassk.
C. B. Clarke, Comm. & Cyrt. Beng. t. 39 (1874).
nodiflora Kunth
*Bot. Mag. xc. t. 5471 (1864).
Pflanzenfam. ii. IV. 67 (1888).—*Fl.*
Engler & Drude, Veget. Erde, ix. II. 272 (1908).—*Fl.*
*Marloth, Fl. S. Africa, iv. t. 18 (1915) in ic.; *C. nodiflora pilosa* in textu.
—— **pilosa** Marl.
*Marloth, Fl. S. Africa, iv. t. 18 (1915) in textu; *C. nodiflora* in ic.
obtusa Trim.
*Trimen, Handb. Fl. Ceylon, Atlas, iv. t. 94 (1898).
papilionacea Roem. & Schult.
Wight, Ic. Pl. Ind. Or. vi. t. 2089 (1853).
pilosa Roem. & Schult.
Wight, Ic. Pl. Ind. Or. vi. t. 2083 (1853).
Clos in Mém. Acad. Sc. Toulouse, Ser. VIII. ii. 224, t. 2 (1880).—*Fl.*
racemosa C. B. Clarke
C. B. Clarke, Comm. & Cyrt. Beng. t. 38 (1874).
rosea Wight
Wight, Ic. Pl. Ind. Or. vi. t. 2086 (1853).
sarmentosa Wight
Wight, Ic. Pl. Ind. Or. vi. t. 2087 (1853).
Clos in Mém. Acad. Sc. Toulouse, Ser. VIII. ii. 224, t. 2 (1880).—*Fl.*
somaliensis C. B. Clarke
!Flora, xciii. 493 (1904).—*Veg.*

CYANOTIS
tuberosa Schult. f.
Basu, Ind. Med. Pl. t. 984 (1918).
vaginata Wight
Wight, Ic. Pl. Ind. Or. vi. t. 2088 (1853).
vivipara Dalz.
A. & C. De Candolle, Monogr. Phan. iii. t. 5, fig. 5 (1881).—*Fr.*
Wightii C. B. Clarke
Fyson, Fl. Nilgiri & Pulney Hill-tops, iii. 539 (1920).
zeylanica = *ceylanica*

CYANUS Juss.: *Centaurea*
eriophorus Gaertn.
Gaertner, Fruct. ii. t. 161 (1791).—*Fr.*
niger Gaertn.
Gaertner, Fruct. ii. t. 161 (1791).—*Fr.*
segetum Hill
Hill, Herb. Brit. i. t. 58 (1769).

CYATHANTHERA Pohl: *Miconia*
lanceolata Pohl
Pohl, Pl. Bras. ii. t. 188 (1831).

CYATHEA Sm.—Vide *Schizocaena*, *Sphaeropteris* Bernh.
abrupte-caudata Fée
Fée, Crypt. Vasc. Brésil, i. t. 62 (1869).
acanthomelas Fée
Fée, Crypt. Vasc. Brésil, i. t. 64 (1869).
affinis Sw.
*Schkuhr, Krypt. Gewächse, t. 132 b (18[06]–09) in textu; *C. bisulca* in ic.
amboinensis Merr.
Rumphius, Herb. Amboin. vi (t. 27?) (1750); fide Merrill, Interpret. Rumph. Herb. Amboin.
appendiculata Baker
Pflanzenfam. i. IV. 124 (1899).
arborea J. Sm.
Dict. Sc. Nat., Planch. Bot. Acot. t. 57 (1816–29).—*Hab.*
Siebold & De Vriese, Fl. Jard. v. 74 (1862).—*Hab.*
Belg. Hort. xiv. 235 (1864).—*Hab.*
Ettingshausen, Farnkr. t. 162 (1865).
Mart. Fl. Bras. i. II. t. 20, 40 (1870).
J. Smith, Hist. Fil. t. 15 (1875).
Pflanzenfam. i. IV. 124 (1899).
Journ. New York Bot. Gard. iv. t. 15 (1903); x. t. 71 (1909).
U.S. Dep. Agric. Bur. Forest. Bull. No. 54, t. 5 (1905).—*Hab.*
Rovirosa, Pteridogr. Mexico, t. 2 (1909).
Engler & Drude, Veget. Erde, xiii. t. 18 (1911).—*Hab.*
Amer. Fern Journ. ii. t. 2 (1912).—*Hab.*
Ann. Rep. Smithson. Inst. 1911, t. 2, 3, 6, 10, p. 492 (1912).
L. H. Bailey, Stand. Cycl. Hort. 1209 (1915).—*Veg.*
—— **Sternbergii** Pohl
Fée, Mém. Foug. xi. t. 27 (1866).
arthropoda Copel.
Philippine Journ. Sc., Bot. vi. t. 13 (1911).
aspera Sw.
Ettingshausen, Farnkr. t. 157 (1865) in textu; *Alsophila aspera* in ic.
Ettingshausen, Farnkr. t. 159, 160 (1865).
atropurpurea Copel.
Philippine Journ. Sc., Bot. iv. 65, t. 18 (1909).
attenuata Fée
Fée, Crypt. Vasc. Brésil, i. t. 66 (1869).
aurea Klotzsch
Karsten, Fl. Columbiae, ii. t. 178 (1862–69).
Pflanzenfam. i. IV. 124 (1899).
Beyrichiana Presl
Hook. Ic. Pl. vii. t. 623 (1844).
Christ, Geogr. Farne, 45 (1910).
bisulca Schkuhr
*Schkuhr, Krypt. Gewächse, t. 132 b (18[06]–09) in ic.; *C. affinis* in textu.
boconensis Karst.
Karsten, Fl. Columbiae, ii. t. 190 (1862–69).
Boivinii Mett.
Ettingshausen, Farnkr. t. 159, 160 (1865).
Brooksii Copel.
Philippine Journ. Sc., Bot. vi. t. 16 (1911).

CYATHEA
Brunei Christ
Ann. Rep. Smithson. Inst. 1911, t. 9, p. 492 (1912).
Brunonis Wall.
Presl, Tent. Pteridogr. t. 1 (1836).
Ettingshausen, Farnkr. t. 161 (1865).
Beddome, Ferns Brit. Ind. t. 87 (1865–70).
Burkei Hook.
Hooker, Sp. Fil. i. t. 17 (1846).
Garden, iv. 271 (1873).—*Hab.*
Florist, 1873, p. 181.—*Hab.*
Caesariana Christ
Wettstein in Denkschr. Akad. Wiss. Wien, lxxix. t. 2, 8 (1908).—*Veg.*
Wettstein, Handb. Syst. Bot. Ed. 2, p. 343 (1911).—*Hab.*
calva Karst.
Karsten, Fl. Columbiae, ii. t. 192 (1862–69).
camerooniana Hook. f.
Engler & Drude, Veget. Erde, ix. II. 6 (1908).
canaliculata Willd.
Schnizlein, Iconogr. i. t. 26 a (1844).
Hooker, Sp. Fil. i. t. 11 (1846).
*Lowe, Ferns, viii. t. 55 (1860).
Ettingshausen, Farnkr. t. 156, 158 (1865).
—— **congi** Christ
Rev. Hort. Belge, xxx. 102 (1904).—*Hab.*
Bull. Ann. Assoc. Anc. Elèv. Hort. Liége, x. 16 (1905).—*Hab.*
—— **latifolia** Hook.
Hooker, Sp. Fil. i. t. 13 (1846).
Cunninghamii Hook. f.
*Hooker, Cent. Ferns, t. 85 (1854).
Hook. Ic. Pl. x. t. 985 (1854).
Garden, v. 9 (1874).—*Hab.*
Dobbie, New Zeal. Ferns, 7 (1880).
F. Mueller, Key Syst. Victorian Pl. ii. fig. 135 (1885).
Field, Ferns New Zealand, t. 9 (1890).
Pflanzenfam. i. IV. 124 (1899).
cuspidata Kunze
Hooker, Sp. Fil. i. t. 12 (1846).
Ettingshausen, Farnkr. t. 161 (1865).
dealbata Sw.
*A. Richard, Voy. Astrolabe, Bot. Atlas, Essai Fl. Nouv.-Zél. t. 10 (1833).
*Lowe, Ferns, viii. t. 58 (1860).
B. S. Williams, Select Ferns & Lycopods, Brit. & Exot. 107 (1868); Ed. 2, p. 113 (1873).—*Hab.*
Gartenfl. xxiii. 86 (1874).—*Hab.*
Dobbie, New Zeal. Ferns, 8 (1880).
G. M. Thomson, Ferns & Fern Allies New Zeal. t. 1 (1882).
Nicholson, Illustr. Dict. Gard. i. 415 [1884–88].—*Hab.*
Trans. & Proc. New Zeal. Inst. 1886, xix. t. 19 (1887).
Field, Ferns New Zealand, t. 10, 29 (1890).
Schneider, Book Choice Ferns, ii. 79 (1893).—*Hab.*
Bellair & St.-Léger, Pl. Serre, 629 (1900).—*Hab.*
Turner, Rep. Bot. Exam. Waimarino Distr. (New Zeal. Dep. Lands), 4 (1909).—*Hab.*
Ann. Bot. xxvi. t. 32, fig. M (1912).
Deckenii Kuhn
Engler & Drude, Veget. Erde, ix. II. 6 (1908).
decrescens Mett.
Ettingshausen, Farnkr. t. 159, 160 (1865).
dentata Sm.
*Sowerby & Sm. Engl. Bot. xxiii. t. 1588 (1806).
deparioides Ces.
Cesati in Atti Accad. Sc. Fis. & Mat. Napoli, vii. No. 8, t. 4 (1876) in ic.; *Davallia deparioides* in textu, p. 13.
divergens Kunze
Hooker, Sp. Fil. i. t. 11 (1846).
Ettingshausen, Farnkr. t. 160 (1865).
Amer. Fern Journ. ix. t. 1 (1919).—*Hab.*
Dregei Kunze
Hooker, Sp. Fil. i. t. 10, 17 (1846).
Sim, Handb. Ferns Kaffraria, t. 3 (1891).
Sim, Ferns S. Africa, t. 8 (1892); Ed. 2, t. 6 (1915).
Pflanzenfam. i. IV. 124 (1899).
Marloth, Fl. S. Africa, i. t. 10 (1913).—*Hab.*

CYATHEA
Dregei
R. E. Fries, Schwed. Rhod.-Kong.-Exped. 1911–12, Bot. i. 1. t. 3 (1914).—*Hab.*
ebenina Karst.
Karsten, Fl. Columbiae, i. t. 2, 100 (1858–61).
Ettingshausen, Farnkr. t. 158, 160 (1865).
elegans Heward
*Hooker, Gen. Fil. t. 23 (1842).
Payer, Bot. Crypt. 200 (1850).—*Fr.*
Moore & Ayres, Mag. Bot. iii. 330 (1851).
Bull. Soc. Bot. Belg. v. t. 3, fig. 5 (1866).
Journ. Hort. xlviii. 207 (1872).
Baillon, Dict. Bot. ii. 311 (1881).
Kerner, Pflanzenleben, ii. 12 (1891).
Kerner & Oliv. Nat. Hist. Pl. ii. 11, 707 (1895).
Ann. Rep. Smithson. Inst. 1911, t. 9, p. 492 (1912).
elongata Mett.
Karsten, Fl. Columbiae, ii. t. 183 (1862–69).
equestris Kunze
*Kunze, Farnkr. t. 76 (1840–47).
Ettingshausen, Farnkr. t. 161 (1865).
erinacea Karst.
Karsten, Fl. Columbiae, ii. t. 183 (1862–69).
evulsa Sw.
Ettingshausen, Farnkr. t. 159, 160 (1865).
excelsa Sw.
Presl, Tent. Pteridogr. t. 1 (1836).
Hooker, Sp. Fil. i. t. 12 (1846).
*Lowe, Ferns, viii. t. 56 (1860).
extensa Sw.
*Schkuhr, Krypt. Gewächse, iii. t. 132 (18[06]–09).
Féei Glaz.
Fée, Crypt. Vasc. Brésil, i. t. 66 (1869).
ferox Presl
Decaisne & Naud. Amat. Jard. iii. 604 [1862–66].—*Hab.*
fragilis Sm.
*Sowerby & Sm. Engl. Bot. xxiii. t. 1587 (1806).
frondosa Karst.
Karsten, Fl. Columbiae, i. t. 74, 100 (1858–61).
Gardneri Hook.
Hooker, Sp. Fil. i. t. 10 (1846).
Mart. Fl. Bras. i. II. t. 20 (1870).
gemmifera Christ
Bol. de Fomento, Costa Rica, iii. IX. 661, 663, 665, 666 (1913).
glauca Bory
Ettingshausen, Farnkr. t. 158 (1865).
Hewittii Copel.
Philippine Journ. Sc., Bot. vi. t. 14 (1911).
hirtula Mart.
*Martius, Crypt. Bras. t. 53 (1828–34).
Hookeri Thw.
Beddome, Ferns S. Ind. t. 260 (1863).
Beddome, Handb. Ferns Brit. Ind. 1 (1883).
Christ, Geogr. Farne, 252 (1910).
Imrayana Hook.
Hooker, Sp. Fil. i. t. 9 (1846).
incana Karst.
Karsten, Fl. Columbiae, i. t. 37, 100 (1858–61).
incisa Sm.
*Sowerby & Sm. Engl. Bot. iii. t. 163 (1794).
inquinans Christ
Ann. Jard. Bot. Buitenzorg, xv. t. 13, fig. 5 (1898).
insignis Eaton
Gard. Chron. vi. Suppl. p. 3 (1876).—*Hab.*
Schneider, Book Choice Ferns, ii. 83 (1893).—*Hab.*
Nicholson, '1900' Suppl. Dict. Gard. 275 (1900).
Shreve in Carnegie Inst. Washington, Publ. No. 199, t. 7 (1914).—*Hab.*
Bower in Trans. Roy. Soc. Edinb. li. III. 693 (1917).—*Veg.*
integra Sm.
Hook. Ic. Pl. vii. t. 638 (1844).
kermadecensis Oliv.
Trans. & Proc. New Zeal. Inst. 1909, xlii. t. 22 (1910).—*Hab.*
Cockayne, New Zeal. Pl. Ed. 2, p. 169 (1919).—*Hab.*
leucosticta Fée
Fée, Crypt. Vasc. Brésil, i. t. 65 (1869).
mamillata Fée
Fée, Crypt. Vasc. Brésil, i. t. 63 (1869).

CYATHEA
marattioides Kaulf.
Ettingshausen, Farnkr. t. 156, 157 (1865).
medullaris Sw.
*Schkuhr, Krypt. Gewächse, iii. t. 133 (18[06]–09).
*Lowe, Ferns, viii. t. 57 (1860).
*Hooker, Garden Ferns, t. 25 (1862).
!Gard. Chron. iv. 813 (1875).
Dobbie, New Zeal. Ferns, 6 (1880).
Gartenfl. xxix. 185 (1880).—*Hab.*
Field, Ferns New Zealand, t. 9, 29 (1890).
Schneider, Book Choice Ferns, ii. 336 (1893).—*Hab.*
Bois, Dict. Hort. 409 (1893–99).
Schimper, Pflanzen-Geogr. 508 (1898).
Semaine Hort. 1899, p. 7.—*Hab.*
Nicholson, '1900' Suppl. Dict. Gard. 276 (1900).—*Hab.*
Conzatti in Mem. y Rev. Soc. 'Antonio Alzate', xxv. 109 (1907).
Illustr. New Zeal. Fl. (Educ. Dep.), t. 20 (1908).—*Hab.*
Turner, Rep. Bot. Exam. Waimarino Distr. (New Zeal. Dep. Lands), 2 (1909).—*Hab.*
Warburg, Pflanzenwelt, i. 253 (1913).
meridensis Karst.
Karsten, Fl. Columbiae, ii. 184, 200 (1862–69).
L. H. Bailey, Cycl. Amer. Hort. 424 (1900); Stand. Cycl. Hort. 930, 931 (1914).
Mettenii Karst.
Karsten, Fl. Columbiae, i. t. 56, 100 (1858–61); ii. t. 191 (1862–69).
Karsten, Deutsche Fl. Pharm.-medic. Bot. 275 (1880–83).
Karsten, Fl. Deutschl. i. 268 (1895).
mexicana Cham. & Schlechtd.
Presl, Tent. Pteridogr. t. 1 (1836).
Ettingshausen, Farnkr. t. 158, 162 (1865).
Ross in Mem. y Rev. Soc. 'Antonio Alzate', xxxiii. t. 11 (1912).—*Hab.*
microlepis Kunze
Ettingshausen, Farnkr. t. 158 (1865).
microphylla Mett.
Mettenius, Fil. Lechl. t. 3 (1856).
T. Moore, Index Fil. Gen. & Spec. t. 81 [1857–62].
*Hooker, Second Cent. Ferns, t. 99 (1861).
Ettingshausen, Farnkr. t. 162 (1865).
Pflanzenfam. i. IV. 124 (1899).
Gartenfl. li. 263 (1902).
Goebel, Organogr. Pfl. Ed. 2, ii. 1149 (1915–18).
Milnei Hook.
Trans. & Proc. New Zeal. Inst. 1909, xlii. t. 21 (1910).—*Hab.*
multiflora J. E. Sm.
Bull. Torr. Bot. Club, xxxviii. t. 35 (1911).
muricata Willd.
J. Smith, Ferns Brit. & Foreign, 241 (1866); Ed. 2, p. 241 (1879).
nigra Linden
*Ill. Hort. xxiii. t. 242 (1876).
Nockii Jenm.
Ann. Rep. Smithson. Inst. 1911, t. 8, p. 492 (1912).
novo-guineensis Brause
Engl. Jahrb. xlix. 9 (1912).
paraphysata Copel.
Philippine Journ. Sc., Bot. vi. t. 15 (1911).
patens Karst.
Karsten, Fl. Columbiae, ii. t. 191 (1862–69).
petiolulata Karst.
Karsten, Fl. Columbiae, ii. 185, 200 (1862–69).
—— **boconensis** Karst.
Karsten, Fl. Columbiae, ii. t. 185 (1862–69).
princeps J. Sm.
Ann. Rep. Smithson. Inst. 1911, t. 1, p. 463 (1912).—*Hab.*
pubescens Mett.
Shreve in Carnegie Inst. Washington, Publ. No. 199, t. 1, 4 (1914).—*Hab.*
punga Hort.
Gartenwelt, ix. 29 (1904).
quindiuensis Karst.
Karsten, Fl. Columbiae, ii. t. 179 (1862–69).
schanschin Mart.
*Martius, Crypt. Bras. t. 54 (1828–34).
*Schnizlein, Iconogr. i. t. 26 a (1844).

CYATHEA
schanschin
Mart. Fl. Bras. i. II. t. 40, 67 (1870).
Wettstein, Veg. Südbras. t. 5 (errore *Alsophila schanschin*), t. 27 (1904).—*Hab.*
Christ, Geogr. Farne, 47, 247 (1910).—*Hab.*
serra Willd.
Hooker, Sp. Fil. i. t. 9 (1846).
sinuata Hook. & Grev.
Hooker & Grev. Ic. Fil. i. t. 106 (1831).
*Hooker, Garden Ferns, t. 21 (1862).
Beddome, Ferns S. Ind. t. 259 (1863).
Beddome, Handb. Ferns Brit. Ind. 5 (1883).
Schneider, Book Choice Ferns, ii. 90 (1893).
Pflanzenfam. i. IV. 128 (1899).—*Hab.*
Christ, Geogr. Farne, 249 (1910).
Warburg, Pflanzenwelt, i. 253 (1913).
Smithii Hook. f.
Hooker f., Fl. Nov.-Zel. ii. t. 72 (1855).
Gartenfl. xxiii. 86 (1874).—*Hab.*
sphaerocarpa Fée
Fée, Crypt. Vasc. Brésil, i. t. 53 (1869).
spinulosa Wall.
Hooker, Sp. Fil. i. t. 12 (1846).
Beddome, Ferns S. Ind. t. 57 (1863).
Trans. Linn. Soc. London, xxx. t. 7, 8, 13 (1874); Ser. II. Bot. i. t. 49 (1880).
Beddome, Handb. Ferns Brit. Ind. 7 (1883).
*Baynes, Indian Ferns, t. 9 (1887).
*Useful Pl. Jap. iii. t. 977 (1895).
Miyoshi, Atlas Jap. Veg. t. 44, 45 (1906).—*Hab.*
Journ. Coll. Sc. Tokyo, xxiii. Art. 10, t. 4 (1908).—*Hab.*
squamipes Karst.
Karsten, Fl. Columbiae, i. 99, 100 (1858–61).
Sternbergii Pohl
Ettingshausen, Farnkr. t. 161 (1865).
straminea Karst.
Karsten, Fl. Columbiae, ii. t. 182, 183 (1862–69).
strigosa Christ
Ann. Jard. Bot. Buitenzorg, xv. t. 13, fig. 6 (1898).
Stuebelii Hieron.
Hedwigia, xlv. t. 12 (1906).
subdimorpha Copel.
Philippine Journ. Sc., Bot. viii. t. 2 (1913).
superfusa Kunze
Ettingshausen, Farnkr. t. 160 (1865).
Taunaysiana Glaz.
Fée, Crypt. Vasc. Brésil, i. t. 64 (1869).
usambarensis Hieron
Engler & Drude, Veget. Erde, ix. II. 6, t. 1 (1908).
Karsten & Schenck, Veg.-Bild. xi. t. 46 (1914).—*Hab.*
vestita Mart.
*Martius, Crypt. Bras. t. 52 (1828–34).
Schnizlein, Iconogr. i. t. 26 a (1844).
villosa H. B. K.
H. B. K. Nov. Gen. vii. t. 670 (1825).
Walkerae Hook.
Hook. Ic. Pl. vii. t. 647 (1844).
Beddome, Ferns S. Ind. t. 261 (1863).

CYATHELLA Decne.: *Cynanchum*
repanda Decne.
Ann. Sc. Nat. Paris, Ser. II. ix. t. 12 (1838).—*Fl.*

CYATHIDIUM Lindl.: *Saussurea*
taraxacifolium Lindl.
*Royle, Illustr. Bot. Himal. t. 56 (1839).

CYATHOCALYX Champ.—Vide *Drepananthus*
bancanus Boerl.
Ic. Bogor. i. t. 54 (1899).
biovulatus Boerl.
Ic. Bogor. i. t. 55 (1899).
borneensis Boerl.
Ic. Bogor. i. t. 56 (1899).
ceylanicus Champ.
Beddome, Fl. Sylv. Anal. Gen. t. 1 (1870).—*Fl.*
Beddome, Ic. Pl. Ind. Or. t. 47 (1874).
*Ann. Jard. Bot. Buitenzorg, viii. t. 22 (1890).—*Fl.*
Ann. Bot. Gard. Calcutta, iv. t. 42 (1893).
globosus Merr.
W. H. Brown in Bull. Philipp. Isl. Dep. Agric. Bur. Forestry, No. 21, p. 57 (1920).
Havilandii Boerl.
Ic. Bogor. i. t. 57 (1899).

CYATHOCALYX
Maingayi Hook. f. & Thoms.
Ann. Bot. Gard. Calcutta, iv. t. 45 (1893).
martabanicus Hook. f. & Thoms.
Ann. Bot. Gard. Calcutta, iv. t. 43 (1893).
obtusifolius Scheff.
Ic. Bogor. i. t. 35 (1899).
Rec. Trav. Bot. Néerl. ii. 72 (1905).—*Fl.*
sumatranus Scheff.
Ic. Bogor. i. t. 34 (1899).
Rec. Trav. Bot. Néerl. ii. 72 (1905).—*Fl.*
virgatus King
Ann. Bot. Gard. Calcutta, iv. t. 44 (1893).
zeylanicus = *ceylanicus*

CYATHOCHAETA Nees
avenacea Benth.
C. B. Clarke, Illustr. Cyperac. t. 75 (1909)
clandestina Benth.
Hook. Ic. Pl. xiv. t. 1343 (1881).

CYATHOCLINE Cass.
lutea Law
Wight, Ic. Pl. Ind. Or. iii. t. 1150 (1846).
Calcutta Journ. Nat. Hist. vii. t. 3 (1847).
lyrata Cass.
Wight, Ic. Pl. Ind. Or. iii. t. 1098 (1846).
Pflanzenfam. iv. v. 153 (1890).—*Fr.*

CYATHODES Labill.—Vide *Androstoma*
acerosa R. Br.
Kirk, For. Fl. New Zeal. t. 108 (1889).
Cheeseman, Ill. New Zeal. Fl. t. 124 (1914).
ascendens Hook. f.
*Hooker f., Fl. Tasman. i. t. 74 (1860).
Colensoi Hook. f.
Cheeseman, Ill. New Zeal. Fl. t. 125 (1914).
disticha Labill.
Labillardière, Nov. Holl. Pl. t. 82 (1804).
Lamarck, Ill. vi. t. 925, fig. 2 (1819).
divaricata Hook. f.
*Hooker f., Fl. Tasman. i. t. 74 (1860).
glauca Labill.
Labillardière, Nov. Holl. Pl. t. 81 (1804).
Lamarck, Ill. vi. t. 925, fig. 1 (1819).
laurina R. Br.
Trans. Linn. Soc. London, viii. t. 9 (1807) in textu; *Styphelia cornifolia* in ic.
Oxycedrus R. Br.
*Meredith, Bush Friends Tasmania, t. 2 (1860).
parvifolia R. Br.
*Meredith, Bush Friends Tasmania, Last Ser. t. 10 (1891).
robusta Hook. f.
Illustr. New Zeal. Fl. (Educ. Dep.), t. 38 (1909). —*Hab.*
Cockayne, New Zeal. Pl. Ed. 2, p. 184 (1919).

CYATHOGLOTTIS Poepp. & Endl.: *Sobralia*
candida Poepp. & Endl.
Poeppig & Endl. Nov. Gen. & Sp. Pl. i. t. 94 (1835).
macrantha C. Lem.
*Lem. Jard. Fl. iv. t. 355 (1853).

CYATHOGYNE Müll.-Arg.
viridis Müll.-Arg.
Hook. Ic. Pl. xiii. t. 1278 (1879).
Pflanzenfam. iii. v. 29 (1890).—*Fl.*

CYATHOPUS Stapf
sikkimensis Stapf
Hook. Ic. Pl. xxiv. t. 2395 (1895).

CYATHOSTELMA Fourn.
latipes Fourn.
Svenska Vet. Akad. Handl. xxxiv. No. 7, t. 5 (1900).—*Fl.*

CYATHOSTEMMA Griff.
acuminatum King
Ann. Bot. Gard. Calcutta, iv. t. 41 (1893).
Hookeri King
Ann. Bot. Gard. Calcutta, iv. t. 40 (1893).
Ic. Bogor. i. t. 42 (1899).
Scortechinii King
Ann. Bot. Gard. Calcutta, iv. t. 38 (1893).
sumatrana Boerl.
Ic. Bogor. i. t. 58 (1899).

CYATHOSTEMMA
viridiflora Griff.
Griffith, Ic. Pl. Asiat. t. 650 (1854).
Ann. Bot. Gard. Calcutta, iv. t. 37 (1893).
Wrayi King
Ann. Bot. Gard. Calcutta, iv. t. 39 (1893).

CYATHULA Lour.
achyranthoides Moq.
Pflanzenfam. iii. 1. A. 108 (1893).
capitata Moq.
Wight, Ic. Pl. Ind. Or. v. t. 1782 (1852).
Pflanzenfam. iii. 1. A. 93, 94 (1893).—*Fl.*
Lo Priore in Borzi, Contrib. Biol. Veg. (Palermo), iii. III. t. 17, fig. 3 (1905).—*Fl.*
globulifera Moq.
Pflanzenfam. iii. 1. A. 108 (1893).
Transvaal Agric. Journ. iv. No. 16, t. 104 (1906).
Marloth, Fl. S. Africa, i. t. 45 (1913).
prostrata Bl.
Rheede, Hort. Mal. x. t. 79 (1690); fide Fl. Brit. Ind. iv. 723.
Rumphius, Herb. Amboin. vi. t. 11 (1750); fide Merrill, Interpret. Rumph. Herb. Amboin.
F. M. Bailey, Weeds & Poison. Pl. Queensland, 154 (1906).
Fawcett & Rendle, Fl. Jamaica, iii. 1. 134 (1914).
tomentosa Moq.
Wight, Ic. Pl. Ind. Or. v. t. 1781 (1852).
Pflanzenfam. iii. 1. A. 108 (1893).
Collett, Fl. Siml. 413 (1902).

CYBIANTHUS Mart.—Vide *Packia*
angustifolius A. DC.
Fielding & Gardn. Sert. Pl. i. t. 24 (1844).
Boissieri A. DC.
Mart. Fl. Bras. x. t. 41 (1856).
coriaceus Mart.
Mart. Fl. Bras. x. t. 39 (1856).
Pflanzenreich, Myrsinac. 226 (1902).
cuneifolius Mart.
Mart. Fl. Bras. x. t. 38 (1856).
densicomus Mart.
Mart. Fl. Bras. x. t. 39 (1856).
densiflorus Miq.
Mart. Fl. Bras. x. t. 45 (1856).
detergens Mart.
Mart. Fl. Bras. x. t. 40 (1856).
Pflanzenfam. iv. 1. 90 (1889).—*Fl.*
fuscus Mart.
Mart. Fl. Bras. x. t. 37 (1856).
longifolius Miq.
Mart. Fl. Bras. x. t. 43 (1856).
macrophyllus Miq.
Mart. Fl. Bras. x. t. 36 (1856).
multicostatus Miq.
Mart. Fl. Bras. x. t. 42 (1856).
myrianthus Miq.
Mart. Fl. Bras. x. t. 44 (1856).
obovatus Mart.
Mart. Fl. Bras. x. t. 46 (1856).
penduliflorus Mart.
*Martius, Nov. Gen. & Sp. Pl. Bras. iii. t. 236 (1829).
philippinensis Hook. f.
Vidal, Sin. Fam. & Gen. Pl. Leñ. Filip. (Introd. Fl. For. Filip.), Atlas, t. 61, fig. B (1883).—*Fl.*

CYBISTAX Mart.—Vide *Bignonia* (12)
antisyphilitica Mart.
Bureau, Monogr. Bignoniac. Atlas, t. 17 (1864). —*Fl.*
Pflanzenfam. iv. III. B. 237 (1894).—*Fr.*
Mart. Fl. Bras. viii. II. t. 115 (1897).
Wettstein, Handb. Syst. Bot. Ed. 2, p. 735 (1911). —*Fr.*

CYCAS Linn.
angulata R. Br.
Miquel, Monogr. Cycad. t. 2 (1842).—*Fl.*
Schnizlein, Iconogr. i. t. 38 (1843).
Gartenfl. vi. t. 184, fig. 7 (1856).—*Fr.*
Beddomei Dyer
Trans. Linn. Soc. London, Ser. II. Bot. ii. t. 17 (1883).
Lubbock, Seedlings, ii. 557 (1892).—*Veg.*
Warburg, Monsunia, i. t. 7 (1900).—*Fl.*

CYCAS
Bellefontii Linden & Rodigas
*Ill. Hort. xxxiii. t. 586 (1886).
caffra Thunb.
Nova Acta Soc. Sc. Upsal. ii. t. 5 (1775).
circinalis Linn.
Rheede, Hort. Mal. iii. t. 13–21 (1682); fide Fl. Brit. Ind. v. 656.
Lamarck, Ill. v. t. 891 (1797–1819).
Petit-Thouars, Hist. Vég. Iles France, i. t. 1, fig. 1–4, t. 2 (1804).
Ann. Mus. Hist. Nat. Paris, xvi. 433, t. 20 (1810). —*Fr.*
*Plenck, Ic. Pl. Med. viii. t. 727 (1812).
Mirbel, Élém. Phys. Vég. Bot. iii. t. 7, fig. 3 (1815).—*Hab.*
Dict. Sc. Nat., Planch. Bot. Dicot. t. 310, 311 (1816–29).
*Vietz, Ic. Pl. Med.-oec.-techn. vi. t. 459 (1817).
*Chaumeton, Fl. Méd. vi. 307, 307 bis (1818).
Richard, Comm. Bot. Conif. & Cycad. t. 24–26 (1826).
*Bot. Mag. lv. t. 2826, 2827 (1828).
*Descourtilz, Fl. Pitt. & Méd. Antilles, vi. t. 449 (1828).
*Zenker & Schenk, Merkant. Waarenk. ii. t. 46 (1832).
!Turpin, Œuvres Hist. Nat. Goethe, Atlas, t. 4 (1837).—*Fl.*
*Schnizlein, Iconogr. i. t. 38 (1843).
Linnaea, xviii. t. 4–6 (1844); xix. t. 1 (1847).
Lindley, Veg. Kingd. 223 (1846).
*De Vriese, Descr. & Fig. Pl. Nouv. & Rar. i [t. 6, 7] (1847).
Blume, Rumphia, iv. t. 176 b, 176 c (1848).
Miquel in Verh. Kl. I. Nederl. Inst. Wet. Amsterdam, Ser. III. iv. t. 5 (1851).
*Cassone, Fl. Med.-Farm. vi. t. 579, 580 (1852).
Griffith, Ic. Pl. Asiat. t. 361 (1854).—*Fr.*
Gartenfl. vi. t. 184, fig. 1–6 (1857); xxix. 116 (1880); xxxvii. 246 (1888).
W. Ellis, Madag. 172 (1858).—*Hab.*
Berg, Charakt. t. 10 a, fig. K; t. 16, fig. 156 (1861).
Decaisne & Naud. Amat. Jard. iii. 666 [1862–66]. —*Hab.*
Ill. Hort. xi. sub t. 405 (1864).
*Schubert, Naturg., Pflanzenreich, Ed. 2, t. 50, fig. 4 [1865].
Le Maout & Decaisne, Traité Gén. Bot. 542, 543 (1868).
Mém. Acad. Sc. Pétersb. Ser. VII. xiii. No. 6, t. 7, fig. 191–94 (1869).—*Fl.*
Gard. Chron. 1870, p. 993; Ser. III. i. 16 (1887).
Neubert's Deutsch. Gart. Mag. xxv. 297 (1872).
Garden, ii. 183 (1872); iii. 283 (1873).—*Hab.*
*Fl. des Serres, Ser. II. x. t. 2118, 2119 (1874). —*Hab.*
Williams, Choice Stove & Greenh. Ornam.-leaved Pl. Ed. 2, p. 177 (1876).
Karsten, Deutsche Fl. Pharm.-medic. Bot. 315 (1880–83).
Schilling, Grundr. Naturg. ii. Pflanzenr. Ausgb. A, p. 204 (1882); Ausgb. B, p. 117 (1884).
*M'Alpine, Bot. Atlas, i. t. 1 (1883).
Vidal, Sin. Fam. & Gen. Pl. Leñ. Filip. (Introd. Fl. For. Filip.), Atlas, t. 99 (1883).
Nicholson, Illustr. Dict. Gard. i. 416 [1884–88]. —*Hab.*
*Zippel, Ausländ. Handels- & Nährpfl. t. 39, 40 (1885).
Rev. Hort. Belge, xii. 250 (1886).—*Hab.*
Pflanzenfam. ii. 1. 13, 14, 17 (1889).—*Fl.*
Schimper, Bot. Mitt. Tropen, Heft iii. t. 7 (1891). —*Fr.*
Baillon, Hist. Pl. xii. 56 (1894).—*Fl.*
Krieger, New Guinea, t. 6 (1899).—*Hab.*
*Zippel, Ausländ. Kulturpfl. Atlas, Ed. 4, Abt. 2, t. 1 (1899).
Bellair & St.-Léger, Pl. Serre, 631 (1900).—*Hab.*
Warburg, Monsunia, i. t. 7 (1900).—*Fl.*
Goebel, Organogr. Pfl. 693 (1901); Ed. Angl. ii. 514 (1905).—*Fl.*
Warming, Handb. Syst. Bot. Ed. Möbius, 176 (1902).—*Hab.*
Velenovsky, Vergl. Morphol. Pfl. i. 167 (1905); iii. 735, 736, 738, 740 (1910).

CYCAS
circinalis
Contrib. U.S. Nat. Herb. ix. t. 14 (1905).
Lazaro, Comp. Fl. Españ. i. 585 (1906).
Beille, Bot. Pharm. ii. 23, 24 (1909).
Journ. New York Bot. Gard. x. t. 70 (1909).
Wettstein, Handb. Syst. Bot. Ed. 2, p. 377, 380 (1911).
Philippine Journ. Sc., Bot. vi. t. 26 (1911).
L. H. Bailey, Stand. Cycl. Hort. 931, t. 33 (1914).—*Hab.*
Ann. Bot. xxix. t. 29, fig. 1, 2 (1915).—*Veg.*
Rock, Orn. Trees Hawaii, t. 1 (1917).—*Hab.*
Brooklyn Bot. Gard. Rec. vi. 157, 159 (1917).—*Hab.*
C. J. Chamberlain, Living Cycads, 150 (1919).
W. H. Brown in Bull. Philipp. Isl. Dep. Agric. Bur. Forestry, No. 21, p. 23 (1920).
Fitch & Salisbury, Introd. Struct. & Reprodr. Pl. 323 (1920).—*Hab.*
——**javana** Miq.
Miquel, Monogr. Cycad. t. 1, 2 (1842).
Ann. Sc. Nat. Paris, Ser. III. Bot. iii. t. 8 (1845).—*Fr.*
gracilis glauca Hort.
Gartenfl. xxvii. 116 (1878).
inermis Lour.
Miquel in Verh. Kl. I. Nederl. Inst. Wet. Amsterdam, Ser. III. iv. t. 3, 4 (1851).
Miquel in Arch. Néerl. Sc. Exact. & Nat. ii. t. 20 (1867).
Oudemans in Versl. & Med. Akad. Wet. Afd. Natuurk. Ser. II. ii. t. 1, 3 (1868).
Warburg, Monsunia, i. t. 7 (1900).—*Fl.*
Jenkinsiana Griff.
Griffith, Ic. Pl. Asiat. t. 360, 362 (1854).
Kennedyana F. Muell.
Warburg, Monsunia, i. t. 7 (1900).—*Fl.*
macrocarpa Griff.
Griffith, Ic. Pl. Asiat. t. 362 (1854).—*Fr.*
madagascariensis Miq.
Miquel, Monogr. Cycad. t. 2 (1842).—*Hab.*
media R. Br.
Miquel, Monogr. Cycad. t. 1, 3 (1842).
Ann. Sc. Nat. Paris, Ser. III. Bot. t. iii. 9 (1845).
Miquel in Arch. Néerl. Sc. Exact. & Nat. iii. t. 10, fig. 13, 14; t. 11, fig. 2, 3, 13 (1867).
Miquel in Versl. & Med. Akad. Wet. Afd. Natuurk. Ser. II. iii. t. 1, fig. 13, 14; t. 2, fig. 13 (1869).
Journ. of Bot. vii. t. 91, fig. 13, 14 (1869).—*Fr.*
F. Mueller, Fragm. Phyt. Austral. viii [t. 65] (1874).
*Ill. Hort. xxvi. t. 368 (1879).—*Hab.*
Magyar Nov. Lapok, xi. 84 (1887).—*Hab.*
Pflanzenfam. ii. 1. 6 (1889).—*Hab.*
Brooklyn Bot. Gard. Rec. iv. 87–89 (1915).
Gager, Fundam. Bot. 395, 397, 398, 408 (1916).
C. J. Chamberlain, Living Cycads, 37, 150 (1919).
Micholitzii Dyer
Gard. Chron. Ser. III. xxxviii. 142, 143 (1905).
Gartenwelt, x. 3 (1906).
Garden, lxix. 246 (1906).—*Hab.*
*Bot. Mag. cxxxv. t. 8242 (1909).
Kew Bull. 1912, p. 301.—*Hab.*
Normanbyana F. Muell.
F. Mueller, Fragm. Phyt. Austral. viii [t. 65, 66] (1874).
Florist, 1877, p. 35.
Garden, xi. 448 (1877).—*Hab.*
Ill. Gartenzeit. Stuttgart, xxii. t. 20 (1878).
Gard. Month. & Hort., Meehan, xx. 108 (1878).
Magyar Nov. Lapok, xi. 84 (1887).—*Hab.*
Pflanzenfam. ii. 1. 6, 14 (1889).
Velenovsky, Vergl. Morphol. Pfl. ii. 284 (1907); iii. 736 (1910).
papuana F. Muell.
Warburg, Monsunia, i. t. 7 (1900).—*Fl.*
pectinata Griff.
Griffith, Ic. Pl. Asiat. t. 360 (1854).—*Fr.*
Trans. Linn. Soc. London, xxx. t. 12 (1874).
Rhein. Jahrb. Gartenk. Bot. iv. 136 (1887).
Gard. & Forest, iv. 114 (1891).
L. H. Bailey, Stand. Cycl. Hort. 931 (1914).—*Hab.*

CYCAS
revoluta Thunb.
Rumphius, Herb. Amboin. i. t. 24 (1741); fide Merrill, Interpret. Rumph. Herb. Amboin.
*Trans. Linn. Soc. London, vi. t. 29, 30 (1802); xxx. t. 12 (1874).
*Bot. Mag. lvii. t. 2963, 2964 (1830).
Loudon, Mag. Nat. Hist. ix. 103 (1836).
Amer. Journ. Sc. xxxii. t. 1 (1837).
*Marnock, Floricult. Mag. iv. t. 43 (1839).
Miquel, Monogr. Cycad. t. 1 (1842).
Ann. Sc. Nat. Paris, Ser. III. Bot. iii. t. 9 (1845).
G. Vrolik in Nieuwe Verh. Kl. I. Nederl. Inst. Wet. Amsterdam, Ser. II. xii. tab. (1846).—*Hab.*
Lindley, Veg. Kingd. 225 (1846).
Fl. des Serres, Ser. I. vi. 343 (1850–51).—*Hab.*
Goeppert in Denkschr. Feier Schles. Ges. 1853, t. 10.
Schacht, Baum, 261 (1860).—*Fr.*
Schacht, Lehrb. Anat. Phys. Gewächse, ii. 324 (1860).—*Fr.*
Neubert's Deutsch. Gart. Mag. xiv. 17 (1861).
Journ. Hort. xxviii. 297 (1862); lxiii. 27 (1880); Ser. III. xxix. 231, 379 (1894); xlv. 356 (1902); liv. 368 (1907); lxviii. 524 (1914).
*Siebold & De Vriese, Fl. Jard. v. 129 (1862).
Belg. Hort. xvii. 27 (1867).—*Hab.*
Oudemans in Versl. & Med. Akad. Wet. Afd. Natuurk. Ser. II. ii. t. 2, 3 (1868).
Miquel in Arch. Néerl. Sc. Exact. & Nat. iii. t. 10, fig. 1–6, 9, 12 (1868).—*Veg.*
Miquel in Versl. & Med. Akad. Wet. Afd. Natuurk. Ser. II. iii. t. 1, fig. 1–6, 9, 12 (1869).
Mém. Acad. Sc. Pétersb. Ser. VII. xiii. No. 6, t. 7, fig. 189, 190 (1869).—*Fl.*
Journ. of Bot. vii. t. 91, fig. 1–6, 9, 12 (1869).—*Fr.*
*Réveil, Règne Vég. viii. t. 44 (1870).
Floral World, 1872, p. 66.
Garden, vi. 217 (1874); xxxviii. 557 (1890).—*Hab.*
Gartenfl. xxv. 377 (1876).—*Hab.*
Rev. Hort. Belge, iii. 198 (1877); xxi. 163 (1895).—*Hab.*
Berge, Pflanzenphysiogn. 178 (1880).—*Hab.*
Karsten, Deutsche Fl. Pharm.-medic. Bot. 315 (1880–83).
*M'Alpine, Bot. Atlas, i. t. 1 (1883).
Pflanzenfam. ii. 1. 14 (1889).—*Fr.*
Blanc, Hints Cacti, 100 (1891).—*Hab.*
Kerner, Pflanzenleben, ii. 70 (1891).—*Fr.*
Meehan's Monthly, ii. 88 (1892).—*Hab.*
Schwarz, Forstl. Bot. 244 (1892).—*Fr.*
Baillon, Hist. Pl. xii. 57 (1894).—*Fl.*
Karsten, Fl. Deutschl. i. 316 (1895).
Kerner & Oliv. Nat. Hist. Pl. ii. 74, 719 (1895).
*Useful Pl. Jap. iii. t. 710 (1895).
Rev. Hort. 1896, p. 369; 1900, p. 413.
Bull. Soc. Tosc. Ortic. xxvi. 259 (1897).—*Fl.*
L. H. Bailey, Cycl. Amer. Hort. 425 (1900); Stand. Cycl. Hort. 932, 933 (1914).
Hesdörffer, Handb. Zimmergärtn. Ed. 2, p. 347, fig. 232 (1900).
Warburg, Monsunia, i. t. 6, 7 (1900).
Goebel, Organogr. Pfl. 691 (1901); Ed. Angl. ii. 512 (1905).
Warming, Handb. Syst. Bot. Ed. Möbius, 163 (1902).—*Fr.*
Gard. Chron. Ser. III. xxxiv. 415 (1903).—*Hab.*
Flora, xciii. 449, 450 (1904).—*Fr.*
Möllers Deutsche Gärtn.-Zeit. xx. 222–24 (1905); xxiv. 76, 77 (1909).
Journ. Roy. Hort. Soc. London, xxix. 666, 667, fig. 205, 206 (1905); xxxviii. 513, fig. 189 (1913).
Miyoshi, Atlas Jap. Veg. t. 23 (1905); t. 31 (1906).—*Hab.*
Velenovsky, Vergl. Morphol. Pfl. i. 167 (1905); iii. 736 (1910).
Oesterr. Gart.-Zeit. i. 8 (1906).—*Hab.*
Act. Hort. Jurjev. vii. t. 3 (1907).—*Hab.*
Rev. Gén. Bot. xx. t. 4 (1908).—*Hab.*
Gubb, Fl. Algeria, t. 2 (1909).—*Hab.*
Coulter & Chamberlain, Morph. Gymnosp. 109, 113, 123 (1910).

CYCAS
revoluta
Wettstein, Handb. Syst. Bot. Ed. 2, p. 379, 380, 383 (1911).
Warburg, Pflanzenwelt, i. 330 (1913).
Gager, Fundam. Bot. 390, 391, 394, 396 (1916).
Youngken, Pharm. Bot. Ed. 2, p. 242 (1918).
C. J. Chamberlain, Living Cycads, 86, 146, 150 (1919).
Bose, Man. Ind. Bot. 307 (1920).
Fritch & Salisbury, Introd. Struct. & Reprodr. Pl. 325 (1920).
Riuminiana Regel
*Ill. Hort. xi. t. 405 (1864).—*Hab.*
*Floral World, 1872, p. 65.—*Hab.*
Rumphii Miq.
Rumphius, Herb. Amboin. i. t. 20–23 (1741); fide Merrill, Interpret. Rumph. Herb. Amboin.
*De Vriese, Descr. & Fig. Pl. Nouv. & Rar. i [t. 8, 9] (1847).
Miquel in Verh. Kl. I. Nederl. Inst. Wet. Amsterdam, Ser. III. iv. t. 5 (1851).
Linnaea, xxv. t. 2 (1852).
Miquel in Arch. Néerl. Sc. Exact. & Nat. iii. t. 10, fig. 7, 8, 11 (1867).—*Veg.*
Miquel in Versl. & Med. Akad. Wet. Afd. Natuurk. Ser. II. iii. t. 1, fig. 7, 8, 10 (1869).
Journ. of Bot. vii. t. 91, fig. 7, 8, 10, 11 (1869).—*Fr.*
Trans. Linn. Soc. London, xxx. t. 12 (1874).
Warburg, Monsunia, i. t. 6, 7 (1900).
Trop. Agric. xxv. No. 3, p. 496 (1905).—*Fr.*
De Wildeman, Miss. E. Laurent, i. p. cxlix (1907).—*Hab.*
Warburg, Pflanzenwelt, i. t. 15 (1913).—*Hab.*
Seemannii A. Br.
Journ. of Bot. xxxi. t. 330 (1893).
siamensis Miq.
Rev. Hort. 1881, p. 397, 398.—*Hab.*
*Ill. Hort. xxviii. t. 433 (1881).
Garden, xxi. 273 (1882).—*Hab.*
Garten-Zeit. Berlin, i. 113 (1882).
Bellair & St.-Léger, Pl. Serre, 632 (1900).—*Hab.*
Flora, xciii. 448 (1904).
Coulter & Chamberlain, Morph. Gymnosp. 124 (1910).—*Veg.*
sphaerica Roxb.
Trans. Linn. Soc. London, xxx. t. 12 (1874).
taiwaniana Carruthers
Journ. of Bot. xxxi. t. 331 (1893).
Thouarsii R. Br.
Warburg, Monsunia, i. t. 7 (1900).—*Fl.*
Warburg, Pflanzenwelt, i. 325 (1913).—*Veg.*
tonkinensis Linden & Rodr.
Neubert's Deutsch. Gart. Mag. xxxix. 275 (1886).
Garten-Zeit. Berlin, v. 584 (1886).—*Hab.*
Jardin, xi. 75 (1897).—*Hab.*
undulata Desf.
Sempervirens, x. 180 (1881).
Garden, xix. 506 (1881).—*Hab.*

CYCLAMEN Linn.
aegineticum F. Hildebr.
Beih. Bot. Centralbl. xxii. II. t. 8, fig. 2 (1907).—*Fl.*
africanum Boiss. & Reut.
*Kratz, Primulaceen, [t. 3] (1861).
*Bot. Mag. xcv. t. 5758 (1869).
Cosson, Ill. Fl. Atlant. ii. t. 147 (1893).
Brehm, Merv. Nat. Monde des Pl. ii. 221 (1894–96).
Hildebrand, Cyclamen, t. 6 (1898).
Beih. Bot. Centralbl. xxii. II. t. 4, fig. 10, 11; t. 7, fig. 3; t. 9, fig. 2 (1907).
albidum Jord.
*Jordan, Ic. Fl. Eur. iii. t. 425 (1903).
albiflorum Jord.
*Jordan, Ic. Fl. Eur. iii. t. 417 (1903).
album punctatum Hort.
*Fl. des Serres, Ser. II. xii. t. 2345 (1876).
aleppicum Fisch.
*Kratz, Primulaceen, [t. 4] (1861).
*Zeller, Wild Fl. Holy Land, Ed. 2, t. 29 (1876) in ic.; *C. persicum* in enum. p. xiii.
—— **candidissimum** Hort.
*Fl. des Serres, Ser. II. xii. t. 2345 (1876).

CYCLAMEN
aleppicum maculatum-elegans Hort.
*Kratz, Primulaceen, [t. 4] (1861).
algeriense Jord.
*Jordan, Ic. Fl. Eur. iii. t. 422 (1903).
alpinum Hort.
Hildebrand, Cyclamen, t. 3 (1898).
Beih. Bot. Centralbl. xxii. II. t. 3, fig. 13; t. 7, fig. 19–21; t. 8, fig. 12; t. 9, fig. 14 (1907).
angulare Jord.
*Jordan, Ic. Fl. Eur. iii. t. 413 (1903).
apiculatum Jord.
*Jordan, Ic. Fl. Eur. iii. t. 402 (1903).
×**Atkinsii** T. Moore
*Gard. Comp. 1852, p. 89.
*Lem. Jard. Fl. iii. t. 297 (1853).
*Florist, 1854, p. 161.
*Ill. Hort. i. t. 31 (1854).
*Floricult. Cab. 1857, p. 89.
*Kratz, Primulaceen, [t. 4] (1861).
Journ. Hort. xxx. 150 (1863).
*Neerl. Plantentuin, Ed. Oudemans, iii. t. 44 (1867).—*Hab.*
*Eeden, Album Bulb. Pl. t. 32 (1872–81).
*Fl. des Serres, Ser. II. xii. t. 2345 (1876); xiii. t. 2425 (1880).
*Garden, xxx. 433 (1886).—*Hab.*
—— **purpureum** Hort.
*Eeden, Album Bulb. Pl. t. 32 (1872–81).
—— **roseum** Hort.
*Eeden, Album Bulb. Pl. t. 32 (1872–81).
autumnale J. Boos
*Kratz, Primulaceen, [t. 3] (1861).
balearicum Willk.
*Willkomm, Ill. Fl. Hispan. Balear. i. t. 5 (1881–85).
Hildebrand, Cyclamen, t. 2 (1898).
Coste, Fl. France, ii. 532 (1903).
Beih. Bot. Centralbl. xxii. II. t. 3, fig. 5; t. 7, fig. 8; t. 8, fig. 8; t. 9, fig. 6 (1907).
breviflorum Jord.
*Jordan, Ic. Fl. Eur. iii. t. 419 (1903).
brevifrons Jord.
*Jordan, Ic. Fl. Eur. iii. t. 401 (1903).
cilicicum Boiss. & Heldr.
Hildebrand, Cyclamen, t. 2 (1898).
Gard. Chron. Ser. III. xxiii. 81 (1898).—*Hab.*
Beih. Bot. Centralbl. xxii. II. t. 3, fig. 11; t. 6, fig. 16; t. 7, fig. 2; t. 8, fig. 6; t. 9, fig. 11 (1907).
Clusii Lindl.
*Bot. Reg. xii. t. 1013 (1826).
coum Mill.
*Bot. Mag. i. t. 4 (1786).
*Trattinick, Ausg. Taf. Arch. ii. t. 175 (1813).
Trattinick, Arch. iii. t. 248 (1817).
*Lodd. Bot. Cab. ii. t. 108 (1818).
*Morris, Fl. Conspic. t. 60 [1825–30].
*M. Roscoe, Fl. Illustr. Seasons, t. 9 [1829–31].
*Piccioli, Antotr. Colt. Fiori, i. t. 2 (1834).
*Mag. Bot. & Gard. iii. t. 8 (1835).
Ann. Hort. v. 337 (1850).
*Neerl. Plantentuin, Ed. Oudemans, iii. t. 44 (1867).—*Hab.*
*Fl. des Serres, Ser. II. xii. t. 2345 (1876).
Neubert's Deutsch. Gart. Mag. 1878, p. 235; 1885, p. 313.
Gartenfl. xxvii. 278 (1878).—*Hab.*
Nicholson, Illustr. Dict. Gard. i. 417 [1884–88].—*Hab.*
*Garden, xxx. 433 (1886); lxxvi. 156 (1912).—*Hab.*
Hildebrand, Cyclamen, t. 3 (1898).
Gard. Chron. Ser. III. xxxvii. 133 (1905).
Pflanzenreich, Primulac. 249 (1905).
Beih. Bot. Centralbl. xxii. II. t. 3, fig. 7; t. 7, fig. 16 (1907).
Journ. Hort. Ser. III. lx. 490 (1910).—*Hab.*
—— **album** Hort.
Journ. Roy. Hort. Soc. London, xxvii. 907 (1903).
—— **carneum** Hort.
*Kratz, Primulaceen, [t. 3] (1861).
—— **pulcherrimum** Regel
*Kratz, Primulaceen, [t. 3] (1861).
—— **vernum** Mill.
*Gartenfl. xi. t. 370 (1862).
*Trans. Russ. Hort. Soc. 1862, t. 96.

CYCLAMEN
coum vernum
*Verlot, Pl. Alp. Ed. 2, t. 37 (1873).—*Hab.*
*Wooster, Alp. Pl. Ed. 2, t. 27 (1874).—*Hab.*
crassifolium F. Hildebr.
Beih. Bot. Centralbl. xxii. II. t. 6, fig. 1–8 (1907).—*Veg.*
creticum F. Hildebr.
Beih. Bot. Centralbl. xxii. II. t. 7, fig. 24–28; t. 8, fig. 9; t. 9, fig. 7 (1907).
cyclophyllum Jord.
*Jordan, Ic. Fl. Eur. iii. t. 410 (1903).
cyprium Unger & Kotschy
*Garden, x. 190 (1876).
Hildebrand, Cyclamen, t. 5 (1898).
Beih. Bot. Centralbl. xxii. II. t. 3, fig. 10; t. 7, fig. 1; t. 8, fig. 4; t. 9, fig. 16 (1907).
eucardium Jord.
*Jordan, Ic. Fl. Eur. iii. t. 405 (1903).
europaeum Linn.
*Kniphof, Herb. Viv. i. t. 345, 346 (1758).
*Regnault, Bot. i. 70 (1774).
Buchoz, Hist. Règne Vég. ix. Dec. 10, t. 8 (1775).
*Jacquin, Fl. Austr. v. t. 401 (1778).
*Zorn, Ic. Pl. Med. i. t. 72 (1779).
*Bergeret, Phyt. Univ. ii. 231 (1784).
*Plenck, Ic. Pl. Med. i. t. 85 (1788).
Lamarck, Ill. i. t. 100 (1791).
*Oskamp, Afb. Artseny-Gewass. i. t. 72 (1796).
*Sowerby & Sm. Engl. Bot. viii. t. 548 (1799).
Gaertner f., Fruct. iii. t. 183 (1805).—*Fr.*
Savi, Mat. Med. Veg. Toscana, t. 41 (1805).
*Roques, Pl. Usuell. Indig. & Exot. i. t. 41 (1807).
*Schkuhr, Bot. Handb. Ed. 2, t. 35 (1808).
Ann. Mus. Hist. Nat. Paris, xvi. 433, t. 21 (1810).—*Fr.*
*Sturm, Deutschl. Fl. ix. XXXIV [t. 531] (1812).
*Trattinick, Ausg. Taf. Arch. ii. t. 173 (1813).
*Chaumeton, Fl. Méd. iii. t. 145 (1816).
*Vietz, Ic. Pl. Med.-oec.-techn. vi. t. 460 (1817).
Trattinick, Arch. ii. t. 246 (1817).
*Joh. Kerner, Gen. Pl. Ill. iii. t. 48 (1820).
*Roques, Phytogr. Médic. i. t. 47 (1821); Nouv. Ed. Atlas, t. 31 (1835).
*Sweet, Brit. Fl. Gard. ii. t. 176 (1826).
Meigen, Deutschl. Fl. i. t. 39 (1836).—*Fl.*
*Hayne, Getreue Darst. Arzn. Gew. xiii. t. 8 (1837).
*Brandt & Ratzeb. Deutschl. Phanerog. Giftgew. t. 11 (1838).
Lindley, Med. & Oecon. Bot. 198 (1849).
*Rev. Hort. Ser. III. iii. 261 (1849).
*Berge & Riecke, Giftgewächse, t. 10 (1850).
*Cassone, Fl. Med.-Farm. v. t. 437 (1850).
*E. Hamilton, Fl. Homoeopath. i. t. 28 (1852).
Reichenbach, Ic. Fl. Germ. xvii. t. 1089 (1855).
*Pecirka, Giftgew. Oesterr. Deutschl. [t. 9] (1859).
Schacht, Lehrb. Anat. Phys. Gewächse, ii. 91, 473 (1860).—*Veg.*
*Kratz, Primulaceen, [t. 3] (1861).
Berg, Charakt. t. 41, fig. 323 (1861).
*Argenta, Album Fl. Med.-Farm. ii. t. 197 (1863).
Bentham, Handb. Brit. Fl. fig. 645 (1865).
*Schubert, Naturg., Pflanzenreich, Ed. 2, t. 10, fig. 5 [1865].
Cesati, Passer. & Gibelli, Comp. Fl. Ital. t. 65 (1867–86).—*Fl.*
Le Maout & Decaisne, Traité Gén. Bot. 218 (1868).
*Réveil, Règne Vég. xiv. t. 18 (1870).
*Weber, Alp.-Pfl. Ed. 3, iv. t. 364 (1872).
*Cusin, Herb. Fl. Franç. xv (Primulacées), t. 33 (1874).
Chopard in Rameau de Sapin, xi. 9 (1877).
Rev. Hort. Belge, iii. 250 (1877).
De Silvestri, Piante Prat. 168 (1879).
*Seboth & A. W. Bennett, Alpine Pl. iv. t. 3 (1880).
*Lesacher & Mareschal, Nouv. Bot. Méd. iii [t. 16] (1880).
Karsten, Deutsche Fl. Pharm.-medic. Bot. 915 (1880–83).
*C. Hoffmann, Pflanzenatlas, t. 14, fig. 79 (1881).
Wagner, Ill. Deutsche Fl. Ed. 2, p. 509 (1882).
Willkomm, Führ. Reich Pflanzen, 558 (1882).—*Fl.*

CYCLAMEN
europaeum
Gart.- u. Blumenzeit. Hamburg, xxxix. 4 (1883).—*Hab.*
Nicholson, Illustr. Dict. Gard. i. 418 [1884–88].
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xix. t. 1983 (1884).
Garden, xxix. 503 (1886).
*Sterne, Herbst- & Winterblumen, t. 40 (1886).—*Hab.*
*L. & C. Schroeter, Taschenfl. Alp.-Wand. t. 17 (1889).
*Dujard.-Beaumetz & Égasse, Pl. Méd. t. 16 (1889).
*Thomé, Fl. Deutschl. iv. t. 473 (1889).
Kerner, Pflanzenleben, ii. 89 (1891).—*Fl.*
G. Beck, Fl. Nied.-Oesterr. ii. II. 910 (1893).—*Fl.*
Acloque, Fl. France, 451 (1894).
*Correvon, Fl. Col. Suisse, t. 127 (1894).
Garcke, Ill. Fl. Deutschl. 500 (1895).
Karsten, Fl. Deutschl. ii. 484 (1895).
Kerner & Oliv. Nat. Hist. Pl. ii. 91 (1895).—*Fl.*
*Hartinger, Atlas Alpenfl. iv. t. 328 (1897).
*G. Beck, Alpenblum. Semmering, t. 12, fig. 7 (1898).—*Fl.*
Hildebrand, Cyclamen, t. 1 (1898).
Jardin, xiii. 189 (1899).—*Hab.*
Fiori & Paol. Ic. Fl. Ital. 317 (1901).
*Sturm, Fl. Deutschl. Ed. 2, ix. 255 (1901).
Coste, Fl. France, ii. 533 (1903).
*Jul. Hoffmann, Alpine Fl. t. 35 (1903).
*L. & C. Schroeter, Col. Vade-Mecum Alp. Fl. Ed. 16 & 17, t. 24 (1904).
Avebury, Notes Life Hist. Brit. Fl. Pl. 271 (1905).—*Fl.*
*Masclef, Pl. Eur. t. 58 (1905).
*Flahault, Nouv. Fl. Alpes & Pyrén. i. t. 96 (1906).
*Kirby, Brit. Fl. Pl. t. 77 (1906).
*Senn, Alpen-Flora, ii. t. 96 (1906).
Lazaro, Comp. Fl. Españ. ii. 599 (1907).
Beih. Bot. Centralbl. xxii. II. t. 3, fig. 4; t. 7, fig. 5, 6; t. 9, fig. 1 (1907).
*Correvon & Rob. Alp. Fl. t. 77 [1908?].
*Hulme, Familiar Swiss Fl. t. 86 (1908).
*Oehninger, Alpenfl. t. 15, fig. 5 (1908).
Beille, Bot. Pharm. ii. 912 (1909).
Graebner, Pflanzenw. Deutschl. 236 (1909).
*Esser, Giftpfl. Deutschl. t. 85 (1910).
Silva Tarouca, Freiland-Stauden, 74 (1910).—*Hab.*
Hosseus, Pflanzenw. Reichenhall, 101 (1911).
*H. S. Thompson, Alp. Pl. Europe, t. 48 (1911).
Wettstein, Handb. Syst. Bot. Ed. 2, p. 707 (1911).—*Fr.*
*Pokorny-Schoenichen, Pflanzenkunde, t. 19, fig. 2 (1912).
*H. S. Thompson, Sub-Alp. Pl. t. 10 (1912).
Neger, Biol. Pflanz. 722 (1913).
*Penzig, Fl. Alpi Illustr. Ed. 2, t. 35 (1915).
Fitch & Smith, Ill. Brit. Fl. Ed. rev. 4, Iss. 2, fig. 653 (1919).
Gard. Chron. Ser. III. lxvii. 122 (1920),—*Hab.*
—— **album** Hort.
*Kratz, Primulaceen, [t. 3] (1861).
—— **descendens** Tratt.
*Trattinick, Ausg. Taf. Arch. ii. t. 174 (1813).
Trattinick, Arch. iii. t. 247 (1817).
—— **Peakeanum** Hort.
*Floral Mag. v. t. 262 (1866).
fimbriatum superbum Hort.
Jardin, xvii. 93 (1903).—*Hab.*
graecum Link
Hildebrand, Cyclamen, t. 5 (1898).
Beih. Bot. Centralbl. xxii. II. t. 3, fig. 1; t. 8, fig. 3; t. 9, fig. 3 (1907).
hederifolium Ait.
*Bot. Mag. xxv. t. 1001 (1807).
*Trattinick, Ausg. Taf. Arch. iii. t. 231 (1814).
*Lodd. Bot. Cab. x. t. 992 (1824).
*Géel, Sert. Bot. Cl. 1 (1828).
*Joh. Kerner, Hort. Sempervir. t. 813 (1829).
*Jaume St.-Hilaire, Fl. & Pom. Franç. ii. t. 161 (1829).
Treviranus, Symb. Phytol. t. 3, fig. 66–71 (1831).—*Veg.*

CYCLAMEN
hederifolium
*Mag. Bot. & Gard. ii. t. 21 (1834).
Nees, Gen. Pl., Gamop. i. t. 10 (1836).
[M. E.] Jackson, Pict. Fl. fig. 310 (1840).
*Deakin, Florigr. Brit. i. fig. 321 (1841).
*Baxter, Brit. Bot. Ed. 2, vi. t. 505 (1843).
*Petermann, Deutschl. Fl. t. 73, fig. 579 (1849).—*Fl.*
Reichenbach, Ic. Fl. Germ. xvii. t. 1088 (1855).
*Rev. Hort. Ser. IV. iv. 21 (1855).
Johnson & Sowerby, Brit. Wild Fl. fig. 995 (1858–60).
*Syme, Engl. Bot. vii. t. 1136, 1137 (1867).
Cesati, Passer. & Gibelli, Comp. Fl. Ital. t. 65 (1867–86).—*Fr.*
*Hogg & Johnson, Wild Fl. Gr. Brit. iv. t. 267 (1868).
*Weber, Alp.-Pfl. Ed. 3, iv. t. 365 (1872).
*Eeden, Album Bulb. Pl. t. 71 (1872–81).
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, iv. t. 169 [1873].
Neubert's Deutsch. Gart. Mag. 1878, p. 234; 1885, p. 312.
Gartenfl. xxvii. 279 (1878).—*Hab.*
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xix. t. 1984 (1884).
Bot. Jaarb. Gent, v. t. 1, fig. 2 (1893).—*Fl.*
—— **ficariifolium** Reichb.
*Kratz, Primulaceen, [t. 4] (1861).
*Syme, Engl. Bot. vii. t. 1138 (1867).
—— **latifolium** Sm.
*Kratz, Primulaceen, [t. 3] (1861).
hiemale Salisb.
Beih. Bot. Centralbl. xxii. II. t. 3, fig. 8; t. 7, fig. 22, 23; t. 9, fig. 12 (1907).
holochlorum Jord.
*Jordan, Ic. Fl. Eur. iii. t. 412 (1903).
×**hybridum guttatum** Rumpl.
*Kratz, Primulaceen, [t. 4] (1861).
ibericum Stev.
*Gard. Comp. & Florist's Guide, 1852, p. 89.
*Lem. Jard. Fl. iii. t. 297 (1853).
*Florist, 1854, p. 161.
*Kratz, Primulaceen, [t. 4] (1861).
*Neerl. Plantentuin, Ed. Oudemans, iii. t. 44 (1867).—*Hab.*
!Gard. Chron. vi. 785 (1876).—*Fl.*
Hildebrand, Cyclamen, t. 3 (1898).
Beih. Bot. Centralbl. xxii. II. t. 3, fig. 6; t. 7, fig. 17, 18; t. 8, fig. 13; t. 9, fig. 13 (1907).
ilicetorum Jord.
*Jordan, Ic. Fl. Eur. iii. t. 407 (1903).
insulare Jord.
*Jordan, Ic. Fl. Eur. iii. t. 416 (1903).
latifolium Sibth. & Sm.
*Sibthorp & Sm. Fl. Graeca, ii. t. 185 (1813).
Gartenfl. xxvii. 279 (1878).—*Hab.*
*Neubert's Deutsch. Gart. Mag. xxxi. 234 (1878); xxxiii. 182 (1880).
Cosson, Ill. Fl. Atlant. ii. t. 148 (1893).
Nature, lvi. 65–68 (1897).—*Fl.*
Gard. Chron. Ser. III. xxiii. 135, 173 (1898); !xxix. 319 (1901); xli. 207 (1907).
L. H. Bailey, Cycl. Amer. Hort. 426 (1900).
—— **papilio** Hort.
Journ. Roy. Hort. Soc. London, xxii. Proc. p. xxxvii (1898–99).—*Fl.*
libanoticum Hildebr.
Neubert's Deutsch. Gart. Mag. lii. 224 (1899).
Garden, lv. 414 (1899); lix. 207 (1901); lxvii. 119 (1905).
Journ. Roy. Hort. Soc. London, xxvi. Proc. p. lxiii (1901).
*Flora & Sylva, i. 198 (1903).—*Hab.*
Beih. Bot. Centralbl. xxii. II. t. 3, fig. 9; t. 7, fig. 12; t. 8, fig. 10; t. 9, fig. 8 (1907).
lilacinum Jord.
*Jordan, Ic. Fl. Eur. iii. t. 412 (1903).
linearifolium DC.
De Candolle, Ic. Pl. Gall. t. 8 (1808).
*Trattinick, Ausg. Taf. Arch. ii. t. 176 (1813).
Trattinick, Arch. iii. t. 249 (1817).
litorale Lindl.
*Bot. Reg. xxxii. t. 56 (1846).

CYCLAMEN
lobospilum Jord.
*Jordan, Ic. Fl. Eur. iii. t. 406 (1903).
macrophyllum Sieb.
*Fl. des Serres, Ser. I. viii. t. 841 (1852–53).
Miliarakisii Heldr.
Beih. Bot. Centralbl. xxii. II. t. 3, fig. 2 (1907).—*Veg.*
mirabile F. Hildebr.
Beih. Bot. Centralbl. xxii. II. t. 3, fig. 14; t. 7, fig. 13; t. 8, fig. 15; t. 9, fig. 15 (1907).
neapolitanum Ten.
*Tenore, Fl. Nap., Atlas, iii. t. 118 (1811–38).
*Bot. Reg. xxiv. t. 49 (1838).
*Journ. Jard. 1840, p. 156.
*Kratz, Primulaceen, [t. 3] (1861).
Cesati, Passer. & Gibelli, Comp. Fl. Ital. t. 65 (1867–86).—*Fl.*
*Cusin, Herb. Fl. Franç. xv (Primulacées), t. 34 (1874).
*Gartenfl. xxiii. t. 797 (1874).
Rev. Hort. Belge, iii. 250 (1877).—*Hab.*
Nicholson, Illustr. Dict. Gard. i. 418 [1884–88].—*Hab.*
Paolucci, Fl. Marchig. t. 20 (1890).—*Fl.*
*Bois, Dict. Hort. 408 (1893–99).
Acloque, Fl. France, 451 (1894).—*Fl.*
Rev. Hort. 1896, p. 409; 1903, p. 458; 1907, p. 478.
Hildebrand, Cyclamen, t. 4, 5 (1898).
Jardin, xiii. 207 (1899).—*Hab.*
Fiori & Paol. Ic. Fl. Ital. 317 (1901).
Coste, Fl. France, ii. 532 (1903).
Pflanzenreich, Primulac. 249 (1905).
Vilmorin, Hort. Vilm. (Bull. Soc. Bot. France, 1904, li. App.), 204 (1906).—*Hab.*
Beih. Bot. Centralbl. xxii. II. t. 5; t. 6, fig. 9–13; t. 7, fig. 9–11; t. 8, fig. 1 (1907).
*Hulme, Familiar Swiss Fl. t. 86 (1908).—*Fl.*
Wettstein, Handb. Syst. Bot. Ed. 2, p. 707 (1911).—*Fl.*
Möllers Deutsche Gärtn.-Zeit. xxvii. 266 (1912).—*Hab.*
Goebel, Entfaltungsb. Pfl. 145 (1920).
—— **album** Hort.
Malby, Story Rock Garden, Ed. 2, p. 97 (1912).—*Hab.*
Farrer, English Rock-Gard. i. 248 (1919).—*Hab.*
—— **fimbriatum** Terracc.
Nuov. Giorn. Bot. Ital. ii. 27 (1870).—*Fl.*
—— **hederifolium** Hort.
Jardin, vii. 196 (1893).—*Hab.*
oedirrhizum Jord.
*Jordan, Ic. Fl. Eur. iii. t. 418 (1903).
pachybolbum Jord.
*Jordan, Ic. Fl. Eur. iii. t. 421 (1903).
papilio Hort.
*Rev. Hort. Belge, xxiv. 101 (1898); xxvi. 117 (1900).
Gartenfl. xlviii. 644 (1899).
Bull. Arboricult. Belg. 1902, p. 145.
*Tribune Hort. iii. 225, 227, t. 97 (1908)
×**persico-europaeum erectum** Hort.
*Kratz, Primulaceen, [t. 4] (1861).
×—— **rubrum** Hort.
*Kratz, Primulaceen, [t. 4] (1861).
persicum Mill.
*Bot. Mag. ii. t. 44 (1788).
*Moriarty, Viridarium, Col. Plates Greenh. Pl. t. 12 (1806).
*McDonald, Dict. Pract. Gard. i. t. 19 (1807).
*S. Edwards, New Bot. Gard. i. t. 19 (1812).
*Lodd. Bot. Cab. viii. t. 751 (1823).
*Redouté, Choix Fl. [t. 26] (1827).
Duvernoy, Untersuch. Keim. Monokot. t. 1, fig. 1–7 (1834).—*Veg.*
*J. W. Loudon, Ladies' Fl.-Gard. Ornam. Perenn. ii. t. 92 (1844).
*J. W. Loudon, Ladies' Fl.- Gard. Ornam. Greenh. Pl. t. 42 (1848).
*Horticulteur Franç. 1853, t. 7; 1854, t. 11.
*Henderson, Ill. Bouquet, ii. t. 30 (1859–61).
*Belg. Hort. xi. 33 (1861).
*Kratz, Primulaceen, [t. 4] (1861).
Decaisne & Naud. Amat. Jard. ii. 746 [1862–66].—*Hab.*

CYCLAMEN
persicum
*Floral Mag. N. Ser. 1872, t. 13.
Decaisne, Naud. & Hemsl. Trees, Shrubs & Herb. Pl. 375 (1873).—*Hab.*
Neubert's Deutsch. Gart. Mag. 1874, p. 344.
Gard. Chron. ii. 239 (1874); vii. Suppl. p. i (1877); Ser. III. xxi. 70, 71 (1897).
Gartenfl. xxv. 374 (1876).—*Hab.*
*Zeller, Wild Fl. Holy Land, Ed. 2, p. xiii (1876) in enum.; *C. aleppicum* in ic. t. 29.
*Ill. Gartenzeit. Stuttgart, xxiii. t. 14 (1879).
*Hulme & Hibberd, Familiar Gard. Fl. iv. t. 69 [1879–87].
Nicholson, Illustr. Dict. Gard. i. 417 [1884–88].
Jardin, i. 70 (1887); xi. 45 (1897); xiii. 189 (1899).
!Meehan's Monthly, ii. 60 (1892).—*Veg.*
Ber. Deutsch. Bot. Ges. x. 227 (1892).—*Fr.*
Sauvaigo, Cult. Littor. Méditerr. 42 (1894).
Brehm, Merv. Nat. Monde des Pl. ii. 222 (1894–96).—*Hab.*
*Bois, Atlas Pl. Jard. t. 181 (1896).
Journ. Hort. Ser. III. xxxiv. 578 (1897).
*Step, Fav. Fl. Gard. & Greenh. iii. t. 176 (1897).
Hildebrand, Cyclamen, t. 1 (1898).
*Behrens, Blattformen, t. 72, fig. g–l (1900).—*Veg.*
Bellair & St.-Léger, Pl. Serre, 636 (1900).—*Hab.*
Nicholson, '1900' Suppl. Dict. Gard. 277 (1900).
*Villard, Fleurs, t. 37 (1900).
Goebel, Organogr. Pfl. 590 (1900); Ed. Angl. ii. 403 (1905).—*Veg.*
Bull. Arboricult. Belg. 1902, p. 144.—*Fl.*
*D. McDonald, Frag. Fl. & Leaves, t. 3 (1905).
Temple, Fl. & Trees Palestine, t. 6 (1907).
Beih. Bot. Centralbl. xxii. II. t. 4, fig. 1–9, 12; t. 7, fig. 4; t. 8, fig. 5; t. 9, fig. 5 (1907).
Pammel, Man. Poison. Pl. 677 (1911).—*Hab.*
Wettstein, Handb. Syst. Bot. Ed. 2, p. 707 (1911).—*Veg.*
*Lindman, Vi och våra blomm. t. 96 (1911–13).
L. H. Bailey, Stand. Cycl. Hort. 934 (1914).
Bull. Soc. Bot. Ital. 1916, p. 73, fig. 5.
Goebel, Entfaltungsb. Pfl. 145 (1920).
—— **album** Hort.
*Henderson, Ill. Bouquet, ii. t. 30 (1859–61).
*Kratz, Primulaceen, [t. 4] (1861).
*Fl. des Serres, Ser. II. xii. t. 2345 (1876).
—— **amarantinum** Hort.
*Fl. des Serres, Ser. II. xii. t. 2345 (1876).
—— **atropurpureum** Hort.
*Henderson, Ill. Bouquet, ii. t. 30 (1859–61).
—— **carminatum** Hort.
*Henderson, Ill. Bouquet, ii. t. 30 (1859–61).
—— **compactum magnificum** Hort.
*Gard. Chron. vii. Suppl. p. iv (1877).
*Neubert's Deutsch. Gart. Mag. 1878, p. 184.
—— **delicatum** Hort.
*Henderson, Ill. Bouquet, ii. t. 30 (1859–61).
—— **fimbriatum** Hort.
*Neubert's Deutsch. Gart. Mag. xlvi. 165 (1893).
Journ. Roy. Hort. Soc. London, xxv. Proc. p. lxxii (1900–1).—*Fl.*
—— **giganteum** Hort.
*Floral Mag. ix. t. 488 (1870); N. Ser. 1875, t. 163.
*Ill. Gartenzeit. Stuttgart, xv. t. 4 (1871).
Gartenfl. xxvii. 53 (1878).
Bull. Arboricult, Belg. 1903, p. 131.
*Gartenwelt, xv. 108 (1911).
—— —— **marginatum** Hort.
*Rev. Hort. Belge, xxxviii. 265 (1912).
—— —— **roseum** Hort.
*Floral Mag. N. Ser. 1878, t. 303.
—— —— **splendens** Hort.
*Gartenfl. xxxix. t. 1330 (1890).
—— **grandiflorum** Hort.
Jardin, vii. 195 (1893).
Gartenfl. xlvi. 192 (1897).—*Fl.*
—— —— **fimbriatum** Hort.
Bull. Arboricult. Belg. 1903, p. 131.
—— —— **plenum** Hort.
Wien. Ill. Gart.-Zeit. xxii. 61 (1897).—*Fl.*
—— —— **zonale** Hort.
Gartenfl. xlv. 164 (1896).—*Hab.*
—— **laciniatum** Lindl.
*Bot. Reg. xiii. t. 1095 (1827).

CYCLAMEN
persicum marginatum Hort.
*Henderson, Ill. Bouquet, ii. t. 30 (1859–61).
*Floral Mag. i. t. 3 (1861).
—— —— **purpureum** Hort.
*Floral Mag. i. t. 3 (1861).
—— **monstruosum** Hort.
Gartenfl. xliv. 203 (1895).—*Fl.*
—— **pallidum** Hort.
*Floral Mag. i. t. 3 (1861).
—— **punctatum** Hort.
*W. Thompson, Engl. Fl. Gard. i. 81 (1852).
*Henderson, Ill. Bouquet, ii. t. 30 (1859–61).
Journ. Hort. li. 253 (1874).
—— **roseum** Hort.
*Henderson, Ill. Bouquet, ii. t. 30 (1859–61).
*Fl. des Serres, Ser. II. xii. t. 2345 (1876).
—— **rubrum** Hort.
*Henderson, Ill. Bouquet, ii. t. 30 (1859–61).
*Floral Mag. i. t. 3 (1861).
—— **Schwerinae** Schw.
Gartenfl. lxi. 120 (1912).—*Hab.*
—— **universum** Hort.
*Neubert's Deutsch. Gart. Mag. 1871, p. 161.
Garten-Zeit. Berlin, iv. 205 (1885).
—— **variegatum** Hort.
*Henderson, Ill. Bouquet, ii. t. 30 (1859–61).
Poli Chiaje
Delle Chiaje in Giorn. Med. Napoli, ii. tab. (1824); et Opusc. Fis.-Med. 162 c. tab. (1833).
×**pseud-ibericum** Hildebr.
Beih. Bot. Centralbl. xxii. II. t. 3, fig. 12; t. 6, fig. 17, 18; t. 7, fig. 14; t. 8, fig. 14; t. 9, fig. 9 (1907).
Gard. Chron. Ser. III. lv. 200 (1914).—*Hab.*
*Garden, lxxix. 133 (1915).—*Hab.*
×**punctatum** Hort.
*Florist, 1854, p. 161.
punicum Pomel
*Rev. Hort. 1907, p. 328.
rarinaevum Jord.
*Jordan, Ic. Fl. Eur. iii. t. 408 (1903).
repandum Sibth. & Sm.
*Sibthorp & Sm. Fl. Graeca, ii. t. 186 (1813).
*Sweet, Brit. Fl. Gard. ii. t. 117 (1825).
*Lodd. Bot. Cab. xx. t. 1942 (1833).
*J. W. Loudon, Ladies' Fl.-Gard. Ornam. Perenn. ii. t. 92 (1844).
Reichenbach, Ic. Fl. Germ. xvii. t. 1088 (1855).
*Kratz, Primulaceen, [t. 3] (1861).
*Neerl. Plantentuin, Ed. Oudemans, iii. t. 45 (1867).
*Cusin, Herb. Fl. Franç. xv (Primulacées), t. 35 (1874).
*Wooster, Alp. Pl. Ser. II. t. 23 (1874).—*Hab.*
*Neubert's Deutsch. Gart. Mag. xxxi. 235 (1878); xxxiii. 73 (1880); xxxviii. 312 (1885).
*Willkomm, Ill. Fl. Hispan. Balear. i. t. 5, fig. A (1881–85).—*Fl.*
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xix. t. 1985 (1884).
*Garden, xxvii. 544 (1885).—*Hab.*
*A. W. Bennett, Fl. Alps, ii. t. 81 (1897).
Hildebrand, Cyclamen, t. 1 (1898).
Coste, Fl. France, ii. 532 (1903).
Pflanzenreich, Primulac. 249 (1905).
Beih. Bot. Centralbl. xxii. II. t. 6, fig. 14, 15; t. 7, fig. 7; t. 8, fig. 7; t. 9, fig. 10 (1907).
*Deutsche Bot. Monatsschr. xxii. 49 (1911).
×**Robertianum** Carr.
*Rev. Hort. 1885, p. 348.
Roebbelenianum Kratz
*Kratz, Primulaceen, [t. 4] (1861).
Rohlfsianum Aschers.
Bull. Herb. Boiss. v. 529 (1897).—*Fl.*
Hildebrand, Cyclamen, t. 6 (1898).
Beih. Bot. Centralbl. xxii. II. t. 3, fig. 3; t. 7, fig. 15; t. 8, fig. 11; t. 9, fig. 17 (1907).
Durand & Barratte, Fl. Lib. Prodr. t. 13 (1910).
×**roseum** Hort.
*Florist, 1854, p. 161.
—— **superbum** Hort.
Möllers Deutsche Gärtn.-Zeit. xxxv. 289 (1920).
×**rubrum** Hort.
*Florist, 1854, p. 161.

CYCLAMEN
sabaudum Hort.
*Jordan, Ic. Fl. Eur. iii. t. 415 (1903).
salmoneum Hort.
Möllers Deutsche Gärtn.-Zeit. xxxv. 289 (1920).
silicicum Boiss.
*Kratz, Primulaceen, [t. 3] (1861).
spectabile Jord.
*Jordan, Ic. Fl. Eur. iii. t. 404 (1903).
splendens giganteum Hort.
Möllers Deutsche Gärtn.-Zeit. xxviii. 337, 338 (1913).
stenopetalum Jord.
*Jordan, Ic. Fl. Eur. iii. t. 403 (1903).
subhastatum Reichb.
*Kratz, Primulaceen, [t. 3] (1861).
*Jordan, Ic. Fl. Eur. iii. t. 414 (1903).
subrotundum Jord.
*Jordan, Ic. Fl. Eur. iii. t. 420 (1903).
tunetanum Jord.
*Jordan, Ic. Fl. Eur. iii. t. 424 (1903).
umbratile Jord.
*Jordan, Ic. Fl. Eur. iii. t. 411 (1903).
velutinum Jord.
*Jordan, Ic. Fl. Eur. iii. t. 423 (1903).
venustum Jord.
*Jordan, Ic. Fl. Eur. iii. t. 419 (1903).
vernale Mill.
Fiori & Paol. Ic. Fl. Ital. 317 (1901).
vernum Reichb.
*Sweet, Brit. Fl. Gard. i. t. 9 (1823).
*J. W. Loudon, Ladies' Fl.-Gard. Ornam. Perenn. ii. t. 92 (1844).
*Neerl. Plantentuin, Ed. Oudemans, i. t. 3 (1865).—*Hab.*
*Eeden, Album Bulb. Pl. t. 91 (1872–81).
zonale Jord.
*Jordan, Ic. Fl. Eur. iii. t. 401 (1903).

CYCLAMINUS = *Cyclamen*

CYCLANTHERA Schrad.
dissecta Arn.
Britton & Brown, Ill. Fl. N. States & Canada, iii. 251 (1898); Ed. 2, iii. 293 (1913).
Eichleri Cogn.
Mart. Fl. Bras. vi. IV. t. 32 (1878).
elastica Hort.
Neubert's Deutsch. Gart. Mag. xvi. 17, 19 (1863).
elegans Cogn.
Mart. Fl. Bras. vi. IV. t. 32 (1878).
Beille, Bot. Pharm. ii. 735 (1909).—*Fl.*
explodens Naud.
Nuov. Giorn. Bot. Ital. i. t. 1 (1869).
Beih. Bot. Centralbl. xvi. t. 15, fig. 11, 12 (1904).—*Fl.*
Wettstein, Handb. Syst. Bot. Ed. 2, p. 767 (1911).
Neger, Biol. Pflanz. 182, 418 (1913).—*Veg.*
Crisp, Guide Friar Park, 126 (1914).—*Fr.*
—— **nana** Hort.
Gartenfl. l. 190 (1901).
hystrix Arn.
*Bettfreund, Fl. Argentina, i. t. 40 (1898).
Langaei Cogn.
Contrib. U.S. Nat. Herb. xiii. 124 (1910).—*Veg.*
Naudiniana Cogn.
Contrib. U.S. Nat. Herb. xiii. 123 (1910).—*Veg.*
pedata Schrad.
Schnizlein, Iconogr. iii. t. 202 (1855).—*Fl.*
Payer, Organog. Comp. Fl. t. 93 (1857).—*Fl.*
Agardh, Theor. Syst. Pl. t. 27 (1858).—*Fl.*
Nuov. Giorn. Bot. Ital. i. t. 1 (1869).—*Fr.*
Warming in Dansk. Vid. Selsk. Skrift. Ser. V. x. t. 5, fig. 16–19, 22–26 (1875).
Garden, xii. 617 (1877).
Dutailly in Assoc. Franç. Avanc. Sc. 1877, Le Havre, t. 10, fig. 12–17, 18–22, 27–30 (1878).—*Veg.*
Baillon, Hist. Pl. viii. 389 (1880).
Svenska Vet. Akad. Handl. xxi. No. 4, t. 4 (1884).—*Fl.*
Pflanzenfam. iv. v. 39 (1889).
Goebel, Organogr. Pfl. 717 (1901); Ed. Angl. ii. 539 (1905).—*Fl.*
Contrib. U.S. Nat. Herb. xiii. t. 18 (1910).
Velenovsky, Vergl. Morphol. Pfl. iii. 938, 1001 (1910).—*Fl.*

CYCLANTHERA
pedata
Nouv. Arch. Mus. Hist. Nat. Paris, Ser. V. ii. 209 (1910).—*Fl.*
tenuisepala Cogn.
Contrib. U.S. Nat. Herb. xiii. 121 (1910).—*Fl.*
Tonduzii Cogn.
Pittier, Ensayo Pl. Usual. Costa Rica, t. 13 (1908).
Contrib. U.S. Nat. Herb. xiii. 122, 123 (1910).

CYCLANTHUS Poit.
bipartitus Poit.
Dict. Sc. Nat., Planch. Bot. Monocot. t. 5, 6 (1816–29).
Mém. Mus. Hist. Nat. Paris, ix. 39, t. 2 (1822).
Poeppig & Endl. Nov. Gen. & Sp. Pl. ii. t. 152, 154 (1838).
Schnizlein, Iconogr. i. t. 74 a (1846).
Le Maout & Decaisne, Traité Gén. Bot. 623 (1868).—*Fl.*
Rev. Hort. 1869, p. 192.—*Hab.*
Pflanzenfam. ii. III. 97, 100 (1889).
Baillon, Hist. Pl. xiii. 416 (1895).
Bellair & St.-Léger, Pl. Serre, 638 (1900).—*Hab.*
Gartenwelt, viii. 153 (1903).
Wettstein, Handb. Syst. Bot. Ed. 2, p. 852 (1911).—*Fl.*
—— **gracilis** Drude
Mart. Fl. Bras. iii. II. t. 60 (1881).
cristatus Klotzsch
Gartenwelt, viii. 202 (1904).
Bull. Agric. Congo Belge, iii. 984 (1912).—*Hab.*
Plumieri Poit.
Mém. Mus. Hist. Nat. Paris, ix. 39, t. 3 (1822).

CYCLEA Arn.
bicristata Diels
Pflanzenreich, Menispermac. 313 (1910).
Burmannii Miers
Miers, Contrib. Bot. iii. t. 121 (1864–71).
Talbot, For. Fl. Bombay, i. 46 (1909).
elegans King
Ann. Bot. Gard. Calcutta, v. t. 132 (1896).
Merrillii Diels
Pflanzenreich, Menispermac. 313 (1910).
peltata Hook. f. & Thoms.
Rheede, Hort. Mal. vii. t. 49 (1688); fide Fl. Brit. Ind. i. 104.
Scheffer, Observ. Phytogr. (Nat. Tijdschr. Nederl.-Ind. xxxii), t. 15 (1872).
Brandis, Indian Trees, 23 (1906).
peltata Diels
Pflanzenreich, Menispermac. 313 (1910).—*Fl.*
polypetala Dunn
Pflanzenreich, Menispermac. 313 (1910).—*Fr.*
racemosa Oliv.
Hook. Ic. Pl. xx. t. 1938 (1890).
Pflanzenreich, Menispermac. 313 (1910).—*Fl.*
tonkinensis Gagnep.
Lecomte, Fl. Gén. Indo-Chine, i. 145 (1908).
Pflanzenreich, Menispermac. 20 (1910).—*Fl.*

CYCLOBALANOPSIS Örst.: *Quercus*
annulata Örst.
Vidensk. Meddel. Kjöbenhavn, 1866, t. 1–2, fig. 1–4, 11 (1867–68).—*Fl.*
argentata Örst.
Vidensk. Meddel. Kjöbenhavn, 1866, t. 1–2, fig. 5–8 (1867–68).—*Fl.*
gilva Örst.
Vidensk. Meddel. Kjöbenhavn, 1866, p. 50, t. 1–2, fig. 12 (1867–68).—*Fr.*
Liebmann, Chênes Amér. Trop. t. 11, E (1868).
Örsted in Dansk. Vid. Selsk. Skrift. Ser. V. ix. 336, 345, 346 (1873).
glauca Örst.
Vidensk. Meddel. Kjöbenhavn, 1866, t. 1–2, fig. 10 (1867–68).—*Fr.*
Liebmann, Chênes Amér. Trop. t. E (1868).—*Veg.*
oidocarpa Örst.
Liebmann, Chênes Amér. Trop. t. E (1868).—*Veg.*

CYCLOBALANUS Örst.: *Pasania*
costata Örst.
Vidensk. Meddel. Kjöbenhavn, 1866, p. 47, t. 1–2, fig. 14 (1867–68).—*Fl.*

CYCLOBALANUS
costata
Liebmann, Chênes Amér. Trop. 10 (1868).—*Fl.*
Örsted in Dansk. Vid. Selsk. Skrift. Ser. V. ix. 342 (1873).—*Fl.*
encleistocarpa Örst.
Vidensk. Meddel. Kjöbenhavn, 1866, t. 1–2, fig. 13 (1867–68).—*Fl.*
Örsted in Dansk. Vid. Selsk. Skrift. Ser. V. ix. 346 (1873).—*Fr.*
induta Örst.
Vidensk. Meddel. Kjöbenhavn, 1866, t. 1–2, fig. 17 (1867–68).—*Fr.*
omalokos Örst.
Vidensk. Meddel. Kjöbenhavn, 1866, t. 1–2, fig. 15, 16 (1867–68).—*Fr.*
Reinwardtii Örst.
Vidensk. Meddel. Kjöbenhavn, 1866, p. 47 (1867–68).—*Fl.*
Liebmann, Chênes Amér. Trop. 10 (1868).—*Fl.*
Örsted in Dansk. Vid. Selsk. Skrift. Ser. V. ix. 342 (1873).—*Fl.*

CYCLOBOTHRA G. Don: *Calochortus*
alba Benth.
*Bot. Reg. xx. t. 1661 (1835).
*Trans. Hort. Soc. London, Ser. II. i. 1830–35, t. 14 (1835).
*J. W. Loudon, Ladies' Fl.-Gard. Ornam. Bulb. Pl. t. 53 (1841).
*Schnizlein, Iconogr. i. t. 55 d (1849).—*Fl.*
*W. Thompson, Engl. Fl. Gard. ii. 113 (1853).
*Fl. des Serres, Ser. II. i. t. 1171 (1856).
Belg. Hort. vii. 201, fig. 32 (1857).
Journ. Hort. liii. 98 (1875); Ser. III. x. 115 (1885).
amoena Hort.
Journ. Hort. Ser. III. xxvii. 261 (1893); xxxvi. 431 (1898).
barbata Sweet
*Sweet, Brit. Fl. Gard. iii. t. 273 (1828).
*J. W. Loudon, Ladies' Fl.-Gard. Ornam. Bulb. Pl. t. 53 (1841) in ic.; *C. purpurea* in textu.
caerulea Kellogg
Hesperian (San Francisco), iv. 52 (1860).
lutea Lindl.
*Bot. Reg. xx. t. 1663 (1835).
*Siebold & De Vriese, Fl. Jard. v. 161 (1862).
Beer, Beitr. Morph. u. Biol. Orch. t. 1, fig. 7 (1863).—*Veg.*
*Fl. des Serres, Ser. II. x. t. 2107 (1874).
monophylla Lindl.
Journ. Hort. Soc. London, iv. 81 (1849).
Cottage Gard. xix. 217 (1858).—*Fl.*
pulchella Benth.
*Hort. Belge Journ. Jard. & Amat. ii. t. 32 (1834).
*Bot. Reg. xx. t. 1662 (1835).
*Trans. Hort. Soc. London, Ser. II. i. 1830–35, t. 14 (1835).
*J. W. Loudon, Ladies' Fl.-Gard. Ornam. Bulb. Pl. t. 53 (1841).
Gard. Chron. xix. 765 (1883).
purpurea Sweet
*Sweet, Brit. Fl. Gard. iv. t. 20 (1829).
*J. W. Loudon, Ladies' Fl.-Gard. Ornam. Bulb. Pl. t. 53 (1841) in textu; *C. barbata* in ic.

CYCLOCAMPE Benth. & Hook. f.
arundinacea Benth. & Hook. f.
Hook. Ic. Pl. xv. t. 1434 (1883).

CYCLOCARPA Afzel.
stellaris Afzel.
Pflanzenfam. iii. III. 246 (1893).—*Fr.*
Lecomte, Fl. Gén. Indo-Chine, ii. 535 (1920).

CYCLOCHEILON Oliv.
minutibracteolatum Engl.
Hook. Ic. Pl. xxvii. t. 2685 (1901).
somalense Oliv.
Hook. Ic. Pl. xxv. t. 2439 (1896).

CYCLOCODON Griff.: *Campanumoea*
distans Griff.
Griffith, Ic. Pl. Asiat. t. 481 (1854).—*Fl.*

CYCLODISCUS Klotzsch: *Apama*
latifolius Klotzsch
Klotzsch in Monatsb. Akad. Berlin, 1859, t. 1, fig. 5.

CYCLODIUM Presl
confertum Presl
*Hooker, Gen. Fil. t. 49 (1842).
T. Moore, Index Fil. Gen. & Spec. t. 67 [1857–62].
J. Smith, Ferns Brit. & Foreign, 141 (1866); Ed. 2, p. 141 (1879).
glandulosum Presl
Presl, Tent. Pteridogr. t. 2 (1836).
meniscioides Presl
Presl, Tent. Pteridogr. t. 2 (1836).
Pflanzenfam. i. IV. 194 (1899).
serra A. Brongn.
Petit-Thouars, Voy. Venus, Bot. t. 5 (1846).

CYCLOGYNE Benth.: *Swainsonia*
canescens Benth.
*Paxt. Mag. vii. 199 (1840).
*Horticulteur Univ. ii. 359 (1841).

CYCLOLEPIS Moq.: *Cycloloma*
platyphylla Moq.
Ann. Sc. Nat. Paris, Ser. II. i. t. 9 (1834).—*Fl.*

CYCLOLOBIUM Benth.
Blanchetianum Tul.
Mart. Fl. Bras. xv. I. t. 66 (1862).
brasiliense Benth.
Mart. Fl. Bras. xv. I. t. 66 (1862).

CYCLOLOMA Moq.—Vide *Cyclolepis*
atriplicifolium Coult.
Britton & Brown, Ill. Fl. N. States & Canada, i. 577 (1896); Ed. 2, ii. 16 (1913).
Bogue in Bull. Oklahoma Agric. St. No. 41, p. 11 (1899).
Selby in Bull. Ohio Agric. St. No. 175, t. 2 (1906).—*Fr.*
Beal, Michigan Weeds (Bull. Mich. Agric. Exp. St. No. 267), 322 (1911); et in Ann. Rep. xxv. 311 (1912).
Pammel, Weeds Farm & Gard. 15, 168 (1911).
Iowa Geol. Surv. Bull. No. 4, p. 100, 101, 431, 730 (1913).
F. E. & E. S. Clements, Rocky Mt. Fl. t. 10 (1914).
A. Georgia, Manual Weeds, t. 64 (1914).
platyphyllum Moq.
Cesati, Passer. & Gibelli, Comp. Fl. Ital. t. 39 (1867–86).—*Fl.*
Pflanzenfam. iii. I. A. 62 (1893).
Hitchcock & Norton in Bull. Kansas Agric. St. No. 50, t. 7, fig. 108 (1895); No. 57, t. 15, fig. 156 (1896); No. 66, t. 13, fig. 156 (1897).
Fiori & Paol. Ic. Fl. Ital. 118 (1899).
Pammel in Bull. Iowa Agric. St. No. 70, p. 474 (1903).

CYCLONEMA Hochst.: *Clerodendron*
myricoides Hochst.
Bocquillon, Rev. Verbenac. t. 15 (1861–63).—*Fl.*
*Bot. Mag. xcvi. t. 5838 (1870).
spinescens Oliv.
Hook. Ic. Pl. xiii. t. 1221 (1877).
triphyllum Harv.
Harvey, Thes. Cap. i. t. 27 (1859).

CYCLOPELTIS J. Sm.—Vide *Hemicardion*
mirabilis Copel.
Philippine Journ. Sc., Bot. iii. 351, t. 4 (1909).
semicordata J. Sm.
Moore & Ayres, Mag. Bot. iii. 320 (1851).
*Lowe, Ferns, vi. t. 3 (1857).
J. Smith, Ferns Brit. & Foreign, 165 (1866); Ed. 2, p. 165 (1879).
Pflanzenfam. i. IV. 184 (1899).

CYCLOPHOLUS Pierre: *Willughbeia*
Sasakii Hayata
Hayata, Ic. Pl. Formosan. vi. 158 (1916).

CYCLOPHORUS Desv.—Vide *Niphobolus*, *Niphopsis*
adnascens Desv.
Contrib. U.S. Nat. Herb. ix. t. 47 (1905).
africanus C. Chr.
Sim, Ferns S. Africa, Ed. 2, t. 145 (1915).

CYCLOPHORUS
dispar Christ
A. v. Rosenburgh in Bull. Jard. Bot. Buitenzorg, Ser. II. No. 1, t. 2 (1911).
grandissimus Hayata
Hayata, Ic. Pl. Formosan. iv. 256 (1914).
nummularifolius C. Chr.
Christ, Geogr. Farne, 174 (1910).
petiolosus C. Chr.
Beih. Bot. Centralbl. xxxvii. II. t. 3 (1919).
serpens C. Chr.
Wettstein, Handb. Syst. Bot. Ed. 2, p. 332 (1911).
spicatus Dom.
Domin in Bibl. Bot. xx. t. 8 (1914).
stigmosus Desv.
Journ. de Bot. Appl. (Desvaux), i. t. 2 (1813).—*Fr.*
transmorrisonensis Hayata
Hayata, Ic. Pl. Formosan. iv. 257 (1914).

CYCLOPHYLLUM Hook. f.
Deplanchei Hook. f.
Hook. Ic. Pl. xii. t. 1158 (1873).
Pflanzenfam. iv. IV. 93 (1891).

CYCLOPIA Vent.—Vide *Ibbetsonia*
genistoides Vent.
*Joh. Kerner, Hort. Sempervir. t. 427 (1815).
*Lodd. Bot. Cab. xii. t. 1111 (1826).
*J. W. Loudon, Ladies' Fl.-Gard. Ornam. Greenh. Pl. t. 21 (1848).
Gard. Chron. xxii. 149 (1884).
Ann. Bot. v. t. 21, fig. 11–16 (1891).—*Fl.*
Pflanzenfam. iii. III. 202 (1892).

CYCLOPOGON Presl: *Spiranthes*
ovalifolium Presl
Presl, Reliq. Haenk. t. 13, fig. 1 (1827).

CYCLOPTYCHIS E. Mey.
virgata E. Mey.
Harvey, Thes. Cap. i. t. 59 (1859).

CYCLOSTEMON Bl.—Vide *Sphragidia*
argutus Müll.-Arg.
Sim, For. Fl. Cape Colony, t. 143 (1907).
confertiflorus Hook. f.
Talbot, For. Fl. Bombay, ii. 459, 460 (1911).
hieranense Hayata
Hayata, Ic. Pl. Formosan. vi. t. 8 (1916).
laevis J. J. Sm.
Ic. Bogor. iv. t. 307, 308 (1910).
longifolius Bl.
Baillon, Euphorb. t. 23, fig. 22–25 (1858).—*Fl.*
macrophyllus Bl.
Beddome, Fl. Sylv. t. 278 (1872).
Vidal, Sin. Fam. & Gen. Fl. Leñ. Filip. (Introd. Fl. For. Filip.), Atlas, t. 82, fig. B (1883).—*Fr.*
malabaricus Bedd.
Beddome, Ic. Pl. Ind. Or. t. 183 (1874).
natalense Harv.
Harvey, Thes. Cap. ii. t. 200 (1863).

CYCLOTHECA Moq.: *Gyrostemon*
australasica Moq.
F. Mueller, Pl. Victoria, i. Suppl. t. 9 (1860–62); *C. australis* in errore.

CYCNIA Griff.
spinosa Griff.
Griffith, Ic. Pl. Asiat. t. 605, fig. 5 (1854).—*Fl.*

CYCNIOPSIS Engl.
minima Engl.
Engl. Jahrb. xxxvi. 234 (1905).
Engler & Drude, Veget. Erde, ix. I. 1, p. 192 (1910).
Pflanzenfam. Nachtr. 4, z. iv. 278 (1914).

CYCNIUM E. Mey.
adonense E. Mey.
Trans. Linn. Soc. London, xxix. t. 88 (1875).
Pflanzenfam. iv. III. B. 95 (1891).—*Fl.*
Wood, Natal Pl. iii. III. t. 273 (1902).
Questieauxianum De Wild.
De Wildeman, Études Fl. Katanga (Ann. Mus. Congo), i. t. 4 (1902).
racemosum Benth.
Wood, Natal Pl. iii. I. t. 211 (1900).
Sandersonii Harv.
Harvey, Thes. Cap. i. t. 49 (1859).

CYCNIUM
tubatum Benth.
Harvey, Thes. Cap. i. t. 50 (1859).
Verdickii De Wild.
De Wildeman, Études Fl. Katanga (Ann. Mus. Congo), i. t. 6 (1902).

CYCNOCHES Lindl.
aureum Lindl.
*Lem. Jard. Fl. iii. t. 264 (1852).
*Paxt. Fl. Gard. iii. t. 75 (1852–53).—*Fl.*
*Costantin, Atlas Orch. Cult. t. 15 (1913).—*Fl.*
Orchis, x. 58 (1916).—*Fl.*
barbatum Lindl.
*Bot. Mag. lxxv. t. 4479 (1849).
chlorochilon Klotzsch
*Lindley, Sertum Orch. t. 16 (1838).
*Hartinger, Parad. Vindob. t. 35 (1844–60).
*Warner & Will. Orch. Album, vi. t. 263 (1887).
Journ. Hort. Ser. III. xvii. 471 (1888); xxxv. 285 (1897); lxiii. 219 (1911).—*Fl.*
Gard. Chron. Ser. III. iii. 145 (1888).
Ill. Hort. xxxv. t. 65 (1888).
*Sander, Reichenbachia, Ser. II. i. 83, t. 39 (1892).
Stein, Orchideenbuch, 168 (1892).—*Hab.*
Orchidophile, 1893, p. 53.
B. S. Williams, Orchid-Grower's Man. Ed. 7, p. 216 (1894).—*Fl.*
Linden, Orch. Exot. 112 (1894).—*Hab.*
Garden, xlix. 403 (1896); li. 172, 173 (1897).
*Rev. Hort. Belge, xxv. 25 (1899).
Nicholson, '1900' Suppl. Dict. Gard. 278 (1900).
*Orchis, i. t. 8 (1906); x. 54 (1916).
Jardin, xxiv. 68 (1910).
Horticulture (Boston), xiv. 261 (1911).—*Hab.*
Orch. Rev. xx. 329 (1912); xxvi. 209 (1918).
Schlechter, Orchideen, 378 (19[14–]15).—*Hab.*
densiflorum Rolfe
*Bot. Mag. cxxxv. t. 8268 (1909).
Orch. Rev. xvii. 104 (1909); xx. 331 (1912); xxii. 260 (1914).—*Hab.*
Orchis, x. 60 (1916).—*Fl.*
Dianae Reichb.
Orchis, x. 58 (1916).—*Fl.*
Egertonianum Batem.
*Bateman, Orchidac. Mex. & Guatem. t. 40 (1837–43); vide Orch. Rev. xvi. 297 (1908).
Album Natuur, 9 (1852).—*Fl.*
Orch. Rev. xv. 337 (1907); xvi. 296 (1908); xxv. 153 (1917).
Kew Bull. 1909, p. 273.—*Fl.*
Orchis, x. 60 (1916).—*Fl.*
—— **viride** Lindl.
*Bot. Reg. xxxii. t. 46 (1846).
Orchis, v. t. 16 (1911).
Egertonianum Lindl.
Lindley, Veg. Kingd. 177 (1846).—*Fl.*
Haagii Barb. Rodr.
*Bot. Mag. cxxii. t. 7502 (1896).
Mart. Fl. Bras. iii. v. t. 91 (1898–1902).
Orchis, x. 55 (1916).—*Fl.*
Loddigesii Lindl.
*Lodd. Bot. Cab. xx. t. 2000 (1833).
*Bot. Reg. xxi. t. 1742 (1835).
*Knowles & Westc. Floral Cab. i. t. 15 (1837).
*Hartinger, Parad. Vindob. t. 36 (1844–60).
*Bot. Mag. lxxii. t. 4215 (1846).
*Hooker, Cent. Orch. Pl. t. 48 (1849).
*Lindenia, x. t. 436 (1894).
Orch. Rev. xv. 25 (1907).
*Costantin, Atlas Orch. Cult. t. 15 (1913).—*Fl.*
Orchis, x. 52 (1916).—*Fl.*
—— **leucochilum** Hook.
*Bot. Mag. lxvii. t. 3855 (1841).
maculatum Lindl.
*Maund, Botanist, iv. t. 156 (1840).
*Lindley, Sertum Orch. t. 33 (1840).
*Ill. Hort. xx. t. 143 (1873).
Orch. Rev. xvii. 273 (1909); xx. 315 (1912); xxv. frontisp. (1917).
Gartenwelt, xiii. 570 (1909).
Gard. Chron. Ser. III. xlv. 26 (1909).—*Hab.*
Orchis, iv. t. 23 (1910); x. 59 (1916).—*Fl.*
Schlechter, Orchideen, 379 (19[14–]15).—*Hab.*
Horticulture (Boston), xxiii. 43 (1916).—*Hab.*

CYCNOCHES
musciferum Lindl. & Paxt.
Paxt. Fl. Gard. iii. 29 (1852–53).—*Fl.*
Lem. Jard. Fl. iii. Misc. 30 (1853).—*Fl.*
pentadactylon Lindl.
*Bot. Reg. xxix. t. 22 (1843).
Gard. Chron. Ser. III. vi. 188 (1889); xiii. 80, 597, 599 (1893); xlv. 27 (1909).
Journ. Hort. Ser. III. xxvi. 95 (1893); lxii. 305 (1911).—*Fl.*
Journ. Orch. iv. 287, 289 (1893).
Bull. Soc. Tosc. Ortic. xviii. 44, t. 2 (1893).
Orch. Rev. i. 73 (1893); viii. 312 (1900); xxi. 17 (1913).—*Hab.*
Veitch, Man. Orch. Pl. Pt. 9, p. 144 (1893).—*Fl.*
Linden, Orch. Exot. 268, 415, 416 (1894).
Mart. Fl. Bras. iii. v. t. 92 (1898–1902).
Orchis, x. 57 (1916).—*Fl.*
peruvianum Rolfe
*Lindenia, vii. t. 301 (1891).
Pescatorei Lindl. & Paxt.
Delchevalerie, Orch. Ed. 3, p. 75 (1889).
Bellair & St.-Léger, Pl. Serre, 639 (1900).—*Hab.*
ventricosum Batem.
*Bateman, Orchidac. Mex. & Guatem. t. 5 (1837–43).
*Maund, Botanist, ii. t. 54 (1838).
Lindley, Veg. Kingd. 177 (1846).—*Fl.*
*Ann. Gand, iv. t. 187 (1848).
Album Natuur, 9 (1852).—*Fl.*
Journ. Hort. xxxvi. 429 (1866).—*Fl.*
Pflanzenfam. ii. vi. 160 (1889).—*Fl.*
Kerchove, Livre Orch. 164, 205 (1894).—*Fl.*
Gartenfl. xlvii. 109 (1898).—*Fl.*
Rev. Hort. Belge, xxv. 27 (1899).—*Fl.*
Kew Bull. 1909, p. 273.—*Fl.*
Horticulture (Boston), xiii. 133 (1911).—*Hab.*
—— **Egertonianum** Batem.
*Bot. Mag. lxx. t. 4054 (1843).
*Hooker, Cent. Orch. Pl. t. 49 (1849).
Warscewiczii Reichb. f.
Gard. Chron. xii. 493 (1879); Ser. III. xlv. 29 (1909).
*Floral Mag. N. Ser. 1879, t. 381.
Garden, xvii. 225 (1880); xliii. 217 (1893); li. 172 (1897).—*Hab.*
Orchidophile, 1881, p. 102.—*Hab.*
*Pfitzer, Grundz. Vergl. Morph. Orchideen, frontisp. (1882).
Journ. Hort. Ser. III. x. 411 (1885).—*Fl.*

CYCNOGETON Endl.: *Triglochin*
Hügelii Endl.
Endlicher, Ic. Gen. Pl. t. 73 (1883).

CYCNOPODIUM Naud.: *Graffenrieda*
latifolium Naud.
Ann. Sc. Nat. Paris, Ser. III. iv. t. 2, fig. 2 (1845).—*Fl.*
Delessert, Ic. Pl. v. t. 3 (1846).

CYDISTA Miers—Vide *Bignonia* (13)
aequinoctialis Miers
Plumier, Pl. Amer. Ed. Burm. t. 55, fig. 1 (1756); fide Urban, Fedde Repert. Beih. v. 48.

CYDONIA Auct.: *Chaenomeles* (1), *Cydonia* Mill. (2), *Pseudocydonia* (3)

CYDONIA Mill. (2)—Vide *Pirus* (3)
cathayensis Hemsl. (1)
Hook. Ic. Pl. xxvii. t. 2657–58 (1900).
Rev. Hort. 1917, p. 297.
communis Loisel. (2)
*Duhamel, Arbres & Arbustes, Ed. 2, iv. t. 36 (1809).
Cydonia Karst. (2)
Karsten, Deutsche Fl. Pharm.-medic. Bot. 783 (1880–83).
Karsten, Fl. Deutschl. ii. 343 (1895).
Delavayi Card. (2)
Rev. Hort. 1918, p. 131–33.—*Hab.*
japonica Pers. (1)
*Mordant de Launay, Herb. Amat. ii. t. 73 (1817).
Savi, Fl. Ital. i. t. 18 (1818).
*Drapiez, Herb. Amat. Fl. ii. t. 120 (1829).
*Nees & Sinning, Sammlung schönblüh. Gew. t. 68 (1831).
J. C. Loudon, Arbor. & Frutic. Brit. ii. 931 (1838).

CYDONIA
japonica
*Orbigny, Dict. Hist. Nat. Atlas, iii. t. 302 [1839–49].
Weber in Verh. Naturhist. Ver. Preuss. Rheinl. vii. t. 7 (1850).
*Horticulteur Franç. 1852, t. 20.
Treviranus in Verh. Naturhist. Ver. Preuss. Rheinl. xvi. t. 3 (1859).
Gartenfl. xxvi. 358 (1877).
Berge, Pflanzenphysiogn. 146 (1880).
Nicholson, Illustr. Dict. Gard. i. 419 [1884–88].
Garden, xxxiii. 491 (1888); xl. 126 (1891); lxxxii. 207 (1918).
Pflanzenfam. iii. III. 20 (1888).—*Fl.*
*Bois, Dict. Hort. 412 (1893–99).
L. H. Bailey, Cycl. Amer. Hort. 427 (1900).
*Behrens, Blattformen, t. 19, fig. b (1900).—*Veg.*
Warming, Handb. Syst. Bot. Ed. Möbius, 354 (1902).—*Fl.*
Rev. Hort. 1903, p. 20.—*Fr.*
Gard. Chron. Ser. III. xxxiv. 434 (1903); lxvi. 319 (1919).—*Fr.*
*A. H. Church, Types Fl. Mechan. i. 169, 170 (1908).
*Cooper & Westell, Trees & Shrubs Brit. Isl. ii. 26 (1909).
Clements, Rosend. & Butters, Minnesota Trees & Shrubs, 147 (1912).
Mitt. Deutsch. Dendr. Ges. 1914, p. 174.—*Hab.*
Sim, Flowering Trees & Shrubs, 160 (1919).
—— **albo-cincta** Hort.
*Fl. des Serres, Ser. II. iv. t. 1403 (1861) in textu; *C. japonica rosalba* in ic.
—— **alpina** Maxim.
*T. Ito, Ic. Pl. Jap. i. t. 3 (1911).
—— **cardinalis** Hort.
*Hoare, Calendar, Fl. Trees & Shrubs, 32 [1901?].
—— **coccinea** Hort.
*Piccioli, Antotr. Colt. Fiori, i. t. 9 (1834).
—— **Gaujardii** C. Lem.
*Ill. Hort. vii. t. 260 (1860).
—— **Mallardii** Hort.
*Ill. Hort. iv. t. 135 (1857).
*Ill. Gartenzeit. Stuttgart, i. t. 14 (1857).
Sempervirens, xii. 379 (1883).
—— **Moerloosii** Hort.
*Ill. Hort. iii. t. 107 (1856).
*Garden, xxxv. 602 (1889).
—— **Papeleuii** C. Lem.
*Ill. Hort. vii. t. 260 (1860).
—— **rosalba** Hort.
*Fl. des Serres, Ser. II. iv. t. 1403 (1861) in ic.; *C. japonica albo-cincta* in textu.
—— **serotina** Hort.
Rev. Hort. 1903, p. 20.
—— **Wilsonii** Hort.
Gard. Chron. Ser. III. lxvi. 21, 22 (1919).
Lagenaria Loisel. (1)
*Duhamel, Arbres & Arbustes, Ed. 2, vi. t. 76 (1801–19).
Maulei T. Moore (1)
Florist, 1875, p. 49.
Gard. Chron. Ser. III. xxxiv. 435, 436 (1903).
Garden, lxxxi. 453 (1917); lxxxii. 217 (1918); lxxxiii. 367 (1919).—*Hab.*
oblonga Mill. (2)
Schneider, Ill. Handb. Laubh. i. 654 (1906).
L. H. Bailey, Stand. Cycl. Hort. 936 (1914).—*Veg.*
Sargentii Hort. (1)
*Wien. Ill. Gart.-Zeit. xxviii. t. 2 (1903).
sinensis Thouin (3)
*Schmidt, Oest. Allgem. Baumzucht, t. 198 (1792–1822).
*Duhamel, Arbres & Arbustes, Ed. 2, vi. t. 75 (1801–19).
Ann. Mus. Hist. Nat. Paris, xix. 145, 146 (1812).
*Mordant de Launay, Herb. Amat. ii. t. 99 (1817).
*Joh. Kerner, Hort. Sempervir. t. 508 (1818).
*Bot. Reg. xi. t. 905 (1825).
*Drapiez, Herb. Amat. Fl. vi. t. 431 (1833).
J. C. Loudon, Arbor. & Frutic. Brit. vi. t. 337 B (1838).
*Rev. Hort. 1889, p. 228.
*Wien. Ill. Gart.-Zeit. xxvi. t. 2 (1901).

CYDONIA
sinensis
*Bot. Mag. cxxx. t. 7988 (1904).
Gubb, Fl. Algeria, t. 40 (1909).
speciosa Sweet (1)
*Guimpel, Otto & Hayne, Abbild. Fremd. Holzart. i. t. 70 (1825).
vulgaris Pers. (2)
Kwa-wi [transl. Savatier], Arbor. ii. t. 24 (1759).
*Guimpel, Willd. & Hayne, Abb. Deutsch. Holzart. i. t. 81 (1815).
*Hayne, Getreue Darst. Arzn. Gewächse, iv. t. 47 (1816).
*Sterler, Eur. Med. Fl. t. 50 (1820).
Joh. Kerner, Gen. Pl. Ill. t. 214, 215 (1825–28).
*Wagner, Pharm.-Med. Bot. i. t. 81 (1828).
*Schlechtendal & Guimpel, Abb. Pharm. Boruss. Gew. i. t. 17 (1830).
*Zenker, Fl. Thüringen, x. t. 1187 (1836–55).
Meigen, Deutschl. Fl. ii. t. 95 (1837).—*Fl.*
J. C. Loudon, Arbor. & Frutic. Brit. vi. t. 37 A (1838).
Lindley, Med. & Oecon. Bot. 183 (1849).—*Fr.*
*Petermann, Deutschl. Fl. t. 26, fig. 199 (1849).—*Fl.*
*Hartig, Forstl. Cult. t. 81 (1851).
*Calwer, Landwirthsch. Pflanzenk. ii. t. 4 (1854).
*Berg & Schmidt, Darst. u. Beschr. Offiz. Gewächse, i. t. 4, b, c (1858).
Willkomm, Deutschl. Laubhölz. im Winter, 33, fig. 45 (1859).—*Veg.*
Berg, Charakt. t. 63, fig. 479 (1861).
*Artus, Atlas Pharm. Deutschl. Aufg. Offic. Gew. t. 105 [1862–74].
Decaisne & Naud. Amat. Jard. iv. 504 [1862–66].—*Hab.*
Pokorny, Oesterr. Holzpfl. 452, t. 61 (1864).—*Veg.*
Ann. Soc. Linn. Dépt. Maine & Loire, Angers, ix. 228 (1867).—*Fl.*
Baillon, Hist. Pl. i. 407 (1867–69).—*Fl.*
Le Maout & Decaisne, Traité Gén. Bot. 298, 299 (1868).
Gayffier, Herb. For. France, 2 tab. sine num. (1868–73).
*Réveil, Règne Vég. xii. t. 37 (1870).—*Fr.*
*Cusin & Ansberque, Herb. Fl. Franç. viii (Pomacées), t. 10 (1870).
Baillon, Dict. Bot. ii. 122, 123 (1880).
Wagner, Ill. Deutsche Fl. Ed. 2, p. 233 (1882).
Baillon, Traité Bot. Méd. Phan. i. 559, 560 (1883).
Lauche, Deutsche Dendrol. Ed. 2, p. 600 (1883).
*Baillon, Ic. Fl. Franç. iii. t. 266 [1885–94].
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xxv. t. 2532 (1886).
*Köhler, Med. Pfl. i [t. 67] (1887).
Garden, xxxiii. 491 (1888).
*Thomé, Fl. Deutschl. iii. t. 419 (1888).
Potonié, Ill. Fl. Nord- u. Mittel-Deutschl. Ed. 4, fig. 398 (1889).
Dujard.-Beaumetz & Égasse, Pl. Méd. 194 (1889).—*Fl.*
*Schimpfky, Uns. Heilpfl. i. t. 51 [1893–94].
Bois, Dict. Hort. 347 (1893–99).—*Fr.*
Sauvaigo, Cult. Littor. Méditerr. 224 (1894).
Garcke, Ill. Fl. Deutschl. 204 (1895).
*Warlich, Russk. Lekarst. Rast. (Russ. Med. Pl.), ii. t. 39 (1899).
L. H. Bailey, Cycl. Amer. Hort. 427 (1900); 1485 (1901); Stand. Cycl. Hort. 2892 (1916).
Warming, Handb. Syst. Bot. Ed. Möbius, 355 (1902).—*Fr.*
*Losch, Kräuterb. t. 28 (1903).
Coste, Fl. France, ii. 68 (1903).
Schneider, Dendrol. Winterst. 168 (1903).—*Veg.*
Merino, Fl. Galicia, i. 472 (1905).
Lazaro, Comp. Fl. Españ. ii. 396 (1907).
*A. H. Church, Types Fl. Mechan. i. 175 (1908).—*Fl.*
Beille, Bot. Pharm. ii. 804 (1909).—*Fl.*
Heukels, Fl. Nederl. ii. 588 (1909).
Blakeslee & Jarvis, New England Trees in Winter (Storrs Agric. Exp. St. Bull. No. 69), 491 (1911); 357 (1913).
Tschirch, Handb. Pharmakog. ii. 331 (1911).—*Fr.*

CYDONIA
vulgaris
Silva Tarouca, Freiland-Laubgehölze, 195 (1913).—*Hab.*
Bull. Soc. Dendr. France, 1913, p. 170.—*Veg.*
Bean, Trees & Shrubs, i. 454 (1914).
Trotter, Fl. Econ. della Libia, 173 (1915).
Cadevall & Sallent, Fl. Catalunya, ii. 319 (1916).
Basu, Ind. Med. Pl. t. 399 (1918).
—— **lusitanica** Mill.
Nicholson, Illustr. Dict. Gard. i. 419 [1884–88].
Brehm, Merv. Nat. Monde des Pl. i. 710 (1894–96).
—— **piriformis** Hort.
Flora & Sylva, ii. 379 (1904).

CYLICADENIA C. Lem.: *Odontadenia*
Harrisii C. Lem.
Ill. Hort. ii. Misc. 10 (1855).—*Fl.*

CYLICODAPHNE Nees: *Litsea*
Wightiana Nees
Wight, Ic. Pl. Ind. Or. v. t. 1833 (1852).

CYLICODISCUS Harms
gabunensis Harms
Engl. Jahrb. xxvi. t. 5 (1899).—*Fl.*
Unwin, W. Afr. Forests & Forestry, 384 (1920).—*Hab.*

CYLICOMORPHA Urb.
parviflora Urb.
Engl. Jahrb. xxx. 116 (1901).—*Fl.*
Pflanzenfam. Nachtr. 3, z. iii. 236 (1907).—*Fl.*
Engler & Drude, Veget. Erde, ix. 1. 1, p. 304, t. 14 (1910).
Francé, Leben Pflanze, vi. 446 (1913).—*Hab.*
—— **brachyloba** Urb.
Engl. Jahrb. xxx. 116 (1901).—*Fl.*
Pflanzenfam. Nachtr. 3, z. iii. 236 (1907).—*Fl.*
Solmsii Urb.
Engl. Jahrb. xxx. 116 (1901).—*Fl.*
Pflanzenfam. Nachtr. 3, z. iii. 236 (1907).—*Fl.*
Engler & Drude, Veget. Erde, ix. 1. 1, p. 304 (1910).—*Fl.*

CYLISTA Ait.
albiflora Sims
*Bot. Mag. xliii. t. 1859 (1816).
Balfourii Vierh.
Vierhapper in Denkschr. Akad. Wiss. Wien, lxxi. t. 6 (1907).
scariosa Roxb.
*Roxburgh, Pl. Coromandel, i. t. 92 (1795).
Martius in Denkschr. Akad. Wiss. München, vi. t. c (1820).
Wight, Ic. Pl. Ind. Or. iv. t. 1597 (1850).
Vierhapper in Denkschr. Akad. Wiss. Wien, lxxi. 370 (1907).—*Fl.*
Talbot, For. Fl. Bombay, i. 415 (1909).
Basu, Ind. Med. Pl. t. 330 (1918).
Schweinfurthii Wagn. & Vierh.
Vierhapper in Denkschr. Akad. Wiss. Wien, lxxi. 370, t. 6 (1907).
tomentosa Roxb.
*Roxburgh, Pl. Coromandel, iii. t. 221 (1819).
*Jacquin, Ecl. Pl. ii. t. 138 (1844) in ic.; *Cyanospermum tomentosum* in textu.

CYLLENIUM Schott: *Biarum*
Spruneri Schott
Schott, Gen. Aroid. t. 9 (1858).

CYMARIA Benth.
acuminata Decne.
Delessert, Ic. Pl. iii. t. 86 (1837).
dichotoma Benth.
Pflanzenfam. iv. III. A. 212 (1895).—*Fr.*

CYMBALARIA Medic.
Cymbalaria Wettst.
Britton & Brown, Ill. Fl. N. States & Canada, iii. 144 (1898); Ed. 2, iii. 175 (1913).
Britton, Fl. Bermuda, 345 (1918).
muralis Gaertn., Mey. & Scherb.
Bot. Kongr. Wien, I. Exk. t. 13 (1905).—*Hab.*
Fedtschenko & Fler. Fl. Eur. Russia, 849 (1910).
Hosseus, Pflanzenw. Reichenhall, 114 (1911).
Bot. Közl. (Bot. Communic.), xii. 82 (1913).—*Fl.*

CYMBALARIA
muralis
Lindman, Svensk Fanerogamfl. 484 (1918).—*Veg.*

CYMBARIA Linn.
borysthenica Pall.
Nees, Horae Berol. t. 21 (1820).
Maximowicz, Coriaria, &c. (Mém. Acad. Pétersb. Ser. VII. xxix), t. 4 (1881).—*Fl.*
Fedtschenko & Fler. Fl. Eur. Russia, 886 (1910).
daurica Linn.
Gaertner, Fruct. i. t. 53 (1788).—*Fr.*
Lamarck, Ill. iii. t. 530 (1797).
Nees, Horae Berol. t. 21 (1820).
Chatin, Anat. Vég. Atlas, t. 35 (1856–91).—*Veg.*
Maximowicz, Coriaria, &c. (Mém. Acad. Pétersb. Ser. VII. xxix), t. 4 (1881).—*Fl.*
mongolica Maxim.
Maximowicz, Coriaria, &c. (Mém. Acad. Pétersb. Ser. VII. xxix), t. 4 (1881).

CYMBIA Torr. & A. Gray: *Krigia*
occidentalis Standley
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, iii. 308 (1913).

CYMBIDIELLA Rolfe
Humblottii Rolfe
Orch. Rev. xxvi. frontisp. (1918).—*Hab.*
rhodochila Rolfe
Orch. Rev. xxvi. 57 (1918).

CYMBIDIUM Sw.—Vide *Iridorchis*, *Limodorum* (7)
affine Griff.
Griffith, Ic. Pl. Asiat. t. 291, fig. 3 (1851).—*Fl.*
*Floral Mag. N. Ser. 1879, t. 346.
*Warner & Will. Orch. Album, iii. t. 140 (1884).
albo-jucundissimum Hayata
Hayata, Ic. Pl. Formosan. vi. 80 (1916).
×**Alexanderi albens** Hort.
Gard. Chron. Ser. III. lvii. 26 (1915).—*Fl.*
×—— **excelsior** Hort.
Orch. World, vi. 147 (1916).—*Fl.*
aloëfolium Bl.
Blume, Tab. Jav. Orch. t. 19 (1825).—*Fl.*
*Beer, Beitr. Morph. u. Biol. Orch. t. 11, fig. 9; t. 12, fig. 14 (1863).—*Fr.*
aloifolium Sw.
Rheede, Hort. Mal. xii. t. 8 (1703); fide Fl. Brit. Ind. vi. 10.
*Mordant de Launay, Herb. Amat. vi. t. 378 (1822).
*Lodd. Bot. Cab. x. t. 967 (1824).
*Drapiez, Herb. Amat. Fl. i. t. 74 (1828).
Wight, Ic. Pl. Ind. Or. v. t. 1687, 1688 (1851).
*Ann. Bot. Gard. Calcutta, viii. t. 252 (1898).
J. J. Smith, Orch. Java, Fig.-Atlas, iv. fig. 367 (1911).—*Fl.*
Hayata, Ic. Pl. Formosan. i v. 75, 76 (1914).
Andersonii Lamb.
*Andrews, Bot. Rep. x. t. 651 (1811?).
aphyllum Sw.
*Joh. Kerner, Hort. Sempervir. t. 95 (1800).
arrogans Hayata
Hayata, Ic. Pl. Formosan. vi. 79 (1916).
bicolor Lindl.
Holtermann, Einfl. Klimas, t. 8, fig. 43 (1907).
*Journ. Bombay Nat. Hist. Soc. xviii. 586 (1908).
bituberculatum Hook.
*Hooker, Exot. Fl. ii. t. 116 (1825).
calcaratum Schlechter
Ann. Mus. Col. Marseille, Ser. III. i. 192, t. 16 (1913).
canaliculatum R. Br.
*Bot. Mag. xcvi. t. 5851 (1870).
carnosum Griff.
Griffith, Ic. Pl. Asiat. t. 351 B, fig. 6 (1851).—*Fl.*
chloranthum Lindl.
*Bot. Mag. lxxxii. t. 4907 (1856).
coccineum Sw.
*Bot. Mag. xxxv. t. 1437 (1812).
*Joh. Kerner, Hort. Sempervir. t. 395 (1815).
cochleare Lindl.
*Ann. Bot. Gard. Calcutta, viii. t. 260 (1898).
Corallorrhiza Sw.
*Liboschitz & Trinius, Fl. Pétersb. & Mosc. 77 (1811).

CYMBIDIUM
cyperifolium Wall.
*Ann. Bot. Gard. Calcutta, viii. t. 248 (1898).
densiflorum Griff.
Griffith, Ic. Pl. Asiat. t. 351 A, fig. 7 (1851).—*Fl.*
dependens Lodd.
*Lodd. Bot. Cab. x. t. 936 (1824).
Devonianum Paxt.
*Paxt. Mag. x. 97 (1843).
*Warner & Will. Orch. Album, iv. t. 170 (1885).
Journ. Hort. Ser. III. xviii. 401 (1889).—*Fl.*
*Orchidophile, 1893, p. 48.
*Ann. Bot. Gard. Calcutta, viii. t. 253 (1898).
*Cogniaux, Dict. Icon. Orch., Cymbid. t. 8 (1903).—*Fl.*
Gartenwelt, xv. 385 (1911).
*Costantin, Atlas Orch. Cult. t. 15 (1913).—*Fl.*
Schlechter, Orchideen, 359 (19[14–]15).—*Hab.*
×**eburneo-Lowianum** Hort.
*Garden, xlviii. 262 (1895).
Journ. Hort. Ser. III. xxx. 157 (1895).
Journ. Roy. Hort. Soc. London, xix. Proc. p. lxx (1896).—*Fl.*
*Cogniaux, Dict. Icon. Orch., Cymbid. hybr. t. 1 (1897).
*Lindenia, xiii. t. 578 (1897).
Orch. Rev. xii. 369 (1904); xvi. 325 (1908).
Gartenwelt, xi. 423 (1905); xv. 384 (1911).
Gard. Chron. Ser. III. xlvii. 407 (1910).—*Hab.*
Orch. World, v. 4 (1914).—*Hab.*
×—— **concolor** Hort.
Garden, lxiii. 251 (1903).—*Fl.*
eburneum Lindl.
*Bot. Reg. xxxiii. t. 67 (1847).
*Paxt. Mag. xv. 145, 146 (1849).
*Bot. Mag. lxxxv. t. 5126 (1859).
*Warner, Select Orch. Pl. Ser. I. t. 27 (1862–65).
*Bateman, Second Cent. Orch. Pl. t. 177 (1867).
*Jennings, Orchids, t. 16 (1875).
Journ. Hort. lxiii. 477 (1880); Ser. III. lxiv. 331 (1912); lxxi. 413 (1915).—*Hab.*
Gartenfl. xxix. 155 (1880).
Garden, xix. 593 (1881); xxxi. 307 (1887); xlvi. 398 (1894).—*Hab.*
Gard. Month. & Hort., Meehan, xxiv. 13 (1882).
Orchidophile, 1882, p. 297.
Gard. Chron. xvii. 497 (1882); xxii. 77 (1884); Ser. III. xxxv. 99 (1904).
Sempervirens, xi. 352 (1882).—*Hab.*
Pfitzer, Grundz. Vergl. Morph. Orchideen, 34 (1882).
Nicholson, Illustr. Dict. Gard. i. 420 [1884–88].—*Hab.*
Ill. Gartenzeit. Stuttgart, xxxi. 23 (1887).
Wien. Ill. Gart.-Zeit. xii. 7, 8 (1887).
Pflanzenfam. ii. VI. 184 (1889).—*Fl.*
Bull. Soc. Tosc. Ortic. xv. 264, t. 11 (1890).
*Lindenia, ix. t. 422 (1893).
*Warner & Will. Orch. Album, x. 467 (1893).
Veitch, Man. Orch. Pl. Pt. 9, p. 15 (1893).—*Fl.*
Kerchove, Livre Orch. 357 (1894).—*Fl.*
B. S. Williams, Orchid-Grower's Man. Ed. 7, p. 219 (1894).
Journ. Orch. vi. 220, 221 (1895).
*Cogniaux, Dict. Icon. Orch., Cymbid. t. 1 (1897).
*Ann. Bot. Gard. Calcutta, viii. t. 262 (1898).
Orch. Rev. x. 137 (1902); xxvi. 56 (1918).—*Hab.*
Rev. Hort. Belge, xxxiv. 72 (1908).—*Hab.*
Gartenwelt, xv. 383 (1911).
Costantin, Atlas Orch. Cult. t. 15 (1913).—*Fl.*
Schlechter, Orchideen, 360 (19[14–]15).—*Hab.*
echinocarpum Sw.
Swartz in Journ. f. die Bot. 1799, ii. IV. t. 1, fig. 3 d (1799).—*Fl.*
Mirbel, Élém. Phys. Vég. Bot. iii. t. 2, fig. 4 (1815).—*Hab.*
Dict. Sc. Nat., Planch. Bot. Monocot. t. 1 (1816–29).—*Hab.*
elegans Lindl.
*Lindley, Sertum Orch. t. 14 (1838).
*Warner & Will. Orch. Album, ix. t. 430 (1891).
*Ann. Bot. Gard. Calcutta, viii. t. 259 (1898).
ensifolium Sw.
Swartz in Journ. f. die Bot. 1799, ii. IV. t. 1, fig. 3 b (1799).—*Fl.*
*Bot. Mag. xlii. t. 1751 (1815).

CYMBIDIUM
ensifolium
*Somoku Dzusetsu, Ed. 2, xviii. t. 1 (1874).
*Useful Pl. Jap. ii. t. 395 (1895).
!Ann. Jard. Bot. Buitenzorg, xix. t. 11, fig. 37 (1904).—*Fl.*
Somoku Dzusetsu, Ed. Makino (Iconogr. Pl. Nippon), xviii. t. 1 (1912).
Jardin, xxxii. 245 (1918).
—— **estriatum** Lindl.
*Bot. Reg. xxiii. t. 1976 (1837).
—— **flaccidior** Makino
Somoku Dzusetsu, Ed. Makino (Iconogr. Pl. Nippon), xviii. t. 2 (1912).
—— **haematodes** Trim.
*Trimen, Handb. Fl. Ceylon, iv. t. 90 (1898).
equitans Sw.
Petit-Thouars, Hist. Pl. Orch. Iles Afr. t. 92 (1822).
erectum Wight
Wight, Ic. Pl. Ind. Or. v. t. 1753 (1851).
erythrostylum Rolfe
Gard. Chron. Ser. III. xl. 286 (1906).—*Fl.*
Journ. Hort. Ser. III. liii. 361 (1906).—*Fl.*
*Bot. Mag. cxxxiii. t. 8131 (1907).
Gartenwelt, xv. 382 (1911).
Orch. World, i. 91 (1911).—*Hab.*
Schlechter, Orchideen, 360 (19[14–]15).—*Hab.*
Finlaysonianum Lindl.
Fitting in Zeitschr. Bot. i. 38 (1909).—*Fl.*
J. J. Smith, Orch. Java, Fig.-Atlas, iv. fig. 366 (1911).—*Fl.*
Forrestii Rolfe
Notes Roy. Bot. Gard. Edinb. viii. t. 11 (1913).
fuscescens Griff.
Griffith, Ic. Pl. Asiat. t. 319, 351 B, fig. 17 (1851).
Gammieanum King & Pantl.
*Ann. Bot. Gard. Calcutta, viii. t. 257 (1898).
Gard. Chron. Ser. III. xxxviii. 427 (1905).—*Hab.*
Gibsonii Lindl. & Paxt.
Paxt. Fl. Gard. iii. 144 (1852–53).
Lem. Jard. Fl. iii. Misc. 144 (1853).
giganteum Wall.
*Lindley, Sertum Orch. t. 4 (1837).
*Paxt. Mag. xii. 241, 242 (1846).
Griffith, Ic. Pl. Asiat. t. 351 A, fig. 25 (1851).—*Fl.*
Paxt. Fl. Gard. ii. 14 (1851–52).—*Fl.*
*Bot. Mag. lxxxi. t. 4844 (1855).
Nicholson, Illustr. Dict. Gard. i. 420 [1884–88].—*Fl.*
*Warner & Will. Orch. Album, vi. t. 284 (1887).
Pflanzenfam. ii. VI. 182 (1889).
Kerchove, Livre Orch. 64 (1894).
B. S. Williams, Orchid-Grower's Man. Ed. 7, p. 220 (1894).—*Fl.*
*Cogniaux, Dict. Icon. Orch., Cymbid. t. 3 (1897).—*Fl.*
*Ann. Bot. Gard. Calcutta, viii. t. 255 (1898).
*Lindenia, xv. t. 700 (1900).
L. H. Bailey, Cycl. Amer. Hort. 428 (1900); Stand. Cycl. Hort. 937 (1914).
*Costantin, Atlas Orch. Cult. 12, t. 15 (1913).—*Fl.*
—— **Wilsonii** Hort.
Garden, lxv. 189 (1904).—*Fl.*
×**Gottianum** Hort.
Gard. Chron. Ser. III. xlix. 180 (1911).—*Fl.*
graminoides Sw.
Swartz, Adnot. Bot. t. 1 (1829).
grandiflorum Griff.
Griffith, Ic. Pl. Asiat. t. 321 (1851).
Gard. Chron. Ser. III. xi. 267 (1892); lxvi. 198 (1919).—*Fl.*
Journ. Hort. Ser. III. xxvi. 153 (1893).—*Fl.*
*Ann. Bot. Gard. Calcutta, viii. t. 256 (1898).
*Cogniaux, Dict. Icon. Orch., Cymbid. t. 5 (1898).—*Fl.*
Journ. Roy. Hort. Soc. London, xxxiii. 389, fig. 58 (1908).—*Fl.*
Gartenwelt, xv. 381 (1911).
—— **punctatum** Cogn.
*Lindenia, ix. t. 389 (1893).
gyokuchin Makino
Somoku Dzusetsu, Ed. Makino (Iconogr. Pl. Nippon), xviii. t. 7 (1912).

CYMBIDIUM
gyokuchin soshin Makino
Somoku Dzusetsu, Ed. Makino (Iconogr. Pl. Nippon), xviii. t. 8 (1912).
×**Holdfordianum** Hort.
Garden, lxxxiv. 621 (1920).—*Fl.*
Hookerianum Reichb. f.
*Bot. Mag. xcii. t. 5574 (1866).
*Bateman, Second Cent. Orch. Pl. t. 187 (1867).
*Miner, Orchids, t. 21 (1885).
B. S. Williams, Orchid-Grower's Man. Ed. 7, p. 221 (1894).—*Fl.*
Journ. Hort. Ser. III. xxxviii. 103 (1899).—*Fl.*
Humblotii Rolfe
Journ. Hort. Ser. III. lv. 291 (1907).—*Fl.*
Orchis, v. t. 14 (1911).—*Fl.*
Orch. World, iii. 172 (1913); vi. 222, 223 (1916).
Journ. Roy. Hort. Soc. London, xxxix. Proc. p. lxxvi, fig. 121 (1914).—*Fl.*
Huttonii Hook. f.
*Bot. Mag. xciii. t. 5676 (1867).
Gard. Chron. Ser. III. xxxviii. 63 (1905).
Orch. Rev. xiv. 153 (1906).—*Fl.*
Orch. World, v. 222 (1915).
hyacinthinum Sm.
*J. E. Smith, Exot. Bot. i. t. 60 [1804–5].
*Bot. Mag. xxxvi. t. 1492 (1812).
×**I'Ansoni** Hort.
Orch. Rev. viii. 209 (1900); xiv. 145 (1906); xxvi. 33 (1918).—*Fl.*
insigne Rolfe
*Cogniaux, Dict. Icon. Orch., Cymbid. t. 10 (1906).
Jardin, xxi. 309 (1907).—*Fl.*
*Rev. Hort. 1907, p. 496.
*Rev. Hort. Belge, xxxiii. 53 (1907).
*C. H. Curtis, Orchids for Everyone, 52 (1910).—*Fl.*
*Bot. Mag. cxxxvi. t. 8312 (1910).
Orchis, v. t. 4 (1911).—*Fl.*
Orch. World, i. 207 (1911); iii. 130 (1913); iv. 160 (1914); vi. 131 (1916).
Horticulture (Boston), xix. 519 (1914).—*Fl.*
Journ. Hort. Ser. III. lxviii. 331 (1914).—*Hab.*
Schlechter, Orchideen, 362 (19[14–]15).—*Fl.*
×—— **album** Hort.
Gard. Chron. Ser. III. lxi. 99 (1917).—*Fl.*
—— **Sanderi** Hort.
Journ. Hort. Ser. III. lviii. 415 (1909).—*Fl.*
Horticulture (Boston), xxi. 713 (1915); xxv. 643 (1917).—*Fl.*
japonicum Miq.
*Useful Pl. Jap. iii. t. 919 (1895) in textu, p. 204; *C. lancifolium* in ic.
javanicum Bl.
Blume, Tab. Jav. Orch. t. 19 (1825).—*Fl.*
kanran Makino
Somoku Dzusetsu, Ed. Makino (Iconogr. Pl. Nippon), xviii. t. 4 (1912).
—— **latifolium** Makino
Somoku Dzusetsu, Ed. Makino (Iconogr. Pl. Nippon), xviii. t. 6 (1912).
—— **viridescens** Makino
Somoku Dzusetsu, Ed. Makino (Iconogr. Pl. Nippon), xviii. t. 5 (1912).
koran Makino
Somoku Dzusetsu, Ed. Makino (Iconogr. Pl. Nippon), xviii. t. 3 (1912).
lancifolium Hook.
*Hooker, Exot. Fl. i. t. 51 (1823).
*Lodd. Bot. Cab. x. t. 927 (1824).
*Useful Pl. Jap. iii. t. 919 (1895) in ic.; *C. japonicum* in textu, p. 204.
*Ann. Bot. Gard. Calcutta, viii. t. 247 (1898).
J. J. Smith, Orch. Java, Fig.-Atlas, iv. fig. 363 (1911).—*Fl.*
Somoku Dzusetsu, Ed. Makino (Iconogr. Pl. Nippon), xviii. t. 25 (1912).
Schlechter, Orchideen, 363 (19[14–]15).—*Hab.*
×**langleyense** Hort.
Gard. Chron. Ser. III. xlix. 146 (1911).—*Fl.*
Loeselii Sw.
Swartz in Journ. f. die Bot. 1799, ii. IV. t. 1, fig. 3 c (1799).—*Fl.*
longifolium D. Don
*Ann. Bot. Gard. Calcutta, viii. t. 254 (1898).
Lowianum Reichb. f.
*Warner, Select Orch. Pl. Ser. III. t. 31 (1878).

CYMBIDIUM
Lowianum
Garden, xvi. 189 (1879); xxxiii. 296 (1888); xlviii. 263 (1895).—*Fl.*
*Floral Mag. N. Ser. 1879, t. 353.
Gard. Chron. xi. 405 (1879).
De Puydt, Orchidées, 184 (1880).
Orchidophile, 1882, p. 321; 1885, p. 145.
Journ. Hort. Ser. III. xi. 25 (1885); liii. 317 (1906); lxvi. 131 (1913).
Garten-Zeit. Berlin, iv. 73 (1885).
Stein, Orchideenbuch, 172, 173 (1892).
*Warner & Will. Orch. Album, x. t. 471 (1893).
Veitch, Man. Orch. Pl. Pt. 9, p. 19 (1893).—*Fl.*
Kerchove, Livre Orch. 180 (1894).—*Fl.*
Linden, Orch. Exot. 447 (1894).
*Sander, Reichenbachia, Ser. II. ii. 11, t. 53 (1894).
*Cogniaux, Dict. Icon. Orch., Cymbid. t. 2 (1897).—*Fl.*
Kertészeti Lapok (Hungarian Journ. Hort.), xv. 97 (1900).—*Hab.*
Möllers Deutsche Gärtn.-Zeit. xviii. 338 (1903).
Rev. Hort. Belge, xxx. 276 (1904).—*Hab.*
!Orchis, i. 35 (1906).—*Fl.*
*C. H. Curtis, Orchids for Everyone, 56 (1910).—*Hab.*
*Costantin, Atlas Orch. Cult. t. 15 (1913).—*Fl.*
Orch. World, iii. 131 (1913); vi. 132 (1916).
*Schlechter, Orchideen, t. 6 (19[14–]15).
×—— **armainvilliense** Cogn.
*Cogniaux, Dict. Icon. Orch., Cymbid. hybr. t. 1 A (1898).—*Fl.*
—— **concolor** Rolfe
*Cogniaux, Dict. Icon. Orch., Cymbid. t. 2 A (1899).—*Fl.*
—— **flaveolum** Linden
*Lindenia, xii. t. 572 (1896).
—— **superbissimum** Linden
*Lindenia, ix. t. 392 (1893).
—— **viride** Hort.
*Warner & Will. Orch. Album, xi. t. 527 (1897).
Mackinnonii Duthie
*Ann. Bot. Gard. Calcutta, ix. t. 115 (1906).
macrorrhizum Lindl.
*Ann. Bot. Gard. Calcutta, ix. t. 114 (1906).
×**Mantinii** Hort.
*Orch. Rev. x. 361 (1902).—*Hab.*
marginatum Lindl.
*Bot. Reg. xviii. t. 1530 (1832).
Mastersii Griff.
*Bot. Reg. xxxi. t. 50 (1845).
*Lem. Jard. Fl. iii. t. 289 (1852).
*Paxt. Fl. Gard. iii. t. 78 (1852–53).
*Floral Mag. N. Ser. 1880, t. 391.
*Garden, xxv. 432 (1884).
*Lindenia, v. t. 222 (1889).
*Ann. Bot. Gard. Calcutta, viii. t. 261 (1898).
Gartenwelt, vi. 265 (1902).
!Orchis, iv. t. 1 (1910).
—— **album** Reichb. f.
*Sander, Reichenbachia, ii. 39, t. 66 (1890).
misericors Hayata
Hayata, Ic. Pl. Formosan. iv. 76 (1914).—*Fl.*
Munronianum King & Pantl.
*Ann. Bot. Gard. Calcutta, viii. t. 249 (1898).
nutans Sw.
*Joh. Kerner, Hort. Sempervir. t. 96 (1800).
ochroleucum Lindl.
*Bot. Mag. lxxi. t. 4141 (1845).
odontorrhizum Willd.
*Beer, Beitr. Morph. u. Biol. Orch. t. 3, fig. 27 (1863).—*Fr.*
oiwakense Hayata
Hayata, Ic. Pl. Formosan. vi. 80 (1916).—*Fl.*
oreophilum Hayata
Hayata, Ic. Pl. Formosan. iv. 76 (1914).—*Fl.*
Parishii Reichb. f.
*Warner & Will. Orch. Album, i. t. 25 (1882).
*Reichenbach f., Xenia Orch. iii. t. 224 (1883).
*Lindenia, xv. t. 717 (1900).
—— **Sanderae** Hort.
Gard. Chron. Ser. III. xxxv. 338 (1904).—*Fl.*
Journ. Roy. Hort. Soc. London, xxix. Proc. p. xcix, fig. 132 (1905).—*Fl.*
*Flora & Sylva, iii. 150 (1905).

CYMBIDIUM
Parishii Sanderae
Gard. Chron. Ser. III. lix. 307 (1916).—*Fl.*
×**Pauwelsii** Hort.
Orch. World, iii. 185 (1913).—*Hab.*
Tribune Hort. viii. 329, t. 390 (1913).
Jardin, xxviii. 180, 181 (1914).—*Hab.*
pedicellatum Sw.
Bull. Soc. Bot. France, xlvii. t. 9 (1900).
pendulum Sw.
*Joh. Kerner, Hort. Sempervir. ii. t. 75 (1800).
*Bot. Reg. xxvi. t. 25 (1840).
*Burnett, Pl. Util. iii. 66, a (1847).
*Warner & Will. Orch. Album, x. t. 437 (1893).
*Lindenia, xiii. t. 607 (1897).
*Ann. Bot. Gard. Calcutta, viii. t. 251 (1898).
*Cogniaux, Dict. Icon. Orch., Cymbid. t. 6 (1899).—*Fl.*
*Costantin, Atlas Orch. Cult. t. 15 (1913).—*Fl.*
—— **atropurpureum** Hook. f.
*Bot. Mag. xciv. t. 5710 (1868).
—— **brevilabre** Lindl.
*Bot. Mag. xxx. t. 24 (1844).
plicatum Harv.
Hook. Ic. Pl. ii. t. 104 (1837).
pubescens Lindl.
*Bot. Reg. xxvii. t. 38 (1841).
*Beer, Beitr. Morph. u. Biol. Orch. t. 10, fig. 16 (1863).—*Fr.*
J. J. Smith, Orch. Java, Fig.-Atlas, iv. fig. 368 (1911).—*Fl.*
pumilum Rolfe
Somoku Dzusetsu, Ed. Makino (Iconogr. Pl. Nippon), xviii. t. 13 (1912).
purpureum Loisel.
*Mordant de Launay, Herb. Amat. iv. t. 251 (1820).
*Drapiez, Herb. Amat. Fl. v. t. 313 (1831).
pusillum Sw.
Swartz in Journ. f. die Bot. 1799, ii. iv. t. 1, fig. 3 e (1799).—*Fl.*
Swartz, Adnot. Bot. t. 1 (1829).
Queeneanum Klinge
Act. Hort. Petrop. xvii. 1. 137, t. 2, fig. 13, 14 (1898).—*Fl.*
rhodochilum Rolfe
Jardin, xv. 276 (1901).—*Fl.*
Garden, lxi. 383 (1902); lxix. 315 (1906).
*Bot. Mag. cxxx. t. 7932, 7933 (1904).
*Flora & Sylva, ii. 40 (1904).
Journ. Hort. Ser. III. l. 443 (1905).—*Fl.*
Gard. Chron. Ser. III. xxxvii. 378 (1905).
Orch. Rev. xiv. 209 (1906).
rubrigemmum Hayata
Hayata, Ic. Pl. Formosan. vi. 81, 82 (1916).
Sanderi Hort.
*Garden, lxviii. 1 (1905).
Horticulture (Boston), i. 301 (1905).—*Hab.*
Gard. Chron. Ser. III. xxxvii. 115 (1905).—*Fl.*
Bull. Soc. Tosc. Ortic. xxx. 136, t. 1 (1905).—*Fl.*
sanguinolentum Teysm. & Binn.
J. J. Smith, Orch. Java, Fig.-Atlas, iv. fig. 365 (1911).—*Fl.*
×**Schlegelii** Hort.
Garden, lxxvi. 68 (1912).—*Fl.*
×—— **punctatum** Hort.
Gard. Chron. Ser. III. lv. 50 (1914).—*Fl.*
shimaran Makino
Somoku Dzusetsu, Ed. Makino (Iconogr. Pl. Nippon), xviii. t. 10 (1912).
sikkimense Hook. f.
Hook. Ic. Pl. xxii. t. 2117 (1892).
Simonsianum King & Pantl.
*Ann. Bot. Gard. Calcutta, viii. t. 250 (1898).
*Bot. Mag. cxxviii. t. 7863 (1902).
Somoku Dzusetsu, Ed. Makino (Iconogr. Pl. Nippon), xviii. t. 14 (1912).
Hayata, Ic. Pl. Formosan. iv. 82 (1914).—*Fl.*
sinense Willd.
*Lodd. Bot. Cab. i. t. 37 (1818).
*Beer, Beitr. Morph. u. Biol. Orch. t. 4, fig. 30; t. 10, fig. 7; t. 11, fig. 6 (1863).—*Fr.*
*Cogniaux, Dict. Icon. Orch., Cymbid. t. 9 (1906).
Somoku Dzusetsu, Ed. Makino (Iconogr. Pl. Nippon), xviii. t. 11 (1912).

CYMBIDIUM
sinense hakuran Makino
Somoku Dzusetsu, Ed. Makino (Iconogr. Pl. Nippon), xviii. t. 12 (1912).
—— **margicoloratum** Hayata
Hayata, Ic. Pl. Formosan. vi. 82 (1916).
stapelioides Link & Otto
*Link & Otto, Ic. Pl. Select. t. 52 (1820–28).
×**Steppeanum** Hort.
*Rev. Hort. Belge, xxxvi. 397 (1910).
syringodorum Griff.
Griffith, Ic. Pl. Asiat. t. 351 A, fig. 29 (1851).—*Fl.*
tenuifolium Willd.
Rheede, Hort. Mal. xii. t. 5–6 (1703); fide Hasskarl, Hort. Mal. Rheed. Clavis, 99.
Wight, Ic. Pl. Ind. Or. iii. t. 911 (1843–45); errore *C. triste*, vide p. 11.
tessellatum Sw.
*Joh. Kerner, Hort. Sempervir. ii. t. 52 (1800).
tigrinum Parish
*Bot. Mag. xc. t. 5457 (1864).
Journ. Linn. Soc., Bot. x. 505 (1869).—*Fl.*
*Warner & Will. Orch. Album, xi. t. 523 (1897).
American Garden, xxii. 715 (1901).
*Lindenia, xvi. t. 760 (1901).
Gartenwelt, xv. 385 (1911).
Schlechter, Orchideen, 364 (19[14–]15).—*Hab.*
—— **splendens** Cogn.
*Cogniaux, Dict. Icon. Orch., Cymbid. t. 7 (1899).—*Fl.*
Tracyanum Hort.
Journ. Roy. Hort. Soc. London, xii. Proc. p. clxix (1890).—*Fl.*
Journ. Hort. Ser. III. xxi. 535 (1890); xxxiv. 267 (1897); lxix. 295 (1914).—*Fl.*
Gard. Chron. Ser. III. ix. 137 (1891).—*Fl.*
Veitch, Man. Orch. Pl. Pt. 9, p. 23 (1892).—*Fl.*
B. S. Williams, Orchid-Grower's Man. Ed. 7, p. 224 (1894).—*Fl.*
*Lindenia, xi. t. 514 (1895).
*Cogniaux, Dict. Icon. Orch., Cymbid. t. 4 (1898).
Jardin, xiii. 217 (1899).
Wien. Ill. Gart.-Zeit. xxiv. 319 (1899).—*Fl.*
Gartenwelt, vi. 174, 175 (1902); xv. 382 (1911).
*Rev. Hort. Belge, xxix. 25 (1903).
Orch. World, v. 22 (1914).—*Fl.*
Schlechter, Orchideen, 365 (19[14–]15).—*Fl.*
—— **grandiflorum** Hort.
*Garden, lvi. 42 (1899).
tricolor Miq.
*Miquel, Choix Pl. Jard. Buitenzorg, t. 19 (1863).
triste Willd.
*Bot. Mag. lxv. t. 3648 (1838).
Wight, Ic. Pl. Ind. Or. v. t. 1689 (1851); errore *C. tenuifolium*, vide p. 11.
*Beer, Beitr. Morph. u. Biol. Orch. t. 6, fig. 24 (1863).—*Fr.*
variegatum Sw.
Petit-Thouars, Hist. Pl. Orch. Iles Afr. t. 106 (1822).
virescens Lindl.
Kwa-wi [transl. Savatier], Herb. iii. t. 10 (1759); errore *C. virens*.
Somoku Dzusetsu, Ed. 2, xviii. t. 15 (1874); errore *C. virens*.
*Useful Pl. Jap. iii. t. 914 (1895); errore *C. virens*.
Somoku Dzusetsu, Ed. Makino (Iconogr. Pl. Nippon), xviii. t. 15 (1912).
Bot. Mag. Tokyo, xxxii. 40 (1918); errore *C. virens*.—*Hab.*
Whiteae King & Pantl.
*Ann. Bot. Gard. Calcutta, viii. t. 258 (1898).
×**Wiganianum** Hort.
Orch. World, iii. 129 (1913).—*Fl.*
Wilsonii Hort.
Gard. Chron. Ser. III. xxxv. 157 (1904).—*Fl.*
Journ. Roy. Hort. Soc. London, xxix. Proc. p. lxxxv, lxxxvi, fig. 120, 121 (1905).—*Fl.*
×**Winnianum** Hort.
Orch. Rev. i. 361 (1893); xii. 313 (1904); xxv. 80 (1917).—*Hab.*
*Sander in Reichenbachia, Ser. II. ii. 61, t. 75 (1894).
xiphiifolium Lindl.
*Bot. Reg. vii. t. 529 (1821).

CYMBIDIUM
yakibaran Makino
Somoku Dzusetsu, Ed. Makino (Iconogr. Pl. Nippon), xviii. t. 9 (1912).
×Zaleskianum Linden
*Lindenia, xvii. t. 778 (1902).

CYMBOCARPA Miers: *Gymnosiphon*
refracta Miers
Trans. Linn. Soc. London, xviii. t. 38 (1841).—*Fl.*

CYMBOCARPUM DC.
anethoides DC.
Koso-Poljansky in Monit. Jard. Bot. Tiflis, xi. No. 38, 39, t. 9 (1915).

CYMBONOTUS Cass.: *Arctotis*
Lawsonianus Gaudich.
Freycinet, Voyage, t. 86 (1826).
F. M. Bailey, Weeds & Poison. Pl. Queensland, 89 (1906).
Beauverd in Bull. Soc. Bot. Genève, Ser. II. vii. 45 (1915).

CYMBOPETALUM Benth.
brasiliense Benth.
Wettstein, Handb. Syst. Bot. Ed. 2, p. 549 (1911).—*Fr.*
obtusiflorum Baill.
Baillon, Hist. Pl. i. 241 (1867–69).—*Fr.*
Pflanzenfam. iii. II. 32 (1888).—*Fr.*
odoratissimum Barb. Rodr.
Barbosa Rodrigues in Vellosia, iii. I. t. 1 (1891).
penduliflorum Baill.
Baillon, Hist. Pl. i. 240 (1867–69).—*Fl.*
Pflanzenfam. iii. II. 32 (1888).—*Fl.*
Ann. Rep. Smithson. Inst. 1910, t. 1, p. 428, 431 (1911).
L. H. Bailey, Stand. Cycl. Hort. 938 (1914).

CYMBOPOGON Spreng.—Vide *Andropogon* (7)
acutispathaceus De Wild.
Bull. Jard. Bot. Bruxelles, vi. t. 27 (1919).
Bequaertii De Wild.
Bull. Jard. Bot. Bruxelles, vi. t. 26 (1919).
citratus Stapf
Hook. Ic. Pl. xxix. t. 2826 (1907).
Agron. Colon. v. 202 (1920).—*Hab.*
elegans Spreng.
Pole Evans, Pl. Geogr. S. Africa, t. 12 (1918).—*Hab.*
flexuosus Stapf
Rheede, Hort. Mal. xii. t. 57 (1703); fide Stapf in Kew Bull. 1906, p. 319.
Agron. Colon. v. 202 (1920).—*Hab.*
gratus Dom.
Domin in Bibl. Bot. xx. 275 (1915).
hirtus Stapf
Pole Evans, Pl. Geogr. S. Africa, t. 12 (1918).—*Hab.*
kapandensis De Wild.
Bull. Jard. Bot. Bruxelles, vi. t. 28 (1919).
lividus Stapf
Fyson, Fl. Nilgiri & Pulney Hill-tops, iii. 566 (1920).
luembensis De Wild.
Bull. Jard. Bot. Bruxelles, vi. t. 25 (1919).
Martinii motia Burkill
Journ. & Proc. Asiat. Soc. Bengal, N. Ser. v. 92 (1909).—*Veg.*
—— **sofia** Burkill
Journ. & Proc. Asiat. Soc. Bengal, N. Ser. v. 92 (1909).—*Veg.*
Agron. Colon. v. 202 (1920).—*Hab.*
modicus De Wild.
Bull. Jard. Bot. Bruxelles, vi. t. 27 (1919).
Nardus lena-batu Hort.
Agron. Colon. v. 202 (1920).—*Hab.*
pilosovaginatus De Wild.
Bull. Jard. Bot. Bruxelles, vi. t. 24 (1919).
polyneuros Stapf
Fyson, Fl. Nilgiri & Pulney Hill-tops, iii. 565 (1920).
scabrimarginatus De Wild.
Bull. Jard. Bot. Bruxelles, vi. t. 24 (1919).
Schoenanthus Spreng.
L. H. Bailey, Stand. Cycl. Hort. 939 (1914).
subcordatifolius De Wild.
Bull. Jard. Bot. Bruxelles, vi. t. 26 (1919).

CYMBOPOGON
Vanderystii De Wild.
Bull. Jard. Bot. Bruxelles, vi. t. 25 (1919).
Winterianus Jowitt
Agron. Colon. v. 68 (1919).—*Hab.*

CYMBOSEMA Benth.
roseum Benth.
Mart. Fl. Bras. xv. I. t. 42 (1859).

CYMBURUS Salisb.: *Stachytarpheta*
mutabilis Salisb.
*Salisbury, Parad. Londin. i. II. t. 49 (1806).
*Trattinick, Ausw. Gartenpfl. i. t. 36 (1821).
*Mag. Bot. & Gard. iii. t. 28 (1835).
urticifolius Salisb.
*Salisbury, Parad. Londin. i. II. t. 53 (1806).

CYMINOSMA Gaertn.: *Acronychia*
ankenda Gaertn.
Gaertner, Fruct. i. t. 58 (1788).—*Fr.*
oblongifolia Cunn.
*Bot. Mag. lxi. t. 3322 (1834).
pedunculata Roxb.
Rheede, Hort. Mal. v. t. 4 (1685); fide Hasskarl, Hort. Mal. Rheed. Clavis, 39.
Mém. Mus. Hist. Nat. Paris, xii. 542, t. 17 (1825).—*Fl.*
*Link & Otto, Ic. Pl. Rar. t. 42 (1828–31).
*Wight, Illustr. Ind. Bot. i. t. 65 (1840).

CYMODOCEA Koenig—Vide *Phucagrostis*
aequorea Koenig
Koenig & Sims, Ann. Bot. ii. t. 7 (1805).
Coste, Fl. France, iii. 426 (1906).
A. Arber, Water Pl. 124 (1920).—*Veg.*
angustata Ostenf.
Dansk Bot. Arkiv, ii. VI. 11, 13 (1916).
antarctica Endl.
Pflanzenfam. ii. I. 212 (1889).
Pflanzenreich, Potamogetonac. 150 (1907).—*Veg.*
Engler & Drude, Veget. Erde, ix. II. 97 (1908).
Dansk Bot. Arkiv, ii. VI. 21–23, 28, 29 (1916).
asiatica Makino
Bot. Mag. Tokyo, xxvi. 211 (1912).—*Veg.*
ciliata Ehrenb.
Pflanzenfam. ii. I. 212 (1889).
*Ehrenberg, Symb. Phys., Bot. t. 6 (1900) in textu; *Phucagrostis ciliata* in ic.
Pflanzenreich, Potamogetonac. 150 (1907).
Engler & Drude, Veget. Erde, ix. II. 97 (1908).
Proc. Linn. Soc. N. S. Wales, xxxiv. III. t. 49 (1909).
isoëtifolia Aschers.
Dansk Bot. Arkiv, ii. VI. 16–18 (1916).
manatorum Aschers.
Britton, Fl. Bermuda, 7 (1918).
nodosa Aschers.
Cesati, Passer. & Gibelli, Comp. Fl. Ital. t. 27 (1867–86).
Pflanzenfam. ii. I. 211 (1889).
Fiori & Paol. Ic. Fl. Ital. 65 (1898).
Kirchner, Loew & Schröter, Blütenpfl. Mitteleur. i. 530–36 (1906).
Pflanzenreich, Potamogetonac. 147, 148 (1907).
Engler & Drude, Veget. Erde, ix. II. 96 (1908).
Neger, Biol. Pflanz. 580 (1913).—*Fl.*
rotundata Aschers. & Schweinf.
*Ehrenberg, Symb. Phys., Bot. t. 20 (1900) in textu; *Phucagrostis rotundata* in ic.

CYMOPHYLLUS Mackenzie
Fraseri Mackenzie
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, i. 441 (1913).
*Addisonia, i. t. 36 (1916).

CYMOPTERUS Rafin.
acaulis Rydb.
Britton & Brown, Ill. Fl. N. States & Canada, ii. 517 (1897); Ed. 2, ii. 644 (1913).
U.S. Dep. Agric. Div. Bot. Bull. No. 26, t. 24 (1901).
F. E. & E. S. Clements, Rocky Mt. Fl. t. 35 (1914).—*Fr.*
glomeratus DC.
Zoe, iv. t. 25 (1893).—*Fr.*
ibapensis M. E. Jones
Zoe, iv. t. 25 (1893).—*Fr.*

CYMOPTERUS
Jonesii Coult. & Rose
Zoe, iv. t. 25 (1893).—*Fr.*
lapidosus M. E. Jones
Contrib. U.S. Nat. Herb. vii. 185 (1900).—*Fr.*
longipes S. Wats.
Zoe, iv. t. 25 (1893).—*Fr.*
montanus Torr. & Gray
Britton & Brown, Ill. Fl. N. States & Canada, ii. 517 (1897).
Newberryi M. E. Jones
Zoe, iv. t. 25 (1893).—*Fr.*
—— **alatus** M. E. Jones
Zoe, iv. t. 25 (1893).—*Fr.*
Parryi M. E. Jones
Zoe, iv. t. 25 (1893).—*Fr.*
Contrib. U.S. Nat. Herb. vii. 180 (1900).—*Fr.*

CYNANCHUM Linn.—Vide *Cyathella, Cynoctonum* E. Mey., *Endotropsis, Orthosia, Vincetoxicum*
abyssinicum Decne.
Delessert, Ic. Pl. v. t. 69 (1846).
Pflanzenfam. iv. II. 251 (1895).—*Fl.*
acuminatifolium Hemsl.
Somoku Dzusetsu, Ed. Makino (Iconogr. Pl. Nippon), iv. t. 26 (1907).
acutum Linn.
*Jacquin, Misc. i. t. 1, fig. 4 (1778).—*Fl.*
Gaertner, Fruct. ii. t. 117 (1791).—*Fr.*
Lamarck, Ill. i. t. 177, fig. 2 (1797).
*Schkuhr, Bot. Handb. Ed. 2, t. 54 (1808).
*Sibthorp & Sm. Fl. Graeca, iii. t. 250 (1819).
Martens, Reise Venedig, ii. t. 7 (1824).
Reichenbach, Ic. Fl. Germ. xvii. t. 1070 (1854).
*Cusin, Herb. Fl. Franç. xvi (Asclépiadées), t. 1 (1875).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xvi. t. 1580 (1884).
Acloque, Fl. France, 460 (1894).
Fiori & Paol. Ic. Fl. Ital. 323 (1901).
Coste, Fl. France, ii. 547 (1903).
Lazaro, Comp. Fl. Españ. ii. 484 (1907).
Fedtschenko & Fler. Fl. Eur. Russia, 765 (1910).
—— **monspeliacum** Decne.
Reichenbach, Ic. Fl. Germ. xvii. t. 1070 (1854).
Cusin, Herb. Fl. Franç. xvi (Asclépiadées), t. 2 (1875).
Beille, Bot. Pharm. ii. 970 (1909).
alatum Wight & Arn.
Fyson, Fl. Nilgiri & Pulney Hill-tops, iii. 419 (1920).
altissimum Jacq.
Jacquin, Sel. Stirp. Amer. Hist. t. 57 (1763).
*Jacquin, Sel. Stirp. Amer. Hist. Picta, t. 83 [1780],
ambositrense Choux
Ann. Mus. Col. Marseille, Ser. III. ii. t. 15, 17 (1914).
amplexicaule Hemsl.
Somoku Dzusetsu, Ed. Makino (Iconogr. Pl. Nippon), iv. t. 29 (1907).
aphyllum Vell.
Vellozo, Fl. Flum. iii. t. 83 (1827).
argel Del.
Delile, Fl. Égypte, t. 20 (1812).
Colladon, Cass. t. 15 (1816).
*Nees, Pl. Offic. Suppl. t. 53 (1833).
*Carson, Ill. Med. Bot. ii. t. 57 (1847).
*Cassone, Fl. Med.-Farm. iii. t. 253 (1848).
Brehm, Merv. Nat. Monde des Pl. i. 566 (1894–96).
asterion Vell.
Vellozo, Fl. Flum. iii. t. 75 (1827).
atratum Bunge
Somoku Dzusetsu, Ed. Makino (Iconogr. Pl. Nippon), iv. t. 27 (1907).
bekinolense Choux
Ann. Mus. Col. Marseille, Ser. III. ii. t. 15 (1914).
bicolor Andr.
*Andrews, Bot. Rep. ix. t. 562 (1809).
callialata Buch-Ham.
Talbot, For. Fl. Bombay, ii. 246, 247 (1911).
capense Linn. f.
Bull. Agric. Congo Belge, ii. 736, 737 (1911).
cardiophyllum Ehrenb.
*Ehrenberg, Symb. Phys., Bot. t. 14 (1900) in ic.; *Steinheilia radians* in textu.

CYNANCHUM
carolinense Jacq.
*Jacquin, Ic. Pl. Rar. ii. t. 342 (1786–93).
caudatum Vell.
Vellozo, Fl. Flum. iii. t. 77 (1827).
caudatum Maxim.
Somoku Dzusetsu, Ed. Makino (Iconogr. Pl. Nippon), iv. t. 38 A, B (1907).
ciliatum Vell.
Vellozo, Fl. Flum. iii. t. 84 (1827).
clausum Jacq.
Jacquin, Sel. Stirp. Amer. Hist. t. 60 (1763).
*Jacquin, Sel. Stirp. Amer. Hist. Picta, t. 87 [1780].
compactum Choux
Ann. Mus. Col. Marseille, Ser. III. ii. t. 16 (1914).
congestum Vell.
Vellozo, Fl. Flum. iii. t. 82 (1827).
contiguum Koch
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xvi. t. 1583 (1884).
corymbosum Wight
Lecomte, Fl. Gén. Indo-Chine, iv. 64 (1912). —*Fl.*
crispum Thunb.
*Jacquin, Fragm. t. 34 (1809).
Dalhousieae Wight
Collett, Fl. Siml. 317 (1902).
De Filippii Delp.
*Delponte in Mem. Accad. Sc. Torino, Ser. II. xxvi. 167, t. 1 (1871).
denticulatum Vahl
Vahl, Ic. Pl. Amer. i. t. 8 (1798).
discolor Sims
*Bot. Mag. xxxi. t. 1273 (1810).
erectum Linn.
*Kniphof, Herb. Viv. i. t. 348 (1758).
*Jacquin, Hort. Vind. i. t. 38 (1770).
Rottboell, Bot. Udstr. Nytte, fig. 7 (1771).—*Fl.*
*Jacquin, Misc. i. t. 2, fig. 1 (1778).—*Fl.*
Lamarck, Ill. i. t. 177, fig. 1 (1797).
*Roques, Phytogr. Médic. i. t. 78 (1821).
erubescens R. Br.
Banks & Soland. Bot. Cook's Voy. ii. t. 201 (1901).
Eurychiton K. Schum.
Pflanzenfam. iv. II. 251 (1895).—*Fl.*
extensum Jacq.
*Jacquin, Ic. Pl. Rar. i. t. 54 (1781–86).
filiforme Jacq.
Jacquin, Sel. Stirp. Amer. Hist. t. 60 (1763).
*Jacquin, Sel. Stirp. Amer. Hist. Picta, t. 86 [1780].
fimbriatum H. B. K.
H. B. K. Nov. Gen. iii. t. 234 (1818).
floridum Vell.
Vellozo, Fl. Flum. iii. t. 86 (1827).
fruticulosum Decne.
Ann. Sc. Nat. Paris, Ser. II. ix. t. 12 (1838). —*Fl.*
Lindley, Veg. Kingd. 623 (1846).—*Fl.*
fuscatum Link
Kerner, Pflanzenleben, ii. 794 (1891).—*Fr.*
Kerner & Oliv. Nat. Hist. Pl. ii. 857 (1895).—*Fr.*
ganglinosum Vell.
Vellozo, Fl. Flum. iii. t. 72 (1827).
grandiflorum Cav.
Cavanilles, Ic. i. t. 21 (1791).
grandifolium Hemsl.
Somoku Dzusetsu, Ed. Makino (Iconogr. Pl. Nippon), iv. t. 28 (1907).
helicoideum Choux
Ann. Mus. Col. Marseille, Ser. III. ii. t. 20, 21 (1914).
heterophyllum Del.
Delile, Cent. Pl. Afr. Voy. Méroé, ii. t. 63 (1826).
hirsutum Vell.
Vellozo, Fl. Flum. iii. t. 78 (1827).
hirsutum Cost.
Lecomte, Fl. Gén. Indo-Chine, iv. 64 (1912). —*Fl.*
hystrix Vell.
Vellozo, Fl. Flum. iii. t. 71 (1827).
inamoenum Loesn.
Miyabe & Miyake, Fl. Saghalin, t. 10 (1915).
inconspicuum Griff.
Griffith, Ic. Pl. Asiat. t. 401, 402 (1854).
Ipecacuanha Willd.
Berlin. Jahrb. Pharm. i. t. 2 (1795).

CYNANCHUM
Jacquemontianum Decne.
Jacquemont, Voy. Inde, t. 112 (1844).
japonicum E. Morr. & Decne.
Somoku Dzusetsu, Ed. Makino (Iconogr. Pl. Nippon), iv. t. 33 (1907).
—— **purpurascens** Maxim.
Somoku Dzusetsu, Ed. Makino (Iconogr. Pl. Nippon), iv. t. 32 (1907).
laxum Bartl.
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xvi. t. 1582 (1884).
leucanthum K. Schum.
Pflanzenfam. iv. II. 251 (1895).—*Fl.*
lineare N. E. Br.
Ann. Mus. Col. Marseille, Ser. III. ii. t. 18 (1914).
longiflorum Jacq.
Jacquin, Sel. Stirp. Amer. Hist. t. 59 (1763).
*Jacquin, Sel. Stirp. Amer. Hist. Picta, t. 85 [1780].
longifolium Martens
Martens, Reise Venedig, ii. t. 6 (1824).
macrorrhizon Carr.
Rev. Hort. 1877, p. 435.
magale Buch.-Ham.
Rheede, Hort. Mal. vii. t. 32 (1688); fide Hasskarl, Hort. Mal. Rheed. Clavis, 58.
mahafalense Jum. & Perrier
Ann. Mus. Col. Marseille, Ser. III. ii. 287, t. 15 (1914).
maritimum Jacq.
Jacquin, Sel. Stirp. Amer. Hist. t. 56 (1763).
*Jacquin, Sel. Stirp. Amer. Hist. Picta, t. 82 [1780].
Meyeri angustifolia L. Bolus
Ann. S. Afr. Mus. ix. t. 5 (1913).
microphyllum H. B. K.
H. B. K. Nov. Gen. iii. t. 236 (1818).
monspeliacum Linn.
*Kniphof, Herb. Viv. i. t. 347 (1758).
*Jacquin, Ic. Pl. Rar. ii. t. 340 (1786–93).
Cavanilles, Ic. i. t. 60 (1791).
*Jaume St.-Hilaire, Pl. France, ii [t. 20] (1808).
*Sibthorp & Sm. Fl. Graeca, iii. t. 251 (1819).
Martens, Reise Venedig, ii. t. 7 (1824).
*Hayne, Getreue Darst. Arzn. Gewächse, xii. t. 42 (1833).
*Cassone, Fl. Med.-Farm. iii. t. 252 (1848).
Berg, Charakt. t. 31, fig. 245 (1861).
mucronatum Andr.
*Andrews, Bot. Rep. viii. t. 515 (1807?).
mucronatum H. B. K.
H. B. K. Nov. Gen. iii. t. 235 (1818).
nanum Skottsb.
Svenska Vet. Akad. Handl. lvi. No. 5, p. 288 (1916).
napiferum Choux
Ann. Mus. Col. Marseille, Ser. III. ii. t. 19 (1914).
natalitium Schlechter
Wood, Natal Pl. iv. t. 301 (1903).
nigrum Cav.
Cavanilles, Ic. ii. t. 159 (1793).
nigrum Pers.
*Bot. Mag. l. t. 2390 (1823).
Britton & Brown, Ill. Fl. N. States & Canada, iii. 16 (1898); Ed. 2, iii. 36 (1913).
Fiori & Paol. Ic. Fl. Ital. 324 (1901).
Beal in Bull. Michigan Agric. Exp. St. No. 267, p. 390 (1911); et in Ann. Rep. xxv. 379 (1912).
A. Georgia, Manual Weeds, t. 222 (1914).
nitidum Vell.
Vellozo, Fl. Flum. iii. t. 74 (1827).
nummulariifolium Hook. & Arn.
Svenska Vet. Akad. Handl. lvi. No. 5, p. 288 (1916).—*Fl.*
obliquum Jacq.
*Jacquin, Ic. Pl. Rar. ii. t. 341 (1786–93).
obtusifolium Linn. f.
Weber & Mohr, Arch. Syst. Naturg. t. 1 (1804).
oleifolium Nect.
*Nectoux, Voyage Haute Égypte, t. 3 (1808).
*Chaumeton, Fl. Méd. i. t. 35 (1815).
Graves, Hort. Med. 159 (1834).—*Veg.*
ovalifolium Wight
Rumphius, Herb. Amboin. v. t. 173, fig. 2 (1747); fide Merrill, Interpret. Rumph. Herb. Amboin.
pauciflorum R. Br.
Wight, Ic. Pl. Ind. Or. ii. t. 354 (1840–43).

CYNANCHUM
Perrieri Choux
Ann. Mus. Col. Marseille, Ser. III. ii. t. 15, 17 (1914).
phylladen Vell.
Vellozo, Fl. Flum. iii. t. 76 (1827).
pilosum R. Br.
*Bot. Reg. ii. t. 111 (1816).
planiflorum Jacq.
Jacquin, Sel. Stirp. Amer. Hist. t. 55 (1763).
*Jacquin, Sel. Stirp. Amer. Hist. Picta, t. 81 [1780].
prostratum Cav.
Cavanilles, Ic. i. t. 7 (1791).
pycnoneuroides Choux
Ann. Mus. Col. Marseille, Ser. III. ii. t. 22 (1914).
pyrotechnicum Forsk.
Delile, Fl. Égypte, t. 20 (1812).
racemosum Jacq.
Jacquin, Sel. Stirp. Amer. Hist. t. 54 (1763).
*Jacquin, Sel. Stirp. Amer. Hist. Picta, t. 80 [1780].
reflexum Pittier
Contrib. U.S. Nat. Herb. xiii. 100 (1910).—*Fl.*
repandum K. Schum.
Pflanzenfam. iv. II. 251 (1895).—*Fl.*
roseum R. Br.
J. G. Gmelin, Fl. Sibir. iv. t. 42 (1769); fide Ledebour, Comm. 119.
rostratum Vahl
Vahl, Ic. Pl. Amer. i. t. 7 (1798).
rotatum Vell.
Vellozo, Fl. Flum. iii. t. 79 (1827).
Rusillonii Hochr.
Ann. Conserv. & Jard. Bot. Genève, xi–xii. 92 (1908).—*Fl.*
sibiricum R. Br.
J. G. Gmelin, Fl. Sibir. iv. t. 41 (1769); fide Ledebour, Comm. 119.
sibiricum Willd.
Willdenow in Neue Schrift Ges. Naturf. Freunde Berlin, ii. t. 6, fig. 2 (1799).
stellatum Vell.
Vellozo, Fl. Flum. iii. t. 80 (1827).
suberosum Linn.
Dillenius, Hort. Eltham. Add. Denom. Linn. t. 229 (1774).
subulatum Vell.
Vellozo, Fl. Flum. iii. t. 85 (1827).
tetragonum Vell.
Vellozo, Fl. Flum. iii. t. 69 (1827).
triflorum Vell.
Vellozo, Fl. Flum. iii. t. 70 (1827).
umbellatum Vell.
Vellozo, Fl. Flum. iii. t. 73 (1827).
undatum Andr.
*Andrews, Bot. Rep. vi. t. 410 (1804).
undulatum Jacq.
Jacquin, Sel. Stirp. Amer. Hist. t. 58 (1763).
*Jacquin, Sel. Stirp. Amer. Hist. Picta, t. 84 [1780].
utriculosum Cost.
Lecomte, Fl. Gén. Indo-Chine, iv. 64 (1912). —*Fl.*
viminale Linn.
Bassi in De Bonon. Sc. & Art. Instit. Acad. Comm. vi. t. 3 (1783).
Targioni-Tozzetti in Ann. Mus. Firenze, ii. t. 9 (1810).—*Fl.*
Vincetoxicum Pers.
*Gleichen, Entdeckungen, t. 33, 34 (1777); fide Ed.
*Hayne, Getreue Darst. Arzn. Gew. vi. t. 30 (1819).
Meigen, Deutschl. Fl. i. t. 43 (1836).—*Fl.*
*Zenker, Fl. Thüringen, iv. t. 373 (1836–55).
*Brandt & Ratzeb. Deutschl. Phanerog. Giftgew. t. 21 (1838).
*Dietrich, Fl. Boruss. vii. t. 482 (1839).
*Lorek, Fl. Pruss. Ed. 3, t. 63, fig. 351 (1848).
*Petermann, Deutschl. Fl. t. 59, fig. 465 (1849). —*Fl.*
*Berge & Riecke, Giftgewächse, t. 15 (1850).
Cesati, Passer. & Gibelli, Comp. Fl. Ital. t. 61 (1867–86).—*Fl.*
H. Müller, Alpenblumen, 350 (1881).—*Fl.*
Wagner, Ill. Deutsche Fl. Ed. 2, p. 521 (1882).
Schilling, Grundr. Naturg. ii. Pflanzenr. Ausgb. A, p. 89 (1882); Ausgb. B, p. 192, 193 (1884). —*Fl.*

CYNANCHUM
Vincetoxicum
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xvi. t. 1581 (1884).
Paolucci, Fl. Marchig. t. 20 (1890).
Baillon, Hist. Pl. x. 227 (1891).—*Fl.*
Pflanzenfam. iv. II. 251 (1895).—*Fl.*
Edmonds & Marloth, Elem. Bot. S. Africa, 97 (1897).—*Fl.*
Fiori & Paol. Ic. Fl. Ital. 324 (1901).
Lindman, Bild. Nord. Fl. t. 80 (1901–5).
Robert-Tissot in Rameau de Sapin, xxxviii. 29, 30 (1904).
Beille, Bot. Pharm. ii. 970 (1909).
Fedtschenko & Fler. Fl. Eur. Russia, 764 (1910).
Wettstein, Handb. Syst. Bot. Ed. 2, p. 751 (1911). —*Fl.*
Lindman, Svensk Fanerogamfl. 9 (1918).—*Fl.*
viride Vell.
Vellozo, Fl. Flum. iii. t. 81 (1827).
viridiflorum Sims
*Bot. Mag. xliv. t. 1929 (1817).

CYNARA Linn.
acaulis Linn.
Lamarck, Ill. iv. t. 663, fig. 2 (1797).
Desfontaines, Fl. Atlant. ii. t. 223 (1798).
alba Boiss.
*Boissier, Voy. Bot. Espagne, i. t. 109 (1839–45).
Cardunculus Linn.
Hill, Veget. Syst. iv. t. 36 (1762).
*Joh. Kerner, Abbild. Oek. Pfl. (Fig. Pl. Écon.), vi. t. 527 (1793).
*Plenck, Ic. Pl. Med. vi. t. 585 (1794).
*Vietz, Ic. Pl. Med.-oec.-techn. vi. t. 461 (1817).
*Joh. Kerner, Gen. Pl. Ill. viii. t. 151 (1823).
*Bot. Mag. lv. t. 2862 (1828); lx. t. 3241 (1833).
Meigen, Deutschl. Fl. iii. t. 127 (1842).—*Fl.*
*Calwer, Landwirthsch. Pflanzenk. i. t. 29, fig. 2 (1852).
Reichenbach, Ic. Fl. Germ. xv. t. 883 (1853).
Decaisne & Naud. Amat. Jard. iv. 187 [1862–66]. —*Veg.*
*Réveil, Règne Vég. xii. t. 18 (1870).—*Veg.*
*Cusin & Ansberque, Herb. Fl. Franç. xiii (Composées), t. 239 (1874).
Nicholson, Illustr. Dict. Gard. i. 266 [1884–88].
Acloque, Fl. France, 389 (1894).
Sauvaigo, Cult. Littor. Méditerr. 182 (1894).
Brehm, Merv. Nat. Monde des Pl. ii. 164 (1894–96) in textu; *Centaurea Cardunculus* in ic.
Coste, Fl. France, ii. 364 (1903).
Fiori & Paol. Ic. Fl. Ital. 455 (1904).
Arechavaleta, Fl. Urug. iii. t. 91 (An. Mus. Nac. Montevideo, vi. 410) (1908).
Black, Nat. Fl. S. Australia, 92 (1909).
Bull. Soc. Bot. France, lvii. t. 15, 16 (1910).—*Veg.*
Lavalle in An. Soc. Cient. Arg. Buenos Aires, lxxii. v. 228 (1911).—*Fl.*
Bol. Ort. Bot. Palermo, xi. 66–68 (1912).
Cadevall & Sallent, Fl. Catalunya, iii. 336 (1917).
—— **sativa** Moris
Reichenbach, Ic. Fl. Germ. xv. t. 884 (1853).
—— **Scolymus** Hort.
Fiori & Paol. Ic. Fl. Ital. 455 (1904).
horrida Ait.
Webb & Berth. Hist. Nat. Iles Canar. iii. Phytogr. II. t. 114 (1836–50).
*Sibthorp & Sm. Fl. Graeca, ix. t. 834 (1837).
humilis Linn.
Hill, Veget. Syst. iv. t. 36 (1762).
*Schkuhr, Bot. Handb. Ed. 2, t. 231 (1808).—*Fr.*
humilis Sibth. & Sm.
*Sibthorp & Sm. Fl. Graeca, ix. t. 835 (1837).
kurdica Hand.-Mazz.
Ann. Nat. Hofm. Wien, xxvii. 445 (1913).
pusilla Labill.
Labillardière, Ic. Pl. Syriae, iii. t. 7 (1809).
Scolymus Linn.
Hill, Veget. Syst. iv. t. 36 (1762).
*Joh. Kerner, Abbild. Oek. Pfl. (Fig. Pl. Écon.), vi. t. 525, 526 (1793).
C. K. Sprengel, Entd. Geheimn. Natur, t. 23, fig. 44 (1793).—*Fl.*
*Woodville, Med. Bot. iii. t. 199 (1793); Ed. 3, i. t. 28 (1832).

CYNARA
Scolymus
*Plenck, Ic. Pl. Med. vi. t. 584 (1794).
Lamarck, Ill. iv. t. 663, fig. 1 (1797).
*Schkuhr, Bot. Handb. Ed. 2, t. 231 (1808).
*Chaumeton, Fl. Méd. i. t. 40 (1815).
*Vietz, Ic. Pl. Med.-oec.-techn. vi. t. 462 (1817).
*Heger, Herb. Pharm. [t. 130] (1822–25).
*Petermann, Deutschl. Fl. t. 49, fig. 387 (1849). —*Fl.*
*Cassone, Fl. Med.-Farm. iv. t. 308 (1850).
*Calwer, Landwirthsch. Pflanzenk. i. t. 29, fig. 1 (1852).
Berg, Charakt. t. 49, fig. 375 (1861).
Decaisne & Naud. Amat. Jard. iv. 197 [1862–66]. —*Hab.*
*Schubert, Naturg., Pflanzenreich, Ed. 2, t. 41, fig. 9 [1865].
Cesati, Passer. & Gibelli, Comp. Fl. Ital. t. 76 (1867–86).—*Fl.*
Marchand, Élém. Bot. 82 (1869).
*Réveil, Règne Vég. iii. t. 47 (1870).—*Veg.*
*Somoku Dzusetsu, Ed. 2, xv. t. 43 (1874).
Baillon, Dict. Bot. i. 276 (1877); ii. 47, 328 (1883).
*C. Hoffmann, Pflanzenatlas, t. 63, fig. 392 (1881).
W. Robinson, Engl. Fl. Gard. t. 86 (1883).— *Hab.*
Vilmorin-Andrieux, Pl. Potag. 16 (1883).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xxx. t. 3125 (1888).
Potonié, Ill. Fl. Nord- u. Mittel-Deutschl. Ed. 4, fig. 576 (1889).
Kerner, Pflanzenleben, ii. 426 (1891).—*Fr.*
*Leclerc du Sablon, Nos Fleurs, 55, t. 7 [1892].
Pflanzenfam. iv. v. 323 (1893).
Brehm, Merv. Nat. Monde des Pl. ii. 163 (1894–96) in textu; *Centaurea Cyanus* in ic.
Kerner & Oliv. Nat. Hist. Pl. ii. 432 (1895).—*Fr.*
Rev. Hort. 1898, p. 406.—*Fl.*
U.S. Dep. Agric. Farm. Bull. No. 73, p. 11 (1898).
U.S. Dep. Agric. Div. Bot. Circ. No. 22, p. 1 (1899).—*Hab.*
*Behrens, Blattformen, t. 45, fig. d (1900).— *Veg.*
L. H. Bailey, Cycl. Amer. Hort. 101 (1900); Stand. Cycl. Hort. 400, 401 (1914).
Queensland Agric. Journ. vii. 218 (1900); N. Ser. vii. 267 (1917).
Coste, Fl. France, ii. 364 (1903).
Jardin, xx. 316 (1906).
Lazaro, Comp. Fl. Españ. ii. 663 (1907).
Beille, Bot. Pharm. ii. 1142 (1909).—*Fl.*
Suireishchikov, Ill. Fl. Mosc. Gov. iii. 307 (1910).
Wettstein, Handb. Syst. Bot. Ed. 2, p. 774 (1911). —*Fr.*
Somoku Dzusetsu, Ed. Makino (Iconogr. Pl. Nippon), xv. t. 43 (1912).
Cadevall & Sallent, Fl. Catalunya, iii. 337 (1917).
—— **viridis** Hort.
*Réveil, Règne Vég. xii. t. 10 (1870).—*Veg.*
Sibthorpianum Boiss. & Heldr.
Raulin, Crete, t. 15 (1869).

CYNOCRAMBE Gaertn.—Vide *Thelygonum*
japonica Makino
Bot. Mag. Tokyo, xxiii. 83 (1909).
prostrata Gaertn.
Gaertner, Fruct. i. t. 75 (1788).—*Fr.*
Pflanzenfam. iii. I. A. 122 (1893).

CYNOCTONUM E. Mey.: *Cynanchum*
alatum Decne.
Wight, Ic. Pl. Ind. Or. iv. t. 1280 (1848).
callialatum Decne.
Wight, Ic. Pl. Ind. Or. iv. t. 1279 (1848).
crassifolium E. Mey.?
N. L. Burman, Rar. Afr. Pl. t. 14, fig. 2 (1738); fide Ed.
eurychiton Decne.
Delessert, Ic. Pl. v. t. 66 (1846).

CYNOCTONUM J. F. Gmel.: *Mitreola*
Mitreola Britton
Britton & Brown, Ill. Fl. N. States & Canada, ii. 606 (1897); Ed. 2, ii. 731 (1913).

CYNODON L. C. Rich.—Vide *Capriola, Fibichia*
arcuatus J. & C. Presl
Rep. Missouri Bot. Gard. x. t. 40 (1899).
Barberi Rangachari & Tadulingam
Journ. Bombay Nat. Hist. Soc. xxiv. 846 (1916).
ciliaris Benth.
Agric. Gaz. N. S. Wales, xxii. 408 (1911).
convergens F. Muell.
F. M. Bailey, Queensland Fl. t. 79 (1902).
Dactylon Pers.
Rheede, Hort. Mal. xii. t. 47 (1703); fide Fl. Brit. Ind. vii. 289.
P. Beauvais, Agrost. t. 1, fig. 3; t. 3, fig. 5; t. 9, fig. 1 (1812).
Withering, Syst. Arrang. Brit. Pl. Ed. 7, ii. t. 21 (1818).
Dumortier, Gram. Belg. t. 15 (1823).—*Fl.*
*Sinclair, Hort. Gram. Woburn. Ed. 2, p. 290 (1825).
*Mag. Bot. & Gard. ii. t. 37 (1834).
*Baxter, Brit. Bot. Ed. 2, i. t. 59 (1834).
Reichenbach, Ic. Fl. Germ. i. t. 26 (1834).
Kunth, Enum. Pl. i. II. t. 16 (1835).
Nees, Gen. Pl., Monocot. i. t. 39 (1836).
Meigen, Deutschl. Fl. i. t. 15 (1836).—*Fl.*
Hegetschweiler, Fl. Schweiz, t. 1 (1840).—*Fl.*
[M. E.] Jackson, Pict. Fl. fig. 119 (1840).
*Deakin, Florigr. Brit. i. fig. 206 (1841).
Schnizlein, Iconogr. i. t. 42 (1845).
Lindley, Veg. Kingd. 106 (1846).
*Petermann, Deutschl. Fl. t. 95, fig. 757 (1849).
Belg. Hort. ii. t. 2, fig. 15 (1852).—*Fl.*
*Calwer, Landwirthsch. Pflanzenk. i. t. 14, fig. 8 (1852).
Ettingshausen in Sitzb. Akad. Wiss. Wien, xx. II. t. 3 (1856).—*Veg.*
Hanstein, Fam. Gräser, t. 4, fig. 1 (1857).
*Sowerby & Johnson, Grasses Gr. Brit. t. 142 [1857–61].
*Lowe, Nat. Hist. Brit. Grasses, t. 71 (1858).
Johnson & Sowerby, Brit. Wild Fl. fig. 1598 (1858–60).
Berg, Charakt. t. 5, fig. 64 (1861).—*Fl.*
*Johnson & Sowerby, Useful Pl. Gr. Brit. t. 22, fig. 263 (1861[–62]).
Jessen, Deutschl. Gräs. 231, 261 (1863).—*Fr.*
Bentham, Handb. Brit. Fl. fig. 1185 (1865).
*Plues, Brit. Grasses, 190, t. 8 (1867).
Cesati, Passer. & Gibelli, Comp. Fl. Ital. t. 5 (1867–86).—*Fl.*
*Syme, Engl. Bot. xi. t. 1690 (1872).
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, vi. t. 272 [1873].
Cusin, Herb. Fl. Franç. xxiv (Graminées), t. 55 (1874).
Ann. Rep. Agric. Victoria, ii. t. 12 (1874).
Mart. Fl. Bras. ii. III. t. 21 (1878).
De Silvestri, Piante Prat. 53 (1879).
Rep. Commissioner Agric. Washington, 1878, p. 164, t. 5 (1879); 1880, p. 384, t. 29 (1881).
Karsten, Deutsche Fl. Pharm.-medic. Bot. 394 (1880–83).—*Fl.*
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, vii. t. 599 (1881).
Wagner, Ill. Deutsche Fl. Ed. 2, p. 822 (1882).
Willkomm, Führ. Reich Pflanzen, t. 4, fig. 98 (1882).
Vasey, Agric. Grasses U.S.A. (U.S. Dep. Agric.), t. 75 (1884); et Agric. Grasses & Forage Pl. U.S.A. (U.S. Dep. Agric. Bot. Div. Spec. Bull.), t. 59 (1889).
Harz, Samenkunde, ii. 1347 (1885).—*Fr.*
Duthie, Illustr. Fodder Grasses, t. 33 (1886); t. E (1888).
Symonds, Ind. Grasses, Ed. 2, t. 1, 1 a, 1 b (1886).
*Thomé, Fl. Deutschl. i. t. 81 (1886).
Pflanzenfam. ii. II. 58 (1887).
U.S. Dep. Agric. Div. Bot. Bull. No. 3, t. 10 (1887).
Coldstream, Grasses Punjab, t. 27 (1889).
Paolucci, Fl. Marchig. t. 2 (1890).—*Fl.*
McCarthy in Bull. N. Carolina Agric. St. No. 70, t. 1 (1890).
Agric. Gaz. N. S. Wales, ii. 238 (1891); xxvi. 1032 (1915).
*Leclerc du Sablon, Nos Fleurs, III, t. 14 [1892].
Semler, Trop. Agrik. iv. 458 (1893).

CYNODON
Dactylon
Lamson-Scribner in Bull. Tennessee Agric. Exp. St. vii. No. 1, t. 29 (1894).
Acloque, Fl. France, 677 (1894).—*Fl.*
Arechavaleta, Gram. Urug. (An. Mus. Nac. Montevideo, i), 35 (1894); 374 (1896).
U.S. Dep. Agric. Farm. Bull. No. 18, p. 17 (1894); No. 72, p. 22 (1898); No. 102, p. 9 (1899); No. 147, p. 11 (1902); No. 814, p. 4 (1917); No. 945, p. 5 (1918).
Garcke, Ill. Fl. Deutschl. 661 (1895).
Battandier & Trabut, Fl. Algér., Monocot. t. 5, fig. 15 (1895).
Karsten, Fl. Deutschl. i. 401 (1895).
Fiori & Paol. Ic. Fl. Ital. 30 (1895).
Yearb. Dep. Agric. Washington, 1894, p. 431 (1895).
U.S. Dep. Agric. Div. Agrost. Bull. No. 1, t. 9 (1895); No. 3, p. 37 (1896); No. 14, p. 30 (1898); No. 15, p. 20 (1898); No. 20, p. 99 (1900).
Lisboa, Bombay Grasses, 104 (1896).
Husnot, Gram. t. 4 (1896–99).
*Bettfreund, Fl. Argentina, i. t. 14 (1898).
Sturm, Fl. Deutschl. Ed. 2, iii. t. 24 (1900).
Hitchcock in Bull. Kansas Agric. St. No. 102, p. 196, t. 5 (1901).
U.S. Dep. Agric. Div. Agrost. Circ. No. 31, p. 1 (1901).
Publ. Field. Columbian Mus., Bot. Ser. III. i. 50 (1903).—*Fl.*
Pammel & Ball in Iowa Geol. Surv. Suppl. Rep. (1903), 196 (1904).
Trop. Agric. xxiv. No. 8, p. 21 (1905).
Wood, Natal Pl. v. II. t. 430 (1905).
Lazaro, Comp. Fl. Espań. i. 668 (1906).
F. M. Bailey, Weeds & Poison. Pl. Queensland, 226 (1906).
Coste, Fl. France, iii. 553 (1906).
*Gordon, Man. Brit. Grasses, 50, 91, t. 15 [1907].
H. M. Ward, Grasses, 15 (1908).
Merino, Fl. Galicia, iii. 310 (1909).
Beille, Bot. Pharm. ii. 50 (1909).
Fedtschenko & Fler. Fl. Eur. Russia, 106 (1910).
Heukels, Fl. Nederl. i. 457 (1910).
Beal in Bull. Michigan Agric. Exp. St. No. 267, p. 294 (1911); et in Ann. Rep. xxv. 283 (1912).
Pflanzer, ix. 281 (1913); x. Beih. No. 2, t. 19 (1914).
Agric. Journ. Ind. ix. 376 (1914).—*Veg.*
Bull. Agric. Congo Belge, v. 662 (1914).
L. H. Bailey, Stand. Cycl. Hort. 939 (1914).—*Hab.*
A. Georgia, Manual Weeds, t. 23 (1914).
Fedtschenko, Veg. Turkest. 109 (1915).
Horwood, Plant Life Brit. Isles, iii. 406 (1915).
Wilcox, Link & Pool in Bull. Agric. St. Nebraska, xxvii. No. 148, p. 42 (1915).—*Fl.*
Trotter, Fl. Econ. della Libia, 72 (1915).
Hayek, Pflanzend. Oesterr.-Ung. i. 490 (1916).—*Hab.*
Basu, Ind. Med. Pl. t. 1020 (1918).
Fitch & Smith, Ill. Brit. Fl. Ed. rev. 4, Iss. 2, fig. 1204 (1919).
Bose, Man. Ind. Bot. 304 (1920).
incompletus Nees
Agric. Gaz. N. S. Wales, xxiii. 296 (1912).
intermedius Rangachari & Tadulingam
Journ. Bombay Nat. Hist. Soc. xxvi. 305 (1918).
pilosissimus Rasp.
Ann. Sc. Obs. iii. t. 3 (1830).
Ruspolianus Chiov.
Ann. Ist. Bot. Roma, vii. t. 7 (1897).
tenellus R. Br.
*Kunth, Rév. Gram. ii. t. 133 (1829).
F. M. Bailey, Queensland Fl. t. 78 (1902).
tener J. & C. Presl
Rep. Missouri Bot. Gard. x. t. 40 (1899).

CYNOGLOSSUM Linn.
anchusoides Lindl.
*Bot. Reg. xxviii. t. 14 (1842).
apenninum Linn.
Gaertner, Fruct. i. t. 67 (1788).—*Fr.*
Fiori & Paol. Ic. Fl. Ital. 333 (1902).

CYNOGLOSSUM
australe R. Br.
F. M. Bailey, Weeds & Poison. Pl. Queensland, 113 (1906).
Berteroi Colla
Mem. Accad. Sc. Torino, xxxviii. 142, t. 43 (1835).
boreale Fernald
Pammel & King in Iowa Geol. Surv. Bull. No. 4, p. 466 (1913).—*Fr.*
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, iii. 77 (1913).
caelestinum Lindl.
*Bot. Reg. xxv. t. 36 (1839).
caeruleum Hochst.
Gard. Chron. Ser. III. lii. 444 (1912).
Cavaleriei Léveillé
Léveillé, Cat. Ill. Pl. Seu Tchouen, t. 5 (1918).
cheirifolium Linn.
Winterl, Index Hort. Bot. Pest. fig. 18 (1788); reimpr. Borbás, Balaton Fl. 242 sub *C. Haenkei.*
Reichenbach, Pl. Crit. viii. t. 781 (1830).
Reichenbach, Ic. Fl. Germ. xviii. t. 1332 (1858).
*Cusin, Herb. Fl. Franç. xvi (Borraginées), t. 65 (1875).
Fiori & Paol. Ic. Fl. Ital. 334 (1902).
Coste, Fl. France, ii. 604 (1903).
Heukels, Fl. Nederl. iii. 84 (1909).
clandestinum Desf.
Desfontaines, Fl. Atlant. i. t. 42 (1798).
Brotero, Phytogr. t. 158 (1827).
Fiori & Paol. Ic. Fl. Ital. 333 (1902).
clavatum Viv.
Viviani, Fl. Lib. Sp. t. 5, fig. 2 (1824).
Columnae Ten.
*Tenore, Fl. Nap., Atlas, iii. t. 116 (1811–38).
Reichenbach, Ic. Fl. Germ. xviii. t. 1331 (1857).
Fiori & Paol. Ic. Fl. Ital. 334 (1902).
creticum Mill.
Fiori & Paol. Ic. Fl. Ital. 333 (1902).
Wettstein, Handb. Syst. Bot. Ed. 2, p. 719 (1911).—*Fr.*
deflexum Roth
Sturm, Fl. Deutschl. Ed. 2, xi. 35 (1903).
Dioscoridis Vill.
Loret & Duret, Fl. Côte d'Or, ii. t. 4 (1831).
Reichenbach, Ic. Fl. Germ. xviii. t. 1332 (1858).
*Cusin, Herb. Fl. Franç. xvi (Borraginées), t. 69 (1875).
Acloque, Fl. France, 477 (1894).
Coste, Fl. France, ii. 605 (1903).
divaricatum Stephan
Lehmann, Ic. Rar. Pl. Asperif. t. 15 (1821).
furcatum Wall.
Wight, Ic. Pl. Ind. Or. iv. t. 1395 (1848).
*Wight, Spicil. Neilgherr. ii. t. 190 (1851).
Collett, Fl. Siml. 332 (1902).
Fyson, Fl. Nilgiri & Pulney Hill-tops, ii. 195 (1915).
germanicum Jacq.
Willkomm, Führ. Reich Pflanzen, 512 (1882).—*Fr.*
glastifolium Willd.
Ann. Mus. Hist. Nat. Paris, x. 430 (1807).
Desfontaines, Choix Pl. Tournefort, t. 18 (1808).
glochidiatum Benth.
*Bot. Reg. xxvii. t. 15 (1841).
Schnizlein, Iconogr. ii. t. 143 (1856).—*Fr.*
grande Dougl.
Parsons, Wild Fl. California, 259 (1897).
Haenkei Schult.
Borbás, Balaton Fl. 242 (1900).
heterocarpum Willk.
Willkomm, Ill. Fl. Hispan. Balear. ii. t. 160 (1891).
hirsutum Jacq.
Jacquin, Hort. Schoenbr. iv. t. 489 (1804).
japonicum Thunb.
Thunberg, Ic. Pl. Jap. iii [t. 2] (1801).
javanicum Thunb.
Koorders, Exkursionsfl. Java, iii. 130 (1912).
laevigatum Murr.
*Falk, Beytr. Russ. Reiches, ii. t. 2 (1786).
Gaertner, Fruct. i. t. 67 (1788).—*Fr.*
Lamarck, Ill. i. t. 92, fig. 3 (1791).
lanatum Lam.
Ann. Mus. Hist. Nat. Paris, x. 432 (1807).

CYNOGLOSSUM
lanatum
Desfontaines, Choix Pl. Tournefort, t. 20 (1808).
Lappula Scop.
*Sturm, Fl. Deutschl. Ed. 2, xi. t. 6 (1903).
lateriflorum Lam.
Lamarck, Ill. i. t. 92, fig. 2 (1791).
linifolium Linn.
*Kniphof, Herb. Viv. i. t. 350 (1758).
Gaertner, Fruct. i. t. 67 (1788).—*Fr.*
*Réveil, Règne Vég. iv. t. 18 (1870).—*Fl.*
Bull. Arboricult. Belg. 1903, p. 335.
longiflorum Benth.
*Bot. Reg. xxvi. t. 50 (1840).
*Floricult. Cab. xiii. 1 (1845).
lusitanicum Lam.
Brotero, Phytogr. t. 24 (1816).
magellense Ten.
*Tenore, Fl. Nap., Atlas, iii. t. 117 (1811–38).
Fiori & Paol. Ic. Fl. Ital. 333 (1902).
micranthum Desf.
Transvaal Agric. Journ. vi. No. 23, t. 49 (1908).
Lecomte, Fl. Gén. Indo-Chine, iv. 224 (1914).—*Fl.*
mollissimum Lehm.
Lehmann, Ic. Pl. Rar. Asperif. t. 41 (1821).
montanum Linn.
Reichenbach, Ic. Fl. Germ. xviii. t. 1333 (1858).
Bentham, Handb. Brit. Fl. fig. 705 (1865).
*Syme, Engl. Bot. vii. t. 1119 (1867).
*Cusin, Herb. Fl. Franç. xvi (Borraginées), t. 68 (1875).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xix. t. 1887 (1884).
Coste, Fl. France, ii. 605 (1903).
Fitch & Smith, Ill. Brit. Fl. Ed. rev. 4, Iss. 2, fig. 712 (1919).
myosotoides Labill.
Labillardière, Ic. Pl. Syriae, ii. t. 2 (1791).
nebrodense Guss.
Reichenbach, Ic. Fl. Germ. xviii. t. 1332 (1858).
nervosum Benth.
*Bot. Mag. cxxiii. t. 7513 (1897).
nitidum Willd.
*Bot. Mag. lii. t. 2529 (1824).
officinale Linn.
*Kniphof, Herb. Viv. i. t. 351 (1758).
Hill, Herb. Brit. ii. t. 111 (1770).
*Regnault, Bot. i. 57 (1774).
*Zorn, Ic. Pl. Med. iv. t. 396 (1782).
Hoppe, Ect. Pl. Ratisb. t. 201 (1788).
*Plenck, Ic. Pl. Med. i. t. 78 (1788).
Lamarck, Ill. i. t. 92, fig. 1 (1791).
C. K. Sprengel, Entd. Geheimn. Natur, t. 4, fig. 4 (1793).—*Fr.*
*Woodville, Med. Bot. Suppl. t. 216 (1794); Ed. 3, ii. t. 109 (1832).
*Fl. Dan. vii. t. 1147 (1797).
*Curtis, Fl. Londin. ii. fasc. IV. t. 16 (1798); Ed. 2, ii. fasc. IV. t. 16 (1821).
*Kops, Fl. Batava, i. t. 34 (1800).
*Oskamp, Afb. Artseny-Gewass. v. t. 466 (1800).
*Sowerby & Sm. Engl. Bot. xiii. t. 921 (1801).
*Sturm, Deutschl. Fl. iii. IX [t. 135] (1801).
*Hayne, Getreue Darst. Arzn. Gew. i. t. 26 (1805).
Boissieu, Fl. Eur. i. t. 108 (1805).
Savi, Mat. Med. Veg. Toscana, t. 23 (1805).
*Svensk Bot. v. t. 302 (1807).
*Roques, Pl. Usuell. Indig. & Exot. i. t. 41 (1807).
*Schkuhr, Bot. Handb. Ed. 2, t. 30 (1808).
*Schrank, Fl. Monac. i. t. 23 (1811).
*Hill, Family Herbal, t. 28 (1812); fide Ed. Thornton, Brit. Fl. ii. 48 (1812).
*Vigneux, Fl. Pitt. Envir. Paris, t. 11 (1812).
*Chaumeton, Fl. Méd. iii. t. 146 (1816).
*Vietz, Ic. Pl. Med.-oec.-techn. vi. t. 463 (1817).
*Waller, New Brit. Domest. Herb. t. 15 (1822).
*Heger, Danske Oec. Pl. i. t. 78 (1828).
*Schlechtendal & Guimpel, Abb. Pharm. Boruss. Gew. ii. t. 124 (1833).
*Nees, Pl. Offic. Suppl. t. 47 (1833).
*Dietrich, Fl. Boruss. iv. t. 256 (1836).
Meigen, Deutschl. Fl. i. t. 37 (1836).—*Fl.*
*Zenker, Fl. Thüringen, i. t. 79 (1836–55).
Bull. Soc. Nat. Mosc. x. No. 5, t. 2, fig. 21 (1837).—*Fr.*

CYNOGLOSSUM
officinale
Nees, Gen. Pl., Gamop. ii. t. 56 (1839).
[M. E.] Jackson, Pict. Fl. fig. 295 (1840).
*Deakin, Florigr. Brit. i. fig. 319 (1841).
*Baxter, Brit. Bot. Ed. 2, vi. t. 477 (1843).
*J. W. Loudon, Brit. Wild Fl. Ed. 2, t. 43 [1846].
*Lorek, Fl. Pruss. Ed. 3, t. 48, fig. 273 (1848).
*Petermann, Deutschl. Fl. t. 61, fig. 483 (1849).
*Cassone, Fl. Med.-Farm. iv. t. 367 (1850).
Schnizlein, Iconogr. ii. t. 143 (1856).—*Fr.*
Reichenbach, Ic. Fl. Germ. xviii. t. 1330 (1857).
Johnson & Sowerby, Brit. Wild Fl. fig. 853 (1858–60).
Berg, Charakt. t. 36, fig. 284 (1861).
*Johnson & Sowerby, Useful Pl. Gr. Brit. t. 14, fig. 157 (1861[–62]).
*Artus, Atlas Pharm. Deutschl. Aufg. Offic. Gew. t. 192 [1862–74].
*Argenta, Album Fl. Med.-Farm. iii. t. 213 (1864).
*Schubert, Naturg., Pflanzenreich, Ed. 2, t. 9, fig. 7 [1865].
Bentham, Handb. Brit. Fl. fig. 704 (1865).
Migout, Fl. Dépt. Allier, t. 14 (1866).—*Fr.*
*Syme, Engl. Bot. vii. t. 1118 (1867).
Cesati, Passer. & Gibelli, Comp. Fl. Ital. t. 58 (1867–86).—*Fl.*
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, iv. t. 146 [1873].
*Cusin, Herb. Fl. Franç. xvi (Borraginées), t. 67 (1875).
*Hogg & Johnson, Wild Fl. Gr. Brit. x. t. 783 (1878).
Karsten, Deutsche Fl. Pharm.-medic. Bot. 980 (1880–83).
*C. Hoffmann, Pflanzenatlas, t. 17, fig. 98 (1881).
Wagner, Ill. Deutsche Fl. Ed. 2, p. 547 (1882).
Willkomm, Führ. Reich Pflanzen, 132 (1882).—*Fl.*
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xix. t. 1885 (1884).
Baillon, Traité Bot. Méd. Phan. ii. 1286 (1884).
*Thomé, Fl. Deutschl. iv. t. 480 (1889).
Dujard.-Beaumetz & Égasse, Pl. Méd. 228 (1889).
Paolucci, Fl. Marchig. t. 19 (1890).
Baillon, Hist. Pl. x. 347, 348 (1891).
*Hulme, Familiar Wild Fl. (5 vol. Ed.), v. 121 [1892?]; (Pop. Ed.), ii. 85 [1897?].
G. Beck, Fl. Nied.-Oesterr. ii. II. 957 (1893).—*Fr.*
*Masclef, Atlas Pl. France, t. 231 (1893).
Pflanzenfam. iv. III. a. 100 (1893).—*Fl.*
*Wild Fl. Canada, t. 8 (1894).
Garcke, Ill. Fl. Deutschl. 419 (1895).
Hitchcock & Norton in Bull. Kansas Agric. St. No. 50, t. 5, fig. 74 (1895); No. 57, t. 10, fig. 108 (1896); No. 66, t. 9, fig. 108 (1897).
Karsten, Fl. Deutschl. ii. 555 (1895).
Centr. Exp. Farm, Ottawa, Bull. No. 28, p. 18 (1897).
Britton & Brown, Ill. Fl. N. States & Canada, iii. 53 (1898); Ed. 2, iii. 76 (1913).
Gradmann, Pflanzenl. Schwäb. Alb, Ed. 2, ii. 271 (1900).
Reichenau, Mainzer Flora, fig. 25 (1900).
Lindman, Bild. Nord. Fl. t. 82 (1901–5).
Fiori & Paol. Ic. Fl. Ital. 333 (1902).
C. T. Green, Fl. Liverpool Distr. fig. 425 (1902).
Coste, Fl. France, ii. 605 (1903).
*Josef v. Oesterreich & Marg. v. Thurn und Taxis, Atlas Heilpfl. t. 48 (1903).
*Sturm, Fl. Deutschl. Ed. 2, xi. t. 3 (1903).
*Step, Wayside & Woodl. Bloss. New Ed. ii. t. 58 (1905).
Pharm. Journ. Ser. IV. xxi. 222 (1905).
Blytt, Haandb. Norg. Fl. Ed. Dahl, 595 (1906).
Svenska Vet. Akad. Handl. xli. No. 7, t. 10 (1906).
Lazaro, Comp. Fl. Españ. ii. 491 (1907).
Beille, Bot. Pharm. ii. 986 (1909).
*Clark & Fletcher, Farm Weeds Canada, Ed. 2, t. 74, fig. 57 (1909).—*Fr.*
Heukels, Fl. Nederl. iii. 84 (1909).
Fedtschenko & Fler. Fl. Eur. Russia, 776 (1910).
Suireishchikov, Ill. Fl. Mosc. Gov. iii. 51 (1910).
Beal, Michigan Weeds (Bull. Mich. Agric. Exp. St. No. 267), 394 (1911); et in Ann. Rep. xxv. 383 (1912).

CYNOGLOSSUM
officinale
Ontario Dep. Agric. Bull. No. 188, p. 19, 97 (1911).
Pammel, Man. Poison. Pl. 706 (1911).
Pammel in Iowa Geol. Surv. Bull. No. 4, p. 257, 466 (1913).
A. Georgia, Manual Weeds, t. 231 (1914).
Horwood, Plant Life Brit. Isles, iii. 118 (1915).
Mayevsky, Fl. Centr. Russia, 428 (1918).
Lindman, Svensk Fanerogamfl. 458, 459 (1918).—*Fl.*
Fitch & Smith, Ill. Brit. Fl. Ed. rev. 4, Iss. 2, fig. 711 (1919).
*Horwood, Brit. Wild Fl. iv. t. 47, p. 205 (1919).
Pellett, Amer. Honey Pl. 130 (1920).
—— **nebrodense** Guss.
Fiori & Paol. Ic. Fl. Ital. 333 (1902).
Omphalodes Linn.
*Kniphof, Herb. Viv. i. t. 349 (1758).
Scopoli, Fl. Carn. Ed. 2, i. t. 3 (1772).
*Bot. Mag. i. t. 7 (1787).
C. K. Sprengel, Entd. Geheimn. Natur, t. 3, fig. 15 (1793).—*Fl.*
*Dreves, Bot. Bilderbuch, ii. t. 53 (1795).
*Dreves & Hayne, Choix de Pl. t. 53 (1802).
*Sturm, Deutschl. Fl. vi. xxi [t. 321] (1806).
*Jaume St.-Hilaire, Pl. France, ii [t. 21] (1808).
*Trattinick, Ausg. Taf. Arch. ii. t. 179 (1813).
*Mordant de Launay, Herb. Amat. i. t. 4 (1816).
Trattinick, Arch. iii. t. 230 (1817).
*J. W. Loudon, Ladies' Fl.-Gard. Ornam. Perenn. ii. t. 77 (1844).
*Cassone, Fl. Med.-Farm. iv. t. 368 (1850).
Le Maout & Decaisne, Traité Gén. Bot. 178 (1868).
W. Robinson, Engl. Fl. Gard. t. 87 (1883).—*Hab.*
Baillon, Dict. Bot. iii. 455 (1890).
*Sturm, Fl. Deutschl. Ed. 2, xi. t. 5 (1903).
pictum Soland.
*Hoffmannsegg & Link, Fl. Portug. i. t. 24 (1809).
*Bot. Mag. xlvii. t. 2134 (1820).
Brotero, Phytogr. t. 159 (1827).
*J. W. Loudon, Ladies' Fl.-Gard. Ornam. Perenn. ii. t. 77 (1844).
Reichenbach, Ic. Fl. Germ. xviii. t. 1331 (1857).
*Cusin, Herb. Fl. Franç. xvi (Borraginées), t. 66 (1875).
*Zeller, Wild Fl. Holy Land, Ed. 2, t. 50 (1876).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xix. t. 1886 (1884).
*Bicknell, Fl. Pl. Riviera, t. 41 (1885).
Kerner, Pflanzenleben, ii. 176, 806 (1891).—*Fl.*
Kerner & Oliv. Nat. Hist. Pl. ii. 180, 871 (1895).—*Fl.*
Coste, Fl. France, ii. 605 (1903).
Merino, Fl. Galicia, ii. 172 (1906).
pilosum Ruiz & Pav.
Ruiz & Pavon, Fl. Peruv. & Chil. ii. t. 111 (1799).
racemosum Roxb.
Griffith, Ic. Pl. Asiat. t. 457 (1854).—*Fr.*
Rindera Linn. f.
*Pallas, Fl. Ross. t. 88 (1788).
scorpioides Haenke
*Sturm, Deutschl. Fl. vi. xxi [t. 322] (1806).
*Sturm, Fl. Deutschl. Ed. 2, xi. t. 4 (1903).
silvaticum Haenke
*Sowerby & Sm. Engl. Bot. xxiii. t. 1642 (1806).
[M. E.] Jackson, Pict. Fl. fig. 296 (1840).
*Deakin, Florigr. Brit. i. fig. 320 (1841).
Johnson & Sowerby, Brit. Wild Fl. fig. 854 (1858–60).
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, iv. t. 146 [1873].
*Hogg & Johnson, Wild Fl. Gr. Brit. x. t. 783 (1878).
sphacioticum Boiss. & Heldr.
Raukin, Crete, t. 16 (1869).
stamineum Desf.
Ann. Mus. Hist. Nat. Paris, x. 431 (1807).
Desfontaines, Choix Pl. Tournefort, t. 19 (1808).
trianaeum Wedd.
Hook. Ic. Pl. xxv. t. 2458 (1896).
umbellatum Waldst. & Kit.
*Waldstein & Kit. Pl. Rar. Hung. ii. t. 148 (1805).

CYNOGLOSSUM
valentinum Lag.
*Willkomm, Ill. Fl. Hispan. Balear. ii. t. 161, fig. A (1891); *C. Loreyi* in errore, p. 155.
virginianum Linn.
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, iii. 76 (1913).
Pammel in Iowa Geol. Surv. Bull. No. 4, p. 258 (1913).
virginicum Linn.
Britton & Brown, Ill. Fl. N. States & Canada, iii. 54 (1898).
viride Eastw.
Proc. California Acad. (1896), Ser. II. vi. t. 59 (1897).
viridiflorum Willd.
Lehmann, Ic. Rar. Pl. Asperif. t. 42 (1821).
*Ledebour, Ic. Pl. Ross. ii. t. 106 (1830).
vulgare Gueldenst.
Graebner, Pflanzenw. Deutschl. 79 (1909).—*Fr.*

CYNOMARATHRUM Nutt.
Eastwoodae Coult. & Rose
Contrib. U.S. Nat. Herb. vii. 244 (1900).—*Fr.*
Nuttallii Coult. & Rose
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, ii. 633 (1913).

CYNOMETRA Linn.
Alexandri Wright
Mildbraed, Deutsch. Zentral-Afr.-Exped. 1907–8, ii. t. 25 (1911).
cauliflora Linn.
Rumphius, Herb. Amboin. i. t. 62 (1741); fide Merrill, Interpret. Rumph. Herb. Amboin.
Gaertner, Fruct. ii. t. 156 (1791).—*Fr.*
Lamarck, Ill. ii. t. 331, fig. 2 (1797).
Ralph, Ic. Carpolog. t. 16 (1849).—*Fr.*
Ettingshausen in Sitzb. Akad. Wiss. Wien, xii. iv. t. 21, fig. 1 (1854).—*Veg.*
*Nooten, Fl. Fr. Java, [t. 28] (1863).
*Blanco, Fl. Filip. t. 213 (1878–80).
Vidal, Sin. Fam. & Gen. Pl. Leñ. Filip. (Introd. Fl. For. Filip.), Atlas, t. 42, fig. F; t. 43, fig. H (1883).
Schimper, Bot. Mitt. Tropen, iii. t. 7 (1891).—*Fr.*
Knuth, Handb. Blütenbiol. iii. 1. 354 (1904).—*Fl.*
Trop. Agric. xxv. No. 3, p. 490 (1905).—*Fr.*
Craibii Gagnep.
Lecomte, Fl. Gén. Indo-Chine, ii. 152 (1913).
cubensis A. Rich.
Ramon de la Sagra, Fl. Cubana, iv. Atlas, Pl. Vasc. t. 41 (1853); et Ic. Fl. Cub. Pl. Vasc. t. 41 (1863).
djumaënsis De Wild.
De Wildeman, Études Fl. Bas- et Moyen-Congo (Ann. Mus. Congo), i. t. 39 (1904).
dongnaiensis Pierre
Pierre, Fl. For. Cochinch. v. t. 389 (1899).
Engleri Harms
Engl. Jahrb. xxxviii. 78 (1905).
Engler & Drude, Veget. Erde, ix. 1. 1. 287 (1910); ix. III. 1. 436 (1915).
grandiflora A. Gray
A. Gray, U.S. Expl. Exped. Bot. Atlas, i. t. 52 (1857).
inaequifolia A. Gray
Velenovsky, Vergl. Morphol. Pfl. iv. Suppl. 81 (1913).—*Veg.*
Lujae De Wild.
De Wildeman, Études Fl. Bas- et Moyen-Congo (Ann. Mus. Congo), i. t. 70 (1906).
madagascariensis Baill.
Grandidier, Hist. Madag. [Plantes] Atlas, t. 31 (1886).
Pervilleana Baill.
Grandidier, Hist. Madag. [Plantes] Atlas, t. 32 (1886).
polyandra Roxb.
*Roxburgh, Pl. Coromandel, iii. t. 286 (1819).
*Joh. Kerner, Gen. Pl. Ill. vi. t. 113 (1822).
Ralph, Ic. Carpolog. t. 16 (1849).—*Fr.*
ramiflora Linn.
Rheede, Hort. Mal. iv. t. 31 (1683); fide Hasskarl, Hort. Mal. Rheed. Clavis, 34.
Rumphius, Herb. Amboin. i. t. 63 (1741); fide Merrill, Interpret. Rumph. Herb. Amboin.
Lamarck, Ill. ii. t. 331, fig. 1 (1797).
Beddome, Fl. Sylv. t. 315 (1873).

CYNOMETRA
ramiflora
Pierre, Fl. For. Cochinch. v. t. 389 (1899).
Banks & Soland. Bot. Cook's Voy. i. t. 81 (1900).
Arkiv Bot. Stockholm, viii. No. 10, p. 4 (1909).—*Veg.*
Koorders & Val. Atlas Baumarten Java, t. 18 (1913).
Basu, Ind. Med. Pl. t. 358 (1918).
Spruceana Benth.
Mart. Fl. Bras. xv. II. t. 65 (1870).
Pflanzenfam. iii. III. 127 (1892).
travancorica Bedd.
Beddome, Fl. Sylv. t. 316 (1873).
trinitensis Oliv.
Hook. Ic. Pl. xxv. t. 2443 (1896).
Vogelii Hook. f.
Pflanzenfam. iii. III. 127 (1892).—*Fr.*
Arkiv Bot. Stockholm, viii. No. 10, p. 4 (1909).—*Veg.*

CYNOMORIUM Linn.
coccineum Linn.
Linnaeus (Diss. 1755), Amoenit. iv. t. 2 (1759).
Lamarck, Ill. v. t. 742 (1797–1819).
*Plenck, Ic. Pl. Med. vii. t. 655 (1803).
*Vietz, Ic. Pl. Med.-oec.-techn. ii. t. 136 (1803).
Boisgelin, Ancient & Modern Malta, i. t. 11 (1805).
*Trattinick, Thes. Bot. t. 30 (1819).
*Descourtilz, Fl. Pitt. & Méd. Antilles, ii. t. 96 (1822).
Mém. Mus. Hist. Nat. Paris, viii. 420 (1822).
Schnizlein, Iconogr. i. t. 39 (1844).
Lindley, Veg. Kingd. 89 (1846).
Ann. Sc. Nat. Paris, Ser. III. xiv. t. 11 (1850).—*Fl.*
Trans. Linn. Soc. London, xxii. t. 1 (1856).—*Fl.*
Chatin, Anat. Vég. Atlas, 93, 94 (1856–91).
*Arch. Mus. Hist. Nat. Paris, x. t. 24–27 (1858–61).
Hofmeister in Abh. Sächs. Ges. Wiss. Leipzig, vi. t. 11, fig. 1, 2, 6 (1859).—*Fl.*
Act. Congr. Internat. Bot. Paris, t. 1 (1867).—*Fl.*
Cesati, Passer. & Gibelli, Comp. Fl. Ital. t. 36 (1867–86).
Le Maout & Decaisne, Traité Gén. Bot. 481 (1868).
Nuov. Giorn. Bot. Ital. viii. t. 4 (1876).
Baillon, Hist. Pl. vi. 503 (1877).—*Fl.*
Kerner, Pflanzenleben, i. 183 (1887); Ed. 3, i. 375 (1913).
Pflanzenfam. iii. 1. 251 (1889).
Kerner & Oliv. Nat. Hist. Pl. i. 197 (1894).—*Hab.*
Brehm, Merv. Nat. Monde des Pl. ii. 395 (1894–96).
Fiori & Paol. Ic. Fl. Ital. 110 (1898).
Kronfeld, Atlas Pflanzengeogr. 108 (1899).
Velenovsky, Vergl. Morphol. Pfl. ii. 359 (1907).
Engler & Drude, Veget. Erde, ix. 1, 1, p. 10 (1910).
Rikli & Schröter in Vierteljahrsschr. Naturf. Ges. Zürich, lvii. t. 1 (1912).—*Hab.*
Trotter, Fl. Econ. della Libia, t. 62 (1915).

CYNORCHIS Thou.—Vide *Amphorchis*
aphylla Schlechter
Ann. Mus. Col. Marseille, Ser. III. i. 192 (1913).
boinana Schlechter
Ann. Mus. Col. Marseille, Ser. III. i. 192, t. 3 (1913).
Buchwaldiana Kränzl.
Engler & Drude, Veget. Erde, ix. II. 433 (1908).
compacta Reichb. f.
*Bot. Mag. cxxxii. t. 8053 (1906).
*Bolus, Ic. Orch. Austr.-Afr. ii. t. 28 (1911).
Orch. Rev. xix. 265 (1911); xxiv. 153 (1916).—*Hab.*
fastigiata Thou.
Petit-Thouars, Hist. Pl. Orch. Iles Afr. t. 13 (1822).
*Bot. Reg. xxiii. t. 1998 (1837).
Journ. of Bot. xiv. t. 181, fig. 6 (1876).—*Fl.*
Pflanzenfam. ii. VI. 67, 94 (1889).—*Fl.*
Kerchove, Livre Orch. 134 (1894).—*Fl.*
Knuth, Handb. Blütenbiol. iii. 1. 195 (1904).
gibbosa Ridl.
Ann. Mus. Col. Marseille, Ser. III. i. 192 (1913).
grandiflora Ridl.
Gard. Chron. Ser. III. xiii. 197 (1893).

CYNORCHIS
grandiflora
B. S. Williams, Orchid-Grower's Man. Ed. 7, p. 225 (1894).
*Bot. Mag. cxxiii. t. 7564 (1897).
Lowiana Reichb. f.
Orch. Rev. xv. 121 (1907); xix. 273 (1911).—*Hab.*
Gard. Chron. Ser. III. xliii. 184 (1908).—*Hab.*
orchioides Schlechter
Ann. Mus. Col. Marseille, Ser. III. i. 192, t. 3 (1913).
purpurascens Thou.
Petit-Thouars, Hist. Pl. Orch. Iles Afr. t. 15 (1822).
Journ. of Bot. xiv. t. 181, fig. 7 (1876).—*Fl.*
*Bot. Mag. cxxiii. t. 7551 (1897); cxxviii. t. 7852 (1902).
Gard. Chron. Ser. III. xxix. 87 (1901); xxxv. 227 (1904); lxiii. 122 (1918).
Orch. Rev. xiv. 305 (1906); xix. 272 (1911).—*Hab.*
Orchis, iii. 109 (1909).
Schlechter, Orchideen, 74 (19[14–]15).—*Hab.*
Rolfei Hochr.
Ann. Conserv. et Jard. Bot. Genève, xi–xii. 54 (1908).—*Fl.*
sororia Schlechter
Ann. Mus. Col. Marseille, Ser. III. i. 192, t. 4 (1913).
triphylla Thou.
Petit-Thouars, Hist. Pl. Orch. Iles Afr. t. 14 (1822).
tryphioides Schlechter
Ann. Mus. Col. Marseille, Ser. III. i. 192, t. 3 (1913).
villosa Rolfe
*Bot. Mag. cxxviii. t. 7845 (1902).
violacea Schlechter
Ann. Mus. Col. Marseille, Ser. III. i. 192, t. 4 (1913).

CYNOSCIADIUM DC.
digitatum DC.
De Candolle, Ombéllif. (Coll. Mém. v), t. 11 (1829).
Bot. Gaz. xii. 264, fig. 101 (1887).—*Fr.*
pinnatum DC.
De Candolle, Ombéllif. (Coll. Mém. v), t. 11 (1829).
Bot. Gaz. xii. 264, fig. 103 (1887).—*Fr.*
Britton & Brown, Ill. Fl. N. States & Canada, ii. 521 (1897); Ed. 2, ii. 646 (1913).
Contrib. U.S. Nat. Herb. vii. 120 (1900).—*Fr.*

CYNOSORCHIS = *Cynorchis*

CYNOSURUS Linn.—Vide *Phalona*
aurasiacus Murb.
Murbeck, Contr. Fl. N.-Ouest Afriq. iv (Act. Soc. Physiogr. Lund, xi), t. 14 (1900).
aureus Linn.
*Kniphof, Herb. Viv. i. t. 352 (1758).
*Host, Gram. iii. t. 4 (1805).
*Sibthorp & Sm. Fl. Graeca, i. t. 79 (1806).
Cusin, Herb. Fl. Franç. xxv (Graminées), t. 246 (1874).
Coste, Fl. France, iii. 627 (1906).
caeruleus Linn.
*Jacquin, Ic. Pl. Rar. i. t. 21 (1781–86).
Hoppe, Ect. Pl. Ratisb. t. 44 (1787).
*Martyn, Fl. Rustica, i. t. 20 (1792).
*Sturm, Deutschl. Fl. ii. VI [t. 83] (1799).
callitrichus C. & W. Barbey
C. & W. Barbey, Herbor. Levant, t. 10, fig. 1–8 (1882).
Holmboe, Veg. Cyprus, 36 (1914).
coracanus Linn.
*Schreber, Beschr. Gräser, ii. t. 35 (1810).
crista-galli Munby
Munby, Fl. Algér. t. 2 (1847).
cristatus Linn.
*Fl. Dan. ii. t. 238 (1765).
*Schreber, Beschr. Gräser, i. t. 8 (1769).
*Joh. Kerner, Abbild. Oek. Pfl. (Fig. Pl. Écon.), i. t. 86 (1786).
Leers, Fl. Herborn. t. 7, fig. 4 (1789).
Hoppe, Ect. Pl. Ratisb. t. 422 (1789).
Lamarck, Ill. i. t. 47, fig. 1 (1791).—*Fl.*
*Martyn, Fl. Rustica, iii. t. 106 (1792).

CYNOSURUS
cristatus
*Sowerby & Sm. Engl. Bot. v. t. 316 (1796).
*Sturm, Deutschl. Fl. i. IV [t. 50] (1798).
*Host, Gram. ii. t. 96 (1802).
*Svensk Bot. i. t. 66 (1803).
*Knapp, Gram. Brit. t. 64 (1804).
*Curtis, Pract. Obs. Brit. Grasses, Ed. 4, t. 6 (1804).
*Schkuhr, Bot. Handb. Ed. 2, t. 15 (1808).
Thornton, Brit. Fl. i. 73 (1812).
P. Beauvais, Agrost. t. 1, fig. 8; t. 14, fig. 1 (1812).—*Fl.*
*Vietz, Ic. Pl. Med.-oec.-techn. vi. t. 464 (1817).
Dumortier, Gram. Belg. t. 6 (1823).—*Fl.*
*Sinclair, Hort. Gram. Woburn. Ed. 2, p. 22, 152 (1825).
*Heger, Danske Oec. Pl. i. t. 42 (1828).
Loudon, Mag. Nat. Hist. i. 382 (1828).
*Jaume St.-Hilaire, Fl. & Pom. Franç. v. t. 406 (1832).
Reichenbach, Ic. Fl. Germ. i. t. 7 (1834).
*Kops, Fl. Batava, vii. t. 531 (1836).
*Zenker, Fl. Thüringen, x. t. 1086 (1836–55).
*Baxter, Brit. Bot. Ed. 2, iii. t. 216 (1837).
Nees, Gen. Pl., Monocot. i. t. 76 (1837).—*Fl.*
Bravais, Examen Inflor. Gram., Mém. Prés. Congrès Sc. Du Mans, 126 (1839).
Hegetschweiler, Fl. Schweiz, t. 3 (1840).—*Fl.*
[M. E.] Jackson, Pict. Fl. fig. 161 (1840).
*Deakin, Florigr. Brit. i. fig. 187 (1841).
Parnell, Grasses Scotland, t. 28 (1842); Grasses Britain, t. 28 (1845).
*Török, Magyar rétfüvek és takarmánynövények (Hungarian Grasses & Food-Pl.), t. 15 (1844).
Murphy, Agric. Grasses, 52 (1844).
Lindley, Veg. Kingd. 106 (1846).
*Lorek, Fl. Pruss. Ed. 3, t. 29, fig. 163 (1848).
*Calwer, Landwirthsch. Pflanzenk. i. t. 15, fig. 6 (1852).
Andersson, Gram. Scand. t. 2, fig. 19 (1852).
Belg. Hort. ii. t. 2, fig. 7 (1852).
Hanstein, Fam. Gräser, t. 11, fig. 2 (1857).
Cottage Gard. xviii. 111 (1857).
*Sowerby & Johnson, Grasses Gr. Brit. t. 80 [1857–61].
*Lowe, Nat. Hist. Brit. Grasses, t. 44 (1858).
Johnson & Sowerby, Brit. Wild Fl. fig. 1541 (1858–60).
*Johnson & Sowerby, Useful Pl. Gr. Brit. t. 22, fig. 256 (1861[–62]).
Jessen, Deutschl. Gräs. 20, 45, 124, 168, 265 (1863).—*Fr.*
Bentham, Handb. Brit. Fl. fig. 1213 (1865).
*Schubert, Naturg., Pflanzenreich, Ed. 2, t. 5, fig. 6 [1865].
Journ. Hort. xxxvi. 167 (1866).
*Plues, Brit. Grasses, 253, t. 13 (1867).
Cesati, Passer. & Gibelli, Comp. Fl. Ital. t. 9 (1867–86).—*Fl.*
Gard. Chron. 1870, p. 289.—*Fl.*
Dunster, Coll. Handyb. Bot. t. 11 (1871).
*Syme, Engl. Bot. xi. t. 1776 (1872).
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, vi. t. 262 [1873].
Cusin, Herb. Fl. Franç. xxv (Graminées), t. 243 (1874).
Nobbe, Handb. Samenkunde, 410 (1876).—*Fr.*
De Silvestri, Piante Prat. 76 (1879).
Karsten, Deutsche Fl. Pharm.-medic. Bot. 389 (1880–83).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, viii. t. 720 (1881).
Wagner, Ill. Deutsche Fl. Ed. 2, p. 849 (1882).
Willkomm, Führ. Reich Pflanzen, 209 (1882).
Harz, Samenkunde, ii. 1289 (1885).—*Fr.*
*Thomé, Fl. Deutschl. i. t. 56 (1886).
*Mackay, Man. Grasses New Zealand i. 114, t. 9, (1887).
Potonié, Ill. Fl. Nord- u. Mittel-Deutschl. Ed. 4, fig. 143 (1889).
*Stebler & Schroeter, Best Forage Pl. 121, t. 23 (1889).
G. Beck, Fl. Nied.-Oesterr. i. 32, 77 (1890).—*Fl.*
Allm. Svenska Utsädesför. Tidskr. iii. 216, fig. 26 (1893).—*Fl.*

CYNOSURUS
cristatus
*Masclef, Atlas Pl. France, t. 383 (1893).
Acloque, Fl. France, 708 (1894).—*Fl.*
Garcke, Ill. Fl. Deutschl. 685 (1895).
Karsten, Fl. Deutschl. i. 396 (1895).
Sutton, Perm. & Temp. Pastures, Ed. 5, p. 160, 161 (1895).
Britton & Brown, Ill. Fl. N. States & Canada, i. 200 (1896); Ed. 2, i. 252 (1913).
U.S. Dep. Agric. Div. Agrost. Bull. No. 3, p. 38 (1896); No. 7, p. 273 (1897); No. 14, p. 31 (1898); No. 20, p. 146 (1900).
Fiori & Paol. Ic. Fl. Ital. 33 (1896).
Husnot, Gram. t. 21 (1896–99).
Agric. Journ. Cape Good Hope, xi. 410 (1897).—*Hab.*
Gradmann, Pflanzenl. Schwäb. Alb, Ed. 2, ii. 39 (1900).
*Sturm, Fl. Deutschl. Ed. 2, iii. t. 30 (1900).
Lindman, Bild. Nord. Fl. t. 448 (1901–5).
Husnot, Prés & Herbag. t. 11 (1902).
C. T. Green, Fl. Liverpool Distr. fig. 732 (1902).
*Masclef, Pl. Eur. t. 13 (1905).
Blytt, Haandb. Norg. Fl. Ed. Dahl, 116 (1906).
Coste, Fl. France, iii. 627 (1906).
*Kirby, Brit. Fl. Pl. t. 119 (1906).
Suireishchikov, Ill. Fl. Mosc. Gov. i. 150 (1906).
*Gordon, Man. Brit. Grasses, 55, 92, t. 24 [1907].
H. M. Ward, Grasses, 148 (1908).
Clarke in Nature Book, iii. 476, t. 1 (1909).
Graebner, Pflanzenw. Deutschl. 137 (1909).
Merino, Fl. Galicia, iii. 333 (1909).
Fedtschenko & Fler. Fl. Eur. Russia, 118 (1910).
Heukels, Fl. Nederl. i. 529 (1911).
Jardin, xxviii. 56 (1914).—*Hab.*
L. H. Bailey, Stand. Cycl. Hort. 940 (1914).
Journ. New Zeal. Dep. Agric. viii. 239, 629 (1914).—*Fr.*
S. F. Armstrong, Brit. Grass. 91, 143 (1917).
U.S. Dep. Agric. Bull. No. 461, p. 11 (1917); No. 772, p. 67 (1920).
Fitch & Smith, Ill. Brit. Fl. Ed. rev. 4, Iss. 2, fig. 1232 (1919).
Krafft & Fruwirth, Pflanzenb. 289 (1920).
Crabtree, Grasses & Rushes, 43 [1920].
—— **viviparus** Willk.
Nederl. Kruidk. Arch. Ser. II. v. iv. t. 11 (1891).
domingensis Jacq.
*Jacquin, Ic. Pl. Rar. i. t. 22 (1781–86).
*Descourtilz, Fl. Pitt. & Méd. Antilles, iv. t. 264 (1827).
durus Linn.
Pollich, Hist. Pl. Palat. i. 97 (1776).
*Krocker, Fl. Siles. i. t. 28 (1787).
Hoppe, Ect. Pl. Ratisb. t. 214 (1788).
echinatus Linn.
Gaertner, Fruct. i. t. 1 (1788).—*Fr.*
Lamarck, Ill. i. t. 47, fig. 2 (1791).
*Host, Gram. ii. t. 95 (1802).
*Sowerby & Sm. Engl. Bot. xix. t. 1333 (1804).
*Knapp, Gram. Brit. t. 65 (1804).
*Sibthorp & Sm. Fl. Graeca, i. t. 78 (1806).
*Jaume St.-Hilaire, Fl. & Pom. Franç. v. t. 406 (1832).
Reichenbach, Ic. Fl. Germ. i. t. 7 (1834).
Nees, Gen. Pl., Monocot. i. t. 76 (1837).—*Fl.*
Hegetschweiler, Fl. Schweiz, t. 3 (1840).—*Fl.*
[M. E.] Jackson, Pict. Fl. fig. 160 (1840).
*Deakin, Florigr. Brit. i. fig. 188 (1841).
Parnell, Grasses Scotland, t. 28 (1842); Grasses Britain, t. 28 (1845).
*Petermann, Deutschl. Fl. t. 99, fig. 794 (1849).
*Sowerby & Johnson, Grasses Gr. Brit. t. 81 [1857–61].
*Lowe, Nat. Hist. Brit. Grasses, t. 44 (1858).
Johnson & Sowerby, Brit. Wild Fl. fig. 1542 (1858–60).
Bentham, Handb. Brit. Fl. fig. 1214 (1865).
Plues, Brit. Grasses, 255 (1867).
*Syme, Engl. Bot. xi. t. 1777 (1872).
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, vi. t. 262 [1873].
Cusin, Herb. Fl. Franç. xxv (Graminées), t. 244 (1874).
Mart. Fl. Bras. ii. iii. t. 37 (1878).
De Silvestri, Piante Prat. 76 (1879).

CYNOSURUS
echinatus
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, viii. t. 721 (1881).
C. & W. Barbey, Herbor. Levant, t. 10, fig. 13–15 (1882).—*Fl.*
Pflanzenfam. ii. ii. 66 (1887).
Paolucci, Fl. Marchig. t. 2 (1890).—*Fl.*
Arechavaleta, Gram. Urug. (An. Mus. Nac. Montevideo, v), 425 (1896).
Fiori & Paol. Ic. Fl. Ital. 33 (1896).
Husnot, Gram. t. 21 (1896–99).
Murbeck, Contr. Fl. N.-Ouest Afriq. iv (Act. Soc. Physiogr. Lund, xi), t. 14 (1900).
C. T. Green, Fl. Liverpool Distr. fig. 733 (1902).
Coste, Fl. France, iii. 627 (1906).
*Gordon, Man. Brit. Grasses, t. 24 [1907].
Flora, c. 238 (1910).
Adamović, Pflanzenw. Dalmat. t. 70 (1911).
Heukels, Fl. Nederl. i. 530 (1911).
Fitch & Smith, Ill. Brit. Fl. Ed. rev. 4, Iss. 2, fig. 1233 (1919).
*Horwood, Brit. Wild Fl. ii. t. 17, p. 217 (1919).
—— **multibracteatus** Mutel
Mutel, Fl. Française, t. 84 (1834).—*Fl.*
—— **oblongus** Mutel
Mutel, Fl. Française, t. 84 (1834).—*Fl.*
elegans Desf.
Desfontaines, Fl. Atlant. i. t. 17 (1798).
Mutel, Fl. Française, t. 84 (1834).
Baillon, Hist. Pl. xii. 144 (1894).
Battandier & Trabut, Fl. Algér., Monocot. t. 5, fig. 27 (1895).
Fiori & Paol. Ic. Fl. Ital. 33 (1896).
Husnot, Gram. t. 21 (1896–99).
Murbeck, Contr. Fl. N.-Ouest Afriq. iv (Act. Soc. Physiogr. Lund, xi), t. 14 (1900).
Coste, Fl. France, iii. 627 (1906).
—— **fertilis** Mutel
Mutel, Fl. Française, t. 84 (1834).—*Fl.*
fertilis De Lens
Mutel, Fl. Française, t. 84 (1834).—*Fl.*
indicus Linn.
*Houttuyn, Handl. Pl. & Kruidk. xiii. t. 91, fig. 3 (1782).
junceus Murb.
Murbeck, Contr. Fl. N.-Ouest Afriq. iv (Act. Soc. Physiogr. Lund, xi), t. 14 (1900).
lima Linn.
Cavanilles, Ic. i. t. 91 (1791).
Desfontaines, Fl. Atlant. i. t. 19 (1798).
ovatus Hoppe
*Sturm, Deutschl. Fl. ii. vi [t. 85] (1799).
paradoxus Somm.
Fiori & Paol. Ic. Fl. Ital. 480 (1904).
paspaloides Vahl
Vahl, Symb. Bot. ii. t. 27 (1791).
phleoides Desf.
Desfontaines, Fl. Atlant. i. t. 18 (1798).
polybracteatus Poir.
Cusin, Herb. Fl. Franç. xxv (Graminées), t. 245 (1874).
C. & W. Barbey, Herbor. Levant, t. 10, fig. 9–12 (1882).—*Fl.*
siculus Jacq.
Jacquin, Obs. Bot. t. 43 (1767).
sphaerocephalus Wulfen.
*Jacquin, Ic. Pl. Rar. i. t. 20 (1781–86).
*Sturm, Deutschl. Fl. ii. vi [t. 84] (1799).
spiralis Lojac.-Poj.
Lojacono-Pojero, Fl. Sic. iii. t. 9 (1909).

CYNOTOXICUM Vell.: *Connarus*
dispermum Vell.
Vellozo, Fl. Flum. iv. t. 188 (1827).
monospermum Vell.
Vellozo, Fl. Flum. iv. t. 187 (1827).
suffruticosum Vell.
Vellozo, Fl. Flum. iv. t. 186 (1827).

CYNOXYLON Rafin.: *Cornus*
florida Rafin.
Britton, N. Amer. Trees, 745, 746 (1908).
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, ii. 664 (1913).

CYNOXYLON
florida
*Journ. New York Bot. Gard. xiv. t. 120 (1913).
Lewis, Trees of Texas (Bull. Univ. Texas, No. 22), 146 (1915).
Nuttallii Shafer
Britton, N. Amer. Trees, 747 (1908).

CYNTHIA D. Don: *Krigia*
dandelion DC.
*Meehan, Native Fl. & Ferns U.S. Ser. II. i. t. 35 (1879).
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, iii. 308 (1913).
virginica D. Don
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, iii. 307 (1913).

CYPELLA Klatt: *Marica*
caerulea Seub.
*Bot. Mag. xcii. t. 5612 (1866).
Mart. Fl. Bras. iii. i. t. 66 (1871).
*Fl. des Serres, Ser. II. xiii. t. 2456 (1880).

CYPELLA Herb.—Vide *Phalocallis*, *Polia*
Herbertii Herb.
*Sweet, Brit. Fl. Gard. Ser. II. iv. t. 33 (1830).
*Lodd. Bot. Cab. xix. t. 1810 (1832).
*Reichenbach, Fl. Exot. i. t. 20 (1834).
*Maund, Botanist, iv. t. 199 (1840).
*J. W. Loudon, Ladies' Fl.-Gard. Ornam. Bulb. Pl. t. 3 (1841).
*Fl. des Serres, Ser. I. v. t. 537 (1849); Ser. II. xi. t. 2207 (1875).
*Sweet, Ornam. Fl. Gard. iii. t. 201 (1854).
Journ. Hort. Ser. III. iv. 47 (1882); xlv. 63 (1902).
*Bois, Dict. Hort. 413 (1893–99).
*Garden, lv. 18 (1899); lxxx. 443 (1916).
peruviana Baker
*Bot. Mag. cii. t. 6213 (1876).
plumbea Lindl.
*Garden, lx. 10 (1901).
Wolffhuegelii Haum.
Apuntes Hist. Nat. Buenos Aires, i. 85 (1909).—*Fl.*

CYPERORCHIS Bl.
elegans Bl.
Blume, Fl. Jav. Orch. t. 48 (1858).—*Fl.*
*Bot. Mag. cxiv. t. 7007 (1888).
Pflanzenfam. ii. vi. 182 (1889).—*Fl.*
Kerchove, Livre Orch. 64 (1894).—*Fl.*
*Cogniaux, Dict. Icon. Orch., Cyperorchis, t. 2 (1898).
Journ. Hort. Ser. III. liv. 71 (1907).
*Costantin, Atlas Orch. Cult. t. 16 (1913).—*Fl.*
L. H. Bailey, Stand. Cycl. Hort. 940 (1914).—*Hab.*
Mastersii Benth.
*Cogniaux, Dict. Icon. Orch., Cyperorchis, t. 1 (1898).—*Fl.*
*Costantin, Atlas Orch. Cult. t. 16 (1913).—*Fl.*

CYPERUS Linn.—Vide *Chlorocyperus*, *Diclidium*, *Epiphystis*, *Juncellus*, *Opetiola*, *Papyrus*, *Pycreus*, *Torulinium*
acicularis With.
*Sturm, Fl. Deutschl. Ed. 2, ii. t. 6 (1900).
acuminatus Torr. & Hook.
Britton & Brown, Ill. Fl. N. States & Canada, i. 239 (1896); Ed. 2, i. 302 (1913).
adenophorus Schrad.
Möllers Deutsche Gärtn.-Zeit. xxviii. 565, 566 (1913).
aegyptiacus Gloxin
Gloxin, Observ. Bot. t. 3 (1785).
Fiori & Paol. Ic. Fl. Ital. 48 (1896).
aequalis Vahl
Ann. Mus. Col. Marseille, Ser. II. viii. 290–91 (1910).—*Hab.*
alopecuroides Rottb.
Rottboell, Descr. Ic. Nov. Pl. t. 8 (1773).
Journ. Linn. Soc., Bot. xxi. t. 2, fig. 12 (1884).
alternifolius Linn.
*Jacquin, Ic. Pl. Rar. ii. t. 298 (1786–93).
Jahrb. Bot. Gart. Berlin, i. t. 4, fig. 23–28 (1881).
Garden, xxxv. 573 (1889).—*Hab.*
Sauvaigo, Cult. Littor. Méditerr. 43 (1894).

CYPERUS
alternifolius
Brehm, Merv. Nat. Monde des Pl. ii. 671 (1894–96). —*Hab.*
*Bois, Atlas Pl. Jard. t. 306 (1896).
*Step, Fav. Fl. Gard. & Greenh. iv. t. 298 (1897).
Mönkemeyer, Sumpf- und Wasserpfl. 63 (1897).
*Behrens, Blattformen, t. 75, fig. e (1900).—*Veg.*
L. H. Bailey, Cycl. Amer. Hort. 429 (1900); Stand. Cycl. Hort. 941 (1914).
Goebel, Organogr. Pfl. 600 (1900); Ed. Angl. 413 (1905).—*Veg.*
Bisset, Book Water Garden, 140 (1907).—*Hab.*
Gubb, Fl. Algeria, t. 11 (1909).
Journ. Hort. Ser. III. lviii. 163 (1909); lxviii. 184 (1914).—*Hab.*
Jardin, xxvii. 267 (1913).—*Hab.*
Bryan, Nat. Hist. Hawaii, t. 64 (1915).
Britton, Fl. Bermuda, 46 (1918).
—— **albo-variegatus** Hort.
*Fl. des Serres, Ser. II. iv. t. 1479, 1480 (1861).
—— **variegatus** Hort.
Sempervirens, viii. 372 (1879).
amentaceus Rudge
Rudge, Pl. Guian. t. 19 (1805).
angulatus Nees
Fyson, Fl. Nilgiri & Pulney Hill-tops, iii. 545 (1920).
arenarius Retz.
Journ. Bombay Nat. Hist. Soc. xxvi. 550 (1919). —*Hab.*
Presid. Coll. Bot. Bull. Madras, t. 61 (1919).
aristatus Rottb.
Rottboell, Descr. Ic. Nov. Pl. t. 6 (1773).
Bull. Soc. Tosc. Ortic. xviii. 107 (1893).—*Hab.*
Brehm, Merv. Nat. Monde des Pl. ii. 671 (1894–96). —*Hab.*
Lecomte, Fl. Gén. Indo-Chine, vii. 44 (1912). —*Fl.*
—— **Boeckeleri** Cavara
Fiori & Paol. Ic. Fl. Ital. 47 (1896).
Atti Ist. Bot. Pavia, Ser. II. v. t. 2 (1899).
articulatus Linn.
Lecomte, Fl. Gén. Indo-Chine, vii. 65 (1912). —*Fl.*
assimilis Steud.
Engler & Drude, Veget. Erde, ix. II. 201 (1908).
Atkinsonii C. B. Clarke
C. B. Clarke, Illustr. Cyperac. t. 8 (1909).
atlanticus Hemsl.
Hemsley, Bot. Challenger Exp. i. II. t. 23 (1884).
atronitens Hochst.
Engler & Drude, Veget. Erde, ix. II. 201 (1908).
Aucheri Jaub. & Spach
Jaubert & Spach, Illustr. Pl. Or. ii. t. 101 (1844–46).
aureus Ten.
*Tenore, Fl. Nap., Atlas, iii. t. 101 (1811–38).
Reichenbach, Pl. Crit. iii. t. 212 (1825).
*Reichenbach, Ic. Fl. Germ. viii. t. 281 (1846).
Cusin, Herb. Fl. Franç. xxiii (Cypéracées), t. 4 (1874).
Husnot, Cypérac. t. 23 (1905–6).
auricomus Sieb.
Journ. Linn. Soc., Bot. xxi. t. 4, fig. 31 (1884).
babakensis C. B. Clarke
C. B. Clarke, Illustr. Cyperac. t. 15 (1909).
badius Desf.
Desfontaines, Fl. Atlant. i. t. 7 (1798).
*Tenore, Fl. Nap., Atlas, v. t. 208 (1811–38).
Meigen, Deutschl. Fl. i. t. 14 (1836).—*Fl.*
*Sturm, Deutschl. Fl. xviii. LXXVIII [t. 1221] (1839).
*Schnizlein, Iconogr. i. t. 43 (1845).
*Reichenbach, Ic. Fl. Germ. viii. t. 283 (1846).
Cusin, Herb. Fl. Franç. xxiii (Cypéracées), t. 2 (1874).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, v. t. 395 (1881).
*Sturm, Fl. Deutschl. Ed. 2, ii. t. 3 (1900).
Husnot, Cypérac. t. 23 (1905–6).
Balansae Maury
Maury in Mém. Soc. Phys. Genève, xxxi. t. 39 (1889).
bancanus Miq.
Lecomte, Fl. Gén. Indo-Chine, vii. 49 (1912). —*Fl.*

CYPERUS
Berlandieri C. B. Clarke
C. B. Clarke, Illustr. Cyperac. t. 17 (1909). —*Fl.*
brachystachys Anderss.
N. J. Andersson in Sv. Freg. Eugenies Resa, t. 13 (1857–1910).
brizaeus Vahl
Publ. Field Columbian Mus., Bot. Ser. II. ii. 121 (1900).—*Fr.*
bromoides Britton
Amer. Plants, iii. t. 38 (1910).
brunneus Sw.
Publ. Field Columbian Mus., Bot. Ser. II. ii. 121 (1900); III. i. 73 (1903).—*Fr.*
Britton, Fl. Bermuda, 45 (1918).
Buckleyi Britton
C. B. Clarke, Illustr. Cyperac. t. 15 (1909).
bulbosus Vahl
*Trimen, Handb. Fl. Ceylon, Atlas, iv. t. 96 (1898).
Holtermann, Einfl. Klimas, t. 3, fig. 20 (1907).
Bushii Britton
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, i. 302 (1913).
caespitosus Llanos
*Sturm, Fl. Deutschl. Ed. 2, ii. t. 6 (1900).
caffer Bertol. f.
Bertoloni f. in Mem. Accad. Sc. Istit. Bologna, v. t. 23 (1854).
calcicolus Dom.
Domin in Bibl. Bot. xx. t. 17 (1915).
canus Presl
Publ. Field Columbian Mus., Bot. Ser. III. i. 68 (1903).—*Fl.*
C. B. Clarke, Illustr. Cyperac. t. 11 (1909).—*Fl.*
capitinduensis Maury
Maury in Mém. Soc. Phys. Genève, xxxi. t. 38 (1889).
castaneus Willd.
Lecomte, Fl. Gén. Indo-Chine, vii. 44 (1912). —*Fl.*
cayennensis Britton
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, i. 309 (1913).
caymanensis Millsp.
Publ. Field Columbian Mus., Bot. Ser. II. ii. 120 (1900).—*Fr.*
cephalotes Vahl
Rheede, Hort. Mal. xii. t. 53 (1703); fide Fl. Brit. Ind. vi. 597.
Journ. Linn. Soc., Bot. xxi. t. 1, fig. 1–6 (1884).
F. M. Bailey, Compr. Cat. Queensl. Pl. 590 (1909–13).
C. B. Clarke, Illustr. Cyperac. t. 6 (1909).
Lecomte, Fl. Gén. Indo-Chine, vii. 44 (1912). —*Fl.*
chalaranthus Presl
Presl, Reliq. Haenk. t. 32, fig. 1 (1828).
cinereus Maury
Maury in Mém. Soc. Phys. Genève, xxxi. t. 36 b (1889).
circinnatus Ridley
Journ. Linn. Soc., Bot. xxvii. t. 2 (1890).
colymbetes Kotschy & Peyr.
Kotschy & Peyritsch, Pl. Tinneanae, t. 24 (1867).
comosus Sibth. & Sm.
*Sibthorp & Sm. Fl. Graeca, i. t. 44 (1806).
compressus Rottb.
Rottboell, Descr. Ic. Nov. Pl. t. 9 (1773).
compressus Linn.
*Jacquin, Hort. Vind. iii. t. 12 (1776).
Mém. Prés. Acad. Sc. Pétersb. Sav. Étrang. i. III & IV. t. 3 (1830).
Nees, Gen. Pl., Monocot. ii. t. 21 (1836).—*Fr.*
*Saunders, Ref. Bot. iv. t. 240 (1871).
Britton & Brown, Ill. Fl. N. States & Canada, i. 238 (1896); Ed. 2, i. 300 (1913).
Publ. Field Columbian Mus., Bot. Ser. III. i. 70 (1903).—*Fr.*
Lecomte, Fl. Gén. Indo-Chine, vii. 49 (1912). —*Fl.*
compressus Missb. & E. H. L. Krause
*Sturm, Fl. Deutschl. Ed. 2, ii. t. 14 (1900).
—— **viridis** Krock.
*Krocker, Fl. Siles. i. t. 13 (1787).

CYPERUS
congestus Vahl
Bot. Exchange Club Rep. 1915, iv. t. 7 (1916).
Hayward & Druce, Advent. Fl. Tweedside, 216 (1919).
conglomeratus Rottb.
Rottboell, Descr. Ic. Nov. Pl. t. 15 (1773).
conicus Boeck
F. M. Bailey, Compr. Cat. Queensl. Pl. 592 (1909–13).
cornutus Anderss.
N. J. Andersson in Sv. Freg. Eugenies Resa, t. 13 (1857–1910).
corymbosus Rottb.
Rottboell, Descr. Ic. Nov. Pl. t. 7 (1773).
Bull. Écon. Indo-Chine, N. Ser. cxlii. 420 (1920).
—— **Pangorei** Rottb.
Rottboell, Descr. Ic. Nov. Pl. t. 7 (1773).
crassipes Vahl
*P. Beauvais, Fl. Oware & Benin, t. 97 (1818).
cruentus Rottb.
Rottboell, Descr. Ic. Nov. Pl. t. 5 (1773).
cuspidatus H. B. K.
F. M. Bailey, Compr. Cat. Queensl. Pl. 590 (1909–13).
cylindricus Britton
Bull. Torr. Bot. Club. vii. t. 3 (1880).
Britton & Brown, Ill. Fl. N. States & Canada, i. 245 (1896).
Stone, Pl. Southern New Jersey (Ann. Rep. New Jersey State Mus. 1910), t. 16 (1911).
dactylotes Benth.
Domin in Bibl. Bot. xx. 429 (1915).
decompositus F. Muell.
Goebel, Organogr. Pfl. 601 (1900); Ed. Angl. 414 (1905).—*Fr.*
Velenovsky, Vergl. Morphol. Pfl. ii. 325 (1907). *Veg.*
densespicatus Hayata
Hayata, Ic. Pl. Formosan. vi. 106 (1916).—*Fl.*
dentatus Torr.
A. Gray, Man. Bot. N.U.S. Ed. 5, t. 1 (1867).
Britton & Brown, Ill. Fl. N. States & Canada, i. 240 (1896); Ed. 2, i. 303 (1913).
Stone, Pl. Southern New Jersey (Ann. Rep. New Jersey State Mus. 1910), t. 16 (1911).
Rhodora, xx. t. 125 (1918).
denudatus Linn. f.
*Dietrich, Fl. Univ. N. Folge, t. 64 (1849).
Dietrich, Fl. Univ. Abt. i. t. 886 (1852–55).
diandrus Torr.
A. Gray, Man. Bot. N.U.S. Ed. 5, t. 1 (1867).
Britton & Brown, Ill. Fl. N. States & Canada, i. 236 (1896); Ed. 2, i. 298 (1913).
Selby in Bull. Ohio Agric. St. No. 83, p. 271 (1897); No. 175, p. 313 (1906).
Stone, Pl. Southern New Jersey (Ann. Rep. New Jersey State Mus. 1910), t. 16 (1911).
difformis Linn.
Rottboell, Descr. Ic. Nov. Pl. t. 9 (1773).
*Sibthorp & Sm. Fl. Graeca, i. t. 46 (1806).
*Reichenbach, Ic. Fl. Germ. viii. t. 284 (1846).
Fiori & Paol. Ic. Fl. Ital. 47 (1896).
Husnot, Cypérac. t. 23 (1905–6).
Lecomte, Fl. Gén. Indo-Chine, vii. 49 (1912). —*Fl.*
digitatus Roxb.
Lecomte, Fl. Gén. Indo-Chine, vii. 73 (1912). —*Fl.*
Fyson, Fl. Nilgiri & Pulney Hill-tops, iii. 546 (1920).
disjunctus C. B. Clarke
C. B. Clarke, Illustr. Cyperac. t. 12 (1909).
distachyos All.
Allioni, Auct. Fl. Pedem. t. 2, fig. 5 (1789).
Cusin, Herb. Fl. Franç. xxiii (Cypéracées), t. 11 (1874).
Post, Fl. Syria, Palestine & Sinai, 829 [1896].
Husnot, Cypérac. t. 24 (1905–6).
Coste, Fl. France, iii. 462 (1906).
Trans. & Proc. Roy. Soc. S. Australia, xliii. t. 32 (1919).
distans Linn. f.
*Jacquin, Ic. Pl. Rar. ii. t. 299 (1786–93).
*P. Beauvais, Fl. Oware & Benin, i. t. 20 (1805).

CYPERUS
distans
F. M. Bailey, Weeds & Poison. Pl. Queensland, 212 (1906).
dives Del.
Delile, Fl. Égypte, t. 4 (1812).
Journ. Linn. Soc., Bot. xxi. t. 2, fig. 13 (1884).
dubius Rottb.
Rottboell, Descr. Ic. Nov. Pl. t. 4 (1773).
echinatus Wood
Britton & Brown, Ill. Fl. N. States & Canada, i. 246 (1896).
Publ. Field Columbian Mus., Bot. Ser. III. i. 71 (1903).—*Fr.*
A. Georgia, Manual Weeds, t. 37 (1914).
edulis Dinter
Tropenpfl. xvii. 176 (1913).—*Veg.*
effusus Rottb.
Rottboell, Descr. Ic. Nov. Pl. t. 12 (1773).
elatus Rottb.
Rottboell, Descr. Ic. Nov. Pl. t. 10 (1773).
elatus Linn.
Lecomte, Fl. Gén. Indo-Chine, vii. 71 (1912).—*Fl.*
elegans Linn.
Rottboell, Descr. Ic. Nov. Pl. t. 6 (1773).
*Descourtilz, Fl. Pitt. & Méd. Antilles, vi. t. 402 (1828).
Publ. Field Columbian Mus., Bot. Ser. II. ii. 119 (1900); III. i. 69 (1903).—*Fr.*
elephantinus C. B. Clarke
C. B. Clarke, Illustr. Cyperac. t. 20 (1909).—*Fl.*
eleusinoides Kunth
Lecomte, Fl. Gén. Indo-Chine, vii. 53 (1912).—*Fl.*
Engelmannii Steud.
Britton & Brown, Ill. Fl. N. States & Canada, i. 243 (1896); Ed. 2, i. 306 (1913).
Eragrostis Vahl
Koorders, Exkursionsfl. Java, i. 184 (1911).
erythrorrhizos Muhlenb.
A. Gray, Man. Bot. N.U.S. Ed. 5, t. 1 (1867).
Britton & Brown, Ill. Fl. N. States & Canada, i. 241 (1896); Ed. 2, i. 305 (1913).
Cratty in Bull. Labor. Nat. Hist. Iowa, iv. No. 4, t. 1 (1898).
Stone, Pl. Southern New Jersey (Ann. Rep. New Jersey State Mus. 1910), t. 16 (1911).
esculentus Linn.
*Host, Gram. iii. t. 75 (1805).
*Roques, Pl. Usuell. Indig. & Exot. ii. t. 44 (1808).
*Vietz, Ic. Pl. Med.-oec.-techn. vi. t. 464 b (1817).
*Sturm, Deutschl. Fl. xiii. LII. t. 824 (1828).
Lindley, Med. & Oecon. Bot. 33 (1849).
Berg, Charakt. t. 6, fig. 83 (1861).—*Fl.*
*Schubert, Naturg., Pflanzenreich, Ed. 2, t. 3, fig. 8 [1865].
*Réveil, Règne Vég. xii. t. 7 (1870).—*Veg.*
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, v. t. 394 (1881).
Vilmorin-Andrieux, Pl. Potag. 551 (1883).—*Hab.*
Journ. Linn. Soc., Bot. xxi. t. 2, fig. 15 (1884).
Paillieux & Bois, Potager Curieux, Ed. 2, p. 499 (1892).
*Useful Pl. Jap. ii. t. 470 (1895) in ic.; *C. rotundus* in textu, p. 121.
Britton & Brown, Ill. Fl. N. States & Canada, i. 241 (1896); Ed. 2, i. 304 (1913).
Fiori & Paol. Ic. Fl. Ital. 47 (1896).
Hitchcock & Norton in Bull. Kansas Agric. St. No. 57, t. 18, fig. 186 (1896); No. 76, t. 12, fig. 65 (1898).—*Veg.*
U.S. Dep. Agric. Div. Agrost. Bull. No. 2, p. 15 (1896).
Cuoco, Fauna & Flora Eritrea, 93 (1897).
Pammel in Bull. Iowa Agric. St. No. 39, p. 36 (1898).
Cratty in Bull. Labor. Nat. Hist. Iowa, iv. No. 4, t. 10 (1898).
Publ. Field Columbian Mus., Bot. Ser. III. i. 70 (1903).—*Fr.*
Rep. Transvaal Dep. Agric. 1903–4, t. 5 (1905).
Transvaal Agric. Journ. iii. No. 10, t. 50 (1905).
Coste, Fl. France, iii. 463 (1906).
Velenovsky, Vergl. Morphol. Pfl. ii. 656 (1907).—*Veg.*

CYPERUS
esculentus
Engler & Drude, Veget. Erde, ix. II. 198 (1908).
H. Jumelle, Pl. Tuberc. Aliment, 28, 29 (1910).
Beal, Michigan Weeds (Bull. Mich. Agric. Exp. St. No. 267), 303 (1911); et in Ann. Rep. xxv. 292 (1912).
Stone, Pl. Southern New Jersey (Ann. Rep. New Jersey State Mus. 1910), t. 16 (1911).
Pammel, Weeds Farm & Gard. 158 (1911).
Pammel in Iowa Geol. Surv. Bull. No. 4, p. 64 (1913).
Canada Dep. Agric. (Seed Branch), Bull. No. S-8, p. 34 (1914).
L. H. Bailey, Stand. Cycl. Hort. 767, 942 (1914).
U.S. Dep. Agric. Bull. No. 58, p. 9, 10 (1914); No. 465, p. 29, 30 (1917).
A. Georgia, Manual Weeds, t. 35 (1914).
Trotter, Fl. Econ. della Libia, 97 (1915).
Basu, Ind. Med. Pl. t. 1012 (1918).
Warming in Dansk. Vid. Selsk. Skrift. Ser. VIII. ii. 343 (1918).—*Veg.*
Britton, Fl. Bermuda, 46 (1918).
exaltatus Retz.
Rheede, Hort. Mal. xii. t. 42 (1703); fide C. B. Clarke.
—— **dives** C. B. Clarke
Lecomte, Fl. Gén. Indo-Chine, vii. 65 (1912).—*Fl.*
fascicularis Desf.
Lamarck, Ill. i. t. 38, fig. 2 (1791).
fastigiatus Rottb.
Rottboell, Descr. Ic. Nov. Pl. t. 7 (1773).
Decaisne & Naud. Amat. Jard. iii. 291 [1862–66].—*Hab.*
ferax L. C. Rich.
Publ. Field Columbian Mus., Bot. Ser. II. ii. 123 (1900); III. i. 73 (1903).—*Fr.*
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, i. 306 (1913).
Fernandezianus Colla
Colla in Mem. Accad. Sc. Torino, xxxix. 56, t. 56 (1836).
ferox Vahl
Britton & Brown, Ill. Fl. N. States & Canada, i. 242 (1896).
fertilis Boeck
C. B. Clarke, Illustr. Cyperac. t. 12 (1909).
filicinus Vahl
*Bertoloni, Misc. Bot. viii. t. 4 (1849).
*Bertoloni in Novi Comm. Acad. Sc. Bonon. ix. t. 35 (1849).
Journ. Linn. Soc., Bot. xxi. t. 3, fig. 26 (1884).
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, i. 299 (1913).
filiculmis Vahl
Britton & Brown, Ill. Fl. N. States & Canada, i. 245 (1896); Ed. 2, i. 309 (1913).
—— **macilentus** Fernald
Stone, Pl. Southern New Jersey (Ann. Rep. New Jersey State Mus. 1910), t. 16 (1911).
filiformis Sw.
Publ. Field Columbian Mus., Bot. Ser. II. ii. 124 (1900).—*Fr.*
flabelliformis Rottb.
Rottboell, Descr. Ic. Nov. Pl. t. 12 (1773).
Rev. Hort. Belge, xii. 20 (1886).—*Hab.*
Wien. Ill. Gart.-Zeit. xi. 511 (1886).—*Hab.*
Engler & Drude, Veget. Erde, ix. II. 198 (1908).
flavescens Linn.
*Krocker, Fl. Siles. i. t. 11 (1787).
Hoppe, Ect. Pl. Ratisb. t. 595 (1790).
Lamarck, Ill. i. t. 38, fig. 1 (1791).
*Host, Gram. iii. t. 72 (1805).
*Sibthorp & Sm. Fl. Graeca, i. t. 47 (1806).
*Poiteau & Turpin, Fl. Paris, t. 74 (1808).
*Schkuhr, Bot. Handb. Ed. 2, t. 7 (1808).
*Fl. Dan. x. t. 1682 (1821).
*Sturm, Deutschl. Fl. xiii. LII [t. 820] (1828).
*Zenker, Fl. Thüringen, xii. t. 1386 (1836–55).
*Reichenbach, Ic. Fl. Germ. viii. t. 278 (1846).
Duchesne, Pl. Util. t. 10 (1846).
*Lorek, Fl. Pruss. Ed. 3, t. 11, fig. 60 (1848).
Andersson, Cyperac. Scand. t. 1, fig. 1 (1849).
Migout, Fl. Dépt. Allier, t. 22 (1866).

CYPERUS
flavescens
Cusin, Herb. Fl. Franç. xxiii (Cypéracées), t. 9 (1874).
De Silvestri, Piante Prat. 17 (1879).
Karsten, Deutsche Fl. Pharm.-medic. Bot. 357 (1880–83).—*Fl.*
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, v. t. 391 (1881).
Journ. Linn. Soc., Bot. xxi. t. 4, fig. 41, 42 (1884).
*Bicknell, Fl. Pl. Riviera, t. 81 (1885).
*Thomé, Fl. Deutschl. i. t. 99 (1886).
Pflanzenfam. ii. II. 110 (1887).
Paolucci, Fl. Marchig. t. 5 (1890).
Amer. Journ. Sc. Ser. III. xlii. t. 10, fig. 6 (1891).—*Veg.*
*Masclef, Atlas Pl. France, t. 357 (1893).
Acloque, Fl. France, 652 (1894).
Karsten, Fl. Deutschl. i. 361 (1895).
Fiori & Paol. Ic. Fl. Ital. 46 (1896).
Britton & Brown, Ill. Fl. N. States & Canada, i. 235 (1896); Ed. 2, i. 298 (1913).
*Sturm, Fl. Deutschl. Ed. 2, ii. t. 1 (1900).
Husnot, Cypérac. t. 24 (1905–6).
Lazaro, Comp. Fl. Españ. i. 649 (1906).
Coste, Fl. France, iii. 461 (1906).
Junge in Jahrb. Hamburg. Wissensch. Anstalt. 1907, xxv. Beih. 3, p. 241 (1908).—*Fr.*
Heukels, Fl. Nederl. i. 412 (1910).
Stone, Pl. Southern New Jersey (Ann. Rep. New Jersey State Mus. 1910), t. 16 (1911).
Britton, Fl. Bermuda, 43 (1918).
flavicomus Michx.
Britton & Brown, Ill. Fl. N. States & Canada, i. 237 (1896).
flavidus Retz.
Journ. Linn. Soc., Bot. xxi. t. 3, fig. 25 (1884).
Lecomte, Fl. Gén. Indo-Chine, vii. 44 (1912).—*Fl.*
flavissimus Schrad.
Schrader in Comm. Soc. Sc. Recent. Göttingen, vii. t. 2 (1832).
fluitans Missb. & E. H. L. Krause
*Sturm, Fl. Deutschl. Ed. 2, ii. t. 8 (1900).
Fontanesii Kunth
*Bertoloni, Misc. Bot. viii. t. 4 (1849).
*Bertoloni in Novi Comm. Acad. Sc. Bonon. ix. t. 35 (1849).
fuscus Linn.
*Fl. Dan. i. t. 179 (1764).
*Krocker, Fl. Siles. i. t. 12 (1787).
Leers, Fl. Herborn. t. 1, fig. 2 (1789).
Hoppe, Ect. Pl. Ratisb. t. 620 (1791).
*Host, Gram. iii. t. 73 (1805).
*Sibthorp & Sm. Fl. Graeca, i. t. 48 (1806).
*Poiteau & Turpin, Fl. Paris, t. 75 (1808).
*Schkuhr, Bot. Handb. Ed. 2, t. 7 (1808).
Dict. Sc. Nat., Planch. Bot. Monocot. t. 12 (1816–29).
*Curtis, Fl. Londin. Ed. 2, iv. t. 85 (1819–21).
*Sturm, Deutschl. Fl. xiii. LII [t. 821] (1828).
*Sowerby & Sm. Engl. Bot. Suppl. i. t. 2626 (1831).
*Zenker, Fl. Thüringen, v. t. 589 (1836–55).
[M. E.] Jackson, Pict. Fl. fig. 70 (1840).
*Deakin, Florigr. Brit. i. fig. 64 (1841).
*Reichenbach, Ic. Fl. Germ. viii. t. 280 (1846).
*Lorek, Fl. Pruss. Ed. 3, t. 11, fig. 59 (1848).
Andersson, Cyperac. Scand. t. 1, fig. 2 (1849).
*Petermann, Deutschl. Fl. t. 92, fig. 730 (1849).
Ettingshausen in Sitzb. Akad. Wiss. Wien, xx. II. t. 3 (1856).—*Veg.*
Johnson & Sowerby, Brit. Wild Fl. fig. 1376 (1858–60).
Bentham, Handb. Brit. Fl. fig. 1068 (1865).
*Syme, Engl. Bot. x. t. 1577 (1870).
Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, v. t. 238, 238 [1873].
Cusin, Herb. Fl. Franç. xxiii (Cypéracées), t. 5 (1874).
De Silvestri, Piante Prat. 18 (1879).
Favart, Flowers & Pl. t. 21 (1880).
*Hogg & Johnson, Wild Fl. Gr. Brit. xi. t. 902 (1880).
*C. Hoffmann, Pflanzenatlas, t. 6, fig. 30 (1881).

CYPERUS
fuscus
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, v. t. 393 (1881).
Wagner, Ill. Deutsche Fl. Ed. 2, p. 772 (1882).
Willkomm, Führ. Reich Pflanzen, 263 (1882).—*Fr.*
*Thomé, Fl. Deutschl. i. t. 100 (1886).
Pflanzenfam. ii. II. 102 (1887).—*Fl.*
Potonié, Ill. Fl. Nord- u. Mittel-Deutschl. Ed. 4, fig. 107 (1889).
Paolucci, Fl. Marchig. t. 5 (1890).
*Masclef, Atlas Pl. France, t. 357 (1893).
Acloque, Fl. France, 652 (1894).
Garcke, Ill. Fl. Deutschl. 622 (1895).
Britton & Brown, Ill. Fl. N. States & Canada, i. 239 (1896); Ed. 2, i. 303 (1913).
Fiori & Paol. Ic. Fl. Ital. 47 (1896).
*Sturm, Fl. Deutschl. Ed. 2, ii. t. 2 (1900).
Husnot, Cypérac. t. 23 (1905–6).
Coste, Fl. France, iii. 461 (1906).
Suireishchikov, Ill. Fl. Mosc. Gov. i. 167 (1906).
Junge in Jahrb. Hamburg. Wissensch. Anstalt. 1907, xxv. Beih. 3, p. 241 (1908).—*Fr.*
Fedtschenko & Fler. Fl. Eur. Russia, 154 (1910).
Heukels, Fl. Nederl. i. 413 (1910).
Lindman, Svensk Fanerogamfl. 109 (1918).—*Fl.*
Fitch & Smith, Ill. Brit. Fl. Ed. rev. 4, Iss. 2, fig. 1084 (1919).
—— **virescens** Hoffm.
*Reichenbach, Ic. Fl. Germ. viii. t. 280 (1846).
Gardneri Nees
C. B. Clarke, Illustr. Cyperac. t. 10 (1909).—*Fl.*
giganteus Vahl
C. B. Clarke, Illustr. Cyperac. t. 20 (1909).
glaber Linn.
Reichenbach, Pl. Crit. iii. t. 204 (1825).
*Sturm, Deutschl. Fl. xiii. LII [t. 822] (1828).
*Reichenbach, Ic. Fl. Germ. viii. t. 280 (1846).
Fiori & Paol. Ic. Fl. Ital. 47 (1896).
Husnot, Cypérac. t. 23 (1905–6).
globosus All.
Reichenbach, Pl. Crit. iii. t. 229 (1825).
*Reichenbach, Ic. Fl. Germ. viii. t. 279 (1846).
Cusin, Herb. Fl. Franç. xxiii (Cypéracées), t. 10 (1874).
*Bicknell, Fl. Pl. Riviera, t. 81 (1885).
Acloque, Fl. France, 652 (1894).
Fiori & Paol. Ic. Fl. Ital. 47 (1896).
Husnot, Cypérac. t. 24 (1905–6).
Coste, Fl. France, iii. 462 (1906).
Koorders, Exkursionsfl. Java, i. 184 (1911).
—— **nilagiricus** Fyson
Fyson, Fl. Nilgiri & Pulney Hill-tops, iii. 547 (1920).
globulosus Aubl.
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, i. 310 (1913).
Britton, Fl. Bermuda, 44 (1918).
glomeratus Linn.
*Host, Gram. iii. t. 71 (1805).
*Sturm, Deutschl. Fl. xiii. LII [t. 827] (1828).
*Reichenbach, Ic. Fl. Germ. viii. t. 284 (1846).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, v. t. 398 (1881).
*Thomé, Fl. Deutschl. i. t. 100 (1886).
Fiori & Paol. Ic. Fl. Ital. 47 (1896).
T. Makino, Glumac. Japon. i. No. I. t. 3 (1901).
Husnot, Cypérac. t. 23 (1905–6).
Wagner, Magyar. Gyomnöv. (Weeds of Hungary), 161 (1908).
gracilis R. Br.
F. M. Bailey, Weeds & Poison. Pl. Queensl. 212 (1906).
grammicus Kunze
*C. Gay, Hist. Chile, Atlas, t. 70 (1854).
Grayi Torr.
*Torrey, Fl. State New York, ii. t. 138 (1843).
Britton & Brown, Ill. Fl. N. States & Canada, i. 246 (1896); Ed. 2, i. 309 (1913).
Stone, Pl. Southern New Jersey (Ann. Rep. New Jersey State Mus. 1910), t. 16 (1911).
Gunnii Hook. f.
*Hooker f., Fl. Tasman. ii. t. 140 (1860).
Guttnicki Tin.
Lojacono-Pojero, Fl. Sic. iii. t. 17 (1909).

CYPERUS
Halei Torr.
Britton & Brown, Ill. Fl. N. States & Canada, i. 241 (1896); Ed. 2, i. 305 (1913).
Hallii Britton
Britton & Brown, Ill. Fl. N. States & Canada, i. 240 (1896); Ed. 2, i. 304 (1913).
haspan Linn.
Rottboell, Descr. Ic. Nov. Pl. t. 6 (1773).
Journ. Linn. Soc., Bot. xxi. t. 3, fig. 23, 24; t. 4, fig. 34 (1884).
Britton & Brown, Ill. Fl. N. States & Canada, i. 239 (1896); Ed. 2, i. 303 (1913).
Lecomte, Fl. Gén. Indo-Chine, vii. 44 (1912).—*Fl.*
Ann. Rep. Smithson. Inst. 1917, t. 5, p. 434 (1918).
Hensii C. B. Clarke
De Wildeman & Durand, Ill. Fl. Congo (Ann. Mus. Congo), i. t. 8 (1898).
hexastychos Rottb.
Rottboell, Descr. Ic. Nov. Pl. t. 14 (1773).
Holoschoenus Missb. & E. H. L. Krause
*Sturm, Fl. Deutschl. Ed. 2, ii. t. 12 (1900).
Houghtonii Torr.
Britton & Brown, Ill. Fl. N. States & Canada, i. 246 (1896); Ed. 2, i. 301 (1913).
hydra Michx.
Elliott, Bot. S.-Carolina & Georgia, i. t. 2 (1816–21).
hystricinus Fernald
Stone, Pl. Southern New Jersey (Ann. Rep. New Jersey State Mus. 1910), t. 16 (1911).
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, i. 308 (1913).
inflexus Muhlenb.
Britton & Brown, Ill. Fl. N. States & Canada, i. 237 (1896); Ed. 2, i. 300 (1913).
F. E. & E. S. Clements, Rocky Mt. Fl. t. 44 (1914).
inundatus Roxb.
Rheede, Hort. Mal. xii. t. 56 (1703); fide Fl. Brit. Ind. v. 607.
Iria Linn.
C. B. Clarke, Illustr. Cyperac. t. 14 (1909).
Lecomte, Fl. Gén. Indo-Chine, vii. 53 (1912).—*Fl.*
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, i. 301 (1913).
Jacquinii Schrad.
Fenzl in Denkschr. Akad. Wiss. Wien, viii. t. 1 (1854).
javanicus Houtt.
*Houttuyn, Handl. Pl. & Kruidk. xiii. t. 88, fig. 1 (1782).
jeminicus Rottb.
Rottboell, Descr. Ic. Nov. Pl. t. 8 (1773).
Journ. Linn. Soc., Bot. xxi. t. 2, fig. 17, 18 (1884).
Journ. of Bot. xxviii. 19 (1890).—*Veg.*
jubiflorus Rudge
Rudge, Pl. Guian. t. 21 (1805).
junciformis Cav.
Cavanilles, Ic. iii. t. 204 (1794).
Desfontaines, Fl. Atlant. i. t. 7 (1798).
junciformis Pax
Pflanzenfam. ii. II. 110 (1887).—*Fl.*
Kallii Murb.
Holmboe, Veg. Cyprus, 257 (1914).
Kurzei C. B. Clarke
Lecomte, Fl. Gén. Indo-Chine, vii. 49 (1912).—*Fl.*
kyllingioides Vahl
Engler & Drude, Veget. Erde, ix. II. 198 (1908).
lacustris Missb. & E. H. L. Krause
*Sturm, Fl. Deutschl. Ed. 2, ii. t. 10 (1900).
laevigatus Linn.
Rottboell, Descr. Ic. Nov. Pl. t. 16 (1773).
Journ. Linn. Soc., Bot. xxi. t. 3, fig. 20, 21; t. 4, fig. 33 (1884).
Fiori & Paol. Ic. Fl. Ital. 46 (1896).
Post, Fl. Syria, Palestine & Sinai, 828 [1896].—*Fl.*
Husnot, Cypérac. t. 24 (1905–6).
lancastriensis Porter
Britton & Brown, Ill. Fl. N. States & Canada, i. 244 (1896); Ed. 2, i. 307 (1913).
Stone, Pl. Southern New Jersey (Ann. Rep. New Jersey State Mus. 1910), t. 16 (1911).

CYPERUS
latifolius Poir.
Journ. Ecol. ii. t. 27 (1914).—*Hab.*
laxus Lam.
Gard. Chron. ii. 99 (1874); Ser. III. xiii. 41 (1892).
—— **variegatus** Hort.
*Floral Mag. N. Ser. 1881, t. 470.
*Ill. Gartenzeit. Stuttgart, xxvi. t. 4 (1882).
lenticularis Boeck.
Pflanzenfam. ii. II. 108 (1887).
lentiginosus Millsp. & Chase
Publ. Field Col. Mus., Bot. Ser. III. i. 75 (1903).
leucocephalus Retz.
Crevost & Lemarié, Cat. Prod. Indochine, i. 412 (1917).
ligularis Linn.
Rottboell, Descr. Ic. Nov. Pl. t. 11 (1773).
Publ. Field Col. Mus., Bot. Ser. II. ii. 120 (1900); III. i. 72 (1903).—*Fr.*
Bull. Herb. Boiss. Ser. II. i. t. 6 (1901).—*Hab.*
limbatus Maury
Maury in Mém. Soc. Phys. Genève, xxxi. t. 37 (1889).
longispicatus Norton
Trans. Acad. Sc. St. Louis, xii. t. 5 (1902).
Amer. Plants, iii. t. 19 (1910).
longus Linn.
Garsault, Descr. Pl. & Anim. i. t. 13 A (1767); fide Thellung.
*Regnault, Bot. iii. 25 (1774).
*Jacquin, Ic. Pl. Rar. ii. t. 297 (1786–93).
*Plenck, Ic. Pl. Med. i. t. 39 (1788).
*Sowerby & Sm. Engl. Bot. xix. t. 1309 (1804).
*Host, Gram. iii. t. 76 (1805).
*Roques, Pl. Usuell. Indig. & Exot. ii. t. 44 (1808).
*Jaume St.-Hilaire, Pl. France, iv [t. 51] (1809).
Ann. Mus. Hist. Nat. Paris, xvi. 433, t. 16 (1810).—*Fr.*
*Tenore, Fl. Nap., Atlas, v. t. 208 (1811–38).
*Hill, Family Herbal, t. 15 (1812).
Thornton, Brit. Fl. i. 51 (1812).
*Vigneux, Fl. Pitt. Envir. Paris, t. 3 (1812).
*Oskamp, Afb. Artseny-Gewass. vii. t. 52 (1813).
*Vietz, Ic. Pl. Med.-oec.-techn. vi. t. 465 (1817).
*Sturm, Deutschl. Fl. xiii. LII [t. 826] (1828).
Meigen, Deutschl. Fl. i. t. 14 (1836).—*Fl.*
[M. E.] Jackson, Pict. Fl. fig. 69 (1840).
*Deakin, Florigr. Brit. i. fig. 63 (1841).
*Baxter, Brit. Bot. Ed. 2, vi. t. 452 (1843).
*Reichenbach, Ic. Fl. Germ. viii. t. 282 (1846).
Johnson & Sowerby, Brit. Wild Fl. fig. 1375 (1858–60).
Bentham, Handb. Brit. Fl. fig. 1067 (1865).
Cesati, Passer. & Gibelli, Comp. Fl. Ital. t. 12 (1867–86).—*Fl.*
Le Maout & Decaisne, Traité Gén. Bot. 602 (1868).—*Fl.*
*Syme, Engl. Bot. x. t. 1578 (1870).
Cusin, Herb. Fl. Franç. xxiii (Cypéracées), t. 1 (1874).
De Silvestri, Piante Prat. 16 (1879).
*Hogg & Johnson, Wild Fl. Gr. Brit. xi. t. 902 (1880).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, v. t. 396 (1881).
Wagner, Ill. Deutsche Fl. Ed. 2, p. 772 (1882).
Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, v. t. 238, 238 [1883].
Journ. Linn. Soc., Bot. xxi. t. 2, fig. 14 (1884).
Pflanzenfam. ii. II. 110 (1887).
Paolucci, Fl. Marchig. t. 5 (1890).
Baillon, Hist. Pl. xii. 335 (1894).—*Fl.*
Fiori & Paol. Ic. Fl. Ital. 48 (1896).
Edmonds & Marloth, Elem. Bot. S. Africa, 182 (1897).—*Fl.*
*Sturm, Fl. Deutschl. Ed. 2, ii. t. 3 (1900).
Husnot, Cypérac. t. 22 (1905–6).
Coste, Fl. France, iii. 463 (1906).
Merino, Fl. Galicia, iii. 198 (1909).
Beille, Bot. Pharm. ii. 37 (1909).—*Fl.*
Fedtschenko & Fler. Fl. Eur. Russia, 155 (1910).
Silva Tarouca, Freiland-Stauden, 75 (1910).—*Hab.*

CYPERUS
longus
*Horwood, Brit. Wild Fl. v. t. 54, p. 51 (1919).
Fitch & Smith, Ill. Brit. Fl. Ed. rev. 4, Iss. 2, fig. 1083 (1919).
lucidulus C. B. Clarke
Journ. Linn. Soc., Bot. xxi. t. 3, fig. 28 (1884).
Luzulae Rottb.
Rottboell, Descr. Ic. Nov. Pl. t. 13 (1773).
malaccensis Lam.
Rheede, Hort. Mal. xii. t. 50 (1703); fide Fl. Brit. Ind. vi. 609.
W. H. Brown in Bull. Philip. Isl. Dep. Agric. Bur. Forestry, No. 19, t. 13, 14 (1919); No. 22, p. 349, 350, t. 13, 14 (1920).
mapanioides C. B. Clarke
De Wildeman & Durand, Ill. Fl. Congo (Ann. Mus. Congo), i. t. 24 (1898).
Mariscus Nees
Cusin, Herb. Fl. Franç. xxiii (Cypéracées), t. 14 (1874).
maritimus Missb. & E. H. L. Krause
*Sturm, Fl. Deutschl. Ed. 2, ii. t. 12 (1900).
mediorubescens Hayata
Hayata, Ic. Pl. Formosan. vi. 106 (1916).—*Fl.*
melanorrhizus Del.
*Moggridge, Fl. Mentone, t. 97 (1871).
Michauxianus Schult.
Publ. Field Columbian Mus., Bot. Ser. II. ii. 123 (1900); III. i. 74 (1903).—*Fr.*
Michelianus Del.
*Sturm, Fl. Deutschl. Ed. 2, ii. t. 2 (1900).
microdontus Torr.
Britton & Brown, Ill. Fl. N. States & Canada, i. 237 (1896); Ed. 2, i. 299 (1913).
monostachyus Linn.
Rottboell, Descr. Ic. Nov. Pl. t. 13 (1773).
Montii Linn. f.
*Host, Gram. iv. t. 67 (1809).
*Sturm, Deutschl. Fl. xiii. LII [t. 825] (1828).
Meyer in Mém. Prés. Acad. Sc. Pétersb. Sav. Étrang. i. III & IV. t. 3 (1830).—*Fl.*
*Reichenbach, Ic. Fl. Germ. viii. t. 279 (1846).
Cusin, Herb. Fl. Franç. xxiii (Cypéracées), t. 8 (1874).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, v. t. 397 (1881).
Journ. Linn. Soc., Bot. xxi. t. 3, fig. 29 (1884).
mucronatus Rottb.
Rottboell, Descr. Ic. Nov. Pl. t. 8 (1773).
*Sibthorp & Sm. Fl. Graeca, i. t. 49 (1806).
*Reichenbach, Ic. Fl. Germ. viii. t. 278 (1846).
*Sturm, Fl. Deutschl. Ed. 2, ii. t. 9 (1900).
multicaulis Missb. & E. H. L. Krause
*Sturm, Fl. Deutschl. Ed. 2, ii. t. 5 (1900).
multispicatus Boeck.
C. B. Clarke, Illustr. Cyperac. t. 13 (1909).
myriostachyus Ten.
*Tenore, Fl. Nap., Atlas, v. t. 207, 208 (1811–38).
niloticus Forsk.
*P. Beauvais, Fl. Oware & Benin, t. 97 (1818).
niveus Retz.
Collett, Fl. Siml. 556 (1902).
C. B. Clarke, Illustr. Cyperac. t. 7 (1909).
nudicaulis Poir.
C. B. Clarke, Illustr. Cyperac. t. 7 (1909).
nutans Vahl
*Useful Pl. Jap. ii. t. 340 (1895).
Bull. Écon. Indo-Chine, N. Ser. cxlii. 420 (1920).
Nuttallii Eddy
*Torrey, Fl. State New York, ii. t. 135 (1843).
Britton & Brown, Ill. Fl. N. States & Canada, i. 236 (1896).
Stone, Pl. Southern New Jersey (Ann. Rep. New Jersey State Mus. 1910), t. 16 (1911).
obtusiflorus Vahl
Marloth, Fl. S. Africa, iv. t. 9 (1915).
ochraceus Vahl
Publ. Field Columbian Mus., Bot. Ser. II. ii. 119 (1900); III. i. 69 (1903).—*Fr.*
C. B. Clarke, Illustr. Cyperac. t. 11 (1909).
ochrocephalus C. B. Clarke
C. B. Clarke, Illustr. Cyperac. t. 8 (1909).
odoratus Linn.
N. L. Burman, Fl. Ind. t. 8 (1768).

CYPERUS
officinalis Nees
*Nees, Pl. Offic. i. t. 25 (1828).
olivaris Targ.-Tozz.
*Reichenbach, Ic. Fl. Germ. viii. t. 281 (1846).
Cusin, Herb. Fl. Franç. xxiii (Cypéracées), t. 3 (1874).
olivetorum Murb.
Murbeck, Contr. Fl. N.-Ouest Afriq. iii. t. 12, 25 (1899).
ornans J. V. Suring.
Nova Guinea, viii. t. 113 (1912).
ovatus Missb. & E. H. L. Krause
*Sturm, Fl. Deutschl. Ed. 2, ii. t. 5 (1900).
ovularis Torr.
Bull. Torr. Bot. Club, vii. t. 3 (1880).
Britton & Brown, Ill. Fl. N. States & Canada, i. 245 (1896); Ed. 2, i. 308 (1913).
Stone, Pl. Southern New Jersey (Ann. Rep. New Jersey State Mus. 1910), t. 16 (1911).
pallescens Desf.
Desfontaines, Fl. Atlant. i. t. 9 (1798).
paluster Missb. & E. H. L. Krause
*Sturm, Fl. Deutschl. Ed. 2, ii. t. 4 (1900).
paniculatus Rottb.
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, i. 299 (1913).
Britton, Fl. Bermuda, 43 (1918).
pannonicus Jacq.
*Jacquin, Fl. Austr. v. App. t. 6 (1778).
*Host, Gram. iii. t. 70 (1805).
*Sturm, Deutschl. Fl. xiii. LII [t. 823] (1828).
*Reichenbach, Ic. Fl. Germ. viii. t. 278 (1846).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, v. t. 392 (1881).
Willkomm, Führ. Reich Pflanzen, 263 (1882).
Papyrus Linn.
Bruce, Voy. Sources Nil, xiii. t. 1 (1792).
Cirillo, Papyrus, t. 1, 2 (1796).
Henckel v. Donnersmark, Adumbr. Pl. tab. (1806).
*Trattinick, Ausg. Taf. Arch. ii. t. 132 a, 132 b (1813).
Trattinick, Arch. ii. t. 182 (2 fol.) (1814).
Mirbel, Élém. Phys. Vég. Bot. iii. t. 6, fig. 5 (1815).—*Hab.*
*Vietz, Ic. Pl. Med.-oec.-techn. Suppl. t. 28 (1822).
Meyer in Mém. Prés. Acad. Sc. Pétersb. Sav. Étrang. i. III & IV. t. 3 (1830).—*Fl.*
Mém. Prés. Savans Acad. Paris, xii. t. 2 (1854).
Neubert's Deutsch. Gart. Mag. xi. 113 (1858).
Garden, v. 504 (1874).
Gard. Chron. iii. 81 (1875).—*Hab.*
Pouchet, The Universe, Ed. 5, p. 267 (1877).—*Hab.*
Schilling, Grundr. Naturg. ii. Pflanzenr. Augsb. A, p. 76 (1882); Ausgb. B, p. 131 (1884).—*Hab.*
Baillon, Dict. Bot. ii. 333 (1883).—*Hab.*
Pflanzenfam. ii. II. 108 (1887).—*Hab.*
Brehm, Merv. Nat. Monde des Pl. ii. 669 (1894–96).—*Hab.*
Fiori & Paol. Ic. Fl. Ital. 48 (1896).
Mönkemeyer, Sumpf- und Wasserpfl. 62 (1897).—*Hab.*
Kronfeld, Atlas Pflanzengeogr. 137 (1899).—*Hab.*
Bull. Soc. Hist. Nat. Autun, xiii. II. t. 5–7 (1900).
H. H. Johnston, Uganda, i. 107, 351 (1902).—*Hab.*
Rev. Hort. 1902, p. 39.—*Hab.*
Lazaro, Comp. Fl. Españ. i. 648 (1906).—*Hab.*
Bisset, Book Water Garden, 102 (1907).—*Hab.*
Temple, Fl. & Trees Palestine, frontisp. (1907).—*Hab.*
Engler & Drude, Veget. Erde, ix. II. t. 9 (1908).—*Hab.*
Gubb, Fl. Algeria, t. 88 (1909).
Karsten & Schenck, Veg.-Bild. vii. t. 28 (1909); xii. t. 6 (1914); xiii. t. 10 (1915).—*Hab.*
L. Reinhardt, Kulturgesch. Nutzpfl. (Erde und Kultur), iv. I. t. 50; II. t. 97 (1911).—*Hab.*
Crisp, Guide Friar Park, 130 (1914).
Parishii Britton
Amer. Plants, iii. t. 39 (1910).
Parlatorei Lojac.-Poj.
Lojacono-Pojero, Fl. Sic. iii. t. 12 (1909).

CYPERUS
parvulus Missb. & E. H. L. Krause
*Sturm, Fl. Deutschl. Ed. 2, ii. t. 7 (1900).
patulus Kit.
*Host, Gram. iii. t. 74 (1805).
pauciflorus Missb. & E. H. L. Krause
*Sturm, Fl. Deutschl. Ed. 2, ii. t. 7 (1900).
pedunculosus longebracteatus Dom.
Domin in Bibl. Bot. xx. 425 (1915).
pennatus Lam.
Bryan, Nat. Hist. Hawaii, t. 54, fig. 4 (1915).
pes-avium Bert.
*Bertoloni in Novi Comm. Acad. Sc. Bonon. ix. t. 34 (1849).
*Bertoloni, Misc. Bot. viii. t. 3 (1849).
phymatodes Muhlenb.
Amer. Journ. Sc. Ser. IV. xviii. 302 (1904).
pictus Ten.
*Tenore, Fl. Nap., Atlas, v. t. 211 (1811–38).
pilosus Vahl
Koorders, Exkursionsfl. Java, i. 184 (1911).
Lecomte, Fl. Gén. Indo-Chine, vii. 53 (1912).—*Fl.*
Crevost & Lemarié, Cat. Prod. Indochine, i. 413 (1917).
planifolius Rich.
Publ. Field Columbian Mus., Bot. Ser. II. ii. 122 (1900).—*Fr.*
platyphyllus Roem. & Schult.
Journ. Linn. Soc., Bot. xxi. t. 4, fig. 32 (1884).
C. B. Clarke, Illustr. Cyperac. t. 20 (1909).—*Fl.*
platystylis R. Br.
Journ. Linn. Soc., Bot. xxi. t. 1, fig. 7–9 (1884).
podocarpus Boeck.
C. B. Clarke, Illustr. Cyperac. t. 10 (1909).
polycephalus Schrank
*Schrank, Pl. Rar. Hort. Monac. ii. t. 86 (1819).
polystachyus Rottb.
Rottboell, Descr. Ic. Nov. Pl. t. 11 (1773).
Journ. Linn. Soc., Bot. xxi. t. 3, fig. 27 (1884).
Fiori & Paol. Ic. Fl. Ital. 47 (1896).
F. M. Bailey, Weeds & Poison. Pl. Queensland, 212 (1906).
Holtermann, Einfl. Klimas, t. 11, fig. 53, b (1907).
princeps Kunth
Wettstein, Veg. Südbras. t. 13 (1904).—*Hab.*
procerus Rottb.
Rottboell, Descr. Ic. Nov. Pl. t. 5 (1773).
prolixus H. B. K.
Fenzl in Denkschr. Akad. Wiss. Wien, viii. t. 2 (1854).
prostratus Steud.
Ortega, Nov. Rar. Pl. Hort. Reg. Bot. Matrit. Dec. t. 14 (1800).
proteinolepis Steud.
Murbeck, Contr. Fl. N.-Ouest Afriq. t. 12 (1899).—*Fl.*
protractus Del.
Delile, Fl. Égypte, t. 5 (1812).
pseudovegetus Steud.
Britton & Brown, Ill. Fl. N. States & Canada, i. 238 (1896); Ed. 2, i. 302 (1913).
Stone, Pl. Southern New Jersey (Ann. Rep. New Jersey State Mus. 1910), t. 16 (1911).
pubisquamus Steud.
Lecomte, Fl. Gén. Indo-Chine, vii. 49 (1912).—*Fl.*
pulcherrimus Willd.
C. B. Clarke, Illustr. Cyperac. t. 10 (1909).
pumilus Linn.
Rottboell, Descr. Ic. Nov. Pl. t. 9 (1773).
Gaertner, Fruct. i. t. 2 (1788).—*Fr.*
F. M. Bailey, Compr. Cat. Queensl. Pl. 590 (1909–13).
puncticulatus Vahl
Journ. Linn. Soc., Bot. t. 4, fig. 30 (1884).
pungens Missb. & E. H. L. Krause
*Sturm, Fl. Deutschl. Ed. 2, ii. t. 11 (1900).
pygmaeus Rottb.
Rottboell, Descr. Ic. Nov. Pl. t. 14 (1773).
An. Cienc. Nat. Madrid, iii. t. 26 (1801).
Cavanilles, Ic. vi. t. 588 (1801).
Journ. Linn. Soc., Bot. xxi. t. 2, fig. 10 (1884).—*Fr.*

CYPERUS
radiatus Vahl
Lecomte, Fl. Gén. Indo-Chine, vii. 73 (1912). —*Fl.*
radicans Missb. & E. H. L. Krause
*Sturm, Fl. Deutschl. Ed. 2, ii. t. 13 (1900).
radicosus Sibth. & Sm.
*Sibthorp & Sm. Fl. Graeca, i. t. 45 (1806).
*Reichenbach, Ic. Fl. Germ. viii. t. 281 (1846).
redolens Maury
Maury in Mém. Soc. Phys. Genève, xxxi. t. 36 a (1889).
reduncus Hochst.
C. B. Clarke, Illustr. Cyperac. t. 9 (1909).
refractus Engelm.
Britton & Brown, Ill. Fl. N. States & Canada, i. 244 (1896); Ed. 2, i. 307 (1913).
repens Ell.
*Torrey, Fl. State New York, ii. t. 137 (1843).
retrofractus Torr.
Britton & Brown, Ill. Fl. N. States & Canada, i. 244 (1896); Ed. 2, i. 307 (1913).
rivularis Kunth
Britton & Brown, Ill. Fl. N. States & Canada, i. 236 (1896); Ed. 2, i. 298 (1913).
Stone, Pl. Southern New Jersey (Ann. Rep. New Jersey State Mus. 1910), t. 16 (1911).
rotundus Linn.
Rumphius, Herb. Amboin. vi. t. 1, fig. 1 (1750); fide Merrill, Interpret. Rumph. Herb. Amboin.
Garsault, Descr. Pl. & Anim. i. t. 13 B (1767); fide Thellung.
*Nees, Pl. Offic. i. t. 25 (1828).
Irvine, Illustr. Handb. Brit. Pl. 239 (1858); errore *C. rotundatus*.
Journ. Linn. Soc., Bot. xxi. t. 2, fig. 16 (1884).
Symonds, Ind. Grasses, Ed. 2, t. 66 (1886).
Rep. Commissioner Agric. Washington, 1887, p. 320, t. 13 (1888).
U.S. Dep. Agric. Div. Bot. Circ. No. 2-B, p. 1 (1894).
*Useful Pl. Jap. 121 (1895) in textu; *C. esculentus* in ic. ii. t. 470.
Britton & Brown, Ill. Fl. N. States & Canada, i. 240 (1896); Ed. 2, i. 304 (1913).
Fiori & Paol. Ic. Fl. Ital. 47 (1896).
Agric. Gaz. N. S. Wales, ix. 1371, 1374 (1898).
Journ. Agric. S. Australia, iii. 429 (1899); errore *C. rotundatus*.
New Zeal. Dep. Agric. Rep. No. 7, p. 224 (1899); errore *C. rotundatus*.
Queensland Agric. Journ. v. t. 145, 146 (1899).—*Hab.*
Journ. Dep. Agric. W. Australia, iii. 33 (1901); xi. 156 (1905).
Publ. Field Columbian Mus., Bot. Ser. III. i. 71 (1903).—*Fr.*
Husnot, Cypérac. t. 23 (1905–6).
F. M. Bailey, Weeds & Poison. Pl. Queensland, 212 (1906).
Coste, Fl. France, iii. 462 (1906).
*Journ. Dep. Agric. Victoria, iv. t. 7, p. 736 (1906).
Black, Nat. Fl. S. Australia, 154 (1909).
*Ewart & Tovey, Weeds, Poison. Pl. & Nat. Aliens Victoria, 62 (1909).
A. Georgia, Manual Weeds, t. 34 (1914).
Fedtschenko, Veg. Turkest. 158 (1915).
Trotter, Fl. Econ. della Libia, 97 (1915).
Crevost & Lemarié, Cat. Prod. Indochine, i. 413 (1917).
Basu, Ind. Med. Pl. t. 1011 (1918).
Britton, Fl. Bermuda, 45 (1918).
—— **hydra** McCarthy
McCarthy in Bull. N. Carolina Agric. St. No. 70, t. 2 (1890).
rubicundus Vahl
Webb & Berth. Hist. Nat. Iles Canar. iii. Phytogr. III. t. 240 (1836–50).
rufus Missb. & E. H. L. Krause
*Sturm, Fl. Deutschl. Ed. 2, ii. t. 14 (1900).
sabulosus Mart. & Schrad.
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, i. 300 (1913).
sanguineo-fuscus Nees
*Hooker f., Fl. Tasman. ii. t. 139 (1860).

CYPERUS
Santonici Rottb.
Rottboell, Descr. Ic. Nov. Pl. t. 9 (1773).
scariosus R. Br.
Journ. Linn. Soc., Bot. xxi. t. 3, fig. 22 (1884).
C. B. Clarke, Illustr. Cyperac. t. 16 (1909).
Basu, Ind. Med. Pl. t. 1010 (1918).
schoenoides Griseb.
Cusin, Herb. Fl. Franç. xxiii (Cypéracées), t. 6 (1874).
*Bicknell, Fl. Pl. Riviera, t. 81 (1885).
Husnot, Cypérac. t. 24 (1905–6).
Coste, Fl. France, iii. 462 (1906).
Schweinitzii Torr.
Britton & Brown, Ill. Fl. N. States & Canada, i. 238 (1896); Ed. 2, i. 301 (1913).
Weaver in Carnegie Inst. Washington, Publ. No. 292, t. 13 (1920).—*Veg.*
scopellatus Rich.
Vahl, Ic. Pl. Amer. ii. t. 12 (1799).
serotinus Rottb.
Fiori & Paol. Ic. Fl. Ital. 46 (1896).
Husnot, Cypérac. t. 24 (1905–6).
Coste, Fl. France, iii. 463 (1906).
setaceus Missb. & E. H. L. Krause
*Sturm, Fl. Deutschl. Ed. 2, ii. t. 8 (1900).
setigerus Torr. & Hook.
C. B. Clarke, Illustr. Cyperac. t. 19 (1909).
silvaticus Missb. & E. H. L. Krause
*Sturm, Fl. Deutschl. Ed. 2, ii. t. 13 (1900).
silvicola Ridley
Bol. Soc. Brot. v. t. F (1887).
simplex H. B. K.
Presl, Reliq. Haenk. t. 31, fig. 1 (1828).
sinensis Debeaux
Debeaux in Act. Soc. Linn. Bordeaux, xxxi. t. 2, p. 387, t. 12 (1877).
Lecomte, Fl. Gén. Indo-Chine, vii. 53 (1912). —*Fl.*
speciosus Vahl
Britton & Brown, Ill. Fl. N. States & Canada, i. 242 (1896); Ed. 2, i. 305 (1913).
Stone, Pl. Southern New Jersey (Ann. Rep. New Jersey State Mus. 1910), t. 16 (1911).
Britton, Fl. Bermuda, 44 (1918).
Ann. Rep. Smithson. Inst. 1917, t. 5, p. 434 (1918).
sphaerocephalus Vahl
Trans. Linn. Soc. London, xxix. t. 108 (1875).
squarrosus Linn.
Rottboell, Descr. Ic. Nov. Pl. t. 6 (1773).
stellatus Rudge
Rudge, Pl. Guian. t. 20 (1805).
stenophyllus J. V. Suring.
Nova Guinea, viii. t. 114 (1912).
stoloniferus Retz.
C. B. Clarke, Illustr. Cyperac. t. 19 (1909).
strigosus Linn.
Rottboell, Descr. Ic. Nov. Pl. t. 11 (1773).
Meyer in Mém. Prés. Acad. Sc. Pétersb. Sav. Étrang. i. III & IV. t. 3 (1830).
*Torrey, Fl. State New York, ii. t. 136 (1843).
Britton & Brown, Ill. Fl. N. States & Canada, i. 243 (1896); Ed. 2, i. 306 (1913).
Stone, Pl. Southern New Jersey (Ann. Rep. New Jersey State Mus. 1910), t. 16 (1911).
A. Georgia, Manual Weeds, t. 36 (1914).
subfuscus Debeaux
Debeaux in Act. Soc. Linn. Bordeaux, xxxi. t. 3 (1877).
subulatus R. Br.
C. B. Clarke, Illustr. Cyperac. t. 17 (1909).
supinus Missb. & E. H. L. Krause
*Sturm, Fl. Deutschl. Ed. 2, ii. t. 9 (1900).
surinamensis Rottb.
Rottboell, Descr. Ic. Nov. Pl. t. 6 (1773).
syriacus Parl.
Mém. Prés. Savans Acad. Paris, xii. t. 1 (1854).
Garden, v. 504, 505 (1874).
tegetiformis Roxb.
Bull. Écon. Indo-Chine, N. Ser. cxlii. 420 (1920).
tegetum Roxb.
Journ. Linn. Soc., Bot. xxi. t. 2, fig. 19 (1884).
C. B. Clarke, Illustr. Cyperac. t. 17 (1909).—*Fl.*
Tenorei Presl
*Reichenbach, Ic. Fl. Germ. viii. t. 281 (1846).

CYPERUS
tenuiflorus Rottb.
Rottboell, Descr. Ic. Nov. Pl. t. 14 (1773).
*Jacquin, Ic. Pl. Rar. ii. t. 296 (1786–93).
*Tenore, Fl. Nap., Atlas, v. t. 208 (1811–38).
tetrastachyos Desf.
Desfontaines, Fl. Atlant. i. t. 8 (1798).
textilis Thunb.
Deutsch. Tiefsee-Exped. 1898–99, ii. III. 84 (1908).—*Hab.*
Marloth, Fl. S. Africa, iv. 40, t. 9 (1915).
thermalis Dumort.
Nees, Gen. Pl., Monocot. ii. t. 21 (1836).
Schnizlein, Iconogr. i. t. 43 a (1845).
*Reichenbach, Ic. Fl. Germ. viii. t. 283 (1846).
Thomsonii Boeck.
C. B. Clarke, Illustr. Cyperac. t. 14 (1909).
Lecomte, Fl. Gén. Indo-Chine, vii. 65 (1912). —*Fl.*
tonkinensis C. B. Clarke
C. B. Clarke, Illustr. Cyperac. t. 18 (1909).
Torreyi Britton
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, i. 308 (1913).
tria Coldstr.
Coldstream, Grasses Punjab, t. 38 (1889).
trinervis R. Br.
C. B. Clarke, Illustr. Cyperac. t. 9 (1909).
triqueter Missb. & E. H. L. Krause
*Sturm, Fl. Deutschl. Ed. 2, ii. t. 11 (1900).
tuberosus Rottb.
Rottboell, Descr. Ic. Nov. Pl. t. 7 (1773).
turfosus Salzm.
Bull. Soc. Bot. France, xli. t. 4 (1894).
turgidulus C. B. Clarke
C. B. Clarke, Illustr. Cyperac. t. 13 (1909).
umbellatus N. L. Burm.
N. L. Burman, Fl. Ind. t. 9 (1768).
umbellatus Benth.
F. M. Bailey, Weeds & Poison. Pl. Queensl. 215 (1906).
uncinatus Poir.
Publ. Field Columbian Mus., Bot. Ser. III. i. 68 (1903).—*Fr.*
Lecomte, Fl. Gén. Indo-Chine, vii. 44 (1912). —*Fl.*
uniglumis Missb. & E. H. L. Krause
*Sturm, Fl. Deutschl. Ed. 2, ii. t. 4 (1900).
usitatus Burch.
C. B. Clarke, Illustr. Cyperac. t. 16 (1909).
Marloth, Fl. S. Africa, iv. t. 9 (1915).
ustulatus A. Rich.
A. Richard, Voy. Astrolabe, Bot. Atlas, Essai Fl. Nouv.-Zél. t. 17 (1833).
vegetus Willd.
Meyer in Mém. Prés. Acad. Sc. Pétersb. Sav. Étrang. i. III & IV. t. 3 (1830).
Cusin, Herb. Fl. Franç. xxiii (Cypéracées), t. 7 (1874).
Husnot, Cypérac. t. 23 (1905–6).
Coste, Fl. France, iii. 463 (1906).
Holm, Ottawa Naturalist, xxii. No. 9, t. 4 (1908).—*Veg.*
virens Michx.
Publ. Field Columbian Mus., Bot. Ser. II. ii. 118 (1900).—*Fr.*
virescens Hoffm.
*Zenker, Fl. Thüringen, v. t. 589 (1836–55).
viscosus Sw.
*Jacquin, Ic. Pl. Rar. ii. t. 295 (1786–93).
×**Weatherbyanus** Fernald
Rhodora, xx. t. 125 (1918).
Zollingeri Steud.
C. B. Clarke, Illustr. Cyperac. t. 18 (1909).
Lecomte, Fl. Gén. Indo-Chine, vii. 65 (1912).—*Fl.*

CYPHANTHERA Miers: *Anthocercis*
albicans Miers
Miers, Ill. S. Amer. Pl. ii. t. 84 (1849–57).
cuneata Miers
Miers, Ill. S. Amer. Pl. ii. t. 84 (1849–57).
frondosa Miers
Miers, Ill. S. Amer. Pl. ii. t. 84 (1849–57).
microphylla Miers
Miers, Ill. S. Amer. Pl. ii. t. 85 (1849–57).

CYPHANTHERA
ovalifolia Miers
Miers, Ill. S. Amer. Pl. ii. t. 85 (1849–57).
scabrella Miers
Miers, Ill. S. Amer. Pl. ii. t. 85 (1849–57).
tasmanica Miers
Miers, Ill. S. Amer. Pl. ii. t. 84 (1849–57).
tomentosa Miers
Miers, Ill. S. Amer. Pl. ii. t. 85 (1849–57).

CYPHIA Berg.
bulbosa Berg.
Burman, Rar. Afr. Pl. t. 38, fig. 2 (1738); fide Fl. Cap.
Schnizlein, Iconogr. ii. t. 123* (1856–65).—*Veg.*
corylifolia Harv.
Harvey, Thes. Cap. ii. t. 161 (1863).
Pflanzenfam. iv. v. 62 (1889).
elata Harv.
Harvey, Thes. Cap. ii. t. 160 (1863).
erecta De Wild.
De Wildeman, Études Fl. Katanga (Ann. Mus. Congo), i. t. 38 (1903).
glandulifera Hochst.
A. Richard, Tent. Fl. Abyssin. Atlas, t. 64 [1851].
Schnizlein, Iconogr. ii. t. 123* (1856–65).
persicifolia Presl
Harvey, Thes. Cap. ii. t. 159 (1863).
Phyteuma Willd.
*Bot. Reg. viii. t. 625 (1822).
*Géel, Sert. Bot. Cl. 5 (1828).
silvatica Eckl. & Zeyh.
Baillon, Hist. Pl. viii. 336 (1886).—*Fl.*
volubilis Willd.
Trans. S. African Phil. Soc. vi. 1. 1889–90, tab. (1890).—*Fl.*
Zeyheriana Presl
Stoneman, Plants & their Ways, S. Africa, Ed. 2, p. 366 (1915).

CYPHOCARPA Lopr.
Wilmsii Lopr.
Engl. Jahrb. xxvii. t. 1 (1899).—*Fl.*
Urban & Graebn. Festschr. Aschers. 416 (1904). —*Fl.*
Borzi, Contrib. Biol. Veg. iii. III. t. 17, fig. 8 (1905).—*Fl.*

CYPHOCARPUS Miers
rigescens Miers
Miers, Ill. S. Amer. Pl. i. t. 27 (1850).
*C. Gay, Hist. Chile, Atlas, t. 50 (1854).
Schnizlein, Iconogr. ii. t. 123* (1856–65).

CYPHOKENTIA Brongn.—Vide *Cyphosperma*
robusta Brongn.
*Ill. Hort. xxvi. t. 339 (1879).
samoënsis Warb.
Engl. Jahrb. xxv. 589 (1898).

CYPHOLOPHUS Wedd.
macrocephalus Wedd.
Arch. Mus. Hist. Nat. Paris, ix. t. 12 (1856–57).
Vidal, Sin. Fam. & Gen. Pl. Leñ. Filip. (Introd. Fl. For. Filip.), Atlas, t. 89, fig. B (1883).—*Fl.*

CYPHOMANDRA Mart.—Vide *Pionandra*
betacea Sendtn.
Flora, xxviii. t. 1, fig. 6 (1845).
Gard. Chron. Ser. III. i. 383 (1887); xxv. 105 (1899); xlviii. 292 (1910).
Kew Bull. 1887, p. 3.
Journ. Hort. Ser. III. xx. 15 (1890); xxxi. 470 (1895).—*Fr.*
Agric. Gaz. N. S. Wales, v. 217 (1894).
*Bot. Mag. cxxv. t. 7682 (1899).
Garden, lviii. 436 (1900).
L. H. Bailey, Cycl. Amer. Hort. 430 (1900); Stand. Cycl. Hort. 942 (1914).
Trop. Agric. xxv. No. 3, p. 490 (1905); xxxiii. No. 2, p. 120 (1909).
H. F. Macmillan, Handb. Trop. Garden. & Plant. 177 (1910).—*Hab.*
W. Popenoe, Manual Tropical & Subtropical Fr. 453 (1920).
brachypodia Sendtn.
Flora, xxviii. t. 1, fig. 5 (1845).—*Fl.*

CYPHOMANDRA
calycina Sendtn.
Flora, xxviii. t. 1, fig. 1 (1845).—*Fl.*
caracasana Sendtn.
Flora, xxviii. t. 1, fig. 2 (1845).—*Fl.*
corymbiflora Sendtn.
Flora, xxviii. t. 1, fig. 8 (1845).—*Fl.*
dendroidea Pittier
Contrib. U.S. Nat. Herb. xiii. 116 (1910).—*Fl.*
diploconos Sendtn.
Flora, xxviii. t. 1, fig. 3 (1845).—*Fl.*
divaricata Sendtn.
Flora, xxviii. t. 1, fig. 9 (1845).—*Fl.*
floribunda Dun.
Pflanzenfam. iv. III. B. 26 (1891).
naranjilla Pittier
Contrib. U.S. Nat. Herb. xiii. t. 17, p. 117 (1910).
pendula Sendtn.
Flora, xxviii. t. 1, fig. 7 (1845).—*Fl.*
pinnata Wagn.
Ann. Nat. Hofm. Wien, xxxi. 155 (1917).
sciadostylis Sendtn.
Flora, xxviii. t. 1, fig. 4 (1845).—*Fl.*
Mart. Fl. Bras. x. t. 16 (1846).
Pflanzenfam. iv. III. B. 26 (1891).—*Fl.*
sycocarpa Sendtn.
Mart. Fl. Bras. x. t. 15 (1846).
velutina Sendtn.
Mart. Fl. Bras. x. t. 17 (1846).
Moreira in Arch. Mus. Nac. Rio Janeiro, iv. t. 1 (1881).

CYPHOSPERMA H. Wendl.: *Cyphokentia*
tete Becc.
Webbia, iii. 138 (1905).—*Fr.*
Thurstonii Becc.
Webbia, iv. 273 (1914).—*Fr.*

CYPHOSTIGMA Benth.
diphyllum K. Schum.
Pflanzenreich, Zingiberac. 89 (1904).
exertum Scort.
Nuov. Giorn. Bot. Ital. xviii. t. 13 (1886).
pulchellum Benth.
Hook. Ic. Pl. xiv. t. 1380 (1882).
Pflanzenreich, Zingiberac. 271 (1904).

CYPRIPEDILUM = *Cypripedium*

CYPRIPEDIUM Auct.: *Calypso* (1), *Catasetum* (2), *Cypripedium* Linn. (3), *Paphiopedilum* (4), *Phragmopedilum* (5)

CYPRIPEDIUM Linn.—Vide *Calceolus*, *Criosanthes*, *Fissipes*
acaule Ait. (3)
*Bot. Mag. vi. t. 192 (1792).
Lamarck, Ill. iv. t. 729, fig. 2 (1797–1819).
*Good, Family Flora, i. t. 44 (1854).
Gartenfl. xxvi. 83 (1877).
*Meehan, Native Fl. & Ferns U.S. Ser. II, i. t. 15 (1879).
Garden, xix. 421 (1881).—*Hab.*
*Goodale & I. Sprague, Wild Fl. Amer. t. 11 (1882).
*Orchidophile, 1882, p. 401; 1887, p. 175.
Baldwin, Orch. N. England, 33 (1884).
Jardin, v. 152 (1891); ix. 187 (1895); xvi. 280 (1902); xvii. 236 (1903).—*Hab.*
American Garden, xiii. 514 (1892).
*Garden, xlii. 386 (1892); lxiv. 41 (1903).
Dana, How to Know the Wild Fl. t. 64 (1894).
*Wild Fl. Canada, t. 14 (1894).
Miller & Whiting, Wild Fl. N.E. States, 538 (1895).
Minnesota Bot. Stud. i. t. 27 (1895).
Britton & Brown, Ill. Fl. N. States & Canada, i. 457 (1896).
Mathews, Wayside Flowers, Ser. II. 7 (1898).
Lochman, Phot. Med. Pl. t. 25 (1898).
L. H. Bailey, Cycl. Amer. Hort. 435 (1900).—*Hab.*
Blanchan, Nat. Gard. 82 (1900).
*Niles, Bog-trotting Orch. frontisp. 48, 246 (1904).
Gibson, Our Native Orchids, t. 4 (1905).
Gard. Chron. Ser. III. xlvi. 209 (1909).

CYPRIPEDIUM
acaule
Stone, Pl. Southern New Jersey (Ann. Rep. New Jersey State Mus. 1910), t. 42 (1911).—*Hab.*
Wettstein, Handb. Syst. Bot. Ed. 2, p. 838 (1911). —*Fl.*
Gartenwelt, xvi. 555 (1912).
Amer. Bot. xix. 125 (1913); xxiii. 43 (1917).—*Hab.*
*Costantin, Atlas Orch. Cult. t. 3 (1913).—*Fl.*
*Journ. New York Bot. Gard. xiv. t. 116 (1913).
Schlechter, Orchideen, 24 (19[14–]15).—*Hab.*
*Nat. Geogr. Mag. Washington, xxxi. 502 (1917).
Lovell, Fl. & Bee, 66 (1919).—*Fl.*
Contrib. U.S. Nat. Herb. xxi. t. 20 (1919).—*Hab.*
×**Actaeus bianca** Hort. (4)
Gard. Chron. Ser. III. xliv. 261 (1908).—*Fl.*
Horticulture (Boston), viii. 577 (1908).—*Fl.*
—— **langleyense** Hort.
Gard. Chron. Ser. III. xli. 12 (1907).—*Fl.*
×**Adonis** H. Will. (4)
*Warner & Will. Orch. Album, xi. t. 500 (1897).
×**Adrastus** Hort. (4)
Journ. Hort. Ser. III. xxviii. 103 (1894).—*Fl.*
Journ. Roy. Hort. Soc. London, xvii. Proc. p. lxxxiv (1895).—*Fl.*
—— **Hurstii** Cogn.
*Cogniaux, Dict. Icon. Orch., Cypriped. hybr. t. 44 A (1900).—*Fl.*
—— **Mariae** Cogn.
*Cogniaux, Dict. Icon. Orch., Cypriped. hybr. t. 44 (1900).—*Fl.*
×**Albertianum** J. Hye (4)
*Rev. Hort. Belge, xix. 3 (1893); xxxi. 97 (1905).
—— **rotundiflorum** Hort.
*Lindenia, xvi. t. 734 (1901).
×**albo-purpureum** Reichb. f. (5)
Sempervirens, xi. 248 (1882).
Garden, xxi. 332 (1882).
Gard. Month. & Hort., Meehan, xxv. 184 (1883).
Ill. Gartenzeit. Stuttgart, xxvii. t. 15 (1883).
Journ. Hort. Ser. III. vi. 473 (1883).
Neubert's Deutsch. Gart. Mag. xxxvi. 23 (1883).
Orchidophile, 1883, p. 509.
Gartenfl. xxxii. 146 (1883).
Wien. Ill. Gart.-Zeit. ix. 342 (1884).
Veitch, Man Orch. Pl. Pt. 4, p. 101 (1889).
album Ait. (3)
*Meen, Exotic Pl. Roy. Gard. Kew, i [t. 3, 1790].
*Bot. Mag. vi. t. 216 (1793).
*Schneevogt, Ic. Pl. Rar. t. 2 [1793–95].
*Géel, Sert. Bot. Cl. 20 (1832).
*Reichenbach, Fl. Exot. ii. t. 98 (1834).
*Strong, American Fl. ii. 101 (1848).
×**Alcibiades magnificum** Hort. (4)
Gard. Album, i. 28 (1906).—*Fl.*
Gard. Chron. Ser. III. xxxix. 52 (1906).—*Fl.*
Journ. Roy. Hort. Soc. London, xxxii. Proc. p. clxi, fig. 64 (1908).—*Fl.*
×**Allanianum superbum** Hort. (4)
Journ. Roy. Hort. Soc. London, xix. Proc. p. ccxv (1896).—*Fl.*
×**amabile** A. Bleu (4)
*Rev. Hort. 1891, p. 496.
×**Amesianum** Will. (4)
*Warner & Will. Orch. Album, viii. t. 340 (1889).
Journ. Soc. Hort. France, Ser. III. xiv. 162 (1892).—*Fl.*
Appletonianum Gower (4)
Orch. Rev. iv. 17 (1896).—*Fl.*
*Cogniaux, Dict. Icon. Orch., Cypriped. t. 22 (1899).—*Fl.*
Arethusa Hort. (4)
Journ. Roy. Hort. Soc. London, xxxiv. Proc. p. cclxix, fig. 130 (1909).—*Fl.*
×**argo-Morganiae** Hort. (4)
Journ. Roy. Hort. Soc. London, xxii. Proc. p. ccxxi (1898–99).—*Fl.*
Argus Reichb. f. (4)
*Bot. Mag. ci. t. 6175 (1875).
*Floral Mag. N. Ser. 1876, t. 220.
*Belg. Hort. xxxii. 241 (1882).
*Rev. Hort. Belge, xiv. 85 (1888).
*Sander, Reichenbachia, ii. 77, t. 83 (1890).
Gard. Chron. Ser. III. ix. 676 (1891).—*Fl.*
*Kerchove, Livre Orch. t. 16 (1894).—*Hab.*

CYPRIPEDIUM
Argus
*Cogniaux, Dict. Icon. Orch., Cypriped. t. 5(1897).
*Costantin, Atlas Orch. Cult. t. 2 (1913).—*Fl.*
—— **nigricans** Hort.
*Lindenia, xv. t. 674 (1899).
arietinum R. Br. (3)
*Bot. Mag. xxxviii. t. 1569 (1813).
*Lodd. Bot. Cab. xiii. t. 1240 (1827).
*Sweet, Brit. Fl. Gard. iii. t. 213 (1827).
*T. Moore, Illustr. Orch. Pl., Cypriped. t. 6 (1857).
*Fl. des Serres, Ser. II. x. t. 2095 (1874).
*Meehan, Native Fl. & Ferns U.S. Ser. II. ii. t. 6 (1880).
Baldwin, Orch. N. England, 33 (1884).
*Orchidophile, 1887, p. 175.
Pflanzenfam. ii. vi. 82 (1889).
Kerchove, Livre Orch. 32 (1894).
Minnesota Bot. Stud. i. t. 22 (1895).
Britton & Brown, Ill. Fl. N. States & Canada, i. 457 (1896); Ed. 2, i. 548 (1913).
Rev. Gén. Bot. xiii. t. 12 (1901).—*Fl.*
Pflanzenreich, Orch.-Pleon. 11 (1903).—*Hab.*
Niles, Bog-trotting Orch. 42 (1904).
Gibson, Our Native Orchids, t. 3 (1905).
*Costantin, Atlas Orch. Cult. t. 3 (1913).
Arnoldiae Hort. (4)
Gard. & Forest, vii. 425 (1894).
×**Arnoldianum** Mand. (4)
Gard. Chron. Ser. III. viii. 633 (1890).
×**Arthurianum** Reichb. f. (4)
*Orchidophile, 1885, p. 386; 1887, p. 209.
Veitch, Man. Orch. Pl. Pt. 4, p. 78 (1889).
*Warner & Will. Orch. Album, ix. 389 (1891).
Journ. Hort. Ser. III. xxv. 499 (1892); xxxix. 308 (1899); xlvii. 575 (1903).—*Fl.*
Orch. Rev. i. 305 (1893); xxix. 9 (1916).
*Cogniaux, Dict. Icon. Orch., Cypriped. hybr. t. 12 (1898).—*Fl.*
Nicholson, '1900' Suppl. Dict. Gard. 285 (1900).—*Hab.*
—— **pallidum** Hort.
*Lindenia, iii. t. 121 (1887).
×**Ashburtoniae** Reichb. f. (4)
Gard. Chron. 1871, p. 1647.
*Gartenfl. xxviii. t. 976 (1879).
*Ill. Hort. xxxv. t. 61 (1888).
Gartenwelt, vi. 469 (1902).
—— **Bartetii** Cogn.
*Cogniaux, Dict. Icon. Orch., Cypriped. hybr. t. 54 (1902).
—— **expansum Merxemii** Hort.
*Rev. Hort. Belge, xxx. 97 (1904).
—— **Laucheanum** Sander
*Sander, Reichenbachia, Ser. II. i. 79, t. 38 (1892).
—— **superbum** Warn. & Will.
*Warner & Will. Orch. Album, ix. t. 400 (1891).
×**Ashworthae** Hort. (4)
Journ. Hort. Ser. III. xxviii. 197 (1894); xl. 215 (1900); lv. 481 (1907).—*Fl.*
Journ. Roy. Hort. Soc. London, xxv. 53 (1900–1).—*Fl.*
atsmori Morr. (3)
*Belg. Hort. i. t. 21 (1851).
Moore & Ayres, Mag. Bot. iii. 68 (1851).
*Neubert's Deutsch. Gart. Mag. v. 207 (1852).
Cottage Gard. xxvi. 402 (1861).
Journ. Hort. lvii. 465 (1877).
×**aureum** J. Hye (4)
*Cogniaux, Dict. Icon. Orch., Cypriped. hybr. t. 24 (1898).—*Fl.*
Journ. Hort. Ser. III. xlviii. 179 (1904); lxii. 71 (1911); lxvi. 421 (1913); lxviii. 237 (1914).
—— **Cyrus** Cogn.
*Cogniaux, Dict. Icon. Orch., Cypriped. hybr. t. 24 D (1900).—*Fl.*
—— **Hyeanum** Hort.
Horticulture (Boston), xi. 772 (1910).—*Fl.*
—— **Oedipus** Cogn.
*Cogniaux, Dict. Icon. Orch., Cypriped. hybr. t. 24 C (1900).—*Fl.*
—— **virginalis** Cogn.
*Cogniaux, Dict. Icon. Orch., Cypriped. hybr. t. 24 A (1899).
Orch. World, iv. 163 (1914).

CYPRIPEDIUM
×**auriferum** Linden (4)
*Lindenia, xvii. t. 771 (1902).
*Rev. Hort. Belge, xxxi. 97 (1905).
×**Aylingii** Castle (4)
Gard. Chron. Ser. III. vii. 797 (1890).—*Fl.*
Journ. Hort. Ser. III. xx. 481 (1890).—*Hab.*
B. S. Williams, Orchid-Grower's Man. Ed. 7, p. 232 (1894).—*Fl.*
×**barbato-Veitchianum** A. Bleu (4)
*Lindenia, v. t. 228 (1889).
barbatum Lindl. (4)
*Bot. Reg. xxviii. t. 17 (1842).
*Bot. Mag. lxxii. t. 4234 (1846).
*Fl. des Serres, Ser. I. iii. t. 190 (1847).
Ann. Sc. Nat. Paris, Ser. III. xiii. t. 2 (1850).—*Fl.*
*T. Moore, Illustr. Orch. Pl., Cypriped. t. 8 (1857).
Blume, Coll. Orchidées, 167 (1858).—*Fl.*
*Beer, Beitr. Morph. u. Biol. Orch. t. 2, fig. 46 (1863).—*Fr.*
*Belg. Hort. xxxiii. 96 (1883).
Nicholson, Illustr. Dict. Gard. i. 423 [1884–88].—*Fl.*
!Gard. Chron. xxvi. 308 (1886); Ser. III. xxxii. 403 (1902).—*Fl.*
Journ. Linn. Soc., Bot. xxii. 409 (1887).—*Fl.*
Veitch, Man. Orch. Pl. Pt. 4, p. 7, 13 (1889).—*Fl.*
Arch. Néerl. xxv. t. 1, fig. 1–4 (1892).—*Fl.*
Linden, Orchid. Exot. 25 (1894).—*Fl.*
Flora, lxxxv. t. 16, 17 (1898).—*Fl.*
*Cogniaux, Dict. Icon. Orch., Cypriped. t. 25 (1903).
*Costantin, Atlas Orch. Cult. t. 2 (1913).—*Fl.*
—— **bruxellense** Hort.
Tribune Hort. iii. 228 (1908).—*Fl.*
—— **grandiflorum** Hort.
*Fl. des Serres, Ser. II. viii. t. 1879 (1869–70).
—— **superbum** Hort.
Arch. Néerl. xxv. t. 1, fig. 5 (1892).—*Fl.*
—— **Veitchii** Hort.
*Fl. des Serres, Ser. II. iv. t. 1453 (1861).
Garden, iii. 239 (1873).
—— **Warnerianum** T. Moore
*Warner, Select Orch. Pl. Ser. III. t. 11 (1878).—*Hab.*
Journ. Hort. Ser. III. iv. 115 (1882).
*Ill. Hort. xxxvi. t. 81 (1889).
Bartetii Carr. (4)
*Orchidophile, 1886, p. 121.
×**beechense** Hort. (4)
Gartenwelt, xvi. 345 (1912).
×**Beeckmanii** Linden (4)
*Lindenia, xiii. t. 600 (1897).
Semaine Hort. 1898, p. 165.—*Fl.*
Journ. Roy. Hort. Soc. London, xxix. Proc. p. lxxxiv, fig. 119 (1905).—*Fl.*
Gartenwelt, xiii. 209 (1909).
bellatulum Reichb. f. (4)
*Lindenia, iv. t. 149 (1888).
Gard. Chron. Ser. III. iii. 747 (1888); vii. 556 (1890); ix. 676 (1891); xxi. 320 (1897).
Journ. Hort. Ser. III. xvi. 443 (1888); xviii. 41 (1889); xl. 345 (1900); xliii. 49 (1901); lii. 427 (1906); lvi. 419 (1908); lxviii. 37 (1914); lxxi. 512 (1915).
Rev. Hort. Belge, xiv. 192 (1888).—*Fl.*
Möllers Deutsche Gärtn.-Zeit. iv. 385 (1889).
Rev. Hort. 1889, p. 201; 1911, p. 254.—*Fl.*
Veitch, Man. Orch. Pl. Pt. 4, p. 15 (1889).—*Fl.*
Journ. Orch. iii. 244 (1892).—*Hab.*
Schweiz. Gartenbau, vi. 268 (1893).
Linden, Orchid. Exot. 693 (1894).—*Hab.*
B. S. Williams, Orchid-Grower's Man. Ed. 7, p. 235 (1894).—*Fl.*
*Cogniaux, Dict. Icon. Orch., Cypriped. t. 9 (1897).
Gartenwelt, iv. 182 (1900).
Nicholson, '1900' Suppl. Dict. Gard. 281 (1900).—*Hab.*
Orchis, vi. t. 9 (1912).
*Costantin, Atlas Orch. Cult. t. 1 (1913).—*Fl.*
Orch. World, iv. 79 (1913); iv. 103 (1914); v. 124 (1915).
Kertészet (Horticulture), vi. 193 (1918).—*Fl.*

CYPRIPEDIUM
bellatulum album O'Brien (4)
Journ. Hort. Ser. III. xxx. 513 (1895).—*Fl.*
*Cogniaux, Dict. Icon. Orch., Cypriped. t. 9 A (1897).
—— **Chotekae** Linden
*Lindenia, xiv. t. 665 (1899).
×**Belus** R. Young (4)
*Cogniaux, Dict. Icon. Orch., Cypriped. hybr. t. 31 (1899).—*Fl.*
Binotii Hort. (5)
*Orchidophile, 1890, p. 111.
Boissierianum Reichb. f. (5)
Gard. Chron. Ser. III. i. 143 (1887).
Journ. Hort. Ser. III. xiv. 91 (1887).
Orchidophile, 1888, p. 48, 49.
×**Boltonii** Hort. (4)
Journ. Roy. Hort. Soc. London, xxxv. Proc. p. cclxxii, fig. 159 (1910).—*Fl.*
Orch. Rev. xxi. 345 (1913).
Orch. World, iii. 160 (1913).—*Fl.*
Journ. Hort. Ser. III. lxix. 337 (1914).—*Fl.*
×**Borchgraveanum** Linden (4)
*Lindenia, xv. t. 715 (1900).
Semaine Hort. 1900, p. 401.—*Fl.*
Wien. Ill. Gart.-Zeit. xxvi. 257 (1901).—*Fl.*
×**bourtonense** Hort. (4)
Gard. Chron. Ser. III. liv. 454 (1913).—*Fl.*
Boxallii Reichb. f. (4)
*Ill. Hort. xxvi. t. 345 (1879).
Gard. Chron. Ser. III. ix. 676 (1891).—*Fl.*
!Journ. Linn. Soc., Bot. xxx. t. 2 (1895).—*Fl.*
—— **atratum** Reichb. f.
*Rev. Hort. Belge, viii. 97 (1882).
Gard. Chron. Ser. III. i. 210 (1887).—*Fl.*
*Sander, Reichenbachia, Ser. II. i. 17, t. 8 (1892).
*Cogniaux, Dict. Icon. Orch., Cypriped. t. 19 (1899).—*Fl.*
Costantin, Atlas Orch. Cult. t. 4 (1913).—*Fl.*
—— **nigricans** Hort.
Gard. Album, i. 39 (1906).—*Fl.*
Journ. Roy. Hort. Soc. London, xxxii. Proc. p. clxvii, fig. 68 (1908).—*Fl.*
—— **superbum** Hort.
*Cogniaux, Dict. Icon. Orch., Cypriped. t. 19 A (1899).—*Fl.*
×**Bragaianum** Linden
*Lindenia, vi. t. 279 (1890).
×**Bridgei** Hort. (4)
Journ. Hort. Ser. III. lviii. 229 (1909).—*Fl.*
Britannia Hort. (4)
Rev. Hort. Belge, xxxvi. 400 (1910).—*Fl.*
bruggense Hort. (4)
Orch. World, i. 236 (1911).—*Fl.*
×**bruxellense** Linden (4)
*Lindenia, xvi. t. 751 (1901).
×**Buchanianum magnificum** Hort. (4)
Orch. Rev. iii. 81 (1895).—*Fl.*
bulbosum Linn. (1)
Linnaeus, Fl. Lapp. [Ed. 1, 1737] et Ed. 2, t. 12, fig. 5 (1792).
*J. E. Smith, Spicil. Bot. t. 11 (1791–92).
*Roemer, Fl. Eur. i [t. 7] (1797).
Bullenianum Reichb. f. (4)
Journ. Hort. Ser. III. vi. 116 (1883).
Calceolus Linn. (3)
J. G. Gmelin, Fl. Sibir. i. t. 1, fig. 1 *a*, *β* (1747); fide Ledebour, Comm. 47.
*Kniphof, Herb. Viv. i. t. 353 (1758).
Buchoz, Hist. Règne Vég. ix. Dec. 8, t. 6; x. Dec. 7, t. 8 (1775).
*Falk, Beytr. Russ. Reiches, ii. t. 17 (1786).
Hoppe, Ect. Pl. Ratisb. t. 129 (1788).
*Fl. Dan. vi. t. 999 (1790).
*Sowerby & Sm. Engl. Bot. i. t. 1 (1790).
Trans. Linn. Soc. London, i. t. 2, fig. 1 (1791).—*Fl.*
Haller, Ic. Pl. Helvet. t. 47 (1795).
Lamarck, Ill. iv. t. 729, fig. 1 (1797–1819).—*Fl.*
*Roemer, Fl. Eur. iv [t. 5] (1799).
*Sturm, Deutschl. Fl. ii. viii [t. 127] (1800).
*Redouté, Liliac. i. t. 19 (1802).
*Mirbel, Hist. Nat. Pl. ix. t. 38 [1802–6].
*Schkuhr, Bot. Handb. Ed. 2, t. 275 (1808).
*Schrank, Fl. Monac. i. t. 81 (1811).
Thornton, Brit. Fl. i. 35 (1812).

CYPRIPEDIUM
Calceolus
*Mordant de Launay, Herb. Amat. i. t. 65 (1816).
*Vietz, Ic. Pl. Med.-oec.-techn. vi. t. 465 b (1817).
*Lodd. Bot. Cab. iv. t. 363 (1819).
*Svensk Bot. viii. t. 524 (1819).
*Curtis, Fl. Londin. Ed. 2, iv. t. 32 (1819–21).
*Redouté, Choix Fl. t. 136 (1827).
*Drapiez, Herb. Amat. Fl. v. t. 315 (1831).
*Dietrich, Fl. Boruss. i. t. 24 (1833).
*Baxter, Brit. Bot. Ed. 2, ii. t. 105 (1835).
*Mag. Bot. & Gard. iii. t. 11 (1835).
Nees, Gen. Pl., Monocot. iii. t. 12 (1835).—*Fl.*
*Zenker, Fl. Thüringen, i. t. 109 (1836–55).
*Paxt. Mag. iii. 247 (1837).
[M. E.] Jackson, Pict. Fl. fig. 1296 (1840).
Meigen, Deutschl. Fl. iii. t. 136 (1842).—*Fl.*
Duchesne, Pl. Util. t. 27 (1846).
Schnizlein, Iconogr. i. t. 66 a (1846).—*Fl.*
*J. W. Loudon, Brit. Wild Fl. Ed. 2, t. 57 [1846].
*Deakin, Florigr. Brit. iii. fig. 1357 (1847).
*Lorek, Fl. Pruss. Ed. 3, t. 209, fig. 1109 (1848).
*Petermann, Deutschl. Fl. t. 87, fig. 691 (1849).—*Fl.*
Ann. Hort. v. 504 (1850).
Reichenbach, Ic. Fl. Germ. xiii & xiv. t. 353, fig. 62–68 (1850); t. 496 (1851).
*Neubert's Deutsch. Gart. Mag. 1852, p. 207; xxxv. t. 14, fig. 4 (1882).
*Gartenfl. v. t. 147 (1856); xxvii. 213 (1878).
Johnson & Sowerby, Brit. Wild Fl. fig. 1257 (1858–60).
Berg, Charakt. t. 10 a, fig. 1; t. 16, fig. 155 (1861).
*T. Moore, Field Bot. Comp. t. 5 (1862).
Decaisne & Naud. Amat. Jard. ii. 776 [1862–66].
*Fl. des Serres, Ser. II. v. t. 1563 (1862–65).
*Hogg & Johnson, Wild Fl. Gr. Brit. i. t. 49 (1863).
Bentham, Handb. Brit. Fl. fig. 1002 (1865).
*Schubert, Naturg., Pflanzenreich, Ed. 2, t. 45, fig. 11 [1865].
Cesati, Passer. & Gibelli, Comp. Fl. Ital. t. 24 (1867–86).—*Fl.*
*Barla, Fl. Illustr. Nice & Alpes-Marit., Orchid. t. 63 (1868).
Müller in Verh. Naturhist. Ver. Preuss. Rheinl. & Westphal. xxv. 1. t. 2 (1868).—*Fl.*
*Syme, Engl. Bot. ix. t. 1490 (1869).
Rameau de Sapin, v. 24 (1870).
*Weber, Alp.-Pfl. Ed. 3, iv. t. 382 (1872).
Decaisne, Naud. & Hemsl. Trees, Shrubs & Herb. Pl. 466 (1873).
*Verlot, Pl. Alp. Ed. 2, p. 166, 234, t. 9 (1873).
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, v. t. 218 [1873].
*Wooster, Alp. Pl. Ed. 2, t. 1 (1874).
*Cusin, Herb. Fl. Franç. xxii (Orchidées), t. 81 (1876).
Gard. Chron. xi. 813 (1879); Ser. III. xlvi. 210 (1909).
*Seboth & A. W. Bennett, Alpine Pl. i. t. 98 (1879).
Berge, Pflanzenphysiogn. 267 (1880).—*Hab.*
De Puydt, Orchidées, 20, 48 (1880).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, iv. t. 385 (1880).
Karsten, Deutsche Fl. Pharm.-medic. Bot. 459 (1880–83).—*Fl.*
Garden, xix. 421 (1881); lxxv. 321 (1911); lxxxii. 236 (1918).
*C. Hoffmann, Pflanzenatlas, t. 70, fig. 435 (1881).
Wagner, Ill. Deutsche Fl. Ed. 2, p. 732 (1882).
Orchidophile, 1882, p. 401; 1887, p. 175.
Baldwin, Orch. N. England, 27 (1884).—*Fl.*
Nicholson, Illustr. Dict. Gard. i. 424; ii. 516 [1884–88].
*Thomé, Fl. Deutschl. i. t. 158 (1886).
Desbois, Cypripedium, 28 (1888).
G. Beck, Fl. Nied.-Oesterr. i. 191, 196 (1890).—*Fl.*
*Heathcote, Fl. Engadine, t. 209 (1891).
Kerner, Pflanzenleben, ii. 249 (1891).—*Fl.*
Oesterr. Bot. Zeitschr. xli. 42 (1891).—*Fl.*
Rev. Hort. 1892, p. 392.—*Hab.*
Stein, Orchideenbuch, 177 (1892).

CYPRIPEDIUM
Calceolus
*Masclef, Atlas Pl. France, t. 335 (1893).
Kerchove, Livre Orch. 333 (1894).—*Hab.*
Acloque, Fl. France, 619 (1894).
*Schulze, Orchidac. t. 1 (1894).
*Correvon, Fl. Col. Suisse, t. 133 (1894).
B. S. Williams, Orchid-Grower's Man. Ed. 7, p. 316 (1894).—*Fl.*
Garcke, Ill. Fl. Deutschl. 589 (1895).
Jardin, ix. 187 (1895); xii. 379 (1898); xvii. 237 (1903).—*Hab.*
Karsten, Fl. Deutschl. i. 474 (1895).—*Fl.*
Kerner & Oliv. Nat. Hist. Pl. ii. 249 (1895).—*Fl.*
Rev. Hort. Belge, xxi. 210 (1895).
Raunkiær, Danske Blomsterpl. Naturhist. i. 359 (1895–99).—*Fl.*
*A. W. Bennett, Fl. Alps, ii. t. 109 (1897)
*Hartinger, Atlas Alpenfl. i. t. 63 (1897).
Flora, lxxxv. t. 16, 17 (1898).—*Fl.*
Fiori & Paol. Ic. Fl. Ital. 93 (1898).
Knuth, Handb. Blütenbiol. i. 157 (1898); ii. II. 459 (1899).—*Fl.*
Rev. Hort. Belge, xxiv. 247 (1898).—*Hab.*
*Correvon, Alb. Orch. t. 10 (1899).
*Gradmann, Pflanzenl. Schwäb. Alb, Ed. 2, i. t. 22 (1900).
Schinz & Keller, Fl. Schweiz, 109 (1900).—*Fl.*
Rev. Gén. Bot. xiii. t. 12 (1901).—*Fl.*
Lindman, Bild. Nord. Fl. t. 419 (1901–5).
Warming, Handb. Syst. Bot. Ed. Möbius, 241 (1902).—*Fl.*
*Jul. Hoffmann, Alpine Fl. t. 37 (1903).
Bull. Soc. Acclim. l. 326 (1903).—*Hab.*
Pflanzenreich, Orch.-Pleon. 34 (1903).—*Fl.*
*Müller & Kränzl. Abbild. Deutsch. Orch. t. 58 (1904).
*Sturm, Fl. Deutschl. Ed. 2, iv. t. 21 (1905).
Avebury, Notes Life Hist. Brit. Fl. Pl. 413 (1905).—*Fl.*
*Masclef, Pl. Eur. t. 23 (1905).
Blytt, Haandb. Norg. Fl. Ed. Dahl, 223 (1906).
Coste, Fl. France, iii. 414 (1906).
Flahault, Nouv. Fl. Alpes & Pyrén. i. 138 (1906).
*Kirby, Brit. Fl. Pl. t. 95 (1906).
Senn, Alpen-Flora, ii. 138 (1906).
Suireishchikov, Ill. Fl. Mosc. Gov. i. 251 (1906).
Diels in Natur, iv. 15 [1907].
Möllers Deutsche Gärtn.-Zeit. xxiii. 66 (1908).
*E. G. Camus, Orchid. t. 32, fig. 1102–10 (1908).
*Hulme, Familiar Swiss Fl. t. 91 (1908).
Beille, Bot. Pharm. ii. 149 (1909).
*Hastings, Summer Fl. High Alps, t. 37 (1910).—*Hab.*
*Milner, Life Oberammergau, t. 19, 20 (1910).
Silva Tarouca, Freiland-Stauden, 76 (1910).—*Hab.*
Velenovsky, Vergl. Morphol. Pfl. iii. t. 8 (1910).—*Fl.*
*Hosseus, Pflanzenw. Reichenhall, t. 3, p. 44 (1911).
Wettstein, Handb. Syst. Bot. Ed. 2, p. 838 (1911).—*Fl.*
*H. S. Thompson, Alp. Pl. Europe, t. 62 (1911).
Feucht, Württemb. Pflanzenw. t. 50 (1912).—*Hab.*
*Pokorny-Schoenichen, Pflanzenkunde, t. 43, fig. 2 (1912).
*Costantin, Atlas Orch. Cult. t. 1 (1913).—*Fl.*
Engl. Jahrb. xlix. Beibl. 109, p. 5 (1913).—*Hab.*
*Gatin, Fl. des Bois, t. 35 (1913).
Schlechter, Orchideen, 25 (19[14–]15).—*Hab.*
Pantu, Orchid. d. Romania, t. 1 (1915).
Fedtschenko, Veg. Turkest. 271 (1915).
Horwood, Pl. Life Brit. Isles, iii. 296 (1915).
*Penzig, Fl. Alpi Illustr. Ed. 2, t. 37 (1915).
Sveriges Natur, 1916, t. 3.—*Hab.*
*Mackenzie, Brit. Orchids, [t. 10, 1917].
Lindman, Svensk Fanerogamfl. 3 (1918).—*Fl.*
Fitch & Smith, Ill. Brit. Fl. Ed. rev. 4, Iss. 2, fig. 1016 (1919).
californicum A. Gray (3)
Gard. & Forest, i. 281 (1888).
*Bot. Mag. cxvii. t. 7188 (1891).
Pflanzenreich, Orch.-Pleon. 30 (1903).—*Fl.*
Garden, lxxi. 311 (1907).

CYPRIPEDIUM
californicum
Gard. Chron. Ser. III. xli. 418 (1907); xlvi. 211 (1909).
*Costantin, Atlas Orch. Cult. t. 2 (1913).
L. H. Bailey, Stand. Cycl. Hort. 944 (1914).
callosum Reichb. f. (4)
*Lindenia, ii. t. 73 (1886).
Gard. Chron. Ser. III. i. 315 (1887).—*Fl.*
Journ. Hort. Ser. III. xiv. 7 (1887); lxi. 51 (1910); lxv. 565 (1912); lxvii. 110 (1913).
Gartenfl. xxxvii. 92 (1888).
*Orchidophile, 1888, p. 145.
*Rev. Hort. 1888, p. 252.
Rev. Hort. Belge, xiv. 31 (1888).—*Fl.*
*Wien. Ill. Gart.-Zeit. xvii. t. 2 (1892).
Journ. Orch. vi. 70 (1895).—*Fl.*
*Jardin, x. 102 (1896).—*Fl.*
Orch. Rev. iv. 17 (1896).—*Fl.*
*Cogniaux, Dict. Icon. Orch., Cypriped. t. 15 (1899).—*Fl.*
*Costantin, Atlas Orch. Cult. t. 2 (1913).—*Fl.*
—— **Sanderae** Hort.
Journ. Hort. Ser. III. xxviii. 423 (1894); xxxviii. 450 (1899).—*Fl.*
Journ. Roy. Hort. Soc. London, xvii. Proc. p. cxv (1895); xxiii. 37 (1899–1900).—*Fl.*
*Cogniaux, Dict. Icon. Orch., Cypriped. t. 15 A (1899).—*Fl.*
Nicholson, '1900' Suppl. Dict. Gard. 281 (1900).—*Hab.*
Gard. Chron. Ser. III. xxxi. 434 (1902).
Orch. World, iii. 4 (1912).
Horticulture (Boston), xvi. 369 (1912).—*Hab.*
Orchis, vii. 62 (1913).
×**calurum** Reichb. f. (5)
*Florist, 1884, t. 619.
*Warner & Will. Orch. Album, iii. t. 136 (1884).
*Ill. Gartenzeit. Stuttgart, xxix. t. 31 (1885).
!Journ. de Bot. xiv. t. 6, fig. A–P (1900).—*Fl.*
—— **Rougieri** Hort. (5)
*Orchidophile, 1892, p. 175.
×**Calypso** Hort. (4)
*Sander, Reichenbachia, Ser. II. ii. 69, t. 77 (1894).
*Cogniaux, Dict. Icon. Orch., Cypriped. hybr. t. 26 (1898).—*Fl.*
—— **flamingo** Cogn.
*Cogniaux, Dict. Icon. Orch., Cypriped. hybr. t. 26 B (1899).—*Fl.*
—— **superbum** Hort.
*Gartenwelt, vi. 426 (1902).
cambridgeanum Hort. (4)
Journ. Hort. Ser. III. xiv. 376 (1887).—*Fl.*
candidum Muhlenb. (3)
*Fl. des Serres, Ser. I. ix. t. 962 (1853–54).
*Bot. Mag. xcvi. t. 5855 (1870).
Garden, i. 517 (1872).—*Hab.*
*Meehan, Native Fl. & Ferns U.S. Ser. II. ii. t. 30 (1880).
Neubert's Deutsch. Gart. Mag. xlvii. 712 (1894).
Minnesota Bot. Stud. i. t. 24 (1895).
Britton & Brown, Ill. Fl. N. States & Canada, i. 458 (1896); Ed. 2, i. 549 (1913).
Plant World, v. t. 16 (1902).
Pflanzenreich, Orch.-Pleon. 34 (1903).—*Fl.*
*Niles, Bog-trotting Orch. 62 (1904).
Gibson, Our Native Orchids, t. 6 (1905).
Möllers Deutsche Gärtn.-Zeit. xxiii. 66 (1908).
*Costantin, Atlas Orch. Cult. t. 1 (1913).—*Fl.*
*House, Wild Fl. New York (Mem. No. 15 N.Y. State Mus.), i. t. 29 (1918).—*Hab.*
New York St. Mus. Bull. No. 197, p. 53 (1918).
×**Canhamii** Hort. (4)
Journ. Soc. Hort. France, Ser. III. xiv. 212 (1892).
!Gard. Chron. Ser. III. xvi. 667 (1894).—*Fl.*
*Wien. Ill. Gart.-Zeit. xxiv. t. 4 (1899).
Cannaertianum Hort. (4)
*Lindenia, iii. t. 141 (1887).
×**cardinale** Reichb. f. (5)
*Garden, xxvii. 520 (1885).
*Neubert's Deutsch. Gart. Mag. xxxix. t. 6 (1886).
*Warner & Will. Orch. Album, viii. t. 370 (1889).
Veitch, Man. Orch. Pl. Pt. 4, p. 103 (1889).—*Fl.*

CYPRIPEDIUM
×cardinale
Nicholson, '1900' Suppl. Dict. Gard. 286 (1900).—*Fl.*
×Cardosoanum F. Peeters (4)
*Cogniaux, Dict. Icon. Orch., Cypriped. hybr. t. 46 (1900).—*Fl.*
caricinum Lindl. (5)
*Bot. Mag. xc. t. 5466 (1864).
Veitch, Man. Orch. Pl. Pt. 4, p. 59 (1889); Pt. 10, p. 16 (1894).—*Fl.*
*Costantin, Atlas Orch. Cult. t. 3 (1913).—*Fl.*
Orch. World, vi. 84 (1916).—*Fl.*
Carrierei Hort. (4)
*Bull. Soc. Tosc. Ortic. xii. t. 7 (1887).
×Castleanum Rolfe (4)
Journ. Hort. Ser. III. xxii. 101 (1891).—*Fl.*
*Sander, Reichenbachia, Ser. II. i. 97, t. 45 (1892).
caudatum Lindl. (5)
Hook. Ic. Pl. vii. t. 658, 659 (1844).
*Fl. des Serres, Ser. I. vi. t. 566, p. 100 (1850–51).
Moore & Ayres, Mag. Bot. ii. 8 (1850).
*Paxt. Fl. Gard. i. t. 9, p. 40 (1850–51).
Rev. Hort. Ser. IV. vi. 318 (1857); 1885, p. 472.
!Blume, Coll. Orchidées, 165 (1858).—*Fl.*
*Warner, Select Orch. Pl. Ser. II. t. 1 (1865–75).
*Gartenfl. xix. t. 661 (1870); xxxiii. 339 (1884).
Garden, iii. 313 (1873); xlvi. 85 (1894).
Gard. Chron. iii. 211 (1875); xxiii. 472 (1885); Ser. III. ix. 676 (1891).
*De Puydt, Orchidées, 189, t. 10 (1880).
Orchidophile, 1884, p. 11; 1887, p. 183.—*Hab.*
Jardin, i. 223 (1887).
*Godefroy-Lebeuf & N. E. Brown, Cypripediées, i [t. 8], fig. 1–17 (1888).
Delchevalerie, Orchidées, Ed. 3, p. 78 (1889).
Proc. Linn. Soc. N. S. Wales, Ser. II. iv. 1. t. 7 (1889).
Veitch, Man. Orch. Pl. Pt. 4, p. 60 (1889); Pt. 10, p. 31, 45 (1894).—*Fl.*
*Baillon, Dict. Bot. iv. t. [12] (1892).
Journ. Hort. Ser. III. xxv. 171 (1892).—*Fl.*
Journ. Orch. iii. 210 (1892).
B. S. Williams, Orchid-Grower's Man. Ed. 7, p. 240 (1894).
Horticulture (Boston), iii. 439 (1906); xiv. 41 (1911).—*Hab.*
Orch. World, iii. 182 (1913).—*Hab.*
—— **Lindenii** N. E. Br.
*!Orchidophile, 1893, p. 80.
—— **Wallisii** Veitch
Garden, xlix. 140 (1896).—*Hab.*
—— **Warscewiczii** Hort.
*Orchidophile, 1887, p. 337.
×caudatum-Roezlii Hort. (5)
*Rev. Hort. Belge, xxiv. 25 (1898).
Chamberlainianum O'Brien (4)
Bull. Soc. Tosc. Ortic. xvii. 88, t. 3 (1892); xxii. 194 (1897).
Gard. Chron. Ser. III. xi. 241 (1892).
Gard. & Forest, v. 413 (1892).—*Fl.*
Jardin, vi. 79 (1892).—*Hab.*
Journ. Hort. Ser. III. xxiv. 294 (1892); xxx. 452 (1895).—*Fl.*
Orchidophile, 1892, p. 67.—*Hab.*
Rev. Hort. 1892, p. 104, 105.
*Rev. Hort. Belge, xviii. 101 (1892); xix. 141 (1893).
Journ. Roy. Hort. Soc. London, xv. Proc. p. clix (1893).—*Fl.*
*Garden, xliii. 304 (1893).
*Reichenbach f., Xenia Orch. iii. t. 284 (1896).
Bellair & St.-Léger, Pl. Serre, 645 (1900).
*Cogniaux, Dict. Icon. Orch., Cypriped. t. 23 (1900).—*Fl.*
Gartenwelt, vi. 471 (1902).
Orch. Rev. xx. 104 (1912).—*Fl.*
*Costantin, Atlas Orch. Cult. t. 1 (1913).—*Fl.*
×Chamber-Leeanum Rolfe (4)
*Cogniaux, Dict. Icon. Orch., Cypriped. hybr. t. 66 (1905).
×Chantino-Lawrenceanum Hort. (4)
*Lindenia, xvii. t. 812 (1906).
×Chapmanii Hort. (4)
Journ. Hort. Ser. III. xxxv. 21 (1897); xl. 501 (1900); lvi. 145 (1908); lix. 75 (1909).—*Fl.*

CYPRIPEDIUM
Chapmanii
*Cogniaux, Dict. Icon. Orch., Cypriped. hybr. t. 57 (1903).—*Fl.*
*Rev. Hort. Belge, xxx. 97 (1904).
—— **magnificum** Hort.
Gard. Chron. Ser. III. xxi. 365 (1897).—*Fl.*
Journ. Roy. Hort. Soc. London, xxi. Proc. p. xciv (1897–98).—*Fl.*
Nicholson, '1900' Suppl. Dict. Gard. 287 (1900).—*Fl.*
—— **superbum** Hort.
*Cogniaux, Dict. Icon. Orch., Cypriped. hybr. t. 57 A (1904).—*Fl.*
Charlesworthii Rolfe (4)
*Orch. Rev. i. frontisp. (1893); xx. 13 (1912).
Gard. Chron. Ser. III. xiv. 437 (1893).
Journ. Hort. Ser. III. xxvii. 307 (1893); xxxiii. 523 (1896); xlv. 469 (1902).—*Fl.*
Journ. Roy. Hort. Soc. London, xvi. Proc. p. ccxiv (1894).—*Fl.*
*Lindenia, x. t. 443 (1894).
*Rev. Hort. Belge, xx. 253 (1894).
*Bot. Mag. cxxi. t. 7416 (1895).
*Garden, xlvii. 252 (1895).—*Hab.*
*Gartenfl. xliv. t. 1410 (1895).
Jardin, ix. 150 (1895).—*Hab.*
*Warner & Will. Orch. Album, xi. t. 508 (1897).
American Garden, xxi. 865 (1900).
L. H. Bailey, Cycl. Amer. Hort. 431 (1900).—*Fl.*
Journ. Roy. Hort. Soc. London, xxvii. Proc. p. ccxlvi (1902).—*Fl.*
*Costantin, Atlas Orch. Cult. t. 3 (1913).—*Fl.*
—— **Bromilowianum** Hort.
Gard. Chron. Ser. III. xliv. 310 (1908).—*Fl.*
Journ. Roy. Hort. Soc. London, xxxiv. Proc. p. cclxiii, fig. 126 (1909).—*Fl.*
—— **pallidum** Hort.
*Cogniaux, Dict. Icon. Orch., Cypriped. t. 20 (1899).—*Fl.*
—— **reticulatum** Hort.
*Cogniaux, Dict. Icon. Orch., Cypriped. t. 20 (1899).—*Fl.*
—— **rex** Hort.
Orch. World, ii. 50 (1911).—*Fl.*
×chloroneurum Reichb. f. (4)
*Warner & Will. Orch. Album, i. t. 37 (1882).
*Cogniaux, Dict. Icon. Orch., Cypriped. hybr. t. 30 (1899).—*Fl.*
*Costantin, Atlas Orch. Cult. t. 5 (1913).—*Fl.*
ciliolare Reichb. f. (4)
*Ill. Hort. xxxi. t. 530 (1884).
Garten-Zeit. Berlin, iv. 450 (1885).
*Godefroy-Lebeuf & N. E. Brown, Cypripediées, i [t. 7], fig. 1–12 (1888).
Gard. Chron. Ser. III. xxi. 348 (1897).—*Hab.*
*Costantin, Atlas Orch. Cult. t. 3 (1913).—*Fl.*
×Claudii Linden (4)
*Lindenia, ix. t. 397 (1893).
×Clinkaberryanum O'Brien (4)
Gard. Chron. Ser. III. xiv. 86 (1893).—*Fl.*
B. S. Williams, Orchid-Grower's Man. Ed. 7, p. 245 (1894).—*Fl.*
×Clonius Veitch (5)
Journ. Hort. Ser. III. xxvii. 395 (1893).—*Fl.*
Journ. Roy. Hort. Soc. London, xvi. Proc. p. ccxx (1894).—*Fl.*
×Clotho R. Young (4)
*Cogniaux, Dict. Icon. Orch., Cypriped. hybr. t. 32 (1899).—*Fl.*
×conco-Lawre Lawr. (4)
*Lindenia, ix. t. 408 (1893).
Journ. Hort. Ser. III. xxvi. 193 (1893).—*Fl.*
Orch. Rev. ii. 337 (1894).—*Fl.*
*Warner & Will. Orch. Album, xi. t. 506 (1897).
*Costantin, Atlas Orch. Cult. t. 5 (1913).—*Fl.*
concolor Batem. (4)
*Bot. Mag. xci. t. 5513 (1865).
Gard. Chron. 1865, p. 626; xix. 19 (1883); Ser. III. ix. 501, 676 (1891).
*Ill. Hort. xii. t. 444 (1865).
*Bateman, Second Cent. Orch. Pl. t. 153 (1867).
*Florist, 1870, p. 149.—*Fl.*
*Hibberd, Beautiful-leaved Pl. t. 44 (1870).
*Gartenfl. xxiii. t. 803 (1874).
*Fl. des Serres, Ser. II. xii. t. 2321 (1876).

CYPRIPEDIUM
concolor
De Puydt, Orchidées, 41, 130 (1880).—*Fl.*
Nicholson, Illustr. Dict. Gard. i. 424 [1884–88].
*Ill. Gartenzeit. Stuttgart, xxx. t. 13 (1886).
*Rev. Hort. Belge, xii. 241 (1886).
*Warner & Will. Orch. Album, vii. t. 302 (1888).
Veitch, Man. Orch. Pl. Pt. 4, p. 17 (1889); Pt. 10, p. 14 (1894).—*Fl.*
B. S. Williams, Orchid-Grower's Man. Ed. 7, p. 247 (1894).—*Fl.*
*Cogniaux, Dict. Icon. Orch., Cypriped. t. 18 (1899).—*Fl.*
Rev. Gén. Bot. xiii. t. 12 (1901).—*Fl.*
*Costantin, Atlas Orch. Cult. t. 1 (1913).—*Fl.*
—— **Regnieri** Reichb. f.
*Orchidophile, 1886, p. 226.
×conco-villosum Hort. (4)
*Cogniaux, Dict. Icon. Orch., Cypriped. hybr. t. 40 (1899).
cordigerum D. Don (3)
Jacquemont, Voy. Inde, t. 166 (1844).
Pflanzenreich, Orch.-Pleon. 34 (1903).—*Fl.*
*Ann. Bot. Gard. Calcutta, ix. t. 151 (1906).
cothurnum Vell. (2)
Vellozo, Fl. Flum. ix. t. 63 (1827).
×Crossianum Reichb. f. (4)
*Ill. Hort. xxxv. t. 72 (1888).
Crossii Morr. (4)
*Belg. Hort. xv. 226, t. 17 (1865).
cruciforme Zoll. & Morr. (4)
*De Vriese, Illustr. Orchid. t. 6 (1854).
Curtisii Reichb. f. (4)
*Warner & Will. Orch. Album, iii. t. 122 (1884).
*Lindenia, iii. t. 140 (1887).
Gard. Chron. Ser. III. v. 629 (1889); vii. 557 (1890).—*Fl.*
Veitch, Man. Orch. Pl. Pt. 4, p. 5 (1889).—*Fr.*
B. S. Williams, Orchid-Grower's Man. Ed. 7, p. 250 (1894).—*Fl.*
*Cogniaux, Dict. Icon. Orch., Cypriped. t. 2 (1896).
Nicholson, '1900' Suppl. Dict. Gard. 282 (1900).—*Fl.*
*Gartenwelt, viii. 581 (1904).
Veitch, Hortus Veitchii, 86 (1906).
C. H. Curtis, Orchids for Everyone, 55 (1910).—*Hab.*
Möllers Deutsche Gärtn.-Zeit. xxvi. 304 (1911).
*Costantin, Atlas Orch. Cult. t. 3 (1913).—*Fl.*
Jardin, xxvii. 45 (1913).
—— **nobilior** Hort.
Horticulture (Boston), vii. 653 (1908).—*Fl.*
—— **Sanderae** Hort.
Gard. Chron. Ser. III. lvii. 338 (1915).—*Fl.*
×cymatodes Hort. (4)
Journ. Hort. Ser. III. lx. 95 (1910).—*Fl.*
×Daisyae Hort. (4)
Gard. & Forest, v. 463 (1892).—*Fl.*
×Dallemagnei Hort. (4)
*Lindenia, ix. t. 411 (1893).
×Dauthieri Hort. (4)
Garten-Zeit. Berlin, iv. 272 (1885).
*Bull. Soc. Tosc. Ortic. xvi. 336, t. 11 (1891).
!Gard. Chron. Ser. III. xvii. 335 (1895).—*Fl.*
Journ. Roy. Hort. Soc. London, xxi. 552 (1897–98).—*Fl.*
—— **marmoratum** Hort.
*Rev. Hort. Belge, xv. 241 (1889).
*Kerchove, Livre Orch. t. 3 (1894).
Dayanum Reichb. f. (4)
*Fl. des Serres, Ser. II. v. t. 1527 (1862–65).
*Reichenbach f., Xenia Orch. iii. t. 201, 209 (1878).
*Godefroy-Lebeuf & N. E. Brown, Cypripediées, i [t. 4], fig. 1–10 (1888).
*Cogniaux, Dict. Icon. Orch., Cypriped. t. 16 (1899).—*Fl.*
*Costantin, Atlas Orch. Cult. t. 1 (1913).—*Fl.*
debile Reichb. f. (4)
Rev. Gén. Bot. xiii. t. 13 (1901).—*Fl.*
Pflanzenreich, Orch.-Pleon. 41 (1903).—*Hab.*
Gard. Chron. Ser. III. xxxviii. 442 (1905).—*Hab.*
*Miyoshi & Makino, Pocket-Atlas, Alp. Pl. Jap. ii. t. 42, fig. 241 (1907).
*Bot. Mag. cxxxiv. t. 8183 (1908).

CYPRIPEDIUM
debile
Somoku Dzusetsu, Ed. Makino (Iconogr. Pl. Nippon), xviii. t. 85 (1912).
Orch. World, vi. 195 (1916).—*Hab.*
×Delbekeanum Hort. (4)
Gartenwelt, xiii. 209 (1909).
Tribune Hort. iv. 193 (1909).
×Demeter Hort. (4)
Gard. Chron. Ser. III. liii. 3 (1913).—*Fl.*
×Denisianum Linden (4)
*Lindenia, x. t. 437 (1894).
×Desboisianum Hort. (4)
*Lindenia, vi. t. 277 (1890).
×Desdemona Hort. (4)
Orch. World, iv. 126 (1914).—*Fl.*
Gard. Chron. Ser. III. lv. 77 (1914).—*Fl.*
×Dominianum Reichb. f. (5)
*Floral Mag. ix. t. 499 (1870).
Journ. Hort. xlv. 182 (1871); lix. 185 (1878).
*Garden, iii. 491 (1873); xxxix. 412 (1891).
Florist, 1874, p. 57.
Gartenfl. xxv. 376 (1876); errore *C. Domini.*
Orchidophile, 1882, p. 453; in errore *C. Domini.*
Veitch, Man. Orch. Pl. Pt. 4, p. 103 (1889).
B. S. Williams, Orchid-Grower's Man. Ed. 7, p. 254 (1894).
Dormanianum Hort. (4)
L. H. Bailey, Cycl. Amer. Hort. 431 (1900).—*Fl.*
×Drapsianum Linden (4)
*Lindenia, xvi. t. 724 (1901).
Drurii Bedd. (4)
Beddome, Ic. Pl. Ind. Or. t. 112 (1874).
*Ill. Hort. xxiv. t. 265 (1877).
*Floral Mag. N. Ser. 1880, t. 425.
Gard. Chron. xxiii. 472 (1885).—*Fr.*
*Lindenia, i. t. 6 (1885).
Veitch, Man. Orch. Pl. Pt. 4, p. 22 (1889); Pt. 10, p. 31 (1894).—*Fl.*
*Costantin, Atlas Orch. Cult. t. 2 (1913).—*Fl.*
×Druryo-Hookerae Veitch (4)
*Cogniaux, Dict. Icon. Orch., Cypriped. hybr. t. 39 (1899).—*Fl.*
×Duchesneanum Hort. (4)
*Costantin, Atlas Orch. Cult. t. 4 (1913).—*Fl.*
×Duvalii Hort. (4)
*Costantin, Atlas Orch. Cult. t. 4 (1913).—*Fl.*
×eboraicum Hort. (4)
Journ. Roy. Hort. Soc. London, xxxii. Proc. p. ccxii, fig. 87 (1908).—*Fl.*
×Edwardii Hort. (4)
Orch. Rev. i. 23 (1893).—*Fl.*
×elatius Hort. (4)
Garden, lxxvi. 604 (1912).—*Hab.*
elegans Reichb. f. (3)
*Ann. Bot. Gard. Calcutta, viii. t. 446 (1898).
Pflanzenreich, Orch.-Pleon. 41 (1903).—*Fl.*
Elliottianum J. O'Brien (4)
*Lindenia, iv. t. 186 (1888).
Journ. Hort. Ser. III. xx. 199 (1890); xxxii. 55 (1896).
*Warner & Will. Orch. Album, ix. t. 397 (1891).
*Cogniaux, Dict. Icon. Orch., Cypriped. t. 8 (1897).—*Fl.*
*Wien. Ill. Gart.-Zeit. xxv. t. 2 (1900).
×Elmireanum Hort. (4)
*Rev. Hort. Belge, xxxi. 97 (1905).
×Endymion R. Young (4)
*Cogniaux, Dict. Icon. Orch., Cypriped. hybr. t. 33 (1899).—*Fl.*
×Engelhardtae Linden (4)
*Lindenia, vi. t. 285 (1890).
epidendricum Vell. (2)
Vellozo, Fl. Flum. ix. t. 64 (1827).
×Erato Desbois (4)
*Cogniaux, Dict. Icon. Orch., Cypriped. hybr. t. 5 (1897).—*Fl.*
×Ernestianum Hort. (4)
Journ. Hort. Ser. III. xiv. 377 (1887).—*Fl.*
×Eucharis Fournierianum Cogn. (4)
*Cogniaux, Dict. Icon. Orch., Cypriped. hybr. t. 53 (1902).—*Fl.*
×Euryades Hort. (4)
Journ. Hort. Ser. III. xxxii. 47 (1896).—*Fl.*
Journ. Roy. Hort. Soc. London, xx. Proc. p. xcvi (1896–97).—*Fl.*

CYPRIPEDIUM
×euryandrum Reichb. f. (4)
*Fl. des Serres, Ser. II. xii. t. 2278, 2279 (1876).
Ill. Gartenzeit. Stuttgart, xxiv. t. 32 (1880).
Journ. Hort. lxiii. 397 (1880).
Garden, xix. 636 (1881).
Gard. Month. & Hort., Meehan, xxiii. 144 (1881).
Gartenfl. xxx. 115 (1881).
Sempervirens, x. 4 (1881).
Rev. Hort. Belge, viii. 13 (1882).
Orchidophile, 1883, p. 764.
*Warner & Will. Orch. Album, vii. t. 301 (1888).
Veitch, Man. Orch. Pl. Pt. 4, p. 83 (1889).
B. S. Williams, Orchid-Grower's Man. Ed. 7, p. 257 (1894).
×Eurybiades Shillianum Hort. (4)
Gard. Chron. Ser. III. lxiii. 72 (1918).—*Fl.*
×Evenor grandiflorum Hort. (4)
*Lindenia, xi. t. 497 (1895).
exul O'Brien (4)
!Gard. Chron. Ser. III. xi. 523 (1892); xxxi. 202 (1902).
Journ. Roy. Hort. Soc. London, xv. Proc. p. clxii (1893).—*Fl.*
B. S. Williams, Orchid-Grower's Man. Ed. 7, p. 257 (1894).
Journ. Orch. vi. 38 (1895).—*Fl.*
*Bot. Mag. cxxii. t. 7510 (1896).
*Cogniaux, Dict. Icon. Orch., Cypriped. t. 13 (1898).—*Fl.*
*Costantin, Atlas Orch. Cult. t. 4 (1913).—*Fl.*
—— **aurantiacum** Linden
*Lindenia, xvi. t. 746 (1901).
—— **Imschootianum** Rolfe
*Lindenia, vii. t. 327 (1891).
×Eyermanianum Rolfe (4)
*Sander, Reichenbachia, Ser. II. i. 81, t. 38 (1892).
*Costantin, Atlas Orch. Cult. t. 4 (1913).—*Fl.*
—— **Hermione** Rolfe
*Cogniaux, Dict. Icon. Orch., Cypriped. hybr. t. 34 (1899).—*Fl.*
×Fairieano-Lawrenceanum Hort. (4)
B. S. Williams, Orchid-Grower's Man. Ed. 7, p. 258 (1894).—*Fl.*
Journ. Hort. Ser. III. xxviii. 45 (1894).
Fairieanum Lindl. (4)
*Bot. Mag. lxxxiii. t. 5024 (1857).
*Fl. des Serres, Ser. II. ii. t. 1244 (1857).
Rev. Hort. Ser. IV. ix. 70, 71 (1860); 1903, p. 256; 1906, p. 497.
*Siebold & De Vriese, Fl. Jard. v. 1 (1862).
*Reichenbach f., Xenia Orch. ii. t. 133 (1865).
*Bateman, Second Cent. Orch. Pl. t. 140 (1867).
Garden, iii. 431, 433 (1873); vi. 69 (1874); lxviii. 173 (1905).—*Hab.*
*Warner & Will. Orch. Album, ii. t. 70 (1883).
Nicholson, Illustr. Dict. Gard. i. 424 [1884–88].
*Rev. Hort. Belge, xii. 37 (1886).
Journ. Hort. Ser. III. xvi. 131 (1888); xviii. 40 (1889); li. 321 (1905).
Veitch, Man. Orch. Pl. Pt. 4, p. 25 (1889); Pt. 10, p. 24 (1894).—*Fl.*
Delchevalerie, Orchidées, Ed. 3, p. 79, 80 (1889).
*Orchidophile, 1891, p. 336.—*Hab.*
Bellair & St.-Léger, Pl. Serre, 647, 648 (1900).
Gard. Chron. Ser. III. xxxviii. 168 (1905); lx. 276 (1916).—*Fl.*
Horticulture (Boston), ii. 275 (1905); xvi. 505 (1912).
*Cogniaux, Dict. Icon. Orch., Cypriped. t. 27 (1906).
Gard. Album, i. 61 (1906).
C. H. Curtis, Orchids for Everyone, 63 (1910).—*Hab.*
Orch. World, ii. 279 (1912); vi. 83 (1916).
*Costantin, Atlas Orch. Cult. t. 2 (1913).—*Fl.*
Orchis, viii. 107 (1914).
Orch. Rev. xxiii. 337 (1915); xxvi. 64 (1918).—*Hab.*
fasciculatum Kellogg (3)
Gard. & Forest, i. 90 (1888).
Pflanzenreich, Orch.-Pleon. 18, 39 (1903).
—— **pusillum** Rolfe
*Bot. Mag. cxix. t. 7275 (1893).
×fascinatum Hort. (4)
*Rev. Hort. Belge, xx. 25 (1894).

CYPRIPEDIUM
×festum Hort. (4)
*Costantin, Atlas Orch. Cult. t. 5 (1913).—*Fl.*
×Fitchianum Will. (4)
*Warner & Will. Orch. Album, viii. t. 350 (1889).
flavescens Red. (3)
*Redouté, Liliac. i. t. 20 (1802).
Dict. Sc. Nat., Planch. Bot. Monocot. t. 70 (1816–29).
×Fletcherianum Hort. (4)
Gard. Chron. Ser. III. xl. 254 (1906).—*Fl.*
Journ. Hort. Ser. III. liii. 339 (1906).—*Fl.*
Journ. Roy. Hort. Soc. London, xxxii. Proc. p. cci, fig. 83 (1908).—*Fl.*
Orch. World, ii. 35 (1911); vi. 244 (1916).—*Fl.*
×florentinum Hort. (4)
Gartenwelt, iii. 188 (1899).
formosanum Hayata (3)
Hayata, Ic. Pl. Formosan. vi. 67 (1916).—*Fl.*
Franchetii Rolfe (3)
Horticulture (Boston), 145 (1912).—*Fl.*
Orch. Rev. xx. 358 (1912).—*Fl.*
×Fraseri Reichb. f. (4)
*Lindenia, vi. t. 253 (1890).
×Galatea Rolfe (4)
Journ. Hort. Ser. III. xx. 5 (1890).—*Fl.*
—— **maius** Hort.
Journ. Hort. Ser. III. xxxiii. 627 (1896).—*Fl.*
×gandavense Pynaert (4)
*Rev. Hort. Belge, xxii. 49 (1896).
Gardineri Guillemard (4)
Guillemard, Cruise Marchesa, Ed. 2, p. 407 (1889).—*Hab.*
×Gaudianum Cogn. (4)
*Cogniaux, Dict. Icon. Orch., Cypriped. hybr. t. 56 (1903).
×Germinyanum Reichb. f. (4)
Journ. Hort. Ser. III. xxi. 89 (1890); xxvi. 67 (1893).—*Fl.*
*Cogniaux, Dict. Icon. Orch., Cypriped. hybr. t. 52 (1902).
×Gibezianum Linden (4)
*Lindenia, ix. t. 425 (1893).
×gigas Hort. (4)
*Orchis, ii. t. 17 (1908).—*Hab.*
glanduliferum Bl. (4)
Blume, Rumphia, iv. t. 198 (1848).—*Fl.*
glaucophyllum Rolfe (4)
Gard. Chron. Ser. III. xxxiv. 404, 405 (1903).
*Rev. Hort. Belge, xxx. 193 (1904).
*Lindenia, xvii. t. 811 (1906).
Horticulture (Boston), v. 221 (1907).—*Fl.*
Costantin, Atlas Orch. Cult. t. 4 (1913).—*Fl.*
×Glonerianum Linden (4)
*Lindenia, xvi. t. 753 (1901).
Godefroyae Godefr. (4)
Orchidophile, 1883, p. 831; 1884, p. 362.
*Garden, xxv. 396 (1884); xxvii. 444 (1885).
Bull. Soc. Tosc. Ortic, ix. 168, t. 8 (1884).
Florist, 1884, p. 37.
Gard. Chron. xxiii. 49 (1885).—*Fl.*
*Warner & Will. Orch. Album, iv. t. 177 (1885).
Journ. Hort. Ser. III. xi. 579 (1885); xlvii. 483 (1903).
Sempervirens, xv. 196 (1886).
*Bot. Mag. cxii. t. 6876 (1886).
*Rev. Hort. Belge, xii. 241 (1886); *C. Godefroyanum* in textu.
*Ill. Gartenzeit. Stuttgart, xxxi. 22 (1887).
Gartenfl. xxxvi. 86 (1887).
Desbois, Cypripedium, 52 (1888).
Veitch, Man. Orch. Pl. Pt. 4, p. 27 (1889).—*Fl.*
B. S. Williams, Orchid-Grower's Man. Ed. 7, p. 261 (1894).
—— **citrinum** Hort.
Journ. Roy. Hort. Soc. London, xxxi. Proc. p. clxxvi, fig. 53 (1906).—*Fl.*
—— **Hodgkinsonii** Hort.
Gard. Chron. Ser. III. xl. 32 (1906).—*Fl.*
—— **leucochilum** Hort.
*Lindenia, ix. t. 431 (1893).
Orch. Rev. ii. 145 (1894).
Gard. Chron. Ser. III. xv. 815 (1894).—*Fl.*
Journ. Hort. Ser. III. xxx. 423 (1895); xxxviii. 25 (1899); li. 291 (1905).—*Fl.*
Garden, liii. 39 (1898).—*Fl.*

CYPRIPEDIUM
Godefroyae leucochilum
Journ. Roy. Hort. Soc. London, xxii. 493 (1898–99).—*Fl.*
Nicholson, '1900' Suppl. Dict. Gard. 288 (1900).—*Fl.*
Horticulture (Boston), viii. 635 (1908).—*Fl.*
—— **Mariae** Hort.
*Rev. Hort. Belge, xv. 97 (1889).
*Kerchove, Livre Orch. t. 8 (1894).
×**Godseffianum** Reichb. f. (4)
*Rev. Hort. Belge, xviii. 85 (1892).
Journ. Hort. Ser. III. xxx. 223 (1895); xlviii. 49 (1904).—*Fl.*
*Cogniaux, Dict. Icon. Orch., Cypriped. hybr. t. 7 (1899).—*Fl.*
—— **Jupiter** Cogn.
*Cogniaux, Dict. Icon. Orch., Cypriped. hybr. t. 7 A (1897).—*Fl.*
×**Gowerianum** Hort. (4)
*Lindenia, xiv. t. 638 (1898).
*Costantin, Atlas Orch. Cult. t. 4 (1913).—*Fl.*
×**grande** Reichb. f. (5)
*Warner, Select Orch. Pl. Ser. III. t. 33 (1878).
Gartenfl. xxxiii. 340 (1884).
Garten-Zeit. Berlin, iii. 498 (1884).
Ill. Gartenzeit. Stuttgart, xxviii. t. 33 (1884).
Sempervirens, xiii. 220 (1884).
Journ. Hort. Ser. III. viii. 361 (1884).
Gard. Month. & Hort., Meehan, xxvii. 74 (1885).
Rev. Hort. Belge, xi. 245 (1885); xxiv. 27 (1898).
Veitch, Man. Orch. Pl. Pt. 4, p. 104 (1889).
Gartenwelt, iv. 183 (1900).
Journ. Roy. Hort. Soc. London, xxiv. 12 (1900).
—— **atratum** Hort.
Gard. Chron. Ser. III. xv. 692 (1894).—*Hab.*
×**Gratrixianum** Will. (4)
*Warner & Will. Orch. Album, xi. t. 524 (1897).
Gard. Chron. Ser. III. xxxvii. 77 (1905).
Gartenwelt, xv. 331 (1911).
×**Gravesiae** R. M. Grey (4)
Gard. Chron. Ser. III. xv. 299 (1894).—*Fl.*
Orch. Rev. ii. 81 (1894).—*Fl.*
×**grossum** Hort. (4)
*Wien. Ill. Gart.-Zeit. xxvii. t. 1 (1902).
guttatum Sw. (3)
Reichenbach, Pl. Crit. iii. t. 210 (1825).
Paxt. Fl. Gard. i. 183 (1850–51).
*Fl. des Serres, Ser. I. vi. t. 573 (1850–51).
Reichenbach, Ic. Fl. Germ. xiii & xiv. t. 495 (1851).
Cottage Gard. vi. 82 (1851); xxvi. 402 (1861).
Moore & Ayres, Mag. Bot. iii. 68 (1851).
*Rev. Hort. Ser. III. v. 201 (1851).
Journ. Hort. lvii. 465 (1877); Ser. III. vi. 116 (1883).
Garden, xvii. 417 (1880); xlii. 386 (1892); lix. 467 (1901).
W. Robinson, Engl. Fl. Gard. t. 87 (1883).—*Fl.*
Orchidophile, 1884, p. 38.—*Hab.*
Rouy, Illustr. Pl. Eur. Rar. fasc. 9, t. 223 (1898).
*Bot. Mag. cxxvi. t. 7746 (1900).
Rev. Gén. Bot. xiii. t. 12 (1901).—*Fl.*
Pflanzenreich, Orch.-Pleon. 30 (1903).—*Fl.*
Suireishchikov, Ill. Fl. Mosc. Gov. i. 252 (1906).
Fedtschenko & Fler. Fl. Eur. Russia, 267 (1910).
Silva Tarouca, Freiland-Stauden, 77 (1910).—*Hab.*
*Costantin, Atlas Orch. Cult. t. 2 (1913).—*Fl.*
—— **Redowskii** Reichb. f.
Reichenbach, Ic. Fl. Germ. xiii & xiv. t. 520 (1851).
×**Harri-Leeanum** Hort. (4)
Gard. Chron. Ser. III. xl. 166 (1906).—*Fl.*
×**Harrisander** Hort. (4)
Orch. Rev. iv. 273 (1896).—*Fl.*
×**Harrisianum** Reichb. f.
*Floral Mag. viii. t. 431 (1869).
Florist, 1871, p. 57.
*Fl. des Serres, Ser. II. xii. t. 2289, 2290 (1876).
Veitch, Man. Orch. Pl. Pt. 4, p. 86, 87 (1889).
Journ. Orch. iii. 288 (1892).
Rev. Hort. Belge, xxii. 148 (1896).
Semaine Hort. 1898, p. 17.
!Gard. Chron. Ser. III. xxxvi. 411 (1904).—*Fl.*
*Costantin, Atlas Orch. Cult. t. 4 (1913).—*Fl.*

CYPRIPEDIUM
× **Harrisianum Dauthieri** Hort. (4)
Gartenwelt, iv. 369 (1900).
Horticulture (Boston), i. 638 (1905).—*Hab.*
—— **polychromum** Hort.
*Lindenia, iv. t. 166 (1888).
—— **superbum** Veitch
*Lindenia, iii. t. 118 (1887).
Veitch, Man. Orch. Pl. Pt. 4, p. 87 (1889).—*Fl.*
*Cogniaux, Dict. Icon. Orch., Cypriped. hybr. t. 11 (1898).—*Fl.*
Orch. World, vi. 157 (1916).—*Fl.*
Hartwegii Reichb. f. (5)
Seemann, Bot. Voy. Herald, t. 44 (1854).
×**Haumontii** Linden (4)
*Lindenia, xiv. t. 668 (1899).
Haynaldianum Reichb. f. (4)
*Bot. Mag. ciii. t. 6296 (1877).
*Reichenbach f., Xenia Orch. iii. 212 (1881).
*Miner, Orchids, t. 23 (1885).
Veitch, Man. Orchid. Pl. Pt. 4, p. 5 (1889).—*Fr.*
American Garden, xxi. 865 (1900).
*Cogniaux, Dict. Icon. Orch., Cypriped. t. 24 (1903).—*Fl.*
*Costantin, Atlas Orch. Cult. t. 1 (1913).—*Fl.*
×**Haywoodianum** Hort. (4)
Gard. Chron. Ser. III. xxxvii. 195 (1905).—*Fl.*
×**Helvetia** O'Brien (4)
*Cogniaux, Dict. Icon. Orch., Cypriped. hybr. t. 43 (1900).
Henryi Rolfe (3)
Rev. Gén. Bot. xiii. t. 12 (1901).—*Fl.*
×**Hera Euryades** Hort. (4)
Gard. Chron. Ser. III. xxvi. 483 (1899).—*Fl.*
Journ. Roy. Hort. Soc. London, xxiii. Proc. p. cxcviii (1899–1900).—*Fl.*
—— **Gillianum** Rolfe
*Cogniaux, Dict. Icon. Orch., Cypriped. hybr. t. 61 A (1905).—*Fl.*
—— **grandiflorum** Hort.
Jardin, xix. 104 (1905).
himalaicum Rolfe (3)
*Ann. Bot. Gard. Calcutta, viii. t. 448 (1898).
Hincksianum Reichb. f. (5)
Gartenwelt, iv. 243 (1900).
Semaine Hort. 1900, p. 499.
×**Hindeanum** Hort. (4)
Gard. Chron. Ser. III. xxxiii. 53 (1903).—*Fl.*
hirsutissimum Lindl. (4)
*Belg. Hort. vii. t. 61 (1857).
*Bot. Mag. lxxxiii. t. 4990 (1857).
*Journ. Hort. Prat. Belg. N. Ser. i. t. 24 (1857).
Rev. Hort. Ser. IV. viii. 182, 183 (1859).
*Fl. des Serres, Ser. II. iv. t. 1430 (1861).
*Warner, Select Orch. Pl. Ser. I. t. 15 (1862–65).—*Hab.*
*Reichenbach f., Xenia Orch. ii. t. 132 (1865).
*Bateman, Second Cent. Orch. Pl. t. 149 (1867).
Gard. Chron. xxiii. 472 (1885); Ser. III. ix. 676 (1891).—*Fl.*
Journ. Hort. Ser. III. xiv. 293 (1887); lii. 513 (1906).—*Fl.*
Delchevalerie, Orchidées, Ed. 3, p. 81, 82 (1889).
Veitch, Man. Orch. Pl. Pt. 4, p. 30 (1889); Pt. 10, p. 31 (1894).—*Fl.*
*Cogniaux, Dict. Icon. Orch., Cypriped. t. 11 (1898).—*Fl.*
*Costantin, Atlas Orch. Cult. t. 3 (1913).—*Fl.*
Orch. World, v. 67 (1914).—*Fl.*
×**hirsuto-Sallieri** Lawr. (4)
Journ. Hort. Ser. III. xxxv. 389 (1897); lviii. 439 (1909).—*Fl.*
Journ. Roy. Hort. Soc. London, xxi. 588 (1897–98).—*Fl.*
hirsutum Mill. (3)
Minnesota Bot. Stud. i. t. 25 (1895).
Britton & Brown, Ill. Fl. N. States & Canada, i. 458 (1896).
U.S. Dep. Agric. Div. Bot. Bull. No. 20, p. 19 (1898).
Blanchan, Nat. Gard. 286 (1900).
Plant World, v. t. 16 (1902).
Bessey in Ann. Rep. Nebraska St. Board Agric. N. Ser. 1901, p. 102 (1902); et in Contrib. Dept. Bot. Univ. Nebraska, N. Ser. xviii. 102 (1902).
*Niles, Bog-trotting Orch. 4 (1904).

CYPRIPEDIUM
hirsutum
Gibson, Our Native Orchids, t. 7, 8 (1905).
U.S. Dep. Agric. Bur. Pl. Indust. Bull. No. 107, t. 3 (1907).
Pammel, Man. Poison. Pl. 394 (1911).
Amer. Bot. xix. 122 (1913).—*Hab.*
*Costantin, Atlas Orch. Cult. t. 3 (1913).—*Fl.*
—— **parviflorum** Hort.
*Costantin, Atlas Orch. Cult. t. 2 (1913).—*Fl.*
×**Hitchinsiae** Hort. (4)
*Costantin, Atlas Orch. Cult. t. 4 (1913).—*Fl.*
×**Hoechbergianum** Hort. (4)
Möllers Deutsche Gärtn.-Zeit. xxvi. 257 (1911).—*Fl.*
×**Holdenii** Hort. (4)
Orch. World, ii. 60 (1911).—*Fl.*
Hookerae Reichb. f. (4)
*Fl. des Serres, Ser. II. v. t. 1565 (1862–65).
*Bot. Mag. lxxxix. t. 5362 (1863).
!Bull. Soc. Bot. Belg. iv. 270 (1865).—*Fl.*
*Reichenbach f., Xenia Orch. ii. t. 141 (1867).
*Bateman, Second Cent. Orch. Pl. t. 123 (1867).
Veitch, Man. Orch. Pl. Pt. 4, p. 31 (1889).—*Fl.*
Orch. Rev. x. 144 (1902).
*Costantin, Atlas Orch. Cult. t. 2 (1913).—*Fl.*
—— **Volonteanum** Hort.
L. H. Bailey, Cycl. Amer. Hort. 434 (1900).
humile Salisb. (3)
Trans. Linn. Soc. London, i. t. 3, fig. 4 (1791).—*Fl.*
*Lodd. Bot. Cab. ii. t. 130 (1818).
*Barton, Fl. N. Amer. iii. t. 83 (1823).
*Sweet, Brit. Fl. Gard. v. t. 161 (1832).
*Ann. Gand, ii. t. 80 (1846).
*Strong, American Fl. iii. 67 (1849).
*Fl. des Serres, Ser. I. x. t. 1054 (1854–55).
*T. Moore, Illustr. Orchidac. Pl., Cypriped. t. 7 (1857).
Pflanzenreich, Orch.-Pleon. 34 (1903).—*Fl.*
×**I'Ansonii** Hort. (4)
Journ. Hort. Ser. III. xxxvii. 5 (1898); xl. 475 (1900); xlvi. 397 (1903).—*Fl.*
insigne Wall. (4)
*Lindley, Collect. t. 32 (1821).
*Hooker, Exot. Fl. i. t. 34 (1823).
*Fortsetz. Allg. Teutsch. Gart. Mag. viii. t. 19 (1824).
*Joh. Kerner, Hort. Sempervir. t. 686 (1824).
*Lodd. Bot. Cab. xiv. t. 1321 (1828).
Loudon, Mag. Nat. Hist. i. 166 (1828).
*Nees & Sinning, Sammlung schönblüh. Gew. t. 82 (1831).
*Journ. & Flore Jard. 1832, p. 94.
*Mag. Bot. & Gard. ii. t. 41 (1834).
*Bot. Mag. lxii. t. 3412 (1835).
*Maund, Botanist, ii. t. 56 (1838).
*Maund & Henslow, Bot. Souv. [t. 2, 1838–40].
Lestiboudois in Mém. Soc. Sc. Agric. & Arts, Lille, 1840, t. 16 (1841).—*Fl.*
Ann. Sc. Nat. Paris, Ser. II. xvii. t. 13, fig. 1, 2 (1842).—*Fl.*
*Hartinger, Parad. Vindob. t. 38 (1844–60).
*Blume, Rumphia, iv. t. 195 (1848).
!Bull. Acad. Sc. Bruxelles, xvii. 1. 196 (1850).—*Fl.*
*Strong, American Fl. iv. 122 (1850).
Griffith, Ic. Pl. Asiat. t. 322 (1851).
Blume, Coll. Orchidées, 167 (1858).—*Fl.*
Florist, 1870, p. 274.
Gard. Chron. 1871, p. 1647; Ser. III. viii. 691 (1890); lxviii. 763 (1895).
Pfitzer, Grundz. Vergl. Morph. Orchideen, t. 3, fig. 25 (1882).
Nicholson, Illustr. Dict. Gard. i. 425 [1884–88].—*Fl.*
*Warner & Will. Orch. Album, iv. t. 155 (1885).
Suringar in Verh. Akad. Wet. Amsterdam, xxiv. t. 1, 2 (1886).—*Fl.*
Journ. Orch. iii. 71 (1892).
Linden, Orchid. Exot. 24, 25 (1894).
B. S. Williams, Orchid-Grower's Man. Ed. 7, p. 267 (1894).
Brehm, Merv. Nat. Monde des Pl. ii. 545 (1894–96).—*Hab.*
*Lindenia, xi. t. 515, 516 (1895).—*Fl.*
!Orch. Rev. iii. 361 (1895); xxiv. 12 (1916).—*Hab.*

CYPRIPEDIUM
insigne
*Bois, Atlas Pl. Jard. t. 254 (1896).
Semaine Hort. 1897, p. 78; 1900, p. 581.
*Step, Fav. Fl. Gard. & Greenh. iv. t. 246 (1897).
*Cogniaux, Dict. Icon. Orch., Cypriped. t. 14 (1898).—*Fl.*
Journ. Hort. Ser. III. xxxviii. 5 (1899); xlv. 535 (1902).—*Fl.*
Garden, lxv. 101 (1904).—*Hab.*
Horticulture (Boston), i. 197 (1905); v. 89 (1907); xi. 721 (1910); xv. 501 (1912).—*Hab.*
Kertészeti Lapok (Hungarian Journ. Hort.), xxi. 245 (1906).
Orchis, i. 85, 86 (1907); ii. 65 (1908).
*C. H. Curtis, Orchids for Everyone, 61 (1910).
Orch. World, iv. 17 (1913).—*Hab.*
*Costantin, Atlas Orch. Cult. t. 3 (1913).—*Fl.*
—— **albinos** Hort.
Semaine Hort. iv. 580 (1900).
—— **albo-marginatum** Cogn.
*Warner & Will. Orch. Album, v. t. 232 (1886).
*Lindenia, xi. t. 510, 511 (1895).
—— **Chantinii** Rafarin
*Rev. Hort. 1878, p. 130.
*Orchidophile, 1885, p. 36.
Horticulture (Boston), ix. 772 (1910).—*Fl.*
—— —— **Lindenii** Grign.
Gard. Chron. Ser. III. xxviii. 411 (1900).—*Fl.*
Wien. Ill. Gart.-Zeit. xxvi. 258 (1901).—*Fl.*
*Lindenia, xvi. t. 738 (1901).
—— **cinnamomeum** Hort.
*Lindenia, xvii. t. 805 (1906).
—— **citrinum** Hort.
*Rev. Hort. 1897, p. 448.
—— **Ernestii** Hort.
Orch. Rev. xxiv. 9 (1916).—*Fl.*
—— **excellens** Cogn.
*Lindenia, xi. t. 510, 511 (1895).
—— **Forstermanii** Desbois
*Cogniaux, Dict. Icon. Orch., Cypriped. t. 14 D (1903).—*Fl.*
—— **fuscum** Hort.
*Lindenia, xii. t. 563 (1896).
—— **Holfordianum** Hort.
Gard. Chron. Ser. III. xxxii. 413 (1902).—*Fl.*
Journ. Roy. Hort. Soc. London, xxvii. Proc. p. ccxlv (1902).—*Fl.*
—— **immaculatum** Hort.
*Lindenia, xii. t. 563 (1896).
—— **Janus** Linden
*Lindenia, xiii. t. 595 (1897).
—— **Lagerae** Hort.
Orch. Rev. xxiv. 11 (1916).—*Fl.*
—— **latimaculatum** Cogn.
*Lindenia, xi. t. 510, 511 (1895).
—— **Lindeniae** Cogn.
*Lindenia, xi. t. 510, 511 (1895).
Horticulture (Boston), xi. 772 (1910).—*Fl.*
—— **Luciani** Rod.
*Lindenia, xi. t. 505 (1895).
*Ill. Hort. xliii. t. 49 (1896).
—— **lucidum** Cogn.
*Lindenia, xi. t. 510, 511 (1895).
—— **Maulei** T. Moore
*Floral Mag. i. t. 57 (1861).
*Fl. des Serres, Ser. II. v. t. 1564 (1862–65).
*Garden, xxi. 444 (1882).
Gard. Chron. xviii. 716 (1882).—*Fl.*
Desbois, Cypripedium, frontisp. (1888).
B. S. Williams, Orchid-Grower's Man. Ed. 7, p. 268 (1894).—*Fl.*
Gartenwelt, vi. 470 (1902).
—— **miniatum** Cogn.
*Lindenia, xi. t. 510, 511 (1895).
—— **montanum** Hort.
*Lindenia, ix. t. 414 (1893).
—— **Mooreanum** Will.
*Warner & Will. Orch. Album, x. t. 445 (1893).
—— **moortebeekiense** Cogn.
*Lindenia, xi. t. 510, 511 (1895).
—— **nigrum** Desbois
*Cogniaux, Dict. Icon. Orch., Cypriped. t. 14 A (1898).
—— **nobilius** Linden
*Lindenia, xiv. t. 656 (1899).

CYPRIPEDIUM
insigne picturatum Hort. (4)
*Lindenia, xii. t. 563 (1896).
—— **punctatum** Hort.
*Garden, xxi. 444 (1882).
Journ. Hort. Ser. III. vi. 116 (1883).
—— —— **violaceum** O'Brien
Gard. Chron. xviii. 717 (1882).—*Fl.*
*Warner & Will. Orch. Album, vi. t. 278 (1887).
B. S. Williams, Orchid-Grower's Man. Ed. 7, p. 270 (1894).—*Fl.*
—— **rubidum** Cogn.
*Lindenia, xi. t. 510, 511 (1895).
—— **Sanderae** Reichb. f.
Journ. Roy. Hort. Soc. London, xiii. Proc. p. clxxxiii (1891).—*Fl.*
Gard. Chron. Ser. III. x. 669 (1891); lxvi. 275 (1919); lxviii. 239 (1920).
Journ. Hort. Ser. III. xxiii. 447 (1891).—*Fl.*
Orch. Rev. ii. 41 (1894); vi. 17 (1898); xxiv. 9 (1916).
*Cogniaux, Dict. Icon. Orch., Cypriped. t. 14 B (1898).—*Fl.*
American Garden, xxi. 329 (1900); xxv. 171 (1904).
L. H. Bailey, Cycl. Amer. Hort. 434 (1900).
Nicholson, '1900' Suppl. Dict. Gard. 283 (1900).—*Fl.*
*Gartenfl. lvi. t. 1559 (1907).
Horticulture (Boston), xi. 772 (1910); xxiv. 753 (1916).
*C. H. Curtis, Orchids for Everyone, 61, 75 (1910).
*Orch. World, iii. 159, 164 (1913).—*Hab.*
Orchis, xiv. 5 (1920).
—— **Sanderianum** Sander
Orch. Rev. i. 145 (1893); xvi. 267 (1908); xxiv. 10 (1916).—*Fl.*
Horticulture (Boston), xi. 772 (1910).—*Fl.*
—— **sylhetense** Hort.
*Cogniaux, Dict. Icon. Orch., Cypriped. t. 14 C (1899).—*Fl.*
×**Io** Reichb. (4)
*Rev. Hort. Belge, xiv. 13 (1888).
*Sander, Reichenbachia, i. 51, t. 23 (1888).
Orch. World, v. 17 (1914).—*Hab.*
—— **grande** Hort.
Orch. Rev. ii. 49 (1894).—*Fl.*
irapeanum Llav. & Lex. (3)
*Bot. Reg. xxxii. t. 58 (1846).
*Fl. des Serres, Ser. I. iii. t. 186 (1847).
Ill. Hort. i. Misc. 1 (1854).
*T. Moore, Illustr. Orchidac. Pl., Cypriped. t. 4 (1857).
Pflanzenreich, Orch.-Pleon. 30 (1903).—*Fl.*
*Costantin, Atlas Orch. Cult. t. 2 (1913).—*Fl.*
japonicum Thunb. (3)
Thunberg, Ic. Pl. Jap. i [t. 1] (1794).
Blume, Coll. Orchidées, t. 59 (1858).
*Fl. des Serres, Ser. II. x. t. 2064, 2065 (1874).
*Somoku Dzusetsu, Ed. 2, xviii. t. 84 (1874).
Florist, 1875, p. 221.
*Floral Mag. N. Ser. 1875, t. 171.
Gard. Chron. iii. 625 (1875); Ser. III. xxxiii. 355 (1903).
De Puydt, Orchidées, 65 (1880).—*Hab.*
*Orchidophile, 1887, p. 175.
Pflanzenfam. ii. VI. 82 (1889).—*Hab.*
Stein, Orchideenbuch, 178 (1892).—*Hab.*
Kerchove, Livre Orch. 32 (1894).
*Useful Pl. Jap. iii. t. 922 (1895).
Rev. Gén. Bot. xiii. t. 12 (1901).—*Fl.*
Pflanzenreich, Orch.-Pleon. 11 (1903).—*Hab.*
Somoku Dzusetsu, Ed. Makino (Iconogr. Pl. Nippon), xviii. t. 84 (1912).
*Costantin, Atlas Orch. Cult. t. 3 (1913).—*Fl.*
javanicum Reinw. (4)
*Fl. des Serres, Ser. I. vii. t. 703 (1851–52).
*Blume, Coll. Orchidées, t. 58, p. 167 (1858).
*Costantin, Atlas Orch. Cult. t. 3 (1913).—*Fl.*
×**Johnsonianum** Sander (4)
Journ. Hort. Ser. III. xxvi. 171 (1893).—*Fl.*
×**Kimballianum** Linden (4)
Gard. Chron. Ser. III. xvii. 801 (1895).—*Fl.*
Journ. Roy. Hort. Soc. London, xix. Proc. p. xcix (1896).

CYPRIPEDIUM
Klotzschianum Reichb. f. (5)
*Bot. Mag. cxvii. t. 7178 (1891).
Gard. Chron. Ser. III. xv. 625 (1894).
*Costantin, Atlas Orch. Cult. t. 2 (1913).—*Fl.*
×**Kubele** R. Young (4)
*Cogniaux, Dict. Icon. Orch., Cypriped. hybr. t. 50 (1901).—*Fl.*
×**Lachesis** R. Young (4)
*Cogniaux, Dict. Icon. Orch., Cypriped. hybr. t. 21 (1898).—*Fl.*
laevigatum Batem. (4)
Gard. Chron. 1865, p. 914.—*Fl.*
*Bot. Mag. xci. t. 5508 (1865).
*Floral Mag. v. t. 298 (1866).
*Bateman, Second Cent. Orch. Pl. t. 101 (1867).
*Belg. Hort. xvii. 102 (1867).
*Fl. des Serres, Ser. II. vii. t. 1760, 1761 (1867–68).
De Puydt, Orchidées, 159 (1880).—*Fl.*
*Rev. Hort. Belge, vii. 121 (1881).
×**Laforcadei** Bauer (4)
*Orchidophile, 1886, p. 121.
×**Lairessei** Hort. (4)
C. H. Curtis, Orchids for Everyone, 58 (1910).—*Fl.*
×**Lansbergiae** Linden (4)
Semaine Hort. 1900, p. 555.—*Fl.*
*Lindenia, xvi. t. 727 (1901).
×**Lathamianum** Reichb. f. (4)
Gartenfl. xxxviii. 528 (1889).—*Fl.*
Journ. Hort. Ser. III. xviii. 175 (1889); xxxiv. 237 (1897).—*Fl.*
*American Garden, xii. 159 (1891).
Journ. Soc. Hort. France, Ser. III. xiv. 282 (1892).—*Fl.*
*Orchidophile, 1892, p. 209.
*Lindenia, ix. t. 397 (1893).
*Cogniaux, Dict. Icon. Orch., Cypriped. hybr. t. 28 (1899).—*Fl.*
L. H. Bailey, Cycl. Amer. Hort. 438 (1900).
Jardin, xiv. 75 (1900).—*Fl.*
Orchis, iv. t. 21 (1910).—*Fl.*
*Costantin, Atlas Orch. Cult. t. 5 (1913).—*Fl.*
Orch. World, vi. 229 (1916).—*Fl.*
—— **imperiale** Linden
*Lindenia, xvii. t. 774 (1902).
—— **inversum** Sander
*Sander, Reichenbachia, Ser. II. i. 21, t. 10 (1892).
—— **latissimum** Hort.
*Lindenia, xvi. t. 732 (1901).
—— **princeps** Hort.
*Lindenia, xvii. t. 808 (1906).
—— **superbum** Hort.
Gartenwelt, x. 270 (1906).
×**Lawrebellum** Lawr. (4)
Gard. Chron. Ser. III. xi. 560 (1892); errore *C. Laurebel.*
*Lindenia, ix. t. 407 (1893).
B. S. Williams, Orchid-Grower's Man. Ed. 7, p. 274 (1894).—*Fl.*
*Warner & Will. Orch. Album, xi. t. 498 (1897).
*Gartenfl. lv. t. 1550 (1906).
Lawrenceanum Reichb. f. (4)
Sempervirens, viii. 292 (1879); xii. 84 (1883).
Journ. Hort. lxi. 442 (1879); Ser. III. x. 399 (1885); xlvii. 369 (1903); li. 51 (1905); lxiii. 545 (1911); lxv. 81 (1912).
*Bot. Mag. cv. t. 6432 (1879).
Florist, 1880, p. 112.
Wien. Ill. Gart.-Zeit. v. 451 (1880).
*Fl. des Serres, Ser. II. xiii. t. 2372 (1880).
Ill. Gartenzeit. Stuttgart, xxiv. t. 2 (1880).
!Gard. Chron. xiii. 777 (1880); xxvi. 308, 309 (1886); Ser. III. xxi. 291 (1897).
*Warner & Will. Orch. Album, i. t. 22 (1882).
Orchidophile, 1882, p. 245.—*Hab.*
*Garten-Zeit. Berlin, ii. 375 (1883).—*Fl.*
*Ill. Hort. xxx. t. 478 (1883).
Journ. Linn. Soc., Bot. xxii. 412, 413 (1887).—*Fl.*
Rhein. Jahrb. Gartenk. & Bot. v. 346 (1887–88).
Desbois, Cypripedium, 67 (1888).
Veitch, Man. Orch. Pl. Pt. 4, p. 37 (1889).—*Fl.*
B. S. Williams, Orchid-Grower's Man. Ed. 7, p. 274 (1894).

CYPRIPEDIUM
Lawrenceanum
*Cogniaux, Dict. Icon. Orch., Cypriped. t. 7 (1897).
Semaine Hort. 1899, p. 187.
Veitch, Hortus Veitchii, 123 (1906).
!Bull. Mus. Hist. Nat. Paris, xvii. 468 (1911).—*Fl.*
*Costantin, Atlas Orch. Cult. t. 2 (1913).—*Fl.*
—— **ardens** Linden
*Lindenia, xvii. t. 794 (1903).
—— **Gratrixianum** Hort.
Journ. Roy. Hort. Soc. London, xxviii. Proc. p. ccxliii (1903–4).—*Fl.*
—— **Hyeanum** Reichb. f.
*Lindenia, i. t. 42 (1885).
*Orchidophile, 1891, p. 145.—*Hab.*
*Sander, Reichenbachia, Ser. II. i. 49, t. 23 (1892).
Gard. Chron. Ser. III. xxi. 37 (1897).—*Fl.*
—— **Trieuanum** Linden
*Lindenia, xii. t. 575 (1896).
—— **viride** Linden
*Lindenia, xii. t. 546 (1896).
×**Lawrenceo-Regnieri** Bleu (4)
*Lindenia, xi. t. 504 (1895).
×**Lebaudyanum** Hort. (4)
*Lindenia, xii. t. 529 (1896).
*American Garden, xxiii. 387 (1902).
×**Lebrunianum** Linden (4)
*Lindenia, xiii. t. 613 (1897).
×**Leeanum** Veitch (4)
Rev. Hort. Belge, xi. 232 (1885).—*Fl.*
Journ. Hort. Ser. III. x. 83 (1885); liii. 569 (1906); lxiv. 29 (1912); lxviii. 85 (1914); lxxi. 316, 317 (1915).
*Warner & Will. Orch. Album, v. t. 223 (1886).
*Lindenia, iii. t. 125 (1887).
*Cogniaux, Dict. Icon. Orch., Cypriped. hybr. t. 3 (1903).—*Fl.*
Möllers Deutsche Gärtn.-Zeit. xxii. 222 (1907).
*Costantin, Atlas Orch. Cult. t. 5 (1913).—*Fl.*
Orch. World, iv. 57 (1913); vi. 229 (1916).
—— **Albertianum** Cogn.
*Cogniaux, Dict. Icon. Orch., Cypriped. hybr. t. 3 A (1897).—*Fl.*
—— **Alexandrae** Linden
*Lindenia, xvii. t. 776 (1902).
—— **Clinkaberryanum** Hort.
Horticulture (Boston), xi. 65 (1910).—*Fl.*
—— **corona** Hort.
Journ. Roy. Hort. Soc. London, xxxii. Proc. p. ccix, fig. 86 (1908).—*Fl.*
—— **giganteum** Rolfe
*Sander, Reichenbachia, Ser. II. ii. 19, t. 57 (1894).
Orch. Rev. xxiv. 9 (1916).—*Hab.*
—— **Gratrixiae** Hort.
Orch. Rev. xxii. 41 (1914).
—— **olivaceum** Linden
*Lindenia, xvii. t. 798 (1903).
—— **superbum** Veitch
*Orchidophile, 1885, p. 238.
Veitch, Man. Orch. Pl. Pt. 4, p. 89 (1889).—*Fl.*
Nicholson, '1900' Suppl. Dict. Gard. 289 (1900).—*Fl.*
*Gartenwelt, vi. 426 (1902).
Orchis, xiii. 26 (1919).
×**Lemoinierianum** Reichb. f. (5)
*Sander, Reichenbachia, ii. 89, t. 89 (1890).
×**Leonae** Linden (4)
*Lindenia, viii. t. 360 (1892).
×**leucorrhodum** Reichb. f. (5)
Journ. Hort. Ser. III. xii. 129 (1886); xlvii. 119 (1903).—*Fl.*
×**Leysenianum** Hort. (4)
*Rev. Hort. Belge, xx. 169 (1894).
*Cogniaux, Dict. Icon. Orch., Cypriped. hybr. t. 1 (1896).
×**Littleanum** Rolfe (4)
Orch. Rev. iii. 209 (1895).—*Fl.*
longifolium Warscz. & Reichb. f. (5)
Florist, 1871, p. 126.
*Bot. Mag. xcviii. t. 5970 (1872).
*Belg. Hort. xxiii. 65 (1873).
Floral World, 1874, p. 139.
Lubbock, Brit. Fl. Relat. Insects, 172 (1875).—*Fl.*
*Hulme & Hibberd, Familiar Gard. Fl. iv. 89 [1879–87].

CYPRIPEDIUM
longifolium
Gard. Chron. Ser. III. viii. 728 (1890).
*Neubert's Deutsch. Gart. Mag. li. t. 9 (1898).
Gartenwelt, iv. 183 (1900).
Lowii Lindl. (3)
*Fl. des Serres, Ser. I. iii. 281 d (1847); iv. t. 375 (1848).
Gard. Chron. 1847, p. 765; 1850, p. 214; Ser. III. viii. 729 (1890).
*Ann. Gand, iv. t. 195 (1848).
*Journ. Hort. Prat. Belg. viii. 225 (1850).
Journ. Hort. Soc. London, v. Proc. p. xxvii (1850).
*Moore & Ayres, Mag. Bot. i. 184, 297 (1850).
Cottage Gard. xvii. 169 (1857); xxvi. 100 (1861).
Rev. Hort. Ser. IV. vi. 402 (1857); 1883, p. 352; 1885, p. 473.—*Hab.*
Florist, 1870, p. 109.
Journ. Hort. xlvii. 31 (1872); l. 507 (1873); Ser. III. vi. 153 (1883).
Gartenfl. xxix. 272 (1880).
*De Puydt, Orchidées, t. 11 (1880).—*Hab.*
*Godefroy-Lebeuf & N. E. Brown, Cypripediées, i [t. 1], fig. 1–12 (1888).
Delchevalerie, Orchidées, Ed. 3, p. 83 (1889).
*Warner & Will. Orch. Album, ix. t. 428 (1891).
B. S. Williams, Orchid-Grower's Man. Ed. 7, p. 278 (1894).—*Fl.*
Bellair & St.-Léger, Pl. Serre, 651 (1900).—*Hab.*
*Costantin, Atlas Orch. Cult. t. 3 (1913).—*Fl.*
×**Lucienianum** Hort. (4)
*Lindenia, viii. t. 362 (1892).
—— **superbum** Hort.
*Lindenia, xvii. t. 806 (1906).
luteum Rafin. (3)
Rafinesque, Med. Fl. i. t. 30 (1828).
luteum Franch. (3)
Rev. Gén. Bot. xiii. t. 12 (1901).—*Fl.*
Horticulture (Boston), xiv. 33 (1911).—*Hab.*
Gard. Chron. Ser. III. xlix. 402 (1911); lvii. 257 (1915).
Wilson, Arn. Arb. Exped. China, 1910–11, t. 0369 (1912).—*Hab.*
Orch. Rev. xxi. 80 (1913).—*Hab.*
Farrer, Eaves of the World, ii. 224 (1917).—*Hab.*
Farrer, English Rock-Gard. i. 264 (1919).—*Hab.*
×**Mabeliae** Hort. (4)
Horticulture (Boston), xiv. 553 (1911).—*Fl.*
macranthon Sw. (3)
J. G. Gmelin, Fl. Sibir. i. t. 1, fig. 2 γ (1747); fide Ledebour, Comm. 47.
*Bot. Mag. lvi. t. 2938 (1829).
*Bot. Reg. xviii. t. 1534 (1832).
Géel, Sert. Bot. Cl. 20 (1832).
*Reichenbach, Fl. Exot. ii. t. 99 (1834).
*Hooker, Cent. Orch. Pl. t. 100 (1849).
Reichenbach, Ic. Fl. Germ. xiii & xiv. t. 498 (1851).
*Fl. des Serres, Ser. II. i. t. 1118 (1856).
Otto & Dietr. Allg. Gartenzeit. xxiv. Ill. Beil. 7 (1856).
*Belg. Hort. vii. t. 61 (1857).
*Ill. Hort. iv. t. 147 (1857).
*Gartenfl. xii. t. 409 (1863); xxx. 311 (1881).
*Trans. Russ. Hort. Soc. 1863, t. 135.
Somoku Dzusetsu, Ed. 2, xviii. t. 83 (1874).
*Garden, xi. 30 (1877); xvii. 443 (1880); xlii. 386 (1892).
Rev. Hort. 1877, p. 310.—*Fl.*
W. Robinson, Engl. Fl. Gard. t. 87 (1883).
*Neubert's Deutsch. Gart. Mag. xl. t. 12 (1887).
*Orchidophile, 1887, p. 175.
Rouy, Illustr. Pl. Eur. Rar. fasc. 9, t. 222 (1898).
Nicholson, '1900' Suppl. Dict. Gard. 283 (1900).—*Fl.*
Rev. Gén. Bot. xiii. t. 12 (1901).—*Fl.*
Pflanzenreich, Orch.-Pleon. 34 (1903).—*Fl.*
*E. G. Camus, Orchidées, t. 32, fig. 1111–13 (1908).—*Fl.*
Gard. Chron. Ser. III. xlvi. 212 (1909).
*Costantin, Atlas Orch. Cult. t. 1 (1913).—*Fl.*
—— **ventricosum** Carr.
*Rev. Hort. 1877, p. 310.
×**macrochilum** Hort. (5)
Gard. Chron. Ser. III. x. 343 (1891).—*Fl.*

CYPRIPEDIUM
×**macrochilum**
Journ. Hort. Ser. III. xxxviii. 470 (1899); liii. 543 (1906).—*Fl.*
—— **giganteum** Hort.
Journ. Hort. Ser. III. xxviii. 387 (1894).—*Fl.*
×**macropterum** Reichb. f. (4)
*Warner & Will. Orch. Album, ix. t. 391 (1891).
×**Madiotii** Cappe (4)
*Cogniaux, Dict. Icon. Orch., Cypriped. hybr. t. 58 (1904).—*Fl.*
×**Maesereelianum** Hort. (4)
*Ill. Hort. xxxvi. t. 77 (1889).
American Garden, xii. 65 (1891).
×**Mahlerae** Desbois (3)
*Cogniaux, Dict. Icon. Orch., Cypriped. hybr. t. 42 (1900).—*Fl.*
×**Manto** Rolfe (4)
*Cogniaux, Dict. Icon. Orch., Cypriped. hybr. t. 64 (1904).
margaritaceum Franch. (3)
*Orchidophile, 1888, p. 368, 369.
Rev. Gén. Bot. xiii. t. 12 (1901).—*Fl.*
Pflanzenreich, Orch.-Pleon. 40 (1903).—*Fl.*
Gard. Chron. Ser. III. lxvi. Suppl. tab. ad p. 419 (1909).—*Hab.*
*Costantin, Atlas Orch. Cult. t. 1 (1913).—*Fl.*
×**Margaritae** Hort. (4)
Jardin, xix. 104 (1905).
×**marmoratum** Hort. (4)
Gard. Chron. Ser. III. i. 576 (1887).—*Fl.*
×**Marshallianum** Reichb. f. (4)
Gard. Chron. Ser. III. i. 513 (1887).—*Fl.*
*Warner & Will. Orch. Album, ix. t. 418 (1891).
×**Massaianum** Weathers (4)
Gard. Chron. Ser. III. xiv. 267 (1893).—*Fl.*
B. S. Williams, Orchid-Grower's Man. Ed. 7, p. 281 (1894).—*Fl.*
*Lindenia, xii. t. 549 (1896).
Mastersianum Reichb. f. (4)
*Lindenia, iv. t. 159 (1888).
Orch. Rev. ii. 17 (1894).—*Fl.*
Gard. Chron. Ser. III. xv. 593 (1894); xxv. 294 (1899).—*Fl.*
*Cogniaux, Dict. Icon. Orch., Cypriped. t. 21 (1899).—*Fl.*
Orchis, iv. t. 22 (1910).—*Fl.*
*Costantin, Atlas Orch. Cult. t. 2 (1913).—*Fl.*
×**Maudiae** Hort. (4)
Journ. Roy. Hort. Soc. London, xxv. Proc. p. ccxviii (1900–1).—*Fl.*
Garden, lix. 263 (1901); errore *C. Mandiae.*—*Fl.*
American Garden, xxv. 210 (1904).
Orch. Rev. xvi. 266 (1908); xxiii. 163 (1915).—*Fl.*
C.H. Curtis, Orchids for Everyone, 70 (1910).—*Fl.*
Orch. World, i. 61 (1910); ii. 206 (1912).
*Rev. Hort. 1913, p. 280.
*Gard. Chron. Ser. III. lv. Suppl. tab. ad p. 252 (1914).
—— **magnificum** Hort.
Gard. Chron. Ser. III. xxx. 129 (1901); lxviii. 238 (1920).
Journ. Roy. Hort. Soc. London, xxvi. Proc. p. cxcviii (1901).—*Fl.*
Journ. Hort. Ser. III. xliii. 121 (1901); errore *C. Mandiae magnificum.*—*Fl.*
Horticulture (Boston), xi. 772 (1910).—*Fl.*
×**Maynardii** Rolfe (4)
Journ. Hort. Ser. III. xxii. 281 (1891).—*Fl.*
*Sander, Reichenbachia, Ser. II. i. 93, t. 43 (1892).
×**Measuresianum** Will. (4)
*Warner & Will. Orch. Album, vii. t. 304 (1888).
Rev. Hort. Belge, xiv. 267 (1888).
Journ. Hort. Ser. III. xvii. 47 (1888).
B. S. Williams, Orchid-Grower's Man. Ed. 7, p. 280 (1894).
×**Meirax** Reichb. f. (4)
*Warner & Will. Orch. Album, ii. t. 95 (1883).
×**melanophthalmum** Reichb. f. (4)
*Warner & Will. Orch. Album, iii. t. 109 (1884).
×**memoria-Fournieri** Cogn. (4)
*Cogniaux, Dict. Icon. Orch., Cypriped. hybr. t. 60 (1904).—*Fl.*
×**memoria Jerninghamiae** Hort. (4)
Journ. Roy. Hort. Soc. London, xxxii. Proc. p. clvii, fig. 60 (1908).—*Fl.*

CYPRIPEDIUM
×**memoria-Moensii** Linden (4)
*Lindenia, viii. t. 361 (1892).
micranthum Franch. (3)
Rev. Gén. Bot. xiii. t. 14 (1901).
×**microchilum** Reichb. f. (4)
Gard. Month. & Hort., Meehan, xxvi. 280 (1884).
Gartenfl. xxxiii. 341 (1884).
Ill. Gartenzeit. Stuttgart, xxviii. t. 35 (1884).
Sempervirens, xiv. 172 (1885).
*Lindenia, ii. t. 50 (1886).
Veitch, Man. Orch. Pl. Pt. 4, p. 92 (1889).
B. S. Williams, Orchid-Grower's Man. Ed. 7, p. 282 (1894).
*Cogniaux, Dict. Icon. Orch., Cypriped. hybr. t. 17 (1898).—*Fl.*
*Costantin, Atlas Orch. Cult. t. 5 (1913).—*Fl.*
×**Milo grande** Veitch (4)
Journ. Roy. Hort. Soc. London, xix. Proc. p. ccxix (1896).—*Fl.*
×**Minos** Veitch (4)
Jardin, xix. 104 (1905).
Queensland Agric. Journ. xxii. t. 42 (1909).—*Fl.*
Orch. Rev. xxiv. 9 (1916).
—— **Youngii** Hort.
*Cogniaux, Dict. Icon. Orch., Cypriped. hybr. t. 47 (1901).—*Fl.*
×**mirum** Hort. (4)
Orch. World, iv. 230 (1914).—*Fl.*
×**Miteauanum** Linden & Rod. (4)
*Lindenia, iv. t. 146 (1888).
×**Moensianum** Hort.
*Lindenia, iii. t. 129 (1887).
montanum Dougl. (3)
*Bot. Mag. cxix. t. 7319 (1893).
Parsons, Wild Fl. California, 383 (1897).
Pflanzenreich, Orch.-Pleon. 37 (1903).
*Niles, Bog-trotting Orch. 242 (1904).
Garden, lxxviii. 272 (1914).
Brit. Columbia Bot. Office Ann. Rep. II. 1914, p. 46, fig. 43 (1915).
Farrer, English Rock-Gard. i. 264 (1919).—*Hab.*
×**Morganiae** Reichb. f. (4)
*Garden, xxiii. 58 (1883); xxxvi. 451 (1889); lxi. 75 (1902).
*Rev. Hort. Belge, xi. 217 (1885).—*Fl.*
*Ill. Gartenzeit. Stuttgart, xxx. t. 34 (1886).
!Gard. Chron. xxvi. 241 (1886); Ser. III. vii. 264, 545 (1890); xii. 217 (1892); xli. 66 (1907).
Ill. Hort. xxxiv. t. 5 (1887).—*Fl.*
Journ. Hort. Ser. III. xiv. 233 (1887); l. 49 (1905).
*Warner & Will. Orch. Album, vii. t. 313 (1888).
Veitch, Man. Orch. Pl. Pt. 4, p. 92 (1889); Pt. 10, p. 39 (1894).—*Fl.*
Linden, Orchid. Exot. 56 (1894).—*Fl.*
B. S. Williams, Orchid-Grower's Man. Ed. 7, p. 285 (1894).—*Fl.*
*Cogniaux, Dict. Icon. Orch., Cypriped. hybr. t. 27 (1898).—*Fl.*
Nicholson, '1900' Suppl. Dict. Gard. 290 (1900).—*Fl.*
*Costantin, Atlas Orch. Cult. t. 5 (1913).—*Fl.*
—— **burfordiense** Sander
*Sander, Reichenbachia, Ser. II. i. 1, t. 1 (1892).
Orch. Rev. i. 41 (1893).—*Fl.*
*Lindenia, xii. t. 541 (1896).
×**Mortenii** Hort. (4)
Journ. Hort. Ser. III. xlviii. 113 (1904).—*Fl.*
Journ. Roy. Hort. Soc. London, xxix. Proc. p. lxxxi, fig. 118 (1905).—*Fl.*
×**Nandi** Hort. (4)
Journ. Hort. Ser. III. lv. 409 (1907).—*Fl.*
×**Niobe** Rolfe (4)
Wien. Ill. Gart.-Zeit. xv. 343 (1890).
American Garden, xii. 158 (1891).
Journ. Soc. Hort. France, Ser. III. xiv. 289 (1892).
*Orchidophile, 1892, p. 81.
Rev. Hort. Belge, xviii. 42 (1892).
*Warner & Will. Orch. Album, x. t. 438 (1893).
Orch. Rev. i. 7 (1893).—*Fl.*
*Lindenia, xiv. t. 629 (1898).
*Cogniaux, Dict. Icon. Orch., Cypriped. hybr. t. 13 (1898).—*Fl.*
L. H. Bailey, Cycl. Amer. Hort. 438 (1900).
Horticulture (Boston), vii. 61 (1908).—*Fl.*
Orch. World, iv. 276 (1914).

CYPRIPEDIUM
×**nitens** Reichb. f. (4)
*Lindenia, v. t. 223 (1889).
—— **Hyeanum** Cogn.
*Cogniaux, Dict. Icon. Orch., Cypriped. hybr. t. 22 B (1904).—*Fl.*
—— **maculatum** Hort.
Horticulture (Boston), x. 501 (1909).—*Fl.*
—— **Sallieri** Hansen
*Cogniaux, Dict. Icon. Orch., Cypriped. hybr. t. 22 A (1900).—*Fl.*
—— **superbum** Hort.
*Cogniaux, Dict. Icon. Orch., Cypriped. hybr. t. 22 (1898).—*Fl.*
niveum Reichb. f. (4)
*Bot. Mag. xcvii. t. 5922 (1871).
Journ. Hort. xlv. 339 (1871); Ser. III. xlv. 559 (1902); l. 399 (1905).
Florist, 1871, p. 156, 157.
*Floral Mag. x. t. 543 (1871).
*Ill. Hort. xviii. t. 83 (1871).
*Ill. Gartenzeit. Stuttgart, xix. t. 2 (1875).
*Jennings, Orchids, t. 28 (1875).
*Garden, ix. 524 (1876).
Gard. Chron. xix. 19 (1883).
*Miner, Orchids, t. 22 (1885).
*Rev. Hort. Belge, xii. 241 (1886).
*Sander, Reichenbachia, i. 75, t. 34 (1888).
Veitch, Man. Orch. Pl. Pt. 4, p. 40 (1889).—*Fl.*
*Cogniaux, Dict. Icon. Orch., Cypriped. t. 10 (1898).—*Fl.*
Orch. Rev. xx. 104 (1912).—*Fl.*
*Costantin, Atlas Orch. Cult. t. 1 (1913).—*Fl.*
Orch. World, vi. 205 (1916).—*Fl.*
occidentale S. Wats. (3)
Garden, xii. 65 (1877).
Gard. Chron. vii. 725 (1877).
Orchidophile, 1881, p. 56.
*Gartenfl. xxx. t. 1036 (1881).
×**oenanthum** Reichb. f. (4)
Journ. Hort. Ser. III. xii. 62 (1886); xlvi. 135 (1903).
*Warner & Will. Orch. Album, viii. 379 (1889).
—— **superbum** Reichb. f.
*Lindenia, i. t. 33 (1885).
Gard. Month. & Hort., Meehan, xxvii. 268 (1885).
Ill. Gartenzeit. Stuttgart, xxix. t. 29 (1885).
Sempervirens, xiv. 252 (1885).
Rev. Hort. Belge, xi. 233 (1885).
Gartenfl. xxxv. 213 (1886).
*Sander, Reichenbachia, i. 85, t. 38 (1888).
Desbois, Cypripedium, 116 (1888).
Veitch, Man. Orch. Pl. Pt. 4, p. 93 (1889).
*Warner & Will. Orch. Album, ix. t. 420 (1891).
Jardin, ix. 281 (1895).—*Fl.*
C. H. Curtis, Orchids for Everyone, 67 (1910).—*Fl.*
×**oeno-superbiens** Lawr. (4)
Journ. Hort. Ser. III. xxvii. 269 (1893); xxxix. 341 (1899).—*Fl.*
B. S. Williams, Orchid-Grower's Man. Ed. 7, p. 287 (1894).—*Fl.*
×**Olenus** Hort. (4)
Gard. Chron. Ser. III. xvii. 556 (1895).—*Fl.*
Journ. Roy. Hort. Soc. London, xix. Proc. p. lxxx (1896).—*Fl.*
Journ. Hort. Ser. III. xxxvi. 371 (1898).—*Fl.*
Garden, lxi. 355 (1902).—*Hab.*
×**Olivia** Hort. (4)
Journ. Roy. Hort. Soc. London, xxii. Proc. p. clxiii (1898–99).—*Fl.*
Gard. Chron. Ser. III. xxvi. 339 (1899).—*Fl.*
×**Orion** Veitch (4)
*Cogniaux, Dict. Icon. Orch., Cypriped. hybr. t. 62 (1905).—*Fl.*
×**orphanum** Reichb. f. (4)
Journ. Hort. Ser. III. xv. 135 (1887).—*Fl.*
*Lindenia, v. t. 206 (1889).
*Warner & Will. Orch. Album, x. t. 455 (1893).
*Costantin, Atlas Orch. Cult. t. 5 (1913).—*Fl.*
×**palatinum** G. Beck (4)
*Wien. Ill. Gart.-Zeit. xxi. t. 1 (1897).—*Hab.*
papuanum Ridl. (4)
Gard. Chron. Ser. III. lviii. 131 (1915).

CYPRIPEDIUM
pardinum Reichb. f. (4)
*Ill. Gartenzeit. Stuttgart, xvii. t. 7 (1873).
*Floral Mag. N. Ser. 1873, t. 51.
×**Paris** Hort. (4)
Orch. Rev. i. 88 (1893).—*Fl.*
Parishii Reichb. f. (4)
*Bot. Mag. xcv. t. 5791 (1869).
Gard. Chron. 1869, p. 814.—*Fl.*
*Ill. Hort. xxii. t. 214 (1875).
De Puydt, Orchidées, 188 (1880).—*Fl.*
Orchidophile, 1887, p. 91.
*Warner & Will. Orch. Album, ii. t. 86 (1888).
Brehm, Merv. Nat. Mondes de Pl. ii. 545 (1894–96).
Gartenfl. xlvii. 25 (1898).—*Hab.*
*Lindenia, xiv. t. 670 (1899).
Semaine Hort. 1899, p. 424.—*Hab.*
*Costantin, Atlas Orch. Cult. t. 1 (1913).—*Fl.*
×**Parksianum** Hort. (4)
*Cogniaux, Dict. Icon. Orch., Cypriped. hybr. t. 15 (1898).
parviflorum Salisb. (3)
Trans. Linn. Soc. London, i. t. 2, fig. 2 (1791).—*Fl.*
*Lodd. Bot. Cab. v. t. 414 (1820).
*Sweet, Brit. Fl. Gard. i. t. 80 (1824).
*Bot. Mag. lvii. t. 3024 (1830).
*T. Moore, Illustr. Orchidac. Pl., Cypriped. t. 1 (1857).
*Gartenfl. xx. t. 700 (1871).
Baldwin, Orch. N. England, 27, 33 (1884).
*Orchidophile, 1887, p. 175.
American Garden, xiii. 515 (1892).
Dana, How to Know the Wild Fl. t. 40 (1894).
*FitzGibbon & Traill, Canadian Wild Fl. Ed. 4, t. 5, p. 45 (1895).
Minnesota Bot. Stud. i. t. 26 (1895).
Britton & Brown, Ill. Fl. N. States & Canada, i. 459 (1896); Ed. 2, i. 550 (1913).
Gartenwelt, ii. 357 (1898).
*Niles, Bog-trotting Orch. 60, 178 (1904).
Gibson, Our Native Orchids, t. 7, 8 (1905).
*S. Brown, Alpine Fl. Rocky Mts. 54, t. 11 (1907).
Möllers Deutsche Gärtn.-Zeit. xxiii. 66 (1908).
Gard. Chron. Ser. III. xlvi. 227 (1909).
Jardin, xxv. 276 (1911).
!Amer. Bot. xxi. 126 (1915).
Bull. Exper. Farms, Ottawa, Ser. II. No. 23, p. 32 (1915).
McCalla, Wild Fl. West. Canada, 45 (1920).
—— **pubescens** Knight
Pammel, Man. Poison. Pl. 393 (1911).
passerinum Richards. (3)
Hooker, Fl. Bor.-Amer. t. 206 (1840).
Pflanzenreich, Orch.-Pleon. 30 (1903).—*Fl.*
*S. Brown, Alp. Fl. Rocky Mts. 54, t. 11 (1907).
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, i. 549 (1913).
Ann. Carnegie Mus. xii. t. 59 (1919).
×**Pauli** Hort. (4)
*Lindenia, xii. t. 571 (1896).
×**Perseus** Hort. (5)
Gard. Chron. Ser. III. lxv. 73 (1919).—*Fl.*
×**Peruzzianum** Hort. (4)
Gartenwelt, iii. 188 (1899).
Peteri Reichb. f. (4)
Gard. Chron. Ser. III. i. 577 (1887).—*Fl.*
*Wien. Ill. Gart.-Zeit. xix. t. 2 (1894).
philippinense Reichb. f. (4)
*Godefroy-Lebeuf & N. E. Brown, Cypripediées, i [t. 3], fig. 1–15 (1888).
Veitch, Man. Orch. Pl. Pt. 4, p. 43 (1889).—*Fl.*
Gard. & Forest, iii. 309 (1890).
*Lindenia, ix. t. 404 (1893).
American Garden, xxi. 536 (1900).
*Costantin, Atlas Orch. Cult. t. 1 (1913).—*Fl.*
Orch. Rev. xxii. 253 (1914).—*Fl.*
Horticulture (Boston), xxiii. 207 (1916).—*Hab.*
×**Phoebe** Hort. (4)
*Cogniaux, Dict. Icon. Orch., Cypriped. hybr. t. 71 (1905).—*Fl.*
×**picturatum** Hort. (4)
Journ. Hort. Ser. III. xix. 335 (1889).—*Fl.*
Pitcherianum Manda (4)
Amer. Florist, iii. 178 (1887).

CYPRIPEDIUM

×**Pitcherianum** Reichb. f. (3)
Gard. Chron. Ser. III. v. 73 (1889).
Journ. Hort. Ser. III. xxiv. 101 (1892); xlvi. 309 (1903).—*Fl.*
*Warner & Will. Orch. Album, x. t. 453 (1893).
B. S. Williams, Orchid-Grower's Man. Ed. 7, p. 291 (1894).
—— **Williamsii** Hort.
Neubert's Deutsch. Gart. Mag. xlvii. 113 (1894).
×**politum** Reichb. f. (4)
*Warner, Select Orch. Pl. Ser. III. t. 38 (1878).—*Hab.*
*Warner & Will. Orch. Album, i. t. 36 (1882).
Gard. Chron. Ser. III. i. 765 (1887).—*Fl.*
B. S. Williams, Orchid-Grower's Man. Ed. 7, p. 293 (1894).—*Fl.*
*Cogniaux, Dict. Icon. Orch., Cypriped. hybr. t. 20 (1898).—*Fl.*
Nicholson, '1900' Suppl. Dict. Gard. 291 (1900).—*Fl.*
×**Pollettianum** Rolfe (4)
Journ. Hort. Ser. III. xxiii. 263 (1891); xxxviii. 401 (1899).—*Fl.*
*Sander, Reichenbachia, Ser. II. i. 93, t. 43 (1892).
*Cogniaux, Dict. Icon. Orch., Cypriped. hybr. t. 35 (1899).—*Fl.*
Horticulture (Boston), xxiv. 535 (1916).—*Fl.*
×**porphyrochlamys** Reichb. f. (4)
*Warner & Will. Orch. Album, ix. t. 426 (1891).
Orch. Rev. i. 105 (1893).—*Fl.*
praestans Reichb. f. (4)
*Lindenia, iii. t. 102 (1887).
Gard. Chron. Ser. III. ii. 813 (1887).
Ill. Hort. xxxiv. t. 26 (1887).
Journ. Hort. Ser. III. xv. 179 (1887).—*Fl.*
Linden, Orch. Exot. 689 (1894).—*Hab.*
Rev. Hort. 1896, p. 421.—*Hab.*
*Cogniaux, Dict. Icon. Orch., Cypriped. t. 3 (1897).
*Costantin, Atlas Orch. Cult. t. 3 (1913).—*Fl.*
—— **Kimballianum** Linden & Rodig.
*Lindenia, vi. t. 249 (1890).
×**Prewettii** Hort. (4)
*Cogniaux, Dict. Icon. Orch., Cypriped. hybr. t. 23 (1898).—*Fl.*
×**Priam** Hort. (4)
Orch. Rev. xxiii. 40 (1915).
×**Pryorianum inversum** Cogn. (4)
*Cogniaux, Dict. Icon. Orch., Cypriped. hybr. t. 45 (1900).—*Fl.*
pubescens Willd. (3)
*Joh. Kerner, Hort. Sempervir. t. 143 (1803).
*Willdenow, Hort. Berol. i. t. 13 (1803).
*Bot. Mag. xxiii. t. 911 (1806); errore *C. parviflorum*, vide Bot. Mag. lvii. sub t. 3024.
*Mordant de Launay, Herb. Amat. ii. t. 134 (1817).
*Barton, Fl. N. Amer. iii. t. 74 (1823).
*Lodd. Bot. Cab. ix. t. 895 (1824).
*Sweet, Brit. Fl. Gard. i. t. 71 (1824).
*Drapiez, Herb. Amat. Fl. ii. t. 92 (1829).
Hooker, Fl. Bor.-Amer. t. 206 (1840).
*Belg. Hort. i. t. 21 (1851).
*Neubert's Deutsch. Gart. Mag. v. 207 (1852); xlvii. 711 (1894).
*Fl. des Serres, Ser. I. x. t. 1050 (1854–55).
*Ill. Hort. ii. t. 64 (1855).
*T. Moore, Illustr. Orchidac. Pl., Cypriped. t. 2 (1857).
*Gartenfl. xx. t. 701 (1871).
Journ. Hort. lv. 447 (1876).
*Meehan, Native Fl. & Ferns U.S. Ser. II. i. t. 18 (1879).
*Meehan, Wayside Fl. t. 18 (1881).
Gard. Chron. xix. 785 (1883); Ser. III. xxxiii. 379 (1903); xlvii. 369 (1910).
*Johnson, Manual Med. Bot. N. Amer. t. 8 (1884).
*Millspaugh, American Med. Pl. t. 170 (1887).
*Orchidophile, 1887, p. 175.
American Garden, xiii. 513 (1892).
*Garden, xlii. 386 (1892); lxiv. 42 (1903); lxxiii. 445 (1909).
*Wild Fl. Canada, t. 2 (1894).
Miller & Whiting, Wild Fl. N. E. States, 540 (1895).
*FitzGibbon & Traill, Canadian Wild Fl. Ed. 4, t. 5, p. 45 (1895).

CYPRIPEDIUM

pubescens
Lochman, Phot. Med. Pl. t. 26 (1898).
L. H. Bailey, Cycl. Amer. Hort. 436 (1900); Stand. Cycl. Hort. 943 (1914).
Pflanzenreich, Orch.-Pleon. 34 (1903).—*Fl.*
Hare, Caspari & Rusby, Nat. Stand. Dispens. 523 (1905).—*Veg.*
Henshaw, Mount. Wild Fl. Amer. t. 86 (1906).
Vilmorin, Hort. Vilm. (Bull. Soc. Bot. France, 1904, li. App.), t. 22 (1906).—*Hab.*
Bisset, Book Water Garden, 166 (1907).
Merck's Rep. (Pract. Journ. Pharm.), xvii. 60 (1908).
Möllers Deutsche Gärtn.-Zeit. xxiii. 66 (1908).
Pammel, Poison. & Med. Pl. Missouri (Missouri State Board Hort. Bull. No. 14), 11 (1911).
*F. E. & E. S. Clements, Rocky Mt. Fl. t. 43 (1914).
*House, Wild Fl. New York (Mem. No. 15 N. Y. State Mus.), i. t. 31 (1918).
—— **minus** Hort.
*Fl. des Serres, Ser. I. x. t. 1053 (1854–55).
*Ill. Hort. ii. t. 64 (1855).
purpuratum Lindl. (4)
*Bot. Reg. xxiii. t. 1991 (1837).—*Hab.*
*Hartinger, Parad. Vindob. t. 38 (1844–60).
*Horticulteur Univ. vi. 7 (1845).
Wight, Ic. Pl. Ind. Or. v. t. 1760 (1851).
*Fl. des Serres, Ser. II. i. t. 1158 (1856).
*Bot. Mag. lxxxii. t. 4901 (1856).
Blume, Coll. Orchidées, 167 (1858).—*Fl.*
Rev. Hort. Ser. IV. vii. 182 (1858); 1883, p. 353.
*Beer, Beitr. Morph. u. Biol. Orch. t. 7, fig. 2, 22 (1863).—*Fr.*
Garden, iv. 293 (1873).—*Hab.*
Journ. Hort. Ser. III. vi. 116 (1883).
*Rev. Hort. Belge, xii. 193 (1886).
*Godefroy-Lebeuf & N. E. Brown, Cypripediées, i [t. 5], fig. 1–11 (1888).
Dechevalerie, Orchidées, Ed. 3, p. 84 (1889).
*Cogniaux, Dict. Icon. Orch., Cypriped. t. 12 (1898).—*Fl.*
*Costantin, Atlas Orch. Cult. t. 2 (1913).—*Fl.*
×**Pyramus** Hort. (4)
Gard. Chron. Ser. III. lv. 114 (1914).—*Fl.*
×**regina** Hort. (4)
Nicholson, '1900' Suppl. Dict. Gard. 292 (1900).—*Fl.*
reginae Walt. (3)
Minnesota Bot. Stud. i. t. 23 (1895).
Britton & Brown, Ill. Fl. N. States & Canada, i. 458 (1896); Ed. 2, i. 549 (1913).
U.S. Dep. Agric. Div. Bot. Bull. No. 20, p. 19 (1898).
*Lounsberry, Southern Wild Fl. & Trees, t. 22 (1901).
Plant World, v. t. 20 (1902).—*Hab.*
Pflanzenreich, Orch.-Pleon. 18, 30, 31 (1903).—*Fl.*
*Niles, Bog-trotting Orch. 24, 68, 78, 244 (1904).
Gibson, Our Native Orchids, t. 5 (1905).
Bisset, Book Water Garden, 167 (1907).—*Hab.*
Diels in Natur, iv. t. 5 [1907].—*Hab.*
Amer. Bot. xix. 121 (1913).—*Hab.*
*Costantin, Atlas Orch. Cult. t. 3 (1913).—*Fl.*
Schlechter, Orchideen, 27 (19[14–]15).—*Hab.*
*Nat. Geogr. Mag. Washington, xxvii. 505 (1915).
*House, Wild Fl. New York (Mem. No. 15 N.Y. State Mus.), i. t. 30 (1918).
reticulatum Reichb. f. (5)
Gard. & Forest, iv. 605 (1891).
×**Rhodopsis** R. Young (4)
*Cogniaux, Dict. Icon. Orch., Cypriped. hybr. t. 51 (1902).—*Fl.*
×**Ricasolianum** Hort. (4)
Gartenwelt, iii. 188 (1899).
×**Ridolfianum** Hort. (4)
*Bull. Soc. Tosc. Ortic. xxi. 144, t. 4 (1896).
Roebbelenii Reichb. f. (4)
*Reichenbach f., Xenia Orch. iii. t. 265 (1893).
Gartenwelt, vi. 266 (1902).
×**Roezlii** Regel (5)
*Gartenfl. xxii. t. 754 (1873).
*Ill. Hort. xx. t. 138 (1873).

CYPRIPEDIUM

×**Roezlii**
*Floral Mag. N. Ser. 1874, t. 119.
*Bot. Mag. cii. t. 6217 (1876).
×**Rolfeae** Hort. (4)
*Rev. Hort. 1911, p. 254.
—— **superbum** Hort.
Gard. Chron. Ser. III. xxxvi. 399 (1904).—*Fl.*
Journ. Roy. Hort. Soc. London, xxix. Proc. p. ccxxii, fig. 235 (1905).—*Fl.*
×**Romulus** Hort. (4)
*Cogniaux, Dict. Icon. Orch., Cypriped. hybr. t. 59 (1904).—*Fl.*
×**Rosettii** Hort. (4)
Orch. Rev. xvi. 265 (1908).—*Fl.*
Rothschildianum Reichb. f. (4)
Journ. Hort. Ser. III. xviii. 239 (1889); lx. 3 (1910).
*Bot. Mag. cxvi. t. 7102 (1890).
*Sander, Reichenbachia, ii. 27, t. 61 (1890).
American Garden, xii. 87 (1891).
Gard. Chron. Ser. III. x. 15 (1891); xxvii. 137 (1900); xxxii. 23 (1902).
Gard. & Forest, vi. 145 (1893).
B. S. Williams, Orchid-Grower's Man. Ed. 7, p. 296 (1894).—*Fl.*
Journ. Orch. vi. 7 (1895).—*Fl.*
Semaine Hort. 1899, p. 493, 495.
Möllers Deutsche Gärtn.-Zeit. xiv. 37, 43 (1899).
American Garden, xxi. 91 (1900).
Nicholson, '1900' Suppl. Dict. Gard. 284 (1900).—*Fl.*
L. H. Bailey, Cycl. Amer. Hort. 435 (1900).
Gartenfl. li. 486, 487 (1902).
*Costantin, Atlas Orch. Cult. t. 3 (1913).—*Fl.*
Crisp, Guide Friar Park, 58 (1914).—*Fl.*
Horticulture (Boston), xxii. 535 (1915).—*Fl.*
Garden, lxxx. 391 (1916).—*Hab.*
—— **platytaenium** Linden
*Lindenia, xiii. t. 623 (1897).
×**Sallieri** Godef. (4)
*Lindenia, ii. t. 84 (1886).
*Godefroy-Lebeuf & N. E. Brown, Cypripediées, i [t. 6], fig. 1–11 (1888).
—— **Hyeanum** Hort.
Orch. Rev. x. 144 (1902).
—— **maculatum** Hort.
Horticulture (Boston), x. 501 (1909).—*Fl.*
×**Sanacderae superbum** Hort. (4)
Journ. Roy. Hort. Soc. London, xxxiii. Proc. p. ccxxvi, fig. 114 (1908).—*Fl.*
×**San-Actaeus etoniense** Hort. (4)
Gard. Chron. Ser. III. xliv. 416 (1908).—*Fl.*
×**Sanderiano-Curtisii** Hort. (4)
Gard. Chron. Ser. III. xxvii. 75 (1900).
Journ. Roy. Hort. Soc. London, xxv. Proc. p. cxv (1900–1).
Sanderianum Reichb. f. (4)
Garten-Zeit. Berlin, v. 233 (1886).
*Sander, Reichenbachia, i. 7, t. 3 (1888).
Proc. Linn. Soc. N. S. Wales, Ser. II. iv. 1. t. 5 (1889).
Veitch, Man. Orch. Pl. Pt. 4, p. 46 (1889).—*Fl.*
Gard. Chron. Ser. III. xix. 329 (1896); lviii. 243 (1915).
*Costantin, Atlas Orch. Cult. t. 1 (1913).—*Fl.*
×**Sandero-superbiens** Hort. (4)
Journ. Hort. Ser. III. xxvii. 215 (1893); xli. 149 (1900); liv. 251 (1907).—*Fl.*
Journ. Roy. Hort. Soc. London, xvi. Proc. p. ccx (1894).—*Fl.*
Neubert's Deutsch. Gart. Mag. xlvii. 331 (1894).
Gartenfl. xliii. 520 (1894).—*Fl.*
Wien. Ill. Gart.-Zeit. xix. 422 (1894).—*Fl.*
B. S. Williams, Orchid-Grower's Man. Ed. 7, p. 297 (1894).—*Fl.*
Schlimii Linden (5)
*Bot. Mag. xcii. t. 5614 (1866).
*Bateman, Second Cent. Orch. Pl. t. 200 (1867).
*Fl. des Serres, Ser. II. viii. t. 1917 (1869–70).
*De Puydt, Orchidées, t. 12 (1880).—*Hab.*
*Deutsch. Gart. Berlin, tab. ad p. 520 (1881).
Orch. Rev. xxiv. 41 (1916).—*Hab.*
—— **albiflorum** Linden
*Ill. Hort. xxi. t. 183 (1874).
Veitch, Man. Orch. Pl. Pt. 4, p. 67 (1889).—*Fl.*

CYPRIPEDIUM
×**Schofieldianum** Hort. (4)
Journ. Hort. Ser. III. xxxiii. 101 (1896).—*Fl.*
×**Schroederae** Reichb. f. (4)
*Warner & Will. Orch. Album, v. t. 196 (1886).
Veitch, Man. Orch. Pl. Pt. 4, p. 105 (1889).—*Fl.*
Journ. Hort. Ser. III. xx. 405 (1890).—*Fl.*
—— **splendens** Linden
*Lindenia, ii. t. 69 (1886).
×**Sedenii** Reichb. f. (5)
Gartenfl. xxiv. 150 (1875); xxvi. 86 (1877).
*Jennings, Orchids, t. 4 (1875).
*Floral Mag. N. Ser. 1876, t. 206; 1878, t. 302.
*Ill. Gartenzeit. Stuttgart, xxi. t. 1 (1877); xxviii. t. 7 (1884).
!Journ. of Bot. xvii. t. 200 A (1879).—*Fl.*
*De Puydt, Orchidées, t. 13 (1880).—*Hab.*
Orchidophile, 1882, p. 179.—*Hab.*
Bull. Soc. Tosc. Ortic. vii. 85 (1882).
Sempervirens, xiii. 57 (1884).
Veitch, Man. Orch. Pl. Pt. 4, p. 5, 106 (1889).—*Fl.*
B. S. Williams, Orchid-Grower's Man. Ed. 7, p. 299 (1894).
!Journ. Linn. Soc., Bot. xxx. t. 1 (1895).—*Fl.*
Orchis, ii. 65 (1908).
—— **candidulum** Reichb. f.
*Warner & Will. Orch. Album, xi. t. 481 (1897).
×**selligerum** Reichb. f. (4)
Ill. Gartenzeit. Stuttgart, xxii. t. 26 (1878).
Florist, 1878, p. 85.
Gartenfl. xxvii. 242 (1878).
Sempervirens, viii. 236 (1879).
Gard. Chron. xiii. 776 (1880).
Wien. Ill. Gart.-Zeit. v. 450 (1880).
Rev. Hort. Belge, vii. 61 (1881).
Nicholson, Illustr. Dict. Gard. i. 426 [1884–88].
*Warner & Will. Orch. Album, vi. t. 255 (1887).
Veitch, Man. Orch. Pl. Pt. 4, p. 97 (1889).
B. S. Williams, Orchid-Grower's Man. Ed. 7, p. 305 (1894).
*Cogniaux, Dict. Icon. Orch., Cypriped. hybr. t. 37 (1899).—*Fl.*
Orchis, vii. 20 (1913).
*Costantin, Atlas Orch. Cult. t. 5 (1913).—*Fl.*
—— **maius** Veitch
*Lindenia, i. t. 22 (1885).
*Orchidophile, 1890, p. 272.
*Sander, Reichenbachia, ii. 11, t. 54 (1890).
*Warner & Will. Orch. Album, xi. t. 483 (1897).
×**Shillianum** Hort. (4)
Orch. World, iv. 277 (1914).—*Hab.*
Journ. Hort. Ser. III. lxix. 108 (1914).—*Hab.*
×**shogun** Hort. (4)
Orch. World, i. 26 (1910); iv. 67 (1913).
Gard. Chron. Ser. III. xlviii. 250 (1910); lxv. 28 (1919).—*Fl.*
×**siamense** Rolfe (4)
Orch. Rev. iv. 17 (1896).—*Fl.*
×**sibyrolense** Linden (4)
*Ill. Hort. xl. t. 179 (1893).
×**Sladdenii** Hort. (4)
Journ. Hort. Ser. III. lxii. 213 (1911).—*Fl.*
socco Vell. (2)
Vellozo, Fl. Flum. ix. t. 65 (1827).
×**southgatense** Hort. (4)
Journ. Hort. Ser. III. xxv. 39 (1892); xlix. 277 (1904).—*Fl.*
speciosum Rolfe (3)
*Bot. Mag. cxxxvii. t. 8386 (1911).
Somoku Dzusetsu, Ed. Makino (Iconogr. Pl. Nippon), xviii. t. 83 (1912).
spectabile Salisb. (3)
Cornuti, Hist. 205 (1735); fide Ed.
Trans. Linn. Soc. London, i. t. 3, fig. 3 (1791).—*Fl.*
*Joh. Kerner, Hort. Sempervir. t. 580 (1820).
*Lodd. Bot. Cab. vii. t. 697 (1822).
*Barton, Fl. N. Amer. ii. t. 65 (1822).
*Sweet, Brit. Fl. Gard. iii. t. 240 (1828).
*Nees & Sinning, Sammlung schönblüh. Gew. t. 65 (1831).
*Journ. Jard. 1832, p. 83.
*Bot. Reg. xx. t. 1666 (1835).
*Fl. des Serres, Ser. I. v. t. 430 (1849).
Moore & Ayres, Mag. Bot. i. 301 (1850).
*Belg. Hort. i. t. 21 (1851).

CYPRIPEDIUM
spectabile
*Neubert's Deutsch. Gart. Mag. v. 207 (1852); xlvii. 713 (1894).
*Rev. Hort. 1868, p. 411.
Le Maout & Decaisne, Traité Gén. Bot. 550 (1868).
*Horticulteur Franç. 1869, t. 10.
*Verlot, Pl. Alp. Ed. 2, p. 298, t. 41 (1873).
*Wooster, Alp. Pl. Ed. 2, t. 6 (1874).
*Garden, xi. 254; xii. 85 (1877); xix. 421 (1881); lxxvi. 131 (1912).
Gard. Chron. viii. 689 (1877); Ser. III. xxix. 21 (1901); xl. 225 (1906); xlvii. 370 (1910); l. 315 (1911); li. 18 (1912); lv. 327 (1914).—*Hab.*
*Rev. Hort. Belge, v. 241 (1879); xx. 198 (1894).
De Puydt, Orchidées, 58 (1880).
*Floral World, 1880, p. 17.
*Garten-Zeit. Berlin, ii. 375 (1883).
W. Robinson, Engl. Fl. Gard. t. 88 (1883).—*Hab.*
Baldwin, Orch. N. England, frontisp., 27, fig. 3 (1884).
Journ. Hort. Ser. III. vii. 31 (1884); xlvii. 27 (1903).
Nicholson, Illustr. Dict. Gard. i. 427; ii. 516 [1884–88].
*Orchidophile, 1887, p. 175.
Stein, Orchideenbuch, 179 (1892).
*Bois, Dict. Hort. 416 (1893–99).
Kerchove, Livre Orch. 335 (1894).
B. S. Williams, Orchid-Grower's Man. Ed. 7, p. 317 (1894).
*FitzGibbon & Traill, Canad. Wild Fl. Ed. 4, t. 6, p. 53 (1895).
Jardin, ix. 187 (1895).—*Hab.*
Miller & Whiting, Wild Fl. N.E. States, 542 (1895).
Mathews, Wayside Flowers, Ser. II. 21 (1898).
L. H. Bailey, Cycl. Amer. Hort. 437 (1900); Stand. Cycl. Hort. 944 (1914).
Flora, lxxxviii. 245 (1901).—*Fl.*
Pammel & King in Proc. Iowa Acad. Sc. 1901, ix. 145 (1902).—*Hab.*
*Gartenwelt, x. 70 (1906).
Lazaro, Comp. Fl. Españ. i. 798 (1906).
Möllers Deutsche Gärtn.-Zeit. xxiii. 67 (1908).
Silva Tarouca, Freiland-Stauden, 77 (1910).—*Hab.*
Horticulture (Boston), xxi. 459 (1915).—*Hab.*
Amer. Mus. Journ. xvii. 310 (1917).
—— **album** Sweet
*T. Moore, Illustr. Orchidac. Pl., Cypriped. t. 3 (1857).
—— **incarnatum** Hort.
*T. Moore, Illustr. Orchidac. Pl., Cypriped. t. 3 (1857).
Spicerianum Reichb. f. (4)
*Garden, xvii. 169 (1880); xxiii. 202 (1883); xlviii. 304 (1895).
*Bot. Mag. cvi. t. 6490 (1880).
Gard. Chron. xiii. 41 (1880); Ser. III. vii. 264 (1890).
Florist, 1882, p. 179.—*Fl.*
Journ. Hort. Ser. III. iii. 499 (1882); vi. 116 (1883); xliv. 27 (1901).
*Belg. Hort. xxxiii. 289 (1883).
*Ill. Hort. xxx. t. 473 (1883).
*Warner & Will. Orch. Album, iii. t. 119 (1884).
Garten-Zeit. Berlin, iv. 169 (1885).
*Miner, Orchids, t. 24 (1885).
*Rev. Hort. Belge, xi. 12 (1885).
Veitch, Man. Orch. Pl. Pt. 4, p. 47 (1889).—*Fl.*
American Garden, xi. 159 (1890).—*Fl.*
*Orchidophile, 1890, p. 145.—*Hab.*
*Reichenbach f., Xenia Orch. iii. t. 231 (1890).
Sander, Reichenbachia, Ser. II. i. 21 (1892).—*Fl.*
*Bois, Dict. Hort. 416 (1893–99).
B. S. Williams, Orchid-Grower's Man. Ed. 7, p. 302 (1894).—*Fl.*
*R. Nielsen, Trop. Orch. Dyrkning, Kjöbenhavn, t. 4 (1895).
*Lindenia, xi. t. 515, 516 (1895).—*Fl.*
*Cogniaux, Dict. Icon. Orch., Cypriped. t. 4 (1897).—*Fl.*
American Garden, xxi. 865 (1900).
*Costantin, Atlas Orch. Cult. t. 3 (1913).—*Fl.*
Orch. Rev. xxiv. 9 (1916).

CYPRIPEDIUM
Spicerianum magnificum Desbois (4)
*Cogniaux, Dict. Icon. Orch., Cypriped. t. 4 (1897).—*Fl.*
—— **Mercatellianum** Hort.
*Bull. Soc. Tosc. Ortic. xviii. 144, t. 5 (1893).
×**Statterianum** Hort. (4)
Journ. Hort. Ser. III. xxvii. 417 (1893).—*Fl.*
Journ. Roy. Hort. Soc. London, xvi. Proc. p. ccxxi (1894).—*Fl.*
×**Stepmaniae** Linden (4)
*Lindenia, xvi. t. 765 (1902).
Stonei Hort. (4)
*Bot. Mag. lxxxviii. t. 5349 (1862).
*Ill. Hort. x. t. 355 (1863).
*Bateman, Second Cent. Orch. Pl. t. 141 (1867).
*Fl. des Serres, Ser. II. vii. t. 1792, 1793 (1867–68).
*Jennings, Orchids, t. 12 (1875).
De Puydt, Orchidées, 187 (1880).—*Fl.*
*Warner & Will. Orch. Album, i. t. 8 (1882).
!Gard. Chron. xx. 73 (1883).—*Fl.*
Rev. Hort. Belge, xiii. 139 (1887).—*Fl.*
Veitch, Man. Orch. Pl. Pt. 4, p. 49 (1889).—*Fl.*
*Lindenia, vi. t. 281 (1890).
*Cogniaux, Dict. Icon. Orch., Cypriped. t. 1 (1896).—*Fl.*
*Costantin, Atlas Orch. Cult. t. 3 (1913).—*Fl.*
Crisp, Guide Friar Park, 158 (1914).—*Fl.*
A Kert (The Garden), xxi. 620 (1915).—*Fl.*
—— **platytaenium** Reichb. f.
Gard. Chron. 1867, p. 1118; Ser. III. vii. 548 (1890); xvii. 645 (1895); xxv. 281 (1899).
*Reichenbach f., Xenia Orch. ii. t. 161 (1870).
*Warner, Select Orch. Pl. Ser. III. t. 14 (1878).
*Floral Mag. N. Ser. 1880, t. 414.
Rev. Hort. Belge, xiii. 139 (1887).—*Fl.*
Veitch, Man. Orch. Pl. Pt. 4, p. 50 (1889).—*Fl.*
Journ. Hort. Ser. III. xviii. 89 (1889).—*Fl.*
*Warner & Will. Orch. Album, xi. t. 496 (1897).
Orch. World, v. 18 (1914).—*Fl.*
superbiens Reichb. f. (4)
*Horticulteur Franç. 1859, t. 8.
*Reichenbach f., Xenia Orch. ii. t. 103 (1862).
*Warner, Select Orch. Pl. Ser. II. t. 12 (1865–75).—*Hab.*
Florist, 1871, p. 209.—*Fl.*
*Fl. des Serres, Ser. II. ix. t. 1996 (1873).
Journ. Hort. Ser. III. ix. 247 (1885); xviii. 40 (1889); xl. 25 (1900); l. 3 (1905).
!Gard. Chron. xxvi. 405 (1886); Ser. III. ii. 157 (1887); viii. 689 (1890); ix. 676 (1891).
Journ. Linn. Soc., Bot. xxii. 411 (1887).—*Fl.*
*Godefroy-Lebeuf & N. E. Brown, Cypripediées, i [t. 2], fig. 1–12 (1888).
Veitch, Man. Orch. Pl. Pt. 4, p. 51 (1889).—*Fl.*
*Lindenia, v. t. 261 (1890).
B. S. Williams, Orchid-Grower's Man. Ed. 7, p. 304 (1894).—*Fl.*
*Warner & Will. Orch. Album, xi. t. 486 (1897).
*Cogniaux, Dict. Icon. Orch., Cypriped. t. 26 (1903).
*Costantin, Atlas Orch. Cult. t. 2 (1913).—*Fl.*
×**superciliare** Reichb. f. (4)
Garten-Zeit. Berlin, iv. 451 (1885).
*Cogniaux, Dict. Icon. Orch., Cypriped. hybr. t. 38 (1899).—*Fl.*
×**Suttoniae** Hort. (4)
Orch. Rev. xx. 104 (1912).—*Fl.*
×**Swinburnei** O'Brien (4)
*Cogniaux, Dict. Icon. Orch., Cypriped. hybr. t. 48 (1901).—*Fl.*
×**syrinx** R. Young (4)
*Cogniaux, Dict. Icon. Orch., Cypriped. hybr. t. 55 (1902).
×**Tautzianum** Reichb. f. (4)
*Sander, Reichenbachia, ii. 35, t. 65 (1890).
—— **nigricans** Hort.
Garden, lxxi. 89 (1907).
Journ. Hort. Ser. III. liv. 179 (1907).—*Fl.*
Journ. Roy. Hort. Soc. London, xxxiii. Proc. p. lxxvi, fig. 26 (1908).—*Fl.*
×**tessellatum** Reichb. f. (4)
Journ. Hort. Ser. III. xlviii. 93 (1904).
—— **porphyreum** Reichb. f.
*Lindenia, i. t. 18 (1885).

CYPRIPEDIUM
×tessellatum porphyreum
Journ. Hort. Ser. III. xvii. 382 (1888).—*Fl.*
B. S. Williams, Orchid-Grower's Man. Ed. 7, p. 308 (1894).—*Fl.*
*Cogniaux, Dict. Icon. Orch., Cypriped. hybr. t. 14 (1898).
—— **rubens** Hort.
Gard. Chron. Ser. III. xxxix. 19 (1906).—*Fl.*
×Thalia Hort. (4)
*C. H. Curtis, Orchids for Everyone, 68 (1910).—*Fl.*
Gard. Chron. Ser. III. lix. 308 (1916).
—— **giganteum** Hort.
Journ. Roy. Hort. Soc. London, xxxi. Proc. p. cxciii, fig. 62 (1906).—*Fl.*
Thunbergii Bl. (3)
Blume, Coll. Orchidées, t. 60 (1858).
Pflanzenreich, Orch.-Pleon. 18, 34 (1903).—*Fl.*
Gard. Chron. Ser. III. xlvi. 228 (1909).
tibeticum King (3)
*Ann. Bot. Gard. Calcutta, viii. t. 447 (1898).
*Bot. Mag. cxxxii. t. 8070 (1906).
Gard. Chron. Ser. III. xxxix. 347 (1906); xlvi. Suppl. tab. ad p. 419, 420 (1909); xlix. Suppl. tab. ad p. 402, 403 (1911).
Journ. Hort. Ser. III. liv. 569 (1907).—*Fl.*
Journ. Roy. Hort. Soc. London, xxxiii. Proc. p. xciii, fig. 37 (1908).—*Fl.*
Silva Tarouca, Freiland-Stauden, 78 (1910).
Horticulture (Boston), xiv. 29 (1911).—*Hab.*
Wilson, Veg. West. China (Publ. Arn. Arb. No. 2), 193 (1911).—*Hab.*
Orch. Rev. xxi. 81 (1913).—*Hab.*
×Tityus Veitch (4)
Journ. Hort. Ser. III. xxv. 455 (1892).—*Fl.*
Orch. Rev. xxiv. 9 (1916).
tonkinense Hort. (4)
*Lindenia, ii. t. 77 (1886).
tonsum Reichb. f. (4)
*Cogniaux, Dict. Icon. Orch., Cypriped. t. 6 (1897).—*Fl.*
Orch. Rev. xx. 13 (1912).—*Fl.*
*Costantin, Atlas Orch. Cult. t. 2 (1913).—*Fl.*
×triumphans J. Hye (4)
*Cogniaux, Dict. Icon. Orch., Cypriped. hybr. t. 6 (1897).—*Fl.*
Journ. Hort. Ser. III. li. 495 (1905).—*Fl.*
Journ. Roy. Hort. Soc. London, xxxi. Proc. p. cxci, fig. 61 (1906).—*Fl.*
×Valletii Hort. (4)
Jardin, xix. 104 (1905).
×van Houtteanum Hort. (4)
*Lindenia, iii. t. 130 (1887).
×van Imschootianum Hort. (4)
American Garden, xxiii. 103 (1902).
×variabile punctatissimum Hort. (4)
Jardin, xix. 104 (1905).
Veitchianum C. Lem. (4)
*Ill. Hort. xii. t. 429 (1865).
!Rev. Hort. 1871, p. 596.—*Fl.*
*Floral World, 1872, p. 33.
*De Puydt, Orchidées, t. 14 (1880).—*Hab.*
ventricosum Sw. (3)
J. G. Gmelin, Fl. Sibir. i. t. 1, fig. 2δ (1747); fide Ledebour, Comm. 47.
*Sweet, Brit. Fl. Gard. iv. t. 1 (1829).
Reichenbach, Ic. Fl. Germ. xiii & xiv. t. 497 (1851).
*T. Moore, Illustr. Orchidac. Pl., Cypriped. t. 5 (1857).
Gard. Chron. Ser. III. xlvi. 229 (1909).
Garden, lxxviii. 272 (1914).
—— **album** Hort.
Gard. Chron. Ser. III. xliii. 414 (1908).
×Venus Hort. (4)
Orch. Rev. xxvi. 8 (1918).
venustum Wall. (4)
*Bot. Mag. xlvii. t. 2129 (1820).
*Lodd. Bot. Cab. vi. t. 585 (1821).
*Hooker, Exot. Fl. i. t. 35 (1823).
*Bot. Reg. x. t. 788 (1824).
*Joh. Kerner, Hort. Sempervir. t. 727 (1826).
*Géel, Sert. Bot. Cl. 20 (1832).
*Journ. Jard. 1832, p. 31.
*Reichenbach, Fl. Exot. ii. t. 100 (1834).

CYPRIPEDIUM
venustum
*Hartinger, Parad. Vindob. t. 39 (1844–60).
Reichenbach, Ic. Fl. Germ. xiii & xiv. t. 356, fig. 37–41 (1850).—*Fl.*
Blume, Coll. Orchidées, 167 (1858).—*Fl.*
Sempervirens, viii. 188 (1879).—*Hab.*
Suringar in Verh. Akad. Wet. xxi. tab. (1881).—*Fl.*
!Suringar in Assoc. Franç. Avanc. Sc. 1881, Alger, t. 13 (1882).—*Fl.*
Gard. Chron. Ser. III. ix. 676 (1891).—*Fl.*
*R. Nielsen, Trop. Orch. Dyrkning, Kjöbenhavn, t. 3 (1895).
Journ. Hort. Ser. III. xxxv. 475 (1897); xlvii. 71 (1903).—*Fl.*
*Ann. Bot. Gard. Calcutta, viii. t. 445 (1898).
American Garden, xxi. 865 (1900).
*Costantin, Atlas Orch. Cult. t. 2 (1913).—*Fl.*
—— **pardinum** Hort.
Gard. Chron. Ser. III. i. 382 (1887).—*Fl.*
—— **spectabile** Will.
*Warner, Select Orch. Pl. Ser. II. t. 24 (1865–75).—*Hab.*
vexillarium Reichb. f. (4)
Garden, v. 103 (1874).—*Fl.*
Sempervirens, viii. 348 (1879).
Florist, 1880, p. 13.
Wien. Ill. Gart.-Zeit. v. 448 (1880).
Gard. Chron. xiii. 781 (1880); Ser. III. i. 456 (1887).
Orchidophile, 1883, p. 603.
Veitch, Man. Orch. Pl. Pt. 4, p. 100 (1889).
*Lindenia, vii. t. 309 (1891).
*Warner & Will. Orch. Album, x. t. 447 (1893).
Orch. Rev. i. 297 (1893).—*Fl.*
B. S. Williams, Orchid-Grower's Man. Ed. 7, p. 310, 311 (1894).
*Cogniaux, Dict. Icon. Orch., Cypriped. hybr. t. 2 (1897).—*Fl.*
Journ. Hort. Ser. III. lix. 577 (1909).—*Fl.*
*Costantin, Atlas Orch. Cult. t. 5 (1913).—*Fl.*
×Vialianum Linden (4)
*Lindenia, xvii. t. 807 (1906).
Victoriae-Mariae Rolfe (4)
*Lindenia, xii. t. 559 (1896).
villosum Lindl. (4)
*Ill. Hort. iv. t. 126 (1857).
*Linden, Pescatorea, t. 48 (1860).
*Fl. des Serres, Ser. II. iv. t. 1475 (1861).
*Warner, Select Orch. Pl. Ser. II. t. 30 (1865–75).—*Hab.*
Florist, 1870, p. 211; 1882, p. 35.
*Garden, iii. 415 (1873); xxxix. 568 (1891).
*Lindenia, iii. t. 132 (1887).
Veitch, Man. Orch. Pl. Pt. 4, p. 55 (1889).—*Fl.*
Gard. Chron. Ser. III. viii. 688 (1890); ix. 676 (1891).
Sander, Reichenbachia, Ser. II. i. 21 (1892).—*Fl.*
B. S. Williams, Orchid-Grower's Man. Ed. 7, p. 312 (1894).
*Cogniaux, Dict. Icon. Orch., Cypriped. t. 17 (1899).—*Fl.*
American Garden, xxi. 865 (1900).
Nicholson, '1900' Suppl. Dict. Gard. 284 (1900).—*Fl.*
Veitch, Hortus Veitchii, 42 (1906).—*Fl.*
*Costantin, Atlas Orch. Cult. t. 2 (1913).—*Fl.*
—— **albidum** Hort.
*Lindenia, xiv. t. 659, 660 (1899).
—— **albo-luteum** Hort.
*Lindenia, xiv. t. 659, 660 (1899).
—— **bicolor** Hort.
*Lindenia, xiv. t. 659, 660 (1899).
—— **brunneum** Hort.
*Lindenia, xiv. t. 659, 660 (1899).
—— **duplo-vittatum** Lackn.
*Gartenfl. xlix. t. 1482 (1900).
—— **elegans** Hort.
*Lindenia, xiv. t. 659, 660 (1899).
—— **expansum** Hort.
*Lindenia, xiv. t. 659, 660 (1899).
—— **giganteum** Hort.
*Lindenia, xiv. t. 659, 660 (1899).
—— **lineatum** Hort.
*Lindenia, xiv. t. 659, 660 (1899).

CYPRIPEDIUM
villosum lucidum Hort. (4)
*Lindenia, xiv. t. 659, 660 (1899).
—— **luteum** Hort.
*Lindenia, xiv. t. 659, 660 (1899).
—— **rubrum** Hort.
*Lindenia, xiv. t. 659, 660 (1899).
×Vipanii Hort. (4)
Journ. Roy. Hort. Soc. London, xv. Proc. p. clxviii (1893); xxiii. Proc. p. cxli (1899–1900).—*Fl.*
American Garden, xx. 429 (1899).
Journ. Hort. Ser. III. xxxix. 192 (1899).—*Fl.*
—— **Corningii** Rolfe
Orch. Rev. v. 241 (1897).—*Fl.*
virens Reichb. f. (4)
*Reichenbach f., Xenia Orch. ii. t. 162 (1870).
vittatum Vell. (5)
Vellozo, Fl. Flum. ix. t. 62 (1827).
×Vogelsangianum Hort. (4)
*Rev. Hort. Belge, xxxvii. 85 (1911).—*Fl.*
Tribune Hort. vi. t. 279 (1911).—*Fl.*
Volonteanum Hort. (4)
Journ. Hort. Ser. III. xxvii. 27 (1893).—*Fl.*
Wallisii Hort. (5)
*Lindenia, iii. t. 131 (1887).
*Warner & Will. Orch. Album, viii. t. 380 (1889).
×Warnero-superbiens Hort. (4)
Gard. & Forest, v. 511 (1892).—*Fl.*
×Weathersianum Linden (4)
*Lindenia, ix. t. 397 (1893).
×Wellesleyanum Hort. (4)
Journ. Roy. Hort. Soc. London, xxix. Proc. p. xcv, fig. 129 (1905).—*Fl.*
×westfieldiense Hort. (4)
Journ. Roy. Hort. Soc. London, xxxii. Proc. p. clviii, fig. 61 (1908).—*Fl.*
×Wiertzianum Linden (4)
*Lindenia, xiv. t. 644 (1898–99).
Journ. Hort. Ser. III. lix. 339 (1909).—*Fl.*
×Williamsianum Reichb. f. (4)
*Warner & Will. Orch. Album, viii. t. 365 (1889).
*Cogniaux, Dict. Icon. Orch., Cypriped. hybr. t. 29 (1899).—*Fl.*
×Wincqzianum Linden (4)
*Lindenia, xiii. t. 620 (1897).
×Winnianum Reichb. f. (4)
Journ. Hort. Ser. III. xxvii. 71 (1893).—*Fl.*
*Cogniaux, Dict. Icon. Orch., Cypriped. hybr. t. 18 (1898).—*Fl.*
Wolterianum Kränzl. (3)
*Reichenbach f., Xenia Orch. iii. t. 282 (1896).
×Wormsae Hort. (4)
Jardin, xix. 104 (1905).
×Wottonii Hort. (4)
Journ. Hort. Ser. III. xxxviii. 61 (1899).—*Fl.*
Semaine Hort. 1900, p. 151.—*Fl.*
Yatabeanum Makino (3)
*Miyoshi & Makino, Pocket-Atlas, Alp. Pl. Jap. i. t. 1, fig. 3 (1906).
×Youngiae Hort. (4)
*Cogniaux, Dict. Icon. Orch., Cypriped. hybr. t. 49 (1901).—*Fl.*
*Costantin, Atlas Orch. Cult. t. 4 (1913).—*Fl.*
×Youngianum Rolfe (4)
Journ. Hort. Ser. III. xxiii. 405 (1891).—*Fl.*
*Sander, Reichenbachia, Ser. II. i. 65, t. 31 (1892).
*Cogniaux, Dict. Icon. Orch., Cypriped. hybr. t. 10 (1897).—*Fl.*
*Costantin, Atlas Orch. Cult. t. 5 (1913).—*Fl.*
—— **superbum** Hort.
Gard. Chron. Ser. III. xl. 439 (1906).—*Fl.*
×Yvonnae Hort. (4)
*Ill. Hort. xlii. t. 26 (1895).
×Zampa Eurydice Cogn. (4)
*Cogniaux, Dict. Icon. Orch., Cypriped. hybr. t. 4 B (1898).—*Fl.*
—— **Phidias** Cogn.
*Cogniaux, Dict. Icon. Orch., Cypriped. hybr. t. 4 A (1897).—*Fl.*
—— **Steriope** Cogn.
*Cogniaux, Dict. Icon. Orch., Cypriped. hybr. t. 4 C (1899).—*Fl.*

CYPSELEA Turp.
humifusa Turp.
Ann. Mus. Hist. Nat. Paris, vii. 221 (1806).
Trattinick, Arch. i. t. 71 (1812).
Trattinick, Gen. Nov. Pl. t. 16 (1825).

CYPSELOCARPUS F. Muell.
halorrhagoides F. Muell.
Hook. Ic. Pl. xxxi. t. 3031 (1916).

CYRILLA Gard.
aquatica Roxb.
*Roxburgh, Pl. Coromandel, ii. t. 189 (1798).
brevifolia N. E. Br.
Trans. Linn. Soc. London, Ser. II. Bot. vi. t. 1 (1901).
caroliniana Michx.
Gaertner, Fruct. iii. t. 209 (1807).—*Fr.*
Schnizlein, Iconogr. iv. t. 240** (1857–65).—*Fr.*
racemiflora Linn.
*Jacquin, Ic. Pl. Rar. i. t. 47 (1781–86).
*Meerburg, Pl. Rar. t. 53 (1789).
*Joh. Kerner, Abbild. Oek. Pfl. (Fig. Pl. Écon.), viii. t. 710 (1796).
*Joh. Kerner, Ausländ. Bäume & Gestr. t. 6 (1796).
Lamarck, Ill. i. t. 147, fig. 2 (1797) in textu; *Itea caroliniana* in ic.
*Duhamel, Arbres & Arbustes, Ed. 2, i. t. 46 (1801–19).
*Bot. Mag. li. t. 2456 (1824).
J. C. Loudon, Arbor. & Frutic. Brit. iv. 2577 (1838); errore *C. racemosa.*
Schnizlein, Iconogr. iv. t. 240** (1857–65).
Baillon, Adans. i. t. 4, fig. 1, 2 (1860).—*Fl.*
*Nuttall, N. Amer. Sylva, ii. t. 74 (1865).
Le Maout & Decaisne, Traité Gén. Bot. 239 (1868).
American Garden, x. 307 (1889).
Baillon, Hist. Pl. xi. 212 (1891).—*Fl.*
Pflanzenfam. iii. v. 181 (1892).
Sargent, Silva N. Amer. ii. t. 51 (1892).
*Wild Fl. Canada, t. 263 (1894).
Britton & Brown, Ill. Fl. N. States & Canada, ii. 389 (1897); Éd. 2, ii. 485 (1913).
Gard. Chron. Ser. III. xxx. 199 (1901).
Journ. Hort. Ser. III. xliii. 197 (1901).
Lounsberry, Southern Wild Fl. & Trees, t. 98 (1901).
Sargent, Man. Trees N. Amer. 611 (1905).
Schneider, Ill. Handb. Laubh. ii. 157 (1907).
Velenovsky, Vergl. Morphol. Pfl. ii. 458 (1907).—*Veg.*
Britton, N. Amer. Trees, 618 (1908).
Apgar, Orn. Shrubs U.S. 89, fig. 74 (1910).
Garden, lxxviii. 144 (1914).
Mathews, Field Book Amer. Trees & Shrubs, 291 (1915).

CYRILLA L'Hér.: *Achimenes*
pulchella L'Hér.
*Junghans, Ic. Pl. t. 67 (1787).
*L'Héritier, Stirp. t. 71 (1788).
*Bot. Mag. xi. t. 374 (1797).
*Joh. Kerner, Hort. Sempervir. t. 80 (1800).
G. Savi, Fl. Ital. ii. t. 80 (1822).

CYRTA Lour.: *Styrax*
agrestis Lour.
Miers, Contrib. Bot. i. t. 29 (1851–61).—*Fl.*
dealbata Miers
Miers, Contrib. Bot. i. t. 29 (1851–61).—*Fl.*
suberifolia Miers
Miers, Contrib. Bot. i. t. 29 (1851–61).—*Fl.*

CYRTANDRA Forst.
apiculata Clarke
Drake, Ill. Fl. Ins. Pacif. t. 46 (1886).
bicolor Jack
Pflanzenfam. iv. III. B. 164 (1894).—*Fl.*
biflora Forst.
Forster, Charact. Gen. Pl. t. 3 (1776).—*Fl.*
caulescens Rock
Rock in Amer. Journ. Bot. v. t. 23 (1918).
ciliata Seem.
*Seemann, Fl. Vit. t. 41 (1865–73).
Clarkei Stapf
Trans. Linn. Soc. London, Ser. II. Bot. iv. t. 16 (1894).

CYRTANDRA
coccinea Bl.
A. & C. De Candolle, Monogr. Phan. v. i. t. 30 (1883).
coleoides Seem.
*Seemann, Fl. Vit. t. 40 (1865–73).
cordifolia Gaudich.
Freycinet, Voyage, t. 56 (1826).
crassifolia Rock
Rock in Amer. Journ. Bot. v. t. 18 (1918).—*Veg.*
cymosa Forst.
Forster, Charact. Gen. Pl. t. 3 (1776).—*Fl.*
decurrens De Vriese
Rumphius, Herb. Amboin. vi. t. 58, fig. 1 (1750); fide Merrill, Interpret. Rumph. Herb. Amboin.
dispar DC.
A. & C. De Candolle, Monogr. Phan. v. i. t. 23 (1883).
Endlicheriana Walp.
Nov. Act. Acad. Nat. Cur. xix. Suppl. i. t. 10 (1843).
fenestrata C. B. Clarke
A. & C. De Candolle, Monogr. Phan. v. i. t. 27 (1883).
fulvovillosa Rech.
Rechinger in Denkschr. Akad. Wiss. Wien, lxxxix. t. 6, fig. 12 a (1914).
Garnotiana Gaudich.
Freycinet, Voyage, t. 53 (1826).
Gayana Heller
Minnesota Bot. Stud. i. t. 59 (1897).
geocarpa Koord.
Ann. Jard. Bot. Buitenzorg, xviii. 86, fig. 4 (1900).—*Hab.*
Georgiana Forbes
Forbes in Occasional Papers Bernice Pauahi Bishop Mus. Honol. vii. No. 3, t. 9 (1920).
glabra Gaertn.
Gaertner f., Fruct. iii. t. 224 (1807).—*Fr.*
Godefroyi Reinecke
Karsten & Schenck, Veg.-Bild. vi. t. 5 (1908).—*Hab.*
gracilis Hillebr.
Rock in Amer. Journ. Bot. vi. t. 7 (1919).
grandiflora Gaudich.
Freycinet, Voyage, t. 55 (1826).
halawensis Rock
Rock in Amer. Journ. Bot. vi. t. 4 (1919).
Hii Forbes
Forbes in Occasional Papers Bernice Pauahi Bishop Mus. Honol. vii. No. 3, t. 6 (1920).
Hufnagelii Reinecke
Rechinger in Denkschr. Akad. Wiss. Wien, lxxxv. 364 (1910).—*Hab.*
hypogaea Koord.
Ann. Jard. Bot. Buitenzorg, xviii. 86, fig. 5 (1900).—*Hab.*
Koorders, Suppl. Fl. N. O. Celebes, i. i. t. 6 (1918).
induta A. Gray
Drake, Ill. Fl. Ins. Pacif. t. 47 (1886).
kohalae Rock
Rock in Amer. Journ. Bot. vi. t. 3 (1919).
Kraemeri Reinecke
Rechinger in Denkschr. Akad. Wiss. Wien, lxxxv. 362 (1910).—*Hab.*
laxiflora Mann
Rock in Amer. Journ. Bot. vi. t. 29 (1919).
Lessoniana Gaudich.
Freycinet, Voyage, t. 54 (1826).
limosiflora Rock
Rock in Amer. Journ. Bot. vi. 209 (1919) in textu; *C. limosifolia* in ic. t. 30.—*Hab.*
limosifolia Rock
Rock in Amer. Journ. Bot. vi. t. 30 (1919) in ic.; *C. limosiflora* in textu, p. 209.—*Hab.*
Lobbii C. B. Clarke
A. & C. De Candolle, Monogr. Phan. v. i. t. 32 (1883).
longifolia Hillebr.
Rock in Amer. Journ. Bot. iv. 612 (1917).
—— **calpidicarpa** Rock
Rock in Amer. Journ. Bot. iv. 617 (1917).
—— **degenerans** C. B. Clarke
Rock in Amer. Journ. Bot. iv. 614 (1917).

CYRTANDRA
Macraei A. Gray
Rock in Amer. Journ. Bot. vi. t. 8 (1919).
macrophylla Jack
Trans. Linn. Soc. London, xiv. t. 2 (1825).—*Fl.*
Calcutta Journ. Nat. Hist. iv. t. 15 (1844).—*Fl.*
mamillata H. Hallier
Bull. Herb. Boiss. vi. t. 7 (1898).
mauiensis Rock
Rock in Amer. Journ. Bot. v. t. 19 (1918).
Menziesii Hook. & Arn.
Rock in Amer. Journ. Bot. vi. t. 6 (1919).
montis-loa Rock
Rock in Amer. Journ. Bot. vi. t. 32 (1919).—*Hab.*
mucronata Nadeaud
Drake, Ill. Fl. Ins. Pacif. t. 45 (1886).
Munroi Forbes
Forbes in Occasional Papers Bernice Pauahi Bishop Mus. Honol. vii. No. 3, t. 8 (1920).
oblongifolia Benth. & Hook. f.
A. & C. De Candolle, Monogr. Phan. v. i. t. 24 (1883).
olona Forbes
Forbes in Occasional Papers Bernice Pauahi Bishop Mus. Honol. vii. No. 3, t. 5 (1920).
paludosa haupuensis Rock
Rock in Amer. Journ. Bot. iv. 610 (1917).
pendula Bl.
Hook. Ic. Pl. viii. t. 735, 736 (1848).
*Siebold & De Vriese, Fl. Jard. iv. 161 (1861).
Pickeringii A. Gray
Rock in Amer. Journ. Bot. vi. t. 31 (1919).
picta Bl.
Pflanzenfam. iv. III. B. 140 (1893).—*Fl.*
platyphylla A. Gray
Rock in Amer. Journ. Bot. v. t. 21 (1918).
—— **parviflora** Rock
Rock in Amer. Journ. Bot. v. t. 22 (1918).
populifolia Miq.
A. & C. De Candolle, Monogr. Phan. v. i. t. 31 (1883).
Pritchardii Seem.
*Seemann, Fl. Vit. t. 39 (1865–73).
propinqua Forbes
Forbes in Occasional Papers Bernice Pauahi Bishop Mus. Honol. vii. No. 3, t. 7 (1920).
radiciflora C. B. Clarke
A. & C. De Candolle, Monogr. Phan. v. i. t. 28 (1883).
rarotongensis Cheesem.
Trans. Linn. Soc. London, Ser. II. Bot. vi. t. 35 (1903).
reticosa C. B. Clarke
A. & C. De Candolle, Monogr. Phan. v. i. t. 25 (1883).
samoënsis A. Gray
Rechinger in Denkschr. Akad. Wiss. Wien, lxxxv. 361 (1910).—*Hab.*
Sandei De Vriese
A. & C. De Candolle, Monogr. Phan. v. i. t. 26 (1883).
staminea Vahl
Dict. Sc. Nat., Planch. Bot. Dicot. t. 78 (1816–29).
tintinnabula Rock
Rock in Amer. Journ. Bot. v. t. 20 (1918).
triflora Gaudich.
Freycinet, Voyage, t. 52 (1826).
trisepala C. B. Clarke
A. & C. De Candolle, Monogr. Phan. v. i. t. 29 (1883).
umbracculiflora Rock
Rock in Amer. Journ. Bot. vi. t. 5 (1919).
Vairiae Drake
Drake, Ill. Fl. Ins. Pacif. t. 44 (1886).
Vescoi Drake
Drake, Ill. Fl. Ins. Pacif. t. 43 (1886).
vestita Drake
Drake, Ill. Fl. Ins. Pacif. t. 48 (1886).
waianuensis Rock
Rock in Amer. Journ. Bot. iv. 619 (1917).

CYRTANDROMOEA Zoll.
decurrens Zoll.
A. & C. De Candolle, Monogr. Phan. v. i. t. 21 (1883).

CYRTANDROMOEA
megaphylla Hemsl.
Hook. Ic. Pl. xvi. t. 1555 (1887).

CYRTANDROPSIS C. B. Clarke: *Tetraphyllum*
monoica Lauterb.
Nova Guinea, viii. t. 66 (1910).

CYRTANTHEMUM Örst.: *Besleria*
deflexum Örst.
Örsted in Dansk. Vid. Selsk. Skrift. Ser. V. v. t. 10, fig. 32–39 (1861).—*Fl.*
hirsutum Örst.
Örsted in Dansk. Vid. Selsk. Skrift. Ser. V. v. t. 10, fig. 20–31 (1861).—*Fl.*

CYRTANTHERA Nees: *Jacobinia*
aurantiaca Hook.
*Bot. Mag. lxxv. t. 4468 (1849).
catalpifolia Nees
*Ann. Gand, v. t. 257 (1849).
*Bot. Mag. lxxv. t. 4444 (1849).
*Lem. Jard. Fl. i. t. 1 (1851).
chrysostephana Hook. f.
*Bot. Mag. xcvii. t. 5887 (1871).
Gard. Chron. 1872, p. 936.
Gartenfl. xxiii. 183 (1874).
citrina Wawra
*Wawra, Itin. Princ. S. Coburg, i. t. 12 (1883).
Ghiesbreghtiana Decne.
*Fl. des Serres, Ser. I. iv. t. 339 (1848).
*Rev. Hort. Ser. III. ii. 161 (1848).
Liboniana Lem.
*Lem. Jard. Fl. iii. t. 311 (1852).
magnifica Nees
Mart. Fl. Bras. ix. t. 14 (1847).
Goebel, Entfaltungsb. Pfl. 297 (1920).

CYRTANTHERELLA Örst.: *Jacobinia*
macrantha Örst.
Vidensk. Meddel. Kjöbenhavn, 1854, t. 5, fig. 10, 11 (1855).—*Fl.*

CYRTANTHUS Ait.—Vide *Amaryllis* (6), *Gastronema*, *Monella*
angustifolius Ait.
*Bot. Mag. viii. t. 271 (1794).
*Jacquin, Hort. Schoenbr. i. t. 76 (1797).
*Redouté, Liliac. vii. t. 388 (1813).
*Lodd. Bot. Cab. iv. t. 368 (1819).
*Mordant de Launay, Herb. Amat. iv. t. 253 (1820).
*Drapiez, Herb. Amat. Fl. viii. t. 560 (1835).
Flora, xxxv. t. 2, fig. 8 (1852).—*Fr.*
Wood & Evans, Natal Pl. i. 1. t. 5 (1898).
*Flowering Pl. S. Africa, i. No. 1, t. 4 (1920) in ic.; *C. contractus* in textu.
—— **grandiflorus** Baker
Gard. Chron. Ser. III. xxxvii. 261 (1905).
breviflorus Harv.
Harvey, Thes. Cap. ii. t. 139 (1836).
carneus Lindl.
*Bot. Reg. xvii. t. 1462 (1831).
collinus Ker-Gawl.
*Bot. Reg. ii. t. 162 (1816).
contractus N. E. Br.
*Flowering Pl. S. Africa, i. No. 1, t. 4 (1920) in textu; *C. angustifolius* in ic.
glaucus Herb.
Herbert, Amar. t. 33, fig. 13 (1837).—*Fl.*
helictus Lehm.
Gard. Chron. Ser. III. xiv. 69 (1893); xxvii. 35 (1900).
Huttonii Baker
*Garden, l. 62 (1896).
*Bot. Mag. cxxii. t. 7488 (1896).
inaequalis O'Brien
Gard. Chron. Ser. III. xxxvii. 261 (1905).
Junodii Beauverd
Bull. Herb. Boiss. Ser. II. vii. 438 (1907).
lutescens Herb.
Herbert, Amar. t. 33, fig. 14 (1837).—*Fl.*
*Bot. Mag. lxxxix. t. 5374 (1863).
Mackenii Hook. f.
Gard. Chron. 1869, p. 641; xiv. 760 (1880).
Garden, xvii. 17 (1880); l. 63 (1896).
*Saunders, Ref. Bot. v. t. 355 (1880).
Journ. Hort. Ser. III. viii. 464 (1884); xxxvi. 309 (1898); l. 29 (1905).

CYRTANTHUS
Mackenii
*Gartenfl. xxxvii. t. 1280 (1888).
Wood & Evans, Natal Pl. i. 11. t. 51 (1899).
Macowanii Baker
*Gartenfl. xxviii. t. 960 (1879).
*Belg. Hort. xxxv. 197 (1885).
obliquus Ait.
*Jacquin, Hort. Schoenbr. i. t. 75 (1797).
*Andrews, Bot. Rep. iv. t. 265 (1802).
*Joh. Kerner, Hort. Sempervir. t. 157 (1805).
*Bot. Mag. xxviii. t. 1133 (1808).
*Redouté, Liliac. vii. t. 381 (1813).
Herbert, Appendix, [t. 2] (1821).—*Fl.*
*Lodd. Bot. Cab. x. t. 947 (1824).
*Redouté, Choix Fl. [t. 27] (1827).
*Géel, Sert. Bot. Cl. 6 (1832).
*Reichenbach, Fl. Exot. ii. t. 120 (1834).
*Mag. Bot. & Gard. iv. t. 37 (1836).
Herbert, Amar. t. 33, fig. 12 (1837).—*Fl.*
*J. W. Loudon, Ladies' Fl.-Gard. Ornam. Bulb. Pl. t. 35 (1841).
*Fl. des Serres, Ser. I. ii. t. 156 (1846).
Gard. Chron. Ser. III. xiii. 603 (1893); xxvii. 37 (1900).
Wood, Natal Pl. iv. IV. t. 391 (1906).
odorus Ker-Gawl.
*Bot. Reg. vi. t. 503 (1820).
*J. W. Loudon, Ladies' Fl.-Gard. Ornam. Bulb. Pl. t. 35 (1841).
Garden, lxiv. 126 (1903).—*Fl.*
pallidus Sims
*Bot. Mag. li. t. 2471 (1824).
parviflorus Baker
*Bot. Mag. cxxv. t. 7653 (1899).
*Marloth, Fl. S. Africa, iv. t. 34 (1915).—*Fl.*
sanguineus Lindl.
*Bot. Mag. lxxxvi. t. 5218 (1860).
*Fl. des Serres, Ser. II. iv. t. 1496 (1861).
Pflanzenfam. ii. v. 109 (1888).
*Garden, xxxvii. 344 (1890).
Wood, Natal Pl. iv. II. t. 341 (1904).
Journ. Hort. Ser. III. li. 365 (1905).
Engler & Drude, Veget. Erde, ix. II. 351 (1908).
—— **glaucophyllus** Hort.
Garden, lxviii. 241 (1905).—*Hab.*
spiralis Burch.
*Bot. Reg. ii. t. 167 (1817).
*Géel, Sert. Bot. Cl. 6 (1832).
*Lodd. Bot. Cab. xx. t. 1945 (1833).
*Reichenbach, Fl. Exot. i. t. 42 (1834).
Gard. Chron. Ser. III. xxii. 303 (1897).
striatus Herb.
*Bot. Mag. lii. t. 2534 (1824).
Tuckii Baker
Gard. Chron. Ser. III. xii. 155 (1892).
uniflorus Ker-Gawl.
*Bot. Reg. ii. t. 168 (1817).
*J. W. Loudon, Ladies' Fl.-Gard. Ornam. Bulb. Pl. t. 35 (1841) in ic.; *Gastronema clavatum* in textu.
ventricosus Willd.
*Joh. Kerner, Hort. Sempervir. t. 234 (1806).
vittatus Desf.
*Redouté, Liliac. iv. t. 182 (1808).

CYRTOCARPA H. B. K.
procera H. B. K.
H. B. K. Nov. Gen. vii. t. 609 (1825).
A. & C. De Candolle, Monogr. Phan. iv. t. 8, fig. 35–41 (1883).—*Fl.*

CYRTOCERAS Bennett: *Hoya*
floribundum Maund
*Maund, Botanist, iv. t. 178 (1840).
reflexum Bennett
*R. Brown & J. Bennett, Pl. Jav. Rar. t. 21 (1838).
Gard. Chron. 1845, p. 436.—*Hab.*
*Rev. Hort. Belge, xii. 97 (1886).
Möllers Deutsche Gärtn.-Zeit. iii. 289 (1888).

CYRTOCHILUM H. B. K.: *Oncidium*
bictoniense Batem.
*Bateman, Orchidac. Mex. & Guatem. t. 6 (1837–43).
citrinum Hook.
*Bot. Mag. lxxv. t. 4454 (1849).

CYRTOCHILUM
filipes Lindl.
*Bot. Reg. xxvii. t. 59 (1841).
flavescens Lindl.
*Bot. Reg. xix. t. 1627 (1833).
Jurgensenianum C. Lem.
*Lem. Jard. Fl. iv. t. 368 (1853).
leucochilum Planch.
*Fl. des Serres, Ser. I. v. t. 522, p. 522 b (1849).
*Belg. Hort. xxxv. 287 (1885).
maculatum Lindl.
*Bot. Reg. xxiv. t. 44 (1838).
*Knowles & Westc. Floral Cab. ii. t. 57 (1838).
*Lindley, Sertum Orch. t. 25 (1838).
*Journ. Jard. 1839, p. 191.
*Bot. Mag. lxviii. t. 3880 (1841).
*Horticulteur Univ. v. 132 (1844).
*Hooker, Cent. Orch. Pl. t. 79 (1849).
—— **ecornutum** Hook.
*Bot. Mag. lxvii. t. 3836 (1840).
mystacinum Lindl.
*Bot. Reg. xxv. t. 62 (1839).
stellatum Lindl.
*Lindley, Sertum Orch. t. 7 (1838).
undulatum H. B. K.
H. B. K. Nov. Gen. i. t. 84 (1815).
*Mag. Bot. & Gard. iv. t. 51 (1836).
volubile Poepp. & Endl.
Poeppig & Endl. Nov. Gen. & Sp. Pl. i. 61 (1835).

CYRTODEIRA Hanst.: *Episcia*
chontalensis Seem.
*Fl. des Serres, Ser. II. viii. t. 1924 (1869–70).
cupreata Hanst.
Linnaea, xxvi. t. 2, fig. 39 (1853–55).—*Fl.*
—— **metallica** Regel
*Gartenfl. xviii. t. 607 (1869).
—— **viridifolia** Hook.
*Bot. Mag. lxxxvi. t. 5195 (1860).
fulgida Linden
*Ill. Hort. xx. t. 131 (1873).
Semaine Hort. iv. 13 (1900).
Woodrow, Gardening in Trop. 422 [1910].

CYRTOGONIUM J. Sm.: *Leptochilus*
flagelliferum J. Sm.
Moore & Ayres, Mag. Bot. iii. 134 (1851).
palustre Brack.
Brackenridge, Crypt. Wilkes, U.S. Expl. Exped. 1838–42, t. 12 (1855).
rivulare Brack.
Brackenridge, Crypt. Wilkes, U.S. Expl. Exped. 1838–42, t. 11 (1855).

CYRTOGONONE Prain
argentea Prain
Pflanzenreich, Euphorb.-Acal.-Chroz. 112 (1912).
Hook. Ic. Pl. xxxi. t. 3008 (1915).

CYRTOMIUM Presl: *Polystichum*
atratum Hort.
Horticulture (Boston), i. 63 (1904).—*Hab.*
Boydiae Robinson
Bull. Torr. Bot. Club, xl. t. 10 (1913).
caducum Wall.
Beddome, Ferns Brit. Ind. t. 45 (1865–70).
caryotideum Presl
Presl, Tent. Pteridogr. t. 2 (1836).
*Hooker, Gen. Fil. t. 49 (1842).
Beddome, Ferns S. Ind. t. 119 (1863).
*Baynes, Indian Ferns, t. 8 (1887).
Horticulture (Boston), i. 63 (1904).—*Hab.*
falcatum Presl
Moore & Ayres, Mag. Bot. iii. 292 (1851).
T. Moore, Index Fil. Gen. & Spec. t. 66 [1857–62].
Sempervirens, x. 49 (1881).—*Hab.*
L. H. Bailey, Cycl. Amer. Hort. 439 (1900); Stand. Cycl. Hort. 945 (1914); 1213 (1915).—*Hab.*
Horticulture (Boston), i. 63, 132 (1904).—*Hab.*
Conzatti in Mem. y Rev. Soc. 'Antonio Alzate', xxv. 121 (1907).
Sim, Ferns S. Africa, Ed. 2, t. 32 (1915).
Gager, Fundam. Bot. 22, 155 (1916).
Youngken, Pharm. Bot. Ed. 2, p. 240 (1918).

CYRTOMIUM
falcatum caryotideum Wall.
Beddome, Handb. Ferns Brit. Ind. 213 (1883).
Fortunei J. Sm.
Horticulture (Boston), i. 63 (1904).—*Hab.*
Hemionitis Christ
Bull. Géogr. Bot. xx. 139 (1910).
Léveillé, Cat. Ill. Pl. Seu Tchouen, t. 33 (1918).
nobile T. Moore
T. Moore, Index Fil. Gen. & Spec. t. 66 [1857–62].
Conzatti in Mem. y Rev. Soc. 'Antonio Alzate', xxv. 121 (1907).

CYRTOPERA Lindl.: *Eulophia*
Cullenii Wight
Wight, Ic. Pl. Ind. Or. v. t. 1754 (1851).
flava Lindl.
*Royle, Illustr. Bot. Himal. t. 88 (1839).
fusca Wight
Wight, Ic. Pl. Ind. Or. v. t. 1690 (1851).
*M. R. Brown, Wild Flow. S. & W. Ind. t. 2 (1868).
longifolia Reichb. f.
Mart. Fl. Bras. iii. v. t. 76 (1898–1902).
—— **amazonica** Cogn.
Mart. Fl. Bras. iii. v. t. 77 (1898–1902).
polyantha Barb. Rodr.
Barbosa Rodrigues, Struct. Orch. t. 13, fig. 2 (1883).—*Fr.*
Regnieri Reichb. f.
*Orchidophile, 1886, p. 323.
sanguinea Lindl.
*Bot. Mag. ci. t. 6161 (1875).

CYRTOPHLEBIUM J. Sm.: *Polypodium*
repens J. Sm.
Moore & Ayres, Mag. Bot. iii. 60 (1851).

CYRTOPODIUM R. Br.—Vide *Limodorum* (8), *Tylochilus*
Aliciae Linden & Rolfe
*Lindenia, viii. t. 371 (1892).
Andersonii R. Br.
*Bot. Mag. xliii. t. 1800 (1816).
*Lodd. Bot. Cab. ii. t. 121 (1818).
*Bot. Reg. xxvii. t. 8 (1841).
Griffith, Ic. Pl. Asiat. t. 283 A, fig. 3 (1851).—*Fl.*
Pflanzenfam. ii. VI. 157 (1889).—*Fl.*
Kerchove, Livre Orch. 123 (1894).—*Fl.*
*Cogniaux, Dict. Icon. Orch., Cyrtopod. t. 2 (1899).—*Fl.*
*Costantin, Atlas Orch. Cult. t. 15 (1913).—*Fl.*
Blanchettii Reichb. f.
*Vidensk. Meddel. Kjöbenhavn, 1884–86, t. 7, fig. 3 (1884–87).—*Fl.*
Brandonianum Barb. Rodr.
Mart. Fl. Bras. iii. v. t. 78 (1898–1902).
brasiliense Pinto
Pinto, Diccion. Bot. Brasil. fig. 30 (1873).
cardiochilum Lindl.
*Warner & Will. Orch. Album, iv. t. 176 (1885).
eburneum Barb. Rodr.
Mart. Fl. Bras. iii. v. t. 79 (1898–1902).
elegans Buch.-Ham.
*Hamilton, Prodr. Pl. Ind. Occ. frontisp. (1825).
Eugenii Reichb. f.
*Vidensk. Meddel. Kjöbenhavn, 1884–86, t. 6, fig. 2 (1884–87).
Warming in Dansk. Vid. Selsk. Skrift. Ser. VI. vi. 198 (1892).—*Hab.*
flavum Link & Otto
Reichenbach, Hort. Bot. t. 214 (1827–30).
glutiniferum Raddi
Mem. Mat. Fis. Soc. Ital. Sc. xix. III. t. 6 (1823).—*Fl.*
G. Savi, Fl. Ital. iii. t. 97 (1824).
lineatum Barb. Rodr.
Barbosa Rodrigues, Contrib. Jard. Bot. Rio de Janeiro, t. 6 (1901).—*Fl.*
pallidum Reichb. f. & Warm.
*Vidensk. Meddel. Kjöbenhavn, 1884–86, t. 7, fig. 1 (1884–87).—*Fl.*
palmifrons Reichb. f. & Warm.
*Vidensk. Meddel. Kjöbenhavn, 1884–86, t. 6, fig. 3 (1884–87).—*Fl.*
*Bot. Mag. cxxvii. t. 7807 (1901).

CYRTOPODIUM
poecilum Reichb. f. & Warm.
*Vidensk. Meddel. Kjöbenhavn, 1884–86, t. 6, fig. 4 (1884–87).—*Fl.*
punctatum Lindl.
Plumier, Pl. Amer. Ed. Burm. t. 187 (1758); fide Urban, Fedde Repert. Beih. v. 81.
*Bot. Mag. lxiii. t. 3507 (1836).
*Lindley, Sertum Orch. t. 12 (1838).
Paxt. Mag. xiii. 133 (1847).—*Hab.*
*Fl. des Serres, Ser. II. xii. t. 2352 (1876).
*Orchidophile, 1885, p. 270.—*Hab.*
*Warner & Will. Orch. Album, v. t. 202 (1886).
*Lindenia, viii. t. 344 (1892).
Veitch, Man. Orch. Pl. Pt. 9, p. 38 (1893).—*Fl.*
*Cogniaux, Dict. Icon. Orch., Cyrtopod. t. 1 (1898).—*Fl.*
*Gartenfl. li. t. 1503, p. 506, 507 (1902).—*Fl.*
Rev. Hort. Belge, xxx. 158 (1904).—*Hab.*
Journ. Hort. Ser. III. l. 91 (1905).
Ames, Orchidac. i. t. 15 (1905).
Orchis, iii. 61 (1909); iv. t. 9 (1910); ix. 86 (1915).
*Costantin, Atlas Orch. Cult. t. 15 (1913).—*Fl.*
Oesterr. Gart.-Zeit. viii. 139 (1913).
Schlechter, Orchideen, 351 (19[14–]15).—*Hab.*
Orch. World, vi. 75 (1916).—*Fl.*
—— **Saintlegerianum** Hort.
Journ. Hort. Ser. III. xii. 255 (1886).
purpureum Reichb. f.
*Vidensk. Meddel. Kjöbenhavn, 1884–86, t. 7, fig. 2 (1884–87).—*Fl.*
Warming in Dansk. Vid. Selsk. Skrift. Ser. VI. vi. 198 (1892).—*Hab.*
Saintlegerianum Reichb. f.
Gard. Chron. Ser. III. iv. 181 (1888).
Stein, Orchideenbuch, 181 (1892).
triste Reichb. f. & Warm.
*Vidensk. Meddel. Kjöbenhavn, 1884–86, t. 6, fig. 1 (1884–87).
Warming in Dansk. Vid. Selsk. Skrift. Ser. VI. vi. 198 (1892).—*Hab.*
vernum Reichb. f. & Warm.
*Vidensk. Meddel. Kjöbenhavn, 1884–86, t. 7, fig. 5 (1884–87).—*Fl.*
virescens Reichb. f. & Warm.
*Vidensk. Meddel. Kjöbenhavn, 1884–86, t. 7, fig. 4 (1884–87).—*Fl.*
*Bot. Mag. cxxi. t. 7396 (1895).
Willmorei Knowles & Westc.
*Knowles & Westc. Floral Cab. i. t. 4 (1837).
Woodfordii Sims
*Bot. Mag. xliii. t. 1814 (1816).
*Bot. Reg. xviii. t. 1508 (1832).
yauaperyense Barb. Rodr.
Mart. Fl. Bras. iii. v. t. 75 (1898–1902).—*Fl.*

CYRTORCHIS Schlechter
crassifolia Schlechter
R. E. Fries, Schwed. Rhod.-Kong.-Exped. 1911–12, Bot. i. II. 250 (1916).—*Fl.*

CYRTORRHYNCHA Nutt.: *Oxygraphis*
ranunculina Nutt.
Britton & Brown, Ill. Fl. N. States & Canada, ii. 85 (1897).
Pittonia, iii. XVI. t. 4 (1897).

CYRTOSIA Bl.
altissima Bl.
*Blume, Rumphia, i. t. 70 (1835).
javanica Bl.
Blume, Tab. Jav. Orch. t. 6 (1825).—*Fl.*
*Blume, Rumphia, i. t. 69 (1835).
Reichenbach f., Xenia Orch. ii. t. 120 (1862).
Lindleyana Hook. f. & Thoms.
*Hooker f., Ill. Himal. Pl. t. 22 (1855).
*Beer, Beitr. Morph. u. Biol. Orch. t. 4, fig. 16 (1863).—*Fr.*

CYRTOSPERMA Griff.—Vide *Lasimorpha*
americanum Engl.
Mart. Fl. Bras. iii. II. t. 22 (1878).
Pflanzenreich, Arac.-Lasioid. 22 (1911).
angustilobum Engl.
Pflanzenreich, Arac.-Lasioid. 20 (1911).
congoënse Linden
Semaine Hort. iv. 473 (1900).

CYRTOSPERMA
edule Schott
Pflanzenreich, Arac.-Lasioid. 18 (1911).
ferox Linden & N. E. Br.
*Ill. Hort. xxxix. t. 153 (1892)
Johnstonii N. E. Br.
*Bot. Mag. cxl. t. 8567 (1914).
Gard. Chron. Ser. III. lvi. 177 (1914).
lasioides Griff.
Griffith, Ic. Pl. Asiat. t. 169 (1851).
Schott, Gen. Aroid. t. 84 (1858).
Engler, Ic. Autog. 89 (1884).
Pflanzenreich, Arac.-Lasioid. 20 (1911).—*Fl.*
macrotum Becc.
Beccari, Malesia, i. t. 24 (1883).
Merkusii Schott
Pflanzenreich, Arac.-Lasioid. 20 (1911).—*Fl.*
Philipp. Agric. Rev. vi. 467, t. 1 (1913).—*Hab.*
senegalense Engl.
Engler, Ic. Autog. 108 (1884).
*Bot. Mag. cxxiv. t. 7617 (1898).
H. H. Johnston, Liberia, ii. 562 (1906).
Engler & Drude, Veget. Erde, ix. I. 2, t. 44 (1910).—*Hab.*
Pflanzenreich, Arac.-Lasioid. 16 (1911).—*Fl.*
Francé, Leben Pflanze, vi. 509 (1913).—*Hab.*

CYRTOSTACHYS Bl.
kisu Becc.
Webbia, iv. 290 (1914).—*Fr.*
lakka Becc.
Bull. Agric. Congo Belge, iii. 997 (1912).—*Hab.*
renda Bl.
*Blume, Rumphia, ii. t. 120 (1836).
Ann. Jard. Bot. Buitenzorg, ii. t. 9 (1885).—*Hab.*
Pflanzenfam. ii. III. 71 (1889).—*Fl.*
Knuth, Handb. Blütenbiol. iii. I. 56 (1904).—*Fl.*
Bull. Agric. Congo Belge, iv. 879 (1913).—*Hab.*
Journ. Bombay Nat. Hist. Soc. xxiii. 526 (1915).—*Hab.*
—— **Duvivierianum** Hort.
*Rev. Hort. Belge, xxvii. 145 (1901).
Rev. Hort. 1908, p. 229.—*Hab.*

CYRTOSTYLIS R. Br.
reniformis R. Br.
Hooker, Journ. Bot. i. t. 135 (1834).
*Hooker f., Fl. Tasman. ii. t. 119 (1860).
*R. D. Fitzgerald, Austral. Orch. i [t. 22] (1875–95).
R. S. Rogers, S. Austral. Orch. Ed. 2, p. 20 (1911).

CYRTOTROPIS Wall.: *Apios*
carnea Wall.
*Wallich, Pl. Asiat. Rar. i. t. 62 (1830).
Ralph, Ic. Carpolog. t. 31 (1849).—*Fr.*

CYSTANCHE = *Cistanche*

CYSTANTHE R. Br.: *Richea*
sprengelioides R. Br.
*Bot. Mag. lxvii. t. 3826 (1840).
Delessert, Ic. Pl. v. t. 27 (1846).

CYSTEA: *Cystopteris*
angustata Sm.
*Sowerby & Sm. Engl. Bot. Suppl. ii. t. 2790 (1834).
Newman, Hist. Brit. Ferns, 34 (1840); Ed. 2, p. 156 (1844).
dentata Sm.
Newman, Hist. Brit. Ferns, 32 (1840); Ed. 2, p. 154 (1844).
fragilis Sm.
Newman, Hist. Brit. Ferns, 33 (1840); Ed. 2, p. 155 (1854).
regia Sm.
Newman, Hist. Brit. Ferns, 35 (1840); Ed. 2, p. 157 (1844).

CYSTICAPNOS Adans.: *Corydalis*
africana Gaertn.
Gaertner, Fruct. ii. t. 115 (1791).—*Fr.*
Marloth, Fl. S. Africa, i. 232 (1913).—*Fr.*

CYSTIDIANTHUS Hassk.: *Physostelma*
campanulatus Hassk.
*Fl. des Serres, Ser. I. vi. t. 623 (1850–51).

CYSTISTEMON Balf. f.
socotranus Balf. f.
Balfour f., Bot. Socotra (Trans. Roy. Soc. Edinb. xxxi), t. 56 (1888).
Pflanzenfam. iv. III. A. 126 (1893).—*Fl.*

CYSTODIUM J. Sm.
sorbifolium J. Sm.
*Hooker, Gen. Fil. t. 96 (1842).
J. Smith, Hist. Fil. t. 16 (1875).

CYSTOGYNE Gasp.: *Ficus*
leuctosticta Gasp.
Gasparini in Rendic. Accad. Sc. Napoli, iv. t. 8, fig. 17–21 (1845).—*Fl.*

CYSTOPTERIS Bernh.—Vide *Cystea*, *Filix*
alpina Desv.
Francis, Anal. Brit. Ferns, t. 1, fig. 12, t. 6, fig. 4 (1837); Ed. 5, t. 2, fig. 3 (1855).
T. Moore, Handb. Brit. Ferns, 87 (1848); Ed. 2, p. 79 (1853); Ed. 3, p. 243 (1857).
*Johnson & Sowerby, Ferns Gr. Brit. t. 23 (1855).
Cottage Gard. xv. 421 (1856).
*Hooker, Brit. Ferns, t. 24 (1861).
Johnson & Sowerby, Brit. Wild Fl. Suppl. fig. 1735 (1863).
G. W. Johnson, Brit. Ferns, 97 (1867).
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, vi. t. 293 [1873].
*Britten, Eur. Ferns, 25 [1880–82].
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, i. t. 48 (1880).
*Seboth & A. W. Bennett, Alpine Pl. iii. t. 82 (1880).
*Syme, Engl. Bot. xii. t. 1866 (1886).
Rey-Pailhade, Fougères France, t. 27 (1893).
*Jul. Hoffmann, Alpine Fl. t. 40 (1903).
Coste, Fl. France, iii. 689 (1906).
*Step, Wayside & Woodland Ferns, t. 53, 63 (1908).—*Hab.*
Flahault, Nouv. Fl. Alpes & Pyrén. iii. 144 (1912).
—— **Dickieana** Milde
*Syme, Engl. Bot. xii. t. 1867 (1886).
angustata T. Moore
T. Moore, Handb. Brit. Ferns, Ed. 2, p. 74 (1853) in ic.; *C. fragilis angustata* in textu.
Cottage Gard. xvi. 43 (1856).
Johnson & Sowerby, Brit. Wild Fl. Suppl. fig. 1733 (1863).
G. W. Johnson, Brit. Ferns, 104 (1867).
brevinervis Fée
Fée, Mém. Foug. vii. t. 26 (1854–57); et in Mém. Soc. Sc. Nat. Strasbourg, v. I. t. 26 (1858).
bulbifera Bernh.
Bernhardi in Neues Journ. f. die Bot. i. II. t. 2 (1806).
A. Gray, Man. Bot. N. U. S., Ed. 2, t. 12 (1856).
*Lowe, Ferns, vii. t. 36 (1859).
Ettingshausen, Farnkr. t. 126 (1865).
J. Williamson, Ferns Kentucky, t. 39 (1878).
*Eaton, Ferns N. Amer. ii. t. 53 (1880).
Schneider, Book Choice Ferns, ii. 96 (1893).—*Veg.*
Oesterr. Bot. Zeitschr. xliv. t. 2 (1894).
Weaver in Proc. Iowa Acad. Sc. ii. t. 7, fig. 47 (1896).
Britton & Brown, Ill. Fl. N. States & Canada, i. 12 (1896).
Pflanzenfam. i. IV. 74 (1898).
Nicholson, '1900' Suppl. Dict. Gard. 295 (1900).
*Clute, Our Ferns in their Haunts, t. 8, p. 212 (1901).
Pammel & King in Proc. Iowa Acad. Sc. 1901, ix. t. 5, p. 149 (1902).—*Hab.*
Eastman, New Engl. Ferns, 68 (1904).
Fern Bull. xiii. 97 (1905).
Wettstein, Handb. Syst. Bot. Ed. 2, p. 337 (1911).—*Veg.*
dentata Hook.
Francis, Anal. Brit. Ferns, t. 1, fig. 9 (1837).
T. Moore, Handb. Brit. Ferns, Ed. 2, p. 76 (1853).
*Johnson & Sowerby, Ferns Gr. Brit. t. 21 (1855).
Cottage Gard. xvi. 59 (1856).

CYSTOPTERIS
dentata
Johnson & Sowerby, Brit. Wild Fl. Suppl. fig. 1734 (1863).
G. W. Johnson, Brit. Ferns, 109 (1867).
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, vi. t. 292 [1873].
—— **angustata** Francis
Francis, Anal. Brit. Ferns, t. 1, fig. 10; t. 6, fig. 3δ (1837).
Dickieana Sim
Moore & Ayres, Mag. Bot. iii. 314 (1851).
T. Moore, Handb. Brit. Ferns, Ed. 2, p. 77 (1853).
Newman, Hist. Brit. Ferns, Ed. 3, p. 93 (1854).
*Johnson & Sowerby, Ferns Gr. Brit. 22 (1855).
Cottage Gard. xvi. 75 (1856).
*Lowe, Ferns, vii. t. 33 (1859).
Johnson & Sowerby, Brit. Wild Fl. Suppl. fig. 1737 (1863).
G. W. Johnson, Brit. Ferns, 113 (1867).
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, vi. t. 292 [1873].
Courtauld, Ferns Brit. Isles, t. 9 (1877).
dimidiata Decne.
Jacquemont, Voy. Inde, t. 178 (1844).
Douglasii Hook.
*Hooker, Cent. Ferns, t. 55 (1854).
Hook. Ic. Pl. x. t. 955 (1854).
formosana Hayata
Hayata, Ic. Pl. Formosan. iv. 143 (1914).
fragilis Bernh.
Bernhardi in Neues Journ. f. die Bot. i. II. t. 2 (1806).
Schott, Gen. Fil. [t. 8] (1834).
Presl, Tent. Pteridogr. t. 3 (1836).
Francis, Anal. Brit. Ferns, frontisp. fig. 4; t. 1, fig. 11; t. 6, fig. 5 (1837); Ed. 5, p. 31, t. 2, fig. 2 (1855).
*Hooker, Gen. Fil. t. 52 (1842).
Newman, Hist. Brit. Ferns, Ed. 2, p. 149 (1844); Ed. 3, p. 87, 92 (1854).
Deakin, Florigr. Brit. iv. fig. 1600 (1848).
T. Moore, Handb. Brit. Ferns, 80 (1848); Ed. 2, p. 72 (1853); Ed. 3, p. 235 (1857).
Payer, Bot. Crypt. 195 (1850).
*Johnson & Sowerby, Ferns Gr. Brit. t. 19 (1855).
Ettingshausen in Sitzb. Akad. Wiss. Wien, xx. 414 (1856).
*Chanter, Ferny Combes, Ed. 2, fig. 6 (1856).
Cottage Gard. xvi. 91 (1856).
T. Moore, Index Fil. Gen. & Spec. t. 73 [1857–62].
*Lowe, Ferns, vii. t. 31 (1859).
*Hooker, Brit. Ferns, t. 23 (1861).
Johnson & Sowerby, Brit. Wild Fl. Suppl. fig. 1732 (1863).
Ettingshausen, Farnkr. 195 (1865).
Bentham, Handb. Brit. Fl. fig. 1290 (1865).
Beddome, Ferns Brit. Ind. t. 91 (1865–70).
Bull. Soc. Bot. Belg. v. t. 1, fig. 3; t. 4, fig. 7 (1866).
*T. Moore, Brit. Ferns & their Allies, t. 10 (1866).
J. Smith, Ferns Brit. & Foreign, 160 (1866); Ed. 2, p. 160 (1879).
G. W. Johnson, Brit. Ferns, 117 (1867).
*Lowe, Native Ferns, ii. 425, t. 63 (1867).
Cesati, Passer. & Gibelli, Comp. Fl. Ital. t. 1 (1867–86).
Dunster, Coll. Handyb. Bot. t. 13 (1871).
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, vi. t. 291 [1873].
Rev. Hort. Belge, ii. 13 (1876).—*Hab.*
Courtauld, Ferns Brit. Isles, t. 8 (1877).
J. Williamson, Ferns Kentucky, t. 38 (1878).
Dobbie, New Zeal. Ferns, 27 (1880).
*Eaton, Ferns N. Amer. ii. t. 53 (1880).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, i. t. 47 (1880).
*Britten, Eur. Ferns, 25 [1880–82].
Karsten, Deutsche Fl. Pharm.-Medic. Bot. 277 (1880–83).
Wagner, Ill. Deutsche Fl. Ed. 2, p. 892 (1882).
G. M. Thomson, Ferns & Fern Allies New Zeal. t. 2 (1882).
Willkomm, Führ. Reich Pflanzen, 173 (1882).

CYSTOPTERIS
fragilis
Waldner, Deutschl. Farne, t. 46 (1883).
Baillon, Dict. Bot. ii. 342 (1883).
*Heath, Fern World, Ed. 4, p. 5, t. 1 (1885).
*Syme, Engl. Bot. xii. t. 1864 (1886).
*Thomé, Fl. Deutschl. i. t. 11 (1886).
Rec. Mém. & Trav. Soc. Bot. Luxembourg, xi. 1885–86, t. 19 (1886).
Potonié, Ill. Fl. Nord- u. Mittel-Deutschl. Ed. 4, fig. 35 (1889).
Bull. Soc. Tosc. Ortic. xiv. 351 (1889).—*Hab.*
Field, Ferns New Zealand, t. 18 (1890).
Sim, Handb. Ferns Kaffraria, t. 7 (1891).
Sim, Ferns S. Africa, t. 13 (1892); Ed. 2, t. 8 (1915).
Rey-Pailhade, Fougères France, t. 25, 26 (1893).
Schneider, Book Choice Ferns, ii. 98 (1893).—*Veg.*
Fiori & Paol. Ic. Fl. Ital. 3 (1895).
Garcke, Ill. Fl. Deutschl. 721 (1895).
Karsten, Fl. Deutschl. i. 270 (1895).
Britton & Brown, Ill. Fl. N. States & Canada, i. 13 (1896).
Post, Fl. Syria, Palestine & Sinai, 911 [1896].
*Hartinger, Atlas Alpenfl. t. 4 (1897).
Pflanzenfam. i. IV. 149, 163 (1899).
L. H. Bailey, Cycl. Amer. Hort. 440 (1900); Stand. Cycl. Hort. 946 (1914).
Nicholson, '1900' Suppl. Dict. Gard. 295 (1900).
*Gradmann, Pflanzenl. Schwäb. Alb, Ed. 2, i. t. 5 (1900).
Clute, Our Ferns in their Haunts, 210, 212 (1901).
Lindman, Bild. Nord. Fl. t. 503 a (1901–5).
*Lankester, Brit. Ferns, New Ed. t. 10 (1903).—*Veg.*
Eastman, New Engl. Ferns, 71 (1904).
Blytt, Haandb. Norg. Fl. Ed. Dahl, 14 (1906).
Coste, Fl. France, iii. 690 (1906).
Drygalski, Deutsche Südpol. Exped. 1901–3, viii. Bot. 146 (1906).—*Hab.*
Lazaro, Comp. Fl. Españ. i. 559 (1906).
Suireishchikov, Ill. Fl. Mosc. Gov. i. 39 (1906).
Conzatti in Mem. y Rev. Soc. 'Antonio Alzate', xxv. 119 (1907).
*Miyoshi & Makino, Pocket-Atlas, Alp. Pl. Jap. ii. t. 69, fig. 400 (1907).
*Correvon & Rob. Alp. Fl. t. 99 [1908?].
*Flahault, Nouv. Fl. Alpes & Pyrén. ii. t. 142 (1908).
*Step, Wayside & Woodland Ferns, t. 51, 61 (1908).—*Hab.*
Fedtschenko & Fler. Fl. Sibirica, i. 10 (1909).
Merino, Fl. Galicia, iii. 473 (1909).
Rovirosa, Pteridogr. Mexico, t. 8 (1909).
Heukels, Fl. Nederl. i. 223 (1910).
Silva Tarouca, Freiland-Stauden, 78 (1910).—*Hab.*
H. M. & C. C. Hall, Yosemite Fl. 39 (1912).
Feucht, Württemb. Pflanzenw. t. 31 (1912).—*Hab.*
Warburg, Pflanzenwelt, i. 256 (1913).
Amer. Fern Journ. iii. t. 7 (1913).
Fedtschenko, Veg. Turkest. 6 (1915).
Goebel, Organogr. Pfl. Ed. 2, ii. 1147 (1915–18).—*Veg.*
Fitch & Smith, Ill. Brit. Fl. Ed. rev. 4, Iss. 2, fig. 1310 (1919).
—— **acutidentata** Doell.
Rey-Pailhade, Fougères France, t. 26 (1893).—*Veg.*
—— **adiantoides** Lowe
Lowe, Native Ferns, ii. 429 (1867).
—— **alpina** Desv.
Fiori & Paol. Ic. Fl. Ital. 3 (1895).
—— **angustata** T. Moore
T. Moore, Handb. Brit. Ferns, 83 (1848); Ed. 2, p. 74 (1853) in textu; *C. angustata* in ic.; Ed. 3, p. 238 (1857).
Deakin, Florigr. Brit. iv. 85, fig. c (1848).
*Johnson & Sowerby, Ferns Gr. Brit. t. 20 (1855).
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, vi. t. 291 [1873].
Courtauld, Ferns Brit. Isles, t. 8 (1877).
Britten, Eur. Ferns, 22 [1880–82].

CYSTOPTERIS
fragilis anthriscifolia Koch
Deakin, Florigr. Brit. iv. 85, fig. d (1848).
Britten, Eur. Ferns, 22 [1880–82].
Rey-Pailhade, Fougères France, t. 26 (1893).—*Veg.*
—— **crispa** Lowe
Lowe, Native Ferns, ii. 428 (1867).
—— **cristata** T. Moore
Lowe, Native Ferns, ii. 432 (1867).
Jones, Nature Prints Brit. Ferns, [t. 309] (1876–79).
—— **cynapiifolia** Koch
Deakin, Florigr. Brit. iv. 84, fig. b (1848).
Britten, Eur. Ferns, 23 [1880–82].
Rey-Pailhade, Fougères France, t. 26 (1893).—*Veg.*
—— **davallioides** Lowe
Lowe, Native Ferns, ii. 431 (1867).
—— **decurrens** T. Moore
Lowe, Native Ferns, ii. 428 (1867).
—— **dentata** T. Moore
T. Moore, Handb. Brit. Ferns, 83 (1848); Ed. 3, p. 239 (1857).
Deakin, Florigr. Brit. iv. 84, fig. a (1848).
Francis, Anal. Brit. Ferns, Ed. 5, t. 2, fig. 1 (1855).
*Lowe, Ferns, vii. t. 32 (1859).
*Lowe, Native Ferns, ii. t. 64 (1867).
Courtauld, Ferns Brit. Isles, t. 8 (1877).
Britten, Eur. Ferns, 23 [1880–82].
*Syme, Engl. Bot. xii. t. 1865 (1886).
Rey-Pailhade, Fougères France, t. 26 (1893).—*Veg.*
—— **Dickieana** T. Moore
T. Moore, Handb. Brit. Ferns, 82 (1848); Ed. 3, p. 237 (1857).
Francis, Anal. Brit. Ferns, Ed. 5, Suppl. tab. fig. 4 (1855).
T. Moore, Brit. Ferns & their Allies, t. 114 (1866).
*Lowe, Native Ferns, ii. t. 65 (1867).
Schneider, Book Choice Ferns, ii. 101 (1893).—*Veg.*
Nicholson, '1900' Suppl. Dict. Gard. 295 (1900).
—— **furcans** T. Moore
*Lowe, New Ferns, t. 47 (1862).
*Lowe, Native Ferns, ii. t. 66 (1867).
—— **gracile** Lowe
Lowe, Native Ferns, ii. 429 (1867).
—— **interrupta** T. Moore
T. Moore, Handb. Brit. Ferns, Ed. 3, p. 240 (1857).
Lowe, Native Ferns, ii. 430 (1867).
—— **magnisora** Clute
Fern Bull. ix. 64, 65 (1901).
—— **obtusa** T. Moore.
Lowe, Native Ferns, ii. 431 (1867).
—— **polyapogama** Heilbronn
Flora, ci. 2 (1910).
Goebel, Organogr. Pfl. Ed. 2, i. 379 (1913).—*Veg.*
Ernst, Bastardier. Apogam. Pflanzenr. 200 (1918).
—— **pulcherrima** Lowe
Lowe, Native Ferns, ii. 433 (1867).
—— **quadrata** Claph.
Lowe, Native Ferns, ii. 433 (1867).
—— **tasmanica** Hook. f.
*Hooker f., Fl. Tasman. ii. t. 166 (1860).
—— **tenuifolia** Clute
Fern Bull. xvi. 75 (1908).
—— **truncato-interrupta** Lowe
Lowe, Native Ferns, ii. 428 (1867).
fumariiformis Kunth
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, i. t. 49 (1880).
Mairei Brause
Hedwigia, liv. t. 4 (1913).
montana Bernh.
Phytologist, i. 672 (1843).
Newman, Hist. Brit. Ferns, Ed. 2, p. 159 (1844).
Deakin, Florigr. Brit. iv. fig. 1601 (1848).
T. Moore, Handb. Brit. Ferns, 89 (1848); Ed. 2, p. 81 (1853); Ed. 3, p. 245, 246 (1857).
Francis, Anal. Brit. Ferns, Ed. 5, Suppl. tab. fig. 5 (1855).

CYSTOPTERIS
montana
*Johnson & Sowerby, Ferns Gr. Brit. t. 24 (1855).
Ettingshausen in Sitzb. Akad. Wiss. Wien, xx. II. t. 1 (1856).
Cottage Gard. xvi. 127 (1856).
Nov. Act. Acad. Nat. Cur. xxvi. II. t. 45 (1858).
*Lowe, Ferns, vii. t. 34 (1859).
*Hooker, Brit. Ferns, t. 25 (1861).
Johnson & Sowerby, Brit. Wild Fl. Suppl. fig. 1736 (1863).
Bentham, Handb. Brit. Fl. fig. 1291 (1865).
Ettingshausen, Farnkr. 196 (1865).
T. Moore, Brit. Ferns & their Allies, 118 (1866).
G. W. Johnson, Brit. Ferns, 122 (1867).
*Lowe, Native Ferns, ii. 437, t. 68 (1867).
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, vi. t. 293 [1873].
Courtauld, Ferns Brit. Isles, t. 9 (1877).
*Seboth & A. W. Bennett, Alpine Pl. iv. t. 16 (1880).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, i. t. 50 (1880).
*Eaton, Ferns N. Amer. ii. t. 53 (1880).
*Britten, Eur. Ferns, 25, 26 [1880–82].
Waldner, Deutschl. Farne, t. 48 (1883).
*Heath, Fern World, Ed. 4, t. 5 (1885).
*Syme, Engl. Bot. xii. t. 1868 (1886).
Schneider, Book Choice Ferns, ii. 103 (1893).
Rey-Pailhade, Fougères France, t. 28 (1893).
Fiori & Paol. Ic. Fl. Ital. 3 (1895).
Britton & Brown, Ill. Fl. N. States & Canada, i. 13 (1896).
Nicholson, '1900' Suppl. Dict. Gard. 295 (1900).
Clute, Our Ferns in their Haunts, 214 (1901).
*Lankester, Brit. Ferns, New Ed. t. 10 (1903).—*Veg.*
Coste, Fl. France, iii. 689 (1906).
!Gard. Chron. Ser. III. xxxix. 229 (1906).
*Step, Wayside & Woodland Ferns, t. 55, 65 (1908).
Fedtschenko & Fler. Fl. Sibirica, i. 11 (1909).
Fedtschenko & Fler. Fl. Eur. Russia, 5 (1910).
*Flahault, Nouv. Fl. Alpes & Pyrén. iii. t. 144 (1912).
Fitch & Smith, Ill. Brit. Fl. Ed. rev. 4, Iss. 2, fig. 1311 (1919).
myrrhidifolium Newm.
Newman, Hist. Brit. Ferns, Ed. 3, p. 97 (1854).
regia Presl
*Lowe, Ferns, vii. t. 30 (1859).
T. Moore, Brit. Ferns & their Allies, 117 (1866).
*Lowe, Native Ferns, ii. 435, t. 67 (1867).
Courtauld, Ferns Brit. Isles, t. 9 (1877).
Waldner, Deutschl. Farne, t. 49 (1883).
*Heath, Fern World, Ed. 4, t. 5 (1885).
*Penzig, Fl. Alpi Illustr. Ed. 2, t. 41 (1915).
retusa Decne.
Jacquemont, Voy. Inde, t. 177 (1844).
rufescens Fée
Fée in Mém. Soc. Mus. Hist. Nat. Strasbourg, iv. II & III. t. 6 (1853); et Mém. Foug. vi. t. 6 (1854–57).
setosa Bedd.
Beddome, Ferns Brit. Ind. t. 262, 312 (1865–70), vide Correct. Nomencl.
Beddome, Handb. Ferns Brit. Ind. 71 (1883).
sphaerocarpa Hayata
Hayata, Ic. Pl. Formosan. iv. 145 (1914).
spinulosa Michx.
Ettingshausen, Farnkr. t. 126, 128 (1865).
sudetica A. Br. & Milde
Nov. Act. Acad. Nat. Cur. xxvi. II. t. 44 (1858).
Ettingshausen, Farnkr. 195 (1865).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, i. t. 51 (1880).
*Britten, Eur. Ferns, 25 [1880–82].
Waldner, Deutschl. Farne, t. 47 (1883).
Rouy, Illustr. Pl. Eur. Rar. fasc. 2, t. 50 (1895).
Fedtschenko & Fler. Fl. Sibirica, i. 12 (1909).
Hayek, Pflanzend. Oesterr.-Ung. i. 227 (1914).
Pax, Schlesiens Pflanzenwelt, 256 (1915).
tasmanica Hook.
*Hooker, Cent. Ferns, t. 59 (1854).

CYSTOPTERIS
tasmanica
Hook. Ic. Pl. x. t. 959 (1854).
tenuis Schott
Moore & Ayres, Mag. Bot. iii. 315 (1851).
*Lowe, Ferns, vii. t. 35 (1859).

CYSTOPUS Bl.: *Odontochilus*
elongatus Bl.
*Blume, Coll. Orchidées, t. 30 (1858).
J. J. Smith, Orch. Java, Fig.-Atlas, i. fig. 67 (1908).—*Fl.*
fimbriatus J. J. Sm.
Nova Guinea, viii. t. 5 (1909).—*Fl.*
Hasseltii Bl.
*Blume, Coll. Orchidées, t. 30, 36 (1858).
J. J. Smith, Orch. Java, Fig.-Atlas, i. fig. 68 (1908).—*Fl.*
occultus Bl.
*Blume, Coll. Orchidées, t. 30 (1858).
J. J. Smith, Orch. Java, Fig.-Atlas, i. fig. 70 (1908).—*Fl.*
pubescens Bl.
*Blume, Coll. Orchidées, t. 30 (1858).
J. J. Smith, Orch. Java, Fig.-Atlas, i. fig. 69 (1908).—*Fl.*
spicatus Bl.
*Blume, Coll. Orchidées, t. 31 (1858).
uniflorus Bl.
*Blume, Coll. Orchidées, t. 21, 23 (1858).

CYSTORCHIS Bl.
aphylla Ridl.
J. J. Smith, Orch. Java, Fig.-Atlas, i. fig. 64 (1908).—*Fl.*
javanica Bl.
*Blume, Coll. Orchidées, t. 24 (1858).
*Belg. Hort. xii. 1 (1862).
Pflanzenfam. ii. VI. 114 (1889).—*Fl.*
Kerchove, Livre Orch. 131 (1894).—*Fl.*
marginata Bl.
*Blume, Coll. Orchidées, t. 24, fig. 2 (1858); *C. javanica* var. in ic.
obscura Bl.
*Blume, Coll. Orchidées, t. 37 (1858).
*Belg. Hort. xii. 1 (1862).
variegata Bl.
*Blume, Coll. Orchidées, t. 24, 36 (1858).
*Belg. Hort. xii. 1 (1862).
—— **purpurea** Ridl.
J. J. Smith, Orch. Java, Fig.-Atlas, i. fig. 63 (1908).—*Fl.*

CYSTOSTEMMA Fourn.
glandulosum A. Silv.
Silveira, Fl. Serras Mineiras, t. 1 (1908).

CYTHAREXYLUM = *Citharexylum*

CYTHEREA Salisb.: *Calypso*
borealis Salisb.
*Salisbury, Parad. Londin. ii. 1. t. 89 (1807); errore *Calypso borealis.*
bulbosa House
*S. Brown, Alp. Fl. Rocky Mts. 58, t. 13 (1907).
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, i. 573 (1913).
House, Wild Fl. New York (Mem. No. 15 N.Y. State Mus.), i. t. 43 (1918).—*Hab.*

CYTHERIS Lindl.: *Nephelaphyllum*
Griffithii Wight
Wight, Ic. Pl. Ind. Or. v. t. 1751, 1752 (1851).

CYTINUS Linn.—Vide *Thyrsine*
Baronii Baker
Journ. Linn. Soc., Bot. xxiv. t. 19 (1888).
capensis Marl.
Trans. Roy. Soc. S. Africa, ii. III. 237 (1912).—*Fl.*
*Marloth, Fl. S. Africa, i. t. 43, p. 175 (1913).
dioicus Juss.
Hook. Ic. Pl. iv. t. 336 (1841).
*Marloth, Fl. S. Africa, i. t. 43 (1913).
Hypocistis Linn.
Fasano in Atti Accad. Sc. Napoli, 1787, t. 18, fig. 1 (1788).—*Fl.*

CYTINUS
Hypocistis
Cavanilles, Ic. ii. t. 171 (1793).
Lamarck, Ill. iv. t. 737 (1797–1819).
*Vietz, Ic. Pl. Med.-oec.-techn. i. t. 101 (1800).
*Plenck, Ic. Pl. Med. vii. t. 653 (1803).
*Trattinick, Ausg. Taf. Arch. ii. 197 (1813).
Dict. Sc. Nat., Planch. Bot. Dicot. t. 3 (1816–29).
Brotero, Phytogr. t. 51 (1816).
Trattinick, Arch. iii. t. 244 (1817).
*Trattinick, Thes. Bot. t. 29 (1819).
Ann. Sc. Nat. Paris, i. Atlas, t. 4 (1824).—*Fl.*
Berchtold & J. S. Presl, Rostlin. ii. t. 3 (1825).
*Hooker, Exot. Fl. ii. t. 153 (1825).
*Sibthorp & Sm. Fl. Graeca, x. t. 938 (1840).
*Schnizlein, Iconogr. i. t. 40 (1844).
Gasparini in Atti vii. Adunanza Sc. Ital. Napoli, 1845, t. 2, 3 (1846).
Duchesne, Pl. Util. t. 34 (1846).
Lindley, Veg. Kingd. 91 (1846).
*Petermann, Deutschl. Fl. t. 78, fig. 614 (1849).—*Fl.*
*Reichenbach, Ic. Fl. Germ. xi. t. 540 (1849).
Gasparini, Obs. fecond. Ipocistide (Rendic. Accad. Sc. Napoli, N. Ser. i), 206 (1852).—*Fl.*
Delle Chiaje, Mem. Postume di F. Cavolini, t. 18 (1853).
Chatin, Anat. Vég. Atlas, t. 90, 91 (1856–91).
Hofmeister in Abh. Sächs. Ges. Wiss. Leipzig, vi. t. 10, fig. 25 (1859).—*Fl.*
Cesati, Passer. & Gibelli, Comp. Fl. Ital. t. 36 (1867–86).
Le Maout & Decaisne, Traité Gén. Bot. 479 (1868).
*Moggridge, Fl. Mentone, t. 35 (1871).
Gard. Chron. 1873, p. 947.—*Hab.*
Baillon in Assoc. Franç. Avanc. Sc. 1874, Lille, t. 5 (1875).—*Fl.*
*Cusin, Herb. Fl. Franç. xx (Cytinées), t. 1 (1876).
Atti Congr. Internaz. Bot. Firenze, 1874, p. 155, t. 4–8 (1876).—*Fl.*
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xxii. t. 2195 (1885).
Baillon, Hist. Pl. ix. 11, 12 (1886).
Kerner, Pflanzenleben, i. 183 (1887); Ed. 3, i. 375 (1913).
*Thomé, Fl. Deutschl. iii. t. 458 (1888).
Pflanzenfam. iii. 1. 281 (1889).
Acloque, Fl. France, 557 (1894).
Kerner & Oliv. Nat. Hist. Pl. i. 197 (1894).—*Hab.*
Brehm, Merv. Nat. Monde des Pl. ii. 395 (1894–96).
Rev. Hort. 1895, p. 358.
Fiori & Paol. Ic. Fl. Ital. 110 (1898).
Kronfeld, Atlas Pflanzengeogr. 108 (1899).
Pflanzenreich, Rafflesiac. 16 (1901).
Coste, Fl. France, iii. 222 (1906).
Merino, Fl. Galicia, ii. 627 (1906).
*Strasburger, Rambles Riviera, 157 (1906).
Lazaro, Comp. Fl. Españ. ii. 66 (1907).
Warburg, Pflanzenwelt, i. t. 31 (1913).
malagasicus Jumelle & Perr.
Ann. Fac. Sc. Marseille, xxiii. 11. t. 4 (1915).

CYTISOPSIS Jaub. & Spach
dorycniifolia Jaub. & Spach
Jaubert & Spach, Illustr. Pl. Or. i. t. 84 (1842–43).
Pflanzenfam. iii. 111. 257 (1894).—*Fl.*

CYTISUS Linn.—Vide *Corothamnus*, *Pterospartum*, *Sarothamnus*, *Spartocytisus*, *Teline*
absinthioides Janka
Rouy, Ill. Pl. Eur. Rar. fasc. 5, t. 108 (1896).
acutangulus Jaub. & Spach
Jaubert & Spach, Illustr. Pl. Or. ii. t. 153 (1844–46).
×**Adamii** Poit.
*Belg. Hort. xxi. 225, 263 (1871).
Macfarlane in Trans. Roy. Soc. Edinb. xxxvii. 1. t. 8, fig. 13 b (1895).—*Fl.*
Gard. Chron. Ser. III. xxxvi. 218, 219 (1904); l. 162 (1911).
Möllers Deutsche Gärtn.-Zeit. xxvii. 98, 99 (1912).
—— **polymorphum** Carr.
Rev. Hort. 1872, p. 273.

CYTISUS
aeolicus Guss.
*Bot. Reg. xxii. t. 1902 (1836).
*Sweet, Brit. Fl. Gard. vii. t. 382 (1837).
J.C.Loudon,Arbor.&Frutic.Brit.iv.2551(1838).
Fiori & Paol. Ic. Fl. Ital. 223 (1899).
aethiopicus Linn.
*Meerburg, Afb. Zeld. Gewass. t. 16 (1785).
*Meerburg, Pl. Rar. t. 16 (1789).
albidus DC.
Webb & Berth. Hist. Nat. Iles Canar. iii. Phytogr. 11. t. 49 (1836–50).
albus Link
J. C. Loudon, Arbor. & Frutic. Brit. ii. 589 (1838).
Schneider, Ill. Handb. Laubh. ii. 44 (1907).—*Fl.*
*Bot. Mag. cxliii. t. 8693 (1917).
—— **durus** Hort.
Gard. Chron. Ser. III. lviii. 217 (1915).—*Hab.*
alpinus Mill.
*F. J. Schultz, Abbild. Bäume, Staud. Sträuch. Oesterr. ii. t. 170 (1792).
*Schmidt, Oest. Allgem. Baumzucht, t. 23 (1792–1822).
*Joh. Kerner, Abbild. Oek. Pfl. (Fig. Pl. Écon.), viii. t. 787 (1796).
*Krauss, Afb. Fraaiste Boom. & Heest. [t. 107] (1802).
*Schkuhr, Bot. Handb. Ed. 2, t. 203 (1808).—*Fr.*
*Waldstein & Kit. Pl. Rar. Hung. iii. t. 260 (1812).
*Guimpel, Willd. & Hayne, Abb. Deutsch. Holzgew. ii. t. 128 (1820).
J. C. Loudon, Arbor. & Frutic. Brit. v. t. 19 D (1838).
Willkomm, Deutschl. Laubhölz. im Winter, 42, fig. 71 (1859).—*Veg.*
Pokorny, Oesterr. Holzpfl. 484, t. 75 (1864).—*Veg.*
*Réveil, Règne Vég. iii. t. 17 (1870).
*Cusin & Ansberque, Herb. Fl. Franç. vi. t. 954 (1870).
*Weber, Alp.-Pfl. Ed. 3, ii. t. 106 (1872).
*Seboth & A. W. Bennett, Alpine Pl. iii. t. 16 (1880).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xxiii. t. 2306 (1885).
Mouillefert, Traité Arbres & Arbriss. Atlas, t. 51 (1892–98).—*Hab.*
Fiori & Paol. Ic. Fl. Ital. 222 (1899).
Coste, Fl. France, i. 303 (1901).
Flahault, Nouv. Fl. Alpes & Pyrén. i. 36 (1906).
Senn, Alpen-Flora, ii. 36 (1906).
*H. S. Thompson, Alp. Pl. Europe, t. 17 (1911).
*Bonnier, Fl. Compl. France, Suisse & Belge, ii. t. 120 [1912].
—— **pendulus** Hort.
J. C. Loudon, Arbor. & Frutic. Brit. v. t. 19 E (1838).
Alschingeri Vis.
Visiani, Fl. Dalmat. iii. 11. t. 54 (1852).
Ardoinii Fourn.
*Cusin & Ansberque, Herb. Fl. Franç. vi. t. 957 bis (1870).
*Moggridge, Fl. Mentone, t. 58 (1871).
Fiori & Paol. Ic. Fl. Ital. 223 (1899).
Coste, Fl. France, i. 304 (1901).
Schneider, Ill. Handb. Laubh. ii. 42, 45 (1907).
argenteus Linn.
Brotero, Phytogr. t. 69 (1816).
*Sturm, Deutschl. Fl. xiv. LIX [t. 941] (1832); vide xvii. LXXVI. Übers. 13 (1839).
Pokorny, Oesterr. Holzpfl. 483, t. 76 (1864).—*Veg.*
Willkomm, Führ. Reich Pflanzen, 695 (1882).—*Fr.*
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xxiii. t. 2321 (1885).
Fiori & Paol. Ic. Fl. Ital. 223 (1899).
Coste, Fl. France, i. 304 (1901).
arvensis Vell.
Vellozo, Fl. Flum. vii. t. 117 (1827).
austriacus Linn.
*Jacquin, Fl. Austr. i. t. 21 (1773).
Pallas, Reise Russ. iii. 11. t. Gg (1776).
*F. J. Schultz, Abbild. Bäume, Staud. Sträuch. Oesterr. ii. t. 172 (1792).

CYTISUS
austriacus
*Schmidt, Oest. Allgem. Baumzucht, t. 28 (1792–1822).
Pallas, Voyages, v. t. 9 (1793).
*Joh. Kerner, Abbild. Oek. Pfl. (Fig. Pl. Écon.), viii. t. 714 (1796).
*Krauss, Afb. Fraaiste Boom. & Heest. [t. 108] (1802).
*Vietz, Ic. Pl. Med.-oec.-techn. vi. t. 468 (1817).
*Guimpel, Willd. & Hayne, Abb. Deutsch. Holzgew. ii. t. 131 (1820).
*Krebs, Holzarten, t. 23 (1826).
Berchtold & J. S. Presl, Rostlin. iii. t. 10 (1830–35).
*Sturm, Deutschl. Fl. xiv. LIX [t. 939] (1832).
J. C. Loudon, Arbor. & Frutic. Brit. ii. 599 (1838).
Pokorny, Oesterr. Holzpfl. 484, t. 76 (1864).—*Veg.*
Reichenbach, Ic. Fl. Germ. xxii. t. 27 (1867–86); *C. austriacus aureus* in textu, p. 12.
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xxiii. t. 2312 (1885).
Schneider, Dendrol. Winterst. 174 (1903).—*Veg.*
Schneider, Ill. Handb. Laubh. ii. 51, 54 (1907).
—— **aureus** Neilr.
Reichenbach, Ic. Fl. Germ. xxii. t. 27 (1867–86) e textu p. 12; *C. austriacus genuinus* in ic.
—— **leucanthus** Tausch
Reichenbach, Ic. Fl. Germ. xxii. t. 27 (1867–86).
Bartolottae Tod.
Lojacono-Pojero, Fl. Sic. i. 11. t. 5 (1891).
Battandieri Maire
Maire, Contrib. Étude Fl. For. Moy. Atlas (Bull. St. Rech. For. N. Afr.), t. 2 (1915).
Beanii Nichols.
Bean, Trees & Shrubs, i. 457 (1914).
biflorus L'Hérit.
J. G. Gmelin, Fl. Sibir. iv. t. 6, fig. 2 (1769); fide Ledebour, Comm. 111.
*Waldstein & Kit. Pl. Rar. Hung. ii. t. 166 (1805).
*Duhamel, Arbres & Arbustes, Ed. 2, v. t. 45 (1812).
*Sturm, Deutschl. Fl. xiv. LIX [t. 940] (1832); vide xvii. LXXVI. 13 (1839).
Fedtschenko & Fler. Fl. Eur. Russia, 517 (1910).
biflorus Ker-Gawl.
*Bot. Reg. iv. t. 308 (1818).
boavista Vell.
Vellozo, Fl. Flum. vii. t. 115 (1827).
brasiliensis Vell.
Vellozo, Fl. Flum. vii. t. 114 (1827).
cajan Linn.
Gil & Xaurez, Osserv. t. 5 (1789).
*Descourtilz, Fl. Pitt. & Méd. Antilles, iv. t. 280 (1827).
Vellozo, Fl. Flum. vii. t. 116 (1827).
*Tussac, Fl. Antilles, iv. t. 32 (1827).
calycinus M. Bieb.
*Lodd. Bot. Cab. vii. t. 673 (1822).
canariensis Steud.
*Step, Fav. Fl. Gard. & Greenh. i. t. 65 (1896).
L. H. Bailey, Cycl. Amer. Hort. 441 (1900); Stand. Cycl. Hort. 947 (1914).
*Rev. Hort. Belge, xxvi. 229 (1900).
*Journ. Dep. Agric. Victoria, v. t. 10, p. 136 (1907).
Schneider, Ill. Handb. Laubh. ii. 43 (1907).—*Veg.*
Black, Nat. Fl. S. Australia, 47 (1909).
*Ewart & Tovey, Weeds, Poison. Pl. & Nat. Aliens Victoria, 20 (1909).
Apgar, Orn. Shrubs U. S. 114, fig. 132 (1910).
candicans Lam.
Lamarck, Ill. iii. t. 618, fig. 4 (1797).—*Fr.*
—— **Attleyanus** Hort.
!H. de Vries in Bot. Jaarb. Gent, xi. t. 1 (1899); et in Arch. Néerl. Sc. Exact. & Nat. Ser. II. iii. t. 8 (1900).—*Veg.*
—— **syriacus** Post
Post, Fl. Syria, Palestine & Sinai, 216 [1896].—*Fr.*
canescens J. & C. Presl
Berchtold & J. S. Presl, Rostlin. iii. t. 11 (1830–35).

CYTISUS
cantabricus Willk.
Pflanzenfam. iii. III. 91 (1891).—*Fl.*
capitatus Scop.
*Jacquin, Fl. Austr. i. t. 33 (1773).
Hoppe, Ect. Pl. Ratisb. t. 399 (1789).
*F. J. Schultz, Abbild. Bäume, Staud. Sträuch. Oesterr. ii. t. 177 (1792).
*Schmidt, Oest. Allgem. Baumzucht, t. 29 (1792–1822).
*Krauss, Afb. Fraaiste Boom. & Heest. [t. 106] (1802).
Boissieu, Fl. Eur. iii. t. 489 (1806).
*Guimpel, Willd. & Hayne, Abb. Deutsch. Holzgew. ii. t. 130 (1820).
*Lodd. Bot. Cab. v. t. 497 (1820).
Berchtold & J. S. Presl, Rostlin. iii. t. 10 (1830–35).
*Sturm, Deutschl. Fl. xiv. LIX [t. 938] (1832).
*Cusin & Ansberque, Herb. Fl. Franç. vi. t. 961 (1870).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xxiii. t. 2313 (1885).
Hilberer in Rameau de Sapin, xx. 30 (1886).
E. T. Cook, Trees & Shrubs for Engl. Gard. 357 (1902).—*Hab.*
*Masclef, Pl. Eur. t. 41 (1905).
*Kirby, Brit. Flower. Pl. t. 24 (1906).
—— **pauciflorus** Ebel
Ebel, Montenegro, t. 4 (1844).
—— **terminalis** Neilr.
Reichenbach, Ic. Fl. Germ. xxii. t. 24 (1867–86).
ciliatus Wahlenb.
Schneider, Ill. Handb. Laubh. ii. 51 (1907).
complicatus Raeusch.
*Duhamel, Arbres & Arbustes, Ed. 2, v. t. 47 (1812).
×**Dallimorei** Rolfe
Gard. Chron. Ser. III. li. 198 (1912); lvii. 331 (1915).—*Hab.*
*Bot. Mag. cxxxix. t. 8482 (1913).
Garden, lxxxiii. 575 (1919).—*Fl.*
danubialis Velen.
Engler & Drude, Veget. Erde, xi. t. 29 (1909).—*Hab.*
decumbens Spach
*Cusin & Ansberque, Herb. Fl. Franç. vi. t. 956, 957 (1870).
Schneider, Ill. Handb. Laubh. ii. 47 (1907).—*Fl.*
*Bot. Mag. cxxxiv. t. 8230 (1908).
—— **diffusus** Reichb. f.
Reichenbach, Ic. Fl. Germ. xxii. t. 29 (1867–86).
—— **Halleri** Reichb. f.
Reichenbach, Ic. Fl. Germ. xxii. t. 29 (1867–86).
—— **procumbens** Reichb. f.
Reichenbach, Ic. Fl. Germ. xxii. t. 25 (1867–86).
divaricatus L'Hérit.
*Bot. Mag. xxxiv. t. 1387 (1811).
*Sibthorp & Sm. Fl. Graeca, viii. t. 704 (1833).
elongatus Waldst. & Kit.
*Waldstein & Kit. Pl. Rar. Hung. ii. t. 183 (1805).
*Andrews, Bot. Rep. x. t. 632 (1811).
*Guimpel, Otto & Hayne, Abbild. Fremd. Holzart. i. t. 60 (1825).
*P. W. Watson, Dendr. Brit. ii. t. 82 (1825).
*Cusin & Ansberque, Herb. Fl. Franç. vi. t. 959 (1870).
Coste, Fl. France, i. 305 (1901).
Schneider, Ill. Handb. Laubh. ii. 51, 54 (1907).
emeriflorus Reichb.
Fiori & Paol. Ic. Fl. Ital. 222 (1899).
Schneider, Ill. Handb. Laubh. ii. 43, 45 (1907).
Everestianus Carr.
*Rev. Hort. 1873, p. 390.
falcatus Waldst. & Kit.
*Waldstein & Kit. Pl. Rar. Hung. iii. t. 238 (1812).
*Lodd. Bot. Cab. vi. t. 520 (1821).
filipes Webb & Berth.
Webb & Berth. Hist. Nat. Iles Canar. iii. Phytogr. II. t. 47 (1836–50) in ic.; *Spartocytisus filipes* in textu, p. 52.
*Horticulteur Univ. v. 369 (1844).

CYTISUS
filipes
Schneider, Ill. Handb. Laubh. ii. 43, 44 (1907).
foliolosus Dryand. in Ait.
*Bot. Mag. xii. t. 426 (1798).
Fontanesii Spach
Cadevall & Sallent, Fl. Catalunya, ii. 50 (1916).
gallicus Kern.
Cadevall & Sallent, Fl. Catalunya, ii. 48 (1916).
glabrescens Sartor.
Reichenbach, Ic. Fl. Germ. xxii. t. 20 (1867–86).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xxiii. t. 2310 (1885).
Garten-Zeit. Berlin, v. 507 (1886).
grandiflorus DC.
Schneider, Ill. Handb. Laubh. ii. 43 (1907).—*Veg.*
heptaphyllus Vell.
Vellozo, Fl. Flum. vii. t. 112 (1827).
Heuffelii Wierzb.
Reichenbach, Ic. Fl. Germ. xxii. t. 27 (1867–86) e textu p. 12 in synon.
Hillebrandtii Briq.
De Wildeman, Ic. Sel. Hort. Then. v. t. 178 (1905).
hirsutus Linn.
Jacquin, Obs. Bot. t. 96 (1771).
*F. J. Schultz, Abbild. Bäume, Staud. Sträuch. Oesterr. ii. t. 173 (1792).
*Jaume St.-Hilaire, Traité Arbriss. & Arbust. i. t. 68 (1825).
Nees, Gen. Pl. fasc. xxix. t. 4 (1856).
Willkomm, Deutschl. Laubhölz. im Winter, 42, fig. 72 (1859).—*Veg.*
Pokorny, Oesterr. Holzpfl. 484, t. 76 (1864).—*Veg.*
*Cusin & Ansberque, Herb. Fl. Franç. vi. t. 960 (1870).
*Moggridge, Fl. Mentone, t. 28 (1871).
*Bicknell, Fl. Pl. Riviera, t. 13 (1885).
*Bot. Mag. cxi. t. 6819 (1885).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xxiii. t. 2315 (1885).
Dippel, Handb. Laubholzk. iii. 682 (1893).
Fiori & Paol. Ic. Fl. Ital. 223 (1899).
Coste, Fl. France, i. 305 (1901).
Schneider, Dendrol. Winterst. 75 (1903).—*Veg.*
*A Kert (The Garden), xi. 576 (1905).
Schneider, Ill. Handb. Laubh. ii. 54 (1907).—*Fl.*
Apgar, Orn. Shrubs U. S. 113, fig. 130 (1910).
—— **hirsutissimus** Briq.
Schneider, Ill. Handb. Laubh. ii. 51 (1907).—*Veg.*
hirsutus Sibth.
*Sibthorp & Sm. Fl. Graeca, viii. t. 706 (1833).
holopetalus Fleischm.
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xxiii. t. 2319 (1885).
humifusus Nym.
Schneider, Ill. Handb. Laubh. ii. 47 (1907).—*Fl.*
infestus Guss.
Pokorny, Oesterr. Holzpfl. 483, t. 76 (1864).—*Veg.*
Jacquinianus Kern.
*Behrens, Blattformen, t. 26, fig. g (1900).—*Veg.*
×**kewensis** Bean
E. T. Cook, Trees & Shrubs for Engl. Gard. 359 (1902).—*Hab.*
Gard. Chron. Ser. III. xliv. 323 (1908); lxv. 177 (1919).—*Hab.*
Garden, lxxiii. 228 (1909).—*Hab.*
Kunzeanus Willk.
*Willkomm, Ill. Fl. Hispan. Balear. i. t. 48 (1881–85).
×**laburno-purpureus** Maund
*Maund, Botanist, i. t. 7 (1837).
Laburnum Linn.
*Kniphof, Herb. Viv. i. t. 354 (1758).
*Jacquin, Fl. Austr. iv. t. 306 (1776).
*Joh. Kerner, Abbild. Oek. Pfl. (Fig. Pl. Écon.), i. t. 71 (1786).
Hoppe, Ect. Pl. Ratisb. t. 587 (1790).
*Bot. Mag. v. t. 176 (1791).
*F. J. Schultz, Abbild. Bäume, Staud. Sträuch. Oesterr. ii. t. 169 (1792).

CYTISUS
Laburnum
*Schmidt, Oest. Allgem. Baumzucht, t. 22 (1792–1822).
*Krauss, Afb. Fraaiste Boom. & Heest. [t. 101] (1802).
*McDonald, Dict. Pract. Gard. i. t. 18 (1807).
*Schkuhr, Bot. Handb. Ed. 2, t. 203 (1808).
*Duhamel, Arbres & Arbustes, Ed. 2, v. t. 44 (1812).
*S. Edwards, New Bot. Gard. i. t. 18 (1812).
*Vietz, Ic. Pl. Med.-oec.-techn. vi. t. 469 (1817).
*Guimpel, Willd. & Hayne, Abb. Deutsch. Holzgew. ii. t. 127 (1820).
*Jaume St.-Hilaire, Traité Arbriss. & Arbust. t. 66 (1825).
*Krebs, Holzarten, t. 23, 141 (1826).
J. C. Loudon, Arbor. & Frutic. Brit. v. t. 19 A (1838).
Meigen, Deutschl. Fl. iii. t. 119 (1842).—*Fl.*
Petermann, Deutschl. Fl. t. 20, fig. 149, n–p (1849).—*Fl.*
*Burnett, Pl. Util. iv. t. 117, b (1850).
Griffith, Ic. Pl. Asiat. t. 577 (1854).—*Fr.*
*Fiscali, Deutschl. Forstcult. Pfl. t. 11, fig. 13–17 (1858).
Willkomm, Deutschl. Laubhölz. im Winter, 42, fig. 70 (1859).—*Veg.*
Berg, Charakt. t. 66, fig. 498 (1861).
Decaisne & Naud. Amat. Jard. iii. 43 [1862–66].
Pokorny, Oesterr. Holzpfl. 484, t. 75 (1864).—*Veg.*
*Schubert, Naturg., Pflanzenreich, Ed. 2, t. 37, fig. 1 [1865].
Gayffier, Herb. Forest. France, 2 tab. sine num. (1868–73).
*Réveil, Règne Vég. xiv. t. 30 (1870).
*Cusin & Ansberque, Herb. Fl. Franç. vi. t. 953 (1870).
Album Natuur, 322, fig. 9 g (1871).—*Veg.*
*Hulme & Hibberd, Familiar Gard. Fl. ii. 65 [1879–87].
*C. Hoffmann, Pflanzenatlas, t. 61, fig. 378 (1881).
!Le Jolis in Mém. Soc. Sc. Nat. & Math. Cherbourg, xxiv. t. 5 (1882).—*Fl.*
Willkomm, Führ. Reich Pflanzen, 694 (1882).—*Fl.*
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xxiii. t. 2305 (1885).
Cornevin, Pl. Vénén. 289 (1887).
Kerner, Pflanzenleben, i. 10 (1887); ii. 220 (1891).
Hempel & Wilhelm, Bäume u. Sträuch. iii. 101 [1889?].
Jardin, iii. 118 (1889).
Paolucci, Fl. Marchig. t. 34 (1890).
Oesterr. Bot. Zeitschr. xl. t. 4 (1890).
*Nederl. Kruidk. Arch. Ser. II. v. IV. t. 10 (1891).—*Fl.*
*Bois, Dict. Hort. 740 (1893–99).
Acloque, Fl. France, 190 (1894).
Kerner & Oliv. Nat. Hist. Pl. i. 9 (1894); ii. 223 (1895).
Macfarlane in Trans. Roy. Soc. Edinb. xxxvii. I. t. 8, fig. 13 c (1895).—*Fl.*
Knuth, Handb. Blütenbiol. ii. 1. 272 (1898).—*Fl.*
Lochman, Phot. Med. Pl. t. 93 (1898).
Fiori & Paol. Ic. Fl. Ital. 222 (1899).
*Villard, Fleurs, t. 19 (1900).
*Behrens, Blattformen, t. 13, fig. d, e (1900).—*Veg.*
Coste, Fl. France, i. 303 (1901).
*Boulger, Familiar Trees, Ed. rev. i. 16, 20, 22, 23 [1906–7].
Lazaro, Comp. Fl. Españ. ii. 229 (1907).
Velenovsky, Vergl. Morphol. Pfl. ii. 495 (1907).—*Veg.*
Beille, Bot. Pharm. ii. 856 (1909).
*Esser, Giftpfl. Deutschl. t. 52 (1910).
Möllers Deutsche Gärtn.-Zeit. xxvii. 98, 99 (1912).
*Bonnier, Fl. Compl. France, Suis[illegible] & ii. t. 120 [1912].
*Strasburger, Text-Bo[illegible] Botan. 09 (1848). p. 624 (1912). [illegible]es. Wiss. Leipzig, [illegible]
*Gatin, Arbres, Arbus[illegible]–*Fr.*[illegible]13).
Bull. Soc. Dendr. France, 1913, p. 189.—*Veg.*

CYTISUS

Laburnum
Cadevall & Sallent, Fl. Catalunya, ii. 48 (1916).
*Bonnier, Name This Flower, t. 13 (1917).
—— **aureus** Hort.
*Floral Mag. N. Ser. 1875, t. 182.—*Veg.*
*Fl. des Serres, Ser. II. xi. t. 2242, 2243 (1875).—*Veg.*
*Ill. Gartenzeit. Stuttgart, xx. t. 17 (1876).—*Veg.*
*Neubert's Deutsch. Gart. Mag. 1878, p. 337.—*Veg.*
—— **incisum** Hort.
J. C. Loudon, Arbor. & Frutic. Brit. v. t. 19 B (1838).
—— **Jacquinianus** Wettst.
Oesterr. Bot. Zeitschr. xl. t. 4 (1890).
—— **Linneanus** Wettst.
Oesterr. Bot. Zeitschr. xl. t. 4 (1890).
—— **quercifolius Gumpperi** Hort.
*Neubert's Deutsch. Gart. Mag. 1853, p. 46.
—— **Vossii** Hort.
Möllers Deutsche Gärtn.-Zeit. xxvi. 341 (1911); xxxiii. 57 (1918).
—— **foliis aureis**
*Neubert's Deutsch. Gart. Mag. l. 353 (1897).
lanigerus DC.
Berge, Pflanzenphysiogn. 172 (1880).
leucanthus Waldst. & Kit.
*Waldstein & Kit. Pl. Rar. Hung. ii. t. 132 (1805).
*Bot. Mag. xxxv. t. 1438 (1812).
Schneider, Ill. Handb. Laubh. ii. 51, 54 (1907).
—— **microphyllus** Vilm.
Vilmorin, Hort. Vilm. (Bull. Soc. Bot. France, 1904, li. App.), 17 (1906).
—— **obscurus** Roch.
Rochel, Pl. Banat. Rar. t. 13 (1828).
leucotrichus Schur
Borbás, Balaton Fl. 298 (1900).
linifolius Lam.
Schneider, Ill. Handb. Laubh. ii. 42, 43 (1907).
Apgar, Orn. Shrubs U.S. 114, fig. 133 (1910).
maderensis Masf.
Schneider, Ill. Handb. Laubh. ii. 43 (1907).—*Veg.*
monspessulanus Linn.
Pokorny, Oesterr. Holzpfl. 483, t. 76 (1864).—*Veg.*
Reichenbach, Ic. Fl. Germ. xxii. t. 28 (1867–86).
Fiori & Paol. Ic. Fl. Ital. 223 (1899).
Schneider, Ill. Handb. Laubh. ii. 42, 43 (1907).
*Bot. Mag. cxlii. t. 8685 (1916).
multiflorus Lindl.
*Bot. Reg. xiv. t. 1191 (1828).
*Mag. Bot. & Gard. ii. t. 50 (1834).
Berge, Pflanzenphysiogn. 177 (1880).
nanus Willd.
*P. W. Watson, Dendr. Brit. ii. t. 81 (1825).
J. C. Loudon, Arbor. & Frutic. Brit. ii. 601 (1838).
Neilreichii Pokorny
Pokorny, Oesterr. Holzpfl. 484, t. 76 (1864).—*Veg.*
nigricans Linn.
*Kniphof, Herb. Viv. i. t. 355 (1758).
*Jacquin, Fl. Austr. iv. t. 387 (1776).
Hoppe, Ect. Pl. Ratisb. t. 19 (1787).
*Joh. Kerner, Beschr. u. Abbild. Bäume u. Gestr. Würtemberg, t. 44 (1788).
*F. J. Schultz, Abbild. Bäume, Staud. Sträuch. Oesterr. ii. t. 171 (1792).
*Joh. Kerner, Abbild. Oek. Pfl. (Fig. Pl. Écon.), v. t. 462 (1792).
*Schmidt, Oest. Allgem. Baumzucht, t. 25 (1792–1822).
Lamarck, Ill. iii. t. 618, fig. 3 (1797).
*Krauss, Afb. Fraaiste Boom. & Heest. [t. 102] Ga/1802).
l. 162 Deutschl. Fl. iii. XII [t. 189] (1802).
Möllers D. Arbres & Arbustes, Ed. 2, v. t. 46 (1912).
—— **polymorph**[illegible] Car. t. 152 (1814).
*Vietz, Ic. Pl. Med.-oec.-techn. vi. t. 470 (1817).

CYTISUS

nigricans
*Guimpel, Willd. & Hayne, Abb. Deutsch. Holzgew. ii. t. 129 (1820).
*Lodd. Bot. Cab. vi. t. 570 (1821).
*Bot. Reg. x. t. 802 (1824).
*Zenker, Fl. Thüringen, v. t. 488 (1836–55).
J. C. Loudon, Arbor. & Frutic. Brit. ii. 594 (1838).
*Dietrich, Fl. Boruss. ix. t. 642 (1841).
Pokorny, Oesterr. Holzpfl. 484, t. 76 (1864).—*Veg.*
Reichenbach, Ic. Fl. Germ. xxii. t. 20, 39 (1867–86).
Müller in Verh. Naturhist. Ver. Preuss. Rheinl. & Westfalens, xxxvi. II. t. 3 (1879).—*Fl.*
Wagner, Ill. Deutsche Fl. Ed. 2, p. 173 (1882).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xxiii. t. 2308 (1885).
*Garden, xxxii. 176 (1887).
Garcke, Ill. Fl. Deutschl. 129 (1895).
Fiori & Paol. Ic. Fl. Ital. 222 (1899).
*Gradmann, Pflanzenl. Schwäb. Alb, Ed. 2, i. t. 7 (1900).
*Rev. Hort. Belge, xxvi. 37 (1900).
Coste, Fl. France, i. 303 (1901).
Schneider, Ill. Handb. Laubh. ii. 43, 47 (1907).
Fedtschenko & Fler. Fl. Eur. Russia, 517 (1910).
Deutsche Bot. Monatsschr. xxii. 162 (1911).—*Veg.*
*Bonnier, Fl. Compl. France, Suisse & Belge, ii. t. 120 [1912].
Silva Tarouca, Freiland-Laubgehölze, 196 (1913).—*Hab.*
*Bot. Mag. cxxxix. t. 8479 (1913).
Bean, Trees & Shrubs, i. 460 (1914).
nigricans Pallas
Pallas, Reise Russ. iii. II. t. Gg (1776).
Pallas, Voyages, v. t. 16 (1793).
nubigenus Link.
Webb & Berth. Hist. Nat. Iles Canar. iii. Phytogr. II. t. 46 (1836–50) in ic.; *Spartocytisus nubigenus* in textu, p. 50.
Webb & Berth. Hist. Nat. Iles Canar. Atlas, t. 7, Facies, t. 10 (1838).—*Hab.*
pallidus Poir.
*Bot. Mag. cxl. t. 8578 (1914).
patens Murr.
Cadevall & Sallent, Fl. Catalunya, ii. 49 (1916).
pauciflorus Willd.
Reichenbach, Pl. Crit. iii. t. 259 (1825).
persicus N. L. Burm.
N. L. Burman, Fl. Ind. t. 51 (1768).
pinnatus Pall.
*Pallas, Fl. Ross. t. 47 (1784).
×**praecox** Hort.
Gard. Chron. Ser. III. xxix. 41 (1901).—*Hab.*
E. T. Cook, Trees & Shrubs for Engl. Gard. 156 (1902).—*Hab.*
procumbens Vell.
Vellozo, Fl. Flum. vii. t. 118 (1827).
procumbens Spreng.
Schneider, Ill. Handb. Laubh. ii. 47 (1907).—*Fl.*
proliferus Linn. f.
Ventenat, Jard. Cels, t. 13 [1800].
*Bot. Reg. ii. t. 121 (1816).
*Bot. Mag. xliv. t. 1908 (1817).
*Lodd. Bot. Cab. viii. t. 761 (1823).
J. C. Loudon, Arbor. & Frutic. Brit. ii. 602 (1838).
Deutsch. Tiefsee-Exped. 1898–99, ii. I. t. 24 (1907).—*Hab.*
C. Schroeter, Canar. Ins. t. 13 (1909).—*Hab.*
Tropenpfl. xv. 321 (1911).
Kisérl. Közl. (Rep. Hungar. Agric. Exp. St.), xix. 36 c (1916).—*Hab.*
—— **albus** Hort.
Shinn in Rep. Agric. St. California, t. 16 (1898).—*Hab.*
—— **angustifolius** Kuntze
Tropenpfl. xv. 321 (1911).
Agric. Gaz. N. S. Wales, xxvi. 886 (1915).
—— **canariae** Christ
Tropenpfl. xv. 321 (1911).
Agric. Gaz. N. S. Wales, xxvi. 885 (1915).
—— **palmensis** Christ
Tropenpfl. xv. 321 (1911).
Agric. Gaz. N. S. Wales, xxvi. 884 (1915).

CYTISUS

pseudocajan Jacq.
*Jacquin, Hort. Vind. i. t. 119 (1772).
pulchellus Vis.
Visiani, Fl. Dalmat. iii. II. 270 (1852) in textu; *Genista pulchella* in ic. iii. II. t. 40.
purgans Spach
Garten-Zeit. Berlin, v. 447 (1886).
*Laguna, Fl. For. Españ. t. 42 (1890).
*Bot. Mag. cxxiv. t. 7618 (1898).
Schneider, Ill. Handb. Laubh. ii. 44 (1907).—*Fl.*
Silva Tarouca, Freiland-Laubgehölze, 114 (1913).—*Hab.*
Möllers Deutsche Gärtn.-Zeit. xxviii. 325 (1913).—*Hab.*
purpureus Scop.
Scopoli, Fl. Carn. Ed. 2, ii. t. 43 (1772).
*Jacquin, Fl. Austr. v. App. t. 48 (1778).
*F. J. Schultz, Abbild. Bäume, Staud. Sträuch. Oesterr. ii. t. 176 (1792).
*Schmidt, Oest. Allgem. Baumzucht, t. 26 (1792–1822).
*Schneevogt, Ic. Pl. Rar. t. 34 [1793–95].
*Joh. Kerner, Abbild. Oek. Pfl. (Fig. Pl. Écon.), viii. t. 788 (1796).
*Krauss, Afb. Fraaiste Boom. & Heest. [t. 104] (1802).
*Sturm, Deutschl. Fl. vi. XXIV [t. 383] (1808).
*Bot. Mag. xxix. t. 1176 (1809).
*Vietz, Ic. Pl. Med.-oec.-techn. vi. t. 471 (1817).
*Lodd. Bot. Cab. ix. t. 892 (1824).
*Guimpel, Otto & Hayne, Abbild. Fremd. Holzart. i. t. 107 (1825).
*Morris, Fl. Conspic. t. 58 [1825–30].
*Mordant de Launay, Herb. Amat. viii. 568 (1827).
*Drapiez, Herb. Amat. Fl. vi. t. 445 (1833).
J. C. Loudon, Arbor. & Frutic. Brit. ii. 598 (1838).
Pokorny, Oesterr. Holzpfl. 483, t. 76 (1864).—*Veg.*
Reichenbach, Ic. Fl. Germ. xxii. t. 21 (1867–86).
*Wien. Ill. Gart.-Zeit. vi. t. 3 (1881).
Garden, xxi. 421 (1882).
Journ. Hort. Ser. III. iii. 61 (1882); xlix. 399 (1904).
Lauche, Deutsche Dendrol. Ed. 2, p. 669 (1883).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xxiii. t. 2316 (1885).
Macfarlane in Trans. Roy. Soc. Edinb. xxxvii. I. t. 8, fig. 13 a (1895).—*Fl.*
Fiori & Paol. Ic. Fl. Ital. 223 (1899).
Schneider, Dendrol. Winterst. 74 (1903).—*Veg.*
Gard. Chron. Ser. III. xxxvi. 217, 218 (1904); l. 163 (1911).
*A Kert (The Garden), xi. 576 (1905).
Schneider, Ill. Handb. Laubh. ii. 49 (1907).
Apgar, Orn. Shrubs U. S. 114, fig. 131 (1910).
Möllers Deutsche Gärtn.-Zeit. xxvii. 98, 99 (1912).
*Bull. Angew. Bot. vi. App. 1, p. 262, t. 83 (1913).
Bean, Trees & Shrubs, i. 462 (1914).
—— **albocarneus** Kirchn.
Silva Tarouca, Freiland-Laubgehölze, 197 (1913).—*Hab.*
—— **albus** Sweet
*Wien. Ill. Gart.-Zeit. vi. t. 3 (1881).
Flora & Sylva, ii. 123 (1904).
—— **floribundus** Hort.
*Wien. Ill. Gart.-Zeit. vi. t. 3 (1881).
—— **superbus** Hort.
*Wien. Ill. Gart.-Zeit. vi. t. 3 (1881).
×**quercifolius** Gump.
*Neubert's Deutsch. Gart. Mag. 1853, p. 43.
racemosus Hort.
*Marnock, Floricult. Mag. ii. t. 18 (1837).
*Hulme & Hibberd, Familiar Gard. Fl. v. 45 [1879–87].
L. H. Bailey, Cycl. Amer. Hort. 441 (1900); Stand. Cycl. Hort. 949 (1914).
*McDonald, Frag. Fl. & Leaves, t. 4 (1905).
radiatus Koch
Pokorny, Oesterr. Holzpfl. 482, t. 76 (1864).—*Veg.*
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xxiii. t. 2318 (1885).

CYTISUS
radiatus
Kerner, Pflanzenleben, i. 275 (1887); Ed. 3, i. 214 (1913).—*Veg.*
Kerner & Oliv. Nat. Hist. Pl. i. 299 (1894).—*Veg.*
ramentaceus Sieber
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xxiii. t. 2307 (1885).
Adamović, Pflanzenw. Dalmat. t. 60 (1911).
ramosissimus Ten.
*Tenore, Fl. Nap., Atlas, v. t. 246 (1811–38).
ratisbonensis Schaeff.
*Lorek, Fl. Pruss. Ed. 3, t. 167, fig. 895 (1848).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xxiii. t. 2314 (1885).
Schneider, Dendrol. Winterst. 75 (1903).—*Veg.*
Suireishchikov, Ill. Fl. Mosc. Gov. ii. 288 (1907).
Schneider, Ill. Handb. Laubh. ii. 49, 51 (1907).
*Bot. Mag. cxlii. t. 8661 (1916).
—— **biflorus** Zabel
Schneider, Ill. Handb. Laubh. ii. 49, 51 (1907).
Rochelii Wierzb.
Schneider, Ill. Handb. Laubh. ii. 51 (1907).—*Veg.*
roseus Cambess.
Jacquemont, Voy. Inde, t. 40 (1844).
ruthenicus Fisch.
Hayek, Pflanzend. Oesterr.-Ung. i. 286 (1914).
sagittalis Koch
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xxiii. t. 2320 (1885).
Garcke, Ill. Fl. Deutschl. 130 (1895).
Heukels, Fl. Nederl. ii. 607 (1909).
schipkaënsis Dieck
Rev. Hort. 1900, p. 9.
scoparius Link
*Graves, Hort. Med. t. 23 (1834).
*Stephenson & Churchill, Bot. Med. New Ed. ii. t. 67 (1835).
J. C. Loudon, Arbor. & Frutic. Brit. ii. 595 (1838).
*J. W. Loudon, Brit. Wild Fl. Ed. 2, t. 26 [1846].
*Deakin, Florigr. Brit. iii. fig. 1112 (1847).
Lindley, Med. & Oecon. Bot. 174 (1849).
Wilkinson, Weeds & Wild Fl. 29 (1858).—*Fl.*
Johnson & Sowerby, Brit. Wild Fl. fig. 284 (1858–60).
*Johnson & Sowerby, Useful Pl. Gr. Brit. t. 5, fig. 50 (1861[–62]).
Reichenbach, Ic. Fl. Germ. xxii. t. 31 (1867–86).
*Hogg & Johnson, Wild Fl. Gr. Brit. vii. t. 554 (1872).
Decaisne, Naud. & Hemsl. Handb. Trees, Shrubs & Herb. Pl. 120 (1873).
*Bentley & Trim. Med. Pl. ii. t. 70 (1876).
Nicholson, Illustr. Dict. Gard. i. 429 [1884–88].
Dujard.-Beaumetz & Égasse, Pl. Méd. 311 (1889).
*Step, Wayside & Woodl. Bloss. t. 7 (1895); New Ed. i. t. 38 (1905).
*Useful Pl. Jap. iii. t. 784 (1895).
Britton & Brown, Ill. Fl. N. States & Canada, ii. 271 (1897); Ed. 2, ii. 350 (1913).
Fiori & Paol. Ic. Fl. Ital. 222 (1899).
C. T. Green, Fl. Liverpool Distr. fig. 138 (1902).
Schneider, Dendrol. Winterst. 74 (1903).—*Veg.*
*Journ. Dep. Agric. Victoria, v. t. 11, p. 230 (1907).
Schneider, Ill. Handb. Laubh. ii. 42, 43 (1907).
Rec. Inst. Bot. Errera, vii. Annexe, p. 121, fig. 169, 175 (1908); vii bis Annexe, fig. 47, 106, 116, 171, 173, 453 (1910).—*Hab.*
Beille, Bot. Pharm. ii. 855 (1909).
*Cooper & Westell, Trees & Shrubs Brit. Isl. t. 3, fig. 14, 15; t. 14, p. 88 (1909).
*Ewart & Tovey, Weeds, Poison. Pl. & Nat. Aliens Victoria, 22 (1909).
Apgar, Orn. Shrubs U. S. 112, fig. 128 (1910).
Horwood, Pl. Life Brit. Isles, i. 82 (1914).—*Hab.*
Armstrong, Field Book West. Wild Fl. 265 (1915).
Fyson, Fl. Nilgiri & Pulney Hill-tops, ii. 73 (1915).
Mathews, Field Book Amer. Trees & Shrubs, 275 (1915).
Mitt. Deutsch. Dendr. Ges. 1916, t. 64; 1917, t. 7.—*Hab.*

CYTISUS
scoparius
Horwood, Brit. Wild Fl. i. 113; v. t. 55, p. 81 (1919).
Fitch & Smith, Ill. Brit. Fl. Ed. rev. 4, Iss. 2, fig. 232 (1919).
—— **Andreanus** Dipp.
Journ. Hort. Ser. III. xx. 439 (1890); xxxii. 462 (1896).
*Garden, xlii. 188 (1892).
—— **pallidus** Hort.
E. T. Cook, Trees & Shrubs for Engl. Gard. 358 (1902).—*Hab.*
sessiliflorus Poir.
*Vietz, Ic. Pl. Med.-oec.-techn. vi. t. 467 (1817).
sessilifolius Linn.
*F. J. Schultz, Abbild. Bäume, Staud. Sträuch. Oesterr. ii. t. 174 (1792).
*Schmidt, Oest. Allgem. Baumzucht, t. 24 (1792–1822).
*Bot. Mag. viii. t. 255 (1794).
*Joh. Kerner, Abbild. Oek. Pfl. (Fig. Pl. Écon.), viii. t. 713 (1796).
Lamarck, Ill. iii. t. 618, fig. 2 (1797).
*Krauss, Afb. Fraaiste Boom. & Heest. [t. 103] (1802).
*Duhamel, Arbres & Arbustes, Ed. 2, v. t. 45 (1812).
*Jaume St.-Hilaire, Traité Arbriss. & Arbust. i. t. 67 (1825).
*Sibthorp & Sm. Fl. Graeca, viii. t. 705 (1833).
J. C. Loudon, Arbor. & Frutic. Brit. ii. 594 (1838).
Petermann, Deutschl. Fl. t. 20, fig. 149, q–t (1849).—*Fr.*
Pokorny, Oesterr. Holzpfl. 483, t. 76 (1864).—*Veg.*
Reichenbach, Ic. Fl. Germ. xxii. t. 21 (1867–86).
*Cusin & Ansberque, Herb. Fl. Franç. vi. t. 955 (1870).
*Bicknell, Fl. Pl. Riviera, t. 13 (1885).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xxiii. t. 2309 (1885).
Fiori & Paol. Ic. Fl. Ital. 222 (1899).
Coste, Fl. France, i. 303 (1901).
Schneider, Dendrol. Winterst. 75 (1903).—*Veg.*
*A Kert (The Garden), x. 597 (1904).
Schneider, Ill. Handb. Laubh. ii. 43, 47 (1907).
Mitt. Deutsch. Dendr. Ges. 1908, t. 14.—*Hab.*
Bean, Trees & Shrubs, i. 463 (1914).
Cadevall & Sallent, Fl. Catalunya, ii. 50 (1916).
smyrnaeus Boiss.
Stefani, Major & Barbey, Samos, t. 10 (1892).
spinescens Presl
*Tenore, Fl. Nap., Atlas, v. t. 242 (1811–38).
spinescens Sieber
Visiani, Fl. Dalmat. iii. II. t. 40 (1852).
Pokorny, Oesterr. Holzpfl. 483, t. 76 (1864).—*Veg.*
Reichenbach, Ic. Fl. Germ. xxii. t. 28 (1867–86).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xxiii. t. 2317 (1885).
Fiori & Paol. Ic. Fl. Ital. 223 (1899).
Schneider, Ill. Handb. Laubh. ii. 49 (1907).
spinosus Desc.
*Descourtilz, Fl. Pitt. & Méd. Antilles, i. t. 8 (1821).
spinosus Lam.
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xxiii. t. 2311 (1885).
Kerner, Pflanzenleben, i. 417 (1887); Ed. 3, i. 133 (1913).—*Veg.*
Kerner & Oliv. Nat. Hist. Pl. i. 449 (1894).—*Veg.*
supinus Linn.
*Jacquin, Fl. Austr. i. t. 20 (1773).
Hoppe, Ect. Pl. Ratisb. t. 46 (1787).
*F. J. Schultz, Abbild. Bäume, Staud. Sträuch. Oesterr. ii. t. 175 (1792).
*Schmidt, Oest. Allgem. Baumzucht, t. 27 (1792–1822).
*Joh. Kerner, Abbild. Oek. Pfl. (Fig. Pl. Écon.), viii. t. 789 (1796).
*Krauss, Afb. Fraaiste Boom. & Heest. [t. 105] (1802).
*Schrank, Fl. Monac. ii. t. 175 (1814).
*Vietz, Ic. Pl. Med.-oec.-techn. vi. t. 466 (1817).

CYTISUS
supinus
*Guimpel, Willd. & Hayne, Abbild. Deutsch. Holzgew. t. 132 (1820).
Berchtold & J. S. Presl, Rostlin. iii. t. 11 (1830–35).
*Sturm, Deutschl. Fl. xiv. LIX [t. 940] (1832).
J. C. Loudon, Arbor. & Frutic. Brit. ii. 599 (1838).
*Petermann, Deutschl. Fl. t. 20, fig. 149, a–m (1849).
Pokorny, Oesterr. Holzpfl. 485, t. 76 (1864).—*Veg.*
Reichenbach, Ic. Fl. Germ. xxii. t. 22, 23 (1867–86).
*Cusin & Ansberque, Herb. Fl. Franç. vi. t. 962 (1870).
Acloque, Fl. France, 193 (1894).
Coste, Fl. France, i. 304 (1901).
Schneider, Dendrol. Winterst. 174 (1903).—*Veg.*
Schneider, Ill. Handb. Laubh. ii. 51, 54 (1907).
supranubius O. Kuntze
*Bot. Mag. cxxxix. t. 8509 (1913).
Gard. Chron. Ser. III. liv. 121, 122 (1913).—*Hab.*
telonensis Loisel.
*Duhamel, Arbres & Arbustes, Ed. 2, v. t. 47 (1812).
tener Jacq.
*Jacquin, Ic. Pl. Rar. i. t. 147 (1781–86).
tomentosus Andr.
*Andrews, Bot. Rep. iv. t. 237 (1802).
*Mordant de Launay, Herb. Amat. vi. t. 357 (1822).
*Drapiez, Herb. Amat. Fl. vii. t. 489 (1834).
Tommasinii Vis.
Reichenbach, Ic. Fl. Germ. xxii. t. 26 (1867–86).
tribracteolatus Webb
Webb, Otia Hispan. Pl. Rar. Ed. 2, t. 3 (1853).
triflorus L'Hér.
*Duhamel, Arbres & Arbustes, Ed. 2, v. t. 46 (1812).
J. C. Loudon, Arbor. & Frutic. Brit. ii. 594 (1838).
*Knowles & Westc. Floral Cab. iii. t. 102 (1840).
Reichenbach, Ic. Fl. Germ. xxii. t. 26 (1867–86).
*Cusin & Ansberque, Herb. Fl. Franç. vi. t. 958 (1870).
*Bicknell, Fl. Pl. Riviera, t. 13 (1885).
Fiori & Paol. Ic. Fl. Ital. 223 (1899).
Coste, Fl. France, i. 304 (1901).
*Penzig, Fl. Litt. Méditerr. t. 32 (1902).
*Strasburger, Rambles Riviera, 131 (1906).
Lazaro, Comp. Fl. Españ. ii. 216 (1907).—*Fr.*
Schneider, Ill. Handb. Laubh. ii. 43, 45 (1907).
*H. S. Thompson, Fl. Pl. Riviera, t. 10 (1914).
Cadevall & Sallent, Fl. Catalunya, ii. 49 (1916).
unilateralis Vell.
Vellozo, Fl. Flum. vii. t. 113 (1827).
versicolor Dipp.
Silva Tarouca, Freiland-Laubgehölze, 50 (1913).—*Hab.*
Villarsii Vis.
Visiani, Fl. Dalmat. iii. II. t. 55 (1852).
violaceus Aubl.
Aublet, Hist. Pl. Guiane Franç. iv. t. 306 (1775).
viscosus Hill
*Hill, Hort. Kew. t. 17 (1769).
vulgare Lubb.
Journ. Linn. Soc., Bot. xxii. 355 (1886); errore *Laburnum vulgare.*—*Veg.*
Weldonii Vis.
*Bot. Reg. xxix. t. 40 (1843).
Visiani, Fl. Dalmat. iii. II. t. 39 (1852).
Pokorny, Oesterr. Holzpfl. 484, t. 75 (1864).—*Veg.*
Berge, Pflanzenphysiogn. 139 (1880).
wolgaricus Linn. f.
*Duhamel, Arbres & Arbustes, Ed. 2, v. t. 48 (1812).
*P. W. Watson, Dendr. Brit. ii. t. 83 (1825).

CZACKIA Andrz.: *Paradisea*
Liliastrum Andrz.
Nees, Gen. Pl., Monocot. ii. t. 55 (1836).—*Fl.*
*Reichenbach, Ic. Fl. Germ. x. t. 509 (1848).
Hofmeister in Abh. Sächs. Ges. Wiss. Leipzig, vii. t. 19, fig. 2 (1861).—*Fr.*
Gartenfl. xxvii. 344 (1878).

D

DABOECIA D. Don—Vide *Boretta*
caerulea Schnizl.
*Schnizlein, Iconogr. ii. t. 161 c (1856–65).—*Fl.*
cantabrica Koch
Dippel, Handb. Laubholzk. i. 382 (1889).
Schneider, Ill. Handb. Laubh. ii. 514 (1911).
polifolia D. Don
J. C. Loudon, Arbor. & Frutic. Brit. ii. 1116 (1838).
*Cusin, Herb. Fl. Franç. xv (Éricinées), t. 18 (1874).
Lauche, Deutsche Dendrol. Ed. 2, p. 234 (1883).
Coutinho, Curso Silvicult. ii. 114 (1887).—*Veg.* Pflanzenfam. iv. 1. 28 (1889).—*Fr.*
*Laguna, Fl. For. Españ. t. 68 (1890).
Engler & Drude, Veget. Erde, i. 123 (1896).
*A. W. Bennett, Fl. Alps, ii. t. 65 (1897).
*Garden, lii. 344 (1897).
Coste, Fl. France, ii. 509 (1903).
Praeger, Tour. Fl. W. Ireland, t. 10 (1909).—*Hab.*
Apgar, Orn. Shrubs U.S. 254, fig. 432 (1910).
Karsten & Schenck, Veg.-Bild. viii. t. 28 (1910).—*Hab.*
*Flahault, Nouv. Fl. Alpes & Pyrén. iii. t. 142 (1912).
—— **alba** D. Don
*Sweet, Brit. Fl. Gard. vi. t. 276 (1835).
Möllers Deutsche Gärtn.-Zeit. xviii. 1, 2 (1903).

DACRYDIUM Soland.—Vide *Lepidothamnus*
araucarioides Brongn. & Gris
Nouv. Arch. Mus. Hist. Nat. Paris, iv. t. 2 (1868).
Baillon, Hist. Pl. xii. 13 (1894).—*Fl.*
Pflanzenreich, Taxac. 49 (1903).
Balansae Brongn. & Gris
Pflanzenreich, Taxac. 49 (1903).—*Fr.*
Bidwillii Hook. f.
Kirk, For. Fl. New Zeal. t. 37 (1889).
Pflanzenreich, Taxac. 47 (1903).
Cheeseman, Ill. New Zeal. Fl. t. 187 (1914).
Colensoi Hook.
Hook. Ic. Pl. vi. t. 548 (1843).
Kirk, For. Fl. New Zeal. t. 82 A, 96 (1889).
Goebel, Organogr. Pfl. 698 (1901); Ed. Angl. ii. 519 (1905).—*Fl.*
Journ. New Zeal. Dep. Agric. vii. 155 (1913).
cupressinum Soland.
*Lambert, Pinus, i. App. t. 41 (1807); ii. t. 57 (1828); ii. t. 69 (1832); ii. t. 51 (1837).
Richard, Comm. Bot. Conif. & Cycad. t. 2 (1826).
J. C. Loudon, Arbor. & Frutic. Brit. iv. 2102 (1838).
*Forbes, Pinetum Woburnense, t. 67 (1839).
Mém. Acad. Sc. Pétersb. Ser. VII. xiii. No. 6, t. 3, fig. 81–84 (1869).—*Fl.*
Karsten, Deutsche Fl. Pharm.-medic. Bot. 327 (1880–83).
Kirk, For. Fl. New Zeal. t. 18, 19 (1889).
Pflanzenfam. ii. 1. 107 (1889).
Karsten, Fl. Deutschl. i. 329 (1895).
Schimper, Pflanzen-Geogr. 513 (1898).
Pflanzenreich, Taxac. 54 (1903).
Laing & Blackwell, Pl. New Zeal. Ed. 2, p. 77 (1907).
Cockayne, New Zeal. Pl. 36 (1910); Ed. 2, p. 48 (1919).—*Hab.*
Warburg, Pflanzenwelt, i. 339 (1913).
Journ. New Zeal. Dep. Agric. vii. 155 (1913).
Mitt. Deutsch. Dendr. Ges. 1916, t. 10.
elatum Wall.
Hooker, London Journ. Bot. ii. t. 2 (1843).
Blume, Rumphia, iii. t. 172, b, c (1847).
Mededeel. Rijks Herb. Leiden, No. 13, p. 5 (1912).—*Hab.*
falciforme Pilg.
Pflanzenreich, Taxac. 47 (1903).
Philippine Journ. Sc., Bot. vi. t. 28 (1911).
Journ. Linn. Soc., Bot. xlii. 192 (1914).
Fonkii Benth.
Pflanzenreich, Taxac. 49 (1903).—*Fl.*
W. B. Scott, Rep. Princeton Univ. Exped. Patag. 1896–99, viii. 1. Bot. 143 (1904).
Silva Tarouca, Freiland-Nadelhölzer, 130 (1913).

DACRYDIUM
Franklinii Hook. f.
Hooker, London Journ. Bot. iv. t. 6 (1845).
*Hooker f., Fl. Tasman. i. t. 100 (1860).
Parlatore in Ann. Mus. Fis. Stor. Nat. Firenze, 1865, N. Ser. i. t. 2 (1866).—*Fl.*
Garden, xii. 405 (1877).—*Hab.*
Woods & Forests, ii. 67 (1885).—*Hab.*
Annesley, Rare Plants, 27 (1903).—*Hab.*
Pflanzenreich, Taxac. 49 (1903).
R. T. Baker & H. G. Smith, Pines Austral. 395, 396, 402, 403 (1910).
Gibbsiae Stapf
Journ. Linn. Soc., Bot. xlii. t. 4 (1914).
intermedium T. Kirk
Trans. & Proc. New Zeal. Inst. 1877, x. t. 20 (1878).
Kirk, For. Fl. New Zeal. t. 86, 87, fig. B (1889).
Pflanzenreich, Taxac. 49 (1903).
Cheeseman, Ill. New Zeal. Fl. t. 188 (1914).
Kirkii F. Muell.
Hook. Ic. Pl. xiii. t. 1219 (1877).
Trans. & Proc. New Zeal. Inst. 1877, x. t. 19 (1878).
Kirk, For. Fl. New Zeal. t. 82 A, 97 (1889).
laxifolium Hook. f.
Hook. Ic. Pl. ix. t. 815 (1852).
Kirk, For. Fl. New Zeal. t. 87 (1889).
Pflanzenreich, Taxac. 49 (1903).—*Fr.*
Cockayne, New Zeal. Pl. 104 (1910); Ed. 2, p. 8 (1919).—*Hab.*
Journ. New Zeal. Dep. Agric. vii. 155 (1913).
Cheeseman, Ill. New Zeal. Fl. t. 189 (1914).
novo-guineense L. S. Gibbs
L. S. Gibbs, Contrib. Fl. Arfak Mts. 79 (1917).
taxoides Brongn. & Gris
Nouv. Arch. Mus. Hist. Nat. Paris, iv. t. 3 (1868).
Pflanzenreich, Taxac. 47 (1903); sphalm. *D. falciforme.*
westlandicum T. Kirk
Hook. Ic. Pl. xiii. t. 1218 (1877).
Trans. & Proc. New Zeal. Inst. 1877, x. t. 18 (1878).
Kirk, For. Fl. New Zeal. t. 85 (1889).

DACRYODES Vahl: *Pachylobus*
hexandra Griseb.
A. & C. De Candolle, Monogr. Phan. iv. t. 3, fig. 39–44 (1883).—*Fl.*
Jahrb. Bot. Gart. Berlin, iv. t. 2, fig. 1–5 (1886).—*Fr.*
U.S. Dep. Agric. Bur. Forest. Bull. No. 54, t. 4, 7 (1905).—*Hab.*
Bull. Mus. Hist. Nat. Paris, xiv. t. 4, fig. 1–5 (1908).
Agric. Prat. Pays Chauds, ix. 11. 149 (1909).—*Hab.*

DACTYLAENA Schrad.
microphylla Eichl.
Mart. Fl. Bras. xiii. 1. t. 54 (1865).
Pflanzenfam. iii. 11. 221 (1891).—*Fl.*
Pohliana Eichl.
Mart. Fl. Bras. xiii. 1. t. 54 (1865).—*Fl.*
Schnizlein, Iconogr. iii. t. 182 (1866–70).—*Fl.*

DACTYLANTHUS Hook. f.
Taylorii Hook. f.
Trans. Linn. Soc. London, xxii. t. 75 (1859).
Laing & Blackwell, Pl. New Zeal. Ed. 2, p. 150 (1907.)
Trans. & Proc. New Zeal. Inst. 1908, xli. t. 30–32 (1909).
Cheeseman, Ill. New Zeal. Fl. t. 178 (1914).

DACTYLIANDRA Hook. f.
Luederitziana Cogn.
Pflanzenreich, Cucurbitac.-Fev. & Melothr. 130 (1916).

DACTYLIOCAPNOS Wall.: *Dicentra*
thalictrifolia Wall.
Wallich, Tent. Fl. Nap. t. 39 (1826).
*Link & Otto, Ic. Pl. Rar. t. 34 (1828–31).
*Sweet, Brit. Fl. Gard. v. t. 127 (1832).
Paxt. Fl. Gard. iii. 39 (1852–53).
Lem. Jard. Fl. iii. Misc. 47 (1853).

DACTYLIS Linn.—Vide *Festuca* (8)
abbreviata Bernh.
Reichenbach, Ic. Fl. Germ. i. t. 59 (1834).
caespitosa Forst.
Hooker, London Journ. Bot. ii. t. 9, 10 (1843).
Hooker f., Fl. Antarct. ii. t. 136–37 (1846).
Tijdschr. Nat. Wet. Amsterdam, ii. t. 2 (1849).—*Hab.*
Gartenfl. xxxiv. t. 1194 (1885).
cynosuroides Linn.
Linn. f., Pl. Rar. Hort. Upsal. Fasc. i. t. 9 (1767).
geniculatus N. L. Burm.
N. L. Burman, Fl. Ind. t. 12 (1768).
glomerata Linn.
*Schreber, Beschr. Gräser, i. t. 8 (1769).
*Fl. Dan. v. t. 743 (1778).
Hoppe, Ect. Pl. Ratisb. t. 270 (1788).
Martyn, Pl. Expl. Linn. Syst. Veg. t. 9 (1788).
*Joh. Kerner, Abbild. Oek. Pfl. (Fig. Pl. Écon.), iii. t. 224 (1789).
Leers, Fl. Herborn. t. 3, fig. 3 (1789).
Lamarck, Ill. i. t. 44, fig. 1 (1791).
*Martyn, Fl. Rustica, i. t. 14 (1792).
*Sowerby & Sm. Engl. Bot. v. t. 335 (1796).
*Sturm, Deutschl. Fl. ii. VI [t. 82] (1799).
*Host, Gram. ii. t. 94 (1802).
*Svensk Bot. i. t. 32 (1802).
*Knapp, Gram. Brit. t. 62 (1804).
*Kops, Fl. Batava, ii. t. 102 (1807).
*Schkuhr, Bot. Handb. Ed. 2, t. 14 (1808).
P. Beauvais, Agrost. t. 17, fig. 5 (1812).—*Fl.*
*Curtis, Pract. Obs. Brit. Grasses, Ed. 5, t. 7 (1812).
Thornton, Brit. Fl. i. 58 (1812).
*Vigneux, Fl. Pitt. Envir. Paris, t. 5 (1812).
Panzer in Denkschr. Akad. Wiss. München, 1813, t. 8, fig. 2 (1814).—*Fl.*
*Vietz, Ic. Pl. Med.-oec.-techn. vi. t. 472 (1817).
Elliott, Bot. S.-Carolina & Georgia, ii. t. 9 (1824).
*Sinclair, Hort. Gram. Woburn. Ed. 2, p. 22, 136 (1825).
Loudon, Mag. Nat. Hist. i. 382 (1828).
*Heger, Danske Oec. Pl. i. t. 41 (1828).
*Jaume St.-Hilaire, Fl. & Pom. Franç. v. t. 408 (1832).
Reichenbach, Ic. Fl. Germ. i. t. 59 (1834).
*Baxter, Brit. Bot. Ed. 2, ii. t. 108 (1835).
Kunth, Enum. Pl. i. ii. t. 29 (1835).
*Zenker, Fl. Thüringen, iii. t. 278 (1836–55).
Nees, Gen. Pl., Monocot. i. t. 65 (1837).—*Fl.*
Hegetschweiler, Fl. Schweiz, t. 3 (1840).—*Fl.*
[M. E.] Jackson, Pict. Fl. fig. 158 (1840).
*Deakin, Florigr. Brit. i. fig. 186 (1841).
Parnell, Grasses Scotland, t. 29 (1842); Grasses Britain, t. 29 (1845).
*Török, Magyar rétfüvek és takarmánynövények (Hungarian Grasses & Food-Pl.), t. 16 (1844).
Murphy, Agric. Grasses, 37 (1844).
*Lorek, Fl. Pruss. Ed. 3, t. 26, fig. 152 (1848).
*Petermann, Deutschl. Fl. t. 99, fig. 789 (1849).
Andersson, Gram. Scand. t. 2, fig. 20 (1852).
*Calwer, Landwirthsch. Pflanzenk. i. t. 15, fig. 7 (1852).
H. Hanstein, Fam. Gräser, t. 11, fig. 3 (1857).
*Sowerby & Johnson, Grasses Gr. Brit. t. 79 [1857–61].
*Lowe, Nat. Hist. Brit. Grasses, t. 41 (1858).
Johnson & Sowerby, Brit. Wild Fl. fig. 1540 (1858–60).
*Johnson & Sowerby, Useful Pl. Gr. Brit. t. 22, fig. 254 (1861[–62]).
A. Gray, Man. Bot. N.U.S. Ed. 4, t. 4 (1862).
Jessen, Deutschl. Gräs. 56, 124, 161, 273 (1863).—*Fr.*
Bentham, Handb. Brit. Fl. fig. 1212 (1865).
*Schubert, Naturg., Pflanzenreich, Ed. 2, t. 5, fig. 3 [1865].
*Plues, Brit. Grasses, 249, t. 12 (1867).
Cesati, Passer. & Gibelli, Comp. Fl. Ital. t. 9 (1867–86).—*Fl.*
Gard. Chron. 1870, p. 288.—*Fl.*
*Syme, Engl. Bot. xi. t. 1778 (1872).
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, vi. t. 262 [1873].
Cusin, Herb. Fl. Franç. xxv (Graminées), t. 237 (1874).

DACTYLIS
glomerata
Nobbe, Handb. Samenkunde, 410 (1876).—*Fl.*
Killebrew, Grasses Tennessee, 89 (1878).
De Silvestri, Piante Prat. 89 (1879).
Rep. Commissioner Agric. Washington, 1879, p. 358, t. 20, 27 (1880).
Karsten, Deutsche Fl. Pharm.-medic. Bot. 386 (1880–83).—*Fl.*
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, viii. t. 718 (1881).
Wagner, Ill. Deutsche Fl. Ed. 2, p. 848 (1882).
Vasey, Agric. Grasses U.S.A. (U.S. Dep. Agric.), t. 96 (1884); et Agric. Grass. & Forage Pl. U.S.A. (U.S. Dep. Agric. Bot. Div. Spec. Bull.), t. 3, 72 (1889).
Harz, Samenkunde, ii. 1299 (1885).—*Fr.*
*Thomé, Fl. Deutschl. i. t. 56 (1886).
Bessey, Grass. & Forage Pl. Nebraska (Ann. Rep. Nebr. Agric. Soc. 1886), t. 3 (1887); t. 14 (1888).
*Mackay, Man. Grasses New Zeal. i. 114, t. 1 (1887).
Pflanzenfam. ii. II. 72 (1887).
Potonié, Ill. Fl. Nord- u. Mittel-Deutschl. Ed. 4, fig. 142 (1889).
*Stebler & Schroeter, Best Forage Pl. t. 3 (1889).
Troop in Bull. Indiana Agric. St. No. 29, t. 7 (1889).
G. Beck, Fl. Nied.-Oesterr. i. 32, 77 (1890).—*Fl.*
Paolucci, Fl. Marchig. t. 4 (1890).
!Nederl. Kruidk. Arch. Ser. II. v. IV. t. 11 (1891).
*Leclerc du Sablon, Nos Fleurs, 104, t. 13 [1892].
Schwarz, Forstl. Bot. 282 (1892).
Semler, Trop. Agrik. iv. 446 (1893).
Allm. Svenska Utsädesför. Tidskr. iii. 216, fig. 27 (1893).—*Fl.*
Contrib. Bot. Dept. Univ. Nebraska, N. Ser. v. 256 (1893).
*Masclef, Atlas Pl. France, t. 381 (1893).
Acloque, Fl. France, 706 (1894).—*Fl.*
Lamson-Scribner, Grass. Tennessee, Pt. 2 (Bull. Tenn. Agric. Exp. St. vii), No. 1, t. 35 (1894).
*Siélain, Atlas Poche Pl. Champs, Prair. & Bois, t. 24 [1894].
U.S. Dep. Agric. Farm. Bull. No. 18, p. 16 (1894); No. 66, p. 18 (1899); No. 147, p. 17 (1902).
Battandier & Trabut, Fl. Algér., Monocot. t. 6, fig. 5 (1895).
Garcke, Ill. Fl. Deutschl. 685 (1895).
Karsten, Fl. Deutschl. i. 392 (1895).
*Step, Wayside & Woodl. Bloss. t. 24 (1895).
Sutton Perm. & Temp. Pastures, Ed. 5, p. 162, 163 (1895).
Fiori & Paol. Ic. Fl. Ital. 35 (1896).
Britton & Brown, Ill. Fl. N. States & Canada, i. 200 (1896); Ed. 2, i. 251 (1913).
Post, Fl. Syria, Palestine & Sinai, 882 [1896].
U.S. Dep. Agric. Div. Agrost. Bull. No. 3, p. 38 (1896); No. 7, p. 287, No. 9, p. 28 (1897); No. 14, p. 31, No. 15, p. 30 (1898); No. 20, p. 145 (1900).
Husnot, Gram. t. 21 (1896–99).
Agric. Journ. Cape Col. x. 263 (1897).—*Hab.*
L. H. Bailey, Cycl. Amer. Hort. 443 (1900); Stand. Cycl. Hort. 950 (1914).
*Sturm, Fl. Deutschl. Ed. 2, iii. t. 30 (1900).
Schinz & Keller, Fl. Schweiz, 30 (1900).—*Veg.*
Hitchcock in Bull. Kansas Agric. St. No. 102, p. 193 (1901).
Pammel & Weems in Iowa Geol. Surv. Bull. No. 1, p. 318 (1901); Suppl. Rep. (1903), 250 (1904); Bull. No. 4, p. 417 (1913).
Lindman, Bild. Nord. Fl. t. 457 (1901–5).
C. T. Green, Fl. Liverpool Distr. fig. 737 (1902).
Husnot, Prés & Herbag. t. 11 (1902).
*Masclef, Pl. Eur. t. 12 (1905).
Blytt, Haandb. Norg. Fl. Ed. Dahl, 95 (1906).
Coste, Fl. France, iii. 626 (1906).
Journ. Dep. Agric. W. Australia, xiv. 11 (1906).
*Kirby, Brit. Fl. Pl. t. 120 (1906).
Lazaro, Comp. Fl. Españ. i. 699 (1906).
Suireishchikov, Ill. Fl. Mosc. Gov. i. 135 (1906).
*Gordon, Man. Brit. Grasses, 55, 94, t. 24 [1907].
Journ. Dep. Agric. S. Australia, x. 483 (1907).
H. M. Ward, Grasses, 16, 150 (1908).

DACTYLIS
glomerata
Nelson in Bull. Wyoming Agric. St. No. 76, p. 30 (1908).
Kirchner, Loew & Schröter, Blütenpfl. Mitteleur. i. Abt. II. 69, 96–99 (1908–9).
Black, Nat. Fl. S. Australia, 183 (1909).
Bol. Soc. Nac. Agric. Costa Rica, iii. XVII. 478 (1909).
Clarke in Nature Book, iii. 476, t. 2 (1909).
Graebner, Pflanzenw. Deutschl. 144 (1909).
Merino, Fl. Galicia, iii. 330 (1909).
Rev. Hort. 1909, p. 462.—*Hab.*
Fedtschenko & Fler. Fl. Eur. Russia, 117 (1910).
Sver. Utsädesför. Tidskr. xx. t. 4 (1910); xxii. t. 5–10, 26–30, p. 91, 94 (1912).
Stone, Pl. Southern New Jersey (Ann. Rep. New Jersey State Mus. 1910), t. 10 (1911).
Heukels, Fl. Nederl. i. 514 (1911).
Pammel, Weeds Farm Gard. 37 (1911).—*Fr.*
Rec. Instit. Bot. Errera, viii. 22 (1911).
Bol. de Fomento, Costa Rica, ii. IX. 658 (1912).
Flora, civ. 122 (1912).—*Veg.*
Bull. Angew. Bot. vi. 129, 130 (1913).
Matlakowna in Bull. Internat. Acad. Sc. Cracovie, t. 26 (1913).—*Veg.*
Hitchcock, Text-Book Grasses, 227 (1914).
Journ. New Zeal. Dep. Agric. viii. 233, 237, 628 (1914).
Fedtschenko, Veg. Turkest. 126 (1915).
Horwood, Plant Life Brit. Isles, iii. 410 (1915).
Wilcox, Link & Pool in Bull. Agric. St. Nebraska, xxvii. No. 148, p. 50 (1915).
S. F. Armstrong, Brit. Grass. 92, 93 (1917).
*Bonnier, Name This Flower, t. 61 (1917).
U.S. Dep. Agric. Bull. No. 461, p. 12 (1917); No. 772, t. 8, p. 66 (1920).
Lindman, Svensk Fanerogamfl. 66, 88 (1918).
Willey in Proc. Iowa Acad. Sc. xxv. 354 (1918).—*Veg.*
Bot. Tidsskr. xxxvi. 277 (1919).
Fitch & Smith, Ill. Brit. Fl. Ed. rev. 4, Iss. 2, fig. 1231 (1919).
Ontario Dep. Agric. Bull. No. 269, p. 5 (1919).
Crabtree, Grasses & Rushes, 41 [1920].
Goebel, Entfaltungsb. Pfl. 86 (1920).
Krafft & Fruwirth, Pflanzenb. 288 (1920).
—— **lobata** Drej.
*Fl. Dan. xvi. t. 2763 (1869).
—— **marginata** Hort.
W. Robinson, Engl. Fl. Gard. t. 89 (1883).
hispanica Roth.
Dumortier, Gramin. Belg. t. 6 (1823).—*Fl.*
Reichenbach, Ic. Fl. Germ. i. t. 59 (1834).
Cusin, Herb. Fl. Franç. xxv (Graminées), t. 238 (1874).
Oesterr. Bot. Zeitschr. lxvi. 172 (1916).
lagopodioides Linn.
N. L. Burman, Fl. Ind. t. 12 (1768).
Lamarck, Ill. i. t. 44, fig. 2 (1791).
littoralis Willd.
*Host, Gram. iv. t. 28 (1809).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, viii. t. 719 (1881).
Coste, Fl. France, iii. 625 (1906).
maritima Suffren
Schrader, Fl. Germ. t. 6 (1806).
Reichenbach, Ic. Fl. Germ. i. t. 59 (1834).
pungens Schreb.
Desfontaines, Fl. Atlant. i. t. 16 (1798).
*Schreber, Beschr. Gräser, ii. t. 27 (1810).
repens Desf.
Desfontaines, Fl. Atlant. i. t. 15 (1798).
rigida Boiss. & Heldr.
Rouy, Illustr. Pl. Eur. Rar. fasc. 16, t. 400 (1901).
Oesterr. Bot. Zeitschr. lxvi. 172 (1916).
Smithii Link
Webb & Berth. Hist. Nat. Iles Canar. iii. Phytogr. III. t. 249 (1836–50).
stricta Soland.
*Sowerby & Sm. Engl. Bot. vi. t. 380 (1797).
Withering, Syst. Arrang. Brit. Pl. Ed. 4, ii. t. 27 (1801); Ed. 5, ii. t. 27 (1812); Ed. 6, ii. t. 27 (1818).
*Knapp, Gram. Brit. t. 63 (1804).

DACTYLOCLADUS Oliv.
stenostachys Oliv.
Hook. Ic. Pl. xxiv. t. 2351 (1895).

DACTYLOCTENIUM Willd.
aegyptiacum Willd. = *aegyptium*
aegyptium Richt.
Rumphius, Herb. Amboin. vi. t. 4, fig. 1 (1750); fide Merrill, Interpret. Rumph. Herb. Amboin.
P. Beauvais, Agrost. t. 1, fig. 6, t. 15, fig. 2 (1812) in ic.—*Fl.*
A. Gray, Man. Bot. N.U.S. Ed. 4, t. 3 (1862).
Cesati, Passer. & Gibelli, Comp. Fl. Ital. t. 5 (1867–86).—*Fl.*
Ann. Rep. Agric. Victoria, ii. t. 29 (1874).
Fiori & Paol. Ic. Fl. Ital. 31 (1895).
U.S. Dep. Agric. Div. Agrost. Bull. No. 1, p. 11 (1895); No. 3, p. 39 (1896); No. 7, p. 228 (1897); No. 14, p. 32 (1898); No. 20, p. 109 (1900).
Britton & Brown, Ill. Fl. N. States & Canada, i. 182 (1896); Ed. 2, i. 229 (1913).
Publ. Field Columbian Mus., Bot. Ser. III. 56 (1903).—*Fl.*
Wood, Natal Pl. v. II. t. 441 (1905).
Transvaal Agric. Journ. vi. No. 24, t. 75 (1908).
Engler & Drude, Veget. Erde, ix. II. 191 (1908).
Notizbl. Bot. Gart. Berlin, v. 146 (1910).
U.S. Dep. Agric. Bull. No. 772, p. 177 (1920).
glaucophyllum Courb.
Ann. Ist. Bot. Roma, vi. t. 18 (1896).
Hackelii Wagn. & Vierh.
Vierhapper in Denkschr. Akad. Wiss. Wien, lxxi. t. 1 (1907).
mucronatum Willd.
Trinius, Sp. Gram. i. t. 69 (1828).
Mart. Fl. Bras. ii. III. t. 25 (1878).
radulans Dom.
Domin in Bibl. Bot. xx. 377 (1915).
seminipunctatum Courb.
Vierhapper in Denkschr. Akad. Wiss. Wien, lxxi. t. 1 (1907).

DACTYLODES O. Kuntze: *Tripsacum*
angulatum O. Kuntze
Baillon, Hist. Pl. xii. 182 (1894).

DACTYLOPETALUM Benth.
Barteri Hook. f.
Baillon, Dict. Bot. iii. 442 (1890).—*Hab.*
kamerunense Engl.
Engl. Jahrb. xl. 51 (1907).—*Fl.*
sericeum Engl.
Engl. Jahrb. xl. 53 (1907).—*Fl.*
Engler & Drude, Veget. Erde, ix. I. 2, p. 709 (1910).—*Fl.*

DACTYLOSTEGIUM Nees: *Dicliptera*
sparsiflorum Nees
Mart. Fl. Bras. ix. t. 31 (1847).

DACTYLOSTEMON Klotzsch: *Actinostemon*
aegyptiacum P. Beauv.
Ettingshausen in Sitzb. Akad. Wiss. Wien, lii. I. t. 4 (1866).—*Veg.*
angustifolius Klotzsch
Ettingshausen in Sitzb. Akad. Wiss. Wien, xii. I. t. 2, fig. 7 (1854).—*Veg.*
glabrescens Klotzsch
Wiegmann, Archiv Naturg. vii. I. t. 8 (1841).—*Fl.*
lasiocarpus Müll.-Arg.
Mart. Fl. Bras. xi. II. t. 83 (1874).
verticillatus Klotzsch
Mart. Fl. Bras. xi. II. t. 83 (1874).

DADIA Vell.
lixa Vell.
Vellozo, Fl. Flum. viii. t. 86 (1827).
macrophyllus T. Anders.
*Bot. Mag. cix. t. 6686 (1883).

DAEDALACANTHUS T. Anders.: *Eranthemum* Linn.
nervosus T. Anders.
Ic. Pl. China nasc. Bibl. Braam. t. [8] (1821); fide Kew MS.

DAEDALACANTHUS
nervosus
Gard. Chron. xxi. 415 (1884).
Garten-Zeit. Berlin, iii. 399 (1884).
L. H. Bailey, Cycl. Amer. Hort. 444 (1900); Stand. Cycl. Hort. 951 (1914).
parvus C. B. Clarke
Gard. Chron. Ser. III. xxxii. 311 (1902).
Journ. Roy. Hort. Soc. London, xxvii. Proc. p. ccxxix (1902).
roseus T. Anders.
Basu, Ind. Med. Pl. t. 716 (1918).

DAEMIA R. Br.
aethiopica Decne.
Vierhapper in Denkschr. Akad. Wiss. Wien, lxxi. 409 (1907).—*Fl.*
caudata Vierh.
Vierhapper in Denkschr. Akad. Wiss. Wien, lxxi. t. 8, p. 409 (1907).—*Fl.*
cordata R. Br.
Engl. Jahrb. xxxv. 744 (1905).—*Fr.*
Vierhapper in Denkschr. Akad. Wiss. Wien, lxxi. 409 (1907).—*Fl.*
Cannon, Bot. Feat. Sahara (Carnegie Inst. Washington, Publ. No. 178), t. 10 (1913).—*Veg.*
Gubb, Fl. Sahar. t. 35 (1913).
cordifolia K. Schum.
Pflanzenfam. iv. 11. 257 (1895).
Engler & Drude, Veget. Erde, ix. 1. 1, p. 191 (1910).
extensa R. Br.
Wight, Ic. Pl. Ind. Or. ii. t. 596 (1840–43).
Vierhapper in Denkschr. Akad. Wiss. Wien, lxxi. 409 (1907).—*Fl.*
Talbot, For. Fl. Bombay, ii. 244 (1911).
Basu, Ind. Med. Pl. t. 623 (1918).
incana Decne.
Ann. Sc. Nat. Paris, Ser. II. ix. t. 12 (1838).—*Fl.*
quinquepartita F. Muell.
F. Mueller, Key Syst. Victorian Pl. ii. fig. 102 a, b (1885).
tomentosa Pomel
Vierhapper in Denkschr. Akad. Wiss. Wien, lxxi. 409 (1907).—*Fl.*

DAEMONOROPS Bl.: *Calamus*
acamptostachys Becc.
Ann. Bot. Gard. Calcutta, xii. t. 96 (1911).
acanthobolus Becc.
Ann. Bot. Gard. Calcutta, xii. t. 85–86 (1911).
accedens Bl.
*Blume, Rumphia, ii. t. 133 (1836).
Gard. Chron. 1872, p. 12.—*Hab.*
adspersus Bl.
*Blume, Rumphia, iii. t. 142, 143 (1847).
angustifolius Mart.
Ann. Bot. Gard. Calcutta, xii. t. 18 (1911).
annulatus Becc.
Ann. Bot. Gard. Calcutta, xii. t. 72 (1911).
arvensis Becc.
Ann. Bot. Gard. Calcutta, xii. t. 5 (1911).
asteracanthus Becc.
Ann. Bot. Gard. Calcutta, xii. t. 107 (1911).
bakauensis Becc.
Ann. Bot. Gard. Calcutta, xii. t. 100 (1911).
barbatus Bl.
*Blume, Rumphia, iii. t. 145 (1847).
Binnendijkii Becc.
Ann. Bot. Gard. Calcutta, xii. t. 17 (1911).
calapparius Bl.
Rumphius, Herb. Amboin. v. t. 51 (1747); fide Merrill, Interpret. Rumph. Herb. Amboin.
calicarpus Mart.
*Martius, Palm. iii. t. 175 (1823–50).—*Fr.*
Ann. Bot. Gard. Calcutta, xii. t. 34 (1911).
Clemensianus Becc.
Ann. Bot. Gard. Calcutta, xii. t. 67 (1911).
collariferus Becc.
Ann. Bot. Gard. Calcutta, xii. t. 79 (1911).
crinitus Bl.
*Blume, Rumphia, ii. t. 136 (1836).
Ann. Bot. Gard. Calcutta, xii. t. 71 (1911).
cristatus Becc.
Ann. Bot. Gard. Calcutta, xii. t. 83, 84 (1911).

DAEMONOROPS
Curranii Becc.
Ann. Bot. Gard. Calcutta, xii. t. 58 (1911).
depressiusculus Becc.
Ann. Bot. Gard. Calcutta, xii. t. 63 (1911).
didymophyllus Becc.
Ann. Bot. Gard. Calcutta, xii. t. 49–51 (1911).
Draco Bl.
Rumphius, Herb. Amboin. v. t. 58, fig. A, B (1747); fide Merrill, Interpret. Rumph. Herb. Amboin.
*Martius, Palm. iii. t. 175 (1823–50).—*Fr.*
*Blume, Rumphia, ii. t. 131, 132, 137 (1836).
Berg, Charakt. t. 7 a, fig. F; t. 9, fig. 107 (1861).
Lojander, Beitr. Kennt. Drachenbl. t. 1, 2 (1887).
Van Gorkom, Oost-Ind. Cult. Ed. 2, iii. 974, 975 (1919).
draconcellus Becc.
Ann. Bot. Gard. Calcutta, xii. t. 42 (1911).
elongatus Bl.
Ann. Bot. Gard. Calcutta, xii. t. 57 (1911).
fissus Bl.
*Blume, Rumphia, iii. t. 144 (1847).
Ann. Bot. Gard. Calcutta, xii. t. 15 (1911).
—— **cinnamomeus** Becc.
Ann. Bot. Gard. Calcutta, xii. t. 16 (1911).
floridus Becc.
Ann. Bot. Gard. Calcutta, xii. t. 109 (1911).
Forbesii Becc.
Ann. Bot. Gard. Calcutta, xii. t. 76 (1911).
formicarius Becc.
Ann. Bot. Gard. Calcutta, xii. t. 70 (1911).
Gaudichaudii Mart.
Ann. Bot. Gard. Calcutta, xii. t. 64 (1911).
geniculatus Mart.
*Martius, Palm. iii. t. 176 (1823–50).—*Fr.*
Ann. Bot. Gard. Calcutta, xii. t. 81, 82 (1911).
gracilipes Becc.
Ann. Bot. Gard. Calcutta, xii. t. 48 (1911).
grandis Griff.
*Martius, Palm. iii. t. 175 (1823–50).—*Fr.*
Kerchove, Palm. 178 (1878).
Ann. Bot. Gard. Calcutta, xii. t. 11 (1911).
Hallierianus Becc.
Ann. Bot. Gard. Calcutta, xii. t. 99 (1911).
heteracanthus Bl.
*Blume, Rumphia, iii. t. 139 (1847).
hirsutus Bl.
*Blume, Rumphia, ii. t. 135 (1836); iii. 163, b (1847).
hygrophilus Mart.
*Martius, Palm. i. t. z. VIII, fig. VII–XII; iii. t. 177 (1823–50).
Kerchove, Palm. 177 (1878).
Kerner, Pflanzenleben, i. 636 (1887).
Kerner & Oliv. Nat. Hist. Pl. i. 676 (1894).—*Veg.*
Hansgirg, Phyllobiol. 206 (1903).—*Veg.*
Ann. Bot. Gard. Calcutta, xii. t. 13 (1911).
hypoleucus Kurz
Journ. Asiat. Soc. Bengal, xliii. II. t. 18, 19 (1874).
hystrix Mart.
*Martius, Palm. iii. t. 176 (1823–50).—*Fr.*
Ann. Bot. Gard. Calcutta, xii. t. 55 (1911).
—— **exulans** Becc.
Ann. Bot. Gard. Calcutta, xii. t. 105 (1911).
—— **minor** Becc.
Ann. Bot. Gard. Calcutta, xii. t. 56 (1911).
imbellis Becc.
Ann. Bot. Gard. Calcutta, xii. t. 26 (1911).
intermedius Griff.
*Martius, Palm. iii. t. 175 (1823–50).—*Fr.*
Ann. Bot. Gard. Calcutta, xii. t. 20 (1911).
—— **nudinervis** Becc.
Ann. Bot. Gard. Calcutta, xii. t. 21, 22 (1911).
Jenkinsianus Griff.
*Martius, Palm. i. t. z. XXI, fig. I (1823–50).—*Fr.*
Ann. Bot. Gard. Calcutta, xii. t. 1 (t. 1, 2 in textu) (1911).
Journ. Bombay Nat. Hist. Soc. xxv. 414 (1918).—*Fr.*
kirtong Griff.
*Griffith, Palms Brit. Ind. t. 216, B (1850).
Korthalsii Bl.
Blume, Rumphia, iii. t. 163, b (1847).—*Fr.*
Ann. Bot. Gard. Calcutta, xii. t. 60 (1911).

DAEMONOROPS
Kunstleri Becc.
Ann. Bot. Gard. Calcutta, xii. t. 61 (1911).
lamprolepis Becc.
Ann. Bot. Gard. Calcutta, xii. t. 40 (1911).
leptopus Mart.
Ann. Bot. Gard. Calcutta, xii. t. 52 (1911).
Lewisianus Griff.
*Martius, Palm. iii. t. 175 (1823–50).—*Fr.*
Ann. Bot. Gard. Calcutta, xii. t. 30 (1911).
Loherianus Becc.
Ann. Bot. Gard. Calcutta, xii. t. 41 (1911).
longipes Mart.
*Martius, Palm. iii. t. 176 (1823–50).—*Fr.*
Ann. Bot. Gard. Calcutta, xii. t. 92, 93 (1911).
longispathus Becc.
Ann. Bot. Gard. Calcutta, xii. t. 94–95 (t. 2 in textu) (1911).
macrophyllus Becc.
Ann. Bot. Gard. Calcutta, xii. t. 80 (1911).
macropterus Becc.
Ann. Bot. Gard. Calcutta, xii. t. 36, 37 (1911).
malaccensis Mart.
Ann. Bot. Gard. Calcutta, xii. t. 12 (1911).
Manii Becc.
Ann. Bot. Gard. Calcutta, xii. t. 2 (1911).
manillensis Mart.
*Martius, Palm. iii. t. 175 (1823–50).—*Fr.*
Margaritae Hance
Ann. Bot. Gard. Calcutta, xii. t. 9 (1911).
—— **palawanicus** Becc.
Ann. Bot. Gard. Calcutta, xii. t. 10 (1911).
Mastersianus Mart.
*Martius, Palm. iii. t. 175 (1823–50) in ic.; *D. platyspathus Mastersianus* in textu.—*Fr.*
mattanensis Becc.
Ann. Bot. Gard. Calcutta, xii. t. 47 (1911).
melanochaetes Bl.
*Martius, Palm. iii. t. 117, 125 (1823–50).
*Blume, Rumphia, ii. t. 134, 137 (1836).
Gartenfl. xxii. 25 (1873).—*Hab.*
Koorders, Exkursionsfl. Java, i. 228 (1911).
Ann. Bot. Gard. Calcutta, xii. t. 3 (1911).
—— **macrocymbus** Becc.
Ann. Bot. Gard. Calcutta, xii. t. 4 (1911).
—— **microcarpus** Teysm. & Binn.
Ann. Bot. Gard. Calcutta, xii. t. 4 (1911).
melanolepis Mart.
*Martius, Palm. iii. t. 175 (1823–50).—*Fl.*
micracanthus Becc.
Ann. Bot. Gard. Calcutta, xii. t. 43 (1911).
microstachys Becc.
Ann. Bot. Gard. Calcutta, xii. t. 54, 104 (1911).
microthamnus Becc.
Ann. Bot. Gard. Calcutta, xii. t. 32 (1911).
mirabilis oligocyclis Becc.
Ann. Bot. Gard. Calcutta, xii. t. 73 (1911).
mollis Merr.
W. H. Brown & E. D. Merrill in Bull. Philip. Isl. Dep. Agric. Bur. Forestry, No. 18, t. 29 (1919); No. 22, p. 207, t. 29 (1920).
monticola Griff.
*Martius, Palm. iii. t. 175 (1823–50).—*Fr.*
—— **pinangianus** Becc.
Ann. Bot. Gard. Calcutta, xii. t. 29 (1911).
niger Bl.
Rumphius, Herb. Amboin. v. t. 52 (1747); fide Merrill, Interpret. Rumph. Herb. Amboin.
oblongus Bl.
*Blume, Rumphia, iii. t. 140, 141 (1847).
Ann. Bot. Gard. Calcutta, xii. t. 59 (1911).
ochrolepis Becc.
Ann. Bot. Gard. Calcutta, xii. t. 65 (1911).
—— **radulosus** Becc.
Ann. Bot. Gard. Calcutta, xii. t. 66 (1911).
oligophyllus Becc.
Ann. Bot. Gard. Calcutta, xii. t. 78 (1911).
ornatus Mart.
Berg, Charakt. t. 109, fig. B, C (1861).—*Fl.*
oxycarpus Becc.
Ann. Bot. Gard. Calcutta, xii. t. 53 (1911).
pachyrostris Becc.
Ann. Bot. Gard. Calcutta, xii. t. 98 (1911).
palimbanicus Bl.
Blume, Rumphia, iii. t. 163, b (1847).
Florist, 1873, p. 136.

DAEMONOROPS
palimbanicus
Gard. Month. & Hort., Meehan, xix. 238 (1877).
Ill. Gartenzeit. Stuttgart, xxii. t. 12 (1878).
Ann. Bot. Gard. Calcutta, xii. t. 6 (1911).
periacanthus Miq.
Ann. Bot. Gard. Calcutta, xii. t. 88–90 (1911).
petiolaris Mart.
Ann. Bot. Gard. Calcutta, xii. t. 31 (1911).
Pierreanus Becc.
Ann. Bot. Gard. Calcutta, xii. t. 8 (1911).
platyspathus Masterianus Mart.
*Martius, Palm. iii. t. 175 (1823–50) in textu; *D. Masterianus* in ic.—*Fr.*
plumosus Hort.
Gard. Chron. 1870, p. 1086.—*Hab.*
Florist, 1871, p. 39.
propinquus Becc.
Ann. Bot. Gard. Calcutta, xii. t. 44, 45 (1911).
pseudo-mirabilis Becc.
Ann. Bot. Gard. Calcutta, xii. t. 74, 75 (1911).
pseudo-sepal Becc.
Ann. Bot. Gard. Calcutta, xii. t. 25 (1911).
robustus Warb.
Ann. Bot. Gard. Calcutta, xii. t. 39 (1911).
ruber Mart.
Ann. Bot. Gard. Calcutta, xii. t. 46 (1911).
ruptilis Becc.
Ann. Bot. Gard. Calcutta, xii. t. 97 (1911).
sabut Becc.
Ann. Bot. Gard. Calcutta, xii. t. 77 (1911).
Sarasinorum Warb.
Ann. Bot. Gard. Calcutta, xii. t. 38 (1911).
scapigerus Becc.
Ann. Bot. Gard. Calcutta, xii. t. 87 (1911).
Schmidtianus Becc.
Ann. Bot. Gard. Calcutta, xii. t. 7 (1911).
Scortechinii Becc.
Ann. Bot. Gard. Calcutta, xii. t. 27 (1911).
sepal Becc.
Ann. Bot. Gard. Calcutta, xxi. t. 24 (1911).
singalanus Becc.
Ann. Bot. Gard. Calcutta, xii. t. 28 (1911).
sparsiflorus crassifolius Becc.
Ann. Bot. Gard. Calcutta, xii. t. 103 (1911).
—— **sarawakensis** Becc.
Ann. Bot. Gard. Calcutta, xii. t. 101, 102 (1911).
spectabilis Becc.
Ann. Bot. Gard. Calcutta, xii. t. 108 (1911).
stenophyllus Becc.
Ann. Bot. Gard. Calcutta, xii. t. 14 (1911).
strictus Bl.
Blume, Rumphia, iii. t. 163, b (1847).
tabacinus Becc.
Ann. Bot. Gard. Calcutta, xii. t. 33 (1911).
Treubianus Becc.
Ann. Bot. Gard. Calcutta, xii. t. 23 (1911).
trichrous Miq.
Ann. Bot. Gard. Calcutta, xii. t. 19 (1911).
turbinatus Becc.
Ann. Bot. Gard. Calcutta, xii. t. 106 (1911).
ursinus Becc.
Ann. Bot. Gard. Calcutta, xii. t. 35 (1911).
vagans Becc.
Ann. Bot. Gard. Calcutta, xii. t. 62 (1911).
verticillaris Mart.
*Martius, Palm. iii. t. 175 (1823–50).—*Fr.*
Gard. Chron. 1873, p. 1175.—*Hab.*
Ann. Bot. Gard. Calcutta, xii.t. 68, 69 (1911).
virescens Becc.
Ann. Bot. Gard. Calcutta, xii. t. 91 (1911).

DAHLIA Cav.
arborea Regel
*Neubert's Deutsch. Gart. Mag. xxiv. 8 (1871).
Barkeriae Knowles & Westc.
*Knowles & Westc. Floral Cab. iii. t. 127 (1840).
bidentifolia Salisb.
*Salisbury, Parad. Londin. i. t. 19 (1805).
Cactus atlanta Hort.
Semaine Hort. 1898, p. 340.—*Fl.*
cambrai Hort.
Gard. Chron. Ser. III. lxiv. 156 (1918).—*Fl.*
canopus Hort.
Gard. Chron. Ser. III. lvi. 254 (1914).—*Fl.*

DAHLIA
coccinea Cav.
Cavanilles, Ic. iii. t. 266 (1794).
*Allg. Teutsch. Gart. Mag. i. t. 24, fig. 2 (1804).
*Ann. Mus. Hist. Nat. Paris, iii. 443 (1804).
*Bot. Mag. xx. t. 762 (1804).
*Joh. Kerner, Hort. Sempervir. t. 317 (1811).
*J. W. Loudon, Ladies' Fl.-Gard. Ornam. Perenn. ii. 47 (1844).
Decaisne & Naud. Amat. Jard. ii. 634 [1862–66].
Decaisne, Naud. & Hemsl. Trees, Shrubs & Herb. Pl. 238 (1873).
Gard. Chron. xii. 525, 785 (1879); Ser. III. vi. 279 (1889); lx. 108 (1916).
Florist, 1880, p. 53, t. 519.
W. Robinson, Engl. Fl. Gard. t. 90 (1883).—*Hab.*
Nicholson, Illustr. Dict. Gard. i. 432 [1884–88].
Gartenfl. xxxv. 212 (1886).—*Hab.*
Pflanzenfam. iv. v. 240 (1890).—*Fl.*
Rev. Hort. 1896, p. 423.
L. H. Bailey, Cycl. Amer. Hort. 451 (1900); Stand. Cycl. Hort. 954 (1914).
Jardin, xxiv. 357 (1910).
—— **crocea** Willd.
*Joh. Kerner, Hort. Sempervir. t. 299 (1811).
—— **flava** Hort.
*Joh. Kerner, Hort. Sempervir. t. 316 (1811).
coronata Hort.
Jardin, xxiv. 156, 357 (1910).
Rev. Hort. Belge, xxxviii. 111 (1912).
cosmiflora Jacques
*Journ. Jard. 1840, p. 345.
crocata Lag.
McDonald, Dict. Pract. Gard. i. t. 19 (1807).
S. Edwards, New Bot. Gard. i. t. 19 (1812).
*J. W. Loudon, Ladies' Fl.-Gard. Ornam. Perenn. ii. t. 47 (1844).
Decaisneana Verlot
*Rev. Hort. 1864, p. 31.
delicata Hort.
Krelage in Tijdschr. Tuinb. Ed. Bos, iii. fig. 39 (1898).
excelsa Benth.
*Maund, Botanist, ii. t. 88 (1838).
*Horticulteur Univ. ii. 116 (1841).
!Gard. Chron. xix. 80 (1883); Ser. III. xxvii. 85 (1900).—*Fl.*
Gallia Hort.
Wien. Ill. Gart.-Zeit. xxviii. 69 (1903).—*Fl.*
Germania Hort.
Wien. Ill. Gart.-Zeit. xxix. 223 (1904).—*Fl.*
glabrata Lindl.
*Bot. Reg. xxvi. t. 29 (1840).
*Bot. Mag. lxvii. t. 3878 (1841).
*J. W. Loudon, Ladies' Fl.-Gard. Ornam. Perenn. ii. t. 47 (1844).
Journ. Hort. Ser. III. iii. 285 (1882).
gloriosa Hort.
Krelage in Tijdschr. Tuinb. Ed. Bos, iii. fig. 41 (1898).—*Fl.*
gracilis Ortgies
*Gartenfl. xxv. t. 861 (1876).
*Ill. Gartenzeit. Stuttgart, xxvi. t. 25 (1882).
Belg. Hort. xxxiii. 39 (1883).
Bull. Soc. Tosc. Ortic. viii. 14, 15 (1883).
Garten-Zeit. Berlin, ii. 29 (1883).
W. Robinson, Engl. Fl. Gard. t. 90 (1883).
Sempervirens, xii. 92 (1883).—*Fl.*
—— **cuprea** Hort.
*Florist, 1882, t. 561.
—— **lutea** Hort.
*Florist, 1882, t. 561.
—— **superba** Hort.
Gard. Chron. xvi. 525 (1881); Ser. III. vi. 271 (1889).
*Florist, 1882, t. 561.
imperialis Roezl
*Gartenfl. xii. t. 407, 408 (1863); lvi. 22 (1907).
*Trans. Russ. Hort. Soc. 1863, t. 133, 134.
*Bot. Mag. xcvi. t. 5813 (1870).
Florist, 1870, p. 9.
Gard. Chron. 1870, p. 459, 596; xii. 437 (1879); Ser. III. iv. 156 (1888); xxxiv. 178 (1903); lix. 16, 21 (1916).
*Rev. Hort. 1872, p. 170; 1911, p. 62, 63.

DAHLIA
imperialis
*Garden, xii. 352 (1877); xxi. 363 (1882); lxi. 40 (1902); lxxx. 584 (1916).
Nicholson, Illustr. Dict. Gard. i. 432 [1884–88].—*Fl.*
American Garden, xv. 313 (1894).
A Kert (The Garden), xiv. 240 (1908).—*Fl.*
Juarezii van der Berg
*Floral Mag. N. Ser. 1879, t. 383.
Gard. Chron. xii. 433 (1879).
*Garden, xix. 472 (1881).
*Ill. Gartenzeit. Stuttgart, xxvi. t. 7 (1882).
Belg. Hort. xxxiii. 40 (1883).
Bull. Soc. Tosc. Ortic. viii. 15 (1883).—*Fl.*
Garten-Zeit. Berlin, ii. 30 (1883).
W. Robinson, Engl. Fl. Gard. t. 89 (1883).
Gartenfl. xxxiii. 21 (1884).
Nicholson, Illustr. Dict. Gard. i. 432 [1884–88].
L. H. Bailey, Cycl. Amer. Hort. 449, 450 (1900); Stand. Cycl. Hort. 953 (1914).
×**laciniata purpurea** Hort.
*Rev. Hort. 1891, p. 424.
lutea Hort.
Gard. Chron. xii. 521 (1879); Ser. III. vi. 267 (1889).—*Fl.*
Maximiliana Hort.
Garden, xvii. 57 (1880).
*Bot. Mag. cxxv. t. 7655 (1899).
Maxonii Safford
Safford in Journ. Washington Acad. Sc. ix. 372 (1919).
Journ. Heredity, xi. 264–66 (1920).—*Hab.*
Medusa Hort.
Gard. Chron. Ser. III. lxiv. 146 (1918).—*Fl.*
Merckii Lehm.
Nicholson, Illustr. Dict. Gard. i. 433 [1884–88].
L. H. Bailey, Cycl. Amer. Hort. 452 (1900); Stand. Cycl. Hort. 955 (1914).
Hegi, Ill. Fl. Mittel-Eur. vi. 1. 530 (1915).
Garden, lxxx. 491 (1916).
picta formossissima Hort.
*Glenny, Hort. Journ. i. 102 (1834).
—— **perfecta** Hort.
*Floricult. Cab. iii. 264 (1835).
pinnata Cav.
Cavanilles, Ic. i. t. 80 (1791).
*Allg. Teutsch. Gart. Mag. i. t. 24, fig. 3 (1804).
*Andrews, Bot. Rep. vi. t. 408 (1804).
*Ann. Mus. Hist. Nat. Paris, iii. 443 (1804).
McDonald, Dict. Pract. Gard. i. t. 19 (1807).
S. Edwards, New Bot. Gard. i. t. 19 (1812).
*Redouté, Choix Fl. [t. 29] (1827).
Fiori & Paol. Ic. Fl. Ital. 436 (1904).
Rev. Hort. 1906, p. 210, 211.
—— **maculata** Hort.
*Journ. Jard. 1833, p. 78.
*Hort. Belge Journ. Jard. & Amat. i. t. 24 (1834).
—— **nana** Hort.
*Andrews, Bot. Rep. vii. t. 483 (1807).
—— **variegata** Hort.
*Journ. Jard. 1833, p. 45.
Popenovii Safford
Safford in Journ. Washington Acad. Sc. ix. 370 (1919).
purpurea Poir.
*Mordant de Launay, Herb. Amat. v. t. 291 (1821).
Lamarck, Ill. vi. t. 984 (1823).
*Piccioli, Antotr. Colt. Fiori, ii. t. 51 (1834).
rosea Cav.
Cavanilles, Ic. iii. t. 265 (1794).
*Allg. Teutsch. Gart. Mag. i. t. 24, fig. 1 (1804).
*Ann. Mus. Hist. Nat. Paris, iii. 443 (1804).
*Géel, Sert. Bot. Cl. 19 (1832).
Irmisch in Abh. Nat. Ges. Halle, ii. t. 4, fig. 1–10 (1855).—*Veg.*
L. H. Bailey, Cycl. Amer. Hort. 448 (1900); Stand. Cycl. Hort. 952 (1914).
sambucifolia Salisb.
*Salisbury, Parad. Londin. i. t. 16 (1805).
scapigera Knowles & Westc.
*Maund, Botanist, iv. t. 161 (1840).
*Knowles & Westc. Floral Cab. iii. t. 118 (1840).
*J. W. Loudon, Ladies' Fl.-Gard. Ornam. Perenn. ii. 47 (1844).

DAHLIA
sicilia Hort.
Wien. Ill. Gart.-Zeit. xxix. 224 (1904).—*Fl.*
simplex Hort.
*Redouté, Choix Fl. [t. 28] (1827).
superflua Ait.
*Bot. Mag. xliv. t. 1885 A, B (1817).
*J. W. Loudon, Ladies' Fl.-Gard. Ornam. Perenn. ii. t. 46 (1844) in ic.; *D. variabilis* in textu, p. 4.
—— **punicea** Hort.
*Bot. Reg. i. t. 55 (1815).
—— **purpurea** Hort.
*Drapiez, Herb. Amat. Fl. iii. t. 174 (1829).
variabilis Desf.
*J. W. Loudon, Ladies' Fl.-Gard. Ornam. Perenn. ii. 4 (1844) in textu; *D. superflua* in ic. t. 46.
Berg, Charakt. t. 52, fig. 399 (1861).
Decaisne & Naud. Amat. Jard. ii. 290[1862–66].
Nov. Act. Acad. Nat. Cur. xxxv. Art. iv. t. 1 (1869).—*Fl.*
*Belg. Hort. xx. 289 (1870).—*Fl.*
*Réveil, Règne Vég. xiv. t. 18 (1870).
Decaisne, Naud. & Hemsl. Trees, Shrubs & Herb. Pl. 237 (1873).
Gard. Chron. xii. 497, 561 (1879).
*Hulme & Hibberd, Familiar Gard. Fl. v. 133 [1879–87].
W. Robinson, Engl. Fl. Gard. t. 90 (1883).
Nicholson, Illustr. Dict. Gard. i. 433 [1884–88].
Bull. Soc. Acclim. xxxix. i. 492 (1892).
*Bois, Atlas Pl. Jard. t. 146 (1896).
Rev. Hort. 1896, p. 423.
*Step, Fav. Fl. Gard. & Greenh. ii. t. 141 (1897).
*Behrens, Blattformen, t. 33, fig. d–g (1900).—*Veg.*
—— **auriculosa** Hort.
Hegi, Ill. Fl. Mittel-Eur. vi. i. 529 (1915).—*Hab.*
—— **Belladonna** Hort.
*C. McIntosh, Fl. & Pom. t. 18 (1829).
—— **fistulosa** Hort.
De Vries, Mutationsth. i. 480 (1901).—*Fl.*
—— **Juarezii** Hort.
Hegi, Ill. Fl. Mittel-Eur. vi. i. 530 (1915).
—— **ligulosa** Hort.
Hegi, Ill. Fl. Mittel-Eur. vi. i. 530 (1915).
—— **lilacina** Willd.
*Joh. Kerner, Hort. Sempervir. t. 315 (1811).
—— **purpurea** Hort.
*Joh. Kerner, Hort. Sempervir. t. 314 (1811).
—— **rosea** Willd.
*Joh. Kerner, Hort. Sempervir. t. 289 (1811).
—— **striata nana** Hort.
De Vries, Mutationsth. i. 40 (1901).
—— **viridiflora** Hort.
!*Hansen, Goethes Metamorphose der Pflanzen, t. 12, fig. 3, 4 (1907).
viridiflora Hort.
Gard. Chron. xii. 374 (1879); xxvi. 429 (1886); Ser. III. xxx. 294 (1901).
Tribune Hort. ii. 629 (1907).—*Fl.*
Yuarezii = *Juarezii*
×**Zenobia** Hort.
*Fl. des Serres, Ser. I. vi. t. 556 (1850–51).
zimapani Roezl
Jardin, xxvi. 173 (1912).

DAHLIA Thunb.: *Trichocladus*
crinita Thunb.
Skrivt. Nat. Selsk. Kjöbenhavn, Atlas, ii. i. t. 4 (1792).

DAHLSTEDTIA Malme
pinnata Malme
Arkiv Bot. Stockholm, iv. No. 9, t. 1 (1905).

DAIS Linn.
coccinea Gaudich.
Freycinet, Voyage, t. 44 (1826).
cotonifolia Linn.
*Meerburg, Afb. Zeld. Gewass, t. 6 (1785).
Gaertner, Fruct. i. t. 39 (1788).—*Fr.*
*Meerburg, Pl. Rar. t. 6 (1789).
*Bot. Mag. v. t. 147 (1791).
Lamarck, Ill. ii. t. 368, fig. 1 (1797).
*Moriarty, Viridarium, Col. Plates Greenh. Pl. t. 20 (1806).

DAIS
cotonifolia
*Mordant de Launay, Herb. Amat. iv. t. 214 (1820).
*Drapiez, Herb. Amat. Fl. vii. t. 522 (1834).
*Spach, Hist. Nat. Vég. Phan. Atlas, t. 66 (1846).
Agardh, Theor. Syst. Pl. t. 15 (1858).—*Fl.*
Baillon, Hist. Pl. vi. 107 (1877).—*Fl.*
*Garden, xl. 398 (1891).
Wood, Natal Pl. iv. 1. t. 308 (1903).
Borzi, Contrib. Biol. Veg. iv. 1. t. 1, fig. 3 (1905).—*Veg.*
Sim, For. Fl. Cape Colony, t. 153 (1907).
glaucescens Decne.
Grandidier, Hist. Madag. [Plantes] Atlas, t. 316 (1896).
gnidioides Baker
Grandidier, Hist. Madag. [Plantes] Atlas, t. 317 (1895).
laurifolia Jacq.
*Jacquin, Ic. Pl. Rar. i. t. 77 (1781–86).
linifolia Lam.
Lamarck, Ill. ii. t. 368, fig. 3 (1797).
madagascariensis Lam.
Lamarck, Ill. ii. t. 368, fig. 2 (1797).
octandra Linn.
N. L. Burman, Fl. Ind. t. 32 (1768).
rhamnifolia Baill.
Grandidier, Hist. Madag. [Plantes] Atlas, t. 318 (1895).
spicata Endl.
Endlicher & Fenzl, Sertum. Cab. fasc. 1, t. 3 (1836).

DALBERGARIA Tuss.: *Columnea*
phoenicea Tuss.
*Tussac, Fl. Antilles, i. t. 19 (1808).

DALBERGIA Linn. f.—Vide *Acouroa, Amerimnon, Hecastophyllum, Miscolobium, Pterocarpus* Berg, *Triptolemaea*
acaciifolia Dalz.
Ann. Bot. Gard. Calcutta, x. t. 47 (1904).
Albertisii Prain
Ann. Bot. Gard. Calcutta, x. t. 5 (1904).
armata E. Mey.
Wood & Evans, Natal Pl. i. ii. t. 79 (1899).
Sim, For. Fl. Cape Colony, t. 51 (1907).
assamica Benth.
Ann. Bot. Gard. Calcutta, x. t. 71 (1904).
Balansae Prain
Ann. Bot. Gard. Calcutta, x. t. 72 (1904).
Barclayi Telf.
*Hooker, Exot. Fl. iii. t. 188 (1827).
*Joh. Kerner, Hort. Sempervir. t. 824 (1830).
bariensis Pierre
Pierre, Fl. For. Cochinch. v. t. 380 (1898).
Ann. Bot. Gard. Calcutta, x. t. 80 (1904).
Beccarii Prain
Ann. Bot. Gard. Calcutta, x. t. 6 (1904).
Benthamii Prain
Ann. Bot. Gard. Calcutta, x. t. 39 (1904).
Bernieri Baill.
Grandidier, Hist. Madag. [Plantes] Atlas, t. 41 (1886).
Boniana Gagnep.
Lecomte, Fl. Gén. Indo-Chine, ii. 481 (1916).
borneensis Prain
Ann. Bot. Gard. Calcutta, x. t. 57 (1904).
brasiliensis Vog.
Pflanzenfam. iii. III. 82 (1891).—*Fl.*
Velenovsky, Vergl. Morphol. Pfl. iii. 790 (1910).
Brownei Urb.
Browne, Hist. Jamaica, Ed. 2, t. 31, fig. 3 (1789); fide Rendle & Fawcett.
Fawcett & Rendle, Fl. Jamaica, iv. II. 77 (1920).
burmanica Prain
Ann. Bot. Gard. Calcutta, x. t. 51 (1904).
cambodiana Pierre
Pierre, Fl. For. Cochinch. v. t. 383 (1898).
Ann. Bot. Gard. Calcutta, x. t. 60 (1904).
cana R. Grah.
Ann. Bot. Gard. Calcutta, x. t. 84 (1904).
ceylanica Roxb.
Ralph, Ic. Carpolog. t. 27 (1849).—*Fr.*

DALBERGIA
cochinchinensis Pierre
Pierre, Fl. For. Cochinch. v. t. 382 (1898).
Ann. Bot. Gard. Calcutta, x. t. 64 (1904).
Collettii Prain
Ann. Bot. Gard. Calcutta, x. t. 30 (1904).
confertiflora Benth.
Ann. Bot. Gard. Calcutta, x. t. 28 (1904).
congesta R. Grah.
Ann. Bot. Gard. Calcutta, x. t. 43 (1904).
coromandeliana Prain
Ann. Bot. Gard. Calcutta, x. t. 21 (1904).
cultrata R. Grah.
Ralph, Ic. Carpolog. t. 27 (1849).—*Fr.*
Ann. Bot. Gard. Calcutta, x. t. 32 (1904).
Cumingiana Benth.
Ann. Bot. Gard. Calcutta, x. t. 7 (1904).
Curtisii Prain
Ann. Bot. Gard. Calcutta, x. t. 16 (1904).
densa Benth.
Ann. Bot. Gard. Calcutta, x. t. 53 (1904).
—— **australis** Prain
Ann. Bot. Gard. Calcutta, x. t. 54 (1904).
discolor Bl.
Miquel, Fl. Ned. Ind. i. t. 3 (1855).—*Fr.*
Ann. Bot. Gard. Calcutta, x. t. 10 (1904).
dongnaiensis Pierre
Pierre, Fl. For. Cochinch. v. t. 382 (1898).
Ann. Bot. Gard. Calcutta, x. t. 81 (1904).
Duperreana Pierre
Pierre, Fl. For. Cochinch. v. t. 381 (1898).
Ann. Bot. Gard. Calcutta, x. t. 82 (1904).
Dyeriana Prain
Ann. Bot. Gard. Calcutta, x. t. 27 (1904).
enneandra Hoehne
Hoehne in Comm. Linh. Telegraph. Matto Grosso Amaz. Annexo No. 5, Bot. viii. t. 149, 159 (1919).
falcata Prain
Ann. Bot. Gard. Calcutta, x. t. 89 (1904).
ferruginea Roxb.
Ann. Bot. Gard. Calcutta, x. t. 86 (1904).
ferrugineo-tomentosa Hoehne
Hoehne in Comm. Linh. Telegraph. Matto Grosso Amaz. Annexo No. 5, Bot. viii. t. 150, 159 (1919).
foliacea Wall.
Ralph, Ic. Carpolog. t. 27 (1849); errore *D. foliosa.*—*Fr.*
Ann. Bot. Gard. Calcutta, x. t. 31 (1904).
foliolosa Benth.
Mart. Fl. Bras. xv. i. t. 62 (1862).
Forbesii Prain
Ann. Bot. Gard. Calcutta, x. t. 12 (1904).
frondosa Roxb.
Wight, Ic. Pl. Ind. Or. i. t. 266 (1840).
Ralph, Ic. Carpolog. t. 26 (1849).—*Fr.*
fusca Pierre
Pierre, Fl. For. Cochinch. v. t. 381 (1898).
Ann. Bot. Gard. Calcutta, x. t. 33 (1904).
Gardneriana Benth.
Ann. Bot. Gard. Calcutta, x. t. 44 (1904).
glaucescens Mart.
Mart. Fl. Bras. xv. i. t. 61 (1862).
glomeriflora Kurz
Ann. Bot. Gard. Calcutta, x. t. 6 (1904).
Godefroyi Prain
Ann. Bot. Gard. Calcutta, x. t. 88 (1904).
Hancei Benth.
Ann. Bot. Gard. Calcutta, x. t. 26 (1904).
Harmsiana De Wild.
De Wildeman, Études Fl. Katanga (Ann. Mus. Congo), i. t. 45 (1903).
Havilandii Prain
Ann. Bot. Gard. Calcutta, x. t. 35 (1904).
Hemsleyi Prain
Ann. Bot. Gard. Calcutta, x. t. 77 (1904).
Henryana Prain
Ann. Bot. Gard. Calcutta, x. t. 38 (1904).
hiemalis Malme
Bih. Svenska Vet. Akad. Handl. xxv. III. No. 11, t. 1 (1900).
Hoseana Prain
Ann. Bot. Gard. Calcutta, x. t. 45 (1904).
Hullettii Prain
Ann. Bot. Gard. Calcutta, x. t. 35 (1904).

DALBERGIA
hupeana Hance
Hook. Ic. Pl. xx. t. 1968 (1891).
Kew Bull. 1903, p. 25.
Ann. Bot. Gard. Calcutta, x. t. 70 (1904).
Wilson, Veg. West. China (Publ. Arn. Arb. No. 2), 198, 200 (1911).—*Hab.*
Wilson, Arn. Arb. Exped. China, 1910–11, t. 0247 (1912).—*Hab.*
—— **laccifera** Eberh. & Dub.
Bull. Mus. Hist. Nat. Paris, xv. t. 5 (1909).
ikopensis Jum.
Ann. Mus. Col. Marseille, Ser. II. v. 362, t. 2 (1907); viii. 146–47 (1910).—*Fr.*
inundata Spruce
Mart. Fl. Bras. xv. 1. t. 61 (1862).
Jaheri Buerck
Ann. Bot. Gard. Calcutta, x. t. 50 (1904).
Junghuhnii Benth.
Ann. Bot. Gard. Calcutta, x. t. 14 (1904).
Kingiana Prain
Ann. Bot. Gard. Calcutta, x. t. 37 (1904).
Kunstleri Prain
Ann. Bot. Gard. Calcutta, x. t. 90 (1904).
Kurzii Prain
Ann. Bot. Gard. Calcutta, x. t. 83 (1904).
Brandis, Indian Trees, 237 (1906).—*Fr.*
lakhonensis Gagnep.
Lecomte, Fl. Gén. Indo - Chine, ii. 488 (1916).
lanceolaria Linn. f.
Ann. Bot. Gard. Calcutta, x. t. 76 (1904).
Brandis, Indian Trees, 235 (1906).
Basu, Ind. Med. Pl. t. 337 (1918).
lanceolata Lam.
Lamarck, Ill. iii. t. 601, fig. 1 (1797).—*Fl.*
latifolia Roxb.
*Roxburgh, Pl. Coromandel, ii. t. 113 (1798).
*Trattinick, Ausw. Gartenpfl. i. t. 94 (1821).
Wight, Ic. Pl. Ind. Or. iii. t. 1156 (1846).
Ralph, Ic. Carpolog. t. 26 (1849).—*Fr.*
Beddome, Fl. Sylv. t. 24 (1869).
Ann. Bot. Gard. Calcutta, x. t. 62 (1904).
Talbot, For. Fl. Bombay, i. 424 (1909).
Koorders & Val. Atlas Baumart. Java, t. 16 (1913).
Ind. Forester, xlvi. t. 23 (1920).—*Hab.*
laxiflora Micheli
Bull. Soc. Bot. Belg. xxxvi. II. t. 4 (1897).
linga (Auct.?)
Ewart in Ann. Jard. Bot. Buitenzorg, xv. 227, t. 19 (1898).
malabarica Prain
Ann. Bot. Gard. Calcutta, x. t. 46 (1904).
mammosa Pierre
Pierre, Fl. For. Cochinch. v. t. 380 (1898).
Ann. Bot. Gard. Calcutta, x. t. 79 (1904).
marginata Roxb.
Wight, Ic. Pl. Ind. Or. i. t. 87 (1838).
Ralph, Ic. Carpolog. t. 26 (1849).—*Fr.*
melanoxylon Guill. & Perr.
*Guillemin, Perrottet & Richard, Fl. Seneg. Tent. t. 53 (1830–33).
Ralph, Ic. Carpolog. t. 26 (1849).—*Fr.*
Baillon, Hist. Pl. ii. 223 (1870).—*Fl.*
Tropenpfl. v. 26 (1901).—*Hab.*
Ann. Bot. Gard. Calcutta, x. t. 22 (1904).
H. H. Johnston, Liberia, i. 411 (1906).
Fiori, Boschi e Piante Legn. Eritrea, 186 (1909–12).
Engler & Drude, Veget. Erde, ix. 1. 1, p. 89, 390 (1910); ix. III. 1, p. 629 (1915).
Agric. Colon., Ital. v. 198 (1911).
menoeides Prain
Ann. Bot. Gard. Calcutta, x. t. 41 (1904).
Millettii Benth.
Ann. Bot. Gard. Calcutta, x. t. 23 (1904).
mimosoides Franch.
Ann. Bot. Gard. Calcutta, x. t. 25 (1904).
minahassae Koord.
Ann. Bot. Gard. Calcutta, x. t. 73 (1904).
mirabilis DC.
Ettingshausen in Sitzb. Akad. Wiss. Wien, xii. IV. t. 14, fig. 11 (1854).—*Veg.*
Ettingshausen, Blatt-Skel. Dikot. 216, t. 94 (1861).—*Veg.*

DALBERGIA
Miscolobium Benth.
Mart. Fl. Bras. xv. 1. t. 60 (1862).
monetaria Linn. f.
Lamarck, Ill. iii. t. 601, fig. 2 (1797).
Pflanzenfam. iii. III. 334 (1894).—*Fr.*
Engler & Drude, Veget. Erde, ix. 1. 2. t. 44 (1910).—*Hab.*
monosperma Dalz.
Miquel, Fl. Ned. Ind. i. t. 3 (1855).—*Fr.*
multiflora Heyne
Ann. Bot. Gard. Calcutta, x. t. 18 (1904).
nigra Allem.
Saldanha da Gama, Config. & Estudo Bot. Veg. Janeiro, ii. t. 3 (1872).
obovata E. Mey.
Wood, Natal Pl. iv. 1. t. 309 (1903).
Sim, For. Fl. Cape Colony, t. 51 (1907).
obtusifolia Prain
Ann. Bot. Gard. Calcutta, x. t. 58 (1904).
Oliveri Gamble
Ann. Bot. Gard. Calcutta, x. t. 75 (1904).
ougeinensis Roxb.
Wight, Ic. Pl. Ind. Or. ii. t. 391 (1840–43).
Ralph, Ic. Carpolog. t. 26 (1849).—*Fr.*
ovata R. Grah.
Ann. Bot. Gard. Calcutta, x. t. 59 (1904).
paniculata Roxb.
Rheede, Hort. Mal. v. t. 58 (1685); fide Hasskarl, Hort. Mal. Rheed. Clavis, 45.—*Veg.*
*Roxburgh, Pl. Coromandel, ii. t. 114 (1798).
*Trattinick, Ausw. Gartenpfl. i. t. 95 (1821).
Ralph, Ic. Carpolog. t. 26 (1849).—*Fr.*
Ann. Bot. Gard. Calcutta, x. t. 68 (1904).
Brandis, Indian Trees, 236 (1906).
—— **saigonensis** Prain
Ann. Bot. Gard. Calcutta, x. t. 69 (1904).
parviflora Roxb.
Rumphius, Herb. Amboin. v. t. 13 (1747); fide Merrill, Interpret. Rumph. Herb. Amboin.
Ann. Bot. Gard. Calcutta, x. t. 8 (1904).
Perrieri Drake
Ann. Mus. Col. Marseille, Ser. II. v. t. 2 (1907); viii. 146–47 (1910).—*Fr.*
phyllanthoides Bl.
Ann. Bot. Gard. Calcutta, x. t. 19 (1904).
—— **sennoides** Prain
Ann. Bot. Gard. Calcutta, x. t. 20 (1904).
Pierreana Prain
Ann. Bot. Gard. Calcutta, x. t. 52 (1904).
polyadelpha Prain
Ann. Bot. Gard. Calcutta, x. t. 65 (1904).
polyphylla Benth.
Ann. Bot. Gard. Calcutta, x. t. 49 (1904).
pseudo-sissoo Miq.
!Ann. Jard. Bot. Buitenzorg, xix. t. 21, fig. 47 (1904).—*Veg.*
purpurascens Baill.
Grandidier, Hist. Madag. [Plantes] Atlas, t. 40 (1886).
reniformis Roxb.
Wight, Ic. Pl. Ind. Or. i. t. 261 (1840).
Ralph, Ic. Carpolog. t. 26 (1849).—*Fr.*
Ann. Bot. Gard. Calcutta, x. t. 91 (1904).
Richardii Baill.
Grandidier, Hist. Madag. [Plantes] Atlas, t. 42 (1886).
rimosa Roxb.
Wight, Ic. Pl. Ind. Or. i. t. 262 (1840).
Ralph, Ic. Carpolog. t. 26 (1849).—*Fr.*
Ann. Bot. Gard. Calcutta, x. t. 11 (1904).
Brandis, Indian Trees, 233 (1906).
riparia Benth.
Mart. Fl. Bras. xv. 1. t. 59 (1862).
robusta Roxb.
Wight, Ic. Pl. Ind. Or. i. t. 244 (1840).
Ralph, Ic. Carpolog. t. 26 (1849).—*Fr.*
rostrata R. Grah.
Ann. Bot. Gard. Calcutta, x. t. 36 (1904).
rubiginosa Roxb.
*Roxburgh, Pl. Coromandel, ii. t. 115 (1798).
*Trattinick, Ausw. Gartenpfl. i. t. 96 (1821).
Ann. Bot. Gard. Calcutta, x. t. 40 (1904).
sacerdotum Prain
Ann. Bot. Gard. Calcutta, x. t. 67 (1904).

DALBERGIA
scandens Roxb.
*Roxburgh, Pl. Coromandel, ii. t. 192 (1798).
Scortechinii Prain
Ann. Bot. Gard. Calcutta, x. t. 15 (1904).
sericea G. Don
Ann. Bot. Gard. Calcutta, x. t. 66 (1904).
sissoides R. Grah.
Ann. Bot. Gard. Calcutta, x. t. 63 (1904).
sissoo Roxb.
Ralph, Ic. Carpolog. t. 27 (1849).—*Fr.*
Beddome, Fl. Sylv. t. 25 (1869).
Brandis, Illustr. For. Fl. N. W. & Centr. Ind. t. 24 (1874).
Ann. Bot. Gard. Calcutta, x. t. 34 (1904).
Ind. Forester, xxxiii. t. 6 (1907); xliv. t. 26, 27 (1918).—*Hab.*
Talbot, For. Fl. Bombay, i. 423 (1909).
R. S. Pearson, Comm. Guide For. Econ. Prod. Ind. t. 2 (1912).—*Hab.*
Basu, Ind. Med. Pl. t. 334 (1918).
spinosa Roxb.
Ann. Bot. Gard. Calcutta, x. t. 9 (1904).
Basu, Ind. Med. Pl. t. 338 (1918).
stenophylla Prain
Ann. Bot. Gard. Calcutta, x. t. 24 (1904).
stercoracea Maing.
Ann. Bot. Gard. Calcutta, x. t. 17 (1904).
stipulacea Roxb.
Wight, Ic. Pl. Ind. Or. i. t. 243 (1840); errore *D. stipulata.*
Vidal, Sin. Fam. & Gen. Pl. Leñ. Filip. (Introd. Fl. For. Filip.), Atlas, t. 40, fig. C (1883).—*Fr.*
Ann. Bot. Gard. Calcutta, x. t. 87 (1904).
Brandis, Indian Trees, 238 (1906).
sympathetica Nimmo
Talbot, For. Fl. Bombay, i. 427 (1909).
Basu, Ind. Med. Pl. t. 335 (1918).
szemaoënsis Prain
Ann. Bot. Gard. Calcutta, x. t. 74 (1904).
tamarindifolia Roxb.
Wight, Ic. Pl. Ind. Or. i. t. 242 (1840).
Ralph, Ic. Carpolog. t. 26 (1849).—*Fr.*
Ann. Bot. Gard. Calcutta, x. t. 48 (1904).
Thomsonii Benth.
Ann. Bot. Gard. Calcutta, x. t. 13 (1904).
Thorelii Gagnep.
Lecomte, Fl. Gén. Indo-Chine, ii. 481 (1916).
tonkinensis Prain
Ann. Bot. Gard. Calcutta, x. t. 61 (1904).
torta R. Grah.
Ann. Bot. Gard. Calcutta, x. t. 42 (1904).
variabilis Vog.
Mart. Fl. Bras. xv. 1. t. 57 (1862).
Schimper, Pflanzen-Geogr. 211 (1898).—*Veg.*
—— **tomentosa** Benth.
Mart. Fl. Bras. xv. 1. t. 58 (1862).
velutina Benth.
Ann. Bot. Gard. Calcutta, x. t. 55 (1904).
—— **Maingayi** Prain
Ann. Bot. Gard. Calcutta, x. t. 56 (1904).
volubilis Urb.
Plumier, Pl. Amer. Ed. Burm. t. 246, fig. 2 (1760); fide Urban, Fedde Repert. Beih. v. 95.
volubilis Roxb.
*Roxburgh, Pl. Coromandel, ii. t. 191 (1798).
Ann. Bot. Gard. Calcutta, x. t. 85 (1904).
Talbot, For. Fl. Bombay, i. 430 (1909).
Basu, Ind. Med. Pl. t. 336 (1918).
Wattii Clarke
Journ. Linn. Soc., Bot. xxv. t. 5 (1889).
Ann. Bot. Gard. Calcutta, x. t. 78 (1904).
yunnanensis Franch.
Ann. Bot. Gard. Calcutta, x. t. 29 (1904).
zeylanica = *ceylanica*

DALEA Gaertn.: *Microdon*
Lippiastrum Gaertn.
Gaertner, Fruct. i. t. 51 (1788).—*Fr.*

DALEA Linn.—Vide *Carroa, Parosela*
acutifolia Moc. & Sessé
A. De Candolle, Calq. Dess. Fl. Mex. Moc. & Sessé, t. 228 (1874).
agastachya Moric.
Moricand, Pl. Amér. t. 44 (1839).

DALEA
alopecuroides Nutt.
Linnaeus, Hort. Cliff. t. 22 (1737); fide DC.
*Strong, American Fl. iii. 107 (1849).
Hitchcock & Norton in Bull. Kansas Agric. St. No. 50, t. 1, fig. 22 (1895).—*Veg.*
Pammel in Iowa Geol. Surv. Bull. No. 4, p. 192, 454 (1913).
alopecurus Moric.
Moricand in Mém. Soc. Phys. & Hist. Nat. Genève, vii. t. 8 (1836).
bicolor Willd.
*Bonpland, Descr. Pl. Rar. Malm. t. 58 (1813).
*Willdenow, Hort. Berol. ii. t. 89 (1816).
*Hooker, Exot. Fl. i. t. 43 (1823).
diffusa Moric.
Moricand in Mém. Soc. Phys. & Hist. Nat. Genève, vi. t. 6 (1833).
domingensis P. DC.
Plumier, Pl. Amer. Ed. Burm. t. 42, fig. 2 (1756); fide Urban, Fedde Repert. Beih. v. 44.
Emoryi A. Gray
Rep. Expl. & Surv. Railr. Mississippi, 1853–54, v. 370, t. 2 (1856).
flavo-rosea Moc. & Sessé
A. De Candolle, Calq. Dess. Fl. Mex. Moc. & Sessé, t. 233 (1874).
formosa Torr.
Emory, Notes, 158, t. 1 (1848).
gracilis Kunth
*Kunth, Mimos. (in Humb. & Bonpl. Voy. vi), t. 48 (1819).
insignis Hemsl.
Hemsley, Biol. Centr. Amer. v. t. 15 (1880).
Jamesii Torr. & Gray
F. E. & E. S. Clements, Rocky Mt. Fl. t. 29 (1914).
Kingii S. Wats.
King U.S. Geol. Expl. v (Bot.), t. 10 (1871).
laxiflora Pursh
Pammel & King in Iowa Geol. Surv. Bull. No. 4, p. 454 (1913).—*Fr.*
Linnaei Michx.
Michaux, Fl. Bor.-Amer. ii. t. 38 (1803).
macrostachya Moric.
Moricand in Mém. Soc. Phys. & Hist. Nat. Genève, vi. t. 5 (1833).
mutabilis Willd.
*Bonpland, Descr. Pl. Rar. Malm. t. 57 (1813).
*Bot. Mag. li. t. 2486 (1824).
*J. W. Loudon, Ladies' Fl.-Gard. Ornam. Perenn. i. t. 35 (1843).
Mutisii Kunth
*Kunth, Mimos. (in Humb. & Bonpl. Voy. vi), t. 47 (1819).
ovalifolia Ort.
Ortega, Nov. Rar. Pl. Hort. Reg. Bot. Matrit. Dec. t. 3 (1797).
pectinata Kunth
*Kunth, Mimos. (in Humb. & Bonpl. Voy. vi), t. 49 (1819).
penicillata Moric.
Moricand, Pl. Amér. t. 45 (1839).
polydenia Torr. & S. Wats.
King U.S. Geol. Expl. v (Bot.), t. 9 (1871).
procumbens Moc. & Sessé
A. De Candolle, Calq. Dess. Fl. Mex. Moc. & Sessé, t. 229 (1874).
Psoralea purpurea Lam.
Lamarck, Ill. vi. t. 980 (1823).
psoraleoides Moric.
Moricand in Mém. Soc. Phys. & Hist. Nat. Genève, vi. t. 4 (1833).
pulchella Moric.
Moricand in Mém. Soc. Phys. & Hist. Nat. Genève, vii. t. 7 (1836).
purpurea Vent.
Ventenat, Jard. Cels, t. 40 [1800].
ramosissima Benth.
Bentham, Bot. Voy. Sulphur, t. 10 (1844).
scoparia A. Gray
U.S. Dep. Agric. Div. Agrost. Bull. No. 2, p. 16 (1896).
spinosa A. Gray
Rep. Expl. & Surv. Railr. Mississippi, 1853–56, vii. III. t. 3 (1857).
Sargent, Silva N. Amer. iii. t. 111 (1892).

DALEA
spinosa
Eastwood, Handb. Trees California (Occ. Papers Calif. Acad. Sc. ix), t. 39 (1905).
Sargent, Man. Trees N. Amer. 571 (1905).
Sudworth, Forest Trees Pac. Slope, 377 (1908).
Thouinii Schrank
*Schrank, Pl. Rar. Hort. Monac. i. t. 9 (1819).
trifoliolata Moric.
Moricand in Mém. Soc. Phys. & Hist. Nat. Genève, vi. t. 3 (1833).
virgata Alboff
Bull. Herb. Boiss. ii. t. 9 (1894).

DALECHAMPIA Linn.
anomala Pax & K. Hoffm.
Pflanzenreich, Euphorb.-Dalech. 25 (1919).
aristolochiifolia H. B. K.
Pflanzenreich,Euphorb.-Dalech. 47 (1919).—*Veg.*
Boiviniana Baill.
Grandidier, Hist. Madag. [Plantes] Atlas, t. 197 (1891).
capensis Spreng. f.
Lubbock, Seedlings, ii. 489 (1892).—*Veg.*
Wood, Natal Pl. vi. t. 515 (1909).
caperonioides lanceolata Müll.-Arg.
Mart. Fl. Bras. xi. II. t. 91 (1874).
Pflanzenreich, Euphorb.-Dalech. 12 (1919).
—— **obovata** Müll.-Arg.
Mart. Fl. Bras. xi. II. t. 91 (1874).
colorata Vell.
Vellozo, Fl. Flum. x. t. 58 (1827).
coriacea Klotzsch
Pflanzenreich, Euphorb.-Dalech. 41 (1919).
Didieri Baill.
Grandidier, Hist. Madag. [Plantes] Atlas, t. 198 (1891).
ficifolia Lam.
Mart. Fl. Bras. xi. II. t. 89 (1874).
glechomifolia Baill.
Pflanzenreich, Euphorb.-Dalech. 12 (1919).
guaranitica Chod. & Hassl.
Pflanzenreich, Euphorb.-Dalech. 41 (1919).
Houlletiana Baill.
Baillon, Euphorb. t. 3, fig. 31, 32 (1858).—*Fr.*
ilheotica Wawra
*Wawra, Bot. Ergebn. Reise Bras. t. 6 (1866).
indica Wight
Wight, Ic. Pl. Ind. Or. v. t. 1882 (1852).
linearis Hilariana Baill.
Pflanzenreich, Euphorb.-Dalech. 41 (1919).—*Veg.*
micrantha Poepp. & Endl.
Poeppig & Endl. Nov. Gen. & Sp. Pl. iii. t. 222 (1845).
Baillon, Euphorb. t. 4, fig. 1–5 (1858).
Pflanzenreich, Euphorb.-Dalech. 8 (1919).
monophylla Vell.
Vellozo, Fl. Flum. x. t. 61 (1827).
papposa Endl.
Endlicher, Atakta Bot. t. 20, 21 (1833).
pentaphylla Lam.
Jussieu, Euphorb. t. 17 (1824).—*Fl.*
Vellozo, Fl. Flum. x. t. 59 (1827).
Baillon, Euphorb. t. 3, fig. 33 (1858).—*Fr.*
Pflanzenreich, Euphorb.-Dalech. 6 (1919).
Roezliana Müll.-Arg.
*Bot. Mag. xciii. t. 5640 (1867).
*Horticulteur Franç. 1869, t. 8.
Sempervirens, viii. 372 (1879).
Pflanzenfam. iii. v. 9, 68 (1890).
Velenovsky, Vergl. Morphol. Pfl. iii. 839 (1910).—*Fl.*
Goebel, Organogr. Pfl. Ed. 2, i. 165 (1913).—*Fl.*
Glück, Blatt- & Blütenmorph. Stud. 298 (1919).—*Veg.*
—— **rosea** Müll.-Arg.
*Fl. des Serres, Ser. II. vi. t. 1701, 1702 (1865–67).
Florist, 1867, p. 80.
*Gartenfl. xvi. t. 532 (1867).
*Floral Mag. vii. t. 373, 374 (1868).
scandens Linn.
Jacquin, Sel. Stirp. Amer. Hist. t. 160 (1763).
Buchoz, Hist. Règne Vég. i. Dec. 8, t. 1 (1773).
*Jacquin,Sel.Stirp. Amer. Hist. Picta, t. 239 [1780].
*Buchoz, Herb. Col. Amér. [t. 77] (1783).

DALECHAMPIA
scandens Vell.
Vellozo, Fl. Flum. x. t. 57 (1827).
sinuata Baill.
Grandidier, Hist. Madag. [Plantes] Atlas, t. 199 (1891).
spathulata Baill.
Baillon, Euphorb. t. 3, fig. 16–30 (1858).
Baillon, Hist. Pl. v. 128, 129 (1874).
—— **rosea** Pax & K. Hoffm.
Pflanzenreich, Euphorb.-Dalech. 10 (1919).
stipulacea minor Müll.-Arg.
Mart. Fl. Bras. xi. II. t. 88 (1874).
tenuiramea genuina Pax & K. Hoffm.
Pflanzenreich, Euphorb.-Dalech. 47 (1919).—*Veg.*
tiliifolia Lam.
Pflanzenreich, Euphorb.-Dalech. 38 (1919).
triphylla Lam.
Vellozo, Fl. Flum. x. t. 60 (1827).
Mart. Fl. Bras. xi. II. t. 90 (1874).
Pflanzenreich, Euphorb.-Dalech. 16 (1919).
Uleana Pax & K. Hoffm.
Pflanzenreich, Euphorb.-Dalech. 38 (1919).
velutina Wight
Wight, Ic. Pl. Ind. Or. v. t. 1881 (1852).
villosa Lam.
Lamarck, Ill. v. t. 788 (1797–1819).

DALEMBERTIA Baill.
populifolia Baill.
Baillon, Euphorb. t. 5, fig. 11, 12, 14, 15 (1858).—*Fl.*
Pflanzenfam. iii. v. 100 (1891).—*Fl.*
Pflanzenreich, Euphorb.-Hippom. 60, 269 (1912).—*Fl.*

DALENIA Korth.
pulchra Korth.
Korthals, Kruidk. (Verh. Nat. Geschied. Neder.), t. 58 (1839–42) in ic.; *D. speciosa* in textu.
Pflanzenfam. iii. VII. 178 (1893).—*Fl.*
speciosa Korth.
Korthals, Kruidk. (Verh. Nat. Geschied. Neder.), t. 58 (1839–42) in textu; *D. pulchra* in ic.
Trans. Linn. Soc. London, xxviii. t. 7, fig. 87 (1871).—*Fl.*

DALHOUSIEA R. Grah.
africana Sp. Moore
Engler & Drude, Veget. Erde, ix. I. 2, p. 631 (1910); ix. III. 1, p. 532 (1915).
bracteata R. Grah.
Wight, Ic. Pl. Ind. Or. i. t. 265 (1840).
Ralph, Ic. Carpolog. t. 40 (1849).—*Fr.*
Pflanzenfam. iii. III. 196 (1892).—*Fl.*
paucisperma Griff.
Griffith, Ic. Pl. Asiat. t. 603 (1854).—*Fr.*

DALIBARDA Linn.: *Rubus*
calycina DC.
*Royle, Illustr. Bot. Himal. t. 39 (1839).
fragarioides Michx.
Michaux, Fl. Bor.-Amer. i. t. 28 (1803).
*Bot. Mag. xxxviii. t. 1567 (1813).
Nestler, Monogr. Potentilla, t. 1 (1816).—*Fl.*
*Lodd. Bot. Cab. v. t. 408 (1820).
lobata Baldw.
Hook. Ic. Pl. i. t. 76 (1837).
repens Linn.
Dana, How to Know the Wild Fl. t. 24 (1894).
Britton & Brown, Ill. Fl. N. States & Canada, ii. 205 (1897); Ed. 2, ii. 282 (1913).
L. H. Bailey, Cycl. Amer. Hort. 454 (1900); Stand. Cycl. Hort. 961 (1914).
*House, Wild Fl. New York (Mem. No. 15 N.Y. State Mus.), i. t. 97 (1918).
ternata Steph.
Stephan, Mém. Soc. Hist. Nat. Mosc. Ed. 2, i. t. 10 [1812].
violoides Michx.
Michaux, Fl. Bor.-Amer. i. t. 27 (1803).

DALRYMPELEA Roxb.: *Turpinia*
pomifera Roxb.
*Roxburgh, Pl. Coromandel, iii. t. 279 (1819).

DALZELLIA Wight: *Lawia*
ceylanica Wight
Wight, Ic. Pl. Ind. Or. v. t. 1919 (1852) in textu; *Tulasnea ceylanica* in ic.
foliosa Wight
Wight, Ic. Pl. Ind. Or. v. t. 1919 (1852) in textu; *Tulasnea foliosa* in ic.
Lawii Wight
Wight, Ic. Pl. Ind. Or. v. t. 1919 (1852) in textu; *Tulasnea Lawii* in ic.
pedunculosa Wight
Wight, Ic. Pl. Ind. Or. v. t. 1919 (1852) in textu; *Tulasnea pedunculosa* in ic.
ramosissima Wight
Wight, Ic. Pl. Ind. Or. v. t. 1920 (1852) in textu; *Tulasnea ramosissima* in ic.

DALZIELIA Turrill
oblanceolata Turrill
Hook. Ic. Pl. xxxi. t. 3061 (1916).

DAMAPANA Adans.: *Smithia*
conferta O. Kuntze
Banks & Soland. Bot. Cook's Voy. i. t. 65 (1900).

DAMASONIUM Mill.—Vide *Actinocarpus*
Alisma Linn.
Pflanzenfam. ii. 1. 230 (1889).—*Fr.*
Fiori & Paol. Ic. Fl. Ital. 66 (1898).
Pflanzenreich, Alismatac. 8 (1903).—*Fr.*
australe Salisb.
F. Mueller, Key Syst. Victorian Pl. ii. fig. 121 (1885).
Ewart, Pl. Victoria, ii. t. 96 (1910).
californicum Torr.
Rep. Expl. & Surv. Railr. Mississippi, 1853–54, iv. t. 21 (1857) in textu; *Alisma californica* in ic.
Pflanzenreich, Alismatac. 21 (1903).—*Fl.*
polyspermum Cosson
Cosson, Ill. Fl. Atlant. ii. t. 173 (1897).
Fiori & Paol. Ic. Fl. Ital. 66 (1898).
Pflanzenreich, Alismatac. 20 (1903).
stellatum Thuill.
Nouv. Mém. Acad. Sc. Bruxelles, ix. t. 1 (1835).—*Fr.*
Bentham, Handb. Brit. Fl. fig. 961 (1865).
Cesati, Passer. & Gibelli, Comp. Fl. Ital. t. 25 (1867–86).—*Fl.*
Le Maout & Decaisne, Traité Gén. Bot. 642 (1868).—*Fl.*
Pringsh. Jahrb. Bot. vii. t. 2 (1870).—*Fr.*
*Cusin, Herb. Fl. Franç. xxi (Alismacées), t. 8 (1876).
Baillon, Hist. Pl. xii. 75 (1894).—*Fl.*
Cosson, Ill. Fl. Atlant. ii. t. 173 (1897).—*Fr.*
Glück, Biol. u. Morph. Wasser- u. Sumpfgew. i. 176 (1905).—*Veg.*
Lazaro, Comp. Fl. Españ. i. 731 (1906).
Coste, Fl. France, iii. 293 (1906).
Fitch & Smith, Ill. Brit. Fl. Ed. rev. 4, Iss. 2, fig. 977 (1919).
Horwood, Brit. Wild Fl. i. 108 (1919).
—— **graminifolium** Glück
Glück, Biol. u. Morph. Wasser- u. Sumpfgew. i. t. 5, fig. 31 (1905).
—— **pumilum** Glück
Glück, Biol. u. Morph. Wasser- u. Sumpfgew. i. t. 5, fig. 33 (1905).
—— **spathulatum** Glück
Glück, Biol. u. Morph. Wasser- u. Sumpfgew. i. t. 5, fig. 30 (1905).
—— **terrestre** Glück
Glück, Biol. u. Morph. Wasser- u. Sumpfgew. i. t. 5, fig. 32 (1905).

DAMASONIUM Schreb.: *Ottelia*
indicum Willd.
*Roxburgh, Pl. Coromandel, ii. t. 185 (1798).
*Bot. Mag. xxx. t. 1201 (1809).

DAMMARA Gaertn.: *Protium*
graveolens Gaertn.
Gaertner, Fruct. ii. t. 103 (1791).—*Fr.*

DAMMARA Lam.: *Agathis*
alba Lam.
*Köhler, Med. Pfl. i [t. 68] (1887).
Tschirch, Ind. Heil- & Nutzpfl. t. 77, 78 (1892).—*Hab.*

DAMMARA
alba
*Kohl, Off. Pfl. Pharm. Germ. t. 159 (1895).
Ann. Inst. Col. Marseille, vi. ii. 130 (1899).—*Veg.*
Ann. Jard. Bot. Buitenzorg, xvii. 10 (1900).—*Veg.*
Cordemoy, Gommes & Résin. 130 (1900).—*Veg.*
Bull. Ort. Bot. Napoli, ii. 89 (1904).—*Fr.*
Tschirch, Handb. Pharmakog. i. 48 (1908).—*Hab.*
Van Gorkom, Oost-Ind. Cult. Ed. 2, iii. 880 (1919).—*Hab.*
australis Lamb.
*Lambert, Pinus, ii. t. 6 (1824); ii. t. 44 (1828); ii. t. 55 (1832).
J. C. Loudon, Arbor. & Frutic. Brit. iv. 2448, 2449 (1838).
*Forbes, Pinetum Woburnense, t. 59 (1839).
Zuccarini in Abh. Akad. Wiss. München, iii. iii. t. 1, fig. 21; t. 2, fig. 16, 17 (1843).
Fl. des Serres, Ser. II. i. 74–75 (1856).
Trans. Bot. Soc. Edinb. vii. 52, t. 5 (1863).—*Fl.*
Mém. Acad. Sc. Pétersb. Ser. VII. xiii. No. 6, t. 3, fig. 68–70 (1869).—*Fr.*
Gard. Chron. xx. 525 (1883).
*Adelaide Bot. Gard. Rep. t. 8 (1889).—*Hab.*
Schimper, Pflanzen-Geogr. 513 (1898).
Ann. Inst. Col. Marseille, vi. ii. 132 (1899).—*Veg.*
Kronfeld, Atlas Pflanzengeogr. 168 (1899).—*Hab.*
Cordemoy, Gommes & Résin. 132 (1900).—*Veg.*
Velenovsky, Vergl. Morphol. Pfl. ii. 628 (1907).—*Veg.*
Brownii Hort.
Ill. Hort. ii. Misc. 60 (1855).—*Hab.*
macrophylla Lindl.
Hooker's Journ. Bot. & Kew Misc. iv. t. 4 (1852) in textu; *D. Perousii* in ic.
Moorii Lindl.
Ann. Inst. Col. Marseille, vi. ii. 137 (1899).—*Veg.*
Cordemoy, Gommes & Résin. 137 (1900).—*Veg.*
obtusa Lindl.
Paxt. Fl. Gard. ii. 146 (1851–52).—*Veg.*
Lem. Jard. Fl. ii. Misc. 111 (1852).—*Veg.*
orientalis Lamb.
*Lambert, Pinus, ii. t. 43 (1828); ii. t. 54 (1832).
J. C. Loudon, Arbor. & Frutic. Brit. iv. 2447, 2448 (1838).
*Forbes, Pinetum Woburnense, t. 58 (1839).
Berg, Charakt. t. 17, fig. 162 (1861).—*Fr.*
*Artus, Atlas Pharm. Deutschl. Aufg. Offic. Gew. t. 289 [1862–74].
*Bot. Mag. lxxxix. t. 5359 (1863).
ovata C. Moore
Ann. Inst. Col. Marseille, vi. ii. 136 (1899).—*Veg.*
Cordemoy, Gommes & Résin. 136 (1900).—*Veg.*
Palmerstonii F. Muell.
Guilfoyle, Austral. Pl. 387 [1911].—*Hab.*
Perousii C. Moore
Hooker's Journ. Bot. & Kew Misc. iv. t. 4 (1852) in ic.; *D. macrophylla* in textu.
ramosa Schum. & Lauterb.
Schumann & Lauterb. Fl. Deutsch. Schutzg. Südsee, t. 3 a (1900).
robusta C. Moore
Journ. Linn. Soc., Bot. xxiv. t. 17 (1888).—*Veg.*
Tschirch, Ind. Heil- & Nutzpfl. t. 79 (1892).—*Hab.*
simplex Schum. & Lauterb.
Schumann & Lauterb. Fl. Deutsch. Schutzg. Südsee, t. 3 a (1900).
vitiensis Seem.
*Seemann, Fl. Vit. t. 76 (1865–73).

DAMMAROPSIS Warb.
Kingiana Warb.
Krieger, Neu-Guinea, t. 10 (1899).—*Fr.*

DAMNACANTHUS Gaertn. f.
angustifolius Hayata
Journ. Coll. Sc. Tokyo, xxv. Art. 19, t. 15 (1908).
Kanehira, Formosan Trees, 292 (1917).

DAMNACANTHUS
indicus Gaertn. f.
Gaertner f., Fruct. iii. t. 182 (1805).—*Fr.*
*Useful Pl. Jap. iii. t. 827 (1895).
Kanehira, Formosan Trees, 292 (1917).—*Veg.*
maior Sieb. & Zucc.
Pflanzenfam. iv. IV. 137 (1891).
Schneider, Ill. Handb. Laubh. ii. 1056, 1057 (1912).
—— **submitis** Maxim.
Gartenfl. xvii. t. 570 (1868).

DAMPIERA R. Br.
adpressa A. Cunn.
De Vriese, Goodenov. (Nat. Verh. Holl. Maatsch. Wet. Haarlem, Ser. II. x), t. 16 (1854).
alata Lindl.
Hook. Ic. Pl. xi. t. 1027 (1868).
altissima F. Muell.
Pflanzenreich, Goodeniac. 195 (1912).
Brownii F. Muell.
Proc. Linn. Soc. N. S. Wales, Ser. II. x. II. t. 24 (1895).—*Fl.*
F. Sulman, Wild Fl. N. S. Wales, i. t. 15 (1913).
canescens Benth.
De Vriese, Goodenov. (Nat. Verh. Holl. Maatsch. Wet. Haarlem, Ser. II. x), t. 19 (1854).
cauloptera DC.
De Vriese, Goodenov. (Nat. Verh. Holl. Maatsch. Wet. Haarlem, Ser. II. x), t. 18 (1854).
cinerea Ewart & Davies
Ewart & Davies, Fl. N. Terr. 384, t. 24 (1917).
coronata Lindl.
Pflanzenreich, Goodeniac. 176 (1912).
dura E. Pritz.
Pflanzenreich, Goodeniac. 195 (1912).
eriocephala De Vriese
De Vriese, Goodenov. (Nat. Verh. Holl. Maatsch. Wet. Haarlem, Ser. II. x), t. 21 (1854).
Proc. Linn. Soc. N. S. Wales, Ser. II. x. II. t. 24 (1895).—*Fl.*
ferruginea R. Br.
De Vriese, Goodenov. (Nat. Verh. Holl. Maatsch. Wet. Haarlem, Ser. II. x), t. 14 (1854).
incana R. Br.
Pflanzenreich, Goodeniac. 176 (1912).
juncea Benth.
Pflanzenreich, Goodeniac. 195 (1912).
lanceolata A. Cunn.
De Vriese, Goodenov. (Nat. Verh. Holl. Maatsch. Wet. Haarlem, Ser. II. x), t. 17 (1854).
linearis R. Br.
Proc. Linn. Soc. N. S. Wales, Ser. II. x. II. t. 24 (1895).—*Fl.*
Linschotenii F. Muell.
Proc. Linn. Soc. N. S. Wales, Ser. II. x. II. t. 24 (1895).—*Fl.*
luteiflora F. Muell.
Proc. Linn. Soc. N. S. Wales, Ser. II. x. II. t. 24 (1895).—*Fl.*
Pflanzenreich, Goodeniac. 182 (1912).
Mooreana E. Pritz.
Flora, cxi, cxii. 495 (1918).
ovalifolia R. Br.
Ann. Mus. Hist. Nat. Paris, xviii. 18 (1811).
prostrata De Vriese
Pflanzenreich, Goodeniac. 172 (1912).
Reinwardtii De Vriese
*De Vriese, Goodenov. (Nat. Verh. Holl. Maatsch. Wet. Haarlem, Ser. II. x), t. 15 (1854).
spicigera Benth.
Pflanzenreich, Goodeniac. 182 (1912).
stenostachya E. Pritz.
Pflanzenreich, Goodeniac. 182 (1912).
stricta R. Br.
Ann. Mus. Hist. Nat. Paris, xviii. 18 (1811).
Proc. Linn. Soc. N. S. Wales, Ser. II. x. II. t. 24 (1895).—*Fl.*
A. E. Sulman, Austral. Wild Fl. Ser. II. t. 54 [1913].
F. Sulman, Wild Fl. N. S. Wales, i. t. 15 (1913).
trigona De Vriese
Hook. Ic. Pl. xi. t. 1026 (1868).
—— **late-alata** E. Pritz.
Pflanzenreich, Goodeniac. 172 (1912).

DAMPIERA
Verreauxii De Vriese
De Vriese, Goodenov. (Nat. Verh. Holl. Maatsch. Wet. Haarlem, Ser. II. x), t. 20 (1854).

DANAA All.: *Physospermum*
aquilegifolia All.
Allioni, Fl. Pedem. iii. t. 63 (1785).
Sprengel in Mém. Soc. Nat. Mosc. v. t. 1, 2 (1817).

DANAA Colla: *Senecio*
yegua Colla
Colla in Mem. Accad. Sc. Torino, xxxviii. 42, t. 28 (1835).

DANAË Medic.
androgyna Webb & Berth.
Webb & Berth. Hist. Nat. Iles Canar. iii. Phytogr. III. t. 224 (1836–50).
Gayae Webb & Berth.
Webb & Berth. Hist. Nat. Iles Canar. iii. Phytogr. III. t. 224 (1836–50).
Laurus Medic.
Oesterr. Bot. Zeitschr. lxiii. 332 (1913).—*Veg.*
Garden, lxxxiii. 360 (1919).—*Veg.*
racemosa Moench
Lauche, Deutsche Dendrol. Ed. 2, p. 129 (1883).
Dippel, Handb. Laubholzk. i. 11 (1889).
Rev. Hort. 1894, p. 546.—*Veg.*
Beih. Bot. Centralbl. xv. t. 4, fig. 1 (1903); xxix. I. 371 (1913).
Velenovsky, Vergl. Morphol. Pfl. ii. 638, 641 (1907).
Schneider, Ill. Handb. Laubh. ii. 860, 863 (1912).

DANAEA Sm.
alata Sm.
Kaulfuss, Enum. Fil. t. 1, fig. 3 (1824).
Hooker & Grev. Ic. Fil. i. t. 18 (1831).
*Hooker, Gen. Fil. t. 7 (1842).
Lindley, Veg. Kingd. 82 (1846).
Ettingshausen, Farnkr. t. 179 (1865).
Bull. Soc. Bot. Belg. v. t. 1, fig. 8 (1866).
J. Smith, Ferns Brit. & Foreign, 269 (1866); Ed. 2, p. 269 (1879).
J. Smith, Hist. Fil. t. 28 (1875).
Pflanzenfam. i. iv. 443 (1900).
Ann. Bot. xxxi. t. 22, fig. 9 (1917).—*Veg.*
cordata Fée
Fée, Crypt. Vasc. Brésil, i. t. 71 (1869).
crispa Reichb. f. & Endres
Hook. Ic. Pl. xvii. t. 1700 (1886).
Schneider, Book Choice Ferns, ii. 108 (1893).—*Veg.*
Shimek in Bull. Labor. Nat. Hist. Iowa, iv. No. 2, t. 20 (1897).
Nicholson, '1900' Suppl. Dict. Gard. 300 (1900).
Conzatti in Mem. y Rev. Soc. 'Antonio Alzate', xxv. 91 (1907).
Christ, Geogr. Farne, 300 (1910).
elliptica Sm.
Hooker & Grev. Ic. Fil. i. t. 52 (1831).
Ettingshausen, Farnkr. t. 179 (1865).
Schneider, Book Choice Ferns, ii. 109 (1893).
Nicholson, '1900' Suppl. Dict. Gard. 300 (1900).
Pflanzenfam. i. iv. 433, 434 (1900).
Campbell, Eusporang. t. 9, 10 (1911).
Warburg, Pflanzenwelt, i. 247 (1913).
geniculata Raddi
Raddi, Pl. Bras. Nov. Gen. Pars 1 (Filices), t. 5 (1825).
jamaicensis Underw.
Campbell, Eusporang. 208, t. 9 (1911).
Jenmanii Underw.
Campbell, Eusporang. t. 9 (1911).
Leprieurii Kunze
*Kunze, Farnkr. t. 60 (1840–47).
longifolia Desv.
Mart. Fl. Bras. i. II. t. 11 (1859).
nodosa Sm.
J. E. Smith in Mém. Acad. Sc. Turin, 1790–91, xiii. t. 9* (1793).
Roemer, Archiv Bot. i. II. tab. fig. 11 (1797).
Usteri, Ann. Bot. xxiii. t. 2 (1799).
Swartz in Journ. f. die Bot. 1801, i. II. t. 2 (1803).
Koenig & Sims, Ann. Bot. ii. t. 10, fig. 5 (1805).
*Schkuhr, Krypt. Gewächse, iii. t. 151 (18[06]–09).

DANAEA
nodosa
Hooker & Grev. Ic. Fil. i. t. 51 (1831).
Gard. Comp. 1852, p. 147.
Bower in Trans. Roy. Soc. Edinb. li. III. 677 (1917).—*Veg.*
Ann. Bot. xxxi. t. 22, fig. 8 (1917).—*Veg.*
paleacea Raddi
Raddi, Pl. Bras. Nov. Gen. Pars 1 (Filices), t. 5 (1825).
serrulata Baker
Hook. Ic. Pl. xvii. t. 1699 (1886).
simplicifolia Rudge
Rudge, Pl. Guian. t. 36 (1805).
*Kunze, Farnkr. t. 50 (1840–47).
stenophylla Kunze
*Kunze, Farnkr. t. 28 (1840–47).
Rovirosa, Pteridogr. Mexico, t. 69 (1909).
trifoliata Reichb.
Kunze, Anal. Pteridogr. t. 2 (1837).
Bull. Soc. Bot. Belg. v. t. 6, fig. 4 (1866).

DANAIS Comm.
breviflora Baker
Grandidier, Hist. Madag. [Plantes] Atlas, t. 454 (1897).
cernua Baker
Grandidier, Hist. Madag. [Plantes] Atlas, t. 452 (1897).
Chapelieri Drake
Grandidier, Hist. Madag. [Plantes] Atlas, t. 451 a (1899).
fragrans Pers.
Gaertner f., Fruct. iii. t. 195 (1805).—*Fr.*
Bourdon in Ann. Sc. Nat. Bordeaux & Sud-Ouest, t. 1, 2 (1882).
Pflanzenfam. iv. IV. 47 (1891).—*Fr.*
Grandidier, Hist. Madag. [Plantes] Atlas, t. 451 (1897); 451 a (1899).
obovata Grandid.
Grandidier, Hist. Madag. [Plantes] Atlas, t. 453 (1897).
rhamnifolia Baker
Grandidier, Hist. Madag. [Plantes] Atlas, t. 454 (1897).

DANGERVILLA Vell.: *Cusparia*
spinosa Vell.
Vellozo, Fl. Flum. i. t. 66 (1827).

DANIELLA J. J. Benn.
caudata Craib
Unwin, W. Afr. Forests & Forestry, 376 (1920).—*Hab.*
thurifera J. J. Benn.
Pharm. Journ. xiv. 463 (1855).
Hook. Ic. Pl. xxv. t. 2406 (1895).
Pobéguin, Fl. Guin. Franç. t. 65 (1906).—*Hab.*
Chevalier, Afr. Centr. Franç. 85 (1907).—*Hab.*
Engler & Drude, Veget. Erde, ix. I. 2, p. 801 (1910).
Notizbl. Bot. Gart. Berlin, App. xxii. 92 (1910); App. xxi. 55 (1911).

DANIELLIA = *Daniella*

DANTHONIA DC.—Vide *Avena* (7)
airoides Nees
*Dietrich, Fl. Univ. N. Folge, t. 64 (1849).
Dietrich, Fl. Univ. Abt. i. t. 886 (1852–55).
Flora, lxxvi. t. 2, fig. 39 (1892).—*Fr.*
Anisopogon Trin.
Trinius, Sp. Gram. i. t. 61 (1828).
antarctica Spreng.
Chilton, Subantarct. Isl. New Zeal. i. p. xvi. 217 (1909).—*Hab.*
Archeri Hook. f.
*Hooker f., Fl. Tasman. ii. t. 163 (1860).
aureofulva Desv.
*C. Gay, Hist. Chile, Atlas, t. 80 (1854).
australis J. Buchan.
J. Buchanan, Man. Grass. New Zeal. t. 31 (1880).
Cheeseman, Ill. New Zeal. Fl. t. 227 (1914).
bipartita F. Muell.
Agric. Gaz. N. S. Wales, ii. 23 (1891); xxxi. 26 (1920).
borussica K. Schum.
Engler & Drude, Veget. Erde, ix. II. 172 (1908).

DANTHONIA
×**breviaristata** G. Beck
Oesterr. Bot. Zeitschr. liii. 229, t. 8, fig. 2, 5, 8, 11, 14, 16–19 (1903).
bromoides Hook. f.
Hooker f., Fl. Nov.-Zel. i. t. 68 (1853).
Buchananii Hook. f.
J. Buchanan, Man. Grass. New Zeal. t. 35 (1880).
bulbosa Bacchus
Ann. Rep. Agric. Victoria, ii. t. 3 (1874).
Cachemyriana Jaub. & Spach
Jaubert & Spach, Illustr. Pl. Or. iv. t. 331 (1850–53).
caespitosa Gaudich.
*Kunth, Rév. Gram. ii. t. 177 (1829).
californica Boland
Rep. Commissioner Agric. Washington, 1881–82, p. 256, t. 13 (1882).
Vasey, Agric. Grasses U.S.A. (U.S. Dep. Agric.), t. 74 (1884).
Vasey, Ill. N. Amer. Grasses (U.S. Dep. Agric. Div. Bot. Bull. No. 13, II), ii. t. 61 (1893).
calycina Reichb.
Reichenbach, Ic. Fl. Germ. i. t. 103 (1834).
Oesterr. Bot. Zeitschr. liii. 229, t. 8, fig. 1, 4, 7, 10, 13 (1903).
carphoides F. Muell.
Agric. Gaz. N. S. Wales, iii. 540 (1892).
F. Turner, Austral. Grasses, i. 18 (1895).
chilensis Desv.
*C. Gay, Hist. Chile, Atlas, t. 80 (1854).
cirrata Hack. & Arech.
Arechavaleta, Gram. Urug. (An. Mus. Nac. Montevideo, v), 368 (1896).
Svenska Vet. Akad. Handl. xxxiv. No. 6, t. 8 (1900).
compressa Austin
Rep. Commissioner Agric. Washington, 1879, p. 358, t. 17, 27 (1880).
Vasey, Agric. Grasses U.S.A. (U.S. Dep. Agric.), t. 72 (1884).
Lamson-Scribner, Grass. Tennessee, Pt. II (Bull. Tenn. Agric. Exp. St. vii. No. 1), t. 29 (1894).
Britton & Brown, Ill. Fl. N. States & Canada, i. 174 (1896); Ed. 2, i. 221 (1913).
U.S. Dep. Agric. Div. Agrost. Bull. No. 7, p. 187 (1897); No. 15, p. 11 (1898); No. 20, p. 96 (1900).
Cunninghamii Hook. f.
J. Buchanan, Man. Grass. New Zeal. t. 29 (1880).
decumbens DC.
Kunth, Enum. Pl. i. II. t. 21 (1835).
Cesati, Passer. & Gibelli, Comp. Fl. Ital. t. 8 (1867–86).—*Fl.*
Cusin, Herb. Fl. Franç. xxv (Graminées), t. 241 (1874).
*Masclef, Atlas Pl. France, t. 382 (1893).
Acloque, Fl. France, 708 (1894).—*Fl.*
Husnot, Gram. t. 15 (1896–99).
Coste, Fl. France, iii. 601 (1906).
Dusenii Ekman
Arkiv Bot. Stockholm, x. No. 17, t. 1, 6 (1911).
elephantina Nees
Deutsch. Tiefsee-Exped. 1898–99, ii. III. 287 (1908).—*Hab.*
epilis Scribn.
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, i. 221 (1913).
flavescens Hook. f.
J. Buchanan, Man. Grass. New Zeal. t. 32 (1880).
Journ. New Zeal. Dep. Agric. xx. 341 (1920).—*Hab.*
Forskalii Trin.
Trinius, Sp. Gram. i. t. 49 (1828).
Gammiei Bhide
Journ. & Proc. Asiat. Soc. Bengal, 1911, N. Ser. vii. t. 6 (1912).
glabra Nash
Britton & Brown, Ill. Fl. N. States & Canada, iii. 503 (1898).
gracilis Hook. f.
Hooker f., Fl. Nov.-Zel. i. t. 69 (1853).
grandiflora Hochst.
Glück, Blatt- & Blütenmorph. Stud. 243 (1919).
intermedia Vasey
U.S. Dep. Agric. Div. Agrost. Bull. No. 5, p. 28 (1897); No. 12, p. 48 (1898).

DANTHONIA
intermedia
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, i. 222 (1913).
lanata Schrad.
Trinius, Sp. Gram. i. t. 62 (1828).
livida Trin.
Trinius, Sp. Gram. i. t. 50 (1828).
longifolia R. Br.
Agric. Gaz. N. S. Wales, xxxi. 25 (1920).
macrantha Schrad.
Trinius, Sp. Gram. i. t. 63 (1828).
*Dietrich, Fl. Univ. N. Ser. t. 20 (1861).
nana Engl.
Engler & Drude, Veget. Erde, ix. II. 172 (1908).
nervosa Hook. f.
*Hooker f., Fl. Tasman. ii. t. 163 (1860).
nuda Hook. f.
J. Buchanan, Man. Grass. New Zeal. t. 36 (1880).
oreoboloides Stapf
Hook. Ic. Pl. xxvii. t. 2606 (1899).
ovata J. Buchan.
J. Buchanan, Man. Grass. New Zeal. t. 29[2] (1880).
pallescens Schrad.
Trinius, Sp. Gram. i. t. 64 (1828).
pallida R. Br.
Trinius, Sp. Gram. i. t. 65 (1828).
Agric. Gaz. N. S. Wales, ii. 174 (1891); xxxi. 27 (1920).
papillosa Schrad.
Trinius, Sp. Gram. i. t. 66 (1828).
paradoxa R. Br.
Agric. Gaz. N. S. Wales, xii. 547 (1901).
Parryi Scribn.
F. E. & E. S. Clements, Rocky Mt. Fl. t. 46 (1914).
pauciflora R. Br.
*Hooker f., Fl. Tasman. ii. t. 162 (1860).
J. Buchanan, Man. Grass. New Zeal. t. 36 (1880).
Agric. Gaz. N. S. Wales, xii. 477 (1901).
pectinata Lindl.
F. M. Bailey, Grasses Queensland, i. t. [9] (1878).
penicillata F. Muell.
Journ. Dep. Agric. Victoria, xv. 714 (1917).
pilosa R. Br.
Trinius, Sp. Gram. i. t. 51 (1828).
Ann. Rep. Agric. Victoria, ii. t. 10 (1874).
J. Buchanan, Man. Grass. New Zeal. t. 33 (1880).
Journ. New Zeal. Dep. Agric. viii. 247, 625 (1914); xiii. 353 (1916).—*Fr.*
—— **stricta** J. Buchan.
J. Buchanan, Man. Grass. New Zeal. t. 33[2] (1880).
provincialis DC.
Trinius, Sp. Gram. i. t. 67 (1828).
*Sturm, Deutschl. Fl. xix. LXXXVI [t. 1310] (1842).
Nees, Gen. Pl., Monocot. i. t. 50* (1843).—*Fl.*
*Petermann, Deutschl. Fl. t. 98, fig. 782 (1849).
Cesati, Passer. & Gibelli, Comp. Fl. Ital. t. 8 (1867–86).—*Fl.*
Cusin, Herb. Fl. Franç. xxv (Graminées), t. 242 (1874).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, vii. t. 678 (1881).
Willkomm, Führ. Reich Pflanzen, 221 (1882).
Pflanzenfam. ii. II. 56 (1887).
G. Beck, Fl. Nied.-Oesterr. i. 29, 65 (1890).—*Fl.*
Fiori & Paol. Ic. Fl. Ital. 30 (1895).
Husnot, Gram. t. 15 (1896–99).
Coste, Fl. France, iii. 601 (1906).
Glück, Blatt- & Blütenmorph. Stud. 243 (1919).
pungens Cheesem.
Cockayne, New Zeal. Pl. 90, 96 (1910).—*Hab.*
racemosa R. Br.
Ann. Rep. Agric. Victoria, ii. t. 10 (1874).
Raoulii Steud.
J. Buchanan, Man. Grass. New Zeal. t. 30 (1880).
Trans. & Proc. New Zeal. Inst. 1899, xxxii. t. 10 (1900).—*Hab.*
Turner, Rep. Bot. Exam. Waimarino Distr. (New Zeal. Dep. Lands), 4 (1909).—*Hab.*
Cockayne, New Zeal. Pl. 95 (1910).—*Hab.*
Cheeseman, Ill. New Zeal. Fl. t. 226 (1914).
—— **rubra** Cockayne
Cockayne, New Zeal. Pl. Ed. 2, p. 73 (1919).—*Hab.*

DANTHONIA
rigida Raoul
Hooker f., Fl. Nov.-Zel. i. t. 69 (1853).
robusta F. Muell.
Agric. Gaz. N. S. Wales, iii. 947 (1892).
semiannularis R. Br.
Trinius, Sp. Gram. i. t. 52 (1828).
J. Buchanan, Man. Grass. New Zeal. t. 34 (1880).
Agric. Gaz. N. S. Wales, i. 313 (1890); ii. 719 (1891).
F. Turner, Austral. Grasses, i. 19 (1895).
New Zeal. Dep. Agric. Rep. No. 9, p. 328 (1901).
Journ. Dep. Agric. W. Australia, xiii. 71 (1906); xiv. 16 (1906).
Journ. New Zeal. Dep. Agric. i. 230 (1910); viii. 247 (1914); xiii. 353 (1916).
Cockayne, New Zeal. Pl. 159 (1910).—*Hab.*
—— **alpina** J. Buchan.
J. Buchanan, Man. Grass. New Zeal. t. 34[2] (1880).
—— **gracilis** J. Buchan.
J. Buchanan, Man. Grass. New Zeal. t. 34[2] (1880).
—— **setifolia** Hook. f.
Cockayne, New Zeal. Pl. Ed. 2, p. 120 (1919).—*Hab.*
sericea Nutt.
Trinius, Sp. Gram. i. t. 53 (1828).
Rep. Commissioner Agric. Washington, 96, t. 16 (1883).
Vasey, Agric. Grasses U.S.A. (U.S. Dep. Agric.), t. 73 (1884).
Lamson-Scribner, Grass. Tennessee, Pt. II (Bull. Tenn. Agric. Exp. St. vii. No. 1), t. 28 (1894).
Britton & Brown, Ill. Fl. N. States & Canada, i. 174 (1896); Ed. 2, i. 221 (1913).
U.S. Dep. Agric. Div. Agrost. Bull. No. 7, p. 188 (1897).
spicata Roem. & Schult.
Trinius, Sp. Gram. i. t. 54 (1828).
*Kunth, Rév. Gram. i. t. 65 (1829).
Trans. Wisconsin State Agric. Soc. 1853, iii. t. 9 (1854).
A. Gray, Man. Bot. N.U.S. Ed. 4, t. 6 (1862).
Rep. Commissioner Agric. Washington, 1879, p. 358, t. 16, 27 (1880).
Vasey, Agric. Grasses U.S.A. (U.S. Dep. Agric.), t. 71 (1884).
Troop in Bull. Indiana Agric. St. No. 29, t. 15 (1889).
Lamson-Scribner, Grass. Tennessee, Pt. II (Bull. Tenn. Agric. Exp. St. vii. No. 1), t. 29 (1894).
Britton & Brown, Ill. Fl. N. States & Canada, i. 174 (1896); Ed. 2, i. 220 (1913).
U.S. Dep. Agric. Div. Agrost. Bull. No. 3, p. 41 (1896); No. 7, p. 186 (1897).
Selby in Bull. Ohio Agric. St. No. 83, p. 268 (1897); No. 175, p. 309 (1906).
Going, Field, Forest & Wayside Fl. 150 (1899).
Iowa Geol. Surv. Suppl. Rep. 1903, p. 193 (1904).
Pammel in Proc. Davenport Acad. Sc. x. 99 (1905).
Stone, Pl. Southern New Jersey (Ann. Rep. New Jersey State Mus. 1910), t. 8 (1911).
Rhodora, xiv. t. 99 (1912).
A. Georgia, Manual Weeds, t. 22 (1914).
U.S. Dep. Agric. Bull. No. 461, p. 10 (1917); No. 772, p. 120 (1920).
Amer. Journ. Bot. v. 254 (1918).—*Fl.*
stricta racemosa J. Buchan.
J. Buchanan, Man. Grass. New Zeal. t. 33, 2 (1880).
subulata A. Rich.
Engler & Drude, Veget. Erde, ix. II. 172 (1908).
subulata Hook. f.
*Hooker f., Fl. Tasman. ii. t. 161 (1860).
tenuifolia Doell
Mart. Fl. Bras. ii. III. t. 30 (1878).
Thomsonii J. Buchan.
J. Buchanan, Man. Grass. New Zeal. t. 36[2] (1880).
Thunbergii Kunth
*Kunth, Rév. Gram. ii. t. 176 (1829).
tortuosa Trin.
Trinius, Sp. Gram. i. t. 68 (1828).

DANTHONIA
trisetoides tenuis Engl.
Engler & Drude, Veget. Erde, ix. II. 172 (1908).
unarede Decne.
Raoul, Choix Pl. Nouv.-Zél. t. 3 (1846).
violacea Desv.
*C. Gay, Hist. Chile, Atlas, t. 80 (1854).

DANTHONIOPSIS Stapf
Gossweileri Stapf
Hook. Ic. Pl. xxxi. t. 3075 (1916).

DAPANIA Korth.
monophylla Knuth
Engl. Jahrb. l. Suppl. 234 (1914).
scandens Stapf
Hook. Ic. Pl. xx. t. 1997 (1891).
Chauvel, Oxalidac. 29 (1903).—*Veg.*

DAPHNANDRA Benth.
aromatica F. M. Bailey
F. M. Bailey, Compr. Cat. Queensl. Pl. 429 (1909–13).
micrantha Benth.
Pflanzenfam. iii. II. 102 (1889).—*Fl.*
Pflanzenreich, Monimiac. 74 (1901).
novoguineensis Perk.
Engl. Jahrb. liii. 217 (1915).
repandula F. Muell.
Pflanzenreich, Monimiac. Nachtr. 45 (1911).
tenuipes Perk.
Pflanzenreich, Monimiac. 74 (1901).—*Fl.*

DAPHNE Linn.—Vide *Laureola*
albiflora Wolf.
*Oelhafen, Abbild. Wild. Bäume, iii. t. 33 (1804).
alpina Linn.
*F. J. Schultz, Abbild. Bäume, Staud. Sträuch. Oesterr. ii. t. 181 (1792).
*Schmidt, Oest. Allgem. Baumzucht, t. 19 (1792–1822).
*Joh. Kerner, Abbild. Oek. Pfl. (Fig. Pl. Écon.), viii. t. 786 (1796).
*Krauss, Afb. Fraaiste Boom. & Heest. [t. 54] (1802).
*Sturm, Deutschl. Fl. vi. XXII [t. 345] (1806).
*Jaume St.-Hilaire, Pl. France, ii [t. 22] (1808).
*Vietz, Ic. Pl. Med.-oec.-techn. vi. t. 473 (1817).
*Lodd. Bot. Cab. i. t. 66 (1818).
*Jaume St.-Hilaire, Traité Arbriss. & Arbust. i. t. 70 (1825).
*Brandt & Ratzeb. Deutschl. Phanerog. Giftgew. t. 10 (1838).
J. C. Loudon, Arbor. & Frutic. Brit. iii. 1309 (1838).
*Reichenbach, Ic. Fl. Germ. xi. t. 553 (1849).
*Berge & Riecke, Giftgewächse, t. 23 (1850).
*Cassone, Fl. Med.-Farm. vi. t. 516 (1852).
Pokorny, Oesterr. Holzpfl. 458, t. 27 (1864).—*Veg.*
*Weber, Alp.-Pfl. Ed. 3, iv. t. 369 (1872).
*Cusin, Herb. Fl. Franç. xix (Daphnoïdées), t. 4 (1876).
*Seboth & A. W. Bennett, Alpine Pl. i. t. 93 (1879).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, x. t. 978 (1882).
*Hartinger, Atlas Alpenfl. iii. t. 275 (1897).
Fiori & Paol. Ic. Fl. Ital. 108 (1898).
Schneider, Dendrol. Winterst. 116 (1903).—*Veg.*
Schroeter, Pflanzenleb. Alp. 195 (1905).
Coste, Fl. France, iii. 214 (1906).
*Correvon & Rob. Alp. Fl. t. 91 [1908?].
Flahault, Nouv. Fl. Alpes & Pyrén. ii. 117 (1908).
Schneider, Ill. Handb. Laubh. ii. 401, 402 (1909).
*H. S. Thompson, Alp. Pl. Europe, t. 60 (1911).
altaica Pall.
*Pallas, Fl. Ross. t. 35 (1784).
*Plantarum Indig. & Exot. Ic. i [t. 17] (1788).
*Bot. Mag. xliv. t. 1875 (1817).
*Lodd. Bot. Cab. iv. t. 399 (1819).
*Guimpel, Otto & Hayne, Abbild. Fremd. Holzarten, i. t. 13 (1825).
J. C. Loudon, Arbor. & Frutic. Brit. iii. 1309 (1838).
*Gartenfl. xii. t. 409 (1863).
*Trans. Russ. Hort. Soc. 1863, t. 135.
Dippel, Handb. Laubholzk. iii. 193 (1893).
Schneider, Ill. Handb. Laubh. ii. 401, 403 (1909).

DAPHNE
andina Poepp. & Endl.
Poeppig & Endl. Nov. Gen. & Sp. Pl. ii. t. 191 (1838).
arbuscula Celak.
*Müveltség Könyvtára: Az élök világa (World of Living Creatures), 404 (1905).
Engler & Drude, Veget. Erde, x. II. 181 (1908).
Schneider, Ill. Handb. Laubh. ii. 394 (1909). —*Fl.*
Bot. Közl. (Bot. Communic.), x. 137 (1911).—*Fl.*
Garden, lxxix. 260 (1915).—*Hab.*
Hayek, Pflanzend. Oesterr.-Ung. i. 406 (1915).
Gard. Chron. Ser. III. lvii. 268 (1915).
argentea Sibth.
*Sibthorp & Sm. Fl. Graeca, iv. t. 355 (1823).
australis Cyrill.
*Bot. Reg. xxiv. t. 56 (1838).
Blagayana Freyer
*Reichenbach, Ic. Fl. Germ. xi. t. 555 (1849).
Pokorny, Oesterr. Holzpfl. 458, t. 27 (1864).—*Veg.*
*Fl. des Serres, Ser. II. xii. t. 2313 (1876).
*Garden, xiv. 200 (1878); l. 26 (1896); lxxi. 7 (1907); lxxiii. 241 (1909).
Gard. Chron. xiii. 245 (1880); xvii. 505 (1882); Ser. III. xi. 491 (1892); xxxii. 300–2 (1902); xxxviii. 171 (1905).
*Gartenfl. xxix. t. 1020 (1880).
*Seboth & A. W. Bennett, Alpine Pl. ii. t. 81 (1880).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, x. t. 979 (1882).
Seunik in Glasnik Muz. Bosn. Herceg. i. t. 1, p. 56 (1889).
Kerner, Pflanzenleben, ii. 240, 703 (1891).
Kerner & Oliv. Nat. Hist. Pl. ii. 240 (1895).—*Fl.*
*Bot. Mag. cxxiv. t. 7579 (1898).
Nicholson, '1900' Suppl. Dict. Gard. 301 (1900).
Schroeter, Pflanzenleb. Alp. 195 (1905); 692 (1908).
Schneider, Ill. Handb. Laubh. ii. 398, 399 (1909).
Apgar, Orn. Shrubs U.S. 296, fig. 522 (1910).
*H. S. Thompson, Alp. Pl. Europe, t. 60 (1911).
Silva Tarouca, Freiland-Laubgehölze, 84 (1913). —*Hab.*
buxifolia Vahl
*Sibthorp & Sm. Fl. Graeca, iv. t. 357 (1823).
Jaubert & Spach, Illustr. Pl. Or. iv. t. 306 (1850–53).
calycina Lapeyr.
Lapeyrouse in Hist. & Mém. Acad. Sc. Toulouse, i. t. 15 (1782).
cannabina Lour.
Wallich in Asiat. Research. xiii [t. 7] (1820).
Bull. Écon. Indo-Chine, N. Ser. xxxiv. 1051 (1904).
cannabina Wall.
Collett, Fl. Siml. 435 (1902).
*Rec. Bot. Surv. Ind. vi. II. t. 1 (1913).—*Fl.*
—— **kiusiana** Makino
Makino, Phan. & Pterid. Jap. Ic. i. t. 1 (1899).
cantabrica Willk.
*Willkomm, Ill. Fl. Hispan. Balear. ii. t. 152 (1890).
caucasica Pall.
Dippel, Handb. Laubholzk. iii. 194 (1893).—*Veg.*
*Bot. Mag. cxx. t. 7388 (1894).
Schneider, Ill. Handb. Laubh. ii. 400, 401 (1909).
Cneorum Linn.
Pollich, Hist. Pl. Palat. i. 97 (1776).
*Jacquin, Fl. Austr. v. t. 426 (1778).
Hoppe, Ect. Pl. Ratisb. t. 87 (1787).
*F. J. Schultz, Abbild. Bäume, Staud. Sträuch. Oesterr. ii. t. 180 (1792).
*Schmidt, Oest. Allgem. Baumzucht, t. 18 (1792–1822).
*Joh. Kerner, Abbild. Oek. Pfl. (Fig. Pl. Écon.), vii. t. 622 (1794).
*Bot. Mag. ix. t. 313 (1795).
*Duhamel, Arbres & Arbustes, Ed. 2, i. t. 10 (1801–19).
*Krauss, Afb. Fraaiste Boom. & Heest. [t. 53] (1802).
*McDonald, Dict. Pract. Gard. i. t. 20 (1807).
*S. Edwards, New Bot. Gard. i. t. 20 (1812).
*Trattinick, Ausg. Taf. Arch. i. t. 92 (1813).

DAPHNE
Cneorum
Trattinick, Arch. ii. t. 134 (1814).
*Guimpel, Willd. & Hayne, Abb. Deutsch. Holzart. i. t. 50 (1815).
*Schrank, Fl. Monac. iii. t. 252 (1816).
*Vietz, Ic. Pl. Med.-oec.-techn. vi. t. 474 (1817).
*Chaumeton, Fl. Méd. vii. II. t. 47 (1820).
*Roques, Phytogr. Médic. i. t. 43 (1821); Nouv. Ed. Atlas, t. 27 (1835).
Berchtold & J. S. Presl, Rostlin. i. t. [74] (1823).
*Morris, Fl. Conspic. t. 23 [1825–30].
*Jaume St.-Hilaire, Fl. & Pom. Franç. iv. t. 326 (1831).
*Lodd. Bot. Cab. xviii. t. 1800 (1831).
*Mag. Bot. & Gard. ii. t. 51 (1834).
*A. Henry, Giftpfl. Deutschl. [t. 6] (1836).
*F. A. W. Miquel, Noord-Nederl. Verg. Gewass. t. 9 (1836).
Meigen, Deutschl. Fl. ii. t. 78 (1837).
Brandt & Ratzeb. Deutschl. Phanerog. Giftgew. t. 10 (1838).
J. C. Loudon, Arbor. & Frutic. Brit. iii. 1313 (1838).
Duchesne, Pl. Util. t. 36 (1846).
*Reichenbach, Ic. Fl. Germ. xi. t. 554 (1849).
*Berge & Riecke, Giftgewächse, t. 23 (1850).
*Cassone, Fl. Med.-Farm. vi. t. 518 (1852).
Pokorny, Oesterr. Holzpfl. 444, t. 27 (1864).—*Veg.*
*Verlot, Pl. Alp. Ed. 2, t. 3 (1873).
*Wooster, Alp. Pl. Ed. 2, t. 47 (1874).—*Hab.*
*Cusin, Herb. Fl. Franç. xix (Daphnoïdées), t. 7 (1876).
Berge, Pflanzenphysiogn. 142 (1880).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, x. t. 982 (1882).
Nicholson, Illustr. Dict. Gard. i. 440 [1884–88]. —*Hab.*
*Bois, Dict. Hort. 424 (1893–99).
*Correvon, Fl. Col. Suisse, t. 130 (1894).
*A. W. Bennett, Fl. Alps, ii. t. 105 (1897).
Fiori & Paol. Ic. Fl. Ital. 108 (1898).
Journ. de Bot. xiii. 137 (1899).—*Fl.*
L. H. Bailey, Cycl. Amer. Hort. 456 (1900); Stand. Cycl. Hort. 963 (1914).
*Gradmann, Pflanzenl. Schwäb. Alb, Ed. 2, ii. t. 42 (1900).
Sturm, Fl. Deutschl. Ed. 2, vii. 143 (1902).
E. T. Cook, Trees & Shrubs for Engl. Gard. 366 (1902).—*Hab.*
Jardin, xvi. 252 (1902); xxii. 199 (1908); xxv. 244 (1911).
*Jul. Hoffmann, Alpine Fl. t. 35 (1903).
Keeler, Our North. Shrubs, 425 (1903); Ed. 2, p. 425 (1912).
Schroeter, Pflanzenleb. Alp. ii. 195 (1905).
Coste, Fl. France, iii. 213 (1906).
A. H. Church, Types Fl. Mechan. i. 85 (1908).
*Correvon & Rob. Alp. Fl. t. 91 [1908?].
*Hulme, Familiar Swiss Fl. t. 38 (1908).
*Oehninger, Alpenfl. t. 22, fig. 2 (1908).
Schneider, Ill. Handb. Laubh. ii. 394 (1909).
Apgar, Orn. Shrubs U.S. 295, fig. 521 (1910).
*Esser, Giftpfl. Deutschl. t. 66 (1910).
Gard. Chron. Ser. III. xlvii. 21 (1910).—*Hab.*
*Milner, Life Oberammergau, t. 14 (1910).
Act. Hort. Jurjev. xii. 25 (1911).—*Hab.*
Feucht, Württemb. Pflanzenw. t. 61 (1912).—*Hab.*
Silva Tarouca, Freiland-Laubgehölze, 58 (1913). —*Hab.*
Möllers Deutsche Gärtn.-Zeit. xxviii. 592, 593 (1913).—*Hab.*
*Penzig, Fl. Alpi Illustr. Ed. 2, t. 35 (1915).
Rev. Hort. 1917, p. 252.—*Hab.*
—— **arbusculoides** Tuzson
Tuzson in Bot. Közl. (Bot. Communic.), x. 137, 149 (1911).
—— **dilatata** Tuzson
Tuzson in Bot. Közl. (Bot. Communic.), x. 137 (1911).—*Fl.*
—— **latifolia** Reichb. f.
Reichenbach, Ic. Fl. Germ. xviii. t. 1335 (1858).
—— **Verlotii** Gren. & Godr.
Vilmorin, Hort. Vilm. (Bull. Soc. Bot. France, 1904, li. App.), 51 (1906).

DAPHNE
collina Dicks.
*J. E. Smith, Spicil. Bot. t. 18 (1791–92).
*Bot. Mag. xii. t. 428 (1798).
*Roemer, Fl. Eur. vii [t. 4] (1801).
*Duhamel, Arbres & Arbustes, Ed. 2, i. t. 11 (1801–19).
*Moriarty, Viridarium, Col. Plates Greenh. Pl. t. 37 (1806).
*Sibthorp & Sm. Fl. Graeca, iv. t. 359 (1823).
*Lodd. Bot. Cab. xiv. t. 1348 (1828).
*Jaume St.-Hilaire, Fl. & Pom. Franç. iv. t. 326 (1831).
*Mag. Bot. & Gard. iii. t. 12 (1835).
J. C. Loudon, Arbor. & Frutic. Brit. iii. 1312 (1838).
*Reichenbach, Ic. Fl. Germ. xi. t. 554 (1849).
Pokorny, Oesterr. Holzpfl. 458, t. 27 (1864).—*Veg.*
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, x. t. 980 (1882).
Dippel, Handb. Laubholzk. iii. 198 (1893).
Schneider, Ill. Handb. Laubh. ii. 396 (1909).
—— **neapolitana** Lindl.
*Bot. Reg. x. t. 820 (1824) in ic.; t. 822 in textu.
composita Gilg
Journ. de Bot. xiii. 137 (1899).—*Fl.*
coridifolia Lam.
Lamarck, Ill. ii. t. 290, fig. 3 (1797).
dioica Gouan
Gouan, Illustr. Bot. t. 17 (1773).
Elisae Vis.
*Visiani in Mem. Istit. Veneto, vi. t. 2 (1856).
Fortunei Lindl.
*Fl. des Serres, Ser. I. iii. t. 208 (1847).
*Journ. Hort. Soc. London, ii. t. 1, p. 34 (1847).
Dippel, Handb. Laubholzk. iii. 192 (1893).
Gardneri Wall.
Wallich in Asiat. Research. xiii [t. 8] (1820).
genkwa Sieb. & Zucc.
Kwa-wi [transl. Savatier], Arbor. i. t. 17 (1759).
Siebold & Zucc. Fl. Jap. t. 75 (1835).
*Gartenfl. xv. t. 499 (1866).
*Rev. Hort. Belge, x. 73 (1884).
*Garden, xlii. 94 (1892); lxxvi. 105 (1912).
Journ. de Bot. xiii. 137 (1899).—*Fl.*
Schneider, Ill. Handb. Laubh. ii. 401, 403 (1909).
Giraldii Nitsche
*Bot. Mag. cxliii. t. 8732 (1917).
glandulosa Bertol.
*Reichenbach, Ic. Fl. Germ. xi. t. 553 (1849).
Pokorny, Oesterr. Holzpfl. 458, t. 28 (1864).—*Veg.*
*Cusin, Herb. Fl. Franç. xix (Daphnoïdées), t. 5 (1876).
glomerata Lam.
Jaubert & Spach, Illustr. Pl. Or. iv. t. 303 (1850–53).
Dippel, Handb. Laubholzk. iii. 203 (1893).
Schneider, Ill. Handb. Laubh. ii. 398 (1909).
gnidioides Jaub. & Spach
Jaubert & Spach, Illustr. Pl. Or. iv. t. 304 (1850–53).
Gnidium Linn.
*Regnault, Bot. iii. 73 (1774).
*Plenck, Ic. Pl. Med. iv. t. 304 (1791).
G. Savi, Mat. Med. Veg. Toscana, t. 52 (1805).
*Hayne, Getreue Darst. Arzn. Gewächse, iii. t. 45 (1813).
*Chaumeton, Fl. Méd. iv. t. 178 (1817).
*Vietz, Ic. Pl. Med.-oec.-techn. vi. t. 474 b (1817).
*Lodd. Bot. Cab. ii. t. 150 (1818).
*Sibthorp & Sm. Fl. Graeca, iv. t. 356 (1823).
Berchtold & J. S. Presl, Rostlin. i. t. [74] (1823).
J. C. Loudon, Arbor. & Frutic. Brit. iii. 1313 (1838).
Duchesne, Pl. Util. t. 36 (1846).
*Reichenbach, Ic. Fl. Germ. xi. t. 553 (1849).
*Cassone, Fl. Med.-Farm. vi. t. 514 (1852).
Pokorny, Oesterr. Holzpfl. 458, t. 27 (1864).—*Veg.*
*Moggridge, Fl. Mentone, t. 86 (1871).
*Cusin, Herb. Fl. Franç. xix (Daphnoïdées), t. 9 (1876).
*Bentley & Trim. Med. Pl. iii. t. 227 (1877).

DAPHNE
Gnidium
Coutinho, Curso Silvicult. i. 148 (1886); ii. 102 (1887).
*Laguna, Fl. For. Españ. t. 74 (1890).
Schimper, Pflanzen-Geogr. 553 (1898).
Fiori & Paol. Ic. Fl. Ital. 108 (1898).
*Penzig, Fl. Litt. Méditerr. t. 97 (1902).
Coste, Fl. France, iii. 214 (1906).
Lazaro, Comp. Fl. Españ. ii. 58 (1906).
Merino, Fl. Galicia, ii. 516 (1906).
*Strasburger, Rambles Riviera, 163 (1906).
Beille, Bot. Pharm. ii. 776 (1909).
*H. S. Thompson, Fl. Pl. Riviera, t. 24 (1914).
×hybrida Colv. ex Sweet
*Sweet, Brit. Fl. Gard. ii. t. 200 (1827).
*Bot. Reg. xiv. t. 1177 (1828).
J. C. Loudon, Arbor. & Frutic. Brit. iii. 1314 (1838).
Dippel, Handb. Laubholzk. iii. 200 (1893).
Apgar, Orn. Shrubs U.S. 297, fig. 525 (1910).
indica Linn.
*Mordant de Launay, Herb. Amat. ii. t. 105 (1817).
*Piccioli, Antotr. Colt. Fiori, i. t. 3 (1834).
Hooker & Arn. Bot. Beechey Voy. t. 15 (1841).
*Cassone, Fl. Med.-Farm. vi. t. 519 (1852).
Garden, xxvii. 259; xxviii. 8 (1885); lxxx. 131 (1916).
Journ. Hort. Ser. III. l. 367 (1905).
Sim, Flowering Trees & Shrubs, 72 (1919).
—— **alba** Hort.
Garden, xxxvii. 10 (1890).
—— **rubra** Hort.
Gard. Chron. Ser. III. xxi. 172 (1897).—*Hab.*
involucrata Wall.
Wallich in Asiat. Research. xiii [t. 6] (1820).
japonica Thunb.
*Paxt. Mag. viii. 175 (1841).
*Rev. Hort. 1866, p. 252.
Dippel, Handb. Laubholzk. iii. 202 (1893).
Schneider, Ill. Handb. Laubh. ii. 399, 400 (1909).
jasminea Sibth. & Sm.
*Sibthorp & Sm. Fl. Graeca, iv. t. 358 (1823).
Schneider, Ill. Handb. Laubh. ii. 394 (1909).
jezoënsis Maxim.
*Gartenfl. xv. t. 496 (1866).
Schneider, Ill. Handb. Laubh. ii. 401 (1909).—*Veg.*
kamtschatica Maxim.
Miyabe & Miyake, Fl. Saghalin, t. 11 (1915).
kiusiana Miq.
*Useful Pl. Jap. ii. t. 501 (1895).
laureola Linn.
*Regnault, Bot. iii. 72 (1774).
*Jacquin, Fl. Austr. ii. t. 183 (1774).
Walcott, Fl. Brit. Indig. [t. 47] (1778).
*Zorn, Ic. Pl. Med. iv. t. 327 (1782).
*Plenck, Ic. Pl. Med. iv. t. 303 (1791).
*F. J. Schultz, Abbild. Bäume, Staud. Sträuch. Oesterr. ii. t. 179 (1792).
*Schmidt, Oest. Allgem. Baumzucht, t. 17 (1792–1822).
*Sowerby & Sm. Engl. Bot. ii. t. 119 (1793).
*Joh. Kerner, Abbild. Oek. Pfl. (Fig. Pl. Écon.), vii. t. 682 (1794).
*Oskamp, Afb. Artseny-Gewass. v. t. 407 (1800).
*Duhamel, Arbres & Arbustes, Ed. 2, i. t. 9 (1801–19).
*Krauss, Afb. Fraaiste Boom. & Heest. [t. 52] (1802).
G. Savi, Mat. Med. Veg. Toscana, t. 51 (1805).
Boissieu, Fl. Eur. ii. t. 284 (1805).
*Roques, Pl. Usuell. Indig. & Exot. i. t. 47 (1807).
*Vigneux, Fl. Pitt. Envir. Paris, t. 25 (1812).
*Hayne, Getreue Darst. Arzn. Gewächse, iii. t. 44 (1813).
*Guimpel, Willd. & Hayne, Abb. Deutsch. Holzart. i. t. 49 (1815).
*Vietz, Ic. Pl. Med.-oec.-techn. vi. t. 475 (1817).
Trattinick, Fl. Oesterr. Kaiserth. ii. t. 129 (1820).
*Roques, Phytogr. Médic. i. t. 42 (1821); Nouv. Ed. Atlas, t. 26 (1835).
*Waller, New Brit. Domest. Herb. t. 32 (1822).
Berchtold & J. S. Presl, Rostlin. i. t. [73] (1823).
*Curtis, Fl. Londin. Ed. 2, v. t. 206 (1828).
*Nees, Pl. Offic. i. t. 126 (1828).

DAPHNE
laureola
*Jaume St.-Hilaire, Fl. & Pom. Franç. iv. t. 325 (1831).
Nees, Gen. Pl., Monochlam. i. t. 46 (1835).—*Fl.*
*A. Henry, Giftpfl. Deutschl. [t. 7] (1836).
*F. A. W. Miquel, Noord-Nederl. Verg. Gewas. t. 10 (1836).
*Brandt & Ratzeb. Deutschl. Phanerog. & Giftgew. t. 9 (1838).
J. C. Loudon, Arbor. & Frutic. Brit. iii. 1309 (1838).
[M. E.] Jackson, Pict. Fl. fig. 608 (1840).
*Deakin, Florigr. Brit. ii. fig. 643 (1845).
Lindley, Med. & Oecon. Bot. 160 (1849).
*Reichenbach, Ic. Fl. Germ. xi. t. 555 (1849).
*Berge & Riecke, Giftgewächse, t. 29 (1850).
*Cassone, Fl. Med.-Farm. vi. t. 517 (1852).
*C. Johnson, Brit. Poison. Pl. t. 19 (1856).
Johnson & Sowerby, Brit. Wild Fl. fig. 1078 (1858–60).
Berg, Charakt. t. 25, fig. 209, I–III (1861).
Pokorny, Oesterr. Holzpfl. 458, t. 27 (1864).—*Veg.*
Bentham, Handb. Brit. Fl. fig. 873 (1865).
Cesati, Passer. & Gibelli, Comp. Fl. Ital. t. 38 (1867–86).—*Fr.*
Le Maout & Decaisne, Traité Gén. Bot. 463 (1868).
*Syme, Engl. Bot. viii. t. 1247 (1868).
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, iv. t. 188 [1873].
*Cusin, Herb. Fl. Franç. xix (Daphnoïdées), t. 2 (1876).
*Bentley & Trim. Med. Pl. iii. t. 226 (1877).
Ettingshausen in Denkschr. Akad. Wiss. Wien, xxxvii. t. 22, fig. 6 (1877).—*Veg.*
*Hogg & Johnson, Wild Fl. Gr. Brit. xi. t. 810 (1880).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, x. t. 977 (1882).
*Lesacher & Mareschal, Nouv. Bot. Méd. iv [t. 23] (1883).
Nicholson, Illustr. Dict. Gard. i. 441 [1884–88].
*Baillon, Ic. Fl. Franç. iii. t. 201 [1885–94].
Dujard.-Beaumetz & Égasse, Pl. Méd. 233 (1889).
*Laguna, Fl. For. Españ. t. 74 (1890).
Paolucci, Fl. Marchig. t. 14 (1890).
Karsten, Fl. Deutschl. ii. 37 (1895).
*Siélain, Atlas Poche Pl. Champs, Prair. & Bois, Ser. II. t. 3 (1896).
Fiori & Paol. Ic. Fl. Ital. 108 (1898).
Journ. de Bot. xiii. 137 (1899).—*Fl.*
Losch, Kräuterb. 90 (1903).
Step, Wayside & Woodl. Bloss. New Ed. ii. t. 68 (1905).
Coste, Fl. France, iii. 214 (1906).
Journ. Agric. Soc. England, lxviii. t. 8 (1907).
*A. H. Church, Types Fl. Mechan. i. 85 (1908).
Schneider, Ill. Handb. Laubh. ii. 399, 400 (1909).
Apgar, Orn. Shrubs U.S. 298, fig. 526 (1910).
*Esser, Giftpfl. Deutschl. t. 65 (1910).
*Correvon, Fl. Champs & Bois, t. 4 (1911).
Silva Tarouca, Freiland-Laubgehölze, 37 (1913).—*Hab.*
Bull. Soc. Dendr. France, 1913, p. 220.—*Veg.*
*Perrin & Boulger, Brit. Flower. Pl. iii. t. 176, 184 [D], fig. 1–5 (1914).
Horwood, Plant Life Brit. Isles, iii. 214 (1915).
*Horwood, Brit. Wild Fl. iii. t. 30, p. 224 (1919).
Fitch & Smith, Ill. Brit. Fl. Ed. rev. 4, Iss. 2, fig. 881 (1919).
linearifolia Hart
Hart, Fauna & Fl. Sinai, t. 1 (1891).
lucida Loisel.
Loiseleur, Fl. Gall. Ed. 2, t. 25 (1828).
Mezereum Linn.
*Kniphof, Herb. Viv. i. t. 356 (1758).
*Fl. Dan. ii. t. 268 (1766).
*Regnault, Bot. iii. 72 (1774).
Buchoz, Hist. Règne Vég. x. Dec. 9, t. 10 (1775).
*Zorn, Ic. Pl. Med. i. t. 3 (1779).
Hoppe, Ect. Pl. Ratisb. t. 420 (1789).
*Reitter & Abel, Holz-Art. t. 75 (1790).
*Batsch, Anal. Fl. i. t. 9, fig. 17 a–h (1790).—*Fl.*

DAPHNE
Mezereum
*Woodville, Med. Bot. i. t. 23 (1790); Ed. 3, iv. t. 245 (1832).
*Plenck, Ic. Pl. Med. iv. t. 302 (1791).
*Joh. Kerner, Abbild. Oek. Pfl. (Fig. Pl. Écon.), v. t. 467 (1792).
*F. J. Schultz, Abbild. Bäume, Staud. Sträuch. Oesterr. ii. t. 178 (1792).
*Joh. Kerner, Beschr. u. Abbild. Bäume u. Gestr. Wirtemberg, t. 64 (1792).
*Schmidt, Oest. Allgem. Baumzucht, t. 16 (1792–1822).
*Oskamp, Afb. Artseny-Gewass. i. t. 3 (1796).
Lamarck, Ill. ii. t. 290, fig. 1 (1797).
*Sturm, Deutschl. Fl. ii. VIII [t. 117] (1800).
*Duhamel, Arbres & Arbustes, Ed. 2, i. t. 8 (1801–19).
*Krauss, Afb. Fraaiste Boom. & Heest. [t. 51] (1802).
*Svensk Bot. i. t. 7 (1802).
*Vietz, Ic. Pl. Med.-oec.-techn. ii. t. 132 (1803).
*Oelhafen, Abbild. Wilden Bäume, iii. t. 32 (1804).
Boissieu, Fl. Eur. ii. t. 284 (1805).—*Fr.*
G. Savi, Mat. Med. Veg. Toscana, t. 48 (1805).
*Sowerby & Sm. Engl. Bot. xx. t. 1381 (1805).
*Roques, Pl. Usuell. Indig. & Exot. i. t. 68 (1807).
*Jaume St.-Hilaire, Pl. France, ii [t. 23] (1808).
*Schkuhr, Bot. Handb. Ed. 2, t. 107 a (1808).
*Liboschitz & Trinius, Fl. Pétersb. & Mosc. 8 (1811).
*Schrank, Fl. Monac. i. t. 36 (1811).
*Vigneux, Fl. Pitt. Envir. Paris, t. 25 (1812).
Thornton, Brit. Fl. iii. 111 (1812).
*Hayne, Getreue Darst. Arzn. Gewächse, iii. t. 43 (1813).
*Guimpel, Willd. & Hayne, Abb. Deutsch. Holzart. i. t. 48 (1815).
Dict. Sc. Nat., Planch. Bot. Monocot. t. 9 (1816–29).
*Chaumeton, Fl. Méd. v. t. 236 (1818).
*Sterler, Eur. Med. Fl. t. 14 (1820).
*Roques, Phytogr. Médic. i. t. 41 (1821); Nouv. Ed. Atlas, t. 25 (1835).
*Waller, New Brit. Domest. Herb. t. 23 (1822).
*Heger, Herb. Pharm. [t. 33] (1822–25).
Berchtold & J. S. Presl, Rostlin. i. t. [71] (1823).
*Mann, Deutschl. Wildwachs. Arzney-Pfl. [t. 54] (1823–28).
*Jaume St.-Hilaire, Traité Arbriss. & Arbust. i. t. 69 (1825).
*Joh. Kerner, Gen. Pl. Ill. x. t. 190 (1825).
*Krebs, Holzarten, t. 24 (1826).
*Heger, Giftpl. 7 (1827).
*Nees, Pl. Offic. i. t. 125 (1828).
*Wagner, Pharm.-Med. Bot. i. t. 85 (1828).
*Fl. Med. [Spratt], i. 13 (1829).
*Mann, Deutschl. Giftpfl. t. 13 (1829).
*Schlechtendal & Guimpel, Abb. Pharm. Boruss. Gew. i. t. 15 (1830).
*Sweet, Brit. Bot. t. 1, fig. 1 (1831).
Delle Chiaje, Fl. Med. ii. tab. (1832).
*Graves, Hort. Med. t. 12 (1834).
*Stephenson & Churchill, Med. Bot. New Ed. ii. t. 65 (1835).
*Baxter, Brit. Bot. Ed. 2, ii. t. 96 (1835).
Nees, Gen. Pl., Monochlam. i. t. 46 (1835).
*Mag. Bot. & Gard. iii. t. 26 (1835).
*A. Henry, Giftpfl. Deutschl. [t. 6] (1836).
*F. A. W. Miquel, Noord-Nederl. Verg. Gewas. t. 9 (1836).
*Spratt, Med.-Bot. Pocket Book, 10 [1836].
*Zenker, Fl. Thüringen, ii. t. 137 (1836–55).
*Dietrich, Fl. Boruss. v. t. 302 (1837).
Meigen, Deutschl. Fl. ii. t. 78 (1837).—*Fl.*
*Brandt & Ratzeb. Deutschl. Phanerog. Giftgew. t. 8 (1838).
J. C. Loudon, Arbor. & Frutic. Brit. iii. 1308 (1838).
[M. E.] Jackson, Pict. Fl. fig. 607 (1840).
*Plée, Types chq. Famille Pl. France, t. 132 (1844–64).
*Deakin, Florigr. Brit. ii. fig. 642 (1845).
Duchesne, Pl. Util. t. 37 (1846).
Lindley, Veg. Kingd. 530 (1846).
*J. W. Loudon, Brit. Wild Fl. Ed. 2, t. 52 [1846].

DAPHNE
Mezereum
*Burnett, Pl. Util. iii. t. 82, b (1847).
*Carson, Ill. Med. Bot. ii. t. 72 (1847).
*Lorek, Fl. Pruss. Ed. 3, t. 98, fig. 530 (1848).
*Strong, American Fl. ii. t. 95 (1848).
Lindley, Med. & Oecon. Bot. 160 (1849).
*Petermann, Deutschl. Fl. t. 77, fig. 608 (1849).
*Reichenbach, Ic. Fl. Germ. xi. t. 556 (1849).
*Berge & Riecke, Giftgewächse, t. 28 (1850).
*Fl. des Serres, Ser. I. vi. t. 592 (1850–51).
*Barker, Beauty Fl. Field & Wood, t. 9 [1852].
*Cassone, Fl. Med.-Farm. vi. t. 515 (1852).
*Schnizlein, Iconogr. ii. t. 109 (1852).
*E. Hamilton, Fl. Homoeopath. ii. t. 42 (1853).
*Good, Family Flora, ii. t. 50 (1854).
Ettingshausen in Sitzb. Akad. Wiss. Wien, xx. 454 (1856).—*Veg.*
*C. Johnson, Brit. Poison. Pl. t. 18 (1856).
Agardh, Theor. Syst. Pl. t. 15 (1858).—*Fl.*
*Fiscali, Deutschl. Forstcult.-Pfl. t. 17, fig. 14–18 (1858).
Irvine, Illustr. Handb. Brit. Pl. 359 (1858).—*Fl.*
Johnson & Sowerby, Brit. Wild Fl. fig. 1077 (1858–60).
*Berg & Schmidt, Darst. u. Beschr. Offiz. Gewächse, ii. t. 12, b (1859).
*Pecirka, Giftgew. Oesterr. Deutschl. [t. 5] (1859).
Willkomm, Deutsch. Laubhölzer im Winter, 29, fig. 36 (1859).—*Veg.*
Berg, Charakt. t. 25, fig. 209, A–U (1861).—*Fl.*
*Johnson & Sowerby, Useful Pl. Gr. Brit. t. 16, fig. 188 (1861[–62]).
*Artus, Atlas Pharm. Deutschl. Aufg. Offic. Gew. t. 223 [1862–74].
*T. Moore, Field Bot. Comp. t. 4 (1862).
*Argenta, Album Fl. Med.-Farm. iii. t. 264 (1864).
Pokorny, Oesterr. Holzpfl. 458, t. 27 (1864).—*Veg.*
Bentham, Handb. Brit. Fl. fig. 872 (1865).
*Schubert, Naturg., Pflanzenreich, Ed. 2, t. 20, fig. 4 [1865].
Cesati, Passer. & Gibelli, Comp. Fl. Ital. t. 38 (1867–86).—*Fl.*
*Hogg & Johnson, Wild Fl. Gr. Brit. iv. t. 293 (1868).
*Syme, Engl. Bot. viii. t. 1246 (1868).
*Réveil, Règne Vég. iv. t. 21; viii. t. 45 (1870).
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, iv. t. 188 [1873].
Nature, xi. 110 (1874).—*Fl.*
Willkomm, Forstl. Fl. Deutschl. & Oesterr. 23 (1875).—*Fl.*
*Bentley & Trim. Med. Pl. t. 225 (1876).
*Cusin, Herb. Fl. Franç. xix (Daphnoïdées), t. 1 (1876).
Baillon, Hist. Pl. vi. 109 (1877).—*Fl.*
Ettingshausen in Denkschr. Akad. Wiss. Wien, xxxvii. t. 22, fig. 7 (1877).—*Veg.*
*Hulme & Hibberd, Familiar Gard. Fl. iv. 53 [1879–87].
Karsten, Deutsche Fl. Pharm.-medic. Bot. 506 (1880–83).
*C. Hoffmann, Pflanzenatlas, t. 30, fig. 183 (1881).
H. Müller, Alpenblumen, 207 (1881).—*Fl.*
Schilling, Grundr. Naturg. ii. Pflanzenr. Ausgb. A, p. 120 (1882); Ausgb. B, p. 172 (1884).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, x. t. 976 (1882).
Wagner, Ill. Deutsche Fl. Ed. 2, p. 651 (1882).
Lauche, Deutsche Dendrol. Ed. 2, p. 555 (1883).
Baillon, Dict. Bot. ii. 353 (1883).
Rhein. Jahrb. Gartenk. & Bot. i. 57 (1884).
Baillon, Traité Bot. Méd. Phan. ii. 984 (1884).
*Baillon, Ic. Fl. Franç. iii. t. 212 [1885–94].
*Garden, xxix. 602 (1886); lxxxii. 17 (1918).
Cornevin, Pl. Vénén. 161 (1887).
*Köhler, Med. Pfl. i [t. 69] (1887).
*Thomé, Fl. Deutschl. iii. t. 347 (1888).
Dujard.-Beaumetz & Égasse, Pl. Méd. 233 (1889).
Potonié, Ill. Fl. Nord- u. Mittel-Deutschl. Ed. 4, fig. 395 (1889).
Kerner, Pflanzenleben, ii. 289, 420, 703 (1891).
G. Beck, Fl. Nied.-Oesterr. ii. 1. 595 (1892).—*Fl.*
Schwarz, Forstl. Bot. 332, 438 (1892).
*Masclef, Atlas Pl. France, t. 281 (1893).

DAPHNE
Mezereum
*Schimpfky, Uns. Heilpfl. ii. t. 7 [1893–94].
Acloque, Fl. France, 555 (1894).
Engl. Jahrb. xviii. 499 (1894).—*Fl.*
Pflanzenfam. iii. VI. A. 219 (1894).—*Fl.*
*Wild Fl. Canada, t. 36 (1894).
Garcke, Ill. Fl. Deutschl. 524 (1895).
Karsten, Fl. Deutschl. ii. 37 (1895).
Kerner & Oliv. Nat. Hist. Pl. ii. 289, 426, 753 (1895).
Jaczewski in Rameau de Sapin, xxx. 30 (1896).
Britton & Brown, Ill. Fl. N. States & Canada, ii. 465 (1897); Ed. 2, ii. 574 (1913).
*G. Beck, Alpenblum. Semmering, t. 11, fig. 9 (1898).—*Fl.*
Fiori & Paol. Ic. Fl. Ital. 108 (1898).
Knuth, Handb. Blütenbiol. i. 148 (1898); ii. II. 358 (1899).—*Fl.*
Lochman, Phot. Med. Pl. t. 130 (1898).
Journ. de Bot. xiii. 137 (1899).—*Fl.*
Gradmann, Pflanzenl. Schwäb. Alb, Ed. 2, i. 37 (1900).
Reichenau, Mainzer Flora, fig. 68 (1900).
*Warlich, Russk. Lekarst. Rast. (Russ. Med. Pl.), iv. t. 106 (1900).
Lindman, Bild. Nord. Fl. t. 242 (1901–5).
Warming, Handb. Syst. Bot. Ed. Möbius, 342 (1902).—*Fl.*
*Sturm, Fl. Deutschl. Ed. 2, vii. t. 40 (1902).
Keeler, Our North. Shrubs, 422, 423 (1903); Ed. 2, p. 422, 423 (1912).
*Losch, Kräuterb. t. 45 (1903).
Schneider, Dendrol. Winterst. 116 (1903).—*Veg.*
*L. & C. Schroeter, Col. Vade-Mecum Alp. Fl. Ed. 16 & 17, t. 2 (1904).
*D. McDonald, Frag. Fl. & Leaves, t. 5 (1905).
*Masclef, Pl. Eur. t. 50 (1905).
Rev. Hort. 1905, p. 532.—*Fl.*
Schroeter, Pflanzenleb. Alp. 196 (1905); 691 (1908).—*Fl.*
Blytt, Haandb. Norg. Fl. Ed. Dahl, 510 (1906).
Coste, Fl. France, iii. 214 (1906).
Flahault, Nouv. Fl. Alpes & Pyrén. i. 125 (1906).
*Kirby, Brit. Fl. Pl. t. 85 (1906).
Senn, Alpen-Flora, ii. 125 (1906).
Journ. Agric. Soc. England, lxviii. t. 8 (1907).
Lazaro, Comp. Fl. Españ. ii. 59 (1907).
Suireishchikov, Ill. Fl. Mosc. Gov. ii. 377 (1907).
*A. H. Church, Types Fl. Mechan. i. 77, 78 (1908).
*Flahault, Nouv. Fl. Alpes & Pyrén. ii. t. 117 (1908).
*Hulme, Familiar Swiss Fl. t. 64 (1908).
*Oehninger, Alpenfl. t. 22, fig. 3 (1908).
Beille, Bot. Pharm. ii. 774 (1909).
Cooper & Westell, Trees & Shrubs Brit. Isl. ii. t. 70 (1909).—*Veg.*
Heukels, Fl. Nederl. ii. 513 (1909).
Schneider, Ill. Handb. Laubh. ii. 401, 402 (1909).
Apgar, Orn. Shrubs U.S. 295, fig. 520 (1910).
*Esser, Giftpfl. Deutschl. t. 64 (1910).
Fedtschenko & Fler. Fl. Eur. Russia, 649 (1910).
*Milner, Life Oberammergau, t. 1 (1910).
*Correvon, Fl. Champs & Bois, t. 4 (1911).
Hosseus, Pflanzenw. Reichenhall, 88 (1911).
Karsten & Schenck, Veg.-Bild. ix. t. 34 (1911).—*Hab.*
Pammel, Man. Poison. Pl. 643 (1911).
Wrigley, Stud. Trees & Fl. 84 [1911].—*Fl.*
*Guinier, Atlas Arb. t. 111, 111 bis (1912).
*Strasburger, Text-Book Botany, Ed. Angl. 4, p. 628 (1912).
*Gatin, Arbres, Arbustes & Arbriss. 57, fig. 31, t. 88 (1913).
Silva Tarouca, Freiland-Laubgehölze, 199 (1913).—*Hab.*
Mathews, Field Book Amer. Trees & Shrubs, 331 (1915).
Mayevsky, Fl. Central Russia, 557 (1918).
Youngken, Pharm. Bot. Ed. 2, p. 318 (1918).
Fitch & Smith, Ill. Brit. Fl. Ed. rev. 4, Iss. 2, fig. 880 (1919).
*Gehe, Arzneipfl.-Kart. Folge xi (1919).—*Hab.*

DAPHNE
Mezereum
Fyles in Canada Dep. Agric. Exp. Farms, Bull. No. 39, Ser. II. 9 (1920).—*Veg.*
—— **album** Ait.
Gard. Chron. Ser. III. xxi. 183, 185 (1897); xxxviii. 153 (1905).
—— **autumnalis** Hort.
*Garden, xxxv. 602 (1889).
—— **variegatum** Hort.
*Lowe, Beautiful-leaved Pl. t. 50 (1868).
mucronata Royle
*Royle, Illustr. Bot. Himal. t. 81 (1839).
multiflora Thore
Dulac, Fl. Dépt. Hautes-Pyrén. 162 (1867).—*Fl.*
×**neapolitana** Lodd.
*Lodd. Bot. Cab. viii. t. 719 (1823).
J. C. Loudon, Arbor. & Frutic. Brit. iii. 1312 (1838).
Bean, Trees & Shrubs, i. 471 (1914).
odora Thunb.
Kaempfer, Ic. Sel. Pl. Jap. t. 16 (1791).
*Jacquin, Hort. Schoenbr. iii. t. 351 (1798).
*J. E. Smith, Exot. Bot. i. t. 47 [1804–5].
*Bot. Mag. xxxviii. t. 1587 (1813).
*Trattinick, Ausg. Taf. Arch. iii. t. 224 (1814).
*Ann. Blumisterei, iii. 247 (1827); [t. 20] (1828).
*Drapiez, Herb. Amat. Fl. i. t. 66 (1828).
*Lodd. Bot. Cab. xx. t. 1927 (1833).
*Useful Pl. Jap. ii. t. 394 (1895).
Makino, Phan. & Pterid. Jap. Ic. ii. t. 75 (1902).
Schneider, Ill. Handb. Laubh. ii. 399, 400 (1909).
Garden, lxxvi. 240 (1912); lxxxii. 140 (1918).
—— **Mazelii** Hemsl.
*Garden, xiv. 442 (1878).
—— **rubra** D. Don
*Sweet, Brit. Fl. Gard. vii. t. 320 (1836).
J. C. Loudon, Arbor. & Frutic. Brit. iii. 1314 (1838).
odorata Lam.
Schnizlein, Iconogr. ii. t. 109 (1852).
Miyoshi, Pl. World Jap. 124 (1910).
oleoides Schreb.
Schreber, Ic. & Descr. Pl. t. 7 (1766).
*Bot. Mag. xliv. t. 1917 (1817).
*Lodd. Bot. Cab. iii. t. 299 (1818).
*Jaume St.-Hilaire, Fl. & Pom. Franç. iv. t. 326 (1831).
J. C. Loudon, Arbor. & Frutic. Brit. iii. 1312 (1838).
Dippel, Handb. Laubholzk. iii. 199 (1893).
Post, Fl. Syria, Palestine & Sinai, 709 [1896].
Ann. Nat. Hofm. Wien, xx. t. 14, fig. 2 (1905).—*Hab.*
Coste, Fl. France, iii. 213 (1906).
Apgar, Orn. Shrubs U.S. 297, fig. 524 (1910).
Silva Tarouca, Freiland-Laubgehölze, 198 (1913).—*Hab.*
Basu, Ind. Med. Pl. t. 836 (1918).
—— **jasminea puberula** C. K. Schneider
Schneider, Ill. Handb. Laubh. ii. 396 (1909).
—— **puberula** Jaub. & Spach
Jaubert & Spach, Illustr. Pl. Or. iv. t. 305 (1850–53).
papyracea Wall.
Jacquemont, Voy. Inde, t. 148 (1844).
passerina E. H. L. Krause
*Sturm, Fl. Deutschl. Ed. 2, vii. t. 39 (1902).
pendula Sm.
J. E. Smith, Pl. Ic. Ined. ii. t. 34 (1790).
petraea Leyb.
Flora, xxxviii. t. 13 (1855).
*Sturm, Deutschl. Fl. xx. XCVI [t. 1429] (1855).
Pokorny, Oesterr. Holzpfl. 444, t. 28 (1864).—*Veg.*
Dippel, Handb. Laubholzk. iii. 196 (1893).
Schroeter, Pflanzenleb. Alp. 195, 199 (1905).
Schneider, Ill. Handb. Laubh. ii. 394 (1909).
Bot. Közl. (Bot. Communic.), x. 137 (1911).—*Fl.*
Garden, lxxxii. 458 (1918).—*Hab.*
Farrer, English Rock-Gard. i. 280 (1919).—*Hab.*
Philippii Gren. & Godr.
*Cusin, Herb. Fl. Franç. xix (Daphnoïdées), t. 3 (1876).
pillo-pillo C. Gay
Castillo & Dey, Jeogr. Vej. Rio Valdivia, Ed. 2, i. 85 1908).

DAPHNE
pontica Linn.
*Andrews, Bot. Rep. ii. t. 73 (1799).
*Bot. Mag. xxxi. t. 1282 (1810).
J. C. Loudon, Arbor. & Frutic. Brit. iii. 1310 (1838).
Gard. Chron. xiv. 209 (1880).
*A. H. Church, Types Fl. Mechan. i. 85, 87 (1908).
Schneider, Ill. Handb. Laubh. ii. 399, 400 (1909).
Apgar, Orn. Shrubs U.S. 298, fig. 527 (1910).
Bean, Trees & Shrubs, i. 473 (1914).
pseudo-Mezereum A. Gray
*Useful Pl. Jap. ii. t. 502 (1895).
retusa Hemsl.
*Bot. Mag. cxxxviii. t. 8430 (1912).
Bean, Trees & Shrubs, i. 474 (1914).
Messel, Gard. Fl. 54 (1918).
rupestris Facch. ex Nym.
Garden, lxix. 327 (1906).—*Hab.*
sericea Vahl
Ann. Mus. Hist. Nat. Paris, x. 297 (1807).
Desfontaines, Choix Pl. Tournefort, t. 9 (1808).
*Trattinick, Ausg. Taf. Arch. iii. t. 225 (1814).
Fiori & Paol. Ic. Fl. Ital. 108 (1898).
Schneider, Ill. Handb. Laubh. ii. 396 (1909).
Apgar, Orn. Shrubs U.S. 296, fig. 523 (1910).
sinensis Lam.
Schneider, Ill. Handb. Laubh. ii. 400 (1909).
Sophia Kalenicz
*Bull. Soc. Nat. Mosc. xxii. No. 1, t. 3 (1849).
Schneider, Ill. Handb. Laubh. ii. 401 (1909).—*Veg.*
Taliew in Trav. Soc. Nat. Univ. Kharkow, 1911–12, xlv. 129 (1912).—*Hab.*
striata Tratt.
*Trattinick, Ausg. Taf. Arch. i. t. 91 (1813).
Trattinick, Arch. ii. t. 133 (1814).
*Brandt & Ratzeb. Deutschl. Phanerog. Giftgew. t. 9 (1838).
*Reichenbach, Ic. Fl. Germ. xi. t. 554 (1849).
*Berge & Riecke, Giftgewächse, t. 23 (1850).
Pokorny, Oesterr. Holzpfl. 444, t. 27 (1864).—*Veg.*
*Weber, Alp.-Pfl. Ed. 3, iv. t. 370 (1872).
Nature, xi. 110 (1874).—*Fl.*
*Cusin, Herb. Fl. Franç. xix (Daphnoïdées), t. 6 (1876).
*Seboth & A. W. Bennett, Alpine Pl. ii. t. 82 (1880).
H. Müller, Alpenblumen, 207 (1881).—*Fl.*
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, x. t. 981 (1882).
*L. & C. Schroeter, Taschenfl. Alp.-Wand. t. 2 (1889).
*Heathcote, Fl. Engadine, t. 197 (1891).
Dippel, Handb. Laubholzk. iii. 197 (1893).
*Hartinger, Atlas Alpenfl. iii. t. 276 (1897).
Knuth, Handb. Blütenbiol. i. 148 (1898); ii. ii. 359 (1899).—*Fl.*
*Jul. Hoffmann, Alpine Fl. t. 35 (1903).
*L. & C. Schroeter, Col. Vade-Mecum Alp. Fl. Ed. 16 & 17, t. 2 (1904).
Schroeter, Pflanzenleb. Alp. 195, 196 (1905); 692 (1908).
Coste, Fl. France, iii. 213 (1906).
*Flahault, Nouv. Fl. Alpes & Pyrén. i. t. 125 (1906).
*Senn, Alpen-Flora, ii. t. 125 (1906).
*Oehninger, Alpenfl. t. 22, fig. 1 (1908).
Schneider, Ill. Handb. Laubh. ii. 394 (1909).—*Fl.*
*Milner, Life Oberammergau, t. 30 (1910).
Bot. Közl. (Bot. Communic.), x. 137 (1911).—*Fl.*
*H. S. Thompson, Alp. Pl. Europe, t. 60 (1911).
*Hegi & Dunz. Alp. Fl. t. 18 (1913).
*Penzig, Fl. Alpi Illustr. Ed. 2, t. 35 (1915).
Schröter in Jahrb. Schweiz. Alpenclub, lii. 189 (1917).
sureil W. W. Sm. & Cave
*Rec. Bot. Surv. Ind. vi. ii. t. 2 (1913).—*Fl.*
tangutica Maxim.
*Bot. Mag. cxlvi. t. 8855 (1920).
tartonraira Linn.
Lamarck, Ill. ii. t. 290, fig. 2 (1797).
Berchtold & J. S. Presl, Rostlin. i. t. [72] (1823).
*Sibthorp & Sm. Fl. Graeca, iv. t. 354 (1823).
J. C. Loudon, Arbor. & Frutic. Brit. iii. 1311 (1838).

DAPHNE
×**thauma** Farrer
Gard. Chron. Ser. III. lii. 22 (1912).—*Hab.*
thesioides Lam.
Lamarck, Ill. ii. t. 290, fig. 4 (1797).
Thymelaea Linn.
Gerard, Fl. Gallo-Prov. t. 17, fig. 2 (1761); fide DC.
Berchtold & J. S. Presl, Rostlin. i. t. [72] (1823).
vellioides Rodr.
*Willkomm, Ill. Fl. Hispan. Balear. i. t. 2 (1881–85).
Verlotii Gren. & Godr.
*Cusin, Herb. Fl. Franç. xix (Daphnoïdées), t. 8 (1876).
*Rev. Hort. 1901, p. 304, 305; 1902, p. 552.

DAPHNIDIUM Nees: *Lindera*
bifarium Nees
Ettingshausen in Denkschr. Akad. Wiss. Wien. xv. t. 33, fig. 6 (1858).—*Veg.*
Ettingshausen, Blatt-Skel. Dikot. t. 10 (1861).—*Veg.*
Cubeba Nees
Greshoff in Indische Mercuur, xx. No. 43, tab. (1897).—*Fr.*
Greshoff, Nutt. Ind. Pl. t. 37 (1897).—*Fr.*
strychnifolium Sieb. & Zucc.
Kwa-wi [transl. Savatier], Arbor. i. t. 2 (1759).
*Useful Pl. Jap. ii. t. 455 (1895).

DAPHNIPHYLLOPSIS Kurz: *Nyssa*
capitata Kurz
Journ. Asiat. Soc. Bengal, xliv. ii. t. 15 (1875).

DAPHNIPHYLLUM Bl.—Vide *Goughia*
glaucescens Bl.
Pflanzenfam. iii. v. 36 (1890).
Dippel, Handb. Laubholzk. iii. 78 (1893).
Garden, xlviii. 259 (1895).—*Hab.*
Annesley, Rare Plants, 44 (1903).—*Hab.*
Journ. Roy. Hort. Soc. London, xxvii. 871 (1903).—*Hab.*
Journ. Coll. Sc. Tokyo, xx. Art. 3, t. 2, fig. K (1904).—*Fl.*
Schneider, Ill. Handb. Laubh. ii. 136 (1907).—*Veg.*
*Shirasawa, Ic. Ess. Forest. Jap. ii. t. 37 (1908).
Silva Tarouca, Freiland-Laubgehölze, 200 (1913).—*Hab.*
Fyson, Fl. Nilgiri & Pulney Hill-tops, iii. 498 (1920).
—— **Oldhamii** Hemsl.
Kanehira, Formosan Trees, 479 (1917).—*Veg.*
himalayense Müll.-Arg.
Journ. Coll. Sc. Tokyo, xx. Art. 3, t. 2, fig. L (1904).
humile Maxim.
Schneider, Ill. Handb. Laubh. ii. 136 (1907).—*Veg.*
laurinum Baill.
Baillon, Euphorb. t. 21, fig. 25–27 (1858).—*Fl.*
Pflanzenfam. iii. v. 36 (1890).—*Fl.*
macropodum Miq.
Dai-Nihon Ju-moku Shi-ri-yaku (Jap. Trees Fig. & Expl.), t. 46 (1878).—*Veg.*
*Useful Pl. Jap. iii. t. 679 (1895).
*Shirasawa, Ic. Ess. Forest. Jap. i. t. 54 (1900).
Journ. Coll. Sc. Tokyo, xx. Art. 3, t. 2, fig. J (1904).
Schneider, Ill. Handb. Laubh. ii. 134, 136 (1907).
Miyabe-Festschrift, t. 27, fig. 14 (1911).—*Veg.*
Pflanzenreich, Daphniphyll. 10 (1919).
Roxburghii Baill.
Beddome, Fl. Sylv. t. 288 (1872).

DAPHNOPSIS Mart. & Zucc.—Vide *Coleophora, Nordmannia*
Beta Taub.
Hook. Ic. Pl. xxv. t. 2409 (1895).
brasiliensis Mart. & Zucc.
Mart. Fl. Bras. v. i. t. 28 (1855).
Martii Meissn.
Mart. Fl. Bras. v. i. t. 28 (1855).

DARBYA A. Gray: *Buckleya*
umbellata A. Gray
Gard. & Forest, vii. 75 (1894).

DAREA Juss.: *Asplenium*
flaccida Willd.
Fée, Mém. Foug. v. t. 27 (1850–52).

DAREA
furcans Bory
Duperrey, Voy. Coquille, Bot. Atlas, Crypt. t. 35 (1826).
inaequalis Willd.
Fée, Mém. Foug. v. t. 27 (1850–52).
obtusa Desv.
Journ. de Bot. Appl. (Desvaux), ii. t. 12 (1813).—*Veg.*
rhizophylla Willd.
Lamarck, Ill. t. 867 (1797–1819).
trilosa Desv.
Journ. de Bot. Appl. (Desvaux), ii. t. 12 (1813).
vivipara Willd.
Fée, Mém. Foug. v. t. 27 (1850–52).

DARGERIA Decne.: *Leptorrhabdos*
linifolia Decne.
Jacquemont, Voy. Inde, t. 121 (1844).

DARLINGTONIA DC.: *Desmanthus*
brachyloba DC.
De Candolle, Mém. Légum. t. 66 (1825).

DARLINGTONIA Torr.—Vide *Chrysamphora*
californica Torr.
Torrey in Smithson. Contrib. Knowl. vi. t. 12 (1854).
Belg. Hort. v. 112, t. 18 (1855).
*Fl. des Serres, Ser. II. iv. t. 1440, 1441 (1861).
Hesperian (San Francisco), viii. 4 (1862).
Album Natuur, 53–56 (1864).
Le Maout & Decaisne, Traité Gén. Bot. 407 (1868).
*Floral Mag. viii. t. 457 (1869).
Gard. Chron. 1871, p. 835; Ser. III. vii. 84, 85 (1890); xvii. 304, 305 (1895); xxiv. 339 (1898).
*Ill. Hort. xviii. t. 75 (1871).
Journ. Hort. xlv. 460 (1871); lxiii. 298 (1880); Ser. III. xlii. 387 (1901); lxx. 483 (1915).
*Bot. Mag. xcvii. t. 5920 (1871).
Garden, ii. 340 (1872); xxxvii. 147 (1890).—*Hab.*
Gard. Month. & Hort., Meehan, xx. 244 (1878).
Bouché, Insectenfr. Pfl. t. 1 (1884).—*Hab.*
Rhein. Jahrb. Gartenk. & Bot. i. t. 5 (1884).
Nicholson, Illustr. Dict. Gard. i. 441 [1884–88].—*Hab.*
Orcutt in W. Amer. Scient. ii. 91 (1886); vii. 127 (1891).—*Hab.*
Kerner, Pflanzenleben, i. 118 (1887); Ed. 3, i. 311 (1913).
Pflanzenfam. ii. 1. 159 (1889); iii. ii. 246, 252 (1891).
Wien. Ill. Gart.-Zeit. xv. 154 (1890).—*Hab.*
Goebel, Pflanzenbiol. Schild. ii. 79, 83, t. 19, fig. 1–9; t. 22, fig. 5 (1891).
Kerner & Oliv. Nat. Hist. Pl. i. 127 (1894).
Brehm, Merv. Nat. Monde des Pl. i. 97 (1894–96).—*Veg.*
Parsons, Wild Fl. California, 391 (1897).—*Hab.*
L. H. Bailey, Cycl. Amer. Hort. 457 (1900); Stand. Cycl. Hort. 965 (1914).
Hansgirg, Phyllobiol. 228 (1903).
Flora & Sylva, iii. 231 (1905).
Velenovsky, Vergl. Morphol. Pfl. ii. 522 (1907).—*Hab.*
Pflanzenreich, Sarraceniac. 20, 26 (1908).
Pammle, Man. Poison. Pl. 498 (1911).
Engler & Drude, Veget. Erde, xiii. 323 (1911).—*Hab.*
Jardin, xxvi. 214 (1912).
Crisp, Guide Friar Park, 98 (1914).
Möllers, Deutsche Gärtn.-Zeit. xxx. 80 (1915).

DARWINIA Rudge—Vide *Genetyllis, Hedaroma*
citriodora Benth.
Guilfoyle, Austral. Pl. 160 [1911].—*Hab.*
fascicularis Rudge
Trans. Linn. Soc. London, xi. t. 22 (1815).
Nov. Act. Acad. Nat. Cur. xix. Suppl. ii. 272, t. 2 (1841).—*Fl.*
Banks & Soland. Bot. Cook's Voy. ii. t. 101 (1901).
F. Sulman, Wild Fl. N. S. Wales, i. t. 45 (1913).
Proc. Linn. Soc. N. S. Wales, xl. iii. t. 59 (1915).
fimbriata Benth.
Florist, 1869, p. 207.
grandiflora R. T. Baker & Sm.
Journ. & Proc. Roy. Soc. N. S. Wales, l. t. 7 (1916).

DARWINIA
Hookeriana Benth.
Gard. Chron. Ser. III. xliii. 243 (1908).
macrostegia Benth.
Baillon, Hist. Pl. vi. 321 (1877).—*Fl.*
Nicholson, Illustr. Dict. Gard. i. 442 [1884–88].
Pflanzenfam. iii. VII. 104 (1893).
Bellair & St.-Léger, Pl. Serre, 668 (1900).
Velenovsky, Vergl. Morphol. Pfl. iii. 837 (1910).
Meissneri Benth.
Engler & Drude, Veget. Erde, vii. 186 (1907).
oederoides Benth.
Pflanzenfam. iii. VII. 104 (1893).
Knuth, Handb. Blütenbiol. iii. 1. 534 (1904).—*Fl.*
Schuermannii Benth.
Hook. Ic. Pl. xxiv. t. 2303 (1894).
tulipifera T. Baines
Gard. Chron. xi. 785 (1879).—*Hab.*

DASIANTHERA C. Presl: *Scolopia*
luzonensis Presl
Presl, Reliq. Haenk. t. 66 (1835).

DASILLIPE Dub.
Pasquieri Dub.
Ann. Mus. Col. Marseille, Ser. III. i. 93 (1913).
Bull. Écon. Indo-Chine, N. Ser. cxxvii. 593 (1917).

DASIPHORA Rydb.: *Potentilla*
fruticosa Rydb.
Mem. Columb. Univ. ii. t. 101 (1898) in textu; *Comocarpa fruticosa* in ic.
Nelson in Bull. Wyoming Agric. St. No. 54, p. 20 (1902).—*Veg.*
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, ii. 262 (1913).
*F. E. & E. S. Clements, Rocky Mt. Fl. t. 25 (1914).
M. Armstrong, Field Book West. Wild Fl. 235 (1915).
*House, Wild Fl. New York (Mem. No. 15 N.Y. State Mus.), i. t. 96 (1918).
—— **monticola** Rydb.
Mem. Columb. Univ. ii. t. 101 (1898) in textu; *Comocarpa fruticosa monticola* in ic.

DASYCOLEUM Turcz.: *Chisocheton*
philippinum Turcz.
A. & C. De Candolle, Monogr. Phan. i. t. 7, fig. 8 (1878).—*Fl.*
Vidal, Sin. Fam. & Gen. Pl. Leñ. Filip. (Introd. Fl. For. Filip.), Atlas, t. 29, fig. c (1883).—*Fl.*

DASYLEPIS Oliv.—Vide *Scotellia*
lasiocarpa Gilg
Mildbraed, Deutsch. Zentral-Afr.-Exped. 1907–8, ii. t. 76 (1913).
racemosa Oliv.
Hook. Ic. Pl. xi. t. 1029 (1868).

DASYLIRION Zucc.
acrotrichum Zucc.
*Bot. Mag. lxxxiv. t. 5030 (1858).
*Fl. des Serres, Ser. II. iv. t. 1448 (1861).
Neubert's Deutsch. Gart. Mag. xxiv. 49, 81 (1871).
Gartenfl. xxx. 24 (1881).—*Hab.*
Pflanzenfam. ii. v. 72 (1888).—*Hab.*
Garden, xxxvi. 405 (1889).—*Hab.*
Bois, Dict. Hort. 425 (1893–99).
Kertészeti Lapok (Journ. Hort.), xii. 300 (1897).
Cactus Journ. i. 139 (1898).—*Hab.*
Gartenwelt, iii. 375 (1899).
Gard. Chron. Ser. III. xxix. 231 (1901).—*Hab.*
Trelease in Proc. Amer. Phil. Soc. l. 436, t. 11, 12 (1911).—*Fl.*
Wettstein, Handb. Syst. Bot. Ed. 2, p. 793 (1911). —*Fl.*
Engler & Drude, Veget. Erde, xiii. 335 (1911). —*Hab.*
Berlandieri S. Wats.
Trelease in Proc. Amer. Phil. Soc. l. 440, t. 12 (1911).—*Fl.*
cedrosanum Trel.
Trelease in Proc. Amer. Phil. Soc. l. 431, t. 5, 12, 15 (1911).
durangense Trel.
Trelease in Proc. Amer. Phil. Soc. l. 438, t. 11, 12 (1911).—*Fr.*

DASYLIRION
glaucophyllum Hook.
*Bot. Mag. lxxxiv. t. 5041 (1858).
Gard. Chron. Ser. III. xl. 247 (1906).—*Hab.*
Trelease in Proc. Amer. Phil. Soc. l. 435, t. 12 (1911).
Rev. Hort. 1911, p. 87.—*Hab.*
glaucum Carr.
Rev. Hort. 1872, p. 435.
Garden, iii. 23 (1873).
Florist, 1874, p. 17.
Berge, Pflanzenphysiogn. 41 (1880).—*Hab.*
Gard. Chron. xiii. 205 (1880).
gracile Zucc.
Fl. des Serres, Ser. I. vii. 10 (1851–52).
Wien. Ill. Gart.-Zeit. 1880, p. 138.
Garden, lxxvii. 594 (1913); lxxxii. 329 (1918). —*Hab.*
graminifolium Zucc.
Zuccarini in Abh. Akad. Wiss. München, iii. t. 1 (1840).
Allg. Gartenzeit. t. 1 (1841).
Trelease in Proc. Amer. Phil. Soc. l. 437, t. 12 (1911).—*Fl.*
Hartwegianum Zucc.
*Bot. Mag. lxxxv. t. 5099 (1859).
leiophyllum Engelm.
Trelease in Proc. Amer. Phil. Soc. l. 433, t. 12 (1911).
longifolium Zucc.
*Belg. Hort. xv. 321 (1865).
Rev. Hort. 1876, p. 454; 1914, p. 88.—*Hab.*
Garden, xi. 291 (1877); xxiv. 433 (1883).—*Hab.*
Gard. Chron. vii. 493, 567 (1877).
Gartenfl. xxix. 118 (1880); xxxiii. 368 (1884).
Bull. Soc. Tosc. Ortic. vi. 146 (1881); xv. 112, t. 6 (1890).—*Hab.*
Garten-Zeit. Berlin, iii. 66 (1884).—*Hab.*
Wien. Ill. Gart.-Zeit. ix. 93 (1884).—*Hab.*
Bull. Soc. Acclim. Ser. IV. vi. 145 (1889).—*Hab.*
Sauvaigo, Cult. Littor. Méditerr. 45 (1894).—*Hab.*
Brehm, Merv. Nat. Monde des Pl. ii. 592 (1894–96). —*Hab.*
Rev. Hort. Belge, xxxi. 230 (1905).—*Hab.*
longissimum C. Lem.
Trelease in Proc. Amer. Phil. Soc. l. 440, t. 9, 12 (1911).
lucidum Rose
Trelease in Proc. Amer. Phil. Soc. l. 432, t. 2, 10, 12 (1911).
Palmeri Trel.
Trelease in Proc. Amer. Phil. Soc. l. 432, t. 12 (1911).
Parryanum Trel.
Trelease in Proc. Amer. Phil. Soc. l. 433 (1911).
quadrangulatum S. Wats.
Bull. Soc. Tosc. Ortic. ix. 236, t. 13 (1884); xxxv. 344, t. 6 (1910).
Gartenfl. xxxvi. 280 (1887).
Wien. Ill. Gart.-Zeit. xiv. 36 (1889).—*Hab.*
*Bot. Mag. cxxvi. t. 7749 (1900).
Contrib. U.S. Nat. Herb. x. 89 (1906).—*Fr.*
Rev. Hort. 1914, p. 66.—*Hab.*
serratifolium Zucc.
Rep. Missouri Bot. Gard. xiv. t. 12 (1903).—*Hab.*
Trelease in Proc. Amer. Phil. Soc. l. 438 (1911). —*Fl.*
simplex Trel.
Trelease in Proc. Amer. Phil. Soc. l. 434, t. 12 (1911).—*Fl.*
texanum Scheele
Cannon in Carnegie Inst. Washington, Publ. No. 131, t. 19 (1911).—*Hab.*
Trelease in Proc. Amer. Phil. Soc. l. 434, t. 12, 15 (1911).
Wheeleri S. Wats.
Wooton in Bull. New Mexico Agric. St. No. 51, p. 33 (1904).—*Hab.*
Plant World, x. 255 (1907).—*Hab.*
D. T. MacDougal in Carnegie Inst. Washington, Publ. No. 99, t. 58 (1908).—*Hab.*
De Wildeman, Ic. Sel. Hort. Then. vi. t. 225 (1908).
Trelease in Proc. Amer. Phil. Soc. l. 439, t. 7, 8, 11, 12 (1911).—*Fl.*

DASYLIRION
Wheeleri
Ann. Rep. Smithson. Inst. 1911, t. 11, p. 462 (1912).—*Hab.*
U.S. Dep. Agric. Bull. No. 728, t. 5 (1918).—*Hab.*
—— **Wislizeni** Trel.
Trelease in Proc. Amer. Phil. Soc. l. 439, t. 12 (1911).

DASYLOMA DC.: *Oenanthe*
bengalense DC.
Wight, Ic. Pl. Ind. Or. ii. t. 568 (1840–43).

DASYMASCHALON Hook. f. & Thoms.
lomentaceum Finet & Gagnep.
Bull. Soc. Bot. France, liii. Mém. 4, t. 20, B, fig. 7–12 (1906).
Lecomte, Fl. Gén. Indo-Chine, i. t. 14 (1907).
macrocalyx Finet & Gagnep.
Bull. Soc. Bot. France, liii. Mém. 4, t. 19, B, fig. 9–13 (1906).
Lecomte, Fl. Gén. Indo-Chine, i. t. 13 (1907).

DASYNEMA Schott: *Sloanea*
pubescens Schott
Poeppig & Endl. Nov. Gen. & Sp. Pl. iii. t. 284 (1845).

DASYPHYLLUM H. B. K.: *Chuquiraga*
argenteum H. B. K.
H. B. K. Nov. Gen. iv. t. 308 (1820).

DASYPOGON R. Br.
bromeliifolius R. Br.
Flinders, Voy. Terra Austral. t. 8 (1814).
*Schnizlein, Iconogr. i. t. 51 c (1845).
Pflanzenfam. ii. v. 49, 50 (1888).
Baillon, Hist. Pl. xii. 406 (1894).—*Fl.*
Engler & Drude, Veget. Erde, vii. 116 (1906). —*Fl.*
Wettstein, Handb. Syst. Bot. Ed. 2, p. 793 (1911). —*Fl.*
Hookeri Drumm.
Engler & Drude, Veget. Erde, vii. t. 9 (1906). —*Hab.*

DASYSPHAERA Volkens
Robecchii Lopr.
Engl. Jahrb. xxvii. t. 1 (1899).
Urban & Graebn. Festschr. Aschers. 416 (1904). —*Fl.*
Borzi, Contrib. Biol. Veg. iii. III. t. 17, fig. 12 (1905).

DASYSTACHYS Baker: *Chlorophytum*
campanulata Baker
Trans. Linn. Soc. London, Ser. II. Bot. i. t. 35 (1878).
colubrina Baker
Trans. Linn. Soc. London, Ser. II. Bot. i. t. 35 (1878).
Drimiopsis Baker
*Bot. Mag. cxxiv. t. 7580 (1898).

DASYSTACHYS Örst.: *Chamaedorea*
Deckeriana Örst.
Örsted, Amer. Centr. t. 6 (1863).

DASYSTEMON DC.: *Crassula*
calycinum DC.
De Candolle, Crassulac. (Coll. Mém. ii), t. 3 (1828).

DASYSTEPHANA Adans.: *Gentiana*
affinis Rydb.
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, iii. 11 (1913).
Andrewsii Small
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, iii. 12 (1913).
*House, Wild Fl. New York (Mem. No. 15 N.Y. State Mus.), ii. t. 168 (1918).
asclepiadea Borkh.
*Schrank, Fl. Monac. i. t. 60 (1811).
flavida Britton
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, iii. 12 (1913).
Grayi Britton
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, iii. 13 (1913).

DASYSTEPHANA
linearis Britton
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, iii. 13 (1913).
parvifolia Small
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, iii. 11 (1913).
Porphyrio Small
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, iii. 14 (1913).
*Addisonia, i. t. 35 (1916).
puberula Small
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, iii. 11 (1913).
Saponaria Small
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, iii. 12 (1913).
villosa Small
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, iii. 13 (1913).

DASYSTOMA Rafin.: *Gerardia*
flava Wood
Britton & Brown, Ill. Fl. N. States & Canada, iii. 173 (1898); Ed. 2, iii. 206 (1913).
*Blanchan, Nat. Gard. 334 (1900).
grandiflora Wood
Britton & Brown, Ill. Fl. N. States & Canada, iii. 174 (1898); Ed. 2, iii. 207 (1913).
laevigata Britton
Britton & Brown, Ill. Fl. N. States & Canada, iii. 174 (1898); Ed. 2, iii. 207 (1913).
pedicularia Benth.
Gartenfl. xxi. 67, t. 717 (1872).
*Wild Fl. Canada, t. 228 (1894).
Britton & Brown, Ill. Fl. N. States & Canada, iii. 173 (1898); Ed. 2, iii. 206 (1913).
quercifolia Benth.
Gartenfl. xxi. 68, sub t. 744 (1872).
*Wild Fl. Canada, t. 134 (1894).
serrata Small
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, iii. 207 (1913).
tubulosa Bertol.
Bertoloni, Misc. Bot. xiii. t. 3 (1853).
Bertoloni in Mem. Accad. Sc. Istit. Bologna, iv. t. 4 (1853).
virginica Britton
Britton & Brown, Ill. Fl. N. States & Canada, iii. 174 (1898); Ed. 2, iii. 208 (1913).

DATISCA Linn.—Vide *Tricerastes*
cannabina Linn.
*Kniphof, Herb. Viv. i. t. 357 (1758).
Gaertner, Fruct. i. t. 30 (1788).—*Fr.*
Lamarck, Ill. v. t. 823 (1797–1819).
*Schkuhr, Bot. Handb. Ed. 2, t. 336 (1808).
*Sibthorp & Sm. Fl. Graeca, x. t. 960 (1840).
Lindley, Veg. Kingd. 316 (1846).—*Fl.*
Honigberger, Thirty-five Years East, ii. t. 5 (1852).
Payer, Organog. Comp. Fl. t. 81 (1857).—*Fl.*
*Schnizlein, Iconogr. iii. t. 184 (1857–65).
Agardh, Theor. Syst. Pl. t. 12 (1858).—*Fl.*
Le Maout & Decaisne, Traité Gén. Bot. 488 (1868).
Baillon, Hist. Pl. iii. 406, 407 (1872).
Garden, iii. 391 (1873).
W. Robinson, Engl. Fl. Gard. t. 91 (1883).
Nicholson, Illustr. Dict. Gard. i. 443 [1884–88].
Gartenfl. xxxv. 689 (1886).
Pflanzenfam. iii. VI. A. 154 (1894).
Flora, xci. 135 (1902).—*Veg.*
Silva Tarouca, Freiland-Stauden, 79 (1910).—*Hab.*
Basu, Ind. Med. Pl. t. 469 (1918).
glomerata Baill.
Pflanzenfam. iii. VI. A. 154 (1894).—*Fl.*

DATURA Linn.—Vide *Brugmansia* Pers., *Stramonium*
alba Nees
Wight, Ic. Pl. Ind. Or. iii. t. 852 (1843–45).
Somoku Dzusetsu, Ed. 2, iii. t. 55 (1874).
*Useful Pl. Jap. ii. t. 493 (1895).
Somoku Dzusetsu, Ed. Makino (Iconogr. Pl. Nippon), iii. t. 55 (1907).
albido-flava C. Lem.
*Ill. Hort. iv. t. 131, sub t. 131 (1857).

DATURA
arborea Linn.
*Joh. Kerner, Hort. Sempervir. i. t. 8 (1797).
Ruiz & Pavon, Fl. Peruv. & Chil. ii. t. 128 (1799).
*Duhamel, Arbres & Arbustes, Ed. 2, vii. t. 1 (1801–19).
*Vietz, Ic. Pl. Med.-oec.-techn. Suppl. t. 29 (1822).
Vellozo, Fl. Flum. ii. t. 44 (1827).
Gard. Chron. xi. 141 (1879); Ser. III. xxix. 10 (1901).—*Hab.*
*An. Inst. Med. Nac. Mexico, xi. 421 (1911).
Möllers Deutsche Gärtn.-Zeit. xxx. 184, 185 (1915).
arborescens Gubb
Gubb, Fl. Algeria, t. 66 (1909).
Bernhardii E. Lundstr.
*Act. Hort. Berg. v. No. 3, t. 6, p. 90 (1914).
ceratocaula Jacq.
*Jacquin, Hort. Schoenbr. iii. t. 339 (1798).
*Joh. Kerner, Hort. Sempervir. t. 171 (1805).
*Bot. Reg. xii. t. 1031 (1827).
*Descourtilz, Fl. Pitt. & Méd. Antilles, iii. t. 175 (1827).
*Drapiez, Herb. Amat. Fl. iii. t. 191 (1829).
*Bot. Mag. lxi. t. 3352 (1834).
*J. W. Loudon, Ladies' Fl.-Gard. Ornam. Annuals, t. 46 (1844).
Decaisne & Naud. Amat. Jard. ii. 364 [1862–66].
Decaisne, Naud. & Hemsl. Trees, Shrubs & Herb. Pl. 330 (1873).
W. Robinson, Engl. Fl. Gard. t. 91 (1883).—*Hab.*
Nicholson, Illustr. Dict. Gard. i. 443 [1884–88].
*Neubert's Deutsch. Gart. Mag. li. t. 10 (1898).
Journ. Hort. Ser. III. lvii. 109 (1908).
Act. Hort. Berg. v. No. 3, t. 6, 94, 95 (1914).
chlorantha Hook.
*Bot. Mag. lxxxv. t. 5128 (1859).
*Rev. Hort. 1908, p. 302.
cornigera Hook.
*Bot. Mag. lxxii. t. 4252 (1846).
*An. Inst. Med. Nac. Mexico, xi. 421 (1911).
cornucopia Hort.
*Garden, xlvi. 224 (1894).
*Ill. Hort. xlii. t. 25 (1895).
dubia Pers.
Rheede, Hort. Mal. ii. t. 30 (1679); fide Hasskarl, Hort. Mal. Rheed. Clavis, 20.
erinacea Vell.
Vellozo, Fl. Flum. ii. t. 46 (1827).
fastuosa Linn.
Rheede, Hort. Mal. ii. t. 28 (1679); fide Fl. Brit. Ind. iv. 243.
Rumphius, Herb. Amboin. v. t. 87, fig. 2 (1747); fide Merrill, Interpret. Rumph. Herb. Amboin.
*Plantarum Indig. & Exot. Ic. i [t. 18] (1788).
*Mirbel, Hist. Nat. Pl. xvi. t. 108 (1806).
*Roques, Pl. Usuell. Indig. & Exot. ii. t. 47 (1808).
*Roques, Phytogr. Médic. i. t. 64 (1821); Nouv. Ed. Atlas, t. 45 (1835).
Wight, Ic. Pl. Ind. Or. iv. t. 1396 (1848).
*Wight, Illustr. Ind. Bot. ii. t. 166 bis (1850).—*Fl.*
*Berge & Riecke, Giftgewächse, t. 32 (1850).
*Cassone, Fl. Med.-Farm. iv. t. 388 (1850).
*Fl. des Serres, Ser. II. iv. t. 1457 (1861).
Bot. Congr. London, t. 7 (1866).—*Fl.*
Gartenfl. xxii. 217 (1873).
W. Robinson, Engl. Fl. Gard. t. 91 (1883).
L. H. Bailey, Cycl. Amer. Hort. 460 (1900); Stand. Cycl. Hort. 970 (1914).
*Journ. Bombay Nat. Hist. Soc. xiv. 20 (1902).
Rev. Hort. Belge, xxix. 254 (1903).
Trop. Agric. xxv. No. 3, p. 496 (1905).—*Fr.*
F. M. Bailey, Weeds & Poison. Pl. Queensland, 126 (1906).
*Kloppenburg-Versteegh, Pl. Atlas, t. 6 [1907].
Act. Hort. Berg. v. No. 3, t. 5 (1914).—*Fr.*
Lecomte, Fl. Gén. Indo-Chine, iv. 332 (1915).—*Fl.*
Basu, Ind. Med. Pl. t. 685 (1918).
—— **alba** C. B. Clarke
Rumphius, Herb. Amboin. v. t. 87, fig. 1 (1747); fide Merrill, Interpret. Rumph. Herb. Amboin.
Pharm. Journ. Ser. IV. xiii. 446 (1901).—*Fr.*
Basu, Ind. Med. Pl. t. 686 (1918).
—— **dubia** Linn.
Rheede, Hort. Mal. ii. t. 29 (1679); fide Fl. Brit. Ind. iv. 243.

DATURA
fastuosa rubra Dun.
*Blanco, Fl. Filip. t. 35 (1878–80).
ferox Linn.
*Roques, Pl. Usuell. Indig. & Exot. ii. t. 47 (1808).
Fiori & Paol. Ic. Fl. Ital. 338 (1902).
Act. Hort. Berg. v. No. 3, t. 6 (1914).—*Fr.*
Queensland Agric. Journ. N. Ser. viii. t. 2 (1917).
gigantea Hort.
Lubbock, Seedlings, ii. 297 (1892).—*Veg.*
guayaquilensis Kunth
*Sweet, Brit. Fl. Gard. vii. t. 380 (1837).
Huberiana Hort.
Wien. Ill. Gart.-Zeit. xvi. 157 (1891).
humilis Desf.
*Fl. des Serres, Ser. I. x. t. 972 (1854–55).
hummatu Bernh.
*Ann. Gand, ii. t. 100 (1846).
inermis Juss.
*Jacquin, Hort. Vind. iii. t. 82 (1776).
De Vries, Mutationsth. i. 22 (1901).—*Fr.*
laevis Linn. f.
*Redouté, Choix Fl. [t. 30] (1827).
Targioni-Tozzetti in Mem. Accad. Sc. Torino, Ser. II. xv. t. 3 (1855).—*Fl.*
Leichhardtii F. Muell.
F. M. Bailey & Gordon, Pl. Poison. & Injur. to Stock, 53 (1887).
F. M. Bailey, Weeds & Poison. Pl. Queensland, 126 (1906).
metel Linn.
*Bergius, Mat. Med. i. 122, t. 364 (1778).
*Zorn, Ic. Pl. Med. iv. t. 364 (1782).
*Oskamp, Afb. Artseny-Gewass. iv. t. 367 (1800).
*Bot. Mag. xxxv. t. 1440 (1812).
*Roques, Phytogr. Médic. i. t. 63 (1821); Nouv. Ed. Atlas, t. 44 (1835).
Berchtold & J. S. Presl, Rostlin. i. t. [53] (1823).
*Cassone, Fl. Med.-Farm. iv. t. 387 (1850).
*Blanco, Fl. Filip. t. 34 (1878–80).
Cuoco, Fauna & Flora Eritrea, 83 (1897).
Britton & Brown, Ill. Fl. N. States & Canada, iii. 140 (1898); Ed. 2, iii. 170 (1913).
Fiori & Paol. Ic. Fl. Ital. 337 (1902).
Coste, Fl. France, ii. 616 (1903).
Black, Nat. Fl. S. Australia, 115 (1909).
Act. Hort. Berg. v. No. 3, t. 5 (1914).—*Fr.*
Journ. Board Agric. xxi. 504 (1914).—*Hab.*
Queensland Agric. Journ. N. Ser. viii. t. 3 (1917).
Britton, Fl. Bermuda, 340 (1918).
meteloides DC.
*Fl. des Serres, Ser. II. ii. t. 1266 (1857).
Rev. Hort. Ser. IV. vi. 571 (1857).
A. De Candolle, Calq. Dess. Fl. Mex. Moc. & Sessé, t. 919 (1874).
Garden, v. 113 (1874).
Nicholson, Illustr. Dict. Gard. i. 444 [1884–88].
M. Armstrong, Field Book West. Wild Fl. 459 (1915).
Ann. Rep. Smithson. Inst. 1916, t. 8, 9, p. 424 (1917).
pubescens Roques
*Roques, Pl. Usuell. Indig. & Exot. ii. t. 47 (1808).
quercifolia Humb. & Bonpl.
Act. Hort. Berg. v. No. 3, t. 6 (1914).—*Fr.*
sanguinea Ruiz & Pav.
*Fl. des Serres, Ser. II. viii. t. 1883, 1884 (1869–70).
*Bull. Soc. Tosc. Ortic. xiv. 380, t. 12 (1889).
*Bois, Atlas Pl. Jard. t. 205 (1896).
*Step, Fav. Fl. Gard. & Greenh. iii. t. 199 (1897).
Möllers Deutsche Gärtn.-Zeit. xiv. 109 (1899).
Bellair & St.-Léger, Pl. Serre, 671 (1900).
sarmentosa Lam.
*Descourtilz, Fl. Pitt. & Méd. Antilles, iii. t. 174 (1827).
scandens Vell.
Vellozo, Fl. Flum. ii. t. 45 (1827).
Stramonium Linn.
*Kniphof, Herb. Viv. i. t. 358, 359 (1758).
*Fl. Dan. iii. t. 436 (1769).
Hill, Herb. Brit. ii. t. 129 (1770).
*Regnault, Bot. i. 36 (1774).
*Zorn, Ic. Pl. Med. iii. t. 286 (1781).
*Joh. Kerner, Abbild. Oek. Pfl. (Fig. Pl. Écon.), ii. t. 106 (1788).

DATURA
Stramonium
*Plenck, Ic. Pl. Med. i. t. 96 (1788).
*Woodville, Med. Bot. ii. t. 124 (1792); Ed. 3, ii. t. 74 (1832).
C. K. Sprengel, Entd. Geheimn. Natur, t. 8, fig. 29–34 (1793).—*Fl.*
Lamarck, Ill. i. t. 113 (1797).—*Fl.*
*Curtis, Fl. Londin. ii. fasc. VI. t. 17 (1798); Ed. 2, iii. fasc. VI. t. 17 (1826).
*Oskamp, Afb. Artseny-Gewass. iv. t. 366 (1800).
*Svensk Bot. i. t. 43 (1802).
*Vietz, Ic. Pl. Med.-oec.-techn. ii. t. 200 (1803).
*Sowerby & Sm. Engl. Bot. xviii. t. 1288 (1804).
Boissieu, Fl. Eur. i. t. 142 (1805).
G. Savi, Mat. Med. Veg. Toscana, t. 46 (1805).
*Kops, Fl. Batava, ii. t. 154 (1807).
*Roques, Pl. Usuell. Indig. & Exot. ii. t. 47 (1808).
*Schkuhr, Bot. Handb. Ed. 2, t. 43 (1808).
*Jaume St.-Hilaire, Pl. France, ii [t. 24] (1808).
Thornton, Brit. Fl. ii. 68 (1812).
*Vigneux, Fl. Pitt. Envir. Paris, t. 14 (1812).
*Schrank, Fl. Monac. ii. t. 118 (1814).
*Hayne, Getreue Darst. Arzn. Gewächse, iv. t. 7 (1816).
*Bigelow, Amer. Med. Bot. i. t. 1 (1817).
*Chaumeton, Fl. Méd. vi. t. 332 (1818).
*Sterler, Eur. Med. Fl. t. 47 (1820).
*Roques, Phytogr. Médic. i. t. 62 (1821); Nouv. Ed. Atlas, t. 43 (1835).
*Waller, New Brit. Domest. Herb. t. 29 (1822).
*Heger, Herb. Pharm. [t. 10] (1822–25).
Berchtold & J. S. Presl, Rostlin. i. t. [48] (1823).
*Mann, Deutschl. Wildwachs. Arzney-Pfl. [t. 55] (1823–28).
*Descourtilz, Fl. Pitt. & Méd. Antilles, iii. t. 173 (1827).
*Heger, Giftpl. 1 (1827).
Vellozo, Fl. Flum. ii. t. 43 (1827).
*Nees, Pl. Offic. i. t. 193 (1828).
Rafinesque, Med. Pl. i. t. 31 (1828).
*Fl. Med. [Spratt], i. 125 (1829).
*Mann, Deutschl. Giftpfl. t. 5 (1829).
*Schlechtendal & Guimpel, Abb. Pharm. Boruss. Gew. i. t. 45 (1830).
Delle Chiaje, Fl. Med. ii. tab. (1832).
*Graves, Hort. Med. t. 5 (1834).
*Stephenson & Churchill, Med. Bot. New Ed. i. t. 6 (1834).
*Baxter, Brit. Bot. Ed. 2, ii. t. 121 (1835).
*Dietrich, Fl. Boruss. iii. t. 203 (1835).
*A. Henry, Giftpfl. Deutschl. [t. 14] (1836).
*F. A. W. Miquel, Noord-Nederl. Verg. Gewas. t. 17 (1836).
*Spratt, Med.-Bot. Pocket Book, 59 [1836].
*Zenker, Fl. Thüringen, ii. t. 217 (1836–55).
*Brandt & Ratzeb. Deutschl. Phanerog. Giftgew. t. 15 (1838).
[M. E.] Jackson, Pict. Fl. fig. 355 (1840).
*Deakin, Florigr. Brit. i. fig. 354 (1841).
*Burnett, Pl. Util. ii. 43, a (1845).
Nees, Gen. Pl., Gamop. i. t. 53 (1845).
*Carson, Ill. Med. Bot. ii. t. 67 (1847).
*Lorek, Fl. Pruss. Ed. 3, t. 55, fig. 307 (1848).
*Strong, American Fl. ii. 151 (1848).
Lindley, Med. & Oecon. Bot. 203 (1849).
*Petermann, Deutschl. Fl. t. 64, fig. 504 (1849).—*Fl.*
*Berge & Riecke, Giftgewächse, t. 12 (1850).
*Cassone, Fl. Med.-Farm. iv. t. 386 (1850).
*E. Hamilton, Fl. Homoeopath. ii. t. 61 (1853).
*Good, Family Flora, ii. t. 56 (1854).
Schnizlein, Iconogr. ii. t. 148 (1854).—*Fl.*
*C. Johnson, Brit. Poison. Pl. t. 16 (1856).
Johnson & Sowerby, Brit. Wild Fl. fig. 855 (1858–60).
*Pecirka, Giftgew. Oesterr. Deutschl. [t. 14] (1859).
Reichenbach, Ic. Fl. Germ. xx. t. 1624 (1861).
*Johnson & Sowerby, Useful Pl. Gr. Brit. t. 14, fig. 158 (1861[–62]).
*Berg & Schmidt, Darst. u. Beschr. Offiz. Gewächse, iii. t. 20, d (1861).
Berg, Charakt. t. 38, fig. 299 (1861).
*Artus, Atlas Pharm. Deutschl. Aufg. Offic. Gew. t. 188 [1862–74].
*Argenta, Album Fl. Med.-Farm. iii. t. 229 (1864).

DATURA
Stramonium
*Hogg & Johnson, Wild Fl. Gr. Brit. ii. t. 157 (1864).
Bentham, Handb. Brit. Fl. fig. 706 (1865).
*Schubert, Naturg., Pflanzenreich, Ed. 2, t. 11, fig. 10 [1865].
*Syme, Engl. Bot. vi. t. 935 (1866).
Cesati, Passer. & Gibelli, Comp. Fl. Ital. t. 54 (1867–86).—*Fl.*
*Hulme, Plant Form, t. 13 (1868).
Le Maout & Decaisne, Traité Gén. Bot. 183 (1868).—*Fl.*
*Réveil, Règne Vég. iii. t. 47; x. t. 39 (1870).
Pinto, Diccion. Bot. Brasil. fig. 18 (1873).
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, iv. t. 147 [1873].
*Cusin, Herb. Fl. Franç. xvi (Solanées), t. 14 (1875).
Warming in Dansk. Vid. Selsk. Skrift. Ser. V. x. t. 7, fig. 24, 25, 27 (1875).
*Lesacher & Mareschal, Nouv. Bot. Méd. i [t. 19] (1876).
*Bentley & Trim. Med. Pl. iii. t. 192 (1876).
Bull. Soc. Bot. France, xxiv. t. 9, 10, fig. 1–42 (1877).—*Fl.*
De Silvestri, Piante Prat. 205 (1879).
Karsten, Deutsche Fl. Pharm.-medic. Bot. 964 (1880–83).
*C. Hoffmann, Pflanzenatlas, t. 15, fig. 90 (1881).
Wagner, Ill. Deutsche Fl. Ed. 2, p. 550 (1882).
Schilling, Grundr. Naturg. ii. Pflanzenr. Ausgb. A, p. 93 (1882); Ausgb. B, p. 201 (1884).
Baillon, Traité Bot. Méd. Phan. ii. 1204, 1205 (1884).
Johnson, Manual Med. Bot. N. Amer. 219 (1884).
Nicholson, Illustr. Dict. Gard. i. 444 [1884–88].
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xvi. t. 1610 (1884).
*Baillon, Ic. Fl. Franç. v. t. 432 [1885–94].
*Sterne, Herbst- & Winterblumen, t. 3 (1886).—*Hab.*
*Millspaugh, American Med. Pl. t. 127 (1887).
F. M. Bailey & Gordon, Pl. Poison. & Injur. to Stock, 55 (1887).
Cornevon, Pl. Vénén. 469 (1887).—*Fl.*
Hager, Handb. Pharm. Prax. Ed. Nov. ii. 1057, 1058 (1887).—*Veg.*
Kerner, Pflanzenleben, i. 381 (1887).
*Köhler, Med. Pfl. i [t. 70] (1887).
Baillon, Hist. Pl. ix. 307, 308 (1888).
Dujard.-Beaumetz & Égasse, Pl. Méd. 234, 235, t. 17 (1889).
Potonié, Ill. Fl. Nord- u. Mittel-Deutschl. Ed. 4, fig. 494 (1889).
Rep. Secretary Agric. Washington, 396, t. 7 (1889).
*Thomé, Fl. Deutschl. iv. t. 492 (1889).
Paolucci, Fl. Marchig. t. 18 (1890).
Halsted in Rep. New Jersey Agric. St. No. 1, t. 19 (1890); No. 6, p. 353 (1896).
Agric. Gaz. N. S. Wales, ii. 311 (1891); xxix. 35 (1918).
Pflanzenfam. iv. III. B. 28 (1891).
*Leclerc du Sablon, Nos Fleurs, 19, t. 3 [1892].
*Masclef, Atlas Pl. France, t. 237 (1893).
*Schimpfky, Uns. Heilpfl. i. t. 70 [1893–94].
Acloque, Fl. France, 481 (1894).
Kerner & Oliv. Nat. Hist. Pl. i. 411 (1894).
*Siélain, Atlas Poche Pl. Champs, Prair. & Bois, t. 86 [1894].
*Wild Fl. Canada, t. 126 (1894).
Brehm, Merv. Nat. Monde des Pl. ii. 308 (1894–96).
Garcke, Ill. Fl. Deutschl. 434 (1895).
Hitchcock & Norton in Bull. Kansas Agric. St. No. 50, t. 6, fig. 81 (1895); No. 57, t. 12, fig. 132 (1896); No. 66, t. 11, fig. 132 (1897).
Karsten, Fl. Deutschl. ii. 537 (1895).
*Kohl, Off. Pfl. Pharm. Germ. t. 128 (1895).
Post, Fl. Syria, Palestine & Sinai, 570 [1896].—*Fl.*
Taliew in Trav. Soc. Nat. Univ. Imp. Kharkow, xxx. t. 3 (1896).—*Fl.*
*Hulme, Familiar Wild Fl. (Pop. Ed.), vi. 121 [1897?].
Journ. Agric. S. Australia, i. 6 (1897).
Britton & Brown, Ill. Fl. N. States & Canada, iii. 139 (1898); Ed. 2, iii. 169 (1913).
Lochman, Phot. Med. Pl. t. 189 (1898).

DATURA
Stramonium
U.S. Dep. Agric. Div. Bot. Bull. No. 20, p. 50 (1898).
U.S. Dep. Agric. Farm. Bull. No. 86, p. 30 (1898); No. 188, p. 38, 39 (1904).
Bull. New Jersey Agric. St. No. 135, t. 2 (1899).
Faville & Parrott in Bull. Kansas Agric. St. No. 82, p. 5 (1899).
Going, Field, Forest & Wayside Fl. 217 (1899).
Knuth, Handb. Blütenbiol. ii. II. 135 (1899).—*Fl.*
*Warlich, Russk. Lekarst. Rast. (Russ. Med. Pl.), iii. t. 82 (1899).
L. H. Bailey, Cycl. Amer. Hort. 461 (1900); Stand. Cycl. Hort. 971 (1914).—*Fr.*
*Behrens, Blattformen, t. 50, fig. e (1900).—*Veg.*
Gradmann, Pflanzenl. Schwäb. Alb, Ed. 2, ii. 295 (1900).
Pharm. Journ. Ser. IV. xi. 779 (1900).—*Fr.*
De Vries, Mutationsth. i. 22 (1901).—*Fr.*
Contrib. Bot. Dept. Univ. Nebraska, N. Ser. xviii. 113 (1902).
Fiori & Paol. Ic. Fl. Ital. 338 (1902).
C. T. Green, Fl. Liverpool Distr. fig. 451 (1902).
*Hulme, Wild Fr. Country-side, t. 30 (1902).
Warming, Handb. Syst. Bot. Ed. Möbius, 401 (1902).—*Fr.*
Coste, Fl. France, ii. 616 (1903).
Losch, Kräuterb. t. 70 (1903).
Pammel in Bull. Iowa Agric. St. No. 70, p. 530 (1903).
Sturm, Fl. Deutschl. Ed. 2, x. 65 (1903).
F. M. Bailey, Weeds & Poison. Pl. Queensland, 126 (1906).
Blytt, Haandb. Norg. Fl. Ed. Dahl, 618 (1906).
Merino, Fl. Galicia, ii. 139 (1906).
Journ. Dep. Agric. S. Australia, xi. 238 (1907).
Journ. Agric. Soc. England, lxviii. t. 7 (1907).
Lazaro, Comp. Fl. Españ. ii. 510 (1907).
Transvaal Agric. Journ. v. No. 20, t. 228 (1907).
Velenovsky, Vergl. Morphol. Pfl. ii. 711 (1907); iii. 964 (1910).
*Journ. Dep. Agric. Victoria, vi. t. 30, p. 672 (1908).
Beille, Bot. Pharm. ii. 1018 (1909).
*Ewart & Tovey, Weeds, Poison. Pl. & Nat. Aliens Victoria, 46 (1909).
Graebner, Pflanzenw. Deutschl. 78 (1909).—*Fr.*
Gubb, Fl. Algeria, t. 89 (1909).
Heukels, Fl. Nederl. iii. 119 (1909).
*Esser, Giftpfl. Deutschl. t. 89 (1910).
Fedtschenko & Fler. Fl. Eur. Russia, 842 (1910).
Long, Common Weeds Farm & Garden, 306 (1910).
*Rev. Hort. 1910, p. 123.
Suireishchikov, Ill. Fl. Mosc. Gov. iii. 123 (1910).
Beal, Michigan Weeds (Bull. Mich. Agric. Exp. St. No. 267), 402 (1911); et in Ann. Rep. xxv. 391 (1912).
Pammel, Man. Poison. Pl. 61, 133, 730 (1911).
U.S. Dep. Agric. Bur. Pl. Indust. Bull. No. 219, p. 30 (1911).
Wettstein, Handb. Syst. Bot. Ed. 2, p. 718 (1911).—*Fr.*
*Strasburger, Text-Book Botany, Ed. Angl. 4, p. 661 (1912).
Jardin, xxvii. 79 (1913).
*Klein, Unsere Unkräuter, t. 82 (1913).
Merck's Rep. (Pract. Journ. Pharm.), xxii. 88 (1913).
Pammel in Iowa Geol. Surv. Bull. No. 4, p. 290, 472, 709 (1913).
U.S. Dep. Agric. Bull. No. 26, p. 13 (1913).
*Gadeceau, Fl. Moiss. t. 82 (1914).
A. Georgia, Manual Weeds, t. 261 (1914).
Journ. Board Agric. xxi. 507 (1914).
Bryan, Nat. Hist. Hawaii, t. 54, fig. 13 (1915).
Bull. Appl. Bot. viii. t. 137 (1915); ix. App. 7, p. 20 (1917).—*Fr.*
Bull. Exper. Farms, Ottawa, Ser. II. No. 23, p. 46 (1915).
Glover & Robbins. Colorado Pl. Injurious to Livestock (Bull. Colorado Agric. Exp. St. No. 211), 61 (1915).

DATURA
Stramonium
Ann. Rep. Smithson. Inst. 1916, t. 10, p. 424 (1917).
*Komarow, Sbor, Suschka i Razvod. Lekarst. Rast. Ross. (Coll. Dry. & Cult. Med. Pl. Russia), Ed. 3, t. 19 (1917).
Basu, Ind. Med. Pl. t. 684 (1918).
Britton, Fl. Bermuda, 340 (1918).
House, Wild Fl. New York (Mem. No. 15 N.Y. State Mus.), ii. 243 (1918).
Fitch & Smith, Ill. Brit. Fl. Ed. rev. 4, Iss. 2, fig. 713 (1919).
*Gehe, Arzneipfl.-Kart. Folge xiii (1919).—*Hab.*
Bose, Man. Ind. Bot. 248 (1920).—*Fl.*
Fyson, Fl. Nilgiri & Pulney Hill-tops, iii. 439 (1920); *D. suaveolens* in errata.
Fyles in Canada Dep. Agric. Exp. Farms, Bull. No. 39, Ser. II. p. xi. t. 37 (1920).
Fritch & Salisbury, Introd. Struct. & Reprodr. Pl. 62 (1920).
—— **chalybaea** Koch
Reichenbach, Ic. Fl. Germ. xx. t. 1624 (1861).
suaveolens Humb. & Bonpl.
Gard. Chron. Ser. III. xi. 593 (1892); xxiii. 70, 71 (1898); xlviii. 490 (1910).
Semaine Hort. 1898, p. 433; 1900, p. 113.
Journ. Hort. Ser. III. lxvii. 400 (1913).—*Hab.*
Fyson, Fl. Nilgiri & Pulney Hill-tops, iii. 439 (1920), in errata; *D. Stramonium* in ic.
tatula Linn.
*Plantarum Indig. & Exot. Ic. ii [t. 80] (1789).
*Meerburg, Pl. Sel. Ic. Pict. t. 13 (1798).
*Sweet, Brit. Fl. Gard. i. t. 83 (1824).
Meigen, Deutschl. Fl. i. t. 42 (1836).—*Fl.*
*J. W. Loudon, Ladies' Fl.-Gard. Ornam. Annuals, t. 46 (1844).
*Berge & Riecke, Giftgewächse, t. 33 (1850).
Belg. Hort. iii. t. 42 (1853).
*Cusin, Herb. Fl. Franç. xvi (Solanées), t. 15 (1875).
Hitchcock & Norton in Bull. Kansas Agric. St. No. 50, t. 6, fig. 82 (1895); No. 57, t. 12, fig. 133 (1896); No. 66, t. 11, fig. 133 (1897).
Britton & Brown, Ill. Fl. N. States & Canada, iii. 139 (1898).
De Vries, Mutationsth, i. 22 (1901).
Pammel, Weeds Farm & Gard. 223 (1911).
Pammel in Iowa Geol. Surv. Bull. No. 4, p. 289 (1913).
*Act. Hort. Berg. v. No. 3, t. 6, p. 87 (1914).
Queensland Agric. Journ. N. Ser. viii. t. 1 (1917).
Lovell, Flower & Bee, 141 (1919).—*Fl.*
Wrightii Hort.
*Gartenfl. viii. t. 260 (1859); xxx. 218 (1881).
W. Robinson, Engl. Fl. Gard. t. 92 (1883).

DAUBENTONIA DC.: *Sesbania*
longifolia DC.
Louisiana State Mus. Nat. Hist. Surv. Bull. No. 1 [t. 30] (1910).
Journ. Agric. Research, xx. t. 62 (1920).
punicea DC.
*Hartinger, Parad. Vindob. t. 80 (1844–60).
Tripetiana Poit.
*Floricult. Cab. x. 25 (1842).
*Gartenfl. x. t. 341 (1861).
*Trans. Russ. Hort. Soc. 1861, t. 67.
Tripetii Poit.
*Rev. Hort. Ser. II. ii. 289 (1843).
*Journ. Jard. 1843, p. 22.

DAUBENYA Lindl.
aurea Lindl.
*Bot. Reg. xxi. t. 1813 (1835).
fulva Lindl.
*Bot. Reg. xxv. t. 53 (1839).

DAUCUS Linn.—Vide *Carota*
aureus Desf.
Desfontaines, Fl. Atlant. i. t. 61 (1798).
Fiori & Paol. Ic. Fl. Ital. 278 (1901).
bicolor Sibth. & Sm.
*Sibthorp & Sm. Fl. Graeca, iii. t. 270 (1819).
Fiori & Paol. Ic. Fl. Ital. 278 (1901).
biseriatus Murb.
Murbeck, Contr. Fl. N.-Ouest Afriq. Ser. II. t. 11 (1905).

DAUCUS
Bocconii Guss.
*Cusin & Ansberque, Herb. Fl. Franç. x (Ombellifères), t. 4 (1869).
Coste, Fl. France, ii. 160 (1903).
brachiatus Sieb.
F. Turner, Forage Pl. Austral., Dep. Agric. N. S. Wales, 37 (1891).
F. M. Bailey, Weeds & Poison. Pl. Queensland, 66 (1906).
brachylobus Boiss.
*Boissier, Voy. Bot. Espagne, i. t. 68 (1839–45).
Broteri Ten.
*Tenore, Fl. Nap., Atlas, v. t. 222 (1811–38).
Post, Fl. Syria, Palestine & Sinai, 371 [1896].—*Fr.*
Fiori & Paol. Ic. Fl. Ital. 278 (1901).
Carota Linn.
*Kniphof, Herb. Viv. i. t. 360 (1758).
Hill, Veget. Syst. vi. t. 3 (1764).
Hill, Herb. Brit. i. t. 68 (1769).
*Fl. Dan. v. t. 723 (1778).
*Zorn, Ic. Pl. Med. v. t. 471 (1784).
Hoppe, Ect. Pl. Ratisb. t. 229 (1788).
Gaertner, Fruct. i. t. 20 (1788).—*Fr.*
*Plenck, Ic. Pl. Med. ii. t. 176 (1789).
*Baylis, Bot. Phys. t. 36, p. 426 (1791).
*Joh. Kerner, Abbild. Oek. Pfl. (Fig. Pl. Écon.), iv. t. 319 (1791).
*Martyn, Fl. Rustica, iii. t. 82 (1792).
*Woodville, Med. Bot. iii. t. 161 (1793); Ed. 3, i. t. 50 (1832).
Lamarck, Ill. i. t. 192, fig. 1 (1797).
*Vietz, Ic. Pl. Med.-oec.-techn. i. t. 74 (1800).
*Oskamp, Afb. Artseny-Gewass. vi. t. 513 (1800).
*Sowerby & Sm. Engl. Bot. xvii. t. 1174 (1803).
*Svensk Bot. ii. t. 104 (1803).
Barton, Elem. Bot. t. 2, fig. 4 (1804).—*Veg.*
Rousseau, Bot. t. 28 (1805).
*Kops, Fl. Batava, ii. t. 93 (1807).
*Schkuhr, Bot. Handb. Ed. 2, t. 61 (1808).
*Vigneux, Fl. Pitt. Envir. Paris, t. 19 (1812).
*Hill, Family Herbal, t. 9 (1812); fide Ed. Thornton, Brit. Fl. ii. 102 (1812).
G. F. Hoffmann, Gen. Umbell. t. 1 A, fig. 10, t. 1 B, fig. 26 (1814); Ed. 2, t. 1 A, fig. 10, t. 1 B, fig. 26 (1816).—*Fl.*
*Chaumeton, Fl. Méd. ii. t. 99 (1815).
*Hayne, Getreue Darst. Arzn. Gew. vii. t. 2 (1821).
*Mann, Deutschl. Wildwachs. Arzney-Pfl. [t. 56] (1823–28).
Nov. Act. Acad. Nat. Cur. xii. 1. t. 9 (1824).—*Fr.*
Gaudin, Fl. Helv. ii. t. 3 (1828).—*Fr.*
*Nees, Pl. Offic. ii. t. 287 (1828).
*Wagner, Pharm.-Med. Bot. i. t. 61, 62 (1828).
*Fl. Med. [Spratt], i. 104 (1829).
*Heger, Danske Oec. Pl. ii. t. 106 (1831).
*Schlechtendal & Guimpel, Abb. Pharm. Boruss. Gew. ii. t. 127 (1833).
Mutel, Fl. Française, t. 24 (1834).—*Fr.*
*Stephenson & Churchill, Med. Bot. New Ed. i. t. 56 (1834).
*Zenker, Fl. Thüringen, v. t. 536 (1836–55).
*Baxter, Brit. Bot. Ed. 2, iii. t. 180 (1837).
!Turpin, Oeuvres Hist. Nat. Goethe, Atlas, t. 4 (1837).
Hegetschweiler, Fl. Schweiz, t. 7 (1840).—*Fr.*
[M. E.] Jackson, Pict. Fl. fig. 419 (1840).
*Deakin, Florigr. Brit. i. fig. 457 (1841).
Leighton, Fl. Shropshire, 126 [t. 6] (1841).—*Fr.*
*Dietrich, Fl. Boruss. x. t. 708 (1842).
Cosson & Germ. Fl. Paris, Atlas, t. 13 (1845).—*Fr.*
*J. W. Loudon, Brit. Wild Fl. Ed. 2, t. 38 [1846].
*Burnett, Pl. Util. iii. 92, b (1847).
*Cassone, Fl. Med.-Farm. iii. t. 221 (1848).
*Lorek, Fl. Pruss. Ed. 3, t. 80, fig. 433 (1848).
Lindley, Med. & Oecon. Bot. 250 (1849).
*Petermann, Deutschl. Fl. t. 38, fig. 298 (1849).—*Fl.*
*Wight, Illustr. Ind. Bot. ii. t. 117 (1850).—*Fr.*
*Calwer, Landwirthsch. Pflanzenk. i. t. 23, fig. 2 (1852).
Schnizlein, Iconogr. iii. t. 162 a (1855).—*Fr.*
Irvine, Illustr. Handb. Brit. Pl. 599 (1858).—*Fr.*

DAUCUS
Carota
Johnson & Sowerby, Brit. Wild Fl. fig. 557 (1858–60).
Berg, Charakt. t. 58, fig. 446; t. 92, fig. 642 (1861).
*Johnson & Sowerby, Useful Pl. Gr. Brit. t. 9, fig. 107 (1861[–62]).
!Bull. Soc. Linn. Normandie, vii. t. 12 (1862).—*Veg.*
*Artus, Atlas Pharm. Deutschl. Aufg. Offic. Gew. t. 127 [1862–74].
*Argenta, Album Fl. Med.-Farm. ii. t. 143 (1863).
!Linnaea, xxxii. 258, t. 2, fig. 4 (1863).—*Fl.*
Cramer, Bildungsabw. t. 8–10 (1864).
Bentham, Handb. Brit. Fl. fig. 445 (1865).
*Schubert, Naturg., Pflanzenreich, Ed. 2, t. 15, fig. 2 [1865].
*Syme, Engl. Bot. iv. t. 615 (1865).
Reichenbach, Ic. Fl. Germ. xxi. t. 2000 (1866).
Cesati, Passer. & Gibelli, Comp. Fl. Ital. t. 97 (1867–86).—*Fl.*
*Hogg & Johnson, Wild Fl. Gr. Brit. iv. t. 318 (1868).
Le Maout & Decaisne, Traité Gén. Bot. 248 (1868).—*Fl.*
*Cusin & Ansberque, Herb. Fl. Franç. x (Ombellifères), t. 1 (1869).
*Réveil, Règne Vég. iii. t. 21, 49; xii. t. 1 (1870).
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, iii. t. 93 [1873].
Warming in Dansk. Vid. Selsk. Skrift. Ser. V. x. t. 11, fig. 25–31 (1875).—*Fl.*
Nobbe, Handb. Samenkunde, 38 (1876).—*Fr.*
Baillon, Dict. Bot. i. 633 (1878); ii. 359, 360 (1883); ii. 432 (1884).
*Bentley & Trim. Med. Pl. ii. t. 135 (1878).
De Silvestri, Piante Prat. 306 (1879).
Baillon, Hist. Pl. vii. 84–86 (1880).
Karsten, Deutsche Fl. Pharm.-medic. Bot. 852 (1880–83).—*Fr.*
Album Natuur, 306 (1881).
*C. Hoffmann, Pflanzenatlas, t. 19, fig. 109 (1881).
Schilling, Grundr. Naturg. ii. Pflanzenr. Augsb. A, p. 24 (1882); Ausgb. B, p. 31, 218 (1884).
Wagner, Ill. Deutsche Fl. Ed. 2, p. 340 (1882).
Johnson, Manual Med. Bot. N. Amer. 151 (1884).
Nicholson, Illustr. Dict. Gard. i. 272, 273 [1884–88].
Harz, Samenkunde, ii. 1054 (1885).—*Fr.*
Nederl. Kruidk. Arch. Ser. II. jv. III. t. 8 (1885).—*Fl.*
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xxvii. t. 2833 (1886).
Bot. Gaz. xii. 264, fig. 105 (1887).—*Fr.*
Kerner, Pflanzenleben, i. 495 (1887).
*Mackay, Man. Grasses New Zeal. i. t. 37 (1887).—*Veg.*
Gerardin, Herb. t. 11 (1888).
Rep. Commissioner Agric. Washington, 1887, p. 320, t. 12 (1888).
*Thomé, Fl. Deutschl. iii. t. 386 (1888).
Bot. Jaarb. Gent, i. t. 4 (1889); vi. 277 (1894).—*Fl.*
Potonié, Ill. Fl. Nord- u. Mittel-Deutschl. Ed. 4, fig. 365 (1889).
Halsted in Rep. New Jersey Agric. St. No. 1, t. 7 (1890).
Mágócsy-Dietz, Természett. Közl. (Journ. Nat. Sc.), xxii. 177 (1890).—*Fl.*
Paolucci, Fl. Marchig. t. 30 (1890).—*Fr.*
G. Beck, Fl. Nied.-Oesterr. ii. 1. 608 (1892).—*Fr.*
*Hulme, Familiar Wild Fl. (5 vol. Ed.), v. 125 [1892?]; (Pop. Ed.), ii. 89 [1897?].
*Leclerc du Sablon, Nos Fleurs, 38, t. 5 [1892].
Duthie & Fuller, Field & Gard. Crops, t. 78 (1893).
*Masclef, Atlas Pl. France, t. 127 (1893).
Acloque, Fl. France, 294 (1894).
Kerner & Oliv. Nat. Hist. Pl. i. 531 (1894).
Dana, How to Know the Wild Fl. t. 28 (1894).
Brehm, Merv. Nat. Monde des Pl. ii. 100–102 (1894–96).
Garcke, Ill. Fl. Deutschl. 265 (1895).
Karsten, Fl. Deutschl. ii. 419 (1895).

DAUCUS
Carota
Miller & Whiting, Wild Fl. N.E. States, 218 (1895).
*Useful Pl. Jap. i. t. 107 (1895).
U.S. Dep. Agric. Farm. Bull. No. 28, p. 20 (1895).
*Siélain, Atlas Poche Pl. Champs, Prair. & Bois, Ser. II. t. 115 (1896).
Britton & Brown, Ill. Fl. N. States & Canada, ii. 510 (1897); Ed. 2, ii. 625 (1913).
Edmonds & Marloth, Elem. Bot. S. Africa, 151 (1897).—*Fr.*
Selby in Bull. Ohio Agric. St. No. 83, p. 317 (1897); No. 142, t. 4 (1903); No. 175, t. 3, p. 342 (1906).
Gagnepain in Bull. Soc. Hist. Nat. Autun, xi. 11. 34 (1898).
L. H. Bailey, Cycl. Amer. Hort. 254 (1900); Stand. Cycl. Hort. 674, 675 (1914).
*Behrens, Blattformen, t. 66, fig. e, f, h (1900).—*Veg.*
Blanchan, Nat. Gard. 222 (1900).
Schinz & Keller, Fl. Schweiz, 344 (1900).—*Fr.*
Fiori & Paol. Ic. Fl. Ital. 277 (1901).
Lindman, Bild. Nord. Fl. t. 254 (1901–5).
C. T. Green, Fl. Liverpool Distr. fig. 273 (1902).
Warming, Handb. Syst. Bot. Ed. Möbius, 377 (1902).
Coste, Fl. France, ii. 160 (1903).
Losch, Kräuterb. 110 (1903).
Amer. Nat. xxxviii. 821, 822 (1904).—*Veg.*
*Sturm, Fl. Deutschl. Ed. 2, xii. t. 33 (1904).
*Urban & Graebn. Festschr. Aschers. t. 1 (1904).
*Step, Wayside & Woodl. Bloss. New Ed. i. t. 96 (1905).
Blytt, Haandb. Norg. Fl. Ed. Dahl, 540 (1906).
Journ. Board Agric. xii. 718 (1906); xix. 274 (1912).
U.S. Dep. Agric. Farm. Bull. No. 260, p. 17 (1906).—*Fr.*
Lazaro, Comp. Fl. Españ. ii. 440, 441 (1907).
Pammel, Buchanan & King in Bull. Iowa Agric. St. No. 88, p. 65 (1907); No. 105, p. 266 (1909).
Somoku Dzusetsu, Ed. Makino (Iconogr. Pl. Nippon), v. t. 5 (1907).
Suireishchikov, Ill. Fl. Mosc. Gov. ii. 421 (1907).
Heukels, Fl. Nederl. ii. 452 (1908).
Black, Nat. Fl. S. Australia, 69 (1909).
Beille, Bot. Pharm. ii. 688, 689 (1909).
Praeger, Tour. Fl. W. Ireland, 6 (1909).
Wilcox & Stevenson in Bull. Agric. St. Nebraska, xxi. No. 110, p. 24 (1909).—*Fr.*
Hayek, Fl. Steierm. i. 1139 (1910).—*Fr.*
Journ. Roy. Hort. Soc. London, xxxvi. 120, fig. 55 (1910).
Long, Common Weeds Farm & Garden, t. 1 (1910).—*Fr.*
*Milner, Life Oberammergau, t. 33 (1910).
Beal, Michigan Weeds (Bull. Mich. Agric. Exp. St. No. 267), 386 (1911); et in Ann. Rep. xxv. 375 (1912).
*Correvon, Fl. Champs & Bois, t. 72 (1911).
Ontario Dep. Agric. Bull. No. 188, p. 23, 89 (1911).
Pammel, Man. Poison. Pl. 68 (1911).—*Fr.*
Pammel, Weeds Farm & Garden, 20, 25, 34, 208 (1911).
*Pokorny-Schoenichen, Pflanzenkunde, t. 12, fig. 1 (1912).
*Möbius in Ber. Senckenb. Nat. Ges. No. 44, p. 330, t. 1 (1913).—*Fl.*
Pammel in Iowa Geol. Surv. Bull. No. 4, p. 227, 462, 635, 768 (1913).
Bull. Angew. Bot. vii. t. 111, App. 9, p. 163, 170 (1914).
Canada Dep. Agric. (Seed Branch) Bull. No. S-8, p. 23 (1914).
A. Georgia, Manual Weeds, t. 214 (1914).
Bull. Appl. Bot. viii. t. 139 (1915).—*Fr.*
Palmer in Proc. Iowa Acad. Sc. xxiii. t. 11 (1916).—*Fr.*
!Proc. Roy. Soc. Victoria, N. Ser. xxviii. 11. t. 29 (1916).—*Veg.*
*Bonnier, Name This Flower, t. 23 (1917).
Cadevall & Sallent, Fl. Catalunya, iii. 11 (1917).
Basu, Ind. Med. Pl. t. 485 (1918).

DAUCUS
Carota
Board Agric. & Fish. Leaflet No. 184, p. 3 (1918); No. 326, p. 8 (1919).
Lindman, Svensk Fanerogamfl. 430, 439 (1918).
M. T. Cook, Applied Econ. Bot. 155, 214 (1919).
Fitch & Smith, Ill. Brit. Fl. Ed. rev. 4, Iss. 2, fig. 452 (1919).
*Horwood, Brit. Wild Fl. ii. t. 4, p. 45 (1919).
Lovell, Flower & Bee, 241 (1919).—*Fl.*
Brenchley, Weeds Farm Land, 26 (1920).—*Fr.*
Krafft & Fruwirth, Pflanzenb. 194, 195 (1920).
Rev. Gén. Bot. xxxii. 138, 175 (1920).
—— **Boissieri** Schweinf.
*Gartenfl. liii. t. 1527 (1904).
—— **caucasicus** G. F. Hoffm.
*G. F. Hoffmann, Gen. Umbell. Ed. 2, frontisp. fig. 1 (1816).—*Fr.*
—— **gummifer** Lam.
*Syme, Engl. Bot. iv. t. 616 (1865).
Fiori & Paol. Ic. Fl. Ital. 277 (1901).
—— **maximus** Iinuma
Somoku Dzusetsu, Ed. 2, v. t. 5 (1874).
coadunatus Ten.
*Tenore, Fl. Nap., Atlas, v. t. 222 (1811–38).
crinitus Desf.
Desfontaines, Fl. Atlant. i. t. 62 (1798).
cuminoides Lam.
Lamarck, Ill. i. t. 192, fig. 2 (1797).
daucoides Linn.
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xxvii. t. 2834 (1886).
gibbosus Bertol.
Rouy, Illustr. Pl. Eur. Rar. fasc. 15, t. 358 (1901).
Gingidium Linn.
Hill, Veget. Syst. vi. t. 3 (1764).
Reichenbach, Ic. Fl. Germ. xxi. t. 2046 (1867).
*Cusin & Ansberque, Herb. Fl. Franç. x (Ombellifères), t. 9 (1869).
Coste, Fl. France, ii. 159 (1903).
Cadevall & Sallent, Fl. Catalunya, iii. 10 (1917).
glaberrimus Desf.
Desfontaines, Fl. Atlant. i. t. 64 (1798).
glochidiatus Fisch., Mey. & Avé-Lall.
Hayward & Druce, Advent. Fl. Tweedside, 79, 80 (1919).
gracilis Steinh.
Ann. Sc. Nat. Paris, Ser. II. ix. t. 8 (1838).
grandiflorus Desf.
Desfontaines, Fl. Atlant. i. t. 59 (1798).
grandiflorus Scop.
Fiori & Paol. Ic. Fl. Ital. 278 (1901).
—— **platycarpos** Scop.
Fiori & Paol. Ic. Fl. Ital. 278 (1901).
gummifer Lam.
Reichenbach, Ic. Fl. Germ. xxi. t. 2004 (1866).
*Cusin & Ansberque, Herb. Fl. Franç. x (Ombellifères), t. 8 (1869).
Coste, Fl. France, ii. 159 (1903).
Cadevall & Sallent, Fl. Catalunya, iii. 9 (1917).
guttatus Sibth. & Sm.
*Sibthorp & Sm. Fl. Graeca, iii. t. 269 (1819).
halophilus Brot.
Brotero, Phytogr. t. 168 (1827).
hispidus Desf.
Desfontaines, Fl. Atlant. i. t. 63 (1798).
Reichenbach, Ic. Fl. Germ. xxi. t. 2005 (1866).
*Cusin & Ansberque, Herb. Fl. Franç. x (Ombellifères), t. 7 (1869).
involucratus Sibth. & Sm.
*Sibthorp & Sm. Fl. Graeca, iii. t. 271 (1819).
Pflanzenfam. iii. viii. 243 (1898).—*Fr.*
latifolius Baill.
*Baillon, Ic. Fl. Franç. iv. t. 370 [1885–94].
littoralis Sibth. & Sm.
*Sibthorp & Sm. Fl. Graeca, iii. t. 272 (1819).
lopadusanus Tin.
Rouy, Illustr. Pl. Eur. Rar. fasc. 5, t. 113 (1896).
maritimus Lam.
Reichenbach, Ic. Fl. Germ. xxi. t. 2001 (1866).
*Cusin & Ansberque, Herb. Fl. Franç. x (Ombellifères), t. 2 (1869).
Coste, Fl. France, ii. 160 (1903).
Cadevall & Sallent, Fl. Catalunya, iii. 10 (1917).
maritimus Gaertn.
Gaertner, Fruct. i. t. 20 (1788).—*Fr.*

DAUCUS
maritimus With.
Withering, Syst. Arrang. Brit. Pl. Ed. 5, ii. t. 33 (1812); Ed. 6, ii. t. 33 (1818); Ed. 7, ii. t. 32 (1830).
*Sowerby & Sm. Engl. Bot. xxxvi. t. 2560 (1814).
[M. E.] Jackson, Pict. Fl. fig. 420 (1840).
*Deakin, Florigr. Brit. i. fig. 458 (1841).
Johnson & Sowerby, Brit. Wild Fl. fig. 558 (1858–60).
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, iii. t. 94 [1873].
mauritanicus All.
Allioni, Fl. Pedem. iii. t. 61, fig. 1 (1785).
mauritanicus Linn.
*Cusin & Ansberque, Herb. Fl. Franç. x (Ombellifères), t. 6 (1869).
Coste, Fl. France, ii. 159 (1903).
maximus Desf.
Reichenbach, Ic. Fl. Germ. xxi. t. 2003 (1866).
*Cusin & Ansberque, Herb. Fl. Franç. x (Ombellifères), t. 5 (1869).
Coste, Fl. France, ii. 159 (1903).
Merino, Fl. Galicia, i. 563 (1905).
Cadevall & Sallent, Fl. Catalunya, iii. 11 (1917).
meifolius Brot.
Brotero, Phytogr. t. 36 (1816).
montanus Humb. & Bonpl.
*Saunders, Ref. Bot. v. t. 299 (1872).
muricatus Linn.
Gaertner, Fruct. i. t. 20 (1788).—*Fr.*
Reichenbach, Ic. Fl. Germ. xxi. t. 2002 (1866).
*Cusin & Ansberque, Herb. Fl. Franç. x (Ombellifères), t. 12 (1869).
Fiori & Paol. Ic. Fl. Ital. 278 (1901).
Coste, Fl. France, ii. 158 (1903).
nitidus Gasp.
Gussone, Enum. Pl. Inar. t. 5 (1854).
parviflorus Desf.
Desfontaines, Fl. Atlant. i. t. 60 (1798).
polygamus Gouan
*Jacquin, Hort. Vind. iii. t. 78 (1776).
pubescens Koch
Murbeck, Contr. Fl. N.-Ouest Afriq. i. t. 5 (1897).
pumilus Ball.
Fiori & Paol. Ic. Fl. Ital. 278 (1901).
pusillus Michx.
Mart. Fl. Bras. xi. t. 90 (1879).—*Fr.*
Contrib. U.S. Nat. Herb. vii. 249 (1900).—*Fr.*
Cannon in Carnegie Inst. Washington, Publ. No. 131, t. 5 (1911).—*Veg.*
Royenii Baill.
Baillon, Hist. Pl. vii. 89 (1880).—*Fr.*
sahariensis Murb.
Murbeck, Contr. Fl. N.-Ouest Afriq. i. t. 5 (1897); Ser. II. t. 11 (1905).
serratus Moris
Moris, Fl. Sard. t. 77 bis (1840–43).
*Cusin & Ansberque, Herb. Fl. Franç. x (Ombellifères), t. 3 (1869).
setifolius Desf.
Desfontaines, Fl. Atlant. i. t. 65 (1798).
*Boissier, Voy. Bot. Espagne, i. t. 68 (1839–45); errore *D. brachylobus.*
setulosus Guss.
Gussone, Enum. Pl. Inar. t. 4 (1854).
Reichenbach, Ic. Fl. Germ. xxi. t. 1999 (1866).
siculus Tin.
*Cusin & Ansberque, Herb. Fl. Franç. x (Ombellifères), t. 10 (1869).
silvestris Mill.
*Vietz, Ic. Pl. Med.-oec.-techn. i. t. 74 (1800).
*Hill, Family Herbal, t. 9 (1812).
syrticus Murb.
Murbeck, Contr. Fl. N.-Ouest Afriq. i. t. 5 (1897).
Visnaga Linn.
*Kniphof, Herb. Viv. i. t. 361 (1758).
Hill, Veget. Syst. vi. t. 3 (1764).
*Jacquin, Hort. Vind. iii. t. 26 (1776).

DAVALLIA Sm.—Vide *Acrophorus, Acrosorus, Leucostegia, Prosaptia, Scyphularia, Stenolobus, Wibelia* Bernh.
achilleifolia Wall.
Hooker, Sp. Fil. i. t. 56 (1846).
aculeata Hedw.
*Hedwig, Fil. Gen. & Sp. [t. 23] (1799).

DAVALLIA
aculeata Sm.
Hooker, Sp. Fil. i. t. 54 (1846).
*Lowe, Ferns, viii. t. 26 (1860).
Gartenfl. lviii. 424 (1909).—*Hab.*
adiantoides Sw.
Ettingshausen, Farnkr. 215 (1865).
affinis Hook.
Hooker, Sp. Fil. i. t. 52 (1846).
Nicholson, Illustr. Dict. Gard. i. 445 [1884–88]. —*Hab.*
Schneider, Book Choice Ferns, ii. 118 (1893).—*Hab.*
Bellair & St.-Léger, Pl. Serre, 672 (1900).—*Hab.*
Horticulture (Boston), i. 763 (1905).—*Hab.*
alata Bl.
Pflanzenfam. i. IV. 213 (1899).
alpina Bl.
Nicholson, Illustr. Dict. Gard. i. 445 [1884–88].
Schneider, Book Choice Ferns, ii. 119 (1893).—*Hab.*
amboinensis Hook.
Hooker, Sp. Fil. i. t. 56 (1846).
angustata Wall.
Hooker & Grev. Ic. Fil. ii. t. 231 (1831).
Schneider, Book Choice Ferns, ii. 120 (1893).—*Veg.*
Nicholson, '1900' Suppl. Dict. Gard. 302 (1900).
Beccariana Ces.
Cesati in Atti Accad. Sc. Fis. & Mat. Napoli, vii. No. 8, t. 3 (1876).
Beddomei Hope
Journ. Bombay Nat. Hist. Soc. xii. 528, t. 1 (1899).
Belangeri Bory
Bélanger, Voy. Ind. Or., Bot. Crypt. t. 7 (1831–46).
Berteriana Colla
Colla in Mem. Accad. Sc. Torino, xxxix. 56, t. 65 (1836).
bidentata Schkuhr
*Schkuhr, Krypt. Gewächse t. 127 (18[06]–09).
bifida Kaulf.
Hooker & Grev. Ic. Fil. ii. t. 238 (1831).
Mart. Fl. Bras. i. II. t. 41 (1870).
Blumeana Hook.
Hooker, Sp. Fil. i. t. 54 (1846).
Boryana Presl
Hooker & Grev. Ic. Fil. ii. t. 143 (1831).
Velenovsky, Vergl. Morphol. Pfl. i. 205 (1905). —*Veg.*
botrychioides Hook. & Baker
Hook. Ic. Pl. xvii. t. 1621 (1886).
brevipes Copel.
Philippine Journ. Sc. i. Suppl. 2, t. 2 (1906).
bullata Wall.
Hooker, Sp. Fil. i. t. 50 (1846).
Gard. Chron. 1855, p. 532.
Belg. Hort. vi. t. 31 (1856).
*Lowe, Ferns, viii. t. 28 (1860).
Beddome, Ferns S. Ind. t. 17 (1863).
Beddome, Handb. Ferns Brit. Ind. 63 (1883).
*Useful Pl. Jap. iii. t. 979 (1895).
L. H. Bailey, Cycl. Amer. Hort. 462 (1900); Stand. Cycl. Hort. 972, 973 (1914).
*Rev. Hort. Belge, xxviii. 228 (1902).
Jardin, xvi. 293 (1902).
Horticulture (Boston), i. 763 (1905).—*Hab.*
Warburg, Pflanzenwelt, i. 259 (1913).
Hayata, Ic. Pl. Formosan. v. 328 (1915).
calvescens Hook.
Hooker, Sp. Fil. i. t. 48 (1846).
canariensis Sm.
J. E. Smith in Mém. Acad. Sc. Turin, 1790–91, xiii. t. 9* (1793).
Roemer, Archiv Bot. i. II. tab. fig. 6 (1797).
Usteri, Ann. Bot. xxiii. t. 2 (1799).
Bernhardi in Neues Journ. f. die Bot. i. II. t. 2 (1806).
*Lodd. Bot. Cab. ii. t. 142 (1818).
Schnizlein, Iconogr. i. t. 26 b (1844).
Hooker, Sp. Fil. i. t. 56 (1846).
*Lowe, Ferns, viii. t. 12 (1860).
Floral World, v. 48 (1862).
Ettingshausen, Farnkr. 131, 137 (1865).
Bull. Soc. Bot. Belg. v. t. 3, fig. 1 (1866).
*Britten, Eur. Ferns, 19 [1880–82].
Garden, xxxvii. 549 (1890).—*Hab.*

DAVALLIA
canariensis
Schneider, Book Choice Ferns, ii. 122 (1893).—*Hab.*
Bois, Dict. Hort. 426 (1893–99).
Pflanzenfam. i. IV. 149, 213 (1899).
Bellair & St.-Léger, Pl. Serre, 673 (1900).
Nicholson, '1900' Suppl. Dict. Gard. 302 (1900).
Horticulture (Boston), i. 763 (1905).—*Hab.*
Lazaro, Comp. Fl. Españ. i. 559 (1906).
Deutsch. Tiefsee-Exped. 1898–99, ii. I. 334 (1907).
Gartenfl. lviii. 398 (1909).—*Hab.*
Merino, Fl. Galicia, iii. 471 (1909).
caudata Cav.
Ettingshausen, Farnkr. t. 140 (1865).
chaerophylla Wall.
Hooker, Sp. Fil. i. t. 51 (1846).
*Lowe, Ferns, viii. t. 13 (1860).
chaerophylloides Steud.
Sim, Ferns S. Africa, Ed. 2, t. 37 (1915).
chinensis Sm.
Langsdorff & Fisch. Pl. Voy. Russ. i. t. 27 (1810).
chrysanthemifolia Hayata
Hayata, Ic. Pl. Formosan. v. 265 (1915).
ciliata Hook.
Hooker, Sp. Fil. i. t. 60 (1846).
Clarkei Baker
Hook. Ic. Pl. xvii. t. 1625 (1886).
Journ. Bombay Nat. Hist. Soc. xiii. 30 (1900).
concinna Schrad.
*Kunze, Farnkr. t. 37 (1840–47).
Sim, Handb. Ferns Kaffraria, t. 6 (1891).
Sim, Ferns S. Africa, t. 12 (1892).
contigua Spreng.
*Hedwig, Fil. Gen. & Sp. [t. 20] (1799).
Hooker & Grev. Ic. Fil. ii. t. 141 (1831).
Cumingii Hook.
Hooker, Sp. Fil. i. t. 45 (1846).
decurrens Hook.
Hooker, Sp. Fil. i. t. 44 (1846).
delicatula Christ
Ann. Jard. Bot. Buitenzorg, xv. t. 14, fig. 11 (1898).
Denhamii Hook.
*Hooker, Second Cent. Ferns, t. 47 (1861).
denticulata Mett.
Domin in Bibl. Bot. xx. t. 6 (1914).
—— **intermedia** Mett.
Engler & Drude, Veget. Erde, ix. II. 21 (1908).
deparioides Ces.
Cesati in Atti Accad. Sc. Fis. & Mat. Napoli, vii. No. 8, p. 13 (1876) in textu; *Cyathea deparioides* in ic. t. 4.
didyma Hedw.
*Hedwig, Fil. Gen. & Sp. [t. 22] (1799).
dissecta J. Sm.
Gard. Chron. 1855, p. 469.
Belg. Hort. vi. t. 26 (1856).
*Lowe, Ferns, viii. t. 20 (1860).
Gartenfl. lviii. 398 (1909).—*Hab.*
Flora, cv. 47 (1912).
Goebel, Organogr. Pfl. Ed. 2, ii. 1143 (1915–18).
divaricata Bl.
Ettingshausen, Farnkr. t. 136, 141 (1865).
Beddome, Ferns Brit. Ind. t. 107 (1865–70); vide Correct. Nomencl.
Schneider, Book Choice Ferns, ii. 126 (1893).
Nicholson, '1900' Suppl. Dict. Gard. 303 (1900).
Gartenfl. lviii. 402 (1909).—*Hab.*
dubia R. Br.
F. Mueller, Key Syst. Victorian Pl. ii. fig. 140 (1885).
F. M. Bailey, Lithogr. Ferns Queensland (Dept. Agric. Brisbane), t. 47 (1892).
elata Spreng.
Rumphius, Herb. Amboin. vi. t. 32, fig. 1 (1750); fide Merrill, Interpret. Rumph. Herb. Amboin.
*Schkuhr, Krypt. Gewächse, t. 127 b (18[06]–09).
Hooker, Sp. Fil. i. t. 55 (1846).
Ettingshausen, Farnkr. t. 139 (1865).
elegans Sw.
Mettenius, Fil. t. 27, fig. 19, 20 (1856).
*Lowe, Ferns, viii. t. 22 (1860).
Beddome, Ferns S. Ind. t. 18 (1863).
F. M. Bailey, Lithogr. Ferns Queensland (Dept. Agric. Brisbane), t. 44 (1892).

DAVALLIA
elegans bidentata Hook.
Hooker, Sp. Fil. i. t. 43 (1846).
—— **coniifolia** Hook.
Hooker, Sp. Fil. i. t. 43 (1846).
embolostegia Copel.
Philippine Journ. Sc. i. Suppl. 2, t. 3 (1906).
Emersonii Hook. & Grev.
Hooker & Grev. Ic. Fil. i. t. 105 (1831).
Engleriana Brause
Engl. Jahrb. xlix. 9 (1912).
epiphylla Forst.
*Schkuhr, Krypt. Gewächse, t. 127 b (18[06]–09).
Beddome, Suppl. Ferns S. & Brit. Ind. t. 350 (1876).
Neubert's Deutsch. Gart. Mag. xlvi. 233 (1893). —*Hab.*
Bull. Soc. Tosc. Ortic. xxi. 224, t. 8 (1896).—*Hab.*
falcinella Presl
Presl, Reliq. Haenk. t. 11, fig. 2 (1825).
Presl, Tent. Pteridogr. t. 4 (1836).
fejeensis = *fijiensis*
ferruginea Cav.
Nov. Act. Acad. Nat. Cur. xi. t. 12 (1823).
fijiensis Hook.
Hooker, Sp. Fil. i. t. 55 (1846).
Gard. Chron. ix. 440 (1878).
Rev. Hort. Belge, iv. 93 (1878).—*Hab.*
Garden, xvii. 527 (1880); xxxiii. 396 (1888).
Gartenfl. xxx. 345 (1881).
Gard. Month. & Hort., Meehan, xxiv. 265 (1882).
Ill. Gartenzeit. Stuttgart, xxvi. t. 20 (1882).
Ill. Hort. xxix. 127 (1882).
Sempervirens, xi. 184 (1882).—*Veg.*
Nicholson, Illustr. Dict. Gard. i. 446 [1884–88]. —*Hab.*
Schneider, Book Choice Ferns, ii. 130 (1893).—*Hab.*
Semaine Hort. 1898, p. 100.—*Hab.*
Bellair & St.-Léger, Pl. Serre, 674 (1900).—*Hab.*
Horticulture (Boston), i. 763 (1905); ix. 761 (1909).—*Hab.*
—— **effusa** Hort.
Gard. Chron. Ser. III. xxiii. 323 (1898).—*Hab.*
—— **elegans** Hort.
Gartenfl. lviii. 400 (1909).—*Hab.*
—— **plumosa** Hort.
Sempervirens, xi. 304 (1882).
Rev. Hort. Belge, ix. 60 (1883).—*Hab.*
Schneider, Book Choice Ferns, ii. 272 (1893).—*Hab.*
Bellair & St.-Léger, Pl. Serre, 674 (1900).—*Hab.*
Gartenfl. lviii. 399 (1909).—*Hab.*
flagellifera Wall.
Hooker & Grev. Ic. Fil. ii. t. 183 (1831).
foeniculacea Hook.
*Hooker, Second Cent. Ferns, t. 54 (1861).
American Flor. i. 425 (1886).—*Hab.*
Journ. Hort. Ser. III. xii. 4 (1886); xxi. 73 (1890). —*Hab.*
Friderici-et-Pauli Christ
Ann. Jard. Bot. Buitenzorg, xv. t. 14, fig. 10 (1898).
fumarioides Sw.
*Schkuhr, Krypt. Gewächse, t. 129 (18[06]–09).
gibberosa Sw.
*Hedwig, Fil. Gen. & Sp. [t. 21] (1799).
*Schkuhr, Krypt. Gewächse, t. 128 (18[06]–09).
*Sweet, Fl. Austral. t. 31 (1828).
Goudotiana Kunze
Kunze, Anal. Pteridogr. t. 22 (1837).
Hooker, Sp. Fil. i. t. 50 (1846).
*Hooker, Second Cent. Ferns, t. 23 (1861).
Graeffei Luerss.
Schenk & Luerssen, Mitth. Bot. i. t. 18 (1874).
Griffithiana Hook.
Hooker, Sp. Fil. i. t. 49 (1846).
Ettingshausen, Farnkr. t. 142 (1865).
Beddome, Ferns Brit. Ind. t. 106 (1865–70).
hemiptera Bory
Bélanger, Voy. Ind. Or., Bot. Crypt. t. 7 (1831–46).
Florist, 1869, p. 222.—*Hab.*
B. S. Williams, Select Ferns & Lycopods, Brit. & Exot. Ed. 2, p. 105 (1873).—*Hab.*

DAVALLIA
hemiptera
Garden, iv. 47 (1873).—*Hab.*
Journ. Hort. Ser. III. viii. 131 (1884).—*Hab.*
heterophylla Sm.
Hooker & Grev. Ic. Fil. ii. t. 230 (1831).
Fée, Mém. Foug. i. t. 1, fig. 20 (1844).
*Hooker, Fil. Exot. t. 27 (1859).
*Lowe, Ferns, viii. t. 19 (1860).
Belg. Hort. xiv. 238 (1864).
Nicholson, Illustr. Dict. Gard. i. 446 [1884–88].—*Hab.*
Schneider, Book Choice Ferns, ii. 133 (1893).—*Hab.*
Bellair & St.-Léger, Pl. Serre, 675 (1900).—*Hab.*
Goebel, Organogr. Pfl. Ed. 2, i. 324 (1913).—*Veg.*
hirsuta angustata Hort.
Gartenfl. lviii. 423 (1909).—*Hab.*
hirta Kaulf.
Gard. Chron. Ser. III. xxi. 355 (1897).—*Hab.*
—— **cristata** Hort.
Garden, xv. 503 (1879).—*Veg.*
!Schneider, Book Choice Ferns, ii. 135 (1893).—*Veg.*
Nicholson, '1900' Suppl. Dict. Gard. 303 (1900).
Gartenfl. lviii. 403 (1909).—*Hab.*
Hollandii Sim
Trans. S. Afr. Phil. Soc. xvi. III. t. 4 (1906).
Hookeriana Wall.
Hooker, Sp. Fil. i. t. 47 (1846).
hymenophylloides Baker
Hook. Ic. Pl. xvii. t. 1623 (1886).
illustris Hort.
Horticulture (Boston), i. 791 (1905).—*Hab.*
immersa Wall.
*Hooker, Fil. Exot. t. 79 (1859).
*Lowe, Ferns, viii. t. 15 (1860).
Gartenfl. lviii. 421 (1909).—*Hab.*
Imrayana Hook.
Hooker, Sp. Fil. i. t. 49 (1846).
inaequalis Kunze
Hooker, Sp. Fil. i. t. 57 (1846).
Mart. Fl. Bras. i. II. t. 21, 41 (1870).
Shimek in Bull. Labor. Nat. Hist. Iowa, iv. No. 2, t. 12 (1897).
Conzatti in Mem. y Rev. Soc. 'Antonio Alzate', xxv. 117 (1907).
—— **minor** Hook.
Hooker, Sp. Fil. i. t. 58 (1846).
—— **nigricans** Mart.
Mart. Fl. Bras. i. II. t. 21 (1870).
khasiyana Hook.
Hooker, Sp. Fil. i. t. 47, 57 (1846).
*Lowe, Ferns, viii. t. 32 (1860).
Kingii Baker
Hook. Ic. Pl. xvii. t. 1622 (1886).
Lapeyrousii Hook.
*Hooker, Second Cent. Ferns, t. 56 (1861).
lepida Presl
Ettingshausen, Farnkr. t. 140 (1865).
Lindenii Hook.
Hooker, Sp. Fil. i. t. 56 (1846).
Lindleyi Hook.
Hooker, Sp. Fil. i. t. 58 (1846).
*Lowe, Ferns, viii. t. 17 (1860).
lonchitidea Wall.
Hooker, Sp. Fil. i. t. 46 (1846).
*Hooker, Fil. Exot. t. 19 (1859).
*Lowe, Ferns, viii. t. 30 (1860).
Lorrainei Hance
Beddome, Suppl. Ferns S. & Brit. Ind. t. 351 (1876).
lucida Wall.
Gartenfl. lviii. 401 (1909).—*Hab.*
maiuscula Lowe
*Lowe, Ferns, viii. t. 33 (1860).
manilensis Goldm.
Ann. Jard. Bot. Buitenzorg, xv. t. 14, fig. 9 (1898).
Mariesii T. Moore
Gartenfl. xxix. 340 (1880).
Florist, 1880, p. 151.
Garden, xvii. 549 (1880).—*Hab.*
Ill. Gartenzeit. Stuttgart, xxv. t. 29 (1881).
Schneider, Book Choice Ferns, ii. 141 (1893).—*Veg.*
Nicholson, '1900' Suppl. Dict. Gard. 303 (1900).

DAVALLIA
mauritiana Hook.
Hooker, Sp. Fil. i. t. 55 (1846).
membranulosa Wall.
Hooker, Sp. Fil. i. t. 53 (1846).
Gartenfl. lviii. 422 (1909).—*Hab.*
Mooreana Mast.
Gard. Chron. 1869, p. 964; Ser. III. ix. 179 (1891).
Florist, 1872, p. 20, 21.
Garden, iii. 121 (1873).—*Hab.*
B. S. Williams, Select Ferns & Lycopods, Brit. & Exot. Ed. 2, p. 107 (1873).—*Hab.*
Gartenfl. lviii. 401 (1909).—*Hab.*
Moorei Hook.
*Hooker, Second Cent. Ferns, t. 53 (1861).
multiflora Roxb.
Calcutta Journ. Nat. Hist. iv. t. 31 (1844).
nigrescens Hook.
*Hooker, Second Cent. Ferns, t. 93 (1861).
nitidula Kunze
*Kunze, Farnkr. t. 37 (1840–47).
Hooker, Sp. Fil. i. t. 44 (1846).
Ettingshausen, Farnkr. t. 141, 142 (1865).
Sim, Ferns S. Africa, t. 10 (1892).
nodosa Hook.
Hooker's Journ. Bot. & Kew Misc. ix. t. 10 (1857).
novae-guineae Ros.
E. Werner, Kaiser-Wilhelms-Land, 197 (1911).
novae zelandiae Col.
Hooker, Sp. Fil. i. t. 51 (1846).
*Lowe, Ferns, viii. t. 16 (1860).
*Hooker, Garden Ferns, t. 51 (1862).
Dobbie, New Zeal. Ferns, 26 (1880).
G. M. Thomson, Ferns & Fern Allies New Zeal. t. 1 (1882).
Field, Ferns New Zealand, t. 18, 28 (1890).
ornata Wall.
T. Moore, Index Fil. Gen. & Spec. t. 75 [1857–62].
*Lowe, Ferns, viii. t. 24 (1860).
Ettingshausen, Farnkr. t. 135, 139 (1865).
Conzatti in Mem. y Rev. Soc. 'Antonio Alzate', xxv. 117 (1907).
pallida Mett.
Nicholson, Illustr. Dict. Gard. i. 447 [1884–88].—*Hab.*
Hook. Ic. Pl. xvii. t. 1624 (1886).
Schneider, Book Choice Ferns, ii. 16 (1893).—*Hab.*
parallela Wall.
Hooker, Sp. Fil. i. t. 42 (1846).
Schneider, Book Choice Ferns, ii. 146 (1893).
Nicholson, '1900' Suppl. Dict. Gard. 303 (1900).
Parkeri Hook.
Hooker, Sp. Fil. i. t. 53 (1846).
Mart. Fl. Bras. i. II. t. 41 (1870).
parvipinnula Hayata
Hayata, Ic. Pl. Formosan. iv. 205 (1914).
parvula Wall.
Hooker & Grev. Ic. Fil. ii. t. 138 (1831).
Florist, 1872, p. 108.
Williams, Select Ferns & Lycopods, Brit. & Exot. Ed. 2, p. 108 (1873).—*Hab.*
Nicholson, Illustr. Dict. Gard. i. 446 [1884–88].—*Hab.*
Schneider, Book Choice Ferns, ii. 147 (1893).
Gartenfl. lviii. 423 (1909).—*Hab.*
pectinata Sm.
Hooker & Grev. Ic. Fil. ii. t. 139 (1831).
pedata Sm.
Nov. Act. Acad. Nat. Cur. xi. t. 13 (1823).
Hooker, Sp. Fil. i. t. 45 (1846).
*Lowe, Ferns, viii. t. 25 (1860).
*Hooker, Garden Ferns, t. 7 (1862).
F. M. Bailey, Lithogr. Ferns Queensland (Dept. Agric. Brisbane), t. 46 (1892).
pentaphylla Bl.
*Kunze, Farnkr. t. 108 (1840–47).
Moore & Ayres, Mag. Bot. iii. 324 (1851).
Brackenridge, Crypt. Wilkes, U.S. Expl. Exp. 1838–42, t. 35 (1855).
*Hooker, Fil. Exot. t. 37 (1859).
*Lowe, Ferns, viii. t. 18 (1860).
Pflanzenfam. i. iv. 213 (1899).
Gartenfl. lviii. 422 (1909).—*Hab.*
Goebel, Organogr. Pfl. Ed. 2, i. 86 (1913).—*Veg.*

DAVALLIA
pilosa Roxb.
Calcutta Journ. Nat. Hist. iv. t. 32 (1844).
Pilosella Hook.
*Hooker, Second Cent. Ferns, t. 96 (1861).
pinnata Cav.
Hooker, Sp. Fil. i. t. 60 (1846).
pinnatifida Sw.
Presl, Tent. Pteridogr. t. 4 (1836).
platyphylla D. Don
Horticulture (Boston), i. 791 (1905).—*Hab.*
Gartenfl. lviii. 420 (1909).—*Hab.*
polyantha Hook.
Hooker, Sp. Fil. i. t. 59 (1846).
*Lowe, Ferns, viii. t. 23 (1860).
Beddome, Ferns Brit. Ind. t. 107 (1865–70); errore *D. divaricata.*
polypodioides D. Don
*Lowe, Ferns, viii. t. 31 (1860).
polysperma Poir.
Lamarck, Ill. v. t. 871 (1797–1819).
procera Hedw.
*Hedwig, Fil. Gen. & Sp. [t. 24] (1799).
Conzatti in Mem. y Rev. Soc. 'Antonio Alzate', xxv. 117 (1907).
pulchella Hook.
Hooker, Sp. Fil. i. t. 53 (1846).
pulchra D. Don
*Baynes, Indian Ferns, t. 3 (1887).
—— **pseudocystopteris** Kunze
Trans. Linn. Soc. London, Ser. II. Bot. i. t. 49 (1880).
pycnocarpa Brack.
Brackenridge, Crypt. Wilkes, U.S. Expl. Exp. 1838–42, t. 35 (1855).
pyxidata Cav.
Presl, Tent. Pteridogr. t. 4 (1836).
*Hooker, Gen. Fil. t. 27 (1842).
Hooker, Sp. Fil. i. t. 55 (1846).
Payer, Bot. Crypt. 195 (1850).—*Fr.*
Moore & Ayres, Mag. Bot. iii. 325 (1851).
*Lowe, Ferns, viii. t. 21 (1860).
Ettingshausen, Farnkr. t. 136, 140 (1865).
J. Smith, Ferns Brit. & Foreign, 75 (1866); Ed. 2, p. 75 (1879).
*Réveil, Règne Vég. iv. t. 30 (1870).
Journ. Hort. l. 351 (1873).
J. Smith, Hist. Fil. t. 2 (1875).
Baillon, Dict. Bot. ii. 361 (1883).
F. M. Bailey, Lithogr. Ferns Queensland (Dept. Agric. Brisbane), t. 45 (1892).
Reineckei Christ
Engl. Jahrb. xxiii. t. 5 (1896).
Pflanzenfam. i. iv. 213 (1899).
repens Desv.
Nicholson, Illustr. Dict. Gard. i. 448 [1884–88.]
Schneider, Book Choice Ferns, ii. 151 (1893).—*Hab.*
retusa Cav.
Hooker, Sp. Fil. i. t. 52 (1846).
rhomboidea Hook.
*Hooker, Second Cent. Ferns, t. 48 (1861).
Saccoloma Spreng.
Mart. Fl. Bras. i. II. t. 21, 41 (1859).
Shimek in Bull. Labor. Nat. Hist. Iowa, iv. No. 2, t. 11, 12 (1897).
Schimperi Hook.
Hooker, Sp. Fil. i. t. 50 (1846).
Fée, Mém. Foug. v. t. 27 (1850–52).
Schlechtendalii Presl
Hooker, Sp. Fil. i. t. 54 (1846).
serriformis Wall.
Hook. Ic. Pl. i. t. 93 (1837).
sessilifolia Bl.
*Kunze, Farnkr. t. 107 (1840–47).
solida Sw.
*Schkuhr, Krypt. Gewächse, t. 126 (18[06]–09).
*Hooker, Fil. Exot. t. 57 (1859).
*Lowe, Ferns, viii. t. 27 (1860).
Ettingshausen, Farnkr. t. 137, 139 (1865).
Beddome, Ferns Brit. Ind. t. 104 (1865–70).
Beddome, Handb. Ferns Brit. Ind. 59 (1883).
F. M. Bailey, Lithogr. Ferns Queensland (Dept. Agric. Brisbane), t. 43 (1892).
Contrib. U.S. Nat. Herb. ix. t. 3 (1905).

DAVALLIA
solida latifolia Hook.
Hooker, Sp. Fil. i. t. 42 (1846).
—— **superba** Hort.
Tribune Hort. vii. 735 (1912).
Journ. Roy. Hort. Soc. London, xxxviii. 24, fig. 10 (1912).
speciosa Mett.
Beddome, Suppl. Ferns S. & Brit. Ind. t. 352 (1876).
speluncae Baker
Mart. Fl. Bras. i. II. t. 20, 21 (1859).
F. M. Bailey, Lithogr. Ferns Queensland (Dept. Agric. Brisbane), t. 48 (1892).
Sim, Ferns S. Africa, t. 11 (1892).
Horticulture (Boston), i. 791 (1905).—*Hab.*
stenolepis Hayata
Hayata, Ic. Pl. Formosan. iv. 204 (1914).
strigosa Kunze
Schneider, Book Choice Ferns, ii. 154 (1893).—*Veg.*
Tasmanii Field
Field, Ferns New Zealand, t. 24 (1890).
Cheeseman, Ill. New Zeal. Fl. t. 237 (1914).
tenuifolia Sw.
Presl, Tent. Pteridogr. t. 4 (1836).
Gard. Chron. 1855, p. 709.
Belg. Hort. vi. t. 47 (1856).
T. Moore, Index Fil. Gen. & Spec. t. 75 [1857–62].
*Lowe, Ferns, viii. t. 14 (1860).
Beddome, Ferns S. Ind. t. 16 (1863).
Journ. Roy. Hort. Soc. London, xxii. 459 (1898–99).—*Hab.*
Makino, Phan. & Pterid. Jap. Ic. i. t. 36 (1900).
Horticulture (Boston), i. 791 (1905).—*Hab.*
Conzatti in Mem. y Rev. Soc. 'Antonio Alzate', xxv. 117 (1907).
Brigham in Mem. Bernice Pauahi Bishop Mus. iii. 160 (1911).
—— **Burkei** Hort.
Wien. Ill. Gart.-Zeit. xxi. 174 (1896).
—— **chinensis** T. Moore
Makino, Phan. & Pterid. Jap. Ic. i. t. 37 (1900).
—— **Veitchiana** Hort.
Nicholson, Illustr. Dict. Gard. iv. Suppl. 530 [1884–88].
Garden, xxvii. 504 (1885).—*Hab.*
Ill. Gartenzeit. Stuttgart, xxix. t. 27 (1885).
Rev. Hort. Belge, xi. 273 (1885).—*Hab.*
Sempervirens, xiv. 180 (1885).
Gartenfl. xxxv. 502 (1886).—*Hab.*
Jardin, i. 102 (1887).
Journ. Hort. Ser. III. xv. 111 (1887).—*Hab.*
Schneider, Book Choice Ferns, ii. 96 (1893).—*Hab.*
Nicholson, '1900' Suppl. Dict. Gard. 304 (1900).
Bellair & St.-Léger, Pl. Serre, 677 (1900).—*Hab.*
Möllers Deutsche Gärtn.-Zeit. xxviii. 172 (1913).
thecifera H. B. K.
Mart. Fl. Bras. i. II. t. 21, 41 (1870).
trichomanoides Hook.
*Hooker, Second Cent. Ferns, t. 64 (1861).
trichomanoides Bedd.
Beddome, Ferns Brit. Ind. t. 178 (1865–70).
Schneider, Book Choice Ferns, ii. 157 (1893).—*Veg.*
Nicholson, '1900' Suppl. Dict. Gard. 305 (1900).
trichomanoides Bl.
Ettingshausen, Farnkr. t. 142 (1865).
trichosticha Hook.
*Lowe, Ferns, viii. t. 29 (1860).
triphylla Hook.
Hooker, Sp. Fil. i. t. 46 (1846).
Beddome, Ferns Brit. Ind. t. 105 (1865–70).
Beddome, Handb. Ferns Brit. Ind. 58 (1883).
tripinnata F. Muell.
F. M. Bailey, Syn. Queensland Fl. Suppl. 3, p. 136 [t. 6] (1890) (Rep. Dep. Agric. Queensl. 1889–90).
F. M. Bailey, Lithogr. Ferns Queensland (Dept. Agric. Brisbane), t. 49 (1892).
Tyermanii T. Moore
Florist, 1871, p. 173.
Williams, Select Ferns & Lycopods, Brit. & Exot. Ed. 2, p. 110 (1873).—*Hab.*

DAVALLIA
Tyermanii
Hook. Ic. Pl. xvii. t. 1620 (1886).
Gartenfl. lviii. 421 (1909).—*Hab.*
uncinella Kunze
*Kunze, Farnkr. t. 140 (1840–47).
urophylla Hook.
Trans. Linn. Soc. London, Ser. II. Bot. i. t. 50 (1880).
venusta Schkuhr
*Schkuhr, Krypt. Gewächse, t. 128 (18[06]–09).
vestita Bl.
Hooker, Sp. Fil. i. t. 41 (1846).
villosa Wall.
Hooker, Sp. Fil. i. t. 48 (1846).
Vogelii Hook.
Hooker, Sp. Fil. i. t. 59 (1846).

DAVALLODES Copel.: *Microlepia*
grammatosorum Copel.
Philippine Journ. Sc., Bot. iii. 39, t. 6 (1908).
gymnocarpum Copel.
Philippine Journ. Sc., Bot. iii. 39, t. 5 (1908).

DAVEANA Willk.: *Matricaria*
anthemoides Mariz
Bol. Soc. Brot. 1891, ix. t. 2 (1892).

DAVIDIA Baill.
involucrata Baill.
*Nouv. Arch. Mus. Hist. Nat. Paris, Ser. II. viii. t. 10 (1885).
Jardin, iii. 9 (1889); xx. 216, 217 (1906); xxi. 149 (1907); xxiv. 52 (1910); xxix. 323 (1915).
Hook. Ic. Pl. xx. t. 1961 (1891).
Pflanzenfam. iii. VIII. 259 (1898).
Rev. Hort. 1902, p. 377; 1906, p. 297–99; 1907, p. 321.
Gard. Chron. Ser. III. xxxiii. 235 (1903); xxxix. 346 (1906); xlix. 329 (1911); lviii. 43 (1915); lxiv. 12, 13, 17 (1918).
Journ. Linn. Soc., Bot. xxxv. t. 19 (1903).
Journ. Roy. Hort. Soc. London, xxviii. 58, fig. 11, 12 (1903–4); xxxvii. Proc. p. cxxvi, fig. 113 (1912).
Vilmorin & Bois, Frutic. Vilmor. 145 (1904).—*Hab.*
Rev. Hort. Belge, xxxiv. 230 (1908).
Trans. Linn. Soc. London, Ser. II. Bot. vii. t. 31 (1909).
Pflanzenreich, Nyssac. 18 (1910).
Wilson, Veg. West. China (Publ. Arn. Arb. No. 2), 201, 202 (1911).
Garden, lxxvii. 358 (1913); lxxix. 145 (1915); lxxxii. 199 (1918).
Bean, Trees & Shrubs, i. 476 (1914).
Horticulture (Boston), xxv. 515 (1917); xxxii. 305 (1920).—*Fl.*
Messel, Gard. Fl. 60 (1918).
—— **Vilmoriniana** Hemsl.
*Bot. Mag. cxxxviii. t. 8432 (1912).
Vilmoriniana Dode
Schneider, Ill. Handb. Laubh. ii. 457, 458 (1909).
Bull. Soc. Dendr. France, 1913, p. 88, 226.
Silva Tarouca, Freiland-Laubgehölze, 201, 202 (1913).

DAVIDSONIA F. Muell.
pruriens F. Muell.
F. Mueller, Fragm. Phyt. Austral. vi. t. 46 (1867).
Gard. Chron. vii. 819 (1877).—*Veg.*
*Queensland Agric. Journ. ii. t. 37 (1898).
*Rev. Hort. Belge, xxx. 245 (1904).
De Wildeman, Ic. Sel. Hort. Then. vi. t. 223 (1908).

DAVIESIA Sm.
acicularis Sm.
*Bot. Mag. liii. t. 2679 (1826).
*Lodd. Bot. Cab. xiii. t. 1234 (1827).
alata Sm.
*Bot. Reg. ix. t. 728 (1823).
Velenovsky, Vergl. Morphol. Pfl. iv. Suppl. 62 (1913).—*Veg.*
cordata Sm.
*Bot. Reg. xii. t. 1005 (1826).
*Ann. Blumisterei, x. 255 (1834); xi [t. 12] (1835).

DAVIESIA
cordata
Ettingshausen in Sitzb. Akad. Wiss. Wien, xii. IV. t. 1, fig. 13 (1854).—*Veg.*
corymbosa Sm.
*Andrews, Bot. Rep. x. t. 611 (1810).
daphnoides Meissn.
Proc. Roy. Soc. Victoria, N. Ser. xxii. I. t. 6 (1909).—*Fl.*
denudata Vent.
Ventenat, Choix Pl. t. 6 (1803).
Lamarck, Ill. vi. t. 950 (1819).
euphorbioides Benth.
Journ. Nat. Hist. & Sc. Soc. W. Australia, iii. t. 4 (1910).
genistoides Lodd.
*Lodd. Bot. Cab. xvi. t. 1552 (1829).
glauca Lodd.
*Lodd. Bot. Cab. i. t. 43 (1818).
Grahamii Ewart & White
Proc. Roy. Soc. Victoria, N. Ser. xxii. I. t. 6 (1909).—*Fl.*
hakeoides Meissn.
Engler & Drude, Veget. Erde, vii. 185 (1906).
juncea Sm.
*Journ. Jard. 1840, p. 186.
latifolia R. Br.
*Andrews, Bot. Rep. x. t. 638 (1811).
*Bot. Mag. xlii. t. 1757 (1815).
*Paxt. Mag. iv. 223 (1838).
J. C. Loudon, Arbor. & Frutic. Brit. ii. 570 (1838).
Ettingshausen in Sitzb. Akad. Wiss. Wien, xii. IV. t. 1, fig. 2 (1854).—*Veg.*
Beih. Bot. Centralbl. xiv. t. 1, a, fig. 3 (1903).—*Fr.*
A. E. Sulman, Austral. Wild Fl. Ser. II. t. 13 [1913].
F. Sulman, Wild Fl. N. S. Wales, i. t. 31 (1913).
linearis Lodd.
*Lodd. Bot. Cab. xvii. t. 1615 (1830).
longifolia Benth.
*Ann. Blumisterei, viii. 191 [t. 15] (1832).
*Journ. Jard. 1837, p. 153.
mimosoides R. Br.
*Bot. Mag. xlv. t. 1957 (1818).
Ralph, Ic. Carpolog. t. 40 (1849).—*Fr.*
pectinata decipiens E. Pritz.
Engl. Jahrb. xxxv. 249 (1904).
—— **prionodes** Meissn.
Engl. Jahrb. xxxv. 249 (1904).
physodes A. Cunn.
*Ann. Gand, ii. t. 82 (1846).
*Bot. Mag. lxxii. t. 4244 (1846).
recurvata Maiden & R. T. Baker
Proc. Linn. Soc. N. S. Wales, Ser. II. x. IV. t. 50 (1896).
rhombifolia Meissn.
Ettingshausen in Sitzb. Akad. Wiss. Wien, xii. IV. t. 1, fig. 3, 4 (1854).—*Veg.*
trigonophylla Meissn.
Engl. Jahrb. xxxv. 249 (1904).
ulicifolia Andr.
*Andrews, Bot. Rep. v. t. 304 (1803).
ulicina Sm.
*Lodd. Bot. Cab. i. t. 44 (1818).
*Paxt. Mag. iv. 29 (1838).
*Charsley, Wild Fl. Melbourne, t. 8 (1867).
umbellata Labill.
Labillardière, Nov. Holl. Pl. t. 137 (1804).
virgata A. Cunn.
*Bot. Mag. lix. t. 3196 (1832).
Wyattiana F. M. Bailey
F. M. Bailey, Queensland Flora, t. 13 (1900).

DAVILLA Vand.—Vide *Hieronia*
angustifolia St.-Hil.
Mart. Fl. Bras. xiii. I. t. 24 (1863).
brasiliana DC.
Delessert, Ic. Pl. i. t. 71 (1820).
ciliata A. Rich.
Ramon de la Sagra, Fl. Cubana, iv. Atlas, Pl. Vasc. t. 3 (1853); et Ic. Fl. Cub. Pl. Vasc. t. 3 (1863).
elliptica St.-Hil.
St.-Hilaire, Pl. Usuelles Bras. t. 23 (1824–28).
flexuosa St.-Hil.
St.-Hilaire, Fl. Bras. Merid. i. t. 2 (1825).

DAVILLA
grandiflora Tul. & St.-Hil.
Arkiv Bot. Stockholm, iii. No. 15, p. 8 (1904).—*Veg.*
grandifolia Moric.
Mart. Fl. Bras. xiii. I. t. 20 (1863).
Kunthii St.-Hil.
Baillon, Hist. Pl. i. 106 (1867–69).—*Fl.*
Pflanzenfam. iii. VI. 113 (1893).—*Fl.*
lucida Presl
Seemann, Bot. Voy. Herald, t. 13 (1852).
Mart. Fl. Bras. xiii. I. t. 27 (1863).
Pflanzenfam. iii. VI. 105, 107 (1893).—*Fl.*
macrocarpa Eichl.
Mart. Fl. Bras. xiii. I. t. 24 (1863).
rugosa Poir.
St.-Hilaire, Pl. Usuelles Bras. t. 22 (1824–28).
Warming in Dansk. Vid. Selsk. Skrift. Ser. VI. vi. 215 (1892).—*Veg.*
Sagraeana A. Rich.
Ramon de la Sagra, Fl. Cubana, iv. Atlas, Pl. Vasc. t. 2 (1853); et Ic. Fl. Cub. Pl. Vasc. t. 2 (1863).
vaginata Eichl.
Mart. Fl. Bras. xiii. I. t. 25 (1863).
villosa Eichl.
Mart. Fl. Bras. xiii. I. t. 26 (1863).
Pflanzenfam. iii. VI. 104 (1893).—*Fl.*
wormiifolia Baill.
Baillon, Hist. Pl. i. 105 (1867–69).—*Fl.*
Pflanzenfam. iii. VI. 113 (1893).—*Fl.*

DAVYA DC.: *Meriania*
Claussenii Naud.
Ann. Sc. Nat. Paris, Ser. III. iii. t. 7, fig. 19 (1845).—*Fl.*
glabra DC.
Ettingshausen, Blatt-Skel. Dikot. 190, t. 84 (1861).—*Veg.*
guianensis DC.
De Candolle in Mém. Soc. Phys. & Hist. Nat. Genève, iv. t. 2, fig. 17 (1828).—*Fl.*
De Candolle, Mém. Fam. Melast. (Coll. Mém. i), t. 3 (1828).
paniculata DC.
*Martius, Nov. Gen. & Sp. Pl. Bras. iii. t. 261 (1829).

DAYENIA Mill.: *Ayenia*
inermis Med.
Medicus, Bot. Beob. iv. 385, fig. 4–7 (1783).—*Fl.*

DEAMIA Britton & Rose
testudo Britton & Rose
Britton & Rose, Cactac. ii. 213, 214 (1920).

DEANEA Coulter & Rose
nudicaulis Coulter & Rose
Bot. Gaz. xx. t. 27 (1895).
Contrib. U.S. Nat. Herb. iii. t. 6 (1895).

DEBESIA O. Kuntze—Vide *Acrospira*

DEBREGEASIA Gaudich.—Vide *Morocarpus*
hypoleuca Wedd.
Arch. Mus. Hist. Nat. Paris, ix. t. 15 A, fig. 10, 11 (1856–57).—*Fl.*
velutina Gaudich.
Gaudichaud, Voy. Bonite, Bot. Atlas, t. 90 (1844–66).
Arch. Mus. Hist. Nat. Paris, ix. t. 15 A, fig. 1–9 (1856–57).
Rev. Hort. 1896, p. 321.
Bull. Ann. Assoc. Anc. Elèv. Hort. Liége, x. 24 (1905).—*Hab.*
*Rev. Hort. Belge, xxxi. 157, 158 (1905).
Gard. Chron. Ser. III. xxxix. 232 (1906).
Tribune Hort. ii. 358 (1907).
Talbot, For. Fl. Bombay, ii. 534 (1911).
Crisp, Guide Friar Park, 188 (1914).—*Fr.*
Wallichiana Wedd.
Arch. Mus. Hist. Nat. Paris, ix. t. 14 (1856–57).
Pflanzenfam. iii. I. 102 (1888).—*Fl.*

DECABELONE Decne.—Vide *Tavaresia*
Barklyi Dyer
*Bot. Mag. ci. t. 6203 (1875).
Journ. Linn. Soc., Bot. xv. t. 5 (1876).—*Fl.*
Gard. Chron. Ser. III. xxvii. 210 (1900).—*Hab.*
elegans Decne.
Ann. Sc. Nat. Paris, Ser. V. xiii. t. 2 (1870–71).

DECABELONE
elegans
*Bot. Mag. c. t. 6115 (1874).
Pflanzenfam. iv. II. 276 (1895).

DECACERAS Harv.
Arnottii K. Schum.
Pflanzenfam. iv. II. 267 (1895).
Huttonii Harv.
Harvey, Thes. Cap. ii. t. 114 (1863).

DECACHAETA DC.
Haenkeana DC.
Delessert, Ic. Pl. iv. t. 13 (1839).
Pflanzenfam. iv. V. 132 (1890).—*Fl.*
Seemannii Benth. & Hook. f.
Hemsley, Biol. Centr. Amer. v. t. 42 (1881).

DECAGONOCARPUS Engl.
oppositifolius Engl.
Mart. Fl. Bras. xii. II. t. 21 (1874).

DECAISNEA Brongn.: *Prescottia*
densiflora Brongn.
Duperrey, Voy. Coquille, Bot. Atlas, Phan. t. 39 (1826).

DECAISNEA Hook. f. & Thoms.
Fargesii Franch.
Kertészeti Lapok (Journ. Hort.), xv. 175, 176 (1900).
Rev. Hort. 1900, p. 270–73.
Jardin, xv. 213 (1901).
*Bot. Mag. cxxviii. t. 7848 (1902).
Vilmorin & Bois, Frutic. Vilmor. 12 (1904).
Vilmorin, Hort. Vilm. (Bull. Soc. Bot. France, 1904, li. App.), t. 2 (1906).
Bull. Soc. Acclim. lvii. 477 (1910); lxii. 92, 93 (1915).
Wilson, Veg. West. China (Publ. Arn. Arb. No. 2), 203 (1911).—*Hab.*
Bull. Soc. Dendr. France, 1912, p. 153; 1913, p. 160.
Schneider, Ill. Handb. Laubh. ii. 911 (1912).
Mitt. Deutsch. Dendr. Ges. 1912, p. 197.
Silva Tarouca, Freiland-Laubgehölze, 202 (1913).—*Hab.*
Gard. Chron. Ser. III. lviii. 381 (1915).—*Fr.*
Lustgården, i. 148 (1920).—*Fr.*
insignis Hook. f. & Thoms.
*Hooker f., Ill. Himal. Pl. t. 10 (1855).
*Ill. Hort. iii. t. 91 (1856).
*Fl. des Serres, Ser. II. iii. t. 1335, 1336, p. 84 (1858).
*Bot. Mag. cx. t. 6731 (1884).
Pflanzenfam. iii. II. 68, 69 (1888).

DECALEPIS Wight & Arn.
Hamiltonii Wight & Arn.
Wight, Ic. Pl. Ind. Or. iv. t. 1285 (1848).
Wight, Illustr. Ind. Bot. ii. t. 182 (1850).

DECANEMA Decne.
Bojeriana Decne.
Ann. Sc. Nat. Paris, Ser. II. ix. t. 12 (1838).—*Fl.*
Delessert, Ic. Pl. v. t. 68 (1846).
Pflanzenfam. iv. II. 251 (1895).
Ann. Mus. Col. Marseille, Ser. III. ii. 293 (1914).—*Fl.*

DECANEURUM DC.: *Centratherum*
courtalense Wight
Wight, Ic. Pl. Ind. Or. iii. t. 1081 (1846).
divergens DC.
Wight, Ic. Pl. Ind. Or. iii. t. 1084 (1846).
epileium Wight
Rheede, Hort. Mal. x. t. 63 (1690); fide Hasskarl, Hort. Mal. Rheed. Clavis, 86.
molle DC.
Delessert, Ic. Pl. iv. t. 2 (1839).
Wight, Ic. Pl. Ind. Or. iii. t. 1082 (1846).
reticulatum DC.
De Candolle, Obs. Compos. (Coll. Mém. ix), t. 1 (1838).
Wight, Ic. Pl. Ind. Or. iii. t. 1080 (1846).
*Wight, Spicil. Neilgherr. ii. t. 104 (1851).
silhetense DC.
Wight, Ic. Pl. Ind. Or. iii. t. 1083 (1846).

DECARAPHE Miq.: *Miconia*
Fockeana Miq.
Miquel, Comment. Phytogr. t. 10 (1840).

DECASCHISTIA Wight & Arn.
affinis Pierre
Pierre, Fl. For. Cochinch. iii. t. 171 (1888).
crotonifolia Wight & Arn.
Wight, Ic. Pl. Ind. Or. i. t. 42 (1838).
Pflanzenfam. iii. VI. 48 (1890).—*Fr.*
ficifolia Mart.
Gard. Chron. Ser. III. viii. 629 (1890).
Harmandii Pierre
Pierre, Fl. For. Cochinch. iii. t. 170 (1888).
Mouretii Gagnep.
Lecomte, Fl. Gén. Indo-Chine, i. t. 20 (1910).
Thorelii Pierre
Pierre, Fl. For. Cochinch. iii. t. 170 (1888).
trilobata Wight
Wight, Ic. Pl. Ind. Or. i. t. 88 (1838).
Talbot, For. Fl. Bombay, i. 118 (1909).

DECASPERMUM Forst.—Vide *Nelitris* Spreng.
fruticosum Forst.
Rumphius, Herb. Amboin. iii. t. 136 (1743); fide Merrill, Interpret. Rumph. Herb. Amboin.
Forster, Charact. Gen. Pl. t. 37 (1776).—*Fl.*
paniculatum Kurz
Guilfoyle, Austral. Pl. 450 [1911].—*Hab.*
Hayata, Ic. Pl. Formosan. iii. 117 (1913).
Koorders & Val. Atlas Baumart. Java, t. 442 (1914).
Kanehira, Formosan Trees, 247 (1917).
Vitis-idaea Stapf
Trans. Linn. Soc. London, Ser. II. Bot. iv. t. 11 (1894).

DECASPORA R. Br.: *Trochocarpa*
Cunninghamii DC.
Delessert, Ic. Pl. v. t. 25 (1846).
Gunnii Hook. f.
*Hooker f., Fl. Tasman. i. t. 76 (1860).
thymifolia R. Br.
*Meredith, Bush Friends Tasmania, Last Ser. t. 9 (1891).

DECASTROPHIA Griff.: *Erythropalum*
inconspicua Griff.
Griffith, Ic. Pl. Asiat. t. 613, fig. 4 (1854).—*Fr.*

DECATROPIS Hook. f.
Coulteri Hook. f.
Hemsley, Biol. Centr. Amer. v. t. 13 (1879).
Pflanzenfam. iii. IV. 124 (1896).

DECEMIUM Rafin.: *Hydrophyllum*
appendiculatum Brand
Pflanzenreich, Hydrophyllac. 36 (1913).

DECKENIA H. Wendl.
nobilis H. Wendl.
Gard. Chron. 1870, p. 561.—*Hab.*
Florist, 1871, p. 253.—*Hab.*
*Rev. Hort. Belge, xxxvi. 329 (1910).

DECKERIA Karst.: *Iriartea*
corneto Karst.
Karsten, Fl. Columbiae, i. t. 53 (1858–61).

DECLIEUXIA H. B. K.
chiococcoides H. B. K.
H. B. K. Nov. Gen. iii. t. 281 (1818).
Pflanzenfam. iv. IV. 117 (1891).—*Fl.*
—— **pallida** Müll.-Arg.
Mart. Fl. Bras. vi. v. t. 66 (1881).
cordigera Mart. & Zucc.
Mart. Fl. Bras. vi. v. t. 65 (1881).
mollis Zucc.
Mart. Fl. Bras. vi. v. t. 65 (1881).
oenanthoides stenophylla Müll.-Arg.
Mart. Fl. Bras. vi. v. t. 67 (1881).
polygaloides Aristolochia Müll.-Arg.
Mart. Fl. Bras. vi. v. t. 66 (1881).
rhexioides Mart. & Zucc.
Mart. Fl. Bras. vi. v. t. 64 (1881).
spergulifolia Mart. & Zucc.
Mart. Fl. Bras. vi. v. t. 67 (1881).

DECODON J. F. Gmel.
verticillatum Ell.
*Torrey, Fl. State New York, i. t. 28 (1843).

DECODON
verticillatum
Britton & Brown, Ill. Fl. N. States & Canada, ii. 471 (1897); Ed. 2, ii. 580 (1913).
Lounsberry, Southern Wild Fl. & Trees, t. 113 (1901).
Pflanzenreich, Lythrac. 243 (1903).
Stone, Pl. Southern New Jersey (Ann. Rep. New Jersey State Mus. 1910), t. 108 (1911).
Detmers in Proc. Ohio State Acad. Sc. v. Pt. 10, p. 60 (1912).—*Hab.*
*House, Wild Fl. New York (Mem. No. 15 N.Y. State Mus.), i. t. 143 (1918).

DECOSTEA Ruiz & Pav.: *Griselinia*
ruscifolia C. Gay
*C. Gay, Hist. Chile, Atlas, t. 32 bis (1854).

DECUMARIA Linn.
barbara Linn.
Lamarck, Ill. ii. t. 403 (1797).
*Duhamel, Arbres & Arbustes, Ed. 2, vi. t. 20 (1801–19).
J. C. Loudon, Arbor. & Frutic. Brit. ii. 955 (1838).
Schnizlein, Iconogr. iv. t. 264 (1857–65).—*Fl.*
Baillon, Hist. Pl. iii. 348 (1872).—*Fl.*
Lauche, Deutsche Dendrol. Ed. 2, p. 520 (1883).
Pflanzenfam. iii. II. A. 76 (1890).—*Fl.*
Meehan's Monthly, i. 41 (1891).
Dippel, Handb. Laubholzk. iii. 332 (1893).
Britton & Brown, Ill. Fl. N. States & Canada, ii. 185 (1897); Ed. 2, ii. 233 (1913).
Lounsberry, Southern Wild Fl. & Trees, t. 66 (1901).
Schneider, Dendrol. Winterst. 187 (1903).—*Veg.*
Schneider, Ill. Handb. Laubh. i. 375, 395 (1905).
Gard. Chron. Ser. III. xlvi. Suppl. tab. p. 242 (1909).
Silva Tarouca, Freiland-Laubgehölze, 203 (1913).—*Hab.*
sarmentosa Bosc
Act. Soc. Hist. Nat. Paris, i. t. 13 (1792).
Baillon, Dict. Bot. ii. 364 (1883).—*Fl.*
sinensis Oliv.
Hook. Ic. Pl. xviii. t. 1741 (1888).

DEDEA Baill.
maior Baill.
Baillon in Assoc. Franç. Avanc. Sc. 1878, Paris, t. 15 (1879).
Baillon, Adans. xii. t. 3, 4, fig. 1–4 (1879).
minor Baill.
Baillon in Assoc. Franç. Avanc. Sc. 1878, Paris, t. 15 (1879).
Baillon, Adans. xii. t. 3, 4, fig. 5–14 (1879).
resinosa Schlechter
Engl. Jahrb. xxxix. 116 (1906).

DEERINGIA R. Br.
altissima F. Muell.
Banks & Soland. Bot. Cook's Voy. iii. t. 247 (1905).
amaranthoides Merr.
Rumphius, Herb. Amboin. v. t. 83, fig. 2 (1747); fide Merrill, Interpret. Rumph. Herb. Amboin.
baccata Moq.
Pflanzenfam. iii. I. A. 98 (1893).
celosioides R. Br.
*Bot. Mag. liv. t. 2717 (1827).
Endlicher, Ic. Gen. Pl. t. 62 (1838).
Wight, Ic. Pl. Ind. Or. ii. t. 728 (1840–43).
Agardh, Theor. Syst. Pl. t. 26 (1858).—*Fl.*
*Blanco, Fl. Filip. t. 236 (1878–80).
Baillon, Hist. Pl. ix. 158 (1887).—*Fl.*
Banks & Soland. Bot. Cook's Voy. iii. t. 246 (1905).
tetragyna Roxb.
Wight, Ic. Pl. Ind. Or. ii. t. 729 (1840–43).

DEFFORGIA Lam.: *Forgesia*
borbonica Lam.
Lamarck, Ill. i. t. 125 (1797).

DEGUELIA Aubl.: *Derris*
microphylla Val.
Ic. Bogor. ii. t. 129 (1904).
Teysmannia, xvi. 316 (1906).—*Hab.*
scandens Aubl.
Aublet, Hist. Pl. Guiane Franç. iv. t. 300 (1775).

DEGUELIA
scandens
Lamarck, Ill. iii. t. 603 (1797).
Ralph, Ic. Carpolog. t. 29 (1849).—*Fr.*

DEHAASIA Bl.—Vide *Haasia*
caesia Bl.
Koorders & Val. Atlas Baumart. Java, t. 216 (1913).
cuneata Bl.
*Blume, Rumphia, i. t. 46 (1835).
Koorders & Val. Atlas Baumart. Java, t. 217 (1913).
elongata Bl.
*Blume, Rumphia, i. t. 47 (1835).
media Bl.
Rumphius, Herb. Amboin. iii. t. 41 (1743); fide Merrill, Interpret. Rumph. Herb. Amboin.
*Blume, Rumphia, i. t. 45 (1835).
Lindley, Veg. Kingd. 535 (1846).—*Fr.*
microcarpa Bl.
*Blume, Rumphia, i. t. 44 (1835).
pugerensis Koorders & Val.
Koorders & Val. Atlas Baumart. Java, t. 217 (1913).

DEHERAINIA Decne.
cubensis Mez
Pflanzenreich, Theophrastac. 13 (1903).
smaragdina Decne.
Ann. Sc. Nat. Paris, Ser. VI. iii. t. 12 (1876).
*Bot. Mag. civ. t. 6373 (1878).
Pflanzenfam. iv. I. 88 (1889).—*Fl.*
Nuov. Giorn. Bot. Ital. N. Ser. v. t. 1 (1898).—*Fl.*
Notes Roy. Bot. Gard. Edinb. v. t. 59 (1911).

DEIANIRA Cham. & Schlechtd.—Vide *Callopisma*
cordifolia Malme
Arkiv Bot. Stockholm, iii. No. 12, t. 2 (1904).
cyathifolia Barb. Rodr.
Barbosa Rodrigues, Pl. Mattogr. t. 12 (1898).
Arkiv Bot. Stockholm, iii. No. 12, t. 2 (1904).
erubescens Cham. & Schlechtd.
Pflanzenfam. iv. II. 72 (1895).—*Fl.*
Hansgirg, Phyllobiol. 232 (1903).

DEIDAMIA Nor.—Vide *Efulensia*
alata Thou.
Petit-Thouars, Hist. Vég. Iles Austr. Afr. t. 20 (1805); Ed. 2, t. 20 (1806).
Thompsoniana DC.
Journ. of Bot. xiii. t. 163 (1875).

DEINANTHE Maxim.
bifida Maxim.
Mém. Acad. St. Pétersb. Ser. VII. x. No. 16, t. 1 (1867).
Somoku Dzusetsu, Ed. 2, x. t. 8 (1874).
Hook. Ic. Pl. xix. t. 1884 (1889).
Pflanzenfam. iii. II. A. 73 (1890).—*Fl.*
*Useful Pl. Jap. iii. t. 819 (1895).
Somoku Dzusetsu, Ed. Makino (Iconogr. Pl. Nippon), x. t. 8 (1910).
caerulea Stapf
*Bot. Mag. cxxxvii. t. 8373 (1911).

DEINBOLLIA Schum. & Thonn.—Vide *Prostea*
pycnophylla Gilg
Thonner, Blütenpfl. Afr. t. 86 (1908).

DELABECHEA Lindl.: *Brachychiton*
rupestris Lindl.
Ann. Hort. v. 155 (1850).
Gard. Chron. xiv. 233 (1880).—*Veg.*
Rev. Hort. Belge, vi. 228 (1880).—*Veg.*

DELAIREA C. Lem.: *Senecio*
odorata C. Lem.
*Horticulteur Univ. vi. 1 (1845).

DELAMEREA Sp. Moore
procumbens Sp. Moore
Journ. of Bot. xxxviii. t. 416 (1900).

DELAPORTEA Thorel ex Gagnep.
armata Thorel
Lecomte, Fl. Gén. Indo-Chine, ii. 69 (1913).

DELARBREA Vieill.
collina Vieill.
Baillon, Hist. Pl. vii. 157 (1880).—*Fr.*

DELARBREA
Michieana F. Muell.
*F. M. Bailey, Compr. Cat. Queensl. Pl. 232, t. 10 (1909–13).
spectabilis Linden & André
*Ill. Hort. xxv. t. 314 (1878).—*Hab.*

DELARIA Desv.: *Baphia*
ovalifolia Desv.
Ann. Sc. Nat. Paris, ix. Atlas, t. 52 (1826).
pirifolia Desv.
Ann. Sc. Nat. Paris, ix. Atlas, t. 53 (1826).

DELAVAYA Franch.
toxocarpa Franch.
Schneider, Ill. Handb. Laubh. ii. 256, 258 (1909).
yunnanensis Franch.
Franchet, Pl. Delav. t. 27, 28 (1889).

DELIA Dum.: *Spergularia*
segetalis Dum.
Hegi, Ill. Fl. Mittel-Eur. iii. 425 (1909).

DELILIA Spreng.: *Elvira*
Berteroi Spreng.
Bull. Soc. Philom. 1823, t. 1.

DELIMA Linn.: *Tetracera*
aspera Blanco
*Blanco, Fl. Filip. t. 190 (1878–80).
hebecarpa DC.
Delessert, Ic. Pl. i. t. 72 (1820).
mexicana Moc. & Sessé
A. De Candolle, Calq. Dess. Fl. Mex. Moc. & Sessé, t. 3 (1874).
sarmentosa Linn.
N. L. Burman, Fl. Ind. t. 37 (1768).
Gaertner, Fruct. ii. t. 106 (1791).—*Fr.*
Lamarck, Ill. iii. t. 475 (1797).
*Bot. Mag. lviii. t. 3058 (1831).
*Schnizlein, Iconogr. iii. t. 177 (1857–65).
—— **hebecarpa** Hook. f. & Thoms.
Vidal, Sin. Fam. & Gen. Pl. Leñ. Filip. (Introd. Fl. For. Filip.), Atlas, t. 2, fig. C (1883).

DELISSEA Gaudich.
acuminata Gaudich.
Freycinet, Voyage, t. 76 (1826).
clermontioides Gaudich.
Gaudichaud, Voy. Bonite, Bot. Atlas, t. 47 (1844–66).
fallax Hillebr.
Rock, Monogr. Hawaiian Lobeliac. 356 (1919).
Kunthiana Gaudich.
Gaudichaud, Voy. Bonite, Bot. Atlas, t. 77 (1844–66).
laciniata Hillebr.
Rock, Monogr. Hawaiian Lobeliac. 347 (1919).
—— **parvifolia** Rock
Rock, Monogr. Hawaiian Lobeliac. 348 (1919).
parviflora Hillebr.
Rock, Monogr. Hawaiian Lobeliac. 358 (1919).
rhytidosperma H. Mann
Rock, Monogr. Hawaiian Lobeliac. 354, 355 (1919).
sinuata Hillebr.
Rock, Monogr. Hawaiian Lobeliac. 350 (1919).
—— **lanaiensis** Rock
Rock, Monogr. Hawaiian Lobeliac. 351 (1919).
subcordata Gaudich.
Freycinet, Voyage, t. 77 (1826).
Rock, Monogr. Hawaiian Lobeliac. 344 (1919).
—— **obtusifolia** Wawra
Rock, Monogr. Hawaiian Lobeliac. 346 (1919).
undulata Gaudich.
Freycinet, Voyage, t. 78 (1826).
Rock, Indig. Trees Hawaiian Isl. t. 17 (1913).—*Hab.*
Rock, Monogr. Hawaiian Lobeliac. 22, 26, 352 (1919).

DELONIX Rafin.: *Poinciana*
regia Rafin.
Britton, N. Amer. Trees, 546, 547 (1908).
Rock, Orn. Trees Hawaii, t. 45 (1917).
Rock, Legum. Pl. Hawaii, t. 38 (1920).
Journ. New York Bot. Gard. xxi. t. 249 (1920).—*Hab.*
Philippine Agric. Rev. xiii. 160, t. 12 (1920).—*Hab.*

DELOSTOMA D. Don—Vide *Codazzia*
dentatum D. Don
*Bot. Mag. xcv. t. 5754 (1869).
integrifolium D. Don
Karsten, Fl. Columbiae, ii. t. 120 (1862–69).
nervosum DC.
Bureau, Monogr. Bignoniac. Atlas, t. 16 (1864).—*Fl.*
Pflanzenfam. iv. III. B. 237 (1894).—*Fr.*
speciosum K. Schum.
Pflanzenfam. iv. III. B. 237 (1894).—*Fl.*

DELPHINIUM Linn.—Vide *Consolida, Staphysagria*
Aconiti Linn.
Vahl, Symb. Bot. i. t. 13 (1790).
*Reichenbach, Ill. Spec. Acon. t. 69 (1823–27).
Engl. Jahrb. xx. t. 8 (1895).—*Fr.*
Ajacis Linn.
*Regnault, Bot. ii. 113 (1774).
Martyn, Pl. Expl. Linn. Syst. Veg. t. 34 (1788).—*Fl.*
C. K. Sprengel, Entd. Geheimn. Natur, t. 24, fig. 1–4 (1793).—*Fl.*
*Jaume St.-Hilaire, Pl. France, ii [t. 25] (1808).
*Reichenbach, Ic. Fl. Germ. iv. t. 67 (1840).
Meigen, Deutschl. Fl. iii. t. 100 (1842).—*Fl.*
*J. W. Loudon, Ladies' Fl.-Gard. Ornam. Annuals, t. 3 (1844).
*Cassone, Fl. Med.-Farm. i. t. 24 (1847).
Weber in Verh. Naturhist. Ver. Preuss. Rheinl. vii. t. 7 (1850).
Decaisne & Naud. Amat. Jard. ii. 455 [1862–66].
*Syme, Engl. Bot. i. t. 47, A (1863).
*Cusin & Ansberque, Herb. Fl. Franç. i. t. 136 (1867).
*Réveil, Règne Vég. iv. t. 5; xiv. t. 12 (1870).
*Moggridge, Fl. Mentone, t. 52 (1871).
Decaisne, Naud. & Hemsl. Handb. Trees, Shrubs & Herb. Pl. 17 (1873).
W. Robinson, Engl. Fl. Gard. t. 92 (1883).—*Hab.*
Nicholson, Illustr. Dict. Gard. i. 450 [1884–88].
Rev. Hort. 1893, p. 228.
*Wild Fl. Canada, t. 283 (1894).
Brehm, Merv. Nat. Monde des Pl. i. 45 (1894–96).
*Bois, Atlas Pl. Jard. t. 10 (1896).
*Step, Fav. Fl. Gard. & Greenh. i. t. 10 (1896).
Mém. Soc. Sc. Liége, Ser. II. xix. t. 2, 3, 6, 7 (1897).—*Veg.*
Fiori & Paol. Ic. Fl. Ital. 187 (1899).
L. H. Bailey, Cycl. Amer. Hort. 465 (1900); Stand. Cycl. Hort. 975 (1914).
Coste, Fl. France, i. 49 (1901).
C. T. Green, Fl. Liverpool Distr. fig. 17 (1902).
Heukels, Fl. Nederl. ii. 220 (1908).
Hegi, Ill. Fl. Mittel-Eur. iii. 487, 489 (1909).
Beille, Bot. Pharm. ii. 294 (1909).
*Bonnier, Fl. Compl. France, Suisse & Belge, i. t. 19 [1911].
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, ii. 94 (1913).
Cadevall & Sallent, Fl. Catalunya, i. 52 (1915).
Fitch & Smith, Ill. Brit. Fl. Ed. rev. 4, Iss. 2, fig. 29 (1919).
*Horwood, Brit. Wild Fl. ii. t. 8, p. 94 (1919).
Moss, Cambridge Brit. Fl. iii. t. 109 (1920).
—— **alba** Hort.
*J. W. Loudon, Ladies' Fl.-Gard. Ornam. Annuals, t. 3 (1844).
—— **hyacinthiflorum giganteum** Hort.
Möllers Deutsche Gärtn.-Zeit. xxxv. 229 (1920).
—— **minor** Hort.
Semaine Hort. 1898, p. 282.—*Hab.*
—— **pumilum** Hort.
*Piccioli, Antotr. Colt. Fiori, ii. t. 44 (1834).
—— **purpurascens** Hort.
*J. W. Loudon, Ladies' Fl.-Gard. Ornam. Annuals, t. 3 (1844).
albiflorum DC.
Delessert, Ic. Pl. i. t. 58 (1820).
albocaeruleum Maxim.
Maximowicz, Fl. Tangut. t. 4 (1889).
alopecuroides Hort.
*Florist, 1863, p. 57 (1864).
alpinum Waldst. & Kit.
*Waldstein & Kit. Pl. Rar. Hung. iii. t. 246 (1812).

DELPHINIUM
alpinum
*Reichenbach, Ic. Fl. Germ. iv. t. 74 (1840).
*Weber, Alp.-Pfl. Ed. 3, i. t. 31 (1872).
altissimum Wall.
*Wallich, Pl. Asiat. Rar. ii. t. 128 (1831).
Engl. Jahrb. xx. t. 8 (1895).—*Fr.*
—— **drepanocentrum** Brühl
Brühl in Ann. Bot. Gard. Calcutta, v. II. t. 120 (1896).
—— **Wallichii nepalense** Brühl
Brühl in Ann. Bot. Gard. Calcutta, v. II. t. 120, fig. 3 (1896).
—— —— **phallutense** Brühl
Brühl in Ann. Bot. Gard. Calcutta, v. II. t. 120, fig. 1, 2, 4, 6, 14; t. 121, fig. 11 (1896).
ambiguum Linn.
*Bonnier, Fl. Compl. France, Suisse & Belge, i. t. 19 [1911].
amoenum Stev.
J. G. Gmelin, Fl. Sibir. iv. t. 77 (1769); fide Ledebour, Comm. 132.
Anthora Baill.
*Baillon, Ic. Fl. Franç. iii. t. 224 [1885–94].
anthriscifolium Hance
Abh. Zool.-Bot. Ges. Wien, iv. Pt. 5, p. 4 (1909).—*Fl.*
armeniacum Stapf
Engl. Jahrb. xx. t. 7 (1895).—*Fl.*
Bull. Soc. Bot. France, li. t. 6, fig. 8 (1904).—*Fl.*
axilliflorum DC.
Delessert, Ic. Pl. i. t. 50 (1820).
azureum Michx.
Delessert, Ic. Pl. i. t. 60 (1820).
*Bot. Reg. xxiii. t. 1999 (1837).
*J. W. Loudon, Ladies' Fl.-Gard. Ornam. Perenn. i. t. 9 (1843).
*Paxt. Mag. xvi. 258 (1849).
*Belg. Hort. vi. t. 37 (1856).
Balansae Boiss. & Reut.
Cosson, Ill. Fl. Atlant. i. t. 4 (1882).
barbatum Bunge
Bull. Soc. Bot. France, li. t. 6, fig. 10 (1904).—*Fl.*
Barbeyi Huth
Bull. Herb. Boiss. i. t. 17 (1893).
U.S. Dep. Agric. Farm. Bull. No. 531, p. 6, 7 (1913); No. 988, p. 4 (1918).
U.S. Dep. Agric. Bull. No. 365, t. 1 (1916).
×**Barlowii** Hort.
*Bot. Reg. xxiii. t. 1944 (1837).
*Paxt. Mag. v. 265 (1838).
*Hort. Belge Journ. Jard. & Amat. v. t. 107 (1838).
*J. W. Loudon, Ladies' Fl.-Gard. Ornam. Perenn. i. t. 9 (1843).
Batalinii Huth
Engl. Jahrb. xx. t. 8 (1895).—*Fr.*
batangense Finet & Gagnep.
Bull. Soc. Bot. France, li. t. 5, fig. B, 7–11 (1904).
bicolor Nutt.
Yearb. Dep. Agric. Washington, 1900, p. 315 (1901).
U.S. Dep. Agric. Div. Bot. Bull. No. 26, t. 4, 5 (1901).
Pammel, Man. Poison. Pl. 461 (1911).
M. Armstrong, Field Book West. Wild Fl. 131 (1915).
—— **grandiflorum** Hort.
*Floral Mag. ii. t. 114 (1862).
Boissieri Boiss. & Buhse
Buhse, Pfl. Transkauk. & Pers. (Mém. Soc. Nat. Mosc. xviii), t. 2 (1860).
bracteosum Somm. & Lev.
Déchy, Kaukasus, iii. t. 8, fig. 1–6 (1907).
—— **macranthum** Somm. & Lev.
Déchy, Kaukasus, iii. t. 9, fig. 1–3 (1907).
brevicorne Vis.
*Visiani, Fl. Dalmat. Suppl. (Mem. Istit. Veneto, xvi), t. 6 (1872).
Brownii Rydb.
Henshaw, Mount. Wild Fl. Amer. t. 55 (1906).
S. Brown, Alp. Fl. Rocky Mts. 108, t. 23 (1907).
Brunonianum Royle
*Bot. Mag. xc. t. 5461 (1864).
Gard. Chron. 1864, p. 987.—*Fl.*
*Belg. Hort. xv. 34 (1865).

DELPHINIUM
Brunonianum
Brühl in Ann. Bot. Gard. Calcutta, v. II. t. 119, fig. 25 (1896).—*Fr.*
Basu, Ind. Med. Pl. t. 7 (1918).
bucharicum Popow
Semikhatov, Nikitin, Sprygin & Popow, Geol. Soil & Pl. Geogr.-Obs. Amu-Darya & Syr-Darya, fasc. ii. t. 5 (1916).—*Hab.*
×**caerulescens** Freyn.
*Paxt. Mag. xvi. 259 (1849).
*Belg. Hort. vi. t. 37 (1856).
caeruleum Jacquemont
Jacquemont, Voy. Inde, t. 6 (1844).
Basu, Ind. Med. Pl. t. 8 (1918).
californicum Torr. & Gray
*Thayer, Wild Fl. Pacific Coast, 18 [1887].
camptocarpum Fisch. & Mey.
Engl. Jahrb. xx. t. 8 (1895).—*Fr.*
candidum Hemsl.
*Bot. Mag. cxxxiii. t. 8170 (1907).
cardinale Hook.
*Bot. Mag. lxxxi. t. 4887 (1855).
*Belg. Hort. vi. t. 37 (1856).
*Fl. des Serres, Ser. II. i. t. 1105, 1106 (1856).
*Floricult. Cab. 1856, p. 81.
*Horticulteur Franç. 1856, t. 9.
*Ill. Hort. iii. t. 92 (1856).
Otto & Dietr. Allg. Gartenzeit. xxiv. Ill. Beil. 4 (1856).
*Gartenfl. vi. t. 208 (1857).
Torrey, Bot. U.S. & Mexic. Bound. Surv. t. 2 (1858).
*Garden, xix. 234 (1881).
cardiopetalum DC.
Gartenfl. xxxviii. 641 (1889).—*Hab.*
Neubert's Deutsch. Gart. Mag. 1890, p. 23.
Rev. Hort. 1893, p. 228.
Merino, Fl. Galicia, i. 73 (1905).
*Bonnier, Fl. Compl. France, Suisse & Belge, i. t. 19 [1911].
carolinianum Walt.
Britton & Brown, Ill. Fl. N. States & Canada, ii. 60 (1897); Ed. 2, ii. 95 (1913).
Pammel, Poison. & Med. Pl. Missouri (Missouri State Board Hort. Bull. No. 14), 17 (1911).
—— **Penhardii** Hort.
Glover & Robbins, Colorado Pl. Injurious to Livestock (Bull. Colorado Agric. Exp. St. No. 211), 28 (1915).—*Fl.*
cashmerianum Royle
*Royle, Illustr. Bot. Himal. t. 12 (1839).
*Bot. Mag. ci. t. 6189 (1875).
Gartenfl. xxviii. 88 (1879); xxxii. t. 1105 (1883).
Wien. Ill. Gart.-Zeit. iv. 243 (1879).
*Garden, xviii. 568 (1880).
Rev. Hort. 1881, p. 113, 389; 1888, p. 352; 1890, p. 305; 1893, p. 259.
W. Robinson, Engl. Fl. Gard. t. 92 (1883).—*Hab.*
Kerner, Pflanzenleben, ii. 74 (1891).
Kerner & Oliv. Nat. Hist. Pl. ii. 78 (1895).—*Fr.*
Brühl in Ann. Bot. Gard. Calcutta, v. II. t. 119, fig. 23 (1896).—*Fr.*
Farrer, English Rock-Gard. i. 272 (1919).—*Hab.*
—— **Walkeri** Hook. f.
*Bot. Mag. cxi. t. 6830 (1885).
caucasicum C. A. Mey.
Semaine Hort. 1898, p. 478.
—— **dasyanthum** Kar. & Kir.
*Gartenfl. xxix. t. 1027 (1880).
cheilanthum Fisch.
J. G. Gmelin, Fl. Sibir. iv. t. 76 (1769); fide Ledebour, Comm. 132.
*Schrank, Pl. Rar. Hort. Monac. i. t. 52 (1819).
*Bot. Reg. vi. t. 473 (1820).
—— **Chauvieri** C. Lem.
*Lem. Jard. Fl. i. t. 49 (1851) in textu; *D. cheilanthum Hendersonii* in ic.
—— **Hendersonii** A. Henfr.
*Moore & Ayres, Mag. Bot. ii. 57 (1850).
*Lem. Jard. Fl. i. t. 49 (1851) in ic.; *D. cheilanthum Chauvieri* in textu.
—— **multiplex** Hort.
*Sweet, Brit. Fl. Gard. vii. t. 309 (1835).

DELPHINIUM
cheilanthum schizophyllum Brühl
Brühl in Ann. Bot. Gard. Calcutta, v. II. t. 121, fig. 12 (1896).—*Fr.*
cheiranthifolium Hort.
*Horticulteur Franç. 1857, t. 17.
chinense Fisch.
*Lodd. Bot. Cab. i. t. 71 (1818).
*Paxt. Mag. vii. 171 (1840).
Wien. Ill. Gart.-Zeit. x. 89 (1885); xv. 202 (1890). —*Hab.*
—— **albiflora** Hort.
*Floricult. Cab. ii. 263 (1834).
—— **Iveryanum** Hort.
*Florist's Journ. 1845, t. 79.
chrysotrichum Finet & Gagnep.
Bull. Soc. Bot. France, li. t. 7, fig. B, 7–11 (1904).
commutatum Jord.
*Jordan & Fourr. Ic. Fl. Eur. ii. t. 317 (1903).
Consolida Linn.
*Kniphof, Herb. Viv. i. t. 362 (1758).
*Regnault, Bot. ii. 113 (1774).
Buchoz, Hist. Règne Vég. xii. Dec. 9, t. 4 (1776).
*Fl. Dan. iv. t. 683 (1777).
*Zorn, Ic. Pl. Med. iv. t. 383 (1782).
*Joh. Kerner, Abbild. Oek. Pfl. (Fig. Pl. Écon.), ii. t. 154 (1788).
*Plantarum Indig. & Exot. Ic. ii [t. 81] (1789).
*Plenck, Ic. Pl. Med. v. t. 433 (1792).
Lamarck, Ill. iii. t. 482 (1797).
*Oskamp, Afb. Artseny-Gewass. v. t. 456 (1800).
*Svensk Bot. i. t. 58 (1803).
Boissieu, Fl. Eur. ii. t. 368 (1805).
*Sowerby & Sm. Engl. Bot. xxvi. t. 1839 (1808).
Thornton, Brit. Fl. iv. 70 (1812).
*Vietz, Ic. Pl. Med.-oec.-techn. vi. t. 476 (1817).
Berchtold & J. S. Presl, Rostlin. i. t. [30] (1823).
*Sibthorp & Sm. Fl. Graeca, vi. t. 504 (1827).
*Jaume St.-Hilaire, Fl. & Pom. Franç. v. t. 492 (1832).
*Heger, Danske Oec. Pl. iii. t. 193 (1835).
*Zenker, Fl. Thüringen, ii. t. 212 (1836–55).
*Dietrich, Fl. Boruss. v. t. 336 (1837).
*Baxter, Brit. Bot. Ed. 2, iv. t. 297 (1839).
*Reichenbach, Ic. Fl. Germ. iv. t. 66 (1840).
[M. E.] Jackson, Pict. Fl. fig. 826 (1840).
*C. E. Sowerby, Ill. Cat. Brit. Pl. fig. 34 (1841).
*J. W. Loudon, Ladies' Fl.-Gard. Ornam. Annuals, t. 3 (1844).
*Plée, Types chq. Famille Pl. France, t. 145 (1844–64).
*Deakin, Florigr. Brit. ii. fig. 872 (1845).
*Kops, Fl. Batava, ix. t. 677 (1846).
*Lorek, Fl. Pruss. Ed. 3, t. 131, fig. 697 (1848).
*Petermann, Deutschl. Fl. t. 3, fig. 18, 1–8 (1849). —*Fl.*
Lindley, Med. & Oecon. Bot. 150 (1849).
Cottage Gard. viii. 318, 349 (1852).
Johnson & Sowerby, Brit. Wild Fl. fig. 35 (1858–60).
Berg, Charakt. t. 88, fig. 627, A–M (1861).
*Syme, Engl. Bot. i. t. 47, B (1863).
*Schubert, Naturg., Pflanzenreich, Ed. 2, t. 27, fig. 10 [1865].
!Gard. Chron. 1865, p. 769.
Bentham, Handb. Brit. Fl. fig. 28 (1865).
*Hogg & Johnson, Wild Fl. Gr. Brit. iii. t. 215 (1866).
*Schnizlein, Iconogr. iii. t. 178 b (1866–70).—*Fr.*
*Cusin & Ansberque, Herb. Fl. Franç. i. t. 134 (1867).
Baillon, Hist. Pl. i. 29 (1867–69).—*Fl.*
Le Maout & Decaisne, Traité Gén. Bot. 396 (1868).—*Fl.*
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, i. t. 8 [1873].
Warming in Dansk. Vid. Selsk. Skrift. Ser. V. x. t. 4, fig. 17 (1875).—*Fl.*
Nobbe, Handb. Samenkunde, 464 (1876).—*Fr.*
Baillon, Dict. Bot. i. 558 (1877); ii. 360 (1883).—*Fl.*
Karsten, Deutsche Fl. Pharm.-medic. Bot. 566 (1880–83).—*Fl.*
*C. Hoffmann, Pflanzenatlas, t. 44, fig. 275 (1881).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xi. t. 1077 (1882).
Wagner, Ill. Deutsche Fl. Ed. 2, p. 26 (1882).

DELPHINIUM
Consolida
Willkomm, Führ. Reich Pflanzen, 873 (1882).—*Fl.*
Baillon, Traité Bot. Méd. Phan. i. 478 (1883).—*Fl.*
*Lesacher & Mareschal, Nouv. Bot. Méd. iv [t. 5] (1883).
W. Robinson, Engl. Fl. Gard. t. 92, 93 (1883).
*Baillon, Ic. Fl. Franç. ii. t. 147 [1885–94].
*Thomé, Fl. Deutschl. ii. t. 253 (1886).
Dujard.-Beaumetz & Égasse, Pl. Méd. 237 (1889).
Pflanzenfam. iii. II. 52 (1889).—*Fr.*
Potonié, Ill. Fl. Nord- u. Mittel-Deutschl. Ed. 4, fig. 257 (1889).
G. Beck, Fl. Nied.-Oesterr. i. 390 (1890).—*Fl.*
Paolucci, Fl. Marchig. t. 45 (1890).
*Masclef, Atlas Pl. France, t. 16 (1893).
Rev. Hort. 1893, p. 228.
Acloque, Fl. France, 68 (1894).
*Siélain, Atlas Poche Pl. Champs, Prair. & Bois, t. 67 [1894].
Brehm, Merv. Nat. Monde des Pl. i. 105 (1894–96).
Garcke, Ill. Fl. Deutschl. 20 (1895).
Karsten, Fl. Deutschl. ii. 106 (1895).
Britton & Brown, Ill. Fl. N. States & Canada, ii. 59 (1897).
Lochman, Phot. Med. Pl. t. 61 (1898).
Fiori & Paol. Ic. Fl. Ital. 187 (1899).
*Behrens, Blattformen, t. 35, fig. c, d (1900).—*Veg.*
Coste, Fl. France, i. 49 (1901).
Sturm, Fl. Deutschl. Ed. 2, v. 232 (1901).
Lindman, Bild. Nord. Fl. t. 178 (1901–5).
Blytt, Haandb. Norg. Fl. Ed. Dahl, 338 (1906).
Journ. Agric. Soc. England, lxviii. t. 2 (1907).
Lazaro, Comp. Fl. Españ. ii. 361 (1907).
Suireishchikov, Ill. Fl. Mosc. Gov. ii. 139 (1907).
Hayek, Fl. Steierm. i. 360 (1908).—*Fl.*
Heukels, Fl. Nederl. ii. 218, 219 (1908).
*Wagner, Magyar. Gyomnöv. (Weeds of Hungary), t. 1 (1908).
*Hegi, Ill. Fl. Mittel-Eur. iii. t. 114, p. 487 (1909).
Fedtschenko & Fler. Fl. Eur. Russia, 419 (1910).
Scient. Proc. Roy. Dublin Soc. N. Ser. xii. t. 22 (1910).—*Fr.*
!Act. Hort. Jurjev. xii. 36 (1911).
*Bonnier, Fl. Compl. France, Suisse & Belge, i. t. 19 [1911].
Gatin, Fl. des Bois, 42, fig. 13 (1913).—*Fl.*
*Klein, Unsere Unkräuter, t. 6 (1913).
Pammel & King in Bull. Iowa Geol. Surv. No. 4, p. 439 (1913).—*Fr.*
Bull. Angew. Bot. vii. t. 109 (1914).—*Fr.*
*Gadeceau, Fl. Moiss. t. 6 (1914).
A. Georgia, Manual Weeds, t. 111 (1914).
*Bonnier, Name This Flower, t. 3 (1917).
Lindman, Svensk Fanerogamfl. 254 (1918).—*Fl.*
Mayevsky, Fl. Central Russia, 22 (1918).
Krafft & Fruwirth, Pflanzenbau. 16 (1920).—*Fr.*
—— **candelabrum** Hort.
Neubert's Deutsch. Gart. Mag. xxiii. 81 (1870).
—— **striatum** Hort.
De Vries, Mutationsth. i. 490 (1901).
—— **tricolor elegans** Hort.
*Floral Mag. i. t. 50 (1861).
corymbosum Regel
*Gartenfl. xxx. t. 1059 (1881).
cucullatum A. Nels.
U.S. Dep. Agric. Bull. No. 365, t. 2 (1916).
U.S. Dep. Agric. Farm. Bull. No. 988, p. 5 (1918).
×**cultorum** Voss
Hegi, Ill. Fl. Mittel-Eur. iii. 486 (1909).
cuneatum Stev.
*Bot. Reg. iv. t. 327 (1818).
Delessert, Ic. Pl. i. t. 61 (1820).
cyphoplectrum Boiss.
Brühl in Ann. Bot. Gard. Calcutta, v. II. t. 116, fig. 11 b (1896).
—— **microphyllum** Brühl
Brühl in Ann. Bot. Gard. Calcutta, v. II. t. 116, fig. 10 g (1896).
—— **stenophyllum** Brühl
Brühl in Ann. Bot. Gard. Calcutta, v. II. t. 116, fig. 10 f, 11 a (1896).

DELPHINIUM
dasycaulon Fresn.
Brühl in Ann. Bot. Gard. Calcutta, v. II. t. 119, fig. 34 (1896).—*Fr.*
Engl. Jahrb. xlv. 268 (1910).
Engler & Drude, Veget. Erde, ix. III. 1, p. 169 (1915).
Davidii Franch.
Silva Tarouca, Freiland-Stauden, 80 (1910).—*Hab.*
decorum Fisch. & Mey.
*Bot. Reg. xxvi. t. 64 (1840).
Engl. Jahrb. xx. t. 7 (1895).—*Veg.*
densiflorum Duthie
Engl. Jahrb. xx. t. 6 (1895).—*Fl.*
Ann. Bot. Gard. Calcutta, v. II. t. 119, fig. 26; t. 122, fig. 2–20 (1896).
—— **platycentrum** Brühl
Brühl in Ann. Bot. Gard. Calcutta, v. II. t. 119, fig. 1 (1896).
denudatum Wall.
Brühl in Ann. Bot. Gard. Calcutta, v. II. t. 117, fig. 10 d; t. 119, fig. 19 (1896).—*Fr.*
Collett, Fl. Siml. 12 (1902).
Basu, Ind. Med. Pl. t. 7 (1918).
dictyocarpum Steud.
Brühl in Ann. Bot. Gard. Calcutta, v. II. t. 119, fig. 33 (1896).—*Fr.*
divaricatum Ledeb.
Eichwald, Pl. Casp.-Cauc. fasc. 2, t. 16 (1831–33).
*Knowles & Westc. Floral Cab. i. t. 16 (1837).
*Reichenbach, Ic. Fl. Germ. iv. t. 66 (1840).
Payer, Organog. Comp. Fl. t. 56 (1857).—*Fl.*
Rev. Hort. 1912, p. 513.—*Hab.*
Duhmbergii Huth
Bull. Herb. Boiss. i. t. 16 (1893).—*Fl.*
Ehrenbergii Huth
Bull. Herb. Boiss. i. t. 17 (1893).
Engl. Jahrb. xx. t. 7 (1895).—*Fl.*
elatum Linn.
*Kniphof, Herb. Viv. i. t. 363, 364 (1758).
Gaertner, Fruct. i. t. 65 (1788).—*Fr.*
*McDonald, Dict. Pract. Gard. i. t. 21 (1807).
*Jaume St.-Hilaire, Pl. France, ii [t. 26] (1808).
*Schkuhr, Bot. Handb. Ed. 2, t. 145 (1808).
*S. Edwards, New Bot. Gard. i. t. 21 (1812).
*Géel, Sert. Bot. Cl. 13 (1832).
!Arch. Mus. Hist. Nat. Paris, iv. t. 4 (1843).—*Fl.*
*Cassone, Fl. Med.-Farm. i. t. 25 (1847).
Petermann, Deutschl. Fl. t. 3, fig. 18, 9–15 (1849).—*Fl.*
*Fl. des Serres, Ser. II. ii. t. 1287 (1857).
Decaisne & Naud. Amat. Jard. i. 67; ii. 609 [1862–66].
Cramer, Bildungsabw. t. 10, 11 (1864).
*Cusin & Ansberque, Herb. Fl. Franç. i. t. 141 (1867).
Peyritsch in Sitzb. Akad. Wiss. Wien, lxvi. I. t. 6, fig. 1, 4 (1872).—*Fl.*
Decaisne, Naud. & Hemsl. Handb. Trees, Shrubs & Herb. Pl. 18 (1873).
Lubbock, Brit. Fl. Relat. Insects, 52 (1875).—*Fl.*
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xi. t. 1078 (1882).
Journ. Linn. Soc., Bot. xxii. 356 (1886).—*Veg.*
Kerner, Pflanzenleben, ii. 78 (1891).—*Fr.*
Lubbock, Seedlings, i. 16, 96 (1892).—*Veg.*
Rev. Hort. 1893, p. 258.
Kerner & Oliv. Nat. Hist. Pl. ii. 83 (1895).—*Fl.*
Mém. Soc. Sc. Liége, Ser. II. xix. t. 9 (1897). —*Veg.*
*Hartinger, Atlas Alpenfl. ii. t. 120 (1897).
Knuth, Handb. Blütenbiol. ii. I. 46 (1898).—*Fl.*
Fiori & Paol. Ic. Fl. Ital. 188 (1899).
Semaine Hort. 1899, p. 257.—*Hab.*
Coste, Fl. France, i. 50 (1901).
Flora, lxxxix. t. 1, fig. 27 (1901).—*Fr.*
Avebury, Notes Life Hist. Brit. Fl. Pl. 62 (1905). —*Fl.*
*Flahault, Nouv. Fl. Alpes & Pyrén. i. 7 (1906); iii. t. 15 (1912).
Senn, Alpen-Flora, ii. 7 (1906).
Hegi, Ill. Fl. Mittel-Eur. iii. 487 (1909).—*Fl.*
*Bonnier, Fl. Compl. France, Suisse & Belge, i. t. 20 [1911].
*Hegi & Dunz. Alp. Fl. t. 9 (1913).

DELPHINIUM
elatum
*Möbius in Ber. Senckenb. Nat. Ges. No. 44, p. 330, t. 1 (1913).—*Fl.*
Hayek, Pflanzend. Oesterr.-Ung. i. 214 (1914).
Cadevall & Sallent, Fl. Catalunya, i. 53 (1915).
Kirchner, Loew & Schröter, Blütenpfl. Mitteleur. ii. Abt. III. 87 (1917).—*Veg.*
Lovell, Flower & Bee, 75 (1919).—*Fl.*
—— **alopecuroides** Hort.
*Gartenfl. xxi. t. 736 (1872).
—— **alpinum** Hegi
Hegi, Ill. Fl. Mittel-Eur. iii. 491 (1909).
—— **cuneatum** DC.
Suireishchikov, Ill. Fl. Mosc. Gov. ii. 139 (1907).—*Veg.*
—— **eu-elatum** Hegi
*Hegi, Ill. Fl. Mittel-Eur. iii. t. 114 (1909).
—— **intermedium** DC.
*Cusin & Ansberque, Herb. Fl. Franç. i. t. 140 (1867).
Suireishchikov, Ill. Fl. Mosc. Gov. ii. 139 (1907).
—— **Keteleeri** Hort.
*Gartenfl. xxi. t. 736 (1872).
—— **moschatum** Hort.
Rev. Hort. Ser. IV. viii. 529 (1859).
—— **pictum** Hort.
*Horticulteur Univ. iii. 73 (1842).
—— **pilosissimum** Hort.
*Cusin & Ansberque, Herb. Fl. Franç. i. t. 142 (1867).
—— **tiroliense** Hegi
Hegi, Ill. Fl. Mittel-Eur. iii. 491 (1909).
elegans DC.
*Morris, Fl. Conspic. t. 43 [1825–30].
emarginatum Presl
Rouy, Illustr. Pl. Eur. Rar. i [t. 21] (1895); fasc. 5, t. 103 (1896).
exaltatum Ait.
Nicholson, Illustr. Dict. Gard. i. 450 [1884–88].
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, ii. 94 (1913).
exsertum DC.
Delessert, Ic. Pl. i. t. 53 (1820).
fissum Waldst. & Kit.
*Waldstein & Kit. Pl. Rar. Hung. i. t. 81 (1802).
*Reichenbach, Ic. Fl. Germ. iv. t. 70 (1840).
*Cusin & Ansberque, Herb. Fl. Franç. i. t. 139 (1867).
Fiori & Paol. Ic. Fl. Ital. 187 (1899).
Coste, Fl. France, i. 50 (1901).
Hegi, Ill. Fl. Mittel-Eur. iii. 489 (1909).
*Bonnier, Fl. Compl. France, Suisse & Belge, i. t. 19 [1911].
flavum DC.
Delessert, Ic. Pl. i. t. 54 (1820).
flexuosum M. Bieb.
Treviranus, Delph. & Aquileg. Obs. t. 1 (1817).
*M. v. Bieberstein, Cent. Pl. Rar. ii. II. t. 64 (1843).
formosissimum Hort.
*Horticulteur Franç. 1860, t. 11.
formosum Boiss. & Reut.
*Ill. Gartenzeit. Stuttgart, i. t. 10 (1857).
*Fl. des Serres, Ser. II. ii. t. 1185 (1857).
*Horticulteur Franç. 1858, t. 9.
Rev. Hort. Ser. IV. viii. 528 (1859).
*Gartenfl. viii. t. 253 (1859).
*Hulme & Hibberd, Familiar Gard. Fl. v. 57 [1879–87].
L. H. Bailey, Cycl. Amer. Hort. 466 (1900); Stand. Cycl. Hort. 978 (1914).
—— **caelestinum** Hort.
*Neerl. Plantentuin, Ed. Oudemans, i. t. 16 (1865).
Forskalii Reichb.
*Reichenbach, Ill. Spec. Acon. t. 68 (1823–27).
Geyeri Greene
Glover & Robbins, Colorado Pl. Injurious to Livestock (Bull. Colorado Agric. Exp. St. No. 211), 28, 29, 32 (1915).
glaciale Hook. f. & Thoms.
Hook. Ic. Pl. xiii. t. 1224 (1877).
Brühl in Ann. Bot. Gard. Calcutta, v. II. t. 119, fig. 31 (1896).—*Fr.*
glaucum S. Wats.
Yearb. Dep. Agric. Washington, 1900, p. 316 (1901).

DELPHINIUM
glaucum
U.S. Dep. Agric. Div. Bot. Bull. No. 26, t. 2 (1901).
Pammel, Man. Poison. Pl. 47, 465 (1911).
Hall & Yates in Bull. California Agric. St. No. 249, p. 231 (1915).
grandiflorum Linn.
J. G. Gmelin, Fl. Sibir. iv. t. 78 (1769); fide Ledebour, Comm. 132.
*Bot. Mag. xli. t. 1686 (1814).
*Mordant de Launay, Herb. Amat. vi. t. 427 (1822).
*M. Roscoe, Fl. Illustr. Seasons, t. 27 [1829–31].
*Drapiez, Herb. Amat. Fl. vii. t. 470 (1834).
*Cassone, Fl. Med.-Farm. i. t. 26 (1847).
Rev. Hort. 1893, p. 259; 1895, p. 379.
*Bois, Dict. Hort. 428 (1893–99).
*Garden, xlvi. 484 (1894).
Brühl in Ann. Bot. Gard. Calcutta, v. II. t. 118, fig. 11 d (1896).
Semaine Hort. 1899, p. 259.—*Hab.*
L. H. Bailey, Cycl. Amer. Hort. 464 (1900); Stand. Cycl. Hort. 976 (1914).—*Fl.*
*A Kert (The Garden), xiii. 192 (1907).
*Esser, Giftpfl. Deutschl. t. 30 (1910).
—— **album** Hort.
*Journ. Hort. Prat. Bruxelles, ii. 289 (1844).
Wien. Ill. Gart.-Zeit. vii. 319 (1882).—*Fl.*
—— **bhotanicum** Brühl
Brühl in Ann. Bot. Gard. Calcutta, v. II. t. 118, fig. 6 d, 8 b, 10 c, 11 a; t. 119, fig. 32 (1896).
—— **caeruleum** Hort.
*Journ. Hort. Prat. Bruxelles, ii. 289 (1844).
—— **chinense** DC.
*Bot. Reg. vi. t. 472 (1820).
*Reichenbach, Ill. Spec. Acon. t. 71 (1823–27).
*J. W. Loudon, Ladies' Fl.-Gard. Ornam. Perenn. i. t. 10 (1843).
—— **Fischeri** Reichb.
*Reichenbach, Ill. Spec. Acon. t. 72 (1823–27).
—— **flavipunctatum** E. Lundstr.
*Act. Hort. Berg. v. No. 3, t. 5 (1914).
—— **Gmelinii** Reichb.
*Reichenbach, Ill. Spec. Acon. t. 70 (1823–27).
×—— **hybridum** Hort.
*Ann. Gand, ii. t. 83 (1846).
—— **Iveryanum** Hort.
*Ann. Gand, ii. t. 83 (1846).
—— **kumaonense** Brühl
Brühl in Ann. Bot. Gard. Calcutta, v. II. t. 118, fig. 4, 6 e, 8 a, 11 b (1896).
—— **Linnaei** Brühl
Brühl in Ann. Bot. Gard. Calcutta, v. II. t. 118, fig. 6 a, c, 10 b (1896).
—— **obtusilobum** Brühl
Brühl in Ann. Bot. Gard. Calcutta, v. II. t. 118, fig. 2, 6 b (1896).
—— **paradoxum** Brühl
Brühl in Ann. Bot. Gard. Calcutta, v. II. t. 118, fig. 6 l, 7 a, 8 c, 10 a (1896).
—— **Potaninii** Brühl
Brühl in Ann. Bot. Gard. Calcutta, v. II. t. 118, fig. 6 f, g, 7 d, 11 c (1896).
—— **pubiflorum** Brühl
Brühl in Ann. Bot. Gard. Calcutta, v. II. t. 118, fig. 5 (1896).
—— **setshwanense** Brühl
Brühl in Ann. Bot. Gard. Calcutta, v. II. t. 118, fig. 6 h, 7 b (1896).
—— **tenuicaule** Brühl
Brühl in Ann. Bot. Gard. Calcutta, v. II. t. 118, fig. 1, 6 k (1896).
—— **tsangense** Brühl
Brühl in Ann. Bot. Gard. Calcutta, v. II. t. 118, fig. 3, 6 i, 7 c, 8 d, 9, 11 e (1896).
halteratum Sibth. & Sm.
*Sibthorp & Sm. Fl. Graeca, vi. t. 507 (1827).
Engl. Jahrb. xx. t. 8 (1895).—*Fr.*
—— **longipes** Ross
Bull. Herb. Boiss. Ser. II. i. 1206 (1901).—*Fl.*
hamatum Franch.
Franchet, Pl. Delav. t. 7 (1889).
Hansenii Greene
M. Armstrong, Field Book West. Wild Fl. 129 (1915).

DELPHINIUM
Hendersonii Goualt
*W. Thompson, Engl. Fl. Gard. i. 129 (1852).
*Floricult. Cab. xxi. 25 (1853).
*Rev. Hort. Ser. IV. iii. 441 (1854).
*Horticulteur Franç. 1855, t. 23.
Journ. Hort. l. 354 (1873).
Hoffmeisteri Klotzsch
Klotzsch & Garcke, Bot. Ergebn. Reise Pr. Waldemar, t. 39 (1862).
Hohenackeri Boiss.
Engl. Jahrb. xx. t. 6 (1895).—*Fl.*
holopetalum Boiss.
Engl. Jahrb. xx. t. 7 (1895).—*Fl.*
hyacinthiflorum striatum Hort.
*Neubert's Deutsch. Gart. Mag. 1868, p. 289.
×**hybridum** Steph.
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xi. t. 1079 (1882).
Rev. Hort. 1893, p. 258.
Semaine Hort. 1898, p. 282.
*Silva Tarouca, Freiland-Stauden, t. 3, p. 81 (1910).
—— **Moerheimii** Hort.
Möllers Deutsche Gärtn.-Zeit. xxvi. 434 (1911).—*Fl.*
incanum Royle
Brühl in Ann. Bot. Gard. Calcutta, v. II. t. 119, fig. 1–10, 17, 18 (1896).
incisum Wall.
Brühl in Ann. Bot. Gard. Calcutta, v. II. t. 119, fig. 30 (1896).—*Fr.*
intermedium Soland. in Ait.
Hegetschweiler, Reisen Gebirg. Glarus & Graubünden, t. 6, fig. 65 (1825).
*Mordant de Launay, Herb. Amat. viii. t. 562 (1827).
*Drapiez, Herb. Amat. Fl. vii. t. 494 (1834).
*Bot. Reg. xxiii. t. 1963 (1837).
*Reichenbach, Ic. Fl. Germ. iv. t. 72 (1840).
Berg, Charakt. t. 88, fig. 627, N–P (1861).—*Fl.*
—— **caerulescens** Hort.
*Bot. Reg. xxiii. t. 1984 (1837).
—— **pallidum** Hort.
*Bot. Reg. xxiii. t. 1969 (1837).
—— **palmatifidum** Lindl.
*Bot. Reg. xxiv. t. 38 (1838).
—— **pilosissimum** DC.
J. G. Gmelin, Fl. Sibir. iv. t. 80 (1769); fide Ledebour, Comm. 133.
—— **sapphirinum** Lindl.
*Bot. Reg. xxiv. t. 52 (1838).
*J. W. Loudon, Ladies' Fl.-Gard. Ornam. Perenn. i. t. 9 (1843).
Jacquemontianum Cambess.
Jacquemont, Voy. Inde, t. 7 (1844).
Brühl in Ann. Bot. Gard. Calcutta, v. II. t. 119, fig. 24 (1896).—*Fr.*
junceum DC.
*Reichenbach, Ic. Fl. Germ. iv. t. 68 (1840).
*Bonnier, Fl. Compl. France, Suisse & Belge, i. t. 19 [1911].
Keteleeri T. Moore
*Florist, 1874, p. 73.
Kingianum Brühl
Engl. Jahrb. xx. t. 7 (1895).—*Fl.*
Lamartinii Hort.
Gard. Chron. Ser. III. xlviii. 25 (1910).
laxiflorum DC.
*Bot. Reg. xxiv. t. 30 (1838).
Leroyi Franch.
Engl. Jahrb. xx. t. 6 (1895).—*Fl.*
Rochebrune in Bull. Soc. Hist. Nat. Autun, ix. 159 (1896).
Rochebrune, Toxicolog. Afric. i. 351 (1897).
likiangense Franch.
Gard. Chron. Ser. III. lx. 128, 151 (1916).—*Hab.*
linarioides Boiss.
Bull. Soc. Bot. France, li. t. 6, fig. 7 (1904).—*Fl.*
Loscosii Costa
Engl. Jahrb. xx. t. 8 (1895).—*Fr.*
Lycoctonum Baill.
Baillon, Traité Bot. Méd. Phan. i. 477 (1883).—*Fl.*
Maackianum Regel
*Trans. Russ. Hort. Soc. 1861, t. 70.
*Gartenfl. x. t. 344 (1861).

DELPHINIUM
Maackianum
Centr. Exper. Farm, Ottawa, Bull. No. 5, Ser. II. 16 (1908).—*Hab.*
macrocentron Oliv.
Hook. Ic. Pl. xvi. t. 1501 (1886).
Engl. Jahrb. xx. t. 6 (1895); xlv. 268 (1910).—*Fl.*
*Bot. Mag. cxxxiii. t. 8151 (1907).
Engler & Drude, Veget. Erde, ix. III. 1, p. 169 (1915).
macropetalum DC.
Delessert, Ic. Pl. i. t. 56 (1820).
×**magnificum** Paxt.
*Paxt. Mag. xvi. 258 (1849).
*Belg. Hort. vi. t. 37 (1856).
Mairei Ulbrich
Engl. Jahrb. xlviii. 614 (1913).—*Fl.*
mauritanicum Coss.
Cosson, Ill. Fl. Atlant. i. t. 3 (1882).
Rochebrune in Bull. Soc. Hist. Nat. Autun, viii. 270 (1895).
Rochebrune, Toxicolog. Afric. i. 162 (1897).
Menziesii DC.
*Bot. Reg. xiv. t. 1192 (1828).
*J. W. Loudon, Ladies' Fl.-Gard. Ornam. Perenn. i. t. 9 (1843).
Engl. Jahrb. xx. t. 8 (1895).—*Fr.*
*S. Brown, Alp. Fl. Rocky Mts. 110, t. 30 (1907).
A. Georgia, Manual Weeds, t. 113 (1914).
U.S. Dep. Agric. Bull. No. 365, t. 2, 3 (1916).
U.S. Dep. Agric. Farm. Bull. No. 988, p. 8 (1918).
mesoleucum Link
*Morris, Fl. Conspic. t. 29 [1825–30].
—— **Fraseri** Hort.
*Journ. Hort. Prat. Belg. N. Ser. v. t. 9 (1861).
*Floral Mag. i. t. 34 (1861).
micropetalum Finet & Gagnep.
Bull. Soc. Bot. France, li. t. 5, fig. A, 1–6 (1904).
Middendorffii Trautv.
Middendorf, Reise Sibir. ii. t. 1 [1847].
×**Moerheimii** Hort.
Gard. Chron. Ser. III. l. 352, 353 (1911).
montanum DC.
*Bot. Reg. xxiii. t. 1936 (1837).
*Reichenbach, Ic. Fl. Germ. iv. t. 73 (1840).
*J. W. Loudon, Ladies' Fl.-Gard. Ornam. Perenn. i. t. 9 (1843).
nanceianum Hort.
*Horticulteur Franç. 1857, t. 17.
nanum DC.
*Bonnier, Fl. Compl. France, Suisse & Belge, i. t. 19 [1911].
Napellus Baill.
Baillon, Traité Bot. Méd. Phan. i. 475, 476, 482, 483 (1883).
*Baillon, Dict. Bot. iv. t. [13] (1885).
*Baillon, Ic. Fl. Franç. ii. t. 148 [1885–94].
*Sturm, Fl. Deutschl. Ed. 2, v. t. 38 (1901).
Nelsonii Greene
Britton & Brown, Ill. Fl. N. States & Canada, iii. 514 (1898); Ed. 2, ii. 95 (1913).
U.S. Dep. Agric. Farm. Bull. No. 531, p. 10 (1913).
Glover & Robbins, Colorado Pl. Injurious to Livestock (Bull. Colorado Agric. Exp. St. No. 211), 28, 29, 31 (1915).
Nortonianum Mackenzie & Bush
Trans. Acad. Sc. St. Louis, xii. t. 13 (1902).
nudicaule Torr. & Gray
*Bot. Mag. xcvi. t. 5819 (1870).
*Floral Mag. ix. t. 512 (1870).
Gartenfl. xxii. 179 (1873).
*Fl. des Serres, Ser. II. ix. t. 1949 (1873).
Wien. Ill. Gart.-Zeit. iv. 243 (1879).
W. Robinson, Engl. Fl. Gard. t. 92 (1883).—*Hab.*
Nicholson, Illustr. Dict. Gard. i. 451 [1884–88].—*Hab.*
Journ. Linn. Soc., Bot. xxii. 356 (1886).—*Veg.*
Mem. Torr. Bot. Club, ii. III. t. 6, 7 (1891).—*Veg.*
Lubbock, Seedlings, i. 16, 97 (1892).—*Veg.*
Rev. Hort. 1893, p. 259.
Bull. Soc. Bot. Belg. xxxiii. 170 (1894).—*Veg.*
Jardin, ix. 227 (1895).

DELPHINIUM
nudicaule
Parsons, Wild Fl. California, 347 (1897).
Sterckx in Mém. Soc. Sc. Liége, Ser. III. ii. t. 21, 22 (1900).—*Veg.*
Velenovsky, Vergl. Morphol. Pfl. ii. 290 (1907).—*Veg.*
*A Kert (The Garden), xiii. 192 (1907).
Rec. Instit. Bot. Errera, iii. 267 (1908).—*Veg.*
Rev. Gén. Bot. xxi. 454 (1910).—*Veg.*
M. Armstrong, Field Book West. Wild Fl. 133 (1915).
obcordatum DC.
Delessert, Ic. Pl. i. t. 57 (1820).
oliganthum Boiss.
Engl. Jahrb. xx. t. 7 (1895).—*Fl.*
oliganthum Franch.
Franchet, Pl. Delav. t. 8 (1889).
Oliverianum DC.
Delessert, Ic. Pl. i. t. 51 (1820).
orientale J. Gay
*Bois, Atlas Pl. Jard. t. 10 (1896).
*Step, Fav. Fl. Gard. & Greenh. i. t. 10 (1896).
Fiori & Paol. Ic. Fl. Ital. 187 (1899).
*Wagner, Magyar. Gyomnöv. (Weeds of Hungary), t. 1 (1908).
Engler & Drude, Veget. Erde, xi. 351 (1909).—*Hab.*
ornatum candelabrum Hort.
Semaine Hort. 1899, p. 255.—*Hab.*
orthocentrum Franch.
Bull. Soc. Bot. France, li. t. 6, fig. 13 (1904).—*Fl.*
oxysepalum Pax
Engler & Drude, Veget. Erde, ii. 149 (1898).
Hayek, Pflanzend. Oesterr.-Ung. i. 391 (1915).
pachycentrum Hemsleyi Brühl
Brühl in Ann. Bot. Gard. Calcutta, v. II. t. 128, fig. A, 6 a–d (1896).
—— **tsangense** Brühl
Brühl in Ann. Bot. Gard. Calcutta, v. II. t. 128, fig. B, 1, 2, 5 (1896).
—— —— **dasycarpum** Brühl
Brühl in Ann. Bot. Gard. Calcutta, v. II. t. 128, fig. 6 β, 7, 8 (1896).
—— —— **leiocarpum** Brühl
Brühl in Ann. Bot. Gard. Calcutta, v. II. t. 128, fig. 6 b*, 6 b** (1896).
palmatifidum glabellum J. G. Gmel.
J. G. Gmelin, Fl. Sibir. iv. t. 75 (1769); fide Ledebour, Comm. 132.
—— **hispidum** J. G. Gmel.
J. G. Gmelin, Fl. Sibir. iv. t. 79 (1769); fide Ledebour, Comm. 133.
pellucidum Busch.
Bull. Jard. Bot. Pétersb. v. 134 (1905).
Penardii Huth
Bull. Herb. Boiss. t. 16 (1893).—*Fl.*
Pammel, Man. Poison. Pl. 461 (1911).
Pammel in Iowa Geol. Surv. Bull. No. 4, p. 142, 439 (1913).
pentagynum Lam.
Desfontaines, Fl. Atlant. i. t. 111 (1798).
Brotero, Phytogr. t. 78 (1816).
Fiori & Paol. Ic. Fl. Ital. 187 (1899).
peregrinum Linn.
Allioni, Fl. Pedem. iii. t. 25, fig. 3 (1785).
*Sibthorp & Sm. Fl. Graeca, vi. t. 506 (1827).
*Reichenbach, Ic. Fl. Germ. iv. t. 68 (1840).
Baillon, Hist. Pl. i. 28 (1867–69).—*Fl.*
Baillon, Traité Bot. Méd. Phan. i. 477 (1883).—*Fl.*
Baillon, Dict. Bot. ii. 360 (1883).—*Fl.*
Rochebrune in Bull. Soc. Hist. Nat. Autun, viii. 261 (1895).
Rochebrune, Toxicolog. Afric. i. 153 (1897).
Fiori & Paol. Ic. Fl. Ital. 187 (1899).
Bull. Herb. Boiss. Ser. II. i. 1206 (1901).—*Fl.*
Coste, Fl. France, i. 50 (1901).
Abh. Zool.-Bot. Ges. Wien, iv. Pt. 5, p. 5 (1909).—*Fl.*
Cadevall & Sallent, Fl. Catalunya, i. 52 (1915).
—— **cardiopetalum** Hort.
*Cusin & Ansberque, Herb. Fl. Franç. i. t. 137 (1867).
—— **junceum** Hort.
Cusin & Ansberque, Herb. Fl. Franç. i. t. 138 (1867).

DELPHINIUM
peregrinum nanum Hort.
Cusin & Ansberque, Herb. Fl. Franç. i. t. 138 (1867).
persicum Boiss.
Brühl in Ann. Bot. Gard. Calcutta, v. II. t. 119, fig. 11 (1896).—*Fr.*
Bot. Tidsskr. xxxii. 54 (1912).
Paulsen, Stud. Veg. Pamir (Second Dan. Pamir Exp.), 63 (1912).
—— **afghanicum** Brühl
Brühl in Ann. Bot. Gard. Calcutta, v. II. t. 119, fig. 16 (1896).—*Fr.*
—— **arianense** Brühl
Brühl in Ann. Bot. Gard. Calcutta, v. II. t. 119, fig. 14 (1896).—*Fr.*
—— **Stocksianum** Brühl
Brühl in Ann. Bot. Gard. Calcutta, v. II. t. 119, fig. 15 (1896).—*Fr.*
pictum Willd.
*Sweet, Brit. Fl. Gard. ii. t. 123 (1825).
*J. W. Loudon, Ladies' Fl.-Gard. Ornam. Perenn. i. t. 10 (1843).
Potaninii Huth
Bull. Herb. Boiss. i. t. 14 (1893).
pubescens DC.
*Cusin & Ansberque, Herb. Fl. Franç. i. t. 135 (1867).
Coste, Fl. France, i. 50 (1901).
*Bonnier, Fl. Compl. France, Suisse & Belge, i. t. 19 [1911].
Cadevall & Sallent, Fl. Catalunya, i. 51 (1915).
×**pulchrum** Hort.
*Fl. des Serres, Ser. II. vii. t. 1804 (1867–68).
puniceum Pall.
*Knowles & Westc. Floral Cab. i. t. 7 (1837).
pusillum Labill.
Labillardière, Ic. Pl. Syriae, iv. t. 2 (1812).
Pylzowii Maxim.
*Gartenfl. xxv. t. 879 (1876).
Maximowicz, Fl. Tangut. t. 3 (1889).
Farrer, English Rock-Gard. i. 272 (1919).—*Hab.*
*Bot. Mag. cxlv. t. 8813 (1919).
quercetorum Boiss.
Brühl in Ann. Bot. Gard. Calcutta, v. II. t. 116, fig. 10 e, 11 c (1896).
Requienii DC.
Delessert, Ic. Pl. i. t. 63 (1820).
Payer, Organog. Comp. Fl. t. 55 (1857).—*Fl.*
*Cusin & Ansberque, Herb. Fl. Franç. i. t. 143 (1867).
Coste, Fl. France, i. 51 (1901).
Jahandiez, Cat. Pl. Dep. Var, t. 2 (1908).
*Bonnier, Fl. Compl. France, Suisse & Belge, i. t. 20 [1911].
rigidum DC.
Delessert, Ic. Pl. i. t. 52 (1820).
×**roseo-caelestinum** Hort.
*Ill. Hort. iii. t. 89 (1856).
rugulosum Boiss.
Brühl in Ann. Bot. Gard. Calcutta, v. II. t. 119, fig. 12, 13 (1896).—*Fr.*
Ruspolianum Engl.
Engl. Jahrb. xlv. 268 (1910).—*Fl.*
Engler & Drude, Veget. Erde, ix. III. 1. 169 (1915).
saccatum Huth
Bull. Herb. Boiss. i. t. 16 (1893).
Engl. Jahrb. xx. t. 6 (1895).—*Fl.*
saniculifolium Boiss.
Ann. Bot. Gard. Calcutta, v. II. t. 117 (1896).
Bull. Soc. Bot. France, li. t. 6, fig. 12 (1904).—*Fl.*
—— **centeteroides** Brühl
Brühl in Ann. Bot. Gard. Calcutta, v. II. t. 117, fig. 4 g, 5 h, 6 e, 8 c, 10 e (1896).
—— **gilgitense** Brühl
Brühl in Ann. Bot. Gard. Calcutta, v. II. t. 117, fig. 2, 4 c, d, 5 c, d, 6 c (1896).
—— **kohatense** Brühl
Brühl in Ann. Bot. Gard. Calcutta, v. II. t. 117, fig. 1, 3 e, f, 5 e, f, 6 b, 7 a, 8 d; t. 119, fig. 20 (1896).—*Fr.*
—— **kurramense** Brühl
Brühl in Ann. Bot. Gard. Calcutta, v. II. t. 117, fig. 3, 5 g, 6 d, 7 b, 8 b (1896).

DELPHINIUM
saniculifolium refractum Brühl
Brühl in Ann. Bot. Gard. Calcutta, v. II. t. 117, fig. 4 a, b, 5 a, b, 6 a, 7 c, 8 a, 9, 10 a–c (1896).
scaposum Greene
*M. Armstrong, Field Book West. Wild Fl. 128 (1915).
scopulorum A. Gray
*F. E. & E. S. Clements, Rocky Mt. Fl. t. 1 (1914).
×**sibiricum** Hort.
Jardin, xvi. 106 (1902).—*Fl.*
sparsiflorum Maxim.
Maximowicz, Fl. Tangut. t. 5 (1889).
speciosum M. Bieb.
*M. v. Bieberstein, Cent. Pl. Rar. i. t. 5 (1810).
Delessert, Ic. Pl. i. t. 62 (1820).
*Bot. Reg. xviii. t. 1503 (1832).
—— **glabratum** Stapf
Wien. Ill. Gart.-Zeit. xxii. 409 (1897).
Gartenfl. xlvii. 192 (1898).
—— **katatrichum** Brühl
Brühl in Ann. Bot. Gard. Calcutta, v. II. t. 127 (1896).
—— **ranunculifolium** Brühl
Brühl in Ann. Bot. Gard. Calcutta, v. II. t. 127, fig. 1–3 (1896).
—— —— **brachycentrum** Brühl
Brühl in Ann. Bot. Gard. Calcutta, v. II. t. 127, fig. 6, 7 (1896).
—— —— **erianthum** Brühl
Brühl in Ann. Bot. Gard. Calcutta, v. II. t. 127, fig. 4, 8, 10 b (1896).
—— —— **oinophyllum** Brühl
Brühl in Ann. Bot. Gard. Calcutta, v. II. t. 119, fig. 22; t. 127, fig. 10 c (1896).
—— **thyrsanthum** Brühl
Brühl in Ann. Bot. Gard. Calcutta, v. II. t. 127 fig. A, 5, 9, 10 a (1896).
—— **Wheeleri** Henfr.
*Moore & Ayres, Mag. Bot. iii. 281 (1851).
*Lem. Jard. Fl. ii. t. 196 (1852).
splendidum Hort.
*Florist's Journ. 1845, t. 79.
stapeliosmum Brühl
Engl. Jahrb. xx. t. 8 (1895).—*Fr.*
Brühl in Ann. Bot. Gard. Calcutta, v. II. t. 119, fig. 29; t. 121, fig. 1, 2, 10 (1896).
—— **shanicum** Brühl
Brühl in Ann. Bot. Gard. Calcutta, v. II. t. 121, fig. 3–9 (1896).
Staphysagria Linn.
Garsault, Descr. Pl. & Anim. iv. t. 570 (1767); fide Thellung.
*Regnault, Bot. ii. 112 (1774).
Buchoz, Hist. Règne Vég. xi. Dec. 1, t. 8 (1775).
*Bergius, Mat. Med. ii. 480, t. 473 (1778).
*Zorn, Ic. Pl. Med. v. t. 473 (1784).
*Plenck, Ic. Pl. Med. v. t. 434 (1792).
*Woodville, Med. Bot. iii. t. 154 (1793); Ed. 3, iii. t. 168 (1832).
*Oskamp, Afb. Artseny-Gewass. v. t. 457 (1800).
*Schkuhr, Bot. Handb. Ed. 2, t. 145 (1808).—*Fr.*
*Vietz, Ic. Pl. Med.-oec.-techn. vi. t. 476 b (1817).
*Chaumeton, Fl. Méd. vi. t. 330 (1818).
*Roques, Phytogr. Médic. ii. t. 128 (1821); Nouv. Ed. Atlas, t. 102 (1835).
*Waller, New Brit. Domest. Herb. t. 29 (1822).
Berchtold & J. S. Presl, Rostlin. i. t. [31] (1823).
*Sibthorp & Sm. Fl. Graeca, vi. t. 508 (1827).
*Nees, Pl. Offic. ii. t. 394 (1828).
*Fl. Med. [Spratt], i. 86 (1829).
*Jaume St.-Hilaire, Fl. & Pom. Franç. v. t. 491 (1832).
*Stephenson & Churchill, Med. Bot. New Ed. i. t. 55 (1834).
*Mag. Bot. & Gard. iv. t. 43 (1836).
*Reichenbach, Ic. Fl. Germ. iv. t. 69 (1840).
*Cassone, Fl. Med.-Farm. i. t. 23 (1847).
Lindley, Med. & Oecon. Bot. 150 (1849).—*Fr.*
Petermann, Deutschl. Fl. t. 3, fig. 18, 16–21 (1849).—*Fl.*
*Berge & Riecke, Giftgewächse, t. 46 (1850).
*Burnett, Pl. Util. iv. t. 109, b (1850).
*E. Hamilton, Fl. Homoeopath. ii. t. 60 (1853).
Berg, Charakt. t. 88, fig. 627, R–U (1861).—*Fr.*

DELPHINIUM
Staphysagria
*Argenta, Album Fl. Med.-Farm. i. t. 17 (1862).
*Cusin & Ansberque, Herb. Fl. Franç. i. t. 144 (1867).
Baillon, Hist. Pl. i. 30–31 (1867–69).—*Fl.*
*Réveil, Règne Vég. iv. t. 36; x. t. 38 (1870).
*Bentley & Trim. Med. Pl. i. t. 4 (1876).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xi. t. 1080 (1882).
Baillon, Traité Bot. Méd. Phan. i. 479, 480 (1883).—*Fl.*
Baillon, Dict. Bot. ii. 361 (1886).—*Fl.*
Journ. Linn. Soc., Bot. xxii. 356, 394 (1886).
Cornevin, Pl. Vénén. 221 (1887).
Hager, Handb. Pharm. Prax. Ed. Nov. ii. 1020 (1887).—*Fr.*
Pflanzenfam. iii. II. 50, 53 (1888).—*Fl.*
Dujard.-Beaumetz & Égasse, Pl. Méd. 684 (1889).—*Fr.*
Lubbock, Seedlings, i. 16, 95 (1892).—*Veg.*
Bull. Soc. Bot. Belg. xxxiii. 169 (1894).—*Veg.*
Rochebrune in Bull. Soc. Hist. Nat. Autun, viii. 238 (1895).
Engl. Jahrb. xx. t. 8 (1895).—*Fr.*
Rochebrune, Toxicolog. Afric. i. 130 (1897).
*Köhler, Med. Pfl. iii [t. 241] (1898).
Fiori & Paol. Ic. Fl. Ital. 187 (1899).
Coste, Fl. France, i. 51 (1901).
Rec. Instit. Bot. Errera, iii. 266 (1908).—*Veg.*
Abh. Zool.-Bot. Ges. Wien, iv. Pt. 5, p. 5 (1909).—*Fl.*
Beille, Bot. Pharm. ii. 293 (1909).
*Esser, Giftpfl. Deutschl. t. 31 (1910).
*Bonnier, Fl. Compl. France, Suisse & Belge, i. t. 20 [1911].
Wettstein, Handb. Syst. Bot. Ed. 2, p. 562 (1911).—*Fl.*
Karsten & Schenck, Veg.-Bild. x. t. 44 (1913).—*Hab.*
Cadevall & Sallent, Fl. Catalunya, i. 53 (1915).
sulfureum Boiss. & Haussk.
Möllers Deutsche Gärtn.-Zeit. xi. 333 (1896).
Garden, lxxi. 285 (1907).—*Hab.*
Szowitsianum Boiss.
*Belg. Hort. xxi. 48 (1872).
tanguticum Huth
Bull. Herb. Boiss. i. t. 15 (1893).
Engl. Jahrb. xx. t. 6 (1895).—*Fl.*
tatsienense Franch.
De Wildeman, Ic. Sel. Hort. Then. vi. t. 221 (1908).
tenuissimum Sibth. & Sm.
*Sibthorp & Sm. Fl. Graeca, vi. t. 505 (1827).
*Sweet, Brit. Fl. Gard. vii. t. 366 (1837).
*Maund, Botanist, i. t. 32 (1837).
*J. W. Loudon, Ladies' Fl.-Gard. Ornam. Annuals, t. 3 (1844).
*Sweet, Ornam. Fl. Gard. i. t. 31 (1854).
thibeticum Finet & Gagnep.
Bull. Soc. Bot. France, li. t. 7, fig. A, 1, 3–6 (1904).
—— **subintegrum** Finet & Gagnep.
Bull. Soc. Bot. France, li. t. 7, fig. 2 (1904).—*Fl.*
Thirkeanum Boiss.
Bull. Soc. Bot. France, li. t. 6, fig. 11 (1904).—*Fl.*
tomentosum Auch.
Engl. Jahrb. xx. t. 7 (1895).—*Fl.*
Treleasei Bush
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, ii. 94 (1913).
tricorne Michx.
*Lodd. Bot. Cab. iv. t. 306 (1819).
Delessert, Ic. Pl. i. t. 59 (1820).
Lindley, Veg. Kingd. 426 (1846).—*Fl.*
Gray & Sprague, Gen. Fl. Amer. i. t. 15 (1848).
Lloyd, Drugs & Med. N. Amer. i. 213 (1884–85).
Britton & Brown, Ill. Fl. N. States & Canada, ii. 60 (1897); Ed. 2, ii. 96 (1913).
U.S. Dep. Agric. Div. Bot. Bull. No. 20, p. 24 (1898).
U.S. Dep. Agric. Farm. Bull. No. 86, p. 12 (1898).
Lounsberry, Southern Wild Fl. & Trees, 175 (1901).
Bessey in Rep. Nebraska State Board Agric. N. Ser. xviii. 103 (1902).

DELPHINIUM
tricorne
Pammel, Man. Poison. Pl. 43 (1911).
A. Georgia, Manual Weeds, t. 112 (1914).
trifoliolatum Finet & Gagnep.
Bull. Soc. Bot. France, li. t. 6, fig. A, 1–6 (1904).
trigonelloides Boiss.
Bull. Soc. Bot. France, li. t. 6, fig. 9 (1904).—*Fl.*
triste Fisch.
*Knowles & Westc. Floral Cab. ii. t. 54 (1838).
*Journ. Jard. 1841, p. 285.
*J. W. Loudon, Ladies' Fl.-Gard. Ornam. Perenn. i. t. 10 (1843).
triumphans Hort.
*Horticulteur Franç. 1860, t. 11.
trolliifolium A. Gray
U.S. Dep. Agric. Bur. Pl. Indust. Bull. No. 111, Pt. 1, t. 1 (1907).
Pammel, Man. Poison. Pl. 464 (1911).
A. Georgia, Manual Weeds, t. 114 (1914).
uncinatum Hook. f. & Thoms.
Brühl in Ann. Bot. Gard. Calcutta, v. II. t. 116, 119, fig. 21 (1896).
Abh. Zool.-Bot. Ges. Wien, iv. Pt. 5, p. 5 (1909).—*Fl.*
—— **Aitchisonii** Boiss.
Brühl in Ann. Bot. Gard. Calcutta, v. II. t. 116, fig. 3, 9, 10 b (1896).
—— **pseudovestitum** Brühl
Brühl in Ann. Bot. Gard. Calcutta, v. II. t. 116, fig. 2, 5–7, 10 a, d, 13 (1896).
—— **Vicaryi** Brühl
Brühl in Ann. Bot. Gard. Calcutta, v. II. t. 116, fig. 1, 8, 10 c (1896).
urceolatum Jacq.
*Jacquin, Ic. Pl. Rar. i. t. 101 (1781–86).
*Bot. Mag. xliii. t. 1791 (1816).
Britton & Brown, Ill. Fl. N. States & Canada, ii. 59 (1897).
velutinum Bertol.
*Reichenbach, Ic. Fl. Germ. iv. t. 71 (1840).
vestitum Wall.
Brühl in Ann. Bot. Gard. Calcutta, v. II. t. 119, fig. 28 (1896).—*Fr.*
vimineum D. Don
*Sweet, Brit. Fl. Gard. vii. t. 374 (1837).
*Bot. Mag. lxiv. t. 3593 (1837).
*J. W. Loudon, Ladies' Fl.-Gard. Ornam. Perenn. i. t. 10 (1843).
virescens Nutt.
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, ii. 95 (1913).
U.S. Dep. Agric. Farm. Bull. No. 988, p. 9 (1918).
virgatum Poir.
Delessert, Ic. Pl. i. t. 55 (1820).
Flora, lxxxiii. 242 (1897).—*Veg.*
viride S. Wats.
Gard. & Forest, i. 150 (1888).
viscosum Hook. f. & Thoms.
Brühl in Ann. Bot. Gard. Calcutta, v. II. t. 119, fig. 27; t. 123 (1896).
—— **ciliatum** Brühl
Brühl in Ann. Bot. Gard. Calcutta, v. II. t. 123, fig. 1, 3–7, 10, 11 (1896).
—— **gigantibracteum** Brühl
Brühl in Ann. Bot. Gard. Calcutta, v. II. t. 123, fig. 2, 8, 9 (1896).
zalil Aitch. & Hemsl.
Trans. Linn. Soc. London, Ser. II. Bot. iii. t. 3 (1888).
Wien. Ill. Gart.-Zeit. xiii. 122 (1888).
*Bot. Mag. cxv. t. 7049 (1889).
Kew Bull. 1889, p. 112.
*Garden, l. 434 (1896).
Gard. Chron. Ser. III. xx. 247 (1896).
Jardin, xvii. 348 (1903).—*Hab.*
Vilmorin, Hort. Vilm. (Bull. Soc. Bot. France, 1904, li. App.), 79 (1906).
*A Kert (The Garden), xiii. 192 (1907).

DELPHYODON K. Schum.
oliganthus K. Schum.
Schumann & Lauterb. Fl. Deutsch. Schutzg. Südsee, t. 19 (1900).

DELPYA Pierre: *Paranephelium*
capitata Bonati
Bonati in Bull. Soc. Bot. Genève, Ser. II. iv. 239 (1912).
muricata Pierre
Pierre, Fl. For. Cochinch. v. t. 328 (1895).
Lecomte, Fl. Gén. Indo-Chine, i. 1048 (1912). —*Fr.*

DELUCIA DC.: *Bidens*
ostruthioides DC.
Delessert, Ic. Pl. iv. t. 40 (1839).

DEMAZERIA = *Desmazeria*

DEMIDOVIA Hoffm.: *Paris*
polyphylla Hoffm.
G. F. Hoffmann, Hort. Mosq. fig. 2 a–f (1808). —*Fl.*

DEMIDOVIA Pall.: *Tetragonia*
tetragonoides Pall.
*Pallas, Enum. Pl. t. 1 (1781).
*Josef v. Oesterreich & Marg. v. Thurn und Taxis, Atlas Heilpfl. t. 161 (1903).—*Hab.*

DEMOCRITA Vell.
resinosa Vell.
Vellozo, Fl. Flum. iv. t. 106 (1827).

DENDRIUM Desv.: *Leiophyllum*
buxifolium Desv.
*Mordant de Launay, Herb. Amat. iv. t. 242 (1820).
Britton & Brown, Ill. Fl. N. States & Canada, ii. 562 (1897); Ed. 2, ii. 682 (1913).
Keeler, Our North. Shrubs, 365 (1903); Ed. 2, p. 365 (1912).
Stone, Pl. Southern New Jersey (Ann. Rep. New Jersey State Mus. 1910), t. 96 (1911).
—— **prostratum** Lounsb.
Lounsberry, Southern Wild Fl. & Trees, t. 122 (1901).

DENDROBANGIA Rusby
boliviana Rusby
Bull. Torr. Bot. Club, xxiv. t. 294 (1897).

DENDROBIUM Sw.—Vide *Cadetia*, *Callista* Lour., *Coelandria*, *Desmotrichum*, *Dichopus*, *Limodorum* (9), *Pedilonum*, *Sarcostoma*, *Thelychiton*
acuminatissimum Lindl.
Teysmannia, xx. 564 (1909).
J. J. Smith, Orch. Java, Fig.-Atlas, iii. fig. 265 (1910).—*Fl.*
Pflanzenreich, Orch.-Dendr. i. 168 (1910).—*Hab.*
acuminatum Rolfe
Gard. Chron. Ser. III. xlii. 210 (1907); Ser. III. xlvi. 150 (1909).
Ames, Orchidac. ii. t. 17 (1908).
*Orchis, ii. t. 16 (1908); ix. 21 (1915).
Journ. Hort. Ser. III. lix. 291 (1909).—*Fl.*
Journ. Roy. Hort. Soc. London, xxxv. Proc. p. clxxiv, fig. 111 (1910).
Orch. World, i. 221 (1911).—*Hab.*
acuminatum H. B. K.
Oesterr. Gart.-Zeit. viii. 136 (1913).
acutisepalum J. J. Sm.
Nova Guinea, xii. t. 12 (1913).—*Fl.*
aduncum Wall.
*Bot. Reg. xxxii. t. 15 (1846).
*Bot. Mag. cx. t. 6784 (1884).
*Ann. Bot. Gard. Calcutta, viii. t. 67 (1898).
*Costantin, Atlas Orch. Cult. t. 26 (1913) ex indice; *Eudendrobium aduncum* in ic.—*Fl.*
aemulum R. Br.
*Bot. Mag. lvi. t. 2906 (1829).
*R. D. Fitzgerald, Austral. Orch. i [t. 23] (1875–95).
Austral. Assoc. Sc. Rep. viii. t. 5 (1901).
*Cogniaux, Dict. Icon. Orch., Dendrob. t. 37 (1905).
agathodaemonis J. J. Sm.
Nova Guinea, viii. t. 96 (1911).
aggregatum Roxb.
*Bot. Reg. xx. t. 1695 (1835).
*Bot. Mag. lxv. t. 3643 (1838).
*Paxt. Mag. vi. 145 (1839).
*Ann. Gand, v. t. 263 (1849).
*Hooker, Cent. Orch. Pl. t. 8 (1849).
Gartenwelt, iv. 303 (1900); xvi. 284 (1912).

DENDROBIUM
aggregatum
Semaine Hort. iv. 459 (1900).
Möllers Deutsche Gärtn.-Zeit. xvi. 213 (1901).
*Cogniaux, Dict. Icon. Orch., Dendrob. t. 33 (1904).—*Fl.*
Gard. Chron. Ser. III. l. 82 (1911).—*Hab.*
Schlechter, Orchideen, 251 (19[14–]15).—*Hab.*
—— **Jenkinsii** King & Pantl.
*Ann. Bot. Gard. Calcutta, viii. t. 85 (1898).
agrostophyllum F. Muell.
*R. D. Fitzgerald, Austral. Orch. ii [t. 18] (1875–95).
×**Ainsworthatum** Lawr.
Orch. Rev. xviii. 105 (1910).—*Fl.*
×**Ainsworthii** T. Moore
Gard. Chron. i. 443 (1874); viii. 166, 167 (1877); xvi. 624 (1881).
Florist, 1874, p. 114.
*Floral Mag. N. Ser. 1876, t. 196.
*Warner, Select Orch. Pl. Ser. III. t. 30 (1878). *Hab.*
De Puydt, Orchidées, 36 (1880).—*Fl.*
*Miner, Orchids, t. 2 (1885).
Veitch, Man. Orch. Pl. Pt. 3, p. 86 (1888).—*Fl.*
Gartenfl. xxxix. 177 (1890).—*Fl.*
Journ. Hort. Ser. III. xx. 445 (1890); lxii. 281 (1911).—*Hab.*
*Lindenia, vii. t. 297 (1891).
Stein, Orchideenbuch, 185 (1892).—*Fl.*
*Neubert's Deutsch. Gart. Mag. xlvi. 229 (1893).
B. S. Williams, Orchid-Grower's Man. Ed. 7, p. 323 (1894).—*Fl.*
*Cogniaux, Dict. Icon. Orch., Dendrob. hybr. t. 1 (1896).
Garden, li. 338 (1897).—*Hab.*
Journ. Roy. Hort. Soc. London, xxiv. 195 (1900). —*Fl.*
Orch. World, vi. 160 (1916).—*Fl.*
—— **grandiflorum** Cogn.
*Cogniaux, Dict. Icon. Orch., Dendrob. hybr. t. 1 B (1903).
—— **Leechianum** Cogn.
*Cogniaux, Dict. Icon. Orch., Dendrob. hybr. t. 1 A (1898).—*Fl.*
—— **roseum** T. Moore
*Warner & Will. Orch. Album, i. t. 20 (1882).
albosanguineum Lindl. & Paxt.
*Fl. des Serres, Ser. I. vii. t. 721 (1851–52).
*Paxt. Fl. Gard. ii. t. 57 (1851–52).
*Lem. Jard. Fl. ii. t. 203 (1852).
*Bot. Mag. lxxxv. t. 5130 (1859).
*Bateman, Second Cent. Orch. Pl. t. 173 (1867).
*Costantin, Atlas Orch. Cult. t. 26 (1913) ex indice; *Eudendrobium albo-sanguineum* in ic.—*Fl.*
alboviride Hayata
Hayata, Ic. Pl. Formosan. ix. 109 (1920).—*Fl.*
album Hook.
*Hooker, Exot. Fl. ii. t. 142 (1825).
album Wight
Paxt. Fl. Gard. ii. 175 (1851–52).
Wight, Ic. Pl. Ind. Or. v. t. 1645 (1851).
Lem. Jard. Fl. ii. Misc. 133 (1852).
*Warner & Will. Orch. Album, ix. t. 407 (1891).
aloifolium Reichb. f.
Griffith, Ic. Pl. Asiat. t. 283 A, fig. 2 (1851).—*Fl.*
J. J. Smith, Orch. Java, Fig.-Atlas, iii. fig. 254 (1910).—*Fl.*
alpestre Sw.
Swartz, Adnot. Bot. t. 1 (1829).
alpestre Royle
*Royle, Illustr. Bot. Himal. t. 88 (1839).
*Ann. Bot. Gard. Calcutta, ix. t. 97 (1906).
Pflanzenreich, Orch.-Dendr. i. 82 (1910).
amboinense Hook.
*Bot. Mag. lxxxii. t. 4937 (1856).
*Fl. des Serres, Ser. II. ii. t. 1211 (1857).
*Bateman, Second Cent. Orch. Pl. t. 179 (1867).
Pflanzenreich, Orch.-Dendr. i. 263 (1910).
amethystoglossum Reichb. f.
*Bot. Mag. xcviii. t. 5968 (1872).
amoenum Wall.
*Knowles & Westc. Floral Cab. iii. t. 117 (1840).
Gard. Chron. iii. 305 (1875); xvi. 625 (1881).
*Bot. Mag. ci. t. 6199 (1875).
Pfitzer, Grundz. Vergl. Morph. Orchideen, 38 (1882).—*Hab.*

DENDROBIUM
amoenum
B. S. Williams, Orchid-Grower's Man. Ed. 7, p. 324 (1894).—*Fl.*
*Ann. Bot. Gard. Calcutta, viii. t. 69 (1898).
Journ. Bombay Nat. Hist. Soc. xvi. 416 (1905).—*Hab.*
amplum Lindl.
*Wallich, Pl. Asiat. Rar. i. t. 29 (1830).
*Paxt. Mag. vii. 121 (1840).
Schnizlein, Iconogr. i. t. 66 a (1846).—*Fl.*
Griffith, Ic. Pl. Asiat. t. 304, 351 A, fig. 24 (1851).
*Ann. Bot. Gard. Calcutta, viii. t. 89 (1898).
anceps Sw.
*Bot. Reg. xv. t. 1239 (1829).
*Ann. Bot. Gard. Calcutta, viii. t. 54 (1898).
angulatum Lindl.
J. J. Smith, Orch. Java, Fig.-Atlas, iii. fig. 235 (1910).—*Fl.*
angustifolium Lindl.
J. J. Smith, Orch. Java, Fig.-Atlas, iii. fig. 243 (1910).—*Fl.*
Annae J. J. Sm.
J. J. Smith, Orch. Java, Fig.-Atlas, iii. fig. 269 (1910).—*Fl.*
anosmum Lindl.
Rumphius, Herb. Amboin. vi. t. 47, fig. 1 (1750); fide Merrill, Interpret. Rumph. Herb. Amboin.
*Paxt. Mag. xv. 97, 98 (1849).
antennatum Lindl.
Bentham, Bot. Voy. Sulphur, t. 59 (1844).
*Reichenbach f., Xenia Orch. iii. t. 251 (1892).
Aphrodite Reichb. f.
*Costantin, Atlas Orch. Cult. t. 26 (1913) ex indice; *Eudendrobium Aphrodite* in ic.—*Fl.*
×**Apollo albens** Hort.
Rev. Hort. Belge, xxxviii. 222 (1912).—*Hab.*
—— **grandiflorum** Hort.
Journ. Roy. Hort. Soc. London, xix. Proc. p. lxxiv (1896).—*Fl.*
aprinum J. J. Sm.
Nova Guinea, xii. t. 9 (1913).
aqueum Lindl.
*Bot. Reg. xxix. t. 54 (1843).
*Lem. Jard. Fl. iii. t. 262 (1852).
*Bot. Mag. lxxviii. t. 4640 (1852).
*Costantin, Atlas Orch. Cult. t. 26 (1913) ex indice; *Eudendrobium aqueum* in ic.—*Fl.*
Arachnites Thou.
Petit-Thouars, Hist. Pl. Orch. Iles Afr. t. 88 (1822).
Arachnites Reichb. f.
Gard. Chron. Ser. III. xx. 7 (1896).
aratriferum J. J. Sm.
Nova Guinea, viii. t. 19 (1909).—*Fl.*
arcuatum J. J. Sm.
J. J. Smith, Orch. Java, Fig.-Atlas, iii. fig. 271 (1910).—*Fl.*
aristiferum J. J. Sm.
Nova Guinea, xii. t. 16 (1913).—*Fl.*
×**Artemis** Hort.
Orch. Rev. xiv. 72 (1906).—*Fl.*
Ashworthiae O'Brien
Journ. Roy. Hort. Soc. London, xxvi. Proc. p. lxxix (1901).—*Fl.*
Gard. Chron. Ser. III. xxix. 86 (1901).—*Fl.*
*Cogniaux, Dict. Icon. Orch., Dendrob. t. 39 (1906).—*Fl.*
*Bot. Mag. cxxxiii. t. 8141 (1907).
×**Aspasia** Hort.
Orch. Rev. i. 137 (1893).
asperifolium J. J. Sm.
Nova Guinea, xii. t. 19 (1913).—*Fl.*
atavus J. J. Sm.
J. J. Smith, Orch. Java, Fig.-Atlas, iii. fig. 268 (1910).—*Fl.*
atroviolaceum Rolfe
*Warner & Will. Orch. Album, x. t. 444 (1893).
Journ. Hort. Ser. III. xxviii. 65 (1894); xxxviii. 81 (1899); l. 355 (1905).
Gard. Chron. Ser. III. xv. 113 (1894).
*Bot. Mag. cxx. t. 7371 (1894).
*Lindenia, xi. t. 513 (1895).
Orch. Rev. iii. 305 (1895); ix. 152 (1901); xvi. 69 (1908).

DENDROBIUM
atroviolaceum
*Cogniaux, Dict. Icon. Orch., Dendrob. t. 12 (1898).—*Fl.*
Schlechter, Orchideen, 252 (19[14–]15).—*Hab.*
*Addisonia, ii. t. 72 (1917).
aurantiacum F. Muell.
*Ann. Bot. Gard. Calcutta, v. t. 21 (1895).
aureum Lindl.
Wight, Ic. Pl. Ind. Or. v. t. 1646 (1851).
Garden, xxxii. 133 (1887).
Veitch, Man. Orch. Pl. Pt. 3, p. 20 (1888); Pt. 10, p. 30 (1894).—*Fl.*
*Sander, Reichenbachia, ii. 31, t. 63 (1890).
Nicholson, '1900' Suppl. Dict. Gard. 308 (1900).—*Fl.*
Orch. Rev. viii. 41, 169 (1900).
Journ. Roy. Hort. Soc. London, xxiv. 196 (1900).—*Fl.*
Journ. Hort. Ser. III. lii. 405 (1906); lvii. 3 (1908).—*Fl.*
Teysmannia, xx. 564 (1909).
C. H. Curtis, Orchids for Everyone, 101 (1910).—*Hab.*
—— **pallidum** Hort.
*Bot. Reg. xxv. t. 20 (1839).
auricolor J. J. Sm.
Nova Guinea, viii. t. 87 (1911).—*Fl.*
Baeuerlenii F. Muell. & Kränzl.
Pflanzenreich, Orch.-Dendr. i. 113 (1910).—*Fl.*
Nova Guinea, xii. t. 16 (1913).—*Fl.*
barbatulum Lindl.
Wight, Ic. Pl. Ind. Or. iii. t. 910 (1843–45).
Paxt. Fl. Gard. iii. 113 (1852–53).—*Fl.*
Lem. Jard. Fl. iii. Misc. 112 (1853).
*Bot. Mag. xc. t. 5444 (1864); xcvii. t. 5918 (1871).
*Bateman, Second Cent. Orch. Pl. t. 102 (1867).
*Cogniaux, Dict. Icon. Orch., Dendrob. t. 25 (1901).—*Fl.*
*Journ. Bombay Nat. Hist. Soc. xvii. 31 (1906).
Barringtoniae Sw.
Swartz in Journ. f. die Bot. ii. t. 2, fig. a (1799).—*Fl.*
*Hooker, Exot. Fl. ii. 119 (1825).
Beckleri F. Muell.
*R. D. Fitzgerald, Austral. Orch. i [t. 24] (1875–95).
begoniicarpum J. J. Sm.
Nova Guinea, xii. t. 18 (1913).
bellatulum Rolfe
*Bot. Mag. cxxx. t. 7985 (1904).
Gard. Chron. Ser. III. xxxvi. 114 (1904).
Schlechter, Orchideen, 253 (19[14–]15).—*Hab.*
Bensoniae Reichb. f.
*Floral Mag. vi. t. 355 (1867).
*Bot. Mag. xciii. t. 5679 (1867).
*Jennings, Orchids, t. 32 (1875).
Gard. Chron. x. 817 (1878); xxii. 145 (1884).
Journ. Hort. Ser. III. iv. 255 (1882).—*Fl.*
Orchidophile, 1886, p. 49.—*Hab.*
*Lindenia, iv. t. 148 (1888).
Veitch, Man. Orch. Pt. Pt. 3, p. 22 (1888).—*Fl.*
Ill. Hort. xxxv. t. 47 (1888).—*Fl.*
Linden, Orchid. Exot. 352 (1894).—*Fl.*
*Gartenwelt, vi. 522 (1902).
Orch. Rev. xi. 241 (1903); xvi. 68 (1908).—*Hab.*
*Costantin, Atlas Orch. Cult. t. 26 (1913) ex indice; *Eudendrobium Bensoniae* in ic.—*Fl.*
Orch. World, v. 60 (1914); vi. 124 (1916).
bicameratum Lindl.
*Saunders, Ref. Bot. ii. t. 143 (1882).
*Ann. Bot. Gard. Calcutta, viii. t. 56 (1898).
bicostatum J. J. Sm.
Ic. Bogor. iii. t. 209 (1906).
bidentiferum J. J. Sm.
Nova Guinea, viii. t. 20 (1909).—*Fl.*
bifalce Lindl.
Bentham, Bot. Voy. Sulphur, t. 58 (1844).
biflorum Sw.
Richard, Voy. Astrolabe, Bot. Atlas, Essai Fl. Nouv.-Zél. t. 26 (1833).
Pflanzenreich, Orch.-Dendr. i. 168 (1910).
bigibbum Lindl. & Paxt.
Paxt. Fl. Gard. iii. 25 (1852–53).
Lem. Jard. Fl. iii. Misc. 17 (1853).
*Bot. Mag. lxxxii. t. 4898 (1856).
*Fl. des Serres, Ser. II. i. t. 1143 (1856).

DENDROBIUM
bigibbum
*Warner, Select Orch. Pl. Ser. II. t. 8 (1865–75).
*Bateman, Second Cent. Orch. Pl. t. 169 (1867).
Florist, 1873, p. 165.
*R. D. Fitzgerald, Austral. Orch. ii [t. 19] (1875–95).
*Floral Mag. N. Ser. 1880, t. 386.
*Warner & Will. Orch. Album, i. t. 38 (1882).
Journ. Hort. Ser. III. iv. 281 (1882).—*Fl.*
*Garden, xxiii. 290 (1883).
*Ill. Hort. xxx. t. 476 (1883).
Veitch, Man. Orch. Pl. Pt. 3, p. 23 (1888).—*Fl.*
*Orchidophile, 1891, p. 208.
*Gartenfl. xlix. t. 1473 (1900).
—— **albomarginatum** Linden
*Lindenia, vii. t. 317 (1891).
—— **superbum** Hort.
*Floral Mag. N. Ser. 1876, t. 229.
biloculare J. J. Sm.
Rec. Trav. Bot. Néerl. i. 149 (1904).—*Fl.*
Blumei Lindl.
Pflanzenreich, Orch.-Dendr. i. 229, 233 (1910).
J. J. Smith, Orch. Java, Fig.-Atlas, iii. fig. 248 (1910).—*Fl.*
bolbiflorum Falc.
Hook. Ic. Pl. xxi. t. 2028 (1890).
Boothii Teysm. & Binn.
*Miquel, Choix Pl. Jard. Buitenzorg, t. 24 (1863).
borneense Finet
Bull. Soc. Bot. France, l. t. 11 (1903).—*Fl.*
Boxallii Reichb. f.
*Floral Mag. N. Ser. 1874, t. 114.
*Reichenbach f., Xenia Orch. ii. t. 194 (1874).
*Jennings, Orchids, t. 19 (1875).
*Garden, ix. 336 (1876).
brachythecum F. Muell. & Kränzl.
Reichenbach f., Xenia Orch. iii. t. 295 (1900).
bracteosum Reichb. f.
*Lindenia, ii. t. 74 (1886).
Branderhorstii J. J. Sm.
Nova Guinea, viii. t. 91 (1911).—*Fl.*
brevicolle J. J. Sm.
Ic. Bogor. ii. t. 115 (1903).—*Fl.*
Bronckartii De Wild.
*Rev. Hort. Belge, xxxiii. 369 (1907).
*Bot. Mag. cxxxv. t. 8252 (1909).
Brymerianum Reichb. f.
Garden, xiii. 495 (1878); xli. 252 (1891).—*Fl.*
*Bot. Mag. civ. t. 6383 (1878).
Gard. Chron. xi. 475 (1879); xvi. 689 (1881).
*Floral Mag. N. Ser. 1881, t. 459.
Orchidophile, 1881, p. 148.—*Fl.*
Journ. Hort. Ser. III. iv. 265 (1882); xlii. 343 (1901).—*Fl.*
Gartenfl. xxxii. 371 (1883); xxxvi. 548 (1887).
*Ill. Gartenzeit. Stuttgart, xxx. t. 16 (1886).
Veitch, Man. Orch. Pl. Pt. 3, p. 25 (1888); Pt. 10, p. 23 (1894).—*Fl.*
*Lindenia, iv. t. 183 (1888).
*Sander, Reichenbachia, ii. 97, t. 92 (1890).
*Warner & Will. Orch. Album, ix. t. 398 (1891).
Stein, Orchideenbuch, 189 (1892).
B. S. Williams, Orchid-Grower's Man. Ed. 7, p. 328 (1894).—*Fl.*
Kerchove, Livre Orch. 179 (1894).—*Fl.*
Nicholson, '1900' Suppl. Dict. Gard. 308 (1900).—*Fl.*
Orch. Rev. xii. 249 (1904); xvi. 24 (1908); xxiv. 97 (1916).—*Fl.*
*C. H. Curtis, Orchids for Everyone, 86 (1910).
Pflanzenreich, Orch.-Dendr. i. 37 (1910).—*Fl.*
Crisp, Guide Friar Park, 159 (1914).—*Fl.*
Orch. World, v. 132 (1915); vi. 86 (1916).—*Fl.*
Bullerianum Batem.
*Bot. Mag. xciii. t. 5652 (1867).
×**Burberryanum** Hort.
Journ. Hort. Ser. III. xl. 239 (1900).—*Fl.*
bursigerum Lindl.
Pflanzenreich, Orch.-Dendr. i. 143 (1910).
busuangense Ames
Ames, Orchidac. vi. t. 101 (1920).
caerulescens Wall.
*Lindley, Sertum Orch. t. 18 (1838).
Gartenwelt, iv. 301 (1900).

DENDROBIUM
calcaratum Rich.
Richard, Voy. Astrolabe, Bot. Atlas, Sert. Astrolab. t. 7 (1833).
Pflanzenreich, Orch.-Dendr. i. 99 (1910).
calcarium J. J. Sm.
Nova Guinea, xii. t. 18 (1913).
Calceolaria Carey
*Hooker, Exot. Fl. iii. t. 184 (1827).
*Beer, Beitr. Morph. u. Biol. Orch. t. 5, fig. 15 (1863).—*Fr.*
*De Puydt, Orchidées, t. 15 (1880).
*Cogniaux, Dict. Icon. Orch., Dendrob. t. 13 (1898).—*Fl.*
*Ann. Bot. Gard. Calcutta, viii. t. 84 (1898).
calceolus Roxb.
Rumphius, Herb. Amboin. vi. t. 51, fig. 2 (1750); fide Merrill, Interpret. Rumph. Herb. Amboin.
calopogon Reichb. f.
Reichenbach f., Xenia Orch. ii. t. 109 (1862).
calyptratum J. J. Sm.
Nova Guinea, xii. t. 17 (1913).—*Fl.*
Cambridgeanum Paxt.
*Paxt. Mag. vi. 265 (1839).
*Bot. Mag. lxxv. t. 4450 (1849).
canaliculatum R. Br.
*R. D. Fitzgerald, Austral. Orch. i [t. 25] (1875–95).
Banks & Soland. Bot. Cook's Voy. iii. t. 300 (1905).
candidum Wall.
Paxt. Fl. Gard. i. 63 (1850–51).—*Fl.*
*Ann. Bot. Gard. Calcutta, v. t. 19 (1895); viii. t. 68 (1898).
capillipes Reichb. f.
Reichenbach f., Xenia Orch. ii. t. 169 (1870).
*Bot. Mag. cxxv. t. 7639 (1899).
capitellatum J. J. Sm.
Ic. Bogor. iii. t. 206 (1906).
cariniferum Reichb. f.
Journ. Hort. liii. 414 (1875).
*Costantin, Atlas Orch. Cult. t. 26 (1913).—*Fl.*
—— **Wattii** Hort.
*Bot. Mag. cix. t. 6715 (1883).
carnosum Presl
Presl, Symbolae Bot. t. 24 (1830–32).
carnosum Reichb. f.
J. J. Smith, Orch. Java, Fig.-Atlas, iii. fig. 259 (1910).—*Fl.*
×**Cassiope** Rolfe
Orchidophile, 1893, p. 106.
*Sander, Reichenbachia, Ser. II. ii. 5, t. 50 (1894).
*Cogniaux, Dict. Icon. Orch., Dendrob. hybr. t. 2 (1896).—*Fl.*
Cathcartii Hook. f.
Hook. Ic. Pl. xxi. t. 2022 (1890).
*Ann. Bot. Gard. Calcutta, viii. t. 57 (1898).
cavipes J. J. Sm.
Nova Guinea, viii. t. 28 (1909).—*Fl.*
centrale J. J. Sm.
Nova Guinea, viii. t. 88 (1911).—*Fl.*
ceratostyloides J. J. Sm.
Nova Guinea, viii. t. 18 (1909).—*Fl.*
chamaephytum Schlechter
Nova Guinea, viii. t. 18 (1909).—*Fl.*
chameleon Ames
Ames, Orchidac. ii. 174 (1908).—*Fl.*
chlorops Lindl.
Rheede, Hort. Mal. xii. t. 7 (1703); fide Fl. Brit. Ind. v. 719.
*Journ. Bombay Nat. Hist. Soc. xvi. 568 (1905).
chloropterum Reichb. f. & Sp. Moore
Journ. of Bot. xvi. t. 196 (1878).
×**chlorostele Juno** Hort.
*Cogniaux, Dict. Icon. Orch., Dendrob. hybr. t. 4 (1905).
—— **Owenianum** Hort.
*Orch. Rev. xi. 113 (1903); xxiv. 17 (1916).—*Fl.*
chrysanthum Wall.
*Bot. Reg. xv. t. 1299 (1830).
*Trans. Russ. Hort. Soc. 1864, t. 154.
*Gartenfl. xiii. t. 446 (1864).
Veitch, Man. Orch. Pl. Pt. 10, p. 79 (1894).—*Fl.*
Gard. Chron. Ser. III. xv. 565 (1894); xl. 374 (1906).—*Hab.*
*Cogniaux, Dict. Icon. Orch., Dendrob. t. 2 (1897).—*Fl.*

DENDROBIUM
chrysanthum
*Ann. Bot. Gard. Calcutta, viii. t. 77 (1898).
Semaine Hort. 1898, p. 305.
Garden, lxx. 272 (1906).—*Hab.*
chrysocrepis Parish & Reichb. f.
*Bot. Mag. xcviii. t. 6007 (1872).
Pflanzenreich, Orch.-Dendr. i. 265 (1910).
chrysotis Reichb. f.
*Florist, 1871, p. 145.
*Ill. Hort. xx. t. 155 (1873).
*Warner, Select Orch. Pl. Ser. III. t. 6 (1878).
Journ. Hort. Ser. III. iv. 277 (1882); x. 398 (1885).
*Warner & Will. Orch. Album, ix. t. 419 (1891).
chrysotoxum Lindl.
*Bot. Reg. xxxiii. t. 36 (1847).
*Bot. Mag. lxxxiv. t. 5053 (1858).
*Ill. Hort. v. t. 164 (1858).
*Bateman, Second Cent. Orch. Pl. t. 124 (1867).
Gard. & Forest, v. 533 (1892).
Garden, xlviii. 239 (1895).—*Hab.*
Gartenwelt, ii. 452 (1898); xvi. 284 (1912).
*Cogniaux, Dict. Icon. Orch., Dendrob. t. 11 (1898).
Schlechter, Orchideen, 254 (19[14–]15).—*Hab.*
—— **suavissimum** Veitch
*Cogniaux, Dict. Icon. Orch., Dendrob. t. 11 A (1902).
ciliatum Parish
*Bot. Mag. xc. t. 5430 (1864).
*Warner & Will. Orch. Album, x. t. 454 (1893).
Schlechter, Orchideen, 255 (19[14–]15).—*Hab.*
cincinnatum F. Muell.
Pflanzenreich, Orch.-Dendr. i. 136 (1910).
clavatum Wall.
Paxt. Fl. Gard. ii. 104 (1851–52).—*Fl.*
*Rev. Hort. Belge, xi. 181 (1885).
*Bot. Mag. cxiv. t. 6993 (1888).
*Ann. Bot. Gard. Calcutta, viii. t. 60 (1898).
*Costantin, Atlas Orch. Cult. t. 26 (1913) ex indice; *Eudendrobium clavatum* in ic.—*Fl.*
clavipes Hook. f.
Hook. Ic. Pl. xxi. t. 2027 (1890).
J. J. Smith, Orch. Java, Fig.-Atlas, iii. fig. 251 (1910).—*Fl.*
×**Clio superbum** Hort.
Garden, lvii. 268 (1900).—*Fl.*
Journ. Roy. Hort. Soc. London, xxv. Proc. p. cxxvii (1900–1).—*Fl.*
cochleatum J. J. Sm.
Nova Guinea, viii. t. 27 (1909).—*Fl.*
Coelogyne Reichb. f.
Gard. Chron. Ser. III. xxii. 387 (1897).
*Cogniaux, Dict. Icon. Orch., Dendrob. t. 32 (1904).
Journ. Hort. Ser. III. lvii. 585 (1908).—*Fl.*
Orchis, iv. t. 25 (1910).
Schlechter, Orchideen, 256 (19[14–]15).
—— **striatum** Hort.
Journ. Roy. Hort. Soc. London, xxxiv. Proc. p. cclxxi, fig. 131 (1909).—*Fl.*
comatum Lindl.
J. J. Smith, Orch. Java, Fig.-Atlas, iii. fig. 236 (1910).—*Fl.*
compressicolle J. J. Sm.
Nova Guinea, xii. t. 11 (1913).
compressum Lindl.
*Bot. Reg. xxx. t. 53 (1844).
*Reichenbach f., Xenia Orch. iii. t. 251 (1892).
conanthum Schlechter
Nova Guinea, xii. t. 14 (1913).—*Fl.*
concavissimum J. J. Sm.
Nova Guinea, xii. t. 16 (1913).—*Fl.*
confusum J. J. Sm.
Nova Guinea, viii. t. 94 (1911).—*Fl.*
conicum J. J. Sm.
Nova Guinea, xii. t. 16 (1913).—*Fl.*
connatum Lindl.
J. J. Smith, Orch. Java, Fig.-Atlas, iv. fig. 279 (1911).—*Fl.*
constrictum J. J. Sm.
Nova Guinea, viii. t. 27 (1909); t. 94 (1911).—*Fl.*
convexum Lindl.
Reichenbach f., Xenia Orch. ii. t. 118 (1862).

DENDROBIUM
convexum
J. J. Smith, Orch. Java, Fig.-Atlas, iii. fig. 242 (1910).—*Fl.*
cornutum Hook. f.
Hook. Ic. Pl. xxi. t. 2029 (1890).
crassiflorum J. J. Sm.
Nova Guinea, viii. t. 91 (1911).—*Fl.*
crassinode Bens. & Reichb. f.
*Bot. Mag. xcv. t. 5766 (1869).
Journ. Hort. Ser. III. ii. 337 (1881); l. 421 (1905).—*Fl.*
*Warner & Will. Orch. Album, iv. t. 152 (1885).
Veitch, Man. Orch. Pl. Pt. 3, p. 31 (1888).
Orch. Rev. ii. 177 (1894); viii. 177 (1900).—*Fl.*
*Cogniaux, Dict. Icon. Orch., Dendrob. t. 39 (1905).
Orch. World, v. 43 (1914); v. 234 (1915).—*Hab.*
—— **albiflorum** Bens. & Reichb. f.
*Lindenia, xv. t. 703 (1900).
—— **album** Hort.
*Warner & Will. Orch. Album, x. t. 458 (1893).
×**crassinodi-Wardianum** Veitch
Orch. Rev. ii. 177 (1894).—*Fl.*
crenatifolium J. J. Sm.
Nova Guinea, xii. t. 15 (1913).—*Fl.*
crenatilabre J. J. Sm.
Nova Guinea, xii. t. 15 (1913).—*Fl.*
crenulatum J. J. Sm.
Nova Guinea, viii. t. 20 (1909).—*Fl.*
crepidatum Lindl. & Paxt.
Paxt. Fl. Gard. i. 63 (1850–51).—*Fl.*
*Bot. Mag. lxxxiii. t. 4993 (1857).
*Bateman, Second Cent. Orch. Pl. t. 129 (1867).
*Ann. Bot. Gard. Calcutta, viii. t. 66 (1898).
*Neubert's Deutsch. Gart. Mag. lii. t. 2 (1899).
*Cogniaux, Dict. Icon. Orch., Dendrob. t. 40 (1906).—*Fl.*
*Costantin, Atlas Orch. Cult. t. 26 (1913) ex indice; *Eudendrobium crepidatum* in ic.—*Fl.*
—— **labello-glabro**
*Bot. Mag. lxxxiii. t. 5011 (1857).
cretaceum Lindl.
*Bot. Reg. xxxiii. t. 62 (1847).
*Bot. Mag. lxxviii. t. 4686 (1852).
*Fl. des Serres, Ser. I. viii. t. 818 (1852–53).
*Lem. Jard. Fl. iv. t. 344 (1853).
*Beer, Beitr. Morph. u. Biol. Orch. t. 4, fig. 46; t. 5, fig. 8; t. 6, fig. 8 (1863).—*Fr.*
*Costantin, Atlas Orch. Cult. t. 26 (1913) ex indice; *Eudendrobium cretaceum* in ic.—*Fl.*
criniferum Lindl.
Gard. Chron. Ser. III. xliii. 194 (1908).
Pflanzenreich, Orch.-Dendr. i. 347 (1910).
crocatum Hook. f.
*Ann. Bot. Gard. Calcutta, v. t. 14 (1895).
cruentum Reichb. f.
*Warner & Will. Orch. Album, iv. t. 174 (1885).
Gard. Chron. Ser. III. xviii. 91 (1895).
*Costantin, Atlas Orch. Cult. t. 26 (1913).—*Fl.*
crumenatum Sw.
*Bot. Reg. xxv. t. 22 (1839).
*Bot. Mag. lxix. t. 4013 (1843).
*Hooker, Cent. Orch. Pl. t. 7 (1849).
*Miquel, Choix Pl. Jard. Buitenzorg, t. 22 (1863).
*Lindenia, v. t. 207 (1889).
Bull. Soc. Bot. Belg. xxxiv. 1. 173 (1895).
Pflanzenreich, Orch.-Dendr. i. 236 (1910).
J. J. Smith, Orch. Java, Fig.-Atlas, iii. fig. 249 (1910).—*Fl.*
Ann. Jard. Bot. Buitenzorg, xxix. t. 18–22 (1916).
W. H. Brown in Bull. Philip. Isl. Dep. Agric. Bur. Forestry, No. 19, t. 22 (1919); No. 22, p. 367, t. 22 (1920).
crystallinum Reichb. f.
*Reichenbach f., Xenia Orch. ii. t. 193 (1874).—*Fl.*
*Bot. Mag. ciii. t. 6319 (1877).
*Warner & Will. Orch. Album, x. t. 441 (1893).
*Costantin, Atlas Orch. Cult. t. 26 (1913) ex indice; *Eudendrobium crystallinum* in ic.—*Fl.*
cucullatum R. Br.
*Bot. Reg. vii. t. 548 (1821).
*Bot. Mag. xlviii. t. 2242 (1821).
*Géel, Sert. Bot. Cl. 20 (1832).
*Reichenbach, Fl. Exot. i. t. 65 (1834).

DENDROBIUM
cucumerinum MacLeay
*Bot. Reg. xxix. t. 37 (1843).
*Bot. Mag. lxxvii. t. 4619 (1851).
Belg. Hort. ii. t. 64 (1852).
*Lem. Jard. Fl. iv. t. 358 (1853).
*R. D. Fitzgerald, Austral. Orch. i [t. 26] (1875–95).
Pfitzer, Grundz. Vergl. Morph. Orchideen, t. 1, fig. 6 (1882).—*Veg.*
Pflanzenreich, Orch.-Dendr. i. 290 (1910).
cultriforme Thou.
Petit-Thouars, Hist. Pl. Orch. Iles Afr. t. 87 (1822).
A. Richard, Monogr. Orch. Iles France & Bourbon (Mém. Soc. Hist. Nat. Paris, iv), t. 8 (1828).
cultriforme J. J. Sm.
Ic. Bogor. iii. t. 208 (1906).
cumulatum Lindl.
*Bot. Mag. xciv. t. 5703 (1868).
*Ann. Bot. Gard. Calcutta, viii. t. 63 (1898).
cuneilabrum J. J. Sm.
Ic. Bogor. iii. t. 205 (1906).
Cunninghamii Lindl.
*Hetley, Nat. Flowers New Zeal. t. 17 (1888).
Laing & Blackwell, Pl. New Zeal. Ed. 2, p. 123 (1907).—*Hab.*
Pflanzenreich, Orch.-Dendr. i. 117 (1910).
cupreum Herb.
*Bot. Reg. xxi. t. 1779 (1835).
×**Curtisii** Reichb. f.
Orch. Rev. xiv. 73 (1906).—*Fl.*
×**Cybele** Rolfe
Gard. Chron. Ser. III. xxv. 259 (1899).
Journ. Roy. Hort. Soc. London, xxxiv. Proc. p. lix, fig. 20 (1909).—*Fl.*
—— **oakwoodiense** Hort.
Journ. Roy. Hort. Soc. London, xxiv. 93 (1900).—*Fl.*
cyclopense J. J. Sm.
Nova Guinea, xii. t. 8 (1913).
cymbidioides Lindl.
*Bot. Mag. lxxix. t. 4755 (1853).
*Miquel, Choix Pl. Jard. Buitenzorg, t. 21 (1863).
Gard. Chron. Ser. III. xix. 581 (1896).
*Cogniaux, Dict. Icon. Orch., Dendrob. t. 17 (1899).
Journ. Roy. Hort. Soc. London, xxxiii. 390, fig. 59 (1908).
J. J. Smith, Orch. Java, Fig.-Atlas, iii. fig. 261 (1910).—*Fl.*
Schlechter, Orchideen, 257 (19[14–]15).—*Fl.*
D'Albertisii Reichb. f.
Gard. Chron. x. 217 (1878).—*Fl.*
Pflanzenfam. ii. VI. 173 (1889).—*Fl.*
Stein, Orchideenbuch, 192 (1892).—*Fl.*
B. S. Williams, Orchid-Grower's Man. Ed. 7, p. 333 (1894).—*Fl.*
Dalhousieanum Wall.
*Paxt. Mag. xi. 145 (1844).
*Bot. Reg. xxxii. t. 10 (1846).
Griffith, Ic. Pl. Asiat. t. 308 (1847); fide Fl. Brit. Ind.
*Fl. des Serres, Ser. I. vii. t. 698 (1851–52).
Warner, Select Orch. Pl. Ser. I. t. 22 (1862–65).
*Ill. Hort. xxviii. t. 423 (1881).
Veitch, Man. Orch. Pl. Pt. 3, p. 36 (1888).—*Fl.*
*Garden, xxxviii. 608 (1890); xlviii. 222, 223 (1895).
*Lindenia, vi. t. 251 (1890).
Kerchove, Livre Orch. 105, 220 (1894).
*Cogniaux, Dict. Icon. Orch., Dendrob. t. 7 (1897).—*Fl.*
Gard. Chron. Ser. III. xxi. 157 (1897).—*Hab.*
Scient. Proc. Roy. Dublin Soc. N. Ser. xii. t. 6 (1909).—*Fl.*
Orch. World, iii. 196 (1913).
×**Dalhousie-nobile** Hort.
Gard. Chron. Ser. III. xxvii. 379 (1900).—*Fl.*
Journ. Roy. Hort. Soc. London, xxv. Proc. p. cxlv (1900–1).—*Fl.*
Journ. Hort. Ser. III. xl. 523 (1900).—*Fl.*
Dartoisianum De Wild.
*Bot. Mag. cxxxvii. t. 8352 (1911).
Dearei Reichb. f.
*Warner & Will. Orch. Album, iii. t. 120 (1884).

DENDROBIUM

Dearei
Veitch, Man. Orch. Pl. Pt. 3, p. 37 (1888).—*Fl.*
American Garden, xii. 163 (1891).
Garden, liv. 237 (1898).
Gard. Chron. Ser. III. xxiv. 193 (1898).—*Hab.*
Journ. Roy. Hort. Soc. London, xxii. Proc. p. clix (1898–99).
Nicholson, '1900' Suppl. Dict. Gard. 309 (1900).
L. H. Bailey, Cycl. Amer. Hort. 468 (1900); Stand. Cycl. Hort. 980 (1914).
*Cogniaux, Dict. Icon. Orch., Dendrob. t. 36 (1905).—*Fl.*
Orchis, vi. t. 10 (1912).

Dekockii J. J. Sm.
Nova Guinea, xii. t. 18 (1913).

×**dellense** Hort.
Journ. Hort. Ser. III. xxviii. 379 (1894).—*Fl.*
Journ. Roy. Hort. Soc. London, xvii. Proc. p. cx (1895).—*Fl.*

Dendrocolla J. J. Sm.
Ic. Bogor. ii. t. 114 (1903).—*Fl.*

densiflorum Wall.
*Wallich, Pl. Asiat. Rar. i. t. 40 (1830).
*Bot. Mag. lxii. t. 3418 (1835).
*Bot. Reg. xxi. t. 1828 (1836).
*Paxt. Mag. v. 121 (1838).
*Hooker, Cent. Orch. Pl. t. 9 (1849).
*Fl. des Serres, Ser. II. iv. t. 1397 (1861).
Gard. Chron. xvii. 737 (1882); Ser. III. xiv. 123 (1893); xxiv. 185 (1898).—*Hab.*
Sempervirens, xii. 25 (1883).—*Hab.*
Rhein. Jahrb. Gartenk. Bot. iii. 145 (1886).
*Warner & Will. Orch. Album, vii. t. 303 (1888).
*Lindenia, iv. t. 187 (1888).
*Bois, Dict. Hort. 432 (1893–99).
Linden, Orch. Exot. 266 (1894).
B. S. Williams, Orchid-Grower's Man. Ed. 7, p. 335 (1894).
Kerchove, Livre Orch. 105 (1894).—*Hab.*
Semaine Hort. 1898, p. 425.
*Ann. Bot. Gard. Calcutta, viii. t. 79 (1898).
*Cogniaux, Dict. Icon. Orch., Dendrob. t. 14 (1898).—*Fl.*
Hesdörffer, Handb. Zimmergärtn. Ed. 2, p. 281, fig. 170 (1900).
Nicholson, '1900' Suppl. Dict. Gard. 309 (1900).—*Hab.*
Journ. Hort. Ser. III. li. 123 (1905); lxiv. 100 (1912).

—— **albo-lutea** Hook.
*Bot. Mag. xcv. t. 5780 (1869).
*Kerchove, Livre Orch. t. 20 (1894).

—— **Farmeri** Paxt.
*Gartenfl. xxiii. t. 788 (1874).

—— **Griffithii** Hort.
*Ill. Hort. iii. t. 101 (1856).

—— **Walkerianum** T. Moore
*Warner, Select Orch. Pl. Ser. III. t. 21 (1878).—*Hab.*

denudans D. Don
*Ann. Bot. Gard. Calcutta, v. t. 6 (1895); viii. t. 62 (1898).
*Bot. Mag. cxxiii. t. 7548 (1897).
Pflanzenreich, Orch.-Dendr. i. 82 (1910).

Deplanchei Reichb. f.
Pflanzenreich, Orch.-Dendr. i. 173 (1910).

desmotrichoides J. J. Sm.
Nova Guinea, viii. t. 23 (1909).—*Fl.*

Devonianum Paxt.
*Paxt. Mag. vii. 169 (1840).
*Bot. Mag. lxxv. t. 4429 (1849).
*Lem. Jard. Fl. i. t. 11 (1851).
*Fl. des Serres, Ser. I. vii. t. 647 (1851–52).
*Belg. Hort. iii. t. 31 (1853).
*Ill. Hort. iv. t. 145 (1857).
*Warner, Select Orch. Pl. Ser. II. t. 11 (1865–75).
Journ. Hort. Ser. III. iv. 257 (1882); xxxiv. 197 (1897); lii. 317 (1906).—*Fl.*
Nicholson, Illustr. Dict. Gard. i. 453 [1884–88].—*Fl.*
*Miner, Orchids, t. 1 (1885).
Veitch, Man. Orch. Pl. Pt. 3, p. 38 (1888); Pt. 10, p. 23 (1894).—*Fl.*
*Lindenia, vi. t. 247 (1890).
Gard. Chron. Ser. III. vii. 680 (1890).

DENDROBIUM

Devonianum
Bois, Dict. Hort. 432 (1893–99).
Orch. Rev. iv. 177 (1896); xii. 152 (1904); xxiii. 113 (1915).—*Fl.*
*Warner & Will. Orch. Album, xi. t. 488 (1897).
*Cogniaux, Dict. Icon. Orch., Dendrob. t. 23 (1900).—*Fl.*
Teysmannia, xx. 564 (1909).
*Costantin, Atlas Orch. Cult. t. 26 (1913) ex indice; *Eudendrobium devonianum* in ic.—*Fl.*
Orch. World, vi. 83 (1916).—*Fl.*

dilatatocolle J. J. Sm.
Ic. Bogor. ii. t. 116 (1903).—*Fl.*

discerptum J. J. Sm.
Nova Guinea, viii. t. 89 (1911).—*Fl.*

discolor Lindl.
*Bot. Reg. xxvii. t. 52 (1841).

dixanthum Reichb. f.
*Bot. Mag. xcii. t. 5564 (1866).
*Ill. Hort. xiii. t. 480 (1866).
*Bateman, Second Cent. Orch. Pl. t. 197 (1867).

×**Dominianum** Reichb. f.
Horticulture (Boston), iii. 453 (1906).—*Hab.*

Donnesiae Hort.
*Garden, xlviii. 222 (1895).

draconis Reichb. f.
Reichenbach f., Xenia Orch. ii. t. 146 (1867).—*Fl.*
*Warner & Will. Orch. Album, iii. t. 103 (1884).
Orchidophile, 1889, p. 119.
*Costantin, Atlas Orch. Cult. t. 26 (1913).—*Fl.*

dulce J. J. Sm.
Nova Guinea, viii. t. 24 (1909).—*Fl.*

durum J. J. Sm.
J. J. Smith, Orch. Java, Fig.-Atlas, iii. fig. 241 (1910).—*Fl.*

eburneum Reichb. f.
*Bot. Mag. xc. t. 5459 (1864).
*Bateman, Second Cent. Orch. Pl. t. 166 (1867).
*Rev. Hort. 1883, p. 132.
*Costantin, Atlas Orch. Cult. t. 26 (1913).—*Fl.*

ecolle J. J. Sm.
Ic. Bogor. ii. t. 115 (1903).—*Fl.*

Egertoniae Lindl.
Paxt. Fl. Gard. i. 63 (1850–51).—*Fl.*

elephantinum Finet
Bull. Soc. Bot. France, l. t. 11 (1903).—*Fl.*
Pflanzenreich, Orch.-Dendr. i. 179 (1910).—*Fl.*

×**Ellisii Wiganianum** Hort.
Orch. Rev. xi. 113 (1903); xxiv. 17 (1916).—*Fl.*

×**endocharis** Reichb. f.
Sempervirens, ix. 412 (1880).—*Fl.*
Ill. Gartenzeit. Stuttgart, xxvi. t. 26 (1882).
Journ. Hort. Ser. III. iv. 239 (1882).
Veitch, Man. Orch. Pl. Pt. 3, p. 88 (1888).—*Fl.*
Journ. Soc. Hort. France, Ser. III. xiv. 436 (1892).—*Fl.*
Orch. World, vi. 113 (1916).—*Fl.*

ephemerum J. J. Sm.
Rumphius, Herb. Amboin. vi. t. 44, fig. 1 (1750); fide Merrill, Interpret. Rumph. Herb. Amboin.

epidendropsis Kränzl.
Orchis, ii. 79 (1908).—*Fl.*

equitans Kränzl.
Pflanzenreich, Orch.-Dendr. i. 229 (1910).

erectifolium J. J. Sm.
Nova Guinea, viii. t. 26 (1909); t. 93 (1911).—*Fl.*

erectopatens J. J. Sm.
Nova Guinea, xii. t. 15 (1913).—*Fl.*

eriiflorum Griff.
Griffith, Ic. Pl. Asiat. t. 307, fig. 2; t. 351 A, fig. 8 (1851).
*Ann. Bot. Gard. Calcutta, v. t. 7 (1895); viii. t. 61 (1898).
Pflanzenreich, Orch.-Dendr. i. 82 (1910).

erythroglossum Hayata
Hayata, Ic. Pl. Formosan. iv. 37 (1914); vii. 12 (1918).

×**euosmum excellens** Hort.
Veitch, Hortus Veitchii, 478 (1906).

euphlebium Reichb. f.
Reichenbach f., Xenia Orch. ii. t. 110 (1862).

×**Euryalus** Hort.
Journ. Hort. Ser. III. xxviii. 315 (1894).—*Fl.*

DENDROBIUM

eximium Schlechter
Nova Guinea, viii. t. 88 (1911).—*Fl.*

exsculptum Teysm. & Binn.
J. J. Smith, Orch. Java, Fig.-Atlas, iv. fig. 282 (1911).—*Fl.*

Fairfaxii F. Muell.
F. Mueller in Sydney Mail, Sept. 21, 1872, p. 360.

falcatum J. J. Sm.
Nova Guinea, viii. t. 25 (1909); t. 90 (1911).—*Fl.*

Falconeri Hook.
*Bot. Mag. lxxxii. t. 4944 (1856); lxxxiv. t. 5058 (1858).
*Fl. des Serres, Ser. II. ii. t. 1197 (1857).
*Bateman, Second Cent. Orch. Pl. t. 137 (1867).
*Belg. Hort. xxiv. 345 (1874).
*Ill. Hort. xxiii. t. 243 (1876).
*Floral Mag. N. Ser. 1876, t. 226.
Pfitzer, Grundz. Vergl. Morph. Orchideen, t. 1, fig. 24 (1882).—*Veg.*
Journ. Hort. Ser. III. iv. 275 (1882); xix. 395 (1889).
*Lindenia, i. t. 4 (1885).
*Ill. Gartenzeit. Stuttgart, xxxi. 19 (1887).
Gartenfl. xlviii. 520 (1899).
*Costantin, Atlas Orch. Cult. t. 26 (1913) ex indice; *Eudendrobium Falconeri* in ic.—*Fl.*
Horticulture (Boston), xx. 39 (1914); xxii. 721 (1915).—*Hab.*

—— **giganteum** Hort.
*Warner & Will. Orch. Album, vi. t. 257 (1887).

falcirostrum R. D. Fitzgerald
*R. D. Fitzgerald, Austral. Orch. i [t. 29] (1875–95).
Orchis, ix. 90 (1915).

Fargesii Finet
Bull. Soc. Bot. France, l. t. 12 (1903).—*Fl.*

Farmeri Paxt.
Dietrich, Fl. Univ. Abt. i. t. 865 (1847–52).
*Paxt. Mag. xv. 241 (1849).
*Fl. des Serres, Ser. I. vii. t. 741 (1851–52).
*Bot. Mag. lxxviii. t. 4659 (1852).
*Lem. Jard. Fl. iii. t. 307 (1852).
*Linden, Pescatorea, t. 4 (1860).
Journ. Hort. xxxi. 96 (1864).
*Bateman, Second Cent. Orch. Pl. t. 132 (1867).
*Jennings, Orchids, t. 24 (1875).
Garten-Zeit. Berlin, iii. 209 (1884).
Nicholson, Illustr. Dict. Gard. i. 454 [1884–88].
Gard. Chron. Ser. III. ii. 333 (1887).—*Hab.*
Veitch, Man. Orch. Pl. Pt. 3, p. 42 (1888); Pt. 10, p. 14 (1894).
Kerchove, Livre Orch. 367 (1894).—*Fl.*
*Ann. Bot. Gard. Calcutta, viii. t. 80 (1898).
Gartenwelt, iv. 305 (1900).
Semaine Hort. 1900, p. 471.
*Cogniaux, Dict. Icon. Orch., Dendrob. t. 30 (1903).
Orch. World, v. 274 (1915); vi. 81 (1916).—*Fl.*

—— **albiflorum** Hort.
*Belg. Hort. x. 321 [t. 21] (1860).
*Fl. des Serres, Ser. II. xiii. t. 2461 (1880).
Orch. World, vi. 178 (1916).—*Hab.*

—— **album** Hort.
*Gartenfl. xvii. t. 595 (1868).

—— **aureo-flavum** Hook.
*Bot. Mag. xc. t. 5451 (1864).
*Step, Fav. Fl. Gard. & Greenh. iv. t. 238 (1897).

—— **aureum** Warn. & Will.
*Warner & Will. Orch. Album, iii. t. 99 (1884).
*Bois, Atlas Pl. Jard. t. 245 (1896).

Faulhaberianum Schlechter
Orchis, v. t. 5 A (1911).—*Fl.*

filiforme Wight
Wight, Ic. Pl. Ind. Or. v. t. 1642 (1851).

filiforme J. J. Sm.
Ic. Bogor. ii. t. 113 (1903).—*Fl.*

fimbriatilabellum Hayata
Hayata, Ic. Pl. Formosan. iv. 37 (1914).—*Fl.*

fimbriatum Hook.
Hooker, Exot. Fl. i. t. 71 (1823).
*Paxt. Mag. ii. 172 (1836).
*Knowles & Westc. Floral Cab. iii. t. 109 (1840).
*Strong, American Fl. ii. 65 (1848).
Veitch, Man. Orch. Pl. Pt. 3, p. 43 (1888).—*Fl.*
Kerner, Pflanzenleben, ii. 269 (1891).—*Fl.*
Kerchove, Livre Orch. 179 (1894).—*Fl.*

DENDROBIUM
fimbriatum
Kerner & Oliv. Nat. Hist. Pl. ii. 269 (1895).—*Fl.*
*Cogniaux, Dict. Icon. Orch., Dendrob. t. 9 (1898).—*Fl.*
!Gard. Chron. Ser. III. xxv. 305 (1899).—*Fl.*
Journ. Hort. Ser. III. l. 135 (1905).
Wettstein, Handb. Syst. Bot. Ed. 2, p. 836, 838 (1911).
—— **oculatum** Hook.
*Bot. Mag. lxxi. t. 4160 (1845).
*Hooker, Cent. Orch. Pl. t. 10 (1849).
*Paxt. Fl. Gard. iii. t. 84 (1852–53).—*Fl.*
*Lem. Jard. Fl. iii. t. 314 (1853).—*Fl.*
*Ill. Hort. i. t. 15, sub t. 15 (1854).
*Warner, Select Orch. Pl. Ser. II. t. 19 (1865–75).
Journ. Hort. Ser. III. xii. 425 (1886).
Garden, xxxiii. 511 (1888).
Gard. Chron. Ser. III. xiv. 97 (1893).—*Hab.*
B. S. Williams, Orchid-Grower's Man. Ed. 7, p. 338 (1894).
*Ann. Bot. Gard. Calcutta, viii. t. 82 (1898).
*Cogniaux, Dict. Icon. Orch., Dendrob. t. 9 A (1904).—*Fl.*
*C. H. Curtis, Orchids for Everyone, 91 (1910).—*Fl.*
Findleyanum Parish & Reichb. f.
*Bot. Mag. cv. t. 6438 (1879).
*Warner & Will. Orch. Album, ii. t. 92 (1883).
Orchidophile, 1887, p. 154.
*Garden, xlix. 446 (1896).
Nicholson, '1900' Suppl. Dict. Gard. 310 (1900).
Orch. Rev. viii. 169 (1900).—*Fl.*
flabellum Reichb. f.
Reichenbach f., Xenia Orch. ii. t. 118 (1862).
J. J. Smith, Orch. Java, Fig.-Atlas, iii. fig. 237 (1910).—*Fl.*
flexuosum Griff.
Griffith, Ic. Pl. Asiat. t. 351 B, fig. 16 (1851).—*Fl.*
foliosum Brongn.
Duperrey, Voy. Coquille, Bot. Atlas, Phan. t. 41 (1826).
formosum Roxb.
*Wallich, Pl. Asiat. Rar. i. t. 39 (1830).
*Bot. Reg. xxv. t. 64 (1839).
*Horticulteur Univ. i. 237 (1839).
*Paxt. Mag. vi. 49 (1839).
*Fl. des Serres, Ser. I. iii. t. 226 (1847).
*Ann. Gand, iv. t. 171 (1848).
Moore & Ayres, Mag. Bot. iii. 239 (1851).
Veitch, Man. Orch. Pl. Pt. 3, p. 45 (1888); Pt. 10, p. 30 (1894).—*Fl.*
*Sander, Reichenbachia, Ser. II. i. 5, t. 3 (1892).
Kerchove, Livre Orch. 363 (1894).—*Fl.*
*Cogniaux, Dict. Icon. Orch., Dendrob. t. 8 (1897).
*Ann. Bot. Gard. Calcutta, viii. t. 65 (1898).
Orch. Rev. xv. frontisp. (1907).—*Hab.*
Horticulture (Boston), x. 467 (1909).—*Hab.*
*Costantin, Atlas Orch. Cult. t. 26 (1913).—*Fl.*
—— **giganteum** Van Houtte
*Fl. des Serres, Ser. II. vi. t. 1633, 1634 (1865–67).
Gard. Chron. xvii. 369 (1882); xxiii. 472 (1885); Ser. III. xxiv. 471 (1898).
*Warner & Will. Orch. Album, vii. t. 308 (1888).
*Lindenia, xi. t. 526 (1895).
Nicholson, '1900' Suppl. Dict. Gard. 310 (1900).—*Fl.*
Horticulture (Boston), iv. 367 (1906); xi. 217 (1910).
C. H. Curtis, Orchids for Everyone, 96 (1910).—*Hab.*
Orch. Rev. xxii. 325 (1914).—*Hab.*
Forsteri F. W. L. Fischer
Comm. Soc. Phys. Med. Mosq. i. I. t. 4, fig. L (1808).—*Fl.*
fractiflexum Finet
Bull. Soc. Bot. France, l. t. 13 (1903).—*Fl.*
Pflanzenreich, Orch.-Dendr. i. 227 (1910).
Ann. Mus. Col. Marseille, Ser. II. x. 362, t. 18–19 (1912).
funiforme Bl.
*Blume, Rumphia, iv. t. 193, 198 (1848).
Pflanzenreich, Orch.-Dendr. i. 281 (1910).

DENDROBIUM
furcato-pedicellatum Hayata
Hayata, Ic. Pl. Formos. iv. 39 (1914).—*Fl.*
fuscatum Lindl.
*Bot. Mag. cii. t. 6226 (1876).
fuscescens Griff.
Griffith, Ic. Pl. Asiat. t. 309 (1851).
*Ann. Bot. Gard. Calcutta, viii. t. 88 (1898).
fusiforme Thou.
Petit-Thouars, Hist. Pl. Orch. Iles Afr. t. 86 (1822).
fusiforme F. M. Bailey
Gard. Chron. Ser. III. xli. 337 (1907); lxv. 156 (1919).
Fytchianum roseum E. S. Berkeley
*Warner & Will. Orch. Album, vii. t. 336 (1888).
galactanthum Schlechter
Orchis, ix. 94, t. 7 (1915).—*Fl.*
Galliceanum Linden
*Lindenia, vi. t. 241 (1890).
Gamblei King & Pantl.
*Ann. Bot. Gard. Calcutta, ix. t. 99 (1906).
Gazellae Kränzl.
Engler, Bot. Ergebn. Exped. Gazelle, t. 5 [1890].
Pflanzenreich, Orch.-Dendr. i. 196 (1910).
gemellum Lindl.
J. J. Smith, Orch. Java, Fig.-Atlas, iv. fig. 276 (1911).—*Fl.*
geminatum Lindl.
J. J. Smith, Orch. Java, Fig.-Atlas, iii. fig. 262 (1910).—*Fl.*
Gibsonii Paxt.
*Paxt. Mag. v. 169 (1838).
Paxt. Fl. Gard. ii. 133 (1851–52).—*Fl.*
Lem. Jard. Fl. ii. Misc. 94 (1852).—*Fl.*
*Ann. Bot. Gard. Calcutta, viii. t. 81 (1898).
Gjellerupii J. J. Sm.
Nova Guinea, viii. t. 89 (1911).
glabrum J. J. Sm.
Nova Guinea, viii. t. 20 (1909).—*Fl.*
glomeratum Rolfe
Gard. Chron. Ser. III. xv. 653 (1894); lx. 97 (1916).
Reichenbach f., Xenia Orch. iii. t. 290 (1896).—*Fl.*
Garden, lxv. 123 (1904).—*Fl.*
Nova Guinea, viii. t. 93 (1911).—*Fl.*
Goldfinchii F. Muell.
Pflanzenreich, Orch.-Dendr. i. 268 (1910).
Goldiei Reichb. f.
*Garden, xiv. 244 (1878).
Gard. Chron. Ser. III. xlix. 36 (1911).
goliathense J. J. Sm.
Nova Guinea, xii. t. 10 (1913).
Gouldii Reichb. f.
Reichenbach f., Xenia Orch. ii. t. 169 (1870).—*Fl.*
Nova Guinea, viii. t. 23 (1909).—*Fl.*
—— **acutum** Reichb. f.
Reichenbach f., Xenia Orch. ii. t. 169 (1870).—*Fl.*
gracile Lindl.
Pflanzenreich, Orch.-Dendr. i. 236 (1910).
gracilicaule F. Muell.
*Bot. Mag. cxv. t. 7042 (1889).
gracilipes Burkill
Burkill in Journ. Asiat. Soc. Straits Branch, No. 79, p. 45 (1918).
grande Hook. f.
Hook. Ic. Pl. xxi. t. 2024 (1890).
grandiflorum H. B. K.
H. B. K. Nov. Gen. i. t. 88 (1815).
grandiflorum Lindl.
Reichenbach f., Xenia Orch. ii. t. 110 (1862).
J. J. Smith, Orch. Java, Fig.-Atlas, iii. fig. 244 (1910).—*Fl.*
graminifolium Wight
Wight, Ic. Pl. Ind. Or. v. t. 1649 (1851).
gratiosissimum Reichb. f.
*Reichenbach f., Xenia Orch. ii. t. 193 (1874).—*Fl.*
Hesdörffer, Handb. Zimmergärtn. Ed. 2, p. 280, fig. 169 (1900).
*Costantin, Atlas Orch. Cult. t. 26 (1913) ex indice; *Eudendrobium gratiosissimum* in ic.—*Fl.*
Guibertii Carr.
*Rev. Hort. 1876, p. 431.

DENDROBIUM
Guibertii
*Ill. Hort. xxiii. t. 258 (1876).
*De Puydt, Orchidées, t. 16 (1880).—*Hab.*
guttatum J. J. Sm.
Nova Guinea, xii. t. 12 (1913).—*Fl.*
Harrisoniae Hook.
*Hooker, Exot. Fl. ii. t. 120 (1825).
Harveyanum Reichb. f.
Gard. Chron. Ser. III. xvi. 593 (1894).—*Fl.*
Orch. Rev. vi. 81 (1898); xi. 313 (1903); xvi. 25 (1908); xxiii. 120 (1915).
Hasseltii Reichb. f.
Reichenbach f., Xenia Orch. ii. t. 109 (1862).
Hasseltii Lindl.
*Ill. Hort. xxxii. t. 545 (1885).
J. J. Smith, Orch. Java, Fig.-Atlas, iii. fig. 273 (1910).—*Fl.*
hedyosmum Batem.
*Bot. Mag. xci. t. 5515 (1865).
*Bateman, Second Cent. Orch. Pl. t. 155 (1867).
heishanense Hayata
Hayata, Ic. Pl. Formosan. iv. 37 (1914).—*Fl.*
heterocarpum Wall.
*Wallich, Pl. Asiat. Rar. ii. t. 196 (1831).
*Fl. des Serres, Ser. I. viii. t. 842 (1852–53).
Dietrich, Fl. Univ. Abt. i. t. 901 (1852–55).
*Bot. Mag. lxxix. t. 4708 (1853).
*Lem. Jard. Fl. iv. t. 386 (1853).
*Bateman, Second Cent. Orch. Pl. t. 150 (1867).
Gard. Chron. xxiii. 472 (1885).—*Fr.*
*Ann. Bot. Gard. Calcutta, viii. t. 74 (1898).
*Cogniaux, Dict. Icon. Orch., Dendrob. t. 10 (1898).—*Fl.*
Ames, Orchidac. ii. 176 (1908).—*Fl.*
J. J. Smith, Orch. Java, Fig.-Atlas, iv. fig. 281 (1911).—*Fl.*
—— **Henshallii** Hook.
*Bot. Mag. lxxxiii. t. 4970 (1857).
heteroideum Bl.
*Blume, Rumphia, iv. t. 193 (1848).
Pflanzenreich, Orch.-Dendr. i. 281 (1910).—*Hab.*
Heyneanum Lindl.
Wight, Ic. Pl. Ind. Or. iii. t. 909 (1843–45).
Hildebrandii Rolfe
Gard. Chron. Ser. III. xviii. 93 (1895).—*Hab.*
Orch. Rev. iii. 49 (1895); xii. 153 (1904); xvi. 26 (1908); xxiv. 73 (1916).
*Bot. Mag. cxxii. t. 7453 (1896).
*Costantin, Atlas Orch. Cult. t. 26 (1913) ex indice; *Eudendrobium Hildebrandii* in ic.—*Fl.*
Hillii Hook.
*Bot. Mag. lxxxvii. t. 5261 (1861).
*Bateman, Second Cent. Orch. Pl. t. 195 (1867).
De Puydt, Orchidées, 64 (1880).
*Warner & Will. Orch. Album, v. t. 198 (1886).
hirsutum Griff.
Griffith, Ic. Pl. Asiat. t. 305 (1851).
hispidum Rich.
Richard, Voy. Astrolabe, Bot. Atlas, Sert. Astrolab. t. 5 (1833).
*R. D. Fitzgerald, Austral. Orch. ii [t. 20] (1875–95).
Pflanzenreich, Orch.-Dendr. i. 281 (1910).
Hodgkinsonii Rolfe
*Bot. Mag. cxxvi. t. 7724 (1900).
Hookerianum Lindl.
*Bot. Mag. xcix. t. 6013 (1873).
Journ. Hort. Ser. III. xxvii. 49 (1893); xxxiii. 221 (1896).
*Ann. Bot. Gard. Calcutta, viii. t. 83 (1898).
*Lindenia, xvi. t. 730 (1901).
Horstii J. J. Sm.
Ic. Bogor. iii. t. 210 (1906).
humile Wight
Wight, Ic. Pl. Ind. Or. v. t. 1643 (1851).
hydrophilum J. J. Sm.
Nova Guinea, viii. t. 21 (1909).—*Fl.*
hymenophyllum Lindl.
J. J. Smith, Orch. Java, Fig.-Atlas, iii. fig. 275 (1910).—*Fl.*
hymenopterum Hook. f.
Hook. Ic. Pl. xxi. t. 2032 (1890).
igneum J. J. Sm.
Nova Guinea, viii. t. 25 (1909).—*Fl.*

DENDROBIUM
×illustre Hort.
Gard. Chron. Ser. III. xviii. 15 (1895).
Journ. Hort. Ser. III. xxx. 561 (1895).—*Fl.*
Journ. Roy. Hort. Soc. London, xix. Proc. p. xcviii (1896).—*Fl.*
Veitch, Hortus Veitchii, 190 (1906).
imbricatum J. J. Sm.
Nova Guinea, viii. t. 91 (1911).—*Fl.*
imperatrix Kränzl.
*Sander, Reichenbachia, Ser. II. ii. 111, t. 95 (1895).
Gartenwelt, xiii. 509 (1909).
Imthurnii Rolfe
*Bot. Mag. cxxxviii. t. 8452 (1912).
inaequale Rolfe
*Bot. Mag. cxxvi. t. 7745 (1900).
Pflanzenreich, Orch.-Dendr. i. 265 (1910).
inaequale Finet
Bull. Soc. Bot. France, l. t. 12 (1903).—*Fl.*
inamoenum Kränzl.
Pflanzenreich, Orch.-Dendr. i. 113 (1910).
inauditum Reichb. f.
*Lindenia, ii. t. 66 (1886).
inconstans J. J. Sm.
Nova Guinea, viii. t. 21 (1909).—*Fl.*
indivisum Miq.
J. J. Smith, Orch. Java, Fig.-Atlas, iii. fig. 257 (1910).—*Fl.*
infundibulum Lindl.
*Bot. Mag. xc. t. 5446 (1864).
*Bateman, Second Cent. Orch. Pl. t. 122 (1867).
*Ill. Hort. xxi. t. 172 (1874).
*Garden, xxii. 552 (1882).
Nicholson, Illustr. Dict. Gard. i. 454 [1884–88].—*Fl.*
*Gartenfl. xxxvi. t. 1253 (1887).
*Lindenia, v. t. 199 (1889).
*Warner & Will. Orch. Album, x. t. 448 (1893).
*Cogniaux, Dict. Icon. Orch., Dendrob. t. 6 (1897).
*Costantin, Atlas Orch. Cult. t. 26 (1913).—*Fl.*
Schlechter, Orchideen, 261 (19[14–]15).—*Hab.*
Orchis, xii. 84, 85 (1918).
—— **Jamesianum** Veitch
*Orchidophile, 1886, p. 189.
Nicholson, '1900' Suppl. Dict. Gard. 311 (1900).—*Hab.*
ingratum J. J. Sm.
Nova Guinea, xii. t. 15 (1913).—*Fl.*
insigne Reichb. f.
Nova Guinea, viii. t. 25 (1909).—*Fl.*
Nova Guinea, viii. t. 92 (1911) in textu; *D. insigne aruensis* in ic.—*Fl.*
—— **aruensis** J. J. Sm.
Nova Guinea, viii. t. 92 (1911) in ic.; *D. insigne* in textu.—*Fl.*
—— **subsimplex** J. J. Sm.
Nova Guinea, viii. t. 92 (1911).—*Fl.*
integrilabium J. J. Sm.
Ic. Bogor. ii. t. 117 (1903).—*Fl.*
J. J. Smith, Orch. Java, Fig.-Atlas, iii. fig. 240 (1910).—*Fl.*
isochiloides pumilum J. J. Sm.
Nova Guinea, viii. t. 26 (1909).—*Fl.*
Jamesianum Reichb. f.
Florist, 1869, p. 187.
*Warner & Will. Orch. Album, v. t. 221 (1886).
Gartenfl. xxxvi. 549 (1887).—*Fl.*
Stein, Orchideenbuch, 199 (1892).
B. S. Williams, Orchid-Grower's Man. Ed. 7, p. 343 (1894).
Gartenwelt, xvi. 284 (1912).
japonicum Lindl.
Kwa-wi [transl. Savatier], Herb. iii. t. 13 (1759).
*Bot. Mag. xc. t. 5482 (1864).
*Somoku Dzusetsu, Ed. 2, xviii. t. 35 (1874).
Horticulture (Boston), xi. 689 (1910).—*Hab.*
Jenkinsii Wall.
*Bot. Reg. xxv. t. 37 (1839).
*Warner, Select Orch. Pl. Ser. II. t. 28 (1865–75).
Jerdonianum Wight
Wight, Ic. Pl. Ind. Or. v. t. 1644 (1851).
*Bot. Mag. cxxvi. t. 7741 (1900).
*Cogniaux, Dict. Icon. Orch., Dendrob. t. 28 (1902).

DENDROBIUM
Johannis Reichb. f.
*Bot. Mag. xci. t. 5540 (1865).
Reichenbach f., Xenia Orch. ii. t. 169 (1870).—*Fl.*
Johnsoniae F. Muell.
Gard. Chron. Ser. III. xvi. 339 (1894).—*Hab.*
*Sander, Reichenbachia, Ser. II. ii. 27, t. 61 (1894).
Schweiz. Gartenbau, ix. 57 (1896).
*Garden, li. 262 (1897).
×Juno Hort.
B. S. Williams, Orchid-Grower's Man. Ed. 7, p. 344 (1894).—*Fl.*
Gard. Chron. Ser. III. xxv. 114 (1899).—*Fl.*
Journ. Roy. Hort. Soc. London, xxiii. Proc. p. lxi (1899–1900).—*Fl.*
kanakorum Kränzl.
Pflanzenreich, Orch.-Dendr. i. 106 (1910).—*Fl.*
kentrochilum Hook. f.
Hook. Ic. Pl. xxi. t. 2030 (1890).
kentrophyllum Hook. f.
Hook. Ic. Pl. xxi. t. 2021 (1890).
kietaense Schlechter
Rechinger in Denkschr. Akad. Wiss. Wien, lxxxix. t. 8, fig. 3 (1914).—*Fl.*
Kingianum Bidwill
Ann. Hort. i. 553 (1845).
*Bot. Reg. xxxi. t. 61 (1845).
*Paxt. Mag. xii. 97 (1846).
*Bot. Mag. lxxvi. t. 4527 (1850).
*Lem. Jard. Fl. ii. t. 143 (1851).
*Cogniaux, Dict. Icon. Orch., Dendrob. t. 38 (1905).
Schlechter, Orchideen, 262 (19[14–]15).—*Hab.*
Orchis, xii. 86 (1918).
—— **album** Bidwill
*Warner & Will. Orch. Album, vii. t. 332 (1888).
Kohlmeyerianum Teysm. & Binn.
*Miquel, Choix Pl. Jard. Buitenzorg, t. 24 (1863).
Kuhlii Lindl.
*Bot. Reg. xxxiii. t. 47 (1847).
J. J. Smith, Orch. Java, Fig.-Atlas, iii. fig. 274 (1910).—*Fl.*
Kunstleri Hook. f.
Hook. Ic. Pl. xxi. t. 2023 (1890).
kwashotense Hayata
Hayata, Ic. Pl. Formosan. iv. 37, 42 (1914).—*Fl.*
lageniforme J. J. Sm.
Ic. Bogor. ii. t. 116 (1903).—*Fl.*
lamellatum Lindl.
Blume, Tab. Jav. Orch. t. 10 (1825).—*Fl.*
*Ill. Hort. xxxix. t. 151 (1892).
J. J. Smith, Orch. Java, Fig.-Atlas, iv. fig. 280 (1911).—*Fl.*
lanceola Sw.
Swartz, Adnot. Bot. t. 2 (1829).
lancifolium Rich.
Richard, Voy. Astrolabe, Bot. Atlas, Sert. Astrolab. t. 8 (1833).
Pflanzenreich, Orch.-Dendr. i. 99 (1910).
lasioglossum Reichb. f.
*Bot. Mag. xcvi. t. 5825 (1870).
*Costantin, Atlas Orch. Cult. t. 26 (1913) ex indice; *Eudendrobium lasioglossum* in ic.—*Fl.*
Lawesii F. Muell.
Pflanzenreich, Orch.-Dendr. i. 106 (1910).—*Fl.*
E. Werner, Kaiser-Wilhelms-Land, 205 (1911).
Leeanum O'Brien
Gard. Chron. Ser. III. x. 641 (1891).—*Fl.*
Journ. Roy. Hort. Soc. London, xiii. Proc. p. clxxxii (1891).—*Fl.*
Journ. Hort. Ser. III. xxiii. 537 (1891).—*Fl.*
B. S. Williams, Orchid-Grower's Man. Ed. 7, p. 345 (1894).—*Fl.*
×Leechianum Reichb. f.
Gard. Chron. xvii. 256 (1882).—*Fl.*
*Garden, xxiv. 6 (1883).
*Sander, Reichenbachia, ii. 3, t. 50 (1890).
Journ. Hort. Ser. III. xxxii. 229 (1896); xl. 325 (1900).—*Fl.*
*Rev. Hort. 1904, p. 280.
leonis Reichb. f.
*Ann. Bot. Gard. Calcutta, v. t. 10 (1895).
*Bot. Mag. cxxii. t. 7493 (1896).

DENDROBIUM
leopardinum Wall.
Wallich, Tent. Fl. Nap. t. 28 (1826).
leporinum J. J. Sm.
Nova Guinea, viii. t. 24 (1909).—*Fl.*
leucolophotum Reichb. f.
*Lindenia, vii. t. 291 (1891).
lilacinum Reichb. f.
Reichenbach f., Xenia Orch. ii. t. 146 (1867).—*Fl.*
Linawianum Reichb. f.
*Warner & Will. Orch. Album, iii. t. 141 (1884).
*Costantin, Atlas Orch. Cult. t. 26 (1913) ex indice; *Eudendrobium Linawianum* in ic.—*Fl.*
Lindleyanum Griff.
Griffith, Ic. Pl. Asiat. t. 308 (1851).
linearifolium Teysm. & Binn.
*Miquel, Choix Pl. Jard. Buitenzorg, t. 23 (1863).
J. J. Smith, Orch. Java, Fig.-Atlas, iii. fig. 246 (1910).—*Fl.*
Schlechter, Orchideen, 263 (19[14–]15).—*Hab.*
linguiforme Sw.
*J. E. Smith, Exot. Bot. i. t. 11 [1804–5].
*Trattinick, Ausw. Gartenpfl. i. t. 67 (1821).
*Bot. Mag. lxxxvii. t. 5249 (1861).
Pfitzer, Grundz. Vergl. Morph. Orchideen, t. 2, fig. 5 (1882).—*Veg.*
Orch. Rev. xii. 137 (1904); xvi. 70 (1908); xxi. 152 (1913).—*Hab.*
Journ. Roy. Hort. Soc. London, xxxiii. 391, fig. 60 (1908).
Pflanzenreich, Orch.-Dendr. i. 290 (1910).
listeroglossum Kränzl.
Reichenbach f., Xenia Orch. iii. t. 260 (1892).
lituiflorum Lindl.
*Warner, Select Orch. Pl. Ser. II. t. 3 (1865–75).
*Bot. Mag. xcix. t. 6050 (1873).
Nicholson, Illustr. Dict. Gard. i. 455 [1884–88].—*Fl.*
*Costantin, Atlas Orch. Cult. t. 26 (1913) ex indice; *Eudendrobium lituiflorum* in ic.—*Fl.*
—— **Farmeri** Reichb. f.
*Gartenfl. xxxi. t. 1086 (1882) in ic.; *D. lituiflorum Freemannii* in textu.
—— **Freemannii** Reichb. f.
*Gartenfl. xxxi. t. 1086 (1882) in textu; *D. lituiflorum Farmeri* in ic.
—— **robustius** Reichb. f.
*Reichenbach f., Xenia Orch. iii. t. 214 (1881).
lobatum Miq.
J. J. Smith, Orch. Java, Fig.-Atlas, iii. fig. 258 (1910).—*Fl.*
lobulatum Rolfe & J. J. Sm.
J. J. Smith, Orch. Java, Fig.-Atlas, iii. fig. 255 (1910).—*Fl.*
Loddigesii Rolfe
Pflanzenreich, Orch.-Dendr. i. 37 (1910).
*Costantin, Atlas Orch. Cult. t. 26 (1913) ex indice; *Eudendrobium Loddigesii* in ic.—*Fl.*
Orchis, ix. 8, t. 2 (1915).—*Fl.*
lonchophyllum Hook. f.
Hook. Ic. Pl. xxi. t. 2018 (1890).
longicalcaratum Hayata
Hayata, Ic. Pl. Formosan. iv. t. 8 (1914).
longicaule J. J. Sm.
Nova Guinea, viii. t. 91 (1911).—*Fl.*
longicornu Lindl.
*Bot. Reg. xvi. t. 1315 (1830).
*Burnett, Pl. Util. iv. t. 129, b (1850).
*Ann. Bot. Gard. Calcutta, viii. t. 64 (1898).
longipes Hook. f.
Hook. Ic. Pl. xxi. t. 2017 (1890).
Lowii Lindl.
*Bot. Mag. lxxxviii. t. 5303 (1862).
*Bateman, Second Cent. Orch. Pl. t. 189 (1867).
Journ. Hort. xlvii. 498 (1872); Ser. III. xliv. 5 (1902).
*Fl. des Serres, Ser. II. xiii. t. 2395 (1880).
*Cogniaux, Dict. Icon. Orch., Dendrob. t. 30 (1903).
*Costantin, Atlas Orch. Cult. t. 26 (1913).—*Fl.*
lucens Reichb. f.
Reichenbach f., Xenia Orch. ii. t. 146 (1867).—*Fl.*
×Luegerianum Hefka
Oesterr. Gart.-Zeit. viii. 231 (1913).
luteolum Batem.
*Bot. Mag. xc. t. 5441 (1864).
*Bateman, Second Cent. Orch. Pl. t. 185 (1867).

DENDROBIUM
luteolum
Journ. Hort. Ser. III. xii. 175 (1886); xxxii. 143 (1896); li. 519 (1905); liv. 137 (1907).
Veitch, Man. Orch. Pl. Pt. 3, p. 57 (1888).—*Fl.*
Pflanzenreich, Orch.-Dendr. i. 37 (1910).—*Fl.*
*Costantin, Atlas Orch. Cult. t. 26 (1913) ex indice; *Eudendrobium luteolum* in ic.—*Fl.*
Orch. World, vi. 263 (1916).—*Fl.*
—— **chlorocentrum** Reichb. f.
Gard. Chron. xix. 340 (1883).—*Fl.*
*Warner & Will. Orch. Album, vii. t. 322 (1888).
B. S. Williams, Orchid-Grower's Man. Ed. 7, p. 347 (1894).—*Fl.*
luzonense Lindl.
Pflanzenreich, Orch.-Dendr. i. 173 (1910).
Lyonii Hort.
Horticulture (Boston), xxix. 61 (1919).—*Hab.*
lyperanthiflorum Kränzl.
Pflanzenreich, Orch.-Dendr. i. 196 (1910).
MacCarthiae Thw.
*Bot. Mag. lxxxi. t. 4886 (1855).
*Bateman, Second Cent. Orch. Pl. t. 158 (1867).
*Warner & Will. Orch. Album, vii. 319 (1888).
Veitch, Man. Orch. Pl. Pt. 3, p. 58 (1888).—*Fl.*
*Lindenia, viii. t. 349 (1892).
Nicholson, '1900' Suppl. Dict. Gard. 311 (1900).—*Fl.*
Schlechter, Orchideen, 265 (19[14–]15).—*Hab.*
Orch. World, vi. 114 (1916).—*Fl.*
Macfarlanei Reichb. f.
Veitch, Man. Orch. Pl. Pt. 3, p. 59 (1888).—*Fl.*
Journ. Hort. Ser. III. xx. 177 (1890).
Wien. Ill. Gart.-Zeit. xv. 340 (1890).
Journ. Roy. Hort. Soc. London, xiii. p. cxcii, fig. 74 (1891).
B. S. Williams, Orchid-Grower's Man. Ed. 7, p. 348 (1894).—*Fl.*
Macfarlanei F. Muell.
Nova Guinea, viii. t. 22 (1909).—*Fl.*
Macraei Lindl.
*Ann. Bot. Gard. Calcutta, viii. t. 86 (1898).
J. J. Smith, Orch. Java, Fig.-Atlas, iii. t. 238 (1910).—*Fl.*
Schlechter, Orchideen, 265 (19[14]–15).—*Hab.*
Basu, Ind. Med. Pl. t. 933 (1918).
macranthum A. Rich.
Richard, Voy. Astrolabe, Bot. Atlas, Sert. Astrolab. t. 6 (1833).
macranthum Hook.
*Bot. Mag. lxix. t. 3970 (1842).
*Florist's Journ. t. 42 (1843).
*Fl. des Serres, Ser. I. viii. t. 757, p. 23, t. 3 (1852–53).
Rev. Hort. Ser. IV. viii. 218, 219 (1859).
Delchevalerie, Orch. Ed. 3, p. 87, 88 (1889).
—— **purpureo marginatum** De Vriese
*De Vriese, Illustr. Orch. t. 13 (1854).
macrolobum J. J. Sm.
Nova Guinea, xii. t. 10 (1913).
macrophyllum A. Rich.
Richard, Voy. Astrolabe, Bot. Atlas, Sert. Astrolab. t. 9 (1833).
*Ill. Hort. xxxv. t. 57 (1888).
*Warner & Will. Orch. Album, viii. t. 339 (1889).
Stein, Orchideenbuch, 202 (1892).—*Fl.*
Pflanzenreich, Orch.-Dendr. i. 245 (1910).—*Fl.*
—— **malaccense** Hort.
Orch. World, i. 268 (1911).—*Hab.*
—— **Veitchianum** Lindl.
*Bot. Mag. xciii. t. 5649 (1867).
Teysmannia, v. 356, t. 6 (1894); xx. 564 (1909).
J. J. Smith, Orch. Java, Fig.-Atlas, iii. fig. 263 (1910).—*Fl.*
Orch. World, i. 55 (1910).—*Fl.*
macrophyllum Lindl.
*Lindley, Sertum Orch. t. 35 (1840).
*Paxt. Mag. viii. 97, 98 (1841).
Gard. Chron. 1845, p. 84.—*Hab.*
*Hooker, Cent. Orch. Pl. t. 12 (1849).
Reichenbach, Ic. Fl. Germ. xiii & xiv. t. 353, fig. 56–60 (1850).—*Fl.*
*Horticulteur Franç. 1852, t. 17.
*Linden, Pescatorea, t. 40 (1860).

DENDROBIUM
macrophyllum
*Beer, Beitr. Morph. u. Biol. Orch. t. 5, fig. 2 (1863).—*Fr.*
*De Puydt, Orchidées, t. 17 (1880).
*Warner & Will. Orch. Album, i. t. 42 (1882).
—— **giganteum** Hort.
*Warner, Select Orch. Pl. Ser. I. t. 26 (1862–65).
—— **pallidum** Hort.
*Planchon, Hort. Donat. Atlas, [t. 1] (1854–58).
macropodum Hook. f.
Hook. Ic. Pl. xxi. t. 2020 (1890).
macrostachyum Lindl.
*Bot. Reg. xxii. t. 1865 (1836).
Mutel in Mém. Soc. Mus. Hist. Nat. Strasbourg, iii. 1. t. 1, fig. 3 (1840).—*Fl.*
Wight, Ic. Pl. Ind. Or. v. t. 1647 (1851).
Madonnae Rolfe
*Bot. Mag. cxxix. t. 7900 (1903).
Gard. Chron. Ser. III. xliii. 162 (1908).—*Hab.*
malacanthum Kränzl.
Pflanzenreich, Orch.-Dendr. i. 196 (1910).—*Fl.*
margaritaceum Finet
Bull. Soc. Bot. l. t. 14 (1903).—*Fl.*
marginatum Batem.
*Bot. Mag. xc. t. 5454 (1864).
*Costantin, Atlas Orch. Cult. t. 26 (1913).—*Fl.*
marivelense Ames
Ames, Orchidac. ii. 180 (1908).
megaceras Hook. f.
Hook. Ic. Pl. xxi. t. 2031 (1890).
×**melanodiscus** Reichb. f.
Journ. Hort. Ser. III. xxii. 261 (1891); l. 25 (1905).—*Fl.*
*Sander, Reichenbachia, Ser. II. i. 27, t. 12 (1892).
—— **gloriosa** Hort.
Gard. Chron. Ser. III. xxxv. 219 (1904).
—— **pallens** Hort.
Journ. Roy. Hort. Soc. London, xiii. Proc. p. xli (1891).—*Fl.*
Orch. Rev. xi. 113 (1903); xxiv. 17 (1916).—*Fl.*
×**Melpomene** Hort.
Journ. Hort. Ser. III. xl. 281 (1900).—*Fl.*
Journ. Roy. Hort. Soc. London, xxv. Proc. p. cxxvii (1900–1).—*Fl.*
Merrillii Ames
Ames, Orchidac. ii. 181 (1908).—*Fl.*
mesochlorum Lindl.
Paxt. Fl. Gard. i. 63 (1850–51).—*Fl.*
mexicanum Presl
Presl, Symbolae Bot. t. 25 (1830–32).
Micholitzii Rolfe
Ames, Orchidac. i. t. 11 (1905).
Pflanzenreich, Orch.-Dendr. i. 276 (1910).
microbolbon A. Rich.
Ann. Sc. Nat. Paris, Ser. II. xv. t. 8 (1841).
Pflanzenreich, Orch.-Dendr. i. 82 (1910).—*Hab.*
Milliganii F. Muell.
F. Mueller, Fragm. Phyt. Austral. i. 88 (1859).
*Meredith, Bush Friends Tasmania, t. 3 (1860).
minahassae Kränzl.
Pflanzenreich, Orch.-Dendr. i. 106 (1910).—*Fl.*
minax Reichb. f.
*Reichenbach f., Xenia Orch. ii. t. 145 (1867).
Pflanzenreich, Orch.-Dendr. i. 143 (1910).
minimum Ames & Schweinf.
Ames, Orchidac. vi. t. 91 (1920).
Mirbelianum Gaudich.
Rumphius, Herb. Amboin. vi. t. 45 (1750); fide Merrill, Interpret. Rumph. Herb. Amboin.
Freycinet, Voyage, t. 38 (1826).
*Lindenia, v. t. 215 (1889).
Pflanzenreich, Orch.-Dendr. i. 143 (1910).—*Fl.*
mitriferum J. J. Sm.
Nova Guinea, viii. t. 94 (1911).—*Fl.*
Mohlianum Reichb. f.
*Bonplandia, x. t. 16 (1862).
*Seemann, Fl. Vit. t. 91 (1865–73).
Pflanzenreich, Orch.-Dendr. i. 117 (1910).—*Fl.*
molle J. J. Sm.
Nova Guinea, viii. t. 27 (1909).—*Fl.*
moluccense J. J. Sm.
Rumphius, Herb. Amboin. vi. t. 50, fig. 2 (1750); fide Merrill, Interpret. Rumph. Herb. Amboin.
monile Kränzl.
Pflanzenreich, Orch.-Dendr. i. 50 (1910).—*Fl.*

DENDROBIUM
monile
Somoku Dzusetsu, Ed. Makino (Iconogr. Pl. Nippon), xviii. t. 16 (1912).
moniliforme Sw.
Journ. f. die Bot. ii. iv. t. 2, fig. 1 b (1799).—*Fl.*
*Bot. Reg. xvi. t. 1314 (1830).
*Glenny in Hort. Journ. iv. 66 (1836).
*Paxt. Mag. iii. 77 (1837).
*Maund, Botanist, iv. t. 194 (1840).
*Bot. Mag. lxxi. t. 4153 (1845).
*Ann. Gand, iii. t. 137 (1847).
*Hooker, Cent. Orch. Pl. t. 11 (1849).
*Burnett, Pl. Util. iv. t. 102, b (1850).
Somoku Dzusetsu, Ed. 2, xviii. t. 16, 17 (1874).
*Useful Pl. Jap. iii. t. 925 (1895).
monophyllum F. Muell.
*R. D. Fitzgerald, Austral. Orch. i [t. 30] (1875–95).
montanum J. J. Sm.
J. J. Smith, Orch. Java, Fig.-Atlas, iv. fig. 277 (1911).—*Fl.*
Moorei F. Muell.
*R. D. Fitzgerald, Austral. Orch. i [t. 27] (1875–95).
moschatum Sw.
*Wallich, Pl. Asiat. Rar. ii. t. 195 (1831).
*Paxt. Mag. ii. 241 (1836).
*Maund, Botanist, i. t. 37 (1837).
*Bot. Mag. lxvii. t. 3837 (1840).
*Hartinger, Parad. Vindob. t. 15 (1844–60).
*Hooker, Cent. Orch. Pl. t. 13 (1849).
*Ann. Bot. Gard. Calcutta, viii. t. 84 (1898).
*Gartenwelt, vi. 522 (1902).
—— **cupreum** Reichb. f.
*Warner & Will. Orch. Album, iv. t. 165 (1885).
moulmeinense Parish
Hook. Ic. Pl. xxi. t. 2033 (1890).
multiflorum Par. & Reichb. f.
Trans. Linn. Soc. London, xxx. t. 31 (1874).
multistriatum J. J. Sm.
Nova Guinea, viii. t. 25 (1909).—*Fl.*
muricatum Finet
Bull. Soc. Bot. France, l. t. 14 (1903).—*Fl.*
—— **munificum** Finet
Bull. Soc. Bot. France, l. t. 14 (1903).—*Fl.*
*Bot. Mag. cxxxvii. t. 8371 (1911).
mutabile Lindl.
Teysmannia, xx. 564 (1909).
Ann. Jard. Bot. Buitenzorg, xxiii. t. 1, fig. 6 (1909).
J. J. Smith, Orch. Java, Fig.-Atlas, iii. fig. 270 (1910).—*Fl.*
nanum Hook. f.
Hook. Ic. Pl. xix. t. 1853 (1889).
neo-pommeranicum Schlechter
Rechinger in Denkschr. Akad. Wiss. Wien, lxxxix. 525, fig. 19 (1914).—*Fl.*
×**Nestor** O'Brien
Orch. Rev. ii. 273 (1894); ix. 145 (1901); xxv. 81 (1917).—*Hab.*
Nieuwenhuisii J. J. Sm.
Ic. Bogor. iii. t. 211 (1906).
nitidissimum Reichb. f.
Pfitzer, Grundz. Vergl. Morph. Orchideen, t. 2, fig. 3 (1882).—*Veg.*
nobile Lindl.
*Lindley, Sertum Orch. t. 3 (1837).
*Paxt. Mag. vii. 7 (1840).
*Hartinger, Parad. Vindob. t. 16 (1844–60).
Ill. Hort. iv. Misc. 55 (1857).—*Hab.*
*Gard. Month. & Hort., Meehan, xiii. 161 (1871).
Gard. Chron. 1872, p. 732; xi. 565 (1879); Ser. III. v. 561 (1889); xi. 725 (1892); xxiii. 341 (1898).—*Hab.*
Journ. Hort. Ser. III. x. 441 (1885); lvi. 511 (1908); lxii. 353 (1911); lxix. 343 (1914).—*Hab.*
*Miner, Orchids, t. 3 (1885).
*Kerner, Pflanzenleben, i. 206 (1887); Ed. 3, i. 161 (1913).—*Hab.*
Veitch, Man. Orch. Pl. Pt. 3, p. 63, 66 (1888).—*Fl.*
Pflanzenfam. ii. vi. 67, 173 (1889).—*Fl.*
*Orchidophile, 1890, p. 304.
Journ. Orch. iii. 245 (1892).—*Hab.*
*Kerner & Oliv. Nat. Hist. Pl. i. t. 3 (1894).—*Hab.*
Kerchove, Livre Orch. 150 (1894).—*Fl.*
B. S. Williams, Orchid-Grower's Man. Ed. 7, p. 351 (1894).—*Fl.*

DENDROBIUM
nobile
Orch. Rev. ii. 113 (1894); v. 209 (1897); ix. 73 (1901); xvi. 67 (1908); xxii. 137 (1914).
Linden, Orch. Exot. 1894, p. 736.
Brehm, Merv. Nat. Monde des Pl. ii. 545 (1894–96).
*R. Nielsen, Trop. Orch. Dyrkning, Kjøbenh. t. 5 (1895).
*Bois, Atlas Pl. Jard. t. 244 (1896).
*Cogniaux, Dict. Icon. Orch., Dendrob. t. 1 (1896).—*Fl.*
Rev. Hort. Belge, xxiii. 25 (1897); xxxiv. 192 (1908).
*Step, Fav. Fl. Gard. & Greenh. iv. t. 237 (1897).
Garden, liii. 200 (1898); lix. 377 (1901).—*Hab.*
*Ann. Bot. Gard. Calcutta, viii. t. 71 (1898).
L. H. Bailey, Cycl. Amer. Hort. 470 (1900); Stand. Cycl. Hort. 982 (1914).—*Hab.*
Journ. Roy. Hort. Soc. London, xxiv. 196 (1900).—*Fl.*
Nicholson, '1900' Suppl. Dict. Gard. 312 (1900).
Kertészeti Lapok (Hungarian Journ. Horticult.), xviii. 107 (1903).—*Fl.*
Horticulture (Boston), iii. 731 (1906).—*Hab.*
Velenovsky, Vergl. Morphol. Pfl. ii. 664 (1907).
Woodrow, Gardening Tropics, 507 [1910].—*Fl.*
*Lindman, Vi och våra blomm. t. 4 (1911–13).
*Costantin, Atlas Orch. Cult. t. 26 (1913) ex indice; *Eudendrobium nobile* in ic.—*Fl.*
Schlechter, Orchideen, 267, 770 (19[14]–15).
—— **albiflorum** Hort.
Orch. Rev. ii. 113 (1894); ix. 73 (1901).—*Fl.*
—— **albo-luteum** Hort.
*Lindenia, xiv. t. 645, 646 (1898–99).
—— **album** Hort.
*Orchidophile, 1890, p. 304.
Journ. Hort. Ser. III. xl. 281 (1900); xlv. 237 (1902).—*Fl.*
—— **anomalum** Linden
!*Lindenia, xiv. t. 645, 646 (1898–99).
—— **Ashworthianum** Hort.
Gard. Chron. Ser. III. xxiii. 203 (1898).
Journ. Roy. Hort. Soc. London, xxii. Proc. p. lii (1898–99).
—— **aureum** Hort.
Journ. Roy. Hort. Soc. London, xxv. Proc. p. cxxvi (1900–1).—*Fl.*
—— **Ballianum** O'Brien
*Cogniaux, Dict. Icon. Orch., Dendrob. t. 1 B (1897).—*Fl.*
—— **candidulum** Linden
*Lindenia, x. t. 480 (1894).
—— **chinense** Hort.
Semaine Hort. 1899, p. 181.—*Hab.*
—— **Cooksonianum** Reichb. f.
Veitch, Man. Orch. Pl. Pt. 3, p. 64 (1888); Pt. 10, p. 44 (1894).—*Fl.*
*Lindenia, viii. t. 340 (1892).
Kerchove, Livre Orch. 361 (1894).—*Fl.*
Orch. Rev. ii. 113 (1894); ix. 73 (1901).—*Fl.*
B. S. Williams, Orchid-Grower's Man. Ed. 7, p. 352 (1894).
*Cogniaux, Dict. Icon. Orch., Dendrob. t. 1 A (1896).—*Fl.*
Garden, lv. 445 (1899).—*Fl.*
—— **excellens** Hort.
*Lindenia, xiv. t. 645, 646 (1898–99).
—— **jaspideum** Linden
*Lindenia, xvii. t. 781 (1902).
—— **luteum** Hort.
*Lindenia, xiv. t. 645, 646 (1898–99).
—— **maius** Hort.
*Lindenia, xiv. t. 645, 646 (1898–99).
—— **nobilius** Reichb. f.
*Garden, xxiv. 206 (1883).
*Warner & Will. Orch. Album, v. t. 214 (1886).
Orch. Rev. ii. 113 (1894); ix. 73 (1901).—*Fl.*
*Ill. Hort. xlii. t. 36 (1895).
*Cogniaux, Dict. Icon. Orch., Dendrob. t. 1 C (1897).—*Fl.*
—— **pallidiflorum** Hook.
*Bot. Mag. lxxxiii. t. 5003 (1857).
Journ. Hort. xlix. 264 (1873).
—— **Rappartianum** Hort.
Orch. Rev. xx. 273 (1912).—*Fl.*

DENDROBIUM
nobile Sanderianum Reichb. f.
*Sander, Reichenbachia, ii. 21, t. 58 (1890).
Orch. Rev. ii. 113 (1894); ix. 73 (1901).—*Fl.*
—— **splendidum** Hort.
*Lindenia, xiv. t. 645, 646 (1898–99).
—— **virginale** Hort.
Orch. Rev. v. 145 (1897); viii. 121 (1900); xvii. 200, 201 (1909); xix. 168 (1911).
Gard. Chron. Ser. III. xxxv. 357 (1904).—*Hab.*
Horticulture (Boston), x. 33 (1909).—*Hab.*
Orch. World, iii. 88 (1912); vi. 91 (1916).—*Hab.*
—— **Wallichianum** Hort.
*Garden, xxiv. 206 (1883).
nodatum Lindl.
*Bot. Mag. xc. t. 5470 (1864).
*Fl. des Serres, Ser. II. v. t. 1582 (1864–65).
normale Falc.
Griffith, Ic. Pl. Asiat. t. 284 (1851).—*Fl.*
*Ann. Bot. Gard. Calcutta, ix. t. 100 (1906).
novae-hiberniae Kränzl.
Pflanzenreich, Orch.-Dendr. i. 136 (1910).
Nova Guinea, viii. t. 93 (1911).—*Fl.*
nudum Lindl.
J. J. Smith, Orch. Java, Fig.-Atlas, iv. fig. 286 (1911).—*Fl.*
nutans Presl
Presl, Symbolae Bot. t. 23 (1830–32).
nutans Lindl.
*Ann. Bot. Gard. Calcutta, v. t. 18 (1895).
O'Brienianum Kränzl.
Ames, Orchidac. ii. 182 (1908).—*Fl.*
Pflanzenreich, Orch.-Dendr. i. 106 (1910).—*Fl.*
obtusisepalum J. J. Sm.
Nova Guinea, xii. t. 17 (1913).—*Fl.*
ochreatum Lindl.
*Cogniaux, Dict. Icon. Orch., Dendrob. t. 16 (1899).
*Costantin, Atlas Orch. Cult. t. 26 (1913) ex indice; *Eudendrobium ochreatum* in ic.—*Fl.*
odiosum Finet
Bull. Soc. Bot. France, l. t. 12 (1903).—*Fl.*
Pflanzenreich, Orch.-Dendr. i. 227 (1910).
odontochilum Reichb. f.
Pflanzenreich, Orch.-Dendr. i. 276 (1910).
ordinatum J. J. Sm.
Nova Guinea, xii. t. 98 (1915).
ornithoflorum Ames
Ames, Orchidac. iii. t. 46 (1908).
ostrinum J. J. Sm.
Nova Guinea, viii. t. 90 (1911).—*Fl.*
Owenianum O'Brien
B. S. Williams, Orchid-Grower's Man. Ed. 7, p. 355 (1894).—*Fl.*
pachyceras F. Muell. & Kränzl.
Pflanzenreich, Orch.-Dendr. i. 136 (1910).—*Fl.*
pachyglossum Par. & Reichb. f.
*Ann. Bot. Gard. Calcutta, v. t. 12 (1895).
×**pallens** Hort.
Journ. Hort. Ser. III. xxxii. 423 (1896); xl. 241 (1900).
palmifolium Sw.
Swartz in Journ. f. die Bot. ii. t. 2, fig. e (1799).—*Fl.*
palpebrae Lindl.
*Ann. Bot. Gard. Calcutta, v. t. 22 (1895).
*Bot. Mag. cxlii. t. 8683 (1916).
Orch. World, vi. 243 (1916).—*Hab.*
pandaneti Ridl.
J. J. Smith, Orch. Java, Fig.-Atlas, iv. fig. 278 (1911).—*Fl.*
panduriferum Hook. f.
*Ann. Bot. Gard. Calcutta, v. t. 15 (1895).
—— **serpens** Hook. f.
*Ann. Bot. Gard. Calcutta, v. t. 16 (1895).
papilioniferum J. J. Sm.
Rumphius, Herb. Amboin. vi. t. 47, fig. 2 (1750); fide Merrill, Interpret. Rumph. Herb. Amboin.
parciflorum Reichb. f.
Pflanzenreich, Orch.-Dendr. i. 223 (1910).
parcum Reichb. f.
Reichenbach f., Xenia Orch. ii. t. 169 (1870).
*Ann. Bot. Gard. Calcutta, v. t. 8 (1895).
Gard. Chron. Ser. III. xxxvii. 314 (1905).—*Fl.*
parietiforme J. J. Sm.
Ic. Bogor. ii. t. 117 (1903).—*Fl.*

DENDROBIUM
Parishii Reichb. f.
*Bot. Mag. xci. t. 5488 (1865).
*Bateman, Second Cent. Orch. Pl. t. 126 (1867).
*Reichenbach f., Xenia Orch. ii. t. 152 (1868).
*Jennings, Orchids, t. 39 (1875).
Mem. Torr. Bot. Club, xii. III. 214 (1907).—*Veg.*
*Costantin, Atlas Orch. Cult. t. 26 (1913) ex indice; *Eudendrobium Parishii* in ic.—*Fl.*
pauciflorum King & Pantl.
*Ann. Bot. Gard. Calcutta, viii. t. 76 (1898).
paucilaciniatum J. J. Sm.
Ic. Bogor. ii. t. 117 (1903).—*Fl.*
Paxtonii Paxt.
*Paxt. Mag. vi. 169 (1839).
*Fl. des Serres, Ser. I. vii. t. 725 (1851–52).
*Neubert's Deutsch. Gart. Mag. vi. 368 (1853).
Paxtonii Lindl.
*Lindenia, v. t. 194 (1889).
pectinatum Finet
Bull. Soc. Bot. France, l. t. 14 (1903).—*Fl.*
Pflanzenreich, Orch.-Dendr. i. 179 (1910).
pedilochilum Schlechter
Orchis, ix. 49, t. 4 (1915).—*Fl.*
peguanum Lindl.
*Saunders, Ref. Bot. ii. t. 144 (1882).
pendulicaule Hayata
Hayata, Ic. Pl. Formosan. iv. 44 (1914).—*Fl.*
pendulum Roxb.
*Cogniaux, Dict. Icon. Orch., Dendrob. t. 19 (1899).—*Fl.*
Nicholson, '1900' Suppl. Dict. Gard. 313 (1900).—*Hab.*
*Costantin, Atlas Orch. Cult. t. 26 (1913) ex indice; *Eudendrobium pendulum* in ic.—*Fl.*
perakense Hook. f.
Hook. Ic. Pl. xxi. t. 2019 (1890).
Phalaenopsis R. D. Fitzg.
*R. D. Fitzgerald, Austral. Orch. i [t. 31] (1875–95).
*Bot. Mag. cxi. t. 6817 (1885).
*Warner & Will. Orch. Album, iv. t. 187 (1885).
Gard. Chron. xxvi. 556 (1886); Ser. III. x. 643 (1891).—*Fl.*
Veitch, Man. Orch. Pl. Pt. 3, p. 68 (1888); Pt. 10, p. 41 (1894).—*Fl.*
Pflanzenfam. ii. VI. 174 (1889).—*Fl.*
*Lindenia, vi. t. 280 (1890).
Gard. & Forest. v. 440 (1892).
*Sander, Reichenbachia, Ser. II. i. 89, t. 42 (1892).
Stein, Orchideenbuch, 205 (1892).—*Fl.*
*Cogniaux, Dict. Icon. Orch., Dendrob. t. 4 (1897).
Nicholson, '1900' Suppl. Dict. Gard. 313 (1900).
Semaine Hort. 1900, p. 413.
Garden, lxviii. 305 (1905).
Orchis, i. 85 (1907).—*Fl.*
Orch. Rev. xvi. 146 (1908); xix. frontisp. (1911); xxv. 132 (1917).
Horticulture (Boston), viii. 507 (1908); xvii. 76 (1913).
L. H. Bailey, Stand. Cycl. Hort. 985 (1914).—*Fl.*
—— **dellense** Hort.
*Cogniaux, Dict. Icon. Orch., Dendrob. t. 4 (1897).
—— **hololeuca** Hort.
Gard. Chron. Ser. III. xviii. 397 (1895); xxviii. 239 (1900).
Journ. Hort. Ser. III. xxxi. 149 (1895).—*Fl.*
—— **Lindeniae** Hort.
*Lindenia, xvi. t. 768 (1902).
—— **Schroederianum** Hort.
Gard. Chron. Ser. III. x. 642 (1891); xv. 339 (1894); xxviii. 238, 241 (1900).
Journ. Hort. Ser. III. xxiii. 325 (1891).—*Fl.*
*Garden, xliii. 236 (1893); lviii. 368 (1900).
*Rev. Hort. Belge, xxiii. 85 (1897).
American Garden, xx. 5 (1899).
Möllers Deutsche Gärtn.-Zeit. xix. 550–52 (1904).
Horticulture (Boston), ii. 457 (1905).—*Hab.*
*Orchis, i. t. 9 (1906).—*Hab.*
C. H. Curtis, Orchids for Everyone, 104 (1910)—*Fl.*
—— **Statterianum** Sander
*Sander, Reichenbachia, Ser. II. i. 15, t. 7 (1892).
phalangillum J. J. Sm.
Nova Guinea, viii. t. 21 (1909).—*Fl.*

DENDROBIUM
Pierardii Roxb.
*Hooker, Exot. Fl. i. t. 9 (1823).
*Lodd. Bot. Cab. viii. t. 750 (1823).
*Bot. Mag. lii. t. 2584 (1825).
*Bot. Reg. xxi. t. 1756 (1835).
Mutel in Mém. Soc. Mus. Hist. Nat. Strasbourg, iii. t. 1, fig. 4 (1840).—*Fl.*
Wight, Ic. Pl. Ind. Or. iii. t. 908 (1843–45).
Journ. Hort. Ser. III. xviii. 293 (1889).—*Hab.*
Garden, xxxv. 501 (1889); xxxix. 197 (1891); xliii. 149 (1893).—*Hab.*
B. S. Williams, Orchid-Grower's Man. Ed. 7, p. 357 (1894).—*Fl.*
*Ann. Bot. Gard. Calcutta, viii. t. 72 (1898).
*Cogniaux, Dict. Icon. Orch., Dendrob. t. 26 (1901).—*Fl.*
Woodrow, Gardening Tropics, 493 [1910].—*Hab.*
C. H. Curtis, Orchids for Everyone, 82 (1910).
Orch. World, ii. 77, 78 (1912).—*Hab.*
*Costantin, Atlas Orch. Cult. t. 26 (1913) ex indice; *Eudendrobium Pierardi* in ic.—*Fl.*
Schlechter, Orchideen, 269 (19[14]–15).—*Hab.*
—— **latifolium** Hort.
*Fl. des Serres, Ser. I. ix. t. 955 (1853–54).
piestocaulon Schlechter
Nova Guinea, viii. t. 27 (1909).—*Fl.*
×**Pitcherianum** Reichb. f.
Orch. Rev. ix. 73 (1901).—*Fl.*
—— **Rolfeae** Rolfe
Orch. Rev. ix. 73 (1901).—*Fl.*
planum J. J. Sm.
J. J. Smith, Orch. Java, Fig.-Atlas, fig. 267 (1910).—*Fl.*
—— **collinum** J. J. Sm.
Nova Guinea, viii. t. 90 (1911).—*Fl.*
pleiostachyum Reichb. f.
Pflanzenreich, Orch.-Dendr. i. 106 (1910).—*Fl.*
plicatile Lindl.
*Beer, Beitr. Morph. u. Biol. Orch. t. 4, fig. 12, t. 5, fig. 24 (1863).—*Fr.*
podagraria Hook. f.
Hook. Ic. Pl. xxi. t. 2026 (1890).
Pflanzenreich, Orch.-Dendr. i. 233 (1910).
polyphlebium Reichb. f.
*Warner & Will. Orch. Album, vii. t. 299 (1888).
Gard. Chron. Ser. III. vi. 244 (1889).—*Fl.*
—— **Emerici** Reichb. f.
Gard. Chron. Ser. III. vi. 244 (1889).—*Fl.*
polystachyon Sw.
*Lodd. Bot. Cab. v. t. 458 (1820).
*Lindley, Collect. t. 20 (1821).
*Fortsetz. Allg. Teutsch. Gart. Mag. viii. t. 11 (1824).
M. Richard, Monogr. Orch. Iles France & Bourbon (Mém. Mus. Hist. Nat. Paris, iv), t. 8 (1828).—*Fl.*
polystachyum Thou.
Petit-Thouars, Hist. Pl. Orch. Iles Afr. t. 85 (1822).
porphyrochilum Lindl.
*Ann. Bot. Gard. Calcutta, viii. t. 59 (1898).
Pflanzenreich, Orch.-Dendr. i. 82 (1910).—*Hab.*
primulinum Lindl.
*Gartenfl. x. t. 326 (1861).
*Trans. Russ. Hort. Soc. 1861, t. 52.
*Warner & Will. Orch. Album, vi. t. 286 (1887).
Veitch, Man. Orch. Pl. Pt. 3, p. 70 (1888).—*Fl.*
Pflanzenreich, Orch.-Dendr. i. 37 (1900).—*Fl.*
*Lindenia, xv. t. 686 (1900).
Journ. Hort. Ser. III. l. 377 (1905); lxx. 2 (1915).
*Ann. Bot. Gard. Calcutta, ix. t. 98 (1906).
*Diels in Natur, iv. t. 6 [1907].
*Costantin, Atlas Orch. Cult. t. 26 (1913) ex indice; *Eudendrobium primulinum* in ic.—*Fl.*
pruinosum Teysm. & Binn.
Nova Guinea, viii. t. 26 (1909).—*Fl.*
pseudo-calceolum J. J. Sm.
Ic. Bogor. iii. t. 240 (1907).
pubescens Hook.
*Hooker, Exot. Fl. ii. t. 124 (1825).
*Joh. Kerner, Hort. Sempervir. t. 836 (1830).
pugioniforme A. Cunn.
Pfitzer, Grundz. Vergl. Morph. Orchideen, t. 2, fig. 4 (1882).—*Veg.*
pulchellum Lodd.
*Lodd. Bot. Cab. xx. t. 1935 (1833).

DENDROBIUM
pulchellum
*Maund, Botanist, i. t. 5 (1837).
Reichenbach, Ic. Fl. Germ. xiii & xiv. t. 356, fig. 31–36 (1850).—*Fl.*
*Bot. Mag. lxxxiv. t. 5037 (1858).
Nicholson, Illustr. Dict. Gard. i. 455 [1884–88]; '1900' Suppl. 314 (1900).
C. H. Curtis, Orchids for Everyone, 91 (1910).
—— **purpureum** Hort.
Gard. Chron. 1848, p. 269.—*Hab.*
Florist, 1849, p. 120 (1850).—*Hab.*
Pulleanum J. J. Sm.
Nova Guinea, viii. t. 90 (1911).—*Fl.*
pumilum Roxb.
Trans. Linn. Soc. London, xxx. t. 31 (1874).
*Ann. Bot. Gard. Calcutta, v. t. 5 (1895).
J. J. Smith, Orch. Java, Fig.-Atlas, iii. fig. 234 (1910).—*Fl.*
punctatum J. J. Sm.
*J. E. Smith, Exot. Bot. i. t. 12 [1804–5].
*Trattinick, Ausw. Gartenpfl. i. t. 66 (1821).
purpureum Roxb.
Rumphius, Herb. Amboin. vi. t. 50, fig. 1 (1750); fide Merrill, Interpret. Rumph. Herb. Amboin.
*Miquel, Choix Pl. Jard. Buitenzorg, t. 20 (1863).
—— **candidulum** Reichb. f.
*Lindenia, iii. t. 98 (1887).
pygmaeum Lindl.
*Ann. Bot. Gard. Calcutta, viii. t. 58 (1898).
Pflanzenreich, Orch.-Dendr. i. 82 (1910).
quinquedentatum J. J. Sm.
Nova Guinea, viii. t. 26 (1909).—*Fl.*
radians Reichb. f.
Reichenbach f., Xenia Orch. ii. t. 146 (1867).—*Fl.*
ramosissimum Wight
Wight, Ic. Pl. Ind. Or. v. t. 1648 (1851).
ramosum Lindl.
*Ann. Bot. Gard. Calcutta, viii. t. 73 (1898).
*Costantin, Atlas Orch. Cult. t. 26 (1913) ex indice; *Eudendrobium ramosum* in ic.—*Fl.*
Rechingerorum Schlechter
Rechinger in Denkschr. Akad. Wiss. Wien, lxxix. t. 8, fig. 5 (1914).—*Fl.*
regium Prain
*Bot. Mag. cxxxi. t. 8003 (1905).
Gard. Chron. Ser. III. xlii. 122 (1907).
Journ. Roy. Hort. Soc. London, xxxiii. Proc. p. ccxiii, fig. 109 (1908).
*Rev. Hort. Belge, xxiv. 144, 145 (1908).
×**retroflexum** J. J. Sm.
Nova Guinea, xii. t. 19 (1913).
revolutum Lindl.
Paxt. Fl. Gard. i. 63 (1850–51).—*Fl.*
*Bot. Mag. cix. t. 6706 (1883).
rhipidolobum Schlechter
Nova Guinea, viii. t. 22 (1909).—*Fl.*
rhodopterygium Reichb. f.
*Costantin, Atlas Orch. Cult. t. 26 (1913) ex indice; *Eudendrobium rhodopterygium* in ic.—*Fl.*
rhodostictum F. Muell. & Kränzl.
Schlechter, Orchideen, 270 (19[14]–15).—*Hab.*
×**rhodostoma** Reichb. f.
*Gard. Chron. xxiii. 472 (1885).—*Fr.*
Veitch, Man. Orch. Pl. Pt. 10, p. 30 (1894).—*Fr.*
rhombeum Lindl.
*Bot. Reg. xxix. t. 17 (1843).
rhomboglossum J. J. Sm.
Nova Guinea, xii. t. 13 (1913).—*Fl.*
rigidum R. Br.
*R. D. Fitzgerald, Austral. Orch. i [t. 28] (1875–95).
Banks & Soland. Bot. Cook's Voy. iii. t. 301 (1905).
×**Rolfeae** Rolfe
Orch. Rev. ii. 113 (1894).—*Fl.*
—— **roseum** Hort.
Orch. Rev. ii. 113 (1894).—*Fl.*
rotundatum Benth.
*Ann. Bot. Gard. Calcutta, viii. t. 87 (1898).
×**rubens** O'Brien
Journ. Hort. Ser. III. lxviii. 163 (1914).—*Hab.*
Orch. World, iv. 113 (1914); vi. 92 (1916).—*Hab.*
—— **grandiflorum** Hort.
*C. H. Curtis, Orchids for Everyone, 4 (1910).—*Fl.*

DENDROBIUM
Ruckeri Lindl.
*Bot. Reg. xxix. t. 60 (1843).
Ann. Bot. Gard. Calcutta, viii. t. 73 (1898).
rugosum Lindl.
J. J. Smith, Orch. Java, Fig.-Atlas, iii. fig. 266 (1910).—*Fl.*
rugulosum J. J. Sm.
Nova Guinea, xii. t. 14 (1913).—*Fl.*
Rumphiae Reichb. f.
Nova Guinea, viii. t. 19 (1909).—*Fl.*
—— **quinquecostatum** J. J. Sm.
Nova Guinea, viii. t. 19 (1909).—*Fl.*
Rumphianum Teysm. & Binn.
!Ann. Jard. Bot. Buitenzorg, xxiii. t. 1, fig. 8 (1909).—*Fl.*
rupestre J. J. Sm.
Nova Guinea, xii. t. 17 (1913).—*Fl.*
rutriferum Reichb. f.
*Lindenia, iii. t. 119 (1887).
sagittatum J. J. Sm.
J. J. Smith, Orch. Java, Fig.-Atlas, iii. fig. 256 (1910).—*Fl.*
salaccense Lindl.
J. J. Smith, Orch. Java, Fig.-Atlas, iii. fig. 264 (1910).—*Fl.*
×**Sanderae** Rolfe
Gard. Chron. Ser. III. xlv. 374 (1909); lx. 168 (1916).
Horticulture (Boston), x. 819 (1909).—*Fl.*
Orch. Rev. xvii. 209 (1909).
*Bot. Mag. cxxxvi. t. 8351 (1910).
Schlechter, Orchideen, 271 (19[14]–15).—*Hab.*
sanguineum Rolfe
Journ. Roy. Hort. Soc. London, xxii. Proc. p. clxxxvii (1898–99).
sanguinolentum Lindl.
*Bot. Reg. xxix. t. 6 (1843).
Neubert's Deutsch. Gart. Mag. xxxvi. t. 4 (1883).—*Fl.*
*Cogniaux, Dict. Icon. Orch., Dendrob. t. 29 (1903).
*Costantin, Atlas Orch. Cult. t. 26 (1913).—*Fl.*
Sarcochilus Finet
Bull. Soc. Bot. France, l. t. 13 (1903).—*Fl.*
Pflanzenreich, Orch.-Dendr. i. 179 (1910).
sarmentosum Rolfe
*Bot. Mag. cxxiii. t. 7525 (1897).
scabrilingue Lindl.
*Costantin, Atlas Orch. Cult. t. 26 (1913).—*Fl.*
×**Schneiderianum** Reichb. f.
*Warner & Will. Orch. Album, ix. t. 411 (1891).
Orch. Rev. viii. 169 (1900); ix. 137 (1901).
Journ. Hort. Ser. III. lviii. 319 (1909).
Schroederi Hort.
*Floral Mag. ix. t. 502 (1870).
Schuetzei Rolfe
Orch. World, iii. 19 (1912).—*Fl.*
Orch. Rev. xx. 337 (1912).—*Fl.*
Gard. Chron. Ser. III. lii. 229 (1912).—*Fl.*
Horticulture (Boston), xvi. 561 (1912).—*Fl.*
*Bot. Mag. cxxxix. t. 8495 (1913).
Journ. Roy. Hort. Soc. London, xxxviii. Proc. p. cclix, fig. 206 (1913).—*Fl.*
Möllers Deutsche Gärtn.-Zeit. xxviii. 13 (1913).—*Fl.*
sculptum Reichb. f.
Reichenbach f., Xenia Orch. ii. t. 146 (1867).
secundum Lindl.
*Bot. Reg. xv. t. 1291 (1829).
Géel, Sert. Bot. Cl. 20 (1832).
*Reichenbach, Fl. Exot. iv. t. 269 (1835).
*Bot. Mag. lxxiv. t. 4352 (1848).
*De Vriese, Illustr. Orch. t. 16 (1854).
*Cogniaux, Dict. Icon. Orch., Dendrob. t. 35 (1905).—*Fl.*
Scient. Proc. Roy. Dublin Soc. N. Ser. xii. t. 6 (1909).—*Fl.*
J. J. Smith, Orch. Java, Fig.-Atlas, iii. fig. 272 (1910).—*Fl.*
—— **Urvillei** Finet
Bull. Soc. Bot. France, l. t. 14 (1903).—*Fl.*
senile Parish
*Bot. Mag. xci. t. 5520 (1865).
*Bateman, Second Cent. Orchid. Pl. t. 147 (1867).
*Reichenbach f., Xenia Orch. ii. t. 155 (1868).
Gartenwelt, ix. 422 (1905).

DENDROBIUM
senile
*Costantin, Atlas Orch. Cult. t. 26 (1913) ex indice; *Eudendrobium senile* in ic.—*Fl.*
×**Sibyl** Hort.
Orch. Rev. xi. 113 (1903).—*Fl.*
simplex J. J. Sm.
Nova Guinea, xii. t. 11 (1913).
spathaceum Lindl.
*Ann. Bot. Gard. Calcutta, viii. t. 68 (1898).
speciosissimum Rolfe
*Gartenfl. xlv. t. 1426 (1896).
speciosum Sm.
*J. E. Smith, Exot. Bot. i. t. 10 [1804–5].
*Trattinick, Ausw. Gartenpfl. i. t. 65 (1821).
*Bauer & Lindl. Ill. Orch. Pl. t. 6, Genera (1830–38). —*Fl.*
*Bot. Mag. lviii. t. 3074 (1831).
*Bot. Reg. xix. t. 1610 (1833).
*Hooker, Cent. Orch. Pl. t. 6 (1849).
Ayres & Moore, Fl. Guide, 37 (1850).
Moore & Ayres, Mag. Bot. i. 149 (1850).
Belg. Hort. iv. t. 33 (1854).—*Hab.*
Journ. Hort. xxvii. 111 (1862); xlix. 323 (1873).
*R. D. Fitzgerald, Austral. Orch. ii [t. 21] (1875–95).
Garten-Zeit. Berlin, iv. 211 (1885).
Gartenfl. xxxvii. 387 (1888).—*Hab.*
Austral. Assoc. Sc. Rep. vi. t. 51, fig. 12–14 (1895).—*Fl.*
*Cogniaux, Dict. Icon. Orch., Dendrob. t. 24 (1900). —*Fl.*
Orch. Rev. x. 105 (1902); xxiv. frontisp. (1916). —*Hab.*
Gard. Chron. Ser. III. xlv. 219 (1909).—*Hab.*
Maiden, Native Fl. N. S. Wales, [t. 10] (1911).
Orchis, viii. 24 (1914).
F. Sulman, Wild Fl. N. S. Wales, ii. t. 56 (1914).
—— **Hillii** Hook.
Gard. Chron. vii. 113 (1877).
Veitch, Man. Orch. Pl. Pt. 3, p. 74 (1888).
F. Mueller in Orch. Rev. xv. 137 (1907).—*Hab.*
Orch. World, v. 107 (1915).
—— **nitidum** Hort.
Gard. Chron. Ser. III. lxv. 155 (1919).
spectabile Miq.
Gard. Chron. Ser. III. xxvi. 491 (1899).
Journ. Hort. Ser. III. xxxix. 562 (1899).—*Fl.*
Journ. Roy. Hort. Soc. London, xxiii. Proc. p. cxcvii (1899–1900).—*Fl.*
Garden, lvii. 486 (1900).
American Garden, xxi. 239 (1900).
*Bot. Mag. cxxvi. t. 7747 (1900).
*Cogniaux, Dict. Icon. Orch., Dendrob. t. 22 (1900). —*Fl.*
Orch. Rev. x. 17 (1902).—*Hab.*
Pflanzenreich, Orch.-Dendr. i. 327 (1910).—*Fl.*
speculum J. J. Sm.
Ic. Bogor. iii. t. 241 (1907).
sphegidoglossum Reichb. f.
Reichenbach f., Xenia Orch. iii. t. 270 (1893).
×**splendidissimum** Reichb. f.
Journ. Hort. Ser. III. iii. 203 (1882).
—— **grandiflorum** Veitch
Veitch, Man. Orch. Pl. Pt. 3, p. 91 (1888).—*Fl.*
Journ. Soc. Hort. France, Ser. III. xiv. 438 (1892). —*Fl.*
spurium J. J. Sm.
Ames, Orchidac. ii. 185 (1908).—*Fl.*
Pflanzenreich, Orch.-Dendr. i. 347, 355 (1910).
J. J. Smith, Orch. Java, Fig.-Atlas, iii. fig. 260 (1910).—*Fl.*
squalens Lindl.
*Bot. Reg. ix. t. 732 (1823).
Lodd. Bot. Cab. xi. t. 1059 (1825).
—— **Houttei** Parth.
*Hort. Belge Journ. Jard. & Amat. ii. t. 41 (1834).
squamiferum J. J. Sm.
Nova Guinea, viii. t. 28 (1909).—*Fl.*
Stratiotes Reichb. f.
*Lindenia, i. t. 43 (1885).
Bull. Soc. Tosc. Ortic. xi. 241, t. 10 (1886).
Gard. Chron. xxvi. 177 (1886).
Ill. Hort. xxxiii. t. 602 (1886).
Möllers Deutsche Gärtn.-Zeit. i. 289 (1886).
Orchidophile, 1886, p. 264.—*Hab.*
Sempervirens, xv. 396 (1886).

DENDROBIUM
Stratiotes
Journ. Hort. Ser. III. xvi. 61 (1888); xxxvii. 69 (1898).—*Fl.*
Linden, Orch. Exot. 76 (1894).—*Hab.*
Teysmannia, xx. 564 (1909).
Schlechter, Orchideen, 273 (19[14]–15).—*Hab.*
Straussianum Schlechter
Orchis, ix. t. 6 (1915).—*Fl.*
strebloceras Rossianum Linden & Rod.
*Lindenia, iii. t. 124 (1887).
strepsiceros J. J. Sm.
Nova Guinea, xii. t. 14 (1913).—*Fl.*
Stricklandianum Reichb. f.
Reichenbach f., Xenia Orch. iii. 206 (1878).
striolatum Reichb. f.
Reichenbach f., Xenia Orch. ii. t. 109 (1862).
F. Mueller, Introd. Bot. Teach. Schools Victoria, 113 (1877).
F. Mueller, Key Syst. Victorian Pl. ii. fig. 112 (1885).
Rodway, Tasman. Fl. [t. 28] (1903).
A. E. Sulman, Some Fam. Wild Fl. t. 47 [1913].
Stuartii F. M. Bailey
*R. D. Fitzgerald, Austral. Orch. ii [t. 18] (1875–95).
stuposum Lindl.
*Beer, Beitr. Morph. u. Biol. Orch. t. 5, fig. 30 (1863). —*Fl.*
*Ann. Bot. Gard. Calcutta, v. t. 20 (1895); viii. t. 75 (1898).
suavissimum Reichb. f.
*Garden, xiii. 166 (1878).
*Reichenbach f., Xenia Orch. iii. t. 202 (1878).
*Warner & Will. Orch. Album, i. t. 13 (1882).
Garden, xlvi. 37 (1894).
*Lindenia, xii. t. 574 (1896).
*Neubert's Deutsch. Gart. Mag. li. t. 1 (1898).
subclausum Rolfe
Pflanzenreich, Orch.-Dendr. i. 111 (1910).
subhastatum J. J. Sm.
Nova Guinea, xii. t. 9 (1913).
subquadratum J. J. Sm.
Nova Guinea, viii. t. 23 (1909).—*Fl.*
subulatum Lindl.
Pflanzenreich, Orch.-Dendr. i. 223 (1910).
J. J. Smith, Orch. Java, Fig.-Atlas, iii. fig. 252 (1910).—*Fl.*
subuliferum J. J. Sm.
Nova Guinea, xii. t. 17 (1913).
sulcatum Lindl.
*Bot. Reg. xxiv. t. 65 (1838).
*Bot. Mag. cxiii. t. 6962 (1887).
*Ann. Bot. Gard. Calcutta, viii. t. 78 (1898).
superbiens Reichb. f.
*R. D. Fitzgerald, Austral. Orch. ii [t. 22] (1875–95).
*Floral Mag. N. Ser. 1878, t. 294.
Gard. Chron. ix. 49 (1878).
Sempervirens, x. 284 (1881).
Journ. Hort. Ser. III. v. 410 (1883).
Nicholson, Illustr. Dict. Gard. i. 456 [1884–88].
*Sander, Reichenbachia, i. 87, t. 39 (1888).
*Warner & Will. Orch. Album, vii. t. 312 (1888).
*Lindenia, vii. t. 294 (1891).
Neubert's Deutsch. Gart. Mag. xlvii. t. 35 (1894).
B. S. Williams, Orchid-Grower's Man. Ed. 7, p. 363 (1894).
*Cogniaux, Dict. Icon. Orch., Dendrob. t. 15 (1898). —*Fl.*
L. H. Bailey, Stand. Cycl. Hort. 984 (1914).—*Hab.*
Schlechter, Orchideen, 275 (19[14]–15).—*Hab.*
Orchis, ix. 28 (1915).
superbum Reichb. f.
Warner & Will. Orch. Album, i. 42 (1882).
Teysmannia, v. 356, t. 6 (1894).
*Cogniaux, Dict. Icon. Orch., Dendrob. t. 20 (1899). —*Fl.*
Bellair & St.-Léger, Pl. Serre, 688, 689 (1900).
!Ann. Jard. Bot. Buitenzorg, xix. t. 11, fig. 35 (1904).—*Fl.*
Horticulture (Boston), iii. 547 (1906).—*Hab.*
Orch. Rev. xiv. 177 (1906); xx. 144 (1912).—*Hab.*
Rev. Hort. 1908, p. 458.—*Fl.*
Teysmannia, xx. 564 (1909).
*Costantin, Atlas Orch. Cult. t. 26 (1913) ex indice; *Eudendrobium superbum* in ic.—*Fl.*
L. H. Bailey, Stand. Cycl. Hort. 978, t. 35 (1914). —*Hab.*

DENDROBIUM
superbum anosmum Reichb. f.
*Lindenia, vi. t. 264 (1890).
—— **Dearei** Hort.
Orch. Rev. xiv. 177 (1906).—*Hab.*
Horticulture (Boston), ix. 656 (1909).—*Fl.*
—— **Huttonii** Reichb. f.
Journ. Hort. Ser. III. xxviii. 275 (1894).—*Fl.*
Journ. Roy. Hort. Soc. London, xvii. Proc. p. xcix (1895).—*Fl.*
Tattonianum Batem.
*Bot. Mag. xci. t. 5537 (1865).
taurinum Lindl.
*Bot. Reg. xxix. t. 28 (1843).
*Paxt. Mag. x. 217, 218 (1843).
*Fl. des Serres, Ser. II. viii. t. 1904 (1869–70).
*Blanco, Fl. Filip. t. 429 (1878–80).
Jardin, vi. 103 (1892).
*Lindenia, xiii. t. 621 (1897).
Gard. Chron. Ser. III. xxxi. 90 (1902).
Pflanzenreich, Orch.-Dendr. i. 143 (1910).
—— **Fournieri** Cogn.
*Cogniaux, Dict. Icon. Orch., Dendrob. t. 3A (1897). —*Fl.*
Taylorii F. Muell.
*R. D. Fitzgerald, Austral. Orch. ii [t. 20] (1875–95).
teloënse J. J. Sm.
Ic. Bogor. iii. t. 207 (1906).
tenellum Lindl.
J. J. Smith, Orch. Java, Fig.-Atlas, iii. fig. 245 (1910).—*Fl.*
tenuicalcar J. J. Sm.
Nova Guinea, viii. t. 95 (1911).—*Fl.*
tenuicaule Hook. f.
*Ann. Bot. Gard. Calcutta, v. t. 13 (1895).
teres Lindl.
*Ann. Bot. Gard. Calcutta, v. t. 11 (1895).
teretifolium R. Br.
Endlicher, Ic. Gen. Pl. t. 99 (1838).
Dietrich, Fl. Univ. Abt. i. t. 903 (1852–55).
*Bot. Mag. lxxix. t. 4711 (1853).
R. D. Fitzgerald, Austral. Orch. i. Anal. fig. 7 (1875–95).
Pflanzenreich, Orch.-Dendr. i. 290 (1910).—*Fl.*
Oesterr. Gart.-Zeit. ix. 107 (1914).
terminale Par. & Reichb. f.
*Ann. Bot. Gard. Calcutta, viii. t. 55 (1898).
ternatense J. J. Sm.
Pflanzenreich, Orch.-Dendr. i. 245 (1910).
terrestre J. J. Sm.
Nova Guinea, xii. t. 13 (1913).—*Fl.*
tetraëdre Lindl.
!Ann. Jard. Bot. Buitenzorg, xix. t. 10, fig. 29, 30 (1904).—*Fl.*
J. J. Smith, Orch. Java, Fig.-Atlas, iii. fig. 250 (1910).—*Fl.*
tetragonum F. Muell.
*Bot. Mag. xcviii. t. 5956 (1872).
Austral. Assoc. Sc. Rep. viii. t. 6 (1901).
tetrodon Reichb. f.
J. J. Smith, Orch. Java, Fig.-Atlas, iv. fig. 283–85 (1911).—*Fl.*
×**Thwaitesiae** Hort.
Journ. Roy. Hort. Soc. London, xxviii. Proc. p. lxxx (1903–4).—*Fl.*
Journ. Hort. Ser. III. xlviii. 401 (1904).—*Fl.*
thyrsiflorum Reichb. f.
*Ill. Hort. xxii. t. 207 (1875).
Gard. Chron. vii. 653 (1877); xv. 463 (1881); Ser. III. xxix. 371 (1901).
*Gartenfl. xxix. t. 1021 (1880); lv. 98 (1906).
*Floral Mag. N. Ser. 1881, t. 449.
Nicholson, Illustr. Dict. Gard. iv. Suppl. 534 [1884–88].—*Hab.*
*Lindenia, i. t. 46 (1885).
*Garden, xxx. 544 (1886); l. 28 (1896); lxv. 227 (1904).
Veitch, Man. Orch. Pl. Pt. 3, p. 80 (1888).
*Rev. Hort. Belge, xv. 204 (1889).
Stein, Orchideenbuch, 211 (1892).
Journ. Hort. Ser. III. xxvi. 419 (1893); lvi. 231 (1908); lix. 3 (1909); lxiii. 433 (1911); lxix. 271 (1914).—*Hab.*
B. S. Williams, Orchid-Grower's Man. Ed. 7, p. 364 (1894).
Orch. Rev. vi. 209 (1898); xvi. 23 (1908).—*Hab.*

DENDROBIUM
thyrsiflorum
*Cogniaux, Dict. Icon. Orch., Dendrob. t. 18 (1899). —*Fl.*
Kertészeti Lapok (Hungarian Journ. Horticult.), xviii. 104, 106 (1903).
Oesterr. Gart.-Zeit. i. 61 (1906).—*Hab.*
Horticulture (Boston), v. 329 (1907); xviii. 137 (1913).—*Hab.*
*C. H. Curtis, Orchids for Everyone, 92 (1910). —*Hab.*
Bol. de Fomento, Costa Rica, ii. xi. 797 (1912).
Orchis, vii. 93 (1913); viii. 25 (1914).
Orch. World, iii. 127 (1913); v. 273 (1915).
Schlechter, Orchideen, 276 (19[14]–15).—*Hab.*
tipula J. J. Sm.
Nova Guinea, viii. t. 21 (1909).—*Fl.*
Tofftii F. M. Bailey
Orch. Rev. xxiii. 9 (1915).—*Fl.*
tokai Reichb. f.
*Seemann, Fl. Vit. t. 92 (1865–73).
tortile Lindl.
Gard. Chron. 1847, p. 797.—*Fl.*
*Bot. Mag. lxxv. 4477 (1849).
De Puydt, Orchidées, 54 (1880).
Orch. Rev. viii. 201 (1900); xxiv. 72 (1916).—*Hab.*
*Costantin, Atlas Orch. Cult. t. 26 (1913) ex indice; *Eudendrobium tortile* in ic.—*Fl.*
—— **roseum** Hort.
Teysmannia, xx. 564 (1909).
tosaënse Makino
Makino, Ill. Fl. Jap. i. t. 46 (1891).
Somoku Dzusetsu, Ed. Makino (Iconogr. Pl. Nippon), xviii. t. 17 (1912).
transparens Wall.
*Paxt. Fl. Gard. i. t. 27 (1850–51).
*Lem. Jard. Fl. i. t. 68 (1851).
Cottage Gard. vi. 3 (1851).
*Bot. Mag. lxxviii. t. 4663 (1852).
Dietrich, Fl. Univ. Abt. i. t. 891 (1852–55).
Journ. Hort. xlviii. 514 (1872); Ser. III. xxv. 73 (1892).
*Warner & Will. Orch. Album, ix. t. 396 (1891).
*Ann. Bot. Gard. Calcutta, viii. t. 70 (1898).
*Cogniaux, Dict. Icon. Orch., Dendrob. t. 27 (1901). —*Fl.*
Pflanzenreich, Orch.-Dendr. i. 37 (1910).
*Costantin, Atlas Orch. Cult. t. 26 (1913) ex indice; *Eudendrobium transparens* in ic.—*Fl.*
—— **album** Rolfe
*Warner & Will. Orch. Album, xi. t. 522 (1897).
transversilobum J. J. Sm.
Nova Guinea, viii. t. 87 (1911).—*Fl.*
Treacherianum Reichb. f.
*Bot. Mag. cvii. t. 6591 (1881).
*Warner & Will. Orch. Album, vi. t. 288 (1887).
Journ. Hort. Ser. III. xxxi. 571 (1895); xxxix. 459 (1899); xlviii. 137 (1904).—*Fl.*
Journ. Roy. Hort. Soc. London, xix. Proc. p. ccxxv (1896).—*Fl.*
Treubii J. J. Sm.
Ic. Bogor. iii. t. 212 (1906).
triadenium Lindl.
*Bot. Reg. xxxiii. t. 1 (1847).
*Bot. Mag. lxxxvii. t. 5285 (1861).
tribuloides Sw.
Swartz, Adnot. Bot. t. 1 (1829).
tricuspe Lindl.
J. J. Smith, Orch. Java, Fig.-Atlas, iii. fig. 247 (1910).—*Fl.*
triflorum Lindl.
Gard. Chron. Ser. III. xxxvii. 15 (1905).
Journ. Roy. Hort. Soc. London, xxxiii. 390, fig. 59 (1908).
Schlechter, Orchideen, 277 (19[14]–15).—*Hab.*
trilamellatum J. J. Sm.
Nova Guinea, viii. t. 24 (1909).—*Fl.*
triviale Kränzl.
Pflanzenreich, Orch.-Dendr. i. 106 (1910).—*Fl.*
tropaeoliflorum Hook. f.
*Ann. Bot. Gard. Calcutta, v. t. 17 (1895).
truncatum Lindl.
Pflanzenreich, Orch.-Dendr. i. 233 (1910).
tuberiferum Hook. f.
Hook. Ic. Pl. xxi. t. 2025 (1890).

DENDROBIUM
tumoriferum J. J. Sm.
Nova Guinea, viii. t. 88 (1911).
uliginosum J. J. Sm.
Nova Guinea, viii. t. 94 (1911).—*Fl.*
uncatum Lindl.
Pfitzer, Grundz. Vergl. Morph. Orchideen, t. 2, fig. 8 (1882).—*Veg.*
Pflanzenreich, Orch.-Dendr. i. 101 (1907); i. 223 (1910).
J. J. Smith, Orch. Java, Fig.-Atlas, iii. fig. 253 (1910).—*Fl.*
uncipes J. J. Sm.
Nova Guinea, xii. t. 12 (1913).—*Fl.*
undulatum R. Br.
*R. D. Fitzgerald, Austral. Orch. ii [t. 23] (1875–95).
Journ. Hort. Ser. III. xviii. 213 (1889).—*Fl.*
Banks & Soland. Bot. Cook's Voy. iii. t. 299 (1905).
Möllers Deutsche Gärtn.-Zeit. xxviii. 242 (1913).
—— **Albertisii** F. Muell.
Nova Guinea, xii. t. 13 (1913).—*Fl.*
—— **Broomfieldii** R. D. Fitzg.
*R. D. Fitzgerald, Austral. Orch. ii [t. 24] (1875–95).
—— **Carterae** F. M. Bailey
F. M. Bailey, Compr. Cat. Queensl. Pl. 524 (1909–13).
Queensland Agric. Journ. xxvii. t. 21 (1911).
—— **gracile** J. J. Sm.
Nova Guinea, xii. t. 13 (1913).—*Fl.*
uniflorum Griff.
Griffith, Ic. Pl. Asiat. t. 303 (1851).
Urvillei Finet
Bull. Soc. Bot. France, l. t. 11 (1903).—*Fl.*
utile J. J. Sm.
Ic. Bogor. ii. t. 114 (1903).—*Fl.*
validicolle J. J. Sm.
Nova Guinea, viii. t. 22 (1909).—*Fl.*
vandifolium Finet
Bull. Soc. Bot. France, l. t. 13 (1903).—*Fl.*
Pflanzenreich, Orch.-Dendr. i. 179 (1910).—*Fl.*
Vannouhuysii J. J. Sm.
Nova Guinea, viii. t. 95 (1911).—*Fl.*
Vanoverberghii Ames
Philippine Journ. Sc., Bot. viii. t. 13 (1914).
Veitchianum Lindl.
*De Vriese, Illustr. Orchid. t. 1, 5 (1854).
×**Venus** Rolfe
B. S. Williams, Orchid-Grower's Man. Ed. 7, p. 367 (1894).—*Fl.*
*Sander, Reichenbachia, Ser. II. ii. 5, t. 50 (1894).
*Cogniaux, Dict. Icon. Orch., Dendrob. hybr. t. 3 (1897).—*Fl.*
Gard. Chron. Ser. III. xxviii. 95 (1900).—*Hab.*
Semaine Hort. 1900, p. 235.—*Fl.*
veratrifolium Lindl.
Bentham, Bot. Voy. Sulphur, t. 60 (1844).
Pflanzenreich, Orch.-Dendr. i. 143 (1910).—*Fl.*
Rechinger in Denkschr. Akad. Wiss. Wien, lxxxix. t. 8, fig. 6 (1914).—*Fl.*
verruciferum Reichb. f.
Pflanzenreich, Orch.-Dendr. i. 179 (1910).
vexans U. Dammer
Orchis, iv. 86 (1910).
vexillarius J. J. Sm.
Nova Guinea, viii. t. 96 (1911).
Victoria-regina Loher.
Gard. Chron. Ser. III. xxii. 121 (1897); l. 57 (1911); lix. 267 (1916).
*Cogniaux, Dict. Icon. Orch., Dendrob. t. 21 (1899).
Pflanzenreich, Orch.-Dendr. i. 111 (1910).
Journ. Hort. Ser. III. lxiii. 243 (1911).—*Hab.*
Garden, lxxv. 370 (1911).—*Hab.*
Orch. Rev. xx. 17 (1912).—*Hab.*
villosulum Wall.
Paxt. Fl. Gard. ii. 82 (1851–52).
vitellinum Kränzl.
Pflanzenreich, Orch.-Dendr. i. 113 (1910).—*Fl.*
Vonroemeri J. J. Sm.
Nova Guinea, viii. t. 92 (1911).—*Fl.*
×**Waltonii** Reichb. f.
Orch. Rev. viii. 177 (1900).—*Fl.*
Wardianum Warn.
*Warner, Select Orch. Pl. Ser. I. t. 19 (1862–65).
*Jennings, Orch. t. 2 (1875).
*Ill. Hort. xxiv. t. 277 (1877).

DENDROBIUM
Wardianum
Gard. Chron. viii. 241 (1877); Ser. III. iv. 9 (1888).—*Hab.*
Garden, xvii. 153 (1880); xxxi. 476 (1887); xli. 253 (1891); xlvii. 84 (1895).—*Fl.*
Garten-Zeit. Berlin, iii. 505 (1884).
Nicholson, Illustr. Dict. Gard. iv. Suppl. 535 [1884–88].—*Hab.*
*Sander, Reichenbachia, i. 19, t. 9 (1888).
Veitch, Man. Orch. Pl. Pt. 3, p. 83 (1888).—*Fl.*
Rhein. Jahrb. Gartenk. & Bot. vi. 177, 178 (1888–89).
Journ. Hort. Ser. III. xxi. 8 (1890); xxxii. 237 (1896); xlii. 211 (1901); liv. 49 (1907).—*Fl.*
Orch. Rev. ii. 177 (1894); viii. 177 (1900); ix. frontisp. (1901).
B. S. Williams, Orchid-Grower's Man. Ed. 7, p. 368 (1894).—*Fl.*
*R. Nielsen, Trop. Orch. Dyrkning, Kjöbenhavn, t. 6 (1895).
*Cogniaux, Dict. Icon. Orch., Dendrob. t. 5 (1897). —*Fl.*
*Rev. Hort. Belge, xxiii. 25 (1897).
Horticulture (Boston), i. 469 (1905); iii. 547 (1906).
*Diels in Natur, iv. t. 6 [1907].
Tribune Hort. iv. 461 (1909).
C. H. Curtis, Orchids for Everyone, 95 (1910).
Pflanzenreich, Orch.-Dendr. i. 37 (1910).—*Fl.*
*Lindman, Vi och våra blomm. t. 4 (1911–13).
*Costantin, Atlas Orch. Cult. t. 26 (1913) ex indice; *Eudendrobium Wardianum* in ic.—*Fl.*
*Schlechter, Orchideen, t. 4 (19[14]–15).
Orch. World, vi. 154, 283 (1916).
—— **album** Warn. & Will.
*Warner & Will. Orch. Album, x. t. 450 (1893).
*Cogniaux, Dict. Icon. Orch., Dendrob. t. 5A (1897). —*Fl.*
—— **candidum** Hort.
Journ. Roy. Hort. Soc. London, xxxi. Proc. p. clxi, fig. 45 (1906).—*Fl.*
—— **fascinator** Linden
*Lindenia, xvii. t. 772 (1902).
—— **Fowleri** Hort.
Gard. Chron. Ser. III. xxxi. 125 (1902).—*Fl.*
Journ. Roy. Hort. Soc. London, xxvii. Proc. p. xcviii (1902).—*Fl.*
—— **giganteum** Will. & Moore
*Warner & Will. Orch. Album, iii. t. 113 (1884).
Jardin, vi. 211 (1892).—*Fl.*
—— **Lindeniae** Hort.
*Lindenia, ix. t. 419 (1893).
—— **Lowii** Burb.
*Floral Mag. N. Ser. 1876, t. 212.
*Lindenia, v. t. 225 (1889).
Wentianum J. J. Sm.
Nova Guinea, viii. t. 95 (1911).—*Fl.*
×**Wiganiae** Hort.
Orch. Rev. xi. 113 (1903); xxiv. 17 (1916).—*Fl.*
×—— **xanthochilum** Hort.
Journ. Hort. Ser. III. xlvi. 245 (1903).—*Fl.*
Journ. Roy. Hort. Soc. London, xxviii. Proc. p. lxxiv (1903–4).—*Fl.*
Williamsianum Reichb. f.
Gard. Chron. xxvi. 173 (1886).—*Fl.*
Journ. Hort. Ser. III. xiii. 87 (1886).—*Fl.*
*Warner & Will. Orch. Album, vi. t. 252 (1887).
B. S. Williams, Orchid-Grower's Man. Ed. 7, p. 369 (1894).
Williamsonii Day & Reichb. f.
*Ann. Bot. Gard. Calcutta, v. t. 9 (1895).
Gard. Chron. Ser. III. xxxv. 341 (1904).
*Bot. Mag. cxxx. t. 7974 (1904).
Wollastonii Ridl.
Gard. Chron. Ser. III. lix. 206 (1916).—*Fl.*
Wolterianum Schlechter
Orchis, vi. t. 12, fig. 17–24 (1912).—*Fl.*
xantholeucum Reichb. f.
Reichenbach f., Xenia Orch. ii. t. 118 (1862).
J. J. Smith, Orch. Java, Fig.-Atlas, iii. fig. 239 (1910).—*Fl.*
xanthophlebium Lindl.
*Bateman, Second Cent. Orch. Pl. t. 105 (1867).
yunnanense Finet
Bull. Soc. Bot. France, 1897, xliv. t. 13 (1898).

DENDROBIUM
zebrinum J. J. Sm.
Ic. Bogor. ii. t. 113 (1903).—*Fl.*
Zippelii J. J. Sm.
Rec. Trav. Bot. Néerl. i. 150 (1904).

DENDROCALAMUS Nees—Vide *Bambusa* (3)
Brandisii Kurz
Ann. Bot. Gard. Calcutta, vii. t. 79 (1896).
E. G. Camus, Bambus. Atlas, t. 88 (1913).
calostachyus Kurz
Ann. Bot. Gard. Calcutta, vii. t. 77 (1896).
Collettianus Gamble
Ann. Bot. Gard. Calcutta, vii. t. 83 (1896).
flagellifer Munro
Ann. Bot. Gard. Calcutta, vii. t. 80 (1896).
E. G. Camus, Bambus. Atlas, t. 85 (1913).
giganteus Munro
Gard. Chron. xvi. 275 (1881); Ser. III. xii. 302, 303 (1893).
Gard. & Forest, ii. 18 (1889).—*Hab.*
Ann. Bot. Gard. Calcutta, vii. t. 76 (1896).
Schimper, Pflanzen-Geogr. 234 (1898).—*Hab.*
Karsten & Schenck, Veg.-Bild. i. t. 35 (1903).—*Hab.*
Rev. Hort. Belge, xxix. 6 (1903).—*Hab.*
Ann. Bot. Gard. Peradeniya, iv. t. 3–6 (1908).
H. F. Macmillan, Handb. Trop. Garden. & Plant. 306–9 (1910).—*Hab.*
Woodrow, Gardening Tropics, 602 [1910].—*Hab.*
Wettstein, Handb. Syst. Bot. Ed. 2, p. 828 (1911).—*Hab.*
Bot. Közl. (Bot. Communic.), xii. 71 (1912).—*Hab.*
E. G. Camus, Bambus. Atlas, t. 85 (1913).
Francé, Leben Pflanze, vi. 424 (1913).—*Hab.*
Velenovsky, Vergl. Morphol. Pfl. iv. Suppl. t. 2 (1913).—*Fr.*
Torreya, xv. 200 (1915).—*Veg.*
Teysmannia, xxix. 320 (1918).—*Hab.*
Van Gorkom, Oost-Ind. Cult. Ed. 2, iii. 1004, 1005 (1919).
Correa, Fibr. Text. & Cellul. 61 (1919).—*Hab.*
Hamiltonii Nees & Arn.
Ann. Bot. Gard. Calcutta, vii. t. 74 (1896).
E. G. Camus, Bambus. Atlas, t. 86 (1913).
Hookeri Munro
Ann. Bot. Gard. Calcutta, vii. t. 73 (1896).
latiflorus Munro
Trans. Linn. Soc. London, xxvi. t. 6 (1868).
Vidal, Sin. Fam. & Gen. Pl. Leñ. Filip. (Introd. Fl. For. Filip.), Atlas, t. 96, fig. B (1883).—*Fl.*
Ann. Bot. Gard. Calcutta, vii. t. 117 (1896).
*Ic. Bamboos Japan, t. 12 (1912).
Nihon-zyûyô-mokuchiku-zuhyô (Tabl. Japan. Trees & Bamb. Forest Bur.), fig. 92 (1916).
*Tsuboi, Ill. Jap. Sp. Bamboo, Ed. 2, t. 100 (1916).
latifolius K. Schum. & Lauterb.
E. G. Camus, Bambus. Atlas, t. 89 (1913).
longifimbriatus Gamble
Ann. Bot. Gard. Calcutta, vii. t. 81 (1896).
E. G. Camus, Bambus. Atlas, t. 87 (1913).
longispathus Kurz
Ann. Bot. Gard. Calcutta, vii. t. 78 (1896).
E. G. Camus, Bambus. Atlas, t. 88 (1913).
membranaceus Munro
Ann. Bot. Gard. Calcutta, vii. t. 71 (1896).
E. G. Camus, Bambus. Atlas, t. 84 (1913).
Merrillianus Elm.
W. H. Brown & A. F. Fischer in Bull. Philip. Isl. Dep. Agric. Bur. Forestry, No. 15, t. 12, 13 (1918); No. 22, p. 289, 290, t. 12, 13 (1920).
Parishii Munro
Ann. Bot. Gard. Calcutta, vii. t. 82 (1896).
patellaris Gamble
Ann. Bot. Gard. Calcutta, vii. t. 75 (1896).
E. G. Camus, Bambus. Atlas, t. 89 (1913).
Bull. Écon. Indo-Chine, N. Ser. cxlii. 406 (1920).—*Hab.*
sericeus Munro
Ann. Bot. Gard. Calcutta, vii. t. 70 (1896).
E. G. Camus, Bambus. Atlas, t. 86 (1913).
sikkimensis Gamble
Hook. Ic. Pl. xviii. 1770 (1888).
Gard. Chron. Ser. III. vii. 793 (1890); xii. 674 (1892).
Ann. Bot. Gard. Calcutta, vii. t. 72 (1896).

DENDROCALAMUS
strictus Nees
Beddome, Fl. Sylv. t. 325 (1873).
Brandis, Illustr. For. Fl. N.W. & Centr. Ind. t. 70 (1874).
Ind. Forester, i. t. 2, fig. 17 (1876); xxv. 1 (1899).
Ann. Bot. Gard. Calcutta, vii. t. 68, 69 (1896).
Pflanzer, ii. t. 1, fig. 4 (1906).—*Veg.*
Transvaal Agric. Journ. viii. No. 32, t. 106 (1910).—*Hab.*
E. G. Camus, Bambus. Atlas, t. 35, 87 (1913).
Basu, Ind. Med. Pl. t. 1025 (1918).

DENDROCEREUS Britton & Rose
nudiflorus Britton & Rose
*Britton & Rose, Cactac. ii. 114, t. 14 (1920).

DENDROCHILUM Bl.
abbreviatum Bl.
J. J. Smith, Orch. Java, Fig.-Atlas, ii. fig. 127 (1909).—*Fl.*
—— **reniforme** J. J. Sm.
J. J. Smith, Orch. Java, Fig.-Atlas, ii. fig. 128 (1909).
affine Ames
Ames, Orchidac. ii. 95 (1908).—*Fl.*
alatum Ames
Ames, Orchidac. vi. t. 82 (1920).
anfractoides Ames
Ames, Orchidac. iii. t. 28 (1908).
anfractum Pfitz.
Pflanzenreich, Orch.-Coel. 115 (1907).—*Fl.*
Ames, Orchidac. ii. t. 21 (1908).
angustipetalum Ames
Ames, Orchidac. vi. t. 83 (1920).—*Fl.*
arachnites Reichb. f.
Ames, Orchidac. ii. 120 (1908).—*Fl.*
aurantiacum Bl.
Rec. Trav. Bot. Néerl. i. 304 (1904).
Pflanzenreich, Orch.-Coel. 90 (1907).
J. J. Smith, Orch. Java, Fig.-Atlas, ii. fig. 120 (1909).—*Fl.*
Beccarii J. J. Sm.
Pflanzenreich, Orch.-Coel. 94 (1907).—*Fl.*
bicallosum Ames
Ames, Orchidac. ii. 117 (1908).—*Fl.*
bistortum J. J. Sm.
Pflanzenreich, Orch.-Coel. 96 (1907).
bracteosum Reichb. f.
Pflanzenreich, Orch.-Coel. 109 (1907).—*Fl.*
cinnabarinum Pfitz.
Pflanzenreich, Orch.-Coel. 101 (1907).—*Fl.*
Ames, Orchidac. iii. t. 27 (1908).
Clemensiae Ames
Ames, Orchidac. ii. 110 (1908).—*Fl.*
Cobbianum Reichb. f.
Ames, Orchidac. ii. 112 (1908).—*Fl.*
*Costantin, Atlas Orch. Cult. t. 25 (1913).—*Fl.*
Schlechter, Orchideen, 149 (19[14]–15).—*Hab.*
cobolbine Reichb. f.
Pflanzenreich, Orch.-Coel. 94 (1907).—*Fl.*
J. J. Smith, Orch. Java, Fig.-Atlas, ii. t. 129 (1909).—*Fl.*
convallariiforme Schauer
Pflanzenreich, Orch.-Coel. 94 (1907).—*Fl.*
Copelandii Pfitz.
Pflanzenreich, Orch.-Coel. 115 (1907).—*Fl.*
Ames, Orchidac. ii. t. 24 (1908).
cornutum Bl.
Pflanzenreich, Orch.-Coel. 109 (1907).—*Fl.*
J. J. Smith, Orch. Java, Fig.-Atlas, ii. fig. 123 (1909).—*Fl.*
crassifolium Ames
Ames, Orchidac. vi. t. 84 (1920).—*Fl.*
cucullatum Pfitz.
Pflanzenreich, Orch.-Coel. 115 (1907).—*Fl.*
Ames, Orchidac. ii. t. 24 (1908).
cucumerinum Reichb. f.
Pflanzenreich, Orch.-Coel. 101 (1907).—*Fl.*
Curranii Ames
Ames, Orchidac. iii. t. 29 (1908).
edentulum Bl.
J. J. Smith, Orch. Java, Fig.-Atlas, ii. fig. 122 (1909).—*Fl.*
exile Ames
Ames, Orchidac. ii. 85 (1908).

DENDROCHILUM
filiforme Lindl.
*Gartenfl. xviii. t. 604 (1869).
*Ill. Hort. xxv. t. 323 (1878) in ic.; *D. glumaceum* in textu.
Gard. & Forest, ii. 485 (1889).
Ames, Orchidac. ii. 113 (1908).—*Fl.*
*Costantin, Atlas Orch. Cult. t. 25 (1913).
Schlechter, Orchideen, 150 (19[14]–15).—*Hab.*
Foxworthyi Ames
Ames, Orchidac. iii. t. 26 (1908).
glumaceum Lindl.
*Bot. Mag. lxxxi. t. 4853 (1855).
*Bateman, Second Cent. Orch. Pl. t. 134 (1867).
*Ill. Hort. xxv. t. 323 (1878) in textu; *D. filiforme* in ic.
Pfitzer, Grundz. Vergl. Morph. Orchideen, t. 3, fig. 31–33 (1882).
Gartenfl. xli. 17 (1892).—*Hab.*
Ames, Orchidac. ii. 111 (1908).—*Fl.*
*Orchis, ii. t. 14 (1908).—*Hab.*
*Costantin, Atlas Orch. Cult. t. 25 (1913).—*Fl.*
Schlechter, Orchideen, 151 (19[14]–15).—*Hab.*
Möllers Deutsche Gärtn.-Zeit. xxxiv. 113 (1919).
—— **validum** Hort.
Orch. Rev. xvii. 81 (1909); xxiv. 80 (1916).—*Hab.*
gracile J. J. Sm.
Pflanzenreich, Orch.-Coel. 101 (1907).—*Fl.*
J. J. Smith, Orch. Java, Fig.-Atlas, ii. fig. 126 (1909).—*Fl.*
graciliscapum Pfitz.
Pflanzenreich, Orch.-Coel. 115 (1907).—*Fl.*
Ames, Orchidac. ii. t. 24 (1908).
graminifolium Pfitz.
Pflanzenreich, Orch.-Coel. 115 (1907).—*Fl.*
Ames, Orchidac. ii. t. 22 (1908).
grandiflorum Pfitz.
Pflanzenreich, Orch.-Coel. 101 (1907).—*Fl.*
Haslamii Ames
Ames, Orchidac. vi. t. 85 (1920).
hastatum Ames
Ames, Orchidac. ii. 99 (1908).—*Fl.*
Havilandii Pfitz.
Pflanzenreich, Orch.-Coel. 101 (1907).—*Fl.*
heterotum Pfitz.
Pflanzenreich, Orch.-Coel. 101 (1907).—*Fl.*
Hutchinsonianum Ames
Ames, Orchidac. ii. 96 (1908).
imbricatum Ames
Ames, Orchidac. vi. t. 82 (1920).
Joclemensii Ames
Ames, Orchidac. vi. t. 83 (1920).—*Fl.*
kamborangense Ames
Ames, Orchidac. vi. t. 84 (1920).—*Fl.*
lancilabium Ames
Ames, Orchidac. vi. t. 83 (1920).—*Fl.*
latifolium Lindl.
Pflanzenreich, Orch.-Coel. 101 (1907).—*Fl.*
Ames, Orchidac. ii. 105 (1908).—*Fl.*
lineare Ridl.
Pflanzenreich, Orch.-Coel. 94 (1907).—*Fl.*
linearifolium Hook. f.
Hook. Ic. Pl. xix. t. 1859 (1889).
Pflanzenreich, Orch.-Coel. 109 (1907).—*Fl.*
Loheri Ames
Ames, Orchidac. iii. t. 27 (1908).
longibracteatum Pfitz.
Pflanzenreich, Orch.-Coel. 101 (1907).—*Fl.*
longifolium Reichb. f.
Pflanzenreich, Orch.-Coel. 109 (1907).—*Fl.*
J. J. Smith, Orch. Java, Fig.-Atlas, ii. fig. 125 (1909).—*Fl.*
longilabre Pfitz.
Pflanzenreich, Orch.-Coel. 115 (1907).—*Fl.*
Ames, Orchidac. ii. t. 24 (1908).
longispicatum Ames
Ames, Orchidac. ii. 106 (1908).—*Fl.*
luzonense Ames
Ames, Orchidac. ii. 121 (1908).—*Fl.*
magnum Reichb. f.
Pflanzenreich, Orch.-Coel. 94 (1907).—*Fl.*
Ames, Orchidac. ii. 107 (1908).—*Fl.*
malindangense Ames
Ames, Orchidac. ii. 114 (1908).—*Fl.*

DENDROCHILUM
Mearnsii Ames
Ames, Orchidac. ii. 116 (1908).—*Fl.*
Merrillii Pfitz.
Pflanzenreich, Orch.-Coel. 115 (1907).
Ames, Orchidac. ii. t. 23, p. 102 (1908).
mindorense Ames
Ames, Orchidac. ii. 91 (1908).—*Fl.*
Murrayi Rogers & White
Trans.&Proc.Roy.Soc.S.Australia,xliv.t.7(1920).
ocellatum Pfitz.
Pflanzenreich, Orch.-Coel. 115 (1907).—*Fl.*
Ames, Orchidac. ii. t. 23 (1908).
odoratum J. J. Sm.
Pflanzenreich, Orch.-Coel. 94 (1907).—*Fl.*
oliganthum Pfitz.
Pflanzenreich, Orch.-Coel. 115 (1907).—*Fl.*
Ames, Orchidac. ii. t. 23 (1908).
palawanense Ames
Ames, Orchidac. ii. 103 (1908).—*Fl.*
pallidiflavens Bl.
Blume, Tab. Jav. Orch. t. 52 (1825).—*Fl.*
parvulum Pfitz.
Pflanzenreich, Orch.-Coel. 115 (1907).—*Fl.*
Ames, Orchidac. ii. t. 21 (1908).
perspicabile Ames
Ames, Orchidac. vi. t. 82 (1920).
philippinense Pfitz.
Pflanzenreich, Orch.-Coel. 115 (1907).—*Fl.*
Ames, Orchidac. ii. t. 23 (1908).
pumilum Reichb. f.
Ames, Orchidac. ii. 94 (1908).—*Fl.*
quinquelobum Ames
Ames, Orchidac. vi. t. 82 (1920).
recurvum Ames
Pflanzenreich, Orch.-Coel. 115 (1907).—*Fl.*
Ames, Orchidac. ii. t. 22 (1908).
sarawakense J. J. Sm.
Pflanzenreich, Orch.-Coel. 109 (1907).—*Fl.*
simile Bl.
Blume, Tab. Jav. Orch. t. 52 (1825).—*Fl.*
Pflanzenreich, Orch.-Coel. 94 (1907).—*Fl.*
J. J. Smith, Orch. Java, Fig.-Atlas, ii. fig. 124 (1909).—*Fl.*
simulacrum Ames
Ames, Orchidac. ii. 93 (1908).—*Fl.*
sphacelatum Pfitz.
Pflanzenreich, Orch.-Coel. 113 (1907).
strictiforme Pfitz.
Pflanzenreich, Orch.-Coel. 115 (1907).—*Fl.*
Ames, Orchidac. ii. t. 21 (1908).
tenellum Ames
Pflanzenreich, Orch.-Coel. 113 (1907).
tenue Pfitz.
Pflanzenreich, Orch.-Coel. 115 (1907).—*Fl.*
Ames, Orchidac. ii. t. 21 (1908).
tenuifolium Pfitz.
Pflanzenreich, Orch.-Coel. 115 (1907).
Ames, Orchidac. ii. t. 21 (1908).
turpe Pfitz.
Pflanzenreich, Orch.-Coel. 115 (1907).—*Fl.*
Ames, Orchidac. ii. t. 23 (1908).
uncatum Reichb. f.
Ames, Orchidac. ii. 108 (1908).—*Fl.*
vaginatum J. J. Sm.
J. J. Smith, Orch. Java, Fig.-Atlas, ii. fig. 121 (1909).—*Fl.*
venustulum Pfitz.
Pflanzenreich, Orch.-Coel. 115 (1907).—*Fl.*
Ames, Orchidac. ii. t. 22 (1908).
Whitfordii Pfitz. & Kränzl.
Ames, Orchidac. ii. 100 (1908).—*Fl.*
Williamsii Pfitz.
Pflanzenreich, Orch.-Coel. 115 (1907).—*Fl.*
Ames, Orchidac. ii. t. 22 (1908).
Woodianum Ames
Ames, Orchidac. ii. 81 (1908).

DENDROCOLLA Bl.: *Sarcochilus*
arachnites Bl.
*Blume, Tab. Jav. Orch. t. 67 (1825).—*Fl.*
*Ann. Bot. Gard. Calcutta, viii. t. 322 (1898).
emarginata Bl.
Blume, Tab. Jav. Orch. t. 67 (1825).—*Fl.*
gracilenta Reichb. f.
Reichenbach f., Xenia Orch. i. t. 86 (1856).

DENDROCOLLA
Pricei Rolfe
Oesterr. Gart.-Zeit. ix. 185 (1914).
rhopalorrhachis Reichb. f.
Reichenbach f., Xenia Orch. i. t. 86 (1856).
Zollingeri Reichb. f.
Reichenbach f., Xenia Orch. i. t. 86 (1856).

DENDROCOUSINSIA Millsp.
spicata Millsp.
Fawcett & Rendle, Fl. Jamaica, iv. 11. 322 (1920).

DENDROGLOSSA Presl: *Leptochilus*
quercifolia Fée
Fée, Mém. Foug. v. t. 7 (1850–52).
subquinquefida Fée
Fée, Mém. Foug. v. t. 7 (1850–52).

DENDROLIRIUM Bl.: *Eria*
acuminatum Bl.
Blume, Tab. Jav. Orch. t. 69 (1825).—*Fl.*
appendiculatum Bl.
Blume, Tab. Jav. Orch. t. 69 (1825).—*Fl.*
flavescens Bl.
Blume, Tab. Jav. Orch. t. 69 (1825).—*Fl.*
pusillum Bl.
Blume, Tab. Jav. Orch. t. 69 (1825).—*Fl.*

DENDROMECON Benth.
agnina Greene
Pflanzenreich, Papaverac. 137 (1909).—*Veg.*
Bolanderi Fedde
Pflanzenreich, Papaverac. 137 (1909).—*Veg.*
Brandegeei Fedde
Pflanzenreich, Papaverac. 137 (1909).—*Veg.*
caesia Greene
Pflanzenreich, Papaverac. 137 (1909).—*Veg.*
caudata Greene
Pflanzenreich, Papaverac. 137 (1909).—*Veg.*
elliptica Greene
Pflanzenreich, Papaverac. 137 (1909).—*Veg.*
fastigiata Greene
Pflanzenreich, Papaverac. 137 (1909).—*Veg.*
Harfordii Kellogg
Pflanzenreich, Papaverac. 137 (1909).—*Veg.*
herbacea Greene
Pflanzenreich, Papaverac. 137 (1909).—*Veg.*
leiophylla Greene
Pflanzenreich, Papaverac. 137 (1909).—*Veg.*
myrtifolia Fedde
Pflanzenreich, Papaverac. 137 (1909).—*Veg.*
pallida Greene
Pflanzenreich, Papaverac. 137 (1909).—*Veg.*
pumila Greene
Pflanzenreich, Papaverac. 137 (1909).—*Veg.*
quercetorum Greene
Pflanzenreich, Papaverac. 137 (1909).—*Veg.*
rhamnoides Greene
Pflanzenreich, Papaverac. 137 (1909).—*Veg.*
rigida Benth.
Hook. Ic. Pl. i. t. 37 (1837).
Torrey, Bot. U.S. & Mexic. Bound. Surv. t. 3 (1858).
*Bot. Mag. lxxxv. t. 5134 (1859).
*Belg. Hort. x. 97 [t. 7] (1860).
*Fl. des Serres, Ser. II. iv. t. 1411 (1861).
Pflanzenfam. iii. 11. 138 (1889).
Journ. Hort. Ser. III. xxix. 92 (1894); xli. 137 (1900); xlv. 102 (1902).
*Garden, l. 292 (1896); lxxviii. 183 (1914); lxxx. 217 (1916); lxxxiv. 375, 584 (1920).
Parsons, Wild Fl. California, 119 (1897).
Schimper, Pflanzen-Geogr. 567 (1898).
Gard. Chron. Ser. III. xxvi. 13 (1899); xxxix. 341 (1906); liv. 93 (1913).
Pflanzenreich, Papaverac. 104, 137 (1909).
*M. Armstrong, Field Book West. Wild Fl. 166 (1915).
saligna Greene
Pflanzenreich, Papaverac. 137 (1909).—*Veg.*

DENDROPANAX Decne. & Planch.: *Gilibertia*
cuneatum Decne. & Planch.
Journ. of Bot. ii. 299 (1864).—*Fl.*
japonicum Seem.
*Useful Pl. Jap. iii. 674 (1895).
*Shirasawa, Ic. Ess. Forest. Jap. ii. t. 57 (1908).
Listeri King
Ann. Bot. Gard. Calcutta, ix. t. 55 (1901).

DENDROPEMON Bl.: *Phthirusa*
emarginatum Bl.
De Wildeman, Pl. Nov. Herb. Hort. Then. ii. t. 83 (1909).

DENDROPHILA Zipp.: *Tecoma*
trifoliata Zipp.
*Blume, Rumphia, iv. t. 190 (1848).

DENDROPHTHOË Bl.: *Loranthus*
bruinosa A. Cunn.
Ettingshausen in Denkschr. Akad. Wiss. Wien, xxxii. t. 2, fig. 19–21 (1872).—*Veg.*
celastroides Mart.
Ettingshausen in Denkschr. Akad. Wiss. Wien, xxxii. t. 9, fig. 7–9 (1872).—*Veg.*
congener Mart.
Ettingshausen in Denkschr. Akad. Wiss. Wien. xxxii. t. 2, fig. 22–24 (1872).—*Veg.*
cuneata Bl.
Ettingshausen in Denkschr. Akad. Wiss. Wien, xxxii. t. 6, fig. 11–13 (1872).—*Veg.*
dasystemon Miq.
Miquel, Fl. Ned. Ind. Suppl. t. 3 (1860).
Miquel, Sumatra, t. 3 (1862).
eucalyptoides Sieb.
Ettingshausen in Denkschr. Akad. Wiss. Wien, xxxii. t. 13, fig. 11–13; t. 14, fig. 2 (1872).—*Veg.*
falcata Bl.
Ettingshausen in Denkschr. Akad. Wiss. Wien, xxxii. t. 13, fig. 14, 15 (1872).—*Veg.*
fasciculata Bl.
Ettingshausen in Denkschr. Akad. Wiss. Wien, xxxii. t. 6, fig. 10 (1872).—*Veg.*
glauca Mart.
Ettingshausen in Denkschr. Akad. Wiss. Wien, xxxii. t. 5, fig. 19, 20 (1872).—*Veg.*
longiflora Bl.
Ettingshausen in Denkschr. Akad. Wiss. Wien, xxxii. t. 14, fig. 9, 10; t. 15, fig. 1, 5 (1872).—*Veg.*
luzonensis Bl.
Ettingshausen in Denkschr. Akad. Wiss. Wien, xxxii. t. 2, fig. 25, 26 (1872).—*Veg.*
Miquelii Lehm.
Ettingshausen in Denkschr. Akad. Wiss. Wien, xxxii. t. 3, fig. 10, 11 (1872).—*Veg.*
pendula Mart.
Ettingshausen in Denkschr. Akad. Wiss. Wien, xxxii. t. 3, fig. 18–20 (1872).—*Veg.*
Schultesii Bl.
Ettingshausen in Denkschr. Akad. Wiss. Wien, xxxii. t. 14, fig. 7, 8, 11 (1872).—*Veg.*
tetrapetala Bl.
Ettingshausen in Denkschr. Akad. Wiss. Wien, xxxii. t. 8, fig. 24, 25 (1872).—*Veg.*
umbellifera Bl.
Ettingshausen in Denkschr. Akad. Wiss. Wien, xxxii. t. 15, fig. 6 (1872).—*Veg.*
vestita Bl.
Ettingshausen in Denkschr. Akad. Wiss. Wien, xxxii. t. 15, fig. 2–4 (1872).—*Veg.*

DENDROPHTHORA Eichl.
buxifolia Eichl.
Velenovsky, Vergl. Morphol. Pfl. ii. 692 (1907).—*Fl.*
cupressoides Eichl.
Hook. Ic. Pl. xxiii. t. 2221 (1892).
flagelliformis Krug & Urb.
Plumier, Pl. Amer. Ed. Burm. t. 258, fig. 1 (1760); fide Urban, Fedde Repert. Beih. v. 98.
De Wildeman, Pl. Nov. Herb. Hort. Then. ii. t. 88 (1909).
gracilis Eichl.
Plant World, viii. 272 (1905).
Mancinellae Eichl.
Velenovsky, Vergl. Morphol. Pfl. ii. 692 (1907).—*Fl.*
opuntioides Eichl.
Bot. Gaz. lvi. 94 (1913).—*Hab.*
opuntioides Fawc. & Rendle
Fawcett & Rendle, Fl. Jamaica, iii. 1. t. 4 (1914).

DENDROPHYLAX Reichb. f.—*Limodorum* (10)
funalis Rolfe
Fawcett & Rendle, Fl. Jamaica, i. t. 32 (1910).

DENDROPHYLAX
funalis
Orch. Rev. xxii. 73 (1914).
Lindenii Rolfe
Ames, Orchidac. i. t. 16 (1905).
varius Urb.
Plumier, Pl. Amer. Ed. Burm. t. 183, fig. 2 (1758); fide Urban, Fedde Repert. Beih. v. 80.

DENDROPOGON Rafin.: *Tillandsia*
usneoides Rafin.
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, i. 456 (1913).
Ann. Rep. Smithson. Inst. 1917, t. 20, p. 434 (1918).—*Hab.*

DENDROSERIS D. Don—Vide *Rea*
macrophylla D. Don
*Bot. Mag. civ. t. 6353 (1878).
Pflanzenfam. iv. v. 352 (1893).
micrantha Hook. & Arn.
Johow, Fl. Juan Fernandez, 68, t. 6 (1896).
Gard. Chron. Ser. III. lxi. 240 (1917).—*Hab.*
—— **pruinata** Johow
Deutsch. Tiefsee-Exped. 1898–99, ii. i. 287 (1907).—*Hab.*
pinnata Hook. & Arn.
Karsten & Schenck, Veg.-Bild. viii. t. 10 (1910).—*Hab.*

DENDROSICYOS Balf. f.
socotranus Balf. f.
Balfour f., Bot. Socotra (Trans. Roy. Soc. Edinb. xxxi), t. 26 (1888).
Kronfeld, Atlas Pflanzengeogr. 144 (1899).—*Hab.*
H. O. Forbes, Nat. Hist. Sokotra, 473, 474 (1903).
Karsten & Schenck, Veg.-Bild. iii. t. 28 (1905).—*Hab.*
Vierhapper in Denkschr. Akad. Wiss. Wien, lxxi. 473 (1907).—*Hab.*
Engler & Drude, Veget. Erde, ix. i. 1, p. 207 (1910).—*Hab.*
Neger, Biol. Pflanz. 170 (1913).—*Hab.*
Pflanzenreich, Cucurbitac.-Fev. & Melothr. 234, 235 (1916).

DENEKIA Thunb.
capensis Thunb.
Hook. Ic. Pl. xii. t. 1138 (1873).
Pflanzenfam. iv. v. 176 (1890).—*Fl.*
Bibl. Bot. x. No. 52, p. 24 (1901).—*Fl.*
Wood, Natal Pl. iv. III. t. 365 (1905).

DENHAMIA Meissn.—Vide *Leucocarpon*
viridissima F. M. Bailey & F. Muell.
F. M. Bailey, Compr. Cat. Queensl. Pl. 102 (1909–13).

DENISONIA F. Muell.
ternifolia F. Muell.
F. Mueller, Fragm. Phyt. Austral. i. 124 (1859).

DENMOZA Britton & Rose—Vide *Echinopsis* (2)

DENNETTIA E. G. Baker
tripetala E. G. Baker
Rendle, Cat. Talbot's Nigerian Pl. t. 2 (1913).

DENNSTAEDTIA Bernh.—Vide *Deparia*
appendiculata Wall.
Beddome, Handb. Ferns Brit. Ind. 29 (1883).
cicutaria T. Moore
J. Smith, Hist. Fil. t. 17 (1875).
Pflanzenfam. i. iv. 217 (1899).
davallioides T. Moore
Gartenfl. xxvi. 280 (1877).
—— **Youngii** Hort.
Journ. Hort. lx. 153 (1878).
deltoidea T. Moore
Beddome, Ferns S. Ind. t. 258 (1863).
flaccida Bernh.
Bernhardi in Journ. f. die Bot. 1800, ii. 1, II. t. 1, fig. 3 a–c (1801).
Godeffroyi Luers.
Schenk & Luerssen, Mitth. Bot. i. t. 19 (1874).
leptophylla Hayata
Hayata, Ic. Pl. Formosan. v. 266 (1915).
penicillifera A. v. Rosenb.
A. v. Rosenburgh in Bull. Jard. Bot. Buitenzorg, Ser. II. xxviii. t. 1 (1918).

DENNSTAEDTIA
producta Mett.
Warburg, Pflanzenwelt, i. 253 (1913).
punctilobula T. Moore
L. H. Bailey, Cycl. Amer. Hort. 472 (1900); Stand. Cycl. Hort. 987 (1914).
Tidestrom, Elys. Mar. Ferns & Fern Allies, Ed. 2, t. 7 (1907).
Conard in Carnegie Inst. Washington, Publ. No. 94, t. 1, 2, 24, 25 (1908).
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, i. 14 (1913).
U.S. Dep. Agric. Farm. Bull. No. 687, p. 2, 3 (1915).
rubiginosa T. Moore
T. Moore, Index Fil. Gen. & Spec. t. 79 [1857–62].
Pflanzenfam. i. iv. 217 (1899).
Conzatti in Mem. y Rev. Soc. 'Antonio Alzate', xxv. 116 (1907).
Goebel, Organogr. Pfl. Ed. 2, i. 88 (1913).—*Veg.*
scabra T. Moore
Beddome, Handb. Ferns Brit. Ind. 26 (1883).
Hayata, Ic. Pl. Formosan. v. 267 (1915).
terminalis A. v. Rosenb.
A. v. Rosenburgh in Bull. Jard. Bot. Buitenzorg, Ser. II. xvi. t. 4 (1914).

DENTARIA Linn.
appendiculata Matsum.
Somoku Dzusetsu, Ed. Makino (Iconogr. Pl. Nippon), xii. t. 21 (1912).
Matsumura, Ic. Pl. Koisikav. ii. t. 92 (1914).
—— **minor** Makino
Somoku Dzusetsu, Ed. Makino (Iconogr. Pl. Nippon), xii. t. 22 (1912).
bipinnata C. A. Mey.
Ruprecht in Mém. Acad. Sc. Pétersb. Ser. VII. xv. No. 2, t. 5 (1869).
Act. Hort. Petrop. xvi. t. 7 (1900).
—— **salatavica** Rupr.
Ruprecht in Mém. Acad. Sc. Pétersb. Ser. VII. xv. No. 2, t. 5 (1869).
bulbifera Linn.
*Fl. Dan. iii. t. 361 (1768).
Hill, Herb. Brit. ii. t. 173 (1770).
*Sowerby & Sm. Engl. Bot. v. t. 309 (1796).
*Svensk Bot. v. t. 356 (1807).
*Schkuhr, Bot. Handb. Ed. 2, t. 183 (1808).
Thornton, Brit. Fl. iii. 95 (1812).
*Trattinick, Ausg. Taf. Arch. ii. t. 152 (1813).
Trattinick, Arch. ii. t. 188 (1814).
*Sturm, Deutschl. Fl. xii. XLVIII [t. 755] (1827).
*Baxter, Brit. Bot. Ed. 2, ii. t. 145 (1835).
*Zenker, Fl. Thüringen, vi. t. 705 (1836–55).
Reichenbach, Ic. Fl. Germ. ii. t. 31 (1837–38).
*Forster, Bot. Pocket-Book, frontisp. (1840).
[M. E.] Jackson, Pict. Fl. fig. 978 (1840).
*C. E. Sowerby, Ill. Cat. Brit. Pl. fig. 81 (1841).
*Forster, Fl. Tonbrigensis, Ed. 2, p. 77 (1842).
*Deakin, Florigr. Brit. ii. fig. 1065 (1845).
*J. W. Loudon, Brit. Wild Fl. Ed. 2, t. 9 [1846].
*Lorek, Fl. Pruss. Ed. 3, t. 158, fig. 845 (1848).
*Petermann, Deutschl. Fl. t. 6, fig. 40, a–e (1849).—*Fl.*
Cottage Gard. xii. 169 (1854).
Schnizlein, Iconogr. iii. t. 181 b (1857–65).—*Fr.*
Johnson & Sowerby, Brit. Wild Fl. fig. 93 (1858–60).
Schacht, Grundr. Anat. Phys. Gewächse, 88 (1859).—*Veg.*
Schacht, Lehrb. Anat. Phys. Gewächse, ii. 31, 477 (1860).—*Veg.*
Bentham, Handb. Brit. Fl. fig. 66 (1865).
*Schubert, Naturg., Pflanzenreich, Ed. 2, t. 34, fig. 1 [1865].
*Hogg & Johnson, Wild Fl. Gr. Brit. iii. t. 207 (1866).
*Cusin & Ansberque, Herb. Fl. Franç. ii. t. 306 (1868).
*Weber, Alp.-Pfl. Ed. 3, i. t. 52 (1872).
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, i. t. 21 [1873].
Bot. Tidsskr. Ser. III. i. 86 (1876–77).—*Hab.*
De Silvestri, Piante Prat. 329 (1879).
Willkomm, Führ. Reich Pflanzen, t. 7, fig. 244, 817 (1882).—*Veg.*

DENTARIA
bulbifera
Wagner, Ill. Deutsche Fl. Ed. 2, p. 53 (1882).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xiv. t. 1377 (1883).
*Thomé, Fl. Deutschl. ii. t. 271 (1886).
Potonié, Ill. Fl. Nord- u. Mittel-Deutschl. Ed. 4, fig. 276 (1889).
Kerner, Pflanzenleben, ii. 457 (1891).
Acloque, Fl. France, 94 (1894).
Kerner & Oliv. Nat. Hist. Pl. ii. 461 (1895).
Garcke, Ill. Fl. Deutschl. 41 (1895).
Fiori & Paol. Ic. Fl. Ital. 159 (1899).
Ber. Deutsch. Bot. Ges. xix. t. 19 (1901).—*Fl.*
Coste, Fl. France, i. 107 (1901).
Lindman, Bild. Nord. Fl. t. 191 (1901–5).
Blytt, Haandb. Norg. Fl. Ed. Dahl, 371 (1906).
Fedtschenko & Fler. Fl. Eur. Russia, 470 (1910).
*Bonnier, Fl. Compl. France, Suisse & Belge, i. t. 44 [1911].
Woycicki, Obrazy Roslinnosci Krol. Polsk. iii. t. 5 (1912).—*Hab.*
*Hegi, Ill. Fl. Mittel-Eur. iv. 1. t. 134, p. 326 (1913).
*Perrin & Boulger, Brit. Flower. Pl. ii. t. 97, 100 [G], fig. 1–6 (1914).
Lindman, Svensk Fanerogamfl. 272 (1918).
Mayevsky, Fl. Central Russia, 46 (1918).
Warming in Dansk. Vid. Selsk. Skrift. Ser. VIII. ii. 301 (1918).—*Veg.*
californica Nutt.
Parsons, Wild Fl. California, 5 (1897).
M. Armstrong, Field Book West. Wild Fl. 175 (1915).
canescens Ten.
*Tenore, Fl. Nap., Atlas, v. t. 241 (1811–38).
digitata Lam.
*Lodd. Bot. Cab. viii. t. 757 (1823).
*Sturm, Deutschl. Fl. xii. XLVIII [t. 754] (1827).
*Sweet, Brit. Fl. Gard. iv. t. 72 (1830).
*Horticulteur Franç. 1860, t. 6 in textu; *D. pentaphylla* in ic.
*Cusin & Ansberque, Herb. Fl. Franç. ii. t. 304 (1868).
*Weber, Alp.-Pfl. Ed. 3, i. t. 50 (1872).
Flora, lxv. t. 5 (1882).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xiv. t. 1374 (1883).
W. Robinson, Engl. Fl. Gard. t. 93 (1883).—*Hab.*
*Correvon, Fl. Col. Suisse, t. 17 (1894).
*Hartinger, Atlas Alpenfl. ii. t. 156 (1897).
Coste, Fl. France, i. 107 (1901).
Senn, Alpen-Flora, ii. 12 (1906).
Flahault, Nouv. Fl. Alpes & Pyrén. i. 12 (1906).
*Hulme, Familiar Swiss Fl. t. 25 (1908).
*Bonnier, Fl. Compl. France, Suisse & Belge, i. t. 45 [1911].
*Hegi, Ill. Fl. Mittel-Eur. iv. 1. t. 133, p. 323, 325, 330, 332 (1913).
Cadevall & Sallent, Fl. Catalunya, i. 139 (1915).
diphylla Michx.
*Bot. Mag. xxxvi. t. 1465 (1812).
*Wild Fl. Canada, t. 150 (1894).
Britton & Brown, Ill. Fl. N. States & Canada, ii. 132 (1897); Ed. 2, ii. 188 (1913).
Lounsberry, Southern Wild Fl. & Trees, t. 59 (1901).
*Parsons, According to Season, t. 3 (1902).
L. H. Bailey, Stand. Cycl. Hort. 988 (1914).
*House, Wild Fl. New York (Mem. No. 15 N.Y. State Mus.), i. t. 81 (1918).
enneaphylla Linn.
*Jacquin, Fl. Austr. iv. t. 316 (1776).
*Sturm, Deutschl. Fl. xii. XLVIII [t. 753] (1827).
Reichenbach, Ic. Fl. Germ. ii. t. 30 (1837–38).
Petermann, Deutschl. Fl. t. 6, fig. 40, f–l (1849).—*Fl.*
*Weber, Alp.-Pfl. Ed. 3, i. t. 49 (1872).
Willkomm, Führ. Reich Pflanzen, 817 (1882).—*Veg.*
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xiv. t. 1371 (1883).
G. Beck, Fl. Nied.-Oesterr. ii. 1. 443, 499 (1892).—*Fr.*
*Hartinger, Atlas Alpenfl. ii. t. 155 (1897).
Fiori & Paol. Ic. Fl. Ital. 159 (1899).

DENTARIA
enneaphylla
Silva Tarouca, Freiland-Stauden, 82 (1910).—*Hab.*
Wettstein, Handb. Syst. Bot. Ed. 2, p. 578 (1911).—*Fr.*
*Hegi, Ill. Fl. Mittel-Eur. iv. 1. t. 134, p. 331, 332 (1913).
glandulosa Waldst. & Kit.
*Waldstein & Kit. Pl. Rar. Hung. iii. t. 272 (1812).
*Sturm, Deutschl. Fl. xii. XLV [t. 719] (1826).
Reichenbach, Ic. Fl. Germ. ii. t. 30 (1837–38).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xiv. t. 1372 (1883).
Woycicki, Obrazy Roslinnosci Krol. Polsk. iii. t. 6 (1912).—*Hab.*
Hegi, Ill. Fl. Mittel-Eur. iv. 1. 325, 332 (1913).
heptaphyllos Vill.
Reichenbach, Ic. Fl. Germ. ii. t. 32 (1837–38).
heterophylla Nutt.
Britton & Brown, Ill. Fl. N. States & Canada, ii. 133 (1897); Ed. 2, ii. 188 (1913).
intermedia Sond.
Flora, xxxviii. t. 4 (1855).
laciniata Muhlenb.
*Barton, Fl. N. Amer. iii. t. 72 (1823).
*Meehan, Native Fl. & Ferns U.S. Ser. II. ii. t. 14 (1880).
Miller & Whiting, Wild Fl. N.E. States, 50 (1895).
Britton & Brown, Ill. Fl. N. States & Canada, ii. 132 (1897); Ed. 2, ii. 187 (1913).
Holm in Ottawa Naturalist, xxii. No. 11, t. 8 (1909).—*Veg.*
*House, Wild Fl. New York (Mem. No. 15 N.Y. State Mus.), i. t. 81 (1918).—*Hab.*
Contrib. U.S. Nat. Herb. xxi. t. 30 (1919).—*Hab.*
macrophylla dasyloba Makino
Somoku Dzusetsu, Ed. Makino (Iconogr. Pl. Nippon), xii. t. 20 (1912).
maxima Nutt.
Gray & Sprague, Gen. Fl. Amer. i. t. 56 (1848).
Britton & Brown, Ill. Fl. N. States & Canada, ii. 132 (1897); Ed. 2, ii. 188 (1913).
pentaphyllos Linn.
Buchoz, Hist. Règne Vég. xi. Dec. 2, t. 2 (1776).
*Bot. Mag. xlviii. t. 2202 (1820).
Reichenbach, Ic. Fl. Germ. ii. t. 31 (1837–38).
*J. W. Loudon, Ladies' Fl.-Gard. Ornam. Perenn. i. t. 17 (1843).
*Horticulteur Franç. 1860, t. 6 in ic.; *D. digitata* in textu.
—— **digitata** Lam.
Fiori & Paol. Ic. Fl. Ital. 159 (1899).
pinnata Lam.
Lamarck, Ill. iii. t. 562, fig. 1 (1797).
Boissieu, Fl. Eur. iii. t. 449 (1806).
*Sturm, Deutschl. Fl. xii. XLVIII [t. 756] (1827).
*Cusin & Ansberque, Herb. Fl. Franç. ii. t. 305 (1868).
*Gartenfl. xviii. t. 623 (1869).
*Weber, Alp.-Pfl. Ed. 3, i. t. 51 (1872).
Flora, lxi. t. 4 (1878).—*Veg.*
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xiv. t. 1376 (1883).
Paolucci, Fl. Marchig. t. 40 (1890).—*Fr.*
Coste, Fl. France, i. 108 (1901).
Bibl. Bot. xi. No. 58, t. 2, fig. 36, 37 (1902).—*Fl.*
Lazaro, Comp. Fl. Españ. ii. 137 (1907).—*Fr.*
*Correvon & Rob. Alp. Fl. t. 12 [1908?].
*Bonnier, Fl. Compl. France, Suisse & Belge, i. t. 45 [1911].
Hegi, Ill. Fl. Mittel-Eur. iv. 1. 328 (1913).
Cadevall & Sallent, Fl. Catalunya, i. 139 (1915).
Garden, lxxxiv. 201 (1920).
—— **alba** Luerss.
Bibl. Bot. xi. No. 58, t. 2, fig. 34, 35 (1902).—*Fl.*
polyphylla Waldst. & Kit.
*Waldstein & Kit. Pl. Rar. Hung. ii. t. 160 (1805).
Reichenbach, Ic. Fl. Germ. ii. t. 32 (1837–38).
*Gartenfl. v. t. 171 (1856).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xiv. t. 1375 (1883).
*Bot. Mag. cxi. t. 6796 (1885).
Bibl. Bot. xi. No. 58, t. 2, fig. 38, 39 (1902).—*Fl.*
*Bonnier, Fl. Compl. France, Suisse & Belge, i. t. 45 [1911].

DENTARIA
polyphylla
Hegi, Ill. Fl. Mittel-Eur. iv. 1. 327, 332 (1913).
quinquefolia M. Bieb.
Delessert, Ic. Pl. ii. t. 33 (1823).
Rouy, Illustr. Pl. Eur. ii [t. 33] (1895); fasc. 8, t. 176 (1896).
tenuifolia Ledeb.
J. G. Gmelin, Fl. Sibir. iii. t. 65 (1768); fide Ledebour, Comm. 108.
trifida Lam.
Lamarck, Ill. iii. t. 562, fig. 2 (1797).
trifolia Waldst. & Kit.
*Waldstein & Kit. Pl. Rar. Hung. ii. t. 139 (1805).
Reichenbach, Ic. Fl. Germ. ii. t. 30 (1837–38).
Willkomm, Führ. Reich Pflanzen, t. 7, fig. 246 (1882).—*Veg.*
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xiv. t. 1373 (1883).
Hegi, Ill. Fl. Mittel-Eur. iv. 1. 323 (1913).

DENTELLA Forst.—Vide *Lippaya*
repens Forst.
Rheede, Hort. Mal. ix. t. 39 (1689); fide Hasskarl, Hort. Mal. Rheed. Clavis, 73.
Rumphius, Herb. Amboin. v. t. 170, fig. 4 (1747); fide Merrill, Interpret. Rumph. Herb. Amboin.
Forster, Charact. Gen. Pl. t. 13 (1776).—*Fl.*
Lamarck, Ill. i. t. 118 (1797).—*Fl.*
Pflanzenfam. iv. IV. 22 (1891).—*Fl.*
F. M. Bailey, Weeds & Poison. Pl. Queensland, 66 (1906).

DEPARIA Auct.: *Aspidium* (1), *Athyrium* (2), *Dennstaedtia* (3), *Dryopteris* (4)
Macraei Hook. & Grev. (2)
Hooker & Grev. Ic. Fil. ii. t. 154 (1831).
Mathewsii Hook. (3)
Hooker, Sp. Fil. i. t. 30 (1846).
Moorii Hook. (1)
Fl. des Serres, Ser. I. vii. 207 (1851–52).
Hooker's Journ. Bot. & Kew Misc. iv. t. 3 (1852).
*Hooker, Fil. Exot. t. 28 (1859).
Schneider, Book Choice Ferns, ii. 162 (1893).—*Veg.*
Nicholson, '1900' Suppl. Dict. Gard. 317 (1900).
Goebel, Organogr. Pfl. Ed. 2, ii. 1146 (1915–18).—*Veg.*
nephrodioides Baker (4)
Hook. Ic. Pl. xvii. t. 1608 (1886).
prolifera Hook. & Grev. (2)
*Hooker, Gen. Fil. t. 44 (1842).
Gaudichaud, Voy. Bonite, Bot. Atlas, t. 80 (1844–66).
Payer, Bot. Crypt. 200 (1850).—*Fr.*
T. Moore, Index Fil. Gen. & Spec. t. 79 [1857–62].
*Hooker, Fil. Exot. t. 82 (1859).
Mettenius in Abh. Senckenb. Nat. Ges. iii. t. 6 (1859–61).
*Lowe, Ferns, viii. t. 38 (1860).
J. Smith, Ferns Brit. & Foreign, 235 (1866); Ed. 2, p. 235 (1879).
J. Smith, Hist. Fil. t. 17 (1875).
Baillon, Dict. Bot. ii. 379 (1883).

DEPLANCHEA Vieill.—Vide *Diplanthera* Banks & Soland.
speciosa Vieill.
Ann. Mus. Col. Marseille, Ser. II. x. 362, t. 33–34 (1912).

DEPPEA Cham. & Schlechtd.
cornifolia Benth.
Baillon, Hist. Pl. vii. 337 (1880).—*Fl.*
erythrorrhiza Cham. & Schlechtd.
Pflanzenfam. iv. IV. 36 (1891).—*Fl.*
floribunda Hemsl.
Hemsley, Biol. Centr. Amer. v. t. 38 (1881).
hedyotidea DC.
Endlicher, Atakta Bot. t. 24 (1833).
umbellata Hemsl.
Hemsley, Biol. Centr. Amer. v. t. 38 (1881).

DERDERIA Jaub. & Spach: *Jurinea*
berardioides Jaub. & Spach
Jaubert & Spach, Illustr. Pl. Or. iii. t. 290 (1847–50).

DERDERIA
cheirifolia Jaub. & Spach
Jaubert & Spach, Illustr. Pl. Or. ii. t. 180 (1844–46).
macrocephala Jaub. & Spach
Jaubert & Spach, Illustr. Pl. Or. i. t. 67 (1842–43).

DERINGA Adans.: *Cryptotaenia*
canadensis O. Kuntze
Britton & Brown, Ill. Fl. N. States & Canada, ii. 536 (1897); Ed. 2, ii. 630 (1913).
Contrib. U.S. Nat. Herb. vii. 101 (1900).—*Fr.*
Flahaultii Koso-Polj.
Koso-Poljansky in Monit. Jard. Bot. Tiflis, xi. No. 38, 39, t. 5 (1915).
japonica Koso-Polj.
Fedtschenko, Fl. Aziat. Ross. fasc. 15, 30 (1920).—*Fr.*

DERMATOBOTRYS Bolus
Saundersii Bolus
Hook. Ic. Pl. xx. t. 1940 (1890).
*Bot. Mag. cxx. t. 7369 (1894).
Gard. Chron. Ser. III. xxxi. 131 (1902).

DERRIS Lour.—Vide *Brachypterum*, *Capassa*, *Deguelia*
albirubra Hemsl.
*Bot. Mag. cxxxi. t. 8008 (1905).
Bonatiana Pampan.
Nuov. Giorn. Bot. Ital. N. Ser. xvii. 9 (1910).—*Veg.*
canarensis Baker
Talbot, For. Fl. Bombay, i. 437, 438 (1909).
Fyson, Fl. Nilgiri & Pulney Hill-tops, iii. 320 (1920).
congoënsis De Wild.
De Wildeman, Études Fl. Bas- et Moyen-Congo (Ann. Mus. Congo), i. t. 38 (1904).
elliptica Benth.
Rumphius, Herb. Amboin. v. t. 23 (1747); fide Merrill, Interpret. Rumph. Herb. Amboin.
Greshoff, Nutt. Ind. Pl. t. 25 (1896).
Greshoff in Indische Mercuur, xix. No. 14, tab. (1896).
eualata Bedd.
Beddome, Ic. Pl. Ind. Or. t. 186 (1874).
floribunda Bl.
*Blanco, Fl. Filip. t. 336 (1878–80).
Fordii Oliv.
Hook. Ic. Pl. xviii. t. 1771 (1888).
Forsteniana Bl.
Miquel, Fl. Ned. Ind. i. t. 3 (1855).—*Fr.*
guianensis Benth.
Mart. Fl. Bras. xv. 1. t. 107 (1862).
heptaphylla Merr.
Rumphius, Herb. Amboin. v. t. 37, fig. 1 (1747); fide Merrill, Interpret. Rumph. Herb. Amboin.
Heyneana Benth.
Talbot, For. Fl. Bombay, i. 436 (1909).—*Fr.*
laotica Gagnep.
Lecomte, Fl. Gén. Indo-Chine, ii. 455 (1916).
multiflora Benth.
Miquel, Fl. Ned. Ind. i. t. 3 (1855).—*Fl.*
oblonga Benth.
*Trimen, Handb. Fl. Ceylon, Atlas, ii. t. 29 (1894).
oligosperma K. Schum. & Lauterb.
*Bot. Mag. cxxxix. t. 8530 (1913).
polyphylla Koorders & Val.
Koorders & Val. Atlas Baumarten Java, t. 19 (1913).
scandens Benth.
Rheede, Hort. Mal. vi. t. 22 (1686); fide Fl. Brit. Ind. ii. 240.
Vidal, Sin. Fam. & Gen. Pl. Leñ. Filip. (Introd. Fl. For. Filip.), Atlas, t. 41, fig. F (1883).—*Fr.*
Brandis, Indian Trees, 241 (1906).
Talbot, For. Fl. Bombay, i. 435 (1909).—*Fr.*
thyrsiflora Benth.
Burkill in Journ. Asiat. Soc. Straits Branch, No. 77, p. 263 (1917).—*Fl.*
tonkinensis Gagnep.
Lecomte, Fl. Gén. Indo-Chine, ii. 457 (1916).—*Fr.*
trifoliata Lour.
Rumphius, Herb. Amboin. v. t. 25, fig. 2 (1747); fide Merrill, Interpret. Rumph. Herb. Amboin.

DERRIS
uliginosa Benth.
Miquel, Fl. Ned. Ind. i. t. 3 (1855).—*Fr.*
Perredes, Anat. Stem *Derris uliginosa*, t. 1–9 [1902].—*Veg.*
Teysmannia, xxii. 129 (1911).—*Fr.*
violacea Harms
Engler & Drude, Veget. Erde, ix. 1. 2, t. 30 (1910). —*Hab.*
Engl. Jahrb. xlvi. t. 3 (1911).—*Hab.*

DESBORDESIA Pierre: *Irvingia*
glaucescens Pierre
Engler & Drude, Veget. Erde, ix. 1. 2, p. 698 (1910); ix. III. 1. 772 (1915).
insignis Pierre
Chevalier, Vég. Util. Afr. fasc. 9, p. 95, t. 5 (1917).

DESCHAMPSIA P. Beauv.—Vide *Aira* (7), *Avena* (8), *Monandraira*, *Vahlodea*
alpina Roem. & Schult.
Husnot, Gram. t. 12 (1896–99).
Lindman, Svensk Fanerogamfl. 81 (1918).—*Fr.*
antarctica Hook. f.
W. B. Scott, Rep. Princeton Univ. Exped. Patag. 1896–99, viii. 1. Bot. 200 (1904).
antarctica E. Desv.
Deutsch. Tiefsee-Exped. 1898–99, ii. 1. 23 (1905).
Drygalski, Deutsche Südpol.-Exped. 1901–3, viii. Bot. 107 (1906).
argentea S. Wats.
Rep. Missouri Bot. Gard. viii. t. 58 (1897).
atropurpurea Scheele
Britton & Brown, Ill. Fl. N. States & Canada, i. 170 (1896); Ed. 2, i. 216 (1913).
U.S. Dep. Agric. Div. Agrost. Bull. No. 7, p. 176 (1897).
bottnica Trin.
Lindman, Svensk Fanerogamfl. 80 (1918).
brevifolia R. Br.
Trinius, Sp. Gram. iii. t. 256 (1836).—*Fl.*
Bot. Gaz. xi. 25, fig. A (1886).
caespitosa P. Beauv.
P. Beauvais, Agrost. t. 3, fig. 31; t. 18, fig. 3 (1812).—*Fl.*
Nees, Gen. Pl., Monocot. i. t. 43 (1837).—*Fl.*
*Török, Magyar rétfüvek és takarmánynövények (Hungarian Grasses & Food-pl.), t. 4 (1844).
Cesati, Passer. & Gibelli, Comp. Fl. Ital. t. 8 (1867–86).—*Fl.*
Cusin, Herb. Fl. Franç. xxiv (Graminées), t. 135 (1874).
Nobbe, Handb. Samenkunde, 405 (1876).—*Fr.*
De Silvestri, Piante Prat. 64 (1879).
J. Buchanan, Man. Grass. New Zeal. t. 37 (1880).
Karsten, Deutsche Fl. Pharm.-medic. Bot. 381 (1880–83).—*Fl.*
Vasey, Agric. Grasses U.S.A. (U.S. Dep. Agric.), t. 62 (1884); Agric. Grasses & Forage Pl. U.S.A. (U.S. Dep. Agric. Bot. Div. Spec. Bull.), t. 4, 107 (1889).
Harz, Samenkunde, 1306 (1885).—*Fr.*
Pflanzenfam. ii. II. 54 (1887).—*Fl.*
U.S. Dep. Agric. Bot. Div. Bull. No. 6, t. 14 (1888).
Potonié, Ill. Fl. Nord- u. Mittel-Deutschl. Ed. 4, fig. 131 (1889).
Acloque, Fl. France, 693 (1894).—*Fl.*
Battandier & Trabut, Fl. Algér., Monocot. t. 5, fig. 6 (1895).
Fiori & Paol. Ic. Fl. Ital. 27 (1895).
Karsten, Fl. Deutschl. i. 386 (1895).
Agric. Gaz. N. S. Wales, vii. 262 (1896).
Britton & Brown, Ill. Fl. N. States & Canada, i. 169 (1896); Ed. 2, i. 215 (1913).
Husnot, Gram. t. 12 (1896–99).
*Siélain, Atlas Poche Pl. Champs, Prair. & Bois, Ser. II. t. 77 (1896).
Maiden, Grasses N. S. Wales, 128 (1898).
Sturm, Fl. Deutschl. Ed. 2, iii. t. 21 (1900).
C. T. Green, Fl. Liverpool Distr. fig. 724 (1902).
Nelson in Bull. Wyoming Agric. St. No. 65, p. 35 (1905).
Coste, Fl. France, iii. 587 (1906).
Suireishchikov, Ill. Fl. Mosc. Gov. i. 130 (1906).
Clarke in Nature Book, iii. 517, t. 2 (1909).
Merino, Fl. Galicia, iii. 292 (1909).
Fedtschenko & Fler. Fl. Eur. Russia, 101 (1910).

DESCHAMPSIA
caespitosa
Wettstein, Handb. Syst. Bot. Ed. 2, p. 826 (1911). —*Fl.*
F. E. & E. S. Clements, Rocky Mt. Fl. t. 46 (1914).
Fedtschenko, Veg. Turkest. 104 (1915).
Lindman, Svensk Fanerogamfl. 81 (1918).—*Fl.*
—— **arctica** Vasey
Ill. N. Amer. Grasses (U.S. Dep. Agric. Div. Bot. Bull. No. 13, 1), ii. t. 45 (1892).
calycina Presl
U.S. Dep. Agric. Div. Agrost. Bull. No. 7, p. 175 (1897).
Rep. Missouri Bot. Gard. x. t. 37 (1899).
cordillerarum Haum.
Hauman in An. Soc. Cient. Arg. Buenos Aires, lxxxvi. v, VI. 145 (1918).
danthonioides Munro
Vasey, Agric. Grasses U.S.A. (U.S. Dep. Agric.), t. 63 (1884).
discolor Roem. & Schult.
Husnot, Gram. t. 12 (1896–99).
Sturm, Fl. Deutschl. Ed. 2, iii. t. 21 (1900).
Coste, Fl. France, iii. 587 (1906).
elongata Munro
Vasey, Ill. N. Amer. Grasses (U.S. Dep. Agric. Div. Bot. Bull. No. 13, II), ii. t. 58 (1893).
U.S. Dep. Agric. Div. Agrost. Bull. No. 7, p. 174 (1897).
flexuosa Trin.
Nees, Gen. Pl., Monocot. i. t. 43 (1837).
*Török, Magyar rétfüvek és takarmánynövények (Hungarian Grasses & Food-pl.), t. 5 (1844).
Cusin, Herb. Fl. Franç. xxiv (Graminées), t. 138 (1874).
De Silvestri, Piante Prat. 65 (1879).
G. Beck, Fl. Nied.-Oesterr. i. 30, 67 (1890).—*Fl.*
Lamson-Scribner, Grass. Tennessee, Pt. II (Bull. Tenn. Agric. Exp. St. vii. No. 1), t. 27 (1894).
Fiori & Paol. Ic. Fl. Ital. 27 (1895).
Britton & Brown, Ill. Fl. N. States & Canada, i. 170 (1896); Ed. 2, i. 216 (1913).
Husnot, Gram. t. 12 (1896–99).
U.S. Dep. Agric. Div. Agrost. Bull. No. 3, p. 41 (1896); No. 7, p. 173 (1897); No. 14, p. 32 (1898); No. 20, p. 92 (1900).
Sturm, Fl. Deutschl. Ed. 2, iii. t. 21 (1900).
C. T. Green, Fl. Liverpool Distr. fig. 725 (1902).
Pammel in Bull. Iowa Agric. St. No. 70, p. 515 (1903).—*Fr.*
Coste, Fl. France, iii. 587 (1906).
Suireishchikov, Ill. Fl. Mosc. Gov. i. 129 (1906).
*Miyoshi & Makino, Pocket-Atlas, Alp. Pl. Jap. ii. t. 55, fig. 317 (1907).
Engler & Drude, Veget. Erde, xi. t. 39 (1909).—*Hab.*
Fedtschenko & Fler. Fl. Eur. Russia, 101 (1910).
Rec. Inst. Bot. Errera, vii bis Annexe, fig. 348 (1910).—*Hab.*
Stone, Pl. Southern New Jersey (Ann. Rep. New Jersey State Mus. 1910), t. 7 (1911).
Hayden in Iowa Geol. Surv. Bull. No. 4, p. 639 (1913).—*Fr.*
*Hegi & Dunz. Alp. Fl. t. 2 (1913).
Journ. Ecol. i. t. 16 (1913).—*Hab.*
Hayek, Pflanzend. Oesterr.-Ung. i. 53, 167 (1914).
Wilcox, Link & Pool in Bull. Agric. St. Nebraska, xxvii. No. 148, p. 40 (1915).—*Fl.*
Lindman, Svensk Fanerogamfl. 61, 81 (1918).—*Fl.*
*Horwood, Brit. Wild Fl. v. t. 59, p. 126 (1919).
—— **montana** Parl.
Cusin, Herb. Fl. Franç. xxiv (Graminées), t. 139 (1874).
Schroeter, Pflanzenleb. Alp. 310 (1906).
foliosa Hack.
Rep. Missouri Bot. Gard. viii. t. 57 (1897).
holciformis Presl
Vasey, Ill. N. Amer. Grasses (U.S. Dep. Agric. Div. Bot. Bull. No. 13, II), ii. t. 59 (1893).
U.S. Dep. Agric. Div. Agrost. Bull. No. 7, p. 172 (1897).
Kingii E. Desv.
W. B. Scott, Rep. Princeton Univ. Exped. Patag. 1896–99, viii. 1. Bot. 202 (1904).
media Roem. & Schult.
Cusin, Herb. Fl. Franç. xxiv (Graminées), t. 136 (1874).

DESCHAMPSIA
media
Fiori & Paol. Ic. Fl. Ital. 27 (1895).
Husnot, Gram. t. 12 (1896–99).
Coste, Fl. France, iii. 587 (1906).
parviflora P. Beauv.
Dumortier, Gram. Belg. t. 7 (1823).—*Fl.*
ruvensoroënsis Chiov.
Chiovenda & Cortesi, Il Ruwenzori, Angiosp. t. 33 [1909].
setacea Richter
Lindman, Svensk Fanerogamfl. 81 (1918).—*Fl.*
tenella Petrie
Cheeseman, Ill. New Zeal. Fl. t. 224 (1914).
Thuillieri Gren. & Godr.
Cusin, Herb. Fl. Franç. xxiv (Graminées), t. 137 (1874).

DESCURAINIA Webb & Berth.—Vide *Hugueninia*
pinnatifida Hayek
Marret, Ic. Fl. Alp. Pl. Fasc. 4, t. 65 [1911].
tanacetifolia Prantl
Pflanzenfam. iii. 191 (1891).—*Fr.*

DESDEMONA Sp. Moore
pulchella Sp. Moore
Trans. Linn. Soc. London, Ser. II. Bot. iv. t. 27 (1895).

DESFONTAENA Vell.: *Chiropetalum*
tricocca Vell.
Vellozo, Fl. Flum. ii. t. 146 (1827).

DESFONTAINEA Ruiz & Pav.—Vide *Linkia* Pers.
Hookeri Dun.
*Fl. des Serres, Ser. I. ix. t. 938 (1853–54).
Dippel, Handb. Laubholzk. i. 156 (1889).
ilicifolia Phil.
Castillo & Dey, Jeogr. Vej. Rio Valdivia, Ed. 2, i. 100 (1908).
spinosa Ruiz & Pav.
Ruiz & Pavon, Fl. Peruv. & Chil. Prodr. t. 5 (1794).—*Fl.*
Ruiz & Pavon, Fl. Peruv. & Chil. ii. t. 186 (1799).
Hook. Ic. Pl. i. t. 33 (1837).
*Bot. Mag. lxxx. t. 4781 (1854).
Cottage Gard. xii. 369 (1854).
*C. Gay, Hist. Chile, Atlas, t. 56 (1854).
*Ill. Hort. i. t. 27 (1854).
*Floricult. Cab. 1855, p. 273.
*Horticulteur Franç. 1855, t. 9.
Schnizlein, Iconogr. ii. t. 148 (1856–65).
Le Maout & Decaisne, Traité Gén. Bot. 163 (1868).—*Fl.*
Journ. Hort. lxii. 252 (1879); Ser. III. xlviii. 283 (1904).
Garden, xvi. 495 (1879); xxxiii. 514 (1888).
Nicholson, Illustr. Dict. Gard. i. 459 [1884–88]. —*Veg.*
Baillon, Hist. Pl. x. 124 (1891).—*Fl.*
Pflanzenfam. iv. II. 49 (1895).
Schneider, Ill. Handb. Laubh. ii. 842 (1912).
—— **Hookeri** Reiche
Svenska Vet. Akad. Handl. lvi. No. 5, t. 3, fig. 1 (1916).—*Hab.*
Espinosa in Bol. Mus. Nac. Chile, Santiago, x. 66 (1917).
splendens Humb. & Bonpl.
Humboldt & Bonpl. Pl. Aeq. t. 45 (1805).

DESMANTHODIUM Benth.
guatemalense Hemsl.
Hemsley, Biol. Centr. Amer. v. t. 45 (1881).
perfoliatum Benth.
Hook. Ic. Pl. xii. t. 1116 (1872).
Pflanzenfam. iv. v. 213 (1890).—*Fl.*

DESMANTHUS Willd.—Vide *Acuan*, *Darlingtonia* DC.
brachylobus Benth.
*Meehan, Native Fl. & Ferns U.S. Ser. II. ii. t. 7 (1880).
Hitchcock & Norton in Bull. Kansas Agric. St. No. 50, t. 2, fig. 26 (1895).—*Veg.*
Commersonianus Baill.
Grandidier, Hist. Madag. [Plantes] Atlas, t. 23 (1886).

DESMANTHUS
depressus Humb. & Bonpl.
*Kunth, Mimos. (in Humb. & Bonpl. Voy. vi), t. 35 (1819).
fruticosus Rose
Contrib. U.S. Nat. Herb. i. t. 13 (1892).
natans Willd.
Rheede, Hort. Mal. ix. t. 20 (1689); fide Hasskarl, Hort. Mal. Rheed. Clavis, 70.
*Andrews, Bot. Rep. x. t. 629 (1810?).
*Jacquin, Ecl. Pl. i. t. 50 (1811–16).
Neubert's Deutsch. Gart. Mag. xiv. 337 (1861).
Rosanoff in Trud. Petersburg Obshch. Est. i. t. 4, fig. 1 (1870).—*Veg.*
palustris Bertol.
Bertoloni in Mem. Accad. Sc. Istit. Bologna, iii. t. 21, fig. 2 (1851).
trichostachys DC.
De Candolle, Mém. Légum. t. 67 (1825).
triquetrus Willd.
Wight, Ic. Pl. Ind. Or. iii. t. 756 (1843–45).
virgatus Willd.
*Bot. Mag. li. t. 2454 (1823).
Mart. Fl. Bras. xv. II. t. 79 (1870).
Lecomte, Fl. Gén. Indo-Chine, ii. 74 (1913).
Rock, Legum. Pl. Hawaii, t. 19 (1920).
Fawcett & Rendle, Fl. Jamaica, iv. II. 131 (1920).

DESMAZERIA Dumort.—Vide *Brizopyrum* Link
acutiflora Hemsl.
Hemsley, Bot. Challenger Exped. i. II. t. 51 (1884).
balearica Willk.
*Willkomm, Ill. Fl. Hispan. Balear. ii. t. 157, fig. A (1891).
loliacea Nymen
Merino, Fl. Galicia, iii. 402 (1909).
Britton, Fl. Bermuda, 34 (1918).
oblitera Hemsl.
Hemsley, Bot. Challenger Exped. i. II. t. 51 (1884).
sicula Dumort.
Battandier & Trabut, Fl. Algér., Monocot. t. 6, fig. 3 (1895).
L. H. Bailey, Cycl. Amer. Hort. 467 (1900); Stand. Cycl. Hort. 990 (1914).
triticea Willk.
*Willkomm, Ill. Fl. Hispan. Balear. ii. t. 157, fig. B (1891).

DESMIA D. Don: *Erica*
conferta D. Don
J. C. Loudon, Arbor. & Frutic. Brit. ii. 1090 (1838).

DESMIDORCHIS Ehrenb.: *Caralluma*
Forskalii Decne.
Ann. Sc. Nat. Paris, Ser. II. ix. t. 9 (1838).—*Fl.*
quadrangula Ehrenb.
*Ehrenberg, Symb. Phys., Bot. t. 7 (1900).
retrospiciens Ehrenb.
*Ehrenberg, Abh. Akad. Berlin, 1829, t. 2.—*Fl.*
*Ehrenberg, Symb. Phys., Bot. t. 7 (1900) in ic.; *Caralluma retrospiciens* in textu.

DESMOCHAETA DC.: *Pupalia*
atropurpurea DC.
*Jacquin, Ecl. Pl. i. t. 96 (1811–16).
Wight, Ic. Pl. Ind. Or. ii. t. 731 (1840–43).
flavescens DC.
*Jacquin, Ecl. Pl. i. t. 75 (1811–16).
muricata DC.
Wight, Ic. Pl. Ind. Or. ii. t. 732 (1840–43).
prostrata DC.
Wight, Ic. Pl. Ind. Or. ii. t. 733 (1840–43).
xanthioides A. Braun
Flora, xxiv. II. t. 2 (1841).—*Fl.*

DESMODIUM Desv.—Vide *Dicerma*, *Meibomia*, *Nicolsonia*, *Phyllodium*, *Pteroloma*
adscendens DC.
Kinman in Bull. Porto Rico Agric. St. No. 19, t. 5 (1916).
akoënse Hayata
Hayata, Ic. Pl. Formosan. ix. 23 (1920).
arinense Hoehne
Hoehne in Comm. Linh. Telegraph. Matto Grosso ão Amaz. Annexo No. 5, Bot. viii. t. 148 (1919).
barbatum Benth.
Mart. Fl. Bras. xv. I. t. 26 (1859).

DESMODIUM
barbatum
Notizbl. Bot. Gart. Berlin, v. 312 (1913).
Engler & Drude, Veget. Erde, ix. III. 1, p. 623 (1915).
Boivinianum Baill.
Grandidier, Hist. Madag. [Plantes] Atlas, t. 44 a (1888).
canadense DC.
Cornuti, Hist. 45 (1735); fide DC.
*Bot. Mag. lxiv. t. 3553 (1837).
*Wild Fl. Canada, t. 80 (1894).
L. H. Bailey, Cycl. Amer. Hort. 473 (1900); Stand. Cycl. Hort. 991 (1914).—*Fr.*
Beal, Michigan Weeds (Bull. Mich. Agric. Exp. St. No. 267), 360 (1911); et in Ann. Rep. xxv. 349 (1912).
Wettstein, Handb. Syst. Bot. Ed. 2, p. 661 (1911).—*Fr.*
A. Georgia, Manual Weeds, t. 174 (1914).
canescens DC.
Bot. Gaz. xiii. 151, fig. 3 (1888).—*Fl.*
Avebury, Buds & Stipules, 217 (1908).—*Veg.*
cephalotes Wall.
Wight, Ic. Pl. Ind. Or. ii. t. 373 (1840–43).
Beddome, Fl. Sylv. Anal. Gen. t. 12 (1872).
cinerascens Franch.
*Bot. Mag. cxlv. t. 8805 (1919).
cinereum DC.
Ralph, Ic. Carpolog. t. 36 (1849).—*Fr.*
Clovissii Gagnep.
Lecomte, Fl. Gén. Indo-Chine, ii. 567 (1920).
collinum Wall.
Wight, Ic. Pl. Ind. Or. i. t. 272 (1840) in textu; *D. latifolium* in ic.
congestum Wall.
Wight, Ic. Pl. Ind. Or. i. t. 209 (1839).
Ralph, Ic. Carpolog. t. 36 (1849).—*Fr.*
diffusum DC.
Wight, Ic. Pl. Ind. Or. i. t. 298 (1840); ii. t. 409 (1843).
Dillenii Darl.
Louisiana State Mus. Nat. Hist. Surv. Bull. No. 1 [t. 34] (1910).
dubium Lindl.
*Bot. Reg. xii. t. 967 (1826).
*Bot. Mag. lvii. t. 2960 (1830).
Duclouxii Pampan.
Nuov. Giorn. Bot. Ital. N. Ser. xvii. 11 (1910).
floribundum G. Don
Collett, Fl. Siml. 132 (1902).
gangeticum DC.
Wight, Ic. Pl. Ind. Or. i. t. 271 (1840).
*Blanco, Fl. Filip. t. 377 (1878–80).
Talbot, For. Fl. Bombay, i. 395 (1909).
Basu, Ind. Med. Pl. t. 311 (1918).
gyrans DC.
Wight, Ic. Pl. Ind. Or. i. t. 294 (1840).
Ralph, Ic. Carpolog. t. 36 (1849).—*Fr.*
*Réveil, Règne Vég. xiv. t. 46 (1870).
Baillon, Hist. Pl. ii. 223 (1870).
Höhnel in Schrift. Ver. Verbr. naturw. Kenntn. Wien, xxiii. 265, fig. 2 (1883).—*Veg.*
Baillon, Dict. Bot. ii. 386 (1883).
Baillon, Traité Bot. Méd. Phan. i. 436 (1883).
Pflanzenfam. iii. III. 74 (1891).—*Veg.*
Beal in Bull. Michigan Agric. St. No. 4, p. 31 (1898).—*Veg.*
Knight & Step. Living Plant, t. 1 (1905).—*Hab.*
Neger, Biol. Pflanz. 237 (1913).—*Veg.*
Bose, Man. Ind. Bot. 207 (1920).—*Veg.*
heterocarpum DC.
Rock, Legum. Pl. Hawaii, t. 66 (1920).
hirtum Guill. & Per.
Wood, Natal Pl. iii. I. t. 212 (1900).
Notizbl. Bot. Gart. Berlin, v. 312 (1913).
Tropenpfl. xvii. 431, 433, 435 (1913).—*Hab.*
Engler & Drude, Veget. Erde, ix. III. 1, p. 623 (1915).
illinoënse A. Gray
Hitchcock & Norton in Bull. Kansas Agric. St. No. 50, t. 1, fig. 24 (1895).—*Veg.*
incanum DC.
Kinman in Bull. Porto Rico Agric. St. No. 19, t. 5 (1916).
—— **angustifolium** Griseb.
Trans. Acad. Sc. St. Louis, vii. t. 31 (1897).

DESMODIUM
infractum DC.
A. De Candolle, Calq. Dess. Fl. Mex. Moc. & Sessé, t. 270 (1874).
japonicum Miq.
*Somoku Dzusetsu, Ed. 2, xiv. t. 24 (1874).
Somoku Dzusetsu, Ed. Makino (Iconogr. Pl. Nippon), xiv. t. 24 (1912).
jucundum Thw.
*Trimen, Handb. Fl. Ceylon, Atlas, ii. t. 28 (1894).
juruënense Hoehne
Hoehne in Comm. Linh. Telegraph. Matto Grosso ão Amaz. Annexo No. 5, Bot. viii. t. 148 (1919).
laburnifolium DC.
Somoku Dzusetsu, Ed. 2, xiv. t. 26 (1874).
*Useful Pl. Jap. ii. t. 489 (1895).
Somoku Dzusetsu, Ed. Makino (Iconogr. Pl. Nippon), xiv. t. 26 (1912).
latifolium Wight
Wight, Ic. Pl. Ind. Or. i. t. 272 (1840) in ic.; *D. collinum* in textu.
latifolium DC.
Wight, Ic. Pl. Ind. Or. i. t. 270 (1840).
Ettingshausen, Blatt-Skel. Dikot. 214 (1861).—*Veg.*
leiocarpum G. Don
Mart. Fl. Bras. xv. I. t. 27 (1859).
leptopus A. Gray
Philippine Journ. Sc. iii. 84, t. 1 (1908).
lunatum Huber
Bol. Mus. Goeldi, Para, iv. 569 (1905–6).
madrense Micheli
Micheli in Mém. Soc. Phys. Genève, xxxiv. t. 10 (1903).
marylandicum DC.
Unger in Denkschr. Akad. Wiss. Wien, i. t. 9, fig. 21–23 (1850).
nudiflorum DC.
*Meehan's Monthly, ii. t. 5 (1892).
Miller & Whiting, Wild Fl. N.E. States, 140 (1895).
nutans Hook.
*Bot. Mag. lv. t. 2867 (1828).
J. C. Loudon, Arbor. & Frutic. Brit. iv. 2553 (1838).
Oldhamii Oliv.
Somoku Dzusetsu, Ed. 2, xiv. t. 25 (1874).
Somoku Dzusetsu, Ed. Makino (Iconogr. Pl. Nippon), xiv. t. 25 (1912).
ormocarpoides DC.
Rumphius, Herb. Amboin. vi. t. 66 (1750); fide Merrill, Interpret. Rumph. Herb. Amboin.
oscillans Pouchet
Pouchet, The Universe, Ed. 5, p. 334 (1877).
parvifolium DC.
Fyson, Fl. Nilgiri & Pulney Hill-tops, ii. 87 (1915).
patens G. Don
Wight, Ic. Pl. Ind. Or. ii. t. 407 (1840–43).
penduliflorum Oud.
*Neerl. Plantentuin, Ed. Oudemans, i. t. 20 (1865); ii. t. 2 (1866).
*Fl. des Serres, Ser. II. viii. t. 1888, 1889 (1869–70).
*Rev. Hort. 1873, p. 211.
*Garden, x. 216 (1876).
Lauche, Deutsche Dendrol. Ed. 2, p. 701 (1883).
Gard. Chron. xx. 749 (1883).
Journ. Hort. Ser. III. xxiii. 459 (1891); xxx. 15 (1895).
*Mouillefert, Traité Arbres & Arbriss. Atlas, t. x (1892–98).
pendulum Wall.
*Wallich, Pl. Asiat. Rar. i. t. 94 (1830).
podocarpum Hook. & Arn.
Hooker & Arn. Bot. Beechey Voy. t. 96 (1841).
polycarpum DC.
J. C. Loudon, Arbor. & Frutic. Brit. iv. 2553 (1838).
Wight, Ic. Pl. Ind. Or. ii. t. 406 (1840–43).
Basu, Ind. Med. Pl. t. 312 (1918).
pseudo-amplifolium Micheli
Micheli in Mém. Soc. Phys. Genève, xxxiv. t. 11 (1903).
pulchellum Benth.
Brandis, Indian Trees, 224 (1906).

DESMODIUM
quinqueangulare Wight
Wight, Ic. Pl. Ind. Or. i. t. 293 (1840).
recurvatum Grah.
Wight, Ic. Pl. Ind. Or. ii. t. 374 (1840–43).
rhabdocladum Franch.
Schneider, Ill. Handb. Laubh. ii. 109 (1907).
rotundifolium DC.
Parkhurst, Trees, Shrubs, Vines N.E. United States, 333, t. 6, fig. 36 (1903).—*Veg.*
rufescens DC.
*Wight, Illustr. Ind. Bot. i. t. 80 (1840).
Wight, Ic. Pl. Ind. Or. iii. t. 984 (1843–45).
*Wight, Spicil. Neilgherr. i. t. 57 [1846].
Fyson, Fl. Nilgiri & Pulney Hill-tops, iii. 313 (1920).
scalpe DC.
Fyson, Fl. Nilgiri & Pulney Hill-tops, ii. 86 (1915).
sequax Wall.
*Wallich, Pl. Asiat. Rar. ii. t. 157 (1831).
sessilifolium Torr. & Gray
Amer. Nat. xix. 712 (1885).—*Fl.*
Shimadai Hayata
Hayata, Ic. Pl. Formosan. ix. 25 (1920).
Skinneri albo-lineatum Hook.
*Bot. Mag. xc. t. 5452 (1864).
spirale DC.
Velenovsky, Vergl. Morphol. Pfl. ii. 441 (1907).—*Veg.*
stenophyllum Pampan.
Nuov. Giorn. Bot. Ital. N. Ser. xvii. 15 (1910).
stipulaceum DC.
A. De Candolle, Calq. Dess. Fl. Mex. Moc. & Sessé, t. 269 (1874).
strangulatum Wight & Arn.
Wight, Ic. Pl. Ind. Or. iii. t. 985 (1843–45).
*Wight, Spicil. Neilgherr. i. t. 58 [1846].
supinum P. DC.
Plumier, Pl. Amer. Ed. Burm. t. 149, fig. 1 (1757); fide Urban, Fedde Repert. Beih. v. 70.
Fawcett & Rendle, Fl. Jamaica, iv. II. 33 (1920).
tenuiflorum Micheli
De Wildeman & Durand, Ill. Fl. Congo (Ann. Mus. Congo), i. t. 60 (1899).
Thorelii Gagnep.
Lecomte, Fl. Gén. Indo-Chine, ii. 567 (1920).—*Fl.*
tiliifolium G. Don
Bot. Jaarb. Gent, x. 133 (1894).
Rev. Hort. 1902, p. 458, 459.
Rev. Hort. 1902, p. 431, errore; *Lonicera thibetica.*—*Hab.*
Schneider, Ill. Handb. Laubh. ii. 109 (1907).
Eden Phillpotts, My Shrubs, 39 (1915).
Basu, Ind. Med. Pl. t. 310 (1918).
tortuosum DC.
U.S. Dep. Agric. Div. Agrost. Bull. No. 2, p. 16 (1896); Circ. No. 13, p. 1, 3 (1899).
U.S. Dep. Agric. Farm. Bull. No. 102, p. 31 (1899); No. 300, p. 8 (1907).
Hitchcock in Bull. Kansas Agric. St. No. 102, p. 190 (1901).
Rhodesia Agric. Journ. xiii. v. 636 (1916).—*Hab.*
Shaw, Clovers, 339, 341 (1918).
trichostachyum Benth.
F. M. Bailey, Compr. Cat. Queensl. Pl. 141 (1909–13).
triflorum DC.
Wight, Ic. Pl. Ind. Or. i. t. 291, 292 (1840).
Mart. Fl. Bras. xv. I. t. 26 (1859).
Trop. Agric. xxiv. No. 8, p. 21 (1905).
Basu, Ind. Med. Pl. t. 310 (1918).
triquetrum DC.
De Sornay, Green Manures in Tropics, 105 (1916).
Crevost & Lemarié, Cat. Prod. Indochine, i. 405 (1917).
Goebel, Entfaltungsb. Pfl. 476, 477 (1920).
umbellatum DC.
Rumphius, Herb. Amboin. iv. t. 52 (1743); fide Merrill, Interpret. Rumph. Herb. Amboin.
Vidal, Sin. Fam. & Gen. Pl. Leñ. Philip. (Introd. Fl. For. Filip.), Atlas, t. 41, fig. D (1883).—*Fr.*
uncinatum DC.
Bih. Svenska Vet. Akad. Handl. xxv. III. No. 11, p. 11 (1900).—*Veg.*

DESMODIUM
uncinatum
Bryan, Nat. Hist. Hawaii, t. 53, fig. 13 (1915).
Hawaii Agric. Exp. St. Bull. No. 52, p. 12 (1917).
vestitum Benth.
Lecomte, Fl. Gén. Indo-Chine, ii. 567 (1920).
yunnanense Franch.
Schneider, Ill. Handb. Laubh. ii. 109 (1907).
zonatum Miq.
Lecomte, Fl. Gén. Indo-Chine, ii. 567 (1920).

DESMOGYNE King & Prain
neriifolia King & Prain
Ann. Bot. Gard. Calcutta, ix. t. 59 (1901).

DESMONCUS Mart.
ataxacanthus Barb. Rodr.
*Barbosa Rodrigues, Sert. Palm. Bras. ii. t. 55 (1903).
caespitosus Barb. Rodr.
*Barbosa Rodrigues, Sert. Palm. Bras. ii. t. 63 (1903).
cuyabaënsis Barb. Rodr.
Barbosa Rodrigues, Palm. Mattogr. t. 10, 11 (1898).
*Barbosa Rodrigues, Sert. Palm. Bras. ii. t. 54 (1903).
inermis Barb. Rodr.
*Barbosa Rodrigues, Sert. Palm. Bras. ii. t. 60 (1903).
leptoclonos Drude
Mart. Fl. Bras. iii. II. t. 71 (1881).
lophacanthos Mart.
*Martius, Palm. iii. t. 165 (1823–50).
macroacanthus Mart.
Wallace, Palm Trees Amazon, t. 27 (1853).—*Hab.*
U.S. Dep. Agric. Fiber Invest. Rep. No. 9, p. 149 (1897).
macrocarpus Barb. Rodr.
*Barbosa Rodrigues, Sert. Palm. Bras. ii. t. 53 (1903).
macrodon Barb. Rodr.
*Barbosa Rodrigues, Sert. Palm. Bras. ii. t. 59 (1903).
nemorosus Barb. Rodr.
*Barbosa Rodrigues, Sert. Palm. Bras. ii. t. 56 (1903).
oligacanthos Barb. Rodr.
*Barbosa Rodrigues, Sert. Palm. Bras. ii. t. 58 (1903).
orthacanthos Mart.
*Martius, Palm. ii. t. 69, 98 (1823–50).
Mart. Fl. Bras. iii. II. t. 71 (1881).—*Veg.*
*Barbosa Rodrigues, Sert. Palm. Bras. ii. t. 54 (1903).
palustris Trail
Mart. Fl. Bras. iii. II. t. 71 (1881).—*Fl.*
paraënsis Barb. Rodr.
*Barbosa Rodrigues, Sert. Palm. Bras. ii. t. 57 (1903).
phengophyllus Drude
Mart. Fl. Bras. iii. II. t. 70 (1881).
Philippiana Barb. Rodr.
*Barbosa Rodrigues, Sert. Palm. Bras. ii. t. 61 (1903).
phoenicocarpus Barb. Rodr.
*Barbosa Rodrigues, Sert. Palm. Bras. ii. t. 64 (1903).
polyacanthos Mart.
*Martius, Palm. ii. t. 68 (1823–50).
Kerner, Pflanzenleben, i. 636 (1887).—*Veg.*
Kerner & Oliv. Nat. Hist. Pl. i. 676 (1894).—*Veg.*
*Barbosa Rodrigues, Sert. Palm. Bras. ii. t. 62 (1903).
prostratus Lindm.
Bih. Svenska Vet. Akad. Handl. xxvi. III. No. 5, t. 1 (1900).
pumilus Trail
Journ. of Bot. xiv. t. 183 (1876).
pycnacanthos sarmentosus Drude
Mart. Fl. Bras. iii. II. t. 72 (1881).
rudentum Mart.
*D'Orbigny, Voyage Amér. Mérid. vii. III. t. 14, 26 (1847).
Mart. Fl. Bras. iii. II. t. 69 (1881).

DESMONCUS
rudentum
Pflanzenfam. ii. III. 77 (1889).—*Fr.*
Barbosa Rodrigues, Palm. Mattogr. t. 10 (1898).

DESMONEMA Miers
caffrum Miers
Miers, Contrib. Bot. iii. t. 152 (1864–71).
mucronulatum Schweinfurthii Engl.
Pflanzenreich, Menispermac. 154 (1910).—*Fr.*
Engler & Drude, Veget. Erde, ix. III. 1, p. 184 (1915).—*Fl.*
pallide-aurantiacum Engl. & Gilg
Pflanzenreich, Menispermac. 154 (1910).
Engler & Drude, Veget. Erde, ix. III. 1, p. 184 (1915).

DESMOPSIS Safford
bibracteata Safford
Bull. Torr. Bot. Club, xliii. t. 9 (1916).
Maxonii Safford
Bull. Torr. Bot. Club, xliii. t. 8 (1916).
panamensis Safford
Bull. Torr. Bot. Club, xliii. t. 7 (1916).

DESMOS Lour.: *Unona*
chinensis Lour.
Bull. Torr. Bot. Club, xliii. 184 (1916).—*Fl.*
cochinchinensis Lour.
Bull. Torr. Bot. Club, xliii. 184 (1916).—*Fl.*

DESMOSCELIS Naud.
villosa Naud.
Ann. Sc. Nat. Paris, Ser. III. xii. t. 14 (1849).—*Fl.*
Trans. Linn. Soc. London, xxviii. t. 2, fig. 19 (1871).—*Fl.*
—— **fuscescens** Cogn.
Mart. Fl. Bras. xiv. III. t. 54 (1885).
—— **ovata** Cogn.
Mart. Fl. Bras. xiv. III. t. 54 (1885).

DESMOSTACHYS Planch.
Planchonianus Miers
Miers, Contrib. Bot. i. t. 9 (1851–61).
Grandidier, Hist. Madag. [Plantes] Atlas, t. 235 (1892).

DESMOSTEMON Thw.: *Ostodes*
ceylanicus Thw.
Trans. Linn. Soc. London, xxv. t. 27 (1865).

DESMOTRICHUM Bl.: *Dendrobium*
angulatum Bl.
Blume, Tab. Jav. Orch. t. 35 (1825).
Pflanzenreich, Orch.-Dendr. i. 347 (1910).
Fargesii Kränzl.
Pflanzenreich, Orch.-Dendr. i. 317 (1910).
fimbriatum Bl.
Pflanzenreich, Orch.-Dendr. i. 355 (1910).
pusillum Bl.
Blume, Tab. Jav. Orch. t. 35 (1825).—*Fl.*

DESPRETZIA Kunth: *Zeugites*
mexicana Kunth
*Kunth, Rév. Gram. ii. t. 157 (1829).

DESTRUGESIA Gaudich.: *Capparis*
scabrida Gaudich.
Gaudichaud, Voy. Bonite, Bot. Atlas, t. 57 (1844–66).

DESVAUXIA Benth. & Hook. f.: *Centrolepis*
Billardieri R. Br.
Nov. Act. Acad. Nat. Cur. xvii. I. t. 2 (1835).—*Fl.*
exserta R. Br.
Guillemin, Ic. Lith. Pl. Austral. t. 17 (1827).
pulvinata R. Br.
Guillemin, Ic. Lith. Pl. Austral. t. 17 (1827).
strigosa R. Br.
Guillemin, Ic. Lith. Pl. Austral. t. 17 (1827).

DETANDRA Miers—Vide *Sychnosepalum*
latifolia Miers
Miers, Contrib. Bot. iii. t. 145 (1864–71).
ovata Miers
Miers, Contrib. Bot. iii. t. 145 (1864–71).
pubistaminea K. Schum.
Engl. Jahrb. xvii. 502 (1893).—*Fl.*
Pflanzenfam. Nachtr. I, z. iii. 171 (1897).—*Fl.*

DETARIUM Juss.
macrocarpum Harms
Engl. Jahrb. xxx. 79 (1901).
Engler & Drude, Veget. Erde, ix. 1. 2, p. 692 (1910); ix. III. 1. 448 (1915).
senegalense Gmel.
*Guillemin, Perrottet & Richard, Fl. Seneg. Tent. t. 59 (1830–33).
Ralph, Ic. Carpolog. t. 11 (1849).—*Fr.*
Baillon, Hist. Pl. ii. 143 (1870).—*Fl.*
Baillon, Traité Bot. Méd. Phan. i. 623 (1883).—*Fl.*
Heckel & Schlagdenhauffen, Journ. Pharm. & Chim. Ser. V. xxi. 403–8 (1890).
Pflanzenfam. iii. III. 136 (1892).
Notizbl. Bot. Gart. Berlin, App. xxii. 13 (1909).
Engler & Drude, Veget. Erde, ix. 1. 2, p. 787 (1910); ix. III. 1, p. 447 (1915).

DETHAWIA Endl.—Vide *Wallrothia* Spreng.
tenuifolia Endl.
*Cusin & Ansberque, Herb. Fl. Franç. x (Ombellifères), t. 84 (1869).
Coste, Fl. France, ii. 190 (1903).
*Flahault, Nouv. Fl. Alpes & Pyrén. iii. t. 59 (1912).
Cadevall & Sallent, Fl. Catalunya, iii. 56 (1917).

DEUTEROCOHNIA Mez
longipetala Mez
Mart. Fl. Bras. iii. III. t. 95 (1894).

DEUTZIA Thunb.
candidissima Hort.
Sempervirens, xi. 389 (1882).
Gard. Chron. xviii. 173 (1882).
Journ. Hort. Ser. III. xx. 297 (1890); xxxiv. 153 (1897).
canescens Hort.
*Réveil, Règne Vég. xiv. t. 34 (1870).
compacta Craib
*Bot. Mag. cxlv. t. 8795 (1919).
corymbiflora Lemoine
Rev. Hort. 1898, p. 402.—*Hab.*
Bull. Soc. Tosc. Ortic. xxiii. 252, t. 8 (1898).
Gard. Chron. Ser. III. xxiv. 267 (1898).—*Hab.*
Jardin, xii. 245 (1898).—*Hab.*
Journ. Roy. Hort. Soc. London, xxii. Proc. p. ccxxv (1898–99).—*Hab.*
*Rev. Hort. Belge, xxviii. 157 (1902).
Schneider, Ill. Handb. Laubh. i. 378 (1905).
corymbosa R. Br.
*Royle, Illustr. Bot. Himal. t. 46 (1839).
*Bot. Reg. xxvi. t. 5 (1840).
Mém. Acad. Sc. Pétersb. Ser. VII. x. No. 16, t. 3, fig. 14–17 (1867).—*Fl.*
Dippel, Handb. Laubholzk. iii. 354 (1893).
Rev. Hort. 1897, p. 466, 467.
Schneider, Ill. Handb. Laubh. i. 381 (1905).
—— **parviflora** C. K. Schneider
Schneider, Ill. Handb. Laubh. i. 379, 381 (1905).
crenata Sieb. & Zucc.
Siebold & Zucc. Fl. Jap. t. 6 (1835).
*Horticulteur Univ. i. 106 (1839) in textu; *D. scabra* in ic.
Lindley, Veg. Kingd. 753 (1846).
*Belg. Hort. xiv. 322 (1864).
*Florist, 1863, p. 153 (1864).
*Ill. Gartenzeit. Stuttgart, viii. t. 8 (1864).
*Ill. Hort. xi. t. 389 (1864).
Neubert's Deutsch. Gart. Mag. 1864, p. 145.
*Fl. des Serres, Ser. II. vii. t. 1799–1801 (1867–68); viii. t. 1850 (1869–70).
Mém. Acad. Sc. Pétersb. Ser. VII. x. No. 16, t. 2, fig. 27–31 (1867).
*Rev. Hort. 1867, p. 72.
*Rev. Hort. Belge, ii. 25 (1876).
Gartenfl. xxvi. 359 (1877).
Lauche, Deutsche Dendrol. Ed. 2, p. 529 (1883).
Nicholson, Illustr. Dict. Gard. i. 460 [1884–88].
Pflanzenfam. iii. II. A. 70 (1890).—*Fl.*
Bois, Dict. Hort. 434 (1893–99).
*Useful Pl. Jap. ii. t. 638 (1895) in ic.; *D. scabra* in textu, p. 157.
Nicholson, '1900' Suppl. Dict. Gard. 318 (1900).
Schneider, Dendrol. Winterst. 205 (1903).—*Veg.*
Gubb, Fl. Algeria, t. 59 (1909).

DEUTZIA
crenata
Bull. Soc. Dendr. France, 1912, p. 169.—*Fr.*
Sim, Flowering Trees & Shrubs, 74 (1919).
—— **erecta** Hort.
Tribune Hort. vii. 721 (1912).—*Hab.*
—— **magnifica** Hort.
Jardin, xxiv. 25 (1910).—*Hab.*
Tribune Hort. vi. t. 248 (1911).—*Hab.*
—— **plena** Maxim.
Bot. Mag. Tokyo, xxvi. 348 (1912).—*Fl.*
—— **rubra plena** Hort.
*A Kert (The Garden), xi. 640 (1905).
—— **Watereri** Hort.
Gard. Chron. Ser. III. xxxix. 340 (1906).
discolor Hemsl.
Schneider, Ill. Handb. Laubh. i. 381 (1905).
×—— **elegantissima** Lemoine
Rev. Hort. Belge, xxxvi. 386–87 (1910).—*Hab.*
Jardin, xxiv. 24 (1910).—*Hab.*
Tribune Hort. vi. t. 247 (1911); vii. 725 (1912).—*Hab.*
Gard. Chron. Ser. III. lv. 415 (1914).
—— **maior** Veitch
Rev. Hort. Belge, xxxii. 174 (1906).—*Hab.*
Jardin, xxi. 133 (1907).—*Hab.*
Tribune Hort. iv. 625 (1909).
Horticulture (Boston), xiv. 389 (1911).—*Hab.*
Silva Tarouca, Freiland-Laubgehölze, 204 (1913).—*Hab.*
Möllers Deutsche Gärtn.-Zeit. xxviii. 9 (1913).
Bean, Trees & Shrubs, i. 482 (1914).
—— **purpurascens** Franch.
Gard. & Forest, vii. 287 (1894).
Jardin, viii. 147 (1894).
Kertészeti Lapok (Hungarian Journ. Horticult.), x. 95 (1895).
*Rev. Hort. 1895, p. 64.
Gard. Chron. Ser. III. xxvi. 45 (1899).
*Bot. Mag. cxxvi. t. 7708 (1900).
glabra Velen.
Velenovsky, Vergl. Morphol. Pfl. iii. 1030 (1910).—*Fl.*
glabrata Kom.
Journ. Coll. Sc. Tokyo, xxvi. Art. 1, t. 12 (1909).
gracilis Sieb. & Zucc.
Siebold & Zucc. Fl. Jap. t. 8 (1835).
*Fl. des Serres, Ser. I. vi. t. 611 (1850–51).
*Belg. Hort. i. t. 54 (1851).
Cottage Gard. vi. 394 (1851).
*Horticulteur Franç. 1851, t. 5.
*Lem. Jard. Fl. i. t. 44 (1851).
*Moore & Ayres, Mag. Bot. iii. 225 (1851).
*Neubert's Deutsch. Gart. Mag. iv. 144 (1851).
Paxt. Fl. Gard. ii. 7 (1851–52).
Floricult. Cab. xxi. 83 (1853).
*W. Thompson, Engl. Fl. Gard. ii. 65 (1853).
Schnizlein, Iconogr. iv. t. 264 (1857–65).—*Fl.*
Decaisne & Naud. Amat. Jard. iii. 70 [1862–66].
Decaisne, Naud. & Hemsl. Trees, Shrubs & Herb. Pl. 184 (1873).
Journ. Hort. xlix. 372 (1873).
*Hulme & Hibberd, Familiar Gard. Fl. v. 5 [1879–87].
Lauche, Deutsche Dendrol. Ed. 2, p. 531 (1883).
Nicholson, Illustr. Dict. Gard. i. 460 [1884–88].
Rev. Hort. 1891, p. 203.
Bull. Coll. Agric. Tokyo, ii. t. 16, fig. 11 (1895).—*Veg.*
*Bois, Atlas Pl. Jard. t. 95 (1896).
*Step, Fav. Fl. Gard. & Greenh. ii. t. 91 (1897).
L. H. Bailey, Cycl. Amer. Hort. 474 (1900); Stand. Cycl. Hort. 992 (1914).
Schneider, Dendrol. Winterst. 205 (1903).—*Veg.*
Keeler, Our North. Shrubs, 218 (1903); Ed. 2, p. 218 (1912).
Schneider, Ill. Handb. Laubh. i. 378, 379 (1905).
Journ. Dep. Agric. Victoria, vi. 700 (1908).
Mitt. Deutsch. Dendr. Ges. 1909, p. 289.—*Hab.*
Apgar, Orn. Shrubs U.S. 190, fig. 294 (1910).
Canada, Exper. Farms, Rep. 1915, t. 59 (1916).—*Hab.*
×—— **candelabrum** Lemoine
Jardin, xxi. 325 (1907).—*Hab.*
Rev. Hort. Belge, xxxiii. 372 (1907).—*Hab.*
Rev. Hort. 1908, p. 175.—*Hab.*
Bellair, Hybrid. en Hort. 266 (1909).

DEUTZIA
gracilis Lemoinei Hort.
Mitt. Deutsch. Dendr. Ges. 1909, p. 298.—*Hab.*
grandiflora Bunge
Maximowicz in Mém. Acad. Sc. Pétersb. Ser. VII. x. No. 16, t. 3, fig. 1–3, 5, 6, 9 (1867).
—— **glabrata** Maxim.
Maximowicz in Mém. Acad. Sc. Pétersb. Ser. VII. x. No. 16, t. 3, fig. 4, 8, 10–13 (1867).
hamata Koehne
Beih. Bot. Centralbl. xxxvii. II. t. 5 (1919).
hebecarpa Nakai
Matsumura, Ic. Pl. Koisikav. i. t. 64 (1913).
kalmiiflora Lemoine
Möllers Deutsche Gärtn.-Zeit. xxviii. 25 (1913).
kelungensis Hayata
Hayata, Ic. Pl. Formosan. iii. 104 (1913).
×**Lemoinei** Lemoine
Garden, xlviii. 317 (1895).
Jardin, ix. 243 (1895).
Gartenfl. xliv. 567 (1895); xlvi. 383, 384 (1897).
Gard. & Forest, ix. 285 (1896).
Journ. Hort. Ser. III. xxxiv. 77 (1897); xl. 401 (1900).
Semaine Hort. 1899, p. 301.—*Hab.*
L. H. Bailey, Cycl. Amer. Hort. 474 (1900); Stand. Cycl. Hort. 994 (1914); 2692 (1916).
Journ. Soc. Hort. France, Ser. IV. iii. 309 (1902).—*Fl.*
*A Kert (The Garden), xi. 640 (1905).
Apgar, Orn. Shrubs U.S. 191, fig. 297 (1910).
Halligan in Bull. Michigan Agric. Exp. St. No. 281, p. 28 (1918).—*Hab.*
longifolia Franch.
Garden, lxxvi. 243 (1912).
Gard. Chron. Ser. III. li. 409 (1912).
*Bot. Mag. cxxxix. t. 8493 (1913).
—— **Veitchii** Rehd.
Möllers Deutsche Gärtn.-Zeit. xxviii. 17 (1913).
*Rev. Hort. 1915, p. 536.
mexicana Hemsl.
Hemsley in Biol. Centr. Amer. v. t. 18 (1880).
Schneider, Ill. Handb. Laubh. i. 381 (1905).
mollis Duthie
Bean, Trees & Shrubs, i. 484 (1914).
*Bot. Mag. cxl. t. 8559 (1914).
myriantha Lemoine
Jardin, xviii. 328 (1904).
Wien. Ill. Gart.-Zeit. xxx. 18 (1905).—*Hab.*
Flora & Sylva, iii. 193 (1905).
Gard. Chron. Ser. III. lii. 45 (1912).—*Hab.*
paniculata Nakai
Matsumura, Ic. Pl. Koisikav. ii. t. 117 (1914).
parviflora Bunge
Maximowicz in Mém. Acad. Sc. Pétersb. Ser. VII. x. No. 16, t. 3, fig. 18–32 (1867).
Gard. & Forest, i. 365 (1888).
Rev. Hort. 1892, p. 223.
Dippel, Handb. Laubholzk. iii. 353 (1893).
Garden, xliv. 181 (1893).
Gard. Chron. Ser. III. xiv. 153 (1893).—*Hab.*
Jardin, vii. 163 (1893).—*Hab.*
Gartenfl. xliii. 65 (1894); xlvi. 382, 384 (1897).
Schneider, Dendrol. Winterst. 205 (1903).—*Veg.*
*A Kert (The Garden), xi. 640 (1905).
Flora & Sylva, iii. 197 (1905).
—— **amurensis** Regel
Regel in Mém. Acad. Sc. Pétersb. Ser. VII. iv. No. 4, t. 5 (1861).
*Trans. Russ. Hort. Soc. 1862, t. 96.
*Gartenfl. xi. t. 370 (1862).
purpurascens Rehd.
L. H. Bailey, Stand. Cycl. Hort. 993 (1914).
scabra Thunb.
Thunberg, Nov. Gen. Pl. i. tab. (1781).
Thunberg, Fl. Jap. t. 24 (1784).
Lamarck, Ill. ii. t. 380 (1797).
Gaertner f., Fruct. iii. t. 184 (1805).—*Fl.*
*Bot. Reg. xx. t. 1718 (1835).
Siebold & Zucc. Fl. Jap. t. 7 (1835).
*Sweet, Brit. Fl. Gard. vii. t. 393 (1837).
J. C. Loudon, Arbor. & Frutic. Brit. ii. 956 (1838).
*Horticulteur Univ. i. 106 (1839) in ic.; *D. crenata* in textu.
*Bot. Mag. lxvii. t. 3838 (1840).

DEUTZIA
scabra
Maximowicz in Mém. Acad. Sc. Pétersb. Ser. VII. x. No. 16, t. 2, fig. 1–18 (1867).
*Réveil, Règne Vég. xiv. t. 33 (1870).
Baillon, Hist. Pl. iii. 346 (1872).—*Fl.*
Bull. Coll. Agric. Tokyo, ii. t. 16, fig. 10 (1895).—*Veg.*
*Useful Pl. Jap. 157 (1895) in textu; *D. crenata* in ic. ii. t. 638.
American Garden, xviii. 356 (1897).
Warming, Handb. Syst. Bot. Ed. Möbius, 346 (1902).—*Fl.*
Keeler, Our North. Shrubs, 219 (1903); Ed. 2, p. 219 (1912).
Gard. Chron. Ser. III. xxxvi. 244 (1904).
Schneider, Ill. Handb. Laubh. i. 378, 379 (1905).
Jardin, xx. 180 (1906).
*Shirasawa, Ic. Ess. Forest. Jap. ii. t. 24 (1908).
Apgar, Orn. Shrubs U.S. 190, fig. 295, 296 (1910).
Wettstein, Handb. Syst. Bot. Ed. 2, p. 645 (1911).—*Fl.*
setchuensis Franch.
*Bot. Mag. cxxxv. t. 8255 (1909).
—— **corymbiflora** Rehd.
Schneider, Ill. Handb. Laubh. ii. 933 (1912).
Möllers Deutsche Gärtn.-Zeit. xxviii. 9 (1913).
Sieboldiana Maxim.
Maximowicz in Mém. Acad. Sc. Pétersb. Ser. VII. x. No. 16, t. 2, fig. 19–26 (1867).
Dippel, Handb. Laubholzk. iii. 350 (1893).
Schneider, Ill. Handb. Laubh. i. 378 (1905).
Silva Tarouca, Freiland-Laubgehölze, 205 (1913).—*Hab.*
Bean, Trees & Shrubs, i. 487 (1914).
—— **Dippeliana** C. K. Schneider
Schneider, Ill. Handb. Laubh. i. 378 (1905).
staminea R. Br.
*Wallich, Pl. Asiat. Rar. ii. t. 191 (1831).
*Ann. Gand, iii. t. 141 (1847).
*Bot. Reg. xxxiii. t. 13 (1847).
Dippel, Handb. Laubholzk. iii. 352 (1893).—*Veg.*
Collett, Fl. Siml. 179 (1902).
Schneider, Ill. Handb. Laubh. i. 381 (1905).
—— **Brunoniana** Maxim.
Schneider, Ill. Handb. Laubh. i. 381 (1905).
taiwanensis Hayata
Hayata, Ic. Pl. Formosan. i. t. 33 (1911).
Kanehira, Formosan Trees, 229 (1917).—*Veg.*
uniflora Shirai
Bot. Mag. Tokyo, xii. t. 5 (1898).
Veitchii Hort.
Horticulture (Boston), xv. 901 (1912).—*Hab.*
Gard. Chron. Ser. III. li. Suppl. p. xix (1912).
Journ. Roy. Hort. Soc. London, xxxviii. Proc. p. cxxvi, fig. 98 (1913); xl. 224 (1914).
Vilmorinae Lemoine & Bois
Bull. Soc. Bot. France, li. p. clvi (1904).
Vilmorin & Bois, Frutic. Vilmor. 125 (1904).
Jardin, xviii. 328 (1904).
Rev. Hort. 1905, p. 266, 267.
Wien. Ill. Gart.-Zeit. xxx. 19 (1905).
Fedde, Repert. iii. 230 (1907).
Bull. Soc. Dendr. France, 1913, p. 163.—*Veg.*
Garden, lxxix. 564 (1915).—*Hab.*
Wilsonii Duthie
*Bot. Mag. cxxxii. t. 8083 (1906).
Schneider, Ill. Handb. Laubh. ii. 933 (1912).
Möllers Deutsche Gärtn.-Zeit. xxvii. 27 (1912); xxviii. 16 (1913).—*Hab.*
Wilson, Arn. Arb. Exped. China, 1910–11, t. 0109 (1912).—*Hab.*
Garden, lxxxiii. 393 (1919).

DEVERRA DC.: *Pituranthos*
chlorantha Coss. & Dur.
Bull. Soc. Bot. Belg. xxxvii. 1. t. 1, fig. 1 (1898).—*Hab.*
scoparia Coss. & Dur.
Cannon in Carnegie Inst. Washington, Publ. No. 178, t. 14 (1913).—*Hab.*
triradiata Hochst.
Post, Fl. Syria, Palestine & Sinai, 345 [1896].—*Fr.*

DEVILLEA Tul.: *Oserya*
flagelliformis Tul. & Wedd.
*Arch. Mus. Hist. Nat. Paris, vi. t. 13 (1852).
Mart. Fl. Bras. iv. 1. t. 75 (1855).

DEWEVREA M. Micheli
bilabiata M. Micheli
De Wildeman & Dur. Ill. Fl. Congo (Ann. Mus. Congo), i. t. 2 (1898).

DEWEVRELLA De Wild.
cochliostema De Wild.
De Wildeman, Miss. É. Laurent, ii. t. 164, 165 (1907).
Pflanzenfam. Nachtr. 4z. iv. 247 (1914).

DEWEYA Torr. & Gray
arguta Torr. & Gray
Torrey, Bot. U.S. & Mexic. Bound. Surv. t. 26 (1858).
Contrib. U.S. Nat. Herb. vii. 79 (1900).—*Fr.*

DEWINDTIA De Wild.
katangensis De Wild.
De Wildeman, Études Fl. Katanga (Ann. Mus. Congo), i. t. 15 (1902).

DEYEUXIA P. Beauv.: *Calamagrostis*
anthoxanthoides Munro
*Henderson & Hume, Lahore to Yarkand, 340 (1873).
arundinacea P. Beauv.
P. Beauvais, Agrost. t. 15, fig. 11 (1812).—*Fl.*
avenoides J. Buchan.
J. Buchanan, Man. Grasses New Zeal. t. 24 (1880) in addend. & corr.; *Agrostis avenoides* Hook. f. in ic.
Billardieri Kunth
J. Buchanan, Man. Grasses New Zeal. t. 23 (1880) in addend. & corr.; *Agrostis Billardieri* R. Br. in ic.
Agric. Gaz. N. S. Wales, ii. 309 (1891).
F. Turner, Austral. Grasses, i. 20 (1895).
Cheeseman, Ill. New Zeal. Fl. t. 223 (1914).
breviglumis Benth.
Agric. Gaz. N. S. Wales, xiii. 593 (1902).
canadensis Hook. f.
Vasey, Agric. Grasses U.S.A. (U.S. Dep. Agric.), t. 59 (1884).
Troop in Bull. Indiana Agric. St. No. 29, t. 5 (1889).
Canada, Exper. Farms, Rep. 1891, p. 208, fig. 12 (1892).
Centr. Exper. Farm, Ottawa, Bull. No. 19, p. 13 (1893).
chrysostachya E. Desv.
*C. Gay, Hist. Chile, Atlas, t. 78 (1854).
densiflora J. & C. Presl
Rep. Missouri Bot. Gard. x. t. 35 (1899).
effusa H. B. K.
H. B. K. Nov. Gen. i. t. 46 (1815).
Kunth, Enum. Pl. i. II. t. 14 (1835).
elegans Wedd.
Ill. Gartenzeit. Stuttgart, xxix. t. 20 (1885).
—— **variegata** Hort.
Sempervirens, xiii. 156 (1884).—*Hab.*
*Rev. Hort. Belge, x. 204 (1884); xxviii. 97 (1902).
Rhein. Jahrb. Gartenk. & Bot. ii. 268 (1885).
epileuca Stapf
Trans. Linn. Soc. London, Ser. II. Bot. iv. t. 20 (1894).
erythrostachya E. Desv.
*C. Gay, Hist. Chile, Atlas, t. 78 (1854).
Forsteri Kunth
J. Buchanan, Man. Grasses New Zeal. t. 21 (1880) in addend. & corr.; *Agrostis aemula* R. Br. in ic.
Agric. Gaz. N. S. Wales, ii. 25 (1891).
fuscata J. & C. Presl
Rep. Missouri Bot. Gard. x. t. 36 (1899).
Howellii Vasey
Rep. Comm. Agric. Washington, 96, t. 14 (1883).
Vasey, Agric. Grasses U.S.A. (U.S. Dep. Agric.), t. 61 (1884).
junciformis Humb. & Kunth
Kunth, Enum. Pl. i. II. t. 14 (1835).
montana P. Beauv.
P. Beauvais, Agrost. t. 9, fig. 9 (1812).—*Fl.*
Lamarck, Ill. vi. t. 907 (1819).

DEYEUXIA
montana Benth.
Agric. Gaz. N. S. Wales, xii. 1199 (1901).
nivalis Benth.
Agric. Gaz. N. S. Wales, xiii. 375 (1902).
ovata J. & C. Presl
Rep. Missouri Bot. Gard. x. t. 35 (1899).
pilosa J. Buchan.
J. Buchanan, Man. Grasses New Zeal. t. 22 (1880) in addend. & corr.; *Agrostis pilosa* A. Rich. in ic.
quadriseta Benth
J. Buchanan, Man. Grasses New Zeal. t. 26 (1880) in addend. & corr.; *Agrostis quadriseta* R. Br. in ic.
Agric. Gaz. N. S. Wales, ii. 563 (1891).
recta H. B. K.
H. B. K. Nov. Gen. vii. t. 686 (1825).
Kunth, Enum. Pl. i. II. t. 14 (1835).
retrofracta Kunth
Hayward & Druce, Advent. Fl. Tweedside, 237 (1919).
scabra Benth.
J. Buchanan, Man. Grasses New Zeal. 174, t. 26, 2 (1880).—*Fl.*
Agric. Gaz. N. S. Wales, xii. 1082 (1901).
Rodway, Tasman. Fl. [t. 46] (1903).
scabrescens Munro
Journ. Linn. Soc., Bot. xxv. t. 39 (1889).
sclerophylla Stapf
Hook. Ic. Pl. xxvii. t. 2605 (1899).
sedenensis P. Beauv.
P. Beauvais, Agrost. t. 9, fig. 10 (1812).—*Fl.*
setifolia Hook. f.
Hooker f., Fl. Nov.-Zel. i. t. 65 (1853).
J. Buchanan, Man. Grasses New Zeal. t. 24 (1880) in addend. & corr.; *Agrostis setifolia* Hook. f. in ic.
silvatica Kunth
Kunth, Enum. Pl. i. II. t. 14 (1835).
Nees, Gen. Pl., Monocot. i. t. 34 (1836).—*Fl.*
Cesati, Passer. & Gibelli, Comp. Fl. Ital. t. 7 (1867–86).—*Fl.*
Vasey, Agric. Grasses U.S.A. (U.S. Dep. Agric.), t. 60 (1884).
Suksdorfii Scribn.
Bull. Torr. Bot. Club. xv. t. 76, c, fig. 1–9 (1888).
Treutleri Stapf
Hook. Ic. Pl. xxiv. t. 2396 (1895).
Tweedyi Scribn.
Bull. Torr. Bot. Club, x. 64 (1883).—*Fl.*
Youngii J. Buchan.
J. Buchanan, Man. Grasses New Zeal. t. 25 (1880) in addend. & corr.; *Agrostis Youngii* Hook. f. in ic.

DIACALPE Bl.
aspidioides Bl.
*Hooker, Gen. Fil. t. 99 (1842).
Payer, Bot. Crypt. 191 (1850).—*Fr.*
T. Moore, Index Fil. Gen. & Spec. t. 81 [1857–62].
Beddome, Ferns S. Ind. t. 257 (1863).
J. Smith, Hist. Fil. t. 14 (1875).
J. Smith, Ferns Brit. & Foreign, Ed. 2, p. 307 (1879).
Beddome, Handb. Ferns Brit. Ind. 17 (1883).
Baillon, Dict. Bot. ii. 388 (1886).
*Schneider, Book Choice Ferns, i. 180 (1892).—*Hab.*
Pflanzenfam. i. IV. 160 (1899).

DIACANTHA Less.: *Barnadesia*
arborea Less.
Linnaea, v. t. 3, fig. 56, 57 (1830).—*Fl.*

DIACARPA Sim
alata Sim
Sim, For. Fl. Portug. E. Africa, t. 5 (1909).

×**DIACATTLEYA** Rolfe
×**Colmaniae** Hort.
Orch. Rev. xvi. 80 (1908).
Gard. Chron. Ser. III. xliii. 114 (1908).—*Fl.*
Journ. Hort. Ser. III. lvi. 167 (1908).—*Fl.*
Journ. Roy. Hort. Soc. London, xxxiv. Proc. p. lvii, fig. 19 (1909).—*Fl.*
×**Sanderae** Hort.
Gard. Chron. Ser. III. xlix. 290 (1911).

DIACHYRIUM Griseb.: *Sporobolus*
arundinaceum Griseb.
Grisebach, Pl. Lorent. (Abh. Ges. Wiss. Göttingen, xix), tab. fig. 8 (1874).—*Fl.*

DIACRIUM Benth.—Vide *Epidendrum*
bicornutum Benth.
Gard. Chron. Ser. III. ii. 45 (1887).—*Fl.*
Pflanzenfam. ii. vi. 146 (1889).—*Fl.*
Veitch, Man. Orch. Pl. Pt. 6, p. 79 (1890).—*Fl.*
*Lindenia, vii. t. 296 (1891).
Stein, Orchideenbuch, 214 (1892).—*Fl.*
Kerchove, Livre Orch. 165 (1894).—*Fl.*
Nicholson, '1900' Suppl. Dict. Gard. 319 (1900).
Orch. Rev. xii. 113 (1904); xvi. 81 (1908); xx. 361 (1912).
Wettstein in Schrift. Ver. Verbr. naturw. Kenntn. Wien, xlvi. 277, fig. 8 (1906).—*Veg.*
*Costantin, Atlas Orch. Cult. t. 16 (1913).—*Fl.*
Goebel, Organogr. Pfl. Ed. 2, i. 292 (1913).—*Fl.*
Schlechter, Orchideen, 215 (19[14–]15).

×**DIACRO-CATTLEYA** = *Diacattleya*

DIADENIUM Poepp. & Endl.
micranthum Poepp. & Endl.
Poeppig & Endl. Nov. Gen. & Sp. Pl. i. t. 71 (1835).
Reichenbach f., Xenia Orch. i. t. 6 (1854).—*Fl.*

×**DIALAELIA** Rolfe
Veitchii Veitch
Orch. Rev. xx. 361 (1912).—*Fl.*

DIALESTA H. B. K.: *Oliganthes*
discolor H. B. K.
H. B. K. Nov. Gen. iv. t. 320 (1820).

DIALIUM Linn.—Vide *Arouna, Codarium*
cochinchinense Pierre
Pierre, Fl. For. Cochinch. v. t. 384 (1898).
coromandelicum Houtt.
*Houttuyn, Handl. Pl. & Kruidk. ii. t. 5, fig. 2 (1774).
divaricatum Vahl
Mart. Fl. Bras. xv. ii. t. 47 (1870).
guianeense Willd.
Roemer, Archiv Bot. i. i. t. 6 (1796).
Engler & Drude, Veget. Erde, ix. iii. i. 490 (1815).
Baillon, Hist. Pl. ii. 137 (1870).—*Fl.*
Baillon, Traité Bot. Méd. Phan. i. 611 (1883).—*Fl.*
Baillon, Dict. Bot. ii. 390 (1883).—*Fl.*
Engler & Drude, Veget. Erde, ix. i. 2, p. 634 (1910).
Notizbl. Bot. Gart. Berlin, App. xxi. 58 (1911).
indum Linn.
*R. Brown & J. Bennett, Pl. Jav. Rar. t. 30 (1840).
Ralph, Ic. Carpolog. t. 12 (1849).—*Fr.*
macranthum A. Chev.
Chevalier, Vég. Util. Afr. fasc. 9, p. 175 (1917).
madagascariense Baill.
Grandidier, Hist. Madag. [Plantes] Atlas, t. 30 b (1888).
nitidum Guill. & Perr.
*Guillemin, Perrottet & Richard, Fl. Seneg. Tent. t. 65 (1830–33).
Ralph, Ic. Carpolog. t. 12 (1849).—*Fr.*
Baillon, Hist. Pl. ii. 136 (1870).—*Fl.*
Baillon, Dict. Bot. ii. 390 (1883).—*Fl.*
Baillon, Traité Bot. Méd. Phan. i. 610 (1883).—*Fl.*
ovoideum Thw.
Beddome, Fl. Sylv. t. 181 (1872).
travancoricum Bourd.
Ind. Forester, xxx. 243 (1904).

DIALYANTHERA Warb.
gordoniifolia Warb.
Nov. Act. Acad. Nat. Cur. lxviii. t. 3 (1897).
Otoba Warb.
Nov. Act. Acad. Nat. Cur. lxviii. t. 1, 3 (1897).—*Fl.*
Warburg, Muskatnuss, t. 4, fig. 8 (1897).—*Fr.*

DIALYCARPA Mast.: *Brownlowia*
Beccarii Mast.
Journ. Linn. Soc., Bot. xiv. t. 14 (1875).

DIALYPETALUM Benth.
floribundum Benth.
Hook. Ic. Pl. xii. t. 1178 (1876).

DIANDRIELLA Engl.
novo-guineensis Engl.
Pflanzenreich, Arac.-Homal.-Schism. 81 (1912).

DIANELLA Lam.
albiflora Hall. f.
Nova Guinea, viii. t. 185 (1914).
bambusifolia Hall. f.
Nova Guinea, viii. t. 182 (1914).
caerulea Sims
*Bot. Mag. xv. t. 505 (1801).
*Redouté, Liliac. ii. t. 79 (1805).
*Mordant de Launay, Herb. Amat. vii. t. 488 (1824).
*Drapiez, Herb. Amat. Fl. iv. t. 247 (1830).
Banks & Soland. Bot. Cook's Voy. iii. t. 304 (1905).
Guilfoyle, Austral. Pl. 68 [1911].—*Hab.*
—— **congesta** Hort.
!Gard. Chron. xxiii. 576 (1885).—*Fl.*
carinata Hall. f.
Nova Guinea, viii. t. 186 (1914).
densa Lindb.
Lindberg in Acta Soc. Sc. Fenn. x. t. 6 (1875).
dubia H. B. K.
H. B. K. Nov. Gen. vii. t. 675 (1825).
ensifolia DC.
*Redouté, Liliac. i. t. 1 (1802).
*Bot. Mag. xxxiv. t. 1404 (1811).
Wight, Ic. Pl. Ind. Or. vi. t. 2053 (1853).
*I. Sinclair, Indig. Fl. Hawaiian Isl. t. 20 (1885).
Yatabe, Ic. Fl. Jap. i. iii. t. 58 (1893).
Somoku Dzusetsu, Ed. Makino (Iconogr. Pl. Nippon), vii. t. 13 (1910).
Koorders, Exkursionsfl. Java, i. 290 (1911).
Bryan, Nat. Hist. Hawaii, t. 56, fig. 13 (1915).
flabellata Hall. f.
Nova Guinea, viii. t. 183 (1914).
intermedia Endl.
*Harris, New Zeal. Berries, [t. 9, 1894].
longifolia R. Br.
*Bot. Reg. ix. t. 734 (1823).
*Meredith, Bush Friends Tasmania, t. 2, 10 (1860).
*Charsley, Wild Fl. Melbourne, t. 13 (1867).
monophylla Hall. f.
Nova Guinea, viii. t. 188 (1914).
nemorosa Lam.
Lamarck, Ill. ii. t. 250 (1793).
*Jacquin, Hort. Schoenbr. i. t. 94 (1797).
Brigham in Mem. Bernice Pauahi Bishop Mus. Honolulu, iii. 153 (1911).
odorata Bl.
Rumphius, Herb. Amboin. v. t. 73 (1747); fide Merrill, Interpret. Rumph. Herb. Amboin.
parviflora Zipp.
Nova Guinea, viii. t. 184 (1914).
revoluta R. Br.
*Bot. Reg. xiii. t. 1120 (1828).
*Charsley, Wild Fl. Melbourne, t. 12 (1867).
F. Sulman, Wild Fl. N. S. Wales, i. t. 50 (1913).—*Fr.*
A. E. Sulman, Some Familiar Wild Fl. t. 39 [1913].
serrulata Hall. f.
Nova Guinea, viii. t. 187 (1914).
straminea Yatabe
Bot. Mag. Tokyo, vii. t. 1 (1893).
strumosa Ker-Gawl.
*Bot. Reg. ix. t. 751 (1823).
*Lodd. Bot. Cab. xii. t. 1136 (1826).
*Géel, Sert. Bot. Cl. 6 (1832).
*Reichenbach, Fl. Exot. ii. t. 90 (1843).
tasmanica Hook. f.
*Hooker f., Fl. Tasman. ii. t. 133 (1860).
*Bot. Mag. xci. t. 5551 (1865).
Pflanzenfam. ii. v. 39 (1888).
—— **variegata** Hort.
*Rev. Hort. Belge, xxix. 61 (1903).

DIANTHERA Klotzsch: *Polanisia*
Burchelliana Klotzsch
Harvey, Thes. Cap. ii. t. 136 (1863).

DIANTHERA
Petersiana Klotzsch
Peters, Reise Mossamb., Bot. t. 27 (1861).

DIANTHERA Linn.: *Justicia*
acuminata Ruiz & Pav.
Ruiz & Pavon, Fl. Peruv. & Chil. i. t. 16 (1798).
americana Linn.
Britton & Brown, Ill. Fl. N. States & Canada, iii. 204 (1898); Ed. 2, iii. 243 (1913).
*House, Wild Fl. New York (Mem. No. 15 N.Y. State Mus.), ii. t. 207 (1918).
appendiculata Ruiz & Pav.
Ruiz & Pavon, Fl. Peruv. & Chil. i. t. 11 (1798).
arvensis Vell.
Vellozo, Fl. Flum. i. t. 30 (1827).
bicalyculata Retz.
Svenska Vet. Akad. Handl. xxxvi. t. 9 (1775).
brasiliensis Vell.
Vellozo, Fl. Flum. i. t. 26 (1827).
bullata N. E. Br.
*Ill. Hort. xxxiii. t. 589 (1886).
ciliata Ruiz & Pav.
Ruiz & Pavon, Fl. Peruv. & Chil. i. t. 14 (1798).
comata Vell.
Vellozo, Fl. Flum. i. t. 27 (1827).
crassifolia Chapm.
*Addisonia, iii. t. 120 (1918).
hirsuta Ruiz & Pav.
Ruiz & Pavon, Fl. Peruv. & Chil. i. t. 13 (1798).
hyssopifolia N. L. Burm.
N. L. Burman, Fl. Ind. t. 5 (1768).
illustris Hort.
Gard. Chron. Ser. III. xxv. 339 (1899).
japonica Thunb.
Thunberg, Fl. Jap. t. 4 (1784).
lanceolata Small ex Britton
*Bois, Dict. Hort. 436 (1893–99).
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, iii. 243 (1913).
malabarica Linn. f.
Gaertner, Fruct. i. t. 51 (1788).—*Fr.*
mucronata Ruiz & Pav.
Ruiz & Pavon, Fl. Peruv. & Chil. i. t. 16 (1798).
multiflora Ruiz & Pav.
Ruiz & Pavon, Fl. Peruv. & Chil. i. t. 14 (1798).
ovata Walt.
Britton & Brown, Ill. Fl. N. States & Canada, iii. 204 (1898); Ed. 2, iii. 243 (1913).
repens Ruiz & Pav.
Ruiz & Pavon, Fl. Peruv. & Chil. i. t. 15 (1798).
secundiflora Ruiz & Pav.
Ruiz & Pavon, Fl. Peruv. & Chil. i. t. 15 (1798).
serrata Vell.
Vellozo, Fl. Flum. i. t. 29 (1827).
spicata Vell.
Vellozo, Fl. Flum. i. t. 28 (1827).
subserrata Blanco
*Blanco, Fl. Filip. t. 80 (1878–80).
tetrandra Retz.
Svenska Vet. Akad. Handl. xxxvi. t. 8 (1775).

DIANTHUS Linn.
×**adulterinus Julietii** Sweet
*Sweet, Flor. Guide, i. t. 8 (1827).
aggregatus Poir.
*Sweet, Brit. Fl. Gard. v. t. 166 (1834).
*J. W. Loudon, Ladies' Fl.-Gard. Ornam. Perenn. i. t. 22 (1843).
*Sweet, Ornamental Fl. Gard. i. t. 12 (1854).
albo-nigricans Hort.
*Floricult. Cab. 1857, p. 289.
×**Allwoodii** Hort.
Garden, lxxxi. 16 (1917).—*Hab.*
Gard. Chron. Ser. III. lxviii. 253 (1920).—*Hab.*
alpestris Balb.
Balbis in Mém. Acad. Sc. Turin, xv. 14, t. 1 (1804).
Fiori & Paol. Ic. Fl. Ital. 141 (1899).
alpestris Sternb. in Sturm
*Sturm, Deutschl. Fl. vii. xxviii [t. 442] (1809).
*Reichenbach, Ic. Fl. Germ. vi. t. 260 (1844).
alpinus Linn.
*Jacquin, Fl. Austr. i. t. 52 (1773).
*Plantarum Indig. & Exot. Ic. i [t. 19] (1788).
*Andrews, Bot. Rep. vii. t. 482 (1807).
*Bot. Mag. xxx. t. 1205 (1809).

DIANTHUS
alpinus
*Sturm, Deutschl. Fl. vii. xxviii [t. 441] (1809); xiii. li [t. 809] (1828).
*Fortsetz. Allg. Teutsch. Gart. Mag. ii. t. 9 (1816–18).
*Lodd. Bot. Cab. i. t. 67 (1818).
*Sweet, Brit. Fl. Gard. vii. t. 408 (1837).
*J. W. Loudon, Ladies' Fl.-Gard. Ornam. Perenn. i. t. 21 (1843).
*Reichenbach, Ic. Fl. Germ. vi. t. 262 (1844).
*Gartenfl. iv. t. 119 (1855).
*Florist, 1869, p. 217.
*Weber, Alp.-Pfl. Ed. 3, i. t. 83 (1872).
*Seboth & A. W. Bennett, Alpine Pl. i. t. 21 (1879).
Gart.- u. Blumenzeit. Hamburg, xxxix. 3 (1883). —*Hab.*
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xii. t. 1111 (1883).
*Garden, xxvi. 184 (1884); xxxviii. 269 (1890); lxxx. 385 (1916).
*Correvon, Fl. Col. Suisse, t. 26 (1894).
Macfarlane in Trans. Roy. Soc. Edinb. xxxvii. t. 4, i, fig. 13 a (1895).—*Fl.*
Schweiz. Gartenbau, ix. 393 (1896).
*Hartinger, Atlas Alpenfl. i. t. 94 (1897).
Vierhapper in Sitzb. Akad. Wiss. Wien, cvii. i. t. 1, fig. 4–6 (1898).—*Veg.*
*G. Beck, Alpenblum. Semmering, t. 4, fig. 1 (1898).—*Fl.*
Fiori & Paol. Ic. Fl. Ital. 141 (1899).
*Jul. Hoffmann, Alpine Fl. t. 8 (1903).
*Oehninger, Alpenfl. t. 12, fig. 1 (1908).
*Hegi, Ill. Fl. Mittel-Eur. iii. 319, 333, t. 103 (1909).
Silva Tarouca, Freiland-Stauden, 83 (1910).—*Hab.*
*H. S. Thompson, Alp. Pl. Europe, t. 12 (1911).—*Hab.*
Malby, Story Rock Garden, Ed. 2, frontisp. (1912).—*Hab.*
Gard. Chron. Ser. III. liii. 248 (1913).—*Hab.*
*Hegi & Dunz. Alp. Fl. t. 8 (1913).
Warburg, Pflanzenwelt, i. 568 (1913).
Hayek, Pflanzend. Oesterr.-Ung. i. 19 (1914).
Marret, Ic. Fl. Alp. Pl. Ser. II. Fasc. 7, t. 161 c, fig. 1–6 in sched. [1914].
*Penzig, Fl. Alpi Illustr. Ed. 2, t. 8 (1915).
Farrer, English Rock-Gard. i. 280 (1919).—*Hab.*
anticarius Boiss. & Reut.
*Willkomm, Ic. & Descr. Pl. Hispan. i. t. 11 (1852).
arboreus Linn.
*Lodd. Bot. Cab. v. t. 459 (1820).
Sieber, Reise Insel Kreta, t. 5 (1823).
*Sibthorp & Sm. Fl. Graeca, v. t. 406 (1825).
Reichenbach, Pl. Crit. vi. t. 541 (1828).
J. C. Loudon, Arbor. & Frutic. Brit. i. 359 (1838).
Rouy, Illustr. Pl. Eur. Rar. iii [t. 75] (1895); fasc. 14, t. 330 (1900).
Gard. Chron. Ser. III. xliii. 52 (1908).—*Hab.*
Garden, lxxvii. 46 (1913).—*Hab.*
—— **Verschaffeltii** Hort.
*Belg. Hort. x. 257 [t. 17, 18] (1860) in textu; *D. Verschaffelti* in ic.
arbuscula Lindl.
*Bot. Reg. xiii. t. 1086 (1827).
*Géel, Sert. Bot. Cl. 10 (1832).
*J. W. Loudon, Ladies' Fl.-Gard. Ornam. Perenn. i. t. 21 (1843).
arenarius Linn.
Townson, Travels Hungary, t. 16 (1797).
De Candolle, Ic. Pl. Gall. t. 41 (1808).
*Bot. Mag. xlvi. t. 2038 (1819).
*Svensk Bot. ix. t. 613 (1823–25).
Reichenbach, Pl. Crit. ii. t. 137 (1824).
*Dietrich, Fl. Boruss. vii. t. 491 (1839).
*J. W. Loudon, Ladies' Fl.-Gard. Ornam. Perenn. i. t. 21 (1843).
*Reichenbach, Ic. Fl. Germ. vi. t. 256 (1844).
*Lorek, Fl. Pruss. Ed. 3, t. 106, fig. 571 (1848).
Schweinfurth in Verh. Bot. Ver. Brandenb. ii. tab. fig. 3 (1860).—*Fl.*
*Fl. Dan. Suppl. t. 72 (1865).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xii. t. 1119 (1883).
Suireishchikov, Ill. Fl. Mosc. Gov. ii. 113 (1907).

DIANTHUS
arenarius
Heukels, Fl. Nederl. ii. 157 (1908).
Hegi, Ill. Fl. Mittel-Eur. iii. 340 (1909).
Lindman, Svensk Fanerogamfl. 235, 248 (1918). —*Fl.*
Farrer, English Rock-Gard. i. 292 (1919).—*Hab.*
argonensis Timb.-Lag.
Timbal-Lagrave in Bull. Soc. Agric. Pyrén.-Or. xxv. t. 19 (1881).
Armeria Linn.
*Fl. Dan. ii. t. 230 (1765).
*Sowerby & Sm. Engl. Bot. v. t. 317 (1796).
Boissieu, Fl. Eur. ii. t. 314 (1805).—*Fl.*
*Sturm, Deutschl. Fl. vi. xxiii [t. 359] (1807).
*Schkuhr, Bot. Handb. Ed. 2, t. 121 (1808).
*Curtis, Fl. Londin. Ed. 2, iv. t. 134 (1817).
*Zenker, Fl. Thüringen, vi. t. 700 (1836–55).
Meigen, Deutschl. Fl. ii. t. 85 (1837).—*Fl.*
[M. E.] Jackson, Pict. Fl. fig. 660 (1840).
*C. E. Sowerby, Ill. Cat. Brit. Pl. fig. 172 (1841).
*Reichenbach, Ic. Fl. Germ. vi. t. 249 (1844).
*Deakin, Florigr. Brit. ii. fig. 701 (1845).
*Lorek, Fl. Pruss. Ed. 3, t. 106, fig. 572 (1848).
Johnson & Sowerby, Brit. Wild Fl. fig. 165 (1858–60).
*Syme, Engl. Bot. ii. t. 191 (1864).
Bentham, Handb. Brit. Fl. fig. 127 (1865).
*Cusin & Ansberque, Herb. Fl. Franç. iv. t. 628 (1869).
*Hogg & Johnson, Wild Fl. Gr. Brit. vi. t. 450 (1871).
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, i. t. 36 [1873].
De Silvestri, Piante Prat. 345 (1879).
Timbal-Lagrave in Bull. Soc. Agric. Pyrén.-Or. xxv. t. 4 (1881).
Wagner, Ill. Deutsche Fl. Ed. 2, p. 96 (1882).
Willkomm, Führ. Reich Pflanzen, 785 (1882).—*Fl.*
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xii. t. 1104 (1883).
Potonié, Ill. Fl. Nord- u. Mittel-Deutschl. Ed. 4, fig. 226 (1889).
Paolucci, Fl. Marchig. t. 39 (1890).
Acloque, Fl. France, 146 (1894).
Miller & Whiting, Wild Fl. N.E. States, 88 (1895).
Britton & Brown, Ill. Fl. N. States & Canada, ii. 19 (1897); Ed. 2, ii. 74 (1913).
Fiori & Paol. Ic. Fl. Ital. 140 (1899).
Coste, Fl. France, i. 190 (1901).
Selby in Bull. Ohio Agric. St. No. 175, t. 2 (1906). —*Fr.*
Lazaro, Comp. Fl. Españ. ii. 320 (1907).—*Fl.*
Heukels, Fl. Nederl. ii. 155 (1908).
Hegi, Ill. Fl. Mittel-Eur. iii. 321 (1909).—*Fl.*
Fedtschenko & Fler. Fl. Eur. Russia, 405 (1910).
*Correvon, Fl. Champs & Bois, t. 83 (1911).
Pammel, Man. Poison. Pl. 437 (1911).
Creevey, Harper's Guide Wild Flowers, 257 (1912).
*Bonnier, Fl. Compl. France, Suisse & Belge, ii. t. 80 [1912].
Bull. Angew. Bot. vi. App. 1, p. 247, 248 (1913).
Cadevall & Sallent, Fl. Catalunya, i. 282 (1915).
Lindman, Svensk Fanerogamfl. 248 (1918).—*Fl.*
Fitch & Smith, Ill. Brit. Fl. Ed. rev. 4, Iss. 2, fig. 130 (1919).
Moss, Cambridge Brit. Fl. iii. t. 86 (1920).
×**armerio-deltoides** Reichb.
*Reichenbach, Ic. Fl. Germ. vi. t. 263 (1844).
asper Schleich.
Reichenbach, Pl. Crit. vi. t. 544 (1828).
Mutel, Fl. Française, t. 13 (1834).
Zenker, Fl. Thüringen, xi. t. 1236 (1836–55).—*Fr.*
*Reichenbach, Ic. Fl. Germ. vi. t. 254 (1844).
×**Atkinsonii** Hort.
*Garden, xxv. 22 (1884).
atrorubens All.
*Jacquin, Ic. Pl. Rar. iii. t. 467 (1786–93).
*Bot. Mag. xliii. t. 1775 (1815).
Reichenbach, Pl. Crit. vi. t. 538 (1828).
Mutel, Fl. Française, t. 11 (1834).
*Reichenbach, Ic. Fl. Germ. vi. t. 250 (1844).
*Cusin & Ansberque, Herb. Fl. Franç. iv. t. 632 (1869).

DIANTHUS
atrorubens
*Weber, Alp.-Pfl. Ed. 3, i. t. 81 (1872).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xii. t. 1107 (1883).
*Heathcote, Fl. Engadine, t. 33 (1891).
—— **cruentus** Griseb.
*Gartenfl. i. t. 26 (1852); errore *D. cruentus atrorubens* in ic.
attenuatus Sm.
*Willkomm, Ic. & Descr. Pl. Hispan. i. t. 3 (1852).
*Cusin & Ansberque, Herb. Fl. Franç. iv. t. 635 (1869).
Coste, Fl. France, i. 193 (1901).
*Bonnier, Fl. Compl. France, Suisse & Belge, ii. t. 82 [1912].
Cadevall & Sallent, Fl. Catalunya, 287 (1915).
—— **sabuletorum** Willk.
*Willkomm, Ic. & Descr. Pl. Hispan. i. t. 4 (1852).
Balbisii Ser.
*Sweet, Brit. Fl. Gard. iv. t. 23 (1829).
Coste, Fl. France, i. 191 (1901).
bannaticus Heuff.
*Gartenfl. v. t. 153 (1856).
×**barbato-superbus** Hort.
*Rev. Hort. 1865, p. 190–91.
barbatus Linn.
*Bot. Mag. vi. t. 207 (1792).
*McDonald, Dict. Pract. Gard. i. t. 21 (1807).
*S. Edwards, New Bot. Gard. i. t. 21 (1812).
*Vietz, Ic. Pl. Med.-oec.-techn. vi. t. 477 b. (1817)
*Orbigny, Dict. Hist. Nat. Atlas, iii. t. 289 [1839–49].
*J. W. Loudon, Ladies' Fl.-Gard. Ornam. Perenn. i. t. 22 (1843).
*Reichenbach, Ic. Fl. Germ. vi. t. 248 (1844).
Decaisne & Naud. Amat. Jard. ii. 146 [1862–66].
*Cusin & Ansberque, Herb. Fl. Franç. iv. t. 627 (1869).
*Réveil, Règne Vég. iii. t. 49 (1870).—*Fl.*
*Weber, Alp.-Pfl. Ed. 3, i. t. 80 (1872).
Decaisne, Naud. & Hemsl. Handb. Trees, Shrubs & Herb. Pl. 65 (1873).
*Hulme & Hibberd, Familiar Gard. Fl. v. 69 [1879–87].
Timbal-Lagrave in Bull. Soc. Agric. Pyrén.-Or. xxv. t. 3 (1881).
W. Robinson, Engl. Fl. Gard. t. 94 (1883).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xii. t. 1105 (1883).
Journ. Linn. Soc., Bot. xx. t. 35 (1884).—*Fl.*
Nicholson, Illustr. Dict. Gard. i. 461 [1884–88].
Rev. Hort. 1894, p. 277.
Brehm, Merv. Nat. Monde des Pl. i. 195 (1894–96).
Macfarlane in Trans. Roy. Soc. Edinb. xxxvii. t. 4, i, fig. 13 c (1895).—*Fl.*
*Bois, Atlas Pl. Jard. t. 37 (1896).
*Step, Fav. Fl. Gard. & Greenh. i. t. 35 (1896).
Britton & Brown, Ill. Fl. N. States & Canada, ii. 20 (1897); Ed. 2, ii. 75 (1913).
Fiori & Paol. Ic. Fl. Ital. 140 (1899).
*Villard, Fleurs, t. 13 (1900).
L. H. Bailey, Cycl. Amer. Hort. 476 (1900); Stand. Cycl. Hort. 998 (1914).
Gartenfl. xlix. 462 (1900).—*Fl.*
Coste, Fl. France, i. 190 (1901).
U.S. Dep. Agric. Farm. Bull. No. 195, p. 42 (1904).
Suireishchikov, Ill. Fl. Mosc. Gov. ii. 110 (1907).
Heukels, Fl. Nederl. ii. 155 (1908).
Hegi, Ill. Fl. Mittel-Eur. iii. 321, 322 (1909).
Horticulture (Boston), xi. 371 (1910).—*Hab.*
*Flahault, Nouv. Fl. Alpes & Pyrén. iii. t. 20 (1912).
*Bonnier, Fl. Compl. France, Suisse & Belge, ii. t. 80 [1912].
Warburg, Pflanzenwelt, i. 569 (1913).—*Hab.*
Cadevall & Sallent, Fl. Catalunya, i. 283 (1915).
Glück, Blatt- & Blütenmorph. Stud. 540 (1919). —*Fl.*
Lovell, Flower & Bee, 127 (1919).—*Fl.*
—— **nanus** Hort.
*Journ. Jard. 1841, p. 316.
bebius Vis.
*Reichenbach, Ic. Fl. Germ. vi. t. 264 (1844).

DIANTHUS
benearnensis Loret
Bull. Soc. Bot. France, v. t. 1 (1858).
*Cusin & Ansberque, Herb. Fl. Franç. iv. t. 647 (1869).
Timbal-Lagrave in Bull. Soc. Agric. Pyrén.-Or. xxv. t. 18 (1881).
bicolor M. Bieb.
Reichenbach, Hort. Bot. t. 25 (1824).
biflorus Sibth. & Sm.
*Sibthorp & Sm. Fl. Graeca, iv. t. 393 (1823).
Bisignanii Ten.
*Tenore, Fl. Nap., Atlas, i. t. 39 (1811–38).
Reichenbach, Pl. Crit. vi. t. 591 (1828).
*Bot. Reg. xxiv. t. 29 (1838).
Boissieri Willk.
*Willkomm, Ic. & Descr. Pl. Hispan. i. t. 13 (1852).
Borbasii Vandas
Suireishchikov, Ill. Fl. Mosc. Gov. ii. 112 (1907).
brachyanthus Boiss.
*Boissier, Voy. Bot. Espagne, i. t. 24 (1839–45).
*Cusin & Ansberque, Herb. Fl. Franç. iv. t. 639 (1869).
Schimper, Pflanzen.-Geogr. 805 (1898).
—— **genuinus** Boiss.
Willkomm, Ic. & Descr. Pl. Hispan. i. t. 5 (1852).
—— **ruscinonensis** Boiss.
*Willkomm, Ic. & Descr. Pl. Hispan. i. t. 5 (1852).
brevicaulis Fenzl
Vierhapper in Sitzb. Akad. Wiss. Wien, cvii. 1. t. 2, fig. 6 (1898).—*Veg.*
brevifolius Friv.
Frivaldszky in Magyar Tud. Társ. Evk. (Ann. Hung. Acad. Sc.), iv. t. 8, p. 202 (1840).
brevistylus Timb.-Lag. & Jeanb.
Timbal-Lagrave in Bull. Soc. Agric. Pyrén.-Or. xxv. t. 31 (1881).
Broteri Boiss. & Reut.
Willkomm, Ic. & Descr. Pl. Hispan. i. 15 (1852) in textu; *D. serrulatus* in ic. t. 7.—*Fl.*
burciae Pét. & Gürtl.
Magyar Bot. Lap. xv. t. 4, fig. 4–6 (1916).—*Fl.*
Cadevallii Senn.
Sennen in Treballs Institut. Catalana Hist. Nat. iii. t. 4 (1917).
caesius Sm.
*Sowerby & Sm. Engl. Bot. i. t. 62 (1790).
*Roemer, Fl. Eur. v [t. 5] (1800).
*Sturm, Deutschl. Fl. ix. xxxiv [t. 537] (1812).
*Trattinick, Thes. Bot. t. 67 (1819).
*Zenker, Fl. Thüringen, viii. t. 911 (1836–55).
[M. E.] Jackson, Pict. Fl. fig. 664 (1840).
*C. E. Sowerby, Ill. Cat. Brit. Pl. fig. 176 (1841).
*Reichenbach, Ic. Fl. Germ. vi. t. 265 (1844).
*Deakin, Florigr. Brit. ii. fig. 705 (1845).
Johnson & Sowerby, Brit. Wild Fl. fig. 169 (1858–60).
*Syme, Engl. Bot. ii. t. 193 (1864).
*Hogg & Johnson, Wild Fl. Gr. Brit. ii. t. 136 (1864).
Bentham, Handb. Brit. Fl. fig. 129 (1865).
*Cusin & Ansberque, Herb. Fl. Franç. iv. t. 643 (1869).
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, i. t. 36 [1873].
De Silvestri, Piante Prat. 345 (1879).
Wagner, Ill. Deutsche Fl. Ed. 2, p. 97 (1882).
Willkomm, Führ. Reich Pflanzen, 787, t. 4, fig. 115 (1882).—*Fl.*
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xii. t. 1117 (1883).
Fiori & Paol. Ic. Fl. Ital. 142 (1899).
*Gradmann, Pflanzenl. Schwäb. Alb, Ed. 2, i. t. 11 (1900).
Coste, Fl. France, i. 195 (1901).
Flahault, Nouv. Fl. Alpes & Pyrén. i. 18 (1906).
Senn, Alpen-Flora, ii. 18 (1906).
Lazaro, Comp. Fl. Españ. ii. 320 (1907).—*Fl.*
Gard. Chron. Ser. III. xliv. 214 (1908); liii. 254 (1913).—*Hab.*
*Hulme, Familiar Swiss Fl. t. 36 (1908).
*Hegi, Ill. Fl. Mittel-Eur. iii. t. 102, p. 335 (1909).
Silva Tarouca, Freiland-Stauden, 83 (1910).—*Hab.*
*Bonnier, Fl. Compl. France, Suisse & Belge, ii. t. 82 [1912].

DIANTHUS
caesius
Feucht, Württemb. Pflanzenw. t. 58 (1912).—*Hab.*
Farrer, English Rock-Gard. i. 284 (1919).—*Hab.*
Fitch & Smith, Ill. Brit. Fl. Ed. rev. 4, Iss. 2, fig. 132 (1919).
Moss, Cambridge Brit. Fl. iii. t. 88 (1920).
—— **incisus** Reichb.
*Reichenbach, Ic. Fl. Germ. vi. t. 265 (1844).
callichrous Jord.
*Jordan, Ic. Fl. Eur. iii. t. 445 (1903).
callizonus Schott & Kotschy
*Garden, xl. 332 (1891); lxx. 275 (1906); lxxviii. 376 (1914).—*Hab.*
*Bot. Mag. cxviii. t. 7223 (1892).
Journ. Hort. Ser. III. xxvii. 127 (1893).—*Hab.*
Vierhapper in Sitzb. Akad. Wiss. Wien, cvii. 1. t. 1, fig. 13 (1898).—*Veg.*
*Roemer, Pflanzenw. Burzenländ. Siebenbürgen, t. 25 (1898).
Engler & Drude, Veget. Erde, x. ii. 199 (1908).
*Ungar, Alpenfl. Südkarpath. t. 10, fig. 6 (1913).
Marret, Ic. Fl. Alp. Pl. Ser. II. Fasc. 7, t. 162 c, fig. 1–4 in sched. [1914].
Hayek, Pflanzend. Oesterr.-Ung. i. 436 (1915).
Magyar Bot. Lap. xv. t. 4, fig. 1–3 (1916).—*Fl.*
Farrer, English Rock-Gard. i. 284 (1919).—*Hab.*
campestris M. Bieb.
*M. v. Bieberstein, Cent. Pl. Rar. i. t. 8 (1810).
*Bot. Mag. xliv. t. 1876 (1817).
Reichenbach, Pl. Crit. vi. t. 520 (1828).
capitatus Pall.
*Jaume St.-Hilaire, Pl. France, iii [t. 70] (1809).
Mém. Mus. Hist. Nat. Paris, ii. 57 (1815).—*Fl.*
Reichenbach, Pl. Crit. vi. t. 539 (1828).
*Reichenbach, Ic. Fl. Germ. vi. t. 249 (1844).
capitatus DC.
Hayek, Pflanzend. Oesterr.-Ung. 304 (1914).
carneus Jord.
*Jordan, Ic. Fl. Eur. iii. t. 431 (1903).
carthusianorum Linn.
*Kniphof, Herb. Viv. i. t. 366 (1758).
Hoppe, Ect. Pl. Ratisb. t. 688 (1791).
C. K. Sprengel, Entd. Geheimn. Natur, t. 5, fig. 9, 10 (1793).—*Fl.*
*Dreves & Hayne, Bot. Bilderbuch, iv. t. 7 (1801).
*Dreves & Hayne, Choix de Pl. t. 109 (1802).
*Sturm, Deutschl. Fl. vii. xxvii [t. 427] (1809).
*A. & F. Plée, Herbor. Paris, [t. 88] (1811).
*Schrank, Fl. Monac. iii. t. 293 (1816).
*Bot. Mag. xlvi. t. 2039 (1819).
*Fl. Dan. x. t. 1694 (1821).
*Sibthorp & Sm. Fl. Graeca, iv. t. 392 (1823).
Reichenbach, Pl. Crit. vi. t. 536 (1828).
Mutel, Fl. Française, t. 12 (1834).
*Dietrich, Fl. Boruss. iii. t. 197 (1835).
*Sweet, Brit. Fl. Gard. vi. t. 282 (1835).
*Zenker, Fl. Thüringen, i. t. 74 (1836–55).
*J. W. Loudon, Ladies' Fl.-Gard. Ornam. Perenn. i. t. 22 (1843).
*Reichenbach, Ic. Fl. Germ. vi. t. 252 (1844).
*Lorek, Fl. Pruss. Ed. 3, t. 106, fig. 573 (1848).
Nees, Gen. Pl. fasc. xxxi. t. 1 (1860).
Schweinfurth in Verh. Bot. Ver. Brandenb. ii. tab. fig. 1 (1860).—*Fl.*
*Schubert, Naturg., Pflanzenreich, Ed. 2, t. 22, fig. 10 [1865].
*Cusin & Ansberque, Herb. Fl. Franç. iv. t. 630 (1869).
*Wooster, Alp. Pl. Ser. II. t. 18 (1874).—*Hab.*
De Silvestri, Piante Prat. 345 (1879).
Timbal-Lagrave in Bull. Soc. Agric. Pyrén.-Or. xxv. t. 5 (1881).
*C. Hoffmann, Pflanzenatlas, t. 34, fig. 210 (1881).
Schilling, Grundr. Naturg. ii. Pflanzenr. Ausgb. A, p. 126 (1882); Ausgb. B, p. 246 (1884).—*Fl.*
Willkomm, Führ. Reich Pflanzen, t. 4, fig. 109, 785 (1882).—*Fl.*
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xi. t. 1106 (1883).
Harz, Samenkunde, ii. 1082 (1885).—*Fr.*
*Baillon, Ic. Fl. Franç. ii. t. 175 [1885–94].
*Sterne, Herbst- & Winterblumen, t. 38, fig. a (1886).—*Hab.*
*Thomé, Fl. Deutschl. ii. t. 211 (1886).

DIANTHUS
carthusianorum
G. Beck, Fl. Nied.-Oesterr. i. 353, 371 (1890).—*Fl.*
Paolucci, Fl. Marchig. t. 39 (1890).
*Masclef, Atlas Pl. France, t. 51 (1893).
*Correvon, Fl. Col. Suisse, t. 26 (1894).
*Siélain, Atlas Poche Pl. Champs, Prair. & Bois, t. 66 [1894].
Garcke, Ill. Fl. Deutschl. 84 (1895).
*A. W. Bennett, Fl. Alps, i. t. 13 (1897).
Knuth, Handb. Blütenbiol. ii. 1. 161 (1898).—*Fl.*
Fiori & Paol. Ic. Fl. Ital. 141 (1899).
Coste, Fl. France, i. 191 (1901).
*Masclef, Pl. Eur. t. 30 (1905).
*Kirby, Brit. Fl. Pl. t. 15 (1906).
Lazaro, Comp. Fl. Españ. ii. 320 (1907).—*Fl.*
Heukels, Fl. Nederl. ii. 156 (1908).
*Correvon & Rob. Alp. Fl. t. 19 [1908?].
*Hegi, Ill. Fl. Mittel-Eur. iii. t. 102, p. 324 (1909).
!Allg. Bot. Zeitschr. xvii. 14 (1911).
*Bonnier, Fl. Compl. France, Suisse & Belge, ii. t. 81 [1912].
*Pokorny-Schoenichen, Pflanzenkunde, t. 9, fig. 2 (1912).
*H. S. Thompson, Sub-Alp. Pl. t. 8 (1912).
Warburg, Pflanzenwelt, i. 568 (1913).
Hayek, Pflanzend. Oesterr.-Ung. i. 132 (1914).—*Hab.*
Cadevall & Sallent, Fl. Catalunya, i. 282 (1915).
*Bonnier, Name This Flower, t. 8 (1917).
—— **atrorubens** Hegi
Hegi, Ill. Fl. Mittel-Eur. iii. 324 (1909).
Allg. Bot. Zeitschr. xvii. 14 (1911).—*Hab.*
—— **congestus** Gren. & Godr.
*Cusin & Ansberque, Herb. Fl. Franç. iv. t. 631 (1869).
—— **latifolius** Griseb. & Schenk
Hegi, Ill. Fl. Mittel-Eur. iii. 334 (1909).
Allg. Bot. Zeitschr. xvii. 14 (1911).—*Hab.*
—— **nanus** DC.
Cusin & Ansberque, Herb. Fl. Franç. iv. t. 631 (1869).
—— **Pontederae** Williams
Hegi, Ill. Fl. Mittel-Eur. iii. 326 (1909).
Allg. Bot. Zeitschr. xvii. 16 (1911).—*Hab.*
—— **sanguineus** Williams
Hegi, Ill. Fl. Mittel-Eur. iii. 326 (1909).
Allg. Bot. Zeitschr. xvii. 16 (1911).—*Hab.*
—— **tenuifolius** Williams
Hegi, Ill. Fl. Mittel-Eur. iii. 324 (1909).
Allg. Bot. Zeitschr. xvii. 14 (1911).—*Hab.*
—— **vaginatus** Rouy & Fouc.
Hegi, Ill. Fl. Mittel-Eur. iii. 324 (1909).
Allg. Bot. Zeitschr. xvii. 14 (1911).—*Hab.*
caryophylloides Schultes
*Reichenbach, Ic. Fl. Germ. vi. t. 267 (1844).
*Willkomm, Ic. & Descr. Pl. Hispan. i. t. 12 (1852).—*Fl.*
Caryophyllus Linn.
*Regnault, Bot. ii. 75 (1774).
*Zorn, Ic. Pl. Med. iv. t. 345 (1782).
*Bot. Mag. ii. t. 39 (1788); liv. t. 2744 (1827).
*Baylis, Bot. Phys. t. 43 (1791).
*Plenck, Ic. Pl. Med. iv. t. 347 (1791).
*Woodville, Med. Bot. ii. t. 80 (1792); Ed. 3, iii. t. 205 (1832).
*Sowerby & Sm. Engl. Bot. iii. t. 214 (1794).
Lamarck, Ill. ii. t. 376, fig. 1 (1797).—*Fl.*
*Oskamp, Afb. Artseny-Gewass. v. t. 427 (1800).
*Roques, Pl. Usuell. Indig. & Exot. ii. t. 1 (1808).
Thornton, Brit. Fl. iv. 11 (1812).
*Vietz, Ic. Pl. Med.-oec.-techn. vi. t. 477 (1817).
Flora, iv. 11. 717 (1821).
*Mordant de Launay, Herb. Amat. vi. t. 383, 384 (1822).
*Waller, New Brit. Domest. Herb. t. 9 (1822); errore *D. caryophyllatus.*
*Targioni-Tozzetti, Racc. Fiori Frutti & Agrumi, [t. 33] (1825).
*Redouté, Choix Fl. [t. 89] (1827).
*Fl. Med. [Spratt], i. 155 (1829).
*Verh. Ver. Beförd. Gartenbau. Preuss. viii. t. 1, 2 (1832).—*Fl.*
*Drapiez, Herb. Amat. Fl. vi. t. 424, 425 (1833).
*Piccioli, Antotr. Colt. Fiori, i. t. 4 (1834).

DIANTHUS
Caryophyllus
*Baxter, Brit. Bot. Ed. 2, ii. t. 81 (1835).
*Orbigny, Dict. Hist. Nat. Atlas, iii. t. 290 [1839–49].
[M. E.] Jackson, Pict. Fl. fig. 662 (1840).
*C. E. Sowerby, Ill. Cat. Brit. Pl. fig. 174 (1841).
*Horticulteur Univ. iv. 169 (1843).
*J. W. Loudon, Ladies' Fl.-Gard. Ornam. Perenn. i. t. 23 (1843).
*Reichenbach, Ic. Fl. Germ. vi. t. 268 (1844).
*Burnett, Pl. Util. ii. t. 35, b (1845).
*Deakin, Florigr. Brit. ii. fig. 703 (1845).
*Journ. Hort. Prat. Bruxelles, iii. 65 (1845); N. Ser. v. t. 14 (1861).
*Ann. Gand, ii. t. 75 (1846); v. 233 (1849).
*J. W. Loudon, Brit. Wild Fl. Ed. 2, t. 17 [1846].
*Strong, American Fl. i. 63 (1848).
*Willkomm, Ic. & Descr. Pl. Hispan. i. t. 12 (1852). —*Fl.*
*Fl. des Serres, Ser. II. ii. t. 1221, 1250 (1857).
Irvine, Illustr. Handb. Brit. Pl. 758, 759 (1858). —*Fl.*
Johnson & Sowerby, Brit. Wild Fl. fig. 167 (1858–60).
*Hogg & Johnson, Wild Fl. Gr. Brit. i. t. 44 (1863).
*Belg. Hort. xiv. 1 (1864); xvii. 306 (1867).
*Trans. Russ. Hort. Soc. 1864, t. 151.—*Fl.*
*Syme, Engl. Bot. ii. t. 194 (1864).
Migout, Fl. Dépt. Allier, t. 3 (1866).—*Fl.*
Le Maout & Decaisne, Traité Gén. Bot. 438 (1868).
*Cusin & Ansberque, Herb. Fl. Franç. iv. t. 648 (1869).
*Réveil, Règne Vég. ii. t. 16; iii. t. 24; iv. t. 45; ix. t. 47 (1870).
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, i. t. 36 [1873].
Decaisne, Naud. & Hemsl. Handb. Trees, Shrubs & Herb. Pl. 64 (1873).
*Somoku Dzusetsu, Ed. 2, viii. t. 22 (1874).
*Hulme & Hibberd, Familiar Gard. Fl. iii. 65; v. 145 [1879–87].
Timbal-Lagrave in Bull. Soc. Agric. Pyrén.-Or. xxv. t. 27 (1881).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xii. t. 1116 (1883).
Baillon, Dict. Bot. ii. 392 (1883).—*Fl.*
Baillon, Traité Bot. Méd. Phan. ii. 1174 (1884). —*Fl.*
*Gartenfl. xxxiii. 150 (1884); xlix. 460 (1900); l. 1490 (1901); lxi. 236 (1912).
Nicholson, Illustr. Dict. Gard. i. 463 [1884–88].
Sempervirens, xiv. 148 (1885).
*Baillon, Ic. Fl. Franç. ii. t. 109 [1885–94].
Journ. Linn. Soc., Bot. xxii. 354, 365 (1886).
Baillon, Hist. Pl. ix. 87 (1887).—*Fl.*
Gerardin, Herb. t. 16 (1888).
!Rev. Hort. 1890, p. 376.—*Fl.*
*Bull. Soc. Tosc. Ortic. xvii. 16, t. 1 (1892).
Lubbock, Seedlings, i. 14, 216 (1892).—*Veg.*
*Leclerc du Sablon, Nos Fleurs, t. 15 [1892].
*Bois, Dict. Hort. 436 (1893–99).
Jardin, viii. 29 (1894).—*Hab.*
*Bois, Atlas Pl. Jard. t. 38 (1896).
*Step, Fav. Fl. Gard. & Greenh. i. t. 36 (1896).
Edmonds & Marloth, Elem. Bot. S. Africa, 83 (1897).—*Fl.*
Fiori & Paol. Ic. Fl. Ital. 142 (1899).
Plemper v. Balen in Tijdschr. Tuinb. Ed. Bos, v. fig. 24 (1900).—*Fl.*
Coste, Fl. France, i. 192 (1901).
Warming, Handb. Syst. Bot. Ed. Möbius, 273 (1902).—*Fl.*
U.S. Dep. Agric. Farm. Bull. No. 195, p. 40 (1904).
*D. McDonald, Fragr. Fl. & Leaves, frontisp. (1905).
Lazaro, Comp. Fl. Españ. ii. 323 (1907).—*Fl.*
Flahault, Nouv. Fl. Alpes & Pyrén. ii. 23 (1908).
Hegi, Ill. Fl. Mittel-Eur. iii. 319 (1909).
Beille, Bot. Pharm. ii. 509 (1909).
Somoku Dzusetsu, Ed. Makino (Iconogr. Pl. Nippon), viii. t. 22 (1910).
Velenovsky, Vergl. Morphol. Pfl. iii. 938 (1910). —*Fl.*

DIANTHUS
Caryophyllus
*Lindman, Vi och våra blomm. t. 49 (1911–13).
Oesterr. Gart.-Zeit. vii. 243 (1912).
Stuart in Bull. Vermont Agric. St. No. 163, t. 1–9 (1912).
Cadevall & Sallent, Fl. Catalunya, i. 288 (1915).
*Nat. Geogr. Mag. Washington, xxxi. 507, 510 (1917).
Moss, Cambridge Brit. Fl. iii. t. 91 (1920).
—— **Aclandae** Sweet
*Sweet, Flor. Guide, i. t. 98 (1829).
—— **Adelaideae** Sweet
*Sweet, Flor. Guide, ii. t. 162 (1830).
—— **arrogans** Sweet
*Sweet, Flor. Guide, ii. t. 112 (1829).
—— **Bacchus** Hort.
*Sweet, Flor. Guide, i. t. 44 (1828).
—— **Brunsvigii** Sweet
*Sweet, Flor. Guide, ii. t. 133 (1830).
—— **caeruleo-purpureus** Sweet
*Sweet, Flor. Guide, i. t. 64 (1828).
—— **Clintoniae** Sweet
*Sweet, Flor. Guide, i. t. 14 (1827).
—— **Craesusianus** Sweet
*Sweet, Flor. Guide, ii. t. 107 (1829).
—— **dignatus** Sweet
*Sweet, Flor. Guide, ii. t. 156 (1830).
—— **Franklinii** Sweet
*Sweet, Flor. Guide, i. t. 20 (1827).
—— **germanicus** Sweet
*Sweet, Flor. Guide, ii. t. 195 (1831).
—— **Gouldii** Sweet
*Sweet, Flor. Guide, ii. t. 183 (1831).
—— **Guillielmus** Sweet
*Sweet, Flor. Guide, ii. t. 184 (1831).
—— **imbricatus** Linn.
*Bot. Mag. xxxix. t. 1622 (1814).
!Nov. Act. Acad. Nat. Cur. xv. t. 28, fig. 5 (1831).
—— **incomparabilis** Sweet
*Sweet, Flor. Guide, ii. t. 146 (1830).
—— **inimitabilis** Sweet
*Sweet, Flor. Guide, i. t. 80 (1829).
—— **inodorus** Hort.
Boissieu, Fl. Eur. ii. t. 314 (1805).—*Fl.*
—— **insignis** Sweet
*Sweet, Flor. Guide, ii. t. 188 (1831).
—— **iricolor** Sweet
*Sweet, Flor. Guide, i. t. 9 (1827).
—— **leodiensis** Hort.
*Belg. Hort. xviii. 1 (1868).
—— **Leopoldi** Sweet
*Sweet, Flor. Guide, i. t. 31 (1828).
—— **nanus** Hort.
Gartenfl. xxxiv. 119 (1885).
—— **popularis** Sweet
*Sweet, Flor. Guide, ii. t. 129 (1830).
—— **principissae** Sweet
*Sweet, Flor. Guide, i. t. 88 (1829).
—— **puellulus** Sweet
*Sweet, Flor. Guide, i. t. 67 (1828).
—— **purpureo-cinctus** Sweet
*Sweet, Flor. Guide, i. t. 59 (1828).
—— **radiatus** Sweet
*Sweet, Flor. Guide, ii. t. 122 (1830).
—— **regius** Sweet
*Sweet, Flor. Guide, ii. t. 179 (1831).
—— **rubro-cinctus** Sweet
*Sweet, Flor. Guide, i. t. 70 (1828).
—— **semperflorens** Hort.
Wien. Ill. Gart.-Zeit. xv. t. 4 (1890).
*Ill. Hort. xxxviii. t. 131 (1891).
Gartenfl. xliii. 136 (1894).
—— **speciosus** Sweet
*Sweet, Flor. Guide, ii. t. 114 (1829).
—— **splendens** Sweet
*Sweet, Flor. Guide, ii. t. 157 (1830).
—— **striatulus** Sweet
*Sweet, Flor. Guide, i. t. 25 (1828).
—— **triumphans** Sweet
*Sweet, Flor. Guide, i. t. 36 (1827).
—— **variegatus** Hort.
*Piccioli, Antotr. Colt. Fiori, ii. t. 45 (1834).
—— **Wakefieldii** Sweet
*Sweet, Flor. Guide, ii. t. 176 (1831).

DIANTHUS
catalonicus Pourr.
Timbal-Lagrave in Bull. Soc. Agric. Pyrén.-Or. xxv. t. 17 (1881).
caucasius Sims
*Bot. Mag. xxi. t. 795 (1804).
Reichenbach, Pl. Crit. v. t. 420 (1827); vi. t. 548 (1828).
*J. W. Loudon, Ladies' Fl.-Gard. Ornam. Perenn. i. t. 21 (1843).
*Verlot, Pl. Alp. Ed. 2, t. 45 (1873).
*Wooster, Alp. Pl. Ed. 2, t. 20 (1874).
chinensis Linn.
*Bot. Mag. i. t. 25 (1787).
*Jaume St.-Hilaire, Pl. France, iii [t. 69] (1809).
*Mag. Bot. & Gard. iii. t. 10 (1835).
*J. W. Loudon, Ladies' Fl.-Gard. Ornam. Annuals, t. 20 (1844).
*Fl. des Serres, Ser. II. i. t. 1150 (1856).
Decaisne & Naud. Amat. Jard. ii. 147 [1862–66].
*Réveil, Règne Vég. xiv. t. 4 (1870).
Decaisne, Naud. & Hemsl. Handb. Trees, Shrubs & Herb. Pl. 66 (1873).
Somoku Dzusetsu, Ed. 2, viii. t. 20, 21 (1874).
Gartenfl. xxiv. 373 (1875); xxx. 118 (1881); xlix. 463 (1900); l. t. 1490 (1901).
*Floral Mag. N. Ser. 1878, t. 330.
*Blanco, Fl. Filip. t. 94, bis (1878–80).
*Hulme & Hibberd, Familiar Gard. Fl. ii. 97 [1879–87].
Wien. Ill. Gart.-Zeit. vii. 423 (1882).—*Fl.*
Baillon, Dict. Bot. ii. 391 (1883).
W. Robinson, Engl. Fl. Gard. t. 95 (1883).—*Fl.*
Nicholson, Illustr. Dict. Gard. i. 463 [1884–88].
Baillon, Hist. Pl. ix. 86 (1887).
Brehm, Merv. Nat. Monde des Pl. i. 196 (1894–96).
Rev. Hort. 1894, p. 300, 301.
*Useful Pl. Jap. iii. t. 762, 763 (1895).
*Step, Fav. Fl. Gard. & Greenh. i. t. 37 (1896).
*Bois, Atlas Pl. Jard. t. 39 (1896).
Villard, Fleurs, t. 13 (1900).
L. H. Bailey, Cycl. Amer. Hort. 477 (1900); Stand. Cycl. Hort. 1000 (1914).
Bull. Arboricult. Belg. 1903, p. 306.
Tribune Hort. ii. 661 (1907).
Hegi, Ill. Fl. Mittel-Eur. iii. 319 (1909).
Somoku Dzusetsu, Ed. Makino (Iconogr. Pl. Nippon), viii. t. 21 (1910).
Oesterr. Gart.-Zeit. vii. 375 (1912).—*Fl.*
—— **diadematus plenissimus** Hort.
Gartenfl. xxx. 120 (1881).
—— **giganteus** Hort.
*Fl. des Serres, Ser. II. ii. t. 1288 (1857).
*Gartenfl. vii. t. 216 (1858); viii. t. 248 (1859).
*Neubert's Deutsch. Gart. Mag. xii. 33 (1859).
*Journ. Hort. Prat. Belg. N. Ser. iv. t. 16 (1860).
*Horticulteur Franç. 1860, t. 14.
—— **Heddewigii** Hort.
*Fl. des Serres, Ser. II. ii. t. 1288 (1857); iii. t. 1296, 1297 (1858).
*Gartenfl. vii. t. 216, 240 (1858); xxviii. 244 (1879); xxx. 118, 119 (1881).
*Neubert's Deutsch. Gart. Mag. xii. 12 (1859).
*Henderson, Ill. Bouquet, ii. t. 33 (1859–61).
*Belg. Hort. ix. 193 [t. 13] (1859).
*Belg. Hort. x. 257 [t. 17, 18] (1860) in textu; *D. Heddewigii* in ic.
*Florist, 1860, t. 160.
*Horticulteur Franç. 1860, t. 22.
*Floral Mag. i. t. 28 (1861).
*Journ. Hort. Prat. Belg. N. Ser. v. t. 1 (1861).
*Nederl. Fl. & Pomona, ii. t. 68, fig. 1 (1879).
Nicholson, Illustr. Dict. Gard. i. 463 [1884–88].
Rev. Hort. 1894, p. 301.
*Garden, xlix. 82 (1896).
Semaine Hort. 1898, p. 262.—*Hab.*
—— —— **diadematus** Hort.
*Nederl. Fl. & Pomona, ii. t. 68, fig. 2 (1879).
—— —— **japonicus** Hort.
*Wien. Ill. Gart.-Zeit. xxviii. 201, t. 4 (1903).
—— —— **laciniatus** Regel
Gartenfl. xxx. 119 (1881).

DIANTHUS
chinensis imperialis Hort.
Bull. Arboricult. Belg. 1903, p. 307.
—— **laciniatus** Hort.
*Fl. des Serres, Ser. II. ii. t. 1289 (1857); iii. t. 1380, 1381 (1858).
*Neubert's Deutsch. Gart. Mag. xii. 353 (1859).
*Horticulteur Franç. 1860, t. 22.
*Ill. Gartenzeit. Stuttgart, vi. t. 1 (1862).
*Bot. Mag. xci. t. 5536 (1865).
*Nederl. Fl. & Pomona, ii. t. 68, fig. 3 (1879).
W. Robinson, Engl. Fl. Gard. t. 98 (1883).—*Hab.*
Rev. Hort. 1894, p. 302.
Somoku Dzusetsu, Ed. Makino (Iconogr. Pl. Nippon), viii. t. 20 (1910).
—— **plenissimus** Hort.
Nicholson, Illustr. Dict. Gard. i. 463 [1884–88].
—— **violaceus** Hort.
Wien. Ill. Gart.-Zeit. xxvi. 434 (1901).
Gartenfl. l. 610 (1901).
chlorostomus Jord.
*Jordan, Ic. Fl. Eur. iii. t. 447 (1903).
cibrarius Clem.
Clementi in Mem. Accad. Sc. Torino, Ser. II. xvi. 338, t. 2 (1857).
ciliatus Guss.
Gussone, Pl. Rar. t. 33 (1826).
*Reichenbach, Ic. Fl. Germ. vi. t. 266 (1844).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xii. t. 1114 (1883).
Fiori & Paol. Ic. Fl. Ital. 141 (1899).
—— **Brochianus** Vis.
Oesterr. Bot. Zeitschr. lxiv. 176 (1914).
—— **cymosus** Vis.
Oesterr. Bot. Zeitschr. lxiv. 176 (1914).
—— **racemosus** Vis.
Visiani, Fl. Dalmat. iii. t. 162 (1850) in textu; *D. racemosus* in ic. iii. t. 35.
Oesterr. Bot. Zeitschr. lxiv. 175 (1914).
cincinnatus C. Lem.
*Ill. Hort. xi. t. 388 (1864).
*Belg. Hort. xv. 161 (1865).
cinnamomeus Sibth. & Sm.
*Sibthorp & Sm. Fl. Graeca, iv. t. 400 (1823).
cintranus Boiss. & Reut.
*Willkomm, Ic. & Descr. Pl. Hispan. i. t. 10 (1852).
cognobilis Timb.-Lag.
Timbal-Lagrave in Bull. Soc. Agric. Pyrén.-Or. xxv. t. 13 (1881).
collinus Waldst. & Kit.
*Waldstein & Kit. Pl. Rar. Hung. i. t. 38 (1802).
*Salisbury, Parad. Londin. i. ii. t. 62 (1806).
Reichenbach, Pl. Crit. vi. t. 542 (1828).
Mutel, Fl. Française, t. 12 (1834).
*Reichenbach, Ic. Fl. Germ. vi. t. 253 (1844).
—— **silvaticus** Hoppe
Suireishchikov, Ill. Fl. Mosc. Gov. ii. 111 (1907).
—— **subpaniculatus** Schur.
Suireishchikov, Ill. Fl. Mosc. Gov. ii. 111 (1907).
coloratus Hand.-Mazz.
Ann. Nat. Hofm. Wien, xxvi. t. 2 (1912).—*Hab.*
compactus Waldst. & Kit.
*Reichenbach, Ic. Fl. Germ. vi. t. 248 (1844).
Engler & Drude, Veget. Erde, ii. 152 (1898).
Hayek, Pflanzend. Oesterr.-Ung. i. 360 (1915).
contractus Jan.
Lojacono-Pojero, Fl. Sic. i. 1. t. 17, bis (1888).
—— **evolutus** Lojac.-Poj.
Lojacono-Pojero, Fl. Sic. i. 1. t. 17, bis (1888).
controversus Gaud.
*Reichenbach, Ic. Fl. Germ. vi. t. 258 (1844).
coronarius Lam.
*Bonnier, Fl. Compl. France, Suisse & Belge, ii. t. 81 [1912].
corymbosus Sibth. & Sm.
*Sibthorp & Sm. Fl. Graeca, iv. t. 395 (1823).
*Reichenbach, Ic. Fl. Germ. vi. t. 255 (1844).
Costae Willk.
Cadevall & Sallent, Fl. Catalunya, i. 287 (1915).
Sennen in Treballs Institut. Catalana Hist. Nat. iii. t. 4 (1917).
Courtoisii Reichb.
*Reichenbach, Ic. Fl. Germ. vi. t. 255 (1844).

DIANTHUS
crassipes De Roem.
*Willkomm, Ic. & Descr. Pl. Hispan. i. t. 1 (1852).
crenatus Thunb.
*Bot. Reg. iii. t. 256 (1818).
crinitus Sm.
*Sibthorp & Sm. Fl. Graeca, v. t. 401 (1825).
cruentus Fisch.
*Fl. des Serres, Ser. I. v. t. 488 (1849).
Paxt. Fl. Gard. i. 119 (1850–51).
Lem. Jard. Fl. iv. Misc. 31 (1854).
deltoides Linn.
*Fl. Dan. iv. t. 577 (1771).
*Sowerby & Sm. Engl. Bot. i. t. 61 (1790).
Hoppe, Ect. Pl. Ratisb. t. 778 (1793).
C. K. Sprengel, Entd. Geheimn. Natur, t. 14, fig. 17, 21, 22, 27 (1793).—*Fl.*
*Roemer, Fl. Eur. i [t. 4] (1797).
*Liboschitz & Trinius, Fl. Pétersb. & Mosc. 21 (1811).
*Svensk Bot. vii. t. 477 (1812).
*Trattinick, Thes. Bot. t. 3 (1819).
*Curtis, Fl. Londin. Ed. 2, v. t. 195 (1828).
Reichenbach, Pl. Crit. vi. t. 519 (1828).
*Heger, Danske Oec. Pl. ii. t. 151 (1831).
*Mag. Bot. & Gard. ii. t. 48 (1834).
Mutel, Fl. Française, t. 13 (1834).
*Dietrich, Fl. Boruss. iv. t. 254 (1836).
*Zenker, Fl. Thüringen, iii. t. 301 (1836–55).
[M. E.] Jackson, Pict. Fl. fig. 663 (1840).
*C. E. Sowerby, Ill. Cat. Brit. Pl. fig. 175 (1841).
*Kops, Fl. Batava, viii. t. 578 (1844).
*Reichenbach, Ic. Fl. Germ. vi. t. 263 (1844).
*Deakin, Florigr. Brit. ii. fig. 704 (1845).
*Lorek, Fl. Pruss. Ed. 3, t. 106, fig. 574 (1848).
Ann. Hort. v. 560 (1850).
Johnson & Sowerby, Brit. Wild Fl. fig. 168 (1858–60).
Rev. Hort. Ser. IV. viii. 378, 379 (1859).
Berg, Charakt. t. 81, fig. 580 (1861).
*Syme, Engl. Bot. ii. t. 192 (1864).
Bentham, Handb. Brit. Fl. fig. 128 (1865).
*Cusin & Ansberque, Herb. Fl. Franç. iv. t. 642 (1869).
*Hogg & Johnson, Wild Fl. Gr. Brit. v. t. 398 (1869).
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, i. t. 36 [1873].
De Silvestri, Piante Prat. 345 (1879).
Karsten, Deutsche Fl. Pharm.-medic. Bot. 543 (1880–83).
Timbal-Lagrave in Bull. Soc. Agric. Pyrén.-Or. xxv. t. 10 (1881).
Schilling, Grundr. Naturg. ii. Pflanzenr. Augsb. A, p. 126 (1882); Ausgb. B, p. 246 (1884).—*Fl.*
Wagner, Ill. Deutsche Fl. Ed. 2, p. 98 (1882).
W. Robinson, Engl. Fl. Gard. t. 96 (1883).—*Hab.*
*M'Alpine, Bot. Atlas, i. t. 15 (1883).—*Fl.*
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xii. t. 1113 (1883).
Garden, xxv. 145 (1884); lxvi. 224 (1904).
Gartenfl. xxxiv. 215 (1885).
*Thomé, Fl. Deutschl. ii. t. 211 (1886).
Potonié, Ill. Fl. Nord- u. Mittel-Deutschl. Ed. 4, fig. 227 (1889).
Paolucci, Fl. Marchig. t. 38 (1890).—*Fl.*
*Heathcote, Fl. Engadine, t. 33 (1891).
*Masclef, Atlas Pl. France, t. 51 (1893).
Karsten, Fl. Deutschl. ii. 78 (1895).
*Siélain, Atlas Poche Pl. Champs, Prair. & Bois, Ser. II. t. 50 (1896).
Britton & Brown, Ill. Fl. N. States & Canada, ii. 19 (1897); Ed. 2, ii. 74 (1913).
Knuth, Handb. Blütenbiol. ii. 1. 158 (1898).—*Fl.*
Vierhapper in Sitzb. Akad. Wiss. Wien, cvii. 1. t. 2, fig. 5 (1898).—*Veg.*
Fiori & Paol. Ic. Fl. Ital. 141 (1899).
Coste, Fl. France, i. 196 (1901).
Lindman, Bild. Nord. Fl. t. 344 b (1901–5).
C. T. Green, Fl. Liverpool Distr. fig. 78 (1902).
*Step, Wayside & Woodl. Bloss. New Ed. i. t. 15 (1905).
Lazaro, Comp. Fl. Españ. ii. 320 (1907).—*Fl.*
Suireishchikov, Ill. Fl. Mosc. Gov. ii. 113 (1907).

DIANTHUS
deltoides
Heukels, Fl. Nederl. ii. 156, 157 (1908).
*Hulme, Familiar Swiss Fl. t. 36 (1908).
Hegi, Ill. Fl. Mittel-Eur. iii. t. 102 (1909).
*Bonnier, Fl. Compl. France, Suisse & Belge, ii. t. 82 [1912].
Warburg, Pflanzenwelt, i. 568 (1913).
Bull. Angew. Bot. vi. App. 1, p. 247, 248 (1913).
Horticulture (Boston), xx. 483 (1914).—*Hab.*
L. H. Bailey, Stand. Cycl. Hort. 999 (1914).—*Hab.*
Cadevall & Sallent, Fl. Catalunya, i. 286 (1915).
Lindman, Svensk Fanerogamfl. 19 (1918).—*Fl.*
Fitch & Smith, Ill. Brit. Fl. Ed. rev. 4, Iss. 2, fig. 131 (1919).
—— **foliosus** Boenningh.
*Reichenbach, Ic. Fl. Germ. vi. t. 263 (1844).
—— **genuinus** Syme
Moss, Cambridge Brit. Fl. iii. t. 87 (1920).
—— **serpyllifolius** Borbás
Vierhapper in Sitzb. Akad. Wiss. Wien, cvii. 1. t. 2, fig. 4 (1898).—*Veg.*
dentosus Fisch.
Reichenbach, Pl. Crit. vi. t. 546 (1828).
deserti Kotschy
Kotschy in Sitzb. Akad. Wiss. Wien, lii. 1. t. 7 (1865).
diffusus Sibth. & Sm.
*Sibthorp & Sm. Fl. Graeca, iv. t. 396 (1823).
discolor Sims
*Bot. Mag. xxix. t. 1162 (1808).
diutinus Kit.
Reichenbach, Pl. Crit. vi. t. 533 (1828).
*Reichenbach, Ic. Fl. Germ. vi. t. 251 (1844).
Degen in Pótfüz. a Természett. Közl. (Journ. Nat. Sc.), xxvii. 26 (1895).
egregius Jord.
*Jordan, Ic. Fl. Eur. iii. t. 426 (1903).
elatus Ledeb.
*Ledebour, Ic. Pl. Ross. v. t. 420 (1834).
Engleri minutus Hayek
Ann. Nat. Hofm. Wien, xxviii. t. 11, fig. 2 (1914).—*Fl.*
erubescens Trevir.
Sprengel, Schrader & Link, Jahrb. Gewächsk. i. II. t. 1, fig. 1 A & B (1820).
*Reichenbach, Ic. Fl. Germ. vi. t. 258 (1844).
fallens Timb.-Lag.
Timbal-Lagrave in Bull. Soc. Agric. Pyrén.-Or. xxv. t. 25 (1881).
ferrugineus Linn.
Reichenbach, Pl. Crit. vi. t. 537 (1828).
Mutel, Fl. Française, t. 11 (1834).
*Maund, Botanist, i. t. 22 (1837).
*Marnock, Floricult. Mag. iii. t. 35 (1839).
*Bot. Reg. xxv. t. 15 (1839).
Fischeri Spreng.
*Sweet, Brit. Fl. Gard. iii. t. 245 (1828).
Reichenbach, Pl. Crit. vi. t. 545 (1828).
*J. W. Loudon, Ladies' Fl.-Gard. Ornam. Perenn. i. t. 22 (1843).
flabellatus Jord.
*Jordan, Ic. Fl. Eur. iii. t. 44 (1903).
flexicaulis Jord.
*Jordan, Ic. Fl. Eur. iii. t. 433 (1903).
fragrans Salisb.
*Salisbury, Parad. Londin. ii. 1. t. 112 (1807).
*Bot. Mag. xlvi. t. 2067 (1819).
Freynii Vandas
*Neubert's Deutsch. Gart. Mag. xliv. t. 5 (1891).
Ann. Nat. Hofm. Wien, vi. t. 9 (1891).
Vierhapper in Sitzb. Akad. Wiss. Wien, cvii. 1. t. 1, fig. 11 (1898).—*Veg.*
G. Beck in Glasnik Muz. Bosn. Herceg. xxi. 154 (1909).
frigidus Zucc.
Gard. Chron. Ser. III. liii. Suppl. tab. ad p. 254 (1913).—*Hab.*
Frivaldskyanus Boiss.
Engler & Drude, Veget. Erde, xi. t. 27 (1909).—*Hab.*
fruticosus Linn.
*Sibthorp & Sm. Fl. Graeca, v. t. 407 (1825).
Jaubert & Spach, Illustr. Pl. Or. iv. t. 395 (1850–53).

DIANTHUS

fruticosus
Rouy, Illustr. Pl. Eur. Rar. iii [t. 76] (1895); fasc. 14, t. 331 (1900).

furcatus Balb.
Balbis in Mém. Acad. Sc. Turin, 1802–3, xv. 14, t. 2 (1894).
*Reichenbach, Ic. Fl. Germ. vi. t. 265 (1844).
Coste, Fl. France, i. 193 (1901).
Flahault, Nouv. Fl. Alpes & Pyrén. ii. 25 (1908).
*Bonnier, Fl. Compl. France, Suisse & Belge, ii. t. 82 [1912].
Gard. Chron. Ser. III. liii. Suppl. tab. ad p. 254 (1913).—*Hab.*
Farrer, English Rock-Gard. i. 296 (1919).—*Hab.*
Glück, Blatt- & Blütenmorph. Stud. t. 1 (1919).—*Veg.*

gaditanus Boiss.
Rouy, Illustr. Pl. Eur. Rar. iii [t. 77] (1895); fasc. 12, t. 280 (1899).

gallicus Pers.
*Cusin & Ansberque, Herb. Fl. Franç. iv. t. 654 (1869).
*Verlot, Pl. Alp. Ed. 2, t. 38 (1873).
*Wooster, Alp. Pl. Ed. 2, t. 40 (1874).
*A. W. Bennett, Fl. Alps, i. t. 16 (1897).
Coste, Fl. France, i. 192 (1901).
*Bonnier, Fl. Compl. France, Suisse & Belge, ii. t. 80 [1912].
Moss, Cambridge Brit. Fl. iii. t. 89 (1920).

Gardnerianus Hort.
Rev. Hort. 1894, p. 302.—*Fl.*

Garnieriana Hort.
*Floricult. Cab. viii. 232 (1840).

Gaulthaesii Hort.
*Marnock, Floricult. Mag. v. t. 58 (1841).

gelidus Schott, Nym. & Kotschy
Gard. Chron. Ser. III. liii. 247 (1913).—*Hab.*
Hayek, Pflanzend. Oesterr.-Ung. i. 367 (1915).

geminiflorus Loisel.
Timbal-Lagrave in Bull. Soc. Agric. Pyrén.-Or. xxv. t. 8 (1881).
Coste, Fl. France, i. 194 (1901).

giganteus D'Urv.
*Sweet, Brit. Fl. Gard. iii. t. 288 (1829).

glacialis Haenke
*Reichenbach, Ic. Fl. Germ. vi. t. 261 (1844).
*Weber, Alp.-Pfl. Ed. 3, i. t. 84 (1872).
*Wooster, Alp. Pl. Ser. II. t. 41 (1874).—*Hab.*
*Floral Mag. N. Ser. 1877, t. 268.
*Seboth & A. W. Bennett, Alpine Pl. iv. t. 47 (1880).
Willkomm, Führ. Reich Pflanzen, 786 (1882).—*Fl.*
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xii. t. 1112 (1883).
Gard. Chron. xxi. 809 (1884); Ser. III. liii. 256 (1913).
Journ. Hort. Ser. III. xxxi. 561 (1895).—*Hab.*
*A. W. Bennett, Fl. Alps, i. t. 15 frontisp. (1897).
*Hartinger, Atlas Alpenfl. i. t. 95 (1897).
Schimper, Pflanzen-Geogr. 745 (1898).
Vierhapper in Sitzb. Akad. Wiss. Wien, cvii. 1. t. 1, fig. 10 (1898).—*Veg.*
Fiori & Paol. Ic. Fl. Ital. 141 (1899).
Flora, lxxxix. t. 1, fig. 1 (1901).—*Fr.*
Jul. Hoffmann, Alpine Fl. t. 8 (1903).
*Flahault, Nouv. Fl. Alpes & Pyrén. ii. t. 25 (1908).
*Hulme, Familiar Swiss Fl. t. 38 (1908).
Hegi, Ill. Fl. Mittel-Eur. iii. 333 (1909).
*H. S. Thompson, Alp. Pl. Europe, t. 12 (1911).
*Bonnier, Fl. Compl. France, Suisse & Belge, ii. t. 82 [1912].
Hayek, Pflanzend. Oesterr.-Ung. i. 19 (1914).
Marret, Ic. Fl. Alp. Pl. Ser. II. Fasc. 6, text-fig. 1–7, t. 163 [1914].
Penzig, Fl. Alpi Illustr. Ed. 2, t. 8 (1915).

glaucophyllus Hornem.
*Reichenbach, Ic. Fl. Germ. vi. t. 250 (1844).

glaucus Linn.
Dillenius, Hort. Eltham. Add. Denom. Linn. t. 298 (1774).
Reichenbach, Pl. Crit. vi. t. 550 (1828).
*Reichenbach, Ic. Fl. Germ. vi. t. 263 (1844).
Timbal-Lagrave in Bull. Soc. Agric. Pyrén.-Or. xxv. t. 11 (1881).

DIANTHUS

glaucus Huds.
*Perrin & Boulger, Brit. Flower. Pl. i. t. 65 (1914).
*Horwood, Brit. Wild Fl. v. t. 60, p. 142 (1919).

Godronianus Jord.
Timbal-Lagrave in Bull. Soc. Agric. Pyrén.-Or. xxv. t. 28 (1881).

—— **ramosus** Timb.-Lag.
Timbal-Lagrave in Bull. Soc. Agric. Pyrén.-Or. xxv. t. 29 (1881).

gracilis Sibth. & Sm.
*Sibthorp & Sm. Fl. Graeca, v. t. 404 (1825).

graniticus Jord.
*Willkomm, Ic. & Descr. Pl. Hispan. i. t. 8 (1852).
Coste, Fl. France, i. 194 (1901).
*Bonnier, Fl. Compl. France, Suisse & Belge, ii. t. 82 [1912].

gratianopolitanus Vill.
Hayek, Pflanzend. Oesterr.-Ung. i. 194 (1914).

Grievei Hort.
Macfarlane in Trans. Roy. Soc. Edinb. xxxvii. 1. t. 4, fig. 13 b (1895).—*Fl.*

Grisebachii Boiss.
Journ. Roy. Hort. Soc. London, xxxix. 4, fig. 3 (1913).—*Hab.*
Tribune Hort. ix. 373 (1914).—*Hab.*

guttatus M. Bieb.
Reichenbach, Pl. Crit. v. t. 462 (1827).

Gyspergerae Rouy
Rouy, Illustr. Pl. Eur. Rar. iii [t. 78] (1895); fasc. 20, t. 480 (1905).

Hanryi Burnat
Rouy, Illustr. Pl. Eur. Rar. iii [t. 79] (1895); fasc. 11, t. 256 (1899).

Heddewigii Hort.
*Belg. Hort. x. 257 [t. 17, 18] (1860) in ic.; *D. chinensis Heddewigii* in textu.
Journ. Hort. Ser. III. lxviii. 170 (1914).—*Fl.*

—— **diadematus** Hort.
Gartenfl. xvii. 363 (1868).
Neubert's Deutsch. Gart. Mag. 1868, p. 312.
Wien. Ill. Gart.-Zeit. vii. 423 (1882).—*Fl.*

×**Hendersonianus** Paxt.
*Paxt. Mag. xiv. 126 (1848).

hermaeënsis Cosson
Cosson, Ill. Fl. Atlant. i. t. 76 (1890).

hirtus Vill.
Villars, Hist. Pl. Dauph. iv. t. 46 (1789).
*Reichenbach, Ic. Fl. Germ. vi. t. 264 (1844).
*Cusin & Ansberque, Herb. Fl. Franç. iv. t. 636 (1869).
Coste, Fl. France, i. 194 (1901).
*Bonnier, Fl. Compl. France, Suisse & Belge, ii. t. 82 [1912].

hispanicus Asso
Asso, Mant. Stirp. Arag. t. 3 (1781).

—— **australis** Willk.
*Willkomm, Ic. & Descr. Pl. Hispan. i. t. 9 (1852).

—— **borealis** Willk.
*Willkomm, Ic. & Descr. Pl. Hispan. i. t. 9 (1852).

—— **occidentalis** Willk.
*Willkomm, Ic. & Descr. Pl. Hispan. i. t. 52 (1852).

Holtzeri dentata Hort.
*Gartenfl. xxx. t. 1032 (1881).

—— **fimbriata** Hort.
*Gartenfl. xxx. t. 1032 (1881).—*Fl.*

hortensis Schrad.
*Reichenbach, Ic. Fl. Germ. vi. t. 257 (1844).

hungaricus Pers.
*Reichenbach, Ic. Fl. Germ. vi. t. 257 (1844).
Borbás, Balaton Fl. 210 (1900).
Hayek, Pflanzend. Oesterr.-Ung. i. 385 (1915).

×**hybridus** Hort.
*Neubert's Deutsch. Gart. Mag. xlvi. 197–99 (1893).
Gartenfl. xlix. 461 (1900).

—— **multiflorus** Hort.
*Henderson, Ill. Bouquet, ii. t. 51 (1859–61).

—— **semperflorens** Hort.
*Gartenwelt, ii. t. 4 (1897).

hypochlorus Boiss. & Heldr.
Stefani, Major & Barbey, Samos, t. 8 (1892)

hypoleucus Jord.
*Jordan, Ic. Fl. Eur. iii. t. 448 (1903).

imperialis pictus Hort.
*Neubert's Deutsch. Gart. Mag. 1867, p. 57.

DIANTHUS

impunctatus Jord.
*Jordan, Ic. Fl. Eur. iii. t. 442 (1903).

inodorus Gaertn.
Gaertner, Fruct. ii. t. 129 (1791).—*Fr.*
*Penzig, Fl. Alpi Illustr. Ed. 2, t. 8 (1915).
Farrer, English Rock-Gard. i. 292 (1919).—*Hab.*

insignitus Timb.-Lag.
Timbal-Lagrave in Bull. Soc. Agric. Pyrén.-Or. xxv. t. 20 (1881).

integer Vis.
*Reichenbach, Ic. Fl. Germ. vi. t. 264 (1844).
Visiani, Fl. Dalmat. iii. t. 36 (1850) in ic.; *D. strictus* in textu, iii. t. 163.

—— **grandiflorus** Vis.
Visiani, Fl. Dalmat. iii. t. 36 (1850) in ic.; *D. strictus grandiflorus* in textu, iii. t. 163.

intermedius Boiss.
Rouy, Illustr. Pl. Eur. Rar. iii [t. 80] (1895); fasc. 7, t. 154 (1896).

japonicus Thunb.
Thunberg, Fl. Jap. t. 23 (1784).
*Fortsetz. Allg. Teutsch. Gart. Mag. iv. t. 8 (1819–20).
Otto & Dietr. Allg. Gartenzeit. xxiv. Ill. Beil. 12 (1856).
Somoku Dzusetsu, Ed. 2, viii. t. 25 (1874).
Somoku Dzusetsu, Ed. Makino (Iconogr. Pl. Nippon), viii. t. 25 (1910).

×**Julii-Wolffii** Marton
Magyar Bot. Lap. xv. t. 3, fig. 2, 3, 6, 7 (1916).—*Fl.*

—— **aemulus** Peterfi
Magyar Bot. Lap. xv. t. 3, fig. 4, 5, 8, 9 (1916).—*Fl.*

juratensis Jord.
*Jordan, Ic. Fl. Eur. iii. t. 450 (1903).

kladovanus Degen
Engler & Drude, Veget. Erde, xi. t. 37 (1909).—*Hab.*

laciniatus Hort.
*Henderson, Ill. Bouquet, ii. t. 37 (1859–61).
Neubert's Deutsch. Gart. Mag. xlvii. 776 (1894).—*Hab.*

—— **mirabilis** Hort.
Bull. Soc. Tosc. Ortic. xxix. 339 (1904).—*Fl.*
Rev. Hort. Belge, xxxi. 53 (1905).—*Fl.*

×—— **nanus** Hort.
Ill. Hort. xliii. 366 (1896).
Gartenfl. xlv. 577 (1896).
Wien. Ill. Gart.-Zeit. xxi. 405 (1896).—*Fl.*

—— **salmoneus** Hort.
Rev. Hort. Belge, xxvi. 20 (1900).

—— **zonalis** Hort.
Wien. Ill. Gart.-Zeit. xxvi. 433 (1901).—*Hab.*
Gartenfl. l. 637 (1901).—*Hab.*
Bull. Arboricult. Belg. 1903, p. 308.

lanceolatus Stev.
Reichenbach, Pl. Crit. vi. t. 549 (1828).

laricifolius Boiss. & Reut.
*Willkomm, Ic. & Descr. Pl. Hispan. i. t. 6 (1852).

latifolius Willd.
*Sweet, Brit. Fl. Gard. i. t. 2 (1823).

×**Laucheanus** Bolle
*Gartenfl. liii. t. 1528 (1904).

laxus Tausch
Tausch, Hort. Canal. i. 11 [t. 17] (1823).

leptopetalus Willd.
*Bot. Mag. xlii. t. 1739 (1815).

leucophaeus Sibth. & Sm.
Sieber, Reise Insel Kreta, t. 9 (1823).
*Sibthorp & Sm. Fl. Graeca, v. t. 405 (1825).

Libanotis Labill.
Labillardière, Ic. Pl. Syriae, i. t. 5 (1791).
*Bot. Reg. xviii. t. 1548 (1832).
*Sweet, Brit. Fl. Gard. vi. t. 231 (1834).
*J. W. Loudon, Ladies' Fl.-Gard. Ornam. Perenn. i. t. 21 (1843).

liburnicus Bartl. & Wendl.
*Reichenbach, Ic. Fl. Germ. vi. t. 249 (1844).
*Willkomm, Ic. & Descr. Pl. Hispan. i. t. 1 (1852).
*Cusin & Ansberque, Herb. Fl. Franç. iv. t. 629 (1869).
Willkomm, Führ. Reich Pflanzen, 785 (1882).—*Fl.*

DIANTHUS
liburnicus
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xii. t. 1108 (1883).
*Penzig, Fl. Litt. Méditerr. t. 17 (1902).
Hegi, Ill. Fl. Mittel-Eur. iii. 326 (1909).
Allg. Bot. Zeitschr. xvii. 16 (1911).—*Hab.*
*Bonnier, Fl. Compl. France, Suisse & Belge, ii. t. 81 [1912].
litoralis Host
*Reichenbach, Ic. Fl. Germ. vi. t. 266 (1844).
longicaulis Ten.
*Tenore, Fl. Nap., Atlas, iii. t. 138 (1811–38).
Reichenbach, Hort. Bot. t. 56 (1824).
*Reichenbach, Ic. Fl. Germ. vi. t. 268 (1844).
*H. S. Thompson, Fl. Pl. Riviera, t. 6 (1914).
longiflorus Poir.
Lamarck, Ill. ii. t. 376, fig. 3 (1797).—*Fr.*
longifolius Jord.
*Jordan, Ic. Fl. Eur. iii. t. 449 (1903).
longiglumis Del.
A. Richard, Tent. Fl. Abyssin. Atlas, t. 12 [1847].
Lumnitzeri Wiesb.
Hayek, Pflanzend. Oesterr.-Ung. i. 375 (1915).
lusitanus Brot.
Brotero, Phytogr. t. 70 (1816).
*Willkomm, Ic. & Descr. Pl. Hispan. i. t. 2 (1852).
macrophyllus Jord.
*Jordan, Ic. Fl. Eur. iii. t. 444 (1903).
maritimus Jord.
*Jordan, Ic. Fl. Eur. iii. t. 429 (1903).
marsicus Ten.
*Tenore, Fl. Nap., Atlas, v. t. 228 (1811–38).
massiliensis Jord.
*Jordan, Ic. Fl. Eur. iii. t. 430 (1903).
medunensis G. Beck & Szyszył.
G. Beck & Szyszyłowicz, Pl. Cernag. & Albania, t. 3 (1888).
meldensis Hort.
*Rev. Hort. 1867, p. 12.
microlepis Boiss.
Vierhapper in Sitzb. Akad. Wiss. Wien, cvii. 1. t. 1, fig. 1–3, 12 (1898).
Hegi, Ill. Fl. Mittel-Eur. iii. 319 (1909).—*Fr.*
Engler & Drude, Veget. Erde, xi. t. 41–43 (1909).—*Hab.*
Gartenwelt, xvi. 187 (1912).
Journ. Roy. Hort. Soc. London, xxxix. 4 (1913).—*Hab.*
Tribune Hort. ix. 213 (1914).
minutiflorus Jord.
*Jordan, Ic. Fl. Eur. iii. t. 434 (1903).
moesiacus Vis. & Panč.
Visiani & Pančić, Pl. Serb. (Mem. Istit. Veneto, xv. t. 4), iii. t. 19 (1870).
monadelphus Vent.
Ventenat, Jard. Cels, t. 39 [1800].
monspessulanus Linn.
*Reichenbach, Ic. Fl. Germ. vi. t. 258 (1844).
*Willkomm, Ic. & Descr. Pl. Hispan. i. t. 7 (1852).—*Fl.*
*Cusin & Ansberque, Herb. Fl. Franç. iv. t. 652 (1869).
*Weber, Alp.-Pfl. Ed. 3, i. t. 86 (1872).
*Verlot, Pl. Alp. Ed. 2, p. 119, 292 (1873).
Timbal-Lagrave in Bull. Soc. Agric. Pyrén.-Or. xxv. t. 21 (1881).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xii. t. 1121 (1883).
Bot. Jaarb. Gent, iii. t. 11, fig. 51 (1891).—*Fl.*
Acloque, Fl. France, 146 (1894).
*Hartinger, Atlas Alpenfl. i. t. 93 (1897).
Fiori & Paol. Ic. Fl. Ital. 142 (1899).
Coste, Fl. France, i. 191 (1901).
Merino, Fl. Galicia, i. 220 (1905).
*Hulme, Familiar Swiss Fl. t. 37 (1908).
Hegi, Ill. Fl. Mittel-Eur. iii. 337 (1909).
*Bonnier, Fl. Compl. France, Suisse & Belge, ii. t. 80 [1912].
Cadevall & Sallent, Fl. Catalunya, i. 283 (1915).
Glück, Blatt- & Blütenmorph. Stud. 544 (1919).—*Fl.*
—— **albidus** Timb.-Lag.
Timbal-Lagrave in Bull. Soc. Agric. Pyrén.-Or. xxv. t. 22 (1881).

DIANTHUS
monspessulanus marsicus Timb.-Lag.
Timbal-Lagrave in Bull. Soc. Agric. Pyrén.-Or. xxv. t. 24 (1881).
—— **Sternbergii** Parl.
Hegi, Ill. Fl. Mittel-Eur. iii. 339 (1909).
—— **Waldesteinii** Sternb.
Timbal-Lagrave in Bull. Soc. Agric. Pyrén.-Or. xxv. t. 23 (1881).
montanus F. W. Schmidt
*F. W. Schmidt in Neu. Abh. Böhm. Ges. Wiss. i. tab. fig. 4 (1791).
montanus M. Bieb.
Reichenbach, Pl. Crit. v. t. 420 (1827); errore *D. caucasicus.*
Morii Nakai
Matsumura, Ic. Pl. Koisikav. iv. t. 223 (1919).
×**multiflorus** Hort.
*Belg. Hort. xvi. 2 (1866).
multinervis Vis.
*Visiani, Fl. Dalmat. Suppl. (Mem. Istit. Veneto, xvi), t. 9 (1872).
mutabilis Boiss.
Tchichatcheff, Asie Mineure, Atlas, t. 12 (1860).
myrtinervius Griseb.
Vierhapper in Sitzb. Akad. Wiss. Wien, cvii. 1. t. 2, fig. 1 (1898).
nardiformis Janka
Rouy, Illustr. Pl. Eur. Rar. fasc. 2, t. 30; iii [t. 81] (1895).
neglectus Loisel.
*Reichenbach, Ic. Fl. Germ. vi. t. 261 (1844).
*Cusin & Ansberque, Herb. Fl. Franç. iv. t. 641 (1869).
*Florist, 1869, p. 217.
*Weber, Alp.-Pfl. Ed. 3, i. t. 82 (1872).
*Gartenfl. xxiii. t. 815 (1874).
Willkomm, Führ. Reich Pflanzen, 786 (1882).—*Fl.*
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xii. t. 1110 (1883).
*Garden, xxxvii. 8 (1890); lxxvi. 339 (1912); lxxviii. 377 (1914).—*Hab.*
*Correvon, Fl. Col. Suisse, t. 28 (1894).
Vierhapper in Sitzb. Akad. Wiss. Wien, cvii. 1. t. 2, fig. 7 (1898).—*Veg.*
Coste, Fl. France, i. 193 (1901).
Gard. Chron. Ser. III. xxxii. 6 (1902); xlix. 415 (1911); liii. 255 (1913).—*Hab.*
*Senn, Alpen-Flora, ii. t. 17 (1906).
*Flahault, Nouv. Fl. Alpes & Pyrén. i. t. 17 (1906).
Hegi, Ill. Fl. Mittel-Eur. iii. 333 (1909).
*Bonnier, Fl. Compl. France, Suisse & Belge, ii. t. 82 [1912].
Malby, Story Rock Garden, Ed. 2, p. 48 (1912).—*Hab.*
Marret, Ic. Fl. Alp. Pl. Ser. II. Fasc. 8, t. 166 c. fig. 1–5 in sched. [1914].
Cadevall & Sallent, Fl. Catalunya, i. 285 (1915).
nicaeënsis Jord.
*Jordan, Ic. Fl. Eur. iii. t. 443 (1903).
Nicolai G. Beck & Szyszył.
G. Beck & Szyszyłowicz, Pl. Cernag. & Albania, t. 3 (1888).
nipponicus Makino
Somoku Dzusetsu, Ed. Makino (Iconogr. Pl. Nippon), viii. t. 23 (1910).
nitidus Waldst. & Kit.
*Waldstein & Kit. Pl. Rar. Hung. ii. t. 191 (1805).
*Reichenbach, Ic. Fl. Germ. vi. t. 261 (1844).
Vierhapper in Sitzb. Akad. Wiss. Wien, cvii. 1. t. 1, fig. 7, 8 (1898).—*Veg.*
Engler & Drude, Veget. Erde, x. II. 146 (1908).
Hayek, Pflanzend. Oesterr.-Ung. i. 391 (1915).
nudiflorus Griff.
Griffith, Ic. Pl. Asiat. t. 580 (1854).
obcordatus Marg. & Reut.
Margot & Reuter in Mém. Soc. Phys. & Hist. Nat. Genève, viii. t. 2 (1839).
Visiani, Fl. Dalmat. iii. 1. t. 22 (1850).
oculatus Boiss.
Tchichatcheff, Asie Mineure, Atlas, t. 13 (1860).
orientalis Donn
*Bot. Mag. xxvii. t. 1069 (1807).
pallens Sibth. & Sm.
*Sibthorp & Sm. Fl. Graeca, iv. t. 399 (1823).

DIANTHUS
paniculatus Pau
Pau & Vicioso, Pl. Persia & Mesopot. (Trab. Mus. Nac. Cienc. Nat. Madrid, Ser. Bot. No. 14), t. 1 (1918).
papillosus Vis. & Panč.
Visiani & Pančić, Pl. Serb. (Mem. Istit. Veneto, x. t. 23), i. t. 5 (1862).
parciflorus Jord.
*Jordan, Ic. Fl. Eur. iii. t. 438 (1903).
×**Paui** Senn.
Sennen in Treballs Institut. Catalana Hist. Nat. iii. t. 4 (1917).
pelviformis Heuff.
Gard. Chron. Ser. III. xxx. 97 (1901).
×**Penrynae purpureus** Hort.
*Sweet, Flor. Guide, i. t. 41 (1828).
petraeus Waldst. & Kit.
*Bot. Mag. xxx. t. 1204 (1809).
*Waldstein & Kit. Pl. Rar. Hung. iii. t. 222 (1812).
*Reichenbach, Ic. Fl. Germ. vi. t. 256 (1844).
Magyar Bot. Lap. xv. t. 1–2, fig. 3 (1916).—*Fl.*
pindicola Vierh.
Vierhapper in Sitzb. Akad. Wiss. Wien, cvii. 1. t. 2, fig. 2 (1898).
Planellae Willk.
*Willkomm, Ic. & Descr. Pl. Hispan. i. t. 53 (1852).
plumarius Linn.
*Schrank, Fl. Monac. ii. t. 157 (1814).
*Mag. Bot. & Gard. ii. t. 52 (1834).
*Reichenbach, Ic. Fl. Germ. vi. t. 257 (1844).
Seringe, Fl. Jard. iii. t. 6 (1849).
*T. Moore, Field Bot. Comp. t. 9 (1862).
Johnson & Sowerby, Brit. Wild Fl. Suppl. fig. 1615 (1863).
*Sowerby & Sm. Engl. Bot. Suppl. v. t. 2979 (1864).
*Syme, Engl. Bot. ii. t. 195 (1864).
*Hulme & Hibberd, Familiar Gard. Fl. v. 65 [1879–87].
Willkomm, Führ. Reich Pflanzen, 788 (1882).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xii. t. 1118 (1883).
W. Robinson, Engl. Fl. Gard. t. 96 (1883).—*Hab.*
Gartenfl. xxxii. 57 (1883).
Rev. Hort. 1894, p. 257.—*Hab.*
*Act. Hort. Berg. ii. No. 5, t. 1 (1894).
Brehm, Merv. Nat. Monde des Pl. i. 194 (1894–96).
*Step, Fav. Fl. Gard. & Greenh. i. t. 38 (1896).
*Bois, Atlas Pl. Jard. t. 40 (1896).
Fiori & Paol. Ic. Fl. Ital. 142 (1899).
U.S. Dep. Agric. Farm. Bull. No. 195, p. 42 (1904).—*Fl.*
Hegi, Ill. Fl. Mittel-Eur. iii. 319, 335, 339 (1909).
Silva Tarouca, Freiland-Stauden, 84 (1910).—*Fl.*
Moss, Cambridge Brit. Fl. iii. t. 90 (1920).
—— **abbotsfordianus** Topf
*Gartenfl. ii. t. 67 (1853).
—— **Aclandae** Sweet
*Sweet, Flor. Guide, i. t. 40 (1828).
—— **albo-nigricans** Hort.
*Ill. Hort. ii. t. 67 (1855).
—— **Barattii** Sweet
*Sweet, Flor. Guide, i. t. 32 (1828).
—— **blandus** Reichb.
*Reichenbach, Ic. Fl. Germ. vi. t. 257 (1844).
—— **Bolivarii** Sweet
*Sweet, Flor. Guide, i. t. 93 (1829).
—— **Cheeseanus** Sweet
*Sweet, Flor. Guide, i. t. 13 (1827).
—— **delicatus** Hort.
Tribune Hort. iv. 801 (1909).—*Fl.*
—— **diadematus** Hort.
Bull. Soc. Tosc. Ortic. xxx. 21 (1905).—*Fl.*
—— **grandiflorus** Hort.
Rev. Hort. 1894, p. 257.—*Hab.*
—— **Haggerstonii** Sweet
*Sweet, Flor. Guide, ii. t. 191 (1831).
—— **heroicus** Sweet
*Sweet, Flor. Guide, i. t. 17 (1827).
—— **Houseanus** Sweet
*Sweet, Flor. Guide, i. t. 47 (1828).
—— **inclytus** Sweet
*Sweet, Flor. Guide, i. t. 27 (1828).

DIANTHUS
plumarius invincibilis Sweet
*Sweet, Flor. Guide, ii. t. 168 (1830).
—— **nanus** Hort.
Bull. Soc. Tosc. Ortic. xxx. 25 (1905).—*Hab.*
—— **princeps** Sweet
*Sweet, Flor. Guide, ii. 104 (1829).
—— **regalis** Sweet
*Sweet, Flor. Guide, i. t. 33 (1828).
—— **regius** Sweet
*Sweet, Flor. Guide, ii. t. 151 (1830).
—— **scoticus** Hort.
Gartenfl. xxxii. 58 (1883).—*Fl.*
Bull. Arboricult. Belg. 1903, p. 167.
—— **uxbridgeanus** Sweet
*Sweet, Flor. Guide, i. t. 55 (1828).
—— **winchesterianus** Sweet
*Sweet, Flor. Guide, ii. t. 113 (1829).
plumosus Craveniae Sweet
*Sweet, Flor. Guide, ii. t. 140 (1830).
— **Walworthianus** Sweet
*Sweet, Flor. Guide, ii. t. 144 (1830).
polymorphus M. Bieb.
Reichenbach, Pl. Crit. vi. t. 534 (1828).
*Reichenbach, Ic. Fl. Germ. vi. t. 251 (1844).
*Kerner, Pflanzenleben, i. 576 (1887).—*Hab.*
*Kerner & Oliv. Nat. Hist. Pl. i. t. 6 (1894).—*Hab.*
—— **diutinus** Tuzson
Bot. Közl. (Bot. Communic.), xiii. 3, 4 (1914).
—— **Kitaibelianus** Tuzson
Bot. Közl. (Bot. Communic.), xiii. 4 (1914).—*Fl.*
—— **orientalis** Tuzson
Bot. Közl. (Bot. Communic.), xiii. 4 (1914).—*Fl.*
—— **ramosus** Tuzson
Bot. Közl. (Bot. Communic.), xiii. 3, 5 (1914).
—— **tauricus** Tuzson
Bot. Közl. (Bot. Communic.), xiii. 4 (1914).—*Fl.*
pomeridianus Linn.
*Salisbury, Parad. Londin. i. II. t. 57 (1806).
pratensis M. Bieb.
Vierhapper in Sitzb. Akad. Wiss. Wien, cvii. I. t. 2, fig. 9 (1898).—*Veg.*
prolifer Linn.
*Kniphof, Herb. Viv. i. t. 367 (1758).
*Fl. Dan. ii. t. 221 (1765).
Hoppe, Ect. Pl. Ratisb. t. 189 (1788).
*Sowerby & Sm. Engl. Bot. xiv. t. 956 (1802).
*Kops, Fl. Batava, iv. t. 318 (1822).
*Sibthorp & Sm. Fl. Graeca, iv. t. 394 (1823).
Krocker, Fl. Siles. iv. Suppl. t. 4 (1823).
*Zenker, Fl. Thüringen, ii. t. 144 (1836–55).
Meigen, Deutschl. Fl. ii. t. 85 (1837).—*Fl.*
[M. E.] Jackson, Pict. Fl. fig. 661 (1840).
*C. E. Sowerby, Ill. Cat. Brit. Pl. fig. 173 (1841).
*Dietrich, Fl. Boruss. xii. t. 800 (1844).
*Deakin, Florigr. Brit. ii. fig. 702 (1845).
*Lorek, Fl. Pruss. Ed. 3, t. 106, fig. 570 (1848).
Petermann, Deutschl. Fl. t. 12, fig. 94, o (1849).—*Fl.*
Johnson & Sowerby, Brit. Wild Fl. fig. 166 (1858–60).
*Syme, Engl. Bot. ii. t. 196 (1864).
Bentham, Handb. Brit. Fl. fig. 126 (1865).
*Cusin & Ansberque, Herb. Fl. Franç. iv. t. 625 (1869).
*Hogg & Johnson, Wild Fl. Gr. Brit. vii. t. 518 (1872).
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, i. t. 36 [1873].
De Silvestri, Piante Prat. 345 (1879).
Timbal-Lagrave in Bull. Soc. Agric. Pyrén.-Or. xxv. t. 1 (1881).
Wagner, Ill. Deutsche Fl. Ed. 2, p. 96 (1882).
Willkomm, Führ. Reich Pflanzen, 784 (1882).—*Fl.*
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xii. t. 1102 (1883).
*Baillon, Ic. Fl. Franç. iv. t. 324 [1885–94].
Paolucci, Fl. Marchig. t. 39 (1890).
Acloque, Fl. France, 146 (1894).
Britton & Brown, Ill. Fl. N. States & Canada, ii. 19 (1897); Ed. 2, ii. 74 (1913).
Coste, Fl. France, i. 190 (1901).
*Bonnier, Fl. Compl. France, Suisse & Belge, ii. t. 80 [1912].
*Agric. Gaz. N. S. Wales, xxviii. 328 (1917).

DIANTHUS
prolifer
Fitch & Smith, Ill. Brit. Fl. Ed. rev. 4, Iss. 2, fig. 129 (1919).
—— **atapuercae** Coincy
Coincy, Eclog. Pl. Hispan. iv. t. 3 (1899).
prostratus Jacq.
*Jacquin, Hort. Schoenbr. iii. t. 271 (1798).
pseudo-Armeria M. Bieb.
*Bot. Mag. xlix. t. 2288 (1822).
Reichenbach, Pl. Crit. vi. t. 540 (1828).
*M. v. Bieberstein, Cent. Pl. Rar. ii. II. t. 70 (1843).
puberulus Jord.
*Jordan, Ic. Fl. Eur. iii. t. 446 (1903).
pubescens Sibth. & Sm.
*Sibthorp & Sm. Fl. Graeca, iv. t. 397 (1823).
*Sweet, Brit. Fl. Gard. iv. t. 27 (1829).
*J. W. Loudon, Ladies' Fl.-Gard. Ornam. Perenn. i. t. 21 (1843).
pulchellus Pers.
*Reichenbach, Ic. Fl. Germ. vi. t. 262 (1844).
pulcherrimus Loisel.
*Mordant de Launay, Herb. Amat. vii. t. 460 (1824).
*Drapiez, Herb. Amat. Fl. iii. t. 223 (1829).
*Piccioli, Antotr. Colt. Fiori, ii. t. 37 (1834).
Otto & Dietr. Allg. Gartenzeit. xxiv. Ill. Beil. 12 (1856).
*Fl. des Serres, Ser. II. i. t. 1172 (1856).
pulverulentus Wettst.
Wettstein in Sitzb. Akad. Wiss. Wien, xcviii. t. 1, fig. 6–12 (1890).
pumilio Degen & Urumov
Magyar Bot. Lap. xiii. t. 4 (1914).
punctatus Spreng.
*Lodd. Bot. Cab. ix. t. 896 (1824).
pungens Gren. & Godr.
*Willkomm, Ic. & Descr. Pl. Hispan. i. t. 6 (1852).
*Bonnier, Fl. Compl. France, Suisse & Belge, ii. t. 82 [1912].
Cadevall & Sallent, Fl. Catalunya, i. 286 (1915).
pungens Linn.
*Cusin & Ansberque, Herb. Fl. Franç. iv. t. 638 (1869).
Timbal-Lagrave in Bull. Soc. Agric. Pyrén.-Or. xxv. t. 14 (1881).
purpureus Lam.
Lamarck, Ill. ii. t. 376, fig. 2 (1797).
pusillus F. W. Schmidt
*F. W. Schmidt in Neu. Abh. Böhm. Ges. Wiss. i. tab. fig. 3 (1791).
pyrenaicus Pourr.
Timbal-Lagrave in Bull. Soc. Agric. Pyrén.-Or. xxv. t. 16 (1881).
Queraltii Senn.
Sennen in Treballs Institt. Catalana Hist. Nat. iii. t. 4 (1917).
racemosus Vis.
Visiani, Fl. Dalmat. iii. I. t. 35 (1850) in ic.; *D. ciliatus racemosus* in textu, iii. I. 162.
ramiger Jord.
*Jordan, Ic. Fl. Eur. iii. t. 440 (1903).
ramosissimus Pall.
*Ledebour, Ic. Pl. Ross. ii. t. 197 (1830).
repens Willd.
Seemann, Bot. Voy. Herald, Pt. 1, t. 4 (1852).
Requienii Gren. & Godr.
*Cusin & Ansberque, Herb. Fl. Franç. iv. t. 637 (1869).
Timbal-Lagrave in Bull. Soc. Agric. Pyrén.-Or. xxv. t. 12 (1881).
Coste, Fl. France, i. 194 (1901).
*Bonnier, Fl. Compl. France, Suisse & Belge, ii. t. 82 [1912].
rigidulus Jord.
*Jordan, Ic. Fl. Eur. iii. t. 435 (1903).
rigidus M. Bieb.
*Trattinick, Thes. Bot. t. 68 (1819).
ruber Desf.
Rev. Hort. Belge, vi. 67, 68 (1880).
rubicundus Jord.
*Jordan, Ic. Fl. Eur. iii. t. 428 (1903).
rupicolus Biv.
Bivona, Sic. Pl. Cent. i. t. 1 (1806).
Fiori & Paol. Ic. Fl. Ital. 141 (1899).
Ber. Schweiz. Bot. Ges. xii. 28 (1902).—*Hab.*

DIANTHUS
ruscinonensis Fouc. & Gaut.
Ann. Soc. Sc. Nat. Charente-Infér. La Rochelle, No. 32, p. 228, t. 1 (1898).
sanguineus Vis.
*Reichenbach, Ic. Fl. Germ. vi. t. 250 (1844).
Visiani, Fl. Dalmat. iii. I. t. 36 (1850).
saxatilis F. W. Schmidt
*F. W. Schmidt in Neu. Abh. Böhm. Ges. Wiss. i. tab. fig. 2 (1791).
saxicola Jord.
*Willkomm, Ic. & Descr. Pl. Hispan. i. t. 12 (1852).
saxifragus Linn.
Petermann, Deutschl. Fl. t. 12, fig. 94, p–r (1849).—*Fl.*
*Cusin & Ansberque, Herb. Fl. Franç. iv. t. 624 (1869).
Wagner, Ill. Deutsche Fl. Ed. 2, p. 96 (1882).
Acloque, Fl. France, 146 (1894).
Coste, Fl. France, i. 190 (1901).
saxigenus Schur
Magyar Bot. Lap. xv. t. 3, fig. 1 (1916).—*Fl.*
scaber Thunb.
*Marloth, Fl. S. Africa, i. t. 57 (1913).
scardicus Wettst.
Bibl. Bot. v. No. 26, t. 2, fig. 1–5 (1892).
Scheuchzeri Reichb.
*Reichenbach, Ic. Fl. Germ. vi. t. 267 (1844).
Schraderi Reichb.
Reichenbach, Hort. Bot. t. 35 (1824).
Seguieri Vill.
Reichenbach, Pl. Crit. vi. t. 543 (1828).
Mutel, Fl. Française, t. 12 (1834).
*Zenker, Fl. Thüringen, xi. t. 1236 (1836–55).
*Reichenbach, Ic. Fl. Germ. vi. t. 253 (1844).
*Petermann, Deutschl. Fl. t. 12, fig. 94, a–n (1849).—*Fl.*
*Cusin & Ansberque, Herb. Fl. Franç. iv. t. 633 (1869).
Somoku Dzusetsu, Ed. 2, viii. t. 23 (1874).
Timbal-Lagrave in Bull. Soc. Agric. Pyrén.-Or. xxv. t. 7 (1881).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xii. t. 1109 (1883).
*Act. Hort. Berg. ii. No. 5, t. 1 (1894).
Acloque, Fl. France, 146 (1894).
A. W. Bennett, Fl. Alps, i. t. 14 (1897).
Vierhapper in Sitzb. Akad. Wiss. Wien, cvii. I. t. 2, fig. 8 (1898).—*Veg.*
Fiori & Paol. Ic. Fl. Ital. 141 (1899).
Coste, Fl. France, i. 193 (1901).
Flahault, Nouv. Fl. Alpes & Pyrén. i. 17 (1906).
Senn, Alpen-Flora, ii. 17 (1906).
*Hegi, Ill. Fl. Mittel-Eur. iii. 328, t. 103 (1909).
*Bonnier, Fl. Compl. France, Suisse & Belge, ii. t. 82 [1912].
Cadevall & Sallent, Fl. Catalunya, 285 (1915).
—— **caucasicus** Hook.
*Bot. Mag. lxxxvi. t. 5215 (1860).
—— **collinus** Koch
Hegi, Ill. Fl. Mittel-Eur. iii. 330 (1909).
—— **Fischeri** Spreng.
Suireishchikov, Ill. Fl. Mosc. Gov. iv. 66 (1914).
semperflorens Hort.
*Horticulteur Franç. 1863, t. 23.
Rev. Hort. 1894, p. 353.
serenaeus Coincy
Coincy, Eclog. Pl. Hispan. iv. t. 4 (1899).
serotinus Waldst. & Kit.
*Waldstein & Kit. Pl. Rar. Hung. ii. t. 172 (1805).
*Reichenbach, Ic. Fl. Germ. vi. t. 256 (1844).
Hegi, Ill. Fl. Mittel-Eur. iii. 340 (1909).
Hayek, Pflanzend. Oesterr.-Ung. i. 491 (1916).
—— **Lumnitzeri** Hegi
Hegi, Ill. Fl. Mittel-Eur. iii. 340 (1909).
Serpae Ficalho & Hiern
Trans. Linn. Soc. London, Ser. II. Bot. ii. t. 3 (1881).
serratifolius Sibth. & Sm.
*Sibthorp & Sm. Fl. Graeca, v. t. 402 (1825).
serratus Lapeyr.
Coste, Fl. France, i. 192 (1901).
Sennen in Treballs Institt. Catalana Hist. Nat. iii. t. 4 (1917).

DIANTHUS
serrulatus Desf.
Willkomm, Ic. & Descr. Pl. Hispan. i. t. 7 (1852) in ic.; *D. Broteri* in textu, p. 15.—*Fl.*
—— **grandiflorus** Boiss.
*Boissier, Voy. Bot. Espagne, i. t. 23 (1839–45).
shinanensis Makino
*Miyoshi & Makino, Pocket-Atlas, Alp. Pl. Jap. i. t. 19, fig. 108 (1906).
Somoku Dzusetsu, Ed. Makino (Iconogr. Pl. Nippon), viii. t. 24 (1910).
Sibthorpii Vierh.
Vierhapper in Sitzb. Akad. Wiss. Wien, cvii. 1. t. 2, fig. 3 (1898).
siculus Presl
*Cusin & Ansberque, Herb. Fl. Franç. iv. t. 649 (1869).
*Bonnier, Fl. Compl. France, Suisse & Belge, ii. t. 81 [1912].
×**silvatico-monspessulanus** Gren. & Godr.
*Cusin & Ansberque, Herb. Fl. Franç. iv. t. 650 (1869).
silvaticus Hoppe
*Sturm, Deutschl. Fl. vii. xxviii [t. 439] (1809).
Zenker, Fl. Thüringen, xi. t. 1236 (1836–55).—*Fr.*
*Cusin & Ansberque, Herb. Fl. Franç. iv. t. 634 (1869).
Timbal-Lagrave in Bull. Soc. Agric. Pyrén.-Or. xxv. t. 9 (1881).
Coste, Fl. France, i. 195 (1901).
*Bonnier, Fl. Compl. France, Suisse & Belge, ii. t. 82 [1912].
Hayek, Pflanzend. Oesterr.-Ung. i. 165 (1914).
Glück, Blatt- & Blütenmorph. Stud. 540 (1919).—*Veg.*
silvestris Wulf.
*Jacquin, Ic. Pl. Rar. i. t. 82 (1781–86).
*Sturm, Deutschl. Fl. vii. xxviii [t. 440] (1809).
*J. W. Loudon, Ladies' Fl.-Gard. Ornam. Perenn. i. 92 (1843) in textu; *D. virgineus* Sims in ic. t. 21.
*Reichenbach, Ic. Fl. Germ. vi. t. 262 (1844).
*Willkomm, Ic. & Descr. Pl. Hispan. i. t. 13 (1852).—*Fl.*
*Froelich, Alpenpfl. Schweiz, vi. t. 1 (1855).
*Weber, Alp.-Pfl. Ed. 3, i. t. 85 (1872).
Wagner, Ill. Deutsche Fl. Ed. 2, p. 98 (1882).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xii. t. 1115 (1883).
*Heathcote, Fl. Engadine, t. 34 (1891).
*Correvon, Fl. Col. Suisse, t. 28 (1894).
*Jul. Hoffmann, Alpine Fl. t. 8 (1903).
*L. & C. Schroeter, Col. Vade-Mecum Alp. Fl. Ed. 16 & 17, t. 22 (1904).
*Flahault, Nouv. Fl. Alpes & Pyrén. i. t. 17 (1906).
*Senn, Alpen-Flora, ii. t. 17 (1906).
Hayek, Fl. Steierm. i. 263 (1908).—*Fl.*
*Hegi, Ill. Fl. Mittel-Eur. iii. t. 102, p. 337 (1909).
*Correvon, Fl. Champs & Bois, t. 82 (1911).
*Bonnier, Fl. Compl. France, Suisse & Belge, ii. t. 81 [1912].
*H. S. Thompson, Sub-Alp. Pl. t. 8 (1912).
*Hegi & Dunz. Alp. Fl. t. 8 (1913).
Glück, Blatt- & Blütenmorph. Stud. 540 (1919).—*Fl.*
—— **bracteatus** Gren. & Godr.
*Cusin & Ansberque, Herb. Fl. Franç. iv. t. 645 (1869).
—— **ebracteatus** Gren. & Godr.
*Cusin & Ansberque, Herb. Fl. Franç. iv. t. 644 (1869).
—— **litoralis** Noë
*Reichenbach, Ic. Fl. Germ. vi. t. 262 (1844).
—— **micropetalus** Reichb.
*Reichenbach, Ic. Fl. Germ. vi. t. 262 (1844).
Simonkaianus Peterfi
Magyar Bot. Lap. xv. t. 1–2, fig. 13–15 (1916).—*Fl.*
singuliflorus Jord.
*Jordan, Ic. Fl. Eur. iii. t. 432 (1903).
speciosus Reichb.
*Reichenbach, Ic. Fl. Germ. vi. t. 260 (1844).
—— **maior** Reichb.
*Reichenbach, Ic. Pl. Germ. vi. t. 260 (1844).
sphacioticus Boiss. & Heldr.
Raulin, Crete, t. 7 (1869).

DIANTHUS
spiculifolius Schur
*Roemer, Pflanzenw. Burzenländ. Siebenbürgen, t. 17 (1898).
*Ungar, Alpenfl. Südkarpath. t. 9, fig. 4 (1913).
Hayek, Pflanzend. Oesterr.-Ung. i. 430 (1915).
Magyar Bot. Lap. xv. t. 1–2, fig. 6–8 (1916).—*Fl.*
—— **integripetalus** Peterfi
Magyar Bot. Lap. xv. t. 1–2, fig. 9–12 (1916).—*Fl.*
—— **petraeiformis** Peterfi
Magyar Bot. Lap. xv. t. 1–2, fig. 2, 4, 5 (1916).—*Fl.*
—— **pseudoplumarius** Peterfi
Magyar Bot. Lap. xv. t. 1–2, fig. 1 (1916).—*Fl.*
spinosus Desf.
Ann. Mus. Hist. Nat. Paris, i. 198 (1802).
squarrosus M. Bieb.
*M. v. Bieberstein, Cent. Pl. Rar. i. t. 33 (1810).
stellaris Hort.
Wien. Ill. Gart.-Zeit. xxv. 91 (1900).
Sternbergii Sibth.
*Hartinger, Atlas Alpenfl. i. t. 92 (1897).
strictus Sibth. & Sm.
*Sibthorp & Sm. Fl. Graeca, v. t. 403 (1825).
Visiani, Fl. Dalmat. iii. 1. 163 (1850) in textu; *D. integer* in ic. iii. 1. t. 36.
—— **grandiflorus** Vis.
Visiani, Fl. Dalmat. iii. 1. 163 (1850) in textu; *D. integer grandiflorus* in ic. iii. 1. t. 36.
suaveolens Spreng.
Reichenbach, Hort. Bot. t. 135 (1828).
suavis Willd.
Silva Tarouca, Freiland-Stauden, 84 (1910).—*Hab.*
Gard. Chron. Ser. III. lxv. 175 (1919).—*Hab.*
subacaulis Vill.
Loiseleur in Journ. de Bot. ii. t. 13 (1809).
Loiseleur, Notice Pl. France, t. 6 (1810).
Loiseleur, Fl. Gall. Ed. 2, t. 27 (1828).
*Reichenbach, Ic. Fl. Germ. vi. t. 261 (1844).
*Cusin & Ansberque, Herb. Fl. Franç. iv. t. 640 (1869).
Coste, Fl. France, i. 192 (1901).
*Senn, Alpen-Flora, ii. t. 18 (1906).
*Flahault, Nouv. Fl. Alpes & Pyrén. i. t. 18 (1906).
*Bonnier, Fl. Compl. France, Suisse & Belge, ii. t. 82 [1912].
Cadevall & Sallent, Fl. Catalunya, i. 289 (1915).
subalbidus Jord.
*Jordan, Ic. Fl. Eur. iii. t. 428 (1903).
subulatus Timb.-Lag.
Timbal-Lagrave in Bull. Soc. Agric. Pyrén.-Or. xxv. t. 15 (1881).
superbissimus hybridus grandiflorus Hort.
Wien. Ill. Gart.-Zeit. vii. 423 (1882).—*Fl.*
superbus Linn.
*Kniphof, Herb. Viv. i. t. 365 (1758).
Jacquin, Obs. Bot. t. 25 (1764).
J. G. Gmelin, Fl. Sibir. iv. t. 58 (1769); fide Ledebour, Comm. 126.
*Fl. Dan. iv. t. 578 (1771).
*Joh. Kerner, Abbild. Oek. Pfl. (Fig. Pl. Écon.), ii. t. 187 (1788).
Hoppe, Ect. Pl. Ratisb. t. 127 (1788).
*J. E. Smith, Spicil. Bot. t. 19 (1791–92).
C. K. Sprengel, Entd. Geheimn. Natur, t. 14, fig. 15–20 (1793).—*Fl.*
*Bot. Mag. ix. t. 297 (1793).
*Roemer, Fl. Eur. viii [t. 3] (1802).
Boissieu, Fl. Eur. ii. t. 314 (1805).
*Svensk Bot. vii. t. 436 (1812).
*Schrank, Fl. Monac. iii. t. 247 (1816).
*Mordant de Launay, Herb. Amat. i. t. 21 (1816).
*Vietz, Ic. Pl. Med.-oec.-techn. vi. t. 477 c (1817).
*Heger, Danske Oec. Pl. ii. t. 152 (1831).
*Drapiez, Herb. Amat. Fl. vii. t. 520 (1834).
*Dietrich, Fl. Boruss. iii. t. 196 (1835).
*Zenker, Fl. Thüringen, ii. t. 171 (1836–55).
*Reichenbach, Ic. Fl. Germ. vi. t. 259 (1844).
*Cassone, Fl. Med.-Farm. i. t. 82 (1847).
*Lorek, Fl. Pruss. Ed. 3, t. 106, fig. 575 (1848).
*Horticulteur Franç. 1858, t. 11.
Decaisne & Naud. Amat. Jard. ii. 148 [1862–66].
Migout, Fl. Dépt. Allier, t. 3 (1866).—*Fl.*

DIANTHUS
superbus
*Cusin & Ansberque, Herb. Fl. Franç. iv. t. 653 (1869).
Decaisne, Naud. & Hemsl. Handb. Trees, Shrubs & Herb. Pl. 67 (1873).
Somoku Dzusetsu, Ed. 2, viii. t. 19 (1874).
De Silvestri, Piante Prat. 345 (1879).
Timbal-Lagrave in Bull. Soc. Agric. Pyrén.-Or. xxv. t. 32 (1881).
H. Müller, Alpenblumen, 202 (1881).—*Fl.*
Schilling, Grundr. Naturg. ii. Pflanzenr. Ausgb. A, p. 126 (1882); Ausgb. B, p. 246 (1884).—*Fl.*
Wagner, Ill. Deutsche Fl. Ed. 2, p. 98 (1882).
Willkomm, Führ. Reich Pflanzen, 788 (1882).
W. Robinson, Engl. Fl. Gard. t. 94 (1883).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xii. t. 1120 (1883).
Nicholson, Illustr. Dict. Gard. i. 462 [1884–88].
Potonié, Ill. Fl. Nord- u. Mittel-Deutschl. Ed. 4, fig. 228 (1889).
*Heathcote, Fl. Engadine, t. 34 (1891).
*Correvon, Fl. Col. Suisse, t. 27 (1894).
*Useful Pl. Jap. iii. t. 761 (1895).
Knuth, Handb. Blütenbiol. ii. 1. 159 (1898).
Fiori & Paol. Ic. Fl. Ital. 142 (1899).
Gradmann, Pflanzenl. Schwäb. Alb, Ed. 2, ii. 124 (1900).
L. H. Bailey, Cycl. Amer. Hort. 477 (1900); Stand. Cycl. Hort. 999 (1914).
Coste, Fl. France, i. 191 (1901).
Lindman, Bild. Nord. Fl. t. 344 a (1901–5).
Blytt, Haandb. Norg. Fl. Ed. Dahl. 331 (1906).
Suireishchikov, Ill. Fl. Mosc. Gov. ii. 113 (1907).
Lazaro, Comp. Fl. Españ. ii. 320 (1907).
Heukels, Fl. Nederl. ii. 158 (1908).
*Hulme, Familiar Swiss Fl. t. 37 (1908).
*Correvon & Rob. Alp. Fl. t. 19 [1908?].
*Hegi, Ill. Fl. Mittel-Eur. iii. 319, t. 103 (1909).
Somoku Dzusetsu, Ed. Makino (Iconogr. Pl. Nippon), viii. t. 19 (1910).
*Milner, Life Oberammergau, t. 42 (1910).
*Bonnier, Fl. Compl. France, Suisse & Belge, ii. t. 80 [1912].
*H. S. Thompson, Sub-Alp. Pl. t. 5 (1912).
*Gatin, Fl. des Bois, t. 66 (1913).
Warburg, Pflanzenwelt, i. 568 (1913).
Cadevall & Sallent, Fl. Catalunya, i. 288 (1915).
Mayevsky, Fl. Central Russia, 87 (1918).
Farrer, English Rock-Gard. i. 296 (1919).—*Hab.*
—— **bibracteolatus** Koidz.
Matsumura, Ic. Pl. Koisikav. iii. t. 183 (1916).
—— **chinensis** Hort.
*Garden, lv. 330 (1899).
—— **Gardneri** Hort.
Nicholson, Illustr. Dict. Gard. i. 462 [1884–88].
—— **grandiflorus** Tausch
W. Robinson, Engl. Fl. Gard. t. 95 (1883).—*Fl.*
—— **laciniatus** Hort.
Gartenfl. xxx. 119 (1881).
—— **monticola** Makino
*Miyoshi & Makino, Pocket-Atlas, Alp. Pl. Jap. i. t. 19, fig. 109 (1906).
×—— **Telekii** Hort.
Gartenfl. xliv. 651 (1895).—*Fl.*
sursumscaber Borbás
Vierhapper in Sitzb. Akad. Wiss. Wien, cvii. 1. t. 1, fig. 9 (1898).—*Veg.*
tataricus Fisch.
Reichenbach, Pl. Crit. vi. t. 547 (1828).
Tátrae Borbás
Borbás in Természett. Közl. (Journ. Nat. Sc.), xxxiv. 377 (1902).
tener Balb.
Balbis in Mém. Acad. Sc. Turin, 1802–3, xv. 14, t. 3 (1804).
tenuidens Jord.
*Jordan, Ic. Fl. Eur. iii. t. 439 (1903).
tergestinus Reichb.
*Reichenbach, Ic. Fl. Germ. vi. t. 266 (1844).
Hegi, Ill. Fl. Mittel-Eur. iii. 330 (1909).
Fritsch in Sitzb. Akad. Wiss. Wien, cxxii. 1. 542 (1913).—*Fl.*
—— **brevifolius** Marchesetti
Hegi, Ill. Fl. Mittel-Eur. iii. 330 (1909).

DIANTHUS
toletanus Boiss. & Reut.
*Willkomm, Ic. & Descr. Pl. Hispan. i. t. 11 (1852).
Rouy, Illustr. Pl. Eur. Rar. iii [t. 82] (1895); fasc. 20, t. 479 (1905).
Trautvetteri Woron.
Woronow in Mitt. Kaukas. Mus. vii. 350 (1913).
trifasciculatus Kit.
*Reichenbach, Ic. Fl. Germ. vi. t. 254 (1844).
Flora, xxxv. t. 2, fig. 9 (1852).
tripunctatus Sibth. & Sm.
*Sibthorp & Sm. Fl. Graeca, iv. t. 398 (1823).
Fiori & Paol. Ic. Fl. Ital. 141 (1899).
tristis Woron.
Monit. Jard. Bot. Tiflis, Livr. 10, t. 1 (1908).
vaginatus Vill.
Reichenbach, Pl. Crit. vi. t. 535 (1828).
Mutel, Fl. Française, t. 12 (1834).
*Reichenbach, Ic. Fl. Germ. vi. t. 251 (1844).
Timbal-Lagrave in Bull. Soc. Agric. Pyrén.-Or. xxv. t. 6 (1881).
Bibl. Bot. ix. No. 48, t. 1, fig. 1 (1899).—*Fl.*
*Bonnier, Fl. Compl. France, Suisse & Belge, ii. t. 81 [1912].
valentinus Willk.
*Willkomm, Ic. & Descr. Pl. Hispan. i. t. 7 (1852).
Cadevall & Sallent, Fl. Catalunya, i. 284 (1915).
variegatus Jord.
*Jordan, Ic. Fl. Eur. iii. t. 436 (1903).
velutinus Guss.
Gussone, Pl. Rar. t. 32 (1826).
*Cusin & Ansberque, Herb. Fl. Franç. iv. t. 626 (1869).
Timbal-Lagrave in Bull. Soc. Agric. Pyrén.-Or. xxv. t. 2 (1881).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xii. t. 1103 (1883).
×**Verschaffeltii** Hort.
*Ill. Hort. vi. t. 220 (1859).
*Henderson, Ill. Bouquet, ii. t. 36 (1859–61).
*Belg. Hort. x. 257 [t. 17, 18] (1860) in ic.; *D. arborea Verschaffeltii* in textu.
*Ill. Gartenzeit. Stuttgart, v. t. 3 (1861).
versicolor Fisch.
Reichenbach, Hort. Bot. t. 48 (1824).
vesulanus Jord.
*Jordan, Ic. Fl. Eur. iii. t. 437 (1903).
virgineus Linn.
Dillenius, Hort. Eltham. Add. Denom. Linn. t. 298 (1774).
*Jacquin, Fl. Austr. v. App. t. 15 (1778).
*Bot. Mag. xlii. t. 1740 (1815).
*Reichenbach, Ic. Fl. Germ. vi. t. 266 (1844).
*Cusin & Ansberque, Herb. Fl. Franç. iv. t. 646 (1869).
Timbal-Lagrave in Bull. Soc. Agric. Pyrén.-Or. xxv. t. 30 (1881).
*Bonnier, Fl. Compl. France, Suisse & Belge, ii. t. 81 [1912].
virgineus Sims
*J. W. Loudon, Ladies' Fl.-Gard. Ornam. Perenn. i. t. 21 (1843) in ic.; *D. silvestris* in textu, p. 92.
viridescens Vis.
Visiani, Fl. Dalmat. iii. 1. t. 53 (1850).
viscidus Bory & Chaub.
Bory & Chaub. Expéd. Morée, Bot. iii. t. 12 (1832).
Bory & Chaub. Nouv. Fl. Pélop. t. 13 (1838).
vulturius Ten. & Guss.
Tenore & Gussone, Ragguagl. Peregr. 1838, in Atti Accad. Sc. v. 1. tab. (1843).
Waldsteinii Sternb.
*Reichenbach, Ic. Fl. Germ. vi. t. 259 (1844).
Warionii Bucq. & Timb.-Lag.
Timbal-Lagrave in Bull. Soc. Agric. Pyrén.-Or. xxv. t. 26 (1881).
Webbianus Parol.
Visiani in Mem. Istit. Veneto, i. t. 3 (1843).
×**woodfordensis** Hort.
Journ. Roy. Hort. Soc. London, xli. Proc. p. cxx (1916).—*Hab.*
Farrer, English Rock-Gard. i. 304 (1919).—*Hab.*
xylorrhizus Boiss. & Heldr.
Raulin, Crete, t. 8 (1869).

DIAPEDIUM Koenig: *Dicliptera*
brachiatum O. Kuntze
Britton & Brown, Ill. Fl. N. States & Canada, iii. 205 (1898); Ed. 2, iii. 244 (1913).

DIAPENSIA Linn.
himalaica Hook. f. & Thoms.
Hooker's Journ. Bot. & Kew Misc. ix. t. 12 (1857).
lapponica Linn.
Linnaeus, Fl. Lapp. [Ed. 1 (1737)]; Ed. 2, t. 1, fig. 1 (1792).
*Fl. Dan. i. t. 47 (1761).
Buchoz, Hist. Règne Vég. xi. Dec. 8, t. 7 (1776).
Lamarck, Ill. i. t. 102 (1797).
Boissieu, Fl. Eur. i. t. 118 (1805).
*Schkuhr, Bot. Handb. Ed. 2, t. 32 (1808).
*Bot. Mag. xxviii. t. 1108 (1808).
Wahlenberg, Fl. Lapp. t. 9 (1812).—*Fr.*
*Svensk Bot. viii. t. 517 (1819).
*Sweet, Brit. Fl. Gard. vi. t. 251 (1834).
*Schnizlein, Iconogr. ii. t. 161 (1856).—*Fl.*
Le Maout & Decaisne, Traité Gén. Bot. 235 (1868).
Garden, iii. 361 (1873).
K. Ito, Nipon Skokubutsu Dsu-setsu (Ic. Pl. Jap.), t. 9 (1874).
W. Robinson, Engl. Fl. Gard. t. 98 (1883).
Nicholson, Illustr. Dict. Gard. i. 464 [1884–88].
Warming in Overs. Danske Vidensk. Selsk. Forh. No. 2, p. 134 (1886).—*Fl.*
Bih. Svenska Vet. Akad. Handl. xii. III. No. 6, t. 4, fig. 42 (1887).—*Fl.*
Pflanzenfam. iv. 1. 81, 82 (1889).
Baillon, Hist. Pl. xi. 159 (1891).
Britton & Brown, Ill. Fl. N. States & Canada, ii. 583 (1897); Ed. 2, ii. 706 (1913).
Knuth, Handb. Blütenbiol. ii. II. 46 (1899).—*Fl.*
Lindman, Bild. Nord. Fl. t. 158 (1901–5).
*Rikli in Jahrb. St. Gall. Naturw. Ges. 1901–2, p. 440 (1903).
Blytt, Haandb. Norg. Fl. Ed. Dahl, 563 (1906).
Arbejd. Bot. Have Kjöbenhavn, No. 47, p. 143–45 (1908).
Fedtschenko & Fler. Fl. Eur. Russia, 731 (1910).
Schneider, Ill. Handb. Laubh. ii. 569 (1911).
Engler & Drude, Veget. Erde, xiii. t. 2 (1911).—*Hab.*
Petersen in Meddel. Groenl. xxxvi. 143–45 (1912).
Silva Tarouca, Freiland-Laubgehölze, 205 (1913).—*Hab.*
Lagerberg in Sveriges Natur, 1914, p. 67.—*Hab.*
Lindman, Svensk Fanerogamfl. II (1918).—*Fl.*
—— **asiatica** Herd.
*Miyoshi & Makino, Pocket-Atlas, Alp. Pl. Jap. i. t. 3, fig. 18 (1906).
obtusifolia Salisb.
*Salisbury, Parad. Londin. ii. 1. t. 104 (1807).
*Mag. Bot. & Gard. ii. t. 24 (1834).

DIAPHANANTHE Schlechter
pellucida Schlechter
Schlechter, Orchideen, 594 (19[14–]15).—*Hab.*
trigonopetala Schlechter
Orchis, viii. 134 (1914).—*Fl.*
vandiformis Schlechter
Schlechter, Orchideen, 595 (19[14–]15).—*Hab.*

DIARINA Rafin.: *Diarrhena*
festucoides Rafin.
U.S. Dep. Agric. Bull. No. 772, p. 53 (1920).

DIARRHENA P. Beauv.—Vide *Diarina*, *Festuca* (9), *Korykapnos*
americana P. Beauv.
P. Beauvais, Agrost. t. 25, fig. 2 (1812).—*Fl.*
*Jacquin, Ecl. Gram. t. 29 (1813).
Kunth, Enum. Pl. i. II. t. 33 (1835).
A. Gray, Man. Bot. N.U.S. Ed. 4, t. 4 (1862).
Ettingshausen in Sitzb. Akad. Wiss. Wien, lii. 1. t. 5 (1866).—*Veg.*
Lamson-Scribner in Bull. Tennessee Agric. Exp. St. vii. No. 1, t. 35 (1894).
Pammel & Ball in Iowa Geol. Surv. Suppl. Rep. (1903), 240 (1904).
diandra Hitchc.
Wilcox, Link & Pool in Bull. Agric. St. Nebraska, xxvii. No. 148, p. 46 (1915).—*Fl.*

DIARTHRON Turcz.
carinatum Jaub. & Spach
Jaubert & Spach, Illustr. Pl. Or. ii. t. 105 (1844–46).
linifolium Turcz.
Bull. Soc. Nat. Mosc. xxv. No. 4, t. 11 (1852).

DIASCIA Link & Otto
Aliciae Hiern
*Bot. Mag. cxliv. t. 8782 (1918).
Barberae Hook. f.
*Bot. Mag. xcvii. t. 5933 (1871).
Pflanzenfam. iv. III. B. 44 (1891).—*Fl.*
Jardin, xv. 301 (1901); xvii. 124 (1903); xviii. 60 (1904).—*Fl.*
Gartenfl. l. 639 (1901).
Wien. Ill. Gart.-Zeit. xxvi. 433 (1901).—*Hab.*
Gard. Chron. Ser. III. xxx. 278 (1901).
Rev. Hort. 1904, p. 95.
Bull. Arboricult. Belg. 1904, p. 262.
Bull. Soc. Tosc. Ortic. xxix. 323 (1904).—*Hab.*
Journ. Hort. Ser. III. liv. 342 (1907).—*Hab.*
Tribune Hort. iii. 733 (1908).
Wettstein, Handb. Syst. Bot. Ed. 2, p. 725 (1911).—*Fl.*
L. H. Bailey, Stand. Cycl. Hort. 1001 (1914).
Bergiana Link & Otto
*Link & Otto, Ic. Pl. Select. t. 2 (1820–28).
sacculata Benth.
New Phytologist, v. 105 (1906).

DIASIA DC.: *Melasphaerula* Ker-Gawl.
graminifolia DC.
*Redouté, Liliac. iii. t. 163 (1807).
iridifolia DC.
*Redouté, Liliac. i. t. 54 (1802).

DIASPASIS R. Br.
filifolia R. Br.
Pflanzenreich, Goodeniac. 117 (1912).

DIASPIS Niedenzu
albida Niedenzu
Engler & Drude, Veget. Erde, ix. 1. 1, p. 188 (1910); III. 1, p. 827 (1915).

DIASTELLA Salisb. in Knight: *Leucospermum*
ericifolia Salisb. in Knight
Journ. Bot. Soc. S. Africa, iii. 7 (1917).
serpyllifolia Salisb. in Knight.
*Marloth, Fl. S. Africa, i. t. 32 (1913).

DIASTEMA Benth.—Vide *Diastemella*
×**gracile grandiflorum** Hort.
*Gartenfl. iii. t. 92 (1854).
maculatum Benth.
Linnaea, xxvi. t. 1, fig. 12 (1853–55).—*Fl.*
Pflanzenfam. iv. III. B. 172 (1894).—*Fl.*
ochroleucum Hook.
*Bot. Mag. lxxii. t. 4254 (1846).
quinquevulnerum Planch. & Linden
*Fl. des Serres, Ser. I. viii. t. 832 (1852–53).

DIASTEMELLA Örst.: *Diastema*
bracteosa Örst.
Örsted in Dansk. Vid. Selsk. Skrift. Ser. VI. v. t. 9, fig. 3–8 (1861).—*Fl.*

DIATENOPTERYX Radlk.
sorbifolia Radlk.
Pflanzenfam. iii. v. 311 (1895).
Mart. Fl. Bras. xiii. III. t. 100 (1900).

DIAZIA Phil.: *Calandrinia*
portulacoides Philippi
Philippi, Reise Wüste Atacama, Fl. Atacam. t. 1 (1860).

DIBERARA Baill.—Vide *Berardia* Brongn.
laevis Baill.
Pflanzenfam. iii. II. A. 132 (1891).—*Fr.*
Notizbl. Bot. Gart. Berlin, App. xi. 10 (1903).—*Fl.*
Engler & Drude, Veget. Erde, ix. 1. 2, p. 487 (1910).—*Fl.*

DIBLEMMA J. Sm.: *Polypodium*
samarensis J. Sm.
*Hooker, Gen. Fil. t. 109 (1842).
T. Moore, Index Fil. Gen. & Spec. t. 19 [1857–62].

DIBRACHION Tul.: *Diplotrophis*
brasiliense Tul.
Arch. Mus. Hist. Nat. Paris, iv. t. 7 (1843).

DIBRACHION Regel: *Homalanthus*
peltatum Regel
Gartenfl. xv. t. 504 (1866).

DICALYMMA C. Lem.: *Ferdinanda*
fragrans C. Lem.
Ill. Hort. ii. Misc. 38 (1855).—*Fl.*

DICARPAEA Presl: *Limeum*
linifolia Presl
Presl, Symbolae Bot. t. 26 (1830–32).

DICELLA Griseb.
bracteosa Griseb.
Mart. Fl. Bras. xii. 1. t. 6 (1858).
Chodat in Bull. Soc. Bot. Genève, Ser. II. ix. 61 (1917).—*Fl.*
Chodat, Vég. Paraguay, ii. 164 (1917).—*Fl.*
holosericea Juss.
Pflanzenfam. iii. IV. 46 (1890).—*Fl.*
lancifolia Juss.
Arch. Mus. Hist. Nat. Paris, iii. t. 9 (1843).—*Fr.*
nucifera Chod.
Chodat in Mém. Soc. Phys. Genève, xxxi. t. 51 b (1892).
Chodat in Bull. Soc. Bot. Genève, Ser. II. ix. 56, 61, 64, 69, 76 (1917).
Chodat, Vég. Paraguay, ii. 159, 164, 167, 179 (1917).—*Fl.*
ovatifolia Juss.
Arch. Mus. Hist. Nat. Paris, iii. t. 9 (1843).
—— **lancifolia** Griseb.
Pflanzenfam. iii. IV. 50 (1890).—*Fr.*

DICELLANDRA Hook. f.
Barteri Hook. f.
Trans. Linn. Soc. London, xxviii. t. 7, fig. 85 (1871).—*Fl.*
Pflanzenfam. iii. VII. 178 (1893).—*Fl.*
Journ. Linn. Soc., Bot. xxxiv. 484, t. 19, fig. 1–10 (1900).—*Fl.*
liberica Gilg
Engler, Monogr. Afr. Pfl.-fam. ii. Melast. t. 5 (1898).

DICELLOSTYLES Benth.
axillaris Thw.
Beddome, Fl. Sylv. t. 3 (1871).—*Fl.*
Beddome, Ic. Pl. Ind. Or. t. 279 (1874).
Ann. Jard. Bot. Buitenzorg, xxi. t. 28, fig. 70 (1907).

DICENTRA Bernh.—Vide *Bicuculla* Adans., *Capnorchis*, *Dactylicapnos*, *Diclytra*, *Dielytra*, *Eucapnos*
canadensis Walp.
Gray & Sprague, Gen. Fl. Amer. i. t. 50 (1848).
Schnizlein, Iconogr. iii. t. 180[2] (1855).
Flora, xlviii. t. 5, fig. 1 (1865).—*Fl.*
Le Maout & Decaisne, Traité Gén. Bot. 412 (1868).—*Fl.*
Journ. Hort. Ser. III. xvii. 519 (1888); xxxi. 421 (1895).—*Hab.*
*Wild Fl. Canada, t. 166 (1894).
*FitzGibbon & Traill, Canadian Wild Fl. Ed. 4, t. 3, p. 29 (1895).
Lochman, Phot. Med. Pl. t. 77 (1898).
L. H. Bailey, Cycl. Amer. Hort. 479 (1900); Stand. Cycl. Hort. 1002 (1914).—*Veg.*
chrysantha Walp.
*Bot. Mag. cxxx. t. 7954 (1904).
Cucullaria Bernh.
Cornuti, Hist. 126 (1735); fide Ed.
Provancher, Fl. Canad. i. 36 (1862).
Garden, xix. 368 (1881); xxvii. 413 (1885).—*Hab.*
Amer. Nat. xvii. 1111 (1883).
Pflanzenfam. iii. II. 131 (1889).—*Veg.*
Dana, How to Know the Wild Fl. t. 6 (1894).
Miller & Whiting, Wild Fl. N.E. States, 46 (1895).
Mathews, Wayside Flowers, Ser. I. 5 (1898).
Lochman, Phot. Med. Pl. t. 78 (1898).
L. H. Bailey, Cycl. Amer. Hort. 479 (1900); Stand. Cycl. Hort. 1003 (1914).
Velenovsky, Vergl. Morphol. Pfl. ii. 304 (1907).—*Veg.*

DICENTRA
Cucullaria
Creevey, Harper's Guide Wild Flowers, 78 (1912).
eximia Torr.
Gray & Sprague, Gen. Fl. Amer. i. t. 50, fig. 6–10 (1848).
Nicholson, Illustr. Dict. Gard. i. 465 [1884–88].—*Hab.*
Pflanzenfam. iii. II. 134 (1889).—*Fl.*
*Wild Fl. Canada, t. 215 (1894).
Silva Tarouca, Freiland-Stauden, 85 (1910).—*Hab.*
formosa Walp.
*Schnizlein, Iconogr. iii. t. 180[2] (1855).—*Fl.*
Agardh, Theor. Syst. Pl. t. 5 (1858).—*Fl.*
W. Robinson, Engl. Fl. Gard. t. 98 (1883).—*Hab.*
Parsons, Wild Fl. California, 243 (1897).
L. H. Bailey, Cycl. Amer. Hort. 478 (1900); Stand. Cycl. Hort. 1002 (1914).—*Hab.*
Silva Tarouca, Freiland-Stauden, 85 (1910).—*Hab.*
H. M. & C. C. Hall, Yosemite Fl. 102 (1912).—*Fl.*
macrantha Oliv.
Hook. Ic. Pl. xx. t. 1937 (1890).
peregrina Fedde
Busch in Fl. Sibir & Or. Extr. (Mus. Bot. Acad. Petrop.), i. 29 (1913).
pusilla Sieb. & Zucc.
*Miyoshi & Makino, Pocket-Atlas, Alp. Pl. Jap. i. t. 7, fig. 40 (1906).
spectabilis C. Lem.
Kwa-wi [transl. Savatier], Herb. iv. t. 12 (1759).
[Kew MS.], Ic. Pl. China nasc. Bibl. Braam. t. [1] (1821).
*Rev. Hort. Ser. III. i. 461 (1847).
*Fl. des Serres, Ser. I. iii. t. 258 (1847).
*Belg. Hort. i. t. 11 (1851).
Le Maout & Decaisne, Traité Gén. Bot. 412 (1868).—*Fl.*
Baillon, Hist. Pl. iii. 124 (1872).—*Fl.*
*Somoku Dzusetsu, Ed. 2, vi. t. 50 (1874).
W. Robinson, Engl. Fl. Gard. t. 98 (1883).—*Hab.*
Nicholson, Illustr. Dict. Gard. i. 465 [1884–88].—*Hab.*
Baillon, Traité Bot. Méd. Phan. ii. 741 (1884).—*Fl.*
Pflanzenfam. iii. II. 134 (1889).—*Fl.*
*Garden, xl. 198 (1891).
Brehm, Merv. Nat. Monde des Pl. i. 127 (1894–96).
*Useful Pl. Jap. iii. t. 756 (1895).
*Step, Fav. Fl. Gard. & Greenh. i. t. 21 (1896).
*Behrens, Blattformen, t. 44, fig. f (1900).—*Veg.*
L. H. Bailey, Cycl. Amer. Hort. 478 (1900); Stand. Cycl. Hort. 1001 (1914).
Warming, Handb. Syst. Bot. Ed. Möbius, 299 (1902).—*Fl.*
Lazaro, Comp. Fl. Españ. ii. 191 (1907).
Beille, Bot. Pharm. ii. 372 (1909).—*Fl.*
Somoku Dzusetsu, Ed. Makino (Iconogr. Pl. Nippon), vi. t. 50 (1910).
Wettstein, Handb. Syst. Bot. Ed. 2, p. 573 (1911).—*Fl.*
Hegi, Ill. Fl. Mittel-Eur. iv. 1. 20 (1913).
thalictrifolia Hook. f. & Thoms.
Garden, xxvii. 138 (1885).
uniflora Kellogg
Proc. Californian Acad. (1868–72), iv. 142 (1873).

DICENTRANTHERA T. Anders.: *Asystasia*
macrophylla T. Anders.
*Bot. Mag. xciv. t. 5696 (1868).

DICERA Forst.: *Elaeocarpus*
dentata Forst.
Forster, Charact. Gen. Pl. t. 40 (1776).—*Fl.*
serrata Forst.
Forster, Charact. Gen. Pl. t. 40 (1776).—*Fl.*

DICERANDRA Benth.: *Ceranthera* Ellis
linearifolia Benth.
Pflanzenfam. iv. III. A. 297 (1896).—*Fl.*

DICERATELLA Boiss.
incana Balf. f.
Balfour f., Bot. Socotra (Trans. Roy. Soc. Edinb. xxxi), t. 2 (1888).

DICERMA DC.: *Desmodium*
biarticulatum DC.
Wight, Ic. Pl. Ind. Or. ii. t. 419 (1840–43).
pulchellum DC.
Wight, Ic. Pl. Ind. Or. ii. t. 418 (1840–43).

DICEROCARYUM Klotzsch: *Pretrea*
sinuatum Boj.
Ann. Sc. Nat. Paris, Ser. II. iv. t. 10 (1835).

DICEROLEPIS Bl.: *Gymnanthera*
paludosa Bl.
Blume, Mus. Bot. Lugd.-Bat. i. fig. 24 (1850).—*Fl.*

DICEROSTYLIS Bl.: *Hylophila*
lanceolata Bl.
*Blume, Coll. Orchidées, t. 38 (1858).
J. J. Smith, Orch. Java, Fig.-Atlas, i. fig. 85 (1908).—*Fl.*

DICHAEA Lindl.—Vide *Epithecia*, *Limodorum* (11)
australis Cogn.
Mart. Fl. Bras. iii. VI. t. 103 (1904–6).
brachyphylla Reichb. f.
*Svenska Vet. Akad. Handl. xlvi. No. 10, t. 13 (1911).—*Fl.*
bryophila Reichb. f.
Vidensk. Meddel. Kjöbenhavn, 1884–86, t. 9, fig. 11 (1884–87).
calyculata Poepp. & Endl.
Poeppig & Endl. Nov. Gen. & Sp. Pl. ii. t. 106 (1838).
coriacea Barb. Rodr.
Barbosa Rodrigues, Struct. Orch. t. 2, fig. 6 (1883).—*Fr.*
Mart. Fl. Bras. iii. VI. t. 101 (1904–6).
cornuta Sp. Moore
Trans. Linn. Soc. London, Ser. II. Bot. iv. t. 32 (1895).
echinocarpa Lindl.
Fawcett & Rendle, Fl. Jamaica, i. t. 30 (1910).—*Fl.*
glauca Lindl.
Fawcett & Rendle, Fl. Jamaica, i. t. 30 (1910).—*Fl.*
graminoides Lindl.
Mart. Fl. Bras. iii. VI. t. 102 (1904–6).
Fawcett & Rendle, Fl. Jamaica, i. t. 30 (1910).
*Costantin, Atlas Orch. Cult. t. 22 (1913).
latifolia Barb. Rodr.
Mart. Fl. Bras. iii. VI. t. 100 (1904–6).
maculata Poepp. & Endl.
Poeppig & Endl. Nov. Gen. & Sp. Pl. ii. t. 105 (1838).
Morrisii Fawc. & Rendle
Fawcett & Rendle, Fl. Jamaica, i. t. 30 (1910).—*Fl.*
muricata Lindl.
Fawcett & Rendle, Fl. Jamaica, i. t. 30 (1910).—*Fl.*
pendula Cogn.
Mart. Fl. Bras. iii. VI. t. 102 (1904–6).
picta Reichb. f.
*Saunders, Ref. Bot. ii. t. 84 (1869).
pumila Barb. Rodr.
Mart. Fl. Bras. iii. VI. t. 101 (1904–6).
trichocarpa Lindl.
Fawcett & Rendle, Fl. Jamaica, i. t. 30 (1910).—*Fl.*
Tuerckheimii Schlechter
Orchis, x. 189 (1916).—*Fl.*
vaginata Reichb. f.
Sempervirens, xiv. 236 (1885).
Ill. Gartenzeit. Stuttgart, xxx. t. 2 (1886).
Pflanzenfam. ii. VI. 57, 207 (1889).
Kerchove, Livre Orch. 44 (1894).
Wettstein, Handb. Syst. Bot. Ed. 2, p. 836 (1911).—*Veg.*

DICHAELIA Harv.
forcipata Schlechter
Dinter, Neue Pfl. Deutsch-S.W. Afr. 27 (1914) in textu; *Ceropegia gymnopoda* Schlechter, fig. 10 in ic.

DICHAELIA
ovata K. Schum.
Pflanzenfam. iv. II. 264 (1895).—*Fl.*

DICHAETANDRA Naud.: *Acisanthera*
Goudotii Naud.
Ann. Sc. Nat. Paris, Ser. III. xii. t. 14 (1849).—*Fl.*

DICHAETANTHERA Endl.
amphorocalyx Grandid.
Grandidier, Hist. Madag. [Plantes] Atlas, t. 381 (1896).
arborea Baker
Grandidier, Hist. Madag. [Plantes] Atlas, t. 375 (1896).
articulata Endl.
Ann. Sc. Nat. Paris, Ser. III. xiv. t. 7 (1850).—*Fl.*
Trans. Linn. Soc. London, xxviii. t. 4, fig. 46 a, 46 b (1871).—*Fl.*
Pflanzenfam. iii. VII. 154 (1893).—*Fl.*
Grandidier, Hist. Madag. [Plantes] Atlas, t. 374 (1896).
Bojeri Grandid.
Grandidier, Hist. Madag. [Plantes] Atlas, t. 380 (1896).
crassinodis Baker
Grandidier, Hist. Madag. [Plantes] Atlas, t. 379 (1896).
heteromorpha Triana
Grandidier, Hist. Madag. [Plantes] Atlas, t. 378 (1896).
latifolia Cogn.
Grandidier, Hist. Madag. [Plantes] Atlas, t. 376 (1896).
pauciflora Grandid.
Grandidier, Hist. Madag. [Plantes] Atlas, t. 382 (1896).
reticulata Cogn.
Grandidier, Hist. Madag. [Plantes] Atlas, t. 377 (1896).

DICHANTHIUM Willem.—Vide *Andropogon* (8), *Diplasanthum*

DICHAPETALUM Thou.—Vide *Chailletia*, *Moacurra*
acuminatum De Wild.
De Wildeman, Études Fl. Bangala & Ubangi, t. 8 (1911).
adnatiflorum Engl.
Pflanzenfam. iii. IV. 350 (1896).—*Fl.*
Adolfi-Friederici Engl.
Mildbraed, Deutsch. Zentral-Afr. Exped. ii. v. t. 51 (1912).
aruwimense Engl.
Mildbraed, Deutsch. Zentral-Afr. Exped. ii. v. t. 53 (1912).
Baillonii Pierre
Pierre, Fl. For. Cochinch. i. t. 47 (1881).
Batesii Engl.
Engl. Jahrb. xlvi. 595 (1912).
Engler & Drude, Veget. Erde, ix. III. 1, p. 848 (1915).
beniense Engl.
Mildbraed, Deutsch. Zentral-Afr. Exped. ii. v. t. 51 (1912).
brachysepalum Engl.
Mildbraed, Deutsch. Zentral-Afr. Exped. ii. v. 444 (1912) in textu; *D. brachystachyum* in ic. t. 53.
brachystachyum Engl.
Mildbraed, Deutsch. Zentral-Afr. Exped. ii. v. t. 53 (1912) in ic.; *D. brachysepalum* in textu, p. 444.
Brownii Baill.
Grandidier, Hist. Madag. [Plantes] Atlas, t. 205 (1892).
Bussei Engl.
Notizbl. Bot. Gart. Berlin, v. 250 (1911).
Engl. Jahrb. xlvi. 574 (1912).
Engler & Drude, Veget. Erde, ix. III. 1, p. 843 (1915).
choristilum Engl.
Mildbraed, Deutsch. Zentral-Afr. Exped. ii. v. t. 49 (1912).
Conrauanum Engl.
Velenovsky, Vergl. Morphol. Pfl. iii. 879 (1910)—*Fl.*
cymosum Engl.
Transvaal Agric. Journ. ii. No. 5, t. 34 (1903).
Rep. Transvaal Dep. Agric. 1903–4, t. 13 (1905).
Engler & Drude, Veget. Erde, ix. I. 1, p. 441 (1910); III. 1, p. 846 (1915).

DICHAPETALUM
ellipticum R. E. Fries
R. E. Fries, Schwed. Rhod.-Kong.-Exped. 1911–12, Bot. i. 1. t. 12 (1914).
flaviflorum Engl.
Mildbraed, Deutsch. Zentral-Afr. Exped. ii. v. t. 50 (1912).
gabonense Engl.
Pflanzenfam. iii. IV. 349 (1896).
Engler & Drude, Veget. Erde, ix. I. 2, p. 725 (1910); III. 1, p. 840 (1915).
Helferianum Pierre
Pierre, Fl. For. Cochinch. i. t. 48 (1881).
Lecomte, Fl. Gén. Indo-Chine, i. 799 (1911).—*Fl.*
Heudelotii Baill.
Baillon in Adans. xi. t. 9, fig. 8 (1874).—*Fl.*
Baillon in Assoc. Franç. Avanc. Sc. 1873, Lyon, t. 7 (1874).—*Fl.*
Baillon, Hist. Pl. v. 140 (1874).—*Fl.*
Baillon, Dict. Bot. ii. 400 (1883).—*Fl.*
Baillon, Traité Bot. Méd. Phan. i. 120 (1883).—*Fl.*
hispidum Baill.
Baillon, Hist. Pl. v. 141 (1874).—*Fl.*
Baillon in Assoc. Franç. Avanc. Sc. 1873, Lyon, t. 7 (1874).—*Fl.*
Baillon in Adans. xi. t. 9, fig. 9 (1874).—*Fl.*
Baillon, Dict. Bot. ii. 400 (1883).—*Fl.*
Baillon, Traité Bot. Méd. Phan. i. 120 (1883).—*Fl.*
Lautzianum Baill.
Grandidier, Hist. Madag. [Plantes] Atlas, t. 206 (1892).
leucosepalum Ruhl.
Thonner, Blütenpfl. Afr. t. 80 (1908).
lolo De Wild. & Durand
De Wildeman & Durand, Ill. Fl. Congo (Ann. Mus. Congo), i. t. 90 (1902).
longifolium Engl.
Mildbraed, Deutsch. Zentral-Afr. Exped. ii. v. t. 52 (1912).
moluccanum Merr.
Rumphius, Herb. Amboin. v. t. 41, fig. 2 (1747); fide Merrill, Interpret. Rumph. Herb. Amboin.
mombongense De Wild.
De Wildeman, Études Fl. Bangala & Ubangi, t. 7 (1911).
mossambicense Klotzsch
Pflanzer, iv. t. 1 (1908).—*Fl.*
nigrescens Baill.
Grandidier, Hist. Madag. [Plantes] Atlas, t. 207 (1892).
pedunculatum Baill.
Baillon, Hist. Pl. v. 140 (1874).—*Fl.*
Baillon in Assoc. Franç. Avanc. Sc. 1873, Lyon, t. 7 (1874).—*Fl.*
Baillon in Adans. xi. t. 9, fig. 7 (1874).—*Fl.*
Baillon, Dict. Bot. ii. t. 399 (1883).
Baillon, Traité Bot. Méd. Phan. i. 120 (1883).—*Fl.*
Mart. Fl. Bras. xii. 1. t. 75 (1886).
Pflanzenfam. iii. IV. 350 (1896).—*Fl.*
Poggei Engl.
Mildbraed, Deutsch. Zentral-Afr. Exped. ii. v. t. 52 (1912).
Schweinfurthii Engl.
Pflanzenfam. iii. IV. 349 (1896).—*Fl.*
Engler & Drude, Veget. Erde, ix. I. 2, p. 725 (1910); III. 1. 840 (1915).—*Fl.*
spathulatum Engl.
Mildbraed, Deutsch. Zentral-Afr. Exped. ii. v. t. 49 (1912).
Stuhlmannii Engl.
Pflanzer, iv. t. 1 (1908).
Thonneri De Wild.
De Wildeman, Études Fl. Bangala & Ubangi, t. 9 (1911).
tomentosum Engl.
Pflanzenfam. iii. IV. 349 (1896).—*Fr.*
Engler & Drude, Veget. Erde, ix. I. 2, p. 725 (1910); III. 1, p. 840 (1915).—*Fr.*
tonkinense Engl.
Lecomte, Fl. Gén. Indo-Chine, i. 799 (1911).
toxicarium Baill.
Baillon, Hist. Pl. v. 139 (1874).
Engler & Drude, Veget. Erde, ix. I. 2, p. 724 (1910); III. 1, p. 841 (1915).

DICHAPETALUM
unguiculatum Engl.
Mildbraed, Deutsch. Zentral-Afr. Exped. ii. v. t. 50 (1912).
venenatum Engl. & Gilg
Notizbl. Gart. Berlin, v. 245 (1911).
Engl. Jahrb. xlvi. 576 (1912).
Engler & Drude, Veget. Erde, ix. III. 1, p. 845 (1915).
vestitum Baill.
Mart. Fl. Bras. xii. 1. t. 76 (1886).
Wettstein, Handb. Syst. Bot. Ed. 2, p. 531 (1911).—*Fl.*

DICHASIUM Fée: *Dryopteris*
parallelogrammum A. Br.
Fée, Mém. Foug. v. t. 23 (1850–52).

DICHELACHNE Endl.
brachyathera Stapf
Agric. Gaz. N. S. Wales, xxii. 816 (1911).
crinita Hook. f.
Ann. Rep. Agric. Victoria, ii. t. 17 (1874).
F. M. Bailey, Grasses Queensland, i. t. [14] (1878).
Buchanan, Man. Grass. New Zeal. t. 15 (1880).
Agric. Gaz. N. S. Wales, ii. 92 (1891).
F. Turner, Austral. Grasses, i. 21 (1895).
sciurea Hook. f.
*Hooker f., Fl. Tasman. ii. t. 158 (1860).
Buchanan, Man. Grass. New Zeal. t. 16 (1880).
Agric. Gaz. N. S. Wales, ii. 93 (1891).
F. Turner, Austral. Grasses, i. 22 (1895).
stipoides Hook. f.
Hooker f., Fl. Nov.-Zel. i. t. 66 (1853).
Buchanan, Man. Grass. New Zeal. t. 14 (1880); *Stipa teretifolia* Steud., vide addend. & corr.

DICHELOSTEMMA Kunth: *Brodiaea*
californica Wood
Journ. Acad. Nat. Sc. Philadelphia, N. Ser. vi. t. 55 (1869).—*Fl.*
capitata Benth.
Journ. Acad. Nat. Sc. Philadelphia, N. Ser. vi. t. 55 (1869).—*Fl.*
congesta Kunth
Journ. Acad. Nat. Sc. Philadelphia, N. Ser. vi. t. 55 (1869).—*Fl.*

DICHERANTHUS Webb
plocamoides Webb
Ann. Sc. Nat. Paris, Ser. III. v. t. 2 (1846).
Le Maout & Decaisne, Traité Gén. Bot. 441 (1868).—*Fl.*
Pflanzenfam. iii. I. B. 93 (1889).—*Fl.*
Engler & Drude, Veget. Erde, ix. I. 2, p. 846 (1910).

DICHILANTHE Thw.
ceylanica Thw.
Hooker's Journ. Bot. & Kew Misc. viii. t. 8 A (1856).
Beddome, Fl. Sylv. t. 15 (1872).—*Fl.*
Pflanzenfam. iv. IV. 97 (1891).—*Fl.*

DICHILUS DC.
lebeckioides DC.
De Candolle, Mém. Légum. t. 35 (1825).

DICHODON Bartl.: *Cerastium*
anomalum Reichb.
*Reichenbach, Ic. Fl. Germ. v. t. 221 (1841).
cerastoides Reichb.
*Reichenbach, Ic. Fl. Germ. v. t. 221 (1841).

DICHOGLOTTIS Endl.: *Gypsophila*
linifolia Fisch. & Mey.
Goebel, Reise Steppen Südl. Russl. ii. t. 2 (1838).
tubulosa Jaub. & Spach
Jaubert & Spach, Illustr. Pl. Or. i. t. 6 (1842–43).

DICHONDRA Forst.
argentea Willd.
Willdenow, Hort. Berol. ii. t. 81 (1816).
Pflanzenfam. iv. III. A. 13 (1891).
carolinensis Michx.
Payer, Organog. Comp. Fl. t. 122 (1857).—*Fl.*
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, iii. 40 (1913).
Britton, Fl. Bermuda, 304 (1918).
evolvulacea Britton
Britton & Brown, Ill. Fl. N. States & Canada, iii. 20 (1898).

DICHONDRA
repens Forst.
Forster, Charact. Gen. Pl. t. 20 (1776).—*Fl.*
J. E. Smith, Pl. Ic. Ined. i. t. 8 (1789).
Lamarck, Ill. i. t. 183 (1797).
Le Maout & Decaisne, Traité Gén. Bot. 171 (1868).
Pflanzenfam. iv. III. a. 13 (1891).—*Fl.*
Baillon, Hist. Pl. x. 316 (1891).—*Fl.*
*Bettfreund, Fl. Argentina, i. t. 26 (1898).
Öfv. Vet. Akad. Forh. Stockholm, lvii. 953 (1900).
Rodway, Tasman. Fl. [t. 22] (1903).
F. M. Bailey, Weeds & Poison. Pl. Queensland, 117 (1906).
Lecomte, Fl. Gén. Indo-Chine, iv. 307 (1915).
sericea Sw.
*Swartz, Ic. Pl. Ind. Occ. t. 10 (1794).
Swartz, Fl. Ind. Occ. i. t. 11 (1797).

DICHOPETALUM F. Muell.: *Pozoa*
ranunculaceum F. Muell.
Hooker's Journ. Bot. & Kew Misc. vii. t. 11 (1855).
*Hooker f., Fl. Tasman. i. t. 35 (1860).

DICHOPOGON Kunth
strictus Baker
*Bot. Mag. cx. t. 6746 (1884).
Pflanzenfam. ii. v. 34 (1888).—*Fl.*
undulatus Regel
*Gartenfl. ii. t. 37 (1853).

DICHOPSIS Thw.: *Palaquium*
gutta Benth.
*Bentley & Trim. Med. Pl. iii. t. 167 (1878).
Baillon, Traité Bot. Méd. Phan. ii. 1314 (1884).
Tropenpfl. v. 466 (1901).—*Hab.*
Pammel, Man. Poison. Pl. 680 (1911).
Krantziana Pierre
Beauvisage, Contr. Gutta-Percha, t. 1 (1881).—*Fl.*
polyantha Benth. & Hook.
Bull. Soc. Belg. Étud. Col. 688 (1900).—*Veg.*
pustulata Hemsl.
Bull. Soc. Belg. Étud. Col. 688 (1900).—*Veg.*

DICHOPUS Bl.: *Dendrobium*
insignis Bl.
Lecomte, Not. Syst. i. 92 (1909).—*Fl.*

DICHOREXIA Presl: *Alsophila*
gigantea Presl
Ettingshausen, Farnkr. t. 33, 37 (1865).

DICHORISANDRA Mikan
acaulis Cogn.
*Ill. Hort. xli. t. 19 (1894).
albo-marginata Linden
*Gartenfl. xvii. t. 569 (1868).
Gartenwelt, iv. 307 (1900).
angustifolia Linden & Rodigas
*Ill. Hort. xxxix. t. 158 (1892).—*Veg.*
Wien. Ill. Gart.-Zeit. xxi. 249 (1896).
Semaine Hort. 1897, p. 294.
gracilis Nees & Mart.
Nov. Act. Acad. Nat. Cur. xi. t. 1 (1823).—*Fl.*
leucophthalmos Hook.
*Bot. Mag. lxxix. t. 4733 (1853).
*Lem. Jard. Fl. iv. t. 428 (1854).
mosaica Linden
*Fl. des Serres, Ser. II. vi. t. 1711, 1712 (1865–67); viii. 52 (1869–70).
Rev. Hort. 1866, p. 330.—*Hab.*
*Gartenfl. xvii. t. 593 (1868).
*Hibberd, Beautiful-leaved Pl. 57, t. 22 (1870).
*Cogniaux & March. Pl. Orn. i. t. 10 (1873).
ovata Paxt.
*Ann. Gand, i. t. 26 (1845).
*Paxt. Mag. xv. 5, 6 (1849)
Raunkiær in Overs. Danske Vidensk. Selsk. Forhandl. 414 (1905).—*Veg.*
oxypetala Hook.
*Bot. Mag. liv. t. 2721 (1827).
*Lodd. Bot. Cab. xv. t. 1440 (1828).
penduliflora Kunth
Mart. Fl. Bras. iii. I. t. 33 (1855).
Pflanzenfam. ii. IV. 68 (1888).
picta Lodd.
*Lodd. Bot. Cab. xvii. t. 1667 (1830).
*Bot. Mag. lxxx. t. 4760 (1854).

DICHORISANDRA
puberula Nees & Mart.
Nov. Act. Acad. Nat. Cur. xi. t. 1 (1823).—*Fl.*
pubescens Mart.
*Wawra, Bot. Ergebn. Reise Bras. t. 30 (1866).
—— **taeniensis** Mast.
*Rev. Hort. Belge, xiv. 73 (1888).
Bull. Arboricult. Belg. 1888, p. 137.
Rev. Hort. 1888, p. 249.
Gard. Chron. Ser. III. iii. 557 (1888).
radicalis Nees & Mart.
Nov. Act. Acad. Nat. Cur. xi. t. 1 (1823).
Saundersii Hook. f.
*Bot. Mag. ci. t. 6165 (1875).
tejucensis Mart.
Mart. Fl. Bras. iii. I. t. 32 (1855).
thyrsiflora Mikan
Mikan, Del. Fl. & Faun. Bras. [t. 3] (1820).
*Bot. Reg. viii. t. 682 (1823).
*Lodd. Bot. Cab. xii. t. 1196 (1826).
*Mordant de Launay, Herb. Amat. viii. t. 561 (1827).
*Drapiez, Herb. Amat. Fl. vii. t. 459 (1834).
*Paxt. Mag. iii. 127 (1837).
Mart. Fl. Bras. iii. I. t. 32 (1855).—*Fl.*
Journ. Hort. lxiii. 121 (1880); Ser. III. xliii. 262 (1901).
*Bois, Dict. Hort. 440 (1893–99).
Semaine Hort. iv. 367 (1900).
Thysiana Linden
Semaine Hort. iv. 485 (1900).
Gard. Chron. Ser. III. xxviii. 302 (1900).—*Hab.*
*Rev. Hort. Belge, xxviii. 133 (1902).
undata Linden
*Fl. des Serres, Ser. II. vii. t. 1763, 1764 (1867–68).—*Veg.*
*Hibberd, Beautiful-leaved Pl. 77, t. 29 (1870).
Wien. Ill. Gart.-Zeit. viii. 23 (1883).—*Hab.*

DICHOSEMA Benth.: *Mirbelia*
subinerme Meissn.
*Gard. Comp. 1852, p. 129.
*Lem. Jard. Fl. iv. t. 350 (1853).

DICHOSPERMUM Wight: *Aneilema*
Blumei Hassk.
C. B. Clarke, Comm. & Cyrt. Beng. t. 27 (1874).
juncoides Wight
Wight, Ic. Pl. Ind. Or. vi. t. 2078 (1853).
lanceolatum Wight
Wight, Ic. Pl. Ind. Or. vi. t. 2078 (1853).
repens Wight
Wight, Ic. Pl. Ind. Or. vi. t. 2078 (1853).
repens C. B. Clarke
C. B. Clarke, Comm. & Cyrt. Beng. t. 28 (1874).

DICHOSTYLIS P. Beauv.: *Scirpus*
Micheliana Nees
Nees, Gen. Pl., Monocot. ii. t. 13 (1836).
*Reichenbach, Ic. Fl. Germ. viii. t. 312 (1846).

DICHOTOMANTHES Kurz
tristaniicarpa Kurz
Journ. of Bot. xi. t. 133, fig. 2 (1873).
Hook. Ic. Pl. xxvii. t. 2653 (1900).

DICHROA Lour.—Vide *Adamia*
febrifuga Lour.
Pflanzenfam. iii. II. a. 76 (1890).—*Fl.*
De Wildeman, Ic. Sel. Hort. Then. iii. t. 96 (1902).
Brandis, Indian Trees, 297 (1906).
Koorders, Exkursionsfl. Java, ii. 304 (1912).
!Ann. Jard. Bot. Buitenzorg, xxviii. t. 27 (1914).—*Veg.*
Basu, Ind. Med. Pl. t. 402 (1918).
Lecomte, Fl. Gén. Indo-Chine, ii. 689 (1920).

DICHROANTHUS Webb & Berth.: *Cheiranthus*
mutabilis Webb & Berth.
Webb & Berth. Hist. Nat. Iles Canar. iii. Phytogr. II. t. 8 A (1836–40).—*Fr.*

DICHROCEPHALA L'Hér.
chrysanthemifolia DC.
Wight, Ic. Pl. Ind. Or. iii. t. 1095 (1846).
*Wight, Spicil. Neilgherr. ii. t. 108 (1851).
Pflanzenfam. iv. v. 153 (1890).—*Fr.*

DICHROCEPHALA
chrysanthemifolia
Collett, Fl. Siml. 248 (1902).
Koorders, Exkursionsfl. Java, iii. 319 (1912).
Fyson, Fl. Nilgiri & Pulney Hill-tops, ii. 156, 157 (1915).
latifolia DC.
Wight, Ic. Pl. Ind. Or. iii. t. 1096 (1846).
*Somoku Dzusetsu, Ed. 2, xvi. t. 29 (1874).
Fiori & Paol. Ic. Fl. Ital. 418 (1904).
Somoku Dzusetsu, Ed. Makino (Iconogr. Pl. Nippon), xvi. t. 29 (1912).
Fyson, Fl. Nilgiri & Pulney Hill-tops, ii. 155 (1915).
Schmidii Wight
Wight, Ic. Pl. Ind. Or. iv. t. 1610 (1850).

DICHROMA Cav.: *Ourisia*
coccinea Cav.
An. Cienc. Nat. Madrid, iii. t. 32 (1801).
Cavanilles, Ic. vi. t. 582 (1801).

DICHROMENA Michx.
atrosanguinea Desv.
*C. Gay, Hist. Chile, Atlas, t. 71 (1854).
canescens Maury
Maury in Mém. Soc. Phys. Genève, xxxi. t. 42 (1889).
ciliata Vahl
Presl, Reliq. Haenk. t. 32, fig. 2 (1828).
C. B. Clarke, Illustr. Cyperac. t. 63 (1909).—*Fr.*
colorata Hitchc.
Britton & Brown, Ill. Fl. N. States & Canada, i. 256 (1896); Ed. 2, i. 341 (1913).
Publ. Field Columbian Mus., Bot. Ser. II. No. 2, p. 117 (1900); Ser. III. No. 1, p. 78 (1903).—*Fr.*
Ann. Rep. Smithson. Inst. 1917, t. 5, p. 434 (1918).
Britton, Fl. Bermuda, 49 (1918).
latifolia Baldw.
A. Gray, Man. Bot. N.U.S. Ed. 5, t. 4 (1867).
Britton & Brown, Ill. Fl. N. States & Canada, i. 257 (1896); Ed. 2, i. 341 (1913).
leucocephala Michx.
S. Elliott, S.-Carol. & Georgia, i. t. 3 (1816–21).
longa Lindm.
Bih. Svenska Vet. Akad. Handl. xxvi. III. No. 9, t. 4 (1900).
minarum C. B. Clarke
C. B. Clarke, Illustr. Cyperac. t. 63 (1909).
pubera Vahl
Publ. Field Columbian Mus., Bot. Ser. II. No. 2, p. 116 (1900).—*Fr.*
C. B. Clarke, Illustr. Cyperac. t. 63 (1909).
radicans Cham. & Schlechtd.
Publ. Field Columbian Mus., Bot. Ser. II. No. 2, p. 117 (1900); Ser. III. No. 1, p. 79 (1903).—*Fr.*
repens Vahl
C. B. Clarke, Illustr. Cyperac. t. 63 (1909).—*Fr.*
setigera Kunth
Lindman, Veget. Rio Grande do Sul, 34 (1900).

DICHROPHYLLUM Klotzsch & Garcke: *Euphorbia*
marginatum Klotzsch & Garcke
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, ii. 469 (1913).

DICHROSTACHYS Wight & Arn.—Vide *Cailliea*
benadirensis Chiov.
Chiovenda, Result. Sc. Miss. Stefan.-Paoli Somal. Ital. t. 8–10 (1916).
Bernieriana Baill.
Grandidier, Hist. Madag. [Plantes], Atlas, t. 20 (1886).
brachypus Baill.
Grandidier, Hist. Madag. [Plantes] Atlas, t. 22 (1886).
cinerea Wight & Arn.
Wight, Ic. Pl. Ind. Or. ii. t. 357 (1840–43).
Ralph, Ic. Carpolog. t. 8 (1849).—*Fr.*
Beddome, Fl. Sylv. t. 185 (1872).
Holtermann, Einfl. Klimas, t. 6, fig. 33 (1907).
Talbot, For. Fl. Bombay, i. 474 (1909).
Koorders & Val. Atlas Baumart. Java, t. 31 (1913).
Basu, Ind. Med. Pl. t. 372 (1918).

DICHROSTACHYS
dehiscens Balf. f.
Balfour f., Bot. Socotra (Trans. Roy. Soc. Edinb. xxxi), t. 22 (1888).
maior Sim
Sim, For. Fl. Portug. E. Africa, t. 36 (1909).
nutans Benth.
Wood, Natal Pl. iii. II. t. 243 (1901).
Sim, For. Fl. Portug. E. Africa, t. 38 (1909).
Fiori, Boschi e Piante Legn. Eritrea, 168 (1909–12).
Engler & Drude, Veget. Erde, ix. I. 1, p. 88 (1910); III. 1, p. 397 (1915).
Agric. Colon., Ital. v. 98 (1911).
Estac. Exper. Agronom. Cuba, Circ. No. 50, t. 1, 3 (1915).
Estac. Exper. Agronom. Cuba, Bol. No. 22, 1914, Ed. 2, t. 30 (1916).
Richardiana Baill.
Grandidier, Hist. Madag. [Plantes] Atlas, t. 21 (1886).
trichostachys DC.
Ralph, Ic. Carpolog. t. 8 (1849).—*Fr.*
Schnizlein, Iconogr. iv. t. 277 (1866–70).—*Fl.*

DICHROTRICHUM Reinw.
brevipes C. B. Clarke
A. & C. De Candolle, Monogr. Phan. v. I. t. 4 (1883).
Griffithii C. B. Clarke
C. B. Clarke, Comm. & Cyrt. Beng. t. 51 (1874).
ternateum Reinw.
De Vriese, Tuinbouw-Fl. iii. 351 (1856).
De Vriese, Pl. Ind. Bat. Or. i. t. 1, 2 (1856).
*Belg. Hort. xxi. 353 (1871).
*Bot. Mag. cx. t. 6791 (1884).

DICKIA Scop.: *Stemodia*
remotiflora Neumann
*Journ. Jard. 1838, p. 152.

DICKINSIA Franch.
hydrocotyloides Franch.
Nouv. Arch. Mus. Hist. Nat. Paris, Ser. II. viii. t. 8 (1885).

DICKSONIA L'Hér.
abrupta Bory
Bory, Voy. Iles Afr. t. 30 (1804).
Hook. Ic. Pl. xvii. t. 1604 (1886).
adiantoides H. B. K.
Hooker, Sp. Fil. i. t. 26 (1846).
Shimek in Bull. Labor. Nat. Hist. Iowa, iv. No. 2, t. 12 (1897).
antarctica Labill.
Labillardière, Nov. Holl. Pl. t. 249 (1806).
Moore & Ayres, Mag. Bot. iii. 329 (1851).
*Lowe, Ferns, viii. t. 43 (1860).
Meredith, Bush Friends Tasmania, 31 (1860).
Bull. Soc. Bot. Belg. v. t. 3, fig. 3 (1866).
Le Maout & Decaisne, Traité Gén. Bot. 652 (1868). —*Veg.*
B. S. Williams, Select Ferns & Lycopods, Brit. & Exot. 13, 107 (1868); Ed. 2, p. 17, 113 (1873). —*Hab.*
Garden, ii. 167 (1872); iv. 527 (1873); xxxvi. 206 (1889).—*Hab.*
*Fl. des Serres, Ser. II. ix. t. 1989 (1873).—*Hab.*
Gartenfl. xxiii. 86 (1874).—*Hab.*
Parlatore, Coll. Bot. Mus. Phys. Hist. Nat. Florence, t. 8 (1874).—*Hab.*
Gard. Chron. iv. 813 (1875); xxv. 49 (1886); Ser. III. xxix. 205 (1901); l. 182 (1911).—*Hab.*
J. Robinson, Ferns, t. 7 (1878).
Dobbie, New Zeal. Ferns, 11 (1880).
Berge, Pflanzenphysiogn. 25 (1880).—*Hab.*
G. M. Thomson, Ferns & Fern Allies New Zeal. t. 1 (1882).
W. Robinson, Engl. Fl. Gard. t. 99 (1883).—*Hab.*
Rhein. Jahrb. Gartenk. & Bot. ii. 408 (1885).
Blanc, Hints Cacti, 101 (1891).—*Hab.*
F. M. Bailey, Lithogr. Ferns Queensland (Dept. Agric. Brisbane), t. 40 (1892).
Schneider, Book Choice Ferns, ii. 171 (1893).—*Veg.*
Schimper, Pflanzen-Geogr. 448 (1898).—*Hab.*
Rev. Hort. Belge, xxix. 236–37 (1903).—*Veg.*
Warburg, Pflanzenwelt, i. 253 (1913).

DICKSONIA
antarctica
St. Petersb. Bot. Gard. Hist. Sketch (1793–1913), 394 (1913).—*Hab.*
Maiden, For. Fl. N. S. Wales, vi. Pt. LX [t. 21] (1917).—*Hab.*
anthriscifolia Kaulf.
Hooker, Sp. Fil. i. t. 27 (1846).
Ettingshausen, Farnkr. t. 150 (1865).
apiifolia Sw.
Hooker, Sp. Fil. i. t. 26 (1846).
Rovirosa, Pteridogr. Mexico, t. 5 (1909).
appendiculata Wall.
Hooker, Sp. Fil. i. t. 27 (1846).
Beddome, Ferns Brit. Ind. t. 82 (1865–70).
arborescens L'Hér.
J. E. Smith in Mém. Acad. Sc. Turin, 1790–91, xiii. t. 9* (1793).
Roemer, Archiv Bot. i. II. tab. fig. 7 (1797).
Usteri, Ann. Bot. xxiii. t. 2 (1799).
Hooker, Sp. Fil. i. t. 22 (1846).
T. Moore, Index Fil. Gen. & Spec. t. 77 [1857–62].
J. Smith, Ferns Brit. & Foreign, 238 (1866); Ed. 2, p. 238 (1879).
J. Smith, Hist. Fil. t. 16 (1875).
*Melliss, St. Helena, t. 54 (1875).
Pflanzenfam. i. IV. 120 (1899).
Conzatti in Mem. y Rev. Soc. 'Antonio Alzate', xxv. 115 (1907).
assamica Griff.
Griffith, Ic. Pl. Asiat. t. 136, vide errata (1849).
aurea Schnizl.
Schnizlein, Iconogr. i. t. 26 b (1844).
Berteroana Hook.
Hooker, Sp. Fil. i. t. 23 (1846).
Ill. Gartenzeit. Stuttgart, xxiv. t. 35 (1880).
Garden, xvii. 499 (1880).—*Veg.*
Florist, 1880, p. 117.
Nicholson, Illustr. Dict. Gard. i. 466 [1884–88].
Johow in An. Univ. Chile, Santiago, lxxxii. XI. 1004 (1893).
Schneider, Book Choice Ferns, ii. 144 (1893).
Johow, Fl. Juan Fernandez, t. 16, 17 (1896).—*Hab.*
Karsten & Schenck, Veg.-Bild. viii. t. 12 (1910). —*Hab.*
Billardieri F. Muell.
F. Mueller, Key Syst. Victorian Pl. ii. fig. 139 (1885).
Gartenfl. xxxviii. 637 (1889).—*Hab.*
Blumei T. Moore
Philipp. Journ. Sc., Bot. iv. 65, t. 20 (1909).
Brackenridgei Mett.
Gartenfl. xxx. 20 (1881).
Chamissoi Hook. & Baker
Hook. Ic. Pl. xvii. t. 1603 (1886).
chrysotricha T. Moore
*Ill. Hort. xxii. t. 206 (1875).
Cicutaria Sw.
*Lowe, Ferns, viii. t. 40 (1860).
Ettingshausen, Farnkr. t. 150, 151 (1865).
Mart. Fl. Bras. i. II. t. 20, 21, 40 (1870).
Arkiv Bot. Stockholm, i. t. 7 (1903).
cicutarioides Fée
Fée, Mém. Foug. xi. t. 25 (1866).
coniifolia Hook.
Hooker, Sp. Fil. i. t. 24 (1846).
consanguinea Klotzsch
Ettingshausen, Farnkr. t. 144 (1865).
culcita L'Hér.
*Lowe, Ferns, viii. t. 39 (1860).
*Britten, Eur. Ferns, 9 [1880–82].
Nicholson, Illustr. Dict. Gard. i. 468 [1884–88]. —*Hab.*
Schneider, Book Choice Ferns, ii. 176 (1893).—*Hab.*
cuneata Hook.
Hooker, Sp. Fil. i. t. 28 (1846).
Ettingshausen, Farnkr. t. 148, 149 (1865).
davallioides R. Br.
*Lowe, Ferns, viii. t. 41 (1860).
F. M. Bailey, Lithogr. Ferns Queensland (Dept. Agric. Brisbane), t. 42 (1892).
—— **Youngii** Hort.
Nicholson, Illustr. Dict. Gard. iv. Suppl. 536 [1884–88].
Schneider, Book Choice Ferns, ii. 112 (1893). —*Hab.*

DICKSONIA
davallioides Youngii
Nicholson, '1900' Suppl. Dict. Gard. 321 (1900).
decurrens Klotzsch
Ettingshausen, Farnkr. t. 150, 151 (1865).
deltoidea Hook.
Hooker, Sp. Fil. i. t. 28 (1846).
dissecta Sw.
*Schkuhr, Krypt. Gewächse, t. 130 b (18[06]–09).
Arkiv Bot. Stockholm, i. t. 7 (1903).
dubia Gaudich
Hooker, Sp. Fil. i. t. 24 (1846).
erosa Kunze
Ettingshausen, Farnkr. t. 151 (1865).
erythrorrhachis Christ
Ann. Jard. Bot. Buitenzorg, xv. t. 13, fig. 7 (1898).
expansa Kaulf.
Ettingshausen, Farnkr. t. 151 (1865).
fibrosa Colenso
Hooker, Sp. Fil. i. t. 23 (1846).
Field, Ferns New Zeal. t. 10, 25 (1890).
Turner, Rep. Bot. Exam. Waimarino Distr. (New Zeal. Dep. Lands), 3, 10 (1909).—*Hab.*
flaccida Sw.
*Schkuhr, Krypt. Gewächse, t. 129 (18[06]–09).
fragilis Trev.
Treviranus in Mag. Ges. Naturf. Freunde Berlin, vii. t. 3, fig. 18, 19 (1816).
gigantea Karst.
Karsten, Fl. Columbiae, ii. t. 193 (1862–69).
grandis Ros.
E. Werner, Kaiser-Wilhelms-Land, 197 (1911).
Henriettae Baker
Hook. Ic. Pl. xvii. t. 1606 (1886).
incisa Fée
Fée, Mém. Foug. xi. t. 25 (1866).
integra Sw.
Neues Journ. f. die Bot. i. II. t. 2 (1806).
Karsteniana T. Moore
Karsten, Fl. Columbiae, ii. t. 193–195 (1862–69).
lanata Colenso
Hooker, Sp. Fil. i. t. 23 (1846).
Dobbie, New Zeal. Ferns, 11 (1880).
Field, Ferns New Zeal. t. 11 (1890).
×**Lathamii** T. Moore
Gard. Chron. xxiv. 689 (1885).
Journ. Hort. Ser. III. xxii. 513 (1891).—*Hab.*
Lindenii Hook.
Hooker, Sp. Fil. i. t. 25 (1846).
Mettenius, Fil. t. 28, fig. 6, 7 (1856).
Ettingshausen, Farnkr. t. 147 (1865).
Martiana Klotzsch
Hooker, Sp. Fil. i. t. 24 (1846).
Mathewsii Fée
Ettingshausen, Farnkr. t. 147 (1865).
Menziesii Hook. & Baker
Nicholson, Illustr. Dict. Gard. i. 468 [1884–88]. —*Hab.*
Schneider, Book Choice Ferns, ii. 181 (1893). —*Hab.*
moluccana Bl.
*Lowe, Ferns, viii. t. 46 (1860).
Ettingshausen, Farnkr. t. 150 (1865).
navarrensis Christ
Ann. Rep. Smithson. Inst. 1911, t. 13, 14, p. 492 (1912).
nitidula Kunze
Mettenius, Fil. t. 28, fig. 1–5 (1856).
ordinata Kaulf.
*Kunze, Farnkr. t. 106 (1840–47).
Ettingshausen, Farnkr. t. 150 (1865).
Arkiv Bot. Stockholm, i. t. 7 (1903).
Pavonii Hook.
Hooker, Sp. Fil. i. t. 26 (1846).
pilosiuscula Willd.
Ettingshausen, Farnkr. t. 151, 153 (1865).
*Eaton, Ferns N. Amer. i. t. 44 (1879).
Clute, Our Ferns in their Haunts, 230 (1901).
Eastman, New Engl. Ferns, 64 (1904).
—— **Poyseri** Clute
Fern Bull. xix. 8 (1911).
Plumieri Hook.
Ettingshausen, Farnkr. t. 147, 148 (1865).

DICKSONIA
princeps Hort.
Semaine Hort. 1899, p. 5.—*Hab.*
pubescens Sw.
*Schkuhr, Krypt. Gewächse, t. 131 (18[06]–09).
punctiloba Hook.
*Lowe, Ferns, viii. t. 42 (1860).
punctilobula Kunze
A. Gray, Man. Bot. N.U.S. Ed. 2, t. 11 (1856).
J. Williamson, Ferns Kentucky, t. 46 (1878).
Weaver in Proc. Iowa Acad. Sc. iii. t. 7, fig. 52 (1896).
Britton & Brown, Ill. Fl. N. States & Canada, i. 12 (1896).
remota Christ
Ann. Jard. Bot. Buitenzorg, xv. t. 14, fig. 8 (1898).
rubiginosa Kaulf.
Hooker, Sp. Fil. i. t. 27 (1846).
*Lowe, Ferns, viii. t. 45 (1860).
Ettingshausen, Farnkr. t. 148–50 (1865).
Wawra, Bot. Ergebn. Reise Bras. t. 97 (1866).
Mart. Fl. Bras. i. II. t. 21 (1870).
Shimek in Bull. Labor. Nat. Hist. Iowa, iv. No. 2, t. 12, 13 (1897).
Arkiv Bot. Stockholm, i. t. 7 (1903).
Conzatti in Mem. y Rev. Soc. 'Antonio Alzate', xxv. 115 (1907).
scabra Wall.
Hooker, Sp. Fil. i. t. 28 (1846).
scandens Baker
Hook. Ic. Pl. xvii. t. 1605 (1886).
Schiedei Baker
Bellair & St.-Léger, Pl. Serre, 702 (1900).—*Hab.*
Sellowiana Hook.
Hooker, Sp. Fil. i. t. 22 (1846).
Karsten, Fl. Columbiae, ii. t. 193–95 (1862–69).
Mart. Fl. Bras. i. II. t. 20, 40, 70 (1870).
*Schneider, Book Choice Ferns, ii. 128 (1893).—*Hab.*
Christ, Geogr. Farne, 32 (1910).—*Hab.*
siifolia Kunze
Ettingshausen, Farnkr. t. 152 (1865).
Smithii Hook.
Hooker, Sp. Fil. i. t. 28 (1846).
Ettingshausen, Farnkr. t. 151 (1865).
sorbifolia Sm.
Hooker, Sp. Fil. i. t. 25 (1846).
squarrosa Sw.
*Schkuhr, Krypt. Gewächse, t. 130 (18[06]–09).
*Lowe, Ferns, viii. t. 44 (1860).
B. S. Williams, Select Ferns & Lycopods, Brit. & Exot. 107 (1868); Ed. 2, p. 113 (1873).—*Hab.*
Garden, v. 301 (1874).—*Hab.*
Gartenfl. xxiii. t. 792 (1874).
Dobbie, New Zeal. Ferns, 12 (1880).
Field, Ferns New Zeal. t. 10, 25 (1890).
Bois, Dict. Hort. 441 (1893–99).
Rev. Hort. Belge, xxix. 236–37 (1903).—*Veg.*
Turner, Rep. Bot. Exam. Waimarino Distr. (New Zeal. Dep. Lands), 2 (1909).—*Hab.*
straminea Labill.
Labillardière, Sert. Austr.-Caled. t. 10 (1824).
strigosa Thunb.
*Kunze, Farnkr. t. 94 (1840–47).
Stuebelii Hieron.
Hedwigia, xlv. t. 12 (1906).
tenera Presl
*Martius, Crypt. Bras. t. 66, 72 (1828–34).
Presl, Tent. Pteridogr. t. 5 (1836).
*Hooker, Gen. Fil. t. 61 (1842).
Fée, Mém. Foug. v. t. 26 (1850–52).
Ettingshausen, Farnkr. t. 148, 149 (1865).
Arkiv Bot. Stockholm, i. t. 7 (1903).
Torreyana Brack.
Brackenridge, Crypt. Wilkes, U.S. Expl. Exp. 1838–42, t. 38 (1855).
Youngiae C. Moore
F. M. Bailey, Lithogr. Ferns Queensland (Dept. Agric. Brisbane), t. 41 (1892).
Gard. Chron. Ser. III. xxviii. 72 (1900).—*Hab.*
Domin in Bibl. Bot. xx. t. 3 (1914).
Zippeliana Kunze
Ettingshausen, Farnkr. t. 150–52 (1865).

DICLIDANTHERA Mart.
elliptica Miers
Miers, Contrib. Bot. i. t. 32 (1851–61).
laurifolia Mart.
*Martius, Nov. Gen. & Sp. Pl. Bras. ii. t. 197 (1826).
Miers, Contrib. Bot. i. t. 32 (1851–61).—*Fl.*
Mart. Fl. Bras. vii. t. 4 (1856).
Pflanzenfam. iv. 1. 180 (1891).—*Fl.*
penduliflora Mart.
*Martius, Nov. Gen. & Sp. Pl. Bras. ii. t. 196 (1826).
Mart. Fl. Bras. vii. t. 4 (1856).

DICLIDIUM Schrad.: *Cyperus*
lenticulare Schrad.
Mart. Fl. Bras. ii. 1. t. 2 (1842).
Maximilianii Schrad.
Mart. Fl. Bras. ii. 1. t. 1 (1842).

DICLIDOCARPUS A. Gray.—Vide *Bixagrewia, Trichospermum* Bl.
Richii A. Gray
Gray, U.S. Expl. Exp. Bot. Atlas, i. t. 14 (1857).

DICLIDOPTERIS Brack.: *Monogramma*
angustissima Brack.
Brackenridge, Crypt. Wilkes, U.S. Expl. Exp. 1838–42, t. 17 (1855).
T. Moore, Index Fil. Gen. & Spec. t. 13 [1857–6**2**].

DICLIPTERA Juss.—Vide *Dactylostegium, Diapedium*
bivalvis Juss.
*Wight, Illustr. Ind. Bot. ii. t. 164 bis (1850).—*Fl.*
Wight, Ic. Pl. Ind. Or. iv. t. 1551 (1850).
Buergeriana Miq.
*Somoku Dzusetsu, Ed. 2, i. t. 32 (1874).
bupleuroides Nees
Collett, Fl. Siml. 377 (1902).
Journ. & Proc. Asiat. Soc. Bengal, N. Ser. ii. t. 6 (1906).—*Fl.*
cuneata Nees
Wight, Ic. Pl. Ind. Or. iv. t. 1552 (1850).
heterostegia Nees
Wood, Natal Pl. iii. III. t. 254 (1902).
japonica Makino
Somoku Dzusetsu, Ed. Makino (Iconogr. Pl. Nippon), i. t. 32 (1907).
jujuyensis Lindau
Arkiv Bot. Stockholm, i. t. 17, fig. 4 (1903).—*Fl.*
micranthes Nees
Pflanzenfam. iv. III. B. 332 (1895).
Niederleiniana Lindau
De Wildeman, Ic. Sel. Hort. Then. v. t. 198 (1906).
Pohliana Nees
Mart. Fl. Bras. ix. t. 30 (1847).
Pflanzenfam. iv. III. B. 283 (1895).—*Fr.*
Roxburghiana Nees
Basu, Ind. Med. Pl. t. 726 (1918).
spicata Decne.
Bailey, Compr. Cat. Queensl. Pl. 376 (1909–13).
spinosa Lodd.
*Lodd. Bot. Cab. xiii. t. 1244 (1827).
Tweediana Nees
*Rev. Hort. 1874, p. 171.
*Bois, Dict. Hort. 441 (1893–99).

DICLISODON T. Moore: *Dryopteris*
departiodes T. Moore
T. Moore, Index Fil. Gen. & Spec. t. 77 [1857–62].

DICLYTRA = *Dielytra*

DICNECKERIA Vell.: *Euplassa*
legalis Vell.
Vellozo, Fl. Flum. i. t. 105 (1827).

DICOELIA Benth.
affinis J. J. Sm.
Bull. Jard. Bot. Buitenzorg, Ser. III. i. t. 41, 42 (1920).
Beccariana Benth.
Hook. Ic. Pl. xiii. t. 1289 (1879).
Pflanzenfam. iii. v. 29 (1890).—*Fl.*

DICOMA Cass.—Vide *Brachyachaenium, Hochstetteria* DC.
argyrophylla Oliv.
Hook. Ic. Pl. xv. t. 1461 (1884).
Journ. Ecol. ii. t. 24 (1914).—*Hab.*
Burmanii Less.
Burman, Rar. Afr. Pl. t. 67, fig. 3 (1739); fide Fl. Cap.
cana Balf. f.
Balfour f., Bot. Socotra (Trans. Roy. Soc. Edinb. xxxi), t. 42 (1888).
karaguensis Oliv.
Trans. Linn. Soc. London, xxix. t. 70 (1873).
lanuginosa DC.
Wight, Ic. Pl. Ind. Or. iii. t. 1140 (1846).
*Wight, Illustr. Ind. Bot. ii. t. 134 (1850).—*Fl.*
quinquenervia Baker
Hook. Ic. Pl. xxv. t. 2464 (1896).
radiata Less.
Journ. Linn. Soc., Bot. xxxvii. t. 15 (1906).
tomentosa Cass.
Pflanzenfam. iv. v. 335 (1893).—*Fr.*
Basu, Ind. Med. Pl. t. 556 (1918).
vaginata O. Hoffm.
De Wildeman, Études Fl. Katanga (Ann. Mus. Congo), ii. t. 16 (1913).
Zeyheri Sond.
Harvey, Thes. Cap. i. t. 68 (1859).

DICORIA Torr. & A. Gray
calliptera Rose & Standley
Contrib. U.S. Nat. Herb. xvi. t. 12 (1912).
canescens A. Gray
Torrey, Bot. U.S. & Mexic. Bound. Surv. t. 30 (1858).
Clarkae Kennedy
Muhlenbergia, iv. 3 (1908).
paniculata Eastw.
Proc. Calif. Acad. 1896, Ser. II. vi. t. 45 (1897).

DICORYNIA Benth.
paraënsis Benth.
Mart. Fl. Bras. xv. II. t. 29 (1870).
Pflanzenfam. iii. III. 165 (1892).—*Fl.*
Bertin, Mission Forest. Col. v. 48 (1920).—*Hab.*

DICORYPHE Thou.
angustifolia Tul.
Grandidier, Hist. Madag. [Plantes] Atlas, t. 61 (1888).
macrophylla Baill.
Grandidier, Hist. Madag. [Plantes] Atlas, t. 62 (1888).
madagascariensis Poir.
Du Petit-Thouars, Hist. Vég. Isles France, i. t. 7 (1804); fide Ed.
Du Petit-Thouars, Hist. Vég. Isles Australes d'Afrique, i. t. 7 (1805); fide Ed.
Lamarck, Ill. vi. t. 946 (1819).
stipulacea Jaume St.-Hil.
Grandidier, Hist. Madag. [Plantes] Atlas, t. 60 (1888).

DICRAEA Thou.
algiformis Bedd.
Trans. Linn. Soc. London, xxv. t. 24 (1865).
Warming in Dansk. Vid. Selsk. Skrift. Ser. VI. ii. t. 12 (1882).
Pflanzenfam. iii. II. A. 5 (1890).
apicata Tul.
Warming in Dansk. Vid. Selsk. Skrift. Ser. VI. vii. 150, 151, 153, 155, 157 (1891).
Velenovsky, Vergl. Morphol. Pfl. ii. 393 (1907).
Neger, Biol. Pflanz. 282 (1913).—*Veg.*
batangensis Engl.
Engl. Jahrb. xliii. 379 (1909).
Engler & Drude, Veget. Erde, ix. 1. 2, p. 741 (1910).
dichotoma Tul.
Arch. Mus. Hist. Nat. Paris, vi. t. 9 (1852).
Wight, Ic. Pl. Ind. Or. v. t. 1916 (1852).
elongata Tul.
Arch. Mus. Hist. Nat. Paris, vi. t. 9 (1852).
Wight, Ic. Pl. Ind. Or. v. t. 1917 (1852).
Warming in Dansk. Vid. Selsk. Skrift. Ser. VI. ii. t. 10, 11 (1882).
Engl. Jahrb. iv. 220 (1883).
Pflanzenfam. iii. II. A. 4 (1890).
Ann. Bot. Gard. Peradeniya, i. t. 18, 19 (1902).

DICRAEA
elongata
Velenovsky, Vergl. Morphol. Pfl. ii. 390 (1907). —*Veg.*
A. Arber, Water Pl. 115 (1920).
erythrolichen Tul. & Wedd.
*Arch. Mus. Hist. Nat. Paris, vi. t. 10 (1852).
Mart. Fl. Bras. iv. 1. t. 74 (1855).
Garrettii C. H. Wright
Hook. Ic. Pl. xxxi. t. 3042 (1916).
kamerunensis Engl.
Engl. Jahrb. xliii. 379 (1909).
Engler & Drude, Veget. Erde, ix. 1. 2, p. 741 (1910).
Ledermanii Engl.
Engl. Jahrb. xliii. 379 (1909).
Engler & Drude, Veget. Erde, ix. 1. 2, p. 741 (1910).
longifolia Wight
Wight, Ic. Pl. Ind. Or. v. t. 1916 (1852).
quangensis Engl.
Engl. Jahrb. xx. t. 4 (1894).
rigida Tul.
Wight, Ic. Pl. Ind. Or. v. t. 1916 (1852).
stylosa Wight
Wight, Ic. Pl. Ind. Or. v. t. 1917 (1852).
Warming in Dansk. Vid. Selsk. Skrift. Ser. VI. ii. t. 12 (1882).—*Veg.*
Engl. Jahrb. iv. 221 (1883).
Pflanzenfam. iii. II. A. 5 (1890).
Ann. Bot. Gard. Peradeniya, i. t. 22 (1902).
A. Arber, Water Pl. 116 (1920).
—— **fucoides** Willis
A. Arber, Water Pl. 115 (1920).—*Veg.*
Wallichii Tul.
Wight, Ic. Pl. Ind. Or. v. t. 1916 (1852).
Ann. Bot. Gard. Peradeniya, i. t. 21 (1902).—*Hab.*
Warmingii Engl.
Engl. Jahrb. xx. t. 4 (1894).
Wightii Tul.
Wight, Ic. Pl. Ind. Or. v. t. 1916 (1852).

DICRAEANTHUS Engl.
africanus Engl.
Engl. Jahrb. xxxviii. 95 (1905).
Engler & Drude, Veget. Erde, ix. 1. 2, p. 743 (1910).

DICRANANTHERA Presl: *Acisanthera*
hedyotidea Presl
Presl, Symbolae Bot. t. 50 (1830–32).
Ann. Sc. Nat. Paris, Ser. III. xii. t. 13 (1849).
Salzmannii Naud.
Ann. Sc. Nat. Paris, Ser. III. xii. t. 13 (1849).

DICRANOGLOSSUM J. Sm.: *Eschatogramme*
furcatum J. Sm.
J. Smith, Ferns, Brit. & Foreign, 91 (1866); Ed. 2, p. 91 (1879).
Pflanzenfam. i. IV. 304 (1899).
subpinnatifidum T. Moore
T. Moore, Index Fil. Gen. & Spec. t. 20 [1857–62].

DICRANOLEPIS Planch.
cerasifera Gilg
Pflanzenfam. iii. VI. A. 229 (1894).—*Fr.*
Engl. Jahrb. xviii. 495 (1894).—*Fr.*
Engler & Drude, Veget. Erde, ix. 1. 2, p. 634 (1910).—*Fr.*
convallariodora Gilg
Engl. Jahrb. xviii. 495 (1894).
Pflanzenfam. iii. VI. A. 229 (1894).
Engler & Drude, Veget. Erde, ix. 1. 2, p. 634 (1910).
disticha Planch.
Hook. Ic. Pl. viii. t. 798 (1848).
Hooker, Niger Fl. t. 48 (1849).
grandiflora Engl.
Engl. Jahrb. xviii. 495 (1894).—*Fl.*
Pflanzenfam. iii. VI. A. 229 (1894).—*Fl.*
Engler & Drude, Veget. Erde, ix. 1. 2, p. 634 (1910).—*Fl.*
Thonneri De Wild. & Dur.
De Wildeman & Durand, Pl. Thonn. Congol. t. 10 (1900).
usambarica Gilg
Engler, Pflanzenw. Ost-Afr. Teil C, t. 32 (1895).

DICRANOPTERIS Bernh.: *Gleichenia*
bifida Maxon
!Contrib. U.S. Nat. Herb. xvi. t. 29 (1912).
Goldman in Smithson. Misc. Coll. lxix. No. 5, t. 15 (1920).—*Hab.*
dichotoma Bernh.
Neues Journ. f. die Bot. i. II. t. 3 (1806).
dolosa Copel.
Perkins, Fragm. Fl. Philipp. fasc. 3, t. 4 (1904).

DICRANOSTACHYS Tréc.: *Myrianthus*
serrata Tréc.
Ann. Sc. Nat. Paris, Ser. III. viii. t. 1, fig. 1–8 (1847).

DICRANOSTIGMA Hook. f. & Thoms.: *Stylophorum*
Franchetianum Fedde
Pflanzenreich Papaverac. 205 (1909).—*Fl.*
lactucoides Hook. f. & Thoms.
Pflanzenreich, Papaverac. 205 (1909).—*Fr.*

DICRANOSTYLES Benth.
densa Spruce
Mart. Fl. Bras. vii. t. 118 (1869).
scandens Benth.
Mart. Fl. Bras. vii. t. 118 (1869).

DICRANOTAENIA Finet
dahomeensis Finet
Bull. Soc. Bot. France, liv. Mém. ix. t. 9, fig. 28–38 (1907).—*Fl.*

DICRASTYLIS Drumm.
Carnegiei Hemsl.
Hook. Ic. Pl. xxvi. t. 2582 (1899).
Costelloi F. M. Bailey
Trans. & Proc. Roy. Soc. S. Australia, xli. t. 42 (1917).
fulva Drumm.
Engl. Jahrb. xxxv. 500 (1904).
Engler & Drude, Veget. Erde, vii. 279 (1906).
Stoechas Drumm.
Engl. Jahrb. xxxv. 500 (1904).
Engler & Drude, Veget. Erde, vii. 279 (1906).
verticillata Black
Trans. & Proc. Roy. Soc. S. Australia, xlii. t. 7 (1918).
Weddii F. M. Bailey
F. M. Bailey, Compr. Cat. Queensl. Pl. 383 (1909–13).

DICRAURUS Hook. f.
leptocladus Hook. f.
Hook. Ic. Pl. xxiii. t. 2227 (1892).
Urban & Graebn. Festschr. Aschers. 416 (1904). —*Fl.*

DICRYPTA Lindl.: *Maxillaria*
Baueri Lindl.
*Bauer & Lindl. Ill. Orch. Pl. Genera, t. 5 (1830–38).—*Fl.*
Mutel in Mém. Soc. Mus. Hist. Nat. Strasbourg, iii. 1. t. 4, fig. 24 (1840).—*Fl.*
*Beer, Beitr. Morph. u. Biol. Orch. t. 4, fig. 56; t. 6, fig. 5 (1863).—*Fr.*
Barbosa Rodrigues, Struct. Orch. t. 10, fig. 4 (1883).—*Fr.*
densifolia Poepp. & Endl.
Poeppig & Endl. Nov. Gren. & Sp. Pl. i. t. 68 (1835).
glaucescens Hort.
*Beer, Beitr. Morph. u. Biol. Orch. t. 3, fig. 19, 59; t. 6, fig. 21 (1863).—*Fr.*
irisphyta Barb. Rodr.
Barbosa Rodrigues, Struct. Orch. t. 10, fig. 5 (1883).—*Fr.*

DICTAMNUS Linn.—Vide *Fraxinella*
albus Linn.
*Kniphof, Herb. Viv. i. t. 368 (1758).
Garsault, Descr. Pl. & Anim. Mat. Med. Paris, i. t. 14 (1767); fide Thellung.
*Regnault, Bot. ii. 115 (1774).
Buchoz, Hist. Règne Vég. xi. Dec. 1, t. 6 (1775).
*Jacquin, Fl. Austr. v. t. 428 (1778).
*Bergius, Mat. Med. i. 348, t. 436 (1778).
*Zorn, Ic. Pl. Med. v. t. 436 (1784).
*Joh. Kerner, Abbild. Oek. Pfl. (Fig. Pl. Écon.), i. t. 73 (1786).
Hoppe, Ect. Pl. Ratisb. t. 51 (1787).

DICTAMNUS
albus
Martyn, Pl. Expl. Linn. Syst. Veg. t. 16 (1788). —*Fl.*
*Plenck, Ic. Pl. Med. iv. t. 325 (1791).
*Woodville, Med. Bot. ii. t. 116 (1792), Ed. 3, iii. t. 166 (1832).
C. K. Sprengel, Entd. Geheimn. Natur, t. 14, fig. 1 (1793).—*Fl.*
Lamarck, Ill. ii. t. 344, fig. 1 (1797).
*Sturm, Deutschl. Fl. ii. VI [t. 87] (1799).
*Vietz, Ic. Pl. Med.-oec.-techn. i. t. 75 (1800).
*Oskamp, Afb. Artseny-Gewass. v. t. 487 (1800).
*McDonald, Dict. Pract. Gard. i. t. 22 (1807).
*Roques, Pl. Usuell. Indig. & Exot. i. t. 46 (1807).
*Jaume St.-Hilaire, Pl. France, ii [t. 28] (1808).
*Schkuhr, Bot. Handb. Ed. 2, t. 114 (1808).
*S. Edwards, New Bot. Gard. i. t. 22 (1812).
*Chaumeton, Fl. Méd. iii. t. 171 (1816).
*Hayne, Getreue Darst. Arzn. Gewächse, vi. t. 7 (1819).
*Sterler, Eur. Med. Fl. t. 22 (1820).
*Mann, Deutschl. Wildwachs. Arzney-Pfl. [t. 57] (1823–28).
Linnaea, i. t. 7 (1826).—*Fl.*
*Nees, Pl. Offic. ii. t. 379 (1828).
*Zenker, Fl. Thüringen, iii. t. 282 (1836–55).
!Proc. Hort. Soc. London, 37 (1838).—*Fl.*
*Dietrich, Fl. Boruss. xii. t. 823 (1844).
Duchesne, Pl. Util. t. 88 (1846).
*Cassone, Fl. Med.-Farm. ii. t. 104 (1847).
Lindley, Med. & Oecon. Bot. 112 (1849).—*Fr.*
Payer, Organog. Comp. Fl. t. 21 (1857).—*Fl.*
Berg, Charakt. t. 76, fig. 551 (1861) in textu; *D. Fraxinella* in ic.
Decaisne & Naud. Amat. Jard. ii. 377 [1862–66].
*Artus, Atlas Pharm. Deutschl. Aufg. Offic. Gew. t. 53 [1862–74].
*Schubert, Naturg., Pflanzenreich, Ed. 2, t. 21, fig. 6 [1865].
Le Maout & Decaisne, Traité Gén. Bot. 361 (1868).
*Cusin & Ansberque, Herb. Fl. Franç. v. t. 898 (1869).
*Réveil, Règne Vég. viii. t. 46 (1870).
Decaisne, Naud. & Hemsl. Handb. Trees, Shrubs & Herb. Pl. 96 (1873).
Flora, lvii. t. 3 (1874).
*C. Hoffmann, Pflanzenatlas, t. 33, fig. 200 (1881).
Wagner, Ill. Deutsche Fl. Ed. 2, p. 153 (1882).
Schilling, Grundr. Naturg. ii. Pflanzenr. Ausgb. A, p. 24 (1882); Ausgb. B, p. 31 (1884).—*Veg.*
Nicholson, Illustr. Dict. Gard. i. 468 [1884–88].
*Thomé, Fl. Deutschl. iii. t. 323 (1888).
Pflanzenfam. ii. 1. 147 (1889).—*Fl.*
Dujard.-Beaumetz & Égasse, Pl. Méd. 295 (1889). —*Veg.*
Paolucci, Fl. Marchig. t. 37 (1890).—*Fr.*
Wien. Ill. Gart.-Zeit. xv. 243 (1890).—*Hab.*
G. Beck, Fl. Nied.-Oesterr. ii. 1. 578 (1892).—*Fl.*
Brehm, Merv. Nat. Monde des Pl. i. 322 (1894–96).
Garcke, Ill. Fl. Deutschl. 123 (1895).
*Useful Pl. Jap. iii. t. 781 (1895).
*Bois, Atlas Pl. Jard. t. 64 (1896).
*Step, Fav. Fl. Gard. & Greenh. i. t. 61 (1896).
Pflanzenfam. iii. IV. 134 (1896).—*Fl.*
Knuth, Handb. Blütenbiol. ii. 1. 250 (1898). —*Fl.*
L. H. Bailey, Cycl. Amer. Hort. 480 (1900). —*Hab.*
Coste, Fl. France, i. 270 (1901).
Fiori & Paol. Ic. Fl. Ital. 298 (1901).
*Penzig, Fl. Litt. Méditerr. t. 24 (1902).
*Masclef, Pl. Eur. t. 46 (1905).
Lazaro, Comp. Fl. Españ. ii. 207 (1907).
Graebner, Pflanzenw. Deutschl. 41 (1909).
Fedtschenko & Fler. Fl. Eur. Russia, 605 (1910).
*Bonnier, Fl. Compl. France, Suisse & Belge, ii. t. 112 [1912].
*Gatin, Fl. des Bois, t. 77 (1913).
Cadevall & Sallent, Fl. Catalunya, i. 406 (1915).
Hayek, Pflanzend. Oesterr.-Ung. i. t. 57 (1916). —*Hab.*
Mayevsky, Fl. Central Russia, 126 (1918).
Basu, Ind. Med. Pl. t. 183 (1918).
Garden, lxxxiii. 139 (1919).—*Hab.*

DICTAMNUS
albus purpureus Hort.
Crisp, Guide Friar Park, 177 (1914).
angustifolius G. Don
*Sweet, Brit. Fl. Gard. iv. t. 93 (1831).
*J. W. Loudon, Ladies' Fl.-Gard. Ornam. Perenn. i. t. 33 (1843).
Calodendrum Poir.
Lamarck, Ill. ii. t. 344, fig. 2 (1797).—*Fl.*
caucasicus Hort.
Rev. Hort. Belge, xxxii. 253 (1906).
Fraxinella Pers.
Mém. Mus. Hist. Nat. Paris, xii. 542, t. 18 (1825).—*Fl.*
!Turpin, Œuvres Hist. Nat. Goethe, Atlas, t. 4 (1837).—*Fl.*
*Reichenbach, Ic. Fl. Germ. v. t. 159 (1841).
*Lorek, Fl. Pruss. Ed. 3, t. 103, fig. 552 (1848).
*Petermann, Deutschl. Fl. t. 18, fig. 136 (1849).—*Fl.*
Agardh, Theor. Syst. Pl. t. 18 (1858).—*Fl.*
Berg, Charakt. t. 76, fig. 551 (1861), in ic.; *D. albus* in textu.
*Argenta, Album Fl. Med.-Farm. i. t. 80 (1862).
!Morière in Bull. Soc. Linn. Normandie, viii. 1862–63, t. 16 (1864).—*Fl.*
*Weber, Alp.-Pfl. Ed. 2, ii. t. 105 (1872).
*Baillon, Dict. Bot. iv. t. [14] (1878).
Rev. Hort. Belge, vii. 249 (1881).—*Hab.*
Willkomm, Führ. Reich Pflanzen, 743 (1882).—*Fr.*
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xxi. t. 2092 (1885).
!Rhein. Jahrb. Gartenk. & Bot. iii. 177 (1886).
*Garden, xxxv. 458 (1889).
Acloque, Fl. France, 179 (1894).
Taliew in Trav. Soc. Nat. Univ. Kharkow, xxx. t. 3 (1896).—*Fl.*
Jardin, x. 187 (1896).—*Hab.*
Lochman, Phot. Med. Pl. t. 97 (1898).
Gard. Chron. Ser. III. xxxiv. 409 (1903).—*Hab.*
Bull. Arboricult. Belg. 1905, p. 131.
Beille, Bot. Pharm. ii. 572 (1909).
Silva Tarouca, Freiland-Stauden, 86 (1910).—*Hab.*
Rev. Hort. 1913, p. 449.—*Hab.*
Horticulture (Boston), xix. 327 (1914).—*Hab.*
generalis E. H. L. Krause
*Sturm, Fl. Deutschl. Ed. 2, vii. t. 16 (1902).
giganteus Hort.
Silva Tarouca, Freiland-Stauden, 87 (1910).—*Hab.*
himalayanus Royle
*Royle, Illustr. Bot. Himal. t. 29 (1839).
hispanicus Webb
Cadevall & Sallent, Fl. Catalunya, i. 407 (1915).
obtusiflorus Koch
*Reichenbach, Ic. Fl. Germ. v. t. 159 (1841).

DICTYANTHUS Decne.—Vide *Tympananthe*
campanulatus Reichb.
Gard. Comp. 1852, p. 21.
Cottage Gard. viii. 236 (1852).
Journ. Hort. xxviii. 414 (1862).
Pavonii Decne.
*Fl. des Serres, Ser. I. viii. t. 770, p. 82, t. 6 (1852–53).
*Bot. Mag. lxxix. t. 4750 (1853).
*Gartenfl. vi. t. 187 (1857).
Pflanzenfam. iv. II. 301 (1895).—*Fl.*
stapelliiflorus Reichb.
*Gartenfl. vi. t. 187 (1857).

DICTYMIA J. Sm.: *Polypodium*
attenuata J. Sm.
Moore & Ayres, Mag. Bot. iii. 62, vide 91, 92 (1851).
J. Smith, Ferns Brit. & Foreign, 88 (1866); Ed. 2, p. 88 (1879).

DICTYOCARPUS Wight: *Sida*
truncatus Wight
Wight in Madras Journ. v. t. 19 (1837).

DICTYOCARYUM H. Wendl.: *Iriartea*
Wallisii Wendl.
Gartenfl. xxv. t. 860 (1876); xxix. t. 1022 (1880).

DICTYOCHLOA G. Camus
involucrata G. Camus
*Act. Congr. Internat. Bot. Paris, t. 13 (1900).

DICTYOCLINE T. Moore: *Aspidium*
Griffithii T. Moore
T. Moore, Index Fil. Gen. & Spec. t. 46 [1857–62].
Beddome, Ferns Brit. Ind. t. 155 (1865–70).
Wilfordii J. Sm.
J. Smith, Ferns Brit. & Foreign, Ed. 2, p. 303 (1879).

DICTYOGLOSSUM J. Sm.: *Elaphoglossum*
crinitum J. Sm.
Moore & Ayres, Mag. Bot. iii. 132 (1851).

DICTYOGRAMME Fée: *Coniogramme*
japonica Fée
Fée, Mém. Foug. v. t. 15 (1850–52).
T. Moore, Index Fil. Gen. & Spec. t. 47 [1857–62].
J. Smith, Ferns Brit. & Foreign, 128 (1866); Ed. 2, p. 128 (1879).
Garden, vii. 479 (1875); xviii. 299 (1880).—*Hab.*
—— **variegata** Hort.
Florist, 1876, p. 3.

DICTYOLOMA A. Juss.—Vide *Benjamina*
incanescens DC.
Baillon, Hist. Pl. iv. 411 (1873).—*Fl.*
Mart. Fl. Bras. xii. II. t. 40 (1874).
Pflanzenfam. iii. IV. 169 (1896).
Vandellianum A. Juss.
Mém. Mus. Hist. Nat. Paris, xii. 542, t. 24 (1825).

DICTYOPSIS Harv.: *Behnia*
Thunbergii Harv.
*Bot. Mag. xciii. t. 5638 (1867).

DICTYOPTERIS Presl: *Aspidium*
attenuata Presl
Presl, Tent. Pteridogr. t. 8 (1836).
*Hooker, Gen. Fil. t. 71 (1842).
T. Moore, Index Fil. Gen. & Spec. t. 57 [1857–62].
Conzatti in Mem. y Rev. Soc. 'Antonio Alzate', xxv. 159 (1907).
Barberi Hook.
Beddome, Ferns Brit. Ind. t. 322 (1865–70).
Beddome, Handb. Ferns Brit. Ind. 299 (1883).
chattagramica Clarke
Beddome, Handb. Ferns Brit. Ind. 300 (1883).
difforme T. Moore
Beddome, Ferns Brit. Ind. t. 77 (1865–70), vide Correct. Nomencl.
Beddome, Handb. Ferns Brit. Ind. 301 (1883).
irregularis Presl
Presl, Tent. Pteridogr. t. 8 (1836).
Beddome, Ferns Brit. Ind. t. 77 (1865–70); errore *D. difforme.*
J. Smith, Ferns Brit. & Foreign, 135 (1866); Ed. 2, p. 135 (1879).
Garden, lv. 111 (1899).—*Hab.*
labrusca ternata van Rosenb.
Bull. Dépt. Agric. Indes Néerl. xviii. t. 1 (1908).
macrodonta Presl
Fée, Mém. Foug. v. t. 21 (1850–52).
pteroides Presl
Presl, Tent. Pteridogr. t. 8 (1836).
Fée, Mém. Foug. v. t. 21 (1850–52).
tenerifrons Hook.
Beddome, Ferns Brit. Ind. t. 4 (1865–70).

DICTYOSPERMA H. Wendl. & Drude
album H. Wendl. & Drude
Ann. Jard. Bot. Buitenzorg, i. t. 24, 25 (1876).
Tribune Hort. iv. t. 142 (1909).—*Hab.*
Bull. Agric. Congo Belge, ii. 551 (1911); iv. 114 (1913).—*Hab.*
Gatin, Palm. 292 (1912).
Zurawska in Bull. Internat. Acad. Sc. Cracovie, t. 51, 53 (1912).
Queensland Agric. Journ. xxx. t. 47 (1913).—*Hab.*
Rev. Hort. Belge, xl. 11 (1914).—*Hab.*
Rock, Orn. Trees Hawaii, t. 21 (1917).—*Hab.*

DICTYOSPERMA
album aureum Balf. f.
Journ. Bombay Nat. Hist. Soc. xxiii. 741 (1915).—*Hab.*
rubrum H. Wendl. & Drude
Dammer, Palmenzucht u. Palmenpflege, 84 (1897).

DICTYOSPERMUM Wight: *Aneilema*
montanum Wight
Wight, Ic. Pl. Ind. Or. vi. t. 2069 (1853).
ovalifolium Wight
Wight, Ic. Pl. Ind. Or. vi. t. 2070 (1853).
protensum Wight
Wight, Ic. Pl. Ind. Or. vi. t. 2071 (1853).

DICTYOSTEGA Miers
campanulata Karst.
Nov. Act. Acad. Nat. Cur. xxvi. II. t. 62 (1858).
orobanchioides Miers
Trans. Linn. Soc. London, xviii. t. 37, 38 (1841).
Lindley, Veg. Kingd. 171 (1846).
Pringsh. Jahrb. Bot. xx. t. 19, fig. 4 (1889).
Pflanzenfam. ii. VI. 49 (1889).—*Fl.*
pectinata Karst.
Nov. Act. Acad. Nat. Cur. xxvi. II. t. 62 (1858).
umbellata Miers
Trans. Linn. Soc. London, xviii. t. 37 (1841).
Warming in Overs. Danske Vidensk. Selsk. Forhandl. No. 6, p. 186 (1901).—*Fl.*

DICTYOXIPHIUM Hook.
panamense Hook.
*Hooker, Gen. Fil. t. 62 (1842).
Fée, Mém. Foug. i. t. 2, fig. 18 (1844).
Moore & Ayres, Mag. Bot. iii. 323 (1851).
Mettenius in Abh. Senckenb. Nat. Ges. ii. t. 16 (1856–58).
T. Moore, Index Fil. Gen. & Spec. t. 23 [1857–62].
*Lowe, Ferns, viii. t. 69 (1860).
J. Smith, Ferns, Brit. & Foreign, 133 (1866); Ed. 2, p. 133 (1879).
Journ. Hort. xlvii. 361 (1872).
J. Smith, Hist. Fil. t. 10 (1875).
Shimek in Bull. Labor. Nat. Hist. Iowa, iv. No. 2, t. 10 (1897).
Pflanzenfam. i. IV. 220 (1899).

DICYMBE Spruce
corymbosa Spruce
Trans. Linn. Soc. London, xxv. t. 38 (1865).
Mart. Fl. Bras. xv. II. t. 18 (1870).
Pflanzenfam. iii. III. 179 (1892).—*Fl.*

DICYPELLIUM Nees
caryophyllatum Nees
Mart. Fl. Bras. v. II. t. 102 (1866).
Jahrb. Bot. Gart. Berlin, v. t. 2, fig. 17; t. 3, fig. 57 (1889).—*Fl.*

DICYRTA Regel: *Achimenes*
parviflora Seem.
Seemann, Bot. Voy. Herald, t. 69 (1856).
Warczewicziana Regel
Linnaea, xxvi. t. 1, fig. 7 (1853–55).—*Fl.*

DIDACTYLE Lindl.: *Bulbophyllum*
antennifera Lindl.
Barbosa Rodrigues, Struct. Orch. t. 4, fig. 14 (1883).—*Fr.*
micropetala Barb. Rodr.
Barbosa Rodrigues, Struct. Orch. t. 4, fig. 12 (1883).—*Fr.*

DIDELOTIA Baill.
africana Baill.
Baillon in Adans. v. t. 8 (1864–65).
Bertin, Mission Forest. Col. iii. t. 20 (1919).—*Hab.*

DIDELTA L'Hérit.—Vide *Distegia, Favonium*
capensis Lam.
Lamarck, Ill. iv. t. 705 (1797–1819).
spinosa L'Hér.
*Wendland, Bot. Beob. t. 4, fig. 32 (1798).—*Fl.*
tetragoniifolia L'Hér.
*L'Héritier, Stirp. t. 28 (1786).
tomentosum Less.
Pflanzenfam. iv. V. 310 (1892).—*Fl.*

DIDELTA
tomentosum
Engler & Drude, Veget. Erde, ix. 1. 2, p. 520 (1910).

DIDESMANDRA Stapf
aspera Stapf
Hook. Ic. Pl. xxvii. t. 2646 (1900).

DIDESMUS Desv.: *Rapistrum*
aegyptius Desv.
Delessert, Ic. Pl. ii. t. 92 (1823).
Lindley, Veg. Kingd. 355 (1846).—*Fr.*
Pflanzenreich, Crucif.-Brass. 12, 263 (1919).
—— **oblongifolius** DC.
Pflanzenreich, Crucif.-Brass. 263 (1919).
—— **pinnata** Jaub. & Spach
Jaubert & Spach, Illustr. Pl. Or. v. t. 436 (1853–57).
tenuifolius DC.
Post, Fl. Syria, Palestine & Sinai, 102 [1896]. —*Fr.*

DIDICIEA King & Pantling
Cunninghamii King & Prain
*Ann. Bot. Gard. Calcutta, viii. t. 50 (1898).

DIDIEREA Baill.—Vide *Alluaudia*
ascendens Drake
Pflanzenfam. Nachtr. 3 z. iii. 210 (1907).—*Fl.*
madagascariensis Baill.
Grandidier, Hist. Madag. [Plantes] Atlas, t. 261, 262 (1894).
Bull. Mus. Hist. Nat. Paris, i. 216 (1895).
mirabilis Baill.
Grandidier, Hist. Madag. [Plantes] Atlas, t. 262 a–262 d (1895).
Bull. Mus. Hist. Nat. Paris, i. 217 (1895).
Kew Bull. 1898, p. 98.—*Hab.*
Gard. Chron. Ser. III. xxiii. 110 (1898).—*Hab.*
Journ. de Bot. xvii. 247 (1903).—*Fr.*
Pflanzenfam. Nachtr. 3 z. iii. 210 (1907).—*Fl.*
Rev. Hort. 1907, p. 493.—*Hab.*
Poisson, Rech. Fl. Mérid. Madag. 82 (1912).

DIDIPLIS Rafin.: *Peplis*
diandra Wood
Britton & Brown, Ill. Fl. N. States & Canada, ii. 470 (1897); Ed. 2, ii. 579 (1913).

DIDISCUS DC.—Vide *Trachymene*
caeruleus DC.
*Bot. Mag. lv. t. 2875 (1828).
*Nees & Sinning, Sammlung schönblüh. Gew. t. 70 (1831).
*Fritzsche in Mém. Acad. Sc. Pétersb. Div. Sav. iii. t. 5, fig. 7 (1837).—*Fl.*
*Orbigny, Dict. Hist. Nat., Atlas, iii. t. 310 [1839–49].
*J. W. Loudon, Ladies' Fl.-Gard. Ornam. Annuals, t. 7 (1844).
Gartenfl. xxix. 377 (1880).
W. Robinson, Engl. Fl. Gard. t. 98 (1883).
cyaneus DC.
De Candolle, Ombéllif. (Coll. Mém. v), t. 4 (1829).
humilis Hook. f.
Hook. Ic. Pl. iv. t. 304 (1841).
pilosus Benth.
Hook. Ic. Pl. iv. t. 307 (1841).
procumbens F. Muell.
Banks & Soland. Bot. Cook's Voy. ii. t. 132 (1901).

DIDISSANDRA C. B. Clarke
elegantissima Léveillé & Vaniot
Léveillé, Cat. Ill. Pl. Seu Tchouen, t. 40 (1918).
frutescens C. B. Clarke
A. & C. De Candolle, Monogr. Phan. v. 1. t. 7 (1883).
lanuginosa C. B. Clarke
Gard. Chron. Ser. III. lx. 205 (1916).—*Hab.*
longipes Hemsl.
Hook. Ic. Pl. xxiv. t. 2379 (1895).
ornata C. B. Clarke
A. & C. De Candolle, Monogr. Phan. v. 1. t. 8 (1883).
rufa King
Hook. Ic. Pl. xv. t. 1437 (1883).
saxatilis Hemsl.
Léveilleé, Cat. Pl. Yunnan, 124 (1915–16).

DIDISSANDRA
sesquifolia C. B. Clarke
Hook. Ic. Pl. xviii. t. 1797 (1888).

DIDYMAEA Hook. f.
mexicana Hook. f.
Hook. Ic. Pl. xiii. t. 1271 (1878).
Ramirez, Mat. Med. Mexic. iv. 46 (1907).

DIDYMANTHUS Endl.
Roei Endl.
Endlicher, Ic. Gen. Pl. t. 100 (1838).
Baillon, Hist. Pl. ix. 138 (1887).—*Fl.*
F. Mueller, Ic. Austral. Salsolac. t. 60 (1890).
Pflanzenfam. iii. 1. a. 71 (1893).

DIDYMELES Thou.
excelsa Baill.
Grandidier, Hist. Madag. [Plantes] Atlas, t. 308 a (1897).
madagascariensis Willd.
Du Petit-Thouars, Hist. Vég. Isles France, i. t. 3 (1804); fide Wildenow.
Du Petit-Thouars, Hist. Vég. Isles Australes d'Afrique, i. t. 3 (1805); fide Wildenow.

DIDYMIA Phil.
cyperomorpha Phil.
Engl. Jahrb. viii. t. 1 (1887).

DIDYMOCARPUS Wall.—Vide *Chirita, Gonatostemon, Liebigia, Roettlera, Rottlera* Roem. & Sch.
acuminata R. Br.
C. B. Clarke, Comm. & Cyrt. Beng. t. 58 (1874).
Andersoni C. B. Clarke
C. B. Clarke, Comm. & Cyrt. Beng. t. 62 (1874).
aromatica Wall.
*Wallich, Pl. Asiat. Rar. ii. t. 141 (1831).
C. B. Clarke, Comm. & Cyrt. Beng. t. 57 (1874).
aromatica Griff.
Griffith, Ic. Pl. Asiat. t. 440 (1854).—*Fl.*
aurantiaca C. B. Clarke
*C. B. Clarke, Comm. & Cyrt. Beng. t. 60 (1874).
Burkei W. W. Sm.
Notes Roy. Bot. Gard. Edinb. v. t. 103 (1912).
cordata Wall.
A. & C. De Candolle, Monogr. Phan. v. 1. t. 9 (1883).
crinita Jack
Trans. Linn. Soc. London, xiv. t. 2 (1825).—*Fl.*
Calcutta Journ. Nat. Hist. iv. t. 15 (1844).—*Fl.*
*Fl. des Serres, Ser. I. vi. t. 631 (1850–51).
Cottage Gard. vi. 252 (1851).
*Bot. Mag. lxxvii. t. 4554 (1851).
*Lem. Jard. Fl. i. t. 87 (1851).
cyanus Ridl.
*Bot. Mag. cxxxiv. t. 8204 (1908).
*Rev. Hort. 1911, p. 448.
elatior Prain
Ann. Bot. Gard. Calcutta, ix. t. 68 (1901).
gracilipes C. B. Clarke
A. & C. De Candolle, Monogr. Phan. v. 1. t. 11 (1883).
Griffithii Wight
*Wight, Illustr. Ind. Bot. ii. t. 159 (1850).
Hookeri C. B. Clarke
C. B. Clarke, Comm. & Cyrt. Beng. t. 54 (1874).
Humboldtiana Gardn.
*Bot. Mag. lxxix. t. 4757 (1853).
*Fl. des Serres, Ser. I. ix. t. 916 (1853–54).
Cottage Gard. xi. 313 (1854).
kamerunensis Engl.
Engl. Jahrb. xviii. t. 4, 5 (1893).
Kompsoboea C. B. Clarke
A. & C. De Candolle, Monogr. Phan. v. 1. t. 10 (1883).
Kurzii C. B. Clarke
C. B. Clarke, Comm. & Cyrt. Beng. t. 66 (1874).
lacunosa Hook. f.
*Bot. Mag. cxviii. t. 7236 (1892).
Gard. Chron. Ser. III. xiv. 211 (1893).
Journ. Roy. Hort. Soc. London, xvi. Proc. p. clviii. (1894).
lanuginosa Wight
C. B. Clarke, Comm. & Cyrt. Beng. t. 67 (1874).
lyrata Wight
Wight, Ic. Pl. Ind. Or. iv. t. 1350 (1848).
macrophylla Wall.
*Royle, Illustr. Bot. Himal. t. 70 (1839).

DIDYMOCARPUS
macrophylla Hook. f. & Thoms.
C. B. Clarke, Comm. & Cyrt. Beng. t. 63 (1874).
madagascarica C. B. Clarke
A. & C. De Candolle, Monogr. Phan. v. 1. t. 12 (1883).
malayanus Hook. f.
Gard. Chron. Ser. III. xx. 123 (1896).
*Bot. Mag. cxxiii. t. 7526 (1897).
Gartenfl. xlvi. 582 (1897).
Wien. Ill. Gart.-Zeit. xxii. 103 (1897).
Margaritae W. W. Sm.
Notes Roy. Bot. Gard. Edinb. v. t. 105 (1912).
membranacea Bedd.
Beddome, Ic. Pl. Ind. Or. t. 176 (1874).
mengtze W. W. Sm.
Notes Roy. Bot. Gard. Edinb. v. t. 106 (1912).
Mortonii C. B. Clarke
C. B. Clarke, Comm. & Cyrt. Beng. t. 65 (1874).
oblonga Wall.
*Wallich, Pl. Asiat. Rar. ii. t. 140 (1831).
Griffith, Ic. Pl. Asiat. t. 440 (1854).—*Fl.*
C. B. Clarke, Comm. & Cyrt. Beng. t. 56 (1874).
obtusa Wall.
C. B. Clarke, Comm. & Cyrt. Beng. t. 61 (1874).
ovalifolia Wight
Wight, Ic. Pl. Ind. Or. iv. t. 1351 (1848).
*Wight, Illustr. Ind. Bot. ii. t. 142 (1850).—*Fl.*
pectinata C. B. Clarke
Hook. Ic. Pl. xxiii. t. 2246 (1892).
pedicellata R. Br.
C. B. Clarke, Comm. & Cyrt. Beng. t. 64 (1874).
Polyanthus Veitch
Wien. Ill. Gart.-Zeit. x. 128 (1885).—*Hab.*
Gartenfl. xxxv. 503 (1886).
primulifolia Gardn.
*Bot. Mag. lxxxvi. t. 5161 (1860).
primuloides Maxim.
Yatabe, Ic. Fl. Jap. i. III. t. 46 (1893).
punduana Wall.
C. B. Clarke, Comm. & Cyrt. Beng. t. 53 (1874).
purpureo-bracteata W. W. Sm.
Notes Roy. Bot. Gard. Edinb. v. t. 107 (1912).
repens Bedd.
Beddome, Ic. Pl. Ind. Or. t. 120 (1874).
Rexii Bowie
*Hooker, Exot. Fl. iii. t. 227 (1827).
*Lodd. Bot. Cab. xiv. t. 1305 (1828).
*Bot. Mag. lvii. t. 3005 (1830).
Gartenfl. xxx. 376 (1881).—*Hab.*
Wien. Ill. Gart.-Zeit. x. 129 (1885).
Rottleriana Wall.
Wight, Ic. Pl. Ind. Or. iv. t. 1348 (1848).
silvarum W. W. Sm.
Notes Roy. Bot. Gard. Edinb. v. t. 104 (1912).
stenanthos C. B. Clarke
Hook. Ic. Pl. xviii. t. 1799 (1888).
subalternans C. B. Clarke
C. B. Clarke, Comm. & Cyrt. Beng. t. 55 (1874).
tomentosa Wight
Wight, Ic. Pl. Ind. Or. iv. t. 1349 (1848).
*Wight, Illustr. Ind. Bot. ii. t. 159 bis (1850).—*Fl.*
*Wight, Spicil. Neilgherr. ii. t. 168 (1851).
Fyson, Fl. Nilgiri & Pulney Hill-tops, ii. 205 (1915).
villosa C. B. Clarke
*C. B. Clarke, Comm. & Cyrt. Beng. t. 59 (1874).

DIDYMOCHITON Bl.: *Dysoxylum*
nutans Bl.
Mém. Mus. Hist. Nat. Paris, xix. 304, t. 16 (1830).—*Fl.*
Richii A. Gray
A. Gray, U.S. Expl. Exp. Bot. Atlas, i. t. 20 (1857).

DIDYMOCHLAENA Desv.
dimidiata Kunze
*Kunze, Farrnkr. t. 84 (1840–47).
Ettingshausen, Farnkr. t. 129, 142 (1865).
lunulata Desv.
T. Moore, Index Fil. Gen. & Spec. t. 43 [1857–62].
*Hooker, Garden Ferns, t. 17 (1862).
Beddome, Ferns Brit. Ind. t. 15 (1865–70).
Ettingshausen, Farnkr. t. 135 (1865).

DIDYMOCHLAENA
lunulata
J. Smith, Ferns Brit. & Foreign, 166 (1866); Ed. 2, p. 166 (1879).
Mart. Fl. Bras. i. II. t. 29, 45 (1870).
Beddome, Handb. Ferns Brit. Ind. 200 (1883).
Sim, Ferns S. Africa, t. 88 (1892).
Schneider, Book Choice Ferns, ii. 193 (1893).
Pflanzenfam. i. IV. 182 (1899).
Nicholson, '1900' Suppl. Dict. Gard. 322 (1900).
Conzatti in Mem. y Rev. Soc. 'Antonio Alzate', xxv. 127 (1907).
Engler & Drude, Veget. Erde, ix. II. 13 (1908).
Rovirosa, Pteridogr. Mexico, t. 31 (1909).
L. H. Bailey, Stand. Cycl. Hort. 1005 (1914). —*Veg.*
Goebel, Organogr. Pfl. ii. 1153 (1915–18).
sinuosa Desv.
Desvaux in Mag. Ges. Naturf. Freunde Berlin, v. t. 7, fig. 6, 6 a (1811).
Journ. de Bot. Appl. (Desvaux), i. t. 2 (1813).
Freycinet, Voyage, t. 12 (1826).
*Martius, Crypt. Bras. t. 28 (1828–34).—*Hab.*
Presl, Tent. Pteridogr. t. 2 (1836).
*Hooker, Gen. Fil. t. 8 (1842).
Payer, Bot. Crypt. 191 (1850).—*Fr.*
Ettingshausen, Farnkr. t. 135 (1865).
Bull. Soc. Bot. Belg. v. t. 4, fig. 4 (1866).
truncatula J. Sm.
Moore & Ayres, Mag. Bot. iii. 321 (1851).
*Lowe, Ferns, vi. t. 4 (1857).
Sim, Ferns S. Africa, Ed. 2, t. 24 (1915).

DIDYMOCHLAMYS Hook. f.
Connellii N. E. Br.
Trans. Linn. Soc. London, Ser. II. Bot. vi. t. 5 (1901).
Whitei Hook. f.
Hook. Ic. Pl. xii. t. 1122 (1872).
Pflanzenfam. iv. IV. 62 (1891).

DIDYMODOXA E. Mey.: *Australina*
debilis E. Mey.
Arch. Mus. Hist. Nat. Paris, ix. t. 20 B (1856–57).

DIDYMOGLOSSUM Desv.: *Trichomanes*
angustifrons Fée
Fée, Mém. Foug. xi. t. 28 (1866).
capillatum Presl
Bosch in Verh. Akad. Wet. ix. t. 28 (1861).
cordifolium Fée
Fée, Mém. Foug. xi. t. 28 (1866).
decipiens Desv.
Mém. Soc. Linn. Paris, ii. t. 7, fig. 3 (1827).
Filicula Desv.
Presl in Abh. Böhm. Ges. Wiss. Folge 5, iii. t. 8 A (1845).
Bosch in Verh. Akad. Wet. ix. t. 26 (1861).
fructuosum Fée
Fée, Mém. Foug. xi. t. 28 (1866).
laceratum Fée
Fée, Mém. Foug. xi. t. 32 (1866).
laxum Bosch
Bosch in Verh. Akad. Wet. ix. t. 27 (1861).
quercifolium Presl
Fée, Crypt. Vasc. Brésil, i. t. 71 (1869).
sociale Fée
Fée, Crypt. Vasc. Brésil, ii. t. 85 (1872–73).—*Hab.*

DIDYMONEMA Presl: *Gahnia*
filifolia Presl
Presl, Symbolae Bot. t. 3 (1829).

DIDYMOPANAX Decne. & Planch.
longepetiolatum E. March.
Mart. Fl. Bras. xi. 1. t. 66 (1878).
macrocarpum Seem.
Mart. Fl. Bras. xi. 1. t. 68 (1878).
Selloi E. March.
Mart. Fl. Bras. xi. 1. t. 67 (1878).

DIDYMOPLEXIS Griff.: *Leucorchis*
cornuta J. J. Sm.
Ic. Bogor. ii. t. 102 (1903).
J. J. Smith, Orch. Java, Fig.-Atlas, i. fig. 52 (1908).—*Fl.*
minor J. J. Sm.
Ic. Bogor. ii. t. 102 (1903).

DIDYMOPLEXIS
minor
J. J. Smith, Orch. Java, Fig.-Atlas, i. fig. 53 (1908).—*Fl.*
—— **samoënsis** H. Fleischm. & Rech.
Rechinger in Denkschr. Akad. Wiss. Wien, lxxxv. t. 1 (1910).—*Fl.*
pallens Griff.
Calcutta Journ. Nat. Hist. iv. t. 17 (1844).
Journ. Linn. Soc., Bot. xx. t. 28 (1883).
*Ann. Bot. Gard. Calcutta, viii. t. 346 (1898).
Ic. Bogor. ii. t. 101 (1903).
J. J. Smith, Orch. Java, Fig.-Atlas, i. fig. 51 (1908).—*Fl.*
striata J. J. Sm.
Ic. Bogor. ii. t. 104 (1903).—*Fl.*
J. J. Smith, Orch. Java, Fig.-Atlas, i. fig. 54 (1908).—*Fl.*
subcampanulata Hayata
Hayata, Ic. Pl. Formosan. iv. 120 (1914).—*Fl.*

DIDYMOSPERMA H. Wendl. & Drude
distichum Hook. f.
Trop. Agric. xxxiii. No. 2, p. 97 (1909).—*Hab.*
H. F. Macmillan, Handb. Trop. Garden. & Plant. 301 (1910).—*Hab.*
Gard. Chron. Ser. III. lxi. 225 (1917).—*Hab.*
Engleri Warb.
Kanehira, Formosan Trees, 627 (1917).—*Fl.*
nanum H. Wendl. & Drude
*Bot. Mag. cxi. t. 6836 (1885).
porphyrocarpon H. Wendl. & Drude
Knuth, Handb. Blütenbiol. iii. 1. 59 (1904).—*Fl.*

DIDYMOTHECA Hook. f.
pleiococca F. Muell.
Schnizlein, Iconogr. iii. t. 208 (1857–65).
F. Mueller, Key Syst. Victorian Pl. ii. fig. 43 (1885).
thesioides Hook. f.
*Hooker f., Fl. Tasman. i. t. 93 (1860).
Baillon, Adans. x. t. 5 (1872).
Baillon, Hist. Pl. iv. 43 (1873).
Pflanzenfam. iii. 1. B. 6 (1889).—*Fl.*
Pflanzenreich, Phytolaccac. 67 (1909).

DIECTOMIS Kunth.—Vide *Andropogon* (9)
angustata Presl
Rep. Missouri Bot. Gard. x. t. 4 (1899).
fastigiata P. Beauv.
H. B. K. Nov. Gen. i. t. 64 (1815).

DIECTOMIS P. Beauv. ex ic.: *Anadelphia*
fasciculata P. Beauv.
P. Beauvais, Agrost. t. 23, fig. 6 [sphalm. 5] (1812).

DIEFFENBACHIA Schott
alliodora Regel
Gartenfl. xix. t. 672 (1870).
amoena Hort.
Sempervirens, xi. 168 (1882).—*Veg.*
Gard. Month. & Hort. Meehan, xxv. 77 (1883).
Nicholson, Illustr. Dict. Gard. i. 469 [1884–88].
Bellair & St.-Léger, Pl. Serre, 705 (1900).
antioquiensis Linden & André
*Ill. Hort. xxii. t. 192 (1875).
Barraquiniana C. Lem. & A. Versch.
*Ill. Hort. xi. t. 387 (1864).
*Hibberd, Beautiful-leaved Pl. 15, t. 6 (1870).
Garden, iii. 38 (1873).—*Hab.*
×**Bausei** Hort.
Journ. Hort. xlviii. 97 (1872).
Florist, 1872, p. 258.
*Cogniaux & March. Pl. Orn. i. t. 11 (1873)—*Veg.*
Fl. des Serres, Ser. II. ix. 33 (1873).—*Veg.*
*Ill. Hort. xxvi. t. 338 (1879).
Sempervirens, viii. 361 (1879).
Bellair & St.-Léger, Pl. Serre, 706 (1900).—*Hab.*
Bowmannii Carr.
Florist, 1871, p. 259.—*Veg.*
Ill. Hort. xix. 105 (1872).—*Veg.*
Garden, v. 417 (1874).—*Veg.*
Journ. Soc. Hort. France, Ser. III. x. 585 (1888). —*Veg.*
Jardin, xiii. 13 (1899).
Pflanzenreich, Arac.-Philodendr.-Anub., &c. 37 (1915).—*Veg.*

DIEFFENBACHIA
brasiliensis Veitch
Journ. Hort. liii. 453 (1875); Ser. III. xlvi. 165 (1903).
Florist, 1875, p. 273.
Williams, Choice Stove & Greenh. Ornam.-leaved Pl. Ed. 2, p. 185 (1876).
Gartenfl. xxv. 338 (1876).—*Veg.*
Journ. Soc. Hort. France, Ser. III. x. 587 (1888). —*Veg.*
Bullii Regel
Gartenfl. xxxii. 281 (1883).—*Veg.*
cannifolia Engl.
Pflanzenreich, Arac.-Philodendr.-Anub., &c. 41 (1915).
Carderi Bull
Gard. Month. & Hort. Meehan, xxv. 11 (1883).
Florist, 1884, p. 45.
Nicholson, Illustr. Dict. Gard. i. 470 [1884–88].
Bellair & St.-Léger, 707 (1900).—*Hab.*
costata Klotzsch
Pflanzenreich, Arac.-Philodendr.-Anub., &c. 37 (1915).—*Veg.*
daguensis Engl.
Engler, Ic. Autog. 212 (1886).
Pflanzenreich, Arac.-Philodendr.-Anub., &c. 43 (1915).
Enderi Engl.
Engler, Ic. Autog. 213 (1886).
Pflanzenreich, Arac.-Philodendr.-Anub., &c. 53 (1915).
gigantea Hort.
*Ill. Hort. xiii. t. 470, 471 (1866).
Sempervirens, xii. 302 (1883).—*Veg.*
humilis Poepp. & Endl.
Pflanzenreich, Arac.-Philodendr.-Anub., &c. 58 (1915).
imperator Hort.
Sempervirens, x. 212 (1881).—*Veg.*
imperialis Linden & André
*Ill. Hort. xviii. t. 85 (1871).
Pflanzenreich, Arac.-Philodendr.-Anub., &c. 37 (1915).—*Veg.*
Jenmanii Veitch
Garten-Zeit. Berlin, iii. 558 (1884).—*Hab.*
Gartenfl. xxxiii. 365 (1884).
Ill. Gartenzeit. Stuttgart, xxviii. t. 29 (1884).
Sempervirens, xiii. 260 (1884).—*Hab.*
Gard. Month. & Hort. Meehan, xxvii. 9 (1885).
Journ. Soc. Hort. France, Ser. III. x. 589 (1888). —*Veg.*
Möllers Deutsche Gärtn.-Zeit. xvii. 79 (1902).
lancifolia Linden & André
*Ill. Hort. xxi. t. 167 (1874).
latimaculata Linden & André
*Ill. Hort. xx. t. 112 (1873).
Engl. Jahrb. v. t. 5, fig. 59 (1884).—*Fl.*
Pflanzenreich, Arac.-Philodendr.-Anub., &c. 56 (1915).
—— **illustris** Fourn.
*Ill. Hort. xxiii. t. 234 (1876).
Leopoldi Bull
Rev. Hort. Belge, iv. 84 (1878).—*Hab.*
Gard. Chron. ix. 441 (1878); xiv. 181 (1880).—*Veg.*
Florist, 1880, p. 163.
Ill. Hort. xxvii. t. 383 (1880).—*Hab.*
Ill. Gartenzeit. Stuttgart, xxv. t. 33 (1881).
Sempervirens, xi. 264 (1882).—*Veg.*
Gard. Month. & Hort. Meehan, xxv. 12 (1883).
Semaine Hort. 1897, p. 455.
Pflanzenreich, Arac.-Philodendr.-Anub., &c. 55 (1915).—*Fl.*
liturata Schott
Schott, Ic. Aroid. t. 28–30 (1857).
magnifica Linden & Rodigas
Garden, xxiii. 412 (1883).—*Hab.*
*Ill. Hort. xxx. t. 482 (1883).
Rev. Hort. Belge, ix. 225 (1883).—*Hab.*
Wien. Ill. Gart.-Zeit. viii. 407 (1883).—*Hab.*
Neubert's Deutsch. Gart. Mag. xxxvii. 369 (1884).
Rhein. Jahrb. Gartenk. & Bot. i. 133 (1884).
Sempervirens, xiii. 196 (1884).—*Veg.*
Nicholson, Illustr. Dict. Gard. i. 471 [1884–88]. —*Hab.*

DIEFFENBACHIA
magnifica
Bois, Dict. Hort. 444 (1893–99).—*Hab.*
Semaine Hort. 1898, p. 383.—*Hab.*
Jardin, xiii. 13 (1899).
Möllers Deutsche Gärtn.-Zeit. xvii. 78 (1902).
meleagris Linden & Rodigas
*Ill. Hort. xxxix. t. 159 (1892).
×**memoria-Corsii** Fenzi
Bull. Soc. Tosc. Ortic. v. 104 (1880).—*Hab.*
Rev. Hort. Belge, vii. 161 (1881).—*Hab.*
nobilis Hort.
Garden, iv. 199 (1873).—*Hab.*
*Cogniaux & March. Pl. Orn. i. t. 4 (1873).—*Veg.*
Gard. Chron. 1873, p. 815.—*Hab.*
Nicholson, Illustr. Dict. Gard. i. 472 [1884–88].
olbia Linden & Rodigas
*Ill. Hort. xxxix. t. 148 (1892).
Parlatorei Linden & André
Pflanzenreich, Arac.-Philodendr.-Anub., &c. 37 (1915).—*Veg.*
—— **marmorea** Hort.
*Ill. Hort. xxiv. t. 291 (1877).
parvifolia Engl.
Pflanzenreich, Arac.-Philodendr.-Anub., &c. 60 (1915).
picta Schott
*Schott, Ic. Aroid. t. 24–27 (1857).
Schott, Gen. Aroid. t. 63 (1858).
Garden, iii. 172 (1873).—*Hab.*
Mart. Fl. Bras. iii. II. t. 39 (1878).
Engler, Ic. Autog. 242 (1886).—*Fl.*
Pflanzenfam. ii. 1. 129 (1889).—*Fl.*
Flora, xcv. 351 (1905).—*Veg.*
Wettstein, Handb. Syst. Bot. Ed. 2, p. 859 (1911).—*Fl.*
Pflanzenreich, Arac.-Homal.-Schism. 2 (1912).—*Veg.*
Pflanzenreich, Arac.-Philodendr.-Anub., &c. 37, 46, 49 (1915).
—— **angustior Jenmanii** Engl.
Pflanzenreich, Arac.-Philodendr.-Anub., &c. 37 (1915).—*Veg.*
—— **Barraquiniana** Engl.
Pflanzenreich, Arac.-Philodendr.-Anub., &c. 50 (1915).—*Hab.*
—— **Bausei** Engl.
L. H. Bailey, Cycl. Amer. Hort. 482 (1900); Stand. Cycl. Hort. 1006 (1914).—*Veg.*
—— **latior magnifica** Linden & Rodigas
Pflanzenreich, Arac.-Philodendr.-Anub., &c. 49 (1915).
picturata Linden & Rodigas
*Ill. Hort. xxxix. t. 162 (1892).
regina Hort.
Rev. Hort. Belge, iv. 97 (1878).—*Hab.*
Garden, xxiii. 409 (1883).—*Hab.*
Sempervirens, xii. 172 (1883).—*Veg.*
Florist, 1883, p. 119.
Ill. Gartenzeit. Stuttgart, xxviii. t. 5 (1884).
Nicholson, Illustr. Dict. Gard. i. 473 [1884–88].
Gard. Month. & Hort. Meehan, xxvii. 174 (1885).
Neubert's Deutsch. Gart. Mag. xxxviii. 47 (1885).
rex Hort.
Sempervirens, xii. 180 (1883); xiv. 386 (1885).—*Veg.*
Ill. Gartenzeit. Stuttgart, xxviii. t. 15 (1884).
Nicholson, Illustr. Dict. Gard. i. 474 [1884–88].
Gard. Month. & Hort. Meehan, xxvii. 203 (1885).
robusta Schott
*Schott, Ic. Aroid. t. 21–23 (1857).
seguine Schott.
*Maund & Henslow, Bot. Souv. [t. 23, 1838–40].
*Maund, Botanist, iii. t. 121 (1839).
Baillon, Hist. Pl. xiii. 439 (1895).—*Fl.*
Rev. Hort. 1912, p. 311.—*Hab.*
—— **Barraquiniana** Engl.
Mart. Fl. Bras. iii. II. t. 39 (1878).
—— **Leopoldi** Hort.
Gartenfl. xxix. 378 (1880).
—— **lineata** Engl.
Pflanzenreich, Arac.-Philodendr.-Anub., &c. 37 (1915).—*Veg.*
—— **liturata** Engl.
Mart. Fl. Bras. iii. II. t. 39 (1878).—*Fl.*

DIEFFENBACHIA
seguine liturata
Pflanzenreich, Arac.-Philodendr.-Anub., &c. 46 (1915).—*Fl.*
—— **maculata** Hort.
*Lowe, Beautiful-leaved Pl. 29, t. 14 (1868).
—— **nobilis** Engl.
L. H. Bailey, Cycl. Amer. Hort. 482 (1900); Stand. Cycl. Hort. 1007 (1914).—*Veg.*
—— **viridis** Engl.
Pflanzenreich, Arac.-Philodendr.-Anub., &c. 37 (1915).—*Veg.*
Shuttleworthii Bull
Gartenfl. xxvii. 315 (1878).
Florist, 1878, p. 67.
Gard. Chron. x. 45 (1878).—*Hab.*
Ill. Gartenzeit. Stuttgart, xxiii. t. 13 (1879).
Rev. Hort. Belge, v. 13 (1879).—*Hab.*
splendens Hort.
Rev. Hort. Belge, vi. 188 (1880).—*Veg.*
Ill. Gartenzeit. Stuttgart, xxv. t. 27 (1881).
Gard. Month. & Hort. Meehan, xxvi. 42 (1884).
Rhein. Jahrb. Gartenk. & Bot. ii. 266 (1885).
Wallisii Linden
*Ill. Hort. xvii. t. 11 (1870).
Weirii Berkl.
Pflanzenreich, Arac.-Philodendr.-Anub., &c. 55 (1915).—*Fl.*

DIELLIA Brack.
Alexandri Diels
Pflanzenfam. i. IV. 211 (1899).
—— **bipinnata** Hillebr.
Pflanzenfam. i. IV. 211 (1899).
centifolia Diels
Pflanzenfam. i. IV. 211 (1899).
erecta Brack.
Brackenridge, Crypt. Wilkes, U.S. Expl. Exped. 1838–42, t. 31 (1855).
Pflanzenfam. i. IV. 211 (1899).
falcata Brack.
Brackenridge, Crypt. Wilkes, U.S. Expl. Exped. 1838–42, t. 31 (1855).
Pflanzenfam. i. IV. 149, 211 (1899).
laciniata Diels
Pflanzenfam. i. IV. 211 (1899).
—— **subbipinnata** Hillebr.
Pflanzenfam. i. IV. 211 (1899).
pumila Brack.
Pflanzenfam. i. IV. 211 (1899).

DIELSIA Gilg
cygnorum Gilg
Engl. Jahrb. xxxv. 86 (1904).
Pflanzenfam. Nachtr. 3 z. ii. 35 (1906).—*Fl.*

DIELYTRA Cham. & Schlechtd.: *Dicentra*
canadensis Hook.
*Bot. Mag. lvii. t. 3031 (1830).
chrysantha Hook. & Arn.
Hooker & Arn. Bot. Beechey Voy. t. 73 (1841).
*Fl. des Serres, Ser. I. viii. t. 820 (1852–53) in ic.; *Capnorchis chrysantha* in textu.
*Paxt. Fl. Gard. iii. t. 103 (1852–53).
*Belg. Hort. iii. t. 56 (1853).
*W. Thompson, Engl. Fl. Gard. ii. 129 (1853).
*Neubert's Deutsch. Gart. Mag. 1854, p. 47.
Cucullaria DC.
*J. W. Loudon, Ladies' Fl.-Gard. Ornam. Perenn. i. t. 16 (1843).
*Ill. Hort. vi. t. 215 (1859).
Floral World, iv. 198 (1862).
Pringsh. Jahrb. Bot. vii. t. 31, fig. 28–31 (1870).—*Fl.*
Belg. Hort. xxiii. 369 (1873).—*Hab.*
eximia DC.
Pringsh. Jahrb. Bot. vii. t. 29, fig. 24–31 (1870).—*Fl.*
Decaisne, Naud. & Hemsl. Handb. Trees, Shrubs & Herb. Pl. 42 (1873).—*Hab.*
formosa DC.
*Drapiez, Herb. Amat. Fl. iii. t. 208 (1829).
*Nees & Sinning, Sammlung schönblüh. Gew. t. 45 (1831).
*J. W. Loudon, Ladies' Fl.-Gard. Ornam. Perenn. i. t. 16 (1843).
Seringe, Fl. Jard. ii. t. 3 (1849).—*Fl.*

DIELYTRA
formosa
Payer, Organog. Comp. Fl. t. 50 (1857).—*Fl.*
Decaisne & Naud. Amat. Jard. ii. 793 [1862–66].
Gartenfl. xxvii. 246 (1878).
scandens D. Don
*Belg. Hort. vi. t. 5 (1856).
spectabilis DC.
*Journ. Hort. Soc. London, ii. t. 3, p. 178 (1847).
Ann. Hort. iv. 385 (1849).—*Hab.*
*Bot. Mag. lxxv. t. 4458 (1849).
*Paxt. Mag. xv. 127, 128 (1849).
Fl. des Serres, Ser. I. vi. 334 (1850–51).—*Hab.*
*Neubert's Deutsch. Gart. Mag. 1852, p. 108.
*Horticulteur Franç. 1852, t. 10.
*W. Thompson, Engl. Fl. Gard. i. 1 (1852).
*Floricult. Cab. xxi. 9, 97 (1853).
Rev. Hort. Ser. IV. v. 330 (1856); 1899, p. 486; 1903, p. 458; 1906, p. 553.—*Hab.*
Decaisne & Naud. Amat. Jard. ii. 366 [1862–66].—*Hab.*
Flora, xlviii. t. 5, fig. 11–13 (1865).—*Fl.*
*Hulme, Plant Form, t. 69 (1868).
Pringsh. Jahrb. Bot. vii. t. 29, fig. 14–23 (1870).—*Fl.*
Decaisne, Naud. & Hemsl. Handb. Trees, Shrubs & Herb. Pl. 42 (1873).—*Hab.*
Journ. Hort. xlix. 336 (1873).
Gartenfl. xxvi. 152 (1877).—*Hab.*
*Hulme & Hibberd, Familiar Gard. Fl. ii. 13 [1879–87].
Berge, Pflanzenphysiogn. 238 (1880).—*Hab.*
Jardin, iii. 164 (1889).—*Hab.*
Rev. Hort. Belge, xx. 252 (1894).—*Hab.*
*Bois, Atlas Pl. Jard. t. 23 (1896).
Knuth, Handb. Blütenbiol. ii. 1. 70 (1898).—*Fl.*
Bull. Arboricult. Belg. 1905, p. 113.
tenuifolia DC.
Delessert, Ic. Pl. ii. t. 9 (1823).
Seringe, Fl. Jard. ii. t. 3 (1849).—*Fl.*

DIENIA Lindl.: *Microstylis*
cylindrostachya Lindl.
Wight, Ic. Pl. Ind. Or. v. t. 1630 (1851).

DIERAMA C. Koch
cupuliflorum Klatt
Ascherson, &c., Bot. Ost.-Afr. (Sep-Abdr. Decken, Reis.), t. 3 (1879).
pendula Baker
Engler & Drude, Veget. Erde, ix. II. 373 (1908).
Journ. Roy. Hort. Soc. London, xxxix. 9, fig. 12 (1913).
Rev. Hort. 1913, p. 568, 569.
—— **pumila** Hort.
Journ. Roy. Hort. Soc. London, xxxix. 8, fig. 9 (1913).
pulcherrima Baker
Garden, lxiii. 5 (1903).—*Hab.*
Journ. Roy. Hort. Soc. London, xxxix. 9, fig. 12 (1913).
—— **alba** Hort.
Gard. Chron. Ser. III. lv. 105 (1914).—*Hab.*

DIERVILLEA Adans.—Vide *Calyptrostigma, Wagneria, Weigelia*
acadiensis Duham.
Baillon, Hist. Pl. vii. 352 (1880).—*Fl.*
amabilis Carr.
*Fl. des Serres, Ser. I. viii. t. 855 (1851–52) in textu; *Weigelia amabilis* in ic.
*Neubert's Deutsch. Gart. Mag. vii. 173 (1854).
*Fl. des Serres, Ser. II. ii. t. 1189 (1857).—*Veg.*
canadensis Willd.
*Hayne, Getreue Darst. Arzn. Gewächse, vii. t. 26 (1821).
*Guimpel, Otto & Hayne, Abbild. Fremd. Holzarten, i. t. 55 (1825).
J.C. Loudon, Arbor. & Frutic. Brit. ii. 1042 (1838).
Berg, Charakt. t. 45, fig. 354 (1861).
Lauche, Deutsche Dendrol. Ed. 2, p. 196 (1883).
Kerner, Pflanzenleben, i. 387 (1887).—*Veg.*
Pringsh. Jahrb. Bot. xxiii. t. 12, fig. 87–93 (1891).—*Fl.*
Kerner & Oliv. Nat. Hist. Pl. i. 417 (1894).—*Veg.*

DIERVILLEA
×candida Hort.
American Garden, x. 285 (1889).
coraeënsis DC.
Dippel, Handb. Laubholzk. i. 271 (1889).—*Veg.*
Schneider, Ill. Handb. Laubh. ii. 750 (1911).—*Veg.*
Diervilla MacMill.
Britton & Brown, Ill. Fl. N. States & Canada, iii. 242 (1898); Ed. 2, iii. 283 (1913).
Keeler, Our North. Shrubs, 303 (1903); Ed. 2, p. 303 (1912).
Schneider, Dendrol. Winterst. 217 (1903).—*Veg.*
*House, Wild Fl. New York (Mem. No. 15 N.Y. State Mus.), ii. t. 212 (1918).
floribunda Sieb. & Zucc.
Siebold & Zucc. Fl. Jap. t. 32 (1835).
Horticulteur Univ. i. 136 (1839) in ic.; *D. grandiflora* in textu.
Dippel, Handb. Laubholzk. i. 273 (1889).—*Veg.*
Schneider, Ill. Handb. Laubh. ii. 749, 750 (1911).
Bean, Trees & Shrubs, i. 490 (1914).
florida Sieb. & Zucc.
Schneider, Ill. Handb. Laubh. ii. 749, 750 (1911).
Clements, Rosend. & Butters, Minnesota Trees & Shrubs, 296 (1912).
Hegi, Ill. Fl. Mittel-Eur. vi. 1. 234 (1915).
—— **variegata** Hort.
Bean, Trees & Shrubs, i. 491 (1914).
grandiflora Sieb. & Zucc.
Kaempfer, Ic. Sel. Pl. Jap. t. 45, ex Franch. & Sav. (1791).
Siebold & Zucc. Fl. Jap. t. 31 (1835).
*Horticulteur Univ. i. 136 (1839) in textu; *D. floribunda* in ic.
Ber. Deutsch. Bot. Ges. ix. t. 16 (1891).—*Veg.*
Bull. Coll. Agric. Tokyo, ii. t. 16, fig. 13, 14 (1895).—*Veg.*
*Useful Pl. Jap. ii. t. 647 (1895).
*A Kert (The Garden), x. 341 (1904).—*Fl.*
*Shirasawa, Ic. Ess. Forest. Jap. ii. t. 74 (1908).
—— **variegata** Hort.
Canada, Exper. Farms, Rep. 1894, p. 43 (1895).—*Hab.*
hortensis Sieb. & Zucc.
Siebold & Zucc. Fl. Jap. t. 29, 30, 33 (1835).
Dippel, Handb. Laubholzk. i. 269 (1889).—*Veg.*
humilis Pers.
*Bot. Mag. xliii. t. 1796 (1816).
×hybrida Hort.
L. H. Bailey, Cycl. Amer. Hort. 483 (1900); Stand. Cycl. Hort. 1009 (1914).
*A Kert (The Garden), x. 341 (1904).—*Fl.*
—— **styriaca** Hort.
*Mitt. Deutsch. Dendr. Ges. 1912, p. 1.
intermedia Desboisii Hort.
*A Kert (The Garden), x. 341, 349 (1904).
japonica DC.
Kwa-wi [transl. Savatier], Arbor. iv. t. 20 (1759).
Baillon, Hist. Pl. vii. 352 (1880).
Dippel, Handb. Laubholzk. i. 272 (1889).
Bull. Coll. Agric. Tokyo, ii. t. 12, fig. 12 (1895).—*Veg.*
Gard. & Forest, ix. 405 (1896).
Schneider, Dendrol. Winterst. 217 (1903).—*Veg.*
*Shirasawa, Ic. Ess. Forest. Jap. ii. t. 74 (1908).
Schneider, Ill. Handb. Laubh. ii. 750 (1911).—*Veg.*
Wilson, Arn. Arb. Exped. China, 1910–11, t. 071 (1912).—*Hab.*
L. H. Bailey, Stand. Cycl. Hort. 1008 (1914).
—— **alba** Makino
Schneider, Ill. Handb. Laubh. ii. 749 (1911).
Lonicera Mill.
Linnaeus, Hort. Cliff. t. 7 (1737); fide Rehder.
Jones & Rand in Bull. Vermont Agric. St. No. 145, p. 178 (1909).
Apgar, Orn. Shrubs U.S. 235, fig. 389 (1910).
Schneider, Ill. Handb. Laubh. ii. 746, 747 (1911).
Clements, Rosend. & Butters, Minnesota Trees & Shrubs, 295, 296 (1912).
Mathews, Field Book Amer. Trees & Shrubs, 389 (1915).
lutea Pursh
*Jaume St.-Hilaire, Traité, Arbriss. & Arbust. i. t. 71 (1825).

DIERVILLEA
Middendorfiana Carr.
*Rev. Hort. Ser. IV. iii. 261 (1854).
*Fl. des Serres, Ser. II. i. t. 1137 (1856).
Otto & Dietr. in Allg. Gartenzeit. xxiv. Ill. Beil. 8 (1856).
Baillon, Hist. Pl. vii. 353 (1880).—*Fr.*
Dippel, Handb. Laubholzk. i. 275 (1889).
Gard. Chron. Ser. III. vii. 581 (1890).
*Bot. Mag. cxxix. t. 7876 (1903).
*Miyoshi & Makino, Pocket-Atlas, Alp. Pl. Jap. i. t. 15, fig. 87 (1906).
Schneider, Ill. Handb. Laubh. ii. 746, 747 (1911).
multiflora C. Lem.
*Ill. Hort. x. t. 383 et fig. in textu (1863).
praecox Lemoine
*Gartenfl. xlvi. t. 1441 (1897).
Rev. Hort. 1905, p. 314, 315; 1910, p. 12.
Silva Tarouca, Freiland-Laubgehölze, 206 (1913).—*Hab.*
rivularis Gattinger
Gard. Chron. Ser. III. xxxviii. 339 (1905).
Schneider, Ill. Handb. Laubh. ii. 746, 747 (1911).
rosea Walp.
Decaisne & Naud. Amat. Jard. iii. 115 [1862–66].
Decaisne, Naud. & Hemsl. Trees, Shrubs & Herb. Pl. 222 (1873).
Gartenfl. xxvi. 359 (1877).
Nicholson, Illustr. Dict. Gard. i. 475 [1884–88].
*Bois, Dict. Hort. 444 (1893–99).
*Behrens, Blattformen, t. 18, fig. b (1900).—*Veg.*
Keeler, Our North. Shrubs, 305 (1903); Ed. 2, p. 305 (1912).
Sim, Flowering Trees & Shrubs, 72 (1919).
—— **foliis variegatis**
*Behrens, Blattformen, t. 22, fig. h (1900).—*Veg.*
sessilifolia Buckl.
Lavallée, Arb. & Frutic. Hort. Segrez. t. 8 (1885).
Gard. Chron. Ser. III. xxii. 14 (1897); xlii. 426, 427 (1907).
Journ. Roy. Hort. Soc. London, xxi. Proc. p. cxxxix (1897–98).
Lounsberry, Southern Wild Fl. and Trees, t. 159 (1901).
Jardin, xv. 215 (1901).
Schneider, Dendrol. Winterst. 217 (1903).—*Veg.*
Schneider, Ill. Handb. Laubh. ii. 746, 747 (1911).
Tournefortii Michx.
Berchtold & J. S. Presl, Rostlin. ii. t. 15 (1825).
trifida Moench
Emerson, Trees & Shrubs Massachusetts, Ed. 2, ii. 406 (1875).
Newhall, Shrubs N.E. Amer. 151 (1893).
Dana, How to Know the Wild Fl. t. 44 (1894).
Miller & Whiting, Wild Fl. N.E. States, 232 (1895).
Bot. Gaz. xxi. 166, fig. 3, 4 (1896).—*Veg.*
Knuth, Handb. Blütenbiol. iii. II. 195 (1905).—*Fl.*
Van Houttei Hort.
Nicholson, '1900' Suppl. Dict. Gard. 323 (1900).
versicolor Sieb. & Zucc.
Siebold & Zucc. Fl. Jap. t. 33 (1835).
×Wagneri Kusnezow
*Gartenfl. xlviii. t. 1461 (1899).
Wolfiana C. K. Schneider
Schneider, Ill. Handb. Laubh. ii. 1061 (1912).

DIESINGIA Endl.: *Psophocarpus*
scandens Endl.
Endlicher, Atakta Bot. t. 1, 2 (1833).

DIETERIA Nutt.: *Aster*
coronopifolia Nutt.
Gartenfl. xxvii. t. 947 (1878).

DIETES Salisb.: *Moraea*
bicolor Sweet.
*Ann. Gand, ii. t. 70 (1846).
Huttonii Baker
*Bot. Mag. ci. t. 6174 (1875).
*Garden, xxiii. 419 (1883); xxxvi. 174 (1889).

DIETRICHIA Tratt.: *Rochea*
coccinea Tratt.
*Trattinick, Ausg. Taf. Arch. iv. t. 400 (1814).
*Trattinick, Thes. Bot. t. 19 (1819).

DIGERA Forsk.
alternifolia Aschers.
Pflanzenfam. iii. 1. A. 93 (1893).—*Fl.*
Borzi in Contrib. Biol. Veg. iii. III. t. 17, fig. 14 (1905).—*Fl.*
arvensis Forsk.
J. Savi, Cose Bot. t. 2, fig 3 (1832) [Nuov. Giorn. Lett. xxiv. t. 2, fig. 3 (1832)].
Griffith, Ic. Pl. Asiat. t. 527 (1854).

DIGITALIS Linn.—Vide *Callianassa, Isoplexis*
alba Schrank
Favart, Flowers & Pl. t. 25 (1880).
ambigua Murr.
Hoppe, Ect. Pl. Ratisb. t. 154 (1788).
*Sturm, Deutschl. Fl. iii. XI [t. 168] (1802).
*Schkuhr, Bot. Handb. Ed. 2, t. 174 (1808).
*Bot. Reg. i. t. 64 (1815).
*Schrank, Fl. Monac. iii. t. 258 (1816).
*Mordant de Launay, Herb. Amat. i. t. 7 (1816).
Lindley, Digitalis Monogr. t. 7 (1821).
*Vietz, Ic. Pl. Med.-oec.-techn. Suppl. t. 30 (1822).
*Drapiez, Herb. Amat. Fl. ii. t. 130 (1829).
*Dietrich, Fl. Boruss. vi. t. 418 (1838).
*G. F. W. Meyer, Fl. Hannover, t. 2 (1842).
*J. W. Loudon, Ladies' Fl.-Gard. Ornam. Perenn. ii. t. 82 (1844).
*Cassone, Fl. Med.-Farm. iii. t. 284 (1848).
Ettingshausen in Sitzb. Akad. Wiss. Wien, xx. 469 (1856).—*Veg.*
Pflanzenfam. iv. III. B. 44 (1891).—*Fl.*
*Hartinger, Atlas Alpenfl. iv. t. 378 (1897).
*G. Beck, Alpenblum. Semmering, t. 15, fig. 9 (1898).—*Fl.*
Fiori & Paol. Ic. Fl. Ital. 352 (1902).
*Josef v. Oesterreich & Marg. v. Thurn und Taxis, Atlas Heilpfl. t. 49 (1903).
Coste, Fl. France, iii. 26 (1906).
*Senn, Alpen-Flora, ii. t. 115 (1906).
*Flahault, Nouv. Fl. Alpes & Pyrén. i. t. 115 (1906).
*Hulme, Familiar Swiss Fl. t. 76 (1908).
*Correvon & Rob. Alp. Fl. t. 86 [1908?].
*Esser, Giftpfl. Deutschl. t. 101 (1910).
Suireishchikov, Ill. Fl. Mosc. Gov. iii. 140 (1910).
*Deutsche Bot. Monatsschr. xxii. 81 (1911).
*Pokorny-Schoenichen, Pflanzenkunde, t. 25, fig. 2 (1912).
*H. S. Thompson, Sub-Alp. Pl. t. 27 (1912).
*Hegi, Ill. Fl. Mittel-Eur. vi. 1. t. 240, p. 68, 70 (1915).
—— **acutiloba** Reichb.
Reichenbach, Ic. Fl. Germ. xx. t. 1690 (1861).
—— **obtusiloba** Reichb.
Reichenbach, Ic. Fl. Germ. xx. t. 1690 (1861).
aurea Lindl.
Lindley, Digitalis Monogr. t. 13 (1821).
canariensis Linn.
Lamarck, Ill. iii. t. 525, fig. 2 (1797).
*Trattinick, Ausg. Taf. Arch. iii. t. 276 (1814).
*Bot. Reg. i. t. 48 (1815).
*Mordant de Launay, Herb. Amat. i. t. 8 (1816).
Lindley, Digitalis Monogr. t. 27 (1821).
*Lodd. Bot. Cab. xiv. t. 1329 (1828).
*Drapiez, Herb. Amat. Fl. v. t. 307 (1831).
*Mag. Bot. & Gard. ii. t. 42 (1834).
*J. W. Loudon, Ladies' Fl.-Gard. Ornam. Perenn. ii. t. 82 (1844).
*Cassone, Fl. Med.-Farm. iii. t. 285 (1848).
Pflanzenfam. iv. III. B. 89 (1891).—*Fl.*
ciliata Trautv.
Act. Hort. Jurjev. v. 76 (1904).—*Hab.*
dracocephaloides Vell.
Vellozo, Fl. Flum. vi. t. 101 (1827).
dubia Rodr.
*Willkomm, Ill. Fl. Hispan. Balear. i. t. 71 (1881–85).
eriostachya Bess.
Reichenbach, Hort. t. 230 (1827–30).
ferruginea Linn.
*Kniphof, Herb. Viv. i. t. 372 (1758).
*Bot. Mag. xliii. t. 1828 (1816).
Lindley, Digitalis Monogr. t. 12 (1821).
*Roques, Phytogr. Médic. i. t. 55 (1821).
Reichenbach, Pl. Crit. ii. t. 156 (1824).

DIGITALIS
ferruginea
*Sibthorp & Sm. Fl. Graeca, vii. t. 606 (1830).
Mutel, Fl. Française, t. 45 (1834).—*Fl.*
Reichenbach, Ic. Fl. Germ. xx. t. 1694, 1695 (1861).
Willkomm, Führ. Reich Pflanzen, 525 (1882).—*Fl.*
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xvii. t. 1671 (1884).
Fiori & Paol. Ic. Fl. Ital. 352 (1902).
Act. Hort. Jurjev. v. 74 (1904).—*Hab.*
!Beih. Bot. Centralbl. xvi. t. 18, 19 (1904).
fucata Loisel.
Journ. de Bot. Appl. (Desvaux), ii. t. 16 (1813).
×**fulva** Lindl.
Lindley, Digitalis Monogr. t. 9 (1821).
Reichenbach, Pl. Crit. ii. t. 157 (1824).
×**fuscescens** Waldst. & Kit.
*Waldstein & Kit. Pl. Rar. Hung. iii. t. 274 (1812).
Reichenbach, Pl. Crit. ii. t. 158 (1824).
Reichenbach, Ic. Fl. Germ. xx. t. 1692 (1861).
gloxiniiflora Hort.
Horticulture (Boston), ix. 237 (1909).—*Hab.*
gloxinioides Carr.
Amer. Journ. Pharm. lxxxv. 300 (1913).—*Veg.*
glutinosa Gaertn.
Gaertner in Nov. Comm. Acad. Sc. Petersburg, xiv. i. t. 20 (1770).
grandiflora Lam.
*Roques, Phytogr. Médic. i. t. 54 (1821); Nouv. Ed. Atlas, t. 35 (1835).
Reichenbach, Pl. Crit. ii. t. 159 (1824).
Mutel, Fl. Française, t. 45 (1834).—*Fl.*
*Zenker, Fl. Thüringen, ii. t. 229; xii. 1328 (1836–55).
Nees, Gen. Pl., Gamop. i. t. 33 (1837).—*Fl.*
*Lorek, Fl. Pruss. Ed. 3, t. 152, fig. 806 (1848).
*Petermann, Deutschl. Fl. t. 65, fig. 508 (1849).—*Fl.*
*Berge & Riecke, Giftgewächse, t. 11 (1850).
Schnizlein, Iconogr. ii. t. 149 a (1856).—*Fl.*
*Cusin, Herb. Fl. Franç. xvii (Scrophulariacées), t. 96 (1875).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xvii. t. 1668 (1884).
*Josef v. Oesterreich & Marg. v. Thurn und Taxis, Atlas Heilpfl. t. 49 (1903).
*Sturm, Fl. Deutschl. Ed. 2, x. t. 34 (1903).
Fedtschenko & Fler. Fl. Eur. Russia, 869 (1910).
Journ. Genet. ii. t. 3–5 (1912).
*Gatin, Fl. des Bois, t. 57 (1913).
Gyspergerae Rouy
Rev. Bot. Syst. Géogr. Bot. i. t. 3 (1903).
Rouy, Illustr. Pl. Eur. Rar. fasc. 19, t. 470 (1904).
×**hybrida** Dutour
Bull. Soc. Philom. 1812, t. 6.
Journ. de Bot. Appl. (Desvaux), ii. t. 16 (1813).
*Henslow in Trans. Cambridge Phil. Soc. iv. t. 15; t. 16, fig. II; t. 17, 18 (1833).
laciniata Lindl.
*Bot. Reg. xiv. t. 1201 (1828).
*Boissier, Voy. Bot. Espagne, i. t. 126 (1839–45).
*J. W. Loudon, Ladies' Fl.-Gard. Ornam. Perenn. ii. t. 82 (1844).
laevigata Waldst. & Kit.
*Waldstein & Kit. Pl. Rar. Hung. ii. t. 158 (1805).
Lindley, Digitalis Monogr. t. 10 (1821).
Reichenbach, Pl. Crit. ii. t. 155 (1824).
Reichenbach, Ic. Fl. Germ. xx. t. 1692 (1861).
*Bot. Mag. xcviii. t. 5999 (1872).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xvii. t. 1670 (1884).
*Act. Hort. Berg. ii. No. 5, t. 1 (1894).—*Fl.*
Fiori & Paol. Ic. Fl. Ital. 352 (1902).
Hegi, Ill. Fl. Mittel-Eur. vi. i. 70 (1915).
lenata Ehrh.
*Waldstein & Kit. Pl. Rar. Hung. i. t. 74 (1802).
*Bot. Mag. xxix. t. 1159 (1808).
Lindley, Digitalis Monogr. t. 15 (1821).
*Sweet, Brit. Fl. Gard. iii. t. 291 (1829).
Schnizlein, Iconogr. ii. t. 149 (1856).
Reichenbach, Ic. Fl. Germ. xx. t. 1693 (1861).
Peyritsch in Sitzb. Akad. Wiss. Wien, lxvi. i. t. 5, fig. 1 (1872).—*Fl.*
*Act. Hort. Berg. ii. No. 5, t. 1 (1894).—*Fl.*

DIGITALIS
lenata
Horticulture (Boston), ix. 241 (1909).—*Hab.*
Silva Tarouca, Freiland-Stauden, 88 (1910).—*Hab.*
leucophaea Sibth. & Sm.
Lindley, Digitalis Monogr. t. 14 (1821).
*Sibthorp & Sm. Fl. Graeca, vii. t. 607 (1830).
Pflanzenfam. iv. III. B. 89 (1891).—*Fl.*
lingulata St.-Hil.
*Jaume St.-Hilaire, Pl. France, ii [t. 29] (1808).
*Cassone, Fl. Med.-Farm. iii. t. 283 (1848); errore *D. linguetata.*
lutea Linn.
*Kniphof, Herb. Viv. i. t. 369, 371 (1758).
*Jacquin, Hort. Vind. i. t. 105 (1772).
Buchoz, Hist. Règne Vég. vii. Dec. 3, t. 7 (1775).
G. Savi, Mat. Med. Veg. Toscana, t. 57 (1805).
*Schkuhr, Bot. Handb. Ed. 2, t. 174 (1808).—*Fr.*
*Bot. Reg. iii. t. 251 (1818).
Lindley, Digitalis Monogr. t. 23 (1821).
Reichenbach, Pl. Crit. ii. t. 151 (1824).
*Henslow in Trans. Cambridge Phil. Soc. iv. t. 16, fig. III (1833).
*Mag. Bot. & Gard. ii. t. 33 (1834).
Mutel, Fl. Française, t. 44 (1834).—*Fl.*
*J. W. Loudon, Ladies' Fl.-Gard. Ornam. Perenn. ii. t. 82 (1844).
Reichenbach, Ic. Fl. Germ. xx. t. 1691 (1861).
*Nouv. Arch. Mus. Hist. Nat. Paris, i. t. 2 (1865).—*Fl.*
*Cusin, Herb. Fl. Franç. xvii (Scrophulariacées), t. 95 (1875).
Warming in Dansk. Vid. Selsk. Skrift. Ser. V. x. t. 4, fig. 18 (1875).—*Fl.*
H. Müller, Alpenblumen, 273 (1881).—*Fl.*
Willkomm, Führ. Reich Pflanzen, 524 (1882).—*Fl.*
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xvii. t. 1669 (1884).
*Bicknell, Fl. Pl. Riviera, t. 44 (1885).
Knuth, Handb. Blütenbiol. ii. II. 160 (1899).—*Fl.*
Schinz & Keller, Fl. Schweiz, 449 (1900).—*Fl.*
Fiori & Paol. Ic. Fl. Ital. 352 (1902).
Coste, Fl. France, iii. 26 (1906).
Senn, Alpen-Flora, ii. 115 (1906).
*Flahault, Nouv. Fl. Alpes & Pyrén. t. 115 (1906).
*Correvon & Rob. Alp. Fl. t. 86 [1908?].
Heukels, Fl. Nederl. iii. 151 (1909).
*Esser, Giftpfl. Deutschl. t. 100 (1910).
*Milner, Life Oberammergau, t. 46 (1910).
Silva Tarouca, Freiland-Stauden, 214 (1910).—*Hab.*
*H. S. Thompson, Sub-Alp. Pl. t. 27 (1912).
*Bull. Angew Bot. vi. t. 81 (1913).—*Fl.*
*Gatin, Fl. des Bois, t. 57 (1913).
*Hegi, Ill. Fl. Mittel-Eur. vi. i. t. 240, p. 69 (1915).
Lindman, Svensk Fanerogamfl. 481 (1918).—*Fl.*
—— **fucata** Lindl.
Lindley, Digitalis Monogr. t. 25 (1821).
*Bot. Mag. lxviii. t. 3925 (1842).
×—— **hybrida** Lindl.
Lindley, Digitalis Monogr. t. 24 (1821).
—— **vittata** Lindl.
*Lindley, Collect. t. 35 (1821).
*Joh. Kerner, Hort. Sempervir. t. 787 (1828).
×**luteo-purpurea** Naud.
*Nouv. Arch. Mus. Hist. Nat. Paris, i. t. 2 (1865).
×**lutescens** Lindl.
Lindley, Digitalis Monogr. t. 21 (1821).
Kerner, Pflanzenleben, ii. 110 (1891).
Brehm, Merv. Nat. Monde des Pl. ii. 327 (1894–96).
Kerner & Oliv. Nat. Hist. Pl. ii. 110 (1895).—*Fl.*
Mariana Boiss.
*Boissier, Voy. Bot. Espagne, i. t. 126, a (1839–45).
×**media** Roth
Reichenbach, Pl. Crit. ii. t. 152 (1824).
Mutel, Fl. Française, t. 44 (1834).—*Fl.*
Reichenbach, Ic. Fl. Germ. xx. t. 1691 (1861).
micrantha Roth
Reichenbach. Pl. Crit. ii. t. 153 (1824).
Fiori & Paol. Ic. Fl. Ital. 353 (1902).
minor Linn.
*Junghans, Ic. Pl. t. 17 (1787).
*Bot. Mag. xlvii. t. 2160 (1820).
Lindley, Digitalis Monogr. t. 5 (1821).

DIGITALIS
minor minima Lindl.
Lindley, Digitalis Monogr. t. 6 (1821).
nevadensis Kunze
*Willkomm, Ill. Fl. Hispan. Balear. i. t. 70 (1881–85).
obscura Linn.
*Jacquin, Hort. Vind. t. 91 (1770).
*Trattinick, Ausg. Taf. Arch. iii. t. 275 (1814).
*Bot. Mag. xlvii. t. 2157 (1820).
Lindley, Digitalis Monogr. t. 26 (1821).
*Géel, Sert. Bot. Cl. 14 (1832).
ochroleuca Jacq.
*Jacquin, Fl. Austr. i. t. 57 (1773).
Lindley, Digitalis Monogr. t. 8 (1821).
Reichenbach, Pl. Crit. ii. t. 160 (1824).
Mutel, Fl. Française, t. 45 (1834).—*Fl.*
*Dietrich, Fl. Boruss. vi. t. 419 (1838).
*Josef v. Oesterreich & Marg. v. Thurn und Taxis, Atlas Heilpfl. t. 49 (1903).
orientalis Lam.
*Bot. Reg. vii. t. 554 (1821).
Lindley, Digitalis Monogr. t. 16 (1821).
*Bot. Mag. xlviii. t. 2253 (1821).
Jaubert & Spach, Illustr. Pl. Or. v. t. 409 (1853–57).
parviflora Jacq.
*Jacquin, Hort. Vind. i. t. 17 (1770).
*Bot. Reg. iii. t. 257 (1818).
Lindley, Digitalis Monogr. t. 17 (1821).
parviflora Lam.
*Jaume St.-Hilaire, Pl. France, ii [t. 30] (1808).
*Cassone, Fl. Med.-Farm. iii. t. 282 (1848).
Sturm, Fl. Deutschl. Ed. 2, x. 127 (1903).
pilosa Vell.
Vellozo, Fl. Flum. vi. t. 102 (1827).
purpurascens Roth
*Bonpland, Descr. Pl. Rar. Malm. t. 64 (1813).
Lindley, Digitalis Monogr. t. 20 (1821).
Reichenbach, Pl. Crit. ii. t. 154 (1824).
Mutel, Fl. Française, t. 45 (1834).—*Fl.*
Reichenbach, Ic. Fl. Germ. xx. t. 1689 (1861).
*Cusin, Herb. Fl. Franç. xvii (Scrophulariacées), t. 94 (1875).
Rouy, Illustr. Pl. Eur. Rar. fasc. 5, t. 122 (1896).
purpurea Linn.
*Kniphof, Herb. Viv. i. t. 370 (1758).
*Fl. Dan. i. t. 74 (1763).
*Regnault, Bot. i. 76 (1774).
Buchoz, Hist. Règne Vég. Dec. 7, t. 5 (1775).
*Curtis, Fl. Londin. i. fasc. i. t. 48 (1777); Ed. 2, i. fasc. i. t. 48 (1817).
*Zorn, Ic. Pl. Med. iii. t. 262 (1781).
*Bergeret, Phyt. Univ. i. 95 (1783).
*Withering, Foxglove, frontisp. (1785).
Gaertner, Fruct. i. t. 53 (1788).—*Fr.*
Martyn, Pl. Expl. Linn. Syst. Veg. t. 4 (1788).—*Fl.*
*Woodville, Med. Bot. i. t. 24 (1790); Ed. 3, ii. t. 78 (1832).
C. K. Sprengel, Entd. Geheimn. Natur, t. 17, fig. 22, 23, 25, 32, 33, 38, t. 23, fig. 42, 43 (1793).—*Fl.*
*Plenck, Ic. Pl. Med. vi. t. 506 (1794).
*Dreves, Bot. Bilderbuch, ii. t. 46 (1795).
Lamarck, Ill. iii. t. 525, fig. 1 (1797).
*Vietz, Ic. Pl. Med.-oec.-techn. i. t. 76 (1800).
*Oskamp, Afb. Artseny-Gewass. iv. t. 331 (1800).
*Dreves & Hayne, Choix de Pl. t. 46 (1802).
*Sturm, Deutschl. Fl. iii. XI [t. 167] (1802).
*Sowerby & Sm. Engl. Bot. xix. t. 1297 (1804).
*Hayne, Getreue Darst. Arzn. Gewächse, i. t. 45 (1805).
Rousseau, Bot. t. 27 (1805).
*Mirbel, Hist. Nat. Pl. xvi. t. 107 (1806).
*Roques, Pl. Usuell. Indig. & Exot. i. t. 42 (1807).
*Schkuhr, Bot. Handb. Ed. 2, t. 174 (1808).—*Fr.*
*Jaume St.-Hilaire, Pl. France, ii [t. 31] (1808).
*Hill, Family Herbal, t. 22 (1812); fide Ed. Thornton, Brit. Fl. ii. 33 (1812).
*Vigneux, Fl. Pitt. Envir. Paris, t. 40 (1812).
*Billberg, Ekonom. Bot. t. 6 (1815).
Mirbel, Élém. Phys. Vég. Bot. iii. t. 7, fig. 6 (1815).—*Hab.*
*Chaumeton, Fl. Méd. iii. t. 151 (1816).

DIGITALIS
purpurea
Trattinick, Fl. Oesterr. Kaiserth. i. t. 90, 90 a (1816).
Dict. Sc. Nat. Planch. Bot. Dicot. t. 1 (1816–29). —*Hab.*
*Sterler, Eur. Med. Fl. t. 2 (1820).
*Joh. Kerner, Gen. Pl. Ill. iv. t. 69 (1821).
Lindley, Digitalis Monogr. t. 2 (1821).
*Roques, Phytogr. Médic. i. t. 53 (1821); Nouv. Ed. Atlas, t. 34 (1835).
*Waller, New Brit. Domest. Herb. t. 14 (1822).
*Heger, Herb. Pharm. [t. 126] (1822–25).
*Mann, Deutschl. Wildwachs. Arzney-Pfl. [t. 58] (1823–28).
*Heger, Giftpl. 2 (1827).
*Nees, Pl. Offic. i. t. 154 (1828).
*Wagner, Pharm.-Med. Bot. i. t. 17 (1828).
*Mann, Deutschl. Giftpfl. t. 20 (1829).
*Fl. Med. [Spratt], i. 33 (1829).
*Schlechtendal & Guimpel, Abb. Pharm. Boruss. Gew. i. t. 7 (1830).
Delle Chiaje, Fl. Med. ii. tab. (1832).
*Henslow in Trans. Cambridge Phil. Soc. iv. t. 16, fig. 1 (1833).—*Fl.*
*Graves, Hort. Med. t. 1 (1834).
*Stephenson & Churchill, Med. Bot. New Ed. i. t. 18 (1834).
*Baxter, Brit. Bot. Ed. 2, ii. t. 113 (1835).
Nouv. Mem. Acad. Sc. Bruxelles, ix. t. 2 (1835). —*Fr.*
*A. Henry, Giftpfl. Deutschl. [t. 8] (1836).
*F. A. W. Miquel, Noord-Nederl. Verg. Gewas. t. 11 (1836).
*Spratt, Med.-Bot. Pocket Book, 48 [1836].
*Zenker, Fl. Thüringen, ii. t. 186 (1836–55).
Bull. Soc. Nat. Mosc. x. No. 5, t. 1, fig. 18 (1837).—*Fr.*
Paxt. Mag. iii. 43 (1837).
*Brandt & Ratzeb. Deutschl. Phanerog. Giftgew. t. 12 (1838).
[M. E.] Jackson, Pict. Fl. fig. 938 (1840).
*Burnett, Pl. Util. i. 25, a (1842).
*G. F. W. Meyer, Fl. Hannover, t. 1 (1842).
Meigen, Deutschl. Fl. iii. t. 109 (1842).—*Fl.*
Arch. Mus. Hist. Nat. Paris, iii. t. 1, fig. 5 (1843). —*Fl.*
*Dietrich, Fl. Boruss. xi. t. 762 (1843).
!Flora, xxvii. 1. t. 1, 2 (1844); xxix. t. 1, 2 (1846); xxxiii. t. 4 (1850).
*Deakin, Florigr. Brit. ii. fig. 1002 (1845).
Duchesne, Pl. Util. t. 60 (1846).
Lindley, Veg. Kingd. 681 (1846).—*Fl.*
*Carson, Ill. Med. Bot. ii. t. 64 (1847).
*Cassone, Fl. Med.-Farm. iii. t. 281 (1848).
*Strong, American Fl. i. 25 (1848).
Lindley, Med. & Oecon. Bot. 213 (1849).—*Fl.*
*Berge & Riecke, Giftgewächse, t. 11 (1850).
*E. Hamilton, Fl. Homoeopath. i. t. 29 (1852).
*Good, Family Flora, i. t. 46 (1854).
Targioni-Tozzetti in Mem. Accad. Sc. Torino, Ser. II. xv. t. 3 (1855).—*Fl.*
*C. Johnson, Brit. Poison. Pl. t. 17 (1856).
Johnson & Sowerby, Brit. Wild Fl. fig. 905 (1858–60).
*Pecirka, Giftgew. Oesterr. Deutschl. [t. 15] (1859).
Berg, Charakt. t. 40, fig. 308 (1861).
*Berg & Schmidt, Darst. u. Beschr. Offiz. Gewächse, iii. t. 21, b (1861).
*Johnson & Sowerby, Useful Pl. Gr. Brit. t. 14, fig. 166 (1861[–62]).
Reichenbach, Ic. Fl. Germ. xx. t. 1688 (1861).
*T. Moore, Field Bot. Comp. t. 17 (1862).
Decaisne & Naud. Amat. Jard. ii. 367 [1862–66].
*Artus, Atlas Pharm. Deutschl. Aufg. Offic. Gew. t. 179 [1862–74].
*Hogg & Johnson, Wild Fl. Gr. Brit. i. t. 73 (1863).
*Argenta, Album Fl. Med.-Farm. iii. t. 232 (1864).
Bentham, Handb. Brit. Fl. fig. 742 (1865).
*Nouv. Arch. Mus. Hist. Nat. Paris, i. t. 2 (1865). —*Fl.*
*Schubert, Naturg., Pflanzenreich, Ed. 2, t. 32, fig. 8 [1865].
Migout, Fl. Dépt. Allier, t. 16 (1866).—*Fl.*
*Syme, Engl. Bot. vi. t. 952 (1866).

DIGITALIS
purpurea
*Fl. des Serres, Ser. II. vii. t. 1759 (1867–68).
*Belg. Hort. xviii. 193 (1868).
*Réveil, Règne Vég. iv. t. 23, viii. t. 47 (1870).
Arch. Néerl. viii. t. 15–17 (1873).
Decaisne, Naud. & Hemsl. Trees, Shrubs & Herb. Pl. 348 (1873).
Suringar in Versl. & Med. Akad. Wet. Afd. Natuurk. Ser. II. vii. t. 1–3 (1873).
!Suringar in Arch. Néerl. Sc. Exact. & Nat. viii. t. 15–17 (1873).
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, iv. t. 155 [1873].
*Bentley & Trim. Med. Pl. iii. t. 195 (1875).
*Cusin, Herb. Fl. Franç. xvii (Scrophulariacées), t. 93 (1875).
Lubbock, Brit. Fl. Relat. Insects, 137 (1875).—*Fl.*
*Hulme & Hibberd, Familiar Gard. Fl. v. 1 [1879–87].
Favart, Flowers & Pl. t. 27 (1880).
Karsten, Deutsche Fl. Pharm.-medic. Bot. 951 (1880–83).
*C. Hoffmann, Pflanzenatlas, t. 51, fig. 312 (1881).
Gartenfl. xxxi. 139 (1882).
!Journ. Linn. Soc., Bot. xix. t. 33 (1882).—*Fl.*
!Le Jolis in Mém. Soc. Sc. Nat. & Math. Cherbourg, xxiv. t. 6 (1882).—*Fl.*
Wagner, Ill. Deutsche Fl. Ed. 2, p. 564 (1882).
Schilling, Grundr. Naturg. ii. Pflanzenr. Ausgb. A, p. 158 (1882); Ausgb. B, p. 205 (1884).
*Lesacher & Mareschal, Nouv. Bot. Med. iv [t. 4] (1883).
*M'Alpine, Bot. Atlas, i. t. 24 (1883).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xvii. t. 1667 (1884).
Baillon, Dict. Bot. ii. 422 (1884).
Baillon, Traité Bot. Méd. Phan. ii. 1226, 1227 (1884).
Nicholson, Illustr. Dict. Gard. i. 476 [1884–88].
!Nederl. Kruidk. Arch. Ser. II. iv. III. t. 7 (1885). —*Fl.*
*Baillon, Ic. Fl. Franç. ii. t. 111 [1885–94].
Cornevin, Pl. Vénén. 493 (1887).
*Köhler, Med. Pfl. i [t. 71] (1887).
Baillon, Hist. Pl. ix. 395, 396 (1888).
*Garden, xxxiv. 488 (1888).
*Dujard.-Beaumetz & Égasse, Pl. Méd. 239, 240, t. 19 (1889).
Potonié, Ill. Fl. Nord- u. Mittel-Deutschl. Ed. 4, fig. 504 (1889).
*Thomé, Fl. Deutschl. iv. t. 501 (1889).
!Meehan's Monthly, i. 56, 57 (1891); iii. 132 (1893).—*Fl.*
Pflanzenfam. iv. III. B. 45, 89 (1891).
*Leclerc du Sablon, Nos Fleurs, 21, t. 3 [1892].
*Hulme, Familiar Wild Fl. (5 vol. Ed.), i. 153 [1892?]; (Pop. Ed.), iv. 137 [1897?].
*Masclef, Atlas Pl. France, t. 245 (1893).
*Schimpfky, Uns. Heilpfl. i. t. 73 [1893–94].
Acloque, Fl. France, 494 (1894).—*Fl.*
Brehm, Merv. Nat. Monde des Pl. ii. 327 (1894–96).
Garcke, Ill. Fl. Deutschl. 444 (1895).
Karsten, Fl. Deutschl. ii. 524 (1895).
*Kohl, Off. Pfl. Pharm. Germ. t. 131 (1895).
Oesterr. Bot. Zeitschr. xlvi. t. 7, fig. 24–27 (1896). —*Fl.*
*Siélain, Atlas Poche Pl. Champs, Prair. & Bois, Ser. II. t. 67 (1896).
Lochman, Phot. Med. Pl. t. 196 (1898).
Britton & Brown, Ill. Fl. N. States & Canada, iii. 171 (1898); Ed. 2, iii. 204 (1913).
Knuth, Handb. Blütenbiol. ii. II. 158 (1899). —*Fl.*
!Deutsche Bot. Monatsschr. xvii. 64, t. 1 (1899). —*Fl.*
*Warlich, Russk. Lekarst. Rast. (Russ. Med. Pl.), iv. t. 86 (1900).
Reichenau, Mainzer Flora, fig. 18 (1900).
!De Vries, Mutationsth. i. 568 (1901).
Fiori & Paol. Ic. Fl. Ital. 352 (1902).
C. T. Green, Fl. Liverpool Distr. fig. 463 (1902).
!Rev. Gén. Bot. xiv. 517–19 (1902).
Warming, Handb. Syst. Bot. Ed. Möbius, 404 (1902).—*Fl.*

DIGITALIS
purpurea
*Josef v. Oesterreich & Marg. v. Thurn und Taxis, Atlas Heilpfl. t. 50 (1903).
!Gartenfl. lii. 184, 185 (1903).—*Fl.*
*Losch, Kräuterb. t. 73 (1903).
*Sturm, Fl. Deutschl. Ed. 2, x. t. 33 (1903).
!Gard. Chron. Ser. III. xxxvi. 208 (1904).—*Fl.*
U.S. Dep. Agric. Farm. Bull. No. 188, p. 23 (1904).—*Hab.*
*Masclef, Pl. Eur. t. 66 (1905).
*Step, Wayside & Woodl. Bloss. New Ed. ii. t. 1 (1905).
Avebury, Notes Life Hist. Brit. Fl. Pl. 313 (1905). —*Fl.*
Merino, Fl. Galicia, ii. 92 (1906).
*Kirby, Brit. Fl. Pl. t. 68 (1906).
Blytt, Haandb. Norg. Fl. Ed. Dahl, 626 (1906).
Coste, Fl. France, iii. 25 (1906).
Journ. Roy. Agric. Soc. England, lxviii. t. 8 (1907).
Lazaro, Comp. Fl. Españ. ii. 534, 535 (1907).
Heukels, Fl. Nederl. iii. 151 (1909).
Fitzgerald in Nature Book, i. 100, t. 2 (1909).
Beille, Bot. Pharm. ii. 1028, 1029 (1909).
*Esser, Giftpfl. Deutschl. t. 99 (1910).
Velenovsky, Vergl. Morphol. Pfl. iii. 907 (1910). —*Fl.*
*Gehe, Arzneipfl.-Kart. Folge 1 (1911).
Wettstein, Handb. Syst. Bot. Ed. 2, p. 725 (1911). —*Fr.*
*!Rend. Accad. Sc. Istit. Bologna, N. Ser. xv. 1910–11, t. 1 (1911).
Wrigley, Stud. Trees & Fl. 80 [1911].—*Hab.*
U.S. Dep. Agric. Bur. Pl. Indust. Bull. No. 219, p. 33 (1911).
New Phytologist, x. t. 1 (1911).—*Hab.*
Pammel, Man. Poison. Pl. 737 (1911).
Feucht, Württemb. Pflanzenw. t. 36 (1912). —*Hab.*
Journ. Genet. ii. t. 3–5 (1912).
*Gartenwelt, xvi. 526 (1912).
*Strasburger, Text-Book Botany, Ed. Angl. 4, p. 665 (1912).
Amer. Journ. Pharm. lxxxiv. 548 (1912).—*Hab.*
Ber. Deutsch. Bot. Ges. xxx. t. (1) (1912).—*Hab.*
Amer. Journ. Pharm. lxxxv. 215, 216, 218, 219, 300 (1913).
*Bull. Angew. Bot. vi. t. 81 (1913).—*Fl.*
*Gatin, Fl. des Bois, 63, fig. 27; 64, fig. 28; t. 56 (1913).
Neger, Biol. Pflanz. 392 (1913).—*Hab.*
Hayek, Pflanzend. Oesterr.-Ung. i. t. 14 (1914). —*Hab.*
*Perrin & Boulger, Brit. Flower. Pl. iv. t. 257 (1914).
Journ. Board Agric. xxi. 502 (1914).—*Hab.*
!Schweitzer in Pótfüz. a Természett. Közl. (Journ. Nat. Sc.), xlvi. 64 (1914).
A. Georgia, Manual Weeds, t. 267 (1914).
L. H. Bailey, Stand. Cycl. Hort. 1010 (1914).—*Fl.*
Horwood, Plant Life Brit. Isles, iii. 150 (1915).—*Hab.*
*Hegi, Ill. Fl. Mittel-Eur. vi. 1. t. 240, p. 67 (1915).
Bull. Soc. Bot. Ital. 1916, p. 73, fig. 6, 7.
*Bonnier, Name This Flower, t. 41 (1917).
*Komarow, Sbor, Suschka i Razvod. Lekarst. Rast. Ross. (Coll. Dry. & Cult. Med. Pl. Russia), Ed. 3, t. 17 (1917).
Tschirch, Handb. Pharmokogn. ii. t. 67, p. 1552 (1917).
!Act. Hort. Berg. vi. No. 1, t. 44 (1918).—*Hab.*
Garden, lxxxiii. 92, 93 (1919).—*Hab.*
Lovell, Flower & Bee, 68 (1919).—*Fl.*
*Horwood, Brit. Wild Fl. i. 92, iii. t. 22, p. 81 (1919).
!Amer. Bot. xxv. 88 (1919).—*Fl.*
Fitch & Smith, Ill. Brit. Fl. Ed. rev. 4, Iss. 2, fig. 749 (1919).
Miyake & Imai in Journ. Coll. Agric. Tokyo, vi. No. 4, t. 43 (1920).—*Fl.*
—— **acutilabia** Reichb.
Reichenbach, Ic. Fl. Germ. xx. t. 1693 (1861).
—— **gloxiniiflora** Hort.
L. H. Bailey, Cycl. Amer. Hort. 484 (1900).

DIGITALIS
purpurea gloxiniiflora
Youngken, Pharm. Bot. Ed. 2, p. 341 (1918). —*Hab.*
—— **gloxinioides** Hort.
Floral World, 1873, p. 204.
—— **heptandra** Cham.
Linnaea, i. t. 6 (1826).—*Fl.*
New Phytologist, x. 50, 53, t. 1 (1911).
—— **superba** Paxt.
*Paxt. Mag. x. 29 (1843).
*J. W. Loudon, Ladies' Fl.-Gard. Ornam. Perenn. ii. t. 82 (1844).
—— **tomentosa** Brot.
Brotero, Phytogr. t. 149 (1827).
×**rigida** Lindl.
Lindley, Digitalis Monogr. t. 19 (1821).
sceptrum Linn. f.
L'Héritier, Sertum Angl. t. 24 (1788).
*Joh. Kerner, Hort. Sempervir. i. t. 40 (1797).
*J. E. Smith, Exot. Bot. ii. t. 73 [1805–7].
*Allg. Teutsch. Gart. Mag. vii. t. 5 (1810).
Lindley, Digitalis Monogr. t. 28 (1821).
*Ann. Blumisterei, i. 160 (1825); iv [t. 20] (1828).
Reichenbach, Hort. Bot. t. 212 (1827–30).
sibirica Lindl.
Lindley, Digitalis Monogr. t. 11 (1821).
×**subpurpurea-lutea** Caspary
*Caspary in Schrift. Phys.-Oekon. Ges. Königsberg, 1862, t. 7 (1863).
thapsi Linn.
*J. E. Smith, Exot. Bot. i. t. 43 [1804–5].
*Hoffmannsegg & Link, Fl. Portug. i. t. 30 (1809).
Lindley, Digitalis Monogr. t. 1, 3 (1821).
Brotero, Phytogr. t. 150 (1827).
Reichenbach, Ic. Fl. Germ. xx. t. 1689 (1861).
Baillon, Hist. Pl. ix. 397 (1888).—*Fl.*
—— **intermedia** Lindl.
Lindley, Digitalis Monogr. t. 4 (1821).
tomentosa Link & Hoffmgg.
*Hoffmannsegg & Link, Fl. Portug. i. t. 29 (1809).
*Bot. Mag. xlviii. t. 2194 (1820).
×**tubiflora** Lindl.
Lindley, Digitalis Monogr. t. 22 (1821).
viridiflora Lindl.
Lindley, Digitalis Monogr. t. 18 (1821).

DIGITARIA Hall.—Vide *Panicum, Syntherisma*
abyssinica Stapf
Pflanzer, x. Beih. No. 2, t. 8 (1914).
aegyptiaca Willd.
Figari & De Notaris in Mem. Accad. Sc. Torino, Ser. II. xiv. 392, fig. 25 (1854).
chrysoblephara Fig. & De Not.
Figari & De Notaris in Mem. Accad. Sc. Torino, Ser. II. xiv. 392, fig. 27 (1854).
ciliaris Koel.
Reichenbach, Ic. Fl. Germ. i. t. 27 (1834).
Nees, Gen. Pl., Monocot. i. t. 18 (1836).—*Fl.*
Andersson, Gram. Scand. t. 11, fig. 121 (1852).
Figari & De Notaris in Mem. Accad. Sc. Torino, Ser. II. xiv. 392, fig. 26 (1854).
Migout, Fl. Dépt. Allier, t. 22 (1866).—*Fr.*
Scient. Proc. Roy. Dublin Soc. N. Ser. xii. t. 22 (1910).—*Fr.*
Wettstein, Handb. Syst. Bot. Ed. 2, p. 826 (1911). —*Fl.*
Dactylon Scop.
*Mirbel, Hist. Nat. Pl. vii. t. 19 [1802–6].
debilis Willd.
Fiori & Paol. Ic. Fl. Ital. 17 (1895).
Wood, Natal Pl. v. III. t. 469 (1906).
decipiens Fig. & De Not.
Figari & De Notaris in Mem. Accad. Sc. Torino, Ser. II. xiv. 392, fig. 24 (1854).
diagonalis Stapf
Wood, Natal Pl. ii. II. t. 144 (1900).
dilatata Coste
Coste, Fl. France, iii. 553 (1906).
disticha Fiori & Paol.
Fiori & Paol. Ic. Fl. Ital. 16 (1895).
diversinervis Stapf
Wood, Natal Pl. ii. II. t. 142 (1900).
eriantha Steud.
Wood, Natal Pl. ii. II. t. 137 (1900).

DIGITARIA
exilis Stapf
Kew Bull. 1915, p. 385.—*Fl.*
Hook. Ic. Pl. xxxi. t. 3068 (1916).
filiformis Koel.
Reichenbach, Ic. Fl. Germ. i. t. 27 (1834).
Torrey, Fl. State New York, ii. t. 147 (1843) in ic.; *Panicum filiforme* in textu, p. 424.
*Lorek, Fl. Pruss. Ed. 3, t. 33, fig. 185 (1848).
Migout, Fl. Dépt. Allier, t. 22 (1866).
Husnot, Gram. t. 4 (1896–99).
Coste, Fl. France, iii. 552 (1906).
Pammel & King in Iowa Geol. Surv. Bull. No. 4, p. 409 (1913).—*Fr.*
flaccida Stapf
Wood, Natal Pl. v. III. t. 470 (1906).
gazensis Rendle
Journ. Linn. Soc., Bot. xl. t. 6 (1911).
glabra Roem. & Schult.
Dumortier, Gram. Belg. t. 13 (1823).—*Fl.*
*Kops, Fl. Batava, vii. t. 516 (1836).
*Fl. Dan. xv. t. 2641 (1861).
Fiori & Paol. Ic. Fl. Ital. 17 (1895).
gracilis Guss.
Gussone, Enum. Pl. Inar. t. 19 (1854).
horizontalis Willd.
Wood, Natal Pl. ii. II. t. 140 (1900).
Pflanzer, x. Beih. No. 2, t. 7 (1914).
humifusa Pers.
*Sowerby & Sm. Engl. Bot. Suppl. i. t. 2613 (1831).
[M. E.] Jackson, Pict. Fl. fig. 1505 (1840).
*Deakin, Florigr. Brit. i. fig. 210 (1841).
Andersson, Gram. Scand. t. 11, fig. 120 (1852).
*Sowerby & Johnson, Grasses Gr. Brit. 144 [1857–61].
*Lowe, Nat. Hist. Brit. Grasses, t. 73 (1858).
Johnson & Sowerby, Brit. Wild Fl. fig. 1600 (1858–60).
*Syme, Engl. Bot. xi. t. 1691 (1872).
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, vi. t. 272 [1873].
Beal, Michigan Weeds (Bull. Mich. Agric. Exp. St. No. 267), 295 (1911); et in Ann. Rep. xxv. 284 (1912).
Pammel, Weeds Farm & Gard. 140 (1911).
Rhodora, xiv. t. 98 (1912).
Pammel in Iowa Geol. Surv. Bull. No. 4, p. 11, 409 (1913).
iburua Stapf
Kew Bull. 1915, p. 382.—*Fl.*
Hook. Ic. Pl. xxxi. t. 3069 (1916).
linearis Crép.
Lindman, Svensk Fanerogamfl. 65, 70 (1918). —*Fr.*
monodactyla Stapf
Wood, Natal Pl. ii. II. t. 136 (1900).
nodosa Parl.
Webb & Berth. Hist. Nat. Iles Canar. iii. Phytogr. III. t. 246 (1836–50).
pilosa Michx.
Sprengel in Mém. Acad. Sc. Pétersb. ii. t. 4 (1810).
sanguinalis Scop.
P. Beauvais, Agrost. t. 10, fig. 12 (1812).—*Fl.*
*Jaume St.-Hilaire, Fl. & Pom. Franç. vi. t. 509 (1833).
Reichenbach, Ic. Fl. Germ. i. t. 27 (1834).
[M. E.] Jackson, Pict. Fl. fig. 120 (1840).
*Baxter, Brit. Bot. Ed. 2, v. t. 332 (1840).
*Deakin, Florigr. Brit. i. fig. 207 (1841).
*Torrey, Fl. State New York, ii. t. 146 (1843) in ic.; *Panicum sanguinale* in textu, p. 423.
*Lorek, Fl. Pruss. Ed. 3, t. 33, fig. 186 (1848).
Cottage Gard. xviii. 63 (1857).
*Sowerby & Johnson, Grasses Gr. Brit. t. 143 [1857–61].
*Lowe, Nat. Hist. Brit. Grasses, t. 72 (1858).
Johnson & Sowerby, Brit. Wild Fl. fig. 1599 (1858–60).
Cesati, Passer. & Gibelli, Comp. Fl. Ital. t. 5 (1867–86).—*Fl.*
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, vi. t. 272 [1873].
De Silvestri, Piante Prat. 52 (1879).
Karsten, Deutsche Fl. Pharm.-medic. Bot. 370 (1880–83).
Harz, Samenkunde, ii. 1258 (1885).—*Fr.*

DIGITARIA
sanguinalis
G. Beck, Fl. Nied.-Oesterr. i. 25, 42 (1890).—*Fl.*
Paolucci, Fl. Marchig. t. 2 (1890).
*Masclef, Atlas Pl. France, t. 370 (1893).
Fiori & Paol. Ic. Fl. Ital. 17 (1895).
Karsten, Fl. Deutschl. i. 374 (1895).
Husnot, Gram. t. 4 (1896–99).
Wood, Natal Pl. ii. II. t. 141 (1900).
Coste, Fl. France, iii. 552 (1906).
Merino, Fl. Galicia, iii. 236 (1909).
Beal, Michigan Weeds (Bull. Mich. Agric. Exp. St. No. 267), 296 (1911); et in Ann. Rep. xxv. 285 (1912).
Rhodora, xiv. t. 98 (1912).
Pammel in Iowa Geol. Surv. Bull. No. 4, p. 9, 11, 409, 676, 731 (1913).
Canada Dep. Agric. (Seed Branch), Bull. No. S–8, p. 30 (1914).—*Fr.*
F. E. & E. S. Clements, Rocky Mt. Fl. t. 46 (1914).
A. Georgia, Manual Weeds, t. 5 (1914).
Wilcox, Link & Pool in Bull. Agric. St. Nebraska, xxvii. No. 148, p. 16 (1915).—*Fl.*
Lindman, Svensk Fanerogamfl. 70 (1918).—*Fr.*
—— **ciliaris** Willk.
Willkomm, Führ. Reich Pflanzen, 229 (1882).—*Fl.*
sarmentosa Schrad.
Schrader, Fl. Germ. t. 3 (1806) in ic.; *D. stolonifera* in textu.
setifolia Stapf
Wood, Natal Pl. ii. II. t. 139 (1900).
stolonifera Schrad.
Schrader, Fl. Germ. t. 3 (1806) in textu; *D. sarmentosa* in ic.
Swynnertonii Rendle
Journ. Linn. Soc., Bot. xl. t. 6 (1911).
tenuiflora P. Beauv.
Wood, Natal Pl. ii. II. t. 143 (1900).
ternata Stapf
Wood, Natal Pl. ii. II. t. 138 (1900).
tricholaenoides Stapf
Wood, Natal Pl. ii. II. t. 145 (1900).
vaginata Magnier
Coste, Fl. France, iii. 552 (1906).
variabilis Fig. & De Not.
Figari & De Notaris in Mem. Accad. Sc. Torino, Ser. II. xiv. 392, fig. 23 (1854).
vestita Fig. & De Not.
Figari & De Notaris in Mem. Accad. Sc. Torino, Ser. II. xiv. 392, fig. 22 (1854).
villosa Pers.
Elliott, Bot. S.-Carolina & Georgia, ii. t. 7 (1824).

DIGLOTTIS Nees & Mart.: *Cusparia*
obovata Nees & Mart.
Nov. Act. Acad. Nat. Cur. xi. t. 19, 25 (1823).

DIGLYPHIS Bl.: *Diglyphosa*
latifolia Bl.
*Blume, Coll. Orchidées, i. t. 55 (1858) in textu; *Diglyphosa latifolia* in ic.

DIGLYPHOSA Bl.—Vide *Diglyphis*
latifolia Bl.
Blume, Tab. Jav. Orch. t. 60 (1825).—*Fl.*
Reichenbach f., Xenia Orch. i. t. 80 (1856).
*Blume, Coll. Orchidées, i. t. 55 (1858) in ic.; *Diglyphis latifolia* in textu.
J. J. Smith, Orch. Java, Fig.-Atlas, ii. fig. 130 (1909).—*Fl.*
*Costantin, Atlas Orch. Cult. t. 25 (1913).—*Fl.*
macrophylla King & Pantl.
*Ann. Bot. Gard. Calcutta, viii. t. 136 (1898).

DIGNATHIA Stapf
gracilis Stapf
Hook. Ic. Pl. xxx. t. 2950 (1911).
Pflanzenfam. Nachtr. 4 z. ii. 11 (1914).
hirtella Stapf
Hook. Ic. Pl. xxx. t. 2950 (1911).—*Fl.*

DIGONOCARPUS Vell.: *Cupania*
inflatus Vell.
Vellozo, Fl. Flum. iv. t. 14 (1827).

DIGRAMMARIA Presl: *Diplazium*
ambigua Presl
Presl, Tent. Pteridogr. t. 4 (1836).
*Hooker, Gen. Fil. t. 56 (1842).

DIGRAMMARIA
ambigua
T. Moore, Index Fil. Gen. & Spec. t. 51 [1857–62].
robusta Fée
Fée, Mém. Foug. v. t. 18 (1850–52).

DIGRAPHIS Trin.: *Phalaris*
arundinacea Trin.
Andersson, Gram. Scand. t. 12, fig. 135 (1852).
Bentham, Handb. Brit. Fl. fig. 1151 (1865).
*Plues, Brit. Grasses, 122, t. 3 (1867).
*Syme, Engl. Bot. xi. t. 1697 (1872).
*Gordon, Man. Brit. Grasses, 63, 95, t. 4 [1907].
S. F. Armstrong, Brit. Grasses, 94, 95 (1917).
Fitch & Smith, Ill. Brit. Fl. Ed. rev. 4, Iss. 2, fig. 1169 (1919).

DILATRIS Berg.
corymbosa Berg.
Bergius, Desc. Pl. Cap. t. 3 (1767).
*J. E. Smith, Exot. Bot. i. t. 16 [1804–5].
*Marloth, Fl. S. Africa, iv. t. 30 (1915).
viscosa Linn. f.
Lamarck, Ill. i. t. 34 (1791).
Gaertner f., Fruct. iii. t. 182 (1805).—*Fr.*
*Schnizlein, Iconogr. i. t. 62 (1843).
*Marloth, Fl. S. Africa, iv. t. 31 (1915).—*Fl.*

DILIVARIA Juss.: *Acanthus*
ilicifolia Juss.
Wight, Ic. Pl. Ind. Or. ii. t. 459 (1840–43).

DILKEA Mast.
acuminata Mast.
Mart. Fl. Bras. xiii. 1. t. 106 (1872).
Johannesii Barb. Rodr.
Barbosa Rodrigues, Vellosia, iii. 1. t. 10 (1891).
retusa Mast.
Mart. Fl. Bras. xiii. 1. t. 106 (1872).
Wallisii Mast.
Mart. Fl. Bras. xiii. 1. t. 106 (1872).

DILLENIA Linn.—Vide *Capellia*, *Reifferscheidia*
aurea Sm.
*J. E. Smith, Exot. Bot. ii. t. 92, 93 [1805–7].
*Trattinick, Ausg. Taf. Arch. iii. t. 256 a, 256 b (1814).
Koorders & Val. Atlas Baumart. Java, t. 1 (1913).
—— **Blumei** Pierre
Pierre, Fl. For. Cochinch. i. t. 12 (1879).
—— **Harmandii** Pierre
Pierre, Fl. For. Cochinch. i. t. 11 (1879).
—— **Kurzii** Pierre
Pierre, Fl. For. Cochinch. i. t. 13 (1879).
Blanchardii Pierre
Pierre, Fl. For. Cochinch. i. t. 14 (1879).
bracteata Wight
Wight, Ic. Pl. Ind. Or. ii. t. 358 (1840–43).
dentata Thunb.
Trans. Linn. Soc. London, i. t. 20 (1791).
*Joh. Kerner, Hort. Sempervir. t. 558 (1819).
elata Pierre
Pierre, Fl. For. Cochinch. i. t. 9 (1879).
elliptica Thunb.
Rumphius, Herb. Amboin. ii. t. 45 (1743); fide Merrill, Interpret. Rumph. Herb. Amboin.
heterosepala Finet & Gagnep.
Bull. Soc. Bot. France, 1905, lii. Mém. iv. t. 2 (1906).
Lecomte, Fl. Gén. Indo-Chine, i. t. 2 (1907).
Hookeri Pierre
Pierre, Fl. For. Cochinch. i. t. 5 (1879).
indica Linn.
Rheede, Hort. Mal. iii. t. 38, 39 (1682); fide Hook. f. & Thoms. Fl. Ind. i. 69.
*J. Hill, Decade Curious Trees & Pl. t. 3 (1773).
Buchoz, Hist. Règne Vég. xii. Dec. 7, t. 6 (1776).
Vidal, Sin. Fam. & Gen. Pl. Leñ. Filip. (Introd. Fl. For. Filip.), Atlas, t. 2, fig. A (1883).
Pflanzenfam. iii. VI. 105, 124 (1893).
Trop. Agric. xxv. No. 3, p. 496 (1905).—*Fr.*
Gard. Chron. Ser. III. xliv. 451 (1908).
Talbot, For. Fl. Bombay, i. 9 (1909).
H. F. Macmillan, Handb. Trop. Garden. & Plant. 143 (1910).
Wettstein, Handb. Syst. Bot. Ed. 2, p. 596 (1911).—*Fr.*
Koorders & Val. Atlas Baumart. Java, t. 2 (1913).
Philippine Agric. Rev. x. p. 16, t. 7 (1917).—*Fr.*
Basu, Ind. Med. Pl. t. 24 (1918).

DILLENIA
integra Thunb.
Trans. Linn. Soc. London, i. t. 18 (1791).
Lamarck, Ill. iii. t. 492, fig. 1 (1797).
*Joh. Kerner, Hort. Sempervir. t. 547 (1819).
ochreata Teysm. & Binn.
Pflanzenfam. iii. VI. 104 (1893).—*Fl.*
Schimper, Pflanzen-Geogr. t. 353 (1898).—*Veg.*
ornata Wall.
*Wallich, Pl. Asiat. Rar. i. t. 23 (1830).
ovata Wall.
Pierre, Fl. For. Cochinch. i. t. 10 (1879).
Crevost & Lemarié, Cat. Prod. Indochine, i. 192 (1917).
pentagyna Roxb.
*Roxburgh, Pl. Coromandel, i. t. 20 (1795).
Beddome, Fl. Sylv. t. 104 (1871).
Pierre, Fl. For. Cochinch. i. t. 6–8 (1879).
Karsten & Schenck, Veg.-Bild. iii. t. 13 (1905).—*Hab.*
Talbot, For. Fl. Bombay, i. frontisp. (1909).
Koorders & Val. Atlas Baumart. Java, t. 3 (1913).
philippinensis Rolfe
Philippine Journ. Sc., Chem. & Geol. viii. 80, t. 14. (1913).—*Fr.*
Philippine Agric. Rev. viii. 108, t. 7 (1915); xiii. 356, t. 20 (1920).
W. H. Brown in Bull. Philip. Isl. Dep. Agric. Bur. Forestry, No. 21, p. 117, 119 (1920).
procumbens Labill.
Labillardière, Nov. Holl. Pl. t. 156 (1806).
Reifferscheidia Villar
*Blanco, Fl. Filip. t. 344 (1878–80).
Vidal, Sin. Fam. & Gen. Pl. Leñ. Filip. (Introd. Fl. For. Filip.), Atlas, t. 2, fig. B (1883).—*Fl.*
retusa Thunb.
Trans. Linn. Soc. London, i. t. 19 (1791).
Lamarck, Ill. iii. t. 492, fig. 2 (1797).
Trop. Agric. xxv. No. 3, p. 496 (1905).—*Fr.*
Flora, xcvi. 257 (1906).—*Fl.*
scabrella Roxb.
*Wallich, Pl. Asiat. Rar. i. t. 22 (1830).
Bose, Man. Ind. Bot. 177 (1920).
scandens Willd.
*Duhamel, Arbres & Arbustes, Ed. 2, iv. t. 63 (1809).
*Redouté, Choix Fl. [t. 32] (1827).
*Géel, Sert. Bot. Cl. 13 (1832).
Rev. Hort. Belge, xxxiv. 216–217 (1908).—*Hab.*
serrata Thunb.
Rumphius, Herb. Amboin. ii. t. 46 (1743); fide Merrill, Interpret. Rumph. Herb. Amboin.
speciosa Thunb.
*Bot. Mag. xiii. t. 449 (1799).
*J. E. Smith, Exot. Bot. i. t. 2, 3 [1804–5].
*Trattinick, Ausg. Taf. Arch. iii. t. 257 a, 257 b (1814).
*Joh. Kerner, Hort. Sempervir. t. 505 (1818).
*Mag. Bot. & Gard. iv. t. 56 (1836).
Wight, Ic. Pl. Ind. Or. iii. t. 823 (1843–45).
Griffith, Ic. Pl. Asiat. t. 649, fig. 3 (1854); vide Not. iv. 703.—*Fl.*
*Bot. Mag. lxxxiii. t. 5016 (1857).
Baillon, Adans. vii. t. 3 (1866).
Baillon, Hist. Pl. i. 110, 111 (1867–69).
Horticulteur Franç. 1867, p. 119.
*Réveil, Règne Vég. iv. t. 37; viii. t. 48 (1870).
Beddome, Fl. Sylv. t. 103 (1871).
*Blanco, Fl. Filip. t. 199 (1878–80).
Garden, xix. 50 (1881).
Queensland Agric. Journ. iv. t. 111 (1899).
speciosa Gilg
Philippine Agric. Rev. v. 596, t. 6 (1912).
subsessilis Gilg
Pflanzenfam. iii. VI. 107 (1893).—*Fr.*
turbinata Finet & Gagnep.
Bull. Soc. Bot. France, 1905, lii. Mém. iv. t. 1 (1906).
Lecomte, Fl. Gén. Indo-Chine, i. t. 1 (1907).
volubilis Vent.
Ventenat, Choix Pl. t. 11 (1803).

DILLWYNIA Sm.
cinerascens R. Br.
*Lodd. Bot. Cab. vi. t. 527 (1821).
*Bot. Mag. xlviii. t. 2247 (1821).
*Charsley, Wild Fl. Melbourne, t. 9 (1867).

DILLWYNIA
cinerascens
!Proc. Roy. Soc. Victoria, N. Ser. xxviii. II. t. 29 (1916).—*Veg.*
clavata Paxt.
*Paxt. Mag. xi. 5 (1844).
*Journ. Jard. 1845, p. 189.
*Horticulteur Univ. vii. 166 (1846).
Drummondii van Houtte
*Gartenfl. xii. t. 412 (1863).
*Trans. Russ. Hort. Soc. 1863, t. 138.
ericifolia Sm.
*J. E. Smith, Exot. Bot. i. t. 25 [1804–5].
*Bot. Mag. xxxvii. t. 1545 (1813).
*Lodd. Bot. Cab. xiii. t. 1277 (1827).
*Maiden & Campbell, Fl. Pl. & Ferns N. S. Wales, t. 12 (1895).
F. Sulman, Wild Fl. N. S. Wales, i. t. 32 (1913).
floribunda Sm.
*J. E. Smith, Exot. Bot. i. t. 26 [1804–5].
*Lodd. Bot. Cab. iv. t. 305 (1819).
*Trattinick, Ausw. Gartenpfl. i. t. 37 (1821).
*Florist's Journ. 1845, t. 70.
F. Sulman, Wild Fl. N. S. Wales, i. t. 32 (1913).
A. E. Sulman, Austral. Wild Fl. Ser. II. t. 12 [1913].
glaberrima Sm.
Labillardière, Nov. Holl. Pl. t. 139 (1804).
*Bot. Mag. xxiv. t. 944 (1806).
Lodd. Bot. Cab. vi. t. 582 (1821).
J. C. Loudon, Arbor. & Frutic. Brit. ii. 569 (1838).
glycinifolia Sm.
*Bot. Reg. xviii. t. 1514 (1832).
*Hort. Belge Journ. Jard. & Amat. i. t. 19 (1833).
*Journ. Jard. 1837, p. 280.
*Paxt. Mag. iv. 99 (1838).
juniperina Lodd.
*Lodd. Bot. Cab. v. t. 401 (1820).
lanceolata Loisel.
*Mordant de Launay, Herb. Amat. viii. t. 527 (1827)
*Drapiez, Herb. Amat. Fl. vii. t. 478 (1834).
laxiflora Benth.
Hügel, Archiv, t. 9 (1837).
myrtifolia Sm.
*Mordant de Launay, Herb. Amat. v. t. 344 (1821
obovata Labill.
Labillardière, Nov. Holl. Pl. t. 140 (1804).
*Bot. Mag. xxxi. t. 1274 (1810).
Lamark, Ill. vi. t. 952 (1823).
parvifolia R. Br.
*Bot. Mag. xxxvii. t. 1527 (1813).
*Lodd. Bot. Cab. vi. t. 559 (1821).
*Géel, Sert. Bot. Cl. 10 (1832).
*J. W. Loudon, Ladies' Fl.-Gard. Ornam. Greenh. Pl. t. 23 (1848).
Agardh, Theor. Syst. Pl. t. 18 (1858).—*Fl.*
pungens Mackay
*Lodd. Bot. Cab. xvi. t. 1502 (1829).
scabra Schlechtd.
*Gard. Comp. 1852, p. 25.
*Lem. Jard. Fl. iii. t. 296 (1852).
speciosa Paxt.
*Paxt. Mag. vii. 27 (1840).

DILOBEIA Thou.
Thouarsii Roem. & Schult.
Grandidier, Hist. Madag. [Plantes] Atlas, t. 45, 46 (1886).

DILOCHIA Lindl.: *Arundina*
pentandra Reichb. f.
*Reichenbach f., Xenia Orch. ii. t. 105 (1862).
Wallichii Lindl.
*Blume, Coll. Orchidées, i. t. 5, 8 (1858).
Reichenbach f., Xenia Orch. ii. t. 105 (1862).—*Fl.*
J. J. Smith, Orch. Java, Fig.-Atlas, iii. fig. 169 (1910).—*Fl.*

DILODENDRON Radlk.
bipinnatum Radlk.
Pflanzenfam. iii. v. 339 (1895).
Mart. Fl. Bras. xiii. III. t. 119 (1900).

DILOPHIA T. Thoms.
ebracteata Maxim.
Maximowicz, Fl. Tangut. t. 28 (1889).
fontana Maxim.
Maximowicz, Fl. Tangut. t. 13 (1889).

DILOPHIA
salsa T. Thoms.
Hooker's Journ. Bot. & Kew Misc. iv. t. 12 (1852).
sinuata Maxim.
Maximowicz, Fl. Tangut. t. 28 (1889).

DIMACRIA Lindl.: *Pelargonium*
astragalifolia Sweet
*Sweet, Geran. ii. t. 103 (1822).
auriculata Sweet
*Sweet, Geran. iv. t. 395 (1828).
barbata Sweet
*Sweet, Geran. iv. t. 391 (1828).
×**bipartita** Sweet
*Sweet, Geran. ii. t. 142 (1822).
depressa Sweet
*Sweet, Geran. iii. t. 290 (1826).
×**elegans** Sweet
*Sweet, Geran. iii. t. 202 (1824).
lanceifolia Sweet
*Sweet, Geran. iv. t. 387 (1828).
pinnata Sweet
*Sweet, Geran. i. t. 46 (1820).
rumicifolia Sweet
*Sweet, Geran. iv. t. 318 (1826).
×**Smithiana** Sweet
*Sweet, Geran. iv. t. 358 (1827).
×**sulphurea** Sweet
*Sweet, Geran. ii. t. 163 (1823).

DIMEREZA Labill.: *Guioa*
glauca Labill.
Labillardière, Sert. Austr.-Caled. t. 51 (1825).

DIMERIA R. Br.
diandra Griff.
Griffith, Ic. Pl. Asiat. t. 157 (1851).
glabriuscula F. M. Bailey
F. M. Bailey, Compr. Cat. Queensl. Pl. 618 (1909–13).
ornithopoda Trin.
Trinius, Fund. Agrostr. 14 (1820).
Lisboa, Bombay Grasses, 44 (1896).
Woodrowii Stapf
Hook. Ic. Pl. xxiv. t. 2312 (1894).
Lisboa, Bombay Grasses, 44 (1896).

DIMEROCOSTUS O. Kuntze
uniflorus K. Schum.
Pflanzenreich, Zingiberac. 426 (1904).—*Fl.*

DIMOCARPUS Lour.: *Euphorbia*
longan Lour.
Trans. Hort. Soc. London, ii. t. 28 (1817).
*Fortsetz. Allg. Teutsch. Gart. Mag. vii. t. 17 (1823).

DIMORPHA Schreb.: *Eperua*
grandiflora Rudge
Trans. Linn. Soc. London, ix. t. 20 (1807).

DIMORPHANDRA Schott—Vide *Mora*
exaltata Schott
Ettingshausen, Blatt-Skel. Dikot. t. 93, 95 (1861).—*Veg.*
macrostachya Benth.
Arch. Jard. Bot. Rio de Janeiro, i. t. 19, 20, fig. A (1915).—*Fr.*
mora Benth. & Hook. f.
Christy, New Commerc. Pl. & Drugs, No. 12, p. 3 (1897).
Hartwich, Menschl. Genussmittel, 385 (1911).—*Fr.*
paraënsis Ducke
Arch. Jard. Bot. Rio de Janeiro, i. t. 19, 21, fig. B (1915).—*Fl.*
speciosa Spruce
Baillon, Hist. Pl. ii. 148 (1870).—*Fl.*
vernicosa Spruce
Mart. Fl. Bras. xv. II. t. 66 (1870).

DIMORPHANTHERA F. Muell.
anchorifera J. J. Sm.
Nova Guinea, xii. t. 40 (1914).
arfakensis J. J. Sm.
Nova Guinea, xii. t. 41 (1914).
cornuta J. J. Sm.
Nova Guinea, xii. t. 39 (1914).
D'Armandvillei J. J. Sm.
Nova Guinea, xii. t. 38 (1914).

DIMORPHANTHERA
Dekockii J. J. Sm.
Nova Guinea, xii. t. 38 (1914).
intermedia J. J. Sm.
Nova Guinea, xii. t. 39 (1914).
kaniensis Schlechter
Engl. Jahrb. lv. 191 (1918).
Kempteriana Schlechter
Engl. Jahrb. lv. 188 (1918).
pulchra J. J. Sm.
Ic. Bogor. iv. t. 353 (1913).
velutina Schlechter
Engl. Jahrb. lv. 188 (1918).

DIMORPHANTHUS Miq.: *Aralia*
edulis Miq.
Lindley, Veg. Kingd. 780 (1846).—*Fl.*
elatus Miq.
Miquel, Comment. Phytogr. t. 12 (1840).
mandschuricus Maxim.
W. Robinson, Engl. Fl. Gard. t. 99 (1883).—*Hab.*
Nicholson, Illustr. Dict. Gard. i. 477 [1884–88].
*Ill. Hort. xxxiii. t. 609 (1886).—*Hab.*

DIMORPHOCALYX Thw.
glabellus Thw.
Trans. Linn. Soc. London, xxv. t. 26 (1865).
*Trimen, Handb. Fl. Ceylon, Atlas, iv. t. 84 (1898).
Pflanzenreich, Euphorb.-Cluyt. 32 (1911).
Lawianus Hook. f.
Talbot, For. Fl. Bombay, ii. 475 (1911).

DIMORPHOCHLAMYS Hook. f.
Cabraei Cogn.
De Wildeman & Durand, Ill. Fl. Congo (Ann. Mus. Congo), i. t. 66 (1900).
Mannii Hook. f.
Hook. Ic. Pl. xiv. t. 1322 (1880).

DIMORPHOLEPIS A. Gray: *Helipterum*
australis A. Gray
Hook. Ic. Pl. ix. t. 856 (1852).

DIMORPHORCHIS Rolfe
Lowii Rolfe
Orch. Rev. xxvii. 149 (1919).—*Fl.*

DIMORPHOTHECA Moench—Vide *Calendula* pro parte
annua Less.
Journ. Hort. Ser. III. lvii. 501 (1908).
aurantiaca DC.
Gard. Chron. Ser. III. xxxviii. 127 (1905); xliii. 364 (1908).
Journ. Hort. Ser. III. lvii. 37 (1908); lx. 12 (1910).
Gartenfl. lvii. 634 (1908).—*Hab.*
*Garden, lxxiii. 30 (1909).
Journ. Roy. Hort. Soc. London, xxxiv. Proc. p. cxxiv. fig. 43 (1909).
Rev. Hort. 1909, p. 117, 524.
Rev. Hort. Belge, xxxv. 43 (1909); xxxvii. 393 (1911).
Horticulture (Boston), xii. 461 (1910).—*Fl.*
*Jardin, xxiv. 264 (1910).
L. H. Bailey, Stand. Cycl. Hort. 1011 (1914).
Barberiae Harv.
*Bot. Mag. lxxxviii. t. 5337 (1862).
*Horticulteur Franç. 1863, t. 7.
*Belg. Hort. xiii. 162 (1863).
Ecklonis DC.
*Bot. Mag. cxxiii. t. 7535 (1897).
*Rev. Hort. Belge, xxv. 169 (1899); xxxiii. 96 (1907).
Jardin, xxi. 212, 213 (1907); xxiv. 264 (1910).
Gard. Chron. Ser. III. lii. 169 (1912).—*Hab.*
Möllers Deutsche Gärtn.-Zeit. xxxiii. 283 (1918).
fruticosa DC.
Wood, Natal Pl. vi. IV. t. 581 (1912).
graminifolia DC.
*Bot. Mag. lxxxvii. t. 5252 (1861).
*Garden, xxxviii. 180 (1890).
×**hybrida** DC.
Beih. Bot. Centralbl. xxix. I. 30 (1912).—*Fr.*
Tribune Hort. ix. 53 (1914).—*Hab.*
lilacina Regel & Herd.
*Gartenfl. xiv. t. 463 (1865).
*Trans. Russ. Hort. Soc. 1865, t. 164.
nudicaulis DC.
Deutsche Tiefsee-Exped. 1898–99, ii. III. 322 (1908).

DIMORPHOTHECA
pluvialis Moench
*J. W. Loudon, Ladies' Fl.-Gard. Ornam. Annuals, 196 (1844) in textu; *Calendula pluvialis* in ic. t. 31.
Pflanzenfam. iv. v. 304, 305 (1892).
Ber. Deutsch. Bot. Ges. xxiv. 164 (1906).—*Fr.*
Engler & Drude, Veget. Erde, ix. I. 2, p. 486 (1910).
Beih. Bot. Centralbl. xxix. I. 42 (1912).—*Fr.*
Goebel, Organogr. Pfl. Ed. 2, i. 432 (1913).—*Fr.*
Marloth, Fl. S. Africa, i. 203 (1913); iv. 150 (1915).—*Hab.*
New Phytologist, xvii. 19 (1918).—*Fl.*

DINAEBA = *Dinebra* Jacq.

DINEBA = *Dinebra* Jacq.

DINEBRA Jacq.
aegyptiaca Del.
Delile, Fl. Égypte, t. 11 (1812).
americana P. Beauv.
P. Beauvais, Agrost. t. 16, fig. 3 (1812).—*Fl.*
arabica Jacq.
*Jacquin, Fragm. t. 121 (1809).
P. Beauvais, Agrost. t. 16, fig. 2 (1812).—*Fl.*
Cesati, Passer. & Gibelli, Comp. Fl. Ital. t. 5 (1867–86).—*Fl.*
Duthie, Fodder Grasses, t. F (1888).
Lisboa, Bombay Grasses, 113 (1896).
Witt, For. Fl. Berar Circ. Ill. Grasses, t. 34 (1911).
retroflexa Panz.
Panzer in Denkschr. Akad. Wiss. München, 1813, t. 12 (1814).
Fiori & Paol. Ic. Fl. Ital. 31 (1895).

DINEBRA DC.: *Bouteloua*
aristidoides H. B. K.
H. B. K. Nov. Gen. vii. t. 695 (1825).
bromoides H. B. K.
H. B. K. Nov. Gen. i. t. 51 (1815).
chondrosioides H. B. K.
H. B. K. Nov. Gen. i. t. 53 (1815).
curtipendula DC.
P. Beauvais, Agrost. t. 16, fig. 1 (1812).—*Fl.*
repens H. B. K.
H. B. K. Nov. Gen. i. t. 52 (1815).

DINEMA Lindl.: *Epidendrum*
polybulbon Lindl.
*Bot. Mag. lxx. t. 4067 (1844).
Schlechter, Orchideen, 214 (19[14]–15).—*Fl.*

DINEMAGONUM A. Juss.
Gayanum A. Juss.
*C. Gay, Hist. Chile, Atlas, t. 10 (1854).

DINEMANDRA A. Juss.
ericoides A. Juss.
Arch. Mus. Hist. Nat. Paris, iii. t. 19 (1843).
Gaudichaud, Voy. Bonite, Bot. Atlas, t. 11 (1844–66).
Pflanzenfam. iii. IV. 49 (1890).—*Fr.*
glaberrima A. Juss.
*C. Gay, Hist. Chile, Atlas, t. 9 (1854).
glauca Baill.
Baillon, Hist. Pl. v. 440 (1874).—*Fl.*
Baillon, Dict. Bot. i. t. 182 (1877).—*Fl.*
Pflanzenfam. ii. I. 140 (1889); iii. IV. 46 (1890).—*Fl.*
Velenovsky, Vergl. Morphol. Pfl. iii. 1020 (1910).—*Fl.*

DINETUS Buch.-Ham.: *Porana*
racemosus Sweet
*Sweet, Brit. Fl. Gard. ii. t. 127 (1825).

DINOCHLOA Büse
andamanica Kurz
E. G. Camus, Bambus. Atlas, t. 95 (1913).—*Veg.*
ciliata Kurz
E. G. Camus, Bambus. Atlas, t. 95 (1913).
W. H. Brown & A. F. Fischer in Bull. Philip. Isl. Dep. Agric. Bur. Forestry, No. 15, t. 14 (1918); No. 22, p. 291, t. 14 (1920).
Elmeri Gamble
W. H. Brown & A. F. Fischer in Bull. Philip. Isl. Dep. Agric. Bur. Forestry, No. 15, t. 15 (1918); No. 22, p. 292, t. 15 (1920).

DINOCHLOA
Luconiae Merr.
W. H. Brown & A. F. Fischer in Bull. Philip. Isl. Dep. Agric. Bur. Forestry, No. 15, t. 16 (1918); No. 22, p. 293, t. 16 (1920).
Maclellandii Gamble
Ann. Bot. Gard. Calcutta, vii. t. 99 (1896).
pubiramea Gamble
W. H. Brown & A. F. Fischer in Bull. Philip. Isl. Dep. Agric. Bur. Forestry, No. 15, t. 17 (1918); No. 22, p. 294, t. 17 (1920).
scandens O. Kuntze
E. G. Camus, Bambus. Atlas, t. 95 (1913).
W. H. Brown & A. F. Fischer in Bull. Philip. Isl. Dep. Agric. Bur. Forestry, No. 15, t. 18 (1918); No. 22, p. 295, t. 18 (1920).
tjankorreh Büse
Trans. Linn. Soc. London, xxvi. t. 5 (1868).
Vidal, Sin. Fam. & Gen. Pl. Leñ. Filip. (Introd. Fl. For. Filip.), Atlas, t. 96, fig. c (1883).—*Fl.*
Flora, lxxxvii. 30 (1900).—*Veg.*
—— **andamanica** Gamble
Ann. Bot. Gard. Calcutta, vii. t. 98 (1896).

DINOPHORA Benth.
spenneroides Benth.
Trans. Linn. Soc. London, xxviii. t. 14, fig. 42 (1871).—*Fl.*
Engl. Monogr. Afr. Pfl.-Fam. ii. Melast. t. 1, fig. H (1898).—*Fl.*
Thonneri Cogn.
De Wildeman & Durand, Pl. Thonn. Congol. t. 17 (1900).

DINOSERIS Griseb.
salicifolia Griseb.
Pflanzenfam. iv. v. 341 (1893).—*Fl.*

DINTERA Stapf
pterocaulis Stapf
Mem. Herb. Boiss. No. 20, t. 1 (1900).—*Fl.*

DIOCLEA H. B. K.
altissima Rock
Rock, Legum. Pl. Hawaii, t. 83 (1920).
argentea Desv.
Ettingshausen in Sitzb. Akad. Wiss. Wien, xii. IV. t. 9, fig. 5 (1854).—*Veg.*
Boykinii A. Gray
Cocks in Bull. Louisiana State Mus. No. 1, t. 25 (1910).
erecta Hoehne
Hoehne in Comm. Linh. Telegraph Matto Grosso ão Amaz. Annexo, No. 5, Bot. viii. t. 151, 159 (1919).
glycinoides Hort.
*Journ. Jard. 1834, p. 18.
lasiocarpa Mart.
Ettingshausen in Sitzb. Akad. Wiss. Wien, xii. IV. t. 9, fig. 1 (1854).—*Veg.*
Mart. Fl. Bras. xv. 1. t. 44 (1859).
reflexa Hook. f.
Rumphius, Herb. Amboin. v. t. 5 (1747); fide Merrill, Interpret. Rumph. Herb. Amboin.
Grandidier, Hist. Madag. [Plantes] Atlas, t. 36, 37 (1886).
Ann. Bot. Gard. Calcutta, ix. t. 40 (1901).
Proc. Roy. Irish Acad. xxxv. Sect. B, No. 3, t. 10 (1919).—*Fr.*
Fawcett & Rendle, Fl. Jamaica, iv. II. 59 (1920).
rufescens Benth.
Ettingshausen, Blatt-Skel. Dikot. t. 91 (1861).—*Veg.*
sericea H. B. K.
H.B.K. Nov. Gen. vi. t. 576 (1823).
Ralph, Ic. Carpolog. t. 35 (1849).—*Fr.*
violacea Mart.
Ettingshausen in Sitzb. Akad. Wiss. Wien, xii. IV. t. 9, fig. 2 (1854).—*Veg.*

DIODIA Linn.
alata Nees & Mart.
Mart. Fl. Bras. vi. VI. t. 71 (1888).
arenosa DC.
Mart. Fl. Bras. vi. VI. t. 69 (1888).
auriculosa Bertol.
Bertoloni in Mem. Accad. Sc. Istit. Bologna, ii. t. 18 (1850).

DIODIA
auriculosa
*Bertoloni, Misc. Bot. x. t. 2 (1851).
conferta DC.
Mart. Fl. Bras. vi. VI. t. 70 (1888).
dasycephala Cham. & Schlechtd.
Mart. Fl. Bras. vi. VI. t. 71 (1888).
Arechavaleta in An. Mus. Nac. Montevideo, vi. 87 (1907).—*Fl.*
Glück, Blatt- & Blütenmorph. Stud. t. 5, fig. 65 (1919); errore *D. dasypetala*.—*Fl.*
polymorpha Cham. & Schlechtd.
*Bettfreund, Fl. Argentina, i. t. 48 (1898).
Arechavaleta in An. Mus. Nac. Montevideo, vi. t. 8 (1906).
—— **anthospermoides** Schum.
Mart. Fl. Bras. vi. VI. t. 68 (1888).
rigida Cham. & Schlechtd.
Velenovsky, Vergl. Morphol. Pfl. ii. 430 (1907).—*Fl.*
Glück, Blatt- & Blütenmorph. Stud. 222 (1919).—*Veg.*
rosmarinifolia Pohl
Pflanzenfam. iv. IV. 142 (1891).—*Fr.*
spicata Miq.
Miquel, Stirp. Surinam. (Nat. Verh. Holl. Maatsch. Wet. Haarlem, Ser. II. vii), t. 52 (1850).
Mart. Fl. Bras. vi. VI. t. 70 (1888).—*Fl.*
teres Walt.
Hitchcock & Norton in Bull. Kansas Agric. St. No. 57, t. 4, fig. 54 (1896); No. 66, t. 5, fig. 54 (1897).
Britton & Brown, Ill. Fl. N. States & Canada, iii. 217 (1898); Ed. 2, iii. 256 (1913).
A. Georgia, Manual Weeds, t. 279 (1914).
tetracocca Hemsl.
Hemsley, Biol. Centr. Amer. v. t. 40 (1881).
villosa Moc. & Sessé
A. De Candolle, Calq. Dess. Fl. Mex. Moc. & Sessé, t. 494 (1874).
virginiana Linn.
Britton & Brown, Ill. Fl. N. States & Canada, iii. 218 (1898); Ed. 2, iii. 257 (1913).
virginica Linn.
*Jacquin, Ic. Pl. Rar. i. t. 29 (1781–86).
Gaertner, Fruct. i. t. 25 (1788).—*Fr.*
Lamarck, Ill. i. t. 63 (1791).

DIOLENA Naud.
auriculata Triana
Trans. Linn. Soc. London, xxviii. t. 6, fig. 83 (1871).—*Fl.*
hygrophila Naud.
Ann. Sc. Nat. Paris, Ser. III. xvi. t. 24 (1851).—*Fl.*
Pflanzenfam. iii. VII. 172 (1893).—*Fl.*

DIOMEDEA Bertol.: *Helianthus*
thurifera Bertol.
Colla in Mem. Accad. Sc. Torino, xxxviii. 42, t. 31 (1835).

DIONAEA Ell.
muscipula Ell.
*Ellis, Bot. Descr. Dionaea Muscipula, tab. (1769).—*Hab.*
*Hill, Decade Curious Trees & Pl. t. 5 (1773).
Buchoz, Hist. Règne Vég. vi. Dec. 9, t. 4 (1775).
*Buchoz, Herb. Col. Amér. [t. 13] (1783).
Darwin, Bot. Gard. ii. 15 (1794).
Lamark, Ill. ii. t. 362 (1797).
*Thornton, Bot. Pl. New Illustr. Sex. Syst. Linn. t. 23 a (1799).
*Ventenat, Jard. Malm. t. 29 (1803).
Barton, Elem. Bot. t. 7 (1804).
*Bot. Mag. xx. t. 785 (1804).
Mirbel, Élém. Phys. Vég. Bot. iii. t. 3, fig. 6 (1815).—*Hab.*
Dict. Sc. Nat., Planch. Bot. Dicot. t. 1, 185 (1816–29).
*Lodd. Bot. Cab. i. t. 48 (1818).
*Trattinick, Thes. Bot. t. 2 (1819).
*Mordant de Launay, Herb. Amat. v. t. 349 (1821).
*Vietz, Ic. Pl. Med.-oec.-techn. Suppl. t. 31 (1822).
Mém. Mus. Hist. Nat. Paris, xi. t. 9 (1824).—*Fr.*

DIONAEA
muscipula
St.-Hilaire, Pl. Remarq. Brésil & Parag. i. t. 7 (1824).—*Fr.*
Berchtold & J. S. Presl, Rostlin. ii. t. 49 (1825).
*Drapiez, Herb. Amat. Fl. iii. t. 171 (1829).
*Géel, Sert. Bot. Cl. 10 (1832).
Hort. Reg. ii. 456 (1833).
*Reichenbach, Fl. Exot. v. t. 340 (1836).
Paxt. Mag. i. 61 (1841).
*Burnett, Pl. Util. ii. t. 55 a (1845).
Lindley, Veg. Kingd. 433 (1846).
*Fl. des Serres, Ser. I. iii. t. 280 (1847).
Gray & Sprague, Gen. Fl. Amer. i. t. 84, 85 (1848).
Payer, Organog. Comp. Fl. t. 38 (1857).—*Fl.*
*Schnizlein, Iconogr. iii. t. 189 (1857–65).
Oudemans in Versl. & Med. Akad. Wet. Afd. Natuurk. ix. 334 (1859).—*Fl.*
Le Maout & Decaisne, Traité Gén. Bot. 405 (1868).
*Réveil, Règne Vég. xiv. t. 46 (1870).
Garden, ii. 93 (1872); lxxiv. 646 (1910).
Nature, xii. 229 (1875).—*Veg.*
Neubert's Deutsch. Gart. Mag. xxviii. 297 (1875).
Journ. Hort. liv. 289 (1875); Ser. III. xlix. 307 (1904).
Ráthay in Schrift. Ver. Verbr. naturw. Kenntn. Wien, xvi. 574 (1876).—*Veg.*
Gartenfl. xxv. 215 (1876).
Pouchet, The Universe, Ed. 5, p. 336 (1877).—*Hab.*
Baillon, Dict. Bot. i. 284 (1877); ii. 435 (1884).
*C. Hoffmann, Pflanzenatlas, t. 34, fig. 207 (1881).
Schilling, Grundr. Naturg. ii. Pflanzenr. Ausgb. A, p. 108 (1882); Ausgb. B, p. 238 (1884).
Baillon, Traité Bot. Méd. Phan. i. 420 (1883).
Bouché, Insectenfr. Pfl. t. 1 (1884).—*Hab.*
Rhein. Jahrb. Gartenk. & Bot. i. t. 5 (1884).
Nicholson, Illustr. Dict. Gard. i. 477 [1884–88]; '1900' Suppl. 198 (1900).
Kerner, Pflanzenleben, i. 138 (1887); Ed. 3, i. 326, 327 (1913).
Baillon, Hist. Pl. ix. 229 (1888).
Blanc, Hints Cacti, 109 (1891).
Meehan's Monthly, i. 69 (1891).—*Hab.*
Pflanzenfam. iii. II. 265, 269, 270 (1891).
Mem. Torr. Bot. Club, ii. III. t. 10, 11 (1891).—*Veg.*
Jardin, vi. 199 (1892).
Schwarz, Forstl. Bot. 54 (1892).
!Contrib. Bot. Lab. Univ. Pennsylvania, i. t. 5, 6 (1892).
Bois, Dict. Hort. 446 (1893–99).
Brehm, Merv. Nat. Monde des Pl. i. 757, 759 (1894–96).
Kerner & Oliv. Nat. Hist. Pl. i. 148 (1894).—*Hab.*
Monde des Pl. iv. 114 (1895).—*Hab.*
Mönkemeyer, Sumpf- und Wasserpfl. 135 (1897).—*Hab.*
Edmonds & Marloth, Elem. Bot. S. Africa, 79 (1897).
Lochman, Phot. Med. Pl. t. 82 (1898).
Kronfeld, Atlas Pflanzengeogr. 120, 123 (1899).
L. H. Bailey, Cycl. Amer. Hort. 486 (1900); Stand. Cycl. Hort. 1012 (1914).—*Hab.*
Bellair & St.-Léger, Pl. Serre, 714 (1900).—*Hab.*
Hesdörffer, Handb. Zimmergärtn. Ed. 2, p. 404, fig. 280 (1900).
Lounsberry, Southern Wild Fl. & Trees, t. 62 (1901).
Warming, Handb. Syst. Bot. Ed. Möbius, 306 (1902).
Hansgirg, Phyllobiol. 230 (1903).
Notizbl. Bot. Gart. Berlin, App. xvi. 18 (1905).
Pflanzenreich, Droserac. 26, 58 (1906).
Bot. Gaz. xliv. 383 (1907).
Bot. Jaarb. Gent, xiii. 1901–7, t. 17, fig. 4 (1907).
Teysmannia, xviii. 496 (1907).—*Hab.*
Velenovsky, Vergl. Morphol. Pfl. ii. 519 (1907).
Beille, Bot. Pharm. ii. 429 (1909).
Holm in Ottawa Naturalist, xxii. No. 11, t. 7 (1909).—*Veg.*
Pammel, Man. Poison. Pl. 499 (1911).
Neger, Biol. Pflanz. 338 (1913).—*Veg.*
Crisp, Guide Friar Park, 101 (1914).
Gager, Fundam. Bot. 86 (1916).—*Hab.*
Bose, Man. Ind. Bot. 214 (1920).—*Hab.*

DIONAEA
muscipula
Molisch, Pflanzenphys. Theor. Gärtn. Ed. 3, p. 100 (1920).—*Veg.*

DIONCOPHYLLUM Baill.
Thollonii Baill.
Kew Bull. 1916, p. 90.

DIONYCHIA Naud.
Bojeri Naud.
Ann. Sc. Nat. Paris, Ser. III. xiv. t. 7 (1850).—*Fl.*
Trans. Linn. Soc. London, xxviii. t. 4, fig. 47 (1871).—*Fl.*
Pflanzenfam. iii. VII. 154 (1893).—*Fl.*

DIONYSIA Fenzl—Vide *Macrosiphonia*
aretioides Boiss.
Pflanzenfam. iv. I. 109 (1890).
Pflanzenreich, Primulac. 16 (1905).—*Hab.*
—— **adenophora** Bornm.
Bull. Herb. Boiss. Ser. II. iii. t. 6 (1903).
—— **typica** R. Knuth
Pflanzenreich, Primulac. 165 (1905).—*Hab.*
Aucheri Boiss.
Bull. Herb. Boiss. Ser. II. iii. t. 6 (1903); iv. t. 3 (1904).
bachtiarica Bornm. & Alexeenko.
Bull. Herb. Boiss. Ser. II. iv. t. 2 (1904).
bryoides Boiss.
Bull. Herb. Boiss. Ser. II. iv. t. 3 (1904).
demawendica Bornm.
Beih. Bot. Centralbl. xxxiii. II. t. 2 (1915).
—— **pluriflora** Bornm.
Bull. Herb. Boiss. Ser. II. iv. t. 2 (1904).
diapensiifolia Boiss.
Bull. Herb. Boiss. Ser. II. iv. t. 2 (1904).
Haussknechtii Bornm. & Strauss
Bull. Herb. Boiss. Ser. II. iv. t. 2 (1904).
heterochroa Bornm.
Bull. Herb. Boiss. vii. t. 2 (1899).
hissarica Lipsky
Bull. Herb. Boiss. Ser. II. iii. t. 6 (1903).
Act. Hort. Petrop. xxiii. t. 10 (1904).
ianthina Bornm. & Winkl.
Bull. Herb. Boiss. vii. t. 2 (1899).
leucotricha Bornm.
Beih. Bot. Centralbl. xxxiii. II. t. 2 (1915).
oreodoxa Bornm.
Bull. Herb. Boiss. vii. t. 2 (1899).
Pflanzenreich, Primulac. 162 (1905).
—— **compacta** Bornm.
Beih. Bot. Centralbl. xxxiii. II. t. 2 (1915).
—— **umbrosa** Bornm.
Beih. Bot. Centralbl. xxxiii. II. t. 2 (1915).
revoluta Boiss.
Bull. Herb. Boiss. Ser. II. iv. t. 2 (1904).
Beih. Bot. Centralbl. xxxiii. II. t. 2 (1915).
—— **typica** R. Knuth
Pflanzenreich, Primulac. 162 (1905).
rhaptodes Bunge
Bull. Herb. Boiss. vii. t. 2 (1899).
Sintenisii Stapf
Bull. Herb. Boiss. Ser. II. iii. t. 6 (1903).
Straussii Bornm.
Bull. Herb. Boiss. Ser. II. iii. t. 6 (1903).
tapetodes Bunge
Bull. Herb. Boiss. Ser. II. iv. t. 3 (1904).
Pflanzenreich, Primulac. 162 (1905).

DIOON Lindl.—Vide *Platyzamia*
angustifolium Miq.
Miquel in Verh. Kl. I. Nederl. Inst. Wet. Amsterdam, Ser. III. iv. t. 4 (1851).—*Veg.*
edule Lindl.
Miquel in Verh. Kl. I. Nederl. Inst. Wet. Amsterdam, Ser. III. iv. t. 3, 4 (1851).
Ill. Hort. ii. Misc. 91–93 (1855).
Mém. Acad. Sc. Pétersb. Ser. VII. i. No. 2, t. 1 (1859).—*Fl.*
*Bot. Mag. ci. t. 6184 (1875).
Gartenfl. xxx. 25 (1881); xlviii. 157 (1899).
Hemsley in Biol. Centr. Amer. v. t. 81 (1883).
Nuov. Giorn. Bot. Ital. xvii. t. 1 (1885).
Pflanzenfam. ii. I. 14 (1889).—*Fr.*

DIOON
edule
Bois, Dict. Hort. 447 (1893–99).
Baillon, Hist. Pl. xii. 61 (1894).—*Fl.*
Schimper, Pflanzen-Geogr. 248 (1898).—*Hab.*
Garden, lv. 365 (1899).—*Hab.*
Goebel, Organogr. Pfl. 692 (1901); Ed. Angl. ii. 513 (1905).
Gard. Chron. Ser. III. xl. 289 (1906).—*Hab.*
Bot. Gaz. xlvii. 216, 217 (1909).
Coulter & Chamberlain, Morph. Gymnosp. 92, 110, 114, 116, 122, 125, 129, 154 (1910).
Velenovsky, Vergl. Morphol. Pfl. iii. 736 (1910).—*Fr.*
Bull. Ort. Bot. Napoli, iii. 21 (1913).—*Hab.*
Clausen in Verh. Bot. Ver. Brandenb. liv (25) (1913).—*Fr.*
Warburg, Pflanzenwelt, i. 330, 331 (1913).
C. J. Chamberlain, Living Cycads, 2, 71, 82, 88, 94, 131, 133, 135, 147, 150 (1919).
—— **lanuginosum** Wittm.
Gartenfl. xlviii. 154, 155 (1899).
—— **latipinna** Dyer
Hemsley in Biol. Centr. Amer. v. t. 81 (1883).
imbricatum Miq.
Miquel in Verh. Kl. I. Nederl. Inst. Wet. Amsterdam, Ser. III. iv. t. 4 (1851).—*Veg.*
pectinatum Hort.
Gard. Chron. Ser. III. xiii. 718 (1893).—*Hab.*
spinulosum Dyer
Hemsley in Biol. Centr. Amer. v. t. 82 (1883).
Garten-Zeit. Berlin, ii. 439 (1883).—*Veg.*
Bot. Gaz. xlviii. 405–11 (1909).
Coulter & Chamberlain, Morph. Gymnosp. 94, 110 (1910).
Horticulture (Boston), xvi. 401 (1912).—*Hab.*
Ann. Bot. xxix. t. 29, fig. 8 (1915).—*Veg.*
C. J. Chamberlain, Living Cycads, 17, 19, 75, 84, 135, 136, 150 (1919).

DIOPOGON Jord. & Fourr.: *Sempervivum*
Allionii Jord. & Fourr.
*Jordan & Fourr. Ic. Fl. Eur. i. t. 131 (1867).
stramineum Jord. & Fourr.
*Jordan & Fourr. Ic. Fl. Eur. i. t. 131 (1867).

DIOSCOREA Linn.—Vide *Discorea, Sismondaea, Testudinaria*
acerifolia Philippi
Philippi in An. Univ. Chile, Santiago, xciii. t. 3 (1896).—*Veg.*
aculeata Linn.
Wight, Ic. Pl. Ind. Or. vi. t. 2060 (1853).
Agric. Prat. Pays Chauds, xiii. I. 8 (1913).
Philippine Agric. Rev. ix. 178, t. 4, 5 (1916); xiii. 86, t. 4, 5 (1920).
—— **tiliifolia** Prain & Burk.
Philippine Agric. Rev. vi. 548, t. 6 (1913).—*Veg.*
acutifolia Philippi
Philippi in An. Univ. Chile, Santiago, xciii. t. 1 (1896).—*Veg.*
adenocarpa Mart.
Mart. Fl. Bras. iii. I. t. 6 (1842).
Lindley, Veg. Kingd. 214 (1846).
alata Linn.
Rheede, Hort. Mal. vii. t. 38 (1688); fide Burkill.
Rumphius, Herb. Amboin. v. t. 120–22, fig. D, E, t. 123, 125 (1747); fide Merrill, Interpret. Rumph. Herb. Amboin.
*Tussac, Fl. Antilles, iv. t. 28 (1827).
*Descourtilz, Fl. Pitt. & Méd. Antill. viii. t. 537 (1829).
Wight, Ic. Pl. Ind. Or. iii. t. 810 (1843–45).
*Schubert, Naturg., Pflanzenreich, Ed. 2, t. 49, fig. 11 [1865].
Tschirch, Ind. Heil- & Nutzpfl. t. 110 (1892).—*Hab.*
Bih. Svenska Vet. Akad. Handl. xxv. III. No. 4, p. 52 (1899).—*Veg.*
L. H. Bailey, Cycl. Amer. Hort. 487 (1900); Stand. Cycl. Hort. 1013 (1914).
Bull. Écon. Indo-Chine, N. Ser. xv. 157 (1903).—*Hab.*
Contrib. U.S. Nat. Herb. ix. t. 48 (1905).—*Veg.*
Flora, xcv. 180 (1905).—*Veg.*

DIOSCOREA
alata
Velenovsky, Vergl. Morphol. Pfl. ii. 321 (1907).—*Veg.*
Ann. Mus. Col. Marseille, Ser. II. vi. 118, 120 (1908).
Tschirch, Handb. Pharmakog. i. 53 (1908).—*Hab.*
Ann. Jard. Bot. Buitenzorg, xxiv. t. 31, fig. 8 (1911).—*Veg.*
Agric. Prat. Pays Chauds, xi. I. 25 (1911); xiii. I. 9 (1913).
Capus & Bois, Prod. Colon. 93 (1912).
Goebel, Organogr. Pl. Ed. 2, p. 115 (1913).—*Veg.*
Phillippine Agric. Rev. vi. 548, t. 6 (1913); x. 348, t. 9 (1917); xiii. 86, t. 5 (1920).—*Veg.*
Bol. Agric. São Paulo, Ser. XVI. No. 8, p. 701 (1915).
Crevost & Lemarié, Cat. Prod. Indochine, i. 120, t. 12 (1917).—*Veg.*
U.S. Dep. Agric. Bur. Pl. Indust. Invent. Seeds & Pl. Import. No. 46, t. 3 (1919).—*Hab.*
—— **purpurea** Hort.
Bull. Écon. Indo-Chine, N. Ser. vii. 1177 (1905).
Crevost & Lemarié, Cat. Prod. Indochine, i. 121 (1917).—*Veg.*
altissima Lam.
Plumier, Pl. Amer. Ed. Burm. t. 117, fig. 2 (1757); fide Urban, Fedde Repert. Beih. v. 63.
*Descourtilz, Fl. Pitt. & Méd. Antill. viii. t. 535 (1829).
Queva in Mém. Soc. Sc. Agric. & Arts, Lille, Ser. IV. xx. t. 12 (1894).—*Veg.*
analalavensis Jum. & Perr.
Ann. Mus. Col. Marseille, Ser. II. viii. 401 (1910).—*Fr.*
andina Philippi
Philippi in An. Univ. Chile, Santiago, xciii. t. 3 (1896).—*Veg.*
antaly Jum. & Perr.
Ann. Mus. Col. Marseille, Ser. II. viii. 405–7 (1910).—*Fr.*
apiculata De Wild.
De Wildeman, Études Fl. Katanga (Ann. Mus. Congo), i. t. 5 (1902).
araucana Philippi
Philippi in An. Univ. Chile, Santiago, xciii. t. 5 (1896).—*Veg.*
arcuatinervis Hochr.
Ann. Conserv. & Jard. Bot. Genève, xi–xii. 53 (1908).
arenaria Kunth
Philippi in An. Univ. Chile, Santiago, xciii. t. 2 (1896).—*Veg.*
aristolochiifolia Poepp.
Philippi in An. Univ. Chile, Santiago, xciii. t. 5 (1896).—*Veg.*
auriculata Poepp.
Philippi in An. Univ. Chile, Santiago, xciii. t. 4 (1896).—*Veg.*
Wagner in Verh. Zool. Bot. Ges. Wien, l. 303 (1900).—*Veg.*
axilliflora Philippi
Philippi in An. Univ. Chile, Santiago, xciii. t. 1 (1896).—*Veg.*
balcanica Košanin
Oesterr. Bot. Zeitschr. lxiv. t. 3 (1914).
Batatas Decne.
Rev. Hort. Bouches Rhône, t. 1 (1854).
*Fl. des Serres, Ser. I. x. t. 971, p. 10, 22–23 (1854–55).—*Veg.*
Rev. Hort. Ser. IV. iii. 245, 247, 451, 452 (1854); iv. 70 (1855).
Floricult. Cab. 1855, p. 73.
Neubert's Deutsch. Gart. Mag. viii. 177 (1855).
Otto & Dietr. in Allg. Gartenzeit. xxiii. Ill. Beil. 2 (1855).
Rep. Commissioner Patents Agric. Washington, 1854, p. 170–73 (1855).
*Journ. Soc. Hort. Paris, iv. 449 (1858).
Decaisne & Naud. Amat. Jard. iv. 96 [1862–66].—*Veg.*
Bull. Fed. Soc. Hort. Belg. 239–42 (1864).—*Veg.*
Le Maout & Decaisne, Traité Gén. Bot. 575 (1868).
*Réveil, Règne Vég. xii. t. 5; xvi. t. 42 (1870).
Bull. Soc. Acclim. Ser. II. ix. 595–97 (1872).

DIOSCOREA
Batatas
Garden, xiii. 339 (1878); xxi. 97 (1882).
Vilmorin-Andrieux, Pl. Potag. 284 (1883).
Nicholson, Illustr. Dict. Gard. i. 478 [1884–88].
Pflanzenfam. ii. v. 134 (1888).
Baillon, Dict. Bot. iii. 116 (1889).
Brehm, Merv. Nat. Monde des Pl. ii. 576 (1894–96). —*Veg.*
Queva in Mém. Soc. Sc. Agric. & Arts, Lille, Ser. IV. xx. t. 7, 16, 17 (1894).—*Veg.*
Sauvaigo, Cult. Littor. Méditerr. 194 (1894).—*Veg.*
*Useful Pl. Jap. i. t. 110 (1895).
Warming, Handb. Syst. Bot. Ed. Möbius, 235 (1902).
Makino, Phan. & Pterid. Jap. Ic. ii. t. 93–95 (1902).
Bull. Arboricult. Belg. 1905, p. 264.
Flora, xcv. 178, 188 (1905).—*Veg.*
Ann. Inst. Col. Marseille, Ser. II. iv. 26, fig. 11 (1906).—*Veg.*
Beille, Bot. Pharm. ii. 119 (1909).
H. Jumelle, Pl. Tuberc. Aliment, 205 (1910).—*Veg.*
Reinhardt, Kulturgesch. Nutzpfl. (Erde und Kultur), iv. 1. 264 (1911).
Somoku Dzusetsu, Ed. Makino (Iconogr. Pl. Nippon), xx. t. 57 (1912).
Agric. Prat. Pays Chauds, xiii. 1. 10, 150–53 (1913).
Bol. Agric. São Paulo, Ser. XVI. No. 8, p. 695 (1915).
Journ. Hort. Ser. III. lxxi. 108 (1915).—*Hab.*

baya De Wild.
De Wildeman, Études Fl. Bas- et Moyen-Congo (Ann. Mus. Congo), iii. t. 52 (1912).

—— **kimpundi** De Wild.
De Wildeman, Études Fl. Bas- et Moyen-Congo (Ann. Mus. Congo), iii. t. 53 (1912).

bemandry Jum. & Perr.
Ann. Mus. Col. Marseille, Ser. II. viii. 390–92, 395 (1910).

Besseriana Kunth
Philippi in An. Univ. Chile, Santiago, xciii. t. 1 (1896).—*Veg.*

bicolor Hort.
Decaisne & Naud. Amat. Jard. i. 111 [1862–66]. —*Veg.*

bolbotricha Hand.-Mazz.
Wettstein in Denkschr. Akad. Wiss. Wien, lxxix. 222, fig. 8 (1908).

bonariensis Ten.
Nuov. Giorn. Bot. Ital. ii. t. 4 (1870).
*Bettfreund, Fl. Argentina, i. t. 29, 30 (1898).

brachybotrya Poepp.
Philippi in An. Univ. Chile, Santiago, xciii. t. 5 (1896).—*Veg.*

brasiliensis Willd.
Flora, lxxxv. 461 (1898).—*Veg.*

Bridgesii Griseb. & Kunth
Philippi in An. Univ. Chile, Santiago, xciii. t. 1 (1896).—*Veg.*

bryoniifolia Poepp.
Philippi in An. Univ. Chile, Santiago, xciii. t. 3 (1896).—*Veg.*

Buchananii Benth.
Hook. Ic. Pl. xiv. t. 1397, 1398 (1882).

bulbifera Linn.
Rheede, Hort. Mal. vii. t. 36, 37 pro parte (1688); fide Burkill.
Linnaeus, Hort. Cliff. t. 28 (1737); fide Burkill. —*Veg.*
Rumphius, Herb. Amboin. v. t. 124 (1747); fide Merrill, Interpret. Rumph. Herb. Amboin.
Wight, Ic. Pl. Ind. Or. iii. t. 878 (1843–45).
Gard. Chron. viii. 48, 49 (1877).
Bull. Soc. Acclim. xxxix. 269–73 (1892).
Velenovsky, Vergl. Morphol. Pfl. ii. 668 (1907). —*Veg.*
Agric. Prat. Pays Chauds, xiii. 1. 12 (1913).
Hauman in An. Mus. Nac. Hist. Nat. Buenos Aires, xxvii. 466 (1915).—*Fl.*
Brotéria, Ser. Vulg. Sc. xv. 66, 67 (1917).
Basu, Ind. Med. Pl. t. 963 (1918).
Bose, Man. Ind. Bot. 25 (1920).

DIOSCOREA
bulbifera sativa Hort.
Gard. Chron. Ser. III. lii. 313 (1912).

campestris longispicata Haum.
Hauman in An. Mus. Nac. Hist. Nat. Buenos Aires, xxvii. 452, 453 (1915).

caucasica Lipsky
Lipsky in Zap. Kievsk. Obhsch. Est.-Ispuit. xiii. t. 6, 7 (1894).
De Wildeman, Ic. Sel. Hort. Then. ii. t. 70 (1901).

cayennensis Lam.
Bull. Soc. Bot. France, lix. 227, t. 3, 3 bis (1912).

—— **pseudo-Batatas** Haum.
Hauman in An. Mus. Nac. Hist. Nat. Buenos Aires, xxvii. 488, 491 (1915).

chrysophylla André
*Ill. Hort. xviii. t. 53 (1871).—*Veg.*
Sempervirens, xi. 52 (1882).—*Veg.*

cinnamomifolia Hook.
*Bot. Mag. lv. t. 2825 (1828).
Loudon, Mag. Nat. Hist. i. 164 (1828).

cirrosa Lour.
Crevost & Lemarié, Cat. Prod. Indochine, i. 124, t. 24 (1917).—*Veg.*

cissophylla Philippi
Philippi in An. Univ. Chile, Santiago, xciii. t. 4 (1896).—*Veg.*

Claessensii De Wild.
De Wildeman, Études Fl. Bas- et Moyen-Congo (Ann. Mus. Congo), iii. t. 54 (1912).

Cliffortiana Lam.
Lamarck, Ill. v. t. 818 (1797–1819).

conferta Vell.
Vellozo, Fl. Flum. x. t. 122 (1827).

convolvulacea Cham. & Schlechtd.
Hemsley in Biol. Centr. Amer. v. t. 89 (1884).

cordifolia Juss.
Schnizlein, Iconogr. i. t. 57 (1846).—*Fr.*

coronata Haum.
Hauman in An. Mus. Nac. Hist. Nat. Buenos Aires, xxvii. 478, 481 (1915).

crenata Vell.
Vellozo, Fl. Flum. x. t. 127 (1827).

crinita Hook. f.
*Bot. Mag. cxi. t. 6804 (1885).
Wood & Evans, Natal Pl. i. 1. t. 17 (1898).
Brotéria, Ser. Vulg. Sc. xv. 71 (1917).—*Veg.*

cymosula Hemsl.
Hemsley in Biol. Centr. Amer. v. t. 90 (1884).

daemona Roxb.
Wight, Ic. Pl. Ind. Or. iii. t. 811 (1843–45).
Greshoff in Indische Mercuur, xxii. No. 4, tab. (1899).
Greshoff, Nutt. Ind. Pl. t. 44 (1900).
Van Gorkom, Oost-Ind. Cult. Ed. 2, ii. 807 (1918).

Decaisneana Carr.
Decaisne & Naud. Amat. Jard. iv. 100 [1862–66]. —*Veg.*
*Rev. Hort. 1865, p. 111.—*Veg.*
Nicholson, Illustr. Dict. Gard. i. 478 [1884–88]. —*Veg.*

discolor Kunth
*Lowe, Beautiful-leaved Pl. t. 54 (1868).
*Floral World, 1877, p. 353.

dodecaneura Vell.
Vellozo, Fl. Flum. x. t. 123 (1827).
Lindman, Veget. Rio Grande do Sul, 173 (1900). —*Veg.*
Wettstein, Handb. Syst. Bot. Ed. 2, p. 807 (1911). —*Fr.*

Dregeana Baker
Jardin, xxvi. 42 (1912).

dumetorum Pax
Thonner, Blütenpfl. Afr. t. 21 (1908).
Engler & Drude, Veget. Erde, ix. II. 358, 359, 360 (1908).

ealaënsis De Wild.
De Wildeman, Études Fl. Bas- et Moyen-Congo (Ann. Mus. Congo), iii. t. 55 (1912).

eburnea Lour.
Flora, xcv. 182 (1905).—*Veg.*

echinulata De Wild.
De Wildeman, Études Fl. Bas- et Moyen-Congo (Ann. Mus. Congo), iii. t. 56 (1912).

DIOSCOREA
eldorado Linden & André
*Ill. Hort. xviii. t. 53 (1871).—*Veg.*

elephantipes Engl.
Engler & Drude, Veget Erde, ix. II. 367 (1908).
Wettstein, Handb. Syst. Bot. Ed. 2, p. 807 (1911).

entomophila Haum.
Hauman in An. Mus. Nac. Hist. Nat. Buenos Aires, xxvii. 476, 477 (1915).—*Fl.*

—— **tomentosa** Haum.
Hauman in An. Mus. Nac. Hist. Nat. Buenos Aires, xxvii. 477 (1915).

esculenta Burkill
Rheede, Hort. Mal. viii. t. 51 (1688); fide Burkill.
Rumphius, Herb. Amboin. v. t. 126 (1747); fide Merrill, Interpret. Rumph. Herb. Amboin.

Fargesii Franch.
Bull. Soc. Acclim. xlvi. 163 (1899).
Garden, lv. 203 (1899).
Rev. Hort. 1900, p. 685.
Wien. Ill. Gart.-Zeit. xxviii. 75 (1903).—*Fr.*
Rev. Cult. Colon. xiv. 41 (1904).—*Veg.*
Vilmorin, Hort. Vilm. (Bull. Soc. Bot. France, 1904, li. App.), 281 (1906).
Agric. Prat. Pays Chauds, xiii. 1. 13 (1913).

fasciculata Roxb.
Ann. Jard. Bot. Buitenzorg, xxiv. t. 31, fig. 7 (1911).—*Veg.*
Velenovsky, Vergl. Morphol. Pfl. iv. Suppl. 73 (1913).—*Veg.*
Crevost & Lemarié, Cat. Prod. Indochine, i. 122 (1917).—*Veg.*
Philippine Agric. Rev. x. 348, t. 9 (1917).—*Hab.*

filiformis Griseb.
Wawra, Bot. Ergebn. Reise Bras. t. 88 (1866).

fimbriata Jum. & Perr.
Ann. Mus. Col. Marseille, Ser. II. viii. 426 (1910). —*Fr.*

Flamignii De Wild.
De Wildeman, Études Fl. Bas- et Moyen-Congo (Ann. Mus. Congo), iii. t. 57 (1912).

Gayi Philippi
Philippi in An. Univ. Chile, Santiago, xciii. t. 1 (1896).—*Veg.*

Geissei Philippi
Philippi in An. Univ. Chile, Santiago, xciii. t. 1 (1896).—*Veg.*

glandulosa Klotzsch
Hauman in An. Mus. Nac. Hist. Nat. Buenos Aires, xxvii. 460, 461 (1915).

glauca Muhlenb.
U.S. Dep. Agric. Bur. Pl. Indust. Bull. No. 189, p. 22, 25 (1910).—*Veg.*

globosa Roxb.
Wight, Ic. Pl. Ind. Or. iii. t. 812 (1843–45).
Agric. Prat. Pays Chauds, xiii. 1. 14 (1913).

glomerulata Haum.
Hauman in An. Mus. Nac. Hist. Nat. Buenos Aires, xxvii. 454, 456 (1915).

gracilis Hook. et Arn.
Philippi in An. Univ. Chile, Santiago, xciii. t. 1 (1896).—*Veg.*

gracillima Miq.
Makino, Ill. Fl. Jap. i. t. 25 (1889).
Somoku Dzusetsu, Ed. Makino (Iconogr. Pl. Nippon), xx. t. 55 (1912).

gribinguiensis Baudon
Ann. Mus. Col. Marseille, Ser. III. i. 240 (1913).

hastata Vell.
Vellozo, Fl. Flum. x. t. 126 (1827).—*Veg.*

helicifolia Kunth
Philippi in An. Univ. Chile, Santiago, xciii. t. 4 (1896).—*Veg.*
Hauman in An. Mus. Nac. Hist. Nat. Buenos Aires, xxvii. 496, 497 (1915).

heptaneura Vell.
Vellozo, Fl. Flum. x. t. 124 (1827).

hispida Dennst.
Rumphius, Herb. Amboin. v. t. 128 (1747); fide Merrill, Interpret. Rumph. Herb. Amboin.

Hockii De Wild.
De Wildeman, Études Fl. Bas- et Moyen-Congo (Ann. Mus. Congo), iii. t. 64 (1912).

hoffa Cordem.
Bull. Soc. Acclim. xlvi. 7, 8 (1899).

DIOSCOREA
holmioidea Maury
Journ. de Bot. iii. 267 (1889).
humifusa Poepp.
Philippi in An. Univ. Chile, Santiago, xciii. t. 2 (1896).—*Veg.*
humilis Bertol.
Colla in Mem. Accad. Sc. Torino, xxxix. 56, t. 51 (1836).
×**hybrida** Carr.
Rev. Hort. 1882, p. 380.—*Veg.*
hylophila Harms
Engler & Drude, Veget. Erde, ix. II. 363 (1908).
illustrata Hort.
Gard. Chron. 1873, p. 1730.—*Veg.*
Gartenfl. xxiii. 149 (1874).—*Veg.*
Queva in Mém. Soc. Sc. Agric. & Arts, Lille, Ser. IV. xx. t. 7, 17 (1894).—*Veg.*
japonica Thunb.
Rev. Hort. Bouches Rhône, t. 2 (1854).
Belg. Hort. v. t. 19, 20 (1855).
De Vriese, Tuinbouw-Fl. i. 289. t. 13 (1855).
Rev. Hort. Ser. IV. iv. 71 (1855); 1893, p. 16.
Somoku Dzusetsu, Ed. 2, xx. t. 56, 57 (1874).
Makino, Ill. Fl. Jap. i. t. 22 (1889).
American Garden, xiii. 80 (1892).
Paillieux & Bois, Potager Curieux, Ed. 2, p. 248, 249, 251 (1892).
*Useful Pl. Jap. i. t. 111, 113 (1895).
Bibl. Bot. vii. No. 40, t. 5, fig. 38 (1897).—*Fr.*
Ann. Inst. Col. Marseille, viii. II. 32, 33 (1901); Ser. II. iv. 26, fig. 12 (1906).
Rev. Cult. Colon. x. 259, 260, 262 (1902); xiv. 39 (1904).—*Veg.*
Bull. Soc. Acclim. li. 237, 238, 240 (1904).
Flora, xcv. 177, 188, 193 (1905).
Somoku Dzusetsu, Ed. Makino (Iconogr. Pl. Nippon), xx. t. 56 (1912).
—— **bulbifera** Iinuma
Somoku Dzusetsu, Ed. 2, xx. t. 58 (1874).
*Useful Pl. Jap. i. t. 112 (1895).
Jardin, xxv. 312, 313 (1911); xxvii. 6 (1913).
—— **culta** Auct. (?)
*Useful Pl. Jap. i. t. 112 (1895).
Jardin, xxv. 313 (1911).
javanica Hort.
Queva in Mém. Soc. Sc. Agric. & Arts, Lille, Ser. IV. xx. t. 18 (1894).—*Veg.*
kamoonensis Kunth
Collett, Fl. Siml. 519 (1902).
kita Hort.
Queva in Mém. Soc. Sc. Agric. & Arts, Lille, Ser. IV. x. t. 15 (1894).—*Veg.*
lagoasanta Uline
Lindman, Veget. Rio Grande do Sul, 173 (1900).—*Veg.*
Lecardii De Wild.
De Wildeman, Études Fl. Bas- et Moyen-Congo (Ann. Mus. Congo), i. t. 5 (1903).
Liebrechtsiana De Wild.
De Wildeman, Études Fl. Bas- et Moyen-Congo (Ann. Mus. Congo), i. t. 4 (1903); iii. t. 58–63 (1912).
linearis Colla
Colla in Mem. Accad. Sc. Torino, xxxix. 56, t. 51 (1836).
littoralis Philippi
Philippi in An. Univ. Chile, Santiago, xciii. t. 1 (1896).—*Veg.*
longifolia Philippi
Philippi in An. Univ. Chile, Santiago, xciii. t. 2 (1896).—*Veg.*
longipes Philippi
Philippi in An. Univ. Chile, Santiago, xciii. t. 1 (1896).
longipetiolata Baudon
Ann. Mus. Col. Marseille, Ser. III. i. 243 (1913).
macabiha Jum. & Perr.
H. Jumelle, Pl. Tuberc. Aliment. 202 (1910).—*Veg.*
maciba Jum. & Perr.
Ann. Mus. Col. Marseille, Ser. II. viii. 414, 415 (1910).
macroura Harms
Flora, xcv. 173, 177, t. 9 (1905).—*Veg.*

DIOSCOREA
macroura
De Wildeman, Études Fl. Bas- et Moyen-Congo (Ann. Mus. Congo), ii. t. 28 (1907).
Engler & Drude, Veget. Erde, ix. II. 357 (1908).
Neger, Biol. Pflanz. 226 (1913).—*Veg.*
Kerner, Pflanzenleben, Ed. 3, i. 168 (1913).—*Veg.*
Glück, Blatt- & Blütenmorph. Stud. 55 (1919).—*Veg.*
malifolia Baker
Wood, Natal Pl. iv. I. t. 317 (1903).
mamillata Jum. & Perr.
Ann. Mus. Col. Marseille, Ser. II. viii. 422, 423 (1910).—*Veg.*
Martiana Griseb.
Bih. Svenska Vet. Akad. Handl. xxv. III. No. 4, p. 52 (1899).—*Veg.*
megalantha Griseb.
Hauman in An. Mus. Nac. Hist. Nat. Buenos Aires, xxvii. 468, 469 (1915).—*Fl.*
—— **Lilloi** Haum.
Hauman in An. Mus. Nac. Hist. Nat. Buenos Aires, xxvii. 468, 473 (1915).
—— **subsessilis** Haum.
Hauman in An. Mus. Nac. Hist. Nat. Buenos Aires, xxvii. 468, 473 (1915).
melanoleuca André
*Ill. Hort. xviii. t. 53 (1871).—*Veg.*
metallica André
*Ill. Hort. xviii. t. 53 (1871).—*Veg.*
mexicana Guillemin
*Hort. Belge Journ. Jard. & Amat. iv. t. 76 (1837).
microbotrya Griseb.
Hauman in An. Mus. Nac. Hist. Nat. Buenos Aires, xxvii. 463, 467 (1915).
—— **grandifolia** Haum.
Hauman in An. Mus. Nac. Hist. Nat. Buenos Aires, xxvii. 467 (1915).
minutiflora Engl.
Engl. Jahrb. xv. t. 8 (1892).
moma De Wild.
De Wildeman, Études Fl. Bas- et Moyen-Congo (Ann. Mus. Congo), iii. t. 68 (1912).
monandra Haum.
Hauman in An. Mus. Nac. Hist. Nat. Buenos Aires, xxvii. 484, 486 (1915).
multicolor Linden & André
Queva in Mém. Soc. Sc. Agric. & Arts, Lille, Ser. IV. xx. t. 16, 18 (1894).—*Veg.*
multiflora Mart.
Hauman in An. Mus. Nac. Hist. Nat. Buenos Aires, xxvii. 458, 459 (1915).
nana Poepp.
Philippi in An. Univ. Chile, Santiago, xciii. t. 1 (1896).—*Veg.*
nervosa Philippi
Philippi in An. Univ. Chile, Santiago, xciii. t. 4 (1896).—*Veg.*
nigrescens Philippi
Philippi in An. Univ. Chile, Santiago, xciii. t. 1 (1896).—*Veg.*
nipponica Makino
Makino, Ill. Fl. Jap. i. t. 45 (1891).
nummularia Lam.
Rumphius, Herb. Amboin. v. t. 162 (1747); fide Merrill, Interpret. Rumph. Herb. Amboin.
oligophylla Philippi
Philippi in An. Univ. Chile, Santiago, xciii. t. 2 (1896).—*Veg.*
oppositifolia Linn.
Bordiga, Storia Piante Forast. iii. t. 54 (1793).
Wight, Ic. Pl. Ind. Or. iii. t. 813 (1843–45).
Agric. Prat. Pays Chauds, xiii. I. 15 (1913).
Crevost & Lemarié, Cat. Prod. Indochine, i. 123 (1917).
Basu, Ind. Med. Pl. t. 961 (1918).
ovata Vell.
Vellozo, Fl. Flum. x. t. 117 (1827).
pallens Schlechtd.
Hemsley in Biol. Centr. Amer. v. t. 92 (1884).
paniculata Michx.
U.S. Dep. Agric. Bur. Pl. Indust. Bull. No. 189, p. 23 (1910).—*Veg.*
—— **glabrifolia** Bartl.
U.S. Dep. Agric. Bur. Pl. Indust. Bull. No. 189, p. 24 (1910).—*Veg.*

DIOSCOREA
parviflora Philippi
Philippi in An. Univ. Chile, Santiago, xciii. t. 2 (1896).—*Veg.*
parvifolia Philippi
Philippi in An. Univ. Chile, Santiago, xciii. t. 1 (1896).—*Veg.*
paupera Philippi
Philippi in An. Univ. Chile, Santiago, xciii. t. 1 (1896).—*Veg.*
pedatifida Philippi
Philippi in An. Univ. Chile, Santiago, xciii. t. 4 (1896).—*Veg.*
pedicellata Philippi
Philippi in An. Univ. Chile, Santiago, xciii. t. 1 (1896).—*Veg.*
pencana Philippi
Philippi in An. Univ. Chile, Santiago, xciii. t. 1 (1896).—*Veg.*
pentaphylla Linn.
Rheede, Hort. Mal. vii. t. 34, 35 (1688); fide Fl. Brit. Ind. vi. 289.
Rumphius, Herb. Amboin. v. t. 127 (1747); fide Merrill, Interpret. Rumph. Herb. Amboin.
Wight, Ic. Pl. Ind. Or. iii. t. 814 (1843–45).
Greshoff in Indische Mercuur, xxii. No. 4, tab. (1899).
Greshoff, Nutt. Ind. Pl. t. 44 (1900).
Bull. Soc. Acclim. xlviii. 194 (1901).—*Veg.*
Agric. Prat. Pays Chauds, xiii. I. 16 (1913).
Philippine Agric. Rev. vi. 548, t. 6 (1913).—*Veg.*
Basu, Ind. Med. Pl. t. 960 (1918).
—— **Rheedii** Prain & Burkill
Rheede, Hort. Mal. vii. t. 33 (1688); fide Burkill.
platystemon Haum.
Hauman in An. Mus. Nac. Hist. Nat. Buenos Aires, 492, 494 (1915).
polygonoides Humb. & Bonpl.
Plumier, Pl. Amer. Ed. Burm. t. 117, fig. 1 (1757); fide Urban, Fedde Repert. Beih. v. 63.
Hauman in An. Mus. Nac. Hist. Nat. Buenos Aires, xxvii. 503 (1915).
prehensilis Benth.
Ann. Bot. xi. t. 15 (1897).—*Veg.*
prismatica Linden & André
*Ill. Hort. xviii. t. 53 (1871).—*Veg.*
pterocaulon De Wild. & Dur.
De Wildeman & Durand, Ill. Fl. Congo (Ann. Mus. Congo), i. t. 56 (1899).
purpurea Roxb.
Crevost & Lemarié, Cat. Prod. Indochine, i. 125 (1917).
pusilla Hook.
Hook. Ic. Pl. vii. t. 678 (1844).
Agric. Prat. Pays Chauds, xiii. I. 17 (1913).
Pynaertii De Wild.
De Wildeman, Études Fl. Bas- et Moyen-Congo (Ann. Mus. Congo), iii. t. 65 (1912).
pyrenaica Bub. & Bord.
Bull. Soc. Bot. France, xiii. t. 1 (1866).
*Cusin, Herb. Fl. Franç. xxi (Dioscorées), t. 1 (1876).
Coste, Fl. France, iii. 358 (1906).
*Flahault, Nouv. Fl. Alpes & Pyrén. iii. t. 92 (1912).
Quartiniana A. Rich.
A. Richard, Tent. Fl. Abyssin. Atlas, t. 96 [1851].
Engler & Drude, Veget. Erde, ix. II. 361 (1908).
quinqueloba Thunb.
Kaempfer, Ic. Sel. Pl. Jap. t. 15 (1791).
Somoku Dzusetsu, Ed. 2, xx. t. 54 (1874).
Makino, Ill. Fl. Jap. i. t. 26 (1889).
Queva in Mém. Soc. Sc. Agric. & Arts, Lille, Ser. IV. xx. t. 15 (1894).—*Veg.*
Flora, xcv. 184 (1905).—*Veg.*
quinquelobata Vell.
Vellozo, Fl. Flum. x. t. 128 (1827).—*Veg.*
repanda Bl.
Queva in Mém. Soc. Sc. Agric. & Arts, Lille, Ser. IV. xx. t. 14 (1894).—*Veg.*
reticulata J. Gay
Philippi in An. Univ. Chile, Santiago, xciii. t. 3 (1896).—*Veg.*
retusa Mast.
Gard. Chron. 1870, p. 1149; xv. 511 (1881).

DIOSCOREA
retusa
Journ. Hort. lvi. 168 (1876).
Florist, 1878, p. 123.
Gartenfl. xxvii. 374 (1878).
Ill. Gartenzeit. Stuttgart, xxii. t. 33 (1878).
Garden, xxiii. 343 (1883).
rhipogonoides Oliv.
Hook. Ic. Pl. xix. t. 1868 (1889).
rubella Roxb.
Brotéria, Ser. Vulg. Sc. xv. 69 (1917).—*Veg.*
Sagittaria André
*Ill. Hort. xviii. t. 53 (1871).—*Veg.*
sapindoides Presl
Hemsley in Biol. Centr. Amer. v. t. 91 (1884).
Sapinii De Wild.
De Wildeman, Études Fl. Bas- et Moyen-Congo (Ann. Mus. Congo), iii. t. 66 (1912).
sativa Linn.
Gaertner, Fruct. i. t. 17 (1788).—*Fr.*
Paxt. Mag. iii. 200 (1837).
Schnizlein, Iconogr. i. t. 57 (1846).—*Fr.*
Lindley, Med. & Oecon. Bot. 63 (1849).—*Veg.*
Pinto, Diccion. Bot. Brasil. fig. 21 (1873).
*Somoku Dzusetsu, Ed. 2, xx. t. 52, 53 (1874).
*Zippel, Ausl. Handels- & Nährpfl. t. 48 (1885).
*I. Sinclair, Indig. Fl. Hawaiian Isl. t. 29 (1885).
Makino, Ill. Fl. Jap. i. t. 23 (1889).
American Garden, xiii. 83 (1892).
Duthie & Fuller, Field & Gard. Crops, t. 80 (1893).
Baillon, Hist. Pl. xiii. 26 (1894).—*Fr.*
*Zippel, Ausländ. Kulturpfl. Atlas, Ed. 4, Abt. 2, t. 9 (1899).
Ann. Bot. xv. t. 26 (1901).—*Veg.*
Trav. Mat. Méd., Paris, v. II. 93 (1907).
Engler & Drude, Veget. Erde, ix. II. 357 (1908).
Ber. Deutsch. Bot. Ges. xxxi. t. 19, fig. 3 (1913).
U.S. Dep. Agric. Bur. Pl. Indust. Bull. No. 264, t. 1 (1913).—*Veg.*
Crevost & Lemarié, Cat. Prod. Indochine, i. 126 (1917).
Basu, Ind. Med. Pl. t. 962 (1918).
—— **anthropophagorum** Chev.
Rev. Gén. Bot. xxv. 127 (1913).
—— **domestica** Makino
Makino, Phan. & Pterid. Jap. Ic. ii. t. 83, 84 (1902).
Somoku Dzusetsu, Ed. Makino (Iconogr. Pl. Nippon), xx. t. 58 (1912).
—— **rotundis** Franch. & Sav.
*Useful Pl. Jap. ii. t. 459 (1895).
—— **spontanea** Makino
Makino, Phan. & Pterid. Jap. Ic. ii. t. 81, 82 (1902).
Somoku Dzusetsu, Ed. Makino (Iconogr. Pl. Nippon), xx. t. 53 (1912).
saxatilis Poepp.
Philippi in An. Univ. Chile, Santiago, xciii. t. 2 (1896).—*Veg.*
septemloba Thunb.
Makino, Ill. Fl. Jap. i. t. 27 (1889).
Somoku Dzusetsu, Ed. Makino (Iconogr. Pl. Nippon), xx. t. 54 (1912).
septemnervis Vell.
Vellozo, Fl. Flum. x. t. 119 (1827).
seriflora Jum. & Perr.
Ann. Mus. Col. Marseille, Ser. II. viii. 418–19 (1910).
silvestris Vell.
Vellozo, Fl. Flum. x. t. 118 (1827).
sinuata Vell.
Vellozo, Fl. Flum. x. t. 129 (1827).
Queva in Mém. Soc. Sc. Agric. & Arts, Lille, Ser. IV. xx. t. 10, 12 (1894).—*Veg.*
Bih. Svenska Vet. Akad. Handl. xxv. III. No. 4, p. 52 (1899).—*Veg.*
Lindman, Veget. Rio Grande do Sul, 173 (1900).—*Veg.*
Flora, xcv. 171, 175, 191 (1905).
Goebel, Organogr. Pfl. Ed. 2, i. 114 (1913).—*Veg.*
—— **bonariensis** Haum.
Hauman in An. Mus. Nac. Hist. Nat. Buenos Aires, xxvii. 498, 500 (1915).
soso Jum. & Perr.
Ann. Mus. Col. Marseille, Ser. II. viii. 392, 395–97 (1910).

DIOSCOREA
spicata Roth
*Trimen, Handb. Fl. Ceylon, Atlas, iv. t. 93 (1898).
spiculiflora Hemsl.
Hemsley in Biol. Centr. Amer. v. t. 92 (1884).
spinosa Roxb.
Contrib. U.S. Nat. Herb. ix. t. 49 (1905).
stellato-pilosa De Wild.
De Wildeman, Études Fl. Bas- et Moyen-Congo (Ann. Mus. Congo), iii. t. 67 (1912).
stenocolpus Philippi
Philippi in An. Univ. Chile, Santiago, xciii. t. 1 (1896).—*Veg.*
stenopetala Haum.
Hauman in An. Mus. Nac. Hist. Nat. Buenos Aires, xxvii. 504, 506 (1915).
subhastata Vell.
Vellozo, Fl. Flum. x. t. 121 (1827).
tamifolia Salisb.
*Salisbury, Parad. Londin. i. t. 17 (1805).
tenella Philippi
Philippi in An. Univ. Chile, Santiago, xciii. t. 1 (1896).—*Veg.*
tenuipes Franch. & Sav.
Makino, Ill. Fl. Jap. i. t. 6 (1888); Ed. 2, t. 6 (1891).
thermarum Philippi
Philippi in An. Univ. Chile, Santiago, xciii. t. 3 (1896).—*Veg.*
thinophila Philippi
Philippi in An. Univ. Chile, Santiago, xciii. t. 1 (1896).—*Veg.*
Thonneri De Wild. & Dur.
De Wildeman & Durand, Ill. Fl. Congo (Ann. Mus. Congo), i. t. 55 (1899).
De Wildeman & Durand, Pl. Thonn. Congol. t. 21 (1900).
tokoro Makino
Makino, Ill. Fl. Jap. i. t. 24 (1889).
Makino, Phan. & Pterid. Jap. Ic. ii. t. 79 (1902).
Somoku Dzusetsu, Ed. Makino (Iconogr. Pl. Nippon), xx. t. 52 (1912).
tomentosa Koenig
Wight, Ic. Pl. Ind. Or. iii. t. 815 (1843–45).
Agric. Prat. Pays Chauds, xiii. I. 147 (1913).
trifida Linn. f.
Flora, xcv. 332 (1905).—*Veg.*
U.S. Dep. Agric. Bur. Pl. Indust. Invent. Seeds & Pl. Import. No. 46, t. 5 (1919).—*Veg.*
trifurcata Haum.
Hauman in An. Mus. Nac. Hist. Nat. Buenos Aires, xxvii. 482, 483 (1915).
triloba Lam.
Agric. Prat. Pays Chauds, xiii. I. 148 (1913).
triphylla Linn.
*Jacquin, Ic. Pl. Rar. iii. t. 627 (1786–93).
A. Richard, Tent. Fl. Abyssin. Atlas, t. 96 [1851].
tuberosa Vell.
Vellozo, Fl. Flum. x. t. 125 (1827).
uliginosa Philippi
Philippi in An. Univ. Chile, Santiago, xciii. t. 1 (1896).—*Veg.*
Ulinei Greenm.
Ann. Jard. Bot. Buitenzorg, xxiv. t. 31, fig. 4–6 (1911).—*Veg.*
undecimnervis Vell.
Vellozo, Fl. Flum. x. t. 120 (1827).
variifolia Kunze
Queva in Mém. Soc. Sc. Agric. & Arts, Lille, Ser. IV. xx. t. 8 (1894).—*Veg.*
variifolia Bertol.
Philippi in An. Univ. Chile, Santiago, xciii. t. 2 (1896).—*Veg.*
Verdickii De Wild.
De Wildeman, Études Fl. Katanga (Ann. Mus. Congo), i. t. 7 (1902).
villosa Linn.
*Jacquin, Ic. Pl. Rar. iii. t. 626 (1786–93).
*Schkuhr, Bot. Handb. Ed. 2, t. 329 (1808).
*Schnizlein, Iconogr. i. t. 57 (1846).
*Millspaugh, American Med. Pl. t. 174 (1887).
Britton & Brown, Ill. Fl. N. States & Canada, i. 447 (1896); Ed. 2, i. 535 (1913).
Lochman, Phot. Med. Pl. t. 22 (1898).
U.S. Dep. Agric. Bur. Pl. Indust. Bull. No. 107, t. 2 (1907); No. 189, p. 21 (1910).

DIOSCOREA
villosa
Pammel, Man. Poison. Pl. 374 (1911).
Merck's Rep. (Pract. Journ. Pharm.), xxii. 311, 313 (1913).
—— **glabra** Lloyd
Hare, Caspari & Rusby, Nat. Stand. Dispens. 536 (1905).—*Veg.*
violacea Baudon
Ann. Mus. Col. Marseille, Ser. III. i. 241 (1913).
vittata Bull
*Bot. Mag. cv. t. 6409 (1879).
Volckmannii Philippi
Philippi in An. Univ. Chile, Santiago, xciii. t. 5 (1896).—*Veg.*
Wallichii Hook. f.
Rheede, Hort. Mal. vii. t. 36, 37 pro parte (1688); fide Burkill.
zara Baudon
Ann. Mus. Col. Marseille, Ser. III. i. 237, 239 (1913).

DIOSCOREOPHYLLUM Engl.
Cumminsii Diels
Pflanzenreich, Menispermac. 180 (1910).
Engler & Drude, Veget. Erde, ix. III. 1, p. 189 (1915).
strigosum Engl.
Engl. Jahrb. xxvi. t. 11 (1899).
tenerum Engl.
Engl. Jahrb. xxvi. t. 11 (1899).
Pflanzenreich, Menispermac. 180 (1910).
Engler & Drude, Veget. Erde, ix. III. 1, p. 189 (1915).
Volkensii Engl.
Engl. Bot. Jahrb. xxvi. t. 12 (1899).
Pflanzenreich, Menispermac. 182 (1910).

DIOSMA Linn.
acuminata Lodd.
*Lodd. Bot. Cab. v. t. 493 (1820).
alba Thunb.
Le Maout & Decaisne, Traité Gén. Bot. 363 (1868).—*Fr.*
ambigua Lodd.
*Lodd. Bot. Cab. v. t. 461 (1820).
amoena Lodd.
*Lodd. Bot. Cab. ii. t. 161 (1818).
*Bot. Reg. vii. t. 553 (1821).
betulina Lam.
Lamarck, Ill. i. t. 127, fig. 2 (1797).
bifida Jacq.
*Jacquin, Collect. iii. t. 20, fig. 1 (1789).
Bolusii Glover
Ann. Bolus Herb. i. t. 15 (1915).
capitata Linn.
*Lodd. Bot. Cab. ix. t. 860 (1824).
Cerefolium Vent.
*Ventenat, Jard. Malm. t. 93 (1803).
ciliata Linn.
*Lodd. Bot. Cab. iii. t. 210 (1818).
*Bot. Reg. v. t. 366 (1819).
cistoides Lam.
Lamarck, Ill. i. t. 127, fig. 1 (1797).
crenata Linn.
*Lodd. Bot. Cab. v. t. 404 (1820).
*Nees, Pl. Offic. ii. t. 377 (1828).
*Woodville, Med. Bot. Ed. 3, v. t. 14 (1832).
*Stephenson & Churchill, Med. Bot. New Ed. ii. t. 121 (1835).
Lindley, Med. & Oecon. Bot. 112 (1849).—*Veg.*
cupressina Linn.
*Wendland, Coll. Pl. ii. t. 61 (1810).
*Lodd. Bot. Cab. iv. t. 303 (1819).
dioica Ker-Gawl.
*Bot. Reg. vi. t. 502 (1820).
ericifolia Andr.
*Andrews, Bot. Rep. vii. t. 451 (1807).
ericoides Linn.
*Bot. Mag. xlix. t. 2332 (1822).
flavescens Oliv.
Hook. Ic. Pl. xv. t. 1476 (1885).
fragrans Sims
*Bot. Mag. xxxvii. t. 1519 (1813).
*Lodd. Bot. Cab. viii. t. 775 (1823).
*Géel, Sert. Bot. Cl. 5 (1828).

DIOSMA
fragrans
*J. W. Loudon, Ladies' Fl.-Gard. Ornam. Greenh. Pl. t. 18 (1848).
Guthriei Glover
Ann. Bolus Herb. i. t. 15 (1915).
hirsuta Linn.
Gaertner, Fruct. ii. t. 94 (1791).—*Fr.*
*Wendland, Coll. Pl. i. 1. t. 27 (1805).
Bartling & Wendl. Beitr. Bot. i. t. A, fig. 2 (1824).—*Fl.*
hirta Lam.
*Ventenat, Jard. Malm. t. 72 (1803).
*Bot. Reg. v. t. 369 (1819).
*Lodd. Bot. Cab. xii. t. 1122 (1826).
*J. W. Loudon, Ladies' Fl.-Gard. Ornam. Greenh. Pl. t. 18 (1848).
imbricata Thunb.
*Roemer, Mag. Bot. iii. VII. t. 3 (1790).
*[Clairville], Pl. & Arb. D'Agrément, [t. 11] (1791).
lanceolata Linn.
*Bot. Reg. vi. t. 476 (1820).
latifolia Linn. f.
*Andrews, Bot. Rep. i. t. 33 (1798).
latifolia Lodd.
*Lodd. Bot. Cab. iii. t. 290 (1818).
linifolia Lodd.
*Lodd. Bot. Cab. iv. t. 400 (1819).
longifolia Wendl.
*Wendland, Coll. Pl. i. 1. t. 19 (1805).
Le Maout & Decaisne, Traité Gén. Bot. 363 (1868).
Henslow, S. Afr. Flower. Pl. 118 (1903).
Marlothii Dümmer
Ann. Bolus Herb. iii. t. 1 (1920).
oppositifolia Linn.
Wettstein, Handb. Syst. Bot. Ed. 2, p. 622 (1911).—*Fr.*
ovata Thunb.
*Andrews, Bot. Rep. vii. t. 464 (1807).
*Bot. Mag. xxxix. t. 1616 (1814).
pulchella Linn.
*Bot. Mag. xxxiii. t. 1357 (1811).
*J. W. Loudon, Ladies' Fl.-Gard. Ornam. Greenh. Pl. t. 18 (1848).
pulchella Houtt.
*Houttuyn, Handl. Pl. & Kruidk. iv. t. 21, fig. 2 (1775).
rubra Linn.
*Bot. Reg. vii. t. 563 (1821).
*Lodd. Bot. Cab. xv. t. 1498 (1823).
serratifolia Curt.
*Bot. Mag. xiii. t. 456 (1799).
*Ventenat, Jard. Malm. t. 77 (1803).
*Lodd. Bot. Cab. iv. t. 373 (1819).
*Trattinick, Thes. Bot. t. 69 (1819).
Burchell, Travels Int. S. Africa, i. 476 (1822).
*Nees, Pl. Offic. ii. t. 378 (1828).
Lindley, Med. & Oecon. Bot. 112 (1849).—*Veg.*
speciosa Sims
*Bot. Mag. xxxi. t. 1271 (1810).
*Fortsetz. Allg. Teutsch. Gart. Mag. i. t. 18 (1815).
*Géel, Sert. Bot. Cl. 5 (1828).
*J. W. Loudon, Ladies' Fl.-Gard. Ornam. Greenh. Pl. t. 18 (1848).
sphaerocephala Lodd.
*Lodd. Bot. Cab. xv. t. 1490 (1828).
subulata Wendl.
*Wendland, Coll. Pl. i. 1. t. 8 (1805).
succulenta Berg.
*Wendland, Coll. Pl. i. 1. t. 1 (1805).
Schimper, Pflanzen-Geogr. 557 (1898).
tenuifolia Willd.
Mém. Mus. Hist. Nat. Paris, xii. 542, t. 18 (1825).—*Fl.*
Le Maout & Decaisne, Traité Gén. Bot. 363 (1868).—*Fl.*
tenuissima Willd.
*Lodd. Bot. Cab. xvii. t. 1624 (1830).
teretifolia Link.
Deutsch. Tiefsee-Exped. 1898–99, ii. III. 173 (1908).
umbellata Hort.
*Mordant de Launay, Herb. Amat. iii. t. 163 (1819).
uniflora Linn.
*Bot. Mag. viii. t. 273 (1794).
*Schrader & Wendl. Sert. Hannov. i. II. t. 8 (1796).

DIOSMA
uniflora
Dict. Sc. Nat., Planch. Bot. Dicot. t. 124 (1816–29).
*Mordant de Launay, Herb. Amat. ii. t. 111 (1817).
Schnizlein, Iconogr. iv. t. 251 (1866–70).—*Fl.*
*Réveil, Règne Vég. xiv. t. 43 (1870).
Journ. Hort. liii. 387 (1875); Ser. III. xiii. 207 (1886).
Brehm, Merv. Nat. Monde des Pl. i. 323 (1894–96).
villosa Thunb.
*Mordant de Launay, Herb. Amat. vii. t. 433 (1824).
*Drapiez, Herb. Amat. Fl. ii. t. 138 (1829).
vulgaris Schlechtd.
Nicholson, Illustr. Dict. Gard. i. 479 [1884–88].
Pflanzenfam, iii. IV. 154 (1896).
Deutsch. Tiefsee-Exped. 1898–99, ii. III. 121 (1908).
Agric. Journ. Union S. Africa, vi. 84 (1913).—*Veg.*

DIOSPHAERA Buser
asperuloides Orphan.
Bull. Herb. Boiss. ii. t. 17 (1894).
dubia Frivald.
Bull. Herb. Boiss. ii. t. 16 (1894).

DIOSPYROS Linn.—Vide *Brayodendron, Cargillea, Cavanillea, Embryopteris, Leucoxylum, Paralea*
acuta Thw.
Ann: Bot. Gard. Peradeniya, ii. t. 3, 7 (1904).
affinis Thw.
Beddome, Ic. Pl. Ind. Or. t. 127 (1874).
Ann. Bot. Gard. Peradeniya, ii. t. 1, 10 (1904).
ambigua Vent.
*Ventenat, Jard. Malm. t. 17 (1803) in ic.; *Royena ambigua* in textu.
amoena Wall.
Ettingshausen, Blatt-Skel. Dikot. t. 41 (1861).—*Veg.*
amplexicaulis Lindl. & Paxt.
Paxt. Fl. Gard. ii. 11 (1851–52).—*Fr.*
armata Hemsl.
Engl. Jahrb. xxix. 526 (1900).
assimilis Bedd.
Beddome, Ind. For. Rep. 1866–67, t. 1.
Talbot, For. Fl. Bombay, ii. 168 (1911).
atropurpurea Gürke
Engl. Jahrb. xliii. 212 (1909).
attenuata Thw.
Beddome, Ic. Pl. Ind. Or. t. 139 (1874).
Ann. Bot. Gard. Peradeniya, ii. t. 3, 11 (1904).
Aurantium André
*Rev. Hort. 1887, p. 348.—*Fr.*
aurea Teysm. & Binn.
Koorders & Val. Atlas Baumart. Java, t. 66 (1913).
Barberi Ramasw.
Journ. & Proc. Asiat. Soc. Bengal, N. Ser. x. t. 3, 4 (1914).
Barteri Hiern
Hook. Ic. Pl. xxiii. t. 2300 (1894).
Bertii André
*Rev. Hort. 1887, p. 348.—*Fr.*
bilocularis Oliv.
Hook. Ic. Pl. xxiv. t. 2336 (1894).
Boerlagei Koord.
Koorders & Val. Atlas Baumart. Java, t. 359 (1914).
brasiliensis Mart.
Mart. Fl. Bras. vii. t. 2 (1856).
buxifolia Hiern
Koorders & Val. Atlas Baumart. Java, t. 368 (1914).
calycina Bedd.
Beddome, Fl. Sylv. t. 68 (1870).
Beddome, Ic. Pl. Ind. Or. t. 123 (1874).
canarica Bedd.
Beddome, Ic. Pl. Ind. Or. t. 134 (1874).
Candolleana Wight
Wight, Ic. Pl. Ind. Or. iv. t. 1221, 1222 (1848).
capitulata Wight
Wight, Ic. Pl. Ind. Or. iv. t. 1224, 1588 bis (1848).
Cargillia F. Muell.
Guilfoyle, Austral. Pl. 276 [1911].—*Hab.*
cauliflora Bl.
Ann. Jard. Bot. Buitenzorg, xviii. 91, fig. 11 (1900).—*Hab.*
Knuth, Handb. Blütenbiol. iii. II. 19 (1905).—*Fl.*

DIOSPYROS
cauliflora
Koorders & Val. Atlas Baumart. Java, t. 360, 361 (1914).
chloroxylon Roxb.
*Roxburgh, Pl. Coromandel, i. t. 49 (1795).
Brandis, Indian Trees, 431 (1906).
coccolobifolia Mart.
Mart. Fl. Bras. vii. t. 1 (1856).
Commersonii Gaertn. f.
Gaertner f., Fruct. iii. t. 208 (1807).—*Fr.*
cordifolia Roxb.
*Roxburgh, Pl. Coromandel, i. t. 50 (1795).
*Wight, Illustr. Ind. Bot. ii. t. 148, 148 bis (1850).
costata Carr.
*Rev. Hort. 1870, p. 133; 1871, p. 410–13; 1904, p. 162.
Gard. Chron. 1872, p. 576; Ser. III. ix. 171 (1891); xiii. 51 (1893).
Jardin, ii. 146 (1888).
Mouillefert, Traité Arbres & Arbriss. Atlas, t. 91 (1892–98).—*Hab.*
Journ. Soc. Hort. France, Ser. III. xxi. 1201 (1899).—*Hab.*
Gubb, Fl. Algeria, t. 39 (1909).
crumenata Thw.
Beddome, Ic. Pl. Ind. Or. t. 126 (1874).
Journ. Bombay Nat. Hist. Soc. xi. t. 14 (1898).
Ann. Bot. Gard. Peradeniya, ii. t. 4, 8, 18 (1904).
Talbot, For. Fl. Bombay, ii. 176 (1911).
dendo Welw.
Hiern, Monogr. Ebenac. (Trans. Cambridge Phil. Soc. xii. 1), t. 10 (1873).
digyna Jacq.
*Jacquin, Hort. Schoenbr. iii. t. 313 (1798).
discolor Willd.
Vidal, Sin. Fam. & Gen. Pl. Leñ. Filip. (Introd. Fl. For. Filip.), Atlas, t. 63, fig. B (1883).—*Fl.*
*Ahern, Philipp. Woods, 42 (1901).
Trop. Agric. xxv. No. 3, p. 490 (1905).—*Fr.*
Elsler in Sitzb. Akad. Wiss. Wien, cxvi. 1. t. 1, fig. 1 (1907).—*Veg.*
Bull. Soc. Nat. Mosc. N. Ser. 1905, xix. No. 4, t. 8, 29–34; t. 10, fig. 65–67; t. 11, fig. 79–83 (1907).
Teysmannia, xix. 143, 144 (1908).
Yearb. Dep. Agric. Washington, 1911, p. 416, t. 44 (1912).
Philippine Journ. Sc., Chem. & Geol. viii. 80, t. 9 (1913).—*Fr.*
Philippine Agric. Rev. viii. 108, t. 7 (1915); x. 392, t. 11 (1917).
W. H. Brown in Bull. Philipp. Isl. Dep. Agric. Bur. Forestry, No. 21, p. 147, 149 (1920).
diversifolia Hiern
Journ. of Bot. xiii. t. 172 (1875).
dubia Wall.
Wight, Ic. Pl. Ind. Or. iv. t. 1223 (1848).
Ebenaster Retz
Sonnerat, Voy. Nouv. Guinée, t. 14–16 (1776); teste Hiern, Monogr. Ebenac. 244.
*Spach, Hist. Nat. Vég. Phan. Atlas, t. 135 (1846).
Vidal, Sin. Fam. & Gen. Pl. Leñ. Filip. (Introd. Fl. For. Filip.), Atlas, t. 63, fig. G (1883).—*Fl.*
Nat. Geogr. Mag., Washington, xxii. 300 (1911).—*Fr.*
Philippine Agric. Rev. vi. 498, t. 3 (1913).—*Fr.*
W. Popenoe, Man. Trop. & Subtrop. Fr. t. 22 (1920).
Ebenum Koen.
Rumphius, Herb. Amboin. iii. t. 6 (1743); fide Merrill, Interpret. Rumph. Herb. Amboin.
Gaertner f., Fruct. iii. t. 208 (1807).—*Fr.*
Wight, Ic. Pl. Ind. Or. i. t. 188 (1839).
*Archer, Pop. Econ. Bot. & Profitable Pl. t. 20, fig. 106 (1853).
Ettingshausen, Blatt-Skel. Dikot. t. 37 (1861).—*Veg.*
Beddome, Ind. For. Rep. 1865–66, t. 1 (1867).
Beddome, Fl. Sylv. t. 65 (1870).
De Janville, Pl. Utiles Pays Chauds, t. 94 (1902).
Ann. Bot. Gard. Peradeniya, ii. t. 4, 13, 18 (1904).
elliptica André
Rev. Hort. 1887, p. 348.—*Fr.*
emarginata Hiern
Hiern, Monogr. Ebenac. (Trans. Cambridge Phil. Soc. xii. 1), t. 9 (1873).

DIOSPYROS
Embryopteris Pers.
Rheede, Hort. Mal. iii. t. 41 (1682); fide Fl. Brit. Ind. iii. 556.
*Bot. Reg. vi. t. 499 (1820).
Beddome, Fl. Sylv. t. 69 (1870).
M. C. Cooke, Rep. Oil Seeds & Oils, 42 (1876). —*Fr.*
*Bentley & Trim. Med. Pl. iii. t. 168 (1877).
Baillon, Traité Bot. Méd. Phan. ii. 1312 (1884).
Baillon, Dict. Bot. ii. 438 (1884).
Baillon, Hist. Pl. xi. 221 (1891).
Lubbock, Seedlings, ii. 204 (1892).—*Veg.*
Ann. Bot. Gard. Peradeniya, ii. t. 5, 9, 18 (1904).
Trop. Agric. xxv. No. 3, p. 496 (1905).—*Fr.*
Talbot, For. Fl. Bombay, ii. 171 (1911).
Koorders & Val. Atlas Baumart. Java, t. 370 (1914).
Basu, Ind. Med. Pl. t. 586 (1918).
Embryopteris Blanco
*Blanco, Fl. Filip. t. 109 (1878–80).
eriantha Champ.
Koorders & Val. Atlas Baumart. Java, t. 367 (1914).
Kanehira, Formosan Trees, 339 (1917).
evila Pierre
Chevalier, Vég. Util. Afr. fasc. 9, p. 237 (1917).
exsculpta Buch.-Ham.
Beddome, Ind. For. Rep. 1865–66, t. 2 (1867).
Beddome, Fl. Sylv. t. 66 (1870).
flavescens Gürke
Chevalier, Vég. Util. Afr. fasc. 9, p. 239 (1917).
frutescens Bl.
Koorders & Val. Atlas Baumart. Java, t. 67 (1913); t. 362 (1914).
Gardneri Thw.
Beddome, Ic. Pl. Ind. Or. t. 132 (1874).
Ann. Bot. Gard. Peradeniya, ii. t. 5, 12 (1904).
gaultheriifolia Mart.
Mart. Fl. Bras. vii. t. 2 (1856).
Pflanzenfam. iv. 1. 160 (1891).—*Fl.*
Gilgiana Gürke
Engl. Jahrb. xliii. 207 (1909).
Engler & Drude, Veget. Erde, ix. 1. 2, p. 712 (1910).
hebecarpa A. Cunn.
F. M. Bailey, Compr. Cat. Queensl. Pl. 313 (1909–13).
Hebenaster Gaertn.
Gaertner, Fruct. ii. t. 179 (1791).—*Fr.*
Heudelotii Hiern
Hiern, Monogr. Ebenac. (Trans. Cambridge Phil. Soc. xii. 1), t. 5 (1873).
hirsuta Desf.
Ann. Mus. Hist. Nat. Paris, vi. 450 (1805).—*Fr.*
hirsuta Linn. f.
Beddome, Ic. Pl. Ind. Or. t. 137 (1874).
Ann. Bot. Gard. Peradeniya, ii. t. 1, 15 (1904).
hispida A. DC.
Warming in Dansk. Vid. Selsk. Skrift. Ser. VI. vi. 409 (1892).—*Veg.*
Horsfieldii Hiern
Koorders & Val. Atlas Baumart. Java, t. 68 (1913).
humilis Boudillon
Journ. Bombay Nat. Hist. Soc. xii. 350, t. 6 (1899).
inconstans Jacq.
Jacquin, Sel. Stirp. Amer. Hist. t. 174 (1763). —*Fl.*
*Jacquin, Sel. Stirp. Amer. Hist. Picta, t. 263, fig. 87 [1780].—*Fl.*
insignis Thw.
Beddome, Ic. Pl. Ind. Or. t. 130 (1874).
Ann. Bot. Gard. Peradeniya, ii. t. 3, 14, 17 (1904).
japonica Sieb. & Zucc.
Kwa-wi [transl. Savatier], Arbor. ii. t. 12 (1759).
Kaempferi Naud.
Nouv. Arch. Mus. Hist. Nat. Paris, Ser. II. iii. t. 10 (1880).
kaki Linn. f.
G. Savi in Giorn. Agrar. Tosc. No. 15, t. 21, fig. 2, 3 (1830).
Wight, Ic. Pl. Ind. Or. ii. t. 415 (1840–43).
Schnizlein, Iconogr. ii. t. 159 (1856–65).—*Fr.*
Decaisne & Naud. Amat. Jard. iv. 620, 621 [1862–66].

DIOSPYROS
kaki
Hiern, Monogr. Ebenac. (Trans. Cambridge Phil. Soc. xii. 1), 229 (1873).
Journ. Hort. lvi. 429 (1876); xlii. 191 (1901).—*Fr.*
Nicholson, Illustr. Dict. Gard. i. 479 [1884–88].
Garden, xxvii. 168, 169 (1885).
*Rev. Hort. 1887, p. 348.—*Fr.*
Dippel, Handb. Laubholzk. i. 308 (1889).
Wien. Ill. Gart.-Zeit. xvi. 181 (1891); xxviii. 96, 97 (1903).
Pflanzenfam. iv. 1. 160 (1891).—*Fl.*
Mouillefert, Traité Arbres & Arbriss. Atlas, t. 90 (1892–98).—*Hab.*
Semler, Trop. Agrik. iv. 272 (1892).
*Rep. Secretary Agric. Washington, 1892, p. 266, t. 11 (1893).
Sauvaigo, Cult. Littor. Méditerr. 130 (1894).
Brehm, Merv. Nat. Monde des Pl. ii. 232 (1894–96). —*Hab.*
Bull. Coll. Agric. Tokyo, ii. t. 7, fig. 23 (1895). —*Veg.*
*Useful Pl. Jap. i. t. 194–97; ii. 549 (1895).
Neubert's Deutsch. Gart. Mag. li. 114 (1898). —*Fr.*
Watts in Bull. Tennessee Agric. St. xi. No. 1, frontisp., p. 195, 199, 203, 207, 211, 215, 218, 219 (1899).
L. H. Bailey, Cycl. Amer. Hort. 489 (1900); t. 28 (1901); Stand. Cycl. Hort. 1015 (1914); 2559 (1916).—*Fr.*
Kertészeti Lapok (Hungarian Journ. Horticult.), xvii. 71, 73 (1902).
Hume & Reimer in Bull. Florida Agric. St. No. 71, frontisp., p. 72, 75, 78, 80, 82 (1904).
Trop. Agric. xxv. No. 3, p. 490 (1905).—*Fr.*
*Bot. Mag. cxxxiii. t. 8127 (1907).
Burnette in Bull. Louisiana Agric. St. No. 99, p. 9–18, 23 (1907).
Gard. Chron. Ser. III. xlii. 22 (1907).
Bull. Soc. Nat. Mosc. N. Ser. 1905, xix. No. 4, t. 7, 8, fig. 15–19; t. 9, fig. 42–46; t. 10, fig. 59–62; t. 11, fig. 75–78 (1907).
Oesterr. Bot. Zeitschr. lviii. 459 (1908).—*Fr.*
Wettstein, Handb. Syst. Bot. Ed. 2, p. 710 (1911). —*Fr.*
Schneider, Ill. Handb. Laubh. ii. 574, 575 (1911).
Miyabe-Festschrift, t. 27, fig. 1 (1911).—*Veg.*
U.S. Dep. Agric. Bur. Pl. Indust. Bull. No. 204, t. 1–3, p. 12–14 (1911).
Hubert, Fruits Pays Chauds, 536, 537, 539 (1912).
Bull. Soc. Dendr. France, 1913, p. 92.—*Fr.*
Naturwiss. Zeitschr. Land- & Forst. xii. 457 (1914).—*Fr.*
U.S. Dep. Agric. Bur. Pl. Indust. Bull. Foreign Pl. Introduct. No. 95, p. 750, 751 (1914).
Bot. Gaz. lx. 364 (1915).
Mathews, Field Book Amer. Trees & Shrubs, 369 (1915).—*Fl.*
U.S. Dep. Agric. Bull. No. 162, p. 16 (1915). —*Hab.*
U.S. Dep. Agric. Bur. Pl. Indust. New Pl. Introduct. [t. 8] (1915–16).—*Fr.*
Brotéria, Ser. Vulg. Sc. xv. 7, 8 (1917).—*Hab.*
Crevost & Lemarié, Cat. Prod. Indochine, i. 258 (1917).
U.S. Dep. Agric. Bur. Pl. Indust. Invent. Seeds & Pl. Import. No. 38, t. 10, No. 39, t. 1, 2 (1917).
Condit in Bull. California Agric. St. No. 316, p. 235, 237, 240–42, 244–52 (1919).
W. Popenoe, Manual Tropical & Subtropical Fr. t. 21 (1920).
—— **costata** Carr.
*Ill. Hort. xviii. t. 78 (1871).
Gard. Chron. iv. 777 (1875); Ser. III. xlii. 23 (1907).
Semaine Hort. 1899, p. 417.
Capus & Bois, Prod. Colon. 172 (1912).—*Hab.*
—— **Hachiya** Hort.
Brehm, Merv. Nat. Monde des Pl. ii. 233 (1894–96).
Möllers Deutsche Gärtn.-Zeit. xxiv. 409 (1909).
Popenoe, Man. Trop. & Subtrop. Fruits, 368 (1920).—*Fr.*
—— **Mazelii** Carr.
!Jardin, xxiv. 57, 60 (1910).—*Fr.*

DIOSPYROS
kaki Roxburghii Hort.
Brehm, Merv. Nat. Monde des Pl. ii. 233 (1894–96).
—— **tiodemon** Hort.
Brehm, Merv. Nat. Monde des Pl. ii. 233 (1894–96).
—— **toyama** Hort.
Brehm, Merv. Nat. Monde des Pl. ii. 233 (1894–96). —*Fr.*
kamerunensis Gürke
Engl. Jahrb. xliii. 207 (1909).—*Fr.*
Engler & Drude, Veget. Erde, ix. 1. 2, p. 712 (1910).—*Fr.*
Kanjilalii Duthie
Ind. Forester, xxxi. t. 29 (1905).
Kusanoi Hayata
Kanehira, Formosan Trees, 340 (1917).
lanceolata Poir.
Ettingshausen, Blatt-Skel. Dikot. t. 37 (1861).— *Veg.*
laurifolia A. Rich.
Ramon de la Sagra, Fl. Cubana, iv. Atlas, Pl. Vasc. t. 55 (1853); et Ic. Fl. Cub. Pl. Vasc. t. 55 (1863).
lobata Lour.
Crevost & Lemarié, Cat. Prod. Indochine, i. 260 (1917).
Lotus Linn.
*Pallas, Fl. Ross. t. 58 (1788).
*F. J. Schultz, Abbild. Bäume, Staud. Sträuch. Oesterr. ii. t. 182 (1792).
Lamarck, Ill. v. t. 858, fig. 1 (1797–1819).
*Duhamel, Arbres & Arbustes, Ed. 2, vi. t. 26 (1801–19).
Dict. Sc. Nat., Planch. Bot. Dicot. t. 65 (1816–29).
*Vietz, Ic. Pl. Med.-oec.-techn. Suppl. t. 32 (1822).
*Jaume St.-Hilaire, Traité Arbriss. & Arbust. ii. t. 125 (1825).
G. Savi in Giorn. Agrar. Tosc. No. 15, t. 21, fig. 5 (1830).—*Fr.*
J. C. Loudon, Arbor. & Frutic. Brit. vi. t. 44 (1838).
*Petermann, Deutschl. Fl. t. 58, fig. 457 (1849).— *Fl.*
Reichenbach, Ic. Fl. Germ. xvii. t. 1079 (1854).
*Schnizlein, Iconogr. ii. t. 159 (1856–65).—*Fl.*
Pokorny, Oesterr. Holzpfl. 448, t. 36 (1864).— *Veg.*
Cesati, Passer. & Gibelli, Comp. Fl. Ital. t. 63 (1867–86).—*Fl.*
Gayffier, Herb. For. France, tab. (1868–73).
Brandis, Illustr. For. Fl. N.W. & Centr. Ind. t. 36 (1874).
*Cusin, Herb. Fl. Franç. xv (Ébénacées), t. 1 (1874).
Ettingshausen in Denkschr. Akad. Wiss. Wien, xxxvii. t. 23, fig. 5 (1877).—*Veg.*
Dai-Nihon Ju-moku Shi-ri-yaku (Jap. Trees Fig. & Expl.), t. 57 (1878).
Lauche, Deutsche Dendrol. Ed. 2, p. 216 (1883).
Garden, xxxii. 68 (1887).
Dippel, Handb. Laubholzk. i. 307 (1889).
American Garden, xii. 462 (1891).
Baillon, Hist. Pl. xi. 222 (1891).
Pflanzenfam. iv. 1. 160 (1891).—*Fl.*
Koehne, Dendrol. 484 (1893).—*Fl.*
Acloque, Fl. France, 456 (1894).
Heckel in Assoc. Franç. Avanc. Sc. 1894, Caen, Pt. 2, t. 9 (1895).—*Fl.*
Bull. Coll. Agric. Tokyo, ii. t. 7, fig. 24 (1895).— *Veg.*
*Useful Pl. Jap. ii. t. 368 (1895).
*Shirasawa, Ic. Ess. Jap. Forest. i. t. 79 (1900).
Fiori & Paol. Ic. Fl. Ital. 313 (1901).
Schneider, Dendrol. Winterst. 115 (1903).— *Veg.*
Bull. Soc. Nat. Mosc. N. Ser. 1905, xix. No. 4, t. 6, 8, fig. 1–14; t. 9, fig. 35–41; t. 10, fig. 58; t. 11, fig. 71–74 (1907).
Burnette in Bull. Louisiana Agric. St. No. 99, p. 20 (1907).—*Fr.*
Elwes & Henry, Trees Gr. Brit. & Ireland, iii. t. 199, 200 (1908).—*Veg.*
Beille, Bot. Pharm. ii. 892 (1909).—*Fl.*
Schneider, Ill. Handb. Laubh. ii. 574, 575 (1911).

DIOSPYROS
Lotus
U.S. Dep. Agric. Bur. Pl. Indust. Bull. No. 204, t. 3, p. 15, 16 (1911).—*Hab.*
Wilson, Veg. West. China (Publ. Arn. Arb. No. 2), 204, 205 (1911).—*Hab.*
Wettstein, Handb. Syst. Bot. Ed. 2, p. 710 (1911). —*Fl.*
Yearb. Dep. Agric. Washington, 1911, p. 416, t. 43 (1912).—*Fr.*
Bull. Soc. Dendr. France, 1913, p. 92, 229.
Silva Tarouca, Freiland-Laubgehölze, 207 (1913).
L. H. Bailey, Stand. Cycl. Hort. 1015 (1914).
U.S. Dep. Agric. Bull. No. 162, p. 17 (1915).—*Hab.*
Nihon-zyûyô-mokuchiku-zuhyô (Tabl. Japan. Trees & Bamb. Forest Bur.), 52 (1916).
Kanehira, Formosan Trees, 341 (1917).
lycioides Desf.
Ann. Mus. Hist. Nat. Paris, vi. 450 (1805).
Lycopersicon Carr.
*Rev. Hort. 1878, p. 470.
mabola Roxb.
*Bot. Reg. xiv. t. 1139 (1828).
Loudon, Mag. Nat. Hist. i. 59 (1828).
macrophylla Bl.
Koorders & Val. Atlas Baumart. Java, t. 363 (1914).
maritima Bl.
Rumphius, Herb. Amboin. iii. t. 2 (1743); fide Merrill, Rumph. Herb. Amboin.
Koorders & Val. Atlas Baumart. Java, t. 364 (1914).
mashuma Sim
Rhodesia Agric. Journ. viii. No. 2, p. 204 (1910). —*Hab.*
Mazelii Carr.
*Rev. Hort. 1874, p. 70.
melanida Poir.
Journ. of Bot. xiii. t. 172, fig. a (1875).—*Fl.*
melanoxylon Roxb.
*Roxburgh, Pl. Coromandel, i. t. 46 (1795).
*Joh. Kerner, Hort. Sempervir. ii. t. 64 (1800).
Ettingshausen, Blatt-Skel. Dikot. t. 41 (1861). —*Veg.*
Ann. Bot. Gard. Peradeniya, ii. t. 1, 8 (1904).
Basu, Ind. Med. Pl. t. 587 (1918).
mespiliformis Hochst.
Warburg, Kunene-Sambesi Exped. 329 (1903). —*Hab.*
Notizbl. Bot. Gart. Berlin, App. xxii. 30 (1909).
Engl. Jahrb. xliii. 201 (1909).
Fiori, Boschi e Piante Legn. Eritrea, 293 (1909–12).
Engler & Drude, Veget. Erde, ix. 1. 1. 78 (1910).
Agric. Colon., Ital. Suppl. 70 (1911); ix. 264 (1915).
Unwin, W. Afr. Forests & Forestry, 260 (1920). —*Hab.*
microphylla Bedd.
Beddome, Ic. Pl. Ind. Or. t. 133 (1874).
Talbot, For. Fl. Bombay, ii. 173 (1911).
mollis Wall.
Journ. Agric. & Hort. Soc. India, iii. 1. 146 (1844).
montana Roxb.
*Roxburgh, Pl. Coromandel, i. t. 48 (1795).
Wight, Ic. Pl. Ind. Or. iv. t. 1225 (1848).
Pflanzenfam. iv. 1. 160 (1891).—*Fr.*
Ann. Bot. Gard. Peradeniya, ii. t. 5, 16 (1904).
Talbot, For. Fl. Bombay, ii. 170 (1911).
Basu, Ind. Med. Pl. t. 585 (1918).
Moonii Thw.
Beddome, Ic. Pl. Ind. Or. t. 138 (1874).
Ann. Bot. Gard. Peradeniya, ii. t. 1, 14 (1904).
Morrisiana Hance
Kanehira, Formosan Trees, 342 (1917).
multiflora Blanco
Vidal, Sin. Fam. & Gen. Pl. Leñ. Filip. (Introd. Fl. For. Filip.), Atlas, t. 63, fig. D (1883).—*Fl.*
nigra Blanco
*Blanco, Fl. Filip. t. 372 (1878–80).
nigricans Dalz.
Beddome, Ic. Pl. Ind. Or. t. 124 (1874).
nilagirica Bedd.
Beddome, Ic. Pl. Ind. Or. t. 136 (1874).
Brandis, Indian Trees, 429 (1906).

DIOSPYROS
obovata Jacq.
*Jacquin, Hort. Schoenbr. iii. t. 312 (1798).
obovata Wight
Wight, Ic. Pl. Ind. Or. iv. t. 1226 (1848).
obtusifolia H. B. K.
H. B. K. Nov. Gen. iii. t. 247 (1818).
Oldhamii chartacea Hayata
Kanehira, Formosan Trees, 343 (1917).
oocarpa Thw.
Ann. Bot. Gard. Peradeniya, ii. t. 4, 7 (1904).
oppositifolia Thw.
Beddome, Ic. Pl. Ind. Or. t. 131 (1874).
Ann. Bot. Gard. Peradeniya, ii. t. 2, 6 (1904).
ovalifolia Wight
Wight, Ic. Pl. Ind. Or. iv. 1227 (1848).
Ann. Bot. Gard. Peradeniya, ii. t. 1, 15 (1904).
paniculata Dalz.
Beddome, Ic. Pl. Ind. Or. t. 125 (1874).
Brandis, Indian Trees, 430 (1906).
Talbot, For. Fl. Bombay, ii. 178 (1911).
Paralea Steud.
Mart. Fl. Bras. vii. t. 3 (1856).
pendula Hasselt
Koorders & Val. Atlas Baumart. Java, t. 365 (1914).
peregrina Gürke
Pflanzenfam. iv. 1. 163 (1891).
Perrieri Jum.
Ann. Mus. Col. Marseille, Ser. II. v. 362, t. 1 (1907); viii. 74, 75 (1910).
Agric. Prat. Pays Chauds, xi. II. 117 (1911).—*Hab.*
pilosanthera Blanco
Vidal, Sin. Fam. & Gen. Pl. Leñ. Filip. (Introd. Fl. For. Filip.), Atlas, t. 63, fig. E (1883).—*Fl.*
polyalthioides Korth.
Hiern, Monogr. Ebenac. (Trans. Cambridge Phil. Soc. xii. 1), t. 7 (1873).
pruriens Dalz.
Beddome, Ic. Pl. Ind. Or. t. 129 (1874).
Ann. Bot. Gard. Peradeniya, ii. t. 1, 13, 18 (1904).
pseudo-Ebenum Koorders & Val.
Koorders & Val. Atlas Baumart. Java, t. 369 (1914).
quaesita Thw.
Beddome, Ic. Pl. Ind. Or. t. 128 (1874).
Ann. Bot. Gard. Peradeniya, ii. t. 5, 6 (1904).
racemosa Roxb.
Wight, Ic. Pl. Ind. Or. ii. t. 416 (1840–43).
Pflanzenfam. iv. 1. 160 (1891).—*Fl.*
ramiflora Roxb.
Wight, Ic. Pl. Ind. Or. i. t. 189 (1839).
Roxburghii Carr.
Rev. Hort. 1872, p. 254, 255.
rubicunda Gürke
Engl. Jahrb. xliii. 207 (1909).
Engler & Drude, Veget. Erde, ix. 1. 2, p. 712 (1910).
rubra Gaertn. f.
Gaertner f., Fruct. iii. t. 208 (1807).—*Fr.*
sahuti André
*Rev. Hort. 1887, p. 348.—*Fr.*
Sapota Roxb.
*Bot. Mag. lxix. t. 3988 (1843).
Sasakii Hayata
Hayata, Ic. Pl. Formosan. vii. t. 8 (1918).
schi-tse Bunge
Nouv. Arch. Mus. Hist. Nat. Paris, Ser. II. iii. t. 11 (1880).
sericea A. DC.
Mart. Fl. Bras. vii. t. 1 (1856).
Arkiv Bot. Stockholm, iii. No. 15, p. 17 (1904). —*Veg.*
silvatica Roxb.
*Roxburgh, Pl. Coromandel, i. t. 47 (1795).
Beddome, Ic. Pl. Ind. Or. t. 121 (1874).
Ann. Bot. Gard. Peradeniya, ii. t. 2, 11, 17 (1904).
sinensis Bl.
Nouv. Arch. Mus. Hist. Nat. Paris, Ser. II. iii. t. 9 (1880).
sinensis Hemsl.
Hook. Ic. Pl. xxix. t. 2804 (1906).
—— **kaki** Hort.
Gubb, Fl. Algeria, t. 39 (1909).
Sprucei Hiern
Hiern, Monogr. Ebenac. (Trans. Cambridge Phil. Soc. xii. 1), t. 8 (1873).

DIOSPYROS
tetrandra Hiern
Hiern, Monogr. Ebenac. (Trans. Cambridge Phil. Soc. xii. 1), t. 6 (1873).
tetrasperma Sw.
Gaertner f., Fruct. iii. t. 208 (1807).—*Fr.*
texana Scheele
Sargent, Silva N. Amer. vi. t. 254 (1894).
Sargent, Man. Trees N. Amer. 751 (1905).
Thwaitesii Bedd.
Beddome, Ic. Pl. Ind. Or. t. 135 (1874).
Ann. Bot. Gard. Peradeniya, ii. t. 2, 16 (1904).
tomentosa Roxb.
Wight, Ic. Pl. Ind. Or. i. t. 182, 183 (1839).
toposia Buch.-Ham.
Ettingshausen, Blatt-Skel. Dikot. t. 42 (1861).—*Veg.*
Beddome, Ic. Pl. Ind. Or. t. 122 (1874).
Ann. Bot. Gard. Peradeniya, ii. t. 10, 17 (1904).
tricolor Hiern
Hiern, Monogr. Ebenac. (Trans. Cambridge Phil. Soc. xii. 1), t. 5 (1873).
Engl. Jahrb. xliii. 204 (1909).
Notizbl. Bot. Gart. Berlin, App. xxii. 32 (1909).
Engler & Drude, Veget. Erde, ix. 1. 2, p. 779 (1910).
truncata Zoll. & Mor.
Koorders & Val. Atlas Baumart. Java, t. 366 (1914).
utilis Koord. & Val.
Koorders, Suppl. Fl. N. O. Celebes, i. 1. t. 9 (1918).
vacciniifolia Ettingsh.
Ettingshausen in Sitzb. Akad. Wiss. Wien, xxviii. t. 5 (1858).—*Veg.*
vaccinioides Lindl.
*Hooker, Exot. Fl. ii. t. 139 (1825).
*Lodd. Bot. Cab. xvi. t. 1549 (1829).
virginiana Linn.
Wangenheim, Beytr. Forstwissensch. t. 28, fig. 58 (1787).
*F. J. Schultz, Abbild. Bäume, Staud. Sträuch. Oesterr. ii. t. 183 (1792).
*Joh. Kerner, Ausländ. Bäume & Gestr. t. 32 (1796).
*Joh. Kerner, Abbild. Oek. Pfl. (Fig. Pl. Econ.), viii. t. 773 (1796).
*Abbot & Smith, Nat. Hist. Lepidopt. Insects Georgia, ii. t. 61, 74 (1797).
Barton, Elem. Bot. t. 5, fig. M–O (1804).—*Fr.*
Gaertner f., Fruct. iii. t. 207 (1807).—*Fr.*
*Michaux, Arb. Amer. Sept. ii. t. 12, p. 195 (1812).
*Michaux, N. Amer. Sylva, ii. t. 93 (1819).
*P. W. Watson, Dendr. Brit. ii. t. 146 (1825).
Rafinesque, Méd. Fl. i. t. 32 (1828).
G. Savi in Giorn. Agrar. Tosc. No. 15, t. 21, fig. 4 (1830).—*Fr.*
J. C. Loudon, Arbor. & Frutic. Brit. vi. t. 44 B, 46 B (1838).
*Audubon, Birds Amer. iv. t. 233 (1842).
*Belg. Hort. iv. 118 (1854).
Ettingshausen, Blatt-Skel. Dikot. t. 38 (1861). —*Veg.*
Gard. Chron. Ser. III. iv. 504, 505 (1888).
Baillon, Hist. Pl. xi. 223 (1891).
Pflanzenfam. iv. 1. 160 (1891); errore *D. virginica.* —*Fl.*
Koehne, Dendrol. 484 (1893).
Newhall, Trees N.E. Amer. 17 (1894).
*Rep. Secretary Agric. Washington, 1893, p. 294, t. 9 (1894).—*Fr.*
Sargent, Silva N. Amer. vi. t. 252, 253 (1894).
Gard. & Forest, viii. 265 (1895).—*Hab.*
Troop & Hadley in Bull. Indiana Agric. St. No. 60, p. 43, t. 10–14 (1896).
Britton & Brown, Ill. Fl. N. States & Canada, ii. 597 (1897); Ed. 2, ii. 720 (1913).
Lochman, Phot. Med. Pl. t. 156 (1898).
*Lounsberry, Guide to the Trees, Ed. 2, p. 234, t. 126 (1900).
L. H. Bailey, Cycl. Amer. Hort. 488 (1900); 1282, t. 28 (1901); Stand. Cycl. Hort. 1014 (1914); 2557, 2558 (1916).—*Fr.*
Dame & Brooks, Trees of New Engl. t. 82 (1902).
Rogers, Tree Book, 426 (1905).
Sargent, Man. Trees N. Amer. 749 (1905).

DIOSPYROS
virginiana
Bull. Soc. Nat. Mosc. N. Ser. xix. No. 4, t. 8, fig. 20–28; t. 9, fig. 47; t. 10, fig. 63, 64 (1907).
Hough, Handb. Trees N. States & Canada, 378, 379 (1907).
Elwes & Henry, Trees Gr. Brit. & Ireland, iii. t. 199, 200 (1908); iv. t. 261 (1909).
Emerson & Weed, Our Trees, How to Know Them, 271 (1908).
Britton, N. Amer. Trees, 785 (1908).
Merck's Rep. (Pract. Journ. Pharm.), xviii. 229, 231 (1909).
Schneider, Ill. Handb. Laubh. ii. 574, 575 (1911).
Keeler, Our Native Trees, 197, 198 (1912).
Collins & Preston, Key to Trees, 21, 22 (1912).—*Veg.*
Silva Tarouca, Freiland-Laubgehölze, 206, 207 (1913).—*Hab.*
Torreya, xiii. 107 (1913).—*Hab.*
Bull. Soc. Dendr. France, 1913, p. 92, 229.
Mathews, Field Book Amer. Trees & Shrubs, 369, 370 (1915).
Journ. Heredity, vi. 535 (1915).—*Hab.*
*Addisonia, iii. t. 85 (1918).
Britton, Fl. Bermuda, 286 (1918).
Illick, Pennsylvania Trees (Pennsylv. Dept. For. Bull. No. 11), fig. 118, t. 6, 10, 122 (1919).
Pammel & King in Proc. Iowa Acad. Sc. xxvii. 78 (1920).—*Veg.*
Pellett, Amer. Honey Pl. 193 (1920).
—— **lucida** Hort.
Mouillefert, Traité Arbres & Arbriss. Atlas, t. 8 (1892–98).—*Hab.*
Waldemarii Klotzsch
Klotzsch & Garcke, Bot. Ergebn. Reise Pr. Waldemar, t. 55 (1862).
Wiesneri Carr.
Möllers Deutsche Gärtn-Zeit. iii. 381 (1888).
*Rev. Hort. 1888, p. 60.
Wightiana Wall.
Beddome, Fl. Sylv. t. 67 (1870).

DIOSTEA Miers: *Baillonia*
juncea Miers
Trans. Linn. Soc. London, xxvii. t. 28 (1870).
*Bot. Mag. cxxvi. t. 7695 (1900).
Bean, Trees & Shrubs, i. 495 (1914).

DIOTHONEA Lindl.
imbricata Lindl.
*Lindley, Sertum Orch. t. 40 (1841).
lloensis Lindl.
Hook. Ic. Pl. xxxi. t. 3012 (1915).

DIOTIS Desf.
candidissima Desf.
Pokorny, Oesterr. Holzpfl. 440, t. 28 (1864).—*Veg.*
Cesati, Passer. & Gibelli, Comp. Fl. Ital. t. 80 (1867–86).—*Fl.*
*Cusin & Ansberque, Herb. Fl. Franç. xii (Composées), t. 149 (1873).
Acloque, Fl. France, 374 (1894).
Bot. Exchange Club Rep. 1901, ii. t. 1, 2 (1902).—*Hab.*
*Penzig, Fl. Litt. Méditerr. t. 66 (1902).
Proc. Manchester Field Club, 1900–1, i. ii. 297 (1905).—*Hab.*
Merino, Fl. Galicia, ii. 363 (1906).
Cadevall & Sallent, Fl. Catalunya, iii. 280 (1917).
maritima Cass.
*Curtis, Fl. Londin. Ed. 2, iv. t. 137 (1819–21).
[M. E.] Jackson, Pict. Fl. fig. 1193 (1840).
*Baxter, Brit. Bot. Ed. 2, vi. t. 499 (1843).
*Deakin, Florigr. Brit. iii. fig. 1271 (1847).
Reichenbach, Ic. Fl. Germ. xvi. t. 998 (1854).
Johnson & Sowerby, Brit. Wild Fl. fig. 696 (1858–60).
Bentham, Handb. Brit. Fl. fig. 516 (1865).
*Syme, Engl. Bot. v. t. 725 (1866).
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, iii. t. 119 [1873].
*Hogg & Johnson, Wild Fl. Gr. Brit. ix. t. 654 (1876).
Pflanzenfam. iv. v. 269 (1890).—*Fl.*
Coste, Fl. France, ii. 348 (1903).

DIOTIS
maritima
Fiori & Paol. Ic. Fl. Ital. 428 (1904).
Fitch & Smith, Ill. Brit. Fl. Ed. rev. 4, Iss. 2, fig. 534 (1919).

DIOTIS Schreb.: *Eurotia*
ceratoides Willd.
Nees, Gen. Pl., Monochlam. i. t. 65 (1835).
J. C. Loudon, Arbor. & Frutic. Brit. iii. 1291 (1838).
Meigen, Deutschl. Fl. iii. t. 143 (1842).
ferruginea Nees
Nees, Gen. Pl., Gamop. i. t. 65 (1835).
Meigen, Deutschl. Fl. iii. t. 143 (1842).—*Fr.*

DIOTOSPERMA A. Gray: *Ceratogyne*
Drummondii A. Gray
Hook. Ic. Pl. ix. t. 855 (1852).

DIPCADI Medic.—Vide *Uropetalum*
comosum Welw.
Trans. Linn. Soc. London, Ser. II. Bot. i. t. 34 (1878).
sansibaricum Engl.
Engler & Drude, Veget. Erde, ix. ii. 303 (1908).—*Fr.*
serotinum Medic.
Cesati, Passer. & Gibelli, Comp. Fl. Ital. t. 15 (1867–86).—*Fl.*
*Baillon, Ic. Fl. Franç. iii. t. 296 [1885–94].
Pflanzenfam. ii. v. 64 (1888).—*Fl.*
Fiori & Paol. Ic. Fl. Ital. 79 (1898).
viride Moench
Wood, Natal Pl. iii. ii. t. 239 (1901).
Wentzelianum Engl.
Engler & Drude, Veget. Erde, ix. ii. 303 (1908).

DIPELTA Maxim.
floribunda Maxim.
Gard. Chron. Ser. III. xlii. 2 (1907); lx. 38 (1916).
*Bot. Mag. cxxxvi. t. 8310 (1910).
Schneider, Ill. Handb. Laubh. ii. 676, 677 (1911).
Möllers Deutsche Gärtn.-Zeit. xxvii. 30 (1912).
Bean, Trees & Shrubs, i. 496 (1914).
Journ. Roy. Hort. Soc. London, xl. 225 (1914).
ventricosa Hemsl.
Gard. Chron. Ser. III. xliv. 102 (1908).
*Bot. Mag. cxxxvi. t. 8294 (1910).
Schneider, Ill. Handb. Laubh. ii. 676 (1911).
Bean, Trees & Shrubs, i. 497 (1914).
Messel, Gard. Fl. 64 (1918).
yunnanensis Franch.
Rev. Hort. 1891, p. 247.
Journ. Soc. Hort. France, Ser. IV. i. 209 (1900).
Schneider, Ill. Handb. Laubh. ii. 676 (1911).—*Fl.*

DIPENTODON Dunn
sinicus Dunn
Kew Bull. 1911, p. 312.

DIPERIUM Desv.: *Ophiurus*
cylindricum Desv.
Desvaux, Opuscules, t. 6 (1831).
Desvaux in Mém. Soc. Agric. Sc. & Arts, Angers, i. ii. t. 9 (1832).

DIPHACA Lour.: *Ormocarpum*
cochinchinensis Lour.
Banks & Soland. Bot. Cook's Voy. i. t. 64 (1900).

DIPHOLIS A. DC.
minutiflora Pittier
Contrib. U.S. Nat. Herb. xiii. 464 (1912).—*Fl.*
salicifolia A. DC.
Delessert, Ic. Pl. v. t. 40 (1846).
Ramon de la Sagra, Fl. Cubana, iv. Atlas, Pl. Vasc. t. 54 bis (1853); et Ic. Fl. Cub. Pl. Vasc. t. 54 bis (1863).
Mart. Fl. Bras. vii. t. 18 (1863).
Pflanzenfam. iv. i. 145 (1891).—*Fl.*
Sargent, Silva N. Amer. v. t. 250 (1893).
Sargent, Man. Trees N. Amer. 739 (1905).
Britton, N. Amer. Trees, 775 (1908).

DIPHRYLLUM Rafin.: *Listera*
ovatum Baill.
*Baillon, Ic. Fl. Franç. iii. t. 249 [1885–94].

DIPHYES Bl.: *Bulbophyllum*
bicolor Bl.
Blume, Tab. Jav. Orch. t. 66 (1825).—*Fl.*
crassifolia Bl.
Blume, Tab. Jav. Orch. t. 66 (1825).—*Fl.*
gibbosa Bl.
Blume, Tab. Jav. Orch. t. 66 (1825).—*Fl.*
tenella Bl.
Blume, Tab. Jav. Orch. t. 66 (1825).—*Fl.*

DIPHYLAX Hook. f.
urceolata Hook. f.
Hook. Ic. Pl. xix. t. 1865 (1889).

DIPHYLLARIUM Gagnep.
melongense Gagnep.
Lecomte, Fl. Gén. Indo-Chine, ii. t. 5 (1916).

DIPHYLLEIA L. C. Rich.
cymosa Michx.
Michaux, Fl. Bor.-Amer. i. t. 19, 20 (1803).
*Bot. Mag. xl. t. 1666 (1814).
Lamarck, Ill. vi. t. 937 (1819).
*J. W. Loudon, Ladies' Fl.-Gard. Ornam. Perenn. i. t. 13 (1843).
Gray & Sprague, Gen. Fl. Amer. i. t. 33 (1848).
Agardh, Theor. Syst. Pl. t. 5 (1858).—*Fl.*
Britton & Brown, Ill. Fl. N. States & Canada, ii. 91 (1897); Ed. 2, ii. 129 (1913).
Pammel, Burnip & Thomas in Proc. Iowa Acad. Sc. 1897, v. t. 12 (1898).—*Fr.*
—— **Grayi** Maxim.
*Miyoshi & Makino, Pocket-Atlas, Alp. Pl. Jap. ii. t. 64, fig. 369 (1907).
Somoku Dzusetsu, Ed. Makino (Iconogr. Pl. Nippon), vii. t. 24 (1910).
Grayi F. Schmidt
Somoku Dzusetsu, Ed. 2, vii. t. 24 (1874).
Bot. Mag. Tokyo, xxiv. 255 (1910).—*Fl.*

DIPHYSA Jacq.
carthagenensis Jacq.
Jacquin, Sel. Stirp. Amer. Hist. t. 181 (1763).
*Jacquin, Sel. Stirp. Amer. Hist. Picta, 261, fig. 59 [1780].
Lamarck, Ill. iii. t. 605 (1797).
Ralph, Ic. Carpolog. t. 38 (1849).—*Fr.*
racemosa Rose
Contrib. U.S. Nat. Herb. i. t. 3 (1891).
robinioides Benth.
A. S. & P. P. Calvert, A Year of Costa Rican Nat. Hist. 336 (1917).—*Veg.*

DIPIDAX Laws.—Vide *Melanthium* (6)
ciliata Baker
*Marloth, Fl. S. Africa, iv. t. 29 (1915).

DIPLACHNE P. Beauv.—Vide *Chloris*(3), *Festuca*(10)
acuminata Nash
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, i. 237 (1913).
andropogonoides Nees
*Dietrich, Fl. Univ. N. Folge, t. 61 (1849); Abt. i. t. 881 (1852–55).
biflora Hack.
Wood, Natal Pl. v. i. t. 411 (1904).
brevifolia Presl
Rep. Missouri Bot. Gard. x. t. 43 (1899).
capensis Nees
*Dietrich, Fl. Univ. N. Folge, t. 61 (1849); Abt. i. 881 (1852–55).
cearensis Ekman
Arkiv Bot. Stockholm, x. No. 17, t. 5 (1911).
dubia Scribn.
Rep. Commissioner Agric. Washington, 1883, p. 96, t. 23
Vasey, Agric. Grasses U.S.A. (U.S. Dep. Agric.), t. 88 (1884); et Agric. Grasses & Forage Pl. U.S.A. (U.S. Dep. Agric. Bot. Div. Spec. Bull.), t. 109 (1889).
U.S. Dep. Agric. Bot. Div. Bull. No. 6, t. 22 (1888).
Rio y Achaval, Geogr. Prov. Cordoba, Atlas, tab. [9] (1905).
Eleusine Nees
Wood, Natal Pl. v. iv. t. 489 (1908).
fascicularis P. Beauv.
P. Beauvais, Agrost. t. 16, fig. 9 (1812).—*Fl.*
Vasey, Agric. Grasses U.S.A. (U.S. Dep. Agric.), t. 85 (1848).

DIPLACHNE
fascicularis
Rep. Commissioner Agric. Washington, 1883, p. 96, t. 22.
U.S. Dep. Agric. Bot. Div. Bull. No. 6, t. 21 (1888).
Vasey, Ill. N. Amer. Grasses (U.S. Dep. Agric. Div. Bot. Bull. No. 12, II), i. t. 41 (1891).
Flora, lxxvi. t. 2, fig. 43 (1892).—*Fr.*
Britton & Brown, Ill. Fl. N. States & Canada, i. 186 (1896); Ed. 2, i. 236 (1913).
fusca P. Beauv.
Rheede, Hort. Mal. xii. t. 45 (1703); fide Fl. Brit. Ind. vi. 329.
Agric. Gaz. N. S. Wales, iii. 387 (1892).
F. Turner, Austral. Grasses, i. 23 (1895).
Lisboa, Bombay Grasses, 127 (1896).
Wood, Natal Pl. v. I. t. 410 (1904).
imbricata Scribn.
Vasey, Ill. N. Amer. Grasses (U.S. Dep. Agric. Div. Bot. Bull. No. 12, II), i. t. 42 (1891).
loliiformis F. Muell.
Agric. Gaz. N. S. Wales, xiii. 723 (1902).
maritima Bicknell
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, i. 237 (1913).
Peacockii Maiden & Betche
Agric. Gaz. N. S. Wales, xv. 925, 926 (1904).
Rèverchonii Vasey
Vasey, Ill. N. Amer. Grasses (U.S. Dep. Agric. Div. Bot. Bull. No. 12, II), i. t. 43 (1891).
rigescens Presl
Rep. Missouri Bot. Gard. x. t. 43 (1899).
rigida Vasey
Vasey, Ill. N. Amer. Grasses (U.S. Dep. Agric. Div. Bot. Bull. No. 12, II), i. t. 44 (1891).
serotina Link
Reichenbach, Ic. Fl. Germ. i. t. 71 (1834).
Nees, Gen. Pl., Monocot. i. t. 74* (1843).—*Fl.*
Cusin, Herb. Fl. Franç. xxv (Graminées), t. 239 (1874).
G. Beck, Fl. Nied.-Oesterr. i. 32, 77 (1890).—*Fl.*
Acloque, Fl. France, 706 (1894).—*Fl.*
Fiori & Paol. Ic. Fl. Ital. 32 (1895).
Husnot, Gram. t. 20 (1896–99).
Fedtschenko & Fler. Fl. Eur. Russia, 110 (1910).
Fedtschenko, Veg. Turkest. 117 (1915).
simplex Doell
Mart. Fl. Bras. ii. III. t. 28 (1878) in textu; *D. spicata* in ic.
Arechavaleta, Gram. Urug. (An. Mus. Nac. Montevideo, v), 413 (1896).
spicata Doell
Mart. Fl. Bras. ii. III. t. 28 (1878) in ic.; *D. simplex* in textu.
viscida Scribn.
Vasey, Ill. N. Amer. Grasses (U.S. Dep. Agric. Div. Bot. Bull. No. 12, II), i. t. 45 (1891).

DIPLACRUM R. Br.
africanum C. B. Clarke
C. B. Clarke, Illustr. Cyperac. t. 134 (1909).
caricinum R. Br.
Endlicher, Ic. Gen. Pl. t. 25 (1838).
C. B. Clarke, Illustr. Cyperac. t. 134 (1909).—*Fl.*
Lecomte, Fl. Gén. Indo-Chine, vii. t. 1 (1912).
longifolium robustior C. B. Clarke
C. B. Clarke, Illustr. Cyperac. t. 135 (1909).
pygmaeum Nees
C. B. Clarke, Illustr. Cyperac. t. 134 (1909).—*Fl.*
tridentatum Brongn.
Duperrey, Voy. Coquille, Bot. Atlas, Phan. t. 26 (1826).

DIPLACUS Nutt.: *Mimulus*
cardinalis Dougl.
Rev. Hort. Ser. IV. vi. 137 (1857).
glutinosus Nutt.
*Paxt. Fl. Gard. iii. t. 92 (1852–53).
*Bull. Soc. Tosc. Ortic. xvii. 332, t. 11 (1892).
×—— **Godronii** Hort.
*Ill. Hort. x. t. 359 (1863).
—— **grandiflorus** Lindl.
*Lem. Jard. Fl. iii. t. 308 (1852).
*Fl. des Serres, Ser. I. ix. t. 883 (1853–54).
×—— **splendidus** Hort.
*Ill. Hort. x. t. 359 (1863).

DIPLACUS
×**glutinosus Verschaffeltii** Hort.
*Ill. Hort. x. t. 359 (1863).
Godronii Versch.
*Ill. Gartenzeit. Stuttgart, vii. t. 8 (1863).
grandiflorus Groenl.
*Horticulteur Franç. 1854, t. 20.
Rev. Hort. Ser. IV. vi. 403 (1857).
longiflorus Nutt.
*M. Armstrong, Field Book West. Wild Fl. 490 (1915).
puniceus Nutt.
*Bot. Mag. lxv. t. 3655 (1838).
*Marnock, Floricult. Mag. iii. t. 133 (1838).
*Floricult. Cab. vii. 190 (1839).
*Paxt. Mag. vi. 221 (1839).
*Knowles & Westc. Floral Cab. iii. t. 107 (1840).
splendidus Versch.
*Ill. Gartenzeit. Stuttgart, vii. t. 8 (1863).
Verschaffeltii Versch.
*Ill. Gartenzeit. Stuttgart, vii. t. 8 (1863).

DIPLADENIA A. DC.—Vide *Homaladenia*, *Microdenia*
acuminata Hook.
*Bot. Mag. lxxxi. t. 4828 (1855).
Ill. Hort. ii. Misc. p. 11 (1855).—*Fl.*
×**amabilis** Hort.
*Floral Mag. v. t. 309 (1866).
*Florist, 1866, p. 209.
*Ill. Hort. xxvii. t. 396 (1880).
Garden, xxxv. 377 (1889).—*Hab.*
Horticulture (Boston), xv. 1 (1912).—*Hab.*
×**amoena** T. Moore
*Florist, 1868, p. 73.
Garden, xxiv. 545 (1883); li. 227 (1897).
angustifolia Malm.
Glück, Blatt- & Blütenmorph. Stud. t. 2 (1919). —*Veg.*
atropurpurea A. DC.
*Fl. des Serres, Ser. I. i. 70 (1845).
Moore & Ayres, Mag. Bot. i. 216 (1850).
Cottage Gard. xxvi. 45 (1861).
*Garden, xliv. 488 (1893).
Neubert's Deutsch. Gart. Mag. xlvii. 305 (1894).
Gartenfl. xliii. 548 (1894).
Wien Ill. Gart.-Zeit. xix. 423 (1894) in textu, p. 421; *D. purpurea* in ic.
*Ill. Hort. lxii. t. 33 (1895).
L. H. Bailey, Stand. Cycl. Hort. 1017 (1914).
—— **Clarkei** Hort.
Journ. Hort. Ser. III. xxiv. 457 (1892).
atroviolacea Müll.-Arg.
Ber. Deutsch. Bot. Ges. xv. t. 20, fig. 1–4 (1897).
—— **latifolia** Müll.-Arg.
Ber. Deutsch. Bot. Ges. xiv. t. 13, fig. 13, 14 (1896).
boliviensis Hook. f.
Florist, 1869, p. 234.
*Bot. Mag. xcv. t. 5783 (1869).
*Garden, xliv. 140 (1893).
×**Brearleyana** Hort.
*Garden, v. 447 (1874); viii. 8 (1875).
*Floral World, 1875, p. 161.
Gartenfl. xxiv. 220 (1875).
Sempervirens, x. 76 (1881).
carissima Hort.
*Florist, 1879, t. 502.
Gartenfl. xxxi. 212 (1882).
Sempervirens, xi. 80 (1882).
Gard. Month. & Hort., Meehan, xxv. 235 (1883).
Ill. Gartenzeit. Stuttgart, xxvii. t. 9 (1883).
Nicholson, Illustr. Dict. Gard. i. 481 [1884–88].
Ill. Hort. xli. 363 (1894).
crassinoda A. DC.
*Bot. Reg. xxx. t. 64 (1844).
*Florist's Journ. 1844, t. 67.
Ann. Hort. i. 75 (1845).
*Floricult. Cab. xiii. 145 (1845).
*Paxt. Mag. xii. 25 (1846).
*Sweet, Ornam. Fl. Gard. i. t. 17 (1854).
*Fl. des Serres, Ser. II. xii. t. 2310 (1876).
—— **magnifica** Hort.
*Florist, 1854, t. 94.
eximia Hemsl.
*Bot. Mag. cxxvi. t. 7720 (1900).

DIPLADENIA
flava Hook.
*Bot. Mag. lxxix. t. 4702 (1853).
*Lem. Jard. Fl. iv. t. 373 (1853).
fragrans A. DC.
Mart. Fl. Bras. vi. I. t. 39 (1860).
gentianoides Müll.-Arg.
Chodat in Bull. Soc. Bot. Genève, Ser. II. xi. 221 (1919).—*Fl.*
—— **glabra** Müll.-Arg.
Mart. Fl. Bras. vi. I. t. 37 (1860).
Harrisii Purdie
*Bot. Mag. lxxxi. t. 4825 (1855).
*Floricult. Cab. 1855, p. 137.
*Fl. des Serres, Ser. II. iv. t. 1404, 1405 (1861).
Houtteana Hort.
*Henderson, Ill. Bouquet, iii. t. 80 (1861–64).
illustris A. DC.
Miers, Apocynac. S. Amer. t. 22 (1878).
—— **glabra** Müll.-Arg.
Mart. Fl. Bras. vi. I. t. 38 (1860).
*Bot. Mag. cxvii. t. 7156 (1891).
×**insignis** Hort.
*Ill. Gartenzeit. Stuttgart, xvi. t. 10 (1872).
*Florist, 1872, p. 73.
Garden, iv. 7 (1873).
Nicholson, Illustr. Dict. Gard. i. 482 [1884–88].
Rev. Hort. 1904, p. 419.
Martiana A. DC.
Glück, Blatt- & Blütenmorph. Stud. t. 2 (1919), —*Veg.*
nobilis Morr.
*Ann. Gand, iii. t. 152 (1847).
Gard. Chron. 1847, p. 748.
Ann. Hort. iv. 96 (1849).
*Fl. des Serres, Ser. I. v. t. 437 (1849).
*Journ. Hort. Prat. Belg. vi. 553 (1849).
*Paxt. Mag. xvi. 4 (1849).
*Ill. Hort. xii. t. 425 (1865).
*Bois, Dict. Hort. 449 (1893–99).
pastorum tenuifolia Hort.
*Bot. Mag. cxxvi. t. 7725 (1900).
polymorpha tenuifolia Müll.-Arg.
Mart. Fl. Bras. vi. I. t. 36 (1860).
profusa Hort.
Journ. Hort. xliii. 417 (1880); Ser. III. lvii. 277 (1908); lxiii. 367 (1911).
*Garden, xviii. 57 (1880); xx. 464 (1881).
*Ill. Hort. xxx. t. 491 (1883).
purpurea Hort.
Wien. Ill. Gart.-Zeit. xix. 423 (1894) in ic.; *D. atropurpurea* in textu, p. 421.
Rosa-campestris C. Lem.
*Hartinger, Parad. Vindob. t. 51 (1844–60) in textu; *Echites Rosa-campestris* in ic.
*Fl. des Serres, Ser. I. iii. t. 256 (1847).
*Réveil, Règne Vég. xiv. t. 43 (1870).
Sanderi Hemsl.
*Garden, li. 226 (1897).
speciosa Hort.
Neubert's Deutsch. Gart. Mag. l. 363 (1897).—*Fl.*
spigeliiflora Müll.-Arg.
Mart. Fl. Bras. vi. I. t. 37 (1860).
splendens A. DC.
*Fl. des Serres, Ser. I. i. 72 (1845).
Ann. Hort. iii. 529 (1847).
L. H. Bailey, Cycl. Amer. Hort. 490 (1900); Stand. Cycl. Hort. 1018 (1914).
Glück, Blatt- & Blütenmorph. Stud. t. 2 (1919). —*Veg.*
—— **profusa** Hort.
Journ. Hort. Ser. III. xxxvi. 409 (1898).
Horticulture (Boston), xxii. 401 (1915).—*Hab.*
tenuifolia K. Schum.
Pflanzenfam. iv. II. 167 (1895).—*Fl.*
urophylla Hook.
*Bot. Mag. lxxiv. t. 4414 (1848).
*Fl. des Serres, Ser. I. v. t. 425 (1849).
*Paxt. Mag. xvi. 67 & tab. (1849).
Moore & Ayres, Mag. Bot. i. 300 (1850).
Journ. Hort. xxix. 52 (1863).
Ber. Bot. Deutsch. Ges. xv. t. 20, fig. 5, 6 (1897).
velutina A. DC.
*Dietrich, Fl. Univ. N. Ser. t. 18 (1861).
vinciflora C. Lem.
*Fl. des Serres, Ser. I. ii. t. 6 (Août, 1846).

DIPLADENIA
Williamsii Hort.
Sempervirens, xii. 366 (1883).
xanthostoma Müll.-Arg.
Arechavaleta in An. Mus. Nac. Montevideo, vii. t. 20 (1910).

DIPLANDRA Hook. & Arn.
lopezioides Hook. & Arn.
Hooker & Arn. Bot. Beechey Voy. t. 60 (1841).

DIPLANTHERA Banks & Soland.: *Deplanchea*
tetraphylla R. Br.
Banks & Soland. Bot. Cook's Voy. ii. t. 229 (1901).

DIPLANTHERA Schrank: *Justicia*
formosa Schrank
*Schrank, Pl. Rar. Hort. Monac. ii. t. 62 (1819).

DIPLANTHERA Thou.—Vide *Halodule*
tridentata Steinh.
Ann. Sc. Nat. Paris, Ser. II. ix. t. 4 (1838).

DIPLARCHE Hook. f.
multiflora Hook. f. & Thoms.
Hooker's Journ. Bot. & Kew Misc. vi. t. 11 (1854).
pauciflora Hook. f. & Thoms.
Hooker's Journ. Bot. & Kew Misc. vi. t. 11 (1854).

DIPLARPEA Triana
paleacea Triana
Trans. Linn. Soc. London, xxviii. t. 6, fig. 81 (1871).—*Fl.*
Pflanzenfam. iii. VII. 172 (1893).—*Fl.*

DIPLARRHENA Labill.
Moraea Labill.
Labillardière, Relation Voy. Pérouse, t. 15 [1800].
*Meredith, Bush Friends Tasmania, t. 10 (1860).
Garden, lxxxiii. 315 (1919).

DIPLASANTHUM Desv.: *Dichanthium*
lanosum Desv.
Desvaux, Opuscules, t. 5 (1831).
Desvaux in Mém. Soc. Agric. Sc. & Arts Angers, i. II. t. 8 (1832).

DIPLASIA L. C. Rich.
karatifolia L. C. Rich.
C. B. Clarke, Illustr. Cyperac. t. 116 (1909).—*Fl.*
tonkinensis E. G. Camus
Lecomte, Not. Syst. i. 251 (1910).
Lecomte, Fl. Gén. Indo-Chine, vii. 175 (1912).

DIPLASPIS Hook. f.
Hydrocotyle Hook. f.
*Hooker f., Fl. Tasman. i. t. 34 (1860).

DIPLAX Soland.: *Microlaena*
avenacea Decne.
Raoul, Choix Pl. Nouv.-Zél. t. 4 (1846).
tasmanica Hook. f.
*Hooker f., Fl. Tasman. ii. t. 155 (1860).

DIPLAZIOPSIS C. Chr.—Vide *Allantodia*, Wall.

DIPLAZIUM Sw.—Vide *Anisogonium*, *Callipteris*, *Hemidictyum* (4), *Oxygonium*, *Pteriglyphis*
acrostichoides Butters
Rhodora, xix. 175 (1917).
acuminatum Raddi
Raddi, Pl. Bras. Nov. Gen. Pars I (Filices), t. 57 (1825).
alismatifolium Presl
Presl, Reliq. Haenk. t. 8, fig. 3 (1825).
alternifolium Bl.
*Hooker, Fil. Exot. t. 17 (1859).
ambiguum Raddi
Raddi, Pl. Bras. Nov. Gen. Pars I (Filices), t. 58 (1825).
ambiguum J. Sm.
*Lowe, Ferns, v. t. 47 (1858).
angelopolitanum Rosens.
Fuhrmann & Mayor, Voy. Expl. Sc. Colomb. (Mém. Soc. Nat. Neuchâtel, v), t. 4 (1914).
apollinaris L'Herm.
Fée, Mém. Foug. xi. t. 10 (1866).
arisanense Hayata
Hayata, Ic. Pl. Formosan. iv. 212 (1914).

DIPLAZIUM
asperum Bl.
Beddome, Ferns S. Ind. t. 163 (1863); errore *D. polypodioides*.
Beddome, Handb. Ferns. Brit. Ind. 183 (1883).
asplenioides Presl
Presl, Tent. Pteridogr. t. 4 (1836).
assimile Bedd.
Beddome, Ferns Brit. Ind. t. 294 (1865–70).
avitaguense Hieron.
Hedwigia, xlvii. t. 2 (1908).
Bantamense Bl.
Beddome, Ferns Brit. Ind. t. 69 (1865–70), vide Correct. Nomencl.
Beddome, Handb. Ferns Brit. Ind. 177 (1883).
bicuspe Hayata
Hayata, Ic. Pl. Formosan. iv. 215 (1914).
biserratum Presl
Presl, Tent. Pteridogr. t. 4 (1836).
Bolsteri Copel.
Philippine Journ. Sc. i. Suppl. 4, t. 2, 4, A (1906).
brachysoroides Copel.
Philippine Journ. Sc., Bot. ii. t. 1, A (1907).
bulbiferum Brack.
Brackenridge, Crypt. Wilkes, U.S. Expl. Exp. 1838–42, t. 18 (1855).
callipteris Fée
Fée, Mém. Foug. xi. t. 10 (1866).
Cavaleriei Christ
Léveillé, Cat. Ill. Pl. Seu Tchouen, t. 34 (1918).
celtidifolium Kunze
!Heinricher in Sitzb. Akad. Wiss. Wien, lxxviii. I. 263, tab., fig. 1 (1879).—*Veg.*
Pflanzenfam. i. IV. 227 (1899).
ceylanicum T. Moore
Beddome, Ferns S. Ind. t. 228 (1863).
Gager, Fundam. Bot. 154 (1916).
congruum Brack.
Brackenridge, Crypt. Wilkes, U.S. Expl. Exp. 1838–42, t. 18 (1855).
consacense Hieron.
Hedwigia, xlvii. t. 1 (1908).
cordifolium Bl.
Hook. Ic. Pl. ii. t. 184 (1837).
*Hooker, Cent. Ferns, t. 36 (1854).
Hook. Ic. Pl. x. t. 936 (1854).
costalisorum Hayata
Hayata, Ic. Pl. Formosan. iv. 213 (1914).
decurrens Bedd.
Beddome, Ferns S. Ind. t. 229 (1863).
decussatum J. Sm.
*Lowe, Ferns, v. t. 50 (1858).
decussatum Bedd.
Beddome, Ferns Brit. Ind. t. 292 (1865–70).
delitescens Maxon
Contrib. U.S. Nat. Herb. x. t. 56 (1908).
dilatatum Bl.
Beddome, Ferns S. Ind. t. 162 (1863).
dissimile Fée
Fée, Crypt. Vasc. Brésil, i. t. 21 (1869).
Doederleinii Makino
Matsumura, Ic. Pl. Koisikav. i. t. 70 (1913).
elegans Hook.
*Hooker, Cent. Ferns, t. 39, 40 (1854).
Hook. Ic. Pl. x. t. 939, 940 (1854).
extensum J. Sm.
Belg. Hort. xiv. 237 (1864).
firmum Fée
Fée, Mém. Foug. x. t. 38 (1865); et in Mem. Soc. Sc. Nat. Strasbourg, vi. I. t. 38 (1866).
fraxinifolium Presl
Beddome, Ferns Brit. Ind. t. 69 (1865–70); errore *D. batamense*.
fructuosum Copel.
Philippine Journ. Sc. i. Suppl. 2, t. 8 (1906).
gachetense Hieron.
Hedwigia, xlvii. t. 1 (1908).
giganteum Karst.
Decaisne & Naud. Amat. Jard. iii. 602 [1862–66].—*Hab.*
grammitoides Fée
Fée, Mém. Foug. xi. t. 11 (1866).
grammitoides Presl
Bull. Dep. Agric. Indes Neerl. xxi. t. 1 (1908).
grandifolium Sw.
Presl, Tent. Pteridogr. t. 4 (1836).

DIPLAZIUM
grandifolium
T. Moore, Index Fil. Gen. & Spec. t. 41 [1857–62].
Conzatti in Mem. y Rev. Soc. 'Antonio Alzate', xxv. 132 (1907).
Rhodora, xix. 172 (1917).
Griffithii T. Moore
Beddome, Ferns Brit. Ind. t. 328 (1865–70).
Hancockii Hayata
Hayata, Ic. Pl. Formosan. v. 269 (1915).
herbaceum Fée
Fée, Crypt. Vasc. Brésil, i. t. 23 (1869).
inflatisorum Hayata
Hayata, Ic. Pl. Formosan. v. 271 (1915).
javanicum Makino
Makino, Phan. & Pterid. Jap. Ic. i. t. 46 a, b (1901).
Jerdonii Bedd.
Beddome, Ferns Brit. Ind. t. 327 (1865–70).
juglandifolium Sw.
*Schkuhr, Krypt. Gewächse, t. 85 (18[06]–09).
*Hooker, Fil. Exot. t. 100 (1859).
kappanense Hayata
Hayata, Ic. Pl. Formosan. viii. 144 (1919).
Katzeri Regel
Gartenfl. ix. t. 282 (1860).
Trans. Russ. Hort. Soc. 1860, t. 8.
Kawakamii Hayata
Hayata, Ic. Pl. Formosan. iv. 216 (1914).
Laffanianum Christ
Britton, Fl. Bermuda, 423 (1918).
lanceum Bory
Bélanger, Voyage Ind. Or. Bot. Crypt. t. 4 (1831–46).
lanceum Presl
Beddome, Ferns S. Ind. t. 227 (1863).
Beddome, Handb. Ferns Brit. Ind. 175 (1883).
Pflanzenfam. i. IV. 227 (1899).
Makino, Phan. & Pterid. Jap. Ic. i. t. 25 (1899).
lasiopteris Kunze
Beddome, Ferns S. Ind. t. 160 (1863).
latisectum Rosend.
Arkiv Bot. Stockholm, xiv. No. 18, t. 2 (1916).
Lechleri Mett.
Mettenius, Fil. Lechl. t. 2 (1856).
leiopodum Hayata
Hayata, Ic. Pl. Formosan. iv. 218 (1914).
leptocarpon Fée
Fée, Crypt. Vasc. Brésil, i. t. 23 (1869).
leptochlamys Fée
Fée, Crypt. Vasc. Brésil, i. t. 22 (1869).
lobulosum Presl
Beddome, Ferns Brit. Ind. t. 247 (1865–70).
longicarpum Kodama
Matsumura, Ic. Pl. Koisikav. iii. t. 171 (1916).
longifolium T. Moore
Beddome, Handb. Ferns Brit. Ind. 179 (1883).
longipes Fée
Fée, Crypt. Vasc. Brésil, i. t. 21 (1869).
macrophyllum Desv.
Presl, Tent. Pteridogr. t. 3 (1836).
Makinoi karapinense Hayata
Hayata, Ic. Pl. Formosan. v. 272 (1915).
malabaricum Spreng.
Rheede, Hort. Mal. xii. t. 15 (1703); fide Hasskarl, Hort. Mal. Rheed. Clavis, 100.
malaccense Presl
Fée, Mém. Foug. v. t. 17 (1850–52).
Matsumurae Kodama
Matsumura, Ic. Pl. Koisikav. i. t. 44 (1912).
Mayoris Rosens.
Fuhrmann & Mayor, Voy. Expl. Sc. Colomb. (Mém. Soc. Nat. Neuchâtel, v), t. 3 (1914).
Merrillii Copel.
Philippine Journ. Sc., Bot. ii. t. 2, A (1907).
microphyllum Desv.
Mém. Soc. Linn. Paris, ii. t. 7, fig. 1 (1827).
nitens Rosens.
E. Werner, Kaiser-Wilhelms-Land, 197 (1911).
nitidum Cav.
Ann. Cienc. Nat. Madrid, vii. t. 48 (1804).
odoratissimum Hayata
Hayata, Ic. Pl. Formosan. v. 274 (1915).
pallidum T. Moore
Beddome, Ferns Brit. Ind. t. 196 (1865–70).

DIPLAZIUM
parallelogrammum Fée
Fée, Crypt. Vasc. Brésil, i. t. 20 (1869).
pastazense Hieron.
Hedwigia, xlvii. t. 1 (1908).
peladense Hieron.
Hedwigia, xlvii. t. 3 (1908).
pinnatifido-pinnatum T. Moore
Beddome, Ferns Brit. Ind. t. 244 (1865–70).
pinnatifidum Kunze
Kunze, Anal. Pteridogr. t. 16 (1837).
pinnatifidum Fée
Fée, Mém. Foug. x. t. 35 (1865); et in Mém. Soc. Sc. Nat. Strasbourg, vi. I. t. 35 (1866).
plantagineum Sw.
Swartz, Syn. Fil. t. 2 (1806).
*Schkuhr, Krypt. Gewächse, t. 85 (18[06]–09).
*Lodd. Bot. Cab. xvi. t. 1588 (1829).
Presl, Tent. Pteridogr. t. 4 (1836).
*Hooker, Gen. Fil. t. 55 (1842).
Moore & Ayres, Mag. Bot. iii. 230 (1851).
*Lowe, Ferns, v. t. 46 (1858).
J. Smith, Ferns, Brit. & Foreign, 221 (1866); Ed. 2, p. 221 (1879).
J. Smith, Hist. Fil. t. 23 (1875).
plantaginifolium Urb.
Rhodora, xix. 172, 175 (1917).
polypodioides Bedd.
Beddome, Ferns S. Ind. t. 163 (1863); vide Ferns Brit. Ind. Correct. Nomencl.
Beddome, Ferns Brit. Ind. t. 293 (1865–70).
Beddome, Handb. Ferns Brit. Ind. 185 (1883).
Warburg, Pflanzenwelt, i. 263 (1913).
porrectum Presl
Beddome, Ferns Brit. Ind. t. 245 (1865–70).
Beddome, Handb. Ferns Brit. Ind. 176 (1883).
praelongum Fée
Fée, Mém. Foug. x. t. 37 (1865); et in Mém. Soc. Sc. Nat. Strasbourg, vi. I. t. 37 (1866).
Prescottianum T. Moore
Beddome, Ferns Brit. Ind. t. 243 (1865–70).
proliferum Thou.
Engler & Drude, Veget. Erde, ix. II. 24 (1908).
E. Werner, Kaiser-Wilhelms-Land, 197 (1911).
Domin in Bibl. Bot. xx. 91 (1914).
pseudo-Doederleinii Hayata
Hayata, Ic. Pl. Formosan. viii. 145 (1919).
pubescens Link
*Lowe, Ferns, v. t. 52 (1858).
pulcherrimum Raddi
Raddi, Opusc. Sc. Bologna, iii. t. 12 (1819).
Raddi, Pl. Bras. Nov. Gen. Pars I (Filices), t. 59 (1825).
radicans Presl
*Hooker, Gen. Fil. t. 55 (1842).
Pflanzenfam. i. IV. 227 (1899).
remotum Fée
Fée, Crypt. Vasc. Brésil, i. t. 24 (1869).
Roemerianum Presl
Presl, Tent. Pteridogr. t. 4 (1836).
rostratum Fée
Fée, Crypt. Vasc. Brésil, i. t. 24 (1869).
Schkuhrii Bedd.
Beddome, Ferns S. Ind. t. 230 (1863).
serampurense Spreng.
Nov. Act. Acad. Nat. Cur. x. t. 17, fig. 1, 2 (1821).
silvaticum Sw.
*Schkuhr, Krypt. Gewächse, t. 85 b (18[06]–09).
*Lowe, Ferns, v. t. 49 (1858).
Beddome, Ferns S. Ind. t. 161 (1863).
Engler & Drude, Veget. Erde, ix. II. 24 (1908).
simplicifolium Kodama
Matsumura, Ic. Pl. Koisikav. i. t. 68 (1913).
sorzogonense Presl.
Beddome, Ferns Brit. Ind. t. 246 (1865–70).
speciosum Bl.
Beddome, Ferns Brit. Ind. t. 290 (1865–70).
squamigerum Christ
Matsumura, Ic. Pl. Koisikav. i. t. 14 (1911).
Stoliczkai Bedd.
Beddome, Suppl. Ferns S. & Brit. Ind. t. 361 (1876).
striatum Presl
*Hooker, Gen. Fil. t. 55 (1842).
*Lowe, Ferns, v. t. 48 (1858).

DIPLAZIUM
Stuebelii Hieron.
Hedwigia, xlvii. t. 2 (1908).
subrigescens Hayata
Hayata, Ic. Pl. Formosan. iv. 219 (1914).
subserratum T. Moore
Beddome, Ferns Brit. Ind. t. 289 (1865–70).
tabacinum Copel.
Philippine Journ. Sc. i. Suppl. 2, t. 6 (1906).
tabalosense Hieron.
Hedwigia, xlvii. t. 1 (1908).
Taquetii Christ
Matsumura, Ic. Pl. Koisikav. iv. t. 232 (1919).
tenuicaule Hayata
Hayata, Ic. Pl. Formosan. iv. 220 (1914).
thelypteroides Presl
*Lowe, Ferns, v. t. 51 (1858).
Beddome, Ferns Brit. Ind. t. 68 (1865–70).
Thwaitesii Klotzsch
Beddome, Ferns Brit. Ind. t. 291 (1865–70).
tomentosum Bl.
Beddome, Ferns Brit. Ind. t. 195 (1865–70).
umbrosum australe R. Br.
Beddome, Handb. Ferns Brit. Ind. 189 (1883).
—— **multicaudatum** Wall.
Beddome, Handb. Ferns Brit. Ind. 190 (1883).
Williamsii Copel.
Philippine Journ. Sc. i. Suppl. 2, t. 7 (1906).
Wolfii Hieron.
Hedwigia, xlvii. t. 2 (1908).
zeylanicum = *ceylanicum*

DIPLECTRIA Bl.: *Anplectrum*
divaricata O. Kuntze
Pflanzenfam. iii. VII. 178 (1893).—*Fl.*

DIPLECTRUM Endl.: *Satyrium*
amoenum Thou.
*Petit-Thouars, Orchid. Afric. Gen. t. 6 (1804).
Petit-Thouars, Hist. Pl. Orch. Iles Afr. t. 21, 22 (1822).
Dionysi Thou.
Petit-Thouars, Hist. Pl. Orch. Iles Afr. t. 23 (1822).

DIPLERISMA Planch.: *Melianthus*
comosum Planch.
Trans. Linn. Soc. London, xx. t. 20 (1851).—*Fl.*
minus Planch.
Trans. Linn. Soc. London, xx. t. 20 (1851).—*Fl.*

DIPLOCALYX A. Rich.: *Schoepfia*
chrysophylloides A. Rich.
Ramon de la Sagra, Fl. Cubana, iv. Atlas, Pl. Vasc. t. 54 (1853); et Ic. Fl. Cub. Pl. Vasc. t. 54 (1863).

DIPLOCAULOBIUM Reichb. f.: *Dendrobium*
nitidissimum Kränzl.
Pflanzenreich, Orch.-Dendr. i. 338 (1910).

DIPLOCENTRUM Lindl.
congestum Wight
Wight, Ic. Pl. Ind. Or. v. t. 1682 (1851).
Hook. Ic. Pl. xxvii. t. 2687 (1901).
longifolium Wight
Wight, Ic. Pl. Ind. Or. v. t. 1681 (1851).
recurvum Lindl.
Wight, Ic. Pl. Ind. Or. v. t. 1680 (1851).

DIPLOCHITA DC.: *Miconia*
bracteata DC.
*Martius, Nov. Gen. & Sp. Pl. Bras. iii. t. 274 (1829).
serrulata latifolia DC.
De Candolle in Mém. Soc. Phys. & Hist. Nat. Genève, iv. t. 3, fig. 19 (1828).—*Fr.*

DIPLOCHITON Spreng.: *Miconia*
Fothergilla DC.
Ettingshausen, Blatt-Skel. Dikot. 193 (1861).—*Veg.*

DIPLOCLINIUM Lindl.: *Begonia*
Arnottianum Wight
Wight, Ic. Pl. Ind. Or. v. t. 1815 (1852).
biloculare Wight
Wight, Ic. Pl. Ind. Or. v. t. 1814 (1852).
cordifolium Wight
Wight, Ic. Pl. Ind. Or. v. t. 1816 (1852).
Evansianum Lindl.
Lindley, Veg. Kingd. 318 (1846).—*Fl.*

DIPLOCLINIUM
Lindleyanum Wight
Wight, Ic. Pl. Ind. Or. v. t. 1817 (1852).
Rheedeanum Hasskl.
Rheede, Hort. Mal. ix. t. 86 (1689); fide Hasskarl, Hort. Mal. Rheed. Clavis, 78.

DIPLOCLISIA Miers—Vide *Cocculus* (4)
glaucescens Diels
Pflanzenreich, Menispermac. 225 (1910).
inclyta Miers
Miers, Contrib. Bot. iii. t. 127 (1864–71).
Kunstleri Diels
Pflanzenreich, Menispermac. 225 (1910).—*Fr.*
macrocarpa Miers
Miers, Contrib. Bot. iii. t. 127 (1864–71).—*Fr.*
Lecomte, Fl. Gén. Indo-Chine, i. 128 (1908).—*Fl.*

DIPLOCOMA D. Don: *Heterotheca*
villosa D. Don
*Sweet, Brit. Fl. Gard. iii. t. 246 (1828).
Linnaea, v. t. 2, fig. 17 (1830).—*Fl.*

DIPLOCONCHIUM Schauer: *Agrostophyllum*
inocephalum Schauer
Nov. Act. Acad. Nat. Cur. xix. Suppl. i. t. 12 (1843).

DIPLOCYATHUS N. E. Br.
ciliata N. E. Br.
Journ. Linn. Soc., Bot. xvii. t. 12, fig. 1–3 (1878).—*Fl.*
Pflanzenfam. iv. II. 279 (1895).—*Fl.*
Notizbl. Bot. Gart. Berlin, App. xi. 44 (1903).—*Fl.*
Berger, Stapel. u. Klein. 178 (1910).
Engler & Drude, Veget. Erde, ix. I. 1, p. 472 (1910).—*Fl.*

DIPLODISCUS Turcz.
paniculatus Turcz.
Vidal, Sin. Fam. & Gen. Pl. Leñ. Filip. (Introd. Fl. For. Filip.), Atlas, t. 20, fig. D (1883).
W. H. Brown in Bull. Philipp. Isl. Dep. Agric. Bur. Forestry, No. 21, p. 109 (1920).

DIPLODIUM Sw.: *Pterostylis*
australe Sw.
Swartz in Mag. Ges. Naturf. Freunde Berlin, iv. t. 3 (1810).

DIPLODON = *Diplusodon*

DIPLOGENEA Lindl.: *Medinilla*
viscoidea Lindl.
Ann. Sc. Nat. Paris, Ser. III. xv. t. 13 (1851).—*Fl.*

DIPLOGLOTTIS Hook. f.
Cunninghamii Hook. f.
Baillon, Hist. Pl. v. 360, 361 (1874).—*Fl.*
*Baillon, Dict. Bot. iv. t. [15] (1879).

DIPLOKNEMA Pierre
sebifera Pierre
Pierre in Arch. Néerl. Sc. Exact. & Nat. xix. t. 4 (1884).—*Fl.*

DIPLOLAENA R. Br.
Dampieri Desf.
Mém. Mus. Hist. Nat. Paris, iii. 453, t. 20 (1817).
*Bot. Reg. xxvii. t. 64 (1841).
*Bot. Mag. lxx. t. 4059 (1843).
*Horticulteur Univ. v. 42 (1844).
*Fl. des Serres, Ser. I. ii. t. 3 (Juill. 1846).
*Réveil, Règne Vég. iv. t. 49 (1870).—*Fl.*
Baillon, Hist. Pl. iv. 389 (1873).—*Fl.*
Engler & Drude, Veget. Erde, vii. 186 (1906), errore *D. Darwinii*.—*Fl.*
grandiflora Desf.
Mém. Mus. Hist. Nat. Paris, iii. 453, t. 19 (1817).
Lamarck, Ill. vi. t. 955 (1823).
Pflanzenfam. iii. IV. 145 (1896).
Engler & Drude, Veget. Erde, vii. 359 (1906).
Hügelii Hort.
*Gart.- u. Blumenzeit. Hamburg, ii. tab. [1846].
speciosa A. Brongn.
*Rev. Hort. Ser. II. iv. 133 (1845).

DIPLOLEPIS R. Br.
hirsuta Lindl.
*Ann. Bot. Gard. Calcutta, viii. t. 443 (1898).

DIPLOLEPIS
Menziesii Schult.
Pflanzenfam. iv. II. 247 (1895).—*Fl.*

DIPLOPAPPUS Cass.: *Aster*
canescens Hook.
*Paxt. Mag. ii. 49 (1836) in ic.; *D. incanus* in textu.
incanus Lindl.
*Bot. Mag. lxii. t. 3382 (1835).
*Bot. Reg. xx. t. 1693 (1835).
*Paxt. Mag. ii. 49 (1836) in textu; *D. canescens* in ic.
*J. W. Loudon, Ladies' Fl.-Gard. Ornam. Perenn. i. t. 43 (1843).
*Strong, American Fl. iv. 173 (1850).
linariifolius Lindl.
*Meehan, Native Fl. & Ferns U.S. Ser. II. i. t. 3 (1879).

DIPLOPELTIS Endl.
eriocarpa Hemsl.
Hook. Ic. Pl. xxviii. t. 2730 (1902).
Hügelii Lindl.
*Bot. Reg. xxv. t. 69 (1839).

DIPLOPHRACTRUM Desf.
auriculatum Desf.
Mém. Mus. Hist. Nat. Paris, v. 36 (1819).
Lamarck, Ill. vi. t. 964 (1823).

DIPLOPRION Viv.: *Medicago*
medicaginoides Viv.
Viviani, Fl. Lib. Sp. t. 19, fig. 2 (1824).

DIPLOPRORA Hook. f.
Championii Hook. f.
Hook. Ic. Pl. xxii. t. 2120 (1892).
*Ann. Bot. Gard. Calcutta, viii. t. 274 (1898).
kusukusensis Hayata
Hayata, Ic. Pl. Formosan. iv. 87 (1914).—*Fl.*
uraiensis Hayata
Hayata, Ic. Pl. Formosan. iv. 88 (1914).—*Fl.*

DIPLOPTERYX A. Juss.
paralias A. Juss.
Delessert, Ic. Pl. iii. t. 33 (1837).
Arch. Mus. Hist. Nat. Paris, iii. t. 20 (1843).
Lindley, Veg. Kingd. 588 (1846).
Pflanzenfam. iii. IV. 49 (1890).—*Fr.*

DIPLORA Baker
integrifolia Baker
Journ. of Bot. xi. 235 (1873).
Hook. Ic. Pl. xvii. t. 1651 (1886).
Pflanzenfam. i. IV. 229 (1899).
Bull. Jard. Bot. Buitenzorg, Ser. II. i. t. 4 (1911).

DIPLORRHYNCHUS Welw.
mossambicensis Benth.
Hook. Ic. Pl. xiv. t. 1355 (1881).
Sim, For. Fl. Portug. E. Africa, t. 99 (1909).
Engler & Drude, Veget. Erde, ix. I. 1, p. 424 (1910).
Wettstein, Handb. Syst. Bot. Ed. 2, p. 462 (1911).—*Fr.*
Poggei K. Schum.
Pflanzenfam. iv. II. 110 (1895).—*Fr.*
psilopus Welw.
Trans. Linn. Soc. London, Ser. II. Bot. ii. t. 5 (1881).
Pflanzenfam. iv. II. 110 (1895).—*Fl.*

DIPLOSASTERA Tausch.: *Coreopsis*
tinctoria Tausch
*Tausch, Hort. Canal. i. 1 [t. 4] (1823).

DIPLOSIPHON Decne.: *Blyxa*
oryzetorum Decne.
Jacquemont, Voy. Inde, t. 167 (1844).

DIPLOSPORA DC.: *Tricalysia*
africana Sim
Sim, For. Fl. Cape Colony, t. 85 (1907).
apiocarpa Hook. f.
Beddome, Fl. Sylv. t. 223 (1872).
australis Benth.
F. M. Bailey, Compr. Cat. Queensl. Pl. 250 (1909–13).
buisanensis Hayata
Hayata, Ic. Pl. Formosan. ix. 60 (1920).
Dalzellii Hook. f.
*Trimen, Handb. Fl. Ceylon, Atlas, ii. t. 50 (1894).

DIPLOSPORA
ixoroides F. Muell.
Banks & Soland. Bot. Cook's Voy. ii. t. 141 (1901).
F. M. Bailey, Compr. Cat. Queensl. Pl. 250 (1909–13).
polysperma Val.
Ic. Bogor. ii. t. 142 (1904).
sphaerocarpa Hook. f.
Talbot, For. Fl. Bombay, ii. 106 (1911).
Basu, Ind. Med. Pl. t. 501 (1918).
Tanakai Hayata
Hayata, Ic. Pl. Formosan. v. 77 (1915).
vaginata Hort.
Malpighia, xvii. t. 18 (1903).—*Veg.*
viridiflora DC.
Hayata, Ic. Pl. Formosan. v. 77 (1915).
Kanehira, Formosan Trees, 294 (1917).

DIPLOSPOROPSIS Wernh.
coffeoides Wernh.
Rendle, Cat. Talbot's Nigerian Pl. t. 8 (1913).

DIPLOSTEPHIUM H. B. K.
anactinotum Wedd.
Weddell, Chloris Andina (Castelnau Expéd., Bot.), i. t. 35 (1855–57).
eriophorum Wedd.
Weddell, Chloris Andina (Castelnau Expéd., Bot.), i. t. 36 (1855–57).
floribundum Wedd.
Weddell, Chloris Andina (Castelnau Expéd., Bot.), i. t. 36 (1855–57).
lavandulifolium H. B. K.
H. B. K. Nov. Gen. iv. t. 335 (1820).
Weddell, Chloris Andina (Castelnau Exped., Bot.), i. t. 36 (1855–57).
tacorense Hieron.
Engler & Drude, Veget. Erde, xii. 127 (1911).

DIPLOTAENIA Boiss.
cachryfolia Boiss.
Bull. Herb. Boiss. Ser. II. viii. t. 8 (1908).—*Hab.*

DIPLOTAXIS DC.—Vide *Pendulina*
acris Boiss.
Crowfoot, Desert Fl. t. 8 [1914?].
Pflanzenreich, Crucif.-Brass. 153 (1919).
auriculata Dur.
*Cosson & Durieu, Expl. Scient. Algér. 1840–42, Bot. Atlas, t. 76 (1850).
Borrelieri DC.
Reichenbach, Ic. Fl. Germ. ii. t. 83 (1837–38).
bracteata Gren. & Godr.
Acloque, Fl. France, 84 (1894).
brassicoides Rouy
*Willkomm, Ill. Fl. Hispan. Balear. i. t. 85 (1881–85).
Coste, Fl. France, i. 79 (1901).
coronopifolia Godr.
Gubb, Fl. Sahar. t. 36 (1913).
crassifolia DC.
Pflanzenreich, Crucif.-Brass. 11 (1919).—*Fr.*
Duveyrierana Coss.
Bull. Soc. Bot. France, xi. t. 3 (1864).
Trotter, Fl. Econ. della Libia, 165 (1915).
erucoides DC.
Reichenbach, Ic. Fl. Germ. ii. t. 84 (1837–38).
Decaisne & Naud. Amat. Jard. i. 100 [1862–66].—*Fr.*
*Cusin & Ansberque, Herb. Fl. Franç. ii. t. 217 (1868).
*Bicknell, Fl. Pl. Riviera, t. 4 (1885).
Paolucci, Fl. Marchig. t. 41 (1890).—*Fr.*
Post, Fl. Syria, Palestine & Sinai, 78 [1896].—*Fr.*
Fiori & Paol. Ic. Fl. Ital. 162 (1899).
Coste, Fl. France, i. 79 (1901).
Malpighia, xvi. t. 7 (1902).—*Fl.*
*Penzig, Fl. Litt. Méditerr. t. 9 (1902).
*Bonnier, Fl. Compl. France, Suisse & Belge, i. t. 32 [1911].
*H. S. Thompson, Fl. Pl. Riviera, t. 5 (1914).
Cadevall & Sallent, Fl. Catalunya, i. 98 (1915).
Pflanzenreich, Crucif.-Brass. 8, 11 (1919).—*Fl.*
harra Boiss.
Bibl. Bot. ix. No. 48, t. 3, fig. 11 (1899).—*Fl.*
Fiori & Paol. Ic. Fl. Ital. 162 (1899).
Pflanzenreich, Crucif.-Brass. 153 (1919).
hispida DC.
Delessert, Ic. Pl. ii. t. 89 (1823).

DIPLOTAXIS
humilis Gren. & Godr.
Coste, Fl. France, i. 79 (1901).
Flahault, Nouv. Fl. Alpes & Pyrén. iii. 10 (1912).
muralis DC.
Mém. Mus. Hist. Nat. Paris, vii. 248, t. 7 (1821).—*Fr.*
*Sturm, Deutschl. Fl. xvi. LXVIII [t. 1086, 1087] (1835).
*Zenker, Fl. Thüringen, x. t. 1174 (1836–55).
Reichenbach, Ic. Fl. Germ. ii. t. 82 (1837–38).
*C. E. Sowerby, Ill. Cat. Brit. Pl. fig. 127 (1841).
*Deakin, Florigr. Brit. ii. fig. 1064 (1845).
*Lorek, Fl. Pruss. Ed. 3, t. 160, fig. 855 (1848).
*Petermann, Deutschl. Fl. t. 7, fig. 52 (1849).—*Fl.*
*Cusin & Ansberque, Herb. Fl. Franç. ii. t. 215 (1868).
*Hogg & Johnson, Wild Fl. Gr. Brit. vii. t. 489 (1872).
Wagner, Ill. Deutsche Fl. Ed. 2, p. 60 (1882).
Willkomm, Führ. Reich Pflanzen, 826 (1882).—*Fl.*
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xv. t. 1502 (1883).
Acloque, Fl. France, 84 (1894).
Bot. Jaarb. Gent, vi. 202 (1894).—*Fl.*
Garcke, Ill. Fl. Deutschl. 51 (1895).
Britton & Brown, Ill. Fl. N. States & Canada, ii. 120 (1897); Ed. 2, ii. 194 (1913).
*Hulme, Familiar Wild Fl. (Pop. Ed.), vi. 25 [1897?].
Fiori & Paol. Ic. Fl. Ital. 162 (1899).
Coste, Fl. France, i. 80 (1901).
C. T. Green, Fl. Liverpool Distr. fig. 54 (1902).
Blytt, Haandb. Norg. Fl. Ed. Dahl, 379 (1906).
Heukels, Fl. Nederl. ii. 285 (1908).
Black, Nat. Fl. S. Australia, 24 (1909).
Fedtschenko & Fler. Fl. Eur. Russia, 461 (1910).
*Bonnier, Fl. Compl. France, Suisse & Belge, i. t. 32 [1911].
Beal, Michigan Weeds (Bull. Mich. Agric. Exp. St. No. 267), 349 (1911); et in Ann. Rep. xxv. 338 (1912).
*Hegi, Ill. Fl. Mittel-Eur. iv. 1. 54, t. 131 (1913).
A. Georgia, Manual Weeds, t. 132 (1914).
Cadevall & Sallent, Fl. Catalunya, i. 99 (1915).
Britton, Fl. Bermuda, 152 (1918).
Lindman, Svensk Fanerogamfl. 280 (1918).—*Veg.*
repanda Gren. & Godr.
*Cusin & Ansberque, Herb. Fl. Franç. ii. t. 212 (1868).
saxatilis DC.
Reichenbach, Ic. Fl. Germ. ii. t. 83 (1837–38).
*Cusin & Ansberque, Herb. Fl. Franç. ii. t. 213 (1868).
Acloque, Fl. France, 84 (1894).
*Flahault, Nouv. Fl. Alpes & Pyrén. iii. t. 10 (1912).
scaposa DC.
Delessert, Ic. Pl. ii. t. 90 (1823).
Rouy, Illustr. Pl. Eur. Rar. ii [t. 40] (1895); fasc. 14, t. 328 (1900).
Fiori & Paol. Ic. Fl. Ital. 162 (1899).
siifolia Kunze
*Willkomm, Ill. Fl. Hispan. Balear. i. t. 83 (1881–85).
—— **bipinnatifida** Coss.
Cosson, Ill. Fl. Atlant. i. t. 28 (1884).
simplex Spreng.
Durand & Barratte, Fl. Lib. Prodr. t. 1 (1910).
syrtica Murb.
Murbeck, Contr. Fl. N.-Ouest Afriq. i. t. 1 (1897).
tenuifolia DC.
!Seringe, Bull. Bot. t. 1 (1830).
*Sturm, Deutschl. Fl. xvi. LXVIII [t. 1083] (1835).
*Sturm, Deutschl. Fl. xvi. LXVIII [t. 1084] (1835) in ic.; *D. tenuifolia subpinnatifida* in textu.
*Sturm, Deutschl. Fl. xvi. LXVIII [t. 1085] (1835) in ic.; *D. tenuifolia integrifolia* in textu.
*Zenker, Fl. Thüringen, x. t. 1175 (1836–55).
Reichenbach, Ic. Fl. Germ. ii. t. 82 (1837–38).
*Dietrich, Fl. Boruss. vii. t. 450 (1839).
*C. E. Sowerby, Ill. Cat. Brit. Pl. fig. 126 (1841).
Cosson & Germ. Fl. Paris, Atlas, t. 10 (1845).—*Fr.*
*Deakin, Florigr. Brit. ii. fig. 1063 (1845).
Seringe, Fl. Jard. i. t. 10 (1845).

DIPLOTAXIS
- **tenuifolia**
*Lorek, Fl. Pruss. Ed. 3, t. 159, fig. 854 (1848).
*Cusin & Ansberque, Herb. Fl. Franç. ii. t. 214 (1868).
*Hogg & Johnson, Wild Fl. Gr. Brit. vii. t. 489 (1872).
Act. Soc. Linn. Bordeaux, xxxv. t. 13, fig. 2 (1881).—*Fr.*
Clavaud, Fl. Gironde, t. 5, fig. 2 (1882).—*Fr.*
Wagner, Ill. Deutsche Fl. Ed. 2, p. 60 (1882).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xv. t. 1501 (1883).
*Thomé, Fl. Deutschl. ii. t. 297 (1886).
Potonié, Ill. Fl. Nord- u. Mittel-Deutschl. Ed. 4, fig. 285 (1889).
Britton & Brown, Ill. Fl. N. States & Canada, ii. 120 (1897); Ed. 2, ii. 194 (1913).
Fiori & Paol. Ic. Fl. Ital. 162 (1899).
Coste, Fl. France, i. 79 (1901).
C. T. Green, Fl. Liverpool Distr. fig. 53 (1902).
Malpighia, xvi. t. 7 (1902).—*Fl.*
Heukels, Fl. Nederl. ii. 285 (1908).
*Correvon, Fl. Champs & Bois, t. 37 (1911).
*Bonnier, Fl. Compl. France, Suisse & Belge, i. t. 32 [1911].
Hegi, Ill. Fl. Mittel-Eur. iv. 1. 215 (1913).
Cadevall & Sallent, Fl. Catalunya, i. 99 (1915).
Lindman, Svensk Fanerogamfl. 273, 280 (1918).
*Addisonia, v. t. 162 (1920).
—— **integrifolia** Koch
*Sturm, Deutschl. Fl. xvi. LXVIII [t. 1085] (1835) in textu; *D. tenuifolia* in ic.
—— **subpinnatifida** Koch
*Sturm, Deutschl. Fl. xvi. LXVIII [t. 1084] (1835) in textu; *D. tenuifolia* in ic.
viminea DC.
*Sturm, Deutschl. Fl. xvi. LXVIII [t. 1088] (1835).
Reichenbach, Ic. Fl. Germ. ii. t. 81 (1837–38).
*Cusin & Ansberque, Herb. Fl. Franç. ii. t. 216 (1868).
Willkomm, Führ. Reich Pflanzen, 826 (1882).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xv. t. 1503 (1883).
Fiori & Paol. Ic. Fl. Ital. 162 (1899); 481 (1904).
Coste, Fl. France, i. 80 (1901).
Heukels, Fl. Nederl. ii. 286 (1908).
*Bonnier, Fl. Compl. France, Suisse & Belge, i. t. 32 [1911].
Hegi, Ill. Fl. Mittel-Eur. iv. 1. 215 (1913).
Cadevall & Sallent, Fl. Catalunya, i. 100 (1915).
Pflanzenreich, Crucif.-Brass. 153 (1919).
—— **genuina** Willk.
Merino, Fl. Galicia, i. 164 (1905).
virgata DC.
Cadevall & Sallent, Fl. Catalunya, i. 99 (1915).

DIPLOTHEMIUM Mart.
Anizitzii Barb. Rodr.
Barbosa Rodrigues, Palm. Nov. Parag. t. 4 (1899).
Barbosa Rodrigues, Sert. Palm. Bras. i. t. 88 (1903).
campestre Mart.
*Martius, Palm. ii. t. 76, 78 (1823–50).
Martius, Pfl. & Thiere Trop. Amer. t. 1. fig. vii. 1 (1831).—*Hab.*
Barbosa Rodrigues, Palm. Mattogr. t. 9 (1898).
caudescens Mart.
*Martius, Palm. ii. t. 51, fig. 7, t. 70, 77 (1823–50).
Ill. Hort. xix. 201 (1872).—*Hab.*
Dammer, Palmenzucht u. Palmenpflege, 108 (1897).
*Barbosa Rodrigues, Sert. Palm. Bras. i. t. 89 (1903).
Hasslerianum Barb. Rodr.
*Barbosa Rodrigues, Sert. Palm. Bras. i. t. 88 (1903).
jangadense Sp. Moore
Trans. Linn. Soc. London, Ser. II. Bot. iv. t. 36 (1895).
leucocalyx Drude
Mart. Fl. Bras. iii. II. t. 98 (1881).
Barbosa Rodrigues, Palm. Mattogr. t. 9 (1898).
Barbosa Rodrigues, Palm. Nov. Parag. t. 4 (1899).—*Fr.*

DIPLOTHEMIUM
leucocalyx
Bih. Svenska Vet.-Akad. Handl. xxvi. III. No. 5, t. 1 (1900).—*Fr.*
Barbosa Rodrigues, Sert. Palm. Bras. i. t. 88 (1903).—*Fr.*
litorale Mart.
*Martius, Palm. ii. t. 76 (1823–50).
D'Orbigny, Voyage Amér. Mérid. vii. III. t. 9 (1847).—*Hab.*
*Bot. Mag. lxxxi. t. 4861 (1855).
maritimum Mart.
*Martius, Palm. i. tab. Z, II. fig. v; ii. t. 75, 77, 77 A (1823–50).
Mart. Fl. Bras. iii. II. t. 98 (1881).
Indische Mercuur, xi. No. 35, fig. 11 (1888).
Pflanzenfam. ii. III. 79 (1889).—*Fl.*
Jackson in Mem. Boston Soc. Nat. Hist. v. t. 23 (1899).—*Veg.*
Barbosa Rodrigues, Palm. Nov. Parag. t. 4 (1899).—*Fr.*
*Barbosa Rodrigues, Sert. Palm. Bras. i. t. 88, 89 (1903).—*Fr.*
Beille, Bot. Pharm. ii. 76 (1909).—*Hab.*
pectinatum Barb. Rodr.
Barbosa Rodrigues, Palm. Mattogr. t. 27 (1898).
Torallyi Mart.
*D'Orbigny, Voyage Amér. Mérid. vii. III. t. 15, 28 (1847).

DIPLOTROPIS Benth.—Vide *Dibrachion* Tul.
brasiliensis Benth.
Mart. Fl. Bras. xv. 1. t. 127 (1862).

DIPLUSODON Pohl
alutaceus Pohl
Pohl, Pl. Bras. i. t. 80 (1827).
arboreus Poepp. & Endl.
Poeppig & Endl. Nov. Gen. & Sp. Pl. ii. t. 192 (1838).
Gard. Chron. 1841, p. 415.
Lindley, Veg. Kingd. 574 (1846).
buxifolius DC.
Mart. Fl. Bras. xiii. II. t. 59 (1877).
Pflanzenreich, Lythrac. 196 (1903).
Candollii Pohl
St-Hilaire, Fl. Bras. Merid. iii. t. 188 (1833).
Mart. Fl. Bras. xiii. II. t. 63 (1877).
capitatus St.-Hil.
Pflanzenreich, Lythrac. 196 (1903).—*Veg.*
ciliiflorus Koehne
Pflanzenreich, Lythrac. 194 (1903).
crulsianus Koehne
Pflanzenreich, Lythrac. 205 (1905).—*Veg.*
decussatus Gardn. & Field.
Fielding & Gardn. Sert. Pl. i. t. 1 (1844).
Mart. Fl. Bras. xiii. II. t. 60 (1877).
Pflanzenreich, Lythrac. 205 (1903).—*Fl.*
divaricatus Pohl
Pohl, Pl. Bras. i. t. 67 (1827).
Géel, Sert. Bot. Cl. 11 (1832).
*Reichenbach, Fl. Exot. v. t. 335 (1836).
Mart. Fl. Bras. xiii. II. t. 61 (1877).
Pflanzenreich, Lythrac. 205 (1903).
epilobioides DC.
Mart. Fl. Bras. xiii. II. t. 62 (1877).
floribundus Pohl
Pohl, Pl. Bras. i. t. 70 (1827).
Mart. Fl. Bras. xiii. II. t. 61 (1877).
glaucescens DC.
Mart. Fl. Bras. xiii. II. t. 60 (1877).
Pflanzenreich, Lythrac. 209 (1903).
gracilis Koehne
Mart. Fl. Bras. xiii. II. t. 60 (1877).
Pflanzenreich, Lythrac. 194 (1903).—*Veg.*
helianthemifolius DC.
Mart. Fl. Bras. xiii. II. t. 60 (1877).
Pflanzenreich, Lythrac. 202 (1903).
—— **pemphoides** Koehne
Mart. Fl. Bras. xiii. II. t. 60 (1877).—*Veg.*
hexander DC.
Mart. Fl. Bras. xiii. II. t. 60 (1877).
Pflanzenreich, Lythrac. 193 (1903).
hirsutus DC.
Mart. Fl. Bras. xiii. II. t. 60 (1877).
imbricatus Pohl
Pohl, Pl. Bras. i. t. 68 (1827).

DIPLUSODON
imbricatus
Mart. Fl. Bras. xiii. II. t. 60 (1877).
Pflanzenreich, Lythrac. 205 (1903).—*Fl.*
incanus Gardn. & Field.
Fielding & Gardn. Sert. Pl. i. t. 2 (1844).
Mart. Fl. Bras. xiii. II. t. 63 (1877).
—— **hirtellus** Koehne
Mart. Fl. Bras. xiii. II. t. 63 (1877).—*Veg.*
—— **Serpyllum** Koehne
Mart. Fl. Bras. xiii. II. t. 63 (1877).—*Veg.*
Pflanzenreich, Lythrac. 196 (1903).—*Veg.*
Kielmeyeroides St.-Hil.
St.-Hilaire, Fl. Bras. Merid. iii. t. 189 (1833).—*Veg.*
Mart. Fl. Bras. xiii. II. t. 57 (1877).—*Veg.*
Pflanzenreich, Lythrac. 200 (1903).
lanceolatus Pohl
Pohl, Pl. Bras. i. t. 81 (1827).
Mart. Fl. Bras. xiii. II. t. 61 (1877).
—— **petiolata** Koehne
Mart. Fl. Bras. xiii. II. t. 61 (1877).—*Veg.*
longipes Koehne
Pflanzenreich, Lythrac. 205 (1903).—*Fl.*
lythroides DC.
Mart. Fl. Bras. xiii. II. t. 61 (1877).
macrodon Koehne
Mart. Fl. Bras. xiii. II. t. 63 (1877).
marginatus Pohl
Pohl, Pl. Bras. i. 66 (1827).
Mart. Fl. Bras. xiii. II. t. 58 (1877).
Pflanzenreich, Lythrac. 205 (1903).—*Fl.*
microphyllus Pohl
Pohl, Pl. Bras. i. t. 76 (1827).
Mart. Fl. Bras. xiii. II. t. 61 (1877).
Myrsinites DC.
Mart. Fl. Bras. xiii. II. t. 60 (1877).
Pflanzenreich, Lythrac. 194 (1903).—*Veg.*
nitidus DC.
Mart. Fl. Bras. xiii. II. t. 58 (1877).
Pflanzenreich, Lythrac. 200 (1903).
oblongus Pohl
Pohl, Pl. Bras. i. t. 78 (1827).
Mart. Fl. Bras. xiii. II. t. 57 (1877).
Pflanzenreich, Lythrac. 200 (1903).—*Fl.*
orbicularis Koehne
Mart. Fl. Bras. xiii. II. t. 60 (1877).
Pflanzenreich, Lythrac. 209 (1903).
ovatus Pohl
Pohl, Pl. Bras. i. t. 69 (1827).
Géel, Sert. Bot. Cl. 11 (1832).
*Reichenbach, Fl. Exot. v. t. 334 (1836).
Mart. Fl. Bras. xiii. II. t. 57 (1877).
parvifolius DC.
Mart. Fl. Bras. xiii. II. t. 60 (1877).
Pflanzenreich, Lythrac. 202 (1913).—*Veg.*
puberulus Koehne
Mart. Fl. Bras. xiii. II. t. 63 (1877).
pulchellus Koehne
Pflanzenreich, Lythrac. 202 (1903).
punctatus Pohl
Pohl, Pl. Bras. i. t. 72 (1827).
Mart. Fl. Bras. xiii. II. t. 60 (1877).
Pflanzenreich, Lythrac. 194 (1903).—*Veg.*
quintuplinervius Koehne
Mart. Fl. Bras. xiii. II. t. 59 (1877).
Pflanzenreich, Lythrac. 196 (1903).—*Veg.*
ramosissimus Pohl
Pohl, Pl. Bras. i. t. 77 (1827).
Mart. Fl. Bras. xiii. II. t. 57 (1877).
rosmarinifolius St.-Hil.
St.-Hilaire, Fl. Bras. Merid. iii. t. 189 (1833).
Pflanzenreich, Lythrac. 196 (1903).—*Veg.*
rotundifolius DC.
Mart. Fl. Bras. xiii. II. t. 60 (1877).
Pflanzenreich, Lythrac. 209 (1903).
scaber Pohl
Pohl, Pl. Bras. i. t. 79 (1827).
serpyllifolius DC.
Mart. Fl. Bras. xiii. II. t. 61 (1877).
sessiliflorus Koehne
Mart. Fl. Bras. xiii. II. t. 62 (1877).
sordidus Koehne
Pflanzenreich, Lythrac. 205 (1903).—*Veg.*
speciosus DC.
Mart. Fl. Bras. xiii. II. t. 58 (1877).

DIPLUSODON
speciosus
Pflanzenreich, Lythrac. 205 (1903).—*Fl.*
strigosus Pohl
Pohl, Pl. Bras. i. t. 71 (1827).
Mart. Fl. Bras. xiii. II. t. 61 (1877).
Pflanzenreich, Lythrac. 202 (1903).—*Fl.*
subsericeus Casar.
Mart. Fl. Bras. xiii. II. t. 61 (1877).
thymifolius DC.
Mart. Fl. Bras. xiii. II. t. 63 (1877).
uninervius Koehne
Mart. Fl. Bras. xiii. II. t. 63 (1877).
Pflanzenreich, Lythrac. 193 (1903).—*Veg.*
villosissimus Pohl
Pohl, Pl. Bras. i. t. 75 (1827).
Mart. Fl. Bras. xiii. II. t. 61 (1877).
villosus Pohl
Pohl, Pl. Bras. i. t. 74 (1827).
Mart. Fl. Bras. xiii. II. t. 61 (1877).
virgatus Pohl
Pohl, Pl. Bras. i. t. 73 (1827).
Géel, Sert. Bot. Cl. 11 (1832).
*Reichenbach, Fl. Exot. v. t. 333 (1836).
Mart. Fl. Bras. xiii. II. t. 57 (1877).
Pflanzenreich, Lythrac. 187 (1903).

DIPLYCOSIA Bl.
celebensis J. J. Sm.
Bull. Jard. Bot. Buitenzorg, Ser. III. i. t. 53 (1920).
chrysothrix Stapf
Trans. Linn. Soc. London, Ser. II. Bot. iv. t. 14 (1894).
ciliolata Hook. f.
Hook. Ic. Pl. ix. t. 894 (1852).
edulis Schlechter
Engl. Jahrb. lv. 164 (1918).
gracilipes J. J. Sm.
Bull. Jard. Bot. Buitenzorg, Ser. III. i. t. 54 (1920).
kinabaluensis Stapf
Trans. Linn. Soc. London, Ser. II. Bot. iv. t. 14 (1894).
Lorentzii Koorders
Nova Guinea, viii. t. 154 (1912).
penduliflora Stapf
Trans. Linn. Soc. London, Ser. II. Bot. iv. t. 14 (1894).
pinifolia Stapf
Trans. Linn. Soc. London, Ser. II. Bot. iv. t. 14 (1894).
rufa Stapf
Trans. Linn. Soc. London, Ser. II. Bot. iv. t. 14 (1894).
rufescens Schlechter
Engl. Jahrb. lv. 164 (1918).
setosa J. J. Sm.
Nova Guinea, xii. t. 37 (1914).

DIPODIUM R. Br.
elatum J. J. Sm.
Nova Guinea, viii. t. 35 (1909).—*Fl.*
elegans J. J. Sm.
Ic. Bogor. ii. t. 122 (1903).—*Fl.*
khasyanum Griff.
Griffith, Ic. Pl. Asiat. t. 327 (1851).
paludosum Reichb. f.
*Warner & Will. Orch. Album, ix. t. 422 (1891).
B. S. Williams, Orchid-Grower's Man. Ed. 7, p. 371 (1894).—*Hab.*
*Bot. Mag. cxxi. t. 7464 (1896).
pandanum F. M. Bailey
Queensland Agric. Journ. vi. t. 187, 188 (1900).
—— **album** J. J. Sm.
Nova Guinea, viii. t. 35 (1909).—*Fl.*
pictum Reichb. f.
Reichenbach f., Xenia Orch. ii. t. 107 (1862).
*Bot. Mag. cxxx. t. 7951 (1904).
!Ann. Jard. Bot. Buitenzorg, xxviii. t. 24, fig. 10 (1914).—*Fl.*
punctatum R. Br.
*Bot. Reg. xxiii. t. 1980 (1837).
*Maund, Botanist, ii. t. 66 (1838).—*Fl.*
*Hooker f., Fl. Tasman. ii. t. 127 (1860).
*Meredith, Bush Friends Tasmania, t. 3 (1860).

DIPODIUM
punctatum
*R. D. Fitzgerald, Austral. Orch. i [t. 32] (1875–95).
R. S. Rogers, S. Austral. Orch. Ed. 2, p. 23 (1911).—*Fl.*
Trans. & Proc. Roy. Soc. S. Australia, xxxvii. t. 6 (1913).—*Fl.*
F. Sulman, Wild Fl. N. S. Wales, ii. t. 57 (1914).
purpureum J. J. Sm.
Ic. Bogor. iv. t. 304 (1910).
scandens J. J. Sm.
J. J. Smith, Orch. Java, Fig.-Atlas, iv. fig. 370 (1911).—*Fl.*
squamatum R. Br.
Reichenbach f., Xenia Orch. ii. t. 107 (1862).

DIPOMA Franch.
iberideum Franch.
Franchet, Pl. Delav. t. 17 (1889).

DIPOSIS DC.
Bulbocastanum DC.
*C. Gay, Hist. Chile, Atlas, t. 31 (1854).
*Saunders, Ref. Bot. iv. t. 248 (1871).
saniculifolia DC.
De Candolle, Ombéllif. (Coll. Mém. v), t. 2 (1829).—*Fl.*
Lindley, Veg. Kingd. 777 (1846).—*Fr.*
Mart. Fl. Bras. xi. 1. t. 79 (1879).

DIPSACUS Linn.—Vide *Virga*
asper Wall.
Hook. Ic. Pl. xx. t. 1984 (1891).
ferox Loisel.
Loiseleur, Fl. Gall. t. 3 (1806).
*Trattinick, Ausg. Taf. Arch. ii. t. 196 (1813).
Trattinick, Arch. iii. t. 235 (1817).
*Schrank, Pl. Rar. Hort. Monac. i. t. 42 (1819).
*Jacquin, Ecl. Pl. ii. t. 107 (1844).
*Reichenbach, Ic. Fl. Germ. xii. t. 706 (1850).
*Cusin & Ansberque, Herb. Fl. Franç. xi (Dipsacées), t. 3 (1873).
Lubbock, Seedlings, ii. 89 (1892).—*Veg.*
Coste, Fl. France, ii. 271 (1903).
Fiori & Paol. Ic. Fl. Ital. 396 (1903).
fullonum Linn.
*Kniphof, Herb. Viv. i. t. 373 (1758).
Hill, Veget. Syst. v. t. 2 (1763).
*Regnault, Bot. ii. 137 (1774).
*Joh. Kerner, Abbild. Oek. Pfl. (Fig. Pl. Écon.), i. t. 74 (1786).
*Plenck, Ic. Pl. Méd. i. t. 50 (1788).
Lamarck, Ill. i. t. 56, fig. 1 (1791).—*Fl.*
*Schkuhr, Bot. Handb. Ed. 2, t. 21 (1808).
*Sowerby & Sm. Engl. Bot. xxix. t. 2080 (1809).
*Vigneaux, Fl. Pitt. Envir. Paris, t. 7 (1812).
*Vietz, Ic. Pl. Med.-oec.-techn. vi. t. 478 (1817).
Coulter in Mém. Soc. Phys. & Hist. Nat. Genève, ii. II. t. 1 (1824).—*Fr.*
Meigen, Deutschl. Fl. i. t. 27 (1836).—*Fl.*
[M. E.] Jackson, Pict. Fl. fig. 217 (1840).
*Deakin, Florigr. Brit. i. fig. 216 (1841).
*J. W. Loudon, Brit. Wild Fl. Ed. 2, t. 41 [1846].
Nees, Gen. Pl. fasc. xxv. t. 10 (1849).
*Reichenbach, Ic. Fl. Germ. xii. t. 705 (1850).
*Calwer, Landwirthsch. Pflanzenk. iii. t. 3, fig. 2 (1854).
Johnson & Sowerby, Brit. Wild Fl. fig. 620 (1858–60).
Berg, Charakt. t. 46, fig. 358 (1861).
Fleischer, Missbildung. t. 5 (1862).
*Syme, Engl. Bot. iv. t. 675 (1865), vide Suppl. (Ed. N. E. Br.), 198 (1892).
Cesati, Passer. & Gibelli, Comp. Fl. Ital. t. 86 (1867–86).—*Fl.*
*Réveil, Règne Vég. iii. t. 41 (1870).—*Veg.*
*Cusin & Ansberque, Herb. Fl. Franç. xi (Dipsacées), t. 4 (1873).
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, iii. t. 104 [1873].
De Lanessan in Assoc. Franç. Avanc. Sc. 1877, Le Havre, t. 7, fig. 14–17 (1878).—*Fl.*
Baillon, Hist. Pl. vii. 519, 520 (1880).—*Fl.*
Harz, Samenkunde, ii. 958 (1885).—*Fr.*
Potonié, Ill. Fl. Nord- u. Mittel-Deutschl. Ed. 4, fig. 557 (1889).
Pflanzenfam. iv. IV. 183 (1891).—*Fl.*
*Leclerc du Sablon, Nos Fleurs, 76, t. 10 [1892].

DIPSACUS
fullonum
Edmonds & Marloth, Elem. Bot. S. Africa, 97, 104 (1897).—*Fl.*
Britton & Brown, Ill. Fl. N. States & Canada, iii. 248 (1898); Ed. 2, iii. 289 (1913).
L. H. Bailey, Cycl. Amer. Hort. 491 (1900); Stand. Cycl. Hort. 1020 (1914).
Warming, Handb. Syst. Bot. Ed. Möbius, 433 (1902).—*Fl.*
Coste, Fl. France, ii. 271 (1903).
Fiori & Paol. Ic. Fl. Ital. 396 (1903).
Lazaro, Comp. Fl. Españ. ii. 652 (1907).
Henley in Nature Book, v. 943 (1909).
Fedtschenko & Fler. Fl. Eur. Russia, 928 (1910).
Heukels, Fl. Nederl. iii. 333 (1910).
Cadevall & Sallent, Fl. Catalunya, iii. 179 (1917).
Gmelinii M. Bieb.
Coulter in Mém. Soc. Phys. & Hist. Nat. Genève, ii. II. t. 1 (1824).—*Fr.*
*Jacquin, Ecl. Pl. ii. t. 106 (1844).
laciniatus Linn.
*Kniphof. Herb. Viv. i. t. 374 (1758).
Hill, Veget. Syst. v. t. 2 (1763).
*J. Miller, Illustr. Syst. Sex. Linn. t. 9 (1771).
Buchoz, Hist. Règne Vég. x. Dec. 6, t. 9 (1775).
*Jacquin, Fl. Austr. v. t. 403 (1778).
*Joh. Kerner, Abbild. Oek. Pfl. (Fig. Pl. Écon.), iii. t. 300 (1789) in textu; *D. sylvestris* in ic.
Lamarck, Ill. i. t. 56, fig. 2 (1791).
Gaertner, Fruct. ii. t. 86 (1791).—*Fr.*
Boissieu, Fl. Eur. i. t. 75 (1805).—*Fr.*
*Vietz, Ic. Pl. Med.-oec.-techn. vi. t. 479 (1817).
*Reichenbach, Ic. Fl. Germ. xii. t. 705 (1850).
Payer, Organog. Comp. Fl. t. 131 (1857).—*Fl.*
*Réveil, Règne Vég. iii. t. 38 (1870).—*Veg.*
Garden, i. 6 (1872).—*Hab.*
*Cusin & Ansberque, Herb. Fl. Franç. xi (Dipsacées), t. 2 (1873).
De Silvestri, Piante Prat. 277 (1879).
W. Robinson, Engl. Fl. Gard. t. 100 (1883).—*Hab.*
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xxviii. t. 2945 (1886).
Kerner, Pflanzenleben, i. 221 (1887); Ed. 3, i. 180 (1913).
Pflanzenfam. iv. IV. 183 (1891).
Brehm, Merv. Nat. Monde des Pl. ii. 144 (1894–96).
Kerner & Oliv. Nat. Hist. Pl. i. 239 (1894).
*Behrens, Blattformen, t. 36, fig. a (1900).—*Veg.*
Coste, Fl. France, ii. 272 (1903).
Fiori & Paol. Ic. Fl. Ital. 396 (1903).
Hegi, Ill. Fl. Mittel-Eur. vi. 1. 283 (1915).
Leschenaultii Coult.
*Wight, Illustr. Ind. Bot. ii. t. 130 (1850).
Fyson, Fl. Nilgiri & Pulney Hill-tops, ii. 147 (1915).
Orsinii Sang.
Atti Accad. Pontif. Nuovi Lincei, 1851–52, v. 726, t. 1 (1852).
pilosus Linn.
Hill, Veget. Syst. v. t. 3 (1763).
*Regnault, Bot. ii. 138 (1774).
*Jacquin, Fl. Austr. iii. t. 248 (1775).
*Curtis, Fl. Londin. i. fasc. 1. t. 10 (1777); Ed. 2, i. fasc. 1. t. 10 (1817).
*Sowerby & Sm. Engl. Bot. xiii. t. 877 (1801).
Boissieu, Fl. Eur. i. t. 75 (1805).
*Fl. Dan. ix. t. 1448 (1813).
Coulter in Mém. Soc. Phys. & Hist. Nat. Genève, ii. II. t. 1 (1824).—*Fr.*
*Zenker, Fl. Thüringen, v. t. 484 (1836–55).
*Dietrich, Fl. Boruss. viii. t. 520 (1840).
[M. E.] Jackson, Pict. Fl. fig. 219 (1840).
*Deakin, Florigr. Brit. i. fig. 218 (1841).
*Lorek, Fl. Pruss. Ed. 3, t. 35, fig. 199 (1848).
*Reichenbach, Ic. Fl. Germ. xii. t. 704 (1850).
Johnson & Sowerby, Brit. Wild Fl. fig. 622 (1858–60).
*Hogg & Johnson, Wild Fl. Gr. Brit. i. t. 28 (1863).
Bentham, Handb. Brit. Fl. fig. 486 (1865).
*Syme, Engl. Bot. iv. t. 676 (1865).
Migout, Fl. Dépt. Allier, t. 10 (1866).—*Fl.*

DIPSACUS
pilosus
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, iii. t. 104 [1873].
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xxviii. t. 2946 (1886).
G. Beck, Fl. Nied.-Oesterr. ii. II. 1141 (1893).—*Fr.*
Schinz & Keller, Fl. Schweiz, 499 (1900).—*Fl.*
C. T. Green, Fl. Liverpool Distr. fig. 301 (1902).
Fiori & Paol. Ic. Fl. Ital. 396 (1903).
Coste, Fl. France, ii. 271 (1903).
*Sturm, Fl. Deutschl. Ed. 2, xiii. t. 1 (1905).
Heukels, Fl. Nederl. iii. 334 (1910).
Hegi, Ill. Fl. Mittel-Eur. vi. 1. 285 (1915).
Cadevall & Sallent, Fl. Catalunya, iii. 179 (1917).
Fitch & Smith, Ill. Brit. Fl. Ed. rev. 4, Iss. 2, fig. 493 (1919).
pinnatifidus Steud.
*Behrens, Blattformen, t. 38, fig. f (1900).—*Veg.*
Roylei Klotzsch
Klotzsch & Garcke, Bot. Ergebn. Reise Pr. Waldemar, t. 84 (1862).
sativus Honck.
Hegi, Ill. Fl. Mittel-Eur. vi. 1. 283 (1915).—*Fl.*
silvestris Huds.
Hill, Herb. Brit. i. t. 61 (1769).
*Curtis, Fl. Londin. i. fasc. III. t. 9 (1777); Ed. 2, ii. fasc. III. t. 9 (1821).
*Jacquin, Fl. Austr. v. t. 402 (1778).
*Joh. Kerner, Abbild. Oek. Pfl. (Fig. Pl. Écon.) iii. t. 300 (1789) in ic.; *D. laciniatus* in textu.
*Fl. Dan. vi. t. 965 (1790).
*Sowerby & Sm. Engl. Bot. xv. t. 1032 (1802).
*Hill, Family Herbal, t. 48 (1812).
*Schrank, Fl. Monac. ii. t. 187 (1814).
*Kops, Fl. Batava, iii. t. 187 (1814).
Dict. Sc. Nat., Planch. Bot. Dicot. t. 95 (1816–29).
*Zenker, Fl. Thüringen, v. t. 575 (1836–55).
*Dietrich, Fl. Boruss. vii. t. 493 (1839).
[M. E.] Jackson, Pict. Fl. fig. 218 (1840).
*Deakin, Florigr. Brit. i. fig. 217 (1841).
Ann. Sc. Nat. Paris, Ser. II. xvi. t. 13, fig. 1–11 (1841).—*Fl.*
*Baxter, Brit. Bot. Ed. 2, vi. t. 490 (1843).
*Lorek, Fl. Pruss. Ed. 3, t. 35, fig. 198 (1848).
*Petermann, Deutschl. Fl. t. 43, fig. 334 (1849).—*Fl.*
*Reichenbach, Ic. Fl. Germ. xii. t. 707 (1850).
Ann. Nat. Hist. London, Ser. II. xi. t. 15, fig. 6 (1853).—*Fl.*
Irvine, Illustr. Handb. Brit. Pl. 552 (1858).—*Fl.*
Johnson & Sowerby, Brit. Wild Fl. fig. 621 (1858–60).
*Johnson & Sowerby, Useful Pl. Gr. Brit. t. 11, fig. 121 (1861[–62]).
*T. Moore, Field Bot. Comp. t. 14 (1862).
Bentham, Handb. Brit. Fl. fig. 485 (1865).
*Syme, Engl. Bot. iv. t. 674 (1865), vide Suppl. (Ed. N. E. Br.), 197 (1892).
*Schubert, Naturg., Pflanzenreich, Ed. 2, t. 7, fig. 4 [1865].
*Hogg & Johnson, Wild Fl. Gr. Brit. v. t. 375 (1869).
*Cusin & Ansberque, Herb. Fl. Franç. xi (Dipsacées), t. 1 (1873).
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, iii. t. 104 [1873].
Favart, Flowers & Pl. t. 40 (1880).
Schilling, Grundr. Naturg. ii. Pflanzenr. Ausgb. A, p. 83 (1882); Ausgb. B, p. 176 (1884).—*Fl.*
Wagner, Ill. Deutsche Fl. Ed. 2, p. 374 (1882).
*Lesacher & Mareschal, Nouv. Bot. Méd. iv [t. 25] (1883).
Harz, Sammenkunde, ii. 958 (1885).—*Fr.*
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xxviii. t. 2944 (1886).
*Thomé, Fl. Deutschl. iv. t. 563 (1889).
Paolucci, Fl. Marchig. t. 28 (1890).—*Fl.*
Bot. Jaarb. Gent, iv. t. 6, fig. 7–10 (1892).—*Fl.*
Lubbock, Seedlings, ii. 88 (1892).—*Veg.*
*Hulme, Familiar Wild Fl. (5 vol. Ed.), iv. 49 [1892?]; (Pop. Ed.) ii. 145 [1897?].
G. Beck, Fl. Nied.-Oesterr. ii. II. 1141 (1893).—*Fr.*
*Masclef, Atlas Pl. France, t. 158 (1893).
Acloque, Fl. France, 347 (1894).—*Fl.*

DIPSACUS
silvestris
*Siélain, Atlas Poche Pl. Champs, Prair. & Bois, t. 107 [1894].
Brehm, Merv. Nat. Monde des Pl. ii. 141 (1894–96).—*Hab.*
Garcke, Ill. Fl. Deutschl. 288 (1895).
Halsted in Rep. New Jersey Agric. St. No. 5, p. 312 (1895).
*Step, Wayside & Woodl. Bloss. t. 107 (1895); New Ed. i. t. 116 (1905).
Selby in Bull. Ohio Agric. St. No. 83, p. 346 (1897); No. 175, p. 359 (1906).
Britton & Brown, Ill. Fl. N. States & Canada, iii. 248 (1898); Ed. 2, iii. 289 (1913).
Lochman, Phot. Med. Pl. t. 206 (1898).
Going, Field, Forest & Wayside Fl. 324 (1899).
*Behrens, Blattformen, t. 38, fig. g (1900).—*Veg.*
Blanchan, Nat. Gard. 62 (1900).
Gradmann, Pflanzenl. Schwäb. Alb, Ed. 2, i. 200 (1900).
Reichenau, Mainzer Flora, fig. 12 (1900).
Schinz & Keller, Fl. Schweiz, 499 (1900).—*Fl.*
C. T. Green, Fl. Liverpool Distr. fig. 300 (1902).
Coste, Fl. France, ii. 272 (1903).
Fiori & Paol. Ic. Fl. Ital. 396 (1903).
*Sturm, Fl. Deutschl. Ed. 2, xiii. t. 1 (1905).
Blytt, Haandb. Norg. Fl. Ed. Dahl, 667 (1906).
Merino, Fl. Galicia, ii. 495 (1906).
Beille, Bot. Pharm. ii. 1129 (1909).
Graebner, Pflanzenw. Deutschl. 85 (1909).
Henley in Nature Book, v. 994 (1909).
Fedtschenko & Fler. Fl. Eur. Russia, 927 (1910).
Heukels, Flora Nederl. iii. 333 (1910).
*Milner, Life Oberammergau, t. 45 (1910).
Beal, Michigan Weeds (Bull. Mich. Agric. Exp. St. No. 267), 413 (1911); et in Ann. Rep. xxv. 402 (1912).
*Correvon, Fl. Champs & Bois, t. 64 (1911).
Pammel, Man. Poison. Pl. 741 (1911).
Wettstein, Handb. Syst. Bot. Ed. 2, p. 765 (1911).—*Fr.*
Bull. Angew. Bot. vi. App. 1, p. 28 (1913).
*Klein, Unsere Unkräuter, t. 63 (1913).
*Gadeceau, Fl. Moiss. t. 63 (1914).
A. Georgia, Manual Weeds, t. 282 (1914).
Horwood, Pl. Life Brit. Isles, i. 128 (1914).
*Perrin & Boulger, Brit. Flower. Pl. iv. t. 275, 280 [B], fig. 1–6 (1914).
*Hegi, Ill. Fl. Mittel-Eur. vi. 1. t. 253, p. 282 (1915).
Palmer in Proc. Iowa Acad. Sc. xxiii. t. 10 (1916).—*Fr.*
*Bonnier, Name This Flower, t. 28 (1917).
Cadevall & Sallent, Fl. Catalunya, iii. 178 (1917).
*House, Wild Fl. New York (Mem. No. 15 N. Y. State Mus.), ii. t. 215 (1918).
Fitch & Smith, Ill. Brit. Fl. Ed. rev. 4, Iss. 2, fig. 492 (1919).
*Horwood, Brit. Wild Fl. iii. t. 29, p. 203 (1919).
Krafft & Fruwirth, Pflanzenb. 135 (1920).
—— **torsus** Vries
Bull. Jaarb. Gent, iv. t. 14, fig. 1 (1892).
Rev. Hort. 1898, p. 475.—*Hab.*
Walkeri Arn.
Wight, Ic. Pl. Ind. Or. iv. t. 1166 (1848).

DIPTERACANTHUS Nees: *Ruellia*
affinis Nees
*Henderson, Ill. Bouquet, i. t. 28 (1857–59).
*Bot. Mag. lxxxix. t. 5414 (1863).
*Wawra, Bot. Ergebn. Reise Bras. t. 12 (1866).
bahiensis Moric.
Moricand, Pl. Amér. t. 91 (1846).
Blanchetianus Moric.
Moricand, Pl. Amér. t. 95 (1846).
calvescens Nees
*Bot. Mag. lxxxv. t. 5106 (1859).
geminiflorus Nees
Warming in Dansk. Vid. Selsk. Skrift. Ser. VI. vi. 200 (1892).
Herbstii Hook.
*Bot. Mag. lxxxv. t. 5156 (1859).
*Ill. Hort. viii. t. 285, sub. t. 285 (1861).

DIPTERACANTHUS
hispidus Bertol.
Bertoloni in Accad. Sc. Istit. Bologna, vii. t. 18 (1856).
Bertoloni, Misc. Bot. xvii. t. 1 (1857).
patulus Nees
Wight, Ic. Pl. Ind. Or. iv. t. 1505 (1850).
Vidensk. Meddel. Kjöbenhavn, 1854, t. 4, fig. 19–21 (1855).—*Fr.*
Schauerianus Nees
*Schnizlein, Iconogr. ii. t. 150 (1854).—*Fr.*
spectabilis Hook.
*Bot. Mag. lxxvi. t. 4494 (1850).
Moore & Ayres, Mag. Bot. i. 176 (1850).
Paxt. Fl. Gard. i. 75 (1850–51).
*Fl. des Serres, Ser. I. vi. t. 554 (1850–51).
*Floricult. Cab. xix. 25 (1851).
*Lem. Jard. Fl. i. t. 10 (1851).
Journ. Hort. xxvii. 478 (1862); lxi. 460 (1879); Ser. III. xvi. 135 (1888).

DIPTERANTHEMUM F. Muell.
Crosslandii F. Muell.
Hook. Ic. Pl. xvi. t. 1541 (1886).

DIPTERANTHUS Barb. Rodr.: *Zygostates*
corniger Cogn.
Mart. Fl. Bras. iii. VI. t. 93 (1904–6).
Lindmannii Kränzl.
Svenska Vet. Akad. Handl. xlvi. No. 10, t. 12 (1911).
peruvianus Schlechter
Orchis, x. 189 (1916).—*Fl.*
pseudobulbiferus Barb. Rodr.
Mart. Fl. Bras. iii. VI. t. 49 (1904–6).

DIPTERIS Reinw.
chinensis Christ
Bull. Géogr. Bot. xiii. 108, 112 (1904).
conjugata Reinw.
T. Moore, Index Fil. Gen. & Spec. t. 64 [1857–62].
Pflanzenfam. i. IV. 202 (1899).
Phil. Trans. Roy. Soc. London, cxciv. t. 47, 48 (1901).
Christ, Geogr. Farne, 15, 16 (1910).
Warburg, Pflanzenwelt, i. 259 (1913).
!Ann. Jard. Bot. Buitenzorg, xxviii. t. 20, fig. 1 (1914).—*Veg.*
Sarasin & Roux, Nova Caled. i. t. 3 (1914).—*Hab.*
Goebel, Organogr. Pfl. Ed. 2, ii. 1048 (1915–18).—*Veg.*
Bower in Trans. Roy. Soc. Edinb. li. III. 688, 708 (1917).—*Veg.*
Horsfieldii Bedd.
Beddome, Ferns Brit. Ind. t. 321 (1865–70).
Beddome, Handb. Ferns Brit. Ind. 336 (1883).
Lobbiana T. Moore
Beddome, Ferns Brit. Ind. t. 233 (1865–70).
Beddome, Handb. Ferns Brit. Ind. 337 (1883).
Pflanzenfam. i. IV. 202 (1899).
Phil. Trans. Roy. Soc. London, cxciv. t. 48 (1901).
Bower in Trans. Roy. Soc. Edinb. li. III. 688 (1917).—*Veg.*
Nieuwenhuisii Christ
Ann. Jard. Bot. Buitenzorg, xx. t. 3, fig. 3 (1905).
quinquefurcata Christ
Phil. Trans. Roy. Soc. London, cxciv. t. 48 (1901).
Wallichii T. Moore
Beddome, Ferns Brit. Ind. t. 80 (1865–70).
J. Smith, Hist. Fil. t. 13 a (1875).
Beddome, Handb. Ferns Brit. Ind. 335 (1883).
Phil. Trans. Roy. Soc. London, cxciv. t. 48 (1901).

DIPTERIX = *Dipteryx*

DIPTEROCALYX Cham.: *Lippia*
hirtus Cham.
Linnaea, vii. t. 7, fig. D (1832).—*Fr.*

DIPTEROCARPUS Gaertn.—Vide *Pterigium*
affinis Brandis
Philippine Journ. Sc. Bot. vi. t. 35 (1911).
alatus Roxb.
Pierre, Fl. For. Cochinch. iii. t. 212 (1889).
Heim, Diptérocarp. t. 1 (1892).—*Fr.*
Goebel, Organogr. Pfl. 558 (1900); Ed. Angl. ii. 368 (1905).—*Veg.*

DIPTEROCARPUS
alatus
Beille, Bot. Pharm. ii. 458 (1909).
Lecomte, Fl. Gén. Indo-Chine, i. 359 (1910).—*Fr.*
Woodrow, Gardening Tropics, 183 [1910].—*Hab.*
Ryan & Kerr in Journ. Siam Soc. viii. 1. t. 1, 4 (1911).
Capus & Bois, Prod. Colon. 476 (1912).—*Hab.*
Basu, Ind. Med. Pl. t. 110 (1918).
Burkill in Journ. Asiat. Soc. Straits Branch, No. 81, p. 51–53 (1920).—*Fr.*
artocarpifolius Pierre
Pierre, Fl. For. Cochinch. iii. t. 213 (1889).
Baudii Korth.
*Korthals, Kruidk. (Verh. Nat. Geschied. Neder.), t. 5 (1839–42).
Beccarii glabrata Dyer
Journ. of Bot. xii. t. 144, fig. 16 (1874).—*Fr.*
Bourdillonii Brandis
Hook. Ic. Pl. xxv. t. 2403 (1895).
ceylanicus Thw.
*Trimen, Handb. Fl. Ceylon, Atlas, i. t. 10 (1893).
Engl. Jahrb. l. Suppl. t. 1, fig. 6–11 (1914).—*Fr.*
condorensis Pierre
Pierre, Fl. For. Cochinch. iii. t. 214 (1889).—*Fl.*
cornutus Dyer
Journ. of Bot. xii. t. 143, fig. 15 (1874).—*Fr.*
Burkill in Journ. Asiat. Soc. Straits Branch, No. 81, p. 52–54 (1920).—*Fr.*
costatus Gaertn.
Gaertner f., Fruct. iii. t. 187 (1805).—*Fr.*
Schnizlein, Iconogr. iii. t. 213 (1851).—*Fr.*
Ryan & Kerr in Journ. Siam Soc. viii. 1. t. 1 (1911).—*Fr.*
crinitus Dyer
Burkill in Journ. Asiat. Soc. Straits Branch, No. 81, p. 55 (1920).—*Veg.*
Duperreanus Pierre
Pierre, Fl. For. Cochinch. iii. t. 219 (1889).
Dyeri Pierre
Pierre, Fl. For. Cochinch. iii. t. 216, 217 (1889).
Lecomte, Fl. Gén. Indo-Chine, i. 361 (1910).—*Fr.*
fagineus Vesque
Burkill in Journ. Asiat. Soc. Straits Branch, No. 81, p. 51, 54 (1920).
gracilis Bl.
*Blume, Fl. Jav., Dipterocarp. t. 5 (1828).
Schnizlein, Iconogr. iii. t. 213 (1851).—*Fl.*
Pflanzenfam. iii. vi. 256 (1895).
grandiflorus Blanco
Journ. of Bot. xii. t. 145, fig. 19 (1874).—*Fr.*
*Blanco, Fl. Filip. t. 263 (1878–80).
Vidal, Sin. Fam. & Gen. Pl. Leñ. Filip. (Introd. Fl. For. Filip.), Atlas, t. 14, fig. A (1883).
Pflanzenfam. iii. vi. 256 (1895).—*Fr.*
*Ahern, Philippine Woods, 22 (1901).
Rep. Forest. Bur. Philippine Isl. 1903–4, t. 5 (1905).—*Hab.*
Merritt in Bull. Philip. Isl. Dep. Agric. Bur. Forestry, No. 8, t. 7 (1908).—*Hab.*
Philippine Journ. Sc., Bot. vi. t. 36 (1911).—*Fr.*
Burkill in Journ. Asiat. Soc. Straits Branch, No. 81, p. 55 (1920).—*Veg.*
A. P. West & W. H. Brown in Bull. Philip. Isl. Dep. Agric. Bur. Forestry, No. 20, p. 55–57, 59 (1920).
Hasseltii Bl.
*Blume, Fl. Jav., Dipterocarp. t. 6 (1828).
Bull. Ort. Bot. Napoli, ii. 90 (1904).—*Fr.*
hispidus Thw.
Journ. of Bot. xii. t. 143, fig. 14 (1874).—*Fr.*
incanus Roxb.
Basu, Ind. Med. Pl. t. 112 (1918).
indicus Bedd.
Beddome, Ind. For. Rep. 1864–65, p. 17 (1865).
Beddome, Fl. Sylv. t. 94 (1871).
insularis Hance
Pierre, Fl. For. Cochinch. iii. t. 213, 214 (1889).
intricatus Dyer
Journ. of Bot. xii. t. 145, fig. 21 (1874).—*Fr.*
Pierre, Fl. For. Cochinch. iii. t. 215 (1889).
Lecomte, Fl. Gén. Indo-Chine, i. 359 (1910).—*Fr.*

DIPTEROCARPUS
Jourdainii Pierre
Pierre, Fl. For. Cochinch. iii. t. 220 (1889).
Kerrii King
Burkill in Journ. Asiat. Soc. Straits Branch, No. 81, p. 55 (1920).—*Veg.*
Kunstleri King
Ann. Bot. Gard. Calcutta, v. t. 180 (1896).
lamellatus Hook. f.
Journ. of Bot. xii. t. 145, fig. 22 (1874).—*Fr.*
Pflanzenfam, iii. vi. 256 (1895).—*Fr.*
lasiopodus Perkins
Ann. Rep. Direct. Forest Philippine Isl. 1905–6, t. 2 (1906).—*Hab.*
Merritt & Whitford in Bull. Philip. Isl. Dep. Agric. Bur. Forestry, No. 6, t. 1, 10 (1906).—*Hab.*
littoralis Bl.
*Blume, Fl. Jav., Dipterocarp. t. 4 (1828).
Lowii Hook. f.
Journ. of Bot. xii. t. 145, fig. 23 (1874).—*Fr.*
obtusifolius Teysm.
Pierre, Fl. For. Cochinch. iii. t. 222, 223 (1889).
Lecomte, Fl. Gén. Indo-Chine, i. 359 (1910).—*Fr.*
Ryan & Kerr in Journ. Siam Soc. viii. 1. t. 1, 2, 5 (1911).
pentapterus Dyer
Journ. of Bot. xii. t. 144, fig. 18 (1874).—*Fr.*
pilosus Roxb.
Vidal, Sin. Fam. & Gen. Pl. Leñ. Filip. (Introd. Fl. For. Filip.), Atlas, t. 14, fig. D (1883).—*Fr.*
Brandis, Indian Trees, 66 (1906).—*Fr.*
Philippine Journ. Sc., Bot. vi. t. 34 (1911).
prismaticus Dyer
Journ. of Bot. xii. t. 144, fig. 17 (1874).—*Fr.*
punctulatus Pierre
Pierre, Fl. For. Cochinch. iii. t. 221 (1889).
retusus Bl.
*Blume, Fl. Jav., Dipterocarp. t. 2 (1828).
Schnizlein, Iconogr. iii. t. 213 (1851).—*Fr.*
*Köhler Med. Pfl. i [t. 72] (1887).
Pflanzenfam. iii. vi. 256 (1895).
Wettstein, Handb. Syst. Bot. Ed. 2, p. 601 (1911).—*Fr.*
scabridus Thw.
Journ. of Bot. xii. t. 145, fig. 20 (1874).—*Fr.*
Scortechinii King
Burkill in Journ. Asiat. Soc. Straits Branch, No. 81, p. 55 (1920).—*Veg.*
Spanoghei Bl.
*Blume, Fl. Jav., Dipterocarp. t. 3 (1828).
Bull. Ort. Bot. Napoli, i. 326 (1902).—*Fr.*
speciosus Brandis
Philippine Journ. Sc., Bot. vi. t. 37 (1911).
thurifer Blanco
*Blanco, Fl. Filip. t. 264 (1878–80).
trinervis Bl.
Blume, Cat. Gew. Buitenzorg, frontisp. (1823).
*Blume, Fl. Jav., Dipterocarp. t. 1 (1828).
Lindley, Veg. Kingd. 393 (1846).
*Schnizlein, Iconogr. iii. t. 213 (1851).
Baillon, Hist. Pl. iv. 204 (1873).—*Fr.*
Baillon, Dict. Bot. i. 562 (1878).—*Fl.*
Baillon, Traité Bot. Méd. Phan. ii. 816 (1884).—*Fr.*
Tschirch, Ind. Heil- & Nutzpfl. t. 80 (1892).—*Hab.*
Pflanzenfam. iii. vi. 256 (1895).—*Fl.*
Van Gorkom, Oost-Ind. Cult. Ed. 2, iii. 955 (1919).—*Hab.*
—— **elegans** Bl.
Journ. Coll. Sc. Tokyo, xxviii. Art. 1, t. 1 (1910).—*Veg.*
tuberculatus Roxb.
Pierre, Fl. For. Cochinch. iii. t. 218 (1889).
Pflanzenfam. iii. vi. 256 (1895).—*Fr.*
Ind. Forester, xxxiv. t. 26 (1908).—*Hab.*
Forest Pamphlet, India, No. 13, t. 1, 2 (1909).—*Hab.*
Lecomte, Fl. Gén. Indo-Chine, i. 361 (1910).—*Fr.*
Ryan & Kerr in Journ. Siam Soc. viii. 1. t. 1, 3, 5 (1911).
Basu, Ind. Med. Pl. 111 (1918).

DIPTEROCARPUS
turbinatus Gaertn.
Gaertner f., Fruct. iii. t. 188 (1805).—*Fr.*
*Roxburgh, Pl. Coromandel, iii. t. 213 (1819).
Journ. of Bot. xii. t. 143, fig. 13 (1874).—*Fr.*
Vidal, Sin. Fam. & Gen. Pl. Leñ. Filip. (Introd. Fl. For. Filip.), Atlas, t. 14, fig. C (1883).—*Fr.*
Pflanzenfam. iii. vi. 256 (1895).—*Hab.*
Talbot, For. Fl. Bombay, i. 108 (1909).
Ryan & Kerr in Journ. Siam. Soc. viii. 1. t. 1 (1911).—*Fr.*
Basu, Ind. Med. Pl. t. 110 (1918).
vernicifluus Blanco
*Blanco, Fl. Filip. t. 183 (1878–80).
Vidal, Sin. Fam. & Gen. Pl. Leñ. Filip. (Introd. Fl. For. Filip.), Atlas, t. 14, fig. B (1883).—*Fr.*
*Ahern, Philipp. Woods, 79 (1901).
Rep. Forest. Bur. Philipp. Isl. 1903–4, t. 24 (1905).—*Hab.*
Philippine Journ. Sc., Chem. & Geol. ix. 562, t. 7 (1914).—*Hab.*
A. P. West & W. H. Brown in Bull. Philip. Isl. Dep. Agric. Bur. Forestry, No. 20, p. 61, 63, 64 (1920).
zeylanicus = *ceylanicus*

DIPTEROCOME Fisch. & Mey.—Vide *Jaubertia*, Spach
pusilla Fisch. & Mey.
Pflanzenfam. iv. v. 304 (1892).
New Phytologist, xvii. 22 (1918).—*Fl.*

DIPTERONIA Oliv.
sinensis Oliv.
Hook. Ic. Pl. xix. t. 1898 (1889).
Pflanzenfam. iii. v. 269 (1893).
Pflanzenreich, Acerac. 6 (1902).
Journ. Roy. Hort. Soc. London, xxviii. 61, fig. 18; 62, fig. 19 (1903–4).
Schneider, Ill. Handb. Laubh. ii. 192, 198 (1907).
Gard. Chron. Ser. III. lxvi. 211 (1919).

DIPTEROPELTIS Hallier f.
poranoides Hallier f.
Hallier f. in Jahrb. Hamburg. Wiss. Anstalt. 1898, xvi. Beih. 3, p. 7 (1898).

DIPTEROSIPHON Huber
spelaeicola Huber
Bull. Herb. Boiss. vii. t. 4 (1899).

DIPTERYGIUM Decne.
glaucum Decne.
Ann. Sc. Nat. Paris, Ser. II. iv. 3 (1835).
Pflanzenfam. iii. II. 225 (1891).
Engl. Jahrb. xxxv. 743 (1905).—*Fr.*
Engler & Drude, Veget. Erde, ix. 1. i. 52 (1910).

DIPTERYX Schreb.—Vide *Baryosma*, *Coumarouna*, *Taralea*
alata Vogel
Ettingshausen, Blatt-Skel. Dikot. t. 92 (1861) in textu; *D. protopus* in ic.—*Veg.*
odorata Willd.
Lindley, Veg. Kingd. 564 (1846).—*Fr.*
Ralph, Ic. Carpolog. t. 25 (1849).—*Fr.*
Berg, Charakt. t. 70, fig. 522 (1861).
Garden, xii. 232 (1877).
Hager, Handb. Pharm. Prax. Ed. Nov. ii. 1143 (1887).—*Fr.*
Brehm, Merv. Nat. Monde des Pl. i. 549 (1894–96).
Arbor. Amaz. Mus. Goeldi, Para, t. 13 (1900).—*Hab.*
Nery, Land Amazons, Ed. 2, p. 93 (1901).—*Hab.*
Pharm. Journ. Ser. IV. xiii. 119, 120 (1901).—*Fr.*
Ann. Inst. Col. Marseille, Ser. II. ii. 1. 73 (1904).—*Hab.*
Tschirch, Handb. Pharmakog. ii. t. 52 (1917).—*Hab.*
oleifera Benth.
Hooker's Journ. Bot. & Kew Misc. ii. t. 7 (1850).—*Fr.*
oppositifolia Willd.
Ralph, Ic. Carpolog. t. 25 (1849).—*Fr.*
Mart. Fl. Bras. xv. 1. t. 119 (1862).
—— **parviflora** Benth.
Mart. Fl. Bras. xv. 1. t. 119 (1862).
protopus Mart.
Ettingshausen, Blatt-Skel. Dikot. t. 92 (1861) in ic.; *D. alata* in textu.—*Veg.*

DIPTERYX
rosea Spruce
Mart. Fl. Bras. xv. i. t. 118 (1862).

DIPTYCHANDRA Tul.
aurantiaca Tul.
Arch. Mus. Hist. Nat. Paris, iv. t. 8 (1843).
epunctata Tul.
Mart. Fl. Bras. xv. ii. t. 13 (1870).

DIPTYCHOCARPUS Trautv.
strictus Trautv.
Bull. Soc. Bot. Ital. 1910, p. 165.—*Fl.*

DIPYRENA Hook.—Vide *Wilsonia* Gill. & Hook.
glaberrima Gill. & Hook.
Sanzin in An. Soc. Cient. Arg. Buenos Aires, lxxxviii. i–vi. 105 (1919).—*Fl.*

DIRACHMA Schweinf.
socotrana Schweinf.
Balfour f., Bot. Socotra (Trans. Roy. Soc. Edinb. xxxi), t. 8 (1888).
Pflanzenfam. iii. iv. 14 (1890).
Engler & Drude, Veget. Erde, ix. i. 1, p. 209 (1910).
Pflanzenreich, Geraniac. 574 (1912).

DIRCA Linn.
occidentalis A. Gray
Schneider, Ill. Handb. Laubh. ii. 405 (1909).—*Veg.*
palustris Linn.
Linn. (Diss. 1751) Amoenit. iii. t. 1 (1756).
*Schultz, Abbild. Bäume, Staud. Sträuch. Oesterr. ii. t. 184 (1792).
*Schmidt, Oest. Allgem. Baumzucht, t. 185 (1792–1822).
Lamarck, Ill. ii. t. 293 (1797).
*Mirbel, Hist. Nat. Pl. xi. t. 58 [1802–6].
*Duhamel, Arbres & Arbustes, Ed. 2, iii. t. 48 (1806).
*Schkuhr, Bot. Handb. Ed. 2, t. 107 b (1808).
*Bot. Reg. iv. t. 292 (1818).
*Bigelow, Amer. Med. Bot. ii. t. 37 (1819).
*Vietz, Ic. Pl. Med.-oec.-techn. Suppl. t. 33 (1822).
*Guimpel, Otto & Hayne, Abbild. Fremd. Holzarten, i. t. 49 (1825).
Rafinesque, Méd. Fl. i. t. 33 (1828).
J. C. Loudon, Arbor. & Frutic. Brit. iii. 1315 (1838).
Hesperian (San Francisco), vii. 537 (1862).
Provancher, Fl. Canad. ii. 502 (1862).
Baillon, Hist. Pl. vi. 108 (1877).
Lauche, Deutsche Dendrol. Ed. 2, p. 553 (1883).
*Millspaugh, American Med. Pl. t. 146 (1887).
Dippel, Handb. Laubholzk. iii. 190 (1893).
Newhall, Shrubs N. E. Amer. 197 (1893).
Engl. Jahrb. xviii. 499 (1894).
Pflanzenfam. iii. vi. a. 219 (1894).—*Fl.*
!Bull. Torr. Bot. Club, xxii. 399 (1895).—*Fl.*
Miller & Whiting, Wild Fl. N. E. States, 532 (1895).
Britton & Brown, Ill. Fl. N. States & Canada, ii. 466 (1897); Ed. 2, ii. 575 (1913).
L. H. Bailey, Cycl. Amer. Hort. 492 (1900); Stand. Cycl. Hort. 1020 (1914).
Schneider, Dendrol. Winterst. 97 (1903).—*Veg.*
Keeler, Our North. Shrubs, 421 (1903); Ed. 2, p. 421 (1912).
Knuth, Handb. Blütenbiol. iii. i. 523 (1904).—*Fl.*
Jones & Rand in Bull. Vermont Agric. St. No. 145, p. 142 (1909).—*Veg.*
Schneider, Ill. Handb. Laubh. ii. 404, 405 (1909).
U.S. Dep. Agric. Bur. Pl. Indust. Bull. No. 139, p. 43 (1909).
Apgar, Orn. Shrubs U.S. 295, fig. 519 (1910).
Pammel, Man. Poison. Pl. 644 (1911).
Clements, Rosend. & Butters, Minnesota Trees & Shrubs, 208 (1912).
Silva Tarouca, Freiland-Laubgehölze, 208 (1913).—*Hab.*
Mathews, Field Book Amer. Trees & Shrubs, 329 (1915).
Fyles in Canad. Dep. Agric. Exp. Farms, Bull. No. 39, Ser. II. p. ix. t. 25 (1920).

DIRCAEA Decne.: *Corytholma*
Blassii Regel
*Fl. des Serres, Ser. II. i. t. 1140, 1141, p. 135–39 (1856).
Otto & Dietr. Allg. Gartenzeit. xxiv. Ill. Beil. 10 (1856).
*Floricult. Cab. 1857, p. 2.
Neubert's Deutsch. Gart. Mag. 1879, p. 184.
*Cortes, Fl. Colomb. i. t. 2 (1897).
Sempervirens, xiv. 156 (1885).
bulbosa lateritia subalba Hort.
*Fl. des Serres, Ser. II. i. t. 1122 (1856).
cardinalis Regel
*Gartenfl. ii. t. 41 (1853).
lateritia macrantha Hort.
*Jardin, xii. 232 (1898).
lobulata C. Lem.
*Lem. Jard. Fl. iii. t. 219, 220 (1852).
*Fl. des Serres, Ser. I. x. t. 1042 (1854–55).
macrantha C. Lem.
*Ill. Hort. ii. t. 51 (1855).
magnifica Decne.
Linnaea, xxvi. t. 1, fig. 21 (1853–55).
*Addisonia, ii. t. 44 (1917).
×**picta** C. Lem.
*Lem. Jard. Fl. iii. t. 302 (1852).
refulgens Hort.
!Garden, xii. 372 (1877).
—— **anomala** Carr.
*!Rev. Hort. 1877, p. 250.

×**DIRCAEO-GESNERIA** Planch.
purpurea Planch.
*Fl. des Serres, Ser. I. x. t. 1046 (1854–55).
Otto & Dietr. Allg. Gartenzeit. xxiii. Ill. Beil. 12 (1855).

DIRICHLETIA Klotzsch
glabra Klotzsch
Peters, Reise Mossamb., Bot. t. 47 (1861).
insignis K. Schum.
Pflanzenfam. iv. iv. 22 (1891).—*Fl.*
obovata Balf. f.
Balfour f., Bot. Socotra (Trans. Roy. Soc. Edinb. xxxi), t. 27 (1888).
—— **albescens** Balf. f.
Balfour f., Bot. Socotra (Trans. Roy. Soc. Edinb. xxxi), t. 27 (1888).
Princei Dop
Ann. Mus. Col. Marseille, Ser. II. v. 4–5 (1907).
pubescens Klotzsch
Peters, Reise Mossamb., Bot. t. 48 (1861).
venulosa Balf. f.
Balfour f., Bot. Socotra (Trans. Roy. Soc. Edinb. xxxi), t. 27 (1888).

DISA Berg.
aconitoides Sond.
Harvey, Thes. Cap. i. t. 41 (1859).
*Bolus, Ic. Orch. Austr.-Afr. i. t. 79 (1896).
Adolphi-Friderici Kränzl.
Mildbraed, Deutsch. Zentral-Afr.-Exped. 1907–8), ii. t. 6 (1910).
aemula Bolus
*Bolus, Ic. Orch. Austr.-Afr. ii. t. 82, 83 (1911).
atricapilla Bolus
*Trans. S. Afr. Phil. Soc. v. i. t. 10 (1888).
*Bolus, Ic. Orch. Austr.-Afr. iii. t. 60 (1913).
atropurpurea Sond.
*Bot. Mag. cxii. t. 6891 (1886).
*Costantin, Atlas Orch. Cult. t. 29 (1913).—*Fl.*
auriculata Bolus
*Bolus, Ic. Orch. Austr.-Afr. i. t. 77 (1896).
barbata Sw.
Journ. Linn. Soc., Bot. xix. 234 (1882).—*Fl.*
*Trans. S. Afr. Phil. Soc. v. i. t. 8 (1888).
*Bolus, Ic. Orch. Austr.-Afr. iii. t. 51 (1913).
*Marloth, Fl. S. Africa, iv. t. 58 (1915).—*Fl.*
Barellii Hort.
*Floral Mag. N. Ser. 1874, t. 104.
*De Puydt, Orchidées, t. 18 (1880).
basutorum Schlechter
Engl. Jahrb. xxxi. t. 3 (1901).
Bolus, Ic. Orch. Austr.-Afr. iii. t. 40 a (1913).
Baurii Bolus
Journ. Linn. Soc., Bot. xxv. 174 (1889).—*Fl.*

DISA
bivalvata Dur. & Schinz
*Bolus, Ic. Orch. Austr.-Afr. ii. t. 66 (1911).
Bodkinii Bolus
*Trans. S. Afr. Phil. Soc. v. i. t. 13 (1888).
*Bolus, Ic. Orch. Austr.-Afr. iii. t. 61 (1913).
Bolusiana Schlechter
*Bolus, Ic. Orch. Austr.-Afr. ii. t. 90 (1911).
brachyceras Lindl.
*Bolus, Ic. Orch. Austr.-Afr. iii. t. 70 (1913).
bracteata Sw.
*Bot. Reg. iv. t. 324 (1818).
brevicornis Bolus
*Bolus, Ic. Orch. Austr.-Afr. iii. t. 40 b (1913).
caffra Bolus
Journ. Linn. Soc., Bot. xxv. 172 (1889).—*Fl.*
Carsonii N. E. Br.
Engler & Drude, Veget. Erde, ix. ii. 442 (1908).
caulescens Lindl.
*Bolus, Ic. Orch. Austr.-Afr. i. t. 31 (1893).
cephalotes Reichb. f.
*Bolus, Ic. Orch. Austr.-Afr. i. t. 81 (1896).
cernua Sw.
*Beer, Beitr. Morph. Biol. Orch. t. 4, fig. 14 (1863).—*Fr.*
*Bolus, Ic. Orch. Austr.-Afr. ii. t. 91 (1911).
Charpentieriana Reichb. f.
Hook. Ic. Pl. xix. t. 1841 (1889).
*Bolus, Ic. Orch. Austr.-Afr. ii. t. 77 (1911).
*Marloth, Fl. S. Africa, iv. t. 58 (1915).—*Fl.*
chrysostachya Sw.
*Bolus, Ic. Orch. Austr.-Afr. iii. t. 68, 69 (1913).
clavigera Bolus
*Bolus, Ic. Orch. Austr.-Afr. i. t. 34 (1893).
comosa Schlechter
*Bolus, Ic. Orch. Austr.-Afr. iii. t. 43, t. 100, fig. 15–17 (1913).
conferta Bolus
*Bolus, Ic. Orch. Austr.-Afr. i. t. 28 (1893).
Cooperi Reichb. f.
*Bot. Mag. cxviii. t. 7256 (1892).
Gard. Chron. Ser. III. xii. 269 (1892).
*Bolus, Ic. Orch. Austr.-Afr. ii. t. 65 (1911).
*Costantin, Atlas Orch. Cult. t. 29 (1913).—*Fl.*
cornuta Sw.
Svenska Vet. Akad. Handl. xxi. t. 3, fig. b, a–c (1800).—*Fl.*
Neues Journ. f. die Bot. i. i. t. 1 (1805).—*Fl.*
*Bot. Mag. lxx. t. 4091 (1844).
*Hooker, Cent. Orch. Pl. t. 97 (1849).
*Beer, Beitr. Morph. u. Biol. Orch. t. 4, fig. 23 (1863).—*Fr.*
*Bolus, Ic. Orch. Austr.-Afr. ii. t. 81 (1911).
crassicornis Lindl.
Garden, lxxiii. 187 (1909).—*Hab.*
*Bolus, Ic. Orch. Austr.-Afr. iii. t. 66, 67 (1913).
*Costantin, Atlas Orch. Cult. t. 29 (1913).—*Fl.*
cylindrica Sw.
*Bolus, Ic. Orch. Austr.-Afr. ii. t. 73 (1911).
draconis Sw.
*Bolus, Ic. Orch. Austr.-Afr. ii. t. 74 (1911).
—— **Harveyana** Schlechter
*Bolus, Ic. Orch. Austr.-Afr. iii. t. 58 (1913).
elegans Reichb. f.
*Bolus, Ic. Orch. Austr.-Afr. i. t. 35 (1893).
Engleriana Kränzl.
Engler & Drude, Veget. Erde, ix. ii. 442 (1908).
falcata Schlechter
Engl. Jahrb. xxxi. t. 6 (1901).
fasciata Lindl.
Harvey, Thes. Cap. i. t. 85 (1859).
*Trans. S. Afr. Phil. Soc. v. i. t. 36 (1888).
*Bolus, Ic. Orch. Austr.-Afr. iii. t. 57 (1913).
ferruginea Sw.
Hook. Ic. Pl. iii. t. 214 (1840).
*Bolus, Ic. Orch. Austr.-Afr. i. t. 38 (1893).
*Marloth, Fl. S. Africa, iv. t. 58, p. 190 (1915).
filicornis Thunb.
*Bolus, Ic. Orch. Austr.-Afr. ii. t. 68 (1911).
*Marloth, Fl. S. Africa, iv. t. 57 (1915).
—— **latipetala** Bolus
*Bolus, Ic. Orch. Austr.-Afr. iii. t. 45 a (1913).
forcipata Schlechter
Engl. Jahrb. xxxi. t. 6 (1901).
Forficaria Bolus
*Bolus, Ic. Orch. Austr.-Afr. i. t. 87 (1896).

DISA
frigida Schlechter
Engl. Jahrb. xxxi. t. 4 (1901).
gladioliflora Burch.
*Bolus, Ic. Orch. Austr.-Afr. ii. t. 79 (1911).
glandulosa Burch.
*Trans. S. Afr. Phil. Soc. v. 1. t. 35 (1888).
*Bolus, Ic. Orch. Austr.-Afr. iii. t. 46 (1913).
graminifolia Ker-Gawl.
*Journ. Sc. & Arts, vi. t. 1, fig. 2 (1819).
Journ. Linn. Soc., Bot. xix. 234 (1882).—*Fl.*
*Warner & Will. Orch. Album, ix. t. 399 (1891).
*Bolus, Ic. Orch. Austr.-Afr. i. t. 37 (1893).
B. S. Williams, Orchid-Grower's Man. Ed. 7, p. 373 (1894).
Deutsch. Tiefsee-Exped. 1898–99, ii. III. 154, 156 (1908).
*Marloth, Fl. S. Africa, iv. t. 58 (1915).
Glück, Blatt- & Blütenmorph. Stud. 607 (1919).—*Fl.*
grandiflora Linn. f.
Lamarck, Ill. iv. t. 727, fig. 1 (1797–1819).—*Fl.*
*Journ. Sc. & Arts, iv. t. 6 (1818).
*Bot. Reg. xi. t. 926 (1825).
*Géel, Sert. Bot. Cl. 20 (1832).
*Reichenbach, Fl. Exot. ii. t. 110 (1834).
*Lindley, Sertum Orch. t. 49 (1841).
*Bot. Mag. lxx. t. 4073 (1844).
*Journ. Hort. Prat. Bruxelles, iii. 1 (1845).
*Fl. des Serres, Ser. I. ii. t. 160 (1846).
*Hooker, Cent. Orch. Pl. t. 96 (1849).
*Belg. Hort. v. t. 16 (1855).
*Linden, Pescatorea, t. 18 (1860).
*Floral Mag. ii. t. 69 (1862).
Journ. Linn. Soc., Bot. vii. 145 (1864); xix. 233 (1882).—*Fl.*
Florist, 1872, p. 274.
*Jennings, Orch. t. 40 (1875).
Gard. Chron. iii. 441 (1875); Ser. III. iv. 665 (1888); ix. 365 (1891); xxxiii. 37 (1903); xlvi. 154 (1909); lx. 270 (1916).
Pfitzer, Grundz. Vergl. Morph. Orchideen, 148 (1882).
Kertészeti Lapok (Hungarian Journ. Hort.), ii. 284 (1887).
Möllers Deutsche Gärtn.-Zeit. ii. 337 (1887).
Pflanzenfam. ii. VI. 97 (1889).—*Fl.*
Garden, xxxvii. 516 (1890); lxxi. 427 (1907).
Rev. Hort. Belge, xvi. 179 (1890).—*Fl.*
*Lindenia, vii. t. 308 (1891).
Gartenfl. xl. 177 (1891); lix. 374 (1910).
Journ. Orch. iii. 337 (1892); iv. 370 (1894).
*Sander, Reichenbachia, Ser. II. i. 33, t. 15 (1892).
Stein, Orchideenbuch, 218 (1892).—*Hab.*
Jardin, vii. 243 (1893); xii. 331 (1898).
Kerchove, Livre Orch. 144 (1894).—*Fl.*
B. S. Williams, Orchid Grower's Man. Ed. 7, p. 374 (1894).
Linden, Orchid. Exot. 23, 754 (1894).
Orch. Rev. vi. 241 (1898); ix. 273 (1901); xx. 336 (1912); xxiii. 169 (1915).
Semaine Hort. 1898, p. 395.—*Fl.*
Bellair & St.-Léger, Pl. Serre, 724 (1900).
Nicholson, '1900' Suppl. Dict. Gard. 326 (1900).
*Rev. Hort. 1903, p. 84.
Knuth, Handb. Blütenbiol. iii. 1. 195 (1904).—*Fl.*
Journ. Hort. Ser. III. lii. 339 (1906).
*Gartenwelt, xi. 608 (1907).
Diels in Natur, iv. 77 [1907].—*Fl.*
*C.H. Curtis, Orchids for Everyone, 98 (1910).—*Fl.*
—— **superba** T. Moore
*Warner, Select Orch. Pl. Ser. I. t. 36 (1862–65).
*Florist, 1863, p. 105 (1864).
*Floral Mag. iv. t. 223 (1865).
Garden, xxvi. 493, 495 (1884); lx. 145 (1901).
Orchidophile, 1885, p. 279.—*Hab.*
—— —— **Barrellii** Hort.
*Garden, xxi. 114 (1882).
hamatipetala Rendle
Trans. Linn. Soc. London, Ser. II. Bot. iv. t. 7 (1894).
incarnata Lindl.
*Bot. Mag. cxviii. t. 7243 (1892).
Gard. Chron. Ser. III. xi. 618 (1892).
Journ. Roy. Hort. Soc. London, xv. Proc. p. clii (1893).

DISA
inflexa Mundt
Bolus, Orch. Cape Penins. (Trans. S. Afr. Phil. Soc. v), t. 22, fig. 12–14 (1888).—*Fl.*
×**kewensis** Hort.
Gard. Chron. Ser. III. xviii. 273 (1895).
Orch. Rev. vi. 241 (1898); ix. 273 (1901); xx. 336 (1912); xxiii. 169 (1915).
Jardin, xii. 331 (1898).—*Fl.*
*Gartenfl. lii. t. 1510 (1903).
lacera Sw.
Journ. Hort. Ser. III. xvii. 220 (1888); lv. 195 (1907).—*Fl.*
*Bolus, Ic. Orch. Austr.-Afr. iii. t. 52 (1913).
—— **multifida** N. E. Br.
Gard. Chron. Ser. III. iv. 664 (1888).—*Fl.*
*Bot. Mag. cxv. t. 7066 (1889).
×**langleyensis** Hort.
Gard. Chron. Ser. III. xvi. 35 (1894).
Jardin, xii. 331 (1898).—*Fl.*
Orch. Rev. vi. 241 (1898); ix. 273 (1901); xx. 336 (1912); xxiii. 169 (1915).
*Gartenfl. li. t. 1496 (1902).
lineata Bolus
Trans. S. Afr. Phil. Soc. v. 1. t. 18 (1888).
longicornu Linn. f.
Lamarck, Ill. iv. t. 727, fig. 2 (1797–1819).
*Trans. S. Afr. Phil. Soc. v. 1. t. 6 (1888).
Gard. Chron. Ser. III. xvii. 791 (1895); lx. 266 (1916).
Orch. Rev. xix. 369 (1911); xxvii. 9 (1919).—*Fl.*
*Marloth, Fl. S. Africa, i. t. 5 (1913); iv. t. 57 (1915).
*Bolus, Ic. Orch. Austr.-Afr. iii. t. 49 (1913).
longifolia Lindl.
*Bolus, Ic. Orch. Austr.-Afr. i. t. 83 (1896).
lugens Bolus
*Bolus, Ic. Orch. Austr.-Afric. ii. t. 76 (1911).
*Bot. Mag. cxxxviii. t. 8415 (1912).
luna Hort.
Journ. Hort. Ser. III. lix. 267 (1909).—*Fl.*
macrantha Sw.
*Garden, xvii. 494 (1880).
macroglottis Sond. & Reichb. f.
Reichenbach., Ic. Fl. Germ. xiii & xiv. t. 354, fig. 21–23 (1850).—*Fl.*
macrostachya Bolus
*Bolus, Ic. Orch. Austr.-Afr. ii. t. 88 (1911) in textu; *D. reticulata* in ic.
*Bolus, Ic. Orch. Austr.-Afr. iii. t. 41 (1913).
maculata Linn. f.
Svenska Vet. Akad. Handl. xxi. t. 3, fig. B, d (1800).—*Fl.*
Neues Journ. f. die Bot. i. 1. t. 1 (1805).—*Fl.*
*Trans. S. Afr. Phil. Soc. v. 1. t. 7 (1888).
*Bolus, Ic. Orch. Austr.-Afr. iii. t. 50 (1913).
*Marloth, Fl. S. Africa, iv. t. 57 (1915).
Marlothii Bolus
*Bolus, Ic. Orch. Austr.-Afr. ii. t. 67 (1911).
megaceras Hook. f.
*Bot. Mag. cvi. t. 6529 (1880).
Pflanzenfam. ii. VI. 97 (1889).—*Fl.*
Kerchove, Livre Orch. 144 (1894).—*Fl.*
melaleuca Sw.
Harvey, Thes. Cap. i. t. 84 (1859).
Stoneman, Plants & Their Ways, S. Africa, Ed. 2, p. 280 (1915).—*Fl.*
micrantha Bolus
*Bolus, Ic. Orch. Austr.-Afr. iii. t. 38 (1913).
micropetala Schlechter
Engl. Jahrb. xxxi. t. 3 (1901).
Bolus, Ic. Orch. Austr.-Afr. iii. t. 70 (1913).
multiflora Bolus
*Bolus, Ic. Orch. Austr. Afr. iii. t. 39 (1913).
neglecta Sond.
*Bolus, Ic. Orch. Austr.-Afr. iii. t. 47 (1913).
nervosa Lindl.
Gard. Chron. Ser. III. xvi. 309 (1894).
*Bolus, Ic. Orch. Austr.-Afr. i. t. 84 (1896).
*Bolus, Ic. Orch. Austr.-Afr. iii. t. 62 (1913).
obtusa Lindl.
*Trans. S. Afr. Phil. Soc. v. 1. t. 34 (1888).
*Bolus, Ic. Orch. Austr.-Afr. iii. t. 55 (1913).
ocellata Bolus
*Trans. S. Afr. Phil. Soc. v. 1. t. 5 (1888).

DISA
ocellata
*Bolus, Ic. Orch. Austr.-Afr. iii. t. 59 (1913).
oligantha Reichb. f.
*Bolus, Ic. Orch. Austr.-Afr. ii. t. 87 (1911).
ophrydea Bolus
*Bolus, Ic. Orch. Austr.-Afr. iii. t. 42 (1913).
oreophila Bolus
Journ. Linn. Soc., Bot. xxv. 171 (1889).—*Fl.*
*Bolus, Ic. Orch. Austr.-Afr. ii. t. 78 (1911).
ovalifolia Sond.
*Bolus, Ic. Orch. Austr.-Afr. i. t. 29 (1893).
patens Thunb.
*Bolus, Ic. Orch. Austr.-Afr. ii. t. 69 (1911).
*Marloth, Fl. S. Africa, iv. t. 57 (1915).
polygonoides Lindl.
*Bot. Mag. cvi. t. 6532 (1880).
*Bolus, Ic. Orch. Austr.-Afr. ii. t. 84 (1911).
porrecta Sw.
*Journ. Sc. & Arts, v. t. 1 (1818).
*Bolus, Ic. Orch. Austr.-Afr. i. t. 39 (1893).
prasinata Ker-Gawl.
*Bot. Reg. iii. t. 210 (1817).
pulchella Hochst.
A. Richard, Tent. Fl. Abyssin. Atlas, t. 93 [1851].
*Beer, Beitr. Morph. u. Biol. Orch. t. 4, fig. 42 (1863).—*Fr.*
pulchra Sond.
D. Dietrich, Fl. Univ. Abt. i. t. 874 (1847–52).
Gard. Chron. Ser. III. xx. 785 (1896).
Gard. Album, i. 14 (1906).
Journ. Hort. Ser. III. lii. 3 (1906).—*Fl.*
*Bolus, Ic. Orch. Austr.-Afr. iii. t. 63 (1913).
purpurascens Bolus
*Bolus, Ic. Orch. Austr.-Afr. i. t. 86 (1896).
pygmaea Bolus
Trans. S. Afr. Phil. Soc. v. 1. t. 17 (1888).
*Bolus, Ic. Orch. Austr.-Afr. iii. t. 37 (1913).
racemosa Linn. f.
Gard. Chron. Ser. III. iii. 593 (1888); lx. 271 (1916).
*Bot. Mag. cxiv. t. 7021 (1888).
Journ. Hort. Ser. III. xvii. 221 (1888); xlvii. 213 (1903).
*Warner & Will. Orch. Album, viii. t. 356 (1889).
*Garden, xxxix. 10 (1891).
*Bolus, Ic. Orch. Austr.-Afr. ii. t. 85 (1911).
*Costantin, Atlas Orchid Cult. t. 29 (1913).—*Fl.*
Stoneman, Plants & Their Ways, S. Afr. Ed. 2, p. 279 (1915).
reticulata Bolus
Trans. S. Afr. Phil. Soc. v. 1. t. 16 (1888).
*Bolus, Ic. Orch. Austr.-Afr. ii. t. 88 (1911) in ic.; *D. macrostachya* in textu.
rhodantha Schlechter
Engl. Jahrb. xxxi. t. 5 (1901).
Richardiana Lehm.
*Bolus, Ic. Orch. Austr.-Afr. i. t. 36 (1893).
rosea Lindl.
*Bolus, Ic. Orch. Austr.-Afr. ii. t. 64 (1911).
rufescens Sw.
*Bolus, Ic. Orch. Austr.-Afr. ii. t. 89 (1911).
sabulosa Bolus
*Bolus, Ic. Orch. Austr.-Afr. i. t. 27 (1893).
sagittalis Sw.
*Bolus, Ic. Orch. Austr.-Afr. i. t. 32 (1893); iii. t. 44 (1913).
*Bot. Mag. cxxi. t. 7403 (1895).
Gard. Chron. Ser. III. li. 312 (1912); lx. 283 (1916).
sanguinea Sond.
*Bolus, Ic. Orch. Austr.-Afr. i. t. 80 (1896).
saxicola Schlechter
Engl. Jahrb. xxxi. t. 4 (1901).
schizodioides Sond.
*Bolus, Ic. Orch. Austr.-Afr. i. t. 85 (1896).
Schlechteriana Bolus
*Bolus, Ic. Orch. Austr.-Afr. ii. t. 75 (1911).
scutellifera A. Rich.
Ann. Sc. Nat. Paris, Ser. II. xiv. t. 18 (1840).—*Fl.*
A. Richard, Tent. Fl. Abyssin. Atlas, t. 94 [1851].
spathulata Sw.
*Journ. Sc. & Arts, iv. t. 6 (1818).

DISA
spathulata
*Bauer & Lindl. Ill. Orch. Pl. Genera, t. 14, (1830–38).—*Fl.*
Lindley, Veg. Kingd. 176 (1846).—*Fl.*
Harvey, Thes. Cap. i. t. 86 (1859).
*Bolus, Ic. Orch. Austr.-Afr. iii. t. 53 (1913).
*Marloth, Fl. S. Africa, iv. t. 58 (1915).—*Fl.*
—— **atropurpurea** Schlechter
*Bolus, Ic. Orch. Austr.-Afr. iii. t. 54 (1913).
stachyoides Reichb. f.
*Bolus, Ic. Orch. Austr.-Afr. iii. t. 65 (1913).
stenoglossa Bolus
Journ. Linn. Soc., Bot. xxv. 173 (1889).—*Fl.*
stricta Sond.
D. Dietrich, Fl. Univ. Abt. i. t. 874 (1847–52).
*Bolus, Ic. Orch. Austr.-Afr. i. t. 78 (1896).
tabularis Sond.
*Trans. & Proc. S. Afr. Phil. Soc. v. i. t. 15 (1888).
*Bolus, Ic. Orch. Austr.-Afr. iii. t. 56 (1913).
telipogonis Reichb. f.
Engl. Jahrb. xxxi. t. 5 (1901).
*Bolus, Ic. Orch. Austr.-Afr. ii. t. 70 (1911).
tenella Sw.
Svenska Vet. Akad. Handl. xxi. t. 3, fig. B, e, f (1800).—*Fl.*
Neues Journ. f. die Bot. i. i. t. 1 (1805).—*Fl.*
*Beer, Beitr. Morph. u. Biol. Orch. t. 3, fig. 56 (1863).—*Fr.*
Bolus, Ic. Orch. Austr.-Afr. ii. t. 72 (1911).
Glück, Blatt- & Blütenmorph. Stud. 627 (1919).—*Fl.*
tenuicornis Bolus
*Trans. S. Afr. Phil. Soc. v. i. t. 14 (1888).
*Bolus, Ic. Orch. Austr.-Afr. iii. t. 48 (1913).
tenuis Lindl.
*Bolus, Ic. Orch. Austr.-Afr. iii. t. 71, 72 (1913).
torta Sw.
*Bolus, Ic. Orch. Austr.-Afr. i. t. 33 (1893).
tripetaloides N.E. Br.
Gard. Chron. Ser. III. vii. 768 (1890); lx. 284 (1916).
*Bot. Mag. cxvii. t. 7206 (1891).
*Warner & Will. Orch. Album, x. 462 (1893).
Orch. Rev. vi. 241 (1898); ix. 273 (1901); xx. 336 (1912); xxiii. 169 (1915).
Jardin, xii. 331 (1898).—*Fl.*
*Costantin, Atlas Orch. Cult. t. 29 (1913).—*Fl.*
—— **aurata** Bolus
*Bolus, Ic. Orch. Austr.-Afr. i. t. 30 (1893).
Tysonii Bolus
Journ. Linn. Soc., Bot. xxv. 173 (1889).—*Fl.*
*Bolus, Ic. Orch. Austr.-Afr. ii. t. 80 (1911).
ukingensis Schlechter
Glück, Blatt- & Blütenmorph. Stud. 607 (1919).—*Fl.*
uncinata Bolus
*Bolus, Ic. Orch. Austr.-Afr. i. t. 82 (1896).
uniflora Berg.
Bergius, Descr. Pl. Cap. t. 4 (1767).
Edmonds & Marloth, Elem. Bot. S. Africa, 173 (1897).—*Fl.*
Henslow, S. Afr. Flower. Pl. 253 (1903).—*Fl.*
Deutsch. Tiefsee-Exped. 1898–99, ii. III. 161, t. 11 (1908).—*Hab.*
*Bolus, Ic. Orch. Austr.-Afr. ii. t. 63 (1911).
*Costantin, Atlas Orch. Cult. 10, t. 29 (1913).—*Fl.*
*Marloth, Fl. S. Africa, iv. 59, 60, 154, 180 (1915).
vaginata Harv.
*Bolus, Ic. Orch. Austr.-Afr. ii. t. 71 (1911).
*Marloth, Fl. S. Africa, iv. t. 57 (1915).
×**Veitchii** Hort.
Journ. Hort. Ser. III. xxii. 465 (1891); xliii. 145 (1901); lv. 195 (1907).—*Fl.*
*Garden, xlii. 408 (1892).
Gard. Chron. Ser. III. xvi. 93 (1894); lx. 269 (1916).
Orch. Rev. vi. 241 (1898); ix. 273 (1901); xx. 336 (1912); xxiii. 169 (1915).
Jardin, xii. 331 (1898).—*Fl.*
*Cogniaux, Dict. Icon. Orch., Disa hybr. t. 1 (1899).—*Fl.*
*Gartenflora, li. t. 1496 (1902).
Orch. World, iv. 275 (1914).
venosa Sw.
*Bolus, Ic. Orch. Austr.-Afr. ii. t. 86 (1911).

DISA
venusta Bolus
*Trans. S. Afr. Phil. Soc. v. i. t. 9 (1888).
versicolor Reichb. f.
*Bolus, Ic. Orch. Austr.-Afr. iii. t. 64 (1913).
zombaënsis Rendle
Trans. Linn. Soc. London, Ser. II. Bot. iv. t. 7 (1894).

DISANDRA Linn.: *Sibthorpia*
africana Linn.
Lamarck, Ill. ii. t. 275, fig. 2 (1797).
Cambessèdes, Enum. Pl. Balear. t. 9 (1827).
Mém. Mus. Hist. Nat. Paris, xiv. 291 (1827).
prostrata Murr.
*Bot. Mag. vii. t. 218 (1793).
Lamarck, Ill. ii. t. 275, fig. 1 (1797).
Gaertner f., Fruct. iii. t. 185 (1805).—*Fr.*
*Jacquin, Fragm. t. 6 (1809).
Belg. Hort. ii. t. 44 (1852).—*Veg.*
Schnizlein, Iconogr. ii. t. 149 a (1856).—*Fl.*

DISANTHUS Maxim.
cercidifolius Maxim.
Gard. & Forest, vi. 215 (1893).
Sargent, For. Fl. Japan, t. 15 (1894).
Bull. Coll. Agric. Tokyo, ii. t. 10, fig. 12 (1895).—*Veg.*
Mitt. Deutsch. Dendr. Ges. 1900, frontisp. p. 2.
Kertészeti Lapok (Hungarian Journ Hort.), xvi. 33, 35 (1901).
Schneider, Ill. Handb. Laubh. i. 426, 427 (1905).
Rev. Hort. 1910, p. 363.
Silva Tarouca, Freiland-Laubgehölze, 208 (1913).—*Hab.*
L. H. Bailey, Stand. Cycl. Hort. 1021 (1914).
*Bot. Mag. cxliii. t. 8716 (1917).

DISARRHENUM P. Beauv.: *Hierochloë*
antarcticum Labill.
Labillardière, Nov. Holl. Pl. t. 232 (1806).

DISCARIA Hook.—Vide *Notophaena, Ochetophila*
americana Gill. & Hook.
Hooker, Bot. Misc. i. t. 44 (1830).—*Fl.*
Miers, Contrib. Bot. i. t. 38 (1851–61).
articulata Miers
Miers, Contrib. Bot. i. t. 39 (1851–61).
australis Hook.
Hooker, Bot. Misc. i. t. 45 (1830).—*Fl.*
febrifuga Mart.
Mart. Fl. Bras. xi. i. t. 35 (1861).
Pflanzenfam. iii. v. 422 (1896).
Beille, Bot. Pharm. ii. 678 (1909).—*Fl.*
Schneider, Ill. Handb. Laubh. ii. 298 (1909).—*Fr.*
longispina Miers
Miers, Contrib. Bot. i. t. 38 (1851–61).
Schneider, Ill. Handb. Laubh. ii. 298 (1909).
lycioides Miers
Miers, Contrib. Bot. i. t. 38 (1851–61).
—— **exilis** Miers
Miers, Contrib. Bot. i. t. 38 (1851–61).
prostrata Reiche
Hauman in An. Soc. Cient. Arg. Buenos Aires, lxxxvi. v, vi. t. 22 (1918).
serratifolia Benth. & Hook.
Gard. Chron. vi. 325 (1876).
Castillo & Dey, Jeogr. Vej. Rio Valdivia, Ed. 2, i. 75 (1908).
spiculata Miers
Miers, Contrib. Bot. i. t. 38 (1851–61).
—— **gracilenta** Miers
Miers, Contrib. Bot. i. t. 38 (1851–61).
toumatou Raoul
Raoul, Choix Pl. Nouv.-Zél. t. 29 (1846).
Kirk, For. Fl. New Zeal. t. 136 (1889).
*E. H. & S. Featon, Art. Album, i. t. 21 (1889).
New Phytologist, iv. t. 2 (1905).
Laing & Blackwell, Pl. New Zeal. Ed. 2, p. 240 (1907).
Cockayne, New Zeal. Pl. 73 (1910); Ed. 2, p. 17, 81 (1919).—*Hab.*
Bean, Trees & Shrubs, i. 500 (1914).
Trans. & Proc. New Zeal. Inst. xlviii. t. 15 (1916); xlix. t. 2, 6 (1917).—*Hab.*

DISCHIDIA R. Br.—Vide *Conchophyllum*
acuminata Costantin
Lecomte, Fl. Gén. Indo-China, iv. 143 (1913).—*Fl.*
albiflora Griff.
Griffith, Ic. Pl. Asiat. t. 410, A (1854).—*Fl.*
albo-flava Costantin
Lecomte, Fl. Gén. Indo-China, iv. 143 (1912).
antennifera Becc.
Beccari, Malesia, ii. t. 63 (1886).—*Fl.*
Balansae Costantin
Lecomte, Fl. Gén. Indo-China, iv. 143 (1912).—*Fl.*
bengalensis Colebr.
Trans. Linn. Soc. London, xii. t. 15 b (1818).
*Bot. Mag. lvi. t. 2916 (1829).
borneensis Becc.
Beccari, Malesia, ii. t. 62 (1886).
Brunoniana Griff.
Griffith, Ic. Pl. Asiat. t. 410, A (1854).—*Fl.*
coccinea Griff.
Griffith, Ic. Pl. Asiat. t. 409 (1854).
cochleata Bl.
Blume, Mus. Bot. Lugd.-Bat. i. fig. 27 (1850).—*Fl.*
collyris Wall.
Ann. Jard. Bot. Buitenzorg, xxvii. t. 16, fig. 23, 24 (1913).
Cominsii Hemsl.
Hook. Ic. Pl. xxvii. t. 2674 (1900).
complex Griff.
Journ. Linn. Soc., Bot. xxxv. t. 9, fig. 7–10 (1902).
digitiformis Becc.
Beccari, Malesia, ii. t. 60 (1886).
ericiflora Becc.
Beccari, Malesia, ii. t. 63 (1886).—*Fl.*
hirsuta Decne.
*Bot. Mag. cxxviii. t. 7853 (1902).
Lecomte, Fl. Gén. Indo-China, iv. 143 (1912).—*Veg.*
imbricata Steud.
Schimper, Bot. Mitt. Tropen, ii. t. 6 (1888).—*Fr.*
kutcinensis Becc.
Beccari, Malesia, ii. t. 63 (1886).—*Fl.*
lanceolata Decne.
Vidal, Sin. Fam. & Gen. Pl. Leñ. Filip. (Introd. Fl. For. Filip.), Atlas, t. 68, fig. E (1883).
longiflora Becc.
Beccari, Malesia, ii. t. 62 (1886).
Micholitzii N. E. Br.
Hook. Ic. Pl. xxxi. t. 3018 (1915).
nummularia R. Br.
Rumphius, Herb. Amboin. v. t. 176, fig. 1 (1747); fide Merrill, Interpret. Rumph. Herb. Amboin.
Beccari, Malesia, ii. t. 63 (1886).
Banks & Soland. Bot. Cook's Voy. ii. t. 202 (1901).
Notes Bot. School Trinity Coll. Dublin, ii. t. 26, 28 (1912).
Lecomte, Fl. Gén. Indo-China, iv. 143 (1912).—*Veg.*
Scient. Proc. Roy. Dublin Soc. N. Ser. xiii. 26, 28 (1912).
Ann. Jard. Bot. Buitenzorg, xxvii. t. 14, fig. 6–7, t. 15, fig. 9, 12 (1913).
pectenoides H. H. W. Pears.
Journ. Linn. Soc., Bot. xxxv. t. 9, fig. 1–6, 13 (1902).
pseudobenghalensis Costantin
Lecomte, Fl. Gén. Indo-China, iv. 143 (1912).—*Fl.*
Rafflesiana Wall.
*Wallich, Pl. Asiat. Rar. ii. t. 142 (1831).
Trans. Linn. Soc. London, xx. t. 17, 18 (1851).
Schnizlein, Iconogr. ii. t. 133 (1854).
*Fl. des Serres, Ser. II. v. t. 1592, 1593 (1862–65).
Ann. Jard. Bot. Buitenzorg, iii. t. 3–5 (1883).—*Veg.*
Beccari, Malesia, ii. t. 61 (1886).
Schimper, Bot. Mitt. Tropen, ii. t. 6 (1888).—*Fr.*
Goebel, Pflanzenbiol. Schild. i. 234 (1889).
Gard. Chron. Ser. III. xiv. 369 (1893).—*Veg.*
Wettstein, Schrift. Ver. Verbr. Naturw. Kenntn. Wien, xxxiv. 60, fig. 2 (1894).—*Veg.*

DISCHIDIA
Rafflesiana
Heim in Assoc. Franç. Avanc. Sc. Bordeaux, Pt. 1, p. 66 (1895).
Möllers Deutsche Gärtn.-Zeit. x. 397 (1895); xxvii. 209 (1912).
Pflanzenfam. iv. II. 288 (1895).
Ann. Rep. Smithson. Inst. 1896, t. 21 (1898).—*Veg.*
Ann. Bot. xvi. t. 14, 15 (1902).
Journ. Linn. Soc., Bot. xxxv. t. 9, fig. 11, 12 (1902).
Hansgirg, Phyllobiol. 231 (1903).
Velenovsky, Vergl. Morphol. Pfl. ii. 541 (1907).
Gartenwelt, xiii. 115 (1909).
Wettstein, Handb. Syst. Bot. Ed. 2, p. 752 (1911).
Lecomte, Fl. Gén. Indo-Chine, iv. 143 (1912).—*Veg.*
Scient. Proc. Roy. Dublin Soc. N. Ser. xiii. 25, 27, 29–35 (1912).
Notes Bot. School Trinity Coll. Dublin, ii. t. 25, 27, 29–31 (1912).
Ann. Jard. Bot. Buitenzorg, xxvii. t. 13, 16 (1913).
Kerner, Pflanzenleben, Ed. 3, i. 165 (1913).
Neger, Biol. Pflanz. 175 (1913).—*Veg.*
Rothert in Bull. Internat. Acad. Sc. Cracovie, t. 67 (1913).—*Veg.*
*Bose, Man. Ind. Bot. t. 6 (1920).—*Veg.*
Rumphii Miq.
Rumphius, Herb. Amboin. v. t. 176, fig. 2 (1747); fide Merrill, Interpret. Rumph. Herb. Amboin.
sepikana Schlechter
Engl. Jahrb. l. 99 (1913).
squamulosa Becc.
Beccari, Malesia, ii. t. 63 (1886).—*Fl.*
striata Schlechter
Engl. Jahrb. l. 99 (1913).
timorensis Decne.
Nouv. Ann. Mus. Hist. Nat. Paris, iii. 500, t. 17 (1834).—*Fl.*
tonkinensis Costantin
Lecomte, Fl. Gén. Indo-Chine, iv. 143 (1912).
trichostemma Schlechter
Engl. Jahrb. l. 99 (1913).

DISCHISMA Choisy
capitatum Choisy
Choisy in Mém. Soc. Phys. & Hist. Nat. Genève, ii. II. t. 1 (1824).—*Fl.*
Black, Nat. Fl. S. Australia, 127 (1909).
ciliatum Choisy
*Jacquin, Ecl. Pl. ii. t. 151 (1844) in textu; *Hebenstreitia alba* in ic.
Ann. Bot. v. t. 22, fig. 114 (1891).—*Fl.*

DISCIPHANIA Eichl.
Ernstii Eichl.
Jahrb. Bot. Gart. Berlin, ii. t. 12 (1883).
Nature, xxxiv. 551 (1886).
Glaziovii Taub.
Pflanzenreich, Menispermac. 177 (1910).
lobata Eichl.
Mart. Fl. Bras. xiii. 1. t. 36 (1864).
Miers, Contrib. Bot. iii. t. 96 (1864–71).
Pflanzenreich, Menispermac. 177 (1910).—*Fl.*
peltata Diels
Pflanzenreich, Menispermac. 177 (1910).

DISCOCACTUS Pfeiff.—Vide *Echinocactus* (7)
biformis Lindl.
*Bot. Reg. xxxi. t. 9 (1845).
*Lem. Jard. Fl. iii. t. 321 (1852–53).
insignis Pfeiff.
*Nov. Act. Acad. Nat. Cur. xix. 1. t. 15 (1839).
*Pfeiffer, Cact. ii. t. 1 (1846–50).
Krook, Handb. Cactus-Soort. i. 48 (1854).—*Hab.*
Förster, Handb. Cacteenk. Ed. 2, p. 449 (1885).
placentiformis K. Schum.
Pflanzenfam. iii. VI. 190 (1894).—*Hab.*
tricornis Monv.
*Pfeiffer, Cact. ii. t. 28 (1846–50).

DISCOCALYX Mez
cybianthoides Mez
Pflanzenreich, Myrsinac. 214 (1902).—*Fl.*
fusca Gibbs
Journ. Linn. Soc., Bot. xxxix. t. 13 (1909).

DISCOCAPNOS Cham. & Schlechtd.: *Fumaria*
Mundtii Cham. & Schlechtd.
Parlatore, Monogr. Fumar. tab. (1844), et in Giorn. Bot. Ital. i. 1. t. 1 (1844).—*Fl.*
Harvey, Thes. Cap. i. t. 10 (1859).

DISCOCARPUS Klotzsch
essequiboënsis Klotzsch
Wiegmann, Archiv Naturg. vii. 1. t. 9 (1841).
Spruceanus Müll.-Arg.
Mart. Fl. Bras. xi. II. t. 2 (1873).
Pflanzenfam. iii. v. 16 (1890).—*Fl.*

DISCOCLAOXYLON Pax & K. Hoffm.: *Claoxylon*
hexandrum Pax & K. Hoffm.
Pflanzenreich, Euphorb.-Acal.-Mercurial. 138 (1914).

DISCOCLEIDION Pax & K. Hoffm.
rufescens Pax & K. Hoffm.
Pflanzenreich, Euphorb.-Acal.-Mercurial. 46 (1914).

DISCOGLYPREMNA Prain
caloneura Prain
Hook. Ic. Pl. xxx. t. 2988 (1913).
—— **rigidifolia** Pax
Pflanzenreich, Euphorb.-Acal.-Mercurial. 18 (1914).

DISCOGYNE Schlechter
papuana Schlechter
Engl. Jahrb. lii. 124 (1914).

DISCOLOBIUM Benth.
hirtum Benth.
Mart. Fl. Bras. xv. 1. t. 17 (1859).
junceum Mich.
Micheli in Mém. Soc. Phys. Genève, xxx. t. 24 (1889).
Pflanzenfam. iii. III. 312 (1894).—*Fr.*
pulchellum Benth.
Mart. Fl. Bras. xv. 1. t. 17 (1859).

DISCOPHORA Miers—Vide *Kummeria*
guianensis Miers
Miers, Contrib. Bot. i. t. 20 (1851–61).
Valeton, Olac. t. 5 (1886) in textu; errore *D. brasiliensis* in ic.

DISCOPLEURA DC.—Vide *Ptilimnium*
capillacea DC.
De Candolle, Ombéllif. (Coll. Mém. v), t. 8 (1829).
Lindley, Veg. Kingd. 777 (1846).—*Fr.*
Reichenbach, Ic. Fl. Germ. xxi. t. 1860 (1863).
Bot. Gaz. xii. 295, fig. 107 (1887).—*Fr.*
Nuttallii DC.
De Candolle, Ombéllif. (Coll. Mém. v), t. 9 (1829).

DISCOPODIUM Hochst.
penninervium Hochst.
A. Richard, Tent. Fl. Abyssin. Atlas, t. 79 [1851].
Thonner, Blütenpfl. Afr. t. 136 (1908).

DISCOSPERMUM Dalz.: *Tricalysia*
apiocarpum Dalz.
Beddome, Ic. Pl. Ind. Or. t. 40 (1874).

DISCOSTIGMA Hassk.: *Garcinia*
grandiflorum Choisy
Choisy in Mém. Soc. Phys. & Hist. Nat. Genève, xv. t. 2 (1860).
rostratum Hassk.
Choisy in Mém. Soc. Phys. & Hist. Nat. Genève, xv. t. 1 (1860).
vitiense A. Gray
A. Gray, U.S. Expl. Exp. Bot. Atlas, i. t. 16 (1857).

DISELMA Hook. f.: *Fitzroya*
Archeri Hook. f.
*Hooker f., Fl. Tasman. i. t. 98 (1860).
Silva Tarouca, Freiland-Nadelhölzer, 137 (1913).

DISEMMA Labill.: *Passiflora*
adiantifolia DC.
J. C. Loudon, Arbor. & Frutic. Brit. ii. 965 (1838).
aurantia Labill.
Labillardière, Sert. Austr.-Caled. t. 79 (1825).
*Bot. Mag. lxxi. t. 4140 (1845).

DISEMMA
coccinea DC.
*Belg. Hort. xv. 289 (1865).
Hahnii Fourn.
*Rev. Hort. 1869, p. 430.

DISEPALUM Hook. f.
anomalum Hook. f.
Trans. Linn. Soc. London, xxiii. t. 20 (1860).
coronatum Becc.
Nuov. Giorn. Bot. Ital. ii. t. 5 (1870).
longipes King
Ann. Bot. Gard. Calcutta, iv. t. 118 (1893).

DISERNESTUM Jaub. & Spach: *Dorema*
gummiferum Jaub. & Spach
Jaubert & Spach, Illustr. Pl. Or. i. t. 40 (1842–3).

DISIPHON Schlechter
papuanum Schlechter
Engl. Jahrb. lv. 167 (1918).

DISOCACTUS Lindl.—Vide *Cactus* (6)
biformis Lindl.
Ann. Hort. i. 177 (1845).
*Bot. Reg. xxxi. t. 9 (1845).
*Lem. Jard. Fl. iii. t. 321 (1853).
*Sweet, Ornamental Fl. Gard. ii. t. 86 (1854).
Krook, Handb. Cactus-Soort. i. 88 (1854); errore *Disicocactus biformis* in textu.
Garden, xvi. 43 (1879).—*Hab.*
Förster, Handb. Cacteenk. Ed. 2, p. 876 (1886).
Rümpler & Schumann, Sukkulenten, 157 (1892).
Eichlamii Britton & Rose
Contrib. U.S. Nat. Herb. xvi. t. 79 (1913).—*Hab.*

DISPARAGO Gaertn.
ericoides Gaertn.
Gaertner, Fruct. ii. t. 173 (1791).—*Fr.*

DISPERIS Sw.—Vide *Dryopeia*
alata Labill.
Labillardière, Nov. Holl. Pl. t. 210 (1806).
Bodkinii Bolus
Bolus, Ic. Orch. Austr.-Afr. i. t. 96 (1896).
Bolusiana Schlechter
*Bolus, Ic. Orch. Austr.-Afr. i. t. 93 (1896).
capensis Sw.
Svenska Vet. Akad. Handl. xxi. t. 3, fig. F (1800).—*Fl.*
Neues Journ. f. die Bot. i. 1. t. 1 (1805).—*Fl.*
*Journ. Sc. & Arts, v. t. 1 (1818).
*Bolus, Ic. Orch. Austr.-Afr. i. t. 89 (1896).
Stoneman, Plants & Their Ways S. Africa, Ed. 2, p. 142 (1915).—*Fl.*
*Marloth, Fl. S. Africa, iv. t. 55 (1915).
cardiophora Harv.
Harvey, Thes. Cap. ii. t. 106 (1863).
*Bolus, Ic. Orch. Austr.-Afr. i. t. 95 (1896).
ceylanica Trim.
Fyson, Fl. Nilgiri & Pulney Hill-tops, iii. 527 (1920).
circumflexa Dur. & Schinz
Bolus, Ic. Orch. Austr.-Afr. iii. t. 98 (1913).
—— **aemula** Schlechter
Bolus, Ic. Orch. Austr.-Afr. iii. t. 99 (1913).
Cooperi Harv.
Harvey, Thes. Cap. ii. t. 172 (1863).
cordata Sw.
Reichenbach, Ic. Fl. Germ. xiii & xiv. t. 354, fig. 27–30 (1850).—*Fl.*
cucullata Sw.
*Journ. Sc. & Arts, vi. t. 1, fig. 4 (1819).
*Bolus, Ic. Orch. Austr.-Afr. i. t. 94 (1896).
*Marloth, Fl. S. Africa, iv. t. 55 (1915).
disiformis Schlechter
*Bolus, Ic. Orch. Austr.-Afr. iii. t. 95 (1913).
Fanniniae Harv.
Harvey, Thes. Cap. ii. t. 171 (1863).
*Bolus, Ic. Orch. Austr.-Afr. iii. t. 92 (1913).
kilimanjarica Rendle
Journ. Linn. Soc., Bot. xxx. t. 32 (1895).
Lindleyana Reichb. f.
*Bolus, Ic. Orch. Austr.-Afr. i. t. 44 (1893).
Macowanii Bolus
Journ. Linn. Soc., Bot. xxii. t. 1, fig. 13–17 (1885).—*Fl.*
*Bolus, Ic. Orch. Austr.-Afr. iii. t. 94 (1913).

DISPERIS
micrantha Lindl.
*Bolus, Ic. Orch. Austr.-Afr. iii. t. 96 (1913).
namaquensis Bolus
Journ. Linn. Soc., Bot. xxii. t. 1, fig. 23–27 (1885). —*Fl.*
neilgherrensis Wight
Wight, Ic. Pl. Ind. Or. v. t. 1719 (1851).
Fyson, Fl. Nilgiri & Pulney Hill-tops, iii. 528 (1920).
oxyglossa Bolus
Journ. Linn. Soc., Bot. xxii. t. 1, fig. 6–12 (1885). —*Fl.*
*Bolus, Ic. Orch. Austr.-Afr. iii. t. 91 (1913).
paludosa Harv.
Harvey, Thes. Cap. ii. t. 148 (1863).
*Trans. S. Afr. Phil. Soc. v. 1. t. 19 (1888).
*Bolus, Ic. Orch. Austr.-Afr. iii. t. 90 (1913).
Perrieri Schlechter
Ann. Mus. Col. Marseille, Ser. III. i. 192, t. 5 (1913).
purpurata Reichb. f.
*Bolus, Ic. Orch. Austr.-Afr. i. t. 91 (1896).
secunda Sw.
*Journ. Sc. & Arts, v. t. 1 (1818).
*Trans. S. Afr. Phil. Soc. v. 1. t. 11 (1888).
stenoplectron Reichb f.
*Bolus, Ic. Orch. Austr.-Afr. i. t. 90 (1896).
togoënsis Schlechter
Engl. Jahrb. xxxviii. 3 (1905).
Engler & Drude, Veget. Erde, ix. II. 425 (1908).
tripetaloidea Lindl.
Wight, Ic. Pl. Ind. Or. iii. t. 930 (1843–45).
Tysonii Bolus
Journ. Linn. Soc., Bot. xxii. t. 1, fig. 28–33 (1885). —*Fl.*
villosa Sw.
*Journ. Sc. & Arts, vi. t. 1, fig. 5 (1819).
*Beer, Beitr. Morph. u. Biol. Orch. t. 3, fig. 54 (1863).—*Fr.*
Ann. Bot. v. t. 22, fig. 130–32 (1891).—*Fl.*
*Bolus, Ic. Orch. Austr.-Afr. iii. t. 97 (1913).
Wealii Reichb. f.
Journ. Linn. Soc., Bot. xxii. t. 1, fig. 1–5 (1885).—*Fl.*
*Bolus, Ic. Orch. Austr.-Afr. iii. t. 93 (1913).
Woodii Bolus
Journ. Linn. Soc., Bot. xxii. t. 1, fig. 18–22 (1885). —*Fl.*
*Bolus, Ic. Orch. Austr.-Afr. i. t. 92 (1896).
zeylanica = *ceylanica*

DISPERMOTHECA Beauverd
alpestris Beauverd
Beauverd in Bull. Soc. Bot. Genève, Ser. II. iii. 322 (1911).
granatensis Beauverd
Beauverd in Bull. Soc. Bot. Genève, Ser. II. iii. 322 (1911).—*Fl.*
hispanica Beauverd
Beauverd in Bull. Soc. Bot. Genève, Ser. II. iii. 322 (1911).—*Fl.*
viscosa Beauverd
Beauverd in Bull. Soc. Bot. Genève, Ser. II. iii. 315, 322 (1911).—*Fl.*

DISPHENIA Presl: *Alsophila*
aculeata Presl
Presl, Tent. Pteridogr. t. 1 (1836).

DISPOROPSIS Hance
leptophylla Hayata
Hayata, Ic. Pl. Formosan. v. 233 (1915).

DISPORUM Salisb.
ceylanicum Wight
Wight, Ic. Pl. Ind. Or. vi. t. 2049 (1853).
Hookeri Nichols.
M. Armstrong, Field Book West. Wild Fl. 55 (1915).
lanuginosum Nichols.
Britton & Brown, Ill. Fl. N. States & Canada, i. 431 (1896); Ed. 2, i. 517 (1913).
Leschenaultianum D. Don
Wight, Ic. Pl. Ind. Or. vi. t. 2048 (1853).
*Bot. Mag. cxiii. t. 6935 (1887).
Fyson, Fl. Nilgiri & Pulney Hill-tops, ii. 264 (1915).
maculatum Britton
*Wild Fl. Canada, t. 276 (1894).

DISPORUM
mysorense Wight
Wight, Ic. Pl. Ind. Or. vi. t. 2049 (1853).
pullum Salisb.
Somoku Dzusetsu, Ed. 2, vi. t. 9 (1874).
Somoku Dzusetsu, Ed. Makino (Iconogr. Pl. Nippon), vi. t. 9 (1910).
Koorders, Exkursionsfl. Java, i. 296 (1911).
Bose, Man. Ind. Bot. 278 (1920).
—— **brunneum** C. H. Wright
*Bot. Mag. cxlv. t. 8807 (1919).
sessile D. Don
*Somoku Dzusetsu, Ed. 2, vi. t. 8 (1874).
Somoku Dzusetsu, Ed. Makino (Iconogr. Pl. Nippon), vi. t. 8 (1910).
smilacinum A. Gray
Somoku Dzusetsu, Ed. 2, vi. t. 10 (1874).
*Miyoshi & Makino, Pocket-Atlas, Alp. Pl. Jap. ii. t. 56, fig. 321 (1907).
Somoku Dzusetsu, Ed. Makino (Iconogr. Pl. Nippon), vi. t. 10 (1910).
Beih. Bot. Centralbl. xxxvii. II. t. 2 (1919).
trachycarpa Benth. & Hook.
Britton & Brown, Ill. Fl. N. States & Canada, i. 432 (1896); Ed. 2, i. 518 (1913).
M. Armstrong, Field Book West Wild Fl. 55 (1915).
McCalla, Wild Fl. West. Canada, 13 (1920).
zeylanicum = *ceylanicum*

DISSANTHELIUM Trin.
californicum Benth.
Hook. Ic. Pl. xiv. t. 1375 (1881).
U.S. Dep. Agric. Div. Agrost. Bull. No. 7, p. 257 (1897); No. 20, p. 132 (1900).
U.S. Dep. Agric. Bull. No. 772, p. 54 (1920).
supinum Trin.
Hook. Ic. Pl. xiv. t. 1374 (1881).

DISSILIARIA F. Muell.
baloghioides F. Muell.
F. M. Bailey, Compr. Cat. Queensl. Pl. 481 (1909–13).
Muelleri Baill.
Baillon in Adansonia, vii. t. 1 (1867).

DISSOCHAETA Bl.
bibracteata Baill.
Baillon, Hist. Pl. vii. 15 (1880).—*Fl.*
bracteata Korth.
*Korthals, Kruidk. (Verh. Nat. Geschied. Neder.), t. 55 (1839–42).
celebica Bl.
Trans. Linn. Soc. London, xxviii. t. 7, fig. 89 e (1871).—*Fl.*
cyanocarpa Bl.
*Korthals, Kruidk. (Verh. Nat. Geschied. Neder.), t. 56 (1839–42).
Ann. Sc. Nat. Paris, Ser. III. xv. t. 4 (1851).—*Fl.*
decipiens Bl.
Ann. Sc. Nat. Paris, Ser. III. xv. t. 4 (1851).—*Fl.*
fallax Bl.
Baillon, Hist. Pl. vii. 15 (1880).—*Fl.*
gracilis Bl.
Trans. Linn. Soc. London, xxviii. t. 7, fig. 89 c (1871).—*Fl.*
inappendiculata Bl.
Trans. Linn. Soc. London, xxviii. t. 7, fig. 89 d (1871).—*Fl.*
intermedia Bl.
Blume, Mus. Bot. Lugd.-Bat. i. fig. 5 (1849).—*Fl.*
Trans. Linn. Soc. London, xxviii. t. 7, fig. 89 f (1871).—*Fl.*
pallida Bl.
Ann. Sc. Nat. Paris, Ser. III. xv. t. 4 (1851).—*Fl.*
Trans. Linn. Soc. London, xxviii. t. 7, fig. 89 b (1871).—*Fl.*
punctulata Hook. f.
Trans. Linn. Soc. London, xxviii. t. 7, fig. 89 a (1871).—*Fl.*
Vidal, Sin. Fam. & Gen. Pl. Leñ. Filip. (Introd. Fl. For. Filip.), Atlas, t. 51, fig. B (1883).—*Fl.*
Pflanzenfam. iii. VII. 178 (1893).—*Fl.*
spoliata Naud.
Ann. Sc. Nat. Paris, Ser. III. xv. t. 4 (1851).—*Fl.*

DISSOLAENA Lour.: *Rauwolfia*
verticillata Lour.
Baillon in Adansonia, iv. t. 12 (1863–64).

DISSOPETALUM Miers: *Cissampelos*
mauritianum Miers
Miers, Contrib. Bot. iii. t. 117 (1864–71).

DISSORRHYNCHIUM Schauer: *Habenaria*
muricatum Schauer
Nov. Act. Acad. Nat. Cur. xix. Suppl. i. t. 13 (1843).

DISSOTHRIX A. Gray
Gardneri A. Gray
Hooker's Journ. Bot. & Kew Misc. iii. t. 5 (1851).
Mart. Fl. Bras. vi. II. t. 73 (1876).
Pflanzenfam. iv. v. 136 (1890).—*Fr.*

DISSOTIS Benth.—Vide *Argyrella, Melastomastrum, Osbeckiastrum*
antennina Triana
Trans. Linn. Soc. London, xxviii. t. 4, fig. 44 e (1871).—*Fl.*
Autraniana Cogn.
De Wildeman & Durand, Ill. Fl. Congo (Ann. Mus. Congo), i. t. 45 (1899).
bangweolensis R. E. Fries
R. E. Fries, Schwed. Rhod.-Kong.-Exped. 1911–12, Bot. i. 1. t. 4 (1914).—*Hab.*
Brazzaei Cogn.
De Wildeman & Durand, Ill. Fl. Congo (Ann. Mus. Congo), i. t. 15 (1898).
capitata Hook. f.
Thonner, Blütenpfl. Afr. t. 116 (1908).
cordata Gilg
Engler, Monogr. Afr. Pfl.-Fam. ii. Melast. t. 3 (1898).—*Veg.*
debilis Triana
Trans. Linn. Soc. London, xxviii. t. 4, fig. 44 a, 44 b (1871).—*Fl.*
Engler, Monogr. Afr. Pfl.-Fam. ii. Melast. t. 2 (1898).
Erici-Rosenii R. E. Fries
R. E. Fries, Schwed. Rhod.-Kong.-Exped. 1911–12, Bot. i. 1. t. 13 (1914).—*Fl.*
falcipila Gilg
Engler, Monogr. Afr. Pfl.-Fam. ii. Melast. t. 3 (1898).—*Veg.*
grandiflora Benth.
Pobéguin, Fl. Guin. Franç. t. 54 (1906).
Hensii Cogn.
De Wildeman & Durand, Ill. Fl. Congo (Ann. Mus. Congo), i. t. 10 (1898).
incana Triana
Trans. Linn. Soc. London, xxviii. t. 4, fig. 44 d (1871).—*Fl.*
Gard. Chron. Ser. III. ix. 203 (1891).
Pflanzenfam. iii. VII. 154 (1893).—*Fl.*
Irvingiana Hook. f.
*Bot. Mag. lxxxv. t. 5149 (1859).
Trans. Linn. Soc. London, xxviii. t. 4, fig. 44 c (1871).—*Fl.*
Johnstoniana E. G. Baker
Trans. Linn. Soc. London, Ser. II. Bot. iv. t. 2 (1894).
macrocarpa Gilg
De Wildeman, Études Fl. Bangala & Ubangi, 113 (1911).
Bull. Soc. Bot. Belg. li. III. t. 66 (1913).
Mahonii Hook. f.
*Bot. Mag. cxxix. t. 7895 (1903).
minor Gilg
Engler, Monogr. Afr. Pfl.-Fam. ii. Melast. t. 2 (1898).
multiflora Triana
Engler, Monogr. Afr. Pfl.-Fam. ii. Melast. t. 2 (1898).—*Fl.*
pachytricha Gilg
R. E. Fries, Schwed. Rhod.-Kong.-Exped. 1911–12, Bot. i. 1. t. 13 (1914).
Perkinsiae Gilg
Engler, Monogr. Afr. Pfl.-Fam. ii. Melast. t. 3 (1898).
petiolata Hook. f.
Trans. Linn. Soc. London, xxix. t. 40 (1873).
polyantha Gilg
Engler, Monogr. Afr. Pfl.-Fam. ii. Melast. t. 2 (1898).
prostrata Triana
Trans. Linn. Soc. London, xxix. t. 39 (1873).
Pflanzenfam. iii. VII. 154 (1893).—*Fl.*

DISSOTIS
pulcherrima Gilg
Engler, Monogr. Afr. Pfl.-Fam. ii. Melast. t. 3 (1898).
scabra Gilg
Engler, Monogr. Afr. Pfl.-Fam. ii. Melast. t. 3 (1898).
speciosa Taub.
Engler, Monogr. Afr. Pfl.-Fam. ii. Melast. t. 3 (1898).
theifolia Hook. f.
Engler, Monogr. Afr. Pfl.-Fam. ii. Melast. t. 2 (1898).
Trothae Gilg
Engler, Monogr. Afr. Pfl.-Fam. ii. Melast. t. 2 (1898).

DISTEGANTHUS C. Lem.
basilateralis C. Lem.
*Fl. des Serres, Ser. I. iii. t. 227 (1847).

DISTEGIA Klatt: *Didelta*
acida Klatt
Bull. Herb. Boiss. iv. t. 4 (1896).

DISTEGOCARPUS Sieb. & Zucc.: *Carpinus*
Carpinus Sieb. & Zucc.
Siebold & Zucc. Fl. Jap. Fam. Nat. (Abh. Akad. Wiss. München, iv. III), t. 3 C (1846); errore *D. carpinoides* in expl. ic.

DISTEMMA C. Lem.: *Passiflora*
carinatum C. Lem.
Hort. Vanhoutt. ii. t. 5, fig. C (1846).

DISTEMON Bouché: *Canna*
grandis Horan.
Horaninow, Monogr. Scitam. t. 3 (1862).—*Fl.*

DISTEMON Wedd.
indicus Wedd.
Arch. Mus. Hist. Nat. Paris, ix. t. 20 A (1856–57).

DISTEMONANTHUS Benth.
Benthamianus Baill.
Engler & Drude, Veget. Erde, ix. I. 2, p. 688 (1910); ix. III. 1, p. 492 (1915).
Notizbl. Bot. Gart. Berlin, App. xxi. 60 (1911).
Chevalier, Vég. Util. Afr. fasc. 9, t. 13 (1917).
Bertin, Mission Forest. Col. iii. t. 13, 19 (1919); iv. t. 4 (1920).—*Hab.*

DISTERIGMA Niedenzu
empetrifolium Niedenzu
Pflanzenfam. iv. I. 50 (1889).
Humboldtii Niedenzu
Engler & Drude, Veget. Erde, xii. 230 (1911).

DISTICHIA Nees & Meyen—Vide *Goudotia*
clandestina Buchenau
Abh. Nat. Ver. Bremen, vi. t. 3 (1879).—*Fl.*
filamentosa Buchenau
Abh. Nat. Ver. Bremen, vi. t. 3 (1879).—*Fr.*
muscoides Nees & Meyen
Abh. Nat. Ver. Bremen, vi. t. 3 (1879).—*Fr.*
Pflanzenreich, Juncac. 33 (1906).
Engler & Drude, Veget. Erde, xii. 215, t. 16 (1911).
tolimensis Buchenau
Pflanzenfam. ii. v. 6 (1888).
Engl. Jahrb. xii. 62 (1890).
Pflanzenreich, Juncac. 34 (1906).

DISTICHLIS Rafin.—Vide *Brizopyrum*, J. Presl, *Festuca* (11)
maritima Rafin.
Rep. Commissioner Agric. Washington, 1881–82, p. 256, t. 19 (1882).
Vasey, Agric. Grasses U.S.A. (U.S. Dep. Agric.), t. 95 (1884); et Agric. Grasses & Forage Pl. U.S.A. (U.S. Dep. Agric. Bot. Div. Spec. Bull.), t. 3, 71 (1889).
U.S. Dep. Agric. Div. Bot. Bull. No. 1, t. 6 (1886); No. 6, t. 24 (1888).
Bessey, Grass. & Forage Pl. Nebraska (Ann. Rep. Nebraska Agric. Soc.), t. 13 (1888).
U.S. Dep. Agric. Div. Agrost. Bull. No. 3, p. 42 (1896).
Agric. Gaz. N. S. Wales, viii. 520 (1897).
Maiden, Grasses N. S. Wales, 169 (1898).
scoparia Arech.
Arechavaleta, Gram. Urug. (An. Mus. Nac. Montevideo, v), 458 (1897).

DISTICHLIS
spicata Greene
Yearb. Dep. Agric. Washington, 1895, p. 330 (1896).
Britton & Brown, Ill. Fl. N. States & Canada, i. 198 (1896); Ed. 2, i. 250 (1913).
U.S. Dep. Agric. Div. Agrost. Bull. No. 7, p. 285, (1897); No. 12, p. 58; No. 14, p. 33 (1898); No. 20, p. 143 (1900).
Davy in Rep. Agric. St. California, t. 2 (1898).
Publ. Field Columbian Mus., Bot. Ser. iii. I. 64 (1903).—*Fl.*
Nelson in Bull. Wyoming Agric. St. No. 76, p. 39 (1908).
Stone, Pl. Southern New Jersey (Ann. Rep. New Jersey State Mus. 1910), t. 8 (1911).
Rhodora, xiv. t. 99 (1912).
Hitchcock, Text-Book Grasses, 226 (1914).
Journ. Agric. Research, i. t. 47 (1914).—*Hab.*
Wilcox, Link & Pool in Bull. Agric. St. Nebraska, xxvii. No. 148, p. 50 (1915).
Weaver in Carnegie Inst. Washington, Publ. No. 286, t. 1 (1919).—*Veg.*
U.S. Dep. Agric. Bull. No. 772, p. 59 (1920).
stricta Rydb.
F. E. & E. S. Clements, Rocky Mt. Fl. t. 45 (1914).
texana Scribn.
U.S. Dep. Agric. Div. Agrost. Bull. No. 17, p. 236 (1899).
thalassica E. Desv.
Hauman-Merck in An. Mus. Nac. Hist. Nat. Buenos Aires, xxiv. 340 (1913).

DISTICHOSTEMON F. Muell.
phyllopterus F. Muell.
Banks & Soland. Bot. Cook's Voy. i. t. 44 (1900).
F. M. Bailey, Compr. Cat. Queensl. Pl. 121 (1909–13).

DISTICTELLA O. Kuntze—Vide *Bignonia* (14).

DISTICTIS Mart. ex Meissn.—Vide *Bignonia* (15)
Mansoana Bur.
Pflanzenfam. iv. III. B. 210 (1894).—*Fl.*
Mart. Fl. Bras. viii. 2. t. 87 (1896).

DISTOECHA Phil.: *Hypochoeris*
taraxacoides Phil.
Philippi, Verz. Hocheb. Prov. Antofagasta & Tarapaca Pfl. (An. Mus. Nac. Chile, Bot. t. 2, fig. 2) (1891).

DISTREPTUS Cass.: *Elephantopus*
spicatus Cass.
Linnaea, iv. t. 2, fig. 19, 33, 34 (1829).—*Fl.*
Publ. Field Columbian Mus., Bot. Ser. iii. II. 88 (1904).—*Fl.*

DISTYLIS Gaudich.: *Calogyne*
Berardiana Gaudich.
Freycinet, Voyage, t. 80 (1826).

DISTYLIUM Sieb. & Zucc.
chinense Hemsl.
Hook. Ic. Pl. xxix. t. 2835 (1907).
Wilson, Veg. West. China (Publ. Arn. Arb. No. 2), p. 206, 207 (1911).—*Hab.*
racemosum Sieb. & Zucc.
Siebold & Zucc. Fl. Jap. t. 94 (1835).
Dai-Nihon Ju-moku Shi-ri-yaku (Jap. Trees Fig. & Expl.), t. 63 (1878).
Lauche, Deutsche Dendrol. Ed. 2, p. 549 (1883).
Pflanzenfam. iii. II. A. 118 (1891).
*Useful Pl. Jap. ii. t. 544 (1895).
De Wildeman, Ic. Sel. Hort. Then. iii. t. 113 (1902).
Schneider, Ill. Handb. Laubh. i. 427, 429 (1905).
Gard. Chron. Ser. III. xl. 303 (1906).
*Shirasawa, Ic. Ess. Forest Jap. ii. t. 25 (1908).
Silva Tarouca, Freiland-Laubgehölze, 209 (1913). — *Hab.*
Nihon-zyûyô-mokuchiku-zuhyô (Tabl. Japan. Trees & Bamb. Forest Bur.), 41 (1916).

DITASSA R. Br.—Vide *Husnotia*
acerosa Mart. & Zucc.
Mart. Fl. Bras. vi. IV. t. 66 (1885).
adnata Fourn.
Mart. Fl. Bras. vi. IV. t. 72 (1885).
Öfv. Vet.-Akad. Forh. Stockholm, lvii. 705 (1900).—*Veg.*

DITASSA
anomala Mart.
Mart. Fl. Bras. vi. IV. t. 70 (1885).
caucana Pittier
Contrib. U.S. Nat. Herb. xiii. 99 (1910).—*Fl.*
decussata Mart.
*Martius, Nov. Gen. & Sp. Pl. Bras. i. t. 31 (1824).
fasciculata Fourn.
Mart. Fl. Bras. vi. IV. t. 71 (1885).
fulva Fourn.
Mart. Fl. Bras. vi. IV. t. 69 (1885).
Guilleminiana Decne.
Mart. Fl. Bras. vi. IV. t. 69 (1885).
heterostemma A. Silv.
Silveira, Fl. Serras Mineiras, t. 8 (1908).
lenheirensis A. Silv.
Silveira, Fl. Serras Mineiras, t. 6 (1908).—*Veg.*
manicata Decne.
Delessert, Ic. Pl. v. t. 72 (1846).
Pflanzenfam. iv. II. 241 (1895).—*Fl.*
melantha A. Silv.
Silveira, Fl. Serras Mineiras, t. 5 (1908).
mucronata Mart.
*Martius, Nov. Gen. & Sp. Pl. Bras. i. t. 31 (1824).
nitida Fourn.
Mart. Fl. Bras. vi. IV. t. 67 (1885).
oxypetala Decne.
Mart. Fl. Bras. vi. IV. t. 71 (1885).
Arechavaleta, Fl. Urug. iv. (An. Mus. Nac. Montevideo, vii), t. 32 (1910).
polygaloides A. Silv.
Silveira, Fl. Serras Mineiras, t. 7 (1908).
retusa Mart. & Zucc.
Mart. Fl. Bras. vi. IV. t. 67 (1885).
rosea A. Silv.
Silveira, Fl. Serras Mineiras, t. 5 (1908).
rufescens Decne.
Mart. Fl. Bras. vi. IV. t. 68 (1885).
Svenska Vet. Akad. Handl. xxxiv. No. 7, t. 8 (1900).—*Fl.*
rufinervia A. Silv.
Silveira, Fl. Serras Mineiras, t. 7 (1908).
trivialis Poepp. & Endl.
Poeppig & Endl. Nov. Gen. & Sp. Pl. iii. t. 277 (1845).
virgata Fourn.
Mart. Fl. Bras. vi. IV. t. 66 (1885).
Svenska Vet. Akad. Handl. xxxiv. No. 7, p. 15 (1900).—*Fr.*

DITAXIS Vahl—Vide *Argyrothamnia*
acaulis Herter
Pflanzenreich, Euphorb.-Acal.-Chroz. 76 (1912).
adenophora Pax & K. Hoffm.
Pflanzenreich, Euphorb.-Acal.-Chroz. 63 (1912). —*Fl.*
dioica H. B. K.
H. B. K. Nov. Gen. vii. t. 639 (1825).
fasciculata Vahl ex A. Juss.
A. Jussieu, Euphorb. t. 7 (1824).—*Fl.*
Bot. Tidsskr. xxii. 79 (1898).—*Veg.*
Rev. Gén. Bot. xii. 443 (1900).—*Veg.*
humilis Pax
Pflanzenfam. iii. v. 44 (1890).—*Fl.*
Britton & Brown, Ill. Fl. N. States & Canada, ii. 365 (1897); Ed. 2, ii. 457 (1913).
Cannon in Carnegie Inst. Washington, Publ. No. 131, t. 3 (1911).—*Veg.*
Pflanzenreich, Euphorb.-Acal.-Chroz. 4, 73 (1912).
Katharinae Pax
Pflanzenreich, Euphorb.-Acal.-Chroz. 57 (1912).
lancifolia Schlechtd.
Baillon, Euphorb. t. 15, fig. 24–29 (1858).—*Fl.*
Le Maout & Decaisne, Traité Gén. Bot. 494 (1868).—*Fl.*
mercurialina Coult.
Britton & Brown, Ill. Fl. N. States & Canada, ii. 364 (1897); Ed. 2, ii. 456 (1913).
Pflanzenreich, Euphorb.-Acal.-Chroz. 67 (1912).
Pringlei Pax & K. Hoffm.
Pflanzenreich, Euphorb.-Acal.-Chroz. 67 (1912). —*Hab.*
sericophylla Heller
Pflanzenreich, Euphorb.-Acal.-Chroz. 63 (1912). —*Hab.*

DITAXIS
serrata Heller
Pflanzenreich, Euphorb.-Acal.-Chroz. 73 (1912). —*Hab.*
Simoniana Casar.
Pflanzenreich, Euphorb.-Acal.-Chroz. 4 (1912). —*Fl.*
Pflanzenfam. iii. v. 44 (1890).—*Fl.*

DITHYREA Harv.
californica Harv.
Hooker, London Journ. Bot. iv. t. 5 (1845).
Wislizenii Engelm.
Marcy, Expl. Red River, t. 2 (1853).
F. E. & E. S. Clements, Rocky Mt. Fl. t. 6 (1914). —*Fr.*
M. Armstrong, Field Book West. Wild Fl. 179 (1915).

DITHYROCARPUS Kunth: *Floscopa*
glabratus Kunth
Mart. Fl. Bras. iii. 1. t. 35 (1855).
glandulosus Seub.
Mart. Fl. Bras. iii. 1. t. 35 (1855).—*Fl.*
paniculatus Kunth
C. B. Clarke, Comm. & Cyrt. Beng. t. 34 (1874).
petiolatus Wight
Wight, Ic. Pl. Ind. Or. vi. t. 2079 (1853).
Rothii Wight
Wight, Ic. Pl. Ind. Or. vi. t. 2080 (1853).
undulatus Wight
Wight, Ic. Pl. Ind. Or. vi. t. 2080 (1853).

DITOCA Banks & Soland.: *Scleranthus*
muscosa Gaertn.
Gaertner, Fruct. ii. t. 126 (1791).—*Fr.*

DITTOCERAS Hook. f.
Andersonii Hook. f.
Hook. Ic. Pl. xv. t. 1422 (1883).

DIURANTHERA Hemsl.
maior Hemsl.
Hook. Ic. Pl. xxviii. t. 2734 (1902).
Pflanzenfam. Nachtr. 3 z. ii. 45 (1906).

DIURIS Sm.
abbreviata F. Muell.
*R. D. Fitzgerald, Austral. Orch. ii [t. 25] (1875–95).
aequalis F. Muell.
*R. D. Fitzgerald, Austral. Orch. i [t. 33] (1875–95).
alba R. Br.
*Bot. Mag. ci. t. 6201 (1875).
*Costantin, Atlas Orch. Cult. t. 27 (1913).—*Fl.*
aurea Sm.
Swartz in Svenska Vet. Akad. Handl. xxi. t. 3, fig. M (1800); fide J. E. Smith—*Fl.*
*J. E. Smith, Exot. Bot. i. t. 9 [1804–5].
*Trattinick, Ausw. Gartenpfl. ii. t. 131 (1821).
bracteata R. D. Fitzg.
*R. D. Fitzgerald, Austral. Orch. ii [t. 26] (1875–95).
corymbosa Lindl.
*Hooker f., Fl. Tasman. ii. t. 105 (1860).
cuneata R. D. Fitzg.
*R. D. Fitzgerald, Austral. Orch. ii [t. 26] (1875–95).
dendrobioides R. D. Fitzg.
*R. D. Fitzgerald, Austral. Orch. i [t. 35] (1875–95).
elongata Sw.
*Charsley, Wild Fl. Melbourne, t. 7 (1867).
*R. D. Fitzgerald, Austral. Orch. i [t. 34] (1875–95).
Pflanzenfam. ii. VI. 64, 101 (1889).—*Fl.*
Kerchove, Livre Orch. 129 (1894).—*Fl.*
filifolia Lindl.
*Lindley, Sketch Veg. Swan River Col. (App. Bot. Reg. i–xxiii), t. 8 (1839).
laevis R. D. Fitzg.
*R. D. Fitzgerald, Austral. Orch. ii [t. 27] (1875–95).
lilacina F. Muell.
Garden, xvi. 247 (1879).
Orchidophile, 1882, p. 174.

DIURIS
maculata Sm.
*J. E. Smith, Exot. Bot. i. t. 30 [1804–5].
*Trattinick, Ausw. Gartenpfl. ii. t. 132 (1821).
*Bot. Mag. lix. t. 3156 (1832).
*Hooker f., Fl. Tasman. ii. t. 104 (1860).
*R. D. Fitzgerald, Austral. Orch. i [t. 33] (1875–95).
*Costantin, Atlas Orch. Cult. t. 28 (1913).—*Fl.*
A. E. Sulman, Austral. Wild Fl. Ser. II. t. 42 [1913].
F. Sulman, Wild Fl. N. S. Wales, ii. t. 61 (1914).
novae-zelandiae A. Rich.
A. Richard, Voy. Astrolabe, Bot. Atlas, Essai Fl. Nouv.-Zel. t. 25 (1833).
oculata F. Muell.
*Charsley, Wild Fl. Melbourne, t. 7 (1867).
palachila R. S. Rogers
R. S. Rogers, S. Austral. Orch. Ed. 2, p. 29 (1911).
pallens Benth.
*R. D. Fitzgerald, Austral. Orch. ii [t. 27] (1875–95).
pedunculata R. Br.
*Hooker f., Fl. Tasman. ii. t. 105 (1860).
*R. D. Fitzgerald, Austral. Orch. i [t. 35] (1875–95).
platychila R. D. Fitzg.
*R. D. Fitzgerald, Austral. Orch. ii [t. 28] (1875–95).
punctata Sm.
*J. E. Smith, Exot. Bot. i. t. 8 [1804–5].
*Trattinick, Ausw. Gartenpfl. ii. t. 133 (1821).
*Costantin, Atlas Orch. Cult. t. 27 (1913).—*Fl.*
secundiflora R. D. Fitzg.
*R. D. Fitzgerald, Austral. Orch. i [t. 34] (1875–95).
setacea R. Br.
Engler & Drude, Veget. Erde, vii. 141 (1906).
Sheaffiana R. D. Fitzg.
*R. D. Fitzgerald, Austral. Orch. ii [t. 28] (1875–95).
spathulata Sw.
Neues Journ. f. die Bot. i. 1. t. 1 (1805).—*Fl.*
*R. D. Fitzgerald, Austral. Orch. ii [t. 26] (1875–95).
sulfurea R. Br.
Hooker f., Fl. Tasman. ii. t. 104 (1860).
*Meredith, Bush Friends Tasmania, t. 3 (1860).
tricolor R. D. Fitzg.
*R. D. Fitzgerald, Austral. Orch. ii [t. 25] (1875–95).

DIZYGOTHECA N. E. Br.
elegantissima Vignier & Guill.
L. H. Bailey, Stand. Cycl. Hort. 2746 (1916).—*Veg.*
Nilssonii N. E. Br.
Hook. Ic. Pl. xxiv. t. 2323 (1894).
Pflanzenfam. iii. VIII. 9 (1894).—*Fl.*

DOBERA Juss.—Vide *Platymitium*, *Tomex* Forsk.
Allenii N. E. Br.
Hook. Ic. Pl. xxxi. t. 3017 (1915).
glabra DC.
*Ehrenberg, Symb. Phys., Bot. t. 3 (1900).
Boschi e Piante Legn. Eritrea, 299 (1909–12).
Engler & Drude, Veget. Erde, ix. 1. 1, p. 77 (1910).
Agric. Colon., Ital. v. Suppl. 76 (1911).
Macalusoi Mattei
Chiovenda, Result. Sc. Miss. Stefan.-Paoli Somal. Ital. t. 24 (1916).—*Hab.*
Stefanini, Giuseppe & Paoli, Miss. Stefan.-Paoli (Ricerche Idrog. Bot. & Entom. Somal. Ital. Merid. 1913), t. 32 (1916).—*Hab.*

DOBINEA Buch.-Ham.—Vide *Podoon*
vulgaris Buch.-Ham.
Pflanzenfam. iii. v. 178 (1892).

DOBROWSKIA A. DC.: *Monopsis*
scabra A. DC.
Delessert, Ic. Pl. v. t. 9 (1846).

DOCYNIA Decne.
Delavayi C. K. Schneider
Wilson, Veg. West. China (Publ. Arn. Arb. No. 2), p. 208 (1911).—*Hab.*

DOCYNIA
Delavayi
Silva Tarouca, Freiland-Laubgehölze, 210 (1913). —*Hab.*
Hookeriana Decne.
Nouv. Arch. Mus. Hist. Nat. Paris, x. t. 15 (1874).
indica Decne.
Nouv. Arch. Mus. Hist. Nat. Paris, x. t. 14 (1874).
Brandis, Indian Trees, 289 (1906).

DODARTIA Linn.
orientalis Linn.
*Kniphof, Herb. Viv. i. t. 375 (1758).
Gaertner, Fruct. i. t. 53 (1788).—*Fr.*
Lamarck, Ill. iii. t. 530 (1797).
*Bot. Mag. xlviii. t. 2199 (1820).
*Sweet, Brit. Fl. Gard. ii. t. 147 (1826).
Jaubert & Spach, Illustr. Pl. Or. v. t. 410 (1853–57).
Fedtschenko & Fler. Fl. Eur. Russia, 857 (1910).

DODECAS Linn. f.: *Crenea*
maritimus Griseb.
Mart. Fl. Bras. xiii. II. t. 40 (1877).
surinamensis Linn. f.
Mart. Fl. Bras. xiii. II. t. 40 (1877).—*Fl.*

DODECATHEON Linn.
Clevelandii Greene
Pflanzenreich, Primulac. 236 (1905).—*Fr.*
M. Armstrong, Field Book West. Wild Fl. 365 (1915).
conjugens Greene
S. Brown, Alp. Fl. Rocky Mts. 230, t. 64 (1907).
cruciatum Greene
Pflanzenreich, Primulac. 236 (1905).
frigidum Cham. & Schlechtd.
Seeman, Bot. Voy. Herald, Pt. 1, t. 9 (1852).
Arbejd. Bot. Have Kjöbenhavn, No. 80, p. 209 (1915).—*Fl.*
Hendersonii cruciatum Greene
*Parsons, Wild Fl. California, 205 (1897).—*Hab.*
integrifolium Michx.
*Bot. Mag. lxiv. t. 3622 (1837).
*Hort. Belge Journ. Jard. & Amat. v. t. 97 (1838).
Journ. Hort. Soc. London, v. 197 (1850).
*Ann. Soc. Hort. Paris, xliv. 426 (1853).
*Journ. Hort. Prat. Belg. xii. 97 (1854).
*Gartenfl. v. t. 175 (1856).
Cottage Gard. xvi. 154 (1856).
*Garden, x. 360 (1876).
Pringsh. Jahrb. Bot. xxii. t. 15, fig. 29–32 (1891). —*Fl.*
Knuth, Handb. Blütenbiol. iii. II. 17 (1905).—*Fl.*
Jeffreyi Van Houtte
*Fl. des Serres, Ser. II. vi. t. 1662 (1865–67).
Garden, xxiv. 439 (1883).—*Hab.*
W. Robinson, Engl. Fl. Gard. t. 100 (1883).—*Hab.*
Pringsh. Jahrb. Bot. xxii. t. 15, fig. 33–35 (1891). —*Fl.*
Knuth, Handb. Blütenbiol. iii. II. 17 (1905).—*Fl.*
H. M. & C. C. Hall, Yosemite Fl. 183 (1912). —*Fl.*
Univ. California Publ. Bot. iv. 204 (1912).—*Fl.*
M. Armstrong, Field Book West. Wild Fl. 365 (1915).
—— **redolens** Hall
H. M. & C. C. Hall, Yosemite Fl. 183 (1912). —*Fl.*
Univ. California Publ. Bot. iv. 204 (1912).—*Fl.*
Meadia Linn.
*Kniphof, Herb. Viv. i. t. 376 (1758).
*Joh. Kerner, Abbild. Oek. Pfl. (Fig. Pl. Écon.), i. t. 75 (1786).
*Junghans, Ic. Pl. Offic. t. 28 (1787).
*Bot. Mag. i. t. 12 (1787).
Gaertner, Fruct. i. t. 50 (1788).—*Fr.*
Martyn, Pl. Expl. Linn. Syst. Veg. t. 12 (1788). —*Fl.*
Lamarck, Ill. i. t. 99 (1791).
*[Clairville], Pl. & Arb. D'Agrément, [t. 17] (1791).
*Allg. Teutsch. Gart. Mag. ii. t. 4 (1805).
*McDonald, Dict. Pract. Gard. i. t. 22 (1807).
*Schkuhr. Bot. Handb. Ed. 2, t. 34 (1808).
*Jaume St.-Hilaire, Pl. France, ii [t. 77] (1808).

DODECATHEON
Meadia
*S. Edwards, New Bot. Gard. i. t. 22 (1812).
Mirbel, Élém. Phys. Vég. Bot. iii. t. 7, fig. 9 (1815).
Dict. Sc. Nat., Planch. Bot. Dicot. (1816–29).—*Hab.*
*Vietz, Ic. Pl. Med.-oec.-techn. vi. t. 480 (1817).
*Joh. Kerner, Gen. Pl. Ill. ii. t. 30 (1818).
*Lodd. Bot. Cab. xv. t. 1489 (1828).
*Mag. Bot. & Gard. iii. t. 8, 15 (1835).
*Orbigny, Dict. Hist. Nat. Atlas, iii. t. 315 [1839–49].
*J. W. Loudon, Ladies' Fl.-Gard. Ornam. Perenn. ii. t. 92 (1844).
Ann. Hort. iii. 235 (1847).
*Cassone, Fl. Med.-Farm. v. t. 440 (1850).
*Schnizlein, Iconogr. ii. t. 156 (1855).—*Fl.*
Decaisne & Naud. Amat. Jard. ii. 790 [1862–66].
Decaisne, Naud. & Hemsl. Trees, Shrubs & Herb. Pl. 376 (1873).
*Hulme & Hibberd, Familiar Gard. Fl. iv. 129 [1879–87].
*Garden, xxiv. 438 (1883); lxxvii. 419 (1913).—*Hab.*
Nicholson, Illustr. Dict. Gard. i. 485 [1884–88].—*Hab.*
*Thayer, Wild Fl. Pacific Coast, 32 [1887].
Rattan, Pop. California Fl. Ed. rev. 8, p. 7 (1888).—*Fl.*
Ill. Gart.-Zeit. xiii. 206 (1888).
Pflanzenfam. iv. 1. 101 (1890).—*Fl.*
Baillon, Hist. Pl. xi. 319 (1892).—*Fl.*
*Wild Fl. Canada, t. 136 (1894).
Britton & Brown, Ill. Fl. N. States & Canada, ii. 594 (1897); Ed. 2, ii. 717 (1913).
Semaine Hort. 1898, p. 277.—*Fl.*
Journ. Hort. Ser. III. xlviii. 79 (1904).
Pflanzenreich, Primulac. 8, 236 (1905).
Pammel in Proc. Davenport Acad. Sc. x. 112, 113 (1905).
Pammel, Neglected Wild Flowers (Rep. Iowa State Hort. Soc. xl), 209 (1906).
Silva Tarouca, Freiland-Stauden, 89 (1910).—*Hab.*
Wettstein, Handb. Syst. Bot. Ed. 2, p. 707 (1911).—*Fl.*
L. H. Bailey, Stand. Cycl. Hort. 1063 (1914).—*Hab.*
*F. E. & E. S. Clements, Rocky Mt. Fl. t. 16 (1914).
—— **elegans** Sweet
*Sweet, Brit. Fl. Gard. iv. t. 60 (1830).
*Sweet, Ornamental Fl. Gard. iii. t. 163 (1854).
—— **frigidum** Hook.
*Bot. Mag. xcvi. t. 5871 (1870).
—— **Hendersonii** Hort.
Farrer, English Rock-Gard. i. 304 (1919).—*Hab.*
—— **laciniata** Hort.
*Ann. Gand, ii. t. 71 (1846).
—— **splendens** Hort.
*Neubert's Deutsch. Gart. Mag. l. 257 (1897).—*Hab.*
—— **splendidum** Hort.
Journ. Hort. Ser. III. xi. 106 (1885).
pauciflorum Greene
L. H. Bailey, Cycl. Amer. Hort. 498 (1900).
*M. Armstrong, Field Book West. Wild Fl. 366 (1915).
McCalla, Wild Fl. West. Canada, 19 (1920).
—— **eupauciflorum** R. Knuth
Pflanzenreich, Primulac. 236 (1905).
puberulentum Heller
Bull. Torr. Bot. Club, xxiv. t. 309 (1897).

DODONAEA Linn.
amblyophylla Diels
Engl. Jahrb. xxxv. 346 (1904).
Engler & Drude, Veget. Erde, vii. 280 (1906).
angustifolia Linn.
Lamarck, Ill. ii. t. 304, fig. 2 (1797).
aspleniifolia Rudge
Trans. Linn. Soc. London, xi. t. 20 (1815).
attenuata A. Cunn.
*Lodd. Bot. Cab. xv. t. 1470 (1828).
*Bot. Mag. lv. t. 2860 (1828).
Schnizlein, Iconogr. iv. t. 230 (1857–65).—*Fr.*

DODONAEA
attenuata
F. Turner, Forage Pl. Austral. Dep. Agric. N. S. Wales, 19 (1891).
—— **linearis** Benth.
Engl. Jahrb. xxxv. 346 (1904).
Engler & Drude, Veget. Erde, vii. 280 (1906).
bialata H. B. K.
H. B. K. Nov. Gen. v. t. 442 (1821).
Burmanniana DC.
*Wight, Illustr. Ind. Bot. i. t. 52 (1840).
bursariifolia Behr & F. Muell.
F. Mueller, Pl. Victoria, i. t. 5 (1860–62).
F. Mueller, Key Syst. Victorian Pl. ii. fig. 27 (1885).
Ewart, Pl. Victoria, ii. t. 5 (1910).
caespitosa Diels
Engl. Jahrb. xxxv. 348 (1904).
Camfieldii Maiden & Betche
Maiden, Ill. N. S. Wales, Pl. t. 12 (1908).
cuneata Rudge
Trans. Linn. Soc. London, xi. t. 19 (1815).
eriocarpa Sm.
Rock, Indig. Trees Hawaiian Isl. t. 109 (1913).
filifolia Hook.
Engl. Jahrb. xxxv. 346 (1904).
Engler & Drude, Veget. Erde, vii. 281 (1906).
Hansenii F. Muell.
F. M. Bailey, Compr. Cat. Queensl. Pl. 115 (1909–13).
hispidula Endl.
Endlicher, Atakta Bot. t. 30 (1833).
humilis Endl.
Endlicher, Atakta Bot. t. 31 (1833).
inaequifolia Turcz.
Engl. Jahrb. xxxv. 348 (1904).
jamaicensis DC.
Britton, Fl. Bermuda, 225 (1918).
lobulata F. Muell.
*J. E. Brown, For. Fl. S. Australia, Pt. 6 (1882–90).
F. Turner, Forage Pl. Austral. Dep. Agric. N. S. Wales, 20 (1891).
madagascariensis Radlk.
Grandidier, Hist. Madag. [Plantes] Atlas, t. 246 (1893).
Agric. Prat. Pays Chauds, v. II. 60, 61 (1905).
microzyga F. Muell.
*J. E. Brown, For. Fl. S. Australia, Pt. 6 (1882–90).
Engl. Jahrb. xxxv. 348 (1904).
oblongifolia Link
*Bot. Reg. xiii. t. 1051 (1827).
physocarpa F. Muell.
F. M. Bailey & Gordon, Pl. Poison. 11 (1887).
salicina DC.
Ettingshausen, Blatt-Skel. Dikot. t. 62 (1861).—*Veg.*
Thunbergiana Eckl. & Zeyh.
Sim, For. Fl. Cape Colony, t. 26 (1907).
trifoliata Trew
*Trew, Pl. Rar. i. t. 9 (1763).
triquetra Wendl.
*Andrews, Bot. Rep. iv. t. 230 (1802).
*Trattinick, Ausg. Taf. Arch. iv. 396 (1814).
A. E. Sulman, Some Familiar Wild Fl. t. 40 [1913].
vestita glabrescens Benth.
Banks & Soland. Bot. Cook's Voy. i. t. 43 (1900).
viscosa Jacq.
Rumphius, Herb. Amboin. iv. t. 50 (1743); fide Merrill, Interpret. Rumph. Herb. Amboin.
Plumier, Pl. Amer. Ed. Burm. t. 247, fig. 2 (1760); fide Urban, Fedde Repert. Beih. v. 96.
Browne, Hist. Jamaica, Ed. 2, t. 18 (1789).
Gaertner, Fruct. ii. t. 111 (1791).—*Fr.*
Cavanilles, Ic. iv. t. 327 (1797).
Lamarck, Ill. ii. t. 304, fig. 1 (1797).
Gray & Sprague, Gen. Fl. Amer. ii. t. 182 (1849).
Schnizlein, Iconogr. iv. t. 230 (1857–65).
Ettingshausen, Blatt-Skel. Dikot. t. 62 (1861).—*Veg.*
Beddome, Fl. Sylv. t. 11 (1871).—*Fl.*
*J. E. Brown, For. Fl. S. Australia, Pt. 6 (1882–90).
Vidal, Sin. Fam. & Gen. Pl. Leñ. Filip. (Introd. Fl. For. Filip.), Atlas, t. 35, fig. A (1883).
*Sinclair, Indig. Fl. Hawaiian Isl. t. 39 (1885).
Kirk, For. Fl. New Zeal. t. 17 (1889).
*Featon, Art Album, i. t. 22 (1889).
Lubbock, Seedlings, i. 365 (1892).—*Veg.*

DODONAEA
viscosa
Cuoco, Fauna & Flora Eritrea, 48 (1897).
Talbot, For. Fl. Bombay, i. 342 (1909).
Fiori, Boschi e Piante Legn. Eritrea, 233 (1909–12).
Engler & Drude, Veget. Erde, ix. 1. 1. 120 (1910).
Agric. Colon., Ital. v. Suppl. 10 (1911).
Guilfoyle, Austral. Pl. 292 [1911].—*Hab.*
Journ. New Zeal. Dep. Agric. iv. 445 (1912).
Koorders & Val. Atlas Baumart. Java, t. 91 (1913).
Karsten & Schenck, Veg.-Bild. xi. t. 16 (1913).—*Hab.*
Fyson, Fl. Nilgiri & Pulney Hill-tops, ii. 68 (1915).
Kanehira, Formosan Trees, 152 (1917).
Basu, Ind. Med. Pl. t. 267 (1918).
U.S. Dep. Agric. Bur. Pl. Indust. Bull. Foreign Seed & Pl. Introd. No. 161, t. 246 (1919).—*Hab.*
—— **laurina** Britten
Banks & Soland. Bot. Cook's Voy. i. t. 42 (1900).
—— **spathulata** Hillebr.
Rock, Indig. Trees Hawaiian Isl. t. 19 (1913).—*Hab.*

DOELLINGERIA Nees: *Aster*
humilis Britton
Britton & Brown, Ill. Fl. N. States & Canada, iii. 392 (1898); Ed. 2, iii. 443 (1913).
infirma Greene
Britton & Brown, Ill. Fl. N. States & Canada, iii. 392 (1898); Ed. 2, iii. 444 (1913).
umbellata Nees
Britton & Brown, Ill. Fl. N. States & Canada, iii. 392 (1898); Ed. 2, iii. 443 (1913).
*House, Wild Fl. New York (Mem. No. 15 N.Y. State Mus.), ii. t. 248 (1918).

DOLIA Lindl.—Vide *Alibrexia*, *Aplocarya*, *Bargemontia*, *Leloutrea*, *Velpeaulia*
brevifolia Phil.
Pflanzenfam. iv. III. B. 3 (1891).
clavata Miers
Gaudichaud, Voy. Bonite, Bot. Atlas, t. 111 (1844–66).
salsoloides Lindl.
Gaudichaud, Voy. Bonite, Bot. Atlas, t. 113 (1844–66).
vermiculata Lindl.
Gaudichaud, Voy. Bonite, Bot. Atlas, t. 112 (1844–66).
Miers, Ill. S. Amer. Pl. i. t. 12 (1850).

DOLICHANDRA Cham.
cynanchoides Cham.
*Journ. of Bot. i. t. 9 (1863).
*Bull. Soc. Tosc. Ortic. xvi. 112, t. 4 (1891).
Mart. Fl. Bras. viii. II. t. 110 (1897).
Thays, Jard. Bot. Buenos Aires, 47 (1910).—*Hab.*

DOLICHANDRONE Fenzl.—Vide *Bignonia* (16).
crispa Seem.
Pflanzenfam. iv. III. B. 241 (1895).—*Fl.*
Brandis, Indian Trees, 493 (1906).
Talbot, For. Fl. Bombay, ii. 309 (1911).
falcata Seem.
Brandis, Indian Trees, 492 (1906).
Basu, Ind. Med. Pl. t. 705 (1918).
heterophylla F. Muell.
F. M. Bailey, Compr. Cat. Queensl. Pl. 369 (1909–13).
longissima K. Schum.
Pflanzenfam. iv. III. B. 241 (1895).—*Fr.*
Koorders & Val. Atlas Baumart. Java, t. 357 (1914).
lutea Benth. & Hook.
Bot. Centralbl. xv. LIX. t. 1 (1894).—*Fr.*
Rheedei Seem.
Rheede, Hort. Mal. vi. t. 29 (1686); fide Fl. Brit. Ind. iv. 379.
Vidal, Sin. Fam. & Gen. Pl. Leñ. Filip. (Introd. Fl. For. Filip.), Atlas, t. 73, fig. D (1883).—*Fl.*
spathacea K. Schum.
Rumphius, Herb. Amboin. iii. t. 46 (1743); fide Merrill, Interpret. Rumph. Herb. Amboin.

DOLICHLASIUM Lag.: *Trixis*
Lagascae Gill.
Fielding & Gardn. Sert. Pl. ii. t. 11 (1849).

DOLICHODEIRA Hanst.: *Sinningia*
tubiflora Hanst.
*Hartinger, Parad. Vindob. t. 64 (1844–60) in textu; *Gesneria tubiflora* in ic.
Linnaea, xxvi. t. 1, fig. 22 (1853–55).—*Fl.*
Mart. Fl. Bras. viii. 1. t. 59 (1864).—*Fl.*
Gard. Chron. Ser. III. 1. 254 (1911).

DOLICHODELPHYS K. Schum. & Krause
chlorocrater K. Schum. & Krause
Ule in Verh. Bot. Ver. Brandenb. 1. 103 (1909).

DOLICHOGYNE DC.: *Nardophyllum*
armata Wedd.
Weddell, Chloris Andina (Castelnau Expéd., Bot.), i. t. 30 (1855–57).
Candollei Remy
*C. Gay, Hist. Chile, Atlas, t. 45 (1854).
lepidophylla Wedd.
Weddell, Chloris Andina (Castelnau Expéd., Bot.), i. t. 30 (1855–57).

DOLICHOLOBIUM A. Gray
acuminatum Burkill
Hook. Ic. Pl. xxvii. t. 2630 (1900).
longissimum Seem.
*Seemann, Fl. Vit. t. 25 (1865–73).

DOLICHOLUS Medic.: *Rhynchosia*
Cunninghamii Britten
Banks & Soland. Bot. Cook's Voy. i. t. 79 (1900).
erectus Vail
Norton & Walls in Bull. Maryland Agric. St. No. 100, t. 1, fig. 33 (1905).
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, ii. 422 (1913).
latifolius Vail
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, ii. 421 (1913).
simplicifolius Vail
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, ii. 422 (1913).
tomentosus Vail
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, ii. 421 (1913).

DOLICHOPSIS Hassl.
paraguariensis Hassl.
Bull. Herb. Boiss. Ser. II. vii. 163 (1907).—*Fl.*
Hoehne in Comm. Linh. Telegraph. Matto Grosso ão Amaz. Annexo, No. 5, Bot. viii. t. 158 (1919).

DOLICHOS Linn.
acinaciformis Jacq.
*Jacquin, Ic. Pl. Rar. iii. t. 559 (1786–93).
albus Lour.
Bull. Écon. Indo-Chine, N. Ser. xlviii. 1174 (1905).
altissimus Jacq.
Jacquin, Sel. Stirp. Amer. Hist. t. 182 (1763).
*Jacquin, Sel. Stirp. Amer. Hist. Picta, t. 190 [1780].
altissimus Vell.
Vellozo, Fl. Flum. vii. t. 154 (1827).
arvensis Vell.
Vellozo, Fl. Flum. vii. t. 161 (1827).
bengalensis Jacq.
*Jacquin, Hort. Vind. i. t. 124 (1772).
bicontortus Durieu
Rev. Hort. 1870, p. 208.—*Fr.*
*Fl. des Serres, Ser. II. ix. t. 1985 (1873).
Florist, 1873, p. 208.—*Fr.*
*Useful Pl. Jap. i. t. 33 (1895).
biflorus Linn.
A. H. Church, Food-Grains India, 163, 165 (1886).
Agric. Gaz. N. S. Wales, ii. 444 (1891).
Duthie & Fuller, Field & Gard. Crops, t. 81 (1893).
Basu, Ind. Med. Pl. t. 327 (1918).
bulbosus Linn.
Agric. Prat. Pays Chauds, i. 753 (1902).
De Sornay, Green Manures in Tropics, 112 (1916).
Catjang Linn.
Rheede, Hort. Mal. viii. t. 41 (1688); fide Hasskarl, Hort. Mal. Rheed. Clavis, 66.
ciliatus Klein
Ralph, Ic. Carpolog. t. 31 (1849).—*Fr.*

DOLICHOS
ciliatus
Ettingshausen in Sitzb. Akad. Wiss. Wien, xii. iv. t. 9, fig. 3 (1854).—*Veg.*
Ettingshausen, Blatt-Skel. Dikot. t. 90 (1861).—*Veg.*
coccineus Vell.
Vellozo, Fl. Flum. vii. t. 158 (1827).
cubensis Hort.
Wien. Ill. Gart.-Zeit. v. 279 (1880).
cultratus Thunb.
*Somoku Dzusetsu, Ed. 2, xiii. t. 13 (1874).
*Useful Pl. Jap. 6 (1895) in textu; *Lablab cultratus* in ic. i. t. 26.
dasycarpus Miq.
Lecomte, Fl. Gén. Indo-Chine, ii. 240 (1916).—*Fl.*
emarginatus Jacq.
*Jacquin, Hort. Schoenbr. ii. t. 221 (1797).
*P. Beauvais, Fl. Oware & Benin, t. 114 (1818).
ensiformis Linn.
Kaempfer, Ic. Sel. Pl. Jap. t. 25 (1791).
esculentus De Wild.
De Wildeman, Études Fl. Katanga (Ann. Mus. Congo), i. t. 20 (1902).
fabiformis L'Hér.
*L'Héritier, Stirp. t. 78 (1788).
falcatus Klein
Ralph, Ic. Carpolog. t. 31 (1849).—*Fr.*
falciformis E. Mey.
Ettingshausen, Blatt-Skel. Dikot. t. 91 (1861).—*Veg.*
galeatus Gaudich.
Freycinet, Voyage, t. 115 (1826).
geminus Vell.
Vellozo, Fl. Flum. vii. t. 159 (1827).
gladiatus Jacq.
*Jacquin, Ic. Pl. Rar. iii. t. 560 (1786–93).
gululu De Wild.
De Wildeman, Études Fl. Katanga (Ann. Mus. Congo), i. t. 20 (1902).
Hendrickxii De Wild.
De Wildeman, Études Fl. Bas- et Moyen-Congo (Ann. Mus. Congo), i. t. 39 (1904).
hirtus Andr.
*Andrews, Bot. Rep. vii. t. 446 (1807).
Lablab Linn.
Rumphius, Herb. Amboin. v. t. 136, 137 (1747); fide Merrill, Interpret. Rumph. Herb. Amboin.
*Kniphof, Herb. Viv. i. t. 377 (1758).
Gaertner, Fruct. ii. t. 150 (1791).—*Fr.*
Lamarck, Ill. iii. t. 610, fig. a–f (1797).
*Bot. Mag. xxiii. t. 896 (1806).
*Schkuhr, Bot. Handb. Ed. 2, t. 199 b (1808).
*Géel, Sert Bot. Cl. 17 (1832).
*Jaume St.-Hilaire, Fl. & Pom. Franç. v. t. 441 (1832).
Mart. Fl. Bras. xv. 1. t. 51 (1859).
*Réveil, Règne Vég. iii. t. 45 (1870).—*Veg.*
Duthie & Fuller, Field & Gard. Crops, t. 34, A (1883).
A. H. Church, Food-Grains India, 160 (1886).
Wien. Ill. Gart.-Zeit. xi. 509 (1886); xiv. 119 (1889).
Ann. Bot. v. t. 21, fig. 76–83 (1891).—*Fl.*
Pflanzenfam. iii. III. 382 (1894).
Engler, Pflanzenw. Ost.-Afr. Teil C, t. 24 (1895).—*Fr.*
Sadebeck, Kulturg. Deutsch. Kolon. Erzeugn. 133 (1899).
Semaine Hort. 1899, p. 449.—*Hab.*
L. H. Bailey, Cycl. Amer. Hort. 499 (1900); Stand. Cycl. Hort. 1064, 1065 (1914).
Rev. Cult. Colon. xiv. 12 (1904).—*Hab.*
Pflanzer, vii. t. 8, fig. 7 (1911).—*Fr.*
Agric. Prat. Pays Chauds, xi. 1. 300 (1911).
Capus & Bois, Prod. Colon. 338 (1912).
Somoku Dzusetsu, Ed. Makino (Iconogr. Pl. Nippon), xiii. t. 13 (1912).
De Sornay, Green Manures in Tropics, 117 (1916).
Crévost & Lemarié, Cat. Prod. Indochine, i. 93 (1917).
Bot. Gaz. lxvi. 514, 519 (1918).
Britton, Fl. Bermuda, 185 (1918).
Rock, Legum. Pl. Hawaii, t. 93 (1920).
—— **nanus** Hort.
Rev. Hort. Belge, xxxiv. 326 (1908).—*Hab.*

DOLICHOS
Lablab purpureus Roxb.
Duthie & Fuller, Field & Gard. Crops, t. 34 B (1883).
Queensland Agric. Journ. iii. t. 51 (1898).
lignosus Linn.
Linnaeus, Hort. Cliff. t. 20 (1737); fide Linn.
*J. E. Smith, Spicil. Bot. t. 21 (1791–92).
*Bot. Mag. xi. t. 380 (1797).
Ettingshausen in Sitzb. Akad. Wiss. Wien, xii. iv. t. 10, fig. 5–7 (1854).—*Veg.*
Bot. Gaz. lxvi. 517–22 (1918).
litoralis Vell.
Vellozo, Fl. Flum. vii. t. 160 (1827).
luteolus Jacq.
*Jacquin, Hort. Vind. i. t. 90 (1770).
*Jaume St.-Hilaire, Fl. & Pom. Franç. v. t. 443 (1832).
lygodioides Gagnep.
Lecomte, Fl. Gén. Indo-Chine, ii. 236 (1916).
melanophthalmos DC.
Cadevall & Sallent, Fl. Catalunya, ii. 166 (1916).
Memnonius Del.
Delile, Fl. Égypte, t. 38 (1812).
minimus Linn.
Jacquin, Obs. Bot. t. 22 (1764).
*Buchoz, Grand Jard. Univ. t. 10 (1785).
*Descourtilz, Fl. Pitt. & Méd. Antilles, iii. t. 171 (1827).
mollis Jacq.
*Jacquin, Fragm. t. 88 (1809).
monticola Mart.
Mart. Fl. Bras. xv. 1. t. 51 (1859).
myodes Massart
Bull. Soc. Bot. Belg. xxxiii. 166 (1894).—*Veg.*
Rec. Instit. Bot. Errera, iii. 263 (1908).—*Veg.*
niloticus Del.
Delile, Fl. Égypte, t. 38 (1812).
obtusifolius Lam.
*Descourtilz, Fl. Pitt. & Méd. Antilles, iii. t. 169 (1827).
palmatilobus Sessé
A. De Candolle, Calq. Dess. Fl. Mex. Moc. & Sessé, t. 242 (1874).
pilosus Klein
Lecomte, Fl. Gén. Indo-Chine, ii. 240 (1916).—*Fl.*
polystachyos Thunb.
*Houttuyn, Handl. Pl. & Kruidk. x. t. 64, fig. 2 (1779).
praecox R. E. Fries
R. E. Fries, Schwed. Rhod.-Kong.-Exped. 1911–12, Bot. i. 1. t. 10 (1914).
pruriens Linn.
Rheede, Hort. Mal. viii. t. 35 (1688); fide Hasskarl, Hort. Mal. Rheed. Clavis, 65.
Jacquin, Sel. Stirp. Amer. Hist. t. 122 (1763).
*Jacquin, Sel. Stirp. Amer. Hist. Picta, t. 188 [1780].
*Zorn, Ic. Pl. Med. iv. t. 369 (1782).
*Buchoz, Grand Jard. Univ. t. 8 (1785).
*Plantarum Indig. & Exot. Ic. i [t. 20] (1788).
Browne, Hist. Jamaica, Ed. 2, t. 31 (1789).—*Fl.*
*Woodville, Med. Bot. iii. t. 172 (1793); Ed. 3, iii. t. 153 (1832).
*Plenck, Ic. Pl. Med. vi. t. 556 (1794).
*Oskamp, Afb. Artseny-Gewass. iv. t. 397 (1800).
*Vietz, Ic. Pl. Med.-oec.-techn. vi. t. 481 a (1817).
*Descourtilz, Fl. Pitt. & Méd. Antilles, i. t. 49 (1821).
*Fl. Med. [Spratt], ii. 199 (1830).
*Stephenson & Churchill, Med. Bot. New Ed. iii. t. 179 (1836).
*Burnett, Pl. Util. iii. 81, b (1847).
*Strong, American Fl. iii. 63 (1849).
Honigberger, Thirty-five Years East, ii. t. 5 (1852).
pseudopachyrrhizus Harms
Notizbl. Bot. Gart. Berlin, iv. 234 (1906).
Engler & Drude, Veget. Erde, ix. 1. 1, p. 135 (1910); ix. III. 1, p. 680 (1915).
pubescens Linn.
*Jacquin, Hort. Vind. i. t. 101 (1772).
pungens Vell.
Vellozo, Fl. Flum. vii. t. 157 (1827).
purpureus Linn.
*J. E. Smith, Exot. Bot. ii. t. 74 [1805–7].
*Allg. Teutsch. Gart. Mag. vii. t. 27 (1810).

DOLICHOS
purpureus
*Bot. Reg. x. t. 830 (1824).
pyramidalis Lam.
Lamarck, Ill. iii. t. 608, fig. 2 (1797).
racemosus Vell.
Vellozo, Fl. Flum. vii. t. 162 (1827).
ruber Jacq.
Jacquin, Sel. Stirp. Amer. Hist. t. 123 (1763).
*Jacquin, Sel. Stirp. Amer. Hist. Picta, t. 191 [1780].
rufus Vell.
Vellozo, Fl. Flum. vii. t. 155 (1827).
sanguineus Jacq.
*Jacquin, Fragm. t. 55 (1809).
scarabaeoides Linn.
*Jacquin, Ecl. Pl. ii. t. 152 (1844) in ic.; *Cantharospermum pauciflorum* in textu.
Seineri Harms.
Dinter, Veg. Veldkost Deutsch-S.W. Afr. t. 11 (1912).—*Hab.*
serpens De Wild.
De Wildeman, Études Fl. Katanga (Ann. Mus. Congo), i. t. 21 (1902).
sesquipedalis Linn.
*Jacquin, Hort. Vind. i. t. 67 (1770).
*Jaume St.-Hilaire, Fl. & Pom. Franç. v. t. 442 (1832).
*Blanco, Fl. Filip. t. 286 (1878–80).
Journ. Hort. Ser. III. ix. 11 (1885).
U.S. Dep. Agric. Farm. Bull. No. 121, p. 12 (1900).
L. H. Bailey, Cycl. Amer. Hort. 136, 137 (1900); Stand. Cycl. Hort. 458, 460 (1914).
Rev. Hort. 1901, p. 87.
Gartenfl. l. 102 (1901).—*Fr.*
simplicifolius Hook. f.
*Bot. Mag. cxix. t. 7318 (1893).
sinensis Linn.
*Jacquin, Hort. Vind. iii. t. 71 (1776).
*Joh. Kerner, Abbild. Oek. Pfl. (Fig. Pl. Écon.), i. t. 76 (1786).
*Vietz, Ic. Pl. Med.-oec.-techn. vi. t. 481 b (1817).
*Bot. Mag. xlviii. t. 2232 (1821).
Ralph, Ic. Carpolog. t. 31 (1849).—*Fr.*
Soja Linn.
Svenska Vet. Akad. Handl. xxv. t. 9 (1764).
*Bergius, Mat. Med. ii. 606, t. 314 (1778).
*Jacquin, Ic. Pl. Rar. i. t. 145 (1781–86).
*Zorn, Ic. Pl. Med. iv. t. 314 (1782).
*Plenck, Ic. Pl. Med. vi. t. 557 (1794).
*Oskamp, Afb. Artseny-Gewass. iv. t. 396 (1800).
Agric. Prat. Pays Chauds, xi. II. 182, 183 (1911).
sudanensis Hort.
*Bull. Soc. Tosc. Ortic. xxiii. 56, t. 3 (1898).
tetragonolobus Linn.
*Blanco, Fl. Filip. t. 293 (1878–80).
tonkinensis Lour.
Bull. Écon. Indo-Chine, N. Ser. xlviii. 1173 (1905).
tranquebaricus Jacq.
*Jacquin, Hort. Vind. iii. t. 70 (1776).
trilobus Linn.
N. L. Burman, Fl. Ind. t. 50 (1768).
*Houttuyn, Handl. Pl. & Kruidk. x. t. 64, fig. 1 (1779).
trinervis De Wild.
De Wildeman, Études Fl. Katanga (Ann. Mus. Congo), i. t. 19 (1902).
tuberosus Lam.
*Descourtilz, Fl. Pitt. & Méd. Antilles, viii. t. 554 (1829).
umbellatus Thunb.
*Somoku Dzusetsu, Ed. 2, xiii. t. 15, 16 (1874).
*Useful Pl. Jap. i. t. 29–32 (1895).
—— **volubilis** Auct.?
*Somoku Dzusetsu, Ed. 2, xiii. t. 14 (1874).
*Useful Pl. Jap. i. t. 28 (1895).
uncinatus Linn.
*Descourtilz, Fl. Pitt. & Méd. Antilles, viii. t. 553 (1829).
unguiculatus Linn.
*Jacquin, Hort. Vind. i. t. 23 (1770).
uniflorus Lam.
Journ. Linn. Soc. xiii. 146 (1871).—*Fl.*
urens Linn.
Jacquin, Sel. Stirp. Amer. Hist. t. 182 (1763).
*Jacquin, Sel. Stirp. Amer. Hist. Picta, t. 189 [1780].
*Oskamp, Afb. Artseny-Gewass. vii. t. 25 (1813).

DOLICHOS
urens
*Descourtilz, Fl. Pitt. & Méd. Antilles, iv. t. 233 (1827).
Vellozo, Fl. Flum. vii. t. 156 (1827).
Verdickii De Wild.
De Wildeman, Études Fl. Katanga (Ann. Mus. Congo), i. t. 22 (1902).
vulgaris Sm.
*Useful Pl. Jap. 6 (1895) in textu; *Lablab vulgaris* in ic. i. t. 27.

DOLICHOVIGNA Hayata
formosana Hayata
Hayata, Ic. Pl. Formosan. ix. t. 3 (1920).

DOLIOCARPUS Roland.—Vide *Calinea, Pinzona, Soramia*
brevipedicellatus Garcke
Mart. Fl. Bras. xiii. 1. t. 19 (1863).
castaneifolius Mart.
Mart. Fl. Bras. xiii. 1. t. 18 (1863).
elegans Eichl.
Mart. Fl. Bras. xiii. 1. t. 18 (1863).
glomeratus Eichl.
Mart. Fl. Bras. xiii. 1. t. 18 (1863).
grandiflorus Eichl.
Mart. Fl. Bras. xiii. 1. t. 17 (1863).
Rolanderi J. F. Gmel.
Svenska Vet. Akad. Handl. xvii. t. 9 (1756).

DOLOMIAEA DC.: *Jurinea*
macrocephala DC.
Delessert, Ic. Pl. iv. t. 70 (1839).
*Royle, Illustr. Bot. Himal. t. 57 (1839).

DOLOPHRAGMA Fenzl
globiferum Fenzl
Fenzl in Ann. Wien. Mus. i. t. 7 (1836).
juniperinum Fenzl
Fenzl in Ann. Wien. Mus. i. t. 7 (1836).

DOLOSANTHUS Klatt: *Vernonia*
silvaticus Klatt
Bull. Herb. Boiss. iv. t. 5 (1896).

DOMBEYA Cav.—Vide *Assonia, Astrapaea, Hilsenbergia, Xeropetalum*
acerifolia Gaertn.
Gaertner, Fruct. ii. t. 137 (1791).—*Fr.*
acutangula Cav.
Cavanilles, Diss. t. 38, fig. 2, p–t (1787).
amaniensis Engl.
Engler & Drude, Veget. Erde, ix. 1. 1, p. 297 (1910).
Ameliae Guillemin.
*Redouté, Choix Fl. [t. 33] (1827).
*Fl. des Serres, Ser. I. vi. t. 605 (1850–51).
angulata Cav.
Cavanilles, Diss. t. 39, fig. 1, n–z (1787).
*Bot. Mag. lvi. t. 2905 (1829).
Géel, Sert. Bot. Cl. 16 (1832).
*Reichenbach, Fl. Exot. iii. t. 164 (1835).
Baillon, Hist. Pl. iv. 67 (1873).—*Fl.*
arabica Baker
Hook. Ic. Pl. xxv. t. 2460 (1896).
Bernieri Baill.
Grandidier, Hist. Madag. [Plantes] Atlas, t. 79 (1888).
biserrata Blanco
*Blanco, Fl. Filip. t. 91 (1878–80).
borbonica Gaertn.
Gaertner, Fruct. ii. t. 137 (1791).—*Fr.*
Bruceana A. Rich.
Bruce, Trav. 67 sub *Walkuffa* (1790); fide A. Richard, Fl. Abyss. i. 77.
Thonner, Blütenpfl. Afr. t. 95 (1908).
Fiori, Boschi e Piante Legn. Eritrea, 262 (1909–12).
Agric. Colon., Ital. v. Suppl. 39 (1911).
Buettneri K. Schum.
Engler, Monogr. Afr. Pfl. Fam. Sterculiac. v. t. 2 (1900).
Burgessiae Gerr.
Harvey, Thes. Cap. ii. t. 137, 138 (1863).
*Bot. Mag. xci. t. 5487 (1865).
Journ. Hort. lxiii. 8 (1880).
Pflanzenfam. iii. VI. 77 (1890).—*Fl.*
Sim, For. Fl. Portug. E. Africa, t. 8 (1909).
Wood, Natal Pl. vi. 1. t. 518 (1909).
calantha K. Schum.
*Bot. Mag. cxxxviii. t. 8424 (1912).

DOMBEYA
calantha
Gard. Chron. Ser. III. lvii. 168 (1915).
cannabina Hilsenb. & Boj.
*Bot. Mag. lxiv. t. 3619 (1837).
Pflanzenfam. iii. VI. 77 (1890).—*Fl.*
×**Cayeuxii** André
*Rev. Hort. 1897, p. 544.
Jardin, xii. 21 (1898).—*Hab.*
Coria Baill.
Grandidier, Hist. Madag. [Plantes] Atlas, t. 71 (1888).
*Rev. Hort. 1911, p. 84.
crassipes Baill.
Grandidier, Hist. Madag. [Plantes] Atlas, t. 73 (1888).
cymosa Harv.
Sim, For. Fl. Cape Colony, t. 18 (1907).
×**Davaei** Cayeux
Rev. Hort. 1912, p. 178, 179.
decanthera Cav.
Cavanilles, Diss. t. 40, fig. 2, g–o (1787).
Dregeana Sond.
Harvey, Thes. Cap. i. t. 89 (1859).
Sim, For. Fl. Cape Colony, t. 18 (1907).
Erythroxylon Willd.
*Andrews, Bot. Rep. vi. t. 389 (1804).
*Journ. Jard. 1842, p. 121.
ferruginea Cav.
Cavanilles, Diss. t. 42, fig. 2 (1787).
Ettingshausen, Blatt-Skel. Dikot. t. 47 (1861).—*Veg.*
Gilgiana K. Schum.
Engler, Pflanzenw. Ost-Afr. Teil C, t. 30 (1895).
Lastii K. Schum.
Engler, Monogr. Afr. Pfl. Fam. v. Sterculiac. t. 2 (1900).
longicuspis Baill.
Grandidier, Hist. Madag. [Plantes] Atlas, t. 70 (1888).
macrantha Baker
Grandidier, Hist. Madag. [Plantes] Atlas, t. 78 (1888).
Mastersii Hook. f.
*Bot. Mag. xciii. t. 5639 (1867).
*Belg. Hort. xx. 24 (1870).
Garden, lxxvi. 3 (1912); lxxx. 137 (1916).
mollis Hook.
*Bot. Mag. lxxvii. t. 4578 (1851).
*Lem. Jard. Fl. ii. t. 134 (1851).
multiflora Planch.
Sim, For. Fl. Portug. E. Africa, t. 8 (1909).
myriantha K. Schum.
Engler, Monogr. Afr. Pfl. Fam. v. Sterculiac. t. 2 (1900).
natalensis Sond.
Wood & Evans, Natal Pl. i. II. t. 90 (1899).
niangaraënsis De Wild.
De Wildeman, Études Fl. Bas- et Moyen-Congo (Ann. Mus. Congo), ii. t. 11 (1907).
obovalis Baill.
Grandidier, Hist. Madag. [Plantes] Atlas, t. 74 (1888).
ovata Cav.
Cavanilles, Diss. t. 41, fig. 2, n–z (1787).
palmata Cav.
Cavanilles, Diss. t. 38, fig. 1, a–o (1787).
*Wallich, Pl. Asiat. Rar. iii. t. 235 (1832).
parviflora Boiv.
Grandidier, Hist. Madag. [Plantes] Atlas, t. 72 (1888).
pedunculata K. Schum.
Engler, Monogr. Afr. Pfl. Fam. v. Sterculiac. t. 2 (1900).
Pervillei Baill.
Grandidier, Hist. Madag. [Plantes] Atlas, t. 69 (1888).
phoenicea Cav.
Cavanilles, Diss. t. 43, fig. 1, a–k (1787).
populnea Baill.
Baillon, Hist. Pl. iv. 67 (1873).—*Fr.*
pseudo-Populus Baill.
Grandidier, Hist. Madag. [Plantes] Atlas, t. 76 (1888).
punctata Cav.
Cavanilles, Diss. t. 40, fig. 1, a–f (1787).

DOMBEYA
punctata
De Wildeman, Ic. Sel. Hort. Then. vi. t. 217 (1907).
reflexa Drapiez
Géel, Sert. Bot. Cl. 16 (1832).
*Reichenbach, Fl. Exot. v. t. 348 (1836).
reginae Hort.
*Journ. Jard. 1832, p. 57.
reticulata Mast.
Trans. Linn. Soc. London, xxix. t. 15 (1873).
Engler & Drude, Veget. Erde, ix. 1. 1, p. 292 (1910).
Richardii Baill.
Grandidier, Hist. Madag. [Plantes] Atlas, t. 75 (1888).
rosea E. G. Baker
Gubb, Fl. Algeria, t. 65 (1909).
rotundifolia Planch.
Wood, Natal Pl. iii. 11. t. 229 (1901).
Gard. Chron. Ser. III. xli. 21 (1907).—*Hab.*
Schimperiana A. Rich.
A. Richard, Tent. Fl. Abyss. Atlas, t. 19 [1847].
Seretii De Wild.
De Wildeman, Études Fl. Bas- et Moyen-Congo (Ann. Mus. Congo), ii. t. 10 (1907).
spectabilis Boj.
Sim, For. Fl. Portug. E. Africa, t. 8 (1909).
Thouarsii Baill.
Grandidier, Hist. Madag. [Plantes] Atlas, t. 77 (1888).
tiliifolia Cav.
Cavanilles, Diss. t. 39, fig. 2, f–m (1787).
tomentosa Cav.
Cavanilles, Diss. t. 39, fig. 3, a–e (1787).
umbellata Cav.
Cavanilles, Diss. t. 41, fig. 1, a–m (1787).
viburniflora Boj.
*Fl. des Serres, Ser. I. vi. t. 626 (1850–51).
*Lem. Jard. Fl. ii. t. 116 (1851).
Cottage Gard. vi. 210 (1851).
*Bot. Mag. lxxvii. t. 4568 (1851).
Wallichii Benth. & Hook.
Gartenwelt, ii. 517–19 (1898).
De Wildeman, Ic. Sel. Hort. Then. vi. t. 211 (1907).
A Kert (The Garden), xiv. 202 (1908).

DOMBEYA Lam.: *Araucaria*
chilensis Lam.
Lamarck, Ill. v. t. 828 (1797–1819).
excelsa Lamb.
*Lambert, Pinus, i. App. t. 39, 40 (1807).

DOMBEYA L'Hér.: *Tourretia*
lappacea L'Hér.
*L'Héritier, Stirp. t. 17 (1785).
*Salisbury, Ic. Stirp. Rar. t. 3 (1791).
Ruiz & Pavon, Fl. Peruv. & Chil. Prodr. t. 17 (1794).—*Fl.*

DOMEYKOA Phil.
oppositifolia Phil.
Philippi, Reise Wüste Atacama, Fl. Atac. t. 2 (1860).

DONALDIA Klotzsch: *Begonia*
ulmifolia Klotzsch
Klotzsch in Abh. Akad. Berlin, 1854, t. 7 (1855).—*Fl.*

DONALDSONIA E. G. Baker
stenopetala E. G. Baker
Journ. of Bot. xxxiv. t. 355 (1896).
Donaldson Smith, Through Unknown Afr. Countries, 329 (1897).

DONATIA Forst.
fascicularis Forst.
Forster, Charact. Gen. Pl. t. 5 (1776).—*Fl.*
Mém. Mus. Hist. Nat. Paris, ii. 57 (1815).—*Fl.*
Pflanzenfam. iii. 11. A. 67 (1890).
Pflanzenreich, Stylidiac. 20 (1908).
magellanica Lam.
Lamarck, Ill. i. t. 51 (1791).
Hook. Ic. Pl. i. t. 16 (1837).
Schnizlein, Iconogr. iii. t. 170 (1857–65).—*Fl.*
novae-zelandiae Hook. f.
Hooker f., Fl. Nov.-Zel. i. t. 20 (1853).

DONATIA
novae-zelandiae
Pflanzenfam. iii. 11. A. 67 (1890).—*Fl.*
Engl. Jahrb. xxii. 255 (1896).—*Hab.*
Pflanzenreich, Stylidiac. 20 (1908).—*Fl.*

DONAX Lour.—Vide *Clinogyne* Salisb.
Arundinastrum Lour.
Pflanzenreich, Marantac. 171 (1902).—*Fl.*
Perkins, Fragm. Fl. Philipp. fasc. 2, t. 1 (1904).
Lecomte, Fl. Gén. Indo-Chine, vi. 123 (1908).
canniformis K. Schum.
Rumphius, Herb. Amboin. iv. t. 7 (1743); fide Merrill, Interpret. Rumph. Herb. Amboin.
W. H. Brown in Bull. Philip. Isl. Dep. Agric. & Bur. Forestry, No. 19, t. 22 (1919); No. 22, p. 367, t. 22 (1920).

DONAX P. Beauv.: *Arundo*
arundinaceus P. Beauv.
P. Beauvais, Agrost. t. 16, fig. 4, t. 19, fig. 1 (1812).—*Fl.*
sativus Presl
Lauche, Deutsche Dendrol. Ed. 2, p. 124 (1883).
Thouarii P. Beauv.
P. Beauvais, Agrost. t. 16, fig. 5 (1812).—*Fl.*

DONDIA Spreng.: *Hacquetia*
Epipactis Spreng.
Sprengel in Neue Schrift. Naturf. Ges. Halle, ii. 1. fig. 2 (1813).—*Fr.*
Gaudin, Fl. Helv. ii. t. 3 (1828).—*Fr.*
*Lodd. Bot. Cab. xix. t. 1832 (1832).

DONDIA Adans.: *Suaeda*
americana Britton
Britton & Brown, Ill. Fl. N. States & Canada, i. 584 (1896).
depressa Britton
Britton & Brown, Ill. Fl. N. States & Canada, i. 585 (1896); Ed. 2, ii. 24 (1913).
F. E. & E. S. Clements, Rocky Mt. Fl. t. 10 (1914).
linearis Heller
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, ii. 23 (1913).
maritima Druce
Britton & Brown, Ill. Fl. N. States & Canada, i. 585 (1896); Ed. 2, ii. 24 (1913).
Stone, Pl. Southern New Jersey (Ann. Rep. New Jersey State Mus. 1910), t. 56 (1911).

DONIA R. Br.: *Grindelia*
ciliata Nutt.
*Hooker, Exot. Fl. i. t. 45 (1823).
glutinosa R. Br.
*Bot. Reg. iii. t. 187 (1817).
squarrosa Pursh
*Bot. Mag. xli. t. 1706 (1815).
uniflora Hook.
Hooker, Fl. Bor.-Amer. t. 124 (1840).

DONIA G. & D. Don: *Clianthus*
speciosa G. Don
Pflanzenfam. iii. 111. 280 (1894).
Knuth, Handb. Blütenbiol. iii. 1. 398 (1904).

DONIOPHYTON Wedd.
andicolum Wedd.
Weddell, Chloris Andina (Castelnau Expéd., Bot.), i. t. 4 (1855–57).

DONKELAARIA C. Lem.: *Guettarda*
dichotoma C. Lem.
Ill. Hort. ii. Misc. 72 (1855).—*Fl.*

DONNELLIA C. B. Clarke
grandiflora C. B. Clarke
Bot. Gaz. xxxiii. t. 11 (1902).

DONNELLSMITHIA Coulter & Rose
guatemalensis Coulter & Rose
Bot. Gaz. xv. t. 2 (1890).

DONTOSTEMON Andrz.
crassifolius Bunge
Maximowicz, Enum. Pl. Mongol. t. 7 (1889).
—— **latifolius** Maxim.
Maximowicz, Enum. Pl. Mongol. t. 7 (1889).
elegans Maxim.
Maximowicz, Enum. Pl. Mongol. t. 7 (1889).

DONTOSTEMON
matthioloides Franch.
Nouv. Arch. Mus. Hist. Nat. Paris, Ser. II. v. t. 9 (1883).
micranthus C. A. Mey
*Ledebour, Ic. Pl. Ross. iv. t. 353 (1833).
perennis C. A. Mey
*Ledebour, Ic. Pl. Ross. iii. t. 203 (1831).
senilis Maxim.
Maximowicz, Enum. Pl. Mongol. t. 1 (1889).

DONZELLIA Ten.
aspera R. Br.
*Lodd. Bot. Cab. i. t. 39 (1818).
spinosa Ten.
*Mem. Mat. Fisc. Soc. Ital. Sc. xxii. 236, t. 2 (1841).

DOODIA R. Br.
aspera R. Br.
Sprengel, Neue Entd. Pflanzenk. i. t. 3 (1820).
*Hooker, Exot. Fl. i. t. 8 (1823).
*Hooker, Gen. Fil. t. 54 (1842).
Moore & Ayres, Mag. Bot. iii. 228 (1851).
*Lowe, Ferns, iv. t. 30 (1859).
J. Smith, Ferns, Brit. & Foreign, 199 (1866); Ed. 2, p. 199 (1879).
F. M. Bailey, Lithogr. Ferns Queensland (Dept. Agric. Brisbane), t. 93 (1892).
Horticulture (Boston), iii. 159 (1906).—*Hab.*
Warburg, Pflanzenwelt, i. 262 (1913).—*Veg.*
—— **caudata** F. M. Bailey
F. M. Bailey, Lithogr. Ferns Queensland (Dept. Agric. Brisbane), t. 96 (1892).
—— **heterophylla** F. M. Bailey
F. M. Bailey, Lithogr. Ferns Queensland (Dept. Agric. Brisbane), t. 94 (1892).
—— **media** F. M. Bailey
F. M. Bailey, Lithogr. Ferns Queensland (Dept. Agric. Brisbane), t. 95 (1892).
—— **multifida** T. Moore
Schneider, Book Choice Ferns, ii. 201 (1893).—*Hab.*
Nicholson, '1900' Suppl. Dict. Gard. 328 (1900).
blechnoides A. Cunn.
Moore & Ayres, Mag. Bot. iii. 228 (1851).
*Lowe, Ferns, iv. t. 32 (1859).
caudata R. Br.
*Hooker, Exot. Fl. i. t. 25 (1823).
*Lowe, Ferns, iv. t. 31 (1859).
Dobbie, New Zeal. Ferns, 60 (1880).
Britten, Eur. Ferns, 81 [1880–82].
Field, Ferns New Zeal. t. 20 (1890).
Flora, lxxxii. 340 (1896).
Goebel, Organogr. Pfl. 131 (1898); 432 (1900); Ed. Angl. i. 152 (1900); ii. 221 (1905); Ed. 2, i. 379 (1913).
Pflanzenfam. i. iv. 36 (1898).
Journ. Hort. Ser. III. lix. 31 (1909).—*Hab.*
—— **dimorpha** Dom.
Domin in Bibl. Bot. xx. 125 (1914).
—— **heterophylla** Dom.
Domin in Bibl. Bot. xx. t. 6 (1914).
connexa Kunze
*Kunze, Farnkr. t. 6 (1840–47).
dives Kunze
*Kunze, Farnkr. t. 105 (1840–47).
Beddome, Ferns S. Ind. t. 222 (1863).
Beddome, Handb. Ferns Brit. Ind. 138 (1883).
*Baynes, Indian Ferns, t. 8 (1887).
Kunthiana Gaudich.
Freycinet, Voyage, t. 14 (1826).
*Hooker, Gen. Fil. t. 54 (1842).
lunulata R. Br.
*Lowe, Ferns, iv. t. 31 (1859).
media R. Br.
Dobbie, New Zeal. Ferns, 60 (1880).
G. M. Thomson, Ferns & Fern Allies, New Zeal. t. 2 (1882).
Field, Ferns New Zeal. t. 20 (1890).
Schneider, Book Choice Ferns, ii. 204 (1893).
Pflanzenfam. i. iv. 254 (1899).
Nicholson, '1900' Suppl. Dict. Gard. 329 (1900).
rupestris Kaulf.
Presl, Tent. Pteridogr. t. 3 (1836).

DOONA Thw.—Vide *Caryolobis*
ceylanica Thw.
Hooker's Journ. Bot. & Kew Misc. iii. t. 12 (1851).
Beddome, Fl. Sylv. t. 97 (1871).
Heim, Dipterocarp. t. 2 (1892).
Pflanzenfam. iii. VI. 261 (1895).—*Fl.*
congestiflora Thw.
Trimen, Handb. Fl. Ceylon, Atlas, i. t. 11 (1893).
Gardneri Thw.
Beddome, Fl. Sylv. t. 98 (1871).
javanica Burck
Ann. Jard. Bot. Buitenzorg, vi. t. 29 (1887).—*Fl.*
macrophylla Thw.
Pierre, Fl. For. Cochinch. iv. t. 259 (1892).—*Fl.*
nervosa Thw.
Pierre, Fl. For. Cochinch. iv. t. 259 (1892).—*Fl.*
oblonga Thw.
Pierre, Fl. For. Cochinch. iv. t. 259 (1892).—*Fr.*

DOPATRIUM Buch.-Ham.
junceum Buch.-Ham.
Griffith, Ic. Pl. Asiat. t. 418 (1854).—*Fr.*
Somoku Dzusetsu, Ed. Makino (Iconogr. Pl. Nippon), i. t. 41 (1907).
Koorders, Exkursions-Fl. Java, iii. 175 (1912).
lobelioides Benth.
Wight, Ic. Pl. Ind. Or. iii. t. 859 (1843–45).
macranthum Oliv.
Trans. Linn. Soc. London, xxix. t. 121 (1875).

DORAENA Thunb.: *Maesa*
japonica Thunb.
Thunberg, Ic. Pl. Jap. iii [t. 3] (1801).
Gaertner f., Fruct. iii. t. 184 (1805).

DORATOMETRA Klotzsch: *Begonia*
Wallichiana Klotzsch
Klotzsch in Abh. Akad. Berlin, 1854, t. 5 (1855).—*Fl.*

DORCOCERAS Bunge: *Boca*
hygrometica Bunge
*Horticulteur Franç. 1868, t. 6.

DOREMA D. Don—Vide *Disernestum*
ammoniacum D. Don
Lindley, Med. & Oecon. Bot. 257 (1849).—*Fr.*
Mém. Acad. Sc. Pétersb. Ser. VII. iii. No. 8, t. 3–5 (1860).
Berg, Charakt. t. 58, fig. 443 (1861).—*Fr.*
*Berg & Schmidt, Darst. u. Beschr. Offiz. Gewächse, iv. t. 26, c, 26, e (1863).
*Bentley & Trim. Med. Pl. ii. t. 130 (1878).
Karsten, Deutsche Fl. Pharm.-medic. Bot. 830 (1880–83).
*Köhler, Med. Pfl. i [t. 73] (1887).
Trans. Linn. Soc. London, Ser. II. Bot. iii. t. 23–25 (1888).
Brehm, Merv. Nat. Monde des Pl. ii. 97 (1894–96).
Karsten, Fl. Deutschl. ii. 393 (1895).
*Kohl, Off. Pfl. Pharm. Germ. t. 85, 87 (1895).
Pflanzenfam. iii. VIII. 233 (1898).
Beille, Bot. Pharm. ii. 707 (1909).
Aucheri Boiss.
*Bentley & Trim. Med. Pl. ii. t. 129 (1876).
glabrum Fisch. & Mey.
Trans. Linn. Soc. London, Ser. II. iii. t. 26, 27 (1888).
serratum Aitch. & Hemsl.
Trans. Linn. Soc. London, Ser. II. Bot. iii. t. 28 (1888).

DORITIS Lindl.—Vide *Carteretia*
Braceana Hook. f.
*Ann. Bot. Gard. Calcutta, v. t. 60 (1895).
philippinensis Ames
Ames, Orchidac. ii. 235 (1908).—*Fl.*
pulcherrima Lindl.
Gard. Chron. Ser. III. lxiii. 57 (1918).
taenialis Benth. & Hook. f.
*Ann. Bot. Gard. Calcutta, viii. t. 266 (1898).
Wightii Benth. & Hook. f.
*Ann. Bot. Gard. Calcutta, v. t. 59 (1895); viii. t. 265 (1898).

DORONICUM Linn.—Vide *Aronicum*, *Cineraria* (3)
altaicum Pall.
*Pallas, Enum. Pl. t. 2 (1781).

DORONICUM
altaicum
Pallas in Act. Acad. Sc. Petersb. 1779, ii. t. 16 (1783).
Arnottii DC.
Wight, Ic. Pl. Ind. Or. iii. t. 1125 (1846).
asplenifolium Lam.
Lamarck, Ill. iv. t. 679, fig. 5 (1797).
austriacum Jacq.
*Jacquin, Fl. Austr. ii. t. 130 (1774).
*Sturm, Deutschl. Fl. xviii. LXXX [t. 1246] (1840).
Reichenbach, Ic. Fl. Germ. xvi. t. 957 (1853).
Ettingshausen in Sitzb. Akad. Wiss. Wien, xx. 450 (1856).—*Veg.*
Migout, Fl. Dépt. Allier, t. 11 (1866).—*Fr.*
*Weber, Alp.-Pfl. Ed. 3, iii. t. 225 (1872).
*Cusin & Ansberque, Herb. Fl. Franç. xii (Composées), t. 50 (1873).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xxix. t. 3070 (1887).
Wien. Ill. Gart.-Zeit. xiii. 160 (1888).—*Hab.*
Pflanzenfam. iv. v. 288 (1892).—*Fl.*
Coste, Fl. France, ii. 296 (1903).
Fiori & Paol. Ic. Fl. Ital. 415 (1904).
Sturm, Fl. Deutschl. Ed. 2, xiii. 94 (1905).
Woycicki, Obrazy Roslinnosci Krol. Polsk. iii. t. 8 (1912).—*Hab.*
Cadevall & Sallent, Fl. Catalunya, iii. 232 (1917).
Balansae Cavillier
Ann. Conserv. & Jard. Bot. Genève, xiii–xiv. t. 4 (1911).—*Veg.*
Bellidiastrum Linn.
Hill, Veget. Syst. ii. t. 24 (1761).
*Jacquin, Fl. Austr. iv. t. 400 (1776).
*C. Hoffmann, Pflanzenatlas, t. 67, fig. 420 (1881).
Bourgaei Sch.-Bip.
*Journ. Hort. Prat. Belg. N. Ser. i. t. 19 (1857).
*Bot. Mag. lxxxiii. t. 4994 (1857).
*Belg. Hort. viii. t. 10 (1858).
Candolleanum Wight & Arn.
Wight, Ic. Pl. Ind. Or. iii. t. 1127 (1846).
*Wight, Spicil. Neilgherr. ii. t. 114 (1851).
caucasicum M. Bieb.
Rochel, Pl. Banat. Rar. t. 31 (1828).
*Lodd. Bot. Cab. xv. t. 1465 (1828).
*Bot. Mag. lix. t. 3143 (1832).
*Sturm, Deutschl. Fl. xviii. LXXX [t. 1245] (1840).
*J. W. Loudon, Ladies' Fl.-Gard. Ornam. Perenn. ii. t. 54 (1844).
*Spach, Hist. Nat. Vég. Phan. Atlas, t. 65 (1846).
Decaisne & Naud. Amat. Jard. ii. 369 [1862–66].
Decaisne, Naud. & Hemsl. Trees, Shrubs & Herb. Pl. 261 (1873).
Gartenfl. xxvii. 247 (1878).
W. Robinson, Engl. Fl. Gard. t. 101 (1883).
Nicholson, Illustr. Dict. Gard. i. 487 [1884–88].
*Bois, Atlas Pl. Jard. t. 157 (1896).
*Step, Fav. Fl. Gard. & Greenh. ii. t. 152 (1897).
Fiori & Paol. Ic. Fl. Ital. 415 (1904).
Clusii Tausch
*G. Beck, Alpenblum. Semmering, t. 18, fig. 1 (1898).—*Fl.*
*H. S. Thompson, Alp. Pl. Europe, t. 36 (1911).
Hayek, Pflanzend. Oesterr.-Ung. i. t. 42 (1915).—*Hab.*
Columnae Ten.
*Tenore, Fl. Nap., Atlas, ii. t. 79 (1811–38).
Fiori & Paol. Ic. Fl. Ital. 415 (1904).
cordatum Lam.
Coste, Fl. France, ii. 297 (1903).
Flahault, Nouv. Fl. Alpes & Pyrén. i. 63 (1906).
Senn, Alpen-Flora, ii. 63 (1906).
Cadevall & Sallent, Fl. Catalunya, iii. 233 (1917).
cordatum Sch.-Bip.
*Seboth & A. W. Bennett, Alpine Pl. ii. t. 58 (1880).
*Hartinger, Altas Alpenfl. v. t. 466 (1897).
*H. S. Thompson, Alp. Pl. Europe, t. 35 (1911).
Ann. Conserv. & Jard. Bot. Genève, xiii–xiv. 212 (1911).—*Veg.*
*Penzig, Fl. Alpi Illustr. Ed. 2, t. 21 (1915) in ic.; *D. cordifolium* in textu, p. 53.
cordifolium Sternb.
Reichenbach, Ic. Fl. Germ. xvi. t. 955 (1853).

DORONICUM
cordifolium
Cesati, Passer. & Gibelli, Comp. Fl. Ital. t. 81 (1867–86).—*Fl.*
*Weber, Alp.-Pfl. Ed. 3, iii. t. 224 (1872).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xxix. t. 3069 (1887).
Paolucci, Fl. Marchig. t. 26 (1890).—*Fl.*
*Jul. Hoffmann, Alpine Fl. t. 21 (1903).
*Penzig, Fl. Alpi Illustr. Ed. 2, p. 53 (1915) in textu; *D. cordatum* in ic. t. 21.
corsicum Poir.
Fiori & Paol. Ic. Fl. Ital. 415 (1904).
Ann. Conserv. & Jard. Bot. Genève, xiii–xiv. t. 4 (1911).—*Veg.*
cruentum Sch.-Bip.
Webb & Berth. Hist. Nat. Iles Canar. iii. Phytogr. II. 336 (1836–50) in textu; *Pericallis cruenta* in ic. t. 104.
emarginatum Le Grand
Coste, Fl. France, ii. 297 (1903).
glaciale Nym.
*Hartinger, Atlas Alpenfl. v. t. 464 (1897).
grandiflorum Lam.
Fiori & Paol. Ic. Fl. Ital. 415 (1904).
—— **hirsutum** Lam.
Fiori & Paol. Ic. Fl. Ital. 415 (1904).
Hookeri C. B. Clarke
Basu, Ind. Med. Pl. t. 543 (1918).
hungaricum Reichb. f.
Reichenbach, Ic. Fl. Germ. xvi. t. 956 (1853).
*Hoffmann-Wagner, Magyar. Virág. Növén. (Flow. Pl. Hungary), t. 66, fig. 2 (1903).
incanum Hill
Hill, Veget. Syst. ii. t. 24 (1761).
incanum Lam.
Lamarck, Ill. iv. t. 679, fig. 3 (1797).
Lessingianum Wight & Arn.
Wight, Ic. Pl. Ind. Or. iii. t. 1126 (1846).
*Wight, Spicil. Neilgherr. ii. t. 113 (1851).
macrolepis Freyn & Sint.
Ann. Conserv. & Jard. Bot. Genève, xiii–xiv. t. 4 (1911).—*Veg.*
macrophyllum Fisch.
*Sturm, Deutschl. Fl. xviii. LXXX [t. 1243] (1840).
Nov. Act. Acad. Nat. Cur. xxxv. Art. IV. t. 2 (1869).—*Fl.*
Warming in Dansk. Vid. Selsk. Skrift. Ser. V. x. t. 1, fig. 15, 21 (1875).—*Fl.*
Engler & Drude, Veget. Erde, xi. t. 38 (1909).—*Hab.*
maximum Boiss. & Heut.
Ann. Conserv. & Jard. Bot. Genève, xiii–xiv. 213, t. 4 (1911).—*Veg.*
mexicanum Cerv.
*Link & Otto, Ic. Pl. Rar. t. 22 (1828–31).
montanum Lam.
Baillon, Traité Bot. Méd. Phan. ii. 1131, 1132 (1884).—*Fl.*
Baillon, Dict. Bot. ii. 431 (1884).—*Fl.*
Baillon, Hist. Pl. viii. 56, 57 (1886).—*Fl.*
Nendtwichii Sadl.
Nendtwich, Diss. Enum. Pl. Quinque-Eccl. [t. 2] (1836).
oppositifolium Lam.
Lamarck, Ill. iv. t. 679, fig. 4 (1797).—*Fl.*
papyraceum Sch.-Bip.
Webb & Berth. Hist. Nat. Iles Canar. iii. Phytogr. II. 339 (1836–50) in textu; *Pericallis papyracea* in ic. t. 106.
Pardalianches Linn.
*Kniphof, Herb. Viv. i. t. 378 (1758).
Hill, Veget. Syst. ii. t. 24 (1761).
*Regnault, Bot. ii. 152 (1774).
*Jacquin, Fl. Austr. iv. t. 350 (1776).
*Zorn, Ic. Pl. Med. iii. t. 227 (1781).
*Bergeret, Phyt. Univ. i. 47 (1783).
Martyn, Pl. Expl. Linn. Syst. Veg. t. 26 (1788).
Gaertner, Fruct. ii. t. 173 (1791).—*Fr.*
*Oskamp, Afb. Artseny-Gewass. iii. t. 292 (1796).
Lamarck, Ill. iv. t. 679, fig. 2 (1797).—*Fl.*
*Sowerby & Sm. Engl. Bot. ix. t. 630 (1799); Suppl. i. t. 2654 (1831).
*Plenck, Ic. Pl. Méd. vii. t. 622 (1803).
*Sturm, Deutschl. Fl. vi. XXI [t. 336] (1806); xviii. LXXX [t. 1242] (1840).

DORONICUM
Pardalianches
*Schkuhr, Bot. Handb. Ed. 2, t. 249 (1808).
*Jaume St.-Hilaire, Pl. France, ii [t. 34] (1808).
Thornton, Brit. Fl. iii. 32 (1812).
*Chaumeton, Fl. Méd. iii. t. 152 (1816).
*Vietz, Ic. Pl. Med.-oec.-techn. vi. t. 481 c (1817).
*Hayne, Getreue Darst. Arzn. Gewächse, vi. t. 21 (1819).
*Curtis, Fl. Londin. Ed. 2, iv. t. 88 (1819–21).
*Baxter, Brit. Bot. Ed. 2, ii. t. 157 (1835).
*Kops, Fl. Batava, vii. t. 514 (1836).
[M. E.] Jackson, Pict. Fl. fig. 1236 (1840).
Meigen, Deutschl. Fl. iii. t. 131 (1842).—*Fl.*
*Deakin, Florigr. Brit. iii. fig. 1293 (1847).
*Petermann, Deutschl. Fl. t. 48, fig. 378 (1849).—*Fl.*
*Cassone, Fl. Med.-Farm. iv. t. 343 (1850).
Reichenbach, Ic. Fl. Germ. xvi. t. 955 (1853).
Johnson & Sowerby, Brit. Wild Fl. fig. 739 (1858–60).
Berg, Charakt. t. 50, fig. 382 (1861).
Bentham, Handb. Brit. Fl. fig. 542 (1865).
*Syme, Engl. Bot. v. t. 761 (1866).
*Hogg & Johnson, Wild Fl. Gr. Brit. v. t. 378 (1869).
*Cusin & Ansberque, Herb. Fl. Franç. xii (Composées), t. 49 (1873).
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, iii. t. 126 [1873].
De Silvestri, Piante Prat. 273 (1879).
Wagner, Ill. Deutsche Fl. Ed. 2, p. 426 (1882).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xxix. t. 3067 (1887).
*Hulme, Familiar Wild Fl. (5 vol. Ed.), iii. 89 [1892?]; (Pop. Ed.), v. 45 (1897?].
Garcke, Ill. Fl. Deutschl. 324 (1895).
C. T. Green, Fl. Liverpool Distr. fig. 337 (1902).
Fiori & Paol. Ic. Fl. Ital. 415 (1904).
*Sturm, Fl. Deutschl. Ed. 2, xiii. t. 56 (1905).
Heukels, Fl. Nederl. iii. 405 (1910).
Ann. Conserv. & Jard. Bot. Genève, xiii–xiv. 211, t. 4 (1911).—*Veg.*
Fitch & Smith, Ill. Brit. Fl. Ed. rev. 4, Iss. 2, fig. 553 (1919).
plantagineum Linn.
Hill, Veget. Syst. ii. t. 24 (1761).
*Bergeret, Phyt. Univ. i. 71 (1783).
*Deakin, Florigr. Brit. iii. fig. 1294 (1847).
Reichenbach, Ic. Fl. Germ. xvi. t. 956 (1853).
Johnson & Sowerby, Brit. Wild Fl. fig. 738 (1858–60).
Bentham, Handb. Brit. Fl. fig. 543 (1865).
*Syme, Engl. Bot. v. t. 762 (1866).
*Cusin & Ansberque, Herb. Fl. Franç. xii (Composées), t. 48 (1873).
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, iii. t. 126 [1873].
*Garden, xxviii. 512 (1885).
Acloque, Fl. France, 359 (1894).
Coste, Fl. France, ii. 297 (1903).
Merino, Fl. Galicia, ii. 388 (1906).
Journ. Hort. Ser. III. lv. 109 (1907).
Ann. Conserv. & Jard. Bot. Genève, xiii–xiv. 211 (1911).—*Veg.*
Fitch & Smith, Ill. Brit. Fl. Ed. rev. 4, Iss. 2, fig. 554 (1919).
—— **excelsum** N. E. Br.
Gard. Chron. xx. 297 (1883); Ser. III. xvii. 229 (1895).
Gartenfl. xxxix. 653 (1890).
Schweiz. Gartenbau, xiv. 126 (1901).—*Hab.*
Möllers Deutsche Gärtn.-Zeit. xx. 229 (1905).
Centr. Exper. Farm, Ottawa, Bull. No. 5, Ser. II. 32 (1908).—*Hab.*
—— **Lobelii** Ten.
Fiori & Paol. Ic. Fl. Ital. 415 (1904).
reticulatum Wight
Wight, Ic. Pl. Ind. Or. iii. t. 1151 (1846).
Calcutta Journ. Nat. Hist. vii. t. 3 (1847).—*Fl.*
rotundifolium Desf.
Desfontaines, Fl. Atlant. ii. t. 235 (1798).
rupestre Wight
Wight, Ic. Pl. Ind. Or. iii. t. 1128 (1846).

DORONICUM
scorpioides Willd.
*Hayne, Getreue Darst. Arzn. Gewächse, vi. t. 22 (1819).
*Sturm, Deutschl. Fl. xviii. LXXX [t. 1244] (1840).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xxix. t. 3068 (1887).
*Hartinger, Atlas Alpenfl. v. t. 465 (1897).
tenuifolium Wight
Wight, Ic. Pl. Ind. Or. iii. t. 1129 (1846).
tomentosum Wight
Wight, Ic. Pl. Ind. Or. iii. t. 1151 (1846).
Calcutta Journ. Nat. Hist. vii. t. 3 (1847).—*Fl.*
Wightii DC.
Wight, Ic. Pl. Ind. Or. iii. t. 1124 (1846).

DOROTHEA Wernh.
Talbotii Wernh.
Rendle, Cat. Talbot's Nigerian Pl. t. 7 (1913).

DORSTENIA Linn.—Vide *Kosaria, Sychinium*
alexiteria Linn.
Hill, Veget. Syst. v. t. 7 (1763).
arabica Hemsl.
Hook. Ic. Pl. xxvi. t. 2503 (1897).
argentata Hook. f.
*Bot. Mag. xcv. t. 5795 (1869).
*Cogniaux & March. Pl. Orn. i. t. 23 (1873).—*Veg.*
arifolia Lam.
Lamarck, Ill. i. t. 83, fig. 2 (1791).
*Hooker, Exot. Fl. i. t. 6 (1823).
*Bot. Mag. li. t. 2476 (1824).
*Lodd. Bot. Cab. x. t. 999 (1824).
Mart. Fl. Bras. iv. 1. t. 60 (1853).
asaroides Gardn.
Hook. Ic. Pl. iv. t. 399 (1841).
Mart. Fl. Bras. iv. 1. t. 61 (1853).
Barnimiana Schweinf.
Schweinfurth, Pl. Nilot. t. 12 (1862).
Engler, Monogr. Afr. Pfl.-Fam. i. Morac. t. 1 (1898).
bicornis Schweinf.
Engler, Monogr. Afr. Pfl.-Fam. i. Morac. t. 8 (1898).
Engler & Drude, Veget. Erde, ix. 1. 2, p. 734 (1910); ix. III. 1, p. 24 (1915).
Bowmanniana Baker
*Saunders, Ref. Bot. v. t. 303 (1872).
brasiliensis Lam.
*Nees, Pl. Offic. i. t. 99 (1828).
Ann. Soc. Linn. Dépt. Maine & Loire, Angers, ix. 225 (1867).—*Fr.*
Baillon, Hist. Pl. vi. 147 (1877).—*Fl.*
Baillon, Dict. Bot. ii. 467 (1884).—*Fl.*
Buchananii Engl.
Engler, Monogr. Afr. Pfl.-Fam. i. Morac. t. 8 (1898).
caulescens Linn.
*Descourtilz, Fl. Pitt. & Méd. Antilles, iv. t. 257 (1827).
caulescens Hill
Hill, Veget. Syst. v. t. 8 (1763).
caulescens Vell.
Vellozo, Fl. Flum. i. t. 141 (1827).
Fielding & Gardn. Sert. Pl. i. t. 13 (1844).
caulescens Schweinf. & Engl.
Engler, Monogr. Afr. Pfl.-Fam. i. Morac. t. 5 (1898).
Engler & Drude, Veget. Erde, ix. 1. 2, p. 734 (1910); ix. III. 1, p. 24 (1915).
Arkiv Bot., Stockholm, xiii. No. 1, p. 18 (1913).—*Veg.*
cayapia Vell.
Vellozo, Fl. Flum. i. t. 137 (1827).
ceratosanthes Lodd.
*Bot. Mag. liv. t. 2760 (1827).
*Lodd. Bot. Cab. xiii. t. 1216 (1827).
Ann. Soc. Linn. Dépt. Maine & Loire, Angers, ix. 225 (1867).—*Fr.*
Contrajerva Linn.
Plumier, Pl. Amer. Ed. Burm. t. 119 (1757); fide Urban, Fedde Repert. Beih. v. 63.
Hill, Veget. Syst. v. t. 8 (1763).
*Jacquin, Ic. Pl. Rar. iii. t. 614 (1786–93).
*Plenck, Ic. Pl. Méd. i. t. 67 (1788).
*Woodville, Med. Bot. i. t. 51 (1790); Ed. 3, iv. t. 240 (1832).

DORSTENIA
Contrajerva
Lamarck, Ill. i. t. 83, fig. 1 (1791).
*Roemer, Archiv Bot. i. 1. t. 7 (1796).
*Vietz, Ic. Pl. Med.-oec.-techn. i. t. 67 (1800).
*Titford, Sketches Hort. Bot. Amer. t. 6 (1812).—*Veg.*
*Chaumeton, Fl. Méd. iii. t. 131 (1816).
Dict. Sc. Nat., Planch. Bot. Dicot. t. 284 (1816–29).
*Descourtilz, Fl. Pitt. & Méd. Antilles, iii. t. 207 (1827).
*Nees, Pl. Offic. i. t. 98 (1828).
*Fl. Med. [Spratt], ii. 229 (1830).
Delle Chiaje, Fl. Med. ii. tab. (1832).
*Stephenson & Churchill, Med. Bot. New Ed. iii. t. 145 (1836).
Lindley, Veg. Kingd. 267 (1846).—*Fr.*
Lindley, Med. & Oecon. Bot. 78 (1849).
*Cassone, Fl. Med.-Farm. v. t. 498 (1850).
Schnizlein, Iconogr. ii. t. 92 (1852).—*Fl.*
*Argenta, Album Fl. Med.-Farm. iii. t. 272 (1864).
Ann. Soc. Linn. Dépt. Maine & Loire, Angers, ix. 225 (1867).—*Fr.*
Karsten, Deutsche Fl. Pharm.-medic. Bot. 496 (1880–83).
Dujard.-Beaumetz & Égasse, Pl. Med. 204 (1889).
Lubbock, Seedlings, ii. 498 (1892).—*Veg.*
Brehm, Merv. Nat. Monde des Pl. ii. 462 (1894–96).—*Fl.*
Karsten, Fl. Deutschl. ii. 25 (1895).
L. H. Bailey, Cycl. Amer. Hort. 500 (1900); Stand. Cycl. Hort. 1067 (1914).
Beille, Bot. Pharm. ii. 203 (1909).
Velenovsky, Vergl. Morphol. Pfl. iii. t. 8 (1910).—*Fl.*
Warburg, Pflanzenwelt, i. 476 (1913).
Flora, cviii. 335 (1915).—*Fr.*
convexa De Wild.
De Wildeman, Études Fl. Bas- et Moyen-Congo (Ann. Mus. Congo), iii. t. 4 (1909).
cordifolia Sw.
Fawcett & Rendle, Fl. Jamaica, iii. 1. 44 (1914).
crispa Engl.
Engler, Monogr. Afr. Pfl.-Fam. i. Morac. t. 9 (1898).
Engler & Drude, Veget. Erde, ix. 1. 2, p. 734 (1910); ix. III. 1, p. 24 (1915).
cuspidata Hochst.
Ann. Soc. Linn. Dépt. Maine & Loire, Angers, ix. 225 (1867).—*Fr.*
Baillon, Hist. Pl. vi. 148 (1877).—*Fl.*
Baillon, Dict. Bot. ii. 467 (1884).—*Fl.*
Pflanzenfam. iii. 1. 78 (1888).—*Fl.*
Engler, Monogr. Afr. Pfl.-Fam. i. Morac. t. 7 (1898).
Arkiv Bot., Stockholm, xiii. No. 1, p. 18 (1913).—*Veg.*
Cyperus Vell.
Vellozo, Fl. Flum. i. t. 140 (1827).
debilis Baill.
Grandidier, Hist. Madag. [Plantes] Atlas, t. 294, c (1895).
Dinklagei Engl.
Engler, Monogr. Afr. Pfl.-Fam. i. Morac. t. 8 (1898).
Drakena Linn.
Hill, Veget. Syst. v. t. 7 (1763).
*Plenck, Ic. Pl. Méd. ii. t. 102 (1789).
*Roques, Pl. Usuell. Indig. & Exot. i. t. 39 (1807).
*Vietz, Ic. Pl. Med.-oec.-techn. vi. t. 481 d (1817).
*Lodd. Bot. Cab. vii. t. 677 (1822).
Drakena Vell.
Vellozo, Fl. Flum. i. t. 139 (1827).
elata Gardn.
Hook. Ic. Pl. iii. t. 220 (1840).
Mart. Fl. Bras. iv. 1. t. 55 (1853).
elliptica Bur.
Thonner, Blütenpfl. Afr. t. 31 (1908).
erecta Vell.
Vellozo, Fl. Flum. i. t. 142 (1827).
excentrica Moric.
Moricand, Pl. Amér. t. 59 (1840).

DORSTENIA
Ficus Vell.
Vellozo, Fl. Flum. i. t. 138 (1827).
foetida Schweinf. & Engl.
Engler, Monogr. Afr. Pfl.-Fam. i. Morac. t. 1 (1898).
Engler & Drude, Veget. Erde, ix. 1. 2, p. 733 (1910); ix. III. 1, p. 23 (1915).
frutescens Engl.
Engler, Monogr. Afr. Pfl.-Fam. i. Morac. t. 2 (1898).
Engler & Drude, Veget. Erde, ix. 1. 2, p. 733 (1910); ix. III. 1, p. 23 (1915).
gigas Schweinf.
Balfour f., Bot. Socotra (Trans. Roy. Soc. Edin. xxxi), t. 95 (1888).
Engler, Monogr. Afr. Pfl.-Fam. i. Morac. t. 9 (1898).—*Hab.*
Engler & Drude, Veget. Erde, ix. 1. 1, p. 208 (1910); ix. III. 1, p. 26 (1915).—*Hab.*
Gilletii De Wild.
De Wildeman, Études Fl. Bas- et Moyen-Congo (Ann. Mus. Congo), i. t. 11 (1903).
Hildebrandtii Engl.
Engler, Monogr. Afr. Pfl.-Fam. i. Morac. t. 6 (1898).
Hockii De Wild.
De Wildeman, Études Fl. Katanga (Ann. Mus. Congo), ii. t. 9 (1913).—*Hab.*
Holstii Engl.
Engler, Monogr. Afr. Pfl.-Fam. i. Morac. t. 4 (1898).
Houstonii Linn.
*Plenck, Ic. Pl. Méd. ii. t. 103 (1789).
Sprengel, Journ. f. die Bot. 1800, i. 1. t. 1, 2 (1801).
*Vietz, Ic. Pl. Med.-oec.-techn. vi. t. 481 e (1817).
*Bot. Mag. xlv. t. 2017 (1818).
*Lodd. Bot. Cab. xi. t. 1005 (1825).
Berg, Charakt. t. 22, fig. 183 (1861).—*Fl.*
Humblotiana Baill.
Grandidier, Hist. Madag. [Plantes] Atlas, t. 294, b (1895).
indica Wall.
Wight, Ic. Pl. Ind. Or. vi. t. 1964 (1853).
Fyson, Fl. Nilgiri & Pulney Hill-tops, iii. 505 (1920).
intermedia Engl.
Engler, Monogr. Afr. Pfl.-Fam. i. Morac. t. 4 (1898).
Laurentii De Wild.
De Wildeman, Miss. É. Laurent, ii. t. 32 (1905).
—— **brevipedicellata** De Wild.
De Wildeman, Pl. Nov. Herb. Hort. Then. i. t. 51 (1907).
longifolia Moric.
Moricand, Pl. Amér. t. 58 (1840).
Lujae De Wild.
De Wildeman, Études Fl. Bas- et Moyen-Congo (Ann. Mus. Congo), ii. t. 59 (1907).
De Wildeman, Pl. Nov. Herb. Hort. Then. i. t. 50 (1907).
maculata C. Lem.
*Ill. Hort. x. t. 362 (1863).
Mannii Hook. f.
*Bot. Mag. xcvii. t. 5908 (1871).
Massonii Bureau
Bull. Soc. Bot. France, xxxiii. t. 1 (1886).
mirabilis R. E. Fries
Arkiv Bot. Stockholm, xiii. No. 1, p. 4, t. 2 (1913).
multiformis Miq.
Mart. Fl. Bras. iv. 1. t. 57–59 (1853).
Baillon, Hist. Pl. vi. 147 (1877).—*Fl.*
Baillon, Traité Bot. Méd. Phan. ii. 989 (1884).—*Fl.*
Baillon, Dict. Bot. ii. 467 (1886).—*Fl.*
Pflanzenfam. iii. 1. 78, 79 (1888).
multiradiata Engl.
Engler, Monogr. Afr. Pfl.-Fam. i. Morac. t. 1, 3 (1898).
mungensis Engl.
Engler, Monogr. Afr. Pfl.-Fam. i. Morac. t. 4 (1898).
Engler & Drude, Veget. Erde, ix. 1. 2, p. 733 (1910); ix. III. 1, p. 23 (1915).
nervosa Desv.
Mart. Fl. Bras. iv. 1. t. 56 (1853).

DORSTENIA
ophiocoma K. Schum. & Engl.
Engler, Monogr. Afr. Pfl.-Fam. i. Morac. t. 4 (1898).
palmata Engl.
Engler, Monogr. Afr. Pfl.-Fam. i. Morac. t. 1, 9 (1898).
Engler & Drude, Veget. Erde, ix. 1. 2, p. 734 (1910); ix. III. 1, p. 24 (1915).
Phillipsiae Hook. f.
*Bot. Mag. cxxv. t. 7676 (1899).
Poggei Engl.
Engler, Monogr. Afr. Pfl.-Fam. i. Morac. t. 6 (1898).
Engler & Drude, Veget. Erde, ix. 1. 2, p. 734 (1910); ix. III. 1, p. 24 (1915).
Arkiv Bot., Stockholm, xiii. No. 1, p. 7 (1913).—*Fl.*
poinsettiifolia Engl.
Engler, Monogr. Afr. Pfl.-Fam. i. Morac. t. 2 (1898).
Engler & Drude, Veget. Erde, ix. 1. 2, p. 733 (1910); ix. III. 1, p. 23 (1915).
Preussii Schweinf.
Engler, Monogr. Afr. Pfl.-Fam. i. Morac. t. 8 (1898).
prorepens Engl.
Engler, Monogr. Afr. Pfl.-Fam. i. Morac. t. 1, 3 (1898).
Engler & Drude, Veget. Erde, ix. 1. 2, p. 733 (1910); ix. III. 1, p. 23 (1915).
psilurus Welw.
De Wildeman, Études Fl. Bas- et Moyen-Congo (Ann. Mus. Congo), ii. t. 60 (1907).
De Wildeman, Pl. Nov. Herb. Hort. Then. i. t. 53 (1907).
—— **compacta** De Wild.
De Wildeman, Pl. Nov. Herb. Hort. Then. i. t. 54 (1907).
quercifolia R. E. Fries
Arkiv Bot., Stockholm, xiii. No. 1, t. 1 (1913).
radiata Lam.
Baillon, Dict. Bot. iii. 179 (1889).
rhodesiana R. E. Fries
Arkiv Bot., Stockholm, xiii. No. 1, t. 2 (1913).
Rosenii R. E. Fries
Arkiv Bot., Stockholm, xiii. No. 1, t. 2 (1913).
scaphigera Bureau
De Wildeman, Pl. Nov. Herb. Hort. Then. i. t. 52 (1907).
Schlechteri Engl.
Engler, Monogr. Afr. Pfl.-Fam. i. Morac. t. 4 (1898).
sessilis R. E. Fries
Arkiv Bot., Stockholm, xiii. No. 1, p. 4, t. 2 (1913).
setosa Moric.
Moricand, Pl. Amér. t. 64 (1841).
stenophylla R. E. Fries
Arkiv Bot., Stockholm, xiii. No. 1, t. 2 (1913).
subtriangularis Engl.
Engler, Monogr. Afr. Pfl.-Fam. i. Morac. t. 5 (1898).
Engler & Drude, Veget. Erde, ix. 1. 2, p. 733 (1910); ix. III. 1, p. 23 (1915).
Telekii Schweinf.
Engler, Monogr. Afr. Pfl.-Fam. i. Morac. t. 9 (1898).
tropaeolifolia Bureau
Engler, Monogr. Afr. Pfl.-Fam. i. t. 1, 9 (1898).
tubicina Ruiz & Pav.
Ruiz & Pavon, Fl. Peruv. & Chil. i. t. 102 (1798).
*Bot. Mag. lv. t. 2804 (1828).
*Lodd. Bot. Cab. xviii. t. 1784 (1831).
ulugurensis Engl.
Engler, Monogr. Afr. Pfl.-Fam. i. Morac. t. 5 (1898).
Engler & Drude, Veget. Erde, ix. 1. 2, p. 733 (1910); ix. III. 1, p. 23 (1915).
unyikae Engl.
Arkiv Bot., Stockholm, xiii. No. 1, p. 4, 5, 18, t. 1 (1913).
variegata Engl.
Engler, Monogr. Afr. Pfl.-Fam. i. Morac. t. 6 (1898).
Engler & Drude, Veget. Erde, ix. 1. 2, p. 734 (1910); ix. III. 1, p. 24 (1915).

DORSTENIA
vitifolia Gardn.
Fielding & Gardn. Sert. Pl. i. t. 14 (1844).
vivipara Welw.
Engler, Monogr. Afr. Pfl.-Fam. i. Morac. t. 3 (1898).
Volkensii Engl.
Engler, Monogr. Afr. Pfl.-Fam. i. Morac. t. 7 (1898).
yambuyaënsis De Wild.
De Wildeman, Études Fl. Bas- et Moyen-Congo (Ann. Mus. Congo), iii. 67, t. 5 (1909).
*Bot. Mag. cxli. t. 8616 (1915).
zanzibarica Oliv.
Hook. Ic. Pl. xvi. t. 1581 (1887).
Zenkeri Engl.
Engler, Monogr. Afr. Pfl.-Fam. i. Morac. t. 7 (1898).
Engler & Drude, Veget. Erde, ix. 1. 2, p. 734 (1910); ix. III. 1, p. 24 (1915).

DORYALIS E. Mey.—Vide *Aberia*
abyssinica Warb.
Engler & Drude, Veget. Erde, ix. 1. 1, p. 337 (1910).
caffra Warb.
Pflanzenfam. iii. VI. A. 40 (1893).—*Fl.*
W. Popenoe, Man. Trop. & Subtrop. Fr. 442 (1920).
caffra Sim
Sim, For. Fl. Cape Colony, t. 5 (1907).
celastroides Sond.
Sim, For. Fl. Portug. E. Africa, t. 17 (1909).
Engleri Gilg
Engler & Drude, Veget. Erde, ix. 1. 1, p. 337 (1910).
lucida Sim
Sim, For. Fl. Cape Colony, t. 6 (1907).
macrodendron Gilg
Engl. Jahrb. lv. 281 (1918).
rhamnoides Burch. & Harv.
Sim, For. Fl. Cape Colony, t. 7 (1907).
rotundifolia Harv.
Sim, For. Fl. Cape Colony, t. 7 (1907).
tristis Sim
Sim, For. Fl. Cape Colony, t. 6 (1907).
—— **depauperata** Sim
Sim, For. Fl. Cape Colony, t. 15 (1907).

DORYANTHES Correa
excelsa Correa
Trans. Linn. Soc. London, vi. t. 24 (1802).
Bauer, Illustr. Fl. Nov. Holl. t. 12–14 (1813).
*Bot. Mag. xli. t. 1685 A, B (1814).
*Lodd. Bot. Cab. viii. t. 765 (1823).
*Hort. Belge Journ. Jard. & Amat. ii. t. 30 (1834).
*Glenny, Hort. Journ. N. Ser. ii. 172, 176 (1839).
*G. Bennett, Australasia, t. 8 (1860).
*Gartenfl. xiii. t. 421 (1864).
*Rev. Hort. 1865, p. 465, 466; 1891, p. 548.
*Horticulteur Franç. 1865, p. 136, t. 9.
*Belg. Hort. xviii. 17 (1868).
*Fl. des Serres, Ser. II. viii. t. 1912, 1913 (1869–70).
Garden, xii. 535 (1877).—*Hab.*
Gard. Chron. xi. 339 (1879).—*Hab.*
Nicholson, Illustr. Dict. Gard. i. 487 [1884–88].—*Hab.*
Blanc, Hints Cacti, 104 (1891).
Bellair & St.-Léger, Pl. Serre, 729 (1900).—*Hab.*
Guilfoyle, Austral. Pl. 384 [1911].—*Hab.*
F. Sulman, Wild Fl. N. S. Wales, ii. t. 69 (1914).
—— **Guilfoylei** Hort.
Gard. Chron. Ser. III. xlv. 383 (1909).—*Hab.*
Guilfoylei F. M. Bailey
Garden, xliv. 69 (1893).—*Hab.*
Guilfoyle, Austral. Pl. 96 [1911].—*Hab.*
Palmeri W. Hill
Gartenfl. xxiii. 377 (1874); lxi. 324 (1912).
*Fl. des Serres, Ser. II. x. t. 2097, 2098 (1874).
Gard. Chron. i. 180, 181 (1874); xvii. 409 (1882).
Neubert's Deutsch. Gart. Mag. xxxii. 168 (1879); l. 403 (1897).
Journ. Hort. Ser. III. iv. 301 (1882).—*Fl.*
*Bot. Mag. cix. t. 6665 (1883).
*Rev. Hort. 1891, p. 548.

DORYANTHES
Palmeri
E. T. Witte in Tijdschr. Tuinb. Ed. Bos, v. fig. 31 (1900).—*Hab.*
Möllers Deutsche Gärtn.-Zeit. xxii. 493 (1907).
Guilfoyle, Austral. Pl. 280 [1911].—*Hab.*
Velenovsky, Vergl. Morphol. Pfl. iv. Suppl. t. 1 (1913).—*Veg.*
Goebel, Organogr. Pfl. Ed. 2, i. 280 (1913).—*Veg.*
Oesterr. Gart.-Zeit. viii. 232 (1913).
Glück, Blatt- & Blütenmorph. Stud. 577 (1919).—*Fl.*

DORYCNIUM Vill.—Vide *Bonjeania*
argenteum Del.
Delile, Fl. Égypte, t. 40 (1812).
Broussonetii Webb & Berth.
Webb & Berth. Hist. Nat. Iles Canar. iii. Phytogr. ii. 90 (1836–50) in textu; *Lotus Broussonetii* in ic. t. 57.
collinum Jord. and Fourr.
*Jordan & Fourr. Ic. Fl. Eur. i. t. 161 (1868).
decumbens Jord.
Jordan, Obs. (Ann. Soc. Linn. Lyon, 1845–46), iii. t. 4 (1846).—*Fl.*
*Cusin & Ansberque, Herb. Fl. Franç. vii. t. 1142 (1871).
Cadevall & Sallent, Fl. Catalunya, ii. 128 (1916).
dumulosum Jord. & Fourr.
*Jordan & Fourr. Ic. Fl. Eur. i. t. 158 (1868).
elongatum Jord. & Fourr.
*Jordan & Fourr. Ic. Fl. Eur. i. t. 157 (1868).
eriophthalmum Webb & Berth.
Webb & Berth. Hist. Nat. Iles Canar. iii. Phytogr. ii. t. 59 (1836–50).
frutescens Jord. & Fourr.
*Jordan & Fourr. Ic. Fl. Eur. i. t. 156 (1868).
gracile Jord.
Jordan, Obs. (Ann. Soc. Linn. Lyon, 1845–46), iii. t. 4 (1846).—*Fl.*
Reichenbach, Ic. Fl. Germ. xxii. t. 137 (1867–86).
*Jordan & Fourr. Ic. Fl. Eur. i. t. 163 (1868).
*Cusin & Ansberque, Herb. Fl. Franç. vii. t. 1143 (1871).
herbaceum Vill.
Villars, Hist. Pl. Dauph. iii. t. 41 (1789).
Jordan, Obs. (Ann. Soc. Linn. Lyon, 1845–46), iii. t. 4 (1846).—*Fl.*
Nees, Gen. Pl., fasc. xxix. t. 9 (1856).
Reichenbach, Ic. Fl. Germ. xxii. t. 137 (1867–86).
*Cusin & Ansberque, Herb. Fl. Franç. vii. t. 1141 (1871).
De Silvestri, Piante Prat. 394 (1879).
Willkomm, Führ. Reich Pflanzen, 709 (1882).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xxiii. t. 2410 (1885).
Coste, Fl. France, i. 354 (1901).
hirsutum Ser.
*Jaume St.-Hilaire, Fl. & Pom. Franç. iii. t. 285 (1830).
Fiori & Paol. Ic. Fl. Ital. 241 (1899).
implexum Jord. & Fourr.
*Jordan & Fourr. Ic. Fl. Eur. i. t. 159 (1868).
insulare Jord. & Fourr.
*Jordan & Fourr. Ic. Fl. Eur. i. t. 160 (1868).
Jordanii Loret & Barr.
Coste, Fl. France, i. 355 (1901).
latifolium Willd.
*Jaume St.-Hilaire, Fl. & Pom. Franç. iii. t. 286 (1830).
monspeliense Willd.
*Jaume St.-Hilaire, Fl. & Pom. Franç. iii. t. 286 (1830).
pentaphyllum Scop.
Pokorny, Oesterr. Holzpfl. t. 77 (1864).—*Veg.*
Fiori & Paol. Ic. Fl. Ital. 241 (1899).
—— **hirtum** Neilr.
Pokorny, Oesterr. Holzpfl. 482 (1864).—*Veg.*
—— **sericeum** Neilr.
Pokorny, Oesterr. Holzpfl. 482 (1864).—*Veg.*
rectum Ser.
Post, Fl. Syria, Palestine & Sinai, 247 [1896].—*Fr.*

DORYCNIUM
rectum
Fiori & Paol. Ic. Fl. Ital. 241 (1899).
Schimperi Jaub. & Spach
Jaubert & Spach, Illustr. Pl. Or. v. t. 473 (1853–57).
spectabile Webb & Berth.
Webb & Berth. Hist. Nat. Iles Canar. iii. Phytogr. ii. t. 58 (1836–50).
stenocladum Jord. & Fourr.
*Jordan & Fourr. Ic. Fl. Eur. i. t. 162 (1868).
suffruticosum Vill.
Jordan, Obs. (Ann. Soc. Linn. Lyon, 1845–46), iii. t. 4 (1846).—*Fl.*
*Petermann, Deutschl. Fl. t. 21, fig. 157 (1849).
Nees, Gen. Pl., fasc. xxix. t. 9 (1856).—*Fl.*
Reichenbach, Ic. Fl. Germ. xxii. t. 137 (1867–86).
*Cusin & Ansberque, Herb. Fl. Franç. vii. t. 1140 (1871).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xxiii. t. 2409 (1885).
Acloque, Fl. France, 213 (1894).
Garcke, Ill. Fl. Deutschl. 140 (1895).
Coste, Fl. France, i. 355 (1901).
Sturm, Fl. Deutschl. Ed. 2, ix. 77 (1901).
Schneider, Dendrol. Winterst. 137 (1903).—*Veg.*
Merino, Fl. Galicia, i. 345 (1905).
Schneider, Ill. Handb. Laubh. ii. 64 (1907).
Fedtschenko & Fler. Fl. Eur. Russia, 560 (1910).
Silva Tarouca, Freiland-Laubgehölze, 210 (1913).—*Hab.*
Cadevall & Sallent, Fl. Catalunya, ii. 127 (1916).
torulosum Presl
Presl, Symbolae Bot. t. 11 (1830–32).

DORYCNOPSIS Boiss.: *Anthyllis*
Gerardii Boiss.
*Cusin & Ansberque, Herb. Fl. Franç. vii. t. 1139 (1871).
Fiori & Paol. Ic. Fl. Ital. 241 (1899).
Coste, Fl. France, i. 354 (1901).
Merino, Fl. Galicia, i. 344 (1905).
Cadevall & Sallent, Fl. Catalunya, ii. 70 (1916).

DORYOPTERIS J. Sm.—Vide *Cassebeera, Cheilo-plecton, Heteropteris*
angularis Fée
Fée, Crypt. Vasc. Brésil, ii. t. 88 (1872–73).
collina J. Sm.
*Lowe, Ferns, iii. t. 38 (1857).
concolor Kuhn
Engler & Drude, Veget. Erde, ix. ii. 38 (1908).
Sim, Ferns S. Africa, Ed. 2, t. 104 (1915).
decora Brack.
Brackenridge, Crypt. Wilkes, U.S. Expl. Exp. 1838–42, t. 13 (1855).
deltoidea Diels
Sim, Ferns S. Africa, Ed. 2, t. 105 (1915).
—— **laxa** Sim
Sim, Ferns S. Africa, Ed. 2, t. 105 (1915).
×**Duvalii** Bellair
Rev. Hort. 1897, p. 563.—*Hab.*
hastata J. Sm.
J. Smith, Hist. Fil. t. 21 (1875).
lomariacea Klotzsch
Pflanzenfam. i. iv. 270 (1899).
Usteri, Fl. São Paulo, 132 (1911).
ludens J. Sm.
Beddome, Handb. Ferns Brit. Ind. 119 (1883).
Journ. Hort. Ser. III. vii. 158 (1884); xliii. 116 (1901).
Pflanzenfam. i. iv. 270 (1899).
Fern Bull. xviii. 34 (1910).
Michelii Christ
Léveillé, Cat. Ill. Pl. Seu Tchouen, t. 37 (1918).
ornithopus J. Sm.
Christ, Geogr. Farne, 233 (1910).
palmata J. Sm.
Moore & Ayres, Mag. Bot. iii. 195 (1851).
*Lowe, Ferns, iii. t. 37 (1857).
J. Smith, Ferns, Brit. & Foreign, 194 (1866); Ed. 2, p. 194 (1879).
*Hulme, Plant Form, t. 80 (1868).
Journ. Hort. Ser. III. xix. 439 (1889); xxxi. 487 (1895).—*Hab.*
—— **argenteo-striata** Hort.
*Rev. Hort. Belge, xxxi. 12 (1905).

DORYOPTERIS
patula Fée
Fée, Crypt. Vasc. Brésil, ii. t. 89 (1872–73).
pedata Fée
*Lowe, Ferns, iii. t. 35 (1857).
*Hulme, Plant Form, t. 74 (1868).
rediviva Fée
Fée, Crypt. Vasc. Brésil, ii. t. 89 (1872–73).
robusta Diels
Sim, Ferns S. Africa, Ed. 2, t. 105 (1915).
sagittifolia J. Sm.
Moore & Ayres, Mag. Bot. iii. 195 (1851).
*Lowe, Ferns, iii. t. 36 (1857).
Wallichii J. Sm.
Fée, Mém. Foug. i. t. 2, fig. 4 (1844).—*Veg.*

DORYPHORA Endl.
Sassafras Endl.
Endlicher, Ic. Gen. Pl. t. 10 (1838).
Lindley, Veg. Kingd. 300 (1846).—*Fl.*
Schnizlein, Iconogr. ii. t. 105 (1849).—*Fl.*
Ettingshausen in Denkschr. Akad. Wiss. Wien, xv. t. 28, fig. 5–7 (1858).—*Veg.*
Ettingshausen, Blatt-Skel. Dikot. t. 16, 17 (1861).—*Veg.*
Baillon, Hist. Pl. i. 318 (1867–69).—*Fl.*
Baillon, Traité Bot. Méd. Phan. i. 527 (1883).—*Fl.*
Pflanzenfam. iii. ii. 103 (1889).—*Fl.*
Gard. Chron. Ser. III. xviii. 35 (1895).
Pflanzenreich, Monimiac. 78 (1901).
Proc. Linn. Soc. N. S. Wales, xxv. iv. t. 38 (1901).—*Veg.*
Maiden, For. Fl. N. S. Wales, i. t. 7 (1903); iv. Pt. xl [t. 6] (1910).
Guilfoyle, Austral. Pl. 384 [1911].—*Hab.*
J. H. Maiden, Some Princip. Comm. Trees N. S. Wales (N. S. Wales, Forest. Handb.), 210 (1917).

DORYSTIGMA Gaudich.: *Pandanus*
madagascariense Gaudich.
Gaudichaud, Voy. Bonite, Bot. Atlas, t. 31 (1844–66).—*Fr.*
mauritianum Gaudich.
Gaudichaud, Voy. Bonite, Bot. Atlas, t. 13 (1844–66).—*Fr.*

DORYSTIGMA Miers: *Jaborosa*
caulescens Miers
Miers, Ill. S. Amer. Pl. i. t. 6 (1850).
squarrosum Miers
Miers, Ill. S. Amer. Pl. i. t. 6 (1850).

DOSSINIA C. Morr.
marmorata C. Morr.
*Ann. Gand, iv. t. 193 (1848).
*Blume, Coll. Orchidées, t. 18 (1858).
*Belg. Hort. xii. 1 (1862).
Pflanzenfam. ii. vi. 118 (1889).
Stein, Orchideenbuch, 219 (1892).
Kerchove, Livre Orch. 80 (1894).
*Costantin, Atlas Orch. Cult. t. 27 (1913).
Schlechter, Orchideen, 120 (19[14–]15).—*Hab.*
Meinertii E. Morr.
*Belg. Hort. xxxiv. 281 (1884).—*Veg.*

DOUEPEA Cambess.: *Moricandia*
tortuosa Cambess.
Jacquemont, Voy. Inde, t. 18 (1844).

DOUGLASIA Lindl.
dentata S. Wats.
Pflanzenreich, Primulac. 170 (1905).
laevigata A. Gray
*Bot. Mag. cxiv. t. 6996 (1888).
Gard. Chron. Ser. III. iii. 525 (1888); liii. 381 (1913); lxv. 280 (1919).
Journ. Roy. Hort. Soc. London, xxxix. Proc. p. lxv, fig. 110 (1914).
Farrer, English Rock-Gard. i. 312 (1919).—*Hab.*
montana A. Gray
*F. E. & E. S. Clements, Rocky Mt. Fl. t. 16 (1914).
—— **biflora** R. Knuth
Pflanzenreich, Primulac. 170 (1905).
nivalis Lindl.
*Bot. Reg. xxii. t. 1886 (1836).
Hook. Ic. Pl. ii. t. 180 (1837).

DOUGLASIA
nivalis
Pflanzenfam. iv. 1. 109 (1890).—*Fl.*
Pflanzenreich, Primulac. 16 (1905).—*Fl.*
Vitaliana Hook. f.
Sesler in Donati, Stor. Nat. Mar. Adriat. t. 11 (1758); fide Ed.
Pflanzenfam. iv. 1. 109 (1890).—*Fl.*
*Hartinger, Atlas Alpenfl. iv. t. 315 (1897).
Fiori & Paol. Ic. Fl. Ital. 315 (1901).
Pflanzenreich, Primulac. 16, 172 (1905).
*Oehninger, Alpenfl. t. 14, fig. 3 (1908).
*Hegi & Dunz. Alp. Fl. t. 20 (1913).
*Penzig, Fl. Alpi Illustr. Ed. 2, t. 33 (1915).

DOUMA Poir.: *Hyphaene*
thebaica Poir.
Lamarck, Ill. v. t. 900 (1797–1819).
*Duhamel, Arbres & Arbustes, Ed. 2, iv. t. 1–3, vide p. 48 (1809).

DOVEA Knuth
Hookeriana Mast.
Deutsch. Tiefsee-Exped. 1898–99, ii. III. 91 (1908).
mucronata Mast.
Journ. Linn. Soc., Bot. x. t. 7 b (1869).
A. & C. De Candolle, Monogr. Phan. i. t. 2, 5, fig. 6 (1878).—*Fl.*
Edmonds & Marloth, Elem. Bot. S. Africa, 181 (1897).—*Fr.*
Deutsch. Tiefsee-Exped. 1898–99, ii. III. 152, 156, t. 11 (1908).
Marloth, Fl. S. Africa, iv. t. 15, 17, p. 61 (1915).

DOVYALIS = *Doryalis*

DOWNINGIA Torr.—Vide *Clintonia* Dougl.
elegans Torr.
Gard. Chron. Ser. III. lv. 84 (1914).—*Hab.*
pulchella Torr.
*Bot. Mag. cii. t. 6257 (1876).
W. Robinson, Engl. Fl. Gard. t. 100 (1883).—*Hab.*
Lubbock, Seedlings, ii. 165 (1892).—*Veg.*
*Bois, Dict. Hort. 456 (1893–99).

DOXANTHA Miers—Vide *Anisostichus, Bignonia* (17)
capreolata Miers
Schneider, Ill. Handb. Laubh. ii. 620, 622 (1911).
unguis Miers
Chodat in Bull. Soc. Bot. Genève, Ser. II. ix. 213–15, 229, 237 (1917).
Chodat, Vég. Parag. ii. 259–61, 275, 283 (1917).

DOXOMMA Miers: *Barringtonia*
cochinchinense Miers
Trans. Linn. Soc. London, Ser. II. Bot. i. t. 16 (1875).
pendulum Miers
Trans. Linn. Soc. London, Ser. II. Bot. i. t. 15 (1875).

DRABA Linn.—Vide *Holargidium*
affinis Host
*Sturm, Deutschl. Fl. xiv. LX [t. 947] (1832).
Reichenbach, Ic. Fl. Germ. ii. t. 15 (1837–38).
aizoides Linn.
*Jacquin, Fl. Austr. ii. t. 192 (1774).
*Bergeret, Phyt. Univ. iii. 103 (1784).
*Bot. Mag. v. t. 170 (1791).
Hoppe, Ect. Pl. Ratisb. t. 739 (1793).
*Sowerby & Sm. Engl. Bot. xviii. t. 1271 (1804).
*Sturm, Deutschl. Fl. v. XX [t. 314] (1806); xiv. LX [t. 946] (1832).
*Jaume St.-Hilaire, Fl. & Pom. Franç. v. t. 423 (1832).
[M. E.] Jackson, Pict. Fl. fig. 951 (1840).
*C. E. Sowerby, Ill. Cat. Brit. Pl. fig. 83 (1841).
Meigen, Deutschl. Fl. iii. t. 112 (1842).—*Fl.*
*Deakin, Florigr. Brit. ii. fig. 1024 (1845).
*J. W. Loudon, Brit. Wild Fl. Ed. 2, t. 10 [1846].
*Petermann, Deutschl. Fl. t. 8, fig. 60, a–l (1849).
Cottage Gard. xii. 249 (1854).
Johnson & Sowerby, Brit. Wild Fl. fig. 86 (1858–60).
Flora, xliii. t. 7, fig. 7 (1860); lxxxix. t. 2, fig. 13 (1901).—*Fr.*
*Syme, Engl. Bot. i. t. 138 (1863).

DRABA
aizoides
Bentham, Handb. Brit. Fl. fig. 87 (1865).
*Cusin & Ansberque, Herb. Fl. Franç. ii. t. 330 (1868).
*Hogg & Johnson, Wild Fl. Gr. Brit. vii. t. 498 (1872).
Journ. Hort. xlviii. 378 (1872).
*Weber, Alp.-Pfl. Ed. 3, i. t. 59 (1872).
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, i. t. 18 [1873].
*Verlot, Pl. Alp. Ed. 2, t. 31 (1873).—*Hab.*
*Wooster, Alp. Pl. Ed. 2, t. 13 (1874).—*Hab.*
*Seboth & A. W. Bennett, Alpine Pl. ii. t. 9 (1880).
H. Müller, Alpenblumen, 145 (1881).—*Fl.*
Wagner, Ill. Deutsche Fl. Ed. 2, p. 69 (1882).
Willkomm, Führ. Reich Pflanzen, 833 (1882).—*Fr.*
W. Robinson, Engl. Fl. Gard. t. 101 (1883).—*Hab.*
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xiv. t. 1398 (1883).
Jardin, ii. 284 (1888); iii. 107 (1889).—*Hab.*
*Heathcote, Fl. Engadine, t. 25 (1891).
Pflanzenfam. iii. II. 189 (1891).
Acloque, Fl. France, 105 (1894).
*Correvon, Fl. Col. Suisse, t. 19 (1894).
Garcke, Ill. Fl. Deutschl. 57 (1895).
*A. W. Bennett, Fl. Alps, i. t. 7 (1897).
*Hartinger, Atlas Alpenfl. ii. t. 166 (1897).
*G. Beck, Alpenblum. Semmering, t. 2, fig. 7 (1898).
Knuth, Handb. Blütenbiol. ii. 1. 112 (1898).—*Fl.*
Fiori & Paol. Ic. Fl. Ital. 167 (1899).
*Gradmann, Pflanzenl. Schwäb. Alb, Ed. 2, i. t. 14 (1900).
Coste, Fl. France, i. 116 (1901).
Bibl. Bot. xi. No. 58, t. 2, fig. 47–52 (1902).—*Fl.*
*Jul. Hoffmann, Alpine Fl. t. 6 (1903).
*L. & C. Schroeter, Col. Vade-Mecum Alp. Fl. Ed. 16 & 17, t. 22 (1904).—*Hab.*
Flahault, Nouv. Fl. Alpes & Pyrén. i. 14 (1906); ii. t. 12 (1908).
Senn, Alpen-Flora, ii. 14 (1906).
*Correvon & Rob. Alpine Fl. t. 11 [1908?].
*Hulme, Familiar Swiss Fl. t. 31 (1908).
*Oehninger, Alpenfl. t. 21, fig. 2 (1908).
Schroeter, Pflanzenleb. Alp. 682 (1908).—*Fl.*
*Bonnier, Fl. Compl. France, Suisse & Belge, i. t. 48 [1911].
Hosseus, Pflanzenw. Reichenhall 69 (1911).
Marret, Ic. Fl. Alp. Pl. Fasc. 5, t. 75 [1911].
*H. S. Thompson, Alp. Pl. Europe, t. 9 (1911).
Feucht, Württemb. Pflanzenw. t. 60 (1912).—*Hab.*
Bull. Soc. Bot. Belg. li. II. 224 (1913).—*Hab.*
*Hegi, Ill. Fl. Mittel-Eur. iv. i. t. 125, p. 378, t. 135 (1913).
*Hegi & Dunz. Alp. Fl. t. 12 (1913).
Cadevall & Sallent, Fl. Catalunya, i. 150 (1915).
*Penzig, Fl. Alpi Illustr. Ed. 2, t. 6 (1915).
Farrer, English Rock-Gard. i. 312 (1919).—*Hab.*
Fitch & Smith, Ill. Brit. Fl. Ed. rev. 4, Iss. 2, fig. 89 (1919).
—— **affinis** Koch
*Sturm, Deutschl. Fl. xiv. LX [t. 947] (1832); vide xvii. LXXVI. 7 (1832).
*Cusin & Ansberque, Herb. Fl. Franç. ii. t. 331 (1868).
Marret, Ic. Fl. Alp. Pl. Fasc. 5, t. 75 a [1911].
Beauverd in Bull. Soc. Bot. Genève, Ser. II. iii. 303 (1911).—*Fr.*
Beauverd in Bull. La Murith. xxxvii. 157 (1912).
—— **alpina** Koch
*Sturm, Deutschl. Fl. xiv. LX [t. 946] (1832); vide xvii. LXXVI. 7 (1839).
Beauverd in Bull. Soc. Bot. Genève, Ser. II. iii. 303 (1911).
Beauverd in Bull. La Murith. xxxvii. 157 (1912).
—— **bosniaca** Marret
Marret, Ic. Fl. Alp. Pl. Fasc. 5, t. 75 a [1911].
—— **crassicaulis** Beauverd
Beauverd in Bull. Soc. Bot. Genève, Ser. II. iii. 303, fig. 1–4 (1911).
Beauverd in Bull. La Murith. xxxvii. 157 (1912).

DRABA
aizoides elongata Marret
Marret, Ic. Fl. Alp. Pl. Fasc. 5, t. 75 a [1911].
—— **eriocarpa** Guss
Cusin & Ansberque, Herb. Fl. Franç. ii. t. 332 (1868).
—— **microcarpa** O. E. Schulz
Cusin & Ansberque, Herb. Fl. Franç. ii. t. 332 (1868).
—— **montana** Koch
*Sturm, Deutschl. Fl. xiv. LX [t. 948] (1832); vide xvii. LXXVI. 7 (1839).
Beauverd in Bull. Soc. Bot. Genève, Ser. II. iii. 303 (1911).—*Fr.*
Beauverd in Bull. La Murith. xxxvii. 157 (1912).—*Fr.*
—— **saxigena** Marret
Marret, Ic. Fl. Alp. Pl. Fasc. 5, t. 75 a [1911].
—— **scardica** Marret
Marret, Ic. Fl. Alp. Pl. Fasc. 5, t. 75 a [1911].
—— **tenuifolia** Reichb.
Reichenbach, Ic. Fl. Germ. ii. t. 15 (1837–38).
—— **vulgaris** Reichb.
Reichenbach, Ic. Fl. Germ. ii. t. 15 (1837–38).
—— **Zahlbruckneri** Host
Beauverd in Bull. Soc. Bot. Genève, Ser. II. iii. 303 (1911).—*Fr.*
Beauverd in Bull. La Murith. xxxvii. 157 (1912).—*Fr.*
Aizoon Wahlenb.
Reichenbach, Ic. Fl. Germ. ii. t. 15 (1837–38).
Visiani, Fl. Dalmat. iii. 1. 121 (1850) in textu; *D. elongata* in ic. iii. 1. t. 32.
Willkomm, Führ. Reich Pflanzen, t. 4, fig. 95 (1882).—*Fl.*
Bibl. Bot. xi. No. 58, t. 2, fig. 44–46 (1902).—*Fl.*
Marret, Ic. Fl. Alp. Pl. Fasc. 5, t. 76 [1911].
Hegi, Ill. Fl. Mittel-Eur. iv. 1. 59 (1913).—*Fl.*
alpicola Klotzsch
Klotzsch & Garcke, Bot. Ergebn. Reise Pr. Waldemar, t. 34 (1862).
alpina Linn.
*Fl. Dan. i. t. 56 (1761).
*Bergeret, Phyt. Univ. iii. 100 (1784).
Reichenbach, Pl. Crit. viii. t. 772 (1830).
Reichenbach, Ic. Fl. Germ. ii. t. 15 (1837–38).
*Svensk Bot. xi. t. 771 (1843).
Nordenskiold, Voyage 'Vega', i. 341, ii. 224 (1881).
Pflanzenfam. iii. II. 189 (1891).
Erythea, iv. t. 3 (1896).—*Fr.*
Britton & Brown, Ill. Fl. N. States & Canada, ii. 144 (1897); Ed. 2, ii. 152 (1913).
Bot. Tidsskr. xxi. 300 (1898).—*Hab.*
Schimper, Pflanzen-Geogr. 714 (1898).
Lindman, Bild. Nord. Fl. t. 211 a (1901–5).
*Rikli in Jahrb. St. Gall. Naturw. Ges. 1901–2, 414 (1903).
Blytt, Haandb. Norg. Fl. Ed. Dahl, 381 (1906).
Fedtschenko & Fler. Fl. Eur. Russia, 475 (1910).
Marret, Ic. Fl. Alp. Pl. Fasc. 5, t. 85 [1911].
Neger, Biol. Pflanz. 38 (1913).
Lindman, Svensk Fanerogamfl. 274 (1918).—*Fr.*
—— **gracilescens** Simm.
Simmons, Vasc. Pl. Fl. Ellesm. (Rep. 2nd Norweg. Arctic Exped. 'Fram' 1898–1902, No. 2), t. 6 (1906).
—— **pulvinata** Gelert
Bot. Tidsskr. xxi. 302 (1898).—*Hab.*
altaica Bunge
Bibl. Bot. xi. No. 58, t. 2, fig. 57–60 (1902).—*Fl.*
alyssoides Humb. & Bonpl.
Hooker, Bot. Misc. i. t. 32 (1830).
Weddell, Chloris Andina (Castelnau Expéd., Bot.), ii. t. 86 (1857–61).—*Fr.*
andina A. Nels.
S. Brown, Alp. Fl. Rocky Mts. 112, t. 32 (1907).
androsacea Willd.
Wahlenberg, Fl. Lapp. t. 11 (1812).
arabisans Michx.
Gray & Sprague, Gen. Fl. Amer. i. t. 68 (1848).
Rhodora, vii. t. 1, fig. 9 (1905).—*Fr.*
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, ii. 150 (1913).
—— **canadensis** Fernald & Knowlt.
Rhodora, vii. t. 60, fig. 12 (1905).—*Fr.*

DRABA
arabisans orthocarpa Fernald & Knowlt.
Rhodora, 1905, t. 60, fig. 10, 11.—*Fr.*
arctica Vahl
*Fl. Dan. xiii. t. 2294 (1840).
Bot. Tidsskr. xxi. 306 (1898).—*Hab.*
Fedtschenko & Fler. Fl. Eur. Russia, 477 (1910).
aretioides H. B. K.
H. B. K. Nov. Gen. v. t. 435 (1821).
aspera Adams
Bot. Tidsskr. xxi. 296 (1898).—*Hab.*
athoa Boiss.
Marret, Ic. Fl. Alp. Pl. Fasc. 5, t. 77 [1911].
aurea Vahl
*Fl. Dan. ix. t. 1460 (1813).
*Bot. Mag. lvi. t. 2934 (1829).
Bot. Tidsskr. xv. 157 (1886); xxi. 309 (1898).—*Hab.*
Britton & Brown, Ill. Fl. N. States & Canada, ii. 143 (1897); Ed. 2, ii. 152 (1913).
S. Brown, Alp. Fl. Rocky Mts. 114, t. 33 (1907).
*F. E. & E. S. Clements, Rocky Mt. Fl. t. 5, 6 (1914).
Bryan, Nat. Hist. Hawaii, t. 56, fig. 5 (1915).
australis Hook. f.
Arechavaleta in An. Mus. Nac. Montevideo, iv. 2 (1903).
austriaca Crantz
Crantz, Stirp. Austriac. fasc. i. t. 1, fig 4 (1762).
Reichenbach, Pl. Crit. iii. t. 213 (1825).
*G. Beck, Alpenblum. Semmering, t. 2, fig. 6 (1898).
Bertolonii Nym.
Rouy, Illustr. Pl. Eur. Rar. ii [t. 42] (1895); fasc. 10, t. 228 (1898).
*Bonnier, Fl. Compl. France, Suisse & Belge, i. t. 48 [1911].
Hegi, Ill. Fl. Mittel-Eur. iv. 1. 379 (1913).
brachycarpa Syme
*Syme, Engl. Bot. i. t. 134, fig. 2 (1863).
brachycarpa Nutt.
Britton & Brown, Ill. Fl. N. States & Canada, ii. 143 (1897); Ed. 2, ii. 151 (1913).
brachystemon DC.
*J. W. Loudon, Ladies' Fl.-Gard. Ornam. Perenn. i. t. 18 (1843).
bruniifolia Stev.
Gartenfl. xxii. t. 780 (1873); xxxiii. 83 (1884).
Farrer, English Rock-Gard. i. 320 (1919).—*Hab.*
cacuminum Ekman
Svenska Vet. Akad. Handl. lvii. No. 3, t. 3 (1917).
cappadocica Boiss. & Bal.
Ann. Nat. Hofm. Wien, xx. t. 15, fig. 1 (1905).—*Hab.*
Karsten & Schenck, Veg.-Bild. iii. t. 36 (1906).—*Hab.*
carinthiaca Hoppe
Reichenbach, Pl. Crit. iv. t. 386 (1826).
*Sturm, Deutschl. Fl. xv. LXV [t. 1031] (1834).
Reichenbach, Ic. Fl. Germ. ii. t. 13 (1837–38).
*Hartinger, Atlas Alpenfl. ii. t. 163 (1897).
Coste, Fl. France, i. 118 (1901).
*Bonnier, Fl. Compl. France, Suisse & Belge, i. t. 48 [1911].
*H. S. Thompson, Alp. Pl. Europe, t. 8 (1911).
Hegi, Ill. Fl. Mittel-Eur. iv. 1. t. 135 (1913).
Cadevall & Sallent, Fl. Catalunya, i. 152 (1915).
carnica Scop.
Scopoli, Fl. Carn. Ed. 2, ii. t. 33 (1772).
caroliniana Walt.
Britton & Brown, Ill. Fl. N. States & Canada, ii. 141 (1897); Ed. 2, ii. 149 (1913).
F. E. & E. S. Clements, Rocky Mt. Fl. t. 6 (1914).—*Fr.*
cheirifolia Bergeret
*Bergeret, Phyt. Univ. iii. 89 (1784).
ciliaris Linn.
Gerard, Fl. Gallo-Prov. t. 13, fig. 1 (1761); fide DC.
*Bergeret, Phyt. Univ. iii. 101 (1784).
ciliata Scop.
Scopoli, Fl. Carn. Ed. 2, ii. t. 33 (1772).
*Sturm, Deutschl. Fl. xiv. LX [t. 952] (1832).
Reichenbach, Ic. Fl. Germ. ii. t. 14 (1837–38).
*Weber, Alp. Pfl. Ed. 3, i. t. 68 (1872).
Willkomm, Führ. Reich Pflanzen, 833 (1882).—*Fl.*

DRABA
ciliata
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xiv. t. 1407 (1883).
clypeata Bergeret
*Bergeret, Phyt. Univ. iii. 109 (1784).
compacta Schott, Kotschy & Nym.
Oesterr. Bot. Zeitschr. xi. t. 1 (1861).
confusa Ehrh.
Reichenbach, Pl. Crit. viii. t. 770 (1830).
*Sturm, Deutschl. Fl. xiv. LX [t. 960] (1832).
Reichenbach, Ic. Fl. Germ. ii. t. 14 (1837–38).
*Hartinger, Atlas Alpenfl. ii. t. 159 (1897).
contorta Ehrh.
J. G. Gmelin, Fl. Sibir. iii. t. 66 (1768); fide Ledebour, Comm. 108.
*Sturm, Deutschl. Fl. xiv. LX [t. 959] (1832).
corymbosa R. Br.
*Fl. Dan. xiv. t. 2418 (1845).
crassifolia R. Grah.
*Fl. Dan. xiv. t. 2419 (1845).
Bot. Tidsskr. xxi. 299 (1898).—*Hab.*
cretica Boiss. & Heldr.
Raulin, Crete, t. 6 (1869).
Rouy, Illustr. Pl. Eur. Rar. ii [t. 43] (1895); fasc. 20, t. 478 (1905).
Marret, Ic. Fl. Alp. Pl. Fasc. 5, t. 78 [1911].
cuneifolia Nutt.
Britton & Brown, Ill. Fl. N. States & Canada, ii. 141 (1897); Ed. 2, ii. 149 (1913).
cuspidata M. Bieb.
*Cusin & Ansberque, Herb. Fl. Franç. ii. t. 333 (1868).
Rouy, Illustr. Pl. Eur. Rar. ii [t. 44] (1895); fasc. 2, t. 27 (1895).
dasycarpa Ledeb.
Ledebour, Ic. Pl. Ross. iii. t. 264, fig. a–n (1831).
—— **alpicola** Ledeb.
*Ledebour, Ic. Pl. Ross. iii. t. 264, fig. 1 (1831).
—— **subalpina** Ledeb.
Ledebour, Ic. Pl. Ross. iii. t. 264, fig. 2 (1831).
Dedeana Boiss. & Reut.
*Willkomm, Ill. Fl. Hispan. Balear. i. t. 8, fig. A (1881–85).
Bibl. Bot. xi. No. 58, t. 2, fig. 61–64 (1902).—*Fl.*
Marret, Ic. Fl. Alp. Pl. Fasc. 5, t. 79 bis [1911].
Gard. Chron. Ser. III. l. 5 (1911).—*Hab.*
Malby, Story Rock Garden, Ed. 2, p. 36 (1912).—*Hab.*
L. H. Bailey, Stand. Cycl. Hort. 1068 (1914).—*Hab.*
Farrer, English Rock-Gard. i. 320 (1919).—*Hab.*
dentata Hook. & Arn.
Hook. Ic. Pl. i. t. 31 (1837).
Dörfleri Wettst.
Bibl. Bot. v. No. 26, t. 1, fig. 6–8 (1892).—*Fl.*
—— **aprica** Wettst.
Bibl. Bot. v. No. 26, t. 1, fig. 4 (1892).—*Hab.*
—— **umbrosa** Wettst.
Bibl. Bot. v. No. 26, t. 1, fig. 5 (1892).—*Hab.*
Dorneri Heuff.
Oesterr. Bot. Zeitschr. xi. t. 3 (1861).
dubia Suter
Schroeter, Pflanzenleb. Alp. 587 (1908).
Hegi, Ill. Fl. Mittel-Eur. iv. 1. 380 (1913).
elegans Boiss.
Gard. Chron. Ser. III. xxv. 3 (1899).—*Hab.*
elongata Host.
*Sturm, Deutschl. Fl. xiv. LX [t. 948] (1832).
Reichenbach, Ic. Fl. Germ. ii. t. 15 (1837–38).
Visiani, Fl. Dalmat. iii. t. 32 (1850) in ic.; *D. Aizoon* in textu, iii. 1. 121.
De Vries, Mutationsth. i. 15 (1901).
fladnizensis Wulf.
*Jacquin, Misc. i. t. 17, fig. 1 (1778).
Reichenbach, Pl. Crit. viii. t. 765 (1830).
*Sturm, Deutschl. Fl. xv. LXV [t. 1026] (1834).
Reichenbach, Ic. Fl. Germ. ii. t. 13 (1837–38).
Britton & Brown, Ill. Fl. N. States & Canada, ii. 141 (1897); Ed. 2, ii. 149 (1913).
*Hartinger, Atlas Alpenfl. ii. t. 164 (1897).
Bot. Tidsskr. xxi. 302 (1898).—*Hab.*
Fiori & Paol. Ic. Fl. Ital. 168 (1899).
Hegi, Ill. Fl. Mittel-Eur. iv. 1. 380 (1913).
Lindman, Svensk Fanerogamfl. 288 (1918).

DRABA
frigida Saut.
Reichenbach, Pl. Crit. iii. t. 213 (1825).
*Sturm, Deutschl. Fl. xiv. LX [t. 955] (1832).
Mutel, Fl. Française, t. 5 (1834).
Reichenbach, Ic. Fl. Germ. ii. t. 13 (1837–38).
*Weber, Alp.-Pfl. Ed. 3, i. t. 64 (1872).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xiv. t. 1404 (1883).
Pflanzenfam. iii. 11. 189 (1891).
*Hartinger, Atlas Alpenfl. ii. t. 162 (1897).
*Bonnier, Fl. Compl. France, Suisse & Belge, i. t. 48 [1911].
funiculosa Hook. f.
Hooker f., Fl. Antarct. ii. t. 89 (1845).
gelida Turcz.
Svenska Vet. Akad. Handl. lvii. No. 3, t. 2 (1917).—*Hab.*
Gilliesii Hook. & Arn.
Garden, lxiii. 243 (1903).—*Hab.*
*Bot. Mag. cxxix. t. 7913 (1903).
Hauman in An. Soc. Cient. Arg. Buenos Aires, lxxxvi. v, vi. t. 24 (1918).
glacialis Adams
*Verlot, Pl. Alp. Ed. 2, t. 26 (1873).
Bot. Tidsskr. xxi. 295 (1898).—*Hab.*
S. Brown, Alp. Fl. Rocky Mts. 114, t. 33 (1907).
Fedtschenko & Fler. Fl. Eur. Russia, 475 (1910).
glacialis Hoppe & Koch
*Wooster, Alp. Pl. Ed. 2, t. 44 (1874).—*Hab.*
—— **Raddeana** Regel
Regel & Herder, Reisen Süd. Ost-Sibir. i. t. 5 (1861).
Bull. Soc. Nat. Mosc. xxxiv. No. 3, t. 5 (1861).
glaucina De Vries
De Vries, Mutationsth. i. 15 (1901).
Gmelinii Adams
J. G. Gmelin, Fl. Sibir. iii. t. 56, fig. 2 (1768); fide Ledebour, Comm. 106.
graminea Greene
De Vries, Mutationsth. i. 15 (1901).
grandiflora Ledeb.
Reichenbach, Pl. Crit. viii. t. 777 (1830).
*Ledebour, Ic. Pl. Ross. iii. t. 267 (1831).
grandis Langsd.
Delessert, Ic. Pl. ii. t. 47 (1823).
Hatcheriana Gilg
W. B. Scott, Rep. Princeton Univ. Exped. Patag. 1896–99, viii. 11. Bot. t. 18 (1905).
Haynaldii Stur
Oesterr. Bot. Zeitschr. xi. t. 2 (1861).
Marret, Ic. Fl. Alp. Pl. Fasc. 5, t. 76 bis [1911].
hederifolia Cosson
Cosson, Ill. Fl. Atlant. i. t. 44 (1884).
heterocoma Fenzl
Russegger, Reisen Eur. As. & Afr. Atlas, iii. t. 16 (1843).
himalayensis Klotzsch
Klotzsch & Garcke, Bot. Ergebn. Reise Pr. Waldemar, t. 34 (1862).
hirsuta Crantz
Crantz, Crucif. t. 1, fig. 4 (1769).
hirta Linn.
Reichenbach, Pl. Crit. viii. t. 768 (1830).
*Svensk Bot. xi. t. 768 (1843).
*Fl. Dan. xiv. t. 2422 (1845).
Bibl. Bot. xi. No. 58, t. 3, fig. 70 (1902).—*Fl.*
Blytt, Haandb. Norg. Fl. Ed. Dahl, 383 (1906).
Fedtschenko & Fler. Fl. Eur. Russia, 476 (1910).
Arkiv Bot. Stockholm, xii. No. 7, t. 1 (1912).
Svenska Vet. Akad. Handl. lvii. No. 3, t. 3 (1917).
hirta Oeder
*Fl. Dan. i. t. 142 (1764).
hirta Jacq.
*Jacquin, Fl. Austr. v. t. 432 (1778).
hirta All.
*Bergeret, Phyt. Univ. iii. 95 (1784).
Wagner, Ill. Deutsche Fl. Ed. 2, p. 69 (1882).
hirta Sm.
*Sowerby & Sm. Engl. Bot. xix. t. 1338 (1804).
[M. E.] Jackson, Pict. Fl. fig. 952 (1840).
Cottage Gard. xii. 269 (1854).
Bentham, Handb. Brit. Fl. fig. 88 (1865).
Bot. Tidsskr. xxi. 304 (1898).—*Hab.*
Lindman, Bild. Nord. Fl. t. 210 b (1901–5).

DRABA
hirta
Fitch & Smith, Ill. Brit. Fl. Ed. rev. 4, Iss. 2, fig. 90 (1919).
—— **alpicola** Hook.
Wahlenberg, Fl. Lapp. t. 11 (1812).
*Svensk Bot. xi. t. 768 (1843).
—— **incisa** Lange
*Fl. Dan. xvii. t. 3033 (1883).
—— **inferalpina** Wahlenb.
Wahlenberg, Fl. Lapp. t. 11 (1812).
hispanica Boiss.
*Boissier, Voy. Bot. Espagne, i. t. 13 (1839–45).
Marret, Ic. Fl. Alp. Pl. Fasc. 5, t. 79 [1911].
Hoppeana Reichb.
*Sturm, Deutschl. Fl. xv. LXV [t. 1028] (1834).
Reichenbach, Ic. Fl. Germ. ii. t. 15 (1837–38).
*Jul. Hoffmann, Alpine Fl. t. 6 (1903).
Marret, Ic. Fl. Alp. Pl. Fasc. 5, t. 80 [1911].
Hegi, Ill. Fl. Mittel-Eur. iv. 1. 377 (1913).
*Penzig, Fl. Alpi Illustr. Ed. 2, t. 6 (1915).
imeretica Rupr.
Act. Hort. Petrop. xvi. t. 11 (1900).
incana Linn.
*Fl. Dan. i. t. 130 (1764).
Hill, Herb. Brit. ii. t. 165 (1770).
*Bergeret, Phyt. Univ. iii. 91 (1784).
*Sowerby & Sm. Engl. Bot. vi. t. 388 (1797).
Reichenbach, Pl. Crit. viii. t. 769 (1830).
Mutel, Fl. Française, t. 5 (1834).
Reichenbach, Ic. Fl. Germ. ii. t. 14 (1837–38).
[M. E.] Jackson, Pict. Fl. fig. 953 (1840).
*C. E. Sowerby, Ill. Cat. Brit. Pl. fig. 85 (1841).
*Deakin, Florigr. Brit. ii. fig. 1026 (1845).
Cottage Gard. xii. 289 (1854).
Johnson & Sowerby, Brit. Wild Fl. fig. 88 (1858–60).
*Syme, Engl. Bot. i. t. 136 (1863).
Bentham, Handb. Brit. Fl. fig. 89 (1865).
*Cusin & Ansberque, Herb. Fl. Franç. ii. t. 341 (1868).
*Hogg & Johnson, Wild Fl. Gr. Brit. vi. t. 484 (1871).
*Weber, Alp.-Pfl. Ed. 3, i. t. 67 (1872).
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, i. t. 18 [1873].
Willkomm, Führ. Reich Pflanzen. 831 (1882).—*Veg.*
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xiv. t. 1409 (1883).
Bot. Tidsskr. xix. 287 (1895); xxi. 309 (1898).—*Hab.*
Britton & Brown, Ill. Fl. N. States & Canada, ii. 142 (1897); Ed. 2, ii. 150 (1913).
Fiori & Paol. Ic. Fl. Ital. 168 (1899).
Coste, Fl. France, i. 117 (1901).
Rhodora, vii. t. 60, fig. 1, 2 (1905).
Blytt, Haandb. Norg. Fl. Ed. Dahl, 383 (1906).
Fedtschenko & Fler. Fl. Eur. Russia, 478 (1910).
*Bonnier, Fl. Compl. France, Suisse & Belge, i. t. 48 [1911].
*Flahault, Nouv. Fl. Alpes & Pyrén. iii. t. 13 (1912).
Hegi, Ill. Fl. Mittel-Eur. iv. 1. 388 (1913).
Svenska Vet. Akad. Handl. lvii. No. 3, t. 3 (1917).—*Fl.*
Lindman, Svensk Fanerogamfl. 288 (1918).
Fitch & Smith, Ill. Brit. Fl. Ed. rev. 4, Iss. 2, fig. 91 (1919).
—— **hebecarpa** Koch
Petermann, Deutschl. Fl. t. 8, fig. 60, m–o (1849).—*Fl.*
—— **leiocarpa** Rouy & Fouc.
*Bonnier, Fl. Compl. France, Suisse & Belge, i. t. 48 [1911].
—— **Thomasii** J. Braun
Hegi, Ill. Fl. Mittel-Eur. iv. 1. 386 (1913).
incompta Stev.
Delessert, Ic. Pl. ii. t. 44 (1823).
inflata H. C. Wats.
*Syme, Engl. Bot. i. t. 134, fig. 3 (1863).
japonica Maxim.
*Miyoshi & Makino, Pocket-Atlas, Alp. Pl. Jap. i. t. 22, fig. 127 (1906).
Matsumura, Ic. Pl. Koisikav. ii. t. 123 (1914).

DRABA
Johannis Host
*Sturm, Deutschl. Fl. xiv. LX [t. 956] (1832).
*Weber, Alp.-Pfl. Ed. 3, i. t. 65 (1873).
*Seboth & A. W. Bennett, Alpine Pl. iv. t. 71 (1880).
Willkomm, Führ. Reich Pflanzen, 832 (1882).—*Fr.*
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xiv. t. 1405 (1883).
Kotschyi flexuosa Stur
Oesterr. Bot. Zeitschr. ix. tab. (1859).
—— **robusta** Stur
Oesterr. Bot. Zeitschr. ix. tab. (1859).
Krockeri Schur
Reichenbach, Ic. Fl. Germ. ii. t. 12 (1837–38).
lactea Adams
*Ledebour, Ic. Pl. Ross. ii. t. 200 (1830).
Fedtschenko & Fler. Fl. Eur. Russia, 478 (1910).
*Bonnier, Fl. Compl. France, Suisse & Belge, i. t. 48 [1911].
laevigata Hoppe
Reichenbach, Pl. Crit. iv. t. 387 (1826).
*Sturm, Deutschl. Fl. xv. LXV [t. 1029] (1834).
Reichenbach, Ic. Fl. Germ. ii. t. 13 (1837–38).
laevipes DC.
Delessert, Ic. Pl. ii. t. 46 (1823).—*Hab.*
lapponica Willd.
Reichenbach, Pl. Crit. viii. t. 766 (1830).
*Sturm, Deutschl. Fl. xv. LXV [t. 1027] (1834).
Reichenbach, Ic. Fl. Germ. ii. t. 14 (1837–38).
lasiocarpa Rochel
*Sturm, Deutschl. Fl. xiv. LX [t. 949] (1832).
Hegi, Ill. Fl. Mittel-Eur. iv. 1. 377 (1913).
Hayek, Pflanzend. Oesterr.-Ung. i. 385 (1915).
leptopetala T. Fries
Öfv. Vet. Akad. Forh. Stockholm, xxvi. t. 2 (1869).
Rouy, Illustr. Pl. Eur. Rar. ii [t. 44] (1895); Fasc. 2, t. 27 (1895).
Fiori & Paol. Ic. Fl. Ital. 167 (1899).
Coste, Fl. France, i. 116 (1901).
longesiliqua Schmalh.
Ber. Deutsch. Bot. Ges. x. t. 16, fig. 3–6 (1892).
longirostra Schott, Kotschy & Nym.
Marret, Ic. Fl. Alp. Pl. Fasc. 5, t. 81 [1911].
lutescens Cosson
Cosson, Ill. Fl. Atlant. i. t. 63 (1888).
magellanica Lam.
W. B. Scott, Rep. Princeton Univ. Exped. Patag. 1896–99, viii. II. Bot. t. 18 (1905).
Svenska Vet. Akad. Handl. lvii. No. 3, t. 1, 3 (1917).—*Hab.*
—— **borea** Ekman
Lindman, Svensk Fanerogamfl. 288 (1918).
—— —— **tornensis** Ekman
Svenska Vet. Akad. Handl. lvii. No. 3, t. 2, 3 (1917).
—— **cinerea** Ekman
Svenska Vet. Akad. Handl. lvii. No. 3, t. 1–3 (1917).—*Hab.*
—— —— **brachysiliqua** Ekman
Svenska Vet. Akad. Handl. lvii. No. 3, t. 2 (1917).—*Hab.*
—— —— **dovrensis** Ekman
Svenska Vet. Akad. Handl. lvii. No. 3, t. 1, 2 (1917).
maiellensis Kern.
Bibl. Bot. xi. No. 58, t. 2, fig. 53–56 (1902).—*Fl.*
maiuscula Rouy & Fouc.
De Vries, Mutationsth. i. 15 (1901).—*Fl.*
Martinsiana J. Gay
Öfv. Vet. Akad. Forh. Stockholm, xxvi. t. 3 (1869).
Mawii Hook. f.
*Bot. Mag. ci. t. 6186 (1875).
W. Robinson, Engl. Fl. Gard. t. 101 (1883).—*Hab.*
Nicholson, Illustr. Dict. Gard. i. 489 [1884–88].—*Hab.*
megasperma Fernald & Knowlt.
Rhodora, vii. t. 60, fig. 6–8 (1905).
mollis Scop.
Scopoli, Fl. Carn. Ed. 2, ii. t. 34 (1772).
*Sturm, Deutschl. Fl. vii. XXVIII [t. 443] (1809).

DRABA
mollissima Stev.
Delessert, Ic. Pl. ii. t. 45 (1823).
Bot. Tidsskr. xxi. 297 (1898).—*Hab.*
—— **ossetica** Rupr.
Ber. Deutsch. Bot. Ges. x. t. 16, fig. 7–10 (1892).
montana Bergeret
*Bergeret, Phyt. Univ. iii. 105 (1784).
muralis Linn.
Hill, Herb. Brit. ii. t. 165 (1770).
*Houttuyn, Handl. Pl. & Kruidk. ix. t. 60, fig. 1 (1778).
*Bergeret, Phyt. Univ. iii. 93 (1784).
Scopoli, Del. Fl. & Faun. Insubr. ii. t. 15 (1786).
Lamarck, Ill. iii. t. 556, fig. 2 (1797).
*Sowerby & Sm. Engl. Bot. xiii. t. 912 (1801).
C. C. Gmelin, Fl. Bad. iii. t. 1 (1808).
Trattinick, Fl. Oesterr. Kaiserth. i. t. 27 (1816).
*Curtis, Fl. Londin. Ed. 2, iv. t. 64 (1819–21).
*Sturm, Deutschl. Fl. xiv. LX [t. 957] (1832).
*Zenker, Fl. Thüringen, x. t. 1195 (1836–55).
Reichenbach, Ic. Fl. Germ. ii. t. 12 (1837–38).
*Dietrich, Fl. Boruss. vii. t. 452 (1839).
[M. E.] Jackson, Pict. Fl. fig. 954 (1840).
*C. E. Sowerby, Ill. Cat. Brit. Pl. fig. 86 (1841).
*Deakin, Florigr. Brit. ii. fig. 1027 (1845).
Cottage Gard. xii. 349 (1854).
Johnson & Sowerby, Brit. Wild Fl. fig. 89 (1858–60).
*Hogg & Johnson, Wild Fl. Gr. Brit. i. t. 23 (1863).
*Syme, Engl. Bot. i. t. 135 (1863).
Bentham, Handb. Brit. Fl. fig. 90 (1865).
*Cusin & Ansberque, Herb. Fl. Franç. ii. t. 339 (1868).
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, i. t. 18 [1873].
*Fl. Dan. xvii. t. 2912 (1877).
Act. Soc. Linn. Bordeaux, xxxv. t. 13, fig. 18 (1881).—*Fr.*
Clavaud, Fl. Gironde, t. 5, fig. 18 (1882).—*Fr.*
Wagner, Ill. Deutsche Fl. Ed. 2, p. 70 (1882).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xiv. t. 1408 (1883).
*Baillon, Ic. Fl. Franç. i. t. 69 [1885–94].
*Thomé, Fl. Deutschl. ii. t. 283 (1886).
Acloque, Fl. France, 105 (1894).
Garcke, Ill. Fl. Deutschl. 56 (1895).
Fiori & Paol. Ic. Fl. Ital. 168 (1899).
Coste, Fl. France, i. 117 (1901).
Merino, Fl. Galicia, i. 150 (1905).
Heukels, Fl. Nederl. ii. 290 (1908).
Fedtschenko & Fler. Fl. Eur. Russia, 479 (1910).
*Bonnier, Fl. Compl. France, Suisse & Belge, i. t. 48 [1911].
Hegi, Ill. Fl. Mittel-Eur. iv. 1. 387 (1913).
Cadevall & Sallent, Fl. Catalunya, i. 153 (1915).
Lindman, Svensk Fanerogamfl. 288 (1918).
Fitch & Smith, Ill. Brit. Fl. Ed. rev. 4, Iss. 2, fig. 92 (1919).
muricella Wahlenb.
Wahlenberg, Fl. Lapp. t. 11 (1812).
Reichenbach, Pl. Crit. viii. t. 767 (1830).
*Svensk Bot. xi. t. 769 (1843).
nemoralis Ehrh.
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xiv. t. 1408 A (1803).
*Sturm, Deutschl. Fl. xiv. LX [t. 958] (1832).
Reichenbach, Ic. Fl. Germ. ii. t. 12 (1837–38).
nemorosa Linn.
*Svensk Bot. xi. t. 767 (1843).
*Cusin & Ansberque, Herb. Fl. Franç. ii. t. 340 (1868).
*Somoku Dzusetsu, Ed. 2, xii. t. 3 (1874).
Cosson, Ill. Fl. Atlant. i. t. 63 (1888).—*Fr.*
Britton & Brown, Ill. Fl. N. States & Canada, ii. 143 (1897); Ed. 2, ii. 152 (1913).
Fiori & Paol. Ic. Fl. Ital. 168 (1899).
Coste, Fl. France, i. 117 (1901).
Suireishchikov, Ill. Fl. Mosc. Gov. ii. 201 (1907).
*Clark & Fletcher, Farm Weeds Canada, Ed. 2, t. 26, 73, fig. 28 (1909).
*Bonnier, Fl. Compl. France, Suisse & Belge, i. t. 48 [1911].
Hegi, Ill. Fl. Mittel-Eur. iv. 1. 388 (1913).
Bull. Angew. Bot. vii. t. 105 (1914).—*Fr.*

DRABA
nemorosa
Canada Dep. Agric. (Seed Branch) Bull. No. S–8, p. 41 (1914).—*Fr.*
Cadevall & Sallent, Fl. Catalunya, i. 152 (1915).
Lindman, Svensk Fanerogamfl. 288 (1918).
—— **hebecarpa** Ledeb.
Somoku Dzusetsu, Ed. Makino (Iconogr. Pl. Nippon), xii. t. 3 (1912).
nikoënsis Koidz.
Matsumura, Ic. Pl. Koisikav. ii. t. 96 (1914).
nipponica Makino
*Miyoshi & Makino, Pocket-Atlas, Alp. Pl. Jap. ii. t. 46, fig. 263 (1907).
nivalis Willd.
Reichenbach, Pl. Crit. viii. t. 778 (1830).
Mutel, Fl. Française, t. 5 (1834).
Reichenbach, Ic. Fl. Germ. ii. t. 13 (1837–38).
*Lindt in Jahrb. Schweiz. Alpenclub, i. 304 (1864).
nivalis Liljbl.
Nova Acta Soc. Sc. Upsala, vi. t. 2 (1799).
*Fl. Dan. xiv. t. 2417 (1845).
Britton & Brown, Ill. Fl. N. States & Canada, ii. 142 (1897); Ed. 2, ii. 150 (1913).
Bot. Tidsskr. xxi. 307 (1898).—*Hab.*
Lindman, Bild. Nord. Fl. t. 211 b (1901–5).
Fedtschenko & Fler. Fl. Eur. Russia, 477 (1910).
obconica G. Beck
De Vries, Mutationsth. i. 15 (1901).
oblongata R. Br.
Bot. Tidsskr. xxi. 300 (1898).—*Hab.*
Fedtschenko & Fler. Fl. Eur. Russia, 475 (1910) in ic; *D. pauciflora lasiocarpa* in textu.
oligosperma Hook.
Bot. Tidsskr. xxi. 296 (1898).
S. Brown, Alp. Fl. Rocky Mts. 112, t. 32 (1907).
F. E. & E. S. Clements, Rocky Mt. Fl. t. 6 (1914).—*Fr.*
olympica Sibth.
*Cusin & Ansberque, Herb. Fl. Franç. ii. t. 334 (1868).
Bibl. Bot. xi. No. 58, t. 2, fig. 65, 66 (1902).—*Fl.*
—— **heterocoma** Boiss.
Gard. Chron. Ser. III. xxv. 29 (1899).—*Hab.*
orbiculata Rose
Karsten & Schenck, Veg.-Bild. v. t. 47 (1907).—*Hab.*
ossetica columnaris Somm. & Lev.
Déchy, Kaukasus, iii. t. 11, fig. A, 1–3 (1907).
parnassica Boiss. & Heldr.
Marret, Ic. Fl. Alp. Pl. Fasc. 5, t. 83 [1911].
parryoides Cham.
Erman, Reise, Atlas, t. 17 (1835).
pauciflora lasiocarpa Trautv.
Fedtschenko & Fler. Fl. Eur. Russia, 475 (1910) in textu; *D. oblongata* in ic.
Pickeringii A. Gray
Engler & Drude, Veget. Erde, xii. 195 (1911).
pontica Desf.
Ann. Mus. Hist. Nat. Paris, xi. 381 (1808).
Desfontaines, Choix Pl. Tourn. t. 51 (1808).
*Trattinick, Ausg. Taf. Arch. iv. t. 349 (1814).
praecox Stev.
Reichenbach, Ic. Fl. Germ. ii. t. 12 (1837–38).
Paolucci, Fl. Marchig. t. 41 (1890).
Pringlei Rose
Karsten & Schenck, Veg.-Bild. v. t. 48, 51 (1907).—*Hab.*
pycnosperma Fernald & Knowlt.
Rhodora, vii. t. 60, fig. 13–15 (1905).
pyrenaica Linn.
Crantz, Stirp. Austriac. fasc. 1, t. 1, fig. 5 (1762).
*Fl. Dan. i. t. 143 (1764).
*Jacquin, Fl. Austr. iii. t. 228 (1775).
*Bergeret, Phyt. Univ. iii. 97 (1784).
Allioni, Fl. Pedem. iii. t. 8, fig. 1 (1785).
*Bot. Mag. xix. t. 713 (1804).
*Cusin & Ansberque, Herb. Fl. Franç. ii. t. 329 (1868).
Coste, Fl. France, i. 116 (1901).
*Correvon & Rob. Alpine Fl. t. 11 [1908?].
Flahault, Nouv. Fl. Alpes & Pyrén. ii. 12 (1908); iii. t. 22 (1912).
Gard. Chron. Ser. III. l. 5 (1911).—*Hab.*
Cadevall & Sallent, Fl. Catalunya, i. 150 (1915).

DRABA
ramosissima Desv.
Britton & Brown, Ill. Fl. N. States & Canada, ii. 142 (1897); Ed. 2, ii. 151 (1913).
repens M. Bieb.
*Ledebour, Ic. Pl. Ross. ii. t. 145 (1830).
Reichenbach, Pl. Crit. viii. t. 771 (1830).
Bot. Tidsskr. xxi. 298 (1898).—*Hab.*
Bibl. Bot. xi. No. 58, t. 3, fig. 67–69 (1902).—*Fl.*
Suireishchikov, Ill. Fl. Mosc. Gov. ii. 200 (1907).
Fedtschenko & Fler. Fl. Eur. Russia, 476 (1910).
rubra Crantz
Crantz, Crucif. t. 1, fig. 5 (1769).
rupestris R. Br.
Reichenbach, Ic. Fl. Germ. ii. t. 14 (1837–38).
*C. E. Sowerby, Ill. Cat. Brit. Pl. fig. 84 (1841).
*Deakin, Florigr. Brit. ii. fig. 1025 (1845).
*Fl. Dan. xiv. t. 2421 (1845).
Johnson & Sowerby, Brit. Wild Fl. fig. 87 (1858–60).
*Syme, Engl. Bot. i. t. 137 (1863).
*Hogg & Johnson, Wild Fl. Gr. Brit. vi. t. 484 (1871).
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, i. t. 18 [1873].
Lindman, Svensk Fanerogamfl. 288 (1918).
—— **altaica** C. A. Mey.
*Ledebour, Ic. Pl. Ross. iii. t. 260 (1831).
—— **Lindblomii** Ekman
Svenska Vet. Akad. Handl. lvii. No. 3, t. 3 (1917).—*Hab.*
sachalinensis F. Schmidt
*Miyoshi & Makino, Pocket-Atlas, Alp. Pl. Jap. i. t. 17, fig. 95 (1906).
Miyabe & Miyake, Fl. Saghalin, t. 3 (1915).
samojedorum Rupr.
Ruprecht, Fl. Bor.-Ural. & Küstengeb. (E. Hofmann, N. Ural Pae-Choi Exped. 1847, 1848, ii), t. 1 (1856).
Sauteri Hoppe
Reichenbach, Pl. Crit. iv. t. 385 (1826).
*Sturm, Deutschl. Fl. xiv. LX [t. 950] (1832).
Reichenbach, Ic. Fl. Germ. ii. t. 15 (1837–38).
Schnizlein, Iconogr. iii. t. 181 (1857–65).
*Weber, Alp.-Pfl. Ed. 3, i. t. 61 (1872).
*Seboth & A. W. Bennett, Alpine Pl. iii. t. 83 (1880).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xiv. t. 1400 (1883).
*Hartinger, Atlas Alpenfl. ii. t. 165 (1897).
Fiori & Paol. Ic. Fl. Ital. 168 (1899).
*H. S. Thompson, Alp. Pl. Europe, t. 9 (1911).
Marret, Ic. Fl. Alp. Pl. Fasc. 5, t. 84 [1911].
Hegi, Ill. Fl. Mittel-Eur. iv. 1. 376 (1913).
scabra C. A. Mey.
Act. Hort. Petrop. xvi. t. 10 (1900).
De Vries, Mutationsth. i. 15 (1901).
—— **columnaris** Somm. & Lev.
Act. Hort. Petrop. xvi. t. 10 (1900).
shiroumana Makino
*Miyoshi & Makino, Pocket-Atlas, Alp. Pl. Jap. ii. t. 50, fig. 287 (1907).
Simonkiana Jav.
Bot. Közl. (Bot. Communic.), ix. t. 3 (1910).
spathulata Bergeret
*Bergeret, Phyt. Univ. iii. 107 (1784).
spathulata Sadler
*Sturm, Deutschl. Fl. xv. LXV [t. 1025] (1834).
Spitzelii Hoppe
*Sturm, Deutschl. Fl. xiv. LX [t. 951] (1832).
Reichenbach, Ic. Fl. Germ. ii. t. 15 (1837–38).
stellata Jacq.
Jacquin, Enum. Vind. t. 4, fig. 3 (1762).
*Lodd. Bot. Cab. i. t. 32 (1818).
Delessert, Ic. Pl. ii. t. 46 (1823).
*Sturm, Deutschl. Fl. xiv. LX [t. 953] (1832).
Mutel, Fl. Française, t. 5 (1834).
Reichenbach, Ic. Fl. Germ. ii. t. 13 (1837–38).
*Weber, Alp.-Pfl. Ed. 3, i. t. 63 (1872).
Willkomm, Führ. Reich Pflanzen, 832 (1882).—*Fr.*
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xiv. t. 1402 (1883).
Pflanzenfam. iii. II. 189 (1891).
Bibl. Bot. v. No. 26, t. 1, fig. 12–14 (1892).—*Fl.*
*Hartinger, Atlas Alpenfl. ii. t. 160 (1897).

DRABA
stellata
*G. Beck, Alpenblum. Semmering, t. 2, fig. 6 (1898).
Hegi, Ill. Fl. Mittel-Eur. iv. 1. 381 (1913).
stenocarpa Hayek
Hayek, Fl. Steierm. i. 454 (1908).—*Fr.*
stenoloba Ledeb.
H. M. & C. C. Hall, Yosemite Fl. 104 (1912).
stenopetala Trautv.
Bot. Tidsskr. xxi. 297 (1898).—*Hab.*
stylaris J. Gay
Rhodora, vii. t. 60, fig. 3–5 (1905).
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, ii. 151 (1913).
subamplexicaulis C. A. Mey.
*Ledebour, Ic. Pl. Ross. iii. t. 265 (1831).
subcapitata Simm.
Simmons, Vasc. Pl. Fl. Ellesm. (Rep. 2nd Norweg. Arctic Exped. 'Fram' 1898–1902, No. 2), t. 1 (1906).
subnitens Rouy & Fouc.
De Vries, Mutationsth. i. 15 (1901).—*Fl.*
subsecunda Somm. & Lev.
Act. Hort. Petrop. xvi. t. 12 (1900).
Subularia Lam.
Lamarck, Ill. iii. t. 556, fig. 3 (1797).
Thomasii Koch
Willkomm, Führ. Reich Pflanzen, 831 (1882).—*Veg.*
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xiv. t. 1410 (1883).
Pflanzenfam. iii. II. 189 (1891).
tomentosa Wahlenb.
Wahlenberg, Veg. Helvet. t. 3 (1813).
Reichenbach, Pl. Crit. viii. t. 764 (1830).
*Sturm, Deutschl. Fl. xiv. LX [t. 954] (1832).
Mutel, Fl. Française, t. 5 (1834).
Reichenbach, Ic. Fl. Germ. ii. t. 13 (1837–38).
*Froelich, Alpenpfl. Schweiz, vi. t. 2 (1855).
*Cusin & Ansberque, Herb. Fl. Franç. ii. t. 335 (1868).
*Weber, Alp.-Pfl. Ed. 3, i. t. 62 (1872).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xiv. t. 1401 (1883).
Bibl. Bot. v. No. 26, t. 1, fig. 9–11 (1892).—*Fl.*
*Hartinger, Atlas Alpenfl. ii. t. 161 (1897).
Fiori & Paol. Ic. Fl. Ital. 168 (1899).
Coste, Fl. France, i. 117 (1901).
*L. & C. Schroeter, Col. Vade-Mecum Alp. Fl. Ed. 16 & 17, t. 22 (1904).—*Hab.*
Flahault, Nouv. Fl. Alpes & Pyrén. ii. 12 (1908).
Schroeter, Pflanzenleb. Alp. 587 (1908).
*Bonnier, Fl. Compl. France, Suisse & Belge, i. t. 48 [1911].
Hegi, Ill. Fl. Mittel-Eur. iv. 1. t. 135 (1913).
Cadevall & Sallent, Fl. Catalunya, i. 151 (1915).
—— **frigida** Godr. & Gren.
Cusin & Ansberque, Herb. Fl. Franç. ii. t. 336 (1868).
*Heathcote, Fl. Engadine, t. 25 (1891).
—— **laevipes** Godr. & Gren.
Cusin & Ansberque, Herb. Fl. Franç. ii. t. 337 (1868).
—— **nivalis** Cusin & Ansb.
Cusin & Ansberque, Herb. Fl. Franç. ii. t. 337 (1868).
—— **stellata** Arcang.
Cusin & Ansberque, Herb. Fl. Franç. ii. t. 336 (1868).
Traunsteineri Hoppe
*Sturm, Deutschl. Fl. xv. LXV [t. 1030] (1834).
Reichenbach, Ic. Fl. Germ. ii. t. 14 (1837–38).
Willkomm, Führ. Reich Pflanzen, 832 (1882).—*Fr.*
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xiv. t. 1403 (1883).
verna Linn.
*Kniphof, Herb. Viv. i. t. 379 (1758).
Hill, Herb. Brit. ii. t. 165 (1770).
*Curtis, Fl. Londin. i. fasc. 1. t. 49 (1777); Ed. 2, i. fasc. 1. t. 49 (1817).
Walcott, Fl. Brit. Indig. [t. 100] (1778).
*Bergeret, Phyt. Univ. i. 13 (1783).
Hoppe, Ect. Pl. Ratisb. t. 372 (1789).
*Fl. Dan. vi. t. 983 (1790).

DRABA
verna
*Krocker, Fl. Siles. ii. II. t. 28 (1790).
Gaertner, Fruct. ii. t. 141 (1791).—*Fr.*
C. K. Sprengel, Entd. Geheimn. Natur, t. 11, fig. 11, 16, 17, 19–21, 25 (1793).—*Fl.*
Usteri in Ann. Bot. v. t. 2 (1793).—*Fl.*
Lamarck, Ill. iii. t. 556, fig. 1 (1797).
*Sturm, Deutschl. Fl. i. IV [t. 59] (1798).
*Sowerby & Sm. Engl. Bot. ix. t. 586 (1799).
*Dreves & Hayne, Bot. Bilderbuch, iv. t. 13 (1801).
*Dreves & Hayne, Choix de Pl. t. 115 (1802).
Boissieu, Fl. Eur. iii. t. 439 (1806).
*Svensk Bot. v. t. 298 (1807).
*Schkuhr, Bot. Handb. Ed. 2, t. 179 (1808).
*Liboschitz & Trinius, Fl. Pétersb. & Mosc. 39 (1811).
Thornton, Brit. Fl. iii. 86 (1812).
*Schrank, Fl. Monac. iv. t. 359 (1818).
*Vietz, Ic. Pl. Med.-oec.-techn. Suppl. t. 34 (1822).
*Barton Fl. N. Amer. iii. t. 88 (1823).
*Jaume St.-Hilaire, Fl. & Pom. Franç. v. t. 423 (1832).
*Kops, Fl. Batava, vi. t. 480 (1832).
*Baxter, Brit. Bot. Ed. 2, i. 38 (1834).
*Zenker, Fl. Thüringen, iv. t. 431 (1836–55).
Reichenbach, Ic. Fl. Germ. ii. t. 12 (1837–38).
[M. E.] Jackson, Pict. Fl. fig. 950 (1840).
Meigen, Deutschl. Fl. iii. t. 112 (1842).—*Fl.*
Cosson & Germ. Fl. Paris, Atlas, t. 10 (1845).—*Fr.*
*Deakin, Florigr. Brit. ii. fig. 1023 (1845).
Catlow, Popular Field Bot. t. 3 (1848).
Gray & Sprague, Gen. Fl. Amer. i. t. 69 (1848).
Petermann, Deutschl. Fl. t. 8, fig. 60, p–x (1849).—*Fl.*
Cottage Gard. xii. 389 (1854).
Johnson & Sowerby, Brit. Wild Fl. fig. 85 (1858–60).
Bull. Acad. Sc. Bruxelles, Ser. II. xi. 662 (1861).—*Fl.*
Provancher, Fl. Canad. i. 39, fig. 33–35 (1862).—*Fr.*
*Hogg & Johnson, Wild Fl. Gr. Brit. i. t. 23 (1863).
*Syme, Engl. Bot. i. t. 134, fig. 1 (1863).
Bentham, Handb. Brit. Fl. fig. 91 (1865).
*Schubert, Naturg., Pflanzenreich, Ed. 2, t. 33, fig. 2 [1865].
Migout, Fl. Dépt. Allier, t. 2 (1866).—*Veg.*
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, i. t. 18 [1873].
Müller in Verh. Naturhist. Ver. Preuss. Rheinl. & Westfalens, xxxv. II. t. 6 (1878).—*Fl.*
De Silvestri, Piante Prat. 333 (1879).
*C. Hoffmann, Pflanzenatlas, t. 53, fig. 325 (1881).
Wagner, Ill. Deutsche Fl. Ed. 2, p. 70 (1882).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xiv. t. 1411 (1883).
Svenska Vet. Akad. Handl. xxi. No. 4, t. 3 (1884)—*Fl.*
Brehm, Merv. Nat. Monde des Pl. i. 144, 774 (1894–96).
Britton & Brown, Ill. Fl. N. States & Canada, ii. 140 (1897); Ed. 2, ii. 148 (1913).
Fiori & Paol. Ic. Fl. Ital. 168 (1899).
Coste, Fl. France, i. 116 (1901).
Lindman, Bild. Nord. Fl. t. 210 a (1901–5).
Malpighia, xvi. t. 7 (1902).—*Fl.*
Blytt, Haandb. Norg. Fl. Ed. Dahl, 384 (1906).
Lazaro, Comp. Fl. Españ. ii. 138 (1907).—*Fr.*
Suireishchikov, Ill. Fl. Mosc. Gov. ii. 201 (1907).
Rec. Instit. Bot. Errera, vii. Annexe, 121, fig. 74 (1908).—*Hab.*
Fedtschenko & Fler. Fl. Eur. Russia, 479 (1910).
Hegi, Ill. Fl. Mittel-Eur. iv. I. t. 135 (1913).
Bull. Angew. Bot. vii. t. 105 (1914).—*Fr.*
Horwood, Plant Life Brit. Isles, ii. 100 (1914).—*Hab.*
Cadevall & Sallent, Fl. Catalunya, i. 150 (1915).
*Bonnier, Name This Flower, t. 6 (1917).
Lindman, Svensk Fanerogamfl. 23 (1918).
Mayevsky, Fl. Central Russia, 59 (1918).
Fitch & Smith, Ill. Brit. Fl. Ed. rev. 4, Iss. 2, fig. 93 (1919).

DRABA
verna americana Pers.
Cusin & Ansberque, Herb. Fl. Franç. ii. t. 343 (1868).
—— **dentata** Bergeret
*Bergeret, Phyt. Univ. iii. 99 (1784).
—— **genuina** Rouy & Fouc.
*Cusin & Ansberque, Herb. Fl. Franç. ii. t. 342 (1868).
—— **macrophylla** Cusin & Ansb.
Cusin & Ansberque, Herb. Fl. Franç. ii. t. 343 (1868).
—— **Ozanonii** Thell.
Hegi, Ill. Fl. Mittel-Eur. iv. I. 390 (1913).
—— **praecox** M. Bieb.
Cusin & Ansberque, Herb. Fl. Franç. ii. t. 342 (1868).
—— **praecox** Rouy & Fouc.
Hegi, Ill. Fl. Mittel-Eur. iv. I. 390 (1913).
—— **spathulata** Sadler
Petermann, Deutschl. Fl. t. 8, fig. 60, y (1849).—*Fl.*
—— **spathulata** Rouy & Fouc.
Hegi, Ill. Fl. Mittel-Eur. iv. I. 390 (1913).
—— **stenocarpa** Thell.
Hegi, Ill. Fl. Mittel-Eur. iv. I. 390 (1913).
violacea DC.
Hook. Ic. Pl. i. t. 35 (1837).
*Bot. Mag. xciii. t. 5650 (1867).
*Belg. Hort. xviii. 199 (1868).
De Vries, Mutationsth. i. 15 (1901).—*Fl.*
Wahlenbergii Hartm.
*Svensk Bot. xi. t. 770 (1843).
*Fl. Dan. xiv. t. 2420 (1845).
*Cusin & Ansberque, Herb. Fl. Franç. ii. t. 338 (1868).
*Weber, Alp.-Pfl. Ed. 3, i. t. 66 (1872).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xiv. t. 1406 (1883).
Flora, lxxxix. t. 2, fig. 14 (1901).—*Fr.*
Coste, Fl. France, i. 118 (1901).
Cadevall & Sallent, Fl. Catalunya, i. 152 (1915).
—— **glabrata** Regel
Bull. Soc. Nat. Mosc. xxxiv. No. 3, t. 5 (1861).
Regel & Herder, Reisen Süd. Ost-Sibir. i. t. 5 (1861).
Zahlbruckneri Host
*Sturm, Deutschl. Fl. xiv. LX [t. 945] (1832).
*Weber, Alp.-Pfl. Ed. 3, i. t. 60 (1872).
Willkomm, Führ. Reich Pflanzen, 833 (1882).—*Fr.*
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xiv. t. 1399 (1883).
*L. & C. Schroeter, Col. Vade-Mecum Alp. Fl. Ed. 16 & 17, t. 4 (1904).—*Hab.*
*Bonnier, Fl. Compl. France, Suisse & Belge, i. t. 48 [1911].
Zapateri Willk.
*Willkomm, Ill. Fl. Hispan. Balear. i. t. 6, fig. B (1881–85).

DRACAENA Auct.: *Clintonia* (1), *Cordyline* (2), *Dracaena* Vand. apud Linn. (3), *Liriope* (4), *Lomandra* (5)

DRACAENA Vand. apud Linn.—Vide *Cordyline* (2), *Draco*, *Oedera* Crantz, *Pleomele*, *Stoerkia*
afromontana Mildbr. (3)
Mildbraed, Deutsch. Zentral Afr.-Exped. 1907–8, ii. t. 5 (1910).
amabilis Veitch (2)
Florist, 1874, p. 75.
americana Donnell Sm. (3)
Sargent, Trees & Shrubs, i. t. 98 (1905).
Journ. New York Bot. Gard. vii. 41 (1906).
ampliata Favart (?)
Favart, Flowers & Pl. t. 7 (1880).
angustifolia Roxb. (3)
Rhein. Gartenschr. vii. 137 (1875).
Sempervirens, xii. 332 (1883).
—— **Honoriae** F. M. Bailey
F. M. Bailey, Compr. Cat. Queensl. Pl. 554, (1909–13).
arborea Link (3)
*Gartenfl. xlvi. t. 1438, p. 226 (1897).
Velenovsky, Vergl. Morphol. Pfl. iv. Suppl. 171 (1913).—*Fl.*

DRACAENA
argenteo-striata Hort. (3)
Neubert's Deutsch. Gart. Mag. xli. 270 (1888).
Sempervirens, xvii. 286 (1888).—*Hab.*
Aubryana Brongn. (3)
Belg. Hort. x. 348 (1860) e textu.
*Fl. des Serres, Ser. II. v. t. 1522, 1523 (1862–65).
aurantiaca Wall. (2)
*Floral Mag. N. Ser. 1880, t. 423.
aurea Mann (3)
Rock, Indig. Trees Hawaiian Isl. t. 34–36 (1913).—*Hab.*
Menzies, Hawaii, 34 (1920).—*Hab.*
Aurora Linden & André (2)
*Ill. Hort. xxv. t. 304 (1878).
australis Forst. (3)
*Bot. Mag. lv. t. 2835 (1828).
Journ. Hort. xlix. 163 (1873).
Garden, xvi. 527 (1879); xlvii. 312 (1895); xlviii. 197 (1895); lxvi. 209 (1904).—*Hab.*
Gard. Chron. xii. 657 (1879); Ser. III. xxix. 310 (1901).—*Hab.*
Baptistii Hort. (2)
Bull. Arboricult. Belg. 1873, p. 375.
Florist, 1875, p. 52.
*Ill. Hort. xxvi. t. 334 (1879).
×**Bausei** Hort. (2)
Journ. Hort. lix. 283 (1878).
Rev. Hort. Belge, vii. 273 (1881).—*Hab.*
bellula Linden & André (2)
*Ill. Hort. xxi. t. 163 (1874); xlii. 349 (1895).
bicolor Hook. (3)
*Bot. Mag. lxxxvii. t. 5248 (1861).
Boerhavii Ten. (3)
Tenore in Atti Accad. Sc. Napoli, iii. t. 3 (1832).
Nov. Act. Acad. Nat. Cur. xxv. I. t. 2 (1855).
Nouv. Arch. Mus. Hist. Nat. Paris, Ser. V. ii. 215 (1910).—*Fl.*
borealis Soland. (1)
*Aiton, Hort. Kew. i. 6 (1789).
*Andrews, Bot. Rep. iii. t. 206 (1802).
brasiliensis Desf. (2)
*Orbigny, Dict. Hist. Nat., Atlas, iii. t. 274 [1839–49].
Decaisne, Amat. Jard. iii. 664 [1862–66].—*Hab.*
Le Maout & Decaisne, Traité Gén. Bot. 586 (1868).—*Hab.*
Braunii Engl. (3)
Engl. Jahrb. xv. t. 20 (1893).
Broomfieldii Hort. (3)
Gard. Chron. Ser. III. xx. 667 (1896); xxiii. 256 (1898).—*Hab.*
Journ. Hort. Ser. III. xxxiii. 541 (1896).—*Hab.*
—— **superba** Hort.
Rev. Hort. 1903, p. 224.—*Hab.*
Gard. Chron. Ser. III. xxxiii. April 18, Suppl. tab. iv (1903).—*Hab.*
Cantleyi Baker (3)
*Quintus in Tijdschr. Tuinb. Ed. Bos, v. t. 4 (1900).—*Veg.*
Casanovae Linden & André (2)
*Ill. Hort. xxi. 181 (1874).
cernua Jacq. (3)
*Jacquin, Hort. Schoenbr. i. t. 96 (1797).
Chelsonii Hort. (2)
Ill. Hort. xix. 90 (1872).—*Hab.*
cinnabari Balf. f. (3)
Lojander, Beitr. Kennt. Drachenbl. t. 6–8 (1887).
Balfour f., Bot. Socotra (Trans. Roy. Soc. Edinb. xxxi), t. 96, 97 (1888).
Karsten & Schenck, Veg.-Bild. iii. t. 25, 26 (1905).—*Hab.*
Vierhapper in Denkschr. Akad. Wiss. Wien, lxxi. 336 (1907).—*Hab.*
Wettstein, Handb. Syst. Bot. Ed. 2, p. 793 (1911).—*Fl.*
concinna Kunth (3)
Gartenfl. xiii. t. 441 (1864).—*Hab.*
Nicholson, Illustr. Dict. Gard. i. 489 [1884–88].—*Hab.*
Coullingii Hort. (3)
Neubert's Deutsch. Gart. Mag. xlvii. 49 (1894).—*Hab.*
cuprea Linden & Rodigas (2)
*Ill. Hort. xl. t. 167 (1893).
cylindrica Hook. f. (3)
*Bot. Mag. xlvi. t. 5846 (1870).

DRACAENA
Danielsiana Hort. (2)
*Rev. Hort. Belge, xxxv. 3 (1909).
Dennisonii Hort. (2)
Ill. Hort. xix. 360 (1872).—*Hab.*
Garden, iii. 335 (1873).—*Hab.*
Rev. Hort. Belge, i. 99 (1875).—*Hab.*
deremensis Engl. (3)
Karsten & Schenck, Veg.-Bild. xi. t. 47 (1914).—*Hab.*
—— **Warneckei** Hort.
*Gartenwelt, xi. 504, 505 (1907).
Gard. Chron. Ser. III. l. 23 (1911).
Journ. Roy. Hort. Soc. London, xxxvii. Proc. p. cxxxix. fig. 120 (1912).
Doucettii De Grootei Hort. (2)
Journ. Roy. Hort. Soc. London, xxxiv. Proc. p. cxxiii. fig. 42 (1909).
Draco Linn. (3)
Berens, Diss. Drac. Arb. Clus. p. l. tab. (1770).
Berens in Ludwig, Delect. Opusc. Sc. Nat. Spect. t. 6 (1790).
*Plenck, Ic. Pl. Med. iii. t. 268 (1790).
Meyer in Mém. Acad. Berlin, 1796, t. 1, 2.
Roemer, Script. t. 2, 2 b (1796).
Desfontaines in Mém. Instit. Nat. Sc. & Arts, Paris, i. 502, t. 4 (1797).—*Veg.*
Lamarck, Ill. ii. t. 249, fig. 1 (1797).
*Jacquin, Fragm. t. 2 (1809).—*Fl.*
Humboldt, Vues de Cordillères, t. 69 (1810).—*Hab.*
Mirbel, Élém. Phys. Vég. Bot. iii. t. 1, fig. 3 (1815).—*Hab.*
*Vietz, Ic. Pl. Med.-oec.-techn. Suppl. t. 35 (1822).
*Hayne, Getreue Darst. Arzn. Gewächse, ix. t. 2 (1825).
Nov. Act. Acad. Nat. Cur. xiii. II. t. 35–39 (1827); xxv. I. t. 1 (1855).
Ann. Sc. Nat. Paris, xiv. t. 7, 8 (1828).
*Nees, Pl. Offic. i. t. 41, 42 (1828).
*Schlechtendal & Guimpel, Abb. Pharm. Boruss. Gew. iii. t. 268 (1837).
Webb & Berth. Hist. Nat. Iles Canar. Atlas, Facies, t. 8 (1838).—*Hab.*
Gaudichaud, Voy. Bonite, Bot. Atlas, t. 1 (1844–66).
Paxt. Mag. xvi. 45, 46 (1849).—*Hab.*
Schnizlein, Iconogr. i. t. 55 c (1849).
*Fl. des Serres, Ser. I. vi. t. 613 (1850–51).
*Bot. Mag. lxxvii. t. 4571 (1851).
*Lem. Jard. Fl. ii. t. 124 (1851).
Belg. Hort. ii. t. 12 (1852).—*Hab.*
Floricult. Cab. 1854, p. 33.—*Hab.*
De Vriese, Tuinbouw-Fl. iii. 144 (1856).
Schacht, Madeira & Tenerife Veg. 24 (1859).—*Hab.*
Trans. Bot. Soc. Edinb. vi. 252, 253, t. 6 (1860).
Berg, Charakt. t. 9, fig. 114 (1861).
Album Natuur, 1863, p. 184.—*Veg.*
*Rauwenhoff, Bijdr. Kennis Dracaena Draco (Verh. Akad. Wet. x), t. 1, 2 (1863).
*Schubert, Naturg., Pflanzenreich, Ed. 2, t. 18, fig. 8 [1865].
Rev. Hort. 1869, p. 416; 1879, p. 393; 1880, p. 196.—*Hab.*
Garden, i. 399 (1872); lx. 65 (1901).—*Hab.*
Gard. Chron. 1872, p. 765; xiv. 749 (1880); Ser. III. iii. 713 (1888).—*Hab.*
Journ. Hort. liii. 475 (1875).—*Hab.*
Pouchet, The Universe, Ed. 5, p. 389 (1877).—*Hab.*
*C. Hoffmann, Pflanzenatlas, t. 26, fig. 160 (1881).
Schilling, Grundr. Naturg. ii. Pflanzenr. Ausgb. A, 291 (1882); Ausgb. B, 305 (1884).—*Hab.*
Lojander, Beitr. Kennt. Drachenbl. t. 3, 4 (1887).
Pflanzenfam. ii. v. 73, 74 (1888).
Bull. Soc. Acclim. Ser. IV. vi. 757 (1889).—*Hab.*
Journ. Soc. Hort. France, Ser. III. xii. 467 (1890).—*Hab.*
An. Soc. Españ. Hist. Nat. xxi. Actas, 83, 84 (1893).—*Hab.*
U.S. Dep. Agric. Fiber Invest. Rep. No. 9, p. 153 (1897).—*Hab.*
Kronfeld, Atlas Pflanzengeogr. 103 (1899).—*Hab.*
Semaine Hort. 1899, p. 172.—*Hab.*

DRACAENA
Draco
Flora, xcv. 345 (1905).—*Veg.*
Pharm. Journ. Ser. IV. xx. 280 (1905).
Beih. Bot. Centralbl. xxii. t. 6, fig. 1–3 (1907).
Malpighia, xxi. t. 5 (1907).—*Fr.*
Velenovsky, Vergl. Morphol. Pfl. ii. 321 (1907); iv. Suppl. 43 (1913).—*Veg.*
Deutsch. Tiefsee-Exped. 1898–99, ii. 1. 264, 265, 268, t. 18, 19 (1907).
Engler & Drude, Veget. Erde, ix. II. 294 (1908).—*Hab.*
Pitard & Proust, Iles Canar. t. 18 (1908).—*Hab.*
Lindinger in Jahrb. Hamburg. Wiss. Anstalt. 1908, xxvi. Beih. 3, p. 62, 63 (1909).—*Veg.*
Beille, Bot. Pharm. ii. 106, 107 (1909).
Bull. Soc. Bot. Genève, Ser. II. i. 142 (1909).—*Hab.*
Gubb, Fl. Algeria, t. 3 (1909).—*Hab.*
Möllers Deutsche Gärtn.-Zeit. xviii. 565 (1909).
Schroeter, Canar. Ins. t. 5 (1909).—*Hab.*
Jardin, xxv. 280, 281 (1911).—*Hab.*
Wettstein, Handb. Syst. Bot. Ed. 2, p. 794 (1911).—*Hab.*
Mitt. Deutsch. Dendr. Ges. 1911, p. 281.—*Hab.*
Rikli, Lebensb. Veget. Mittelmeerl. Atlant. Inseln, t. 27 (1912).—*Hab.*
Francé, Leben Pflanze, vi. 242, 419 (1913).—*Hab.*
Kew Bull. 1914, p. 276.—*Fl.*
Molisch in Schrift. Ver. Verbr. naturw. Kenntn. Wien, lix. 62, fig. 1 (1919).—*Hab.*
—— **yucciformis** Vand.
Vandelli, Fasc. Pl. t. 2 (1771).
Eeckhautei Hort. (3)
Jardin, xiii. 185 (1899).
elegans Hua (2)
*Floral Mag. N. Ser. 1872, t. 16.
—— **variegata** Hort.
Sempervirens, xiv. 164 (1885).
elegantissima Hort. (3)
Gard. Month. & Hort., Meehan, xxi. 202 (1879).
elliptica maculata Hook. f. (3)
*Bot. Mag. lxxx. t. 4787 (1854).
Gard. Chron. xvii. 261 (1882).
Möllers Deutsche Gärtn.-Zeit. viii. 433 (1893).
ensifolia Linn. (3)
Gaertner, Fruct. i. t. 16 (1788).—*Fr.*
*Joh. Kerner, Hort. Sempervir. i. t. 24 (1797).
ensifolia Regel (3)
*Gartenfl. xiii. t. 451 (1864).
*Trans. Russ. Hort. Soc. 1864, t. 158.
—— **Greigii** Hort.
*Gartenfl. xx. t. 677 (1871).
erecta alba Chantrier (2)
*Ill. Hort. xxvii. t. 372 (1880).
excelsa Ten. (2)
*Ill. Gartenzeit. Stuttgart, xvi. t. 8 (1872).
ferrea Linn. (2)
*Lodd. Bot. Cab. ii. t. 136 (1818).
*Bot. Mag. xlvi. t. 2053 (1819).
*Lowe, Beautiful-leaved Pl. t. 29 (1868).
—— **versicolor** Hort.
*Lowe, Beautiful-leaved Pl. 5, t. 3 (1868).
filiformis Thunb. (5)
Thunberg, Diss. Bot. Dracaena, tab. fig. 1 (1808).
floribunda Baker (3)
*Bot. Mag. cv. t. 6447 (1879).
fragrans Ker-Gawl. (3)
*Bot. Mag. xxvii. t. 1081 (1808).
Berge, Pflanzenphysiogn. 39 (1880).—*Hab.*
Gartenfl. xxxiii. 85 (1884).—*Hab.*
Beih. Bot. Centralbl. xvi. t. 14, fig. 11, 12 (1904).—*Fl.*
Engler & Drude, Veget. Erde, ix. II. 291 (1908).
Lindinger in Jahrb. Hamburg. Wiss. Anstalt. 1908, xxvi. Beih. 3, p. 69–75 (1909).—*Veg.*
—— **Lindenii** Hort.
Gard. Chron. Ser. III. xxx. 168 (1901).—*Hab.*
L. H. Bailey, Cycl. Amer. Hort. 503 (1909); Stand. Cycl. Hort. 1070 (1914).—*Hab.*
—— **Massangeana** Hort.
*Belg. Hort. xxxi. 327 (1881).
fruticosa K. Koch (3)
*Bot. Mag. cii. t. 6253 (1876).

DRACAENA
glomerata Baker (3)
Horticulture (Boston), xxviii. 131 (1918).—*Hab.*
Godseffiana Hort. (3)
*Garden, l. 276 (1896); li. 298, 299 (1897).
Gard. Chron. Ser. III. xxi. 347 (1897).
*Bot. Mag. cxxiv. t. 7584 (1898).
Velenovsky in Sitzb. Böhm. Ges. Wiss. 1903, tab. (1904).—*Veg.*
Velenovsky, Vergl. Morphol. Pfl. ii. 587 (1907).—*Veg.*
Goldieana Hort. (3)
Journ. Hort. lvi. 11 (1876).
Garden, x. 499 (1876); xi. 507 (1877); xlii. 259 (1892).—*Hab.*
Bull. Soc. Tosc. Ortic. ii. 343 (1877).—*Hab.*
Florist, 1877, p. 247.
*Ill. Hort. xxv. t. 300 (1878); xlii. 257 (1895).
Ill. Gartenzeit. Stuttgart, xxii. t. 3 (1878).
Rev. Hort. 1878, p. 15.—*Veg.*
Rev. Hort. Belge, iv. 124 (1878).—*Hab.*
Gartenfl. xxvii. 151 (1878); xxxii. 246 (1883).
Neubert's Deutsch. Gart. Mag. xxxii. 57 (1879).
Gard. Month. & Hort., Meehan, xxiii. 300 (1881).
*Bot. Mag. cviii. t. 6630 (1882).
Gard. Chron. xvii. 49 (1882).
Garten-Zeit., Berlin, i. 163 (1882).
Nicholson, Illustr. Dict. Gard. i. 490 [1884–88].
Sempervirens, xiv. 92 (1885).
Jardin, iii. 119 (1889).
*Bois, Dict. Hort. 456 (1893–99).
Bellair & St.-Léger, Pl. Serre, 732 (1900).—*Hab.*
Möllers Deutsche Gärtn.-Zeit. xvi. 602 (1901).
Gartenwelt, xvi. 130 (1912).
L. H. Bailey, Stand. Cycl. Hort. t. 37 (1914).—*Hab.*
graminifolia Linn. (4)
Lamarck, Ill. ii. t. 249, fig. 2 (1797).
Guilfoylei Veitch (2)
Neubert's Deutsch. Gart. Mag. xxiv. 177 (1871).
Garden, ii. 493 (1872).—*Hab.*
Ill. Hort. xix. 249 (1872).—*Hab.*
Haageana Hort. (2)
Rhein. Gartenschr. vii. 7 (1875).
Rec. Trav. Bot. Néerl. xv. 283 (1918).—*Veg.*
Hendersonii Hort. (3)
Florist, 1875, p. 53.
Gartenfl. xxiv. 248 (1875).—*Hab.*
×**Hibberdii** Hort. (2)
Williams, Choice Stove & Greenh. Ornam.-leaved Pl. Ed. 2, p. 194 (1876).
*Floral Mag. N. Ser. 1876, t. 201.
Hookeriana K. Koch (3)
Wood, Natal Pl. iii. IV. t. 277 (1902).
Marloth, Fl. S. Africa, iv. t. 52 (1915).—*Hab.*
—— **latifolia** Regel
Gard. Chron. Ser. III. xx. 305 (1896).—*Hab.*
×**hybrida** Hort. (2)
Florist, 1876, p. 17.
imperialis Hort. (2)
Florist, 1873, p. 225.
indivisa Forst. (2)
Garden, iv. 457 (1873).—*Hab.*
Journ. Hort. xlix. 8 (1873); Ser. III. lv. 486 (1907).
Berge, Pflanzenphysiogn. 38 (1880).—*Hab.*
W. Robinson, Engl. Fl. Gard. t. 102 (1883).—*Hab.*
Jardin, ii. 199, 225 (1888).—*Hab.*
Semaine Hort. 1897, p. 487.—*Hab.*
Goebel, Organogr. Pfl. 596 (1900); Ed. Angl. ii. 408 (1905).
Möllers Deutsche Gärtn.-Zeit. xxviii. 364 (1913); xxxi. 79 (1916).
—— **Doucetiana** Decraen
*Ill. Hort. xxxv. t. 40 (1888).—*Hab.*
—— **latifolia** Hort.
*Ill. Gartenzeit. Stuttgart, xxix. t. 34 (1885).
×**jucunda** Hort. (3)
Journ. Hort. Ser. III. i. 527 (1881).—*Hab.*
kewensis Hort. (3)
Gard. Chron. Ser. III. xxxiii. April 25, Suppl. p. iv (1903).—*Hab.*
Bull. Soc. Tosc. Ortic. xxviii. 170 (1903).—*Hab.*

DRACAENA
Kindtiana De Wild. (3)
De Wildeman, Études Fl. Bas- et Moyen-Congo (Ann. Mus. Congo), ii. 120, t. 65, 66 (1907).
Horticulture (Boston), xxviii. 131 (1918).—*Hab.*
Bull. Missouri Bot. Gard. vi. t. 10 (1918).
Lacourtii Linden (3)
Semaine Hort. 1900, p. 455.
latifolia Regel (3)
*Saunders, Ref. Bot. v. t. 353 (1880).
—— **Schmidtiana** Hort.
*Gartenfl. xxix. t. 1023 (1880).
Laurentii De Wild. (3)
De Wildeman, Miss. É. Laurent, ii. t. 22 (1905).
lentiginosa Versch. (2)
Ill. Hort. xvii. t. 35 (1870).
Lindenii Hort. (3)
*Ill. Hort. xxvii. t. 384 (1880); xxviii. 57 (1881).
Garden, xix. 579 (1881).—*Hab.*
Journ. Hort. Ser. III. iii. 453 (1882).—*Hab.*
lineata Hort. (2)
Neubert's Deutsch. Gart. Mag. xxiii. 177 (1870).
Journ. Hort. xlix. 9 (1873).
Semaine Hort. 1898, p. 515.—*Hab.*
—— **Doucettii** Hort.
Rev. Hort. Belge, xix. 227 (1893).—*Hab.*
lutescens striata Versch. (3)
*Ill. Hort. xviii. t. 72 (1871).—*Hab.*
Macleayi Hort. (2)
Ill. Hort. xix. 340 (1872).—*Veg.*
maculata Roxb. (2)
*Henderson, Ill. Bouquet, i. t. 16 (1857–59).—*Veg.*
magnifica Hort. (2)
Florist, 1871, p. 273.
Ill. Hort. xix. 57 (1872).—*Hab.*
Mandaeana Hort. (3)
Horticulture (Boston), xv. 677 (1912).—*Hab.*
marginata Ait. (3)
Lindinger in Jahrb. Hamburg. Wiss. Anstalt. xxvi. Beih. 3, p. 68 (1908).—*Veg.*
marmorata Baker (3)
*Bot. Mag. cxv. t. 7078 (1889).
Massangeana Hort. (3)
*Rev. Hort. Belge, viii. 169 (1882).
Neubert's Deutsch. Gart. Mag. xxxvii. 369 (1884).
Hesdörffer, Handb. Zimmergärtn. Ed. 2, p. 385, fig. 265 (1900).
metallica Hort. (2)
*Floral Mag. N. Ser. 1872, t. 24.
Mooreana Hort. (2)
Ill. Hort. xiv. 532 (1867); xix. 91 (1872).
Florist, 1872, p. 233.—*Hab.*
Garden, iii. 259 (1873).—*Hab.*
nigro-rubra Hort. (2)
Ill. Hort. xix. 341 (1872).—*Veg.*
nutans Ridl. (3)
Rec. Trav. Bot. Néerl. xv. 291–94 (1918).—*Veg.*
obliqua Thunb. (5)
Thunberg, Diss. Bot. Dracaena, tab. fig. 2 (1808).
Oddonii De Wild. (3)
De Wildeman, Études Fl. Bas- et Moyen-Congo (Ann. Mus. Congo), i. t. 57 (1906).
Ombet Kotschy & Peyr. (3)
*Kotschy & Peyritsch, Pl. Tinneanae, praef. (1867).—*Hab.*
Lojander, Beitr. Kennt. Drachenbl. t. 5 (1887).
Hook. Ic. Pl. xxvi. t. 2539 (1897).
ovata Ker-Gawl. (3)
*Bot. Mag. xxix. t. 1180 (1809), errore t. 1179.
papahu Engl. (3)
Engler & Drude, Veget. Erde, ix. 1. 1, p. 318 (1910).—*Hab.*
Perrotetii Baker (3)
Thonner, Blütenpfl. Afr. t. 18 (1908).
phrynioides Hook. (3)
*Bot. Mag. lxxxviii. t. 5352 (1862).
Poggei Engl. (3)
Engler & Drude, Veget. Erde, ix. 11. 293 (1908).
—— **elongata** De Wild.
De Wildeman, Miss. É. Laurent, ii. t. 23 (1905).
porphyrophylla Veitch (2)
Ill. Hort. xix. 277 (1872).—*Hab.*

DRACAENA
pseudo-reflexa Mildbraed (3)
Mildbraed, Deutsch. Zentral.-Afr.-Exped. 1907–8, ii. t. 5 (1910).
Realii Linden & André (2)
*Ill. Hort. xx. t. 140, 141 (1873).
reflexa Lam. (3)
*Redouté, Liliac. ii. t. 92 (1805).
Gaudichaud, Voy. Bonite, Atlas, t. 126 (1844–46).
*Bot. Mag. ciii. t. 6327 (1877).
Ann. Bot. Gard. Peradeniya, i. t. 3 (1901).—*Hab.*
Velenovsky, Vergl. Morphol. Pfl. ii. 592 (1907).—*Veg.*
Lindinger in Jahrb. Hamburg. Wiss. Anstalt. xxvi. Beih. 3, p. 66, 67 (1908).—*Veg.*
—— **nitens** Baker
De Wildeman, Miss. É. Laurent, ii. t. 17 (1905).—*Hab.*
Sim, For. Fl. Portug. E. Africa, t. 86 (1909).
reginae Hort. (2)
*Neubert's Deutsch. Gart. Mag. xxi. 241 (1868).
Fl. des Serres, Ser. II. viii. 104 (1869–70).—*Veg.*
*Hibberd, Beautiful-leaved Pl. 139, t. 53 (1870).
Rhein. Gartenschr. iii. 187 (1871).
Florist, 1872, p. 63.
Ill. Hort. xix. 66 (1872).—*Veg.*
regis Chantrier (2)
*Ill. Hort. xxvi. t. 360 (1879).
Rigoutsii De Bosschere (2)
*Ill. Hort. xliii. t. 50 (1896).—*Hab.*
Robinsoniana Hort. (2)
*Ill. Hort. xxvi. t. 342 (1879).
roseo-picta Hort. (2)
Florist, 1878, p. 29.
Rothiana Hort. (3)
Rev. Hort. 1877, p. 68.—*Hab.*
Ill. Gartenzeit. Stuttgart, xxi. 64 (1877).
Bull. Soc. Tosc. Ortic. ii. 53 (1877).—*Hab.*
Ill. Hort. xliii. 97 (1896).—*Hab.*
Horticulture (Boston), xviii. 701 (1913).—*Hab.*
rubro-aurantiaca De Wild. (3)
De Wildeman, Études Fl. Bas- et Moyen-Congo (Ann. Mus. Congo), i. t. 58 (1906).
Sanderiana Hort. (3)
Gard. Chron. Ser. III. xiii. 445 (1893).—*Hab.*
Jardin, vii. 127 (1893).
Journ. Hort. Ser. III. xxvi. 389 (1893).—*Hab.*
Neubert's Deutsch. Gart. Mag. xlvi. 257 (1893); l. 345 (1897).—*Hab.*
Rev. Hort. Belge, xix. 139 (1893); xxv. 209 (1899).—*Hab.*
Gartenfl. xlii. 406, 596 (1893).—*Hab.*
Gartenfl. xlii. 345 (1893), errore; *Tradescantia Reginae*, vide p. 406.—*Hab.*
Journ. Roy. Hort. Soc. London, xvi. Proc. p. lxiii (1894).
Bull. Soc. Tosc. Ortic. xxii. 176, t. 8 (1897).—*Hab.*
Saposchnikowii Regel (3)
Gartenfl. xx. t. 705 (1871).
*Bot. Mag. cii. t. 6234 (1876).
H. H. Johnston, River Congo, 57 (1895).
sepiaria Seem. (2)
*Seemann, Fl. Vit. t. 94 (1865–73) in ic.; *Cordyline sepiaria* in textu.
Sieboldii Planch. (2)
*Fl. des Serres, Ser. I. vi. t. 569 (1850–51) in ic.; *Cordyline Sieboldii maculata* in textu.
Smithii Baker (3)
*Bot. Mag. ci. t. 6169 (1875).
splendens Hort. (2)
*Floral Mag. N. Ser. 1873, t. 74.
stricta Sims (2)
*Bot. Mag. lii. t. 2575 (1825).
*Bot. Reg. xii. t. 956 (1826).
superba Hort. (3)
Sempervirens, viii. 276 (1879).—*Hab.*
surculosa Lindl. (3)
*Bot. Reg. xiv. t. 1169 (1828).
Loudon, Mag. Nat. Hist. iv. 384 (1831).
Engler & Drude, Veget. Erde, ix. 11. 292 (1908).
—— **maculata** Hort.
*Bot. Mag. xciii. t. 5662 (1867).
Möllers Deutsche Gärtn.-Zeit. viii. 432 (1893).
×**Taylorii** Hort. (3)
Ill. Gartenzeit. Stuttgart, xxi. t. 30 (1877).

DRACAENA
Taylorii
Gard. Month. & Hort., Meehan, xxi. t. 329 (1879).
×**Tellingii** Hort. (2)
Journ. Hort. Ser. III. i. 569 (1881).—*Hab.*
Neubert's Deutsch. Gart. Mag. xxxvi. 57 (1883).
Rhein. Jahrb. Gartenkunde & Botanik. ii. 269 (1885).
terminalis Linn. (2)
*Jacquin, Ic. Pl. Rar. ii. t. 448 (1786–93).
Medicus, Theodora Speciosa, t. 2 (1786).—*Fl.*
*Redouté, Liliac. ii. t. 91 (1805).
*Trattinick, Ausg. Taf. Arch. ii. t. 172 a, 172 b (1813).
Trattinick, Arch. iii. t. 242 (2 fol.) (1817).
*Mordant de Launay, Herb. Amat. vi. t. 360 (1822).
*Lodd. Bot. Cab. xiii. t. 1224 (1827).
*Drapiez, Herb. Amat. Fl. i. t. 36 (1828).
*Mag. Bot. & Gard. i. t. 11 (1833).
*Bot. Reg. xxi. t. 1749 (1835).
Wight, Ic. Pl. Ind. Or. vi. t. 2054 (1853).
*Blanco, Fl. Filip. t. 98 (1878–80).
Garden, xix. 126 (1881).—*Hab.*
—— **picta** Hort.
*Henderson, Ill. Bouquet, t. 16 (1857–59).—*Veg.*
—— **stricta** Hort.
*Fl. des Serres, Ser. II. v. t. 1538–39 (1862–65).—*Veg.*
*Hibberd, Beautiful-leaved Pl. 21, t. 8 (1870).
*Floral World, 1879, p. 257.—*Veg.*
thalioides Hort. ex Morr. (3)
*Belg. Hort. x. 348 (1860) in ic.; *D. Aubryana* in textu.
*Ill. Hort. xl. t. 175 (1893).
Gard. Chron. Ser. III. xv. 137 (1894).
×**Thomsonii** Hort. (2)
Ill. Hort. xxvii. t. 400 (1880).—*Hab.*
Gard. Chron. xiv. 657 (1880).—*Hab.*
Garden, xix. 127 (1881).—*Hab.*
*Floral Mag. N. Ser. 1881, t. 441.
*Ill. Gartenzeit. Stuttgart, xxvi. t. 28 (1882).
Troubetzkoi Linden & André (2)
*Ill. Hort. xxi. t. 187 (1874).
ueleënsis De Wild. (3)
De Wildeman, Études Fl. Bas- et Moyen-Congo (Ann. Mus. Congo), ii. t. 8, 9 (1907).
umbraculifera Jacq. (3)
*Jacquin, Hort. Schoenbr. i. t. 95 (1797).
*Lodd. Bot. Cab. iii. t. 289 (1818).—*Hab.*
Lindinger in Jahrb. Hamburg. Wiss. Anstalt. 1908, xxvi. Beih. 3, p. 65, 76 (1909).—*Veg.*
usambarensis Engl. (3)
Goetze & Engler, Vegetationsansicht. Deutsch-Ostafr. t. 23, 24 (1902).—*Hab.*
Engler & Drude, Veget. Erde, ix. 1. 1, t. 19 (1910).—*Hab.*
Victoria Hort. (2)
Gard. Chron. Ser. III. xxvi. 315 (1899); xlviii. 285 (1910).—*Hab.*
Semaine Hort. 1899, p. 365.—*Hab.*
Rev. Hort. Belge, xxix. 40 (1903).—*Hab.*
Waroquei Linden & André (2)
*Ill. Hort. xxii. t. 217 (1875).
Rev. Hort. 1876, p. 232.—*Hab.*
Ill. Gartenzeit. Stuttgart, xxi. t. 5 (1877).
Weismannii T. Moore (2)
Gartenfl. xxii. 92 (1873).—*Hab.*
Florist, 1873, p. 202.
Williamsii Hort. (3)
Sempervirens, xii. 350 (1883).
Wilsonii Hort. (3)
Neubert's Deutsch. Gart. Mag. xxxviii. 70 (1885).
Youngii Hort. (2)
Gartenfl. xxii. 93 (1873).—*Hab.*
yuccifolia Ridl. (3)
Kew Bull. 1914, p. 276.—*Fl.*

DRACAENOPSIS Planch.: *Cordyline*
australis Planch.
Gard. Chron. Ser. III. xiii. 133 (1893).—*Hab.*

DRACO Crantz: *Dracaena*
Clusii Crantz
Baillon, Hist. Pl. xii. 411, 412 (1894).

DRACO
yucciformis Vand.
*Vandelli, Diss. Arb. Draconis seu Dracaena, 6 (1768).

DRACOCEPHALUM Linn.—Vide *Moldavica*
altaiense Laxm.
Laxmann in Nov. Comm. Acad. Sc. Pétersb. xv. t. 29, fig. 3 (1771).
Hiltebrandt, Gen. Dracocephali Monogr. t. 13 (1805).
*Reichenbach, Mag. Aesth. Bot. (Ic. & Descr. Pl.), t. 96 (1823).
*Sweet, Brit. Fl. Gard. iv. t. 57 (1830).
*J. W. Loudon, Ladies' Fl.-Gard. Ornam. Perenn. ii. t. 90 (1844) in ic.; *D. grandiflorum* in textu, p. 148.
*Gartenfl. xxv. t. 855 (1876); xxvi. 244 (1877).
Nicholson, Illustr. Dict. Gard. i. 491 [1884–88]. —*Hab.*
argunense Fisch.
*Reichenbach, Mag. Aesth. Bot. (Ic. & Descr. Pl.), t. 1 (1822).
*Lodd. Bot. Cab. viii. t. 797 (1823).
*Sweet, Brit. Fl. Gard. i. t. 47 (1824).
W. Robinson, Engl. Fl. Gard. t. 102 (1883).—*Hab.*
*Bot. Mag. cxxxvii. t. 8384 (1911).
Somoku Dzusetsu, Ed. Makino (Iconogr. Pl. Nippon), xi. t. 47 (1912).
austriacum Linn.
*Jacquin, Ic. Pl. Rar. i. t. 112 (1781–86).
F. W. Schmidt, Samml. Phys. Ökon. Aufsätze, t. 2 (1795).—*Fl.*
Hiltebrandt, Gen. Dracocephali Monogr. t. 7 (1805).
*Trattinick, Ausg. Taf. Arch. iii. t. 258 (1814).
*Trattinick, Thes. Bot. t. 61 (1819).
Nees, Gen. Pl., Gamop. ii. t. 25 (1839).
*Sturm, Deutschl. Fl. xx. xc [t. 1366] (1845).
Reichenbach, Ic. Fl. Germ. xviii. t. 1240 (1856).
*Cusin, Herb. Fl. Franç. xviii (Labiées), t. 81 (1875).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xviii. t. 1820 (1884).
*Heathcote, Fl. Engadine, t. 181 (1891).
Acloque, Fl. France, 515 (1894).
Fiori & Paol. Ic. Fl. Ital. 367 (1902).
Coste, Fl. France, iii. 105 (1906).
Senn, Alpen-Flora, ii. 120 (1906).
Flahault, Nouv. Fl. Alpes & Pyrén. i. 120 (1906).
Silva Tarouca, Freiland-Stauden, 89 (1910).—*Hab.*
Wettstein, Handb. Syst. Bot. Ed. 2, p. 741 (1911). —*Fl.*
canariense Linn.
*Kniphof, Herb. Viv. i. t. 382 (1758).
*Zorn, Ic. Pl. Med. v. t. 423 (1784).
*Plantarum Indig. & Exot. Ic. ii [t. 82] (1789).
*Oskamp, Afb. Artseny-Gewass. iv. t. 378 (1800).
Hiltebrandt, Gen. Dracocephali Monogr. t. 2 (1805).
Ann. Mus. Hist. Nat. Paris, xv. 262, t. 21 (1810). —*Fl.*
*Descourtilz, Fl. Pitt. & Méd. Antilles, v. t. 372 (1827).
canescens Linn.
*Kniphof, Herb. Viv. i. t. 387 (1758).
*Sweet, Brit. Fl. Gard. i. t. 38 (1823).
*J. W. Loudon, Ladies' Fl.-Gard. Ornam. Annuals, t. 39 (1844).
chamaedryoides Balb.
Balbis in Mém. Acad. Sc. Turin, xv. 386, t. 7 (1804).
crenatifolium Franch.
Ann. Sc. Nat. Paris, Ser. VI. xviii. t. 16 (1884).
denticulatum Ait.
*Bot. Mag. vi. t. 214 (1793).
*Lodd. Bot. Cab. xiv. t. 1400 (1828).
*Mag. Bot. & Gard. iii. t. 14 (1835).
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, iii. 117 (1913).
foetidum Bunge
*Ledebour, Ic. Pl. Ross. ii. t. 193 (1830).
fragile Turcz.
Bull. Soc. Nat. Mosc. xxiv. No. 4, t. 8 (1851).

DRACOCEPHALUM
fruticulosum Steph.
Hiltebrandt, Gen. Dracocephali Monogr. t. 3 (1805).
grandiflorum Linn.
*Kniphof, Herb. Viv. i. t. 384 (1758).
Hiltebrandt, Gen. Dracocephali Monogr. t. 12 (1805).
*Bot. Mag. xxv. t. 1009 (1807).
*Lodd. Bot. Cab. ii. t. 180 (1818).
*Pallas, Fl. Ross. t. 112 [1831].
*J. W. Loudon, Ladies' Fl.-Gard. Ornam. Perenn. ii. 148 (1844) in textu; *D. altaiense* in ic., t. 90.
*Paxt. Mag. xiii. 51 (1847).
Bull. Soc. Tosc. Ortic. iii. 88 (1878).
*Neubert's Deutsch. Gart. Mag. xxxiii. 47 (1880).
W. Robinson, Engl. Fl. Gard. t. 101 (1883).—*Hab.*
imberbe Bunge
*Gartenfl. xxxi. t. 1080 (1882).
incanum Salisb.
Ann. Mus. Hist. Nat. Paris, xv. 262, t. 21 (1810). —*Fl.*
integrifolium Bunge
*Ledebour, Ic. Pl. Ross. ii. t. 120 (1830).
intermedium Nutt.
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, iii. 117 (1913).
lamiifolium Desf.
Ann. Mus. Hist. Nat. Paris, x. 305 (1807).
Desfontaines, Choix Pl. Tournefort, t. 15 (1808).
mexicanum H. B. K.
H. B. K. Nov. Gen. ii. t. 160 (1817).
moldavica Linn.
*Kniphof, Herb. Viv. i. t. 381 (1758).
*Bergius, Mat. Med. ii. 539, t. 294 (1778).
*Zorn, Ic. Pl. Med. iii. t. 294 (1781).
*Plenck, Ic. Pl. Med. v. t. 493 (1792).
*Joh. Kerner, Abbild. Oek. Pfl. (Fig. Pl. Écon.), vi. t. 560 (1793).
Lamarck, Ill. iii. t. 513, fig. 1 (1797).
*Oskamp, Afb. Artseny Gewass. iv. t. 377 (1800).
Hiltebrandt, Gen. Dracocephali Monogr. t. 9 (1805).
*Schkuhr, Bot. Handb. Ed. 2, t. 165 (1808).
Ann. Mus. Hist. Nat. Paris, xv. 262, t. 21 (1810). —*Fl.*
*Vietz, Ic. Pl. Med.-oec.-techn. vi. t. 482 (1817).
*Hayne, Getreue Darst. Arzn. Gewächse, viii. t. 32 (1822).
*Nees, Pl. Offic. i. t. 183 (1828).
*Pallas, Fl. Ross. t. 116 [1831].
Meigen, Deutschl. Fl. iii. t. 108 (1842).—*Fl.*
*Sturm, Deutschl. Fl. xx. xc [t. 1364] (1845).
*Petermann, Deutschl. Fl. t. 69, fig. 546 (1849).
Reichenbach, Ic. Fl. Germ. xviii. t. 1240 (1856).
Berg, Charakt. t. 34, fig. 267 (1861).
Cesati, Passer. & Gibelli, Comp. Fl. Ital. t. 45 (1867–86).—*Fl.*
Karsten, Deutsche Fl. Pharm.-medic. Bot. 992 (1880–83).—*Fl.*
Willkomm, Führ. Reich Pflanzen, 496 (1882).
W. Robinson, Engl. Fl. Gard. t. 101 (1883).—*Hab.*
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xviii. t. 1818 (1884).
Karsten, Fl. Deutschl. ii. 568 (1895).—*Fl.*
Britton & Brown, Ill. Fl. N. States & Canada, iii. 88 (1898).
De Vries, Mutationsth. ii. 231, 244 (1903).—*Veg.*
*Sturm, Fl. Deutschl. Ed. 2, xi. t. 28 (1903).
Velenovsky, Vergl. Morphol. Pfl. ii. 293 (1907). —*Veg.*
Fedtschenko & Fler. Fl. Eur. Russia, 809 (1910).
Basu, Ind. Med. Pl. t. 766 (1918).
nutans Linn.
J. G. Gmelin, Fl. Sibir. iii. t. 49 (1768); fide Ledebour, Comm. 102.
*Plantarum Indig. & Exot. Ic. i [t. 21] (1788).
*Bot. Reg. x. t. 841 (1824).
*Pallas, Fl. Ross. t. 115 [1831].
Silva Tarouca, Freiland-Stauden, 90 (1910).—*Hab.*
Nuttallii Britton
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, iii. 117 (1913).
origanoides Steph.
*Ledebour, Ic. Pl. Ross. ii. t. 128 (1830).

DRACOCEPHALUM
palmatum Steph.
Hiltebrandt, Gen. Dracocephali Monogr. t. 14 (1805).
pamiricum Briq.
Arbejd. Bot. Have Kjöbenhavn, No. 41, p. 240 (1907).
Bot. Tidsskr. xxviii. 240 (1907).
parviflorum Nutt.
Britton & Brown, Ill. Fl. N. States & Canada, iii. 87 (1898).
*Clark & Fletcher, Farm Weeds Canada, t. 54, fig. 32 (1906); Ed. 2, t. 75, fig. 63 (1909).—*Fr.*
Canada Dep. Agric. (Seed Branch) Bull. No. S–8, p. 52 (1914).—*Fr.*
Paulsenii Briq.
Arbejd. Bot. Have Kjöbenhavn, No. 41, p. 239 (1907).
Bot. Tidsskr. xxviii. 239 (1907).
peltatum Linn.
*Kniphof, Herb. Viv. i. t. 383 (1758).
Lamarck, Ill. iii. t. 513, fig. 2 (1797).
Hiltebrandt, Gen. Dracocephali Monogr. t. 17 (1805).
Ann. Mus. Hist. Nat. Paris, xv. 216, t. 20 (1810). —*Fl.*
Irmisch in Abh. Nat. Ges. Halle, iii. t. 3, fig. 4 (1856).—*Veg.*
Lubbock, Seedlings, ii. 385 (1892).—*Veg.*
peregrinum Linn.
J. G. Gmelin, Fl. Sibir. iii. t. 53 (1768); fide Ledebour, Comm. 103.
Hiltebrandt, Gen. Dracocephali Monogr. t. 8 (1805).
*Bot. Mag. xxvii. t. 1084 (1808).
*Pallas, Fl. Ross. t. 117 [1831].
*Gartenfl. ii. t. 47 (1853).
pinnatum Linn.
J. G. Gmelin, Fl. Sibir. iii. t. 52 (1768); fide Ledebour, Comm. 103.
*Pallas, Fl. Ross. t. 111 [1831].
*Ledebour, Ic. Pl. Ross. v. t. 445 (1834).
pulchellum Briq.
Bot. Tidsskr. xxviii. 242 (1907).
Arbejd. Bot. Have Kjöbenhavn, No. 41, p. 242 (1907).
Ruprechtianum Regel
*Gartenfl. xxix. t. 1018 (1880).
Ruyschiana Linn.
*Kniphof, Herb. Viv. i. t. 385 (1758).
*Fl. Dan. i. t. 121 (1764).
Hiltebrandt, Gen. Dracocephali Monogr. t. 6 (1805).
Trattinick, Fl. Oesterr. Kaiserth. i. t. 28 (1816).
*Mordant de Launay, Herb. Amat. viii. t. 538 (1827).
*Drapiez, Herb. Amat. Fl. vii. t. 455 (1834).
Nees, Gen. Pl., Gamop. ii [t. 25] (1839).—*Fl.*
*Sturm, Deutschl. Fl. xx. xc [t. 1365] (1845).
*Lorek, Fl. Pruss. t. 146, fig. 775 (1848).
Reichenbach, Ic. Fl. Germ. xviii. t. 1240 (1856).
*Trans. Russ. Hort. Soc. 1861, t. 43.
*Gartenfl. x. t. 317 (1861).
Somoku Dzusetsu, Ed. 2, xi. t. 47 (1874).
*Cusin, Herb. Fl. Franç. xviii (Labiées), t. 80 (1875).
*Seboth & A. W. Bennett, Alpine Pl. t. 78 (1880).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xviii. t. 1819 (1884).
*Heathcote, Fl. Engadine, t. 181 (1891).
*Correvon, Fl. Col. Suisse, t. 114 (1894).
Garcke, Ill. Fl. Deutschl. 477 (1895).
Pflanzenfam. iv. III. A. 239 (1896).
*Hartinger, Atlas Alpenfl. iv. t. 362 (1897).
Fiori & Paol. Ic. Fl. Ital. 367 (1902).
*Sturm, Fl. Deutschl. Ed. 2, xi. t. 29 (1903).
Blytt, Haandb. Norg. Fl. Ed. Dahl. 602 (1906).
Coste, Fl. France, iii. 105 (1906).
*Flahault, Nouv. Fl. Alpes & Pyrén. i. t. 120 (1906).
*Senn, Alpen-Flora, ii. t. 120 (1906).
Fedtschenko & Fler. Fl. Eur. Russia, 809 (1910).
Suireishchikov, Ill. Fl. Mosc. Gov. iii. 91 (1910).
*H. S. Thompson, Alp. Pl. Europe, t. 59 (1911).
Hayek, Pflanzend. Oesterr.-Ung. i. 286 (1914).
Lindman, Svensk Fanerogamfl. 469 (1918).—*Fl.*
—— **japonicum** Hort.
Gard. Chron. xii. 167 (1879).

DRACOCEPHALUM
Ruyschiana speciosum Ledeb.
Gartenfl. xxix. 376 (1880).
sibiricum Linn.
J. G. Gmelin, Fl. Sibir. iii. t. 51 (1768); fide Ledebour, Comm. 103.
Buchoz, Hist. Règne Vég. vi. Dec. 7, t. 3 (1775).
Hiltebrandt, Gen. Dracocephali Monogr. t. 11 (1805).
Ann. Mus. Hist. Nat. Paris, xv. 262, t. 21 (1810). —*Fl.*
*Bot. Mag. xlvii. t. 2185 (1820).
*Pallas, Fl. Ross. t. 113 [1831].
*Géel, Sert. Bot. Cl. 14 (1832).
*J. W. Loudon, Ladies' Fl.-Gard. Ornam. Perenn. ii. t. 90 (1844).
sinense Sp. Moore
Journ. Linn. Soc., Bot. xvii. t. 16 (1879).
speciosum Sweet
*Sweet, Brit. Fl. Gard. i. t. 93 (1825).
!Bull. Acad. Sc. Bruxelles, xviii. 1. 37 (1851).
*Bot. Mag. ciii. t. 6281 (1877).
Journ. Hort. Ser. III. iii. 329 (1882); xlviii. 271 (1904).
stamineum Kar. & Kir.
Pflanzenfam. iv. III. A. 239 (1896).—*Fl.*
!Schweitzer in Pótfüz. a Természett. Közl. (Journ. Nat. Sc.), xlvi. 66 (1914).
thymiflorum Linn.
*Kniphof, Herb. Viv. i. t. 386 (1758).
J. G. Gmelin, Fl. Sibir. iii. t. 50 (1768); fide Ledebour, Comm. 103.
Gaertner, Fruct. i. t. 66 (1788).—*Fr.*
Hiltebrandt, Gen. Dracocephali Monogr. t. 16 (1805).
*Schkuhr, Bot. Handb. Ed. 2, t. 165 (1808).
Ann. Mus. Hist. Nat. Paris, xv. 262, t. 21 (1810). —*Fl.*
*Pallas, Fl. Ross. t. 114 [1831].
Suireishchikov, Ill. Fl. Mosc. Gov. iii. 90 (1910).
Bull. Angew. Bot. vii. t. 108 (1914).—*Fr.*
urticifolium Miq.
Somoku Dzusetsu, Ed. 2, xi. t. 50 (1874).
variegatum Vent.
Ventenat, Jard. Cels, t. 44 [1800].
virginianum Linn.
*Kniphof, Herb. Viv. i. t. 380 (1758).
*Bot. Mag. xiii. t. 467 (1800).
*McDonald, Dict. Pract. Gard. i. t. 20 (1807).
Ann. Mus. Hist. Nat. Paris, xv. 262, t. 21 (1810). —*Fl.*
*S. Edwards, New Bot. Gard. i. t. 20 (1812).
*Descourtilz, Fl. Pitt. & Méd. Antilles, v. t. 371 (1827).
Bull. Acad. Sc. Bruxelles, iii. 357 (1836).—*Fl.*.
Meigen, Deutschl. Fl. iii. t. 108 (1842).—*Fl.*
*Réveil, Règne Vég. xiv. t. 13 (1870).
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, iii. 116 (1913).
*House, Wild Fl. New York (Mem. No. 15 N.Y. State Mus.), ii. t. 188 (1918).
virginicum Schkuhr
*Schkuhr, Bot. Handb. Ed. 2, t. 165 (1808).—*Fr.*

DRACONTIOIDES Engl.
desciscens Engl.
Pflanzenreich, Arac.-Lasioid. 36 (1911).

DRACONTIUM Linn.—Vide *Echidnium*, *Godwinia*
asperum K. Koch
Ill. Hort. xiii. Misc. 15 (1866).—*Fl.*
*Saunders, Ref. Bot. iv. t. 282 (1871).
Mart. Fl. Bras. iii. II. t. 24 (1878).
Pflanzenreich, Arac.-Lasioid. 43 (1911).
bissectum Vell.
Vellozo, Fl. Flum. ix. t. 118 (1827).
Carderi Hook. f.
*Bot. Mag. cvi. t. 6523 (1880).
Crisp, Guide Friar Park, 111 (1914).
cordatum Houtt.
*Houttuyn, Handl. Pl. & Kruidk. xi. t. 71, fig. 2 (1780).
costaricense Engl.
Pflanzenreich, Arac.-Lasioid. 44 (1911).—*Veg.*
elatum Mast.
Gard. Chron. 1870, p. 344.
Journ. of Bot. ix. t. 113 (1871).

DRACONTIUM
foecundum Hook. f.
*Bot. Mag. cxi. t. 6808 (1885).
foetidum Linn.
Schnizlein, Iconogr. i. t. 72 bb (1849).—*Fl.*
gigas Engl.
Pflanzenfam. ii. III. 125 (1889).
Gard. Chron. Ser. III. xxix. 126 (1901).—*Fl.*
Garden, lix. 241 (1901).—*Hab.*
Pflanzenreich, Arac.-Lasioid. 46 (1911).
hexandrum Aubl.
Aublet, Hist. Pl. Guiane Franç. iv. t. 326 (1775) in ic.; *D. pentaphyllum* in textu.
integerrimum Vell.
Vellozo, Fl. Flum. ix. t. 119 (1827).
laciniatum Vell.
Vellozo, Fl. Flum. ix. t. 120 (1827).—*Veg.*
lanceifolium Jacq.
*Jacquin, Ic. Pl. Rar. iii. t. 612 (1786–93).
Lamarck, Ill. iv. t. 738 (1797–1819).
pentaphyllum Aubl.
Aublet, Hist. Pl. Guiane Franç. iv. t. 326 (1775) in textu; *D. hexandrum* in ic.
pertusum Linn.
*Jacquin, Hort. Schoenbr. ii. t. 184, 185 (1797).
*Descourtilz, Fl. Pitt. & Méd. Antilles, iii. t. 229 (1827).
Vellozo, Fl. Flum. ix. t. 117 (1827).
polyphyllum Linn.
Plumier, Pl. Amer. Ed. Burm. t. 122 (1757); fide Urban, Fedde Repert. Beih. v. 64.
*Bot. Reg. ix. t. 700 A, B (1823).
*Descourtilz, Fl. Pitt. & Méd. Antilles, iii. t. 165 (1827).
*Mordant de Launay, Herb. Amat. viii. t. 506 (1827).
Martius, Pfl. & Thiere Trop. Amer. t. 2, fig. VII. 1 (1831).—*Hab.*
*Géel, Sert. Bot. Cl. 7 (1832).
*Reichenbach, Fl. Exot. i. t. 7, 8 (1834).
*Drapiez, Herb. Amat. Fl. viii. t. 535 (1835).
Schnizlein, Iconogr. i. t. 72 bb (1849).
Schott, Gen. Aroid. t. 87 (1858).—*Fl.*
Belg. Hort. xi. 19 (1861).
*Réveil, Règne Vég. xiv. t. 43 (1870).
Pflanzenfam. ii. III. 125 (1889).—*Fr.*
Pflanzenreich, Arac.-Lasioid. 5, 41, 46 (1911).
repens Desc.
*Descourtilz, Fl. Pitt. & Méd. Antilles, vii. t. 499 (1829).

DRACONTOMELUM Bl.
dao Merrill & Rolfe
W. H. Brown in Bull. Philip. Isl. Dep. Agric. Bur. Forestry, No. 21, p. 92, 93 (1920).
Duperreanum Pierre
Pierre, Fl. For. Cochinch. v. t. 374 (1898).
edule Skeels
W. H. Brown in Bull. Philip. Isl. Dep. Agric. Bur. Forestry, No. 21, p. 95 (1920).
Philippine Agric. Rev. xiii. 146, t. 6 (1920).—*Hab.*
mangiferum Bl.
Rumphius, Herb. Amboin. i. t. 58 (1741); fide Merrill, Interpret. Rumph. Herb. Amboin.
Blume, Mus. Bot. Lugd.-Bat. i. fig. 42 (1850).—*Fl.*
A. & C. De Candolle, Monogr. Phan. iv. t. 7, fig. 11–20 (1883).—*Fl.*
Vidal, Sin. Fam. & Gen. Pl. Leñ. Filip. (Introd. Fl. For. Filip.), Atlas, t. 37, fig. C (1883).—*Fl.*
Pflanzenfam. iii. v. 149 (1892).—*Fl.*
Pierre, Fl. For. Cochinch. v. t. 374 (1898).
Lecomte, Fl. Gén. Indo-Chine, ii. 23 (1908).—*Fl.*
silvestre Bl.
Rumphius, Herb. Amboin. i. t. 59 (1741); fide Merrill, Interpret. Rumph. Herb. Amboin.
sinense Stapf
Hook. Ic. Pl. xxvii. t. 2641 (1900).

DRACOPHYLLUM Labill.
arboreum Cockayne
Trans. & Proc. New Zeal. Inst. 1901, xxxiv. t. 19 (1902).—*Hab.*
capitatum R. Br.
*Lodd. Bot. Cab. xix. t. 1846 (1832).

DRACOPHYLLUM
capitatum
*Bot. Mag. lxiv. t. 3624 (1837).
Schnizlein, Iconogr. ii. t. 160 (1856–65).—*Fl.*
Payer, Organog. Comp. Fl. t. 120 (1857).—*Fl.*
dracaenoides Schlechter
Engl. Jahrb. xxxix. 221 (1906).
Fitzgeraldii F. Muell.
F. Mueller, Fragm. Phyt. Austral. vii [t. 62] (1869–70).—*Hab.*
gracile R. Br.
*Bot. Mag. liii. t. 2678 (1826).
*Lodd. Bot. Cab. xiv. t. 1346 (1828).
Kirkii Berggr.
Journ. New Zeal. Dep. Agric. vii. 157 (1913).
latifolium A. Cunn.
Kirk, For. Fl. New Zeal. t. 123 (1889).
Cheeseman, Ill. New Zeal. Fl. t. 129 (1914).
Lessonianum A. Rich.
D'Urville, Voy. Pôle Sud & Océanie, Atlas, Dicot. t. 29 [1852].
longifolium R. Br.
Hooker f., Fl. Antarct. i. 31–32 (1844).
D'Urville, Voy. Pôle Sud & Océanie, Atlas, Dicot. t. 27 [1852].
Kirk, For. Fl. New Zeal. t. 109 (1889).
Chilton, Subantarct. Isl. New Zeal. i. 189 (1909). —*Hab.*
Cockayne, New Zeal. Pl. 56 (1910).—*Hab.*
—— **retortum** Hombr. & Jacquinot
D'Urville, Voy. Pôle Sud & Océanie, Atlas, Dicot. t. 27 [1852].
Milliganii Hook.
Hook. Ic. Pl. ix. t. 845 (1852).
muscoides Hook. f.
Trans. & Proc. New Zeal. Inst. xiv. t. 26 (1882).
Engl. Jahrb. xxii. 281 (1896).—*Hab.*
paludosum Cockayne
Cockayne, New Zeal. Pl. 122 (1910); Ed. 2, p. 168 (1919).—*Hab.*
Journ. Roy. Hort. Soc. London, xxxvii. 60, fig. 38 (1911).—*Hab.*
recurvum Hook. f.
Cheeseman, Ill. New Zeal. Fl. t. 131 (1914).
Sayeri F. Muell.
F. M. Bailey, Compr. Cat. Queensl. Pl. 297 (1909–13).
scoparium Hook. f.
Hooker f., Fl. Antarct. i. t. 33 (1844).
Lindley, Veg. Kingd. 448 (1846).
secundum R. Br.
Guillemin, Ic. Lith. Pl. Austral. t. 1 (1827).
Reichenbach, Hort. Bot. t. 108 (1828).
*Bot. Mag. lx. t. 3264 (1833).
Agardh, Theor. Syst. Pl. t. 9 (1858).—*Fl.*
Pflanzenfam. iv. 1. 67 (1889).
Baillon, Hist. Pl. xi. 147 (1891).
A. E. Sulman, Austral. Wild Fl. Ser. II. t. 23 [1913].
squarrosum R. Br.
Sprengel, Anleit. Kenntn. Gewächse, Ed. 2, ii. t. 11, fig. 6–9 (1818).—*Fr.*
subulatum Hook. f.
Cheeseman, Ill. New Zeal. Fl. t. 132 (1914).
Townsonii Cheesem.
Cheeseman, Ill. New Zeal. Fl. t. 130 (1914).
uniflorum Hook. f.
Berggren, Några nya ofullst. kaenda arter Ny-Zeel. Fanerog. (Minneskr. Fisiogr. Sällsk. Lund. viii. 1), t. 4 (1877).
Schimper, Pflanzen-Geogr. 800 (1898).
Laing & Blackwell, Pl. New Zeal. Ed. 2, p. 329 (1907).
Urvilleanum A. Rich.
Journ. New Zeal. Dep. Agric. vii. 157 (1913).
verticillatum Labill.
Labillardière, Relation Voy. Pérouse, t. 40 [1800].

DRACOPIS Reichb.: *Rudbeckia*
amplexicaulis Cass.
*J. W. Loudon, Ladies' Fl.-Gard. Ornam. Annuals, t. 32 (1844).
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, iii. 473 (1913).
—— **minor** Hook. f.
*Bot. Mag. lxvi. t. 3716 (1839).

DRACUNCULUS Adans.—Vide *Arum* (12)
canariensis Kunth
Webb & Berth. Hist. Nat. Iles Canar. iii. Phytogr. iii. t. 219 (1836–50).
Schott, Aroid. t. 25 (1853).
crinitus Schott
*Fl. des Serres, Ser. I. v. t. 445, 446 (1849).
muscivorus Parl.
Fiori & Paol. Ic. Fl. Ital. 62 (1896).
polyphyllus Bl.
Blume, Rumphia, i. t. 37 (1835).—*Fl.*
*Reichenbach, Ic. Fl. Germ. vii. t. 12 (1845).
vulgaris Schott
Schott, Aroid. t. 23, 24 (1853).
Schott, Gen. Aroid. t. 22 (1858).
Engl. Jahrb. v. t. 3, fig. 31, 32 (1884).—*Fl.*
Engler, Ic. Autogr. 170 (1886).—*Fl.*
Pflanzenfam. ii. 1. 129, 147, 148 (1889).—*Fl.*
Fiori & Paol. Ic. Fl. Ital. 62 (1896).
L. H. Bailey, Cycl. Amer. Hort. 504 (1900); Stand. Cycl. Hort. 1071 (1914).—*Hab.*
Lazaro, Comp. Fl. Españ. i. 609, 715 (1906).—*Veg.*
Gard. Chron. Ser. III. xlvii. 198 (1910).
Wettstein, Handb. Syst. Bot. Ed. 2, p. 857 (1911).—*Fl.*
Pflanzenreich, Arac.-Aroid. 100 (1920).—*Fl.*

DRAKAEA Lindl.—Vide *Spiculaea*
elastica Lindl.
Lindley, App. Veg. Swan River Colony, p. lv (1839).—*Fl.*
Gard. Chron. 1848, p. 424; ix. 213 (1878).—*Fl.*
Fl. des Serres, Ser. I. iv. 409 d (1848).—*Fl.*
*R. D. Fitzgerald, Austral. Orch. ii [t. 29] (1875–95).
Diels in Natur, iv. 57 [1907].—*Fl.*
glyptodon R. D. Fitz.
*R. D. Fitzgerald, Austral. Orch. ii [t. 29] (1875–95).
Huntiana F. Muell.
Trans. & Proc. Roy. Soc. S. Australia, xlii. t. 4 (1918).
irritabilis Reichb. f.
Reichenbach f., Xenia Orch. ii. t. 189 (1874).
Jeanensis Rogers
Trans. & Proc. Roy. Soc. S. Australia, xliv. t. 13 (1920).

DRAPERIA Torr.
systyla Torr.
Pflanzenreich, Hydrophyllac. 59 (1913).

DRAPETES Banks—Vide *Kelleria*
Dieffenbachii Hook.
Hooker, London Journ. Bot. ii. t. 17 (1843).
Pflanzenfam. iii. vi. a. 244 (1894).—*Fl.*
Engl. Jahrb. xviii. 514 (1894).
ericoides Hook. f.
Hook. Ic. Pl. ix. t. 895 (1852).
Schimper, Pflanzen-Geogr. 772 (1898).
muscoides Lam.
Gaertner f., Fruct. iii. t. 215 (1807).—*Fr.*
Lamarck, Ill. vi. t. 915 (1819).
Engl. Jahrb. xviii. 514 (1894).—*Fl.*
Pflanzenfam. iii. vi. a. 244 (1894).—*Fl.*
muscosus Lam.
Journ. Hist. Nat. Paris, i. t. 10 (1792).
D'Urville, Voy. Pôle Sud & Océanie, Atlas, Dicot. t. 18 [1852].
Svenska Vet. Akad. Handl. l. No. 3, t. 2, fig. 1–4 (1913).
tasmanica Hook. f.
Hooker's Journ. Bot. & Kew Misc. v. t. 7 (1853).

DRAYTONIA A. Gray: *Saurauia*
rubicunda A. Gray
A. Gray, U.S. Expl. Exp. Bot. Atlas, i. t. 15 (1857).

DREGEA Auct.: *Marsdenia* (1), *Wattakaka* (2)
abyssinica K. Schum. (1)
Pflanzenfam. iv. ii. 294 (1895).—*Fr.*
Engler & Drude, Veget. Erde, ix. 1. 1, p. 320 (1910).—*Fr.*
floribunda E. Mey. (1)
Fielding & Gardn. Sert. Pl. i. t. 62 (1844).
Delessert, Ic. Pl. v. t. 86 (1846).

DREGEA
rubicunda K. Schum. (1)
Engler, Pflanzenw. Ost-Afr. Teil C, t. 39 (1895).
Pflanzenfam. iv. ii. 294 (1895).—*Fr.*
Engler & Drude, Veget. Erde, ix. 1. 1, p. 320 (1910).—*Fr.*
Bull. Agric. Congo Belge, ii. 239 (1911).
volubilis Benth. (2)
Rheede, Hort. Mal. ix. t. 15 (1689); fide Fl. Brit. Ind. iv. 46.
Talbot, For. Fl. Bombay, ii. 254 (1911).
Lecomte, Fl. Gén. Indo-Chine, iv. 115 (1912).—*Fl.*
Basu, Ind. Med. Pl. t. 629 (1918).
Fyson, Fl. Nilgiri & Pulney Hill-tops, iii. 423 (1920).
—— **angustifolia** Talbot
Talbot, For. Fl. Bombay, ii. 255 (1911).

DREJERA Nees
ramosa Nees
Mart. Fl. Bras. ix. t. 17 (1847).
Willdenowiana Nees
Pflanzenfam. iv. iii. b. 336 (1895).—*Fl.*

DREPANANTHUS Maing.: *Cyathocalyx*
prunifer Maing.
Ann. Bot. Gard. Calcutta, iv. 65 (1893).
ramuliflorus Maing.
Ann. Bot. Gard. Calcutta, iv. t. 66 (1893).

DREPANOCARPUS G. F. W. Mey.
crista-castrensis Mart.
Mart. Fl. Bras. xv. 1. t. 83 (1862).
cuyabensis Malme
Bih. Svenska Vet. Akad. Handl. xxv. iii. No. 11, t. 2 (1900).
cyathiformis DC.
A. De Candolle, Calq. Dess. Fl. Mex. Moc. & Sessé, t. 284 (1874).
ferox Mart.
Mart. Fl. Bras. xv. 1. t. 81 (1862).
floridus Mart.
Mart. Fl. Bras. xv. 1. t. 82 (1862).
frondosus Mart.
Mart. Fl. Bras. xv. 1. t. 84 (1862).
inundatus Mart.
Mart. Fl. Bras. xv. 1. t. 85 (1862).
Contrib. U.S. Nat. Herb. xx. 121 (1918).—*Fl.*
lunatus G. F. W. Mey.
Plumier, Pl. Amer. Ed. Burm. t. 201, fig. 2 (1758); fide Urban, Fedde Repert. Beih. v. 85.
Ralph, Ic. Carpolog. t. 28 (1849).—*Fr.*
Pflanzenfam. iii. iii. 334 (1894).—*Fr.*
venezuelensis Pittier
Contrib. U.S. Nat. Herb. xx. 122 (1918).—*Fl.*

DREPANOPHYLLUM Wibel: *Falcaria*
agreste Hoffm.
Nov. Act. Nat. Cur. xii. 1. t. 11 (1824).—*Fl.*

DREPANOSPERMUM Benth.: *Campnosperma*
gummiferum Engl.
Mart. Fl. Bras. xii. ii. t. 82 (1876).

DRIESSENIA Korth.
axantha Korth.
*Korthals, Kruidk. (Verh. Nat. Geschied. Neder.), t. 53 (1839–42).
Ann. Sc. Nat. Paris, Ser. III. xv. t. 4 (1851).—*Fl.*
Trans. Linn. Soc. London, xxviii. t. 6, fig. 64 (1871).—*Fl.*
Pflanzenfam. iii. vii. 169 (1893).—*Fl.*
glanduligera Stapf
Hook. Ic. Pl. xxiii. t. 2291 (1894).
microthrix Stapf
Hook. Ic. Pl. xxiii. t. 2292 (1894).
scorpioidea Stapf
Hook. Ic. Pl. xxv. t. 2414 (1895).

DRIMIA Jacq.
acuminata Lodd.
*Lodd. Bot. Cab. xi. t. 1041 (1825).
altissima Ker-Gawl.
*Bot. Mag. xxvii. t. 1074 (1808).
altissima Hook. f.
*Bot. Mag. xci. t. 5522 (1865).
Pflanzenfam. ii. v. 64 (1888).—*Fl.*

DRIMIA
apertiflora Baker
*Saunders, Ref. Bot. i. t. 19 (1869).
brevifolia Baker
Engler & Drude, Veget. Erde, ix. ii. 303 (1908).
ciliaris Jacq.
*Jacquin, Ic. Pl. Rar. ii. t. 377 (1786–93).
*Jacquin, Collect. v. t. 5, fig. 5 (1796).—*Fr.*
*Bot. Mag. xxxv. t. 1444 (1812).
Coleae Baker
*Bot. Mag. cxxiii. t. 7565 (1897).
Cooperi Baker
*Saunders, Ref. Bot. i. t. 18 (1869).
elata Jacq.
*Jacquin, Ic. Pl. Rar. ii. t. 373 (1786–93).
*Bot. Mag. xxi. t. 822 (1805).
*Jacquin, Fragm. t. 2 (1809).—*Fr.*
*Redouté, Liliac. viii. t. 430 (1816).
*J. W. Loudon, Ladies' Fl.-Gard. Ornam. Bulb. Pl. t. 47 (1841).
haworthioides Baker
Gard. Chron. iii. 366 (1875).—*Veg.*
*Marloth, Fl. S. Africa, iv. t. 24 (1915).
lanceifolia Ker-Gawl.
*Lodd. Bot. Cab. iii. t. 278 (1818).
—— **minor** Ker-Gawl.
*Bot. Mag. xxxiv. t. 1380 (1811).
media Jacq.
*Jacquin, Ic. Pl. Rar. ii. t. 375 (1786–93).
*Jacquin, Collect. v. t. 5, fig. 4 (1796).—*Fr.*
purpurascens Jacq.
*Jacquin, Ecl. Pl. i. t. 30 (1811–16).
pusilla Jacq.
*Jacquin, Ic. Pl. Rar. ii. t. 374 (1786–93).
robusta Baker
*Saunders, Ref. Bot. iii. t. 190 (1870).
undulata Jacq.
*Jacquin, Ic. Pl. Rar. ii. t. 376 (1786–93).
*Lodd. Bot. Cab. xix. t. 1898 (1832).
villosa Lindl.
*Bot. Reg. xvi. t. 1346 (1830).

DRIMIOPSIS Lindl. & Paxt.
Barteri Baker
De Wildeman, Miss. É. Laurent, ii. t. 51 (1906).
Holstii Engl.
Engler & Drude, Veget. Erde, ix. ii. 304 (1908).
Kirkii Baker
*Bot. Mag. ciii. t. 6276 (1877).
maculata Lindl. & Paxt.
Paxt. Fl. Gard. ii. 73 (1851–52).
*Saunders, Ref. Bot. iii. t. 191 (1870).
Wood, Natal Pl. iv. 1. t. 304 (1903).
Rev. Hort. 1915, p. 517.—*Hab.*
minor Baker
*Saunders, Ref. Bot. iii. t. 192 (1870).

DRIMOPHYLLUM Nutt.: *Umbellularia*
pauciflorum Nutt.
*Nuttall, N. Amer. Sylva, i. t. 22 (1865).

DRIMYCARPUS Hook. f.
racemosus Hook. f.
A. & C. De Candolle, Monogr. Phan. iv. t. 15, fig. 16–19 (1883).—*Fl.*
Pflanzenfam. iii. v. 175 (1892).—*Fl.*

DRIMYS Forst.—*Tasmannia, Wintera*
angustifolia Miers
Miers, Contrib. Bot. i. t. 26 (1851–61).
aromatica Desc.
*Descourtilz, Fl. Pitt. & Méd. Antilles, i. t. 40 (1821).
Garden, xxi. 150 (1882).
Baillon, Dict. Bot. ii. 475 (1884).
aromatica F. Muell.
F. Mueller, Key Syst. Vict. Pl. ii. fig. 3 a, b (1885).
De Wildeman, Ic. Sel. Hort. Then. v. t. 191 (1906).
axillaris Forst.
Forster, Charact. Gen. Pl. t. 42 (1776).—*Fl.*
Lamarck, Ill. iii. t. 494, fig. 2 (1797).—*Fl.*
Hook. Ic. Pl. vi. t. 576 (1843).
Baillon, Hist. Pl. i. 158 (1867–69).—*Fl.*
*E. H. & S. Featon, Art Album, i. t. 5 (1889).
Kirk, For. Fl. New Zeal. t. 1, 2 (1889).
—— **colorata** Kirk
Kirk, For. Fl. New Zeal. t. 2 (1889).

DRIMYS
Beccariana L. S. Gibbs
L. S. Gibbs, Contrib. Fl. Arfak Mts. 134 (1917).
brasiliensis Miers
Miers, Contrib. Bot. i. t. 25 (1851–61).
chilensis DC.
Delessert, Ic. Pl. i. t. 83 (1820).
Nouv. Mém. Acad. Sc. Bruxelles, ix. t. 3 (1835).—*Fr.*
*Carson, Ill. Med. Bot. i. t. 6 (1847).
Miers, Contrib. Bot. i. t. 26 (1851–61).
colorata Decne.
Raoul, Choix Pl. Nouv.-Zél. t. 23 (1846).
Journ. New Zeal. Dep. Agric. vii. 157 (1913).
dipetala F. Muell.
F. M. Bailey, Compr. Cat. Queensl. Pl. 22 (1909–13).
elongata Ridl.
Hook. Ic. Pl. xxxi. t. 3051 (1916).
fernandesiana Miers
Miers, Contrib. Bot. i. t. 27 (1851–61).
granatensis Linn. f.
*Spach, Hist. Nat. Vég. Phan. Atlas, t. 60 (1846).
Miers, Contrib. Bot. i. t. 27 (1851–61).
—— **campestris** St.-Hil.
St.-Hilaire, Pl. Usuelles Bras. t. 26 (1824–28).
—— **montana** St.-Hil.
St.-Hilaire, Pl. Usuelles Bras. t. 28 (1824–28).
—— **silvatica** St.-Hil.
St.-Hilaire, Pl. Usuelles Bras. t. 27 (1824–28).
lanceolata Baill.
Baillon, Hist. Pl. i. 159 (1867–69).
mexicana Moc. & Sessé
A. De Candolle, Calq. Dess. Fl. Mex. Moc. & Sessé, t. 5 (1874).
oligocarpa Schlechter
Engl. Jahrb. l. 72 (1913).—*Fl.*
piperita Hook. f.
Hook. Ic. Pl. ix. t. 896 (1852).
punctata Lam.
Lamarck, Ill. iii. t. 494, fig. 1 (1797).
retorta Miers
Miers, Contrib. Bot. i. t. 26 (1851–61).
Traversii T. Kirk
Cheeseman, Ill. New Zeal. Fl. t. 8 (1914).
vaccinioides Ridl.
Trans. Linn. Soc. London, Ser. II. Bot. ix. t. 1 (1916).
Winteri Forst.
Forster, Charact. Gen. Pl. t. 42 (1776).—*Fl.*
Hayne, Getreue Darst. Arzn. Gewächse, ix. t. 6 (1825).
Berchtold & J. S. Presl, Rostlin. ii. t. 43 (1825).
Vellozo, Fl. Flum. v. t. 132 (1827).
*Nees, Pl. Offic. ii. t. 372 (1828).
*Carson, Ill. Med. Bot. i. t. 5 (1847).
Lindley, Med. & Oecon. Bot. 143 (1849).
Miers, Contrib. Bot. i. t. 25 (1851–61).
D'Urville, Voy. Pôle Sud & Océanie, Atlas, Dicot. t. 19 [1852].
*Bot. Mag. lxxx. t. 4800 (1854).
*Good, Family Flora, ii. t. 89 (1854).
Cottage Gard. xiv. 167 (1855).
Schnizlein, Iconogr. iii. t. 176 (1857–65).—*Fl.*
Rev. Hort. Ser. IV. ix. 602–3 (1860); 1912, p. 18, 19.
Berg, Charakt. t. 86, fig. 614 (1861).
Baillon, Hist. Pl. i. 156, 157 (1867–69).
*Réveil, Règne Vég. iv. t. 37; viii. t. 49 (1870).
R. O. Cunningham, Nat. Hist. Magellan, 103 (1871).—*Veg.*
Garden, xxi. 150 (1882); lxxxiv. 19 (1920).
Baillon, Traité Bot. Méd. Phan. i. 504 (1883).
Baillon, Dict. Bot. ii. 474, 475 (1884).
Gard. Chron. xxiii. 761 (1885).
Gartenfl. xxxv. 537 (1886).
Pflanzenfam. iii. II. 18 (1888).
Delpino in Mem. Accad. Sc. Istit. Bologna, Ser. IV. x. 316 (1889).—*Fl.*
Dujard.-Beaumetz. & Égasse, Pl. Méd. 249 (1889).
Lubbock, Seedlings, i. 102 (1892).—*Veg.*
Brehm, Merv. Nat. Monde des Pl. i. 60 (1894–96).
*Bull. Soc. Tosc. Ortic. xxi. 296, t. 11 (1896).
Raunkiær in Oversigt Forh. Dansk. Vidensk. Selsk. 363 (1905).—*Veg.*

DRIMYS
Winteri
W. B. Scott, Rep. Princeton Univ. Exped. Patag. 1896–99, viii. I. Bot. 419 (1905).
Skottsberg, Feuerländ. Bl. (Schwed. Südpolar-Exped. 1901–3, iv. II, iv. IX), p. 46 (1905); p. 53, t. 3 (1909).
Skottsberg in Ymer, xxv. 417 (1905).—*Hab.*
Karsten & Schenck, Veg.-Bild. iv. t. 14 (1906).—*Hab.*
Castillo & Dey, Jeogr. Vej. Rio Valdivia, Ed. 2, i. 48 (1908).
Journ. Roy. Hort. Soc. London, xxxviii. 196, fig. 65 (1912).—*Hab.*
Schneider, Ill. Handb. Laubh. ii. 926 (1912).
Eden Phillpotts, My Shrubs, 41 (1915).
Hauman in An. Soc. Cient. Arg. Buenos Aires, lxxxix. 247 (1920).—*Hab.*
—— **angustifolia** Eichl.
Mart. Fl. Bras. xiii. I. t. 31 (1864).
—— **chilensis** Eichl.
Mart. Fl. Bras. xiii. I. t. 30 (1864).
—— **confertifolia** Phil.
Johow, Fl. Juan Fernand. 245 (1896).—*Hab.*
—— **granatensis** Eichl.
Mart. Fl. Bras. xiii. I. t. 31 (1864).
Beille, Bot. Pharm. ii. 309 (1909).
—— **magellanica** Eichl.
Mart. Fl. Bras. xiii. I. t. 30 (1864).
—— **revoluta** Eichl.
Mart. Fl. Bras. xiii. I. t. 31 (1864).

DRIMYSPERMUM Reinw.: *Phaleria*
laurifolium Decne.
*Siebold & De Vriese, Fl. Jard. ii. 33 (1859).

DROGUETIA Gaudich.
diffusa Wedd.
Arch. Mus. Hist. Nat. Paris, ix. t. 19 A, fig. 1–11 (1856–57).
Pflanzenfam. iii. I. 117 (1888).—*Fl.*
Fyson, Fl. Nilgiri & Pulney Hill-tops, ii. 240 (1915).
elliptica Gaudich.
Gaudichaud, Voy. Bonite, Bot. Atlas, t. 86 (1844–66).
ovata Gaudich.
Arch. Mus. Hist. Nat. Paris, ix. t. 19 A, fig. 12–19 (1856–57).—*Fl.*
Thouarsiana Gaudich.
Gaudichaud, Voy. Bonite, Bot. Atlas, t. 87 (1844–66).

DROOGMANSIA De Wild.
longipes R. E. Fries
R. E. Fries, Schwed. Rhod.-Kong.-Exped. 1911–12, Bot. i. I. t. 9 (1914).
pteropus De Wild.
De Wildeman, Études Fl. Katanga (Ann. Mus. Congo), i. t. 23 (1902).

DROSANTHE Spach: *Hypericum*
fimbriata Spach
Jaubert & Spach, Illustr. Pl. Or. i. t. 34 (1842–43).
helianthemoides Spach
Jaubert & Spach, Illustr. Pl. Or. i. t. 36 (1842–43).
hirtella Spach
Jaubert & Spach, Illustr. Pl. Or. i. t. 35 (1842–43).

DROSERA Linn.
Adelae F. Muell.
F. Mueller, Fragm. Phyt. Austral. iv. 154 (1864).
Pflanzenreich, Droserac. 80 (1906).
affinis Welw.
Bull. Soc. Bot. France, liv. t. 2, fig. 8 (1907).—*Fr.*
Aliciae Hamet
Bull. Soc. Bot. France, liv. t. 2, fig. 13 (1907).—*Fr.*
Andersoniana Fitzg.
Ewart & White in Proc. Roy. Soc. Victoria, N. Ser. xxii. I. t. 22 (1909).
androsacea Diels
Engl. Jahrb. xxxv. 206 (1904).
Pflanzenreich, Droserac. 69 (1906).
anglica Huds.
*Sowerby & Sm. Engl. Bot. xiii. t. 869 (1801).
*Hayne, Getreue Darst. Arzn. Gewächse, iii. t. 29 (1813).

DROSERA
anglica
Berchtold & J. S. Presl, Rostlin. ii. t. 48 (1825).
*Dietrich, Fl. Boruss. v. t. 294 (1837).
[M. E.] Jackson, Pict. Fl. fig. 497 (1840).
*C. E. Sowerby, Ill. Cat. Brit. Pl. fig. 150 (1841).
*Deakin, Florigr. Brit. i. fig. 522 (1841).
*J. W. Loudon, Brit. Wild. Fl. Ed. 2, t. 14 [1846].
Johnson & Sowerby, Brit. Wild Fl. fig. 157 (1858–60).
*Hogg & Johnson, Wild Fl. Gr. Brit. ii. t. 86 (1864).
*Syme, Engl. Bot. ii. t. 183 (1864).
Bentham, Handb. Brit. Fl. fig. 390 (1865).
Le Maout & Decaisne, Traité Gén. Bot. 404 (1868).—*Fr.*
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, i. t. 34 [1873].
Borbás, Balaton Fl. 143 (1900).
C. T. Green, Fl. Liverpool Distr. fig. 220 (1902).
Notizbl. Bot. Gart. Berlin, App. xvi. 16 (1905).—*Hab.*
Avebury, Notes Life Hist. Brit. Fl. Pl. 202 (1905).
Pflanzenreich, Droserac. 95 (1906).—*Hab.*
Suireishchikov, Ill. Fl. Mosc. Gov. ii. 212 (1907).
Heukels, Fl. Nederl. ii. 331 (1908).
Bot. Közl. (Bot. Communic.), x. 5 (1911).
*Perrin & Boulger, Brit. Flower. Pl. ii. t. 103 [C] (1914).
Fitch & Smith, Ill. Brit. Fl. Ed. rev. 4, Iss. 2, fig. 394 (1919).
annua Reed
Torreya, xv. 246 (1915).
Arcturi Hook.
Hook. Ic. Pl. i. t. 56 (1837).
*E. H. & S. Featon, Art Album, i. t. 33 (1889).
Pflanzenreich, Droserac. 63 (1906).
Cheeseman, Ill. New Zeal. Fl. t. 45 (1914).
auriculata Backh.
*Charsley, Wild Fl. Melbourne, t. 11 (1867).
*E. H. & S. Featon, Art Album, i. t. 33 (1889).
Neubert's Deutsch. Gart. Mag. xlvi. 127 (1893).—*Hab.*
Gartenwelt, vii. 185 (1903).
Pflanzenreich, Droserac. 115 (1906).
Laing & Blackwell, Pl. New Zeal. Ed. 2, p. 181 (1907).
A. E. Sulman, Austral. Wild Fl. Ser. II. t. 45 [1913].
Banksii R. Br.
Journ. of Bot. xxxviii. t. 410 (1900).
Pflanzenreich, Droserac. 115 (1906).
×**Beleziana** E. G. Camus
Journ. de Bot. v. 198 (1891).
binata Labill.
Labillardière, Nov. Holl. Pl. t. 105 (1804).
*Bot. Mag. lviii. t. 3082 (1831).
*Meredith, Bush Friends Tasmania, t. 6 (1860).
*Bull. Acad. Sc. Bruxelles, Ser. II. xl. No. 11, t. 1–4 (1875).
*Ill. Hort. xxvi. t. 361 (1879).
*E. H. & S. Featon, Art Album, i. t. 33 (1889).
Mönkemeyer, Sumpf- u. Wasserpfl. 134 (1897).
Rhodora, i. t. 8, 10 (1899).—*Veg.*
Banks & Soland. Bot. Cook's Voy. i. t. 95 (1900).
Pflanzenreich, Droserac. 104 (1906).
Garden, lxxiii. 576 (1909).—*Hab.*
F. Sulman, Wild Fl. N. S. Wales, ii. t. 28 (1914).
Crisp, Guide Friar Park, 100 (1914).
bulbosa Hook.
Hook. Ic. Pl. iv. t. 375 (1841).
Engler & Drude, Veget. Erde, vii. 161 (1906).
Burkeana Planch.
Garden, lvii. 33 (1900); lxii. 213 (1908).—*Hab.*
Thonner, Blütenpfl. Afr. t. 57 (1908).
Burmannii Vahl
*Wight, Illustr. Ind. Bot. i. t. 20 (1840).
Wight, Ic. Pl. Ind. Or. iii. 944 (1843–45).
*Wight, Spicil. Neilgherr. i. t. 12 [1846].
Pflanzenreich, Droserac. 74 (1906).
Fyson, Fl. Nilgiri & Pulney Hill-tops, ii. 105 (1915).
Lecomte, Fl. Gén. Indo-Chine, ii. 703 (1920).
*Bose, Man. Ind. Bot. t. 2 (1920).
caledonica Vieill.
Pflanzenreich, Droserac. 102 (1906).

DROSERA
capensis Linn.
Burman, Rar. Afr. Pl. t. 75, fig. 1 (1739); fide Fl. Cap.
Gard. Chron. iv. 104 (1875); Ser. III. x. 365 (1891).
*Belg. Hort. xxx. 311 (1880).
*Bot. Mag. cvii. t. 6583 (1881).
*Gartenfl. xxxv. t. 1236 (1886).
Goebel, Pflanzenbiol. Schild. ii. t. 17, fig. 6 (1891).
Neubert's Deutsch. Gart. Mag. xlvi. 123 (1893). —*Hab.*
Gartenwelt, vii. 186 (1903).
*Hansen, Goethe's Metamorphose der Pflanzen, t. 9, fig. 7 (1907).—*Veg.*
Bull. Soc. Bot. France, liv. t. 2, fig. 7 (1907).—*Fr.*
Glück, Blatt- & Blütenmorphol. Stud. 86 (1919). —*Veg.*
Goebel, Entfaltungsb. Pfl. 124, 161 (1920).
capillaris Poir.
Pflanzenreich, Droserac. 87 (1906).
Bull. Soc. Bot. France, liv. t. 2, fig. 10 (1907).—*Fr.*
cistiflora Linn.
Burman, Rar. Afr. Pl. t. 75, fig. 2 (1739); fide Fl. Cap.
*Houttuyn, Handl. Pl. & Kruidk. viii. t. 46, fig. 2 (1777).
*Bot. Mag. cxvi. t. 7100 (1890).
Pflanzenreich, Droserac. 107 (1906).
Deutsch. Tiefsee-Exped. 1898–99, ii. III. 125 (1908).
Stoneman, Plants & Their Ways S. Africa, Ed. 2, p. 304 (1915).
—— **multiflora** Hort.
Gartenwelt, vii. 171 (1903).
communsis St.-Hil.
St.-Hilaire, Pl. Usuelles Bras. t. 15 (1824–28).
Bull. Soc. Bot. France, liv. t. 2, fig. 5 (1907).—*Fr.*
cuneifolia Thunb.
Bull. Soc. Bot. France, liv. t. 2, fig. 2 (1907).—*Fr.*
dichotoma Banks & Soland.
Garden, iv. 77 (1873).
Trans. Bot. Soc. Edinb. xi. 543 (1873).
Gard. Chron. iv. 104 (1875); Ser. III. x. 365 (1891).
Neubert's Deutsch. Gart. Mag. xlvi. 125 (1893). —*Hab.*
Hesdörffer, Handb. Zimmergärtn. Ed. 2, p. 403, fig. 279 (1900).
Goebel, Entfaltungsb. Pfl. 162 (1920).—*Veg.*
Drummondii Lehm.
Pflanzenreich, Droserac. 72 (1906).
erythrorrhiza Lindl.
Gartenwelt, vii. 170 (1903).
Ber. Deutsch. Bot. Ges. xxiv. t. 13 (1906).
Pflanzenreich, Droserac. 124 (1906).
Velenovsky, Vergl. Morphol. Pfl. iv. Suppl. 91 (1913).
filiformis Rafin.
*Bot. Mag. lxiii. t. 3540 (1836).
*Torrey, Fl. State New York, i. t. 10 (1843).
Gray & Sprague, Gen. Fl. Amer. i. t. 83 (1848).
Nicholson, Illustr. Dict. Gard. i. 494 [1884–88].
Asa Gray Bulletin, v. 71 (1897).
Britton & Brown, Ill. Fl. N. States & Canada, ii. 162 (1897); Ed. 2, ii. 204 (1913).
Trans. & Proc. Bot. Soc. Pennsylvania, 1897–98, i. t. 12 (1899).
Rhodora, i. t. 8, 10 (1899).—*Veg.*
Journ. Roy. Hort. Soc. London, xxiv. 247 (1900). —*Veg.*
Gartenwelt, vii. 171 (1903).
Pflanzenreich, Droserac. 87 (1906).
Stone, Pl. Southern New Jersey (Ann. Rep. New Jersey State Mus. 1910), t. 66, 88 (1911).
filipes Turcz.
Taliew in Trav. Soc. Nat. Univ. Kharkow, 1903, xxxviii. 116 (1904).—*Fl.*
flexicaulis Welw.
Pflanzenreich, Droserac. 87 (1906).
foliosa Hook. f.
*Hooker f., Fl. Tasman. i. t. 6 (1860).
gigantea Lindl.
Taliew in Trav. Soc. Nat. Univ. Kharkow, xxxviii. 113 (1904).—*Fl.*

DROSERA
gigantea
Pflanzenreich, Droserac. 115 (1906).
glanduligera Lehm.
Bot. Tidsskr. iv. t. 1, fig. 14 (1870–71).—*Fr.*
Pflanzenreich, Droserac. 76 (1906).
gracilis Hook. f.
!Ann. Sc. Nat. Paris, Ser. III. ix. t. 5 (1848).—*Fl.*
*Hooker f., Fl. Tasman. i. t. 5 (1860).
graminifolia St.-Hil.
Mém. Mus. Hist. Nat. Paris, xi. 353 (1824).
St.-Hilaire, Pl. Remarq. Brésil & Parag. i. t. 25 (1824).
Mart. Fl. Bras. xiv. II. t. 91 (1872).
Hansgirg, Phyllobiol. 229 (1903).
Pflanzenreich, Droserac. 87 (1906).
Hamiltonii C. Andrews
Pflanzenreich, Droserac. 104 (1906).
heterophylla Lindl.
Pflanzenreich, Droserac. 120 (1906).
Engler & Drude, Veget. Erde, vii. 152 (1906).
Huegelii Endl.
Taliew in Trav. Soc. Nat. Univ. Kharkow, xxxviii. 114 (1904).—*Fl.*
×**hybrida** Hort.
Trans. & Proc. Bot. Soc. Pennsylvania, i. t. 12 (1899).
Journ. Roy. Hort. Soc. London, xxiv. 247 (1900). —*Veg.*
indica Linn.
Rheede, Hort. Mal. x. t. 20 (1690); fide Fl. Brit. Ind. ii. 424.
*Wight, Illustr. Ind. Bot. i. t. 20 (1840).
Gartenwelt, vii. 187 (1903).
Pflanzenreich, Droserac. 78 (1906).
Glück, Blatt-& Blütenmorph. Stud. 41, 87 (1919). —*Veg.*
—— **robusta** F. M. Bailey
Queensland Agric. Journ. xxxi. t. 100 (1913).
intermedia Hayne
*Dreves & Hayne, Bot. Bilderbuch, iii. t. 3, fig. B (1798).
*Dreves & Hayne, Choix de Pl. t. 75 (1802).
*Fl. Dan. xii. t. 2108 (1834).
*Zenker, Fl. Thüringen, v. t. 518 (1836–55).
*Reichenbach, Ic. Fl. Germ. iii. t. 24 (1838–39).
*Wight, Illustr. Ind. Bot. i. t. 20 (1840).
!Ann. Sc. Nat. Paris, Ser. II. xiv. t. 1 (1840); Ser. III. ix. t. 5, 6 (1848).—*Fl.*
Cosson & Germ. Fl. Paris, Atlas, t. 9 (1845).
*Lorek, Fl. Pruss. Ed. 3, t. 83, fig. 446 (1848).
W. M. Hind in Phytologist, N. Ser. ii. 27 (1857).
*Syme, Engl. Bot. ii. t. 184 (1864).
Migout, Fl. Dépt. Allier, t. 3 (1866).—*Veg.*
*Cusin & Ansberque, Herb. Fl. Franç. iii. t. 532 (1869).
Bot. Tidsskr. iv. t. 1, fig. 12 (1870–71).—*Fr.*
Karsten, Deutsche Fl. Pharm.-medic. Bot. 635 (1880–83).
Wagner, Ill. Deutsche Fl. Ed. 2, p. 92 (1882).
Willkomm, Führ. Reich Pflanzen, 804 (1882).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xiii. t. 1292 (1883).
Potonié, Ill. Fl. Nord- u. Mittel-Deutschl. Ed. 4, fig. 306 (1889).
Pflanzenfam. iii. II. 271 (1891).
Kerner, Pflanzenleben, ii. 78 (1891).—*Veg.*
Karsten, Fl. Deutschl. ii. 178 (1895).
Kerner & Oliv. Nat. Hist. Pl. ii. 83 (1895).—*Fl.*
Britton & Brown, Ill. Fl. N. States & Canada, ii. 161 (1897); Ed. 2, ii. 203 (1913).
Mönkemeyer, Sumpf- u. Wasserpfl. 132 (1897). —*Hab.*
Fiori & Paol. Ic. Fl. Ital. 189 (1899).
Trans. & Proc. Bot. Soc. Pennsylvania, i. t. 12 (1899).
Coste, Fl. France, i. 167 (1901).
C. T. Green, Fl. Liverpool Distr. fig. 221 (1902).
Notizbl. Bot. Gart. Berlin, App. xvi. 16 (1905).—*Hab.*
Pflanzenreich, Droserac. 95 (1906).—*Hab.*
Proc. Indiana Acad. Sc. 1905, 215 (1906).—*Hab.*
!Bull. Soc. Bot. France, liv. t. 2, fig. 3, 4, 6 (1907). —*Fr.*
Heukels, Fl. Nederl. ii. 331 (1908).

DROSERA
intermedia
*Bonnier, Fl. Compl. France, Suisse & Belge, ii. t. 69 [1912].
Hayek, Pflanzend. Oesterr.-Ung. i. 58 (1914).
!Bot. Gaz. lxii. 393–98 (1916).
Gager, Fundam. Bot. 87 (1916).
*House, Wild Pl. New York (Mem. No. 15 N.Y. State Mus.), i. t. 84 (1918).—*Hab.*
—— **americana** DC.
Mart. Fl. Bras. xiv. II. t. 90 (1872).
Mathews, Wayside Flowers, Ser. III. 25 (1898).
Rhodora, i. t. 8 (1899); ii. t. 15, fig. 8 (1900).
linearis Goldie
Hooker, Fl. Bor.-Amer. t. 27 (1833).
Britton & Brown, Ill. Fl. N. States & Canada, ii. 162 (1897); Ed. 2, ii. 204 (1913).
Taliew in Trav. Soc. Nat. Univ. Kharkow, xxxviii. t. 1 (1904).—*Fl.*
longifolia Linn. pro parte (= *D. intermedia*)
Gaertner, Fruct. i. t. 61 (1788).—*Fr.*
*Hayne, Getreue Darst. Arzn. Gewächse, iii. t. 28 (1813).
*Curtis, Fl. Londin. Ed. 2, v. t. 183 (1828).
*Kops, Fl. Batava, vii. t. 513 (1836).
*Dietrich, Fl. Boruss. v. t. 295 (1837).
[M. E.] Jackson, Pict. Fl. fig. 496 (1840).
*Deakin, Florigr. Brit. i. fig. 521 (1841).
*Hogg & Johnson, Wild Fl. Gr. Brit. ii. t. 86 (1864).
Bentham, Handb. Brit. Fl. fig. 389 (1865).
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, i. t. 34 [1873].
Pflanzenfam. iii. II. 262, 271 (1891).
Bull. Soc. Bot. France, liv. t. 2, fig. 12 (1907).—*Fr.*
*Perrin & Boulger, Brit. Flower. Pl. ii. t. 103 [B] (1914).
Fitch & Smith, Ill. Brit. Fl. Ed. rev. 4, Iss. 2, fig. 393 (1919).
longifolia Linn. pro parte (= *D. anglica*)
*Plenck, Ic. Pl. Med. iii. t. 247 (1790).
*Fl. Dan. vii. t. 1093 (1794).
Lamarck, Ill. i. t. 220, fig. 2 (1797).
*Dreves & Hayne, Bot. Bilderbuch, iii. t. 3, fig. A (1798).
*Sowerby & Sm. Engl. Bot. xiii. t. 868 (1801).
*Dreves & Hayne, Choix de Pl. t. 75 (1802).
*Schkuhr, Bot. Handb. Ed. 2, t. 87 (1808).
*Vietz, Ic. Pl. Med.-oec.-techn. vi. t. 483 a (1817).
Berchtold & J. S. Presl, Rostlin. ii. t. 48 (1825).
*Svensk Bot. x. t. 689 (1826–29).
*Zenker, Fl. Thüringen, x. t. 1182 (1836–55).
*Reichenbach, Ic. Fl. Germ. iii. t. 24 (1838–39).
*C. E. Sowerby, Ill. Cat. Brit. Pl. fig. 149 (1841).
Cosson & Germ. Fl. Paris, Atlas, t. 9 (1845).
*Lorek, Fl. Pruss. Ed. 3, t. 83, fig. 447 (1848).
Ettingshausen in Sitzb. Akad. Wiss. Wien, xx. 479 (1856).—*Veg.*
Johnson & Sowerby, Brit. Wild Fl. fig. 156 (1858–60).
*Cusin & Ansberque, Herb. Fl. Franç. iii. t. 531 (1869).
Bot. Tidsskr. iv. t. 1, fig. 11 (1870–71).—*Fr.*
Gartenfl. xxvii. 152 (1878).
Wagner, Ill. Deutsche Fl. Ed. 2, p. 92, fig. 142 (1882).
Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xiii. t. 1291/1 (1883).
Bouché, Insectenfr. Pfl. t. 1 (1884).—*Hab.*
Rhein. Jahrb. Gartenk. & Bot. i. t. 5 (1884).
Dujard.-Beaumetz & Égasse, Pl. Méd. 250 (1889).
Goebel, Pflanzenbiol. Schild. ii. t. 17, fig. 5 (1891). —*Fl.*
*Heathcote, Fl. Engadine, t. 32 (1891).
Kerner, Pflanzenleben, ii. 279 (1891).—*Fl.*
Kerner & Oliv. Nat. Hist. Pl. ii. 279 (1895). —*Fl.*
Mönkemeyer, Sumpf- u. Wasserpfl. 132 (1897). —*Hab.*
Britton & Brown, Ill. Fl. N. States & Canada, ii. 162 (1897); Ed. 2, ii. 204 (1913).
Fiori & Paol. Ic. Fl. Ital. 189 (1899).
Bellair & St.-Léger, Pl. Serre, 735 (1900).
Coste, Fl. France, i. 167 (1901).

DROSERA
longifolia
*Miyoshi & Makino, Pocket-Atlas, Alp. Pl. Jap. i. t. 4, fig. 24 (1906).
Svenska Vet. Akad. Handl. xliii. No. 11, p. 7–15 (1909).
Stone, Pl. Southern New Jersey (Ann. Rep. New Jersey State Mus. 1910), t. 65 (1911).
*Bonnier, Fl. Compl. France, Suisse & Belge, ii. t. 69 [1912].
Cadevall & Sallent, Fl. Catalunya, i. 233 (1915).
—— **obovata** Koch
Cosson & Germ. Fl. Paris, Atlas, t. 9 (1845).
*Fl. Dan. xvi. t. 2715 (1867).
Loureirii Hook. & Arn.
Hooker & Arn. Bot. Beechey Voy. t. 31 (1841).
Lovellae F. M. Bailey
F. M. Bailey, Compr. Cat. Queensl. Pl. 177 (1909–13).
lunata Buch.-Ham.
Hook. Ic. Pl. i. t. 54 (1837).
*Somoku Dzusetsu, Ed. 2, v. t. 49 (1874).
Goebel, Pflanzenbiol. Schild. ii. t. 17, fig. 7 (1891).
Beccari, Foreste Borneo, 20 (1902).—*Veg.*
Collett, Fl. Siml. 187 (1902).
Gartenwelt, vii. 169 (1903).
Taliew in Trav. Soc. Nat. Univ. Kharkow, xxxviii. 111 (1904).—*Fr.*
Somoku Dzusetsu, Ed. Makino (Iconogr. Pl. Nippon), v. t. 49 (1907).
lusitanica Linn.
Gard. Chron. iv. 104 (1875).
macrantha Endl.
Taliew in Trav. Soc. Nat. Univ. Kharkow, xxxviii. 113 (1904).—*Fl.*
Engl. Jahrb. xxxv. 209 (1904).—*Veg.*
Engler & Drude, Veget. Erde, vii. 152 (1906).
Pflanzenreich, Droserac. 117, 120 (1906).
Journ. of Bot. li. t. 523 (1913).
macrophylla Lindl.
Hook. Ic. Pl. iv. t. 376 (1841).
Engler & Drude, Veget. Erde, vii. 161 (1906).
Pflanzenreich, Droserac. 124 (1906).—*Hab.*
maritima St.-Hil.
Mém. Mus. Hist. Nat. Paris, xi. 353 (1824).
St.-Hilaire, Pl. Remarq. Brésil & Parag. i. t. 25 (1824).
media E. H. L. Krause
*Sturm, Fl. Deutschl. Ed. 2, vi. t. 52 (1902).
Menziesii R. Br.
Hook. Ic. Pl. i. t. 53 (1837).
—— **penicillaris** Diels
Pflanzenreich, Droserac. 117 (1906).—*Fl.*
microphylla Endl.
Pflanzenreich, Droserac. 120 (1906).
Engler & Drude, Veget. Erde, vii. 152 (1906).
miniata Diels
Engl. Jahrb. xxxv. 207 (1904).
Pflanzenreich, Droserac. 70 (1906).
natalensis Diels
Pflanzenreich, Droserac. 87 (1906).—*Fl.*
Neesii Lehm.
Engl. Jahrb. xxxv. 209 (1904).—*Veg.*
Pflanzenreich, Droserac. 117 (1906).—*Fl.*
neocaledonica Hamet
Bull. Soc. Bot. France, liv. t. 2, fig. 14 (1907).—*Fr.*
nitidula Planch.
Engl. Jahrb. xxxv. 208 (1904).
Engler & Drude, Veget. Erde, vii. 159 (1906).
Pflanzenreich, Droserac. 68 (1906).
obovata Mert. & Koch
Reichenbach, Ic. Fl. Germ. iii. t. 24 (1838–39).
*Cusin & Ansberque, Herb. Fl. Franç. iii. t. 530 (1869).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xiii. t. 1291/11 (1883).
Acloque, Fl. France, 128 (1894).
Suireishchikov, Ill. Fl. Mosc. Gov. ii. 212 (1907).
Svenska Vet. Akad. Handl. xliii. No. 11, p. 7–15 (1909).
paleacea DC.
Engl. Jahrb. xxxv. 208 (1904).
Engler & Drude, Veget. Erde, vii. 159 (1906).
Pflanzenreich, Droserac. 68 (1906).
Glück, Blatt- & Blütenmorph. Stud. 86 (1919).—*Veg.*

DROSERA
pallida Lindl.
Fielding & Gardn. Sert. Pl. ii. t. 13 (1849).
Gartenwelt, vii. 169 (1903).
Engl. Jahrb. xxxv. 209 (1904).—*Veg.*
Pflanzenreich, Droserac. 117 (1906).—*Fl.*
pauciflora Banks
Pflanzenreich, Droserac. 107 (1906).
pedata Pers.
*Schnizlein, Iconogr. iii. t. 189 (1857–65).—*Fl.*
peltata Sm.
Labillardière, Nov. Holl. Pl. t. 106 (1804).
*J. E. Smith, Exot. Bot. i. t. 41 [1804–5].
*Trattinick, Ausg. Taf. Arch. iii. t. 273 (1814).
*Wight, Illustr. Ind. Bot. i. t. 20 (1840).
Gard. Chron. xix. 436 (1883).—*Hab.*
Goebel, Pflanzenbiol. Schild. ii. t. 17, fig. 2–4 (1891).
Gartenwelt, vii. 187 (1903).
F. Sulman, Wild Fl. N. S. Wales, ii. t. 30 (1914).
Fyson, Fl. Nilgiri & Pulney Hill-tops, ii. 106 (1915).
Basu, Ind. Med. Pl. t. 407 (1918).
Lecomte, Fl. Gén. Indo-Chine, ii. 708 (1920).
—— **lunata** Hamilt.
*Bose, Man. Ind. Bot. t. 2 (1920).
penicillaris Benth.
Engl. Jahrb. xxxv. 209 (1904).—*Veg.*
petiolaris R. Br.
Pflanzenreich, Droserac. 102 (1906).
Bull. Soc. Bot. France, liv. t. 2, fig. 1 (1907).—*Fr.*
Velenovsky, Vergl. Morphol. Pfl. ii. 520 (1907).
platypoda Turcz.
Taliew in Trav. Soc. Nat. Univ. Kharkow, xxxviii. t. 1 (1904).—*Fl.*
Pflanzenreich, Droserac. 127 (1906).—*Hab.*
platystigma Lehm.
Engl. Jahrb. xxxv. 206 (1904).
Pflanzenreich, Droserac. 69 (1906).
porrecta Lehm.
Gartenwelt, vii. 170 (1903).
praefolia Tepper
Bot. Centralbl. xiii. L. 356 (1892).
pulchella Lehm.
Taliew in Trav. Soc. Nat. Univ. Kharkow, xxxviii. 111 (1904).
Engl. Jahrb. xxxv. 206 (1904).
Pflanzenreich, Droserac. 69 (1906).
pusilla H. B. K.
H. B. K. Nov. Gen. v. t. 490 (1821).
pycnoblasta Diels
Engl. Jahrb. xxxv. 208 (1904).
Engler & Drude, Veget. Erde, vii. 159 (1906).
Pflanzenreich, Droserac. 68 (1906).
pygmaea DC.
Pflanzenreich, Droserac. 66 (1906).
Flora, xcviii. 325–30 (1908).
Goebel, Organogr. Pfl. Ed. 2, i. 96 (1913).
Cheeseman, Ill. New Zeal. Fl. t. 43 (1914).
ramellosa Lehm.
Pflanzenreich, Droserac. 127 (1906).—*Hab.*
ramentacea Burch.
Harvey, Thes. Cap. i. t. 26 (1859).
Bull. Soc. Bot. France, liv. t. 2, fig. 11 (1907).—*Fr.*
rosulata Lehm.
Engler & Drude, Veget. Erde, vii. 161 (1906).
Pflanzenreich, Droserac. 124 (1906).—*Hab.*
Velenovsky, Vergl. Morphol. Pfl. iv. Suppl. 91 (1913).
rotundifolia Linn.
*Zorn, Ic. Pl. Med. v. t. 470 (1784).
Plenck, Ic. Pl. Med. iii. t. 247 (1790).
*Fl. Dan. vi. t. 1028 (1792).
Hoppe, Ect. Pl. Ratisb. t. 759 (1793).
Lamarck, Ill. i. t. 220, fig. 1 (1797).
*Dreves & Hayne, Bot. Bilderbuch, iii. t. 2 (1798).
*Oskamp, Afb. Artseny-Gewass. vi. t. 521 (1800).
*Sowerby & Sm. Engl. Bot. xiii. t. 867 (1801).
*Dreves & Hayne, Choix de Pl. t. 74 (1802).
*Schkuhr, Bot. Handb. Ed. 2, t. 87 (1808).—*Fl.*
Thornton, Brit. Fl. ii. 132 (1812).
*Hill, Family Herbal, t. 40 (1812); fide Ed.
*Hayne, Getreue Darst. Arzn. Gewächse, iii. t. 27 (1813).

DROSERA
rotundifolia
*Vietz, Ic. Pl. Med.-oec.-techn. vi. t. 483 (1817).
Berchtold & J. S. Presl, Rostlin. ii. t. 48 (1825).
*Svensk Bot. x. t. 688 (1826–29).
*Curtis, Fl. Londin. Ed. 2, v. t. 189 (1828).
*Descourtilz, Fl. Pitt. & Méd. Antilles, vii. t. 508 (1829).
*Kops, Fl. Batava, vii. t. 512 (1836).
*Zenker, Fl. Thüringen, v. t. 511 (1836–55).
*Dietrich, Fl. Boruss. v. t. 293 (1837).
*Baxter, Brit. Bot. Ed. 2, iii. t. 201 (1837).
*Reichenbach, Ic. Fl. Germ. iii. t. 24 (1838–39).
[M. E.] Jackson, Pict. Fl. fig. 495 (1840).
*C. E. Sowerby, Ill. Cat. Brit. Pl. fig. 148 (1841).
*Deakin, Florigr. Brit. i. fig. 520 (1841).
Cosson & Germ. Fl. Paris, Atlas, t. 9 (1845).
*Lorek, Fl. Pruss. Ed. 3, t. 83, fig. 445 (1848).
Catlow, Popular Field Bot. t. 17 (1848).
*Petermann, Deutschl. Fl. t. 12, fig. 90 (1849).—*Fl.*
*E. Hamilton, Fl. Homoeopath. i. t. 30 (1852).
Ettingshausen in Sitzb. Akad. Wiss. Wien, xx. 483 (1856).—*Veg.*
Payer, Organog. Comp. Fl. t. 38 (1857).—*Fl.*
Schnizlein, Iconogr. iii. t. 189 (1857–65).
Agardh, Theor. Syst. Pl. t. 7 (1858).—*Fl.*
Johnson & Sowerby, Brit. Wild Fl. fig. 155 (1858–60).
Bot. Zeit. xviii. t. 2 (1860).—*Veg.*
Berg, Charakt. t. 82, fig. 584 (1861).
*Argenta, Album Fl. Med.-Farm. i. t. 50 (1862).
*T. Moore, Field Bot. Comp. t. 8 (1862).
*Syme, Engl. Bot. ii. t. 182 (1864).
Bentham, Handb. Brit. Fl. fig. 388 (1865).
*Schubert, Naturg., Pflanzenreich, Ed. 2, t. 16, fig. 10 [1865].
Migout, Fl. Dépt. Allier, t. 3 (1866).—*Veg.*
Le Maout & Decaisne, Traité Gén. Bot. 404 (1868).
*Cusin & Ansberque, Herb. Fl. Franç. iii. t. 529 (1869).
*Réveil, Règne Vég. iii. t. 39, viii. t. 50 (1870).—*Veg.*
Bot. Tidsskr. iv. t. 1, fig. 10 (1870–71).—*Fr.*
*Hogg & Johnson, Wild Fl. Gr. Brit. vii. t. 509 (1872).
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, i. t. 34 [1873].
Somoku Dzusetsu, Ed. 2, v. t. 50 (1874).
Lubbock, Brit. Fl. Relat. Insects, 78, 99 (1875).
Nature, xii. 208 (1875); xvi. 362 (1877).
Nobbe, Handb. Samenkunde, 465 (1876).—*Fr.*
Gartenfl. xxvii. 152 (1878).
*C. Hoffmann, Pflanzenatlas, t. 23, fig. 141 (1881).
Willkomm, Führ. Reich Pflanzen, 804, t. 1, fig. 46 (1882).
Wagner, Ill. Deutsche Fl. Ed. 2, p. 91 (1882).
Baillon, Traité Bot. Méd. Phan. i. 422 (1883).
*M'Alpine, Bot. Atlas, i. t. 26 (1883).
W. Robinson, Engl. Fl. Gard. t. 102 (1883).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xiii. t. 1290 (1883).
Baillon, Dict. Bot. ii. 476 (1884).
Bouché, Insectenfr. Pfl. t. 1 (1884).—*Hab.*
Johnson, Manual Med. Bot. N. Amer. 101 (1884).
Rhein. Jahrb. Gartenk. & Bot. i. t. 5 (1884).
Nicholson, Illustr. Dict. Gard. i. 494 [1884–88].
*Thomé, Fl. Deutschl. ii. t. 313 (1886).
*Millspaugh, American Med. Pl. t. 29 (1887).
*Kerner, Pflanzenleben, i. 131 (1887); Ed. 3, i. 320, 323 (1913).—*Hab.*
Baillon, Hist. Pl. ix. 225 (1888).
Dujard.-Beaumetz & Égasse, Pl. Méd. 250 (1889).
*Heathcote, Fl. Engadine, t. 32 (1891).
Pflanzenfam. iii. II. 262, 263, 271 (1891).
Teysmannia, ii. 598 (1891).—*Fl.*
G. Beck, Fl. Nied.-Oesterr. ii. I. 524 (1892).
Schwarz, Forstl. Bot. 53 (1892).
*Masclef, Atlas Pl. France, t. 44 (1893).
*Schimpfky, Uns. Heilpfl. ii. t. 17 [1893–94].
*Wild Fl. Canada, t. 247 (1894).—*Hab.*
*Kerner & Oliv. Nat. Hist. Pl. i. t. 2 (1894).—*Hab.*
Brehm, Merv. Nat. Monde des Pl. i. 750, 751 (1894–96).
Garcke, Ill. Fl. Deutschl. 79 (1895).

DROSERA
rotundifolia
Miller & Whiting, Wild Fl. N.E. States, 190 (1895).
*Step, Wayside & Woodl. Bloss. t. 56 (1895); New Ed. i. t. 90 (1905).
Britton & Brown, Ill. Fl. N. States & Canada, ii. 161 (1897); Ed. 2, ii. 203 (1913).
Mönkemeyer, Sumpf- u. Wasserpfl. 132, 133 (1897).
Amer. Nat. xxxii. 114 (1898).—*Veg.*
Knuth, Handb. Blütenbiol. i. 66 (1898).—*Fl.*
Lochman, Phot. Med. Pl. t. 81 (1898).
Fiori & Paol. Ic Fl. Ital. 189 (1899).
Kronfeld, Atlas Pflanzengeogr. 95, fig. 2–5 (1899).—*Veg.*
Rhodora, i. t. 10 (1899).—*Veg.*
L. H. Bailey, Cycl. Amer. Hort. 507 (1900); Stand. Cycl. Hort. 1077 (1914).—*Hab.*
Bellair & St.-Léger, Pl. Serre, 735 (1900).
Gradmann, Pflanzenl. Schwäb. Alb. Ed. 2, i. 189 (1900).
Nicholson, '1900' Suppl. Dict. Gard. 198 (1900).
Reichenau, Mainzer Flora, fig. 42 (1900).
Coste, Fl. France, i. 166 (1901).
Lindman, Bild. Nord. Fl. t. 228 (1901–5).
C. T. Green, Fl. Liverpool Distr. fig. 219 (1902).
*Sturm, Fl. Deutschl. Ed. 2, vi. t. 52 (1902).
Warming, Handb. Syst. Bot. Ed. Möbius, 306 (1902).
*Losch, Kräuterb. t. 26 (1903).
Niles, Bog-trotting Orch. 32 (1904).
Taliew in Trav. Soc. Nat. Univ. Kharkow, xxxviii. t. 1 (1904).—*Fl.*
Avebury, Notes Life Hist. Brit. Fl. Pl. 201, 203 (1905).
Merino, Fl. Galicia, i. 182 (1905).
Notizbl. Bot. Gart. Berlin, App. xvi. 16, 17 (1905).
Blytt, Haandb. Norg. Fl. Ed. Dahl, 397 (1906).
*Miyoshi & Makino, Pocket-Atlas, Alp. Pl. Jap. i. t. 4, fig. 23 (1906).
Pflanzenreich, Droserac. 95 (1906).—*Hab.*
Bull. Soc. Bot. France, liv. t. 2, fig. 9 (1907).—*Fr.*
Lazaro, Comp. Fl. Españ. ii. 101 (1907).
Suireishchikov, Ill. Fl. Mosc. Gov. ii. 211 (1907).
Somoku Dzusetsu, Ed. Makino (Iconogr. Pl. Nippon), v. t. 50 (1907).
Torreya, vii. 103 (1907); ix. 90–92 (1909).
Velenovsky, Vergl. Morphol. Pfl. ii. 517 (1907).
Heukels, Fl. Nederl. ii. 330 (1908).
Beille, Bot. Pharm. ii. 428 (1909).
Svenska Vet. Akad. Handl. xliii. No. 11, p. 7–15 (1909).
Bykowski in Kosmos, xxxv. 803 (1910).—*Hab.*
*Dinand, Taschenb. Heilpfl. t. 34, fig. 2 (1910).
Fedtschenko & Fler. Fl. Eur. Russia, 493 (1910).
*Miyoshi, Pl. World Jap. 470 (1910).—*Hab.*
Hosseus, Pflanzenw. Reichenhall, 71 (1911).
Pammel, Man. Poison. Pl. 500 (1911).
Wrigley, Stud. Trees & Fl. 41 [1911].
*Bonnier, Fl. Compl. France, Suisse & Belge, ii. t. 69 [1912].
Creevey, Harper's Guide Wild Flowers, 82 (1912).
H. M. & C. C. Hall, Yosemite Fl. 113 (1912).
Crisp, Guide Friar Park, 100 (1914).
Hayek, Pflanzend. Oesterr. Ung. i. 58 (1914).
Horwood, Plant Life Brit. Isles, ii. 224 (1914).—*Hab.*
*Perrin & Boulger, Brit. Flower. Pl. ii. t. 103 [A], t. 112 [B], fig. 1–6 (1914).
Cadevall & Sallent, Fl. Catalunya, i. 232 (1915).
*C. A. Hall, Plant-Life, t. 51 (1915).
Gager, Fundam. Bot. 348 (1916).
Lindman, Svensk Fanerogamfl. 13 (1918).—*Fl.*
Youngken, Pharm. Bot. Ed. 2, p. 284 (1918).
Fitch & Smith, Ill. Brit. Fl. Ed. rev. 4, Iss. 2, fig. 392 (1919).
Glück, Blatt- & Blütenmorph. Stud. 212 (1919).—*Veg.*
*Horwood, Brit. Wild Fl. v. t. 50, p. 15 (1919).
Molisch, Pflanzenphys. Theor. Gärtn. Ed. 3, p. 101 (1920).—*Veg.*

DROSERA
schizandra Diels
Pflanzenreich, Droserac. 80 (1906).
scorpioides Planch.
Pflanzenreich, Droserac. 72 (1906).
sessilifolia St.-Hil.
St.-Hilaire, Pl. Remarq. Brésil & Parag. i. t. 25 (1824).
Mém. Mus. Hist. Nat. Paris, xi. 353 (1824).
Mart. Fl. Bras. xiv. II. t. 90 (1872).
Pflanzenreich, Droserac. 74 (1906).
Sewelliae Diels
Engl. Jahrb. xxxv. 207 (1904).
Pflanzenreich, Droserac. 70 (1906).
spathulata Labill.
Labillardière, Nov. Holl. Pl. t. 106 (1804).
*Bot. Mag. lxxxvii. t. 5240 (1861).
Gard. Chron. iv. 104 (1875); xvi. 852 (1881); Ser. III. x. 365 (1891).
*Belg. Hort. xxx. 311 (1880).
Gartenwelt, vii. 185 (1903).
Pflanzenreich, Droserac. 87 (1906).
Laing & Blackwell, Pl. New Zeal. Ed. 2, p. 183 (1907).
F. Sulman, Wild Fl. N. S. Wales, ii. t. 29 (1914).
Glück, Blatt- & Blütenmorph. Stud. 86 (1919).—*Veg.*
Goebel, Entfaltungsb. Pfl. 122–24 (1920).
squamosa Benth.
Pflanzenreich, Droserac. 124 (1906).—*Hab.*
Engler & Drude, Veget. Erde, vii. 161 (1906).
stenopetala Hook. f.
Hooker f., Fl. Nov.-Zel. i. t. 9 (1853).
Pflanzenfam. iii. II. 262 (1891).—*Fl.*
Pflanzenreich, Droserac. 63 (1906).
stolonifera Endl.
Hook. Ic. Pl. iv. t. 389 (1841).
Gartenwelt, vii. 170 (1903); xv. 33 (1911).
Pflanzenreich, Droserac. 127 (1906).
stricticaulis Sarg.
Journ. of Bot. li. t. 523 (1913).
tenella H. B. K.
H. B. K. Nov. Gen. v. t. 490 (1821).
uniflora Willd.
Pflanzenreich, Droserac. 63 (1906).
Espinosa in Bol. Mus. Nac. Chile, Santiago, x. 44 (1917).
villosa St.-Hil.
Mart. Fl. Bras. xiv. II. t. 91 (1872).
Hansgirg, Phyllobiol. 229 (1903).
Whittakeri Planch.
F. Mueller, Pl. Victoria, i. Suppl. t. 6 (1860–62).
*Bot. Mag. c. t. 6121 (1874).
F. Mueller, Introd. Bot. Teach. Schools Victoria, 93 (1877).
F. Mueller, Key Syst. Victorian Pl. ii. fig. 11 (1885).

DROSOPHYLLUM Link.
lusitanicum Link.
*Bot. Mag. xcv. t. 5796 (1869).
Ann. Soc. Linn. Dépt. Maine & Loire, Angers, xii. 119 (1870).—*Fl.*
Bot. Tidsskr. iv. t. 1, fig. 13 (1870–71).—*Fr.*
Kerner, Pflanzenleben, i. 143 (1887); Ed. 3, i. 333 (1913).—*Hab.*
Baillon, Hist. Pl. ix. 228 (1888).—*Fl.*
Gard. Chron. Ser. III. x. 365 (1891); lvii. 27 (1915).
Goebel, Pflanzenbiol. Schild. ii. t. 17, fig. 1 (1891).
Pflanzenfam. iii. II. 270 (1891).—*Fl.*
Neubert's Deutsch. Gart. Mag. xlvi. 121 (1893).—*Hab.*
Kerner & Oliv. Nat. Hist. Pl. i. 155 (1894).—*Hab.*
Brehm, Merv. Nat. Monde des Pl. i. 753 (1894–96).
Engler & Drude, Veget. Erde, i. 309 (1896).—*Hab.*
Kronfeld, Atlas Pflanzengeogr. 101 (1899).
Goebel, Organogr. Pfl. 508 (1900); Ed. Angl. 311 (1905).—*Veg.*
Taliew in Trav. Soc. Nat. Univ. Kharkow, xxxviii. t. 1 (1904).
Pflanzenreich, Droserac. 55, 56 (1906).
pedatum Dutailly (?)
Dutailly in Assoc. Franç. Avanc. Sc. 1901, Ajaccio, Pt. 2, t. 2, fig. 34, 35 (1902).—*Fl.*

DRUDEOPHYTUM Coulter & Rose
glaucum Coulter & Rose
Contrib. U.S. Nat. Herb. vii. t. 2 (1900).
Hartwegii Coulter & Rose
Contrib. U.S. Nat. Herb. vii. 80 (1900).—*Fr.*

DRUSA DC.
oppositifolia DC.
Ann. Mus. Hist. Nat. Paris, x. 470 (1807).
Sprengel in Neue Schrift. Nat. Ges. Halle, ii. 1. fig. 6 (1813).
Webb & Berth. Hist. Nat. Iles Canar. iii. Phytogr. II. t. 78 (1836–50).
Pflanzenfam. iii. VIII. 125 (1897).—*Fr.*
Deutsche Tiefsee-Exped. 1898–99, ii. 1. 332 (1907).
Glück, Blatt- & Blütenmorph. Stud. 183 (1919).—*Veg.*

DRYANDRA R. Br.
angustifolia Hook.
*Bot. Mag. lxxiii. t. 4317 (1847).
arctotidis R. Br.
*Bot. Mag. lxix. t. 4035 (1843).
armata R. Br.
*Bot. Mag. lx. t. 3236 (1833).
Ettingshausen in Sitzb. Akad. Wiss. Wien, vi. t. 33, fig. a (1851).—*Veg.*
Ettingshausen in Denkschr. Akad. Wiss. Wien, xv. t. 48, fig. 1–3, t. 49, fig. 4–6 (1858).—*Veg.*
Brownii Meissn.
Ettingshausen in Denkschr. Akad. Wiss. Wien, xv. t. 51, fig. 1–3 (1858).—*Veg.*
calophylla R. Br.
Garden, lv. 197 (1899).—*Hab.*
*Bot. Mag. cxxv. t. 7642 (1899).
carduacea Lindl.
Engler & Drude, Veget. Erde, vii. 196 (1906).—*Veg.*
cryptocephala Meissn.
*Planchon, Hort. Donat., Atlas, [t. 2] (1854–58).
cuneata R. Br.
Engler & Drude, Veget. Erde, vii. 196 (1906).—*Veg.*
floribunda R. Br.
*Bot. Mag. xxxviii. t. 1581 (1813).
Ettingshausen in Denkschr. Akad. Wiss. Wien, xv. t. 44, fig. 17, 18 (1858).—*Veg.*
formosa R. Br.
Trans. Linn. Soc. London, x. t. 3 (1811).
*Sweet, Fl. Austral. t. 53 (1828).
Loudon, Mag. Nat. Hist. i. 361 (1828).
*Bot. Mag. lxx. t. 4102 (1844).
Schnizlein, Iconogr. ii. t. 113 a (1849).—*Fr.*
Ettingshausen in Sitzb. Akad. Wiss. Wien, vi. t. 32, fig. a, b (1851); xxviii. 478 (1858).—*Veg.*
Ettingshausen in Denkschr. Akad. Wiss. Wien, xv. t. 47, fig. 3–7, t. 48, fig. 6–8, t. 51, fig. 6 (1858).—*Veg.*
Ettingshausen, Blatt-Skel. Dikot. 56, t. 21 (1861).—*Veg.*
Pflanzenfam. iii. 1. 154 (1889).
Journ. Roy. Hort. Soc. London, xxxvi. 293, fig. 99 (1910).—*Hab.*
*Warburg, Pflanzenwelt, i. t. 30 (1913).
Fraseri R. Br.
Engl. Jahrb. xxxv. 173 (1904).
Engler & Drude, Veget. Erde, vii. 316 (1906).
horrida Meissn.
Engler & Drude, Veget. Erde, vii. 196 (1906).—*Veg.*
longifolia R. Br.
*Bot. Mag. xxxviii. t. 1582 (1813).
*Sweet, Fl. Austral. t. 3 (1827).
*Géel, Sert. Bot. Cl. 4 (1828).
*Reichenbach, Fl. Exot. iv. t. 220 (1835).
*Paxt. Mag. iii. 171 (1837).
Ettingshausen in Sitzb. Akad. Wiss. Wien, vi. t. 33, fig. b (1851).—*Veg.*
Ettingshausen in Denkschr. Akad. Wiss. Wien, xv. t. 50, fig. 3–5, t. 51, fig. 7 (1858).—*Veg.*
Ettingshausen, Blatt-Skel. Dikot. t. 20 (1861).—*Veg.*
mucronulata R. Br.
Schimper, Pflanzen-Geogr. 563 (1898).—*Veg.*
nervosa Mackay ex R. Br.
*Sweet, Fl. Austral. t. 22 (1827).

DRYANDRA
nervosa
*Sweet, Floral Guide, i. t. 22 (1827).
*Bot. Mag. lviii. t. 3063 (1831).
Ettingshausen in Denkschr. Akad. Wiss. Wien, xv. t. 50, fig. 2 (1858).—*Veg.*
nivea R. Br.
Ettingshausen in Denkschr. Akad. Wiss. Wien, xv. t. 51, fig. 4, 5 (1858).—*Veg.*
nobilis Lindl.
Ettingshausen in Sitzb. Akad. Wiss. Wien, vi. t. 32, fig. b (1851).—*Veg.*
*Fl. des Serres, Ser. I. viii. t. 728 (1851–52).
*Bot. Mag. lxxviii. t. 4633 (1852).
*Lem. Jard. Fl. iii. t. 226 (1852).
planifolia Meissn.
Ettingshausen in Sitzb. Akad. Wiss. Wien, vi. t. 32, fig. d (1851).—*Veg.*
Ettingshausen in Denkschr. Akad. Wiss. Wien, xv. t. 51, fig. 8–11 (1858).—*Veg.*
plumosa R. Br.
Engler & Drude, Veget. Erde, vii. 196 (1906).—*Veg.*
praemorsa Meissn.
Engler & Drude, Veget. Erde, vii. 196 (1906).—*Veg.*
pteridifolia R. Br.
*Bot. Mag. lxiii. t. 3500 (1836).
Ettingshausen in Denkschr. Akad. Wiss. Wien, xv. t. 50, fig. 1 (1858).—*Veg.*
quercifolia Meissn.
Ettingshausen in Denkschr. Akad. Wiss. Wien, xv. t. 44, fig. 15, 16 (1858).—*Veg.*
senecionifolia R. Br.
Engler & Drude, Veget. Erde, vii. 196 (1906).—*Veg.*
serra R. Br.
Engler & Drude, Veget. Erde, vii. 196 (1906).—*Veg.*
serratuloides Meissn.
Engler & Drude, Veget. Erde, vii. 196 (1906).—*Veg.*
speciosa Meissn.
Engler & Drude, Veget. Erde, vii. 196 (1906).—*Veg.*
tenuifolia R. Br.
*Bot. Mag. lxiii. t. 3513 (1836).
Ettingshausen in Denkschr. Akad. Wiss. Wien, xv. t. 47, fig. 8, 9 (1858).—*Veg.*

DRYANDRA Thunb.: *Aleurites*
cordata Thunb.
Thunberg, Fl. Jap. t. 27 (1784).
Kaempfer, Ic. Sel. Pl. Jap. t. 23 (1791).
Vernicia Correa
Ann. Mus. Hist. Nat. Paris, viii. 68, t. 32 (1806).—*Fr.*

DRYAS Linn.
anemonoides Pall.
Pallas, Reise Russ. iii. II. t. E e (1776).
Pallas, Voyages, iv. t. 28 (1793).
depressa Bab.
Ann. Nat. Hist. London, x. t. 7 (1842).
Drummondii Richards.
*Bot. Mag. lvii. t. 2972 (1830).
Schweiz. Gartenbau, ix. frontisp. (1896).
Britton & Brown, Ill. Fl. N. States & Canada, ii. 223 (1897); Ed. 2, ii. 274 (1913).
Schneider, Ill. Handb. Laubh. i. 527 (1905).—*Fl.*
Henshaw, Mount. Wild Fl. Amer. t. 76 (1906).
*S. Brown, Alp. Fl. Rocky Mts. 164, t. 44 (1907).
McCalla, Wild Fl. West Canada, 127 (1920).
geoides Pall.
Pallas, Reise Russ. iii. II. t. γ (1776).
*Jacquin, Hort. Vind. iii. t. 68 (1776).
*Falk, Beytr. Russ. Reiches, ii. t. 11 (1786).
Pallas, Voyages, iv. t. 10 (1793).
*Pallas, Fl. Ross. t. 104 [1831].
integrifolia Vahl
*Fl. Dan. vii. t. 1216 (1799).
*Hooker, Exot. Fl. iii. t. 220 (1827).
Warming in Overs. Danske Vidensk. Selsk. Forh. No. 2, p. 128 (1886).
Hartz in Meddel. Groenl. xviii. 321 (1896).—*Veg.*
Britton & Brown, Ill. Fl. N. States & Canada, ii. 222 (1897); Ed. 2, ii. 274 (1913).

DRYAS
integrifolia
Knuth, Handb. Blütenbiol. ii. 1. 362 (1898).—*Fl.*
Arbejd Bot. Have Kjöbenhavn, No. 76, p. 72 (1914).—*Fl.*
Amer. Mus. Journ. xix. 283 (1919).—*Hab.*
—— **canescens** Simms
Porslid in Meddel. Groenl. l. 379 (1912).
—— **intermedia** Nath.
Hartz in Meddel. Groenl. xviii. 321 (1896).—*Veg.*
octopetala Linn.
*Fl. Dan. i. t. 31 (1761).
Gaertner, Fruct. i. t. 74 (1788).—*Fr.*
Lamarck, Ill. iii. t. 443 (1797).
*Sowerby & Sm. Engl. Bot. vii. t. 451 (1798).
Boissieu, Fl. Eur. ii. t. 356 (1805).
*Sturm, Deutschl. Fl. v. xx [t. 307] (1806).
*Schkuhr, Bot. Handb. Ed. 2, t. 137 (1808).
Fischer in Mém. Soc. Nat. Mosc. ii. t. 11 (1809).—*Fl.*
*Svensk Bot. vi. t. 427 (1809).
*Guimpel, Willd. & Hayne, Abb. Deutsch. Holzart. i. t. 105 (1815)
*Schrank, Fl. Monac. iii. t. 236 (1816).
Trattinick, Fl. Oesterr. Kaiserth. i. t. 34 (1816).
*Jaume St.-Hilaire, Fl. & Pom. Franç. iv. t. 355 (1831).
*Pallas, Fl. Ross. 3, 5, t. 105 [1831].
Meigen, Deutschl. Fl. ii. t. 97 (1837).
*Baxter, Brit. Bot. Ed. 2, iv. t. 248 (1839).
[M. E.] Jackson, Pict. Fl. fig. 799 (1840).
Ann. Nat. Hist. London, x. t. 7 (1842).
*Deakin, Florigr. Brit. ii. fig. 829 (1845).
*Lothian, Pract. Hints Alp. or Rock Pl. 50 [1845].
Duchesne, Pl. Util. t. 105 (1846).
*J. W. Loudon, Brit. Wild Fl. Ed. 2, t. 33 [1846].
*Petermann, Deutschl. Fl. t. 26, fig. 197 (1849).—*Fl.*
Johnson & Sowerby, Brit. Wild Fl. fig. 362 (1858–60).
*Gartenfl. ix. t. 286 (1860); xxxiii. 147 (1884).
*Viestn. Ross. Obshch. Sadov. (Journ. Russ. Hort. Soc.), t. 12 (1860).
Pokorny, Oesterr. Holzpfl. 461, t. 61 (1864).—*Veg.*
*Syme, Engl. Bot. iii. t. 460 (1864).
Bentham, Handb. Brit. Fl. fig. 298 (1865).
*Schubert, Naturg., Pflanzenreich, Ed. 2, t. 26, fig. 7 [1865].
Schnizlein, Iconogr. iv. t. 272 b (1866–70).
Baillon, Hist. Pl. i. 378 (1867–69).—*Fl.*
*Cusin & Ansberque, Herb. Fl. Franç. viii (Rosacées), t. 6 (1870).
*Hogg & Johnson, Wild Fl. Gr. Brit. vii. t. 556 (1872).
*Weber, Alp.-Pfl. Ed. 3, ii. t. 135 (1872).
*Verlot, Pl. Alp. Ed. 2, t. 32 (1873).—*Hab.*
*Pratt, Fl. Pl., Grasses, Sedges & Ferns Gr. Brit. Ed. 3, ii. t. 66 [1873].
*Wooster, Alp. Pl. Ed. 2, t. 22 (1874).
*Seboth & A. W. Bennett, Alpine Pl. i. t. 28 (1879).
Berge, Pflanzenphysiogn. 241 (1880).—*Hab.*
*C. Hoffmann, Pflanzenatlas, t. 43, fig. 264 (1881).
Wagner, Ill. Deutsche Fl. Ed. 2, p. 253 (1882).
Willkomm, Führ. Reich Pflanzen, 684 (1882).
Gart.- u. Blumenzeit. Hamburg, xxxix. 2 (1883).
Lauche, Deutsche Dendrol. Ed. 2, p. 624 (1883).
Schröter in Neujahrsblatt Naturf. Ges. Zürich, lxxxv. t. 2 (1883).
*Neubert's Deutsch. Gart. Mag. xxxviii. 33, t. 2 (1885).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xxv. t. 2567 (1886).
Bih. Svenska Vet. Akad. Handl. xii. III. No. 6, t. 3, fig. 30 (1887); xxvi. III. No. 1, p. 21, No. 2, t. 1 (1900).
Potonié, Ill. Fl. Nord- u. Mittel-Deutschl. Ed. 4, fig. 19 (1889).
*L. & C. Schroeter, Taschenfl. Alp.-Wand. t. 16 (1889).—*Hab.*
*Heathcote, Fl. Engadine, t. 69 (1891).
G. Beck, Fl. Nied.-Oesterr. ii. 1. 717 (1892).—*Fr.*
*Correvon, Fl. Col. Suisse, t. 44 (1894).
Bot. Tidsskr. xix. 288 (1895); xxvii. 115 (1905).
Garcke, Ill. Fl. Deutschl. 188 (1895).
Schweiz. Gartenbau, ix. frontisp. (1896).
*A. W. Bennett, Fl. Alps, i. t. 31 (1897).

DRYAS
octopetala
Britton & Brown, Ill. Fl. N. States & Canada, ii. 222 (1897); Ed. 2, ii. 273 (1913).
*Hartinger, Atlas Alpenfl. iii. t. 229 (1897).
G. Beck, Alpenblum. Semmering, t. 8, fig. 8 (1898).
Fiori & Paol. Ic. Fl. Ital. 202 (1899).
Flora, lxxxix. t. 3, fig. 1 (1901).—*Fr.*
Lindman, Bild. Nord. Fl. t. 305 (1901–5).
Coste, Fl. France, ii. 10 (1903).
*Jul. Hoffmann, Alpine Fl. t. 13 (1903).
*Rikli in Jahrb. St. Gall. Naturw. Ges. 1901–2, p. 440 (1903).
*L. & C. Schroeter, Col. Vade-Mecum Alp. Fl. Ed. 16 & 17, t. 2 (1904).—*Hab.*
Schroeter, Pflanzenleb. Alp. 184 (1905).
Schneider, Ill. Handb. Laubh. i. 527 (1905).—*Fl.*
Wien Bot. Kongr. iii. Exkurs. t. 42 (1905).—*Hab.*
Blytt, Haandb. Norg. Fl. Ed. Dahl, 441 (1906).
*Flahault, Nouv. Fl. Alpes & Pyrén. i. t. 42 (1906).
Henshaw, Mount. Wild Fl. Amer. t. 10 (1906).
*Senn, Alpen-Flora, ii. t. 42 (1906).
Trans. Edinb. Field Nat. & Microsc. Soc. v. IV. t. 24 (1906).—*Hab.*
*S. Brown, Alp. Fl. Rocky Mts. 164, t. 44 (1907).
*Miyoshi & Makino, Pocket-Atlas, Alp. Pl. Jap. ii. t. 49, fig. 280 (1907).
*Hulme, Familiar Swiss Fl. t. 10 (1908).
*Oehninger, Alpenfl. t. 11, fig. 5 (1908).
*Correvon & Rob. Alp. Fl. t. 33 [1908?].
Journ. Roy. Hort. Soc. London, xxxv. 168, fig. 51 (1909).—*Hab.*
Praeger, Tour. Fl. W. Ireland, t. 1, 4 (1909).—*Hab.*
Arber, Plant Life Alp. Switz. t. 20, 25 (1910).
Beih. Bot. Centralbl. xxvii. II. 130 (1910).
Fedtschenko & Fler. Fl. Eur. Russia, 530 (1910).
*Hastings, Summer Fl. High Alps, t. 15 (1910).—*Hab.*
Karsten & Schenck, Veg.-Bild. viii. t. 32 (1910).—*Hab.*
*Milner, Life Oberammergau, t. 10 (1910).
Bull. Soc. Bot. Ital. 1911, p. 9, fig. 1–3.
Hartz & Kruuse in Meddel. Groenl. xxx. 378, 398, 399 (1911).
Hosseus, Pflanzenw. Reichenhall, 77 (1911).
Arbejd Bot. Have Kjöbenhavn, No. 67, p. 378, 398, 399 (1911); lxxvi. 64, 72 (1914).
*H. S. Thompson, Alp. Pl. Europe, t. 21 (1911).
Reichenbach, Ic. Fl. Germ. xxv. 68, t. 77 (1912).
*Hegi & Dunz. Alp. Fl. t. 15 (1913).
Silva Tarouca, Freiland-Laubgehölze, 211 (1913).—*Hab.*
F. E. & E. S. Clements, Rocky Mt. Fl. t. 26 (1914).
*Perrin & Boulger, Brit. Flower. Pl. ii. t. 126 (1914).
Marret, Ic. Fl. Alp. Pl. Ser. II. Fasc. 6, text-fig. 1, 2, 4–14, t. 259–259 b [1914].
M. Armstrong, Field Book West. Wild Fl. 233 (1915).
*Penzig, Fl. Alpi Illustr. Ed. 2, t. 13 (1915).
Cadevall & Sallent, Fl. Catalunya, ii. 255 (1916).
Lindman, Svensk Fanerogamfl. 21 (1918).—*Fl.*
*Horwood, Brit. Wild Fl. iv. t. 34, p. 31 (1919).
Gard. Chron. Ser. III. lxv. 162 (1919).—*Hab.*
Fitch & Smith, Ill. Brit. Fl. Ed. rev. 4, Iss. 2, fig. 304 (1919).
—— **asiatica** Nakai
Nakai, Fl. Sylv. Koreana, Pt. 7, t. 17 (1918).
—— **chamaedrifolia** Drude
Schroeter, Pflanzenleb. Alp. 190 (1905).
—— **genuina** Regel
Hartz in Meddel. Groenl. xviii. 321 (1896).—*Veg.*
Marret, Ic. Fl. Alp. Pl. Ser. II. Fasc. 6, t. 259 a [1914].
—— **integrifolia** Drude
Bih. Svenska Vet. Akad. Handl. xxvii. III. No. 3, t. 5 (1901).—*Hab.*
Schroeter, Pflanzenleb. Alp. 190 (1905).
—— **longifolia** (Auct.?)
Marret, Ic. Fl. Alp. Pl. Ser. II. Fasc. 6, t. 259 a [1914].

DRYAS
octopetala minor Hook.
Hartz in Meddel. Groenl. xviii. 311, 321 (1896). —*Veg.*
—— **pilosa** Bab.
Ann. Nat. Hist. London, x. t. 7 (1842).
—— **unguiculata** Anderss.
Bih. Svenska Vet. Akad. Handl. xxvi. III. No. 1, p. 21 (1900).—*Fl.*
Schroeter, Pflanzenleb. Alp. 191 (1905).
Marret, Ic. Fl. Alp. Pl. Ser. II. Fasc. 6, text-fig. 3, 4 [1914].—*Fl.*
—— **vestita** G. Beck
Schroeter, Pflanzenleb. Alp. 188 (1905).
Reichenbach, Ic. Fl. Germ. xxv. 68, t. 77 (1912). —*Veg.*
pentapetala Pall.
*Pallas, Fl. Ross. t. 106 [1831].

DRYMARIA Willd.
cordata Willd.
Mart. Fl. Bras. xiv. II. t. 60 (1872).
Pflanzenfam. iii. I. B. 86 (1889).
Bot. Gaz. xxv. t. 13, fig. 1 (1898).
Lecomte, Fl. Gén. Indo-Chine, i. 264 (1909).—*Fl.*
Koorders, Exkursionsfl. ii. 214 (1912).
Fawcett & Rendle, Fl. Jamaica, iii. I. 176 (1914).
Engler & Drude, Veget. Erde, ix. III. 1, p. 161 (1915).
diffusa Rose
Contrib. U.S. Nat. Herb. i. t. 12 (1892).
divaricata H. B. K.
Payer, Organog. Comp. Fl. t. 70 (1857).—*Fl.*
frankenioides H. B. K.
H. B. K. Nov. Gen. vi. t. 515 (1823).
laxiflora Benth.
Glück, Blatt- & Blütenmorph. Stud. 114 (1919). —*Veg.*
leptoclados Hemsl.
Hemsley, Biol. Centr. Amer. v. t. 3 (1879).
Mairei Léveillé
Léveillé, Cat. Pl. Yun-Nan, 30 (1915–16).
molluginea Didr.
Engler & Drude, Veget. Erde, xii. 139 (1911).
stellarioides Willd.
H. B. K. Nov. Gen. vi. t. 516 (1823).
xerophylla A. Gray
Hemsley, Biol. Centr. Amer. v. t. 3 (1879).

DRYMISPERMUM Reichb.: *Phaleria*
Billardieri Decne.
Petit-Thouars, Voy. Venus, Bot. t. 12 (1846).
Burmannii Decne.
Ann. Sc. Nat. Paris, Ser. II. xix. t. 1 (1843).—*Fr.*
laurifolium Decne.
Ann. Sc. Nat. Paris, Ser. II. xix. t. 1 (1843).—*Fl.*
Petit-Thouars, Voy. Venus, Bot. t. 10 (1846).
macrophyllum Decne.
Petit-Thouars, Voy. Venus, Bot. t. 11 (1846).
montanum Seem.
*Seemann, Fl. Vit. t. 54 (1865–73).
subcordatum Seem.
*Seemann, Fl. Vit. t. 53 (1865–73).

DRYMOCALLIS Fourr.: *Potentilla*
agrimonioides Rydb.
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, ii. 263 (1913).
arguta Rydb.
Mem. Columb. Univ. ii. t. 102 (1898).
*F. E. & E. S. Clements, Rocky Mt. Fl. t. 25 (1914).
Convallaria Rydb.
Mem. Columb. Univ. ii. t. 1, 104 (1898).
cuneata Rydb.
Mem. Columb. Univ. ii. t. 111 (1898) in ic.; *D. cuneifolia* in textu.
cuneifolia Rydb.
Mem. Columb. Univ. ii. t. 111 (1898) in textu; *D. cuneata* in ic.
fissa Rydb.
Mem. Columb. Univ. ii. t. 106 (1898).
glabrata Rydb.
Mem. Columb. Univ. ii. t. 109 (1898).
glandulosa Rydb.
Mem. Columb. Univ. ii. t. 107 (1898).

DRYMOCALLIS
glutinosa Rydb.
Mem. Columb. Univ. ii. t. 105 (1898).
pseudo-rupestris Rydb.
Mem. Columb. Univ. ii. t. 103 (1898).
reflexa Rydb.
Mem. Columb. Univ. ii. t. 110 (1898).
rhombifolia Rydb.
Mem. Columb. Univ. ii. t. 112 (1898) in ic.; *D. rhomboidea* in textu.
rhomboidea Rydb.
Mem. Columb. Univ. ii. t. 112 (1898) in textu; *D. rhombifolia* in ic.
Wrangelliana Rydb.
Mem. Columb. Univ. ii. t. 108 (1898).

DRYMODA Lindl.
picta Lindl.
*Lindley, Sertum Orch. t. 8 (1838).—*Fl.*
Lindley, Veg. Kingd. 176 (1846).—*Fl.*
*Bot. Mag. xcvii. t. 5904 (1871).
Pfitzer, Grundz. Vergl. Morph. Orchideen, t. 1, fig. 27 (1882).
Pflanzenfam. ii. VI. 63, 177 (1889).—*Fl.*
Stein, Orchideenbuch, 13 (1892).—*Fl.*
Kerchove, Livre Orch. 26 (1894).
*Neubert's Deutsch. Gart. Mag. lii. t. 9 (1899).

DRYMOGLOSSUM Presl
abbreviatum Fée
Fée, Mém. Foug. vii. t. 10 (1854–57); et in Mém. Soc. Sc. Nat. Strasbourg, v. I. 10 (1858).
carnosum Hook.
*Hooker, Gen. Fil. t. 78 (1842).
Beddome, Ferns Brit. Ind. 55 (1865–70).
J. Smith, Hist. Fil. t. 4 (1875).
Beddome, Handb. Ferns Brit. Ind. 411 (1883).
Schneider, Book Choice Ferns, ii. 207 (1893).
Pflanzenfam. i. IV. 303 (1899).
Nicholson, '1900' Suppl. Dict. Gard. 331 (1900).
Fern Bull. xix. 65 (1911).
—— **subcordatum** Baker
Makino, Phan. & Pterid. Jap. Ic. i. t. 27 (1899).
fallax A. v. Rosenb.
Philippine Journ. Sc., Bot. xi. t. 6 (1916).
heterophyllum C. Chr.
Karsten & Schenck, Veg.-Bild. xi. t. 29 (1913).—*Hab.*
lanceolatum J. Sm.
Moore & Ayres, Mag. Bot. iii. 92 (1851).
T. Moore, Index Fil. Gen. & Spec. t. 18 [1857–62].
metacaelum A. v. Rosenb.
A. v. Rosenburgh in Bull. Jard. Bot. Buitenzorg, Ser. II. No. xxviii. t. 2, 3 (1918).
niphoboloides Baker
Hook. Ic. Pl. xvii. t. 1686 (1887).
piloselloides Presl
Presl, Tent. Pteridogr. t. 10 (1836).
Fée, Mém. Foug. v. t. 9 (1850–52).
*Hooker, Garden Ferns, t. 46 (1862).
Beddome, Ferns S. Ind. t. 55, 186 (1863); fide Beddome, Correct. Nomencl. Ferns S. Ind.; errore *Niphobolus nummularifolius* in ic.
J. Smith, Ferns, Brit. & Foreign, 89 (1866); Ed. 2, p. 89 (1879).
Beddome, Handb. Ferns Brit. Ind. 412 (1883).
Journ. Hort. Ser. III. vii. 159 (1884).
Schneider, Book Choice Ferns, ii. 208 (1893).
Nicholson, '1900' Suppl. Dict. Gard. 331 (1900).
!Ann. Jard. Bot. Buitenzorg, xix. t. 25, fig. 1002 (1904).
Warburg, Pflanzenwelt, i. 270 (1913).
rigidum Hook.
*Hooker, Cent. Ferns, t. 96 (1854).
Hook. Ic. Pl. x. t. 996 (1854).
subcordatum Fée
Fée, Mém. Foug. v. t. 9 (1850–52).
Goebel, Organogr. Pfl. 666 (1901); Ed. Angl. ii. 485 (1905); Ed. 2, ii. 1124 (1915–18).—*Veg.*
tetragonum A. v. Rosenb.
A. v. Rosenburgh in Bull. Jard. Bot. Buitenzorg, Ser. II. No. xxviii. t. 3 (1918).

DRYMONIA Mart.
bicolor Mart.
*Bot. Reg. xxiv. t. 4 (1838).

DRYMONIA
Buscalionii Fritsch & Buscal.
Ann. Bot. Roma, ix. t. 3 (1911).
calcarata Mart.
*Martius, Nov. Gen. & Sp. Pl. Bras. iii. t. 224 (1829).
Linnaea, xxvi. t. 2, fig. 46 (1853–55).—*Fl.*
cristata Miq.
*Fl. des Serres, Ser. I. iv. t. 388 (1848).
Paxt. Fl. Gard. i. 41 (1850–51).
Lindmaniana Fritsch
Bih. Svenska Vet. Akad. Handl. xxiv. III. No. 5, tab. (1898).
longifolia Poepp. & Endl.
Poeppig & Endl. Nov. Gen. & Sp. Pl. iii. t. 204 (1845).
marmorata Hook. f.
*Bot. Mag. cx. t. 6763 (1884).
mollis Örst.
Örsted in Dansk. Vid. Selsk. Skrift. Ser. V. v. t. 9, fig. 41–43 (1861).—*Fl.*
punctata Lindl.
*Bot. Mag. lxx. t. 4089 (1844).
*Schnizlein, Iconogr. ii. t. 152 (1866–70).—*Fr.*
turrialvae Hanst.
Rev. Hort. 1869, p. 388.—*Hab.*
*Ill. Hort. xvi. t. 603 (1869).
villosa Hook.
*Bot. Mag. lxxxi. t. 4866 (1855).

DRYMOPHILA R. Br.
cyanocarpa R. Br.
*Meredith, Bush Friends Tasmania, 101, t. 11 (1860).
Rodway, Tasman. Fl. [t. 40] (1903).

DRYMOPHLOEUS Zipp.
appendiculata Miq.
*Bot. Mag. cxvii. t. 7202 (1891).
ceramensis Scheff.
Ann. Jard. Bot. Buitenzorg, ii. t. 6 (1885).—*Hab.*
oliviformis Mart.
Rumphius, Herb. Amboin. i. t. 15 (1741); fide Merrill, Interpret. Rumph. Herb. Amboin. Gard. & Forest, iv. 331 (1891).
Reineckei Warb.
Karsten & Schenck, Veg.-Bild. vi. t. 2 (1908).—*Hab.*
Whitmeeanus Becc.
Webbia, iv. 262 (1914).—*Fr.*

DRYMOTAENIUM Makino
Miyoshianum Makino
Makino, Phan. & Pterid. Jap. Ic. i. t. 56, 57 (1901).
Nakaii Hayata
Bull. Soc. Bot. France, lviii. t. 18 (1911).

DRYNARIA J. Sm.
acuminata Fée
Fée, Crypt. Vasc. Brésil, i. t. 37 (1869).
alata Brack.
Brackenridge, Crypt. Wilkes, U.S. Expl. Exp. 1838–42, t. 6 (1855).
Baronii Diels
Pflanzenfam. i. IV. 329 (1899).
Billardieri J. Sm.
Moore & Ayres, Mag. Bot. iii. 90 (1851).
conjugata Bedd.
Beddome, Ferns Brit. Ind. t. 13 (1865–70), vide Correct. Nomencl.
coronans J. Sm.
T. Moore, Index Fil. Gen. & Spec. t. 63 [1857–62].
Beddome, Ferns Brit. Ind. t. 13 (1865–70) sphalm. *D. conjugata.*
Journ. Hort. liv. 73 (1875).
Beddome, Handb. Ferns Brit. Ind. 337 (1883).
Delavayi Christ
Léveillé, Cat. Ill. Pl. Seu Tchouen, t. 36 (1918).
elastica Fée
Fée, Mém. Foug. xi. t. 20 (1866).
Heraclea J. Sm.
J. Smith, Ferns, Brit. & Foreign, 102 (1866); Ed. 2, p. 102 (1879).
Christ, Geogr. Farne, 134, 135, 143 (1910).
Horsfieldii J. Sm.
Fée, Mém. Foug. i. t. 2, fig. 16 (1844).—*Veg.*
involuta A. v. Rosenb.
Bull. Dep. Agric. Ind. Néerl. xxi. t. 4 (1908).

DRYNARIA
iteophylla J. Sm.
Fée, Crypt. Vasc. Brésil, ii. t. 95 (1872–73).
Laurentii Hieron.
Engler & Drude, Veget. Erde, ix. II. 56 (1908).
Linnaei Bedd.
Beddome, Ferns Brit. Ind. t. 315 (1865–70).
maxima Brack.
Brackenridge, Crypt. Wilkes, U.S. Expl. Exp. 1838–42, t. 7 (1855).
Meyeniana Hort.
Gager, Fundam. Bot. 164 (1916).
microptera (Auct.?)
Flora, cxi, cxii. 275 (1918).
mollis Bedd.
Beddome, Ferns Brit. Ind. t. 216 (1865–70).
Beddome, Handb. Ferns Brit. Ind. 342 (1883).
morbillosa J. Sm.
Garden, i. 15 (1872); xxxvi. 219 (1889).—*Hab.*
oodes Fée
Fée, Mém. Foug. vi. t. 7 (1854–57); et in Mém. Soc. Mus. Hist. Nat. Strasbourg, iv. II & III. t. 7 (1853).
phymatodes Fée
Fée, Mém. Foug. v. t. 21 (1850–52).
Prieurii Fée
Fée, Mém. Foug. vi. t. 2 (1854–57); et in Mém. Soc. Mus. Hist. Nat. Strasbourg, iv. II & III. t. 2 (1853).
propinqua J. Sm.
Beddome, Ferns Brit. Ind. t. 160 (1865–70).
Beddome, Handb. Ferns Brit. Ind. 340 (1883).
Christ, Geogr. Farne, 129 (1910).
Goebel, Organogr. Pfl. Ed. 2, i. 382 (1913).
Proustiana Gaudich.
Gaudichaud, Voy. Bonite, Bot. Atlas, t. 3 (1844–66).
quercifolia J. Sm.
Beddome, Ferns S. Ind. t. 187 (1863).
Beddome, Handb. Ferns Brit. Ind. 343 (1883).
Pflanzenfam. i. IV. 329 (1899).
Christ, Geogr. Farne, 131, 133, 318 (1910).
Wettstein, Handb. Syst. Bot. Ed. 2, p. 332 (1911).
Francé, Leben Pflanze, vi. 359 (1913).—*Hab.*
Goebel, Organogr. Pfl. Ed. 2, i. 380, 381 (1913); ii. 1052 (1915–18).
Basu, Ind. Med. Pl. t. 1032 (1918).
rigidula Bedd.
Beddome, Ferns Brit. Ind. t. 314 (1865–70).
Beddome, Handb. Ferns Brit. Ind. 344 (1883).
—— **sparsisora** Dom.
Domin in Bibl. Bot. xx. 193 (1914).
sparsisora T. Moore
Rumphius, Herb. Amboin. vi. t. 36 (1750); fide Merrill, Interpret. Rumph. Herb. Amboin.
splendens Bedd.
Beddome, Ferns Brit. Ind. t. 316 (1865–70).
Beddome, Handb. Ferns Brit. Ind. 339 (1883).
stenoloma Fée
Fée, Mém. Foug. vi. t. 4 (1854–57); et in Mém. Soc. Mus. Hist. Nat. Strasbourg, iv. II & III. t. 4 (1853).
stenophylla J. Sm.
Fée, Mém. Foug. vi. t. 8 (1854–57); et in Mém. Soc. Mus. Hist. Nat. Strasbourg, iv. II & III. t. 8 (1853).
torulosa Fée
Fée, Mém. Foug. vi. t. 5 (1854–57); et in Mém. Soc. Mus. Hist. Nat. Strasbourg, iv. II & III. t. 5 (1853).
vestita Fée
Fée, Mém. Foug. vi. t. 4 (1854–57); et in Mém. Soc. Mus. Hist. Nat. Strasbourg, iv. II & III. t. 4 (1853).
Willdenovii T. Moore
Warburg, Pflanzenwelt, i. 270 (1913).

DRYOBALANOPS Gaertn.
aromatica Gaertn.
Gaertner f., Fruct. iii. t. 186 (1805).—*Fr.*
*Carson, Ill. Med. Bot. i. t. 14 (1847).
*Good, Family Flora, i. t. 8 (1854).
Baillon, Hist. Pl. iv. 202, 203 (1873).
Journ. of Bot. xii. t. 142, fig. 1–5 (1874).—*Fl.*
Baillon, Dict. Bot. i. 80 (1876); i. 565 (1878); ii. 479 (1884).

DRYOBALANOPS
aromatica
Baillon, Traité Bot. Méd. Phan. ii. 813, 814 (1884).
Dujard.-Beaumetz & Égasse, Pl. Méd. 132 (1889).
Proc. Linn. Soc. N. S. Wales, Ser. II. iv. I. t. 2 (1889).
Karsten, Fl. Deutschl. ii. 173 (1895).
Pflanzenfam. iii. VI. 259 (1895).
Pharm. Journ. Ser. IV. xx. 282 (1905).—*Fr.*
Burkill in Journ. Asiat. Soc. Straits Branch, No. 81, p. 56–58 (1920).
Beccarii Dyer
Journ. of Bot. xii. t. 142, fig. 6, 7 (1874).—*Fr.*
Camphora Colebr.
*Colebrooke in Asiatick Researches, xii [t. 8] (1816).
*Fl. Med. [Spratt], ii. 215 (1830).
*Woodville, Med. Bot. Ed. 3, v. t. 34 (1832).
*Hayne, Getreue Darst. Arzn. Gewächse, xii. t. 17 (1833).
*Stephenson & Churchill, Med. Bot. New Ed. iii. t. 170 (1836).
*Burnett, Pl. Util. i. t. 23, a (1842).
Lindley, Veg. Kingd. 393 (1846).—*Fr.*
Paxt. Mag. xvi. 244 (1849).
*E. Hamilton, Fl. Homoeopath. i. t. 14 (1852).
Hooker's Journ. Bot. & Kew Misc. iv. t. 7, 8 (1852).
Nederl. Kruidk. Arch. iii. 87 (1855).
De Vriese, Mém. Camphr. Sumatra & Borneo, t. 1, 2 (1856).
Ann. Sc. Nat. Paris, Ser. IV. v. t. 4 (1856).
Berg, Charakt. t. 79, fig. 571 (1861).
*Artus, Atlas Pharm. Deutschl. Aufg. Offic. Gew. t. 35 [1862–74].
Brehm, Merv. Nat. Monde des Pl. i. 242 (1894–96).
Van Gorkom, Oost-Ind. Cult. Ed. 2, iii. 445 (1919).
lanceolata Burck
Ann. Jard. Bot. Buitenzorg, vi. t. 29 (1887).—*Fr.*
oblongifolia Dyer
Journ. of Bot. xii. t. 142, fig. 8–12 (1874).—*Fl.*
Pflanzenfam. iii. VI. 259 (1895).—*Fl.*

DRYOMENIS Fée: *Aspidium*
menisciicarpon T. Moore
T. Moore, Index Fil. Gen. & Spec. t. 35 [1857–62].
phymatodes Fée
Fée, Mém. Foug. v. t. 18 (1850–52).
plantaginea J. Sm.
J. Smith, Ferns, Brit. & Foreign, 134 (1866); Ed. 2, p. 134 (1879).

DRYOPEIA Thou.: *Disperis*
discolor Thou.
Petit-Thouars, Hist. Pl. Orch. Iles Afr. t. 2 (1822).
oppositifolia Thou.
Petit-Thouars, Hist. Pl. Orch. Iles Afr. t. 1 (1822).
tripetaloides Thou.
Petit-Thouars, Hist. Pl. Orch. Iles Afr. t. 3 (1822).

DRYOPETALON A. Gray
runcinatum A. Gray
A. Gray in Smithson. Contrib. Knowl. v. t. 11 (1853).
A. Gray, Pl. Wright. t. 11 (1853).
M. Armstrong, Field Book West. Wild Fl. 183 (1915).

DRYOPTERIS Adans.—Vide *Amauropelta, Deparia, Dichasium, Diclisodon, Goniopteris, Gymnocarpium, Haplodictyum, Hemestheum, Hypodermatium* Kunze, *Lastrea, Leptogramma, Lophodium, Meniscium, Monogonia, Nephrodium, Phegopteris, Pycnopteris, Stegnogramma*
abundans Rosenst.
Christensen in Dansk. Vid. Selsk. Skrift. Ser. VIII. vi. 84 (1920).—*Fr.*
acanthocarpa Copel.
Philippine Journ. Sc., Bot. vi. t. 17 (1911).
acrostichoides O. Kuntze
Britton & Brown, Ill. Fl. N. States & Canada, i. 14 (1896).
acuta O. Kuntze
Christensen in Dansk. Vid. Selsk. Skrift. Ser. VIII. vi. 95 (1920).

DRYOPTERIS
adenopteris C. Chr.
Christensen in Dansk. Vid. Selsk. Skrift. Ser. VIII. vi. 85 (1920).
africana C. Chr.
Hayata, Ic. Pl. Formosan. iv. 186, 187 (1914).
Sim, Ferns S. Africa, Ed. 2, t. 23 (1915).
Afzelii C. Chr.
Arkiv Bot. Stockholm, xiv. No. 19, t. 1 (1916).
alsophilacea O. Kuntze
Christensen in Dansk. Vid. Selsk. Skrift. Ser. VII. x. 90 (1913).
ampla O. Kuntze
J. K. Small, Ferns Trop. Florida, 52 (1918).
Christensen in Dansk. Vid. Selsk. Skrift. Ser. VIII. vi. 51 (1920).
ancyriothrix Rosenst.
Christensen in Dansk. Vid. Selsk. Skrift. Ser. VII. x. 247 (1913).—*Fr.*
angustodissecta Hayata
Hayata, Ic. Pl. Formosan. iv. 146 (1914).
Anniesii Rosenst.
Christensen in Dansk. Vid. Selsk. Skrift. Ser. VII. x. 100 (1913).
anoptera C. Chr.
Christensen in Dansk. Vid. Selsk. Skrift. Ser. VII. x. 233 (1913).
apiciflora O. Kuntze
Hayata, Ic. Pl. Formosan. iv. 147 (1914).
arborea Brause
Christensen in Dansk. Vid. Selsk. Skrift. Ser. VIII. vi. 22 (1920).
asplenioides O. Kuntze
Christensen in Dansk. Vid. Selsk. Skrift. Ser. VII. x. 210 (1913).
asterothrix C. Chr.
Christensen in Dansk. Vid. Selsk. Skrift. Ser. VII. x. 222 (1913).
athamantica O. Kuntze
Sim, Ferns S. Africa, Ed. 2, t. 19 (1915).
atrogrisea C. Chr.
Christensen in Dansk. Vid. Selsk. Skrift. Ser. VIII. vi. 71 (1920).
atropurpurea Hieron.
Hedwigia, xlvi. t. 6 (1907).
atrorubens C. Chr.
Christensen in Dansk. Vid. Selsk. Skrift. Ser. VII. iv. 311 (1908).
atrovirens C. Chr.
Christensen in Dansk. Vid. Selsk. Skrift. Ser. VII. iv. 315 (1908).
augescens C. Chr.
Journ. New York Bot. Gard. xviii. t. 196 (1917).—*Hab.*
J. K. Small, Ferns Trop. Florida, 55 (1918).—*Veg.*
aurita C. Chr.
Hayata, Ic. Pl. Formosan. iv. 148 (1914).
Bangii C. Chr.
Christensen in Dansk. Vid. Selsk. Skrift. Ser. VII. iv. 333 (1908).
bankinsinensis Hayata
Hayata, Ic. Pl. Formosan. viii. 147 (1919).
Beddomei O. Kuntze
Hayata, Ic. Pl. Formosan. iv. 151 (1914).
Bergiana O. Kuntze
Sim, Ferns S. Africa, Ed. 2, t. 10 (1915).
bermudiana Gilbert
Britton, Fl. Bermuda, 426 (1918).
Berroi C. Chr.
Christensen in Dansk. Vid. Selsk. Skrift. Ser. VII. x. 185 (1913).
biformata Rosenst.
Christensen in Dansk. Vid. Selsk. Skrift. Ser. VII. x. 241 (1913).—*Fr.*
blanda C. Chr.
Christensen in Dansk. Vid. Selsk. Skrift. Ser. VII. x. 134 (1913).
blepharolepis C. Chr.
Léveillé, Cat. Pl. Yun-Nan, 136 (1915–16).
blepharorrhachis C. Chr.
Arkiv Bot. Stockholm, xiv. No. 19, t. 1 (1916).
Blinii Léveillé
Léveillé, Cat. Ill. Pl. Seu Tchouen, t. 35 (1918).
Bonapartii Rosenst.
Christensen in Dansk. Vid. Selsk. Skrift. Ser. VII. x. 149 (1913).

DRYOPTERIS
Boottii Underw.
Britton & Brown, Ill. Fl. N. States & Canada, i. 18 (1896); Ed. 2, i. 22 (1913).
bouqueronensis Hieron.
Hedwigia, xlvi. t. 4 (1907).
brachypoda C. Chr.
Christensen in Dansk. Vid. Selsk. Skrift. Ser. VII. x. 129 (1913).
Bradei Christ
Christensen in Dansk. Vid. Selsk. Skrift. Ser. VII. x. 143 (1913).
Braunii Underw.
Britton & Brown, Ill. Fl. N. States & Canada, i. 15 (1896).
Brausei Hieron.
Hedwigia, xlvi. t. 6 (1907).
Buchananii O. Kuntze
Sim, Ferns S. Africa, Ed. 2, t. 20 (1915).
×**Burnatii** Christ & Wilcz.
Ann. Conserv. et Jard. Bot. Genève, xv–xvi. t. 2, 3 (1913).
callopsis C. Chr.
Matsumura, Ic. Pl. Koisikav. i. t. 82 (1913).
Cañadasii C. Chr.
Christensen in Dansk. Vid. Selsk. Skrift. Ser. VII. iv. 321 (1908).
caripensis O. Kuntze
Christ, Geogr. Farne, 30 (1910).—*Hab.*
caucaënsis C. Chr.
Christensen in Dansk. Vid. Selsk. Skrift. Ser. VII. iv. 285 (1908).
chaerophylloides C. Chr.
Christensen in Dansk. Vid. Selsk. Skrift. Ser. VIII. vi. 106 (1920).—*Fr.*
cheilanthoides C. Chr.
Christensen in Dansk. Vid. Selsk. Skrift. Ser. VII. iv. 325 (1908).
Christensenii Christ
Christensen in Dansk. Vid. Selsk. Skrift. Ser. VII. iv. 321 (1908).
Clintoniana Dowell
Tidestrom, Elys. Mar. Ferns & Fern Allies, Ed. 2, t. 6 (1907).
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, i. 20 (1913).
coarctata C. Chr.
Christensen in Dansk. Vid. Selsk. Skrift. Ser. VII. iv. 291 (1908).
columbiana C. Chr.
Christensen in Dansk. Vid. Selsk. Skrift. Ser. VII. iv. 280 (1908).
compacta Copel.
Philippine Journ. Sc., Bot. vi. t. 18 (1911).
concinna O. Kuntze
Christensen in Dansk. Vid. Selsk. Skrift. Ser. VII. iv. 272 (1908).
conferta Brause
Engl. Jahrb. xlix. 9 (1912).
conformis C. Chr.
Christensen in Dansk. Vid. Selsk. Skrift. Ser. VII. x. 149 (1913).
consanguinea C. Chr.
Christensen in Dansk. Vid. Selsk. Skrift. Ser. VII. iv. 297 (1908).
consimilis C. Chr.
Christensen in Dansk. Vid. Selsk. Skrift. Ser. VII. iv. 315 (1908).
corazonensis C. Chr.
Christensen in Dansk. Vid. Selsk. Skrift. Ser. VII. iv. 313 (1908).
crenata O. Kuntze
Christ, Geogr. Farne, 169 (1910).
Hayata, Ic. Pl. Formosan. iv. 148, 149 (1914).
Sim, Ferns S. Africa, Ed. 2, t. 22 (1915).
cristata A. Gray
Britton & Brown, Ill. Fl. N. States & Canada, i. 16 (1896); Ed. 2, i. 19 (1913).
Tidestrom, Elys. Mar. Ferns & Fern Allies, Ed. 2, t. 5 (1907).
Raciborski in Kosmos, xxxvi. 1102 (1911).—*Veg.*
Fedtschenko, Veg. Turkest. 9 (1915).
—— **lancastriensis** Tidestr.
Tidestrom, Elys. Mar. Ferns & Fern Allies, Ed. 2, t. 6 (1907).

DRYOPTERIS
cristata mariana Tidestr.
Tidestrom, Elys. Mar. Ferns & Fern Allies, Ed. 2, t. 6 (1907).
cuneata C. Chr.
Christensen in Dansk. Vid. Selsk. Skrift. Ser. VII. x. 253 (1913).
curta Christ
Christensen in Dansk. Vid. Selsk. Skrift. Ser. VII. x. 242 (1913).
cyrtolepis Hayata
Hayata, Ic. Pl. Formosan. iv. 149 (1914).
Danesiana Dom.
Domin in Bibl. Bot. xx. t. 4 (1914).
demerarana C. Chr.
Christensen in Dansk. Vid. Selsk. Skrift. Ser. VII. x. 143 (1913).
densiloba C. Chr.
Christensen in Dansk. Vid. Selsk. Skrift. Ser. VII. x. 168 (1913).
denticulata O. Kuntze
Christensen in Dansk. Vid. Selsk. Skrift. Ser. VIII. vi. 114 (1920).—*Veg.*
—— **aperta** C. Chr.
Christensen in Dansk. Vid. Selsk. Skrift. Ser. VIII. vi. 117 (1920).—*Fr.*
—— **barbensis** C. Chr.
Christensen in Dansk. Vid. Selsk. Skrift. Ser. VIII. vi. 114 (1920).—*Veg.*
—— **dissecta** C. Chr.
Christensen in Dansk. Vid. Selsk. Skrift. Ser. VIII. vi. 114 (1920).—*Fr.*
dilatata A. Gray
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, i. 21 (1913).
Amer. Fern Journ. iv. t. 10, 11 (1914).
dominicensis C. Chr.
Christensen in Dansk. Vid. Selsk. Skrift. Ser. VII. x. 143 (1913).
Dryopteris Britton
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, i. 23 (1913).
Eatonii O. Kuntze
Hayata, Ic. Pl. Formosan. iv. 150 (1914).
Eggersii C. Chr.
Christensen in Dansk. Vid. Selsk. Skrift. Ser. VII. x. 241 (1913).—*Fr.*
elongata Sim
Sim, Ferns S. Africa, Ed. 2, t. 17 (1915).
Engelii Hieron.
Hedwigia, xlvi. t. 6 (1907).
ensiformis C. Chr.
Christensen in Dansk. Vid. Selsk. Skrift. Ser. VII. x. 269 (1913).
equitans C. Chr.
Christensen in Dansk. Vid. Selsk. Skrift. Ser. VII. x. 241 (1913).—*Fr.*
erubescens C. Chr.
Hayata, Ic. Pl. Formosan. v. 275 (1915).
Espinosai Hicken
Hicken in Bol. Mus. Nac. Chile, Santiago, v. 137 (1913).
euchlora C. Chr.
Christensen in Dansk. Vid. Selsk. Skrift. Ser. VII. x. 149 (1913).
—— **inaequans** C. Chr.
Christensen in Dansk. Vid. Selsk. Skrift. Ser. VII. x. 149 (1913).
Fauriei Kodama
Matsumura, Ic. Pl. Koisikav. ii. t. 90 (1914).
Fendleri O. Kuntze
Christensen in Dansk. Vid. Selsk. Skrift. Ser. VII. x. 173 (1913).
fenestralis C. Chr.
Christensen in Dansk. Vid. Selsk. Skrift. Ser. VII. x. 101 (1913).
filix-mas Schott
Newman, Hist. Brit. Ferns, Ed. 3, p. 183, 186, 193 (1854).
*Baillon, Ic. Fl. Franç. v. t. 435 [1885–94].
Britton & Brown, Ill. Fl. N. States & Canada, i. 17 (1896); Ed. 2, i. 21 (1913).
Underwood, Nat. Ferns, Ed. rev. 6, p. 16 (1900).
Hayek, Fl. Steierm. i. 4, 11 (1908).
Wettstein, Handb. Syst. Bot. Ed. 2, p. 328, 336 (1911.)—*Fl.*

DRYOPTERIS
filix-mas
Amer. Fern Journ. iv. t. 9, 11 (1914).
Fedtschenko, Veg. Turkest. 9 (1915).
Gadeau & Kerville in Bull. Soc. Sc. Nat. Rouen, 1914–15, t. 11 (1917).
Komarow, Sbor, Suschka i Razvod. Lekarst. Rast. Ross. (Coll. Dry. & Cult. Med. Pl. Russia), Ed. 3, t. 59 (1917).
Youngken, Pharm. Bot. Ed. 2, p. 14 (1918).
—— **affinis** Newm.
Newman, Brit. Ferns, Ed. 3, p. 183 (1854).
—— **Borreri** Newm.
Newman, Brit. Ferns, Ed. 3, p. 183 (1854).
firma C. Chr.
Christensen in Dansk. Vid. Selsk. Skrift. Ser. VII. iv. 301 (1908).
fluvialis Hayata
Hayata, Ic. Pl. Formosan. iv. 153 (1914).
fragrans Schott
Britton & Brown, Ill. Fl. N. States & Canada, i. 16 (1896); Ed. 2, i. 19 (1913).
Amer. Fern Journ. v. t. 2 (1915).
Francoana C. Chr.
Christensen in Dansk. Vid. Selsk. Skrift. Ser. VII. x. 210 (1913).
fuliginosa C. Chr.
Christensen in Dansk. Vid. Selsk. Skrift. Ser. VIII. vi. 121 (1920).—*Fr.*
Funckii O. Kuntze
Christensen in Dansk. Vid. Selsk. Skrift. Ser. VII. iv. 297 (1908).
fusco-atra W. J. Robinson
Bull. Torr. Bot. Club, xxxix. t. 42 (1912).
Smithson. Misc. Coll. lxvi. No. 17, p. 70 (1916).—*Hab.*
gemmulifera Hieron.
Hedwigia, xlvi. t. 4 (1907).
gladiata C. Chr.
Arkiv Bot. Stockholm, xiv. No. 19, t. 1 (1916).
Glaziovii C. Chr.
Christensen in Dansk. Vid. Selsk. Skrift. Ser. VII. iv. 319 (1908).
glochidiata C. Chr.
Christensen in Dansk. Vid. Selsk. Skrift. Ser. VII. x. 247 (1913).—*Fr.*
Goeldii C. Chr.
Christensen in Dansk. Vid. Selsk. Skrift. Ser. VII. x. 256 (1913).
Goldieana A. Gray
Britton & Brown, Ill. Fl. N. States & Canada, i. 17 (1896); Ed. 2, i. 20 (1913).
—— **celsa** Palmer
Palmer in Proc. Biol. Soc. Washington, xiii. t. 1 (1899).
—— **Goldieana** Palmer
Palmer in Proc. Biol. Soc. Washington, xiii. t. 1 (1899).
gongyloides O. Kuntze
Rev. Hort. 1913, p. 126, 127.
Sim, Ferns S. Africa, Ed. 2, t. 13 (1915).
J. K. Small, Ferns Trop. Florida, 57 (1918).—*Veg.*
gracilescens O. Kuntze
Hayata, Ic. Pl. Formosan. iv. 151 (1914).
—— **glanduligera abbreviata** Kodama
Matsumura, Ic. Pl. Koisikav. ii. t. 106 (1914).
Grisebachii O. Kuntze
Christensen in Dansk. Vid. Selsk. Skrift. Ser. VIII. vi. 45 (1920).
guadeloupensis C. Chr.
Christensen in Dansk. Vid. Selsk. Skrift. Ser. VII. x. 210 (1913).—*Veg.*
gymnopteridifrons Hayata
Hayata, Ic. Pl. Formosan. viii. 148 (1919).—*Veg.*
Heineri C. Chr.
Christensen in Dansk. Vid. Selsk. Skrift. Ser. VII. x. 149 (1913).
heteroclita C. Chr.
Christensen in Dansk. Vid. Selsk. Skrift. Ser. VII. iv. 315 (1908).
heterotricha C. Chr.
Christensen in Dansk. Vid. Selsk. Skrift. Ser. VII. x. 243 (1913).
hexagonoptera C. Chr.
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, i. 23 (1913).

DRYOPTERIS
hirsutisquama Hayata
Hayata, Ic. Pl. Formosan. v. 277 (1915).
hirsuto-setosa Hieron.
Hedwigia, xlvi. t. 6 (1907).
hirtipes O. Kuntze
Hayata, Ic. Pl. Formosan. iv. 152 (1914).
honesta C. Chr.
Christensen in Dansk. Vid. Selsk. Skrift. Ser. VII. x. 109 (1913).
horrens Hieron.
Hedwigia, xlvi. t. 6 (1907).
hypophlebia Hayata
Hayata, Ic. Pl. Formosan. iv. 154 (1914).
inaequalis O. Kuntze
Sim, Ferns S. Africa, Ed. 2, t. 18 (1915).
insularis Kodama
Matsumura, Ic. Pl. Koisikav. ii. t. 109 (1914).
intermedia A. Gray
Journ. New York Bot. Gard. x. 77 (1909).
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, i. 22 (1913).
izuensis Kodama
Matsumura, Ic. Pl. Koisikav. ii. t. 88 (1914).
Jamesonii C. Chr.
Christensen in Dansk. Vid. Selsk. Skrift. Ser. VII. x. 226 (1913).
japonica C. Chr.
Matsumura, Ic. Pl. Koisikav. ii. t. 125 (1914).
Jürgensii C. Chr.
Christensen in Dansk. Vid. Selsk. Skrift. Ser. VII. iv. 301 (1908).
juruensis C. Chr.
Christensen in Dansk. Vid. Selsk. Skrift. Ser. VII. x. 256 (1913).
Karstenii C. Chr.
Christensen in Dansk. Vid. Selsk. Skrift. Ser. VII. x. 99 (1913).
Kawakamii Hayata
Hayata, Ic. Pl. Formosan. iv. 155 (1914).
Kodamai Hayata
Hayata, Ic. Pl. Formosan. iv. 157 (1914).
kotoënsis Hayata
Hayata, Ic. Pl. Formosan. v. 279 (1915).
kusukusensis Hayata
Hayata, Ic. Pl. Formosan. iv. 158 (1914).
kwashotensis Hayata
Hayata, Ic. Pl. Formosan. v. 278 (1915).
laevifrons Hayata
Hayata, Ic. Pl. Formosan. iv. 159 (1914).
laevigata C. Chr.
Christensen in Dansk. Vid. Selsk. Skrift. Ser. VII. iv. 283 (1908).
lanceolata O. Kuntze
Christensen in Dansk. Vid. Selsk. Skrift. Ser. VII. x. 106 (1913).
—— **tricholepis** C. Chr.
Christensen in Dansk. Vid. Selsk. Skrift. Ser. VII. x. 106 (1913).
lanuginosa C. Chr.
Sim, Ferns S. Africa, Ed. 2, t. 21 (1915).
lepidopoda Hayata
Hayata, Ic. Pl. Formosan. iv. 161 (1914).
lepidula Hieron.
Hedwigia, xlvi. t. 4 (1907).
Leprieurii O. Kuntze
Christensen in Dansk. Vid. Selsk. Skrift. Ser. VII. x. 168 (1913).
leptorrhachis Hayata
Hayata, Ic. Pl. Formosan. iv. 162 (1914).
leptosora C. Chr.
Christensen in Dansk. Vid. Selsk. Skrift. Ser. VII. x. 109 (1913).
leucochaete Slosson
Bull. Torr. Bot. Club, xl. t. 3, fig. 2 (1913).
leucophlebia C. Chr.
Christensen in Dansk. Vid. Selsk. Skrift. Ser. VII. x. 251 (1913).
leucostegioides C. Chr.
Christensen in Dansk. Vid. Selsk. Skrift. Ser. VIII. vi. 119 (1920).
leucostipes C. Chr.
Hayata, Ic. Pl. Formosan. iv. 163, 164 (1914).
leucothrix C. Chr.
Christensen in Dansk. Vid. Selsk. Skrift. Ser. VII. x. 129 (1913).

DRYOPTERIS
Levyi O. Kuntze
Christensen in Dansk. Vid. Selsk. Skrift. Ser. VII. x. 210 (1913).
libanotica C. Chr.
Beih. Bot. Centralbl. xxxi. II. t. 1, fig. 15 (1914).
Lindenii O. Kuntze
Christensen in Dansk. Vid. Selsk. Skrift. Ser. VII. x. 104 (1913).
Lindmanii C. Chr.
Christensen in Dansk. Vid. Selsk. Skrift. Ser. VII. iv. 280 (1908).
Linnaeana C. Chr.
Hayek, Pflanzend. Oesterr.-Ung. i. 92 (1914).—*Hub.*
Fedtschenko, Veg. Turkest. 8 (1915).—*Veg.*
Lonchitis O. Kuntze
Britton & Brown, Ill. Fl. N. States & Canada, i. 14 (1896).
lonchodes O. Kuntze
Christensen in Dansk. Vid. Selsk. Skrift. Ser. VII. x. 166 (1913).
Lorentzii C. Chr.
Christensen in Dansk. Vid. Selsk. Skrift. Ser. VII. iv. 273 (1908).
lugubriformis Rosenst.
Christensen in Dansk. Vid. Selsk. Skrift. Ser. VII. x. 241 (1913).—*Fr.*
lugubris C. Chr.
Christensen in Dansk. Vid. Selsk. Skrift. Ser. VII. x. 245 (1913).
—— **devolvens** C. Chr.
Christensen in Dansk. Vid. Selsk. Skrift. Ser. VII. x. 245 (1913).
lurida Underw. & Maxon
Bull. Torr. Bot. Club, xl. t. 3, fig. 1 (1913).
—— **sericea** C. Chr.
Christensen in Dansk. Vid. Selsk. Skrift. Ser. VIII. vi. 107 (1920).
macrotheca C. Chr.
Christensen in Dansk. Vid. Selsk. Skrift. Ser. VIII. vi. 64 (1920).
magdalenica Hieron.
Hedwigia, xlvi. t. 3 (1907).
Mairei Brause
Hedwigia, liv. t. 4 (1913).
mapiriensis Rosenst.
Christensen in Dansk. Vid. Selsk. Skrift. Ser. VII. x. 159 (1913).
marginalis A. Gray
Britton & Brown, Ill. Fl. N. States & Canada, i. 17 (1896); Ed. 2, i. 20 (1913).
L. H. Bailey, Cycl. Amer. Hort. 508 (1900); Stand. Cycl. Hort. 1079 (1914).
Rhodora, vi. 76 (1904).
U.S. Dep. Agric. Bur. Pl. Indust. Bull. No. 107, t. 1 (1907).
Schaffner in Proc. Ohio State Acad. Sc. v. Pt. 5, p. 269 (1910).
Youngken, Pharm. Bot. Ed. 2, frontisp. (1918).
Martinii C. Chr.
Christensen in Dansk. Vid. Selsk. Skrift. Ser. VII. x. 195 (1913).
mauritiana C. Chr.
Sim, Ferns S. Africa, Ed. 2, t. 12 (1915).
Mayoris Rosenst.
Fuhrmann & Mayor, Voy. Expl. Sc. Colomb. (Mém. Soc. Nat. Neûchatel, v), t. 2 (1914).
megalodus Urb.
Christensen in Dansk. Vid. Selsk. Skrift. Ser. VII. x. 251 (1913).
melanocarpa Hayata
Hayata, Ic. Pl. Formosan. iv. 164 (1914).
melanochlaena C. Chr.
Christensen in Dansk. Vid. Selsk. Skrift. Ser. VII. x. 143 (1913).
membranoides Hayata
Hayata, Ic. Pl. Formosan. iv. 165 (1914).
Mercurii Hieron.
Hedwigia, xlvi. t. 5 (1907).
Christensen in Dansk. Vid. Selsk. Skrift. Ser. VII. iv. 321 (1908).
meridionalis C. Chr.
Christensen in Dansk. Vid. Selsk. Skrift. Ser. VIII. vi. 46 (1920).

DRYOPTERIS
mertensioides C. Chr.
Christensen in Dansk. Vid. Selsk. Skrift. Ser. VII. iv. 325 (1908).
mexicana C. Chr.
Christensen in Dansk. Vid. Selsk. Skrift. Ser. VII. x. 69 (1913).
mingetsuensis Hayata
Hayata, Ic. Pl. Formosan. v. 282 (1915).
mirabilis Copel.
Philippine Journ. Sc., Bot. vi. t. 19 (1911).
mollis Hieron.
Wettstein, Handb. Syst. Bot. Ed. 2, p. 329 (1911).—*Fl.*
Sim, Ferns S. Africa, Ed. 2, t. 11 (1915).
monosora C. Chr.
Christensen in Dansk. Vid. Selsk. Skrift. Ser. VII. x. 239 (1913).
Moritziana Urb.
Christensen in Dansk. Vid. Selsk. Skrift. Ser. VII. iv. 313 (1908).
morrisonensis Hayata
Hayata, Ic. Pl. Formosan. v. 281 (1915).
Mosenii C. Chr.
Christensen in Dansk. Vid. Selsk. Skrift. Ser. VII. iv. 301 (1908).
multiformis C. Chr.
Christensen in Dansk. Vid. Selsk. Skrift. Ser. VII. x. 155 (1913).
muzensis Hieron.
Hedwigia, xlvi. t. 4 (1907).
nemophila C. Chr.
Christensen in Dansk. Vid. Selsk. Skrift. Ser. VIII. vi. 58 (1920).—*Veg.*
—— **catocarpa** C. Chr.
Christensen in Dansk. Vid. Selsk. Skrift. Ser. VIII. vi. 58 (1920).—*Veg.*
—— **fuscata** C. Chr.
Christensen in Dansk. Vid. Selsk. Skrift. Ser. VIII. vi. 58 (1920).—*Veg.*
nemorosa Urb.
Christensen in Dansk. Vid. Selsk. Skrift. Ser. VIII. vi. 41 (1920).
nicaraguensis C. Chr.
Christensen in Dansk. Vid. Selsk. Skrift. Ser. VII. x. 251 (1913).
nigrescentia C. Chr.
Christensen in Dansk. Vid. Selsk. Skrift. Ser. VII. x. 259 (1913).
nigrisquama Hayata
Hayata, Ic. Pl. Formosan. iv. 166 (1914).
nigrovenia C. Chr.
Christensen in Dansk. Vid. Selsk. Skrift. Ser. VII. x. 104 (1913).
nipponica C. Chr.
Matsumura, Ic. Pl. Koisikav. iii. t. 173 (1916).
nitens C. Chr.
Christensen in Dansk. Vid. Selsk. Skrift. Ser. VII. x. 143 (1913).
Nockiana C. Chr.
Christensen in Dansk. Vid. Selsk. Skrift. Ser. VII. iv. 278 (1908).
normalis C. Chr.
J. K. Small, Ferns Trop. Florida, 53 (1918).
Britton, Fl. Bermuda, 425 (1918).
noveboracensis A. Gray
Britton & Brown, Ill. Fl. N. States & Canada, i. 15 (1896); Ed. 2, i. 18 (1913).
Amer. Fern Journ. v. t. 4 (1915).
nuda Underw.
Bull. Torr. Bot. Club, xxxix. t. 43 (1912).
ochropteroides C. Christ.
Christensen in Dansk. Vid. Selsk. Skrift. Ser. VIII. vi. 108 (1920).—*Fr.*
ochthodes C. Chr.
Hayata, Ic. Pl. Formosan. iv. 167 (1914).
oligocarpa O. Kuntze
Christensen in Dansk. Vid. Selsk. Skrift. Ser. VII. iv. 275 (1908).
oligophylla Maxon
Christensen in Dansk. Vid. Selsk. Skrift. Ser. VII. x. 188 (1913).—*Veg.*
opposita Urb.
Christensen in Dansk. Vid. Selsk. Skrift. Ser. VII. iv. 291 (1908).

DRYOPTERIS
opposita rivulorum C. Chr.
Christensen in Dansk. Vid. Selsk. Skrift. Ser. VII. iv. 291 (1908).
oreopteris Maxon
Amer. Fern Journ. iv. t. 11 (1914).
Hayek, Pflanzend. Oesterr.-Ung. i. 92 (1914).—*Hab.*
orientalis C. Chr.
Sim, Ferns S. Africa, Ed. 2, t. 9 (1915).
pachyphylla Hayata
Hayata, Ic. Pl. Formosan. iv. 168 (1914).
pachysora Hieron.
Hedwigia, xlvi. t. 7 (1907).
Palmii C. Chr.
Arkiv Bot. Stockholm, xiv. No. 19, t. 2 (1916).
palustris O. Kuntze
Christensen in Dansk. Vid. Selsk. Skrift. Ser. VII. iv. 308 (1908).
panamensis C. Chr.
Christensen in Dansk. Vid. Selsk. Skrift. Ser. VII. iv. 293 (1908).
parasitica O. Kuntze
L. H. Bailey, Stand. Cycl. Hort. 1079 (1914).
parvisora C. Chr.
Arkiv Bot. Stockholm, xiv. No. 19, t. 1 (1916).
parvula W. J. Robinson
Bull. Torr. Bot. Club, xxxix. t. 44 (1912).
patens O. Kuntze
Publ. Field Columbian Mus., Bot. Ser. iii. 1. 2 (1903).
J. K. Small, Ferns Trop. Florida, 54 (1918).
paucijuga A. v. Rosenb.
Christensen in Dansk. Vid. Selsk. Skrift. Ser. VII. x. 233 (1913).
A. v. Rosenburgh in Bull. Jard. Bot. Buitenzorg, Ser. II. No. 20, t. 2 (1915).
pedata O. Kuntze
Fern Bull. xvi. 33 (1908).
pedicellata C. Chr.
Christensen in Dansk. Vid. Selsk. Skrift. Ser. VII. x. 89 (1913).
peripae C. Chr.
Christensen in Dansk. Vid. Selsk. Skrift. Ser. VII. x. 210 (1913).
phaeolepis Hayata
Hayata, Ic. Pl. Formosan. iv. 169 (1914).
Phegopteris C. Chr.
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, i. 23 (1913).
pilosa procurrens Baker
Christensen in Dansk. Vid. Selsk. Skrift. Ser. VII. x. 197 (1913).
×**pittsfordensis** Slosson
Rhodora, vi. 76 (1904).
platyloba C. Chr.
Christensen in Dansk. Vid. Selsk. Skrift. Ser. VII. x. 109 (1913).
platyrrhachis C. Chr.
Christensen in Dansk. Vid. Selsk. Skrift. Ser. VII. iv. 306 (1908).
polylepis C. Chr.
Matsumura, Ic. Pl. Koisikav. ii. t. 126 (1914).
polyphlebia C. Chr.
Christensen in Dansk. Vid. Selsk. Skrift. Ser. VII. x. 159 (1913).
praetervisa O. Kuntze
Christensen in Dansk. Vid. Selsk. Skrift. Ser. VII. x. 168 (1913).
prolifera C. Chr.
Hayata, Ic. Pl. Formosan. iv. 170 (1914).
Sim, Ferns S. Africa, Ed. 2, t. 14 (1915).
protensa C. Chr.
Christ, Geogr. Farne, 217 (1910).
pseudo-erythrosora Kodama
Matsumura, Ic. Pl. Koisikav. i. t. 83 (1913).
pseudo-montana C. Chr.
Christensen in Dansk. Vid. Selsk. Skrift. Ser. VII. iv. 301 (1908).
pseudo-Sabaei Hayata
Hayata, Ic. Pl. Formosan. v. 284 (1915).
pseudo-sancta C. Chr.
Christensen in Dansk. Vid. Selsk. Skrift. Ser. VII. x. 129 (1913).
pseudo-Sieboldii Hayata
Hayata, Ic. Pl. Formosan. iv. 171 (1914).

DRYOPTERIS
ptarmica O. Kuntze
Christensen in Dansk. Vid. Selsk. Skrift. Ser. VII. iv. 285 (1908).
pterifolia O. Kuntze
Christensen in Dansk. Vid. Selsk. Skrift. Ser. VII. iv. 325 (1908).
pubescens O. Kuntze
Christensen in Dansk. Vid. Selsk. Skrift. Ser. VIII. vi. 104 (1920).—*Fr.*
—— **muscosa** C. Chr.
Christensen in Dansk. Vid. Selsk. Skrift. Ser. VIII. vi. 104 (1920).—*Fr.*
pusilla O. Kuntze
Christensen in Dansk. Vid. Selsk. Skrift. Ser. VII. x. 129 (1913).
quadripinnata Hayata
Hayata, Ic. Pl. Formosan. iv. 173 (1914).
queenslandica Dom.
Domin in Bibl. Bot. xx. 43 (1914).
reflexipinna Hayata
Hayata, Ic. Pl. Formosan. iv. 174 (1914).
reflexisquamata Hayata
Hayata, Ic. Pl. Formosan. iv. 176 (1914).
refulgens C. Chr.
Christensen in Dansk. Vid. Selsk. Skrift. Ser. VII. x. 90 (1913).
—— **peruviana** C. Chr.
Christensen in Dansk. Vid. Selsk. Skrift. Ser. VII. x. 90 (1913).—*Veg.*
Regnelliana C. Chr.
Christensen in Dansk. Vid. Selsk. Skrift. Ser. VII. iv. 285 (1908).
remota Hayata
Hayata, Ic. Pl. Formosan. iv. 177 (1914).
reptans C. Chr.
J. K. Small, Ferns Trop. Florida, 58 (1918).
rigidissima C. Chr.
Christensen in Dansk. Vid. Selsk. Skrift. Ser. VIII. vi. 118 (1920).—*Fr.*
riopardensis Rosenst.
Christensen in Dansk. Vid. Selsk. Skrift. Ser. VII. iv. 291 (1908).
rioverdensis C. Chr.
Christensen in Dansk. Vid. Selsk. Skrift. Ser. VII. iv. 285 (1908).
rivularioides C. Chr.
Christensen in Dansk. Vid. Selsk. Skrift. Ser. VII. iv. 303 (1908).
—— **pseudothelypteris** C. Chr.
Christensen in Dansk. Vid. Selsk. Skrift. Ser. VII. iv. 303 (1908).
Robertiana C. Chr.
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, i. 24 (1913).
Rolandii C. Chr.
Christensen in Dansk. Vid. Selsk. Skrift. Ser. VII. x. 259 (1913).
roraimensis C. Chr.
Christensen in Dansk. Vid. Selsk. Skrift. Ser. VII. x. 143 (1913).
Rosenstockii C. Chr.
Christensen in Dansk. Vid. Selsk. Skrift. Ser. VII. iv. 304 (1908).
Rossii C. Chr.
Ross in Mem. y Rev. Soc. 'Antonio Alzati', xxxii. t. 12 (1912).
rudis C. Chr.
Christensen in Dansk. Vid. Selsk. Skrift. Ser. VII. iv. 325 (1908).
Sabaei C. Chr.
Matsumura, Ic. Pl. Koisikav. i. t. 69 (1913).
sacholepis Hayata
Hayata, Ic. Pl. Formosan. v. 286 (1915).
Salvinii O. Kuntze
Christensen in Dansk. Vid. Selsk. Skrift. Ser. VII. x. 106 (1913).
sancta Balbisii C. Chr.
Christensen in Dansk. Vid. Selsk. Skrift. Ser. VII. iv. 296 (1908).
sanctiformis C. Chr.
Christensen in Dansk. Vid. Selsk. Skrift. Ser. VII. x. 129 (1913).
Sancti-Gabrieli O. Kuntze
Christensen in Dansk. Vid. Selsk. Skrift. Ser. VII. x. 80 (1913).

DRYOPTERIS
Sanctae-Catharinae Rosenst.
Christensen in Dansk. Vid. Selsk. Skrift. Ser. VII. iv. 301 (1908).
scabra C. Chr.
Christensen in Dansk. Vid. Selsk. Skrift. Ser. VII. x. 237 (1913).
scalaris C. Chr.
Christensen in Dansk. Vid. Selsk. Skrift. Ser. VII. iv. 323 (1908).
scalpturoides C. Chr.
Christensen in Dansk. Vid. Selsk. Skrift. Ser. VII. iv. 297 (1908).
Schaffneri C. Chr.
Christensen in Dansk. Vid. Selsk. Skrift. Ser. VII. x. 251 (1913).—*Fr.*
Schlechteri Brause
Engl. Jahrb. xlix. 9 (1912).
Schwackeana C. Chr.
Christensen in Dansk. Vid. Selsk. Skrift. Ser. VII. x. 244 (1913).
Sellowii Hieron.
Hedwigia, xlvi. t. 3 (1907).
semihastata O. Kuntze
Christensen in Dansk. Vid. Selsk. Skrift. Ser. VII. x. 226 (1913).
semilunata C. Chr.
Christensen in Dansk. Vid. Selsk. Skrift. Ser. VII. x. 149 (1913).—*Veg.*
serrato-dentata Hayata
Hayata, Ic. Pl. Formosan. iv. 178 (1914).
Shaferi Maxon & C. Chr.
Christensen in Dansk. Vid. Selsk. Skrift. Ser. VIII. vi. 19 (1920).
siambonensis C. Chr.
Christensen in Dansk. Vid. Selsk. Skrift. Ser. VII. iv. 319 (1908).
silvatica C. Chr.
Sim, Ferns S. Africa, Ed. 2, t. 15 (1915).
silviensis Hieron.
Hedwigia, xlvi. t. 5 (1907).
simulata Davenp.
Britton & Brown, Ill. Fl. N. States & Canada, i. 16 (1896); Ed. 2, i. 19 (1913).
L. H. Bailey, Stand. Cycl. Hort. 1216 (1915).—*Hab.*
Somai Hayata
Hayata, Ic. Pl. Formosan. v. 287 (1915).
sophoroides O. Kuntze
Hayata, Ic. Pl. Formosan. iv. 180 (1914).
spectabilis Macloskie
W. B. Scott, Rep. Princeton Univ. Exped. Patag. 1896–99, viii. Suppl. Bot. t. 4 (1914).
Christensen in Dansk. Vid. Selsk. Skrift. Ser. VIII. vi. 69 (1920).
speluncae Underw.
Britton, Fl. Bermuda, 426 (1918).
spinulosa O. Kuntze
Britton & Brown, Ill. Fl. N. States & Canada, i. 18 (1896); Ed. 2, i. 21 (1913).
Tidestrom, Elys. Mar. Ferns & Fern Allies, Ed. 2, t. 7 (1907).
Hayek, Pflanzend. Oesterr.-Ung. i. t. 55 (1916).—*Hab.*
Bot. Tidsskr. xxxv. 481 (1919).—*Hab.*
—— **intermedia** Underw.
Rhodora, vi. 76 (1904).
Tidestrom, Elys. Mar. Ferns & Fern Allies, Ed. 2, t. 7 (1907).
Sprengelii O. Kuntze
Christensen in Dansk. Vid. Selsk. Skrift. Ser. VII. iv. 319 (1908).
squamistipes C. Chr.
Hayata, Ic. Pl. Formosan. iv. 179 (1914).
squamosissima C. Chr.
Christensen in Dansk. Vid. Selsk. Skrift. Ser. VIII. vi. 75 (1920).
Stierii C. Chr.
Christensen in Dansk. Vid. Selsk. Skrift. Ser. VII. iv. 272 (1908).
straminea C. Chr.
Christensen in Dansk. Vid. Selsk. Skrift. Ser. VII. x. 256 (1913).
strigifera Hieron.
Hedwigia, xlvi. t. 5 (1907).

DRYOPTERIS
strigilosa Davenp.
Christensen in Dansk. Vid. Selsk. Skrift. Ser. VII. x. 106 (1913).
Stuebelii Hieron.
Hedwigia, xlvi. t. 6 (1907).
subconjuncta Christ
Lecomte, Not. Syst. i. 185 (1910).
subdecipiens Hayata
Hayata, Ic. Pl. Formosan. iv. 181 (1914).
subexaltata C. Chr.
Hayata, Ic. Pl. Formosan. iv. 182 (1914).
subfuvialis Hayata
Hayata, Ic. Pl. Formosan. v. 288 (1915).
subincisa Urb.
Christensen in Dansk. Vid. Selsk. Skrift. Ser. VIII. vi. 66 (1920).
sublaxa Hayata
Hayata, Ic. Pl. Formosan. iv. 183 (1914).
subobliquata O. Kuntze
Christensen in Dansk. Vid. Selsk. Skrift. Ser. VII. x. 80 (1913).
subtripinnata O. Kuntze
Matsumura, Ic. Pl. Koisikav. iv. t. 231 (1919).
succulentipes Hayata
Hayata, Ic. Pl. Formosan. viii. 150 (1919).
supina C. Chr.
Christensen in Dansk. Vid. Selsk. Skrift. Ser. VII. iv. 307 (1908).
tablana C. Chr.
Christensen in Dansk. Vid. Selsk. Skrift. Ser. VII. x. 134 (1913).
tablaziensis C. Chr.
Christensen in Dansk. Vid. Selsk. Skrift. Ser. VII. iv. 278 (1908).
Takeoi Hayata
Hayata, Ic. Pl. Formosan. v. 290 (1915).
tenuifrons Hayata
Hayata, Ic. Pl. Formosan. iv. 184 (1914).
Thelypteris A. Gray
Britton & Brown, Ill. Fl. N. States & Canada, i. 15 (1896); Ed. 2, i. 18 (1913).
Amer. Midl. Nat. i. t. 16, 17 (1910).
Sim, Ferns S. Africa, Ed. 2, t. 16 (1915).
Fedtschenko, Veg. Turkest. 8 (1915).
Hayek, Pflanzend. Oesterr.-Ung. i. t. 55 (1916). —*Hab.*
J. K. Small, Ferns Trop. Florida, 56 (1918).—*Veg.*
Britton, Fl. Bermuda, 425 (1918).
thrichorrhachis Hayata
Hayata, Ic. Pl. Formosan. iv. 185 (1914).
thysanocarpa Hayata
Hayata, Ic. Pl. Formosan. iv. 160 (1914).
tokyoënse C. Chr.
Matsumura, Ic. Pl. Koisikav. i. t. 13 (1911).
tosensis Kodama
Matsumura, Ic. Pl. Koisikav. iv. t. 220 (1918).
totta Willd.
Bol. Soc. Aragonesa Cienc. Nat. xiii. t. 3 a (1914).
transmorrisonensis Hayata
Hayata, Ic. Pl. Formosan. v. 292 (1915).
tristis O. Kuntze
Christensen in Dansk. Vid. Selsk. Skrift. Ser. VII. x. 251 (1913).
tropica Dom.
Domin in Bibl. Bot. xx. 43 (1914).
ulvensis Hieron.
Hedwigia, xlvi. t. 7 (1907).
unita O. Kuntze
Rechinger in Denkschr. Akad. Wiss. Wien, lxxxix. 470 (1914).—*Hab.*
urens Rosenst.
Christensen in Dansk. Vid. Selsk. Skrift. Ser. VII. iv. 333 (1908).
urophylla C. Chr.
Domin in Bibl. Bot. xx. t. 4 (1914).
ursipes Hayata
Hayata, Ic. Pl. Formosan. v. 293 (1915).
usitata C. Chr.
Christensen in Dansk. Vid. Selsk. Skrift. Ser. VII. x. 233 (1913).
utanagensis Hieron.
Hedwigia, xlvi. t. 5 (1907).
valdepilosa C. Chr.
Christensen in Dansk. Vid. Selsk. Skrift. Ser. VII. x. 169 (1913).

DRYOPTERIS
venusta O. Kuntze
Christensen in Dansk. Vid. Selsk. Skrift. Ser. VII. x. 233 (1913).
villosa O. Kuntze
Christensen in Dansk. Vid. Selsk. Skrift. Ser. VIII. vi. 87 (1920).
vivipara C. Chr.
Christensen in Dansk. Vid. Selsk. Skrift. Ser. VII. x. 256 (1913).—*Fr.*
Wacketii Rosenst.
Christensen in Dansk. Vid. Selsk. Skrift. Ser. VIII. vi. 84 (1920).—*Fr.*
Warmingii C. Chr.
Christensen in Dansk. Vid. Selsk. Skrift. Ser. VII. x. 226 (1913).
Wolfii Hieron.
Hedwigia, xlvi. t. 7 (1907).
Yabei Hayata
Hayata, Ic. Pl. Formosan. iv. 187 (1914).
yungensis Christ & Rosenst.
Christensen in Dansk. Vid. Selsk. Skrift. Ser. VII. x. 109 (1913).

DRYOSTACHYUM J. Sm.
mollipilosum Rech.
Rechinger in Denskchr. Akad. Wiss. Wien, lxxxix. 611, fig. 30 (1914).—*Hab.*
novo-guinense Brause
Engl. Jahrb. xlix. 47 (1912).
pilosum J. Sm.
*Kunze, Farrnkr. t. 61 (1840–47).
Ettingshausen, Farnkr. t. 8 (1865).
splendens J. Sm.
*Hooker, Gen. Fil. t. 95 (1842).
T. Moore, Index Fil. Gen. & Spec. t. 10 [1857–62].
Ettingshausen, Farnkr. t. 15, 16 (1865).
Pflanzenfam. i. iv. 327 (1899).
Philippine Journ. Sc. i. Suppl. 2, t. 26, 27 (1906).

DRYPETES Vahl—Vide *Freireodendron*
alba Poit.
Mém. Mus. Hist. Nat. Paris, i. 161, t. 7 (1815).
crocea Poit.
Mém. Mus. Hist. Nat. Paris, i. 161, t. 8 (1815).
*Nuttall, N. Amer. Sylva, ii. t. 63 (1865).
diversifolia Krug & Urb.
Britton, N. Amer. Trees, 598 (1908).
glauca Vahl
Mém. Mus. Hist. Nat. Paris, i. 161, t. 6 (1815).
incurva Müll.-Arg.
Mart. Fl. Bras. xi. II. t. 12 (1873).
keyensis Krug & Urb.
Sargent, Silva N. Amer. vii. t. 307 (1895).
Sargent, Man. Trees N. Amer. 596 (1905).
lateriflora Krug & Urb.
Sargent, Silva N. Amer. vii. t. 308 (1895).
Sargent, Man. Trees N. Amer. 597 (1905).
Britton, N. Amer. Trees, 598 (1908).
Fawcett & Rendle, Fl. Jamaica, iv. II. 268 (1920).
sessiliflora Allemão.
Allemão, Pl. Nov. Bras. tab. (1844).
Allemão, Euphorbiacea, tab. (1848).
sessiliflora Baill.
Baillon, Euphorb. t. 24, fig. 34–40 (1858).—*Fl.*
Pflanzenfam. iii. v. 9 (1890).—*Fr.*
Spruceana Müll.-Arg.
Mart. Fl. Bras. xi. II. t. 12 (1873).

DRYPIS Linn.
Jacquiniana Murb. & Wettst.
Bibl. Bot. v. No. 26, t. 2, fig. 9, 10, 12, 13 (1892). —*Fl.*
Linneana Murb. & Wettst.
Bibl. Bot. v. No. 26, t. 2, fig. 7, 8, 11, 14–16 (1892).—*Fl.*
spinosa Linn.
*Jacquin, Hort. Vind. i. t. 49 (1770).
Gaertner, Fruct. ii. t. 128 (1791).—*Fr.*
Lamarck, Ill. i. t. 214 (1797).
*Schkuhr, Bot. Handb. Ed. 2, t. 86 (1808).
*Bot. Mag. xlviii. t. 2216 (1821).
*Sweet, Brit. Fl. Gard. v. t. 170 (1832).
J. C. Loudon, Arbor. & Frutic. Brit. i. 359 (1838).
*Reichenbach, Ic. Fl. Germ. vi. t. 238 (1844).
*Petermann, Deutschl. Fl. t. 13, fig. 99 (1849).—*Fl.*

DRYPIS
spinosa
Payer, Organog. Comp. Fl. t. 71 (1857).—*Fl.*
Nees, Gen. Pl. fasc. xxxi. t. 11 (1860).
Le Maout & Decaisne, Traité Gén. Bot. 438 (1868).—*Fr.*
Rohrbach, Monogr. Silene, t. 2 (1868).—*Fr.*
Willkomm, Führ. Reich Pflanzen, 796 (1882).
*Schlechtendal, Lang. & Schenk, Fl. Deutschl. Ed. 5, xii. t. 1160 (1883).
Baillon, Hist. Pl. ix. 86 (1887).—*Fl.*
Pflanzenfam. iii. I. B. 74 (1889).
Fiori & Paol. Ic. Fl. Ital. 139 (1899).
Hegi, Ill. Fl. Mittel-Eur. iii. 309 (1909).
Bull. Ort. Bot. Napoli, iv. t. 8 (1914).—*Hab.*
Glück, Blatt- & Blütenmorph. Stud. 283, 545 (1919).—*Fl.*
—— **Jacquiniana** Murb. & Wettst.
Hegi, Ill. Fl. Mittel-Eur. iii. 309 (1909).—*Fl.*
—— **Linneana** Murb. & Wettst.
Hegi, Ill. Fl. Mittel-Eur. iii. 309 (1909).—*Fl.*

DUABANGA Buch.-Ham.
moluccana Bl.
Vidal, Sin. Fam. & Gen. Pl. Leñ. Filip. (Introd. Fl. For. Filip.), Atlas, t. 52, fig. F (1883).—*Fl.*
Koorders & Val. Atlas Baumart. Java, t. 784 (1918).
sonneratioides Buch.-Ham.
*Hooker f., Ill. Himal. Pl. t. 11 (1855).

DUBAUTIA Gaudich.
laxa Hook. & Arn.
Bryan, Nat. Hist. Hawaii, t. 61, fig. 10 (1915).
plantaginea Gaudich.
Freycinet, Voyage, t. 84 (1826).
Pflanzenfam. iv. v. 246 (1890).—*Fr.*
Rock, Indig. Trees Hawaiian Isl. t. 211 (1913).
Bryan, Nat. Hist. Hawaii, t. 61, fig. 15 (1915).
waialealae Rock
Bull. Torr. Bot. Club, xxxvii. 303 (1910).
Rep. Board Comm. Agric. & Forestry Hawaii, 1909–10, t. 22 (1911).

DUBOISIA R. Br.
Hopwoodii F. Muell.
Bancroft, Furth. Remarks Pituri Group of Pl. 2 (1878).
F. M. Bailey, Compr. Cat. Queensl. Pl. 356 (1909–13).
Hartwich, Menschl. Genussmittel, 835 (1911).
myoporoides R. Br.
Endlicher, Ic. Gen. Pl. t. 77 (1838).
Miers, Ill. S. Amer. Pl. ii. t. 87 (1849–57).
Bancroft, Pituri & Duboisia (publ. by Queensland Phil. Soc.), 6, 11 (1877).
Lanessan in Journ. Pharm. & Chim. Ser. IV. xxvii. 487, 488 (1878).
Baillon, Traité Bot. Méd. Phan. ii. 1210 (1884).
Baillon, Dict. Bot. ii. 481 (1885).
Hager, Handb. Pharm. Prax. Ed. Nov. iii. 406 (1887).
Baillon, Hist. Pl. 363, 364 (1888).
Dujard.-Beaumetz & Egasse, Pl. Med. 251 (1889).
Pflanzenfam. iv. III. B. 35 (1891).—*Fl.*
Agric. Gaz. N. S. Wales, iv. 845 (1893).
*Köhler, Med. Pfl. iii [t. 242] (1898).
F. M. Bailey, Weeds & Poison. Pl. Queensland, 128 (1906).
Beille, Bot. Pharm. ii. 1022 (1909).
Guilfoyle, Austral. Pl. 119 [1911].—*Hab.*
Pammel, Man. Poison. Pl. 717 (1911).
pituri Bancroft
Bancroft, Pituri & Tobacco (publ. by Queensland Phil. Soc.), t. 1 [3] (1879).

DUBOIS-REYMONDIA Karst.: *Pleurothallis*
lancipetala Karst.
Karsten, Fl. Columbiae, i. t. 47 (1858–61).
palpigera Karst.
Karsten, Fl. Columbiae, i. t. 47 (1858–61).

DUBOSCIA Bocq.
macrocarpa Bocq.
Chevalier, Vég. Util. Afr. fasc. 9, t. 2 (1917).

DUBOUZETIA Panch.
campanulata Panch.
Nouv. Arch. Mus. Hist. Nat. Paris, iv. t. 13 (1868).
Pflanzenfam. iii. VI. 6 (1890).
Ann. Mus. Col. Marseille, Ser. II. x. 362, t. 36, 37 (1912).

DUBYAEA DC.: *Lactuca*
hispida DC.
De Candolle, Obs. Compos. (Coll. Mém. ix), t. 19 (1838).

DUCHARTREA Decne.: *Gesneria*
viridiflora Decne.
Ann. Sc. Nat. Paris, Ser. III. vi. t. 8 (1846).
Linnaea, xxvi. t. 1, fig. 31 (1853–55).

DUCHESNEA Sm.
fragiformis Sm.
Lamarck, Ill. vi. t. 962 (1823).
indica Focke
Britton & Brown, Ill. Fl. N. States & Canada, ii. 208 (1897); Ed. 2, ii. 259 (1913).
Somoku Dzusetsu, Ed. Makino (Iconogr. Pl. Nippon), ix. t. 29 (1910).
Koorders, Exkursionsfl. Java, ii. 330 (1912).
Britton, Fl. Bermuda, 164 (1918).
sundaica Miq.
Miquel, Fl. Ned. Ind. i. t. 6 (1855).

DUCROSIA Boiss.
anethifolia Boiss.
Burkill in Journ. & Proc. Asiat. Soc. Bengal, N. Ser. iii. 563 (1907).—*Fr.*
—— **Jamiatii** Burkill
Burkill in Journ. & Proc. Asiat. Soc. Bengal, N. Ser. iii. 563 (1907).—*Fr.*

DUDLEYA Britton & Rose: *Cotyledon* (4)
Anthonyi Rose
Contrib. U.S. Nat. Herb. xvi. t. 112 (1916).—*Hab.*
Brandegei Rose
*Addisonia, ii. t. 48 (1917).
nevadensis Britton & Rose
M. Armstrong, Field Book West. Wild Fl. 195 (1915).

DUFOUREA H. B. K.: *Prevostea*
sericea H. B. K.
H. B. K. Nov. Gen. iii. t. 214 (1818).
Lamarck, Ill. vi. t. 919 (1819).

DUFOUREA Bory: *Tristicha*
alternifolia Roem. & Schult.
Schnizlein, Iconogr. ii. t. 85 (1849).

DUFRESNIA DC.: *Valerianella*
orientalis DC.
De Candolle, Valerian. t. 3 (1832).
Bull. Soc. Nat. Mosc. xxiv. No. 4, t. 13 (1851).

DUGUETIA A. St.-Hil.
furfuracea Benth. & Hook.
Ber. Deutsch. Bot. Ges. xxix. 298 (1911).—*Fl.*
Contrib. U.S. Nat. Herb. xviii. 61 (1914).
Act. Hort. Berg. vi. No. 6, p. 17 (1919).
lanceolata St.-Hil.
St.-Hilaire, Fl. Bras. Merid. i. t. 7 (1825).
Contrib. U.S. Nat. Herb. xviii. 60 (1914).—*Fl.*
longifolia Baill.
Pflanzenfam. iii. II. 30, 31 (1888).—*Fl.*
quitarensis Benth.
L. H. Bailey, Stand. Cycl. Hort. 1080 (1914).
Spixiana Mart.
Mart. Fl. Bras. xiii. I. t. 5 (1841).—*Fr.*
Wettstein, Handb. Syst. Bot. Ed. 2, p. 549 (1911).—*Fr.*

DUHAMELIA Pers.: *Hamelia*
patens Pers.
*Trattinick, Ausw. Gartenpfl. ii. t. 159 (1821).

DULACIA Vell.
singularis Vell.
Vellozo, Fl. Flum. i. t. 78 (1827).

DULICHIUM Pers.
arundinaceum Britton
Britton & Brown, Ill. Fl. N. States & Canada, i. 247 (1896); Ed. 2, i. 340 (1913).
Whitson, Sandsten, Haskins & Ramsay in Bull. Wisconsin Agric. St. No. 119, p. 64 (1905).
Pammel in Rep. Iowa Geol. Surv. xix. 767 (1911).
Stone, Pl. Southern New Jersey (Ann. Rep. New Jersey State Mus. 1910), t. 17 (1911).
spathaceum Pers.
Elliott, Bot. S.-Carolina & Georgia, i. t. 2 (1816–21).
A. Gray, Man. Bot. N.U.S. Ed. 6, t. 1 (1890).
C. B. Clarke, Illustr. Cyperac. t. 62 (1909).

DULONGIA H. B. K.: *Phyllonoma*
acuminata H. B. K.
H. B. K. Nov. Gen. vii. t. 623 (1825).
Goebel, Organogr. Pfl. 622 (1900); Ed. Angl. ii. 437 (1905).

DUMARTROYA Gaudich.: *Malaisia*
fagifolia Gaudich.
Gaudichaud, Voy. Bonite, Bot. Atlas, t. 97 (1844–66).

DUMASIA DC.
bicolor Hayata
Hayata, Ic. Pl. Formosan. ix. t. 1 (1920).
congesta Grah.
Wight, Ic. Pl. Ind. Or. ii. t. 445 (1840–43).
Ralph, Carpolog. t. 36 (1849).—*Fr.*
cordifolia Benth.
Hook. Ic. Pl. xxvii. t. 2627 (1900).
pubescens DC.
De Candolle, Mém. Légum. t. 45 (1825).
*Bot. Reg. xii. t. 961 (1826).
Ralph, Ic. Carpolog. t. 36 (1849).—*Fr.*
truncata Sieb. & Zucc.
Somoku Dzusetsu, Ed. 2, xiii. t. 31 (1874).
Somoku Dzusetsu, Ed. Makino (Iconogr. Pl. Nippon), xiii. t. 31 (1912).
villosa DC.
De Candolle, Mém. Légum. t. 44 (1825).
Lecomte, Fl. Gén. Indo-Chine, ii. 307 (1916).—*Fl.*
Fyson, Fl. Nilgiri & Pulney Hill-tops, iii. 316 (1920).

DUMERILIA Lag.: *Jungia*
axillaris Lag.
Ann. Mus. Hist. Nat. Paris, xix. 72, t. 6 (1812).
paniculata DC.
Ann. Mus. Hist. Nat. Paris, xix. 72, t. 6 (1812).
Dict. Sc. Nat., Planch. Bot. Dicot. t. 92 (1816–29).
paniculata Cass.
Cassini, Opusc. Phyt. i. t. 12 (1826).

DUMERILIA Less.: *Perezia*
Alamanii DC.
De Candolle, Obs. Compos. (Coll. Mém. ix), t. 17 (1838).
Humboldtii Less.
Linnaea, v. t. 1, fig. 27 (1830).—*Fl.*

DUMORIA A. Chev.
africana Dub.
Chevalier, Vég. Util. Afr. fasc. 9, t. 22 (1917).
Heckelii A. Chev.
Jahrb. Hamburg. Wiss. Anstalt. 1913, xxxi. 208 (1914).—*Fr.*
Bertin, Mission Forest. Col. iii. t. 16 (1919).—*Hab.*

DUNALIA H. B. K.
lycioides Miers
Miers, Ill. S. Amer. Pl. i. t. 2 (1850).
Pflanzenfam. iv. III. B. 12 (1891).
senticosa Miers
Weddell, Chloris Andina (Castelnau Expéd., Bot.), ii. t. 56 (1857–61).
solanacea H. B. K.
H. B. K. Nov. Gen. iii. t. 194 (1818).
Lamarck, Ill. vi. t. 918 (1819).

DUNANTIA DC.: *Isocarpha*
Achyranthes DC.
Delessert, Ic. Pl. iv. t. 37 (1839).
Lindley, Veg. Kingd. 704 (1846).

DUNBARIA Wight & Arn.
Lecomtei Gagnep.
Lecomte, Fl. Gén. Indo-Chine, ii. 287 (1916).
villosa Makino
Somoku Dzusetsu, Ed. Makino (Iconogr. Pl. Nippon), xiii. t. 33 (1912).

DUPARQUETIA Baill.
orchidacea Baill.
Baillon, Adans. vi. t. 4 (1866).

DUPATYA Vell.: *Paepalanthus*
aequalis Vell.
Vellozo, Fl. Flum. i. t. 85 (1827).
flavidula O. Kuntze
Britton & Brown, Ill. Fl. N. States & Canada, i. 373 (1896).
hirsuta Vell.
Vellozo, Fl. Flum. i. t. 87 (1827).
ligulata Vell.
Vellozo, Fl. Flum. i. t. 86 (1827).

DUPERREYA Gaudich.: *Porana*
sericea Gaudich.
Freycinet, Voyage, t. 63 (1826).

DUPONTIA R. Br.
Fischeri R. Br.
Vasey, Ill. N. Amer. Grasses (U.S. Dep. Agric. Div. Bot. Bull. No. 13, II), ii. t. 87 (1893).
Britton & Brown, Ill. Fl. N. States & Canada, i. 209 (1896); Ed. 2, i. 261 (1913).
U.S. Dep. Agric. Div. Agrost. Bull. No. 17, p. 270 (1899).
Ostenfeld, Fl. Arctica, i. 115 (1902).
psilosantha Rupr.
Ruprecht, Fl. Samoj. Cisur. (Beitr. Pflanzenk. Russ. Reich. ii. t. 6) (1845).
*Fl. Dan. xv. t. 2521 (1852).
Rouy, Illustr. Pl. Eur. Rar. fasc. 8, t. 199 (1896).
U.S. Dep. Agric. Div. Agrost. Bull. No. 17, p. 269 (1899); No. 20, p. 150 (1900).
—— **flavescens** Hook. & Arn.
Vasey, Ill. N. Amer. Grasses (U.S. Dep. Agric. Div. Bot. Bull. No. 13, II), ii. t. 88 (1893).
scleroclada Rupr.
Ruprecht, Fl. Samoj. Cisur. (Beitr. Pflanzenk. Russ. Reich. ii. t. 6) (1845).

DUPUISIA A. Rich.: *Sorindeia*
juglandifolia A. Rich.
*Guillemin, Perrottet & Richard, Fl. Seneg. Tent. t. 38 (1830–33).

DURANDEA Planch.
magnifolia Stapf
Hook. Ic. Pl. xxix. t. 2822 (1906).
pentagyna K. Schum.
Engl. Jahrb. lii. 116 (1914).

DURANTA Linn.
Ellisia Jacq.
Jacquin, Sel. Stirp. Amer. Hist. t. 176 (1763).—*Fr.*
*Jacquin, Hort. Vind. iii. t. 99 (1776).
*Jacquin, Sel. Stirp. Amer. Hist. Picta, t. 179 [1780].
Browne, Hist. Jamaica, Ed. 2, t. 29 (1789).
Lamarck, Ill. iii. t. 545, fig. a–e (1797).
*Bot. Mag. xlii. t. 1759 (1815).
erecta Linn.
Plumier, Pl. Amer. Ed. Burm. t. 79 (1756); fide Urban, Fedde Repert. Beih. v. 53.
Lorentzii Griseb.
Thays, Jard. Bot. Buenos Aires, 76 (1910).—*Hab.*
microphylla Willd.
*Todaro, Hort. Bot. Panorm. i. t. 17 (1876–78).
Plumieri Jacq.
Jacquin, Sel. Stirp. Amer. Hist. t. 176 (1763).—*Fr.*
*Jacquin, Sel. Stirp. Amer. Hist. Picta, t. 261, fig. 53 [1780].—*Fr.*
*Jacquin, Ic. Pl. Rar. iii. t. 502 (1786–93).
Gaertner, Fruct. i. t. 57 (1788).—*Fr.*
Lamarck, Ill. iii. t. 545, fig. f–o (1797).—*Fr.*
Dict. Sc. Nat., Planch. Bot. Dicot. t. 41 (1816–29).
*Bot. Reg. iii. t. 244 (1817).
*Lodd. Bot. Cab. iii. t. 280 (1818).
*Mordant de Launay, Herb. Amat. iv. t. 270 (1820).
*Drapiez, Herb. Amat. Fl. viii. t. 568 (1835).
Baillon, Adans. ii. t. 5, fig. 1–10 (1861–62).—*Fl.*
Bocquillon, Rev. Verbenac. t. 5 (1861–63).—*Fl.*
*Réveil, Règne Vég. xiv. t. 43 (1870).
*Lowis, Familiar Ind. Fl. t. 13 (1878).
*Bois, Dict. Hort. 457 (1893–99).
Pflanzenfam. iv. III. A. 157 (1895).—*Fr.*
Bot. Tidsskr. xxii. 79 (1898).—*Veg.*
Rev. Gén. Bot. xii. 443 (1900).—*Veg.*
Gubb, Fl. Algeria, t. 67 (1909).
Woodrow, Gardening Tropics, 440 [1910].
Sim, Flowering Trees & Shrubs, 77 (1919).
—— **alba** Hort.
Gard. Chron. Ser. III. iii. 45 (1888).
—— **Ellisia** Hort.
Woodrow, Gardening Ind. 420 (1889).
repens Linn.
Rock, Orn. Trees Hawaii, t. 74 (1917).
Britton, Fl. Bermuda, 317 (1918).
stenostachya Tod.
*Todaro, Hort. Bot. Panorm. i. t. 3 (1876–78).

DURIEUA Merat: *Lafuentea*
spicata Merat
Merat in Mém. Soc. Sc. Agric. & Arts, Lille, Ser. I. 1827–28, t. 4 (1829).

DURIEUA Boiss. & Reut.: *Daucus*
hispanica Boiss. & Reut.
Cadevall & Sallent, Fl. Catalunya, iii. 16 (1917).

DURIO Adans.
affinis Becc.
Beccari, Malesia, iii. t. 24 (1887).
Wettstein, Handb. Syst. Bot. Ed. 2, p. 605 (1911). —*Fl.*
carinatus Mast.
Beccari, Malesia, iii. t. 17, 18 (1887).
conicus Becc.
Beccari, Malesia, iii. t. 25 (1887).
dulcis Becc.
Beccari, Malesia, iii. t. 19 (1887).
gratissimus Becc.
Beccari, Malesia, iii. t. 22 (1887).
graveolens Becc.
Beccari, Malesia, iii. t. 26 (1887).
kutejensis Becc.
Beccari, Malesia, iii. t. 21 (1887).
lanceolatus Mast.
Beccari, Malesia, iii. t. 20 (1887).
malaccensis Planch.
Journ. Linn. Soc., Bot. xiv. t. 14, fig. 17–20 (1875).—*Fl.*
Beccari, Malesia, iii. t. 12 (1887).
oblongus Mast.
Beccari, Malesia, iii. t. 15, 16 (1887).
Oxleyanus Griff.
Journ. Linn. Soc., Bot. xiv. t. 14, fig. 13–16 (1875).—*Fl.*
sumatranus Becc.
Beccari, Malesia, iii. t. 23 (1887).
testudinum Becc.
Beccari, Malesia, iii. t. 13, 14 (1887); iii. t. 36 (1889).
Wettstein, Handb. Syst. Bot. Ed. 2, p. 605 (1911). —*Fr.*
zibethinus Murr.
Rumphius, Herb. Amboin. i. t. 29 (1741); fide Merrill, Interpret. Rumph. Herb. Amboin.
Lamarck, Ill. iii. t. 641 (1797).
Trans. Linn. Soc. London, vii. t. 14–16 (1804).
*Joh. Kerner, Gen. Pl. Ill. iii. t. 55, 56 (1820).
Paxt. Mag. xvi. 76 (1849).
Griffith, Ic. Pl. Asiat. t. 596 (1854).
*Nooten, Fl. Fr. Java [t. 24] (1863).
Baillon, Hist. Pl. iv. 100 (1873).—*Fl.*
Gartenfl. xxix. 157 (1880).
Garden, xix. 161 (1881).—*Fl.*
Vidal, Sin. Fam. & Gen. Pl. Leñ. Filip. (Introd. Fl. For. Filip.), Atlas, t. 17, fig. C (1883).—*Fr.*
Baillon, Traité Bot. Méd. Phan. ii. 807 (1884).—*Fl.*
Beccari, Malesia, iii. t. 12 (1887); iii. t. 36 (1889).
Jardin, ii. 285 (1888).
Pflanzenfam. iii. VI. 55, 66 (1890).—*Fl.*
Tschirch, Ind. Heil- & Nutzpfl. t. 100 (1892).—*Hab.*
Sadebeck, Kulturg. Deutsch. Kolon. Erzeugn. 109 (1899).—*Fr.*
Nicholson, '1900' Suppl. Dict. Gard. 332 (1900). —*Fr.*
L. H. Bailey, Cycl. Amer. Hort. 1303 (1901); Stand. Cycl. Hort. 1081 (1914).—*Fr.*
Beccari, Foreste Borneo, 111 (1902).—*Fr.*
Karsten & Schenck, Veg.-Bild. i. t. 10 (1903).—*Hab.*
Trop. Agric. xxv. No. 3, p. 490 (1905); xxxiii. No. 4, p. 289 (1909); xxxix. No. 3, p. 266 (1912).
Ber. Deutsch. Bot. Ges. xxiii. t. 4 (1905).—*Fl.*
Gard. Chron. Ser. III. xliv. 450 (1908).
Beille, Bot. Pharm. ii. 501 (1909).—*Fl.*
H. F. Macmillan, Handb. Trop. Garden. & Plant. 144 (1910).
Lecomte, Fl. Gén. Indo-Chine, i. 453 (1910).—*Fl.*
Wettstein, Handb. Syst. Bot. Ed. 2, p. 605 (1911). —*Fr.*
L. Reinhardt, Kulturgesch. Nutzpfl. (Erde und Kultur), iv. I. t. 38 (1911).—*Fr.*

DURIO
zibethinus
Philippine Agric. Rev. v. 596, t. 9 (1912); vii. 70, t. 6 (1914).
Capus & Bois, Prod. Colon. 176 (1912).—*Fr.*
Philippine Journ. Sc., Chem. & Geol. viii. 80, t. 13 (1913).—*Fr.*
Francé, Leben Pflanze, vi. 447 (1913).—*Hab.*
Van Gorkom, Oost-Ind. Cult. Ed. 2, ii. 917 (1918).—*Fr.*
W. Popenoe, Man. Trop. & Subtrop. Fr. t. 24 (1920).

DUROIA Linn. f.
eriopila Linn. f.
Mart. Fl. Bras. vi. VI. t. 146 (1889).—*Fl.*
hirsuta K. Schum.
Pringsh. Jahrb. Bot. xix. t. 10, fig. 1 (1888).—*Veg.*
saccifera Benth. & Hook. f.
Pringsh. Jahrb. Bot. xix. t. 10, fig. 4–6 (1888).—*Veg.*
Mart. Fl. Bras. vi. VI. t. 146 (1889).
Pflanzenfam. iv. IV. 12, 81 (1891).

DUSENIA O. Hoffm.: *Duseniella*
patagonica O. Hoffm.
Ergebn. Schwed. Exped. Magell. iii. No. 5, t. 6, fig. 1–5 (1900).
W. B. Scott, Rep. Princeton Univ. Exped. Patag. 1896–99, viii. II. Bot. 866 (1906).

DUSENIELLA K. Schum.—Vide *Dusenia*

DUTHIEA Hack.
bromoides Hack.
Hook. Ic. Pl. xxv. t. 2474 (1896).

DUTTONIA F. Muell.: *Pholidia*
gibbifolia F. Muell.
Hooker's Journ. Bot. & Kew Misc. viii. t. 1 (1856).

DUVALIA Haw.
angustiloba N. E. Br.
Hook, Ic. Pl. xx. t. 1925 (1890).
Wien, Ill. Gart.-Zeit. xxi. 215 (1896).—*Hab.*
Berger, Stapel. u. Klein. 351 (1910).
Pillansii N. E. Br.
Berger, Stapel. u. Klein. 342 (1910).
polita N. E. Br.
*Bot. Mag. cii. t. 6245 (1876).
reclinata Haw.
Berger, Stapel. u. Klein. 346 (1910).—*Fl.*

DUVALIA Bonpl.: *Hypocalyptus*
oxalidifolia Bonpl.
*Bonpland, Descr. Pl. Rar. Malm. t. 53 (1813).
*Géel, Sert. Bot. Cl. 17 (1832).
*Reichenbach, Fl. Exot. iii. t. 165 (1835).

DUVAUA Kunth: *Schinus*
dependens DC.
*Bot. Reg. xix. t. 1573 (1833).
J. C. Loudon, Arbor. & Frutic. Brit. ii. 559 (1838).
Castillo & Dey, Jeogr. Vej. Rio Valdivia, Ed. 2, i. 72 (1908).
latifolia Gillies
*Bot. Reg. xix. t. 1580 (1833).
J. C. Loudon, Arbor. & Frutic. Brit. ii. 559 (1838).
longifolia Lindl.
*Bot. Reg. xxix. t. 59 (1843).
ovata Lindl.
*Bot. Reg. xix. t. 1568 (1833).
J. C. Loudon, Arbor. & Frutic. Brit. iv. 2549 (1838).

DUVERNOYA E. Mey.
adhatodoides E. Mey.
Journ. Linn. Soc., Bot. xi. 470 (1871).—*Fl.*
Pflanzenfam. iv. III. B. 336 (1895).—*Fl.*
Henslow, S. Afr. Flower. Pl. 201 (1903).—*Fl.*
Dewevrei De Wild. & Dur.
De Wildeman & Durand, Ill. Fl. Congo (Ann. Mus. Congo), i. t. 82 (1901).

DYBOWSKIA Stapf—Vide *Andropogon* (10)

DYCKIA Schult. f.
brevifolia Hort.
*Saunders, Ref. Bot. iv. t. 236 (1871).
catharinensis K. Koch
Mart. Fl. Bras. iii. III. t. 89 (1894).

DYCKIA
consimilis Mez
Mart. Fl. Bras. iii. III. t. 90 (1894).
densiflora Schult. f.
Mart. Fl. Bras. iii. III. t. 90 (1894).
Desmetiana Baker
*Bot. Mag. cxx. t. 7340 (1894).
floribunda Griseb.
Chodat, Vég. Parag. i. 118, 119 (1916); et in Bull. Soc. Bot. Genève, Ser. II. viii. 225, 226 (1916). —*Hab.*
frigida Hook. f.
*Bot. Mag. ciii. 6294 (1877).
micracantha Baker
Mart. Fl. Bras. iii. III. t. 88 (1894).
minarum Mez
Mart. Fl. Bras. iii. III. t. 91 (1894).
princeps C. Lem.
*Lem. Jard. Fl. iii. t. 224, 225 (1852).
rariflora Schult. f.
*Bot. Mag. lxii. t. 3449 (1835).
*Bot. Reg. xxi. t. 1782 (1835).
*Drapiez, Herb. Amat. Fl. viii. t. 570 (1835).
Journ. Roy. Hort. Soc. London, xxxiii. 462, fig. 79 (1908).—*Hab.*
L. H. Bailey, Stand. Cycl. Hort. 1084 (1914).—*Hab.*
remotiflora Otto
Le Maout & Decaisne, Traité Gén. Bot. 561 (1868).—*Fr.*
*Réveil, Règne Vég. xiv. t. 43 (1870).
Irmisch in Abh. Nat. Ges. Halle, Festschr. t. 2, fig. 10, 11 (1879).—*Veg.*

DYERA Hook. f.
costulata Hook. f.
Ann. Jard. Bot. Buitenzorg, xvii. 12 (1900).—*Veg.*
Burn-Murdoch, Trees & Timbers Malay Peninsula, i. 20 (1911).
laxiflora Hook. f.
Burn-Murdoch, Trees & Timbers Malay Peninsula, i. 19, 20 (1911).

DYEROPHYTON O. Kuntze
africanum O. Kuntze
Thonner, Blütenpfl. Afr. t. 124 (1908).

DYMCZEWICZIA Horan.: *Zingiber*
capitata Horan.
Horaninow, Monogr. Scitam. t. 3 (1862).

DYPSIS Nor.
Boiviniana Baill.
Beccari, Palme Madag. 19, t. 16, 17 (1912).
forficifolia Mart.
*Martius, Palm. iii. t. 143 (1823–50).
Beccari, Palme Madag. 11, t. 5 (1912).
Ann. Mus. Col. Marseille, Ser. III. vi. 1. t. 3 (1918).
glabrescens Becc.
Beccari, Palme Madag. 17, t. 13 (1912).
gracilis Bory
Beccari, Palme Madag. 18, t. 14, 15 (1912).
Ann. Mus. Col. Marseille, Ser. III. i. 24, 25 (1913).
Hildebrandtii Becc.
Beccari, Palme Madag. 15, t. 9 (1912).
Ann. Mus. Col. Marseille, Ser. III. i. 23 (1913).
—— **simplicifrons** Becc.
Beccari, Palme Madag. t. 10 (1912).
hirtula Mart.
Beccari, Palme Madag. 13, t. 8 (1912).
Lanceana Baill.
Beccari, Palme Madag. 12, t. 6 (1912).
—— **simplicifrons** Becc.
Beccari, Palme Madag. t. 7 (1912).
Louvelii Jum. & Perr.
Ann. Mus. Col. Marseille, Ser. III. i. 21 (1913).
madagascariensis Hort.
Möllers Deutsche Gärtn.-Zeit. xviii. 347 (1909).
Gatin, Palm. 268 (1912).
Mocquerysiana Becc.
Beccari, Palme Madag. 16, t. 11, 12 (1912).
—— **dissecta** Becc.
Beccari, Palme Madag. t. 12 (1912).
pinnatifrons Mart.
*Martius, Palm. iii. t. 158 (1823–50).

DYSCHORISTE Nees—Vide *Calophanes*
Hildebrandtii Lindau
*Bot. Mag. cxxx. t. 7973 (1904).
littoralis Nees
Wight, Ic. Pl. Ind. Or. ii. t. 447 (1840–43).
oblongifolia O. Kuntze
Britton & Brown, Ill. Fl. N. States & Canada, Ed. 2, iii. 240 (1913).
Perrottetii O. Kuntze
Pflanzenfam. iv. III. B. 301 (1895).

DYSODIA Cav.—Vide *Boebera, Clomenocoma, Comaclinium*
cancellata A. Gray
Publ. Field Columbian Mus., Bot. Ser. iii. II. 140 (1904).—*Fl.*
chrysanthemoides Lag.
Hitchcock & Norton, Bull. Kansas Agric. St. No. 50, t. 4, fig. 61 (1895); No. 57, t. 8, fig. 91 (1896); No. 66, t. 7, fig. 91 (1897).
Pammel, Man. Poison. Pl. 139 (1911).
papposa A. S. Hitchc.
Britton & Brown, Ill. Fl. N. States & Canada, iii. 453 (1898).
Cannon in Carnegie Inst. Washington Publ. No. 131, t. 4 (1911).—*Veg.*
Pammel, Man. Poison. Pl. 785 (1911).
Pammel, Iowa Geol. Surv. Bull. No. 4, p. 357, 358, 491 (1913).
A. Georgia, Manual Weeds, t. 337 (1914).
*F. E. & E. S. Clements, Rocky Mt. Fl. t. 41 (1914).

DYSODIUM Rich. in Pers.: *Melampodium*
divaricatum Rich. in Pers.
Colla in Mem. Accad. Sc. Torino, xxvii. 323 (1823).
Ann. Sc. Nat. Paris, Ser. III. xviii. t. 17 (1852).—*Veg.*

DYSOLOBIUM Prain
dolichoides Prain
Ann. Bot. Gard. Calcutta, ix. t. 38 (1901).
grande Prain
Ann. Bot. Gard. Calcutta, ix. t. 36 (1901).
lucens Prain
Ann. Bot. Gard. Calcutta, ix. t. 37 (1901).
tetragonum Prain
Ann. Bot. Gard. Calcutta, ix. t. 39 (1901).

DYSOPHYLLA Bl.
auricularia Bl.
Rumphius, Herb. Amboin. vi. t. 16, fig. 2 (1750); fide Merrill, Interpret. Rumph. Herb. Amboin.
Wight, Ic. Pl. Ind. Or. iv. t. 1445 (1849).
Pflanzenfam. iv. III. A. 329 (1897).—*Fr.*
Fyson, Fl. Nilgiri & Pulney Hill-tops, iii. 464 (1920).
japonica Miq.
*Somoku Dzusetsu, Ed. 2, ii. t. 50 (1874).
stellata Benth.
Ann. Hort. i. 333 (1845); ii. 42 (1846).
*Bot. Reg. xxxi. t. 23 (1845).
*Rev. Hort. Ser. III. iv. 281 (1850).
tetraphylla Wight
Wight, Ic. Pl. Ind. Or. iv. t. 1444 (1849).
verticillata Benth.
F. M. Bailey, Compr. Cat. Queensl. Pl. 390 (1909–13).
Yatabeana Makino
Somoku Dzusetsu, Ed. Makino (Iconogr. Pl. Nippon), ii. t. 50 (1907).

DYSOPSIS Baill.
glechomoides genuina Müll.-Arg.
Pflanzenreich, Euphorb.-Acal.-Mercurial. 287 (1914).
—— **hirsuta** Müll.-Arg.
Pflanzenreich, Euphorb.-Acal.-Mercurial. 287 (1914).
—— **paucidentata** Müll.-Arg.
Pflanzenreich, Euphorb.-Acal.-Mercurial. 287 (1914).—*Veg.*

DYSOSMIA Miq.: *Saprosma*
dichotoma Miq.
Ic. Bogor. iii. t. 280 (1909).
Koorders & Val. Atlas Baumarten Java, t. 559 (1915).

DYSOXYLUM Bl.—Vide *Didymochiton, Epicharis*
acutangulum Miq.
Ic. Bogor. i. t. 11 (1897).
Koorders & Val. Atlas Baumarten Java, t. 169 (1913).
alliaceum Bl.
Flora, xcv. t. 4 (1905).—*Veg.*
Koorders & Val. Atlas Baumarten Java, t. 170 (1913).
amooroides Miq.
Koorders & Val. Atlas Baumarten Java, t. 173 (1913).
arborescens Miq.
Koorders & Val. Atlas Baumarten Java, t. 174 (1913).
Becklerianum C. DC.
Maiden, For. Fl. N. S. Wales, iii. t. 97 (1907).
binectariferum Hook. f.
Pierre, Fl. For. Cochinch. v. t. 351 (1896).
Trop. Agric. xxv. No. 3, p. 496 (1905).—*Fr.*
Talbot, For. Fl. Bombay, i. 231 (1909).
Blancoi Vidal
Vidal, Sin. Fam. & Gen. Pl. Leñ. Filip. (Introd. Fl. For. Filip.), Atlas, t. 29, fig. A (1883).
Blumei Miq.
Koorders & Val. Atlas Baumarten Java, t. 175 (1913).
—— **grandiflorum** Koord. & Val.
Koorders & Val. Atlas Baumarten Java, t. 176 (1913).
camalense C. DC.
A. & C. De Candolle, Monogr. Phan. i. t. 7, fig. 3 (1878).—*Fl.*
cauliflorum Hiern
Pflanzenfam. iii. iv. 290 (1896).—*Fl.*
caulostachyum Miq.
Koorders & Val. Atlas Baumarten Java, t. 99, 100 (1913).
cerebriforme F. M. Bailey
F. M. Bailey in Dep. Agric. Queensland Bot. Bull. No. 14, t. 1, 2 (1896).
Queensland Agric. Journ. N. Ser. ii. t. 36 (1914).
cochinchinense Pierre
Pierre, Fl. For. Cochinch. v. t. 350 (1896).
Lecomte, Fl. Gén. Indo-Chine, i. 738 (1911).—*Fl.*
cuneatum Hiern
A. & C. De Candolle, Monogr. Phan. i. t. 7, fig. 1 (1878).—*Fl.*
densevestitum White & Francis
C. T. White in Dep. Agric. Queensland Bot. Bull. No. 22, p. 7 (1920).
densiflorum Miq.
Koorders & Val. Atlas Baumarten Java, t. 98 (1913).
euphlebium Merr.
Rumphius, Herb. Amboin. ii. t. 20 (1743); fide Merrill, Interpret. Rumph. Herb. Amboin.
excelsum Bl.
Koorders & Val. Atlas Baumarten Java, t. 171 (1913).
Fraseranum Benth.
Maiden, For. Fl. N. S. Wales, iii. t. 85, 93, 172, 173 (1907); iv. Pt. 40 [t. 30] (1910).
J. H. Maiden, Some Princip. Comm. Trees N. S. Wales (N. S. Wales, Forest Handb.), 146 (1917).
glandulosum Talb.
Journ. Bombay Nat. Hist. Soc. xi. 690, t. 11 (1898).
Talbot, For. Fl. Bombay, i. 232 (1909).
Harmandianum Pierre
Pierre, Fl. For. Cochinch. v. t. 345 (1896).
Hasseltii Koord. & Val.
Koorders & Val. Atlas Baumarten Java, t. 177 (1913).
Kunthianum Miq.
Pflanzenfam. iii. iv. 290 (1896).—*Fl.*
Loureiroi Pierre
Pierre, Fl. For. Cochinch. v. t. 352 (1896).

DYSOXYLUM
macrocarpum Bl.
Beddome, Fl. Sylv. t. 150 (1871).
Koorders & Val. Atlas Baumarten Java, t. 178 (1913).
maota Reinecke
Rechinger in Denkschr. Akad. Wiss. Wien, lxxxv. 296 (1910).—*Veg.*
megalanthum Hemsl.
Journ. Linn. Soc., Bot. xxx. t. 9 (1895).
mollissimum Bl.
Koorders & Val. Atlas Baumarten Java, t. 179 (1913).
Muelleri Benth.
Maiden, For. Fl. N. S. Wales, iii. t. 101 (1907); iv. t. 130 (1909); iv. Pt. 40 [t. 32] (1910).
J. H. Maiden, Some Princip. Comm. Trees N. S. Wales (N. S. Wales, Forest Handb.), 147 (1917).
nutans Miq.
A. & C. De Candolle, Monogr. Phan. i. t. 7, fig. 2 (1878).—*Fl.*
Pflanzenfam. iii. iv. 290 (1896).—*Fl.*
pachyphyllum Hemsl.
Hook. Ic. Pl. xxix. t. 2827 (1907).
Maiden, For. Fl. N. S. Wales, iii. t. 93 (1907).
procerum Hiern
Lecomte, Fl. Gén. Indo-Chine, i. 738 (1911).—*Fl.*
purpureum Bourdillon
Journ. Bombay Nat. Hist. Soc. xii. 350, t. 2 (1899).
ramiflorum Miq.
Pflanzenfam. iii. iv. 290 (1896).—*Fr.*
Flora, lxxxvii. 16 (1900).—*Veg.*
Knuth, Handb. Blütenbiol. iii. 1. 446 (1904).—*Fl.*
Koorders & Val. Atlas Baumarten Java, t. 172 (1913).
reticulatum King
Ann. Bot. Gard. Calcutta, ix. t. 22 (1901).
rubrocostatum Pierre
Pierre, Fl. For. Cochinch. v. t. 348 (1896).
—— **chaudocense** Pierre
Pierre, Fl. For. Cochinch. v. t. 351 (1896).
rufum Benth.
Maiden, For. Fl. N. S. Wales, iii. t. 89 (1907).
simile Bl.
Koorders & Val. Atlas Baumarten Java, t. 180 (1913).
spectabile Hook. f.
*Hetley, Nat. Flowers New Zeal. t. 9 (1888).
*E. H. & S. Featon, Art Album, i. t. 18 (1889).
Kirk, For. Fl. New Zeal. t. 64, 65 (1889).
*Harris, New Zeal. Berries [t. 10, 1894].
Pflanzenfam. iii. iv. 290 (1896).—*Fl.*
Laing & Blackwell, Pl. New Zeal. Ed. 2, frontisp. 223 (1907).
Cockayne, New Zeal. Pl. 82 (1910); Ed. 2, p. 40 (1919).—*Hab.*
Journ. New Zeal. Dep. Agric. xx. 283 (1920).—*Hab.*
tpongense Pierre
Pierre, Fl. For. Cochinch. v. t. 349 (1896).
translucidum Pierre
Pierre, Fl. For. Cochinch. v. t. 350 (1896).
urens Val.
Ic. Bogor. i. t. 12 (1897).

DYSPHANIA R. Br.
litoralis R. Br.
F. Mueller, Ic. Austral. Salsolac. t. 36 (1890).
myriocephala Benth.
F. M. Bailey & Gordon, Pl. Poison. & Injur. Stock, 67 (1887).
F. M. Bailey, Weeds & Poison. Pl. Queensland, 151 (1906).
F. M. Bailey, Compr. Cat. Queensland Pl. 399 (1909–13).
Queensland Agric. Journ. N. Ser. iii. t. 30 (1915).
plantiginella F. Muell.
F. Mueller, Ic. Austral. Salsolac. t. 35 (1890).
F. M. Bailey, Compr. Cat. Queensl. Pl. 399 (1909–13).
simulans F. Muell. & Tate
F. Mueller, Ic. Austral. Salsolac. t. 34 (1890).

THE Heckman Bindery INC.
BOUND TO PLEASE
JAN. 66
N. MANCHESTER, INDIANA

NATIONAL AGRICULTURAL LIBRARY
1022848072